




Below is a flowchart describing 40 CFR Part 60, Subpart OOO. For the text of the statute/rule, please go to

40 CFR Part 60, Subpart OOO (1 of 18)







(3 of 18)




(4 of 18)




(5 of 18)






(7 of 18) Is the affected facility enclosed in a building with vents (as defined in §60.671) 86 No which is complying with §60.672(e)(2)? §60.672(e)(2) End Yes Did the affected facility commence construction, modification, or reconstruction on or after No Yes-04/22/2008 per Table 2 of 40 CFR Part 60. Subpart OOO? PM PM §60.672(e)(2)-Table 2 Emission limit = Emission limit = 0.05 g/dscm 0.032 g/dscm (0.022 gr/dscf) (0.014 gr/dscf) Comply with the following: Comply with the following: Standard Standard §60.672(e)(2)-Table 2|3 §60.672(e)(2)-Table 2|1 §60.672(e)(2) §60.672(e)(2) Monitoring/Testing Monitoring/Testing §60.675(a) §60.675(a) Reporting Reporting §60.676(f), [G](i), (k) §60.676(f), [G](i), (k) Are you electing to determine the average gas flow rate produced No by the power fans to the building vent (due to low exhaust gas velocity)? §60.675(e)(4) Yes Comply with the following: Monitoring/Testing 87 §60.675(e)(4)


(8 of 18)




88 Did the affected facility commence construction, modification, or reconstruction on or after Yes-04/22/2008 per Table 2 of 40 CFR Part 60, Subpart OOO? §60.672(e)(2)-Table 2 End No PM(Opacity) Opacity limit = 7 percent Comply with the following: Standard §60.672(e)(2)-Table 2|2 §60.672(e)(2) Monitoring/Testing §60.675(a), [G](e)(2), (g) Reporting §60.675(g) §60.676(f), [G](i), (k) Is the building enclosing a storage bin or enclosed truck or railcar loading station controlled Yes by a baghouse that operates for less than 1 hour at a time? Comply with the following: §60.675(c)(2)(ii) Monitoring/Testing §60.675(c)(2)(ii) Nο End




(11 of 18)




(12 of 18)




(13 of 18)



(14 of 18)




(15 of 18)



94 Did the affected facility commence construction. Nomodification, or reconstruction on or after Yes-04/22/2008 per Table 3 of 40 CFR Part 60, Subpart OOO? §60.672(b)-Table 3 PM PM (Opacity) (Opacity) Opacity limit = Opacity limit = 15 percent 12 percent Comply with the following: Comply with the following: Standard Standard §60.672(b)-Table 3|2 §60.672(b)-Table 3|4 §60.672(b) §60.672(b) Monitoring/Testing Monitoring/Testing §60.675(a), (c)(1) §60.675(a), (c)(1) §60.675(c)(1)(i)-(ii) §60.675(c)(1)(i)-(ii) §60.675(c)(3), [G](e)(2) §60.675(c)(3), [G](e)(2) §60.675(g) §60.675(g) Reporting Reporting §60.675(g) §60.675(g) §60.676(f), [G](i), (k) §60.676(f), [G](i), (k) 98 97

(17 of 18)



(18 of 18)

