



### Relationship Entry Screen

Document: Below is a Relationship Entry Screen Table describing 40 CFR Part 60, Subpart OOOOa.  
 For the text of the statute/rule, please go to [40 CFR Part 60, Subpart OOOOa](#).

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
1	§60.5375a(a) Well completion operation with hydraulic fracturing at a non-low pressure, non-delineation, or non-wildcat well <i>[R]</i> §60.5370a(a) <i>[R]</i> §60.5370a(b) <i>[GR]</i> §60.5375a(a)(1) <i>[D]</i> §60.5375a(a)(3) <i>[R]</i> §60.5375a(a)(4) <i>[R]</i> §60.5375a(c) <i>[R]</i> §60.5375a(d) <i>[R]</i> §60.5375a(e) <i>[R]</i> §60.5410a <i>[R]</i> §60.5410a(a)(1) <i>[R]</i> §60.5410a(a)(2) <i>[R]</i> §60.5410a(a)(3) <i>[R]</i> §60.5415a(a)		<i>[R]</i> §60.5375a(b) <i>[D]</i> §60.5410a(a)(4) <i>[R]</i> §60.5420a(c) <i>[R]</i> §60.5420a(c)(1) <i>[R]</i> §60.5420a(c)(1)(i) <i>[R]</i> §60.5420a(c)(1)(ii) <i>[R]</i> §60.5420a(c)(1)(iii) <i>[R]</i> §60.5420a(c)(1)(iii)(A) <i>[R]</i> §60.5420a(c)(1)(iii)(C) <i>[R]</i> §60.5420a(c)(1)(iii)(C)(1) <i>[R]</i> §60.5420a(c)(1)(iii)(C)(2) <i>[R]</i> §60.5420a(c)(1)(iii)(C)(3) <i>[D]</i> §60.5420a(c)(1)(iv) <i>[D]</i> §60.5420a(c)(1)(v)	<i>[R]</i> §60.5420a(a) <i>[R]</i> §60.5420a(a)(1) <i>[R]</i> §60.5420a(a)(2)(i) <i>[R]</i> §60.5420a(a)(2)(ii) <i>[R]</i> §60.5420a(b) <i>[GR]</i> §60.5420a(b)(1) <i>[GR]</i> §60.5420a(b)(2) <i>[R]</i> §60.5420a(b)(11) <i>[GR]</i> §60.5420a(b)(13) <i>[GR]</i> §60.5420a(b)(14)
2	§60.5375a(f) Well completion operation with hydraulic fracturing at a wildcat well, delineation well, non-wildcat low pressure well, or non-delineation low pressure well <i>[R]</i> §60.5370a(a) <i>[R]</i> §60.5370a(b) <i>[R]</i> §60.5375a(f)(3) <i>[D]</i> §60.5375a(f)(3)(i) <i>[D]</i> §60.5375a(f)(3)(ii) <i>[R]</i> §60.5375a(f)(4) <i>[R]</i> §60.5410a <i>[R]</i> §60.5410a(a)(1) <i>[R]</i> §60.5410a(a)(2) <i>[R]</i> §60.5410a(a)(3) <i>[R]</i> §60.5415a(a) <i>[GD]</i> §60.5432a(a) <i>[GD]</i> §60.5432a(b)		<i>[R]</i> §60.5375a(b) <i>[R]</i> §60.5420a(c) <i>[R]</i> §60.5420a(c)(1) <i>[R]</i> §60.5420a(c)(1)(i) <i>[R]</i> §60.5420a(c)(1)(ii) <i>[R]</i> §60.5420a(c)(1)(iii) <i>[R]</i> §60.5420a(c)(1)(iii)(B) <i>[R]</i> §60.5420a(c)(1)(vii)	<i>[R]</i> §60.5420a(a) <i>[R]</i> §60.5420a(a)(1) <i>[R]</i> §60.5420a(a)(2)(i) <i>[R]</i> §60.5420a(a)(2)(ii) <i>[R]</i> §60.5420a(b) <i>[GR]</i> §60.5420a(b)(1) <i>[GR]</i> §60.5420a(b)(2) <i>[R]</i> §60.5420a(b)(11) <i>[GR]</i> §60.5420a(b)(13) <i>[GR]</i> §60.5420a(b)(14)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
3	§60.5375a(g) Well affected facility with < 300 scf of gas per stock tank barrel of oil produced <i>[R]</i> §60.5370a(a) <i>[R]</i> §60.5370a(b) <i>[R]</i> §60.5375a(g)(1) <i>[R]</i> §60.5375a(g)(2) <i>[R]</i> §60.5410a <i>[R]</i> §60.5410a(a)(1) <i>[R]</i> §60.5410a(a)(2) <i>[R]</i> §60.5410a(a)(3) <i>[R]</i> §60.5415a(a)		<i>[R]</i> §60.5420a(c) <i>[R]</i> §60.5420a(c)(1) <i>[R]</i> §60.5420a(c)(1)(vi) <i>[R]</i> §60.5420a(c)(1)(vi)(A) <i>[R]</i> §60.5420a(c)(1)(vi)(B) <i>[R]</i> §60.5420a(c)(1)(vi)(C)	<i>[R]</i> §60.5420a(a) <i>[R]</i> §60.5420a(a)(1) <i>[R]</i> §60.5420a(a)(2)(i) <i>[R]</i> §60.5420a(a)(2)(ii) <i>[R]</i> §60.5420a(b) <i>[GR]</i> §60.5420a(b)(1) <i>[GR]</i> §60.5420a(b)(2) <i>[R]</i> §60.5420a(b)(11) <i>[GR]</i> §60.5420a(b)(13) <i>[GR]</i> §60.5420a(b)(14)
4	§60.5380a(a)(1) Centrifugal Compressor <i>[R]</i> §60.5370a(a) <i>[R]</i> §60.5370a(b) <i>[R]</i> §60.5380a <i>[R]</i> §60.5380a(a)(2) <i>[R]</i> §60.5380a(b) <i>[R]</i> §60.5380a(c) <i>[R]</i> §60.5380a(d) <i>[R]</i> §60.5410a <i>[R]</i> §60.5410a(b)(1) <i>[D]</i> §60.5410a(b)(2) <i>[R]</i> §60.5410a(b)(3) <i>[R]</i> §60.5410a(b)(4) <i>[R]</i> §60.5410a(b)(5) <i>[R]</i> §60.5411a(a)(1) <i>[R]</i> §60.5411a(a)(2) <i>[D]</i> §60.5411a(a)(3)(i) <i>[D]</i> §60.5411a(a)(3)(i)(A) <i>[D]</i> §60.5411a(a)(3)(i)(B) <i>[D]</i> §60.5411a(a)(3)(ii) <i>[R]</i> §60.5411a(b)(1) <i>[GR]</i> §60.5411a(b)(2) <i>[GR]</i> §60.5411a(d)(1) <i>[D]</i> §60.5412a(a) <i>[D]</i> §60.5412a(a)(1) <i>[D]</i> §60.5412a(a)(1)(i) <i>[D]</i> §60.5412a(a)(1)(ii)	<i>[D]</i> §60.5413a(b) <i>[GD]</i> §60.5413a(b)(1) <i>[D]</i> §60.5413a(b)(2) <i>[D]</i> §60.5413a(b)(3) <i>[D]</i> §60.5413a(b)(3)(i) <i>[D]</i> §60.5413a(b)(3)(ii) <i>[D]</i> §60.5413a(b)(3)(iii) <i>[GD]</i> §60.5413a(b)(4) <i>[GD]</i> §60.5413a(b)(5) <i>[D]</i> §60.5413a(c)(1) <i>[D]</i> §60.5413a(c)(2) <i>[D]</i> §60.5413a(c)(3) <i>[D]</i> §60.5413a(c)(4) <i>[GD]</i> §60.5413a(e) <i>[GR]</i> §60.5416a(a)(1) <i>[GR]</i> §60.5416a(a)(2) <i>[GR]</i> §60.5416a(a)(3) <i>[D]</i> §60.5416a(a)(4)(i) <i>[D]</i> §60.5416a(a)(4)(ii) <i>[GD]</i> §60.5417a(c)(1) <i>[GD]</i> §60.5417a(c)(2) <i>[D]</i> §60.5417a(c)(3) <i>[D]</i> §60.5417a(c)(4) <i>[D]</i> §60.5417a(d) <i>[D]</i> §60.5417a(d)(1)(i) <i>[D]</i> §60.5417a(d)(1)(ii) <i>[D]</i> §60.5417a(d)(1)(iii) <i>[D]</i> §60.5417a(d)(1)(iv)	<i>[R]</i> §60.5410a(b)(8) <i>[D]</i> §60.5411a(a)(3)(i)(A) <i>[GD]</i> §60.5417a(c)(1) <i>[R]</i> §60.5420a(c) <i>[R]</i> §60.5420a(c)(2) <i>[D]</i> §60.5420a(c)(2)(i) <i>[D]</i> §60.5420a(c)(2)(ii) <i>[D]</i> §60.5420a(c)(2)(iii) <i>[D]</i> §60.5420a(c)(2)(iv) <i>[D]</i> §60.5420a(c)(2)(v) <i>[GD]</i> §60.5420a(c)(2)(vi) <i>[D]</i> §60.5420a(c)(2)(vii) <i>[D]</i> §60.5420a(c)(2)(viii) <i>[GR]</i> §60.5420a(c)(6) <i>[GR]</i> §60.5420a(c)(7) <i>[D]</i> §60.5420a(c)(8) <i>[D]</i> §60.5420a(c)(10) <i>[D]</i> §60.5420a(c)(11) <i>[GR]</i> §60.5420a(c)(17) <i>[R]</i> §60.5420a(c)(18)	<i>[R]</i> §60.5410a(b)(7) <i>[GD]</i> §60.5413a(d)(12) <i>[R]</i> §60.5420a(a) <i>[R]</i> §60.5420a(a)(1) <i>[R]</i> §60.5420a(b) <i>[GR]</i> §60.5420a(b)(1) <i>[GR]</i> §60.5420a(b)(3) <i>[GR]</i> §60.5420a(b)(9) <i>[D]</i> §60.5420a(b)(10) <i>[R]</i> §60.5420a(b)(11) <i>[R]</i> §60.5420a(b)(12) <i>[GR]</i> §60.5420a(b)(13) <i>[GR]</i> §60.5420a(b)(14)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	[D]§60.5412a(a)(1)(iii) [D]§60.5412a(a)(1)(iv) [D]§60.5412a(a)(2) [D]§60.5412a(a)(3) [D]§60.5412a(b)(1) [D]§60.5412a(b)(2) [D]§60.5412a(c)(1) [GD]§60.5412a(c)(2) [D]§60.5413a [D]§60.5413a(a) [R]§60.5415a(b)(1) [D]§60.5415a(b)(2) [D]§60.5415a(b)(2)(i) [D]§60.5415a(b)(2)(ii) [D]§60.5415a(b)(2)(iii) [D]§60.5415a(b)(2)(iv) [D]§60.5415a(b)(2)(v) [D]§60.5415a(b)(2)(vi) [GD]§60.5415a(b)(2)(vii) [GD]§60.5415a(b)(2)(viii) [R]§60.5415a(b)(3) [D]§60.5416a(a)(4)(i) [GR]§60.5416a(b) [D]§60.5417a(a) [D]§60.5417a(b) [D]§60.5417a(f) [D]§60.5417a(f)(1) [D]§60.5417a(f)(1)(i) [D]§60.5417a(f)(1)(ii) [D]§60.5417a(f)(1)(iii) [D]§60.5417a(f)(2) [D]§60.5417a(f)(2)(i) [D]§60.5417a(f)(2)(ii) [D]§60.5417a(g) [D]§60.5417a(g)(1) [D]§60.5417a(g)(2) [D]§60.5417a(g)(3) [D]§60.5417a(g)(4) [D]§60.5417a(g)(5) [D]§60.5417a(g)(5)(i) [D]§60.5417a(g)(5)(ii) [GD]§60.5417a(g)(6)	[D]§60.5417a(d)(1)(v) [GD]§60.5417a(d)(1)(vi) [D]§60.5417a(d)(1)(vii) [GD]§60.5417a(d)(1)(viii) [D]§60.5417a(d)(2) [D]§60.5417a(d)(3) [D]§60.5417a(e)		

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	<i>[D]</i> §60.18(b)			
5	§60.5385a(a)(1) Reciprocating Compressor on or before 26,000 hrs <i>[R]</i> §60.5370a(a) <i>[R]</i> §60.5370a(b) <i>[R]</i> §60.5385a <i>[R]</i> §60.5385a(a) <i>[R]</i> §60.5385a(b) <i>[R]</i> §60.5385a(c) <i>[R]</i> §60.5385a(d) <i>[R]</i> §60.5410a <i>[R]</i> §60.5415a(c) <i>[R]</i> §60.5415a(c)(2) <i>[R]</i> §60.5415a(c)(3)	<i>[R]</i> §60.5410a(c)(1) <i>[R]</i> §60.5415a(c)(1)	<i>[R]</i> §60.5410a(c)(4) <i>[R]</i> §60.5420a(c) <i>[GR]</i> §60.5420a(c)(3)	<i>[R]</i> §60.5410a(c)(3) <i>[R]</i> §60.5420a(a) <i>[R]</i> §60.5420a(a)(1) <i>[R]</i> §60.5420a(b) <i>[GR]</i> §60.5420a(b)(1) <i>[GR]</i> §60.5420a(b)(4) <i>[R]</i> §60.5420a(b)(11) <i>[GR]</i> §60.5420a(b)(13) <i>[GR]</i> §60.5420a(b)(14)
6	§60.5385a(a)(2) Reciprocating Compressor prior to 36 months <i>[R]</i> §60.5370a(a) <i>[R]</i> §60.5370a(b) <i>[R]</i> §60.5385a <i>[R]</i> §60.5385a(a) <i>[R]</i> §60.5385a(b) <i>[R]</i> §60.5385a(c) <i>[R]</i> §60.5385a(d) <i>[R]</i> §60.5410a <i>[R]</i> §60.5415a(c) <i>[R]</i> §60.5415a(c)(2) <i>[R]</i> §60.5415a(c)(3)	<i>[R]</i> §60.5410a(c)(1) <i>[R]</i> §60.5415a(c)(1)	<i>[R]</i> §60.5410a(c)(4) <i>[R]</i> §60.5420a(c) <i>[GR]</i> §60.5420a(c)(3)	<i>[R]</i> §60.5410a(c)(3) <i>[R]</i> §60.5420a(a) <i>[R]</i> §60.5420a(a)(1) <i>[R]</i> §60.5420a(b) <i>[GR]</i> §60.5420a(b)(1) <i>[GR]</i> §60.5420a(b)(4) <i>[R]</i> §60.5420a(b)(11) <i>[GR]</i> §60.5420a(b)(13) <i>[GR]</i> §60.5420a(b)(14)
7	§60.5385a(a)(3) Reciprocating Compressor collect the emissions and route to process <i>[R]</i> §60.5370a(a) <i>[R]</i> §60.5370a(b) <i>[R]</i> §60.5385a <i>[R]</i> §60.5385a(a) <i>[R]</i> §60.5385a(b) <i>[R]</i> §60.5385a(c) <i>[R]</i> §60.5385a(d) <i>[R]</i> §60.5410a <i>[R]</i> §60.5410a(c)(2) <i>[R]</i> §60.5411a(a)(1)	<i>[GR]</i> §60.5416a(a)(1) <i>[GR]</i> §60.5416a(a)(2) <i>[GR]</i> §60.5416a(a)(3) <i>[D]</i> §60.5416a(a)(4)(i) <i>[D]</i> §60.5416a(a)(4)(ii)	<i>[R]</i> §60.5410a(c)(4) <i>[D]</i> §60.5411a(a)(3)(i)(A) <i>[R]</i> §60.5420a(c) <i>[GR]</i> §60.5420a(c)(3) <i>[GR]</i> §60.5420a(c)(6) <i>[GR]</i> §60.5420a(c)(7) <i>[D]</i> §60.5420a(c)(8) <i>[GR]</i> §60.5420a(c)(17) <i>[R]</i> §60.5420a(c)(18)	<i>[R]</i> §60.5410a(c)(3) <i>[R]</i> §60.5420a(a) <i>[R]</i> §60.5420a(a)(1) <i>[R]</i> §60.5420a(b) <i>[GR]</i> §60.5420a(b)(1) <i>[GR]</i> §60.5420a(b)(4) <i>[GR]</i> §60.5420a(b)(9) <i>[R]</i> §60.5420a(b)(11) <i>[GR]</i> §60.5420a(b)(13) <i>[GR]</i> §60.5420a(b)(14)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	<p>[R]§60.5411a(a)(2)  [D]§60.5411a(a)(3)(i)  [D]§60.5411a(a)(3)(i)(A)  [D]§60.5411a(a)(3)(i)(B)  [D]§60.5411a(a)(3)(ii)  [GR]§60.5411a(d)(1)  [R]§60.5415a(c)(4)  [D]§60.5416a(a)(4)(i)  [GR]§60.5416a(b)</p>			
8	<p>§60.5390a(a) Pneumatic controller with a bleed rate greater than standard  [R]§60.5370a(a)  [R]§60.5370a(b)  [R]§60.5410a(d)(1)  [R]§60.5410a(d)(4)  [R]§60.5415a(d)</p>		<p>[R]§60.5410a(d)(6)  [R]§60.5420a(c)  [GR]§60.5420a(c)(4)</p>	<p>[R]§60.5410a(d)(5)  [R]§60.5420a(a)  [R]§60.5420a(a)(1)  [R]§60.5420a(b)  [GR]§60.5420a(b)(1)  [GR]§60.5420a(b)(5)  [R]§60.5420a(b)(11)  [GR]§60.5420a(b)(13)  [GR]§60.5420a(b)(14)</p>
9	<p>§60.5390a(b)(1) Pneumatic controller with a bleed rate of zero  [R]§60.5370a(a)  [R]§60.5370a(b)  [R]§60.5390a  [R]§60.5390a(b)(2)  [R]§60.5390a(d)  [R]§60.5390a(e)  [R]§60.5390a(f)  [R]§60.5410a  [R]§60.5410a(d)(2)  [R]§60.5410a(d)(4)  [R]§60.5415a(d)</p>		<p>[R]§60.5410a(d)(6)  [R]§60.5420a(c)  [GR]§60.5420a(c)(4)</p>	<p>[R]§60.5410a(d)(5)  [R]§60.5420a(a)  [R]§60.5420a(a)(1)  [R]§60.5420a(b)  [GR]§60.5420a(b)(1)  [GR]§60.5420a(b)(5)  [R]§60.5420a(b)(11)  [GR]§60.5420a(b)(13)  [GR]§60.5420a(b)(14)</p>
10	<p>§60.5390a(c)(1) Pneumatic controller with a bleed rate <math>\leq</math> 6 scfm  [R]§60.5370a(a)  [R]§60.5370a(b)  [R]§60.5390a  [R]§60.5390a(c)(2)  [R]§60.5390a(d)  [R]§60.5390a(e)  [R]§60.5390a(f)</p>		<p>[R]§60.5410a(d)(3)  [R]§60.5410a(d)(6)  [R]§60.5420a(c)  [GR]§60.5420a(c)(4)</p>	<p>[R]§60.5410a(d)(5)  [R]§60.5420a(a)  [R]§60.5420a(a)(1)  [R]§60.5420a(b)  [GR]§60.5420a(b)(1)  [GR]§60.5420a(b)(5)  [R]§60.5420a(b)(11)  [GR]§60.5420a(b)(13)  [GR]§60.5420a(b)(14)</p>

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	<p><i>[R]</i>§60.5410a  <i>[R]</i>§60.5410a(d)(4)  <i>[R]</i>§60.5415a(d)</p>			
11	<p>§60.5393a(b) Pneumatic pump at a well site reduce NG emissions by 95.0 percent  <i>[R]</i>§60.5370a(a)  <i>[R]</i>§60.5370a(b)  <i>[R]</i>§60.5393a  <i>[D]</i>§60.5393a(b)(6)  <i>[D]</i>§60.5393a(c)  <i>[R]</i>§60.5393a(d)  <i>[R]</i>§60.5393a(e)  <i>[R]</i>§60.5410a  <i>[R]</i>§60.5410a(e)(2)  <i>[D]</i>§60.5410a(e)(5)  <i>[R]</i>§60.5410a(e)(7)  <i>[GD]</i>§60.5411a(d)(1)  <i>[D]</i>§60.5411a(e)(1)  <i>[D]</i>§60.5411a(e)(2)  <i>[D]</i>§60.5411a(e)(3)  <i>[D]</i>§60.5411a(e)(3)(i)  <i>[D]</i>§60.5411a(e)(3)(i)(A)  <i>[D]</i>§60.5411a(e)(3)(i)(B)  <i>[D]</i>§60.5411a(e)(3)(ii)  <i>[R]</i>§60.5415a(b)(1)  <i>[D]</i>§60.5415a(b)(2)  <i>[D]</i>§60.5415a(b)(2)(i)  <i>[D]</i>§60.5415a(b)(2)(ii)  <i>[D]</i>§60.5415a(b)(2)(iii)  <i>[D]</i>§60.5415a(b)(2)(iv)  <i>[D]</i>§60.5415a(b)(2)(v)  <i>[D]</i>§60.5415a(b)(2)(vi)  <i>[GD]</i>§60.5415a(b)(2)(vii)  <i>[GD]</i>§60.5415a(b)(2)(viii)  <i>[R]</i>§60.5415a(b)(3)  <i>[GD]</i>§60.5416a(b)  <i>[GD]</i>§60.5416a(c)(4)  <i>[D]</i>§60.5416a(c)(5)  <i>[GD]</i>§60.5416a(c)(6)  <i>[GD]</i>§60.5416a(c)(7)</p>	<p><i>[D]</i>§60.5416a(c)(3)(i)  <i>[D]</i>§60.5416a(c)(3)(ii)  <i>[GD]</i>§60.5416a(d)(1)</p>	<p><i>[R]</i>§60.5420a(c)  <i>[GD]</i>§60.5420a(c)(6)  <i>[GD]</i>§60.5420a(c)(7)  <i>[D]</i>§60.5420a(c)(8)  <i>[D]</i>§60.5420a(c)(10)  <i>[R]</i>§60.5420a(c)(16)(i)  <i>[R]</i>§60.5420a(c)(16)(ii)  <i>[D]</i>§60.5420a(c)(16)(iii)  <i>[R]</i>§60.5420a(c)(16)(v)  <i>[GD]</i>§60.5420a(c)(17)  <i>[R]</i>§60.5420a(c)(18)</p>	<p><i>[R]</i>§60.5410a(e)(6)  <i>[R]</i>§60.5420a(a)  <i>[R]</i>§60.5420a(a)(1)  <i>[R]</i>§60.5420a(b)  <i>[GR]</i>§60.5420a(b)(1)  <i>[R]</i>§60.5420a(b)(8)(i)  <i>[D]</i>§60.5420a(b)(8)(i)(C)  <i>[GR]</i>§60.5420a(b)(8)(ii)  <i>[R]</i>§60.5420a(b)(8)(iii)  <i>[GR]</i>§60.5420a(b)(9)  <i>[R]</i>§60.5420a(b)(11)  <i>[D]</i>§60.5420a(b)(12)  <i>[GR]</i>§60.5420a(b)(13)  <i>[GR]</i>§60.5420a(b)(14)</p>

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
12	§60.5393a(b)(3) Pneumatic pump with no control device or process <b>[R]</b> §60.5393a(b)(3)(ii)		<b>[R]</b> §60.5420a(c) <b>[R]</b> §60.5420a(c)(16)(i) <b>[R]</b> §60.5420a(c)(16)(ii) <b>[R]</b> §60.5420a(c)(16)(v)	<b>[R]</b> §60.5393a(b)(3)(i) <b>[R]</b> §60.5393a(b)(3)(ii) <b>[R]</b> §60.5410a(e)(3) <b>[R]</b> §60.5420a(b)(8)(i)(A)
13	§60.5393a(b)(4) Pneumatic pump with control device unable to achieve 95 percent reduction <b>[R]</b> §60.5393a(b)(6) <b>[R]</b> §60.5393a(c) <b>[R]</b> §60.5370a(a) <b>[R]</b> §60.5370a(b) <b>[R]</b> §60.5393a <b>[R]</b> §60.5393a(d) <b>[R]</b> §60.5393a(e) <b>[R]</b> §60.5410a <b>[R]</b> §60.5410a(e)(2) <b>[R]</b> §60.5410a(e)(5) <b>[R]</b> §60.5410a(e)(7) <b>[GR]</b> §60.5411a(d)(1) <b>[R]</b> §60.5411a(e)(1) <b>[R]</b> §60.5411a(e)(2) <b>[D]</b> §60.5411a(e)(3) <b>[D]</b> §60.5411a(e)(3)(i) <b>[D]</b> §60.5411a(e)(3)(i)(A) <b>[D]</b> §60.5411a(e)(3)(i)(B) <b>[D]</b> §60.5411a(e)(3)(ii) <b>[R]</b> §60.5415a(b)(3) <b>[GR]</b> §60.5416a(b) <b>[GR]</b> §60.5416a(c)(4) <b>[R]</b> §60.5416a(c)(5) <b>[GR]</b> §60.5416a(c)(6) <b>[GR]</b> §60.5416a(c)(7)	<b>[D]</b> §60.5416a(c)(3)(i) <b>[D]</b> §60.5416a(c)(3)(ii) <b>[GR]</b> §60.5416a(d)(1)	<b>[R]</b> §60.5420a(c) <b>[GR]</b> §60.5420a(c)(6) <b>[GR]</b> §60.5420a(c)(7) <b>[D]</b> §60.5420a(c)(8) <b>[D]</b> §60.5420a(c)(10) <b>[R]</b> §60.5420a(c)(16)(i) <b>[R]</b> §60.5420a(c)(16)(ii) <b>[R]</b> §60.5420a(c)(16)(iii) <b>[R]</b> §60.5420a(c)(16)(v) <b>[GR]</b> §60.5420a(c)(17) <b>[R]</b> §60.5420a(c)(18)	<b>[R]</b> §60.5410a(e)(6) <b>[R]</b> §60.5420a(a) <b>[R]</b> §60.5420a(a)(1) <b>[R]</b> §60.5420a(b) <b>[GR]</b> §60.5420a(b)(1) <b>[R]</b> §60.5420a(b)(8)(i) <b>[R]</b> §60.5420a(b)(8)(i)(C) <b>[GR]</b> §60.5420a(b)(8)(ii) <b>[R]</b> §60.5420a(b)(8)(iii) <b>[GR]</b> §60.5420a(b)(9) <b>[R]</b> §60.5420a(b)(11) <b>[R]</b> §60.5420a(b)(12) <b>[GR]</b> §60.5420a(b)(13) <b>[GR]</b> §60.5420a(b)(14)
14	<b>[G]</b> §60.5393a(b)(5) Pneumatic pump where routing emissions to a control device or process is technically unfeasible		<b>[R]</b> §60.5420a(c) <b>[R]</b> §60.5420a(c)(16)(i) <b>[R]</b> §60.5420a(c)(16)(iv) <b>[R]</b> §60.5420a(c)(16)(v)	<b>[R]</b> §60.5410a(e)(4) <b>[R]</b> §60.5420a(b) <b>[R]</b> §60.5420a(b)(8)(i)(B)
15	§60.5395a(a)(2) Storage Vessel (95% control) <b>[R]</b> §60.5370a(a) <b>[R]</b> §60.5370a(b)	<b>[GD]</b> §60.5413a(b) <b>[D]</b> §60.5413a(c)(1) <b>[D]</b> §60.5413a(c)(2) <b>[D]</b> §60.5413a(c)(3)	<b>[R]</b> §60.5410a(h)(6) <b>[D]</b> §60.5417a(h)(3) <b>[R]</b> §60.5420a(c) <b>[R]</b> §60.5420a(c)(5)(i)	<b>[R]</b> §60.5395a(c)(1)(ii) <b>[R]</b> §60.5395a(c)(3) <b>[R]</b> §60.5410a(h)(5) <b>[D]</b> §60.5410a(i)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	[R]§60.5395a(a)(1)	[D]§60.5413a(c)(4)	[R]§60.5420a(c)(5)(ii)	[GD]§60.5413a(d)(12)
	[D]§60.5395a(b)(1)	[GD]§60.5413a(e)	[R]§60.5420a(c)(5)(iii)	[R]§60.5420a(a)
	[D]§60.5395a(b)(2)	[GD]§60.5416a(c)(1)	[R]§60.5420a(c)(5)(iv)	[R]§60.5420a(a)(1)
	[R]§60.5395a(c)	[GD]§60.5416a(c)(2)	[R]§60.5420a(c)(5)(v)	[R]§60.5420a(b)
	[R]§60.5395a(c)(1)	[D]§60.5416a(c)(3)(i)	[GD]§60.5420a(c)(5)(vi)	[GR]§60.5420a(b)(1)
	[R]§60.5395a(c)(1)(i)	[D]§60.5416a(c)(3)(ii)	[R]§60.5420a(c)(5)(vii)	[GR]§60.5420a(b)(6)
	[R]§60.5395a(c)(2)	[D]§60.5416a(c)(5)	[GD]§60.5420a(c)(6)	[GR]§60.5420a(b)(9)
	[R]§60.5395a(d)	[GD]§60.5417a(h)(1)	[GD]§60.5420a(c)(7)	[D]§60.5420a(b)(10)
	[R]§60.5395a(d)(1)	[D]§60.5417a(h)(2)	[D]§60.5420a(c)(8)	[R]§60.5420a(b)(11)
	[R]§60.5395a(d)(2)	[D]§60.5417a(h)(4)	[D]§60.5420a(c)(12)	[D]§60.5420a(b)(12)
	[R]§60.5395a(d)(3)	[D]§60.113b(a)(1)	[D]§60.5420a(c)(13)	[GR]§60.5420a(b)(13)
	[R]§60.5410a	[D]§60.113b(a)(2)	[D]§60.5420a(c)(14)	[GR]§60.5420a(b)(14)
	[R]§60.5410a(h)	[GD]§60.113b(a)(3)	[R]§60.5420a(c)(18)	[D]§60.113b(a)(2)
	[R]§60.5410a(h)(1)	[D]§60.113b(a)(4)	[D]§60.115b	[D]§60.113b(a)(5)
	[R]§60.5410a(h)(2)	[D]§60.113b(a)(5)	[D]§60.115b(a)(2)	[D]§60.113b(b)(4)(iii)
	[D]§60.5410a(h)(3)	[GD]§60.113b(b)(1)	[GD]§60.115b(b)(3)	[D]§60.113b(b)(5)
	[R]§60.5410a(h)(4)	[GD]§60.113b(b)(2)	[D]§60.116b(a)	[D]§60.113b(b)(6)(ii)
	[R]§60.5411a(b)(1)	[D]§60.113b(b)(3)	[D]§60.116b(b)	[D]§60.115b
	[GR]§60.5411a(b)(2)	[D]§60.113b(b)(4)	[D]§60.116b(c)	[D]§60.115b(a)(1)
	[R]§60.5411a(b)(3)	[D]§60.113b(b)(4)(i)	[D]§60.116b(e)(2)(ii)	[D]§60.115b(a)(3)
	[D]§60.5411a(c)(1)	[D]§60.113b(b)(4)(i)(A)		[D]§60.115b(a)(4)
	[D]§60.5411a(c)(2)	[D]§60.113b(b)(4)(i)(B)		[D]§60.115b(b)(1)
	[D]§60.5411a(c)(3)	[GD]§60.113b(b)(4)(ii)		[GD]§60.115b(b)(2)
	[D]§60.5411a(c)(3)(i)	[D]§60.113b(b)(4)(iii)		[D]§60.115b(b)(4)
	[D]§60.5411a(c)(3)(i)(A)	[D]§60.113b(b)(5)		[D]§60.116b(d)
	[D]§60.5411a(c)(3)(i)(B)	[D]§60.113b(b)(6)		
	[D]§60.5411a(c)(3)(ii)	[D]§60.113b(b)(6)(i)		
	[D]§60.5411a(d)(1)	[D]§60.113b(b)(6)(ii)		
	[D]§60.5412a(c)(1)	[D]§60.116b(a)		
	[GD]§60.5412a(c)(2)	[D]§60.116b(b)		
	[D]§60.5412a(d)	[D]§60.116b(c)		
	[GD]§60.5412a(d)(1)	[D]§60.116b(d)		
	[D]§60.5412a(d)(1)(i)	[D]§60.116b(e)		
	[D]§60.5412a(d)(1)(ii)	[D]§60.116b(e)(1)		
	[D]§60.5412a(d)(1)(iii)	[D]§60.116b(e)(2)		
	[D]§60.5412a(d)(1)(iv)	[D]§60.116b(e)(2)(i)		
	[D]§60.5412a(d)(1)(iv)(A)	[D]§60.116b(e)(2)(ii)		
	[D]§60.5412a(d)(1)(iv)(B)	[GD]§60.116b(e)(3)		
	[D]§60.5412a(d)(1)(iv)(C)	[D]§60.116b(f)(1)		
	[D]§60.5412a(d)(1)(iv)(D)			
	[D]§60.5412a(d)(2)			
	[D]§60.5412a(d)(3)			



Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	<p>[D]§60.5412a(d)(4)  [D]§60.5413a  [D]§60.5413a(a)  [R]§60.5415a(e)  [R]§60.5415a(e)(3)(i)  [D]§60.5415a(e)(3)(ii)  [D]§60.5415a(e)(3)(ii)(A)  [D]§60.5415a(e)(3)(ii)(B)  [D]§60.5415a(e)(3)(ii)(C)  [D]§60.5416a(c)  [GD]§60.5416a(c)(4)  [GD]§60.5416a(c)(6)  [GD]§60.5416a(c)(7)  [D]§60.5417a(h)  [D]§60.5417a(h)(3)  [D]§60.18(b)  [D]§60.112b(a)(1)  [D]§60.112b(a)(1)(i)  [D]§60.112b(a)(1)(ii)(A)  [D]§60.112b(a)(1)(ii)(B)  [D]§60.112b(a)(1)(ii)(C)  [D]§60.112b(a)(1)(iii)  [D]§60.112b(a)(1)(iv)  [D]§60.112b(a)(1)(v)  [D]§60.112b(a)(1)(vi)  [D]§60.112b(a)(1)(vii)  [D]§60.112b(a)(1)(viii)  [D]§60.112b(a)(1)(ix)  [GD]§60.112b(a)(2)</p>			
16	<p>§60.5395a(a)(3) <i>Storage (uncontrolled &lt; 4 TY)</i>  [R]§60.5370a(a)  [R]§60.5370a(b)  [R]§60.5395a(a)(3)(i)  [R]§60.5395a(a)(3)(ii)  [R]§60.5395a(c)  [R]§60.5395a(c)(1)  [R]§60.5395a(c)(1)(i)  [R]§60.5395a(c)(2)  [R]§60.5395a(d)  [R]§60.5395a(d)(1)</p>		<p>[R]§60.5410a(h)(6)  [R]§60.5420a(c)  [R]§60.5420a(c)(5)(ii)  [R]§60.5420a(c)(5)(iii)  [R]§60.5420a(c)(5)(iv)  [R]§60.5420a(c)(5)(v)  [R]§60.5420a(c)(5)(vii)</p>	<p>[R]§60.5395a(c)(1)(ii)  [R]§60.5395a(c)(3)  [R]§60.5410a(h)(5)  [R]§60.5420a(a)  [R]§60.5420a(a)(1)  [R]§60.5420a(b)  [GR]§60.5420a(b)(1)  [GR]§60.5420a(b)(6)  [R]§60.5420a(b)(11)  [GR]§60.5420a(b)(13)  [GR]§60.5420a(b)(14)</p>

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	<p>[R]§60.5395a(d)(3)  [R]§60.5410a  [R]§60.5410a(h)  [R]§60.5410a(h)(1)</p>			
17	<p>§60.5397a 1 Collection of fugitive emission components at a well site  [R]§60.5370a(a)  [R]§60.5370a(b)  [R]§60.5397a(a)  [R]§60.5397a(a)(1)  [R]§60.5397a(a)(1)(i)  [R]§60.5397a(a)(1)(ii)  [R]§60.5397a(a)(2)  [R]§60.5397a(a)(3)  [R]§60.5397a(a)(3)(i)  [R]§60.5397a(a)(3)(ii)  [R]§60.5397a(h)  [R]§60.5397a(h)(1)  [R]§60.5397a(h)(2)  [R]§60.5397a(h)(3)  [GR]§60.5397a(h)(4)  [R]§60.5410a  [R]§60.5410a(j)  [R]§60.5410a(j)(1)  [R]§60.5410a(j)(2)  [R]§60.5410a(j)(3)  [R]§60.5410a(j)(4)  [GR]§60.5410a(k)  [GR]§60.5415a(h)  [GR]§60.5415a(i)  [R]§60.5415a(j)</p>	<p>[R]§60.5397a(b)  [GR]§60.5397a(c)  [GR]§60.5397a(d)  [R]§60.5397a(e)  [R]§60.5397a(f)(1)  [R]§60.5397a(g)  [R]§60.5397a(g)(1)  [GR]§60.5397a(g)(3)  [GR]§60.5397a(g)(4)</p>	<p>[R]§60.5397a(i)  [R]§60.5420a(c)  [R]§60.5420a(c)(15)  [R]§60.5420a(c)(15)(i)  [R]§60.5420a(c)(15)(ii)  [R]§60.5420a(c)(15)(iii)  [R]§60.5420a(c)(15)(iv)  [R]§60.5420a(c)(15)(v)  [R]§60.5420a(c)(15)(vi)  [GR]§60.5420a(c)(15)(vii)</p>	<p>[R]§60.5397a(j)  [R]§60.5410a(j)(5)  [R]§60.5420a(a)  [R]§60.5420a(a)(1)  [R]§60.5420a(b)  [GR]§60.5420a(b)(1)  [R]§60.5420a(b)(7)(i)(A)  [R]§60.5420a(b)(7)(i)(B)  [R]§60.5420a(b)(7)(i)(C)  [R]§60.5420a(b)(7)(i)(D)  [R]§60.5420a(b)(7)(i)(E)  [GR]§60.5420a(b)(7)(ii)  [R]§60.5420a(b)(11)  [GR]§60.5420a(b)(13)  [GR]§60.5420a(b)(14)</p>
18	<p>§60.5397a 2 Collection of fugitive emission components at a compressor station  [R]§60.5370a(a)  [R]§60.5370a(b)  [R]§60.5397a(a)  [R]§60.5397a(a)(1)  [R]§60.5397a(h)  [R]§60.5397a(h)(1)  [R]§60.5397a(h)(2)</p>	<p>[R]§60.5397a(b)  [GR]§60.5397a(c)  [GR]§60.5397a(d)  [R]§60.5397a(e)  [R]§60.5397a(f)(2)  [R]§60.5397a(g)  [R]§60.5397a(g)(2)  [GR]§60.5397a(g)(3)  [GR]§60.5397a(g)(4)</p>	<p>[R]§60.5397a(i)  [R]§60.5420a(c)  [R]§60.5420a(c)(15)  [R]§60.5420a(c)(15)(i)  [R]§60.5420a(c)(15)(vi)  [GR]§60.5420a(c)(15)(vii)</p>	<p>[R]§60.5397a(j)  [R]§60.5410a(j)(5)  [R]§60.5420a(a)  [R]§60.5420a(a)(1)  [R]§60.5420a(b)  [GR]§60.5420a(b)(1)  [R]§60.5420a(b)(7)(i)(A)  [GR]§60.5420a(b)(7)(ii)  [R]§60.5420a(b)(11)  [GR]§60.5420a(b)(13)</p>

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	<p><i>[R]</i>§60.5397a(h)(3)  <i>[GR]</i>§60.5397a(h)(4)  <i>[R]</i>§60.5410a  <i>[R]</i>§60.5410a(j)  <i>[R]</i>§60.5410a(j)(1)  <i>[R]</i>§60.5410a(j)(2)  <i>[R]</i>§60.5410a(j)(3)  <i>[R]</i>§60.5410a(j)(4)  <i>[GR]</i>§60.5415a(h)</p>			<i>[GR]</i> §60.5420a(b)(14)
19	<p>§60.5398a(a) Alt. Standard for well affected facilities, reciprocating compressors, or collection of fugitive emission components at a well site or compressor station  <i>[R]</i>§60.5370a(a)  <i>[R]</i>§60.5370a(b)  <i>[GR]</i>§60.5398a(c)(1)  <i>[R]</i>§60.5398a(c)(2)  <i>[R]</i>§60.5398a(d)</p>			<p><i>[R]</i>§60.5420a(a)  <i>[R]</i>§60.5420a(a)(1)  <i>[R]</i>§60.5420a(b)  <i>[GR]</i>§60.5420a(b)(1)  <i>[R]</i>§60.5420a(b)(11)  <i>[GR]</i>§60.5420a(b)(13)  <i>[GR]</i>§60.5420a(b)(14)</p>
20	<p>§60.5399a(l) Alt. Standard for collection of fugitive emission components at a well site  <i>[R]</i>§60.5370a(a)  <i>[R]</i>§60.5370a(b)</p>	<p><i>[GR]</i>§60.5397a(c)  <i>[GR]</i>§60.5397a(d)  <i>[R]</i>§60.5399a(l)</p>	<p><i>[R]</i>§60.5420a(c)  <i>[R]</i>§60.5420a(c)(15)(viii)</p>	<p><i>[R]</i>§60.5420a(a)(3)  <i>[R]</i>§60.5420a(b)  <i>[GR]</i>§60.5420a(b)(1)  <i>[GR]</i>§60.5420a(b)(7)(iii)  <i>[R]</i>§60.5420a(b)(11)  <i>[GR]</i>§60.5420a(b)(13)  <i>[GR]</i>§60.5420a(b)(14)</p>
21	<p>§60.5399a(m) Alt. Standard for collection of fugitive emission components at a compressor station  <i>[R]</i>§60.5370a(a)  <i>[R]</i>§60.5370a(b)</p>	<p><i>[GR]</i>§60.5397a(c)  <i>[GR]</i>§60.5397a(d)  <i>[R]</i>§60.5399a(m)</p>	<p><i>[R]</i>§60.5420a(c)  <i>[R]</i>§60.5420a(c)(15)(viii)</p>	<p><i>[R]</i>§60.5420a(a)(3)  <i>[R]</i>§60.5420a(b)  <i>[GR]</i>§60.5420a(b)(1)  <i>[GR]</i>§60.5420a(b)(7)(iii)  <i>[R]</i>§60.5420a(b)(11)  <i>[GR]</i>§60.5420a(b)(13)  <i>[GR]</i>§60.5420a(b)(14)</p>
22	<p>§60.5400a(a)3 Vacuum Service  <i>[R]</i>§60.5370a(a)  <i>[R]</i>§60.5370a(b)  <i>[R]</i>§60.5400a(a)  <i>[R]</i>§60.5400a(d)  <i>[R]</i>§60.5400a(e)  <i>[R]</i>§60.5400a(f)</p>		<p><i>[R]</i>§60.486a(e)  <i>[R]</i>§60.486a(e)(1)  <i>[R]</i>§60.486a(e)(5)</p>	<p><i>[R]</i>§60.5420a(a)  <i>[R]</i>§60.5420a(a)(1)  <i>[R]</i>§60.5422a(a)</p>

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	<p><i>[R]</i>§60.5410a  <i>[R]</i>§60.5410a(f)  <i>[R]</i>§60.5415a(f)  <i>[R]</i>§60.482-1a(a)  <i>[R]</i>§60.482-1a(b)  <i>[R]</i>§60.482-1a(d)  <i>[R]</i>§60.486a(a)(1)  <i>[R]</i>§60.486a(a)(2)  <i>[R]</i>§60.486a(k)</p>			
23	<p>§60.5400a(a) 4 Pumps LLS  <i>[R]</i>§60.5370a(a)  <i>[R]</i>§60.5370a(b)  <i>[R]</i>§60.5400a(a)  <i>[R]</i>§60.5400a(d)  <i>[R]</i>§60.5400a(e)  <i>[R]</i>§60.5400a(f)  <i>[R]</i>§60.5401a(d)  <i>[R]</i>§60.5410a  <i>[R]</i>§60.5410a(f)  <i>[R]</i>§60.5415a(f)  <i>[R]</i>§60.482-1a(a)  <i>[R]</i>§60.482-1a(b)  <i>[R]</i>§60.482-2a(a)(1)  <i>[R]</i>§60.482-2a(a)(2)  <i>[R]</i>§60.482-2a(b)(1)  <i>[R]</i>§60.482-2a(b)(1)(i)  <i>[R]</i>§60.482-2a(b)(1)(ii)  <i>[R]</i>§60.482-2a(b)(2)  <i>[R]</i>§60.482-2a(b)(2)(ii)  <i>[R]</i>§60.482-2a(c)(1)  <i>[GR]</i>§60.482-2a(c)(2)  <i>[R]</i>§60.482-2a(d)  <i>[GR]</i>§60.482-2a(d)(1)  <i>[R]</i>§60.482-2a(d)(2)  <i>[R]</i>§60.482-2a(d)(3)  <i>[GR]</i>§60.482-2a(d)(6)  <i>[GR]</i>§60.482-2a(e)  <i>[R]</i>§60.482-2a(f)  <i>[GR]</i>§60.482-2a(g)  <i>[R]</i>§60.482-2a(h)  <i>[R]</i>§60.482-9a(a)</p>	<p><i>[GR]</i>§60.5401a(f)  <i>[R]</i>§60.5401a(g)  <i>[R]</i>§60.482-1a(f)(1)  <i>[R]</i>§60.482-1a(f)(2)  <i>[GR]</i>§60.482-1a(f)(3)  <i>[R]</i>§60.482-2a(b)(2)(i)  <i>[GR]</i>§60.482-2a(d)(4)  <i>[GR]</i>§60.482-2a(d)(5)  <i>[R]</i>§60.482-9a(a)  <i>[R]</i>§60.485a(a)  <i>[GR]</i>§60.485a(b)(1)  <i>[R]</i>§60.485a(b)(2)  <i>[R]</i>§60.485a(c)(2)  <i>[R]</i>§60.485a(d)  <i>[R]</i>§60.485a(d)(2)  <i>[R]</i>§60.485a(d)(3)  <i>[GR]</i>§60.485a(e)</p>	<p><i>[R]</i>§60.485a(b)(2)  <i>[GR]</i>§60.486a(a)(3)  <i>[GR]</i>§60.486a(b)  <i>[GR]</i>§60.486a(c)  <i>[R]</i>§60.486a(e)  <i>[R]</i>§60.486a(e)(1)  <i>[GR]</i>§60.486a(e)(2)  <i>[GR]</i>§60.486a(e)(4)  <i>[R]</i>§60.486a(e)(7)  <i>[GR]</i>§60.486a(e)(8)  <i>[GR]</i>§60.486a(h)</p>	<p><i>[R]</i>§60.5420a(a)  <i>[R]</i>§60.5420a(a)(1)  <i>[R]</i>§60.5422a(a)  <i>[R]</i>§60.487a(a)  <i>[R]</i>§60.487a(b)  <i>[R]</i>§60.487a(b)(1)  <i>[R]</i>§60.487a(b)(3)  <i>[R]</i>§60.487a(c)  <i>[R]</i>§60.487a(c)(1)  <i>[R]</i>§60.487a(c)(2)  <i>[R]</i>§60.487a(c)(2)(i)  <i>[R]</i>§60.487a(c)(2)(iii)  <i>[R]</i>§60.487a(c)(2)(iv)  <i>[R]</i>§60.487a(c)(2)(xi)  <i>[R]</i>§60.487a(c)(3)  <i>[R]</i>§60.487a(c)(4)  <i>[R]</i>§60.487a(e)</p>

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	<p>[R]§60.482-9a(b)  [GR]§60.482-9a(d)  [R]§60.482-9a(f)  [R]§60.485a(b)  [R]§60.485a(c)  [R]§60.485a(c)(1)  [R]§60.485a(f)  [R]§60.486a(a)(1)  [R]§60.486a(a)(2)  [R]§60.486a(k)</p>			
24	<p>§60.5400a(a)5 PRD in Gas/Vapor Service  [R]§60.5370a(a)  [R]§60.5370a(b)  [R]§60.5400a(a)  [R]§60.5400a(d)  [R]§60.5400a(e)  [R]§60.5400a(f)  [R]§60.5401a(b)(2)  [R]§60.5401a(b)(3)(i)  [R]§60.5401a(b)(3)(ii)  [R]§60.5401a(b)(4)(i)  [R]§60.5401a(b)(4)(ii)  [R]§60.5401a(d)  [R]§60.5410a  [R]§60.5410a(f)  [R]§60.5415a(f)  [R]§60.482-1a(a)  [R]§60.482-1a(b)  [R]§60.482-4a(a)  [R]§60.482-4a(b)(1)  [R]§60.482-4a(b)(2)  [R]§60.482-4a(c)  [R]§60.482-4a(d)(1)  [R]§60.482-4a(d)(2)  [R]§60.482-9a(a)  [R]§60.482-9a(b)  [R]§60.485a(b)  [R]§60.485a(c)  [R]§60.485a(c)(1)  [R]§60.485a(f)</p>	<p>[R]§60.5401a(b)(1)  [GR]§60.5401a(f)  [R]§60.5401a(g)  [R]§60.482-4a(b)(2)  [R]§60.482-9a(a)  [R]§60.485a(a)  [GR]§60.485a(b)(1)  [R]§60.485a(b)(2)  [R]§60.485a(c)(2)  [R]§60.485a(d)  [R]§60.485a(d)(2)  [R]§60.485a(d)(3)</p>	<p>[GR]§60.5421a(b)  [R]§60.485a(b)(2)  [R]§60.486a(e)  [R]§60.486a(e)(1)  [R]§60.486a(e)(3)  [GR]§60.486a(e)(4)  [GR]§60.486a(e)(8)  [GR]§60.486a(e)(10)  [R]§60.486a(f)  [R]§60.486a(f)(1)</p>	<p>[R]§60.5420a(a)  [R]§60.5420a(a)(1)  [R]§60.5422a(a)  [R]§60.5422a(b)  [GR]§60.5422a(c)  [R]§60.487a(a)  [R]§60.487a(b)  [R]§60.487a(b)(1)  [R]§60.487a(c)  [R]§60.487a(c)(1)  [R]§60.487a(c)(2)  [R]§60.487a(c)(2)(xi)  [R]§60.487a(c)(3)  [R]§60.487a(c)(4)  [R]§60.487a(e)</p>

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	<i>[R]</i> §60.486a(a)(1) <i>[R]</i> §60.486a(a)(2) <i>[R]</i> §60.486a(k)			
25	§60.5400a(a) 7 Open-Ended Valves or Lines <i>[R]</i> §60.5370a(a) <i>[R]</i> §60.5370a(b) <i>[R]</i> §60.5400a(a) <i>[R]</i> §60.5400a(d) <i>[R]</i> §60.5400a(e) <i>[R]</i> §60.5400a(f) <i>[R]</i> §60.5410a <i>[R]</i> §60.5410a(f) <i>[R]</i> §60.5415a(f) <i>[R]</i> §60.482-1a(a) <i>[R]</i> §60.482-1a(b) <i>[R]</i> §60.482-6a(a)(1) <i>[R]</i> §60.482-6a(a)(2) <i>[R]</i> §60.482-6a(b) <i>[R]</i> §60.482-6a(c) <i>[R]</i> §60.482-6a(d) <i>[R]</i> §60.482-6a(e) <i>[R]</i> §60.485a(b) <i>[R]</i> §60.485a(f) <i>[R]</i> §60.486a(a)(1) <i>[R]</i> §60.486a(a)(2) <i>[R]</i> §60.486a(k)	<i>[GR]</i> §60.5401a(f) <i>[R]</i> §60.5401a(g) <i>[R]</i> §60.485a(a) <i>[GR]</i> §60.485a(b)(1) <i>[R]</i> §60.485a(b)(2) <i>[R]</i> §60.485a(d) <i>[R]</i> §60.485a(d)(2) <i>[R]</i> §60.485a(d)(3)	<i>[R]</i> §60.485a(b)(2) <i>[R]</i> §60.486a(e) <i>[R]</i> §60.486a(e)(1) <i>[GR]</i> §60.486a(e)(8)	<i>[R]</i> §60.5420a(a) <i>[R]</i> §60.5420a(a)(1) <i>[R]</i> §60.5422a(a) <i>[R]</i> §60.487a(a) <i>[R]</i> §60.487a(b) <i>[R]</i> §60.487a(b)(1) <i>[R]</i> §60.487a(c) <i>[R]</i> §60.487a(c)(1) <i>[R]</i> §60.487a(c)(2) <i>[R]</i> §60.487a(c)(2)(xi) <i>[R]</i> §60.487a(c)(3) <i>[R]</i> §60.487a(c)(4) <i>[R]</i> §60.487a(e)
26	§60.5400a(a) 8 Valves in Gas/Vapor Service <i>[R]</i> §60.5370a(a) <i>[R]</i> §60.5370a(b) <i>[R]</i> §60.5400a(a) <i>[R]</i> §60.5400a(d) <i>[R]</i> §60.5400a(e) <i>[R]</i> §60.5400a(f) <i>[R]</i> §60.5401a(d) <i>[R]</i> §60.5410a <i>[R]</i> §60.5410a(f) <i>[R]</i> §60.5415a(f) <i>[R]</i> §60.482-1a(a) <i>[R]</i> §60.482-1a(b)	<i>[GR]</i> §60.5401a(f) <i>[R]</i> §60.5401a(g) <i>[R]</i> §60.482-1a(f)(1) <i>[R]</i> §60.482-1a(f)(2) <i>[GR]</i> §60.482-1a(f)(3) <i>[R]</i> §60.485a(a) <i>[GR]</i> §60.485a(b)(1) <i>[R]</i> §60.485a(b)(2) <i>[R]</i> §60.485a(c)(2) <i>[R]</i> §60.485a(d) <i>[R]</i> §60.485a(d)(2) <i>[R]</i> §60.485a(d)(3) <i>[GR]</i> §60.485a(e)	<i>[R]</i> §60.485a(b)(2) <i>[GR]</i> §60.486a(a)(3) <i>[GR]</i> §60.486a(b) <i>[GR]</i> §60.486a(c) <i>[R]</i> §60.486a(e) <i>[R]</i> §60.486a(e)(1) <i>[GR]</i> §60.486a(e)(2) <i>[GR]</i> §60.486a(e)(4) <i>[GR]</i> §60.486a(e)(8) <i>[R]</i> §60.486a(f) <i>[R]</i> §60.486a(f)(1) <i>[R]</i> §60.486a(f)(2)	<i>[R]</i> §60.5420a(a) <i>[R]</i> §60.5420a(a)(1) <i>[R]</i> §60.5422a(a) <i>[R]</i> §60.487a(a) <i>[R]</i> §60.487a(b) <i>[R]</i> §60.487a(b)(1) <i>[R]</i> §60.487a(b)(2) <i>[R]</i> §60.487a(c) <i>[R]</i> §60.487a(c)(1) <i>[R]</i> §60.487a(c)(2) <i>[R]</i> §60.487a(c)(2)(ii) <i>[R]</i> §60.487a(c)(2)(xi) <i>[R]</i> §60.487a(c)(3) <i>[R]</i> §60.487a(c)(4)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	<p>[R]§60.482-7a(a)(1)  [GR]§60.482-7a(a)(2)  [R]§60.482-7a(b)  [GR]§60.482-7a(c)  [GR]§60.482-7a(d)  [GR]§60.482-7a(e)  [GR]§60.482-7a(f)  [GR]§60.482-7a(g)  [GR]§60.482-7a(h)  [R]§60.485a(b)  [R]§60.485a(c)  [R]§60.485a(c)(1)  [R]§60.485a(f)  [R]§60.486a(a)(1)  [R]§60.486a(a)(2)  [R]§60.486a(k)</p>			<p>[R]§60.487a(e)</p>
27	<p>§60.5400a(a)9 Pumps HLS  [R]§60.5370a(a)  [R]§60.5370a(b)  [R]§60.5400a(a)  [R]§60.5400a(d)  [R]§60.5400a(e)  [R]§60.5400a(f)  [R]§60.5410a  [R]§60.5410a(f)  [R]§60.5415a(f)  [R]§60.482-1a(a)  [R]§60.482-1a(b)  [GR]§60.482-2a(c)(2)  [GR]§60.482-7a(e)  [R]§60.482-8a(a)  [R]§60.482-8a(a)(2)  [R]§60.482-8a(b)  [GR]§60.482-8a(c)  [R]§60.482-8a(d)  [R]§60.482-9a(a)  [GR]§60.482-9a(d)  [R]§60.482-9a(f)  [R]§60.485a(b)  [R]§60.485a(f)  [R]§60.486a(a)(1)</p>	<p>[GR]§60.5401a(f)  [R]§60.5401a(g)  [R]§60.482-8a(a)(1)  [R]§60.482-9a(a)  [R]§60.485a(a)  [GR]§60.485a(b)(1)  [R]§60.485a(b)(2)  [R]§60.485a(d)  [R]§60.485a(d)(2)  [R]§60.485a(d)(3)</p>	<p>[R]§60.485a(b)(2)  [GR]§60.486a(a)(3)  [GR]§60.486a(b)  [GR]§60.486a(c)  [R]§60.486a(e)  [R]§60.486a(e)(1)  [GR]§60.486a(e)(8)</p>	<p>[R]§60.5420a(a)  [R]§60.5420a(a)(1)  [R]§60.5422a(a)  [R]§60.487a(a)  [R]§60.487a(b)  [R]§60.487a(b)(1)  [R]§60.487a(c)  [R]§60.487a(c)(1)  [R]§60.487a(c)(2)  [R]§60.487a(c)(2)(xi)  [R]§60.487a(c)(3)  [R]§60.487a(c)(4)  [R]§60.487a(e)</p>

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	<i>[R]</i> §60.486a(a)(2) <i>[R]</i> §60.486a(k)			
28	§60.5400a(a) 10 Valves in HLS <i>[R]</i> §60.5370a(a) <i>[R]</i> §60.5370a(b) <i>[R]</i> §60.5400a(a) <i>[R]</i> §60.5400a(d) <i>[R]</i> §60.5400a(e) <i>[R]</i> §60.5400a(f) <i>[R]</i> §60.5410a <i>[R]</i> §60.5410a(f) <i>[R]</i> §60.5415a(f) <i>[R]</i> §60.482-1a(a) <i>[R]</i> §60.482-1a(b) <i>[GR]</i> §60.482-2a(c)(2) <i>[GR]</i> §60.482-7a(e) <i>[R]</i> §60.482-8a(a) <i>[R]</i> §60.482-8a(a)(2) <i>[R]</i> §60.482-8a(b) <i>[GR]</i> §60.482-8a(c) <i>[R]</i> §60.482-8a(d) <i>[R]</i> §60.482-9a(a) <i>[R]</i> §60.482-9a(b) <i>[R]</i> §60.482-9a(c) <i>[R]</i> §60.482-9a(c)(1) <i>[R]</i> §60.482-9a(e) <i>[R]</i> §60.482-9a(f) <i>[R]</i> §60.485a(b) <i>[R]</i> §60.485a(f) <i>[R]</i> §60.486a(a)(1) <i>[R]</i> §60.486a(a)(2) <i>[R]</i> §60.486a(k)	<i>[GR]</i> §60.5401a(f) <i>[R]</i> §60.5401a(g) <i>[R]</i> §60.482-8a(a)(1) <i>[R]</i> §60.482-9a(a) <i>[R]</i> §60.485a(a) <i>[GR]</i> §60.485a(b)(1) <i>[R]</i> §60.485a(b)(2) <i>[R]</i> §60.485a(d) <i>[R]</i> §60.485a(d)(2) <i>[R]</i> §60.485a(d)(3)	<i>[R]</i> §60.485a(b)(2) <i>[GR]</i> §60.486a(a)(3) <i>[GR]</i> §60.486a(b) <i>[GR]</i> §60.486a(c) <i>[R]</i> §60.486a(e) <i>[R]</i> §60.486a(e)(1) <i>[GR]</i> §60.486a(e)(8)	<i>[R]</i> §60.5420a(a) <i>[R]</i> §60.5420a(a)(1) <i>[R]</i> §60.5422a(a) <i>[R]</i> §60.487a(a) <i>[R]</i> §60.487a(b) <i>[R]</i> §60.487a(b)(1) <i>[R]</i> §60.487a(c) <i>[R]</i> §60.487a(c)(1) <i>[R]</i> §60.487a(c)(2) <i>[R]</i> §60.487a(c)(2)(xi) <i>[R]</i> §60.487a(c)(3) <i>[R]</i> §60.487a(c)(4) <i>[R]</i> §60.487a(e)
29	§60.5400a(a) 11 Connectors in HLS <i>[R]</i> §60.5370a(a) <i>[R]</i> §60.5370a(b) <i>[R]</i> §60.5400a(a) <i>[R]</i> §60.5400a(d) <i>[R]</i> §60.5400a(e) <i>[R]</i> §60.5400a(f) <i>[R]</i> §60.5410a <i>[R]</i> §60.5410a(f)	<i>[GR]</i> §60.5401a(f) <i>[R]</i> §60.5401a(g) <i>[R]</i> §60.482-8a(a)(1) <i>[R]</i> §60.482-9a(a) <i>[R]</i> §60.485a(a) <i>[GR]</i> §60.485a(b)(1) <i>[R]</i> §60.485a(b)(2) <i>[R]</i> §60.485a(d) <i>[R]</i> §60.485a(d)(2)	<i>[R]</i> §60.485a(b)(2) <i>[GR]</i> §60.486a(a)(3) <i>[GR]</i> §60.486a(b) <i>[GR]</i> §60.486a(c) <i>[R]</i> §60.486a(e) <i>[R]</i> §60.486a(e)(1) <i>[GR]</i> §60.486a(e)(8)	<i>[R]</i> §60.5420a(a) <i>[R]</i> §60.5420a(a)(1) <i>[R]</i> §60.5422a(a) <i>[R]</i> §60.487a(a) <i>[R]</i> §60.487a(b) <i>[R]</i> §60.487a(b)(1) <i>[R]</i> §60.487a(c) <i>[R]</i> §60.487a(c)(1) <i>[R]</i> §60.487a(c)(2)



Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	<p>[R]§60.5415a(f)  [R]§60.482-1a(a)  [R]§60.482-1a(b)  [GR]§60.482-2a(c)(2)  [R]§60.482-8a(a)  [R]§60.482-8a(a)(2)  [R]§60.482-8a(b)  [GR]§60.482-8a(c)  [R]§60.482-8a(d)  [R]§60.482-9a(a)  [R]§60.482-9a(b)  [R]§60.482-9a(c)  [R]§60.482-9a(c)(1)  [R]§60.482-9a(c)(2)  [R]§60.482-9a(f)  [R]§60.485a(b)  [R]§60.485a(f)  [R]§60.486a(a)(1)  [R]§60.486a(a)(2)  [R]§60.486a(k)</p>	<p>[R]§60.485a(d)(3)</p>		<p>[R]§60.487a(c)(2)(xi)  [R]§60.487a(c)(3)  [R]§60.487a(c)(4)  [R]§60.487a(e)</p>
30	<p>§60.5400a(a) 12 PRD in LLS or HLS  [R]§60.5370a(a)  [R]§60.5370a(b)  [R]§60.5400a(a)  [R]§60.5400a(d)  [R]§60.5400a(e)  [R]§60.5400a(f)  [R]§60.5410a  [R]§60.5410a(f)  [R]§60.5415a(f)  [R]§60.482-1a(a)  [R]§60.482-1a(b)  [GR]§60.482-2a(c)(2)  [GR]§60.482-7a(e)  [R]§60.482-8a(a)  [R]§60.482-8a(a)(2)  [R]§60.482-8a(b)  [GR]§60.482-8a(c)  [R]§60.482-8a(d)  [R]§60.482-9a(a)  [R]§60.482-9a(b)</p>	<p>[GR]§60.5401a(f)  [R]§60.5401a(g)  [R]§60.482-8a(a)(1)  [R]§60.482-9a(a)  [R]§60.485a(a)  [GR]§60.485a(b)(1)  [R]§60.485a(b)(2)  [R]§60.485a(d)  [R]§60.485a(d)(2)  [R]§60.485a(d)(3)</p>	<p>[R]§60.485a(b)(2)  [GR]§60.486a(a)(3)  [GR]§60.486a(b)  [GR]§60.486a(c)  [R]§60.486a(e)  [R]§60.486a(e)(1)  [GR]§60.486a(e)(8)</p>	<p>[R]§60.5420a(a)  [R]§60.5420a(a)(1)  [R]§60.5422a(a)  [R]§60.487a(a)  [R]§60.487a(b)  [R]§60.487a(b)(1)  [R]§60.487a(c)  [R]§60.487a(c)(1)  [R]§60.487a(c)(2)  [R]§60.487a(c)(2)(xi)  [R]§60.487a(c)(3)  [R]§60.487a(c)(4)  [R]§60.487a(e)</p>

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	<p><i>[R]</i>§60.485a(b)  <i>[R]</i>§60.485a(f)  <i>[R]</i>§60.486a(a)(1)  <i>[R]</i>§60.486a(a)(2)  <i>[R]</i>§60.486a(k)</p>			
31	<p>§60.5400a(a) 13 Vapor Recovery Systems  <i>[R]</i>§60.5370a(a)  <i>[R]</i>§60.5370a(b)  <i>[R]</i>§60.5400a(a)  <i>[R]</i>§60.5400a(d)  <i>[R]</i>§60.5400a(e)  <i>[R]</i>§60.5400a(f)  <i>[R]</i>§60.5410a  <i>[R]</i>§60.5410a(f)  <i>[R]</i>§60.5415a(f)  <i>[R]</i>§60.482-1a(a)  <i>[R]</i>§60.482-1a(b)  <i>[R]</i>§60.482-10a(a)  <i>[R]</i>§60.482-10a(b)  <i>[R]</i>§60.482-10a(m)  <i>[R]</i>§60.485a(b)  <i>[R]</i>§60.485a(c)  <i>[R]</i>§60.485a(c)(1)  <i>[R]</i>§60.485a(f)  <i>[R]</i>§60.486a(a)(1)  <i>[R]</i>§60.486a(a)(2)  <i>[R]</i>§60.486a(k)</p>	<p><b>[GR]</b>§60.5401a(f)  <b>[R]</b>§60.5401a(g)  <b>[R]</b>§60.482-10a(e)  <b>[R]</b>§60.485a(a)  <b>[GR]</b>§60.485a(b)(1)  <b>[R]</b>§60.485a(b)(2)  <b>[R]</b>§60.485a(d)  <b>[R]</b>§60.485a(d)(2)  <b>[R]</b>§60.485a(d)(3)</p>	<p><b>[R]</b>§60.485a(b)(2)  <b>[R]</b>§60.486a(e)  <b>[R]</b>§60.486a(e)(1)  <b>[GR]</b>§60.486a(e)(8)</p>	<p><b>[R]</b>§60.5420a(a)  <b>[R]</b>§60.5420a(a)(1)  <b>[R]</b>§60.5422a(a)  <b>[R]</b>§60.487a(a)  <b>[R]</b>§60.487a(b)  <b>[R]</b>§60.487a(b)(1)  <b>[R]</b>§60.487a(c)  <b>[R]</b>§60.487a(c)(1)  <b>[R]</b>§60.487a(c)(2)  <b>[R]</b>§60.487a(c)(2)(xi)  <b>[R]</b>§60.487a(c)(3)  <b>[R]</b>§60.487a(c)(4)  <b>[R]</b>§60.487a(e)</p>
32	<p>§60.5400a(a) 14 Enclosed Combustion Devices  <i>[R]</i>§60.5370a(a)  <i>[R]</i>§60.5370a(b)  <i>[R]</i>§60.5400a(a)  <i>[R]</i>§60.5400a(d)  <i>[R]</i>§60.5400a(e)  <i>[R]</i>§60.5400a(f)  <i>[R]</i>§60.5410a  <i>[R]</i>§60.5410a(f)  <i>[R]</i>§60.5415a(f)  <i>[R]</i>§60.482-1a(a)  <i>[R]</i>§60.482-1a(b)</p>	<p><b>[GR]</b>§60.5401a(f)  <b>[R]</b>§60.5401a(g)  <b>[R]</b>§60.482-10a(e)  <b>[R]</b>§60.485a(a)  <b>[GR]</b>§60.485a(b)(1)  <b>[R]</b>§60.485a(b)(2)  <b>[R]</b>§60.485a(c)(2)  <b>[R]</b>§60.485a(d)  <b>[R]</b>§60.485a(d)(2)  <b>[R]</b>§60.485a(d)(3)</p>	<p><b>[R]</b>§60.485a(b)(2)  <b>[R]</b>§60.486a(e)  <b>[R]</b>§60.486a(e)(1)  <b>[GR]</b>§60.486a(e)(8)</p>	<p><b>[R]</b>§60.5420a(a)  <b>[R]</b>§60.5420a(a)(1)  <b>[R]</b>§60.5422a(a)  <b>[R]</b>§60.487a(a)  <b>[R]</b>§60.487a(b)  <b>[R]</b>§60.487a(b)(1)  <b>[R]</b>§60.487a(c)  <b>[R]</b>§60.487a(c)(1)  <b>[R]</b>§60.487a(c)(2)  <b>[R]</b>§60.487a(c)(2)(xi)  <b>[R]</b>§60.487a(c)(3)  <b>[R]</b>§60.487a(c)(4)  <b>[R]</b>§60.487a(e)</p>

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	<p>[R]§60.482-10a(a)  [R]§60.482-10a(c)  [R]§60.482-10a(m)  [R]§60.485a(b)  [R]§60.485a(c)  [R]§60.485a(c)(1)  [R]§60.485a(f)  [R]§60.486a(a)(1)  [R]§60.486a(a)(2)  [R]§60.486a(k)</p>			
33	<p>§60.5400a(a) 15 Flares  [R]§60.5370a(a)  [R]§60.5370a(b)  [R]§60.5400a(a)  [R]§60.5400a(d)  [R]§60.5400a(e)  [R]§60.5400a(f)  [R]§60.5410a  [R]§60.5410a(f)  [R]§60.5415a(f)  [R]§60.18(b)  [R]§60.482-1a(a)  [R]§60.482-1a(b)  [R]§60.482-10a(a)  [R]§60.482-10a(d)  [R]§60.482-10a(m)  [R]§60.485a(b)  [R]§60.485a(c)  [R]§60.485a(c)(1)  [R]§60.485a(f)  [R]§60.486a(a)(1)  [R]§60.486a(a)(2)  [R]§60.486a(k)</p>	<p>[GR]§60.5401a(f)  [R]§60.5401a(g)  [R]§60.482-10a(e)  [R]§60.485a(a)  [GR]§60.485a(b)(1)  [R]§60.485a(b)(2)  [R]§60.485a(c)(2)  [R]§60.485a(d)  [R]§60.485a(d)(2)  [R]§60.485a(d)(3)  [GR]§60.485a(g)</p>	<p>[R]§60.485a(b)(2)  [GR]§60.486a(b)  [GR]§60.486a(c)  [R]§60.486a(e)  [R]§60.486a(e)(1)  [GR]§60.486a(e)(8)</p>	<p>[R]§60.5420a(a)  [R]§60.5420a(a)(1)  [R]§60.5422a(a)  [R]§60.487a(a)  [R]§60.487a(b)  [R]§60.487a(b)(1)  [R]§60.487a(c)  [R]§60.487a(c)(1)  [R]§60.487a(c)(2)  [R]§60.487a(c)(2)(xi)  [R]§60.487a(c)(3)  [R]§60.487a(c)(4)  [R]§60.487a(e)</p>
34	<p>§60.5400a(a) 16 Closed Vent Systems  [R]§60.5370a(a)  [R]§60.5370a(b)  [R]§60.5400a(a)  [R]§60.5400a(d)  [R]§60.5400a(e)  [R]§60.5400a(f)</p>	<p>[GR]§60.5401a(f)  [R]§60.5401a(g)  [R]§60.485a(a)  [GR]§60.485a(b)(1)  [R]§60.485a(b)(2)  [R]§60.485a(d)  [R]§60.485a(d)(2)  [R]§60.485a(d)(3)</p>	<p>[GR]§60.482-10a(l)  [R]§60.485a(b)(2)  [GR]§60.486a(d)  [R]§60.486a(e)  [R]§60.486a(e)(1)  [GR]§60.486a(e)(8)</p>	<p>[R]§60.5420a(a)  [R]§60.5420a(a)(1)  [R]§60.5422a(a)  [R]§60.487a(a)  [R]§60.487a(b)  [R]§60.487a(b)(1)  [R]§60.487a(c)  [R]§60.487a(c)(1)</p>

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	<p>[R]§60.5410a  [R]§60.5410a(f)  [R]§60.5415a(f)  [R]§60.482-1a(a)  [R]§60.482-1a(b)  [R]§60.482-10a(a)  [GR]§60.482-10a(f)  [GR]§60.482-10a(g)  [R]§60.482-10a(h)  [R]§60.482-10a(i)  [GR]§60.482-10a(j)  [GR]§60.482-10a(k)  [R]§60.482-10a(m)  [R]§60.485a(b)  [R]§60.486a(a)(1)  [R]§60.486a(a)(2)  [R]§60.486a(k)</p>			<p>[R]§60.487a(c)(2)  [R]§60.487a(c)(2)(xi)  [R]§60.487a(c)(3)  [R]§60.487a(c)(4)  [R]§60.487a(e)</p>
35	<p>§60.5400a(a) 17 Connectors in Gas/Vapor Service and LLS  [R]§60.5370a(a)  [R]§60.5370a(b)  [R]§60.5400a(a)  [R]§60.5400a(d)  [R]§60.5400a(e)  [R]§60.5400a(f)  [R]§60.5401a(d)  [R]§60.5410a  [R]§60.5410a(f)  [R]§60.5415a(f)  [R]§60.482-9a(a)  [R]§60.482-9a(b)  [R]§60.482-11a(b)(2)  [R]§60.482-11a(b)(3)  [R]§60.482-11a(b)(3)(i)  [R]§60.482-11a(d)  [GR]§60.482-11a(e)  [GR]§60.482-11a(f)(1)  [R]§60.482-11a(f)(2)  [R]§60.482-11a(g)  [R]§60.485a(b)  [R]§60.486a(a)(1)</p>	<p>[GR]§60.5401a(f)  [R]§60.5401a(g)  [R]§60.482-9a(a)  [R]§60.482-11a(a)  [R]§60.482-11a(b)  [R]§60.482-11a(b)(1)  [R]§60.482-11a(b)(3)  [R]§60.482-11a(b)(3)(ii)  [GR]§60.482-11a(b)(3)(iii)  [R]§60.482-11a(b)(3)(iv)  [R]§60.482-11a(c)  [R]§60.485a(a)  [GR]§60.485a(b)(1)  [R]§60.485a(b)(2)  [R]§60.485a(d)  [R]§60.485a(d)(2)  [R]§60.485a(d)(3)  [GR]§60.485a(e)</p>	<p>[R]§60.482-11a(b)(3)(v)  [R]§60.485a(b)(2)  [GR]§60.486a(a)(3)  [GR]§60.486a(b)  [GR]§60.486a(c)  [R]§60.486a(e)  [R]§60.486a(e)(1)  [GR]§60.486a(e)(8)  [R]§60.486a(e)(9)  [R]§60.486a(f)  [R]§60.486a(f)(1)</p>	<p>[R]§60.5420a(a)  [R]§60.5420a(a)(1)  [R]§60.5422a(a)  [R]§60.487a(a)  [R]§60.487a(b)  [R]§60.487a(b)(1)  [R]§60.487a(b)(5)  [R]§60.487a(c)  [R]§60.487a(c)(1)  [R]§60.487a(c)(2)  [R]§60.487a(c)(2)(vii)  [R]§60.487a(c)(2)(viii)  [R]§60.487a(c)(2)(xi)  [R]§60.487a(c)(3)  [R]§60.487a(c)(4)  [R]§60.487a(e)</p>

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	<i>[R]</i> §60.486a(a)(2) <i>[R]</i> §60.486a(k)			
36	§60.5400a(b) Alt. Standard for valves <i>[R]</i> §60.5370a(a) <i>[R]</i> §60.5370a(b) <i>[R]</i> §60.5400a(d) <i>[R]</i> §60.5400a(e) <i>[R]</i> §60.5400a(f) <i>[R]</i> §60.5410a <i>[R]</i> §60.5410a(f) <i>[R]</i> §60.5415a(f) <i>[R]</i> §60.483-1a(a) <i>[R]</i> §60.483-1a(b) <i>[R]</i> §60.483-1a(b)(3) <i>[R]</i> §60.483-1a(c) <i>[R]</i> §60.483-1a(c)(2) <i>[R]</i> §60.483-1a(c)(3) <i>[R]</i> §60.483-1a(d) <i>[R]</i> §60.483-2a(a)(1) <i>[R]</i> §60.483-2a(b)(1) <i>[R]</i> §60.483-2a(b)(2) <i>[R]</i> §60.483-2a(b)(3) <i>[R]</i> §60.483-2a(b)(4) <i>[R]</i> §60.483-2a(b)(5) <i>[R]</i> §60.485a(b) <i>[GR]</i> §60.485a(h) <i>[R]</i> §60.486a(a)(1) <i>[R]</i> §60.486a(a)(2) <i>[R]</i> §60.486a(k)	<i>[GR]</i> §60.5401a(f) <i>[R]</i> §60.5401a(g) <i>[R]</i> §60.482-1a(f)(1) <i>[R]</i> §60.482-1a(f)(2) <i>[GR]</i> §60.482-1a(f)(3) <i>[R]</i> §60.483-1a(b)(2) <i>[R]</i> §60.483-1a(c)(1) <i>[R]</i> §60.483-2a(b)(7) <i>[R]</i> §60.485a(a) <i>[GR]</i> §60.485a(b)(1) <i>[R]</i> §60.485a(b)(2) <i>[R]</i> §60.485a(d) <i>[R]</i> §60.485a(d)(2) <i>[R]</i> §60.485a(d)(3) <i>[GR]</i> §60.485a(e)	<i>[R]</i> §60.483-2a(b)(6) <i>[R]</i> §60.485a(b)(2) <i>[GR]</i> §60.486a(a)(3) <i>[GR]</i> §60.486a(b) <i>[GR]</i> §60.486a(c) <i>[R]</i> §60.486a(e) <i>[R]</i> §60.486a(e)(1) <i>[GR]</i> §60.486a(e)(8) <i>[GR]</i> §60.486a(g)	<i>[R]</i> §60.5420a(a) <i>[R]</i> §60.5420a(a)(1) <i>[R]</i> §60.5422a(a) <i>[R]</i> §60.483-1a(b)(1) <i>[R]</i> §60.483-2a(a)(2) <i>[R]</i> §60.487a(a) <i>[R]</i> §60.487a(b) <i>[R]</i> §60.487a(b)(1) <i>[R]</i> §60.487a(c) <i>[R]</i> §60.487a(c)(1) <i>[R]</i> §60.487a(c)(2) <i>[R]</i> §60.487a(c)(2)(i) <i>[R]</i> §60.487a(c)(2)(xi) <i>[R]</i> §60.487a(c)(3) <i>[R]</i> §60.487a(c)(4) <i>[R]</i> §60.487a(d) <i>[R]</i> §60.487a(e)
37	§60.5400a(c) Alt. Standard for fugitive components <i>[R]</i> §60.5370a(a) <i>[R]</i> §60.5370a(b) <i>[GR]</i> §60.5402a(d)(2) <i>[R]</i> §60.5402a(d)(3) <i>[R]</i> §60.5410a <i>[R]</i> §60.5410a(f) <i>[R]</i> §60.5415a(f)	<i>[GR]</i> §60.5401a(f) <i>[R]</i> §60.5401a(g)	<i>[R]</i> §60.5402a(d)(1)	<i>[R]</i> §60.5402a(d)(1) <i>[R]</i> §60.5420a(a) <i>[R]</i> §60.5420a(a)(1) <i>[R]</i> §60.5422a(a)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
38	§60.5405a(b)-Table 2 Gas Sweetening Units <b>[R]</b> §60.5370a(a) <b>[R]</b> §60.5370a(b) <b>[R]</b> §60.5405a(a)-Table 1 <b>[GR]</b> §60.5407a(a) <b>[GD]</b> §60.5407a(b) <b>[D]</b> §60.5407a(c) <b>[GD]</b> §60.5407a(d) <b>[D]</b> §60.5407a(e) <b>[D]</b> §60.5407a(f) <b>[D]</b> §60.5407a(g) <b>[D]</b> §60.5407a(h) <b>[R]</b> §60.5410a	<b>[R]</b> §60.5406a(a) <b>[GR]</b> §60.5406a(b) <b>[GR]</b> §60.5406a(c) <b>[GR]</b> §60.5407a(a) <b>[GD]</b> §60.5407a(b) <b>[D]</b> §60.5407a(c) <b>[GD]</b> §60.5407a(d) <b>[D]</b> §60.5407a(e) <b>[D]</b> §60.5407a(f) <b>[D]</b> §60.5407a(g) <b>[GR]</b> §60.5408a <b>[GR]</b> §60.5410a(g)(1) <b>[R]</b> §60.5410a(g)(2) <b>[GR]</b> §60.5415a(g)	<b>[R]</b> §60.5420a(c) <b>[R]</b> §60.5420a(c)(18) <b>[R]</b> §60.5423a(a) <b>[D]</b> §60.5423a(d)	<b>[R]</b> §60.5410a(g)(3) <b>[R]</b> §60.5420a(a) <b>[R]</b> §60.5420a(a)(1) <b>[R]</b> §60.5420a(b) <b>[GR]</b> §60.5420a(b)(1) <b>[GR]</b> §60.5420a(b)(9) <b>[R]</b> §60.5420a(b)(11) <b>[GR]</b> §60.5420a(b)(13) <b>[GR]</b> §60.5420a(b)(14) <b>[GR]</b> §60.5423a(b) <b>[R]</b> §60.5423a(e)
39	§60.5365a(g)(3) Sweetening unit with capacity < 2 LT/D <b>[R]</b> §60.5370a(b)		<b>[R]</b> §60.5423a(c)	<b>[R]</b> §60.5420a(a) <b>[R]</b> §60.5420a(a)(1) <b>[R]</b> §60.5420a(b) <b>[GR]</b> §60.5420a(b)(1) <b>[R]</b> §60.5420a(b)(11) <b>[GR]</b> §60.5420a(b)(13) <b>[GR]</b> §60.5420a(b)(14)