



Relationship Entry Screen

Document: Below is a Relationship Entry Screen Table describing 40 CFR Part 60, Subpart VVa: Standards of Performance for Equipment Leaks of VOC in the SOCM I for Which Construction, Reconstruction, or Modification Commenced After November 7, 2006.

For the text of the statute/rule, please go to [40 CFR Part 60, Subpart VVa: Standards of Performance for Equipment Leaks of VOC in the SOCM I Manufacturing Industry for Which Construction, Reconstruction, or Modification Commenced After November 7, 2006.](#)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
1	§60.480a(d)(2) [R]§60.480a(d)(1) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k)		[R]§60.486a(i) [R]§60.486a(i)(1)	
2	§60.480a(d)(3) [R]§60.480a(d)(1) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k)		[R]§60.486a(i) [R]§60.486a(i)(2)	
3	§60.480a(d)(4) [R]§60.480a(d)(1) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k)		[R]§60.486a(i) [R]§60.486a(i)(2)	
4	§60.480a(d)(5) [R]§60.480a(d)(1) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k)	[GR]§60.485a(d)	[R]§60.486a(i) [R]§60.486a(i)(3) [R]§60.486a(j)	
5	§60.480a(e)(2)(i) [R]§60.480a(e)(2)(ii) [R]§60.482-1a(a) [R]§60.482-1a(b) [R]§60.485a(f) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k)	[GR]§60.485a(d) [GR]§60.485a(e)	[R]§60.486a(i) [R]§60.486a(i)(1) [R]§60.486a(i)(2) [R]§60.486a(i)(3)	
6	§60.482-1a(c) EMEL [R]§60.482-1a(a) [R]§60.482-1a(b) [R]§60.484a(a) [R]§60.484a(b) [R]§60.484a(b)(2)	[GR]§60.485a(b)(1) [R]§60.485a(b)(2)	[R]§60.484a(b)(1) [R]§60.484a(c)(1) [R]§60.484a(c)(4) [R]§60.485a(b)(2) [R]§60.486a(e) [R]§60.486a(e)(1)	[R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3) [R]§60.487a(c)(4)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	§60.482-1a(c) EMEL Continued [R]§60.484a(b)(3) [R]§60.484a(c) [R]§60.484a(c)(2) [R]§60.484a(c)(3) [R]§60.484a(c)(4) [R]§60.484a(c)(5) [R]§60.484a(c)(6) [R]§60.484a(d) [R]§60.484a(e)(3) [R]§60.485a(b) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k)			[R]§60.487a(e)
7	§60.482-1a(d) Equipment in Vacuum service [R]§60.482-1a(a) [R]§60.482-1a(b) [R]§60.485a(b) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k)	[GR]§60.485a(b)(1) [R]§60.485a(b)(2)	[R]§60.485a(b)(2) [R]§60.486a(e) [R]§60.486a(e)(1) [R]§60.486a(e)(5)	
8	§60.482-1a(e) Equipment in VOC service < 300 hours/yr [R]§60.482-1a(a) [R]§60.482-1a(b) [R]§60.485a(b) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k)	[GR]§60.485a(b)(1) [R]§60.485a(b)(2)	[R]§60.485a(b)(2) [R]§60.486a(e) [R]§60.486a(e)(1) [R]§60.486a(e)(6)	
9	§60.482-2a(b)(1) Pumps in Light Liquid Service [R]§60.482-1a(a) [R]§60.482-1a(b) [R]§60.482-1a(g) [R]§60.482-2a(b)(2) [R]§60.482-2a(b)(2)(iii) [R]§60.482-2a(c)(1)	[R]§60.482-1a(f)(1) [R]§60.482-1a(f)(2) [GR]§60.482-1a(f)(3) [R]§60.482-1a(g) [R]§60.482-2a(a)(1) [R]§60.482-2a(a)(2) [R]§60.482-2a(b)(2)(i) [GR]§60.482-2a(d)(4)	[R]§60.482-1a(g) [R]§60.485a(b)(2) [GR]§60.486a(a)(3) [GR]§60.486a(b) [GR]§60.486a(c) [R]§60.486a(e) [R]§60.486a(e)(1) [GR]§60.486a(e)(2)	[R]§60.487a(a) [R]§60.487a(b) [R]§60.487a(b)(1) [R]§60.487a(b)(3) [R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(iii)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	<p>§60.482-2a(b)(1) Pumps in Light Liquid Service</p> <p>Continued</p> <p>[GR]§60.482-2a(c)(2) [R]§60.482-2a(d) [GR]§60.482-2a(d)(1) [R]§60.482-2a(d)(2) [R]§60.482-2a(d)(3) [GR]§60.482-2a(d)(6) [GR]§60.482-2a(e) [R]§60.482-2a(f) [GR]§60.482-2a(g) [R]§60.482-2a(h) [R]§60.482-9a(a) [R]§60.482-9a(b) [GR]§60.482-9a(d) [R]§60.482-9a(f) [R]§60.485a(b) [R]§60.485a(c) [R]§60.485a(c)(1) [R]§60.485a(f) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k)</p>	<p>[GR]§60.482-2a(d)(5) [R]§60.482-9a(a) [R]§60.485a(a) [GR]§60.485a(b)(1) [R]§60.485a(b)(2) [R]§60.485a(c)(2) [GR]§60.485a(d) [GR]§60.485a(e)</p>	<p>[GR]§60.486a(e)(4) [R]§60.486a(e)(7) [GR]§60.486a(e)(8) [R]§60.486a(f) [R]§60.486a(f)(1) [GR]§60.486a(h)</p>	<p>[R]§60.487a(c)(2)(iv) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3) [R]§60.487a(c)(4) [R]§60.487a(e)</p>
10	<p>§60.482-3a(a) Compressors</p> <p>[R]§60.482-1a(a) [R]§60.482-1a(b) [R]§60.482-1a(g) [GR]§60.482-3a(b) [R]§60.482-3a(c) [R]§60.482-3a(d) [R]§60.482-3a(e)(2) [R]§60.482-3a(f) [GR]§60.482-3a(g) [R]§60.482-3a(h) [GR]§60.482-3a(i) [R]§60.482-3a(j) [R]§60.482-9a(a) [R]§60.482-9a(b) [R]§60.485a(b)</p>	<p>[R]§60.482-1a(g) [R]§60.482-3a(e)(1) [R]§60.482-9a(a) [R]§60.485a(a) [GR]§60.485a(b)(1) [R]§60.485a(b)(2) [R]§60.485a(c)(2) [GR]§60.485a(d)</p>	<p>[R]§60.482-1a(g) [R]§60.485a(b)(2) [GR]§60.486a(a)(3) [GR]§60.486a(b) [GR]§60.486a(c) [R]§60.486a(e) [R]§60.486a(e)(1) [GR]§60.486a(e)(2) [GR]§60.486a(e)(4) [GR]§60.486a(e)(8) [GR]§60.486a(h)</p>	<p>[R]§60.487a(a) [R]§60.487a(b) [R]§60.487a(b)(1) [R]§60.487a(b)(4) [R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(v) [R]§60.487a(c)(2)(vi) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3) [R]§60.487a(c)(4) [R]§60.487a(e)</p>

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	§60.482-3a(a) Compressors Continued [R] §60.485a(c) [R] §60.485a(c)(1) [R] §60.485a(f) [R] §60.486a(a)(1) [R] §60.486a(a)(2) [R] §60.486a(k)			
11	§60.482-4a(a) Pressure Relief Device in Gas/Vapor Service [R] §60.482-1a(a) [R] §60.482-1a(b) [R] §60.482-1a(g) [R] §60.482-4a(b)(1) [R] §60.482-4a(b)(2) [R] §60.482-4a(c) [R] §60.482-4a(d)(1) [R] §60.482-4a(d)(2) [R] §60.482-9a(a) [R] §60.482-9a(b) [R] §60.485a(b) [R] §60.485a(c) [R] §60.485a(c)(1) [R] §60.485a(f) [R] §60.486a(a)(1) [R] §60.486a(a)(2) [R] §60.486a(k)	[R] §60.482-1a(g) [R] §60.482-4a(b)(2) [R] §60.482-9a(a) [R] §60.485a(a) [GR] §60.485a(b)(1) [R] §60.485a(b)(2) [R] §60.485a(c)(2) [GR] §60.485a(d)	[R] §60.482-1a(g) [R] §60.485a(b)(2) [R] §60.486a(e) [R] §60.486a(e)(1) [R] §60.486a(e)(3) [GR] §60.486a(e)(4) [GR] §60.486a(e)(8) [R] §60.486a(e)(10)	[R] §60.487a(a) [R] §60.487a(b) [R] §60.487a(b)(1) [R] §60.487a(c) [R] §60.487a(c)(1) [R] §60.487a(c)(2) [R] §60.487a(c)(2)(xi) [R] §60.487a(c)(3) [R] §60.487a(c)(4) [R] §60.487a(e)
12	§60.482-5a(a) Sampling Connection Systems [R] §60.482-1a(a) [R] §60.482-1a(b) [R] §60.482-1a(g) [GR] §60.482-5a(b) [R] §60.482-5a(c) [R] §60.485a(b) [R] §60.485a(f) [R] §60.486a(a)(1) [R] §60.486a(a)(2) [R] §60.486a(k)	[R] §60.482-1a(g) [R] §60.485a(a) [GR] §60.485a(b)(1) [R] §60.485a(b)(2) [GR] §60.485a(d)	[R] §60.482-1a(g) [R] §60.485a(b)(2) [R] §60.486a(e) [R] §60.486a(e)(1) [GR] §60.486a(e)(8)	[R] §60.487a(a) [R] §60.487a(b) [R] §60.487a(b)(1) [R] §60.487a(c) [R] §60.487a(c)(1) [R] §60.487a(c)(2) [R] §60.487a(c)(2)(xi) [R] §60.487a(c)(3) [R] §60.487a(c)(4) [R] §60.487a(e)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
13	§60.482-6a(a)(1) Open-ended Valves or Lines <i>[R]</i> §60.482-1a(a) <i>[R]</i> §60.482-1a(b) <i>[R]</i> §60.482-1a(g) <i>[R]</i> §60.482-6a(a)(2) <i>[R]</i> §60.482-6a(b) <i>[R]</i> §60.482-6a(c) <i>[R]</i> §60.482-6a(d) <i>[R]</i> §60.482-6a(e) <i>[R]</i> §60.485a(b) <i>[R]</i> §60.485a(f) <i>[R]</i> §60.486a(a)(1) <i>[R]</i> §60.486a(a)(2) <i>[R]</i> §60.486a(k)	<i>[R]</i> §60.482-1a(g) <i>[R]</i> §60.485a(a) <i>[GR]</i> §60.485a(b)(1) <i>[R]</i> §60.485a(b)(2) <i>[GR]</i> §60.485a(d)	<i>[R]</i> §60.482-1a(g) <i>[R]</i> §60.485a(b)(2) <i>[R]</i> §60.486a(e) <i>[R]</i> §60.486a(e)(1) <i>[GR]</i> §60.486a(e)(8)	<i>[R]</i> §60.487a(a) <i>[R]</i> §60.487a(b) <i>[R]</i> §60.487a(b)(1) <i>[R]</i> §60.487a(c) <i>[R]</i> §60.487a(c)(1) <i>[R]</i> §60.487a(c)(2) <i>[R]</i> §60.487a(c)(2)(xi) <i>[R]</i> §60.487a(c)(3) <i>[R]</i> §60.487a(c)(4) <i>[R]</i> §60.487a(e)
14	§60.482-7a(b) Valves in Gas/Vapor and Light Liquid Service <i>[R]</i> §60.482-1a(a) <i>[R]</i> §60.482-1a(b) <i>[R]</i> §60.482-1a(g) <i>[R]</i> §60.482-7a(a)(1) <i>[GR]</i> §60.482-7a(d) <i>[GR]</i> §60.482-7a(e) <i>[GR]</i> §60.482-7a(f) <i>[GR]</i> §60.482-7a(g) <i>[GR]</i> §60.482-7a(h) <i>[R]</i> §60.482-9a(a) <i>[R]</i> §60.482-9a(b) <i>[GR]</i> §60.482-9a(c) <i>[R]</i> §60.482-9a(e) <i>[R]</i> §60.482-9a(f) <i>[R]</i> §60.485a(b) <i>[R]</i> §60.485a(c) <i>[R]</i> §60.485a(c)(1) <i>[R]</i> §60.485a(f) <i>[R]</i> §60.486a(a)(1) <i>[R]</i> §60.486a(a)(2) <i>[R]</i> §60.486a(k)	<i>[R]</i> §60.482-1a(f)(1) <i>[R]</i> §60.482-1a(f)(2) <i>[GR]</i> §60.482-1a(f)(3) <i>[R]</i> §60.482-1a(g) <i>[R]</i> §60.482-7a(a)(1) <i>[GR]</i> §60.482-7a(a)(2) <i>[GR]</i> §60.482-7a(c) <i>[R]</i> §60.482-9a(a) <i>[R]</i> §60.485a(a) <i>[GR]</i> §60.485a(b)(1) <i>[R]</i> §60.485a(b)(2) <i>[R]</i> §60.485a(c)(2) <i>[GR]</i> §60.485a(d) <i>[GR]</i> §60.485a(e)	<i>[R]</i> §60.482-1a(g) <i>[R]</i> §60.485a(b)(2) <i>[GR]</i> §60.486a(a)(3) <i>[GR]</i> §60.486a(b) <i>[GR]</i> §60.486a(c) <i>[R]</i> §60.486a(e) <i>[R]</i> §60.486a(e)(1) <i>[GR]</i> §60.486a(e)(2) <i>[GR]</i> §60.486a(e)(4) <i>[GR]</i> §60.486a(e)(8) <i>[R]</i> §60.486a(f) <i>[R]</i> §60.486a(f)(1) <i>[R]</i> §60.486a(f)(2)	<i>[R]</i> §60.487a(a) <i>[R]</i> §60.487a(b) <i>[R]</i> §60.487a(b)(1) <i>[R]</i> §60.487a(b)(2) <i>[R]</i> §60.487a(c) <i>[R]</i> §60.487a(c)(1) <i>[R]</i> §60.487a(c)(2) <i>[R]</i> §60.487a(c)(2)(i) <i>[R]</i> §60.487a(c)(2)(ii) <i>[R]</i> §60.487a(c)(2)(xi) <i>[R]</i> §60.487a(c)(3) <i>[R]</i> §60.487a(c)(4) <i>[R]</i> §60.487a(e)
15	§60.482-8a(b) 1 Pumps in Heavy Liquid Service <i>[R]</i> §60.482-1a(a)	<i>[R]</i> §60.482-1a(g) <i>[R]</i> §60.482-8a(a)(1) <i>[R]</i> §60.482-9a(a)	<i>[R]</i> §60.482-1a(g) <i>[R]</i> §60.485a(b)(2) <i>[GR]</i> §60.486a(a)(3)	<i>[R]</i> §60.487a(a) <i>[R]</i> §60.487a(b) <i>[R]</i> §60.487a(b)(1)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	§60.482-8a(b) 1 Pumps in Heavy Liquid Service Continued [R]§60.482-1a(b) [R]§60.482-1a(g) [GR]§60.482-2a(c)(2) [GR]§60.482-7a(e) [R]§60.482-8a(a) [R]§60.482-8a(a)(2) [GR]§60.482-8a(c) [R]§60.482-8a(d) [R]§60.482-9a(a) [R]§60.482-9a(b) [GR]§60.482-9a(d) [R]§60.482-9a(f) [R]§60.485a(b) [R]§60.485a(f) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k)	[R]§60.485a(a) [GR]§60.485a(b)(1) [R]§60.485a(b)(2) [GR]§60.485a(d)	[GR]§60.486a(b) [GR]§60.486a(c) [R]§60.486a(e) [R]§60.486a(e)(1) [GR]§60.486a(e)(8)	[R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3) [R]§60.487a(c)(4) [R]§60.487a(e)
16	§60.482-8a(b) 2 Valves in Heavy Liquid Service [R]§60.482-1a(a) [R]§60.482-1a(b) [R]§60.482-1a(g) [GR]§60.482-2a(c)(2) [GR]§60.482-7a(e) [R]§60.482-8a(a) [R]§60.482-8a(a)(2) [GR]§60.482-8a(c) [R]§60.482-8a(d) [R]§60.482-9a(a) [R]§60.482-9a(b) [GR]§60.482-9a(c) [R]§60.482-9a(e) [R]§60.482-9a(f) [R]§60.485a(b) [R]§60.485a(f) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k)	[R]§60.482-1a(g) [R]§60.482-8a(a)(1) [R]§60.482-9a(a) [R]§60.485a(a) [GR]§60.485a(b)(1) [R]§60.485a(b)(2) [GR]§60.485a(d)	[R]§60.482-1a(g) [R]§60.485a(b)(2) [GR]§60.486a(a)(3) [GR]§60.486a(b) [GR]§60.486a(c) [R]§60.486a(e) [R]§60.486a(e)(1) [GR]§60.486a(e)(8)	[R]§60.487a(a) [R]§60.487a(b) [R]§60.487a(b)(1) [R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3) [R]§60.487a(c)(4) [R]§60.487a(e)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
17	§60.482-8a(b) 3 Connectors in Heavy Liquid Service <i>[R]</i> §60.482-1a(a) <i>[R]</i> §60.482-1a(b) <i>[R]</i> §60.482-1a(g) <i>[GR]</i> §60.482-2a(c)(2) <i>[GR]</i> §60.482-7a(e) <i>[R]</i> §60.482-8a(a) <i>[R]</i> §60.482-8a(a)(2) <i>[GR]</i> §60.482-8a(c) <i>[R]</i> §60.482-8a(d) <i>[R]</i> §60.482-9a(a) <i>[R]</i> §60.482-9a(b) <i>[GR]</i> §60.482-9a(c) <i>[R]</i> §60.482-9a(f) <i>[R]</i> §60.485a(b) <i>[R]</i> §60.485a(f) <i>[R]</i> §60.486a(a)(1) <i>[R]</i> §60.486a(a)(2) <i>[R]</i> §60.486a(k)	<i>[R]</i> §60.482-1a(g) <i>[R]</i> §60.482-8a(a)(1) <i>[R]</i> §60.482-9a(a) <i>[R]</i> §60.485a(a) <i>[GR]</i> §60.485a(b)(1) <i>[R]</i> §60.485a(b)(2) <i>[GR]</i> §60.485a(d)	<i>[R]</i> §60.482-1a(g) <i>[R]</i> §60.485a(b)(2) <i>[GR]</i> §60.486a(a)(3) <i>[GR]</i> §60.486a(b) <i>[GR]</i> §60.486a(c) <i>[R]</i> §60.486a(e) <i>[R]</i> §60.486a(e)(1) <i>[GR]</i> §60.486a(e)(8)	<i>[R]</i> §60.487a(a) <i>[R]</i> §60.487a(b) <i>[R]</i> §60.487a(b)(1) <i>[R]</i> §60.487a(c) <i>[R]</i> §60.487a(c)(1) <i>[R]</i> §60.487a(c)(2) <i>[R]</i> §60.487a(c)(2)(xi) <i>[R]</i> §60.487a(c)(3) <i>[R]</i> §60.487a(c)(4) <i>[R]</i> §60.487a(e)
18	§60.482-8a(b) 4 Pressure Relief Device in Light Liquid or Heavy Liquid Service <i>[R]</i> §60.482-1a(a) <i>[R]</i> §60.482-1a(b) <i>[R]</i> §60.482-1a(g) <i>[GR]</i> §60.482-2a(c)(2) <i>[GR]</i> §60.482-7a(e) <i>[R]</i> §60.482-8a(a) <i>[R]</i> §60.482-8a(a)(2) <i>[GR]</i> §60.482-8a(c) <i>[R]</i> §60.482-8a(d) <i>[R]</i> §60.482-9a(a) <i>[R]</i> §60.482-9a(b) <i>[R]</i> §60.485a(b) <i>[R]</i> §60.485a(f) <i>[R]</i> §60.486a(a)(1) <i>[R]</i> §60.486a(a)(2) <i>[R]</i> §60.486a(k)	<i>[R]</i> §60.482-1a(g) <i>[R]</i> §60.482-8a(a)(1) <i>[R]</i> §60.482-9a(a) <i>[R]</i> §60.485a(a) <i>[GR]</i> §60.485a(b)(1) <i>[R]</i> §60.485a(b)(2) <i>[GR]</i> §60.485a(d) <i>[GR]</i> §60.485a(e)	<i>[R]</i> §60.482-1a(g) <i>[R]</i> §60.485a(b)(2) <i>[GR]</i> §60.486a(a)(3) <i>[GR]</i> §60.486a(b) <i>[GR]</i> §60.486a(c) <i>[R]</i> §60.486a(e) <i>[R]</i> §60.486a(e)(1) <i>[GR]</i> §60.486a(e)(8)	<i>[R]</i> §60.487a(a) <i>[R]</i> §60.487a(b) <i>[R]</i> §60.487a(b)(1) <i>[R]</i> §60.487a(c) <i>[R]</i> §60.487a(c)(1) <i>[R]</i> §60.487a(c)(2) <i>[R]</i> §60.487a(c)(2)(xi) <i>[R]</i> §60.487a(c)(3) <i>[R]</i> §60.487a(c)(4) <i>[R]</i> §60.487a(e)
19	§60.482-10a(b) Vapor Recovery Systems <i>[R]</i> §60.482-1a(a)	<i>[R]</i> §60.482-1a(g) <i>[R]</i> §60.482-10a(e) <i>[R]</i> §60.485a(a)	<i>[R]</i> §60.482-1a(g) <i>[R]</i> §60.485a(b)(2) <i>[GR]</i> §60.486a(d)	<i>[R]</i> §60.487a(a) <i>[R]</i> §60.487a(b) <i>[R]</i> §60.487a(b)(1)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	§60.482-10a(b) Vapor Recovery Systems Continued [R]§60.482-1a(b) [R]§60.482-1a(g) [R]§60.482-10a(a) [R]§60.482-10a(m) [R]§60.485a(b) [R]§60.485a(c) [R]§60.485a(c)(1) [R]§60.485a(f) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k)	[GR]§60.485a(b)(1) [R]§60.485a(b)(2) [R]§60.485a(c)(2) [GR]§60.485a(d)	[R]§60.486a(e) [R]§60.486a(e)(1) [GR]§60.486a(e)(8)	[R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3) [R]§60.487a(c)(4) [R]§60.487a(e)
20	§60.482-10a(c) Enclosed Combustion Devices [R]§60.482-1a(a) [R]§60.482-1a(b) [R]§60.482-1a(g) [R]§60.482-10a(a) [R]§60.482-10a(m) [R]§60.485a(b) [R]§60.485a(c) [R]§60.485a(c)(1) [R]§60.485a(f) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k)	[R]§60.482-1a(g) [R]§60.482-10a(e) [R]§60.485a(a) [GR]§60.485a(b)(1) [R]§60.485a(b)(2) [R]§60.485a(c)(2) [GR]§60.485a(d)	[R]§60.482-1a(g) [R]§60.485a(b)(2) [GR]§60.486a(d) [R]§60.486a(e) [R]§60.486a(e)(1) [GR]§60.486a(e)(8)	[R]§60.487a(a) [R]§60.487a(b) [R]§60.487a(b)(1) [R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3) [R]§60.487a(c)(4) [R]§60.487a(e)
21	§60.482-10a(d) Flares [R]§60.18 [R]§60.482-1a(a) [R]§60.482-1a(b) [R]§60.482-1a(g) [R]§60.482-10a(a) [R]§60.482-10a(m) [R]§60.485a(b) [R]§60.485a(c) [R]§60.485a(c)(1) [R]§60.485a(f) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k)	[R]§60.482-1a(g) [R]§60.482-10a(e) [R]§60.485a(a) [GR]§60.485a(b)(1) [R]§60.485a(b)(2) [R]§60.485a(c)(2) [GR]§60.485a(d) [GR]§60.485a(g)	[R]§60.482-1a(g) [R]§60.485a(b)(2) [GR]§60.486a(d) [R]§60.486a(e) [R]§60.486a(e)(1) [GR]§60.486a(e)(8)	[R]§60.487a(a) [R]§60.487a(b) [R]§60.487a(b)(1) [R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3) [R]§60.487a(c)(4) [R]§60.487a(e)

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
22	<p>§60.482-10a(g) Closed Vent Systems</p> <p>[R]§60.482-10a(a) [GR]§60.482-10a(f) [R]§60.482-10a(h) [R]§60.482-10a(i) [GR]§60.482-10a(j) [GR]§60.482-10a(k) [R]§60.482-10a(m) [R]§60.485a(b) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k)</p>	<p>[R]§60.485a(a) [GR]§60.485a(b)(1) [R]§60.485a(b)(2) [GR]§60.485a(d)</p>	<p>[GR]§60.482-10a(l) [R]§60.485a(b)(2) [GR]§60.486a(d) [R]§60.486a(e) [R]§60.486a(e)(1) [GR]§60.486a(e)(8)</p>	<p>[R]§60.487a(a) [R]§60.487a(b) [R]§60.487a(b)(1) [R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3) [R]§60.487a(c)(4) [R]§60.487a(e)</p>
23	<p>§60.482-11a(b)(2) Connectors in Gas/Vapor and Light Liquid Service</p> <p>[R]§60.482-9a(a) [R]§60.482-9a(b) [GR]§60.482-9a(c) [R]§60.482-9a(f) [R]§60.482-11a(b)(3) [R]§60.482-11a(d) [GR]§60.482-11a(e) [GR]§60.482-11a(f)(1) [R]§60.482-11a(f)(2) [R]§60.482-11a(g) [R]§60.485a(b) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k)</p>	<p>[R]§60.482-9a(a) [R]§60.482-11a(a) [R]§60.482-11a(b) [R]§60.482-11a(b)(1) [R]§60.482-11a(b)(3) [R]§60.482-11a(b)(3)(i) [R]§60.482-11a(b)(3)(ii) [GR]§60.482-11a(b)(3)(iii) [R]§60.482-11a(b)(3)(iv) [R]§60.482-11a(c) [R]§60.485a(a) [GR]§60.485a(b)(1) [R]§60.485a(b)(2) [GR]§60.485a(d) [GR]§60.485a(e)</p>	<p>[R]§60.482-11a(b)(3)(v) [R]§60.485a(b)(2) [GR]§60.486a(a)(3) [GR]§60.486a(b) [GR]§60.486a(c) [R]§60.486a(e) [R]§60.486a(e)(1) [GR]§60.486a(e)(8) [R]§60.486a(e)(9) [R]§60.486a(f) [R]§60.486a(f)(1)</p>	<p>[R]§60.487a(a) [R]§60.487a(b) [R]§60.487a(b)(1) [R]§60.487a(b)(5) [R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(i) [R]§60.487a(c)(2)(vii) [R]§60.487a(c)(2)(viii) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3) [R]§60.487a(c)(4) [R]§60.487a(e)</p>
24	<p>§60.483-1a(c)(2) Alt. Standard for Valves in Gas/Vapor and Light Liquid Service</p> <p>[R]§60.483-1a(a) [R]§60.483-1a(b) [R]§60.483-1a(b)(3) [R]§60.483-1a(c) [R]§60.483-1a(c)(3) [R]§60.483-1a(d) [R]§60.483-2a(a)(1)</p>	<p>[R]§60.482-1a(f)(1) [R]§60.482-1a(f)(2) [GR]§60.482-1a(f)(3) [R]§60.483-1a(b)(2) [R]§60.483-1a(c)(1) [R]§60.483-2a(b)(7) [R]§60.485a(a) [GR]§60.485a(b)(1) [R]§60.485a(b)(2) [GR]§60.485a(d)</p>	<p>[R]§60.483-2a(b)(6) [R]§60.485a(b)(2) [GR]§60.486a(a)(3) [GR]§60.486a(b) [GR]§60.486a(c) [R]§60.486a(e) [R]§60.486a(e)(1) [GR]§60.486a(e)(8) [GR]§60.486a(g)</p>	<p>[R]§60.483-1a(b)(1) [R]§60.483-2a(a)(2) [R]§60.487a(a) [R]§60.487a(b) [R]§60.487a(b)(1) [R]§60.487a(c) [R]§60.487a(c)(1) [R]§60.487a(c)(2) [R]§60.487a(c)(2)(xi) [R]§60.487a(c)(3)</p>

Index	Standard	Monitoring/Testing	Recordkeeping	Reporting
	§60.483-1a(c)(2) Alt. Standard for Valves in Gas/Vapor and Light Liquid Service Continued [R]§60.483-2a(b)(1) [R]§60.483-2a(b)(2) [R]§60.483-2a(b)(3) [R]§60.483-2a(b)(4) [R]§60.483-2a(b)(5) [R]§60.485a(b) [GR]§60.485a(h) [R]§60.486a(a)(1) [R]§60.486a(a)(2) [R]§60.486a(k)	[GR]§60.485a(e)		[R]§60.487a(c)(4) [R]§60.487a(d) [R]§60.487a(e)