



Document: Below is a Relationship Entry Screen Table describing 40 CFR Part 63, Subpart H.
 For the text of the statute/rule, please go to [40 CFR Part 63, Subpart H](#)

| Standard | Monitoring/Testing | Recordkeeping | Reporting |
|---|---|---|--|
| §63.162(e) <i>[R]</i> §63.162(a) <i>[R]</i> §63.162(c) <i>[GR]</i> §63.162(g) <i>[R]</i> §63.162(h) | [GR]§63.180(d) | [R]§63.181(a) [GR]§63.181(b) [R]§63.181(c) [GD]§63.181(i) [R]§63.181(j) | [GR]§63.182(a) [GR]§63.182(b) |
| §63.163 <i>[R]</i> §63.162(a) <i>[R]</i> §63.162(c) <i>[GR]</i> §63.162(f) <i>[GR]</i> §63.162(g) <i>[R]</i> §63.162(h) <i>[GR]</i> §63.171 <i>[GR]</i> §63.176 | [GR]§63.163 [GR]§63.176 [GR]§63.180(b) [GR]§63.180(d) | [R]§63.181(a) [GR]§63.181(b) [R]§63.181(c) [GR]§63.181(d) [R]§63.181(h) [GR]§63.181(h)(3) [R]§63.181(h)(4) [GR]§63.181(h)(5) [R]§63.181(h)(6) [R]§63.181(h)(7) [R]§63.181(h)(8) [D]§63.181(h)(9) | [GR]§63.182(a) [GR]§63.182(b) [R]§63.182(c) [GR]§63.182(c)(1) [R]§63.182(c)(4) [GR]§63.182(d) |
| §63.164 <i>[R]</i> §63.162(a) <i>[R]</i> §63.162(c) <i>[GR]</i> §63.162(f) <i>[GR]</i> §63.162(g) <i>[R]</i> §63.162(h) <i>[GR]</i> §63.171 | [GR]§63.164 [GR]§63.180(b) [GR]§63.180(c) [GR]§63.180(d) | [R]§63.181(a) [GR]§63.181(b) [R]§63.181(c) [GR]§63.181(d) [GR]§63.181(f) | [GR]§63.182(a) [GR]§63.182(b) [R]§63.182(c) [GR]§63.182(c)(1) [R]§63.182(c)(4) [GR]§63.182(d) |
| §63.165 <i>[R]</i> §63.162(a) <i>[R]</i> §63.162(c) <i>[GR]</i> §63.162(g) <i>[R]</i> §63.162(h) <i>[GR]</i> §63.171 | [GR]§63.165 [GR]§63.180(b) [GR]§63.180(c) [GR]§63.180(d) | [R]§63.181(a) [GR]§63.181(b) [R]§63.181(c) [GR]§63.181(f) | [GR]§63.182(a) [GR]§63.182(b) [R]§63.182(c) [GR]§63.182(c)(1) [R]§63.182(c)(4) [GR]§63.182(d) |

| Standard | Monitoring/Testing | Recordkeeping | Reporting |
|--|--|--|--|
| §63.166 <i>[R]§63.162(a)</i> <i>[R]§63.162(c)</i> <i>[GR]§63.162(g)</i> <i>[R]§63.162(h)</i> <i>[GR]§63.171</i> | [GR]§63.180(b) [GR]§63.180(d) | [R]§63.181(a) [GR]§63.181(b) [R]§63.181(c) [GD]§63.181(i) | [GR]§63.182(a) [GR]§63.182(b) [R]§63.182(c) [GR]§63.182(c)(1) [R]§63.182(c)(4) [GR]§63.182(d) |
| §63.167 <i>[R]§63.162(a)</i> <i>[R]§63.162(c)</i> <i>[GR]§63.162(g)</i> <i>[R]§63.162(h)</i> <i>[GR]§63.171</i> <i>[GR]§63.175</i> | [GR]§63.175 [GR]§63.180(b) [GR]§63.180(d) | [R]§63.181(a) [GR]§63.181(b) [R]§63.181(c) [R]§63.181(h) [GR]§63.181(h)(1) [GR]§63.181(h)(2) [R]§63.181(h)(4) [GR]§63.181(h)(5) [R]§63.181(h)(6) [R]§63.181(h)(7) [D]§63.181(h)(9) [GD]§63.181(i) | [GR]§63.182(a) [GR]§63.182(b) [R]§63.182(c) [GR]§63.182(c)(1) [R]§63.182(c)(4) [GR]§63.182(d) |
| §63.168 <i>[R]§63.162(a)</i> <i>[R]§63.162(c)</i> <i>[GR]§63.162(f)</i> <i>[GR]§63.162(g)</i> <i>[R]§63.162(h)</i> <i>[GR]§63.171</i> <i>[GR]§63.175</i> | [GR]§63.168 [GR]§63.175 [GR]§63.180(b) [GR]§63.180(d) | [R]§63.181(a) [GR]§63.181(b) [R]§63.181(c) [GR]§63.181(d) [R]§63.181(h) [GR]§63.181(h)(1) [GR]§63.181(h)(2) [R]§63.181(h)(4) [GR]§63.181(h)(5) [R]§63.181(h)(6) [R]§63.181(h)(7) [D]§63.181(h)(9) | [GR]§63.182(a) [GR]§63.182(b) [R]§63.182(c) [GR]§63.182(c)(1) [R]§63.182(c)(4) [GR]§63.182(d) |

| Standard | Monitoring/Testing | Recordkeeping | Reporting |
|--|---|--|---|
| <p>§63.169 1 Pumps in Heavy Liquid Service <i>[R]</i>§63.162(a) <i>[R]</i>§63.162(c) <i>[GR]</i>§63.162(f) <i>[GR]</i>§63.162(g) <i>[R]</i>§63.162(h) <i>[GR]</i>§63.171 <i>[GD]</i>§63.175 <i>[GD]</i>§63.176</p> | <p><i>[GR]</i>§63.169 <i>[GD]</i>§63.175 <i>[GD]</i>§63.176 <i>[GR]</i>§63.180(b) <i>[GR]</i>§63.180(d)</p> | <p><i>[R]</i>§63.181(a) <i>[GR]</i>§63.181(b) <i>[R]</i>§63.181(c) <i>[GR]</i>§63.181(d) <i>[D]</i>§63.181(h) <i>[GD]</i>§63.181(h)(1) <i>[GD]</i>§63.181(h)(2) <i>[GD]</i>§63.181(h)(3) <i>[D]</i>§63.181(h)(4) <i>[GD]</i>§63.181(h)(5) <i>[D]</i>§63.181(h)(6) <i>[D]</i>§63.181(h)(7) <i>[D]</i>§63.181(h)(9) <i>[GD]</i>§63.181(i)</p> | <p><i>[GR]</i>§63.182(a) <i>[GR]</i>§63.182(b) <i>[R]</i>§63.182(c) <i>[GR]</i>§63.182(c)(1) <i>[R]</i>§63.182(c)(4) <i>[GR]</i>§63.182(d)</p> |
| <p>§63.169 2 Valves in Heavy Liquid Service <i>[R]</i>§63.162(a) <i>[R]</i>§63.162(c) <i>[GR]</i>§63.162(f) <i>[GR]</i>§63.162(g) <i>[R]</i>§63.162(h) <i>[GR]</i>§63.171 <i>[GD]</i>§63.175 <i>[GD]</i>§63.176</p> | <p><i>[GR]</i>§63.169 <i>[GD]</i>§63.175 <i>[GD]</i>§63.176 <i>[GR]</i>§63.180(b) <i>[GR]</i>§63.180(d)</p> | <p><i>[R]</i>§63.181(a) <i>[GR]</i>§63.181(b) <i>[R]</i>§63.181(c) <i>[GR]</i>§63.181(d) <i>[D]</i>§63.181(h) <i>[GD]</i>§63.181(h)(1) <i>[GD]</i>§63.181(h)(2) <i>[GD]</i>§63.181(h)(3) <i>[D]</i>§63.181(h)(4) <i>[GD]</i>§63.181(h)(5) <i>[D]</i>§63.181(h)(6) <i>[D]</i>§63.181(h)(7) <i>[D]</i>§63.181(h)(9) <i>[GD]</i>§63.181(i)</p> | <p><i>[GR]</i>§63.182(a) <i>[GR]</i>§63.182(b) <i>[R]</i>§63.182(c) <i>[GR]</i>§63.182(c)(1) <i>[R]</i>§63.182(c)(4) <i>[GR]</i>§63.182(d)</p> |

| Standard | Monitoring/Testing | Recordkeeping | Reporting |
|--|---|--|---|
| <p>§63.169 3 Connections in Heavy Liquid Service</p> <p><i>[R]</i>§63.162(a) <i>[R]</i>§63.162(c) <i>[GR]</i>§63.162(f) <i>[GR]</i>§63.162(g) <i>[R]</i>§63.162(h) <i>[GR]</i>§63.171 <i>[GD]</i>§63.175 <i>[GD]</i>§63.176</p> | <p><i>[GR]</i>§63.169 <i>[GD]</i>§63.175 <i>[GD]</i>§63.176 <i>[GR]</i>§63.180(b) <i>[GR]</i>§63.180(d)</p> | <p><i>[R]</i>§63.181(a) <i>[GR]</i>§63.181(b) <i>[R]</i>§63.181(c) <i>[GR]</i>§63.181(d) <i>[D]</i>§63.181(h) <i>[GD]</i>§63.181(h)(1) <i>[GD]</i>§63.181(h)(2) <i>[GD]</i>§63.181(h)(3) <i>[D]</i>§63.181(h)(4) <i>[GD]</i>§63.181(h)(5) <i>[D]</i>§63.181(h)(6) <i>[D]</i>§63.181(h)(7) <i>[D]</i>§63.181(h)(9) <i>[GD]</i>§63.181(i)</p> | <p><i>[GR]</i>§63.182(a) <i>[GR]</i>§63.182(b) <i>[R]</i>§63.182(c) <i>[GR]</i>§63.182(c)(1) <i>[R]</i>§63.182(c)(4) <i>[GR]</i>§63.182(d)</p> |
| <p>§63.169 4 Agitators in Heavy Liquid Service</p> <p><i>[R]</i>§63.162(a) <i>[R]</i>§63.162(c) <i>[GR]</i>§63.162(f) <i>[GR]</i>§63.162(g) <i>[R]</i>§63.162(h) <i>[GR]</i>§63.171 <i>[GD]</i>§63.175 <i>[GD]</i>§63.176</p> | <p><i>[GR]</i>§63.169 <i>[GD]</i>§63.175 <i>[GD]</i>§63.176 <i>[GR]</i>§63.180(b) <i>[GR]</i>§63.180(d)</p> | <p><i>[R]</i>§63.181(a) <i>[GR]</i>§63.181(b) <i>[R]</i>§63.181(c) <i>[GR]</i>§63.181(d) <i>[D]</i>§63.181(h) <i>[GD]</i>§63.181(h)(1) <i>[GD]</i>§63.181(h)(2) <i>[GD]</i>§63.181(h)(3) <i>[D]</i>§63.181(h)(4) <i>[GD]</i>§63.181(h)(5) <i>[D]</i>§63.181(h)(6) <i>[D]</i>§63.181(h)(7) <i>[D]</i>§63.181(h)(9) <i>[GD]</i>§63.181(i)</p> | <p><i>[GR]</i>§63.182(a) <i>[GR]</i>§63.182(b) <i>[R]</i>§63.182(c) <i>[GR]</i>§63.182(c)(1) <i>[R]</i>§63.182(c)(4) <i>[GR]</i>§63.182(d)</p> |

| Standard | Monitoring/Testing | Recordkeeping | Reporting |
|---|---|--|---|
| <p>§63.169 5 Instrumentation Systems Liquid Service</p> <p><i>[R]</i>§63.162(a) <i>[R]</i>§63.162(c) <i>[GR]</i>§63.162(f) <i>[GR]</i>§63.162(g) <i>[R]</i>§63.162(h) <i>[GR]</i>§63.171 <i>[GD]</i>§63.175 <i>[GD]</i>§63.176</p> | <p><i>[GR]</i>§63.169 <i>[GD]</i>§63.175 <i>[GD]</i>§63.176 <i>[GR]</i>§63.180(b) <i>[GR]</i>§63.180(d)</p> | <p><i>[R]</i>§63.181(a) <i>[GR]</i>§63.181(b) <i>[R]</i>§63.181(c) <i>[GR]</i>§63.181(d) <i>[D]</i>§63.181(h) <i>[GD]</i>§63.181(h)(1) <i>[GD]</i>§63.181(h)(2) <i>[GD]</i>§63.181(h)(3) <i>[D]</i>§63.181(h)(4) <i>[GD]</i>§63.181(h)(5) <i>[D]</i>§63.181(h)(6) <i>[D]</i>§63.181(h)(7) <i>[D]</i>§63.181(h)(9) <i>[GD]</i>§63.181(i)</p> | <p><i>[GR]</i>§63.182(a) <i>[GR]</i>§63.182(b) <i>[R]</i>§63.182(c) <i>[GR]</i>§63.182(c)(1) <i>[R]</i>§63.182(c)(4) <i>[GR]</i>§63.182(d)</p> |
| <p>§63.169 6 Pressure Relief Devices Liquid Service</p> <p><i>[R]</i>§63.162(a) <i>[R]</i>§63.162(c) <i>[GR]</i>§63.162(f) <i>[GR]</i>§63.162(g) <i>[R]</i>§63.162(h) <i>[GR]</i>§63.171 <i>[GD]</i>§63.175 <i>[GD]</i>§63.176</p> | <p><i>[GR]</i>§63.169 <i>[GD]</i>§63.175 <i>[GD]</i>§63.176 <i>[GR]</i>§63.180(b) <i>[GR]</i>§63.180(d)</p> | <p><i>[R]</i>§63.181(a) <i>[GR]</i>§63.181(b) <i>[R]</i>§63.181(c) <i>[GR]</i>§63.181(d) <i>[D]</i>§63.181(h) <i>[GD]</i>§63.181(h)(1) <i>[GD]</i>§63.181(h)(2) <i>[GD]</i>§63.181(h)(3) <i>[D]</i>§63.181(h)(4) <i>[GD]</i>§63.181(h)(5) <i>[D]</i>§63.181(h)(6) <i>[D]</i>§63.181(h)(7) <i>[D]</i>§63.181(h)(9) <i>[GD]</i>§63.181(i)</p> | <p><i>[GR]</i>§63.182(a) <i>[GR]</i>§63.182(b) <i>[R]</i>§63.182(c) <i>[GR]</i>§63.182(c)(1) <i>[R]</i>§63.182(c)(4) <i>[GR]</i>§63.182(d)</p> |
| <p>§63.170 <i>[R]</i>§63.162(a) <i>[R]</i>§63.162(c) <i>[GR]</i>§63.162(g) <i>[R]</i>§63.162(h) <i>[GR]</i>§63.171</p> | <p><i>[GR]</i>§63.180(b) <i>[GR]</i>§63.180(d)</p> | <p><i>[R]</i>§63.181(a) <i>[GR]</i>§63.181(b) <i>[R]</i>§63.181(c) <i>[GD]</i>§63.181(i)</p> | <p><i>[GR]</i>§63.182(a) <i>[GR]</i>§63.182(b) <i>[R]</i>§63.182(c) <i>[GR]</i>§63.182(c)(1) <i>[R]</i>§63.182(c)(4) <i>[GR]</i>§63.182(d)</p> |

| Standard | Monitoring/Testing | Recordkeeping | Reporting |
|--|---|--|--|
| §63.172(a) <i>[GR]</i> §63.172(h) <i>[R]</i> §63.172(i) <i>[D]</i> §63.172(j)(1) <i>[D]</i> §63.172(j)(2) <i>[R]</i> §63.172(m) | [GR]§63.172(f)(1) [GR]§63.172(f)(2) [R]§63.172(g) [GR]§63.172(h) [D]§63.172(j)(1) [D]§63.172(j)(2) [GD]§63.172(k) [GD]§63.172(l) [GR]§63.180(b) [GR]§63.180(d) | [D]§63.118(a)(3) [D]§63.172(j)(1) [GD]§63.172(k) [GD]§63.172(l) [R]§63.181(a) [GR]§63.181(b) [R]§63.181(c) [GR]§63.181(d) [R]§63.181(g) [R]§63.181(g)(1)(i) [R]§63.181(g)(1)(ii) [GR]§63.181(g)(2) [GR]§63.181(g)(3) [GD]§63.181(i) | [GR]§63.182(a) [GR]§63.182(b) [R]§63.182(c) [GR]§63.182(c)(1) [R]§63.182(c)(4) [GR]§63.182(d) |
| §63.172(b) <i>[R]</i> §63.172(e) <i>[GR]</i> §63.172(h) <i>[R]</i> §63.172(m) | [R]§63.172(e) [GR]§63.172(h) [GR]§63.180(b) [GR]§63.180(d) | [R]§63.181(a) [GR]§63.181(b) [R]§63.181(c) [GR]§63.181(d) [R]§63.181(g) [R]§63.181(g)(1)(i) [R]§63.181(g)(1)(ii) [R]§63.181(g)(1)(iv) [GR]§63.181(g)(2) [GD]§63.181(i) | [GR]§63.182(a) [GR]§63.182(b) [R]§63.182(c) [GR]§63.182(c)(1) [R]§63.182(c)(4) [GR]§63.182(d) |
| §63.172(c) <i>[R]</i> §63.172(e) <i>[GR]</i> §63.172(h) <i>[R]</i> §63.172(m) | [R]§63.172(e) [GR]§63.172(h) [GR]§63.180(b) [GR]§63.180(d) | [R]§63.181(a) [GR]§63.181(b) [R]§63.181(c) [GR]§63.181(d) [R]§63.181(g) [R]§63.181(g)(1)(i) [R]§63.181(g)(1)(ii) [R]§63.181(g)(1)(iv) [GR]§63.181(g)(2) [GD]§63.181(i) | [GR]§63.182(a) [GR]§63.182(b) [R]§63.182(c) [GR]§63.182(c)(1) [R]§63.182(c)(4) [GR]§63.182(d) |

| Standard | Monitoring/Testing | Recordkeeping | Reporting |
|---|---|--|--|
| §63.172(d) [R]§63.11(b) [R]§63.172(e) [GR]§63.172(h) [R]§63.172(m) | [R]§63.172(e) [GR]§63.172(h) [GR]§63.180(b) [GR]§63.180(d) [GR]§63.180(e) | [R]§63.181(a) [GR]§63.181(b) [R]§63.181(c) [GR]§63.181(d) [R]§63.181(g) [R]§63.181(g)(1)(i) [R]§63.181(g)(1)(ii) [R]§63.181(g)(1)(iii) [R]§63.181(g)(1)(iv) [GR]§63.181(g)(2) | [GR]§63.182(a) [GR]§63.182(b) [R]§63.182(c) [GR]§63.182(c)(1) [R]§63.182(c)(4) [GR]§63.182(d) |
| §63.173 [R]§63.162(a) [R]§63.162(c) [GR]§63.162(f) [GR]§63.162(g) [R]§63.162(h) [GR]§63.171 | [GR]§63.173 [GR]§63.180(b) [GR]§63.180(d) | [R]§63.181(a) [GR]§63.181(b) [R]§63.181(c) [GR]§63.181(d) | [GR]§63.182(a) [GR]§63.182(b) [R]§63.182(c) [GR]§63.182(c)(1) [R]§63.182(c)(4) [GR]§63.182(d) |
| §63.174 [R]§63.162(a) [R]§63.162(c) [GR]§63.162(f) [GR]§63.162(g) [R]§63.162(h) [GR]§63.171 | [GR]§63.174 [GR]§63.180(b) [GR]§63.180(d) | [R]§63.181(a) [GR]§63.181(b) [R]§63.181(c) [GR]§63.181(d) | [GR]§63.182(a) [GR]§63.182(b) [R]§63.182(c) [GR]§63.182(c)(1) [R]§63.182(c)(4) [GR]§63.182(d) |
| §63.177 [R]§63.162(a) [R]§63.162(c) [GR]§63.162(g) [R]§63.162(h) | [GR]§63.180(b) [GR]§63.180(d) | [R]§63.181(a) [GR]§63.181(b) [R]§63.181(c) [GD]§63.181(i) | [GR]§63.182(a) [GR]§63.182(b) [R]§63.182(c) [R]§63.182(c)(4) |
| §63.178 [R]§63.162(a) [R]§63.162(c) [GR]§63.162(g) [R]§63.162(h) | [GR]§63.180(b) [GR]§63.180(d) [GR]§63.180(f) [GR]§63.180(g) | [R]§63.181(a) [GD]§63.181(b) [D]§63.181(c) [GD]§63.181(e) [GD]§63.181(i) | [GR]§63.182(a) [GR]§63.182(b) [R]§63.182(c) [GR]§63.182(c)(2) [R]§63.182(c)(4) [GR]§63.182(d) |

| Standard | Monitoring/Testing | Recordkeeping | Reporting |
|--|----------------------------------|--|--|
| §63.179 <i>[R]</i> §63.162(a) <i>[R]</i> §63.162(c) <i>[GR]</i> §63.162(g) <i>[R]</i> §63.162(h) | [GR]§63.180(b) [GR]§63.180(d) | [R]§63.181(a) [GR]§63.181(b) [R]§63.181(c) [GD]§63.181(i) [GR]§63.181(k) | [GR]§63.182(a) [GR]§63.182(b) [R]§63.182(c) [GR]§63.182(c)(3) [R]§63.182(c)(4) |