

## 40 CFR Part 63, Subpart EEEE – Transfer Racks - Requirements Reference Tables

### MACT EEEE – Transfer Racks - Standards

- [§63.2343\(a\)\(2\)](#) Exemption for transfer racks that only unload organic liquids.
- [§63.2343\(c\)](#) Exemption for transfer racks that do not meet the criteria in Table 2 of 40 CFR Part 63, Subpart EEEE.
- [§63.2346\(a\)\(1\)–Table 2.7.a.i\(1\)](#) Transfer racks must reduce total organic HAP emissions by 98% by weight by venting emissions through a closed vent system to any combination of control devices meeting the requirements of 40 CFR Part 63, Subpart SS and §63.2346(l).
- [§63.2346\(a\)\(1\)–Table 2.7.a.i\(2\)](#) Transfer racks must reduce total organic HAP emissions to an exhaust concentration of 20 ppmv by venting emissions through a closed vent system to any combination of control devices meeting the requirements of 40 CFR Part 63, Subpart SS and §63.2346(l).
- [§63.2346\(b\)\(2\)](#) Emissions from loading operations at the transfer rack are routed to a fuel gas system or back to a process as specified in 40 CFR Part 63, Subpart SS.
- [§63.2346\(b\)\(3\)\(i\)](#) Vapor balancing system routing organic HAP vapors displaced from the loading into transport vehicles.
- [§63.2346\(g\)](#) Alternative Means of Compliance for 40 CFR Part 63, Subpart EEEE

These relationship entry screens and flowcharts are for use by sources subject to the Texas Federal Operating Permits Program only and are subject to revision.

Last Modified: November 1st, 2023