

40 CFR Part 63, Subpart N - Requirements Reference Tables

Subpart N Standards

- [§63.342\(c\)\(1\)\(i\)](#) Standard for open hard chromium electroplating tank (HCET) at a new or reconstructed affected facility located at a large, hard chromium electroplating facility
- [§63.342\(c\)\(1\)\(ii\)](#) Standard for open HCET at existing affected facility located at a small, hard chromium electroplating facility
- [§63.342\(c\)\(1\)\(iii\)](#) Surface tension standard for open HCET using chemical fume suppressant containing a wetting agent
- [§63.342\(c\)\(2\)\(i\)](#) Standard for enclosed HCET at a new or reconstructed affected facility located at a large, hard chromium electroplating facility
- [§63.342\(c\)\(2\)\(ii\)](#) Standard for enclosed HCET at existing affected facility located at a small, hard chromium electroplating facility
- [§63.342\(c\)\(2\)\(iii\)](#) Surface tension standard for enclosed HCET using chemical fume suppressant containing a wetting agent
- [§63.342\(c\)\(2\)\(iv\)](#) Standard for enclosed HCET using the calculation procedure in §63.344(f)(1)(ii) at a new or reconstructed affected facility located at a large, hard chromium electroplating facility
- [§63.342\(c\)\(2\)\(v\)](#) Standard for enclosed HCET using the calculation procedure in §63.344(f)(1)(ii) at existing affected facility located at a small, hard chromium electroplating facility
- [§63.342\(d\)\(1\)](#) Exhaust gas standard for decorative chromium electroplating tank (DCET) and chromium anodizing tank (CAT)
- [§63.342\(d\)\(2\)](#) Surface tension standard for DCET, CAT
- [§63.342\(e\)\(1\)](#) Standards for decorative chromium electroplating tanks using a trivalent chromium bath
- [§63.340\(e\)](#) Area sources

These relationship entry screens and flowcharts are for use by sources subject to the Texas Federal Operating Permits Program only and are subject to revision.

Last modified: April 10, 2006