Below is a flowchart describing 30 TAC Ch. 117, Subch. B, Div. 3: Dryers/ Kilns/Ovens. For the text of the statute/rule, please go to
30 TAC Chapter 117, Subchapter B, Division 3: Dryers/Kilns/Ovens
(1 of 18)



30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3, Houston-Galveston-Brazoria Ozone Nonattainment Area: Dryers/Kilns/Ovens
(2 of 18)



30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3, Houston-Galveston-Brazoria Ozone Nonattainment Area: Dryers/Kilns/Ovens
(3 of 18)



30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3, Houston-Galveston-Brazoria Ozone Nonattainment Area: Dryers/Kilns/Ovens
(4 of 18)



30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3, Houston-Galveston-Brazoria Ozone Nonattainment Area: Dryers/Kilns/Ovens
(5 of 18)



30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3, Houston-Galveston-Brazoria Ozone Nonattainment Area: Dryers/Kilns/Ovens
(6 of 18)



30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3, Houston-Galveston-Brazoria Ozone Nonattainment Area: Dryers/Kilns/Ovens
(7 of 18)



30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3, Houston-Galveston-Brazoria Ozone Nonattainment Area: Dryers/Kilns/Ovens
(8 of 18)




41
Comply with the following:
Standard
§117.310(c)(1)|1
Monitoring/Testing
[G]§117.335(a)(1), (a)(4), (b)
§117.335(d), (g)
Recordkeeping
§117.345(a), (f), (f)(9)
Reporting
§117.335(b), (g)
[G]§117.345(b)-(c)
§117.8010, [G](1), (2), (2)(A)-(B)
[G]§117.8010(3), (4), [G](5)
§117.8010(6), [G](7)
Is the unit a lightweight aggregate kiln?
No
§117.310(c)(3)
Yes
Comply with the following:
Standard
§117.310(c)(3)
43

30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3, Houston-Galveston-Brazoria Ozone Nonattainment Area: Dryers/Kilns/Ovens
(10 of 18)



30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3, Houston-Galveston-Brazoria Ozone Nonattainment Area: Dryers/Kilns/Ovens
(11 of 18)



30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3, Houston-Galveston-Brazoria Ozone Nonattainment Area: Dryers/Kilns/Ovens
(12 of 18)



30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3, Houston-Galveston-Brazoria Ozone Nonattainment Area: Dryers/Kilns/Ovens
(13 of 18)



30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3, Houston-Galveston-Brazoria Ozone Nonattainment Area: Dryers/Kilns/Ovens
(14 of 18)



30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3, Houston-Galveston-Brazoria Ozone Nonattainment Area: Dryers/Kilns/Ovens
(15 of 18)



30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3, Houston-Galveston-Brazoria Ozone Nonattainment Area: Dryers/Kilns/Ovens
(16 of 18)



30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3, Houston-Galveston-Brazoria Ozone Nonattainment Area: Dryers/Kilns/Ovens
(17 of 18)



30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3, Houston-Galveston-Brazoria Ozone Nonattainment Area: Dryers/Kilns/Ovens
(18 of 18)