






Below is a flowchart describing 30 TAC Ch. 117, Subch. B, Div. 3: Furnaces. For the text of the statute/rule, please go to [30 TAC Ch. 117, Subch. B, Division 3: Furnaces](#)
(1 of 19)




**30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3,
Houston-Galveston-Brazoria Ozone Nonattainment Area: Furnaces
(2 of 19)**




30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3,
Houston-Galveston-Brazoria Ozone Nonattainment Area: Furnaces
(3 of 19)




30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3,
Houston-Galveston-Brazoria Ozone Nonattainment Area: Furnaces
(4 of 19)




30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3,
Houston-Galveston-Brazoria Ozone Nonattainment Area: Furnaces
(5 of 19)




**30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3,
Houston-Galveston-Brazoria Ozone Nonattainment Area: Furnaces
(6 of 19)**




30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3,
Houston-Galveston-Brazoria Ozone Nonattainment Area: Furnaces
(7 of 19)




30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3,
Houston-Galveston-Brazoria Ozone Nonattainment Area: Furnaces
(8 of 19)




**30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3,
Houston-Galveston-Brazoria Ozone Nonattainment Area: Furnaces
(9 of 19)**




30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3,
Houston-Galveston-Brazoria Ozone Nonattainment Area: Furnaces
(10 of 19)




**30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3,
Houston-Galveston-Brazoria Ozone Nonattainment Area: Furnaces
(11 of 19)**




**30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3,
Houston-Galveston-Brazoria Ozone Nonattainment Area: Furnaces
(12 of 19)**




**30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3,
Houston-Galveston-Brazoria Ozone Nonattainment Area: Furnaces
(13 of 19)**




**30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3,
Houston-Galveston-Brazoria Ozone Nonattainment Area: Furnaces
(14 of 19)**




**30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3,
Houston-Galveston-Brazoria Ozone Nonattainment Area: Furnaces
(15 of 19)**




**30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3,
Houston-Galveston-Brazoria Ozone Nonattainment Area: Furnaces
(16 of 19)**



**30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3,
Houston-Galveston-Brazoria Ozone Nonattainment Area: Furnaces
(17 of 19)**



30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3,
Houston-Galveston-Brazoria Ozone Nonattainment Area: Furnaces
(18 of 19)



**30 TAC Ch. 117, Subch. B, Combustion Control at Major ICI, Division 3,
Houston-Galveston-Brazoria Ozone Nonattainment Area: Furnaces
(19 of 19)**

