## Table 1(a) Emission Point Summary

# Instructions

#### **Texas Commission on Environmental Quality**

Beginning June 1, 2019, Table 1(a) is not required for submitted applications with the Form PI-1 General Application workbook. Refer to the <u>New Source Review (NSR) Application Tools</u> webpage for further information.

Table 1(a) can continue to be submitted for other permit actions and types, as needed.

#### 1. Emission Point Number and Name:

- Identify each emission point with a unique number for this plant site. The emission point numbers (EPN) must be consistent with the emission point identification used on the plot plan, any previous permits, and the "Emissions Inventory Questionnaire."
- Associate the EPN with a facility identification number (FIN) to the appropriate facility. These numbers can be alphanumeric and have a maximum of 10 characters.
- Examples of emission point names are "heater," "vent," 'boiler," "tank," "reactor," "separator," "baghouse," or "fugitive." Examples of EPN and/or FIN numbers are, "BOILER1," "100B1," and "BH1." If appropriate, a FIN can be the same as the EPN. Abbreviations are acceptable.

#### 2. Component or Air Contaminant Name:

• List each component or air contaminant name. Examples of component names are "air," "H<sub>2</sub>O," "nitrogen," "oxygen," "CO<sub>2</sub>," "CO," "NO<sub>x</sub>," "SO<sub>2</sub>," "hexane," or "particulate matter (PM)." Abbreviations are acceptable.

#### 3. Air Contaminant Emission Rate:

- Pounds per hour is the maximum short-term emission rate expected to occur in anyone-hour period.
- Tons per year (tpy) is the annual (any rolling 12-month period) total maximum emissions expected by the facility, taking the process operating schedule into account.

#### 4. Universal Transverse Mercator (UTM) Coordinates of Emission Points:

The applicant must furnish a facility plot plan drawn to scale showing a plant benchmark. Latitude and longitude must be correct and to the nearest second for the benchmark, and the dimension of all emission points concerning the benchmark as required by Form PI-1 (General Application for Air Preconstruction Permits and Amendments). This information is essential for the calculation of emission point UTM coordinates. Please show emission point UTM coordinates if known. Use the southwest corner as the emission point coordinates for each area source.

#### 5. Building Height:

• Enter the height of the building.

#### 6. Height Above Ground:

• Enter the height of the stacks above the ground.

### 7. Stack Exit Data:

- Enter the length, width, and equivalent diameter for rectangular stacks. Also, indicate horizontal discharge or covered stacks (raincap).
- Enter the velocity of emissions in actual feet per second.
- Enter the actual temperature if the exit temperature is "room" or "climate controlled." Enter "ambient" to represent exit temperatures that are the same as the outdoor environment. Flare exit temperatures are not required.

## 8. Fugitives:

- For area fugitive sources, enter the dimensions of a rectangle, which will "enclose" all fugitive sources included in this EPN. Length to width ratio should be 10:1 or less. Subdivide larger areas to meet this requirement.
- Enter the width of the fugitive source area.
- Enter the number of degrees the long axis of the fugitive area is offset from north to south.

Note: The TCEQ standard conditions are 68° F and 14.7 PSIA (Title 30 Texas Administrative Code § 101.1)

# Table 1(a) Emission Point Summary Air Contaminant Data (Page 1) Texas Commission on Environmental Quality

Date:	Permit No.:	Regulated Entity No.:	Area Name:	Customer Reference No.:	

Review of application and issuance of permits will be expedited by supplying all necessary information requested on the Table.

eEPN	FIN	Name	Component or Air Contaminant Name	Air Contaminant Emission Rate lb/hr	Air Contaminant Emission Rate TPY

EPN = Emission Point

FIN = Facility Identification Number

# Table 1(a) Emission Point Summary Air Contaminant Data (Page 2) Texas Commission on Environmental Quality

Date:	Permit No.:	Regulated Entity No.:	Area Name:	Customer Reference No.:	

Review of application and issuance of permits will be expedited by supplying all necessary information requested on the Table.

EPN	FIN	Name	UTM Coordinates of Emission Point Zone	UTM Coordinates of Emission East (Meters)	UTM Coordinates of Emission North (Meters)	Emission Point Discharge Parameters Building Height (ft)	Emission Point Discharge Parameters Height Above Ground (ft)	Stack Exit Data Diameter (ft)	Stack Exit Data Velocity (FPS)	Stack Exit Data Temperature (°F)	Length	Fugitives Width (ft)	Fugitives Axis Degrees

TIDA:		_		•	т.	•
EPN	=	нm	155	10n	PC	ทาก

FIN = Facility Identification Number