

Form OP-UA44
Municipal Solid Waste Landfill/Waste Disposal Site Attributes
Texas Commission on Environmental Quality

General:

This form is used to provide a description and data pertaining to municipal solid waste landfills with potentially applicable requirements associated with a particular regulated entity number and application. Each table number, along with the possibility of a corresponding letter (i.e., Table 1a, Table 1b), corresponds to a certain state or federal rule. If the rule on the table is not potentially applicable to a municipal solid waste landfill, then it should be left blank and need not be submitted with the application. If the codes entered by the applicant show negative applicability to the rule or sections of the rule represented on the table, then the applicant need not complete the remainder of the table(s) that corresponds to the rule. Further instruction as to which questions should be answered and which questions should not be answered are located in the “Specific” section of the instruction text. The following is included in this form:

<u>Table 1:</u>	Title 30 Texas Administrative Code Chapter 115, (30 TAC Chapter 115) Subchapter B: Municipal Solid Waste Landfills
<u>Table 2:</u>	Title 40 Code of Federal Regulations Part 60, (40 CFR Part 60) Subpart WWW: Standards of Performance for Municipal Solid Waste Landfills
<u>Table 3:</u>	Title 40 Code of Federal Regulations Part 61, (40 CFR Part 61) Subpart M: National Emission Standard for Asbestos
<u>Tables 4a - 4b:</u>	Title 30 Texas Administrative Code Chapter 113, (30 TAC Chapter 113) Subchapter D: Municipal Solid Waste Landfills
<u>Tables 5a - 5b:</u>	Title 40 Code of Federal Regulations Part 63, (40 CFR Part 63) Subpart AAAA: National Emission Standards for Hazardous Air Pollutants: Municipal Solid Waste Landfills
<u>Table 6:</u>	Title 40 Code of Federal Regulations Part 60, (40 CFR Part 60), Subpart OOO: Standards of Performance for Nonmetallic Mineral Processing Plants
<u>Tables 7a - 7b:</u>	Title 40 Code of Federal Regulations Part 60, (40 CFR Part 60) Subpart XXX: Standards of Performance for Municipal Solid Waste Landfills That Commenced Construction, Reconstruction, or Modification After July 17, 2014
<u>Tables 8a - 8b:</u>	Title 40 Code of Federal Regulations Part 62, (40 CFR Part 62) Subpart OOO: Federal Plan Requirements for Municipal Solid Waste Landfills That Commenced Construction On or Before July 17, 2014 and Have Not Been Modified or Reconstructed Since July 17, 2014

The application area name from Form OP-1 (Site Information Summary) must appear in the header of each page for the purpose of identification for the initial submittal. The date of the initial form submittal must also be included and should be consistent throughout the application (MM/DD/YYYY). **Leave the permit number blank for the initial form submittal.** If this form is included as part of the permit revision process, enter the permit number assigned by the TCEQ, the area name (from Form OP-1), the date of the revision submittal.

Unit attribute questions that do not require a response from all applicants are preceded by qualification criteria in the instructions. If the unit does not meet the qualification criteria, a response to the question is not required. **Anytime a response is not required based on the qualification criteria, leave the space on the form blank.**

Notwithstanding any qualification criteria in the form instructions or information provided in other TCEQ guidance, the applicant may leave an attribute question blank (or indicate “N/A” for “Not Applicable”) if the attribute is not needed for the applicable requirement determinations of a regulation for a unit.

In some situations, the applicant has the option of selecting alternate requirements, limitations, and/or practices for a unit. Note that these alternate requirements, limitations, and/or practices must have the required approval from the TCEQ executive director and/or the U.S. Environmental Protection Agency Administrator before the federal operating permit application is submitted.

The Texas Commission on Environmental Quality (TCEQ) requires that a Core Data Form be submitted on all incoming registrations unless all of the following are met: the Regulated Entity and Customer Reference Numbers have been issued by the TCEQ and no core data information has changed. The Central Registry, a common record area of the TCEQ which maintains information about TCEQ customers and regulated activities, such as company names, addresses, and telephone numbers. This information is commonly referred to as “core data.” The Central Registry provides the regulated community with a central access point within the agency to check core data and make changes when necessary. When core data about a facility is moved to the Central Registry, two new identification numbers are assigned: the Customer Reference (CN) number and the Regulated Entity (RN) number. The Core Data Form is required if facility records are not yet part of the Central Registry or if core data for a facility has changed. If this is the initial registration, permit, or license for a facility site, then the Core Data Form must be completed and submitted with application or registration forms. If amending, modifying, or otherwise updating an existing record for a facility site, the Core Data Form is not required, unless any core data information has changed. To review additional information regarding the Central Registry, go to the TCEQ website at www.tceq.texas.gov/permitting/central_registry/guidance.html.

Specific:

Table 1: Title 30 Texas Administrative Code Chapter 115, (30 TAC Chapter 115) Subchapter B: Municipal Solid Waste Landfills

- ★ Complete this table only for a municipal solid waste landfill (MSWLF) located in Brazoria, Chambers, Collin, Dallas, Denton, El Paso, Fort Bend, Galveston, Harris, Liberty, Montgomery, Tarrant, or Waller Counties.

Unit ID No.:

Enter the identification number (ID No.) for the municipal solid waste landfill (maximum 10 characters) as listed on Form OP-SUM (Individual Unit Summary).

SOP/GOP Index No.:

Site operating permit (SOP) applicants should indicate the SOP index number for the unit or group of units (maximum 15 characters consisting of numeric, alphanumeric characters, and/or dashes prefixed by a code for the applicable regulation [i.e., 60KB-XXXX]). General operating permit (GOP) applicants should indicate the appropriate GOP index number in this column from the applicable GOP table (SSS-FF-XXX). Applicants should complete all applicable GOP attribute information before determining the GOP index number. For additional information relating to SOP and GOP index numbers, please see the Completing FOP Applications – Additional Guidance on the TCEQ website at www.tceq.texas.gov/permitting/air/guidance/titlev/tv_fop_guidance.html.

Facility Capacity:

Select one of the following options for the facility capacity. Enter the code on the form.

Code	Description
100-	Facility capacity is less than 100,000 Megagrams (111,000 tons)
100+	Facility capacity is greater than or equal to 100,000 Megagrams (111,000 tons)

- ▼ Continue only if “Facility Capacity” is “100+.”

Closed or Not Receiving Waste:

Enter “YES” if the MSWLF was closed or stopped receiving waste prior to November 8, 1987, and does not have the capacity to receive more waste. Otherwise, enter “NO.”

- ▼ Continue only if “Closed or Not Receiving Waste” is “NO.”

NMOC Emission Rate:

Enter “YES” if the annual calculation or recalculation of the nonmethane organic compounds (NMOC) emission rate exceeded 150 Megagrams (165.3 tons) per year. Otherwise, enter “NO.”

- ▼ Continue only if “NMOC Emission Rate” is “YES.”

Alternate Control Requirement:

Enter “YES” if using an alternate method for demonstrating and documenting continuous compliance with applicable control requirements or exemption criteria and demonstrating substantially equivalent reduction efficiencies which have been approved by the TCEQ Executive Director. Otherwise, enter “NO.” GOP applicants must answer “NO.”

ACR ID No.:

If an alternate control requirement (ACR) has been approved, enter the corresponding ACR unique identifier for each unit (maximum 10 characters). If the unique identifier is unavailable, then enter the date of the ACR approval letter in the table column. The unique identifier and/or the date of the approval letter is contained in the Compliance File under the appropriate account number. Otherwise, leave this column blank.

▼ **Continue only if “Alternate Control Requirement” is “NO.”**

NMOC Emissions Control:

Select one of the following options for the control of the total collected NMOC gas emissions. Enter the code on the form.

Code	Description
FLARE	Open flare designed and operated in accordance with 40 CFR § 60.18
TREAT	Gas treatment system which processes the collected gas for subsequent use or sale
CONTROL	Control device which reduces the total collected gas emissions by 98% or to less than 20 parts per million by volume

★ **Complete “Atmospheric Vents” only if “NMOC Emissions Control” is “TREAT.”**

Atmospheric Vents:

Enter “YES” if there are any atmospheric vents from the gas treatment system. Otherwise, enter “NO.”

Gas Collection and Control System:

Enter “YES” if all of the 30 TAC § 115.152(b) requirements for capping and removing the gas collection and control system have been met. Otherwise, enter “NO.”

Control Device ID No.:

If applicable, enter the identification number (maximum 10 characters) for the control device to which emissions are routed. This number should be consistent with the control device identification number listed on Form OP-SUM. Use multiple lines if more than one control device is used. If there is no control device, then leave this column blank.

Table 2: Title 40 Code of Federal Regulations, Part 60 (40 CFR Part 60), Subpart WWW: Standards of Performance for Municipal Solid Waste Landfills

Unit ID No.:

Enter the identification number (ID No.) for the municipal solid waste landfill (maximum 10 characters) as listed on Form OP-SUM “Individual Unit Summary.”

SOP/GOP Index No.:

Site operating permit (SOP) applicants should indicate the SOP index number for the unit or group of units (maximum 15 characters consisting of numeric, alphanumeric characters, and/or dashes prefixed by a code for the applicable regulation [i.e., 60KB-XXXX]). General operating permit (GOP) applicants should indicate the appropriate GOP index number in this column from the applicable GOP table (SSS-FF-XXX). Applicants should complete all applicable GOP attribute information before determining the GOP index number. For additional information relating to SOP and GOP index numbers, please see the Completing FOP Applications – Additional Guidance on the TCEQ website at www.tceq.texas.gov/permitting/air/guidance/titlev/tv_fop_guidance.html.

Construction/Modification Date:

Select one of the following codes that describes the date of commencement of the most recent construction, reconstruction, or modification. Enter the code on the form.

Code	Description
91-	Before May 30, 1991
91-14	On or after May 30, 1991, and before July 18, 2014
14+	On or after July 18, 2014

▼ **Continue only if “Construction/Modification Date” is “91-14.”**

Design Capacity:

Select one of the following options for the design capacity of the MSW landfill. Enter the code on the form.

Code	Description
2.5-	Design capacity is less than 2.5 million megagrams (2.75 million tons) or 2.5 million cubic meters (3.27 million cubic yards)
2.5+	Design capacity is greater than or equal to 2.5 million megagrams (2.75 million tons) or 2.5 million cubic meters (3.27 million cubic yards)

▼ **Continue only if “Design Capacity” is “2.5+.”**

NMOC Emission Rate:

Select one of the following options for nonmethane organic compounds (NMOC) emission rate. Enter the code on the form.

Code	Description
50-	NMOC emission rate is less than 50 megagrams (55.1 tons) per year
50+	NMOC emission rate is greater than or equal to 50 megagrams (55.1 tons) per year

▼ **Continue only if “NMOC Emission Rate” is “50+.”**

Active Collection System:

Enter “YES” if the facility is using an active collection system. Otherwise, enter “NO.”

ALT to 40 CFR §§ 60.753 - 60.758:

Enter “YES” if the collection/control system design plan includes alternative provisions (ALT) of 40 CFR § 60.753 - 758. Otherwise, enter “NO.”

★ **Complete “ALT to 40 CFR § 60.759” only if “Active Collection System” is “YES.”**

ALT to 40 CFR § 60.759:

Enter “YES” if the owner or operator has demonstrated to the EPA Administrator’s satisfaction the sufficiency of ALT to 40 CFR § 60.759. Otherwise, enter “NO.”

ALT ID No.:

If ALT have been approved, enter the corresponding unique identifier for each unit (maximum 10 characters). If the unique identifier is unavailable, then enter the date of the approval letter in the table column. The unique identifier and/or the date of the approval letter is contained in the Compliance File under the appropriate account number. Otherwise, leave this column blank.

▼ **Continue only if “ALT to 40 CFR §§ 60.753 - 60.758” is “NO.”**

Utilizing Geomembrane or Synthetic Cover:

Enter “YES” if the facility is utilizing a geomembrane or synthetic cover. Otherwise, enter “NO.”

Control Device:

Select one of the following options for the type of control device. Enter the code on the form.

Code	Description
FLARE	Open flare
COMB	Enclosed combustion device other than a boiler or process heater
B44-	Enclosed combustion device that is a boiler or process heater with a design heat input capacity less than 44 MW
B44+	Enclosed combustion device that is a boiler or process heater with a design heat input capacity greater than or equal to 44 MW
TREAT	Gas treatment system which processes the collected gas emissions for subsequent use or sale
OTHER	Control device other than those described above

Control Device ID No.:

If applicable, enter the identification number (maximum 10 characters) for the control device to which emissions are routed. This number should be consistent with the control device identification number listed on Form OP-SUM. Use multiple lines if more than one control device is used. If there is no control device, then leave this column blank.

Table 3: Title 40 Code of Federal Regulations Part 61 (40 CFR Part 61), Subpart M: National Emission Standard for Asbestos

★ **Complete this table only for:**

1. Active waste disposal sites that receive asbestos-containing waste material from:
 - a. asbestos mills;
 - b. manufacturing, fabricating, demolition, renovation, or spraying operations; or
 - c. operations that convert asbestos-containing waste material into non asbestos (asbestos-free) material.
2. Inactive waste disposal site that received asbestos-containing waste material from:
 - a. asbestos mills; or
 - b. manufacturing and fabricating operations.

Unit ID No.:

Enter the identification number (ID No.) for the municipal solid waste landfill (maximum 10 characters) as listed on Form OP-SUM (Individual Unit Summary).

SOP/GOP Index No.:

Site operating permit (SOP) applicants should indicate the SOP index number for the unit or group of units (maximum 15 characters consisting of numeric, alphanumeric characters, and/or dashes prefixed by a code for the applicable regulation [i.e., 60KB-XXXX]). General operating permit (GOP) applicants should indicate the appropriate GOP index number in this column from the applicable GOP table (SSS-FF-XXX). Applicants should complete all applicable GOP attribute information before determining the GOP index number. For additional information relating to SOP and GOP index numbers, please see the Completing FOP Applications – Additional Guidance on the TCEQ website at www.tceq.texas.gov/permitting/air/guidance/titlev/tv_fop_guidance.html.

Waste Disposal Site:

Select one of the following options that describes the waste disposal site. Enter the code on the form.

Code	Description
INACT	Inactive waste disposal site for an asbestos mill, manufacturing operation, or fabricating operation
ACTIV	Active waste disposal site for manufacturing, fabricating, demolition, renovation, and spraying operations, an asbestos mill, or operations that convert asbestos-containing waste material into non asbestos (asbestos-free) material.

Note: GOP applicants must answer “ACTIV.”

Alternative Control Method:

Enter “YES” if the facility is using an EPA approved alternative control method (ACM). Otherwise, enter “NO.” GOP applicants must answer “NO.”

ACM ID No.:

If an ACM has been approved, then enter the corresponding ACM unique identifier for each unit or process (maximum 10 characters). If the unique identifier is unavailable, then enter the date of the ACM approval letter. The unique identifier and/or the date of the approval letter is contained in the Compliance File under the appropriate account number. Otherwise, leave this column blank.

▼ **Continue only if “Alternative Control Method” is “NO.”**

Emissions Compliance:

Select one of the following options that describes the method of compliance for the waste disposal site. Enter the code on the form.

For sites with a “Waste Disposal Site” designation of “INACT:”

Code	Description
NOVIS1	No visible emissions are discharged to the outside air from the inactive waste disposal site
15+A	Asbestos containing waste covered with at least 15 centimeters (6 inches) of compacted non asbestos containing material and a cover of vegetation
60+	Asbestos containing waste covered with at least 60 centimeters (2 feet) of compacted non asbestos containing material
RESIN1	A resinous or petroleum-based dust suppression agent that binds to dust to control surface air emissions

For sites with a “Waste Disposal Site” designation of “ACTIV:”

Code	Description
NOVIS2	No visible emissions are discharged to the outside air from the active waste disposal site
15+B	Asbestos containing waste covered with at least 15 centimeters (6 inches) of compacted non asbestos containing material
RESIN2	A resinous or petroleum-based dust suppression agent that effectively binds dust and controls wind erosion

Table 4a: Title 30 Texas Administrative Code Chapter 113 (30 TAC Chapter 113), Subchapter D: Municipal Solid Waste Landfills

★ **Complete this table only for existing municipal solid waste landfills (MSWLF) as defined in 30 TAC § 113.2060.**

Unit ID No.:

Enter the identification number (ID No.) for the municipal solid waste landfill (maximum 10 characters) as listed on Form OP-SUM (Individual Unit Summary).

SOP/GOP Index No.:

Site operating permit (SOP) applicants should indicate the SOP index number for the unit or group of units (maximum 15 characters consisting of numeric, alphanumeric characters, and/or dashes prefixed by a code for the applicable regulation [i.e., 60KB-XXXX]). General operating permit (GOP) applicants should indicate the appropriate GOP index number in this column from the applicable GOP table (SSS-FF-XXX). Applicants should complete all applicable GOP attribute information before determining the GOP index number. For additional information relating to SOP and GOP index numbers, please see the Completing FOP Applications – Additional Guidance on the TCEQ website at www.tceq.texas.gov/permitting/air/guidance/titlev/tv_fop_guidance.html.

Less Stringent Standard:

Enter “YES” if the owner or operator is applying for less stringent emission standards or longer compliance schedules than those otherwise required and can demonstrate to the TCEQ Executive Director and EPA one of the conditions specified in 30 TAC § 113.2067(1) - (3). Otherwise, enter “NO.” GOP applicants must answer “NO.”

Design Capacity:

Select one of the following options for the design capacity. Enter the code on the form.

Code	Description
2.5-	Design capacity is less than 2.5 million megagrams (2.75 megatons) and 2.5 million cubic meters (3.27 million cubic yards)
2.5+	Design capacity is greater than or equal to 2.5 million megagrams (2.75 megatons) and 2.5 million cubic meters (3.27 million cubic yards)

▼ **Continue only if “Less Stringent Standard” is “NO.”**

Gas Collection and Control System:

Enter “YES” if the MSWLF is in compliance with 30 TAC § 115.152 and the commission has approved a gas collection and control system. Otherwise, enter “NO.”

▼ **Continue only if “Design Capacity” is “2.5+.”**

NMOC Emission Rate:

Select one of the following options for the nonmethane organic compounds (NMOC) emission rate. Enter the code on the form.

Code	Description
50-	NMOC emission rate is less than 50 megagrams (55.1 tons) per year
50+	NMOC emission rate is greater than or equal to 50 megagrams (55.1 tons) per year

▼ **Continue only if “Gas Collection and Control System” is “NO” AND “NMOC Emission Rate” is “50+.”**

ALT to 40 CFR §§ 60.753 - 60.758:

Enter “YES” if the collection/control system design plan includes alternative provisions (ALT) of 40 CFR § 60.753 - 758. Otherwise, enter “NO.”

Table 4b: Title 30 Texas Administrative Code Chapter 113 (30 TAC Chapter 113), Subchapter D: Municipal Solid Waste Landfills

Unit ID No.:

Enter the identification number (ID No.) for the municipal solid waste landfill (maximum 10 characters) as listed on Form OP-SUM (Individual Unit Summary).

SOP Index No.:

Site operating permit (SOP) applicants should indicate the SOP index number for the unit or group of units (maximum 15 characters consisting of numeric, alphanumeric characters, and/or dashes prefixed by a code for the applicable regulation [i.e., 60KB-XXXX]). For additional information relating to SOP index numbers, please see the Completing FOP Applications – Additional Guidance on the TCEQ website at www.tceq.texas.gov/permitting/air/guidance/titlev/tv_fop_guidance.html.

ALT to 40 CFR § 60.759:

Enter “YES” if the owner or operator has demonstrated to the EPA Administrator’s satisfaction the sufficiency of alternative provisions (ALT) to 40 CFR § 60.759. Otherwise, enter “NO.”

ALT ID No.:

If ALT has been approved, enter the corresponding unique identifier for each unit (maximum 10 characters). If the unique identifier is unavailable, then enter the date of the approval letter in the table column. The unique identifier and/or the date of the approval letter are contained in the Compliance File under the appropriate account number. Otherwise, leave this column blank.

Active Collection System:

Enter “YES” if the MSWLF is using an active collection system. Otherwise, enter “NO.”

▼ **Continue only if “ALT to 40 CFR §§ 60.753 - 60.758” is “NO.”**

Geomembrane or Synthetic Cover:

Enter “YES” if MSWLF uses a geomembrane or synthetic cover. Otherwise, enter “NO.”

Control System:

Select one of the following options for the control system. Enter the code on the form.

Code	Description
FLARE	Open flare designed and operated in accordance with 40 CFR § 60.18
TREAT	Gas treatment system which processes the collected gas for subsequent use or sale
BPH44-	Boiler or process heater with a design capacity less than 44 megawatts
BPH44+	Boiler or process heater with a design capacity greater than or equal to 44 megawatts
OTHENCL	Other enclosed combustion device
OTHCD	Other control system

Control Device ID No.:

If applicable, enter the identification number (maximum 10 characters) for the control device to which emissions are routed. This number should be consistent with the control device identification number listed on Form OP-SUM. Use multiple lines if more than one control device is used. If there is no control device, then leave this column blank.

Table 5a: Title 40 Code of Federal Regulations, Part 63 (40 CFR Part 63), Subpart AAAA: Nation Emission Standards for Hazardous Air Pollutants: Municipal Solid Waste Landfills

Unit ID No.:

Enter the identification number (ID No.) for the municipal solid waste landfill (maximum 10 characters) as listed on Form OP-SUM (Individual Unit Summary).

SOP/GOP Index No.:

Site operating permit (SOP) applicants should indicate the SOP index number for the unit or group of units (maximum 15 characters consisting of numeric, alphanumeric characters, and/or dashes prefixed by a code for the applicable regulation [i.e., 60KB-XXXX]). General operating permit (GOP) applicants should indicate the appropriate GOP index number in this column from the applicable GOP table (SSS-FF-XXX). Applicants should complete all applicable GOP attribute information before determining the GOP index number. For additional information relating to SOP and GOP index numbers, please see the Completing FOP Applications – Additional Guidance on the TCEQ website at www.tceq.texas.gov/permitting/air/guidance/titlev/tv_fop_guidance.html.

Subpart AAAA Applicability:

Enter “YES” if the MSW landfill has accepted waste since November 8, 1987, or has additional capacity for waste deposition. Otherwise, enter “NO.”

▼ **Continue only if “Subpart AAAA Applicability” is “YES.”****Source Category:**

Select one of the following options for the source category of the MSW landfill. Enter the code on the form.

Code	Description
MAJOR	MSW Landfill is a major source as defined in 40 CFR § 63.2
COLOC	MSW Landfill is not a major source on its own but is collocated with a major source as defined in 40 CFR § 63.2
AREA	MSW Landfill is an area source

Design Capacity:

Select one of the following options for the design capacity of the MSW landfill. Enter the code on the form.

Code	Description
2.5-	Design capacity is less than 2.5 million megagrams (2.75 million tons) or 2.5 million cubic meters (3.27 million cubic yards)
2.5+	Design capacity is greater than or equal to 2.5 million megagrams (2.75 million tons) and 2.5 million cubic meters (3.27 million cubic yards)

▼ **Continue only if “Design Capacity” is “2.5+.”****Facility Type:**

Select one of the following options to describe the facility type for the MSW landfill. Enter the code on the form.

Code	Description
LAND	Conventional MSW Landfill operations
BIO	Bioreactor operations

★ **Go to Table 5b if “Facility Type” is “BIO.”****NMOC Emission Rate:**

Select one of the following options for nonmethane organic compounds (NMOC) emission rate. Enter the code on the form.

Code	Description
50-	NMOC emission rate is less than 50 megagrams (55.1 tons) per year
50+	NMOC emission rate is greater than or equal to 50 megagrams (55.1 tons) per year

▼ **Do not continue if “Source Category” is “AREA” and “NMOC Emission Rate” is “50-.”**

- ★ **Complete “Compliance Demonstration” only if “Source Category” is “COLOC” or “MAJOR,” “NMOC Emission Rate” is “50-”, and “Facility Type” is “LAND.”**

Compliance Demonstration:

Select one of the following options for the type of compliance demonstration used. Enter the code on the form.

Code	Description
TIER1	Tier 1 [§63.1959(a)(2)] is used to demonstrate NMOC compliance.
TIER2	Tier 2 [§63.1959(a)(3)] is used to demonstrate NMOC compliance.
TIER3	Tier 3 [§63.1959(a)(4)] is used to demonstrate NMOC compliance.
ALT	EPA approval of alternative method to determine the NMOC concentration or a site-specific methane generation constant in accordance with 40 CFR §63.1959(a)(5)

- ▼ **Continue only if “NMOC Emission Rate” is “50+.”**

Table 5b: Title 40 Code of Federal Regulations, Part 63 (40 CFR Part 63), Subpart AAAA: Nation Emission Standards for Hazardous Air Pollutants: Municipal Solid Waste Landfills

Unit ID No.:

Enter the identification number (ID No.) for the municipal solid waste landfill (maximum 10 characters) as listed on Form OP-SUM (Individual Unit Summary).

SOP/GOP Index No.:

Site operating permit (SOP) applicants should indicate the SOP index number for the unit or group of units (maximum 15 characters consisting of numeric, alphanumeric characters, and/or dashes prefixed by a code for the applicable regulation [i.e., 60KB-XXXX]). General operating permit (GOP) applicants should indicate the appropriate GOP index number in this column from the applicable GOP table (SSS-FF-XXX). Applicants should complete all applicable GOP attribute information before determining the GOP index number. For additional information relating to SOP and GOP index numbers, please see the Completing FOP Applications – Additional Guidance on the TCEQ website at www.tceq.texas.gov/permitting/air/guidance/titlev/tv_fop_guidance.html.

Control Device:

Select one of the following options for the type of control device. Enter the code on the form.

For sites complying with Subpart AAAA:

Code	Description
FLARE	Open combustor without enclosure or shroud
COMB98	Enclosed combustion device other than a boiler or process heater reducing NMOC by 98 wt.%
COMB20	Enclosed combustion device other than a boiler or process heater reducing NMOC outlet concentration to 20 ppmv
B44+98	Enclosed combustion device that is a boiler or process heater with a design heat input capacity greater than or equal to 44 MW reducing NMOC by 98 wt.%
B44-98	Enclosed combustion device that is a boiler or process heater with a design heat input capacity less than 44 MW reducing NMOC by 98 wt.%
B44+20	Enclosed combustion device that is a boiler or process heater with a design heat input capacity greater than or equal to 44 MW reducing NMOC outlet concentration to 20 ppmv
B44-20	Enclosed combustion device that is a boiler or process heater with a design heat input capacity less than 44 MW reducing NMOC outlet concentration to 20 ppmv
CTRL98	Control device other than a flare or enclosed combustion device reducing NMOC by 98 wt.%
TREAT	Gas treatment system which processes the collected gas emissions for subsequent use or sale

Control Device ID No.:

If applicable, enter the identification number (maximum 10 characters) for the control device to which emissions are routed. This number should be consistent with the control device identification number listed on Form OP-SUM. Use multiple lines if more than one control device is used. If there is no control device, then leave this column blank.

ALT to 40 CFR §§ 63.1958 – 63.1961:

Enter “YES” if the collection/control system design plan includes alternative provisions (ALT) of 40 CFR § 63.1958 – 1961. Otherwise, enter “NO.”

Gas Collection System:

Select one of the following options for the type of collection system used by the facility.

Code	Description
ACT	An active collection system is utilized to move gas to the control device
PAS	A passive collection system is utilized to move gas to the control device

★ **Complete “ALT to 40 CFR § 63.1962” only if “Gas Collection System” is “ACT.”**

ALT to 40 CFR § 63.1962:

Enter “YES” if the owner or operator has demonstrated to the EPA Administrator’s satisfaction the sufficiency of ALT to 40 CFR § 63.1962. Otherwise, enter “NO.”

ALT ID No.:

If ALT has been approved, enter the corresponding unique identifier for each unit (maximum 10 characters). If the unique identifier is unavailable, then enter the date of the approval letter in the table column. The unique identifier and/or the date of the approval letter are contained in the Compliance File under the appropriate account number. Otherwise, leave this column blank.

Table 6: Title 40 Code of Federal Regulations Part 60 (40 CFR Part 60), Subpart OOO: Standards of Performance for Nonmetallic Mineral Processing Plants

★ **Complete this table for GOP 517 (MSW Landfills): Only answer “Facility Type”; facility type must be “CRSHR”.**

Unit ID No.:

Enter the identification number (ID No.) for the affected facility (maximum 10 characters) as listed on Form OP-SUM (Individual Unit Summary).

Note: If the owner or operator has a facility or facilities that are enclosed and has chosen to comply with the emission limitations of 40 CFR Part 60, Subpart OOO as a building under 40 CFR § 60.672(e), then the identification number should be an identification for that building. All affected facilities enclosed in the building are not to be listed as separate affected facilities.

GOP Index No.:

General operating permit (GOP) applicants should indicate the GOP index number for the unit or group of units (maximum 15 characters consisting of numeric, alphanumeric characters, and/or dashes prefixed by a code for the applicable regulation [i.e., 60KB-XXXX]). For additional information relating to GOP index numbers, please see the Completing FOP Applications – Additional Guidance on the TCEQ website at www.tceq.texas.gov/permitting/air/guidance/titlev/tv_fop_guidance.html.

Facility Type:

Select the following option for the affected facility. Enter the code on the form.

Code	Description
CRSHR	Crusher

Table 7a: Title 40 Code of Federal Regulations Part 60, (40 CFR Part 60) Subpart XXX: Standards of Performance for Municipal Solid Waste Landfills That Commenced Construction, Reconstruction, or Modification After July 17, 2014

Unit ID No.:

Enter the identification number (ID No.) for the municipal solid waste landfill (maximum 10 characters) as listed on Form OP-SUM "Individual Unit Summary."

SOP/GOP Index No.:

Site operating permit (SOP) applicants should indicate the SOP index number for the unit or group of units (maximum 15 characters consisting of numeric, alphanumeric characters, and/or dashes prefixed by a code for the applicable regulation [i.e., 60KB-XXXX]). General operating permit (GOP) applicants should indicate the appropriate GOP index number in this column from the applicable GOP table (SSS-FF-XXX). Applicants should complete all applicable GOP attribute information before determining the GOP index number. For additional information relating to SOP and GOP index numbers, please see the Completing FOP Applications – Additional Guidance on the TCEQ website at www.tceq.texas.gov/permitting/air/guidance/titlev/tv_fop_guidance.html.

Construction/Modification Date:

Select one of the following codes that describes the date of commencement of the most recent construction, reconstruction, or modification. Enter the code on the form.

Code	Description
14-	On or before July 17, 2014
14+	After July 17, 2014

▼ Continue only if "Construction/Modification Date" is "14+."

Design Capacity:

Select one of the following options for the design capacity of the MSW landfill. Enter the code on the form.

Code	Description
2.5-	Design capacity is less than 2.5 million megagrams (2.75 million tons) or 2.5 million cubic meters (3.27 million cubic yards)
2.5+	Design capacity is greater than or equal to 2.5 million megagrams (2.75 million tons) or 2.5 million cubic meters (3.27 million cubic yards)

▼ Continue only if "Design Capacity" is "2.5+."

NMOC Emission Rate:

Select one of the following options for nonmethane organic compounds (NMOC) emission rate. Enter the code on the form.

Code	Description
34-	NMOC emission rate is less than 34 megagrams (37.5 tons) per year
34-50	NMOC emission rate is greater than or equal to 34 megagrams (37.5 tons) per year but less than 50 megagrams per year. The surface methane emissions are below 500 ppm using Tier 4 surface monitoring
34+CD	NMOC emission rate is greater than or equal to 34 megagrams (37.5 tons). The surface methane emissions are below 500 ppm using Collection and Control System

★ **Complete “Compliance Demonstration” only if “NMOC Emission Rate” is “34-” or “34-50.”**

Compliance Demonstration:

Select one of the following options for the type of compliance demonstration used. Enter the code on the form.

For MSW landfills where “NMOC Emission Rate” is “34-”:

Code	Description
TIER1	Tier 1 [§60.764(a)(2)] is used to demonstrate NMOC compliance
TIER2	Tier 2 [§60.764(a)(3)] is used to demonstrate NMOC compliance
TIER3	Tier 3 [§60.764(a)(4)] is used to demonstrate NMOC compliance
ALT	EPA approval of alternative method to determine the NMOC concentration or a site-specific methane generation constant in accordance with 40 CFR § 60.764(a)(5)

For MSW landfills where “NMOC Emission Rate” is “34-50”:

Code	Description
T1T4	Tier 1 is used to demonstrate NMOC compliance. Tier 4 [§ 60.764(a)(6)] is used to demonstrate methane concentration is less than 500 ppm
T2T4	Tier 2 is used to demonstrate NMOC compliance. Tier 4 is used to demonstrate methane concentration is less than 500 ppm

▼ **Continue to Table 7b only if “NMOC Emission Rate” is “34+CD.”**

Table 7b: Title 40 Code of Federal Regulations Part 60, (40 CFR Part 60) Subpart XXX: Standards of Performance for Municipal Solid Waste Landfills That Commenced Construction, Reconstruction, or Modification After July 17, 2014

Unit ID No.:

Enter the identification number (ID No.) for the municipal solid waste landfill (maximum 10 characters) as listed on Form OP-SUM “Individual Unit Summary.”

SOP/GOP Index No.:

Site operating permit (SOP) applicants should indicate the SOP index number for the unit or group of units (maximum 15 characters consisting of numeric, alphanumeric characters, and/or dashes prefixed by a code for the applicable regulation [i.e., 60KB-XXXX]). General operating permit (GOP) applicants should indicate the appropriate GOP index number in this column from the applicable GOP table (SSS-FF-XXX). Applicants should complete all applicable GOP attribute information before determining the GOP index number. For additional information relating to SOP and GOP index numbers, please see the Completing FOP Applications – Additional Guidance on the TCEQ website at www.tceq.texas.gov/permitting/air/guidance/titlev/tv_fop_guidance.html.

Control Device:

Select one of the following options for the type of control device. Enter the code on the form.

Code	Description
FLARE	Open combustor without enclosure or shroud
COMB98	Enclosed combustion device other than a boiler or process heater reducing NMOC by 98 wt.%
COMB20	Enclosed combustion device other than a boiler or process heater reducing NMOC outlet concentration to 20 ppmv.
B44+98	Enclosed combustion device that is a boiler or process heater with a design heat input capacity greater than or equal to 44 MW reducing NMOC by 98 wt.%
B44-98	Enclosed combustion device that is a boiler or process heater with a design heat input capacity less than 44 MW reducing NMOC by 98 wt.%
B44+20	Enclosed combustion device that is a boiler or process heater with a design heat input capacity greater than or equal to 44 MW reducing NMOC outlet concentration to 20 ppmv.
B44-20	Enclosed combustion device that is a boiler or process heater with a design heat input capacity less than 44 MW reducing NMOC outlet concentration to 20 ppmv.
OTHER	Control device other than a flare or enclosed combustion device reducing NMOC by 98 wt.%
TREAT	Gas treatment system which processes the collected gas emissions for subsequent use or sale

Control Device ID No.:

If applicable, enter the identification number (maximum 10 characters) for the control device to which emissions are routed. This number should be consistent with the control device identification number listed on Form OP-SUM. Use multiple lines if more than one control device is used. If there is no control device, then leave this column blank.

Gas Collection System:

Select one of the following options for the type of collection system used by the facility.

Code	Description
ACT	An active collection system is utilized to move gas to the control device.
PAS	A passive collection system is utilized to move gas to the control device.

ALT to 40 CFR §§ 60.763 - 60.766:

Enter "YES" if the collection/control system design plan includes alternative provisions (ALT) of 40 CFR § 60.763 - 766. Otherwise, enter "NO."

ALT ID No.:

If ALT have been approved, enter the corresponding unique identifier for each unit (maximum 10 characters). If the unique identifier is unavailable, then enter the date of the approval letter in the table column. The unique identifier and/or the date of the approval letter is contained in the Compliance File under the appropriate account number. Otherwise, leave this column blank.

★ **Complete "ALT to 40 CFR § 60.769" only if "Gas Collection System" is "ACT."**

ALT to 40 CFR § 60.769:

Enter "YES" if the owner or operator has demonstrated to the EPA Administrator's satisfaction the sufficiency of ALT to 40 CFR § 60.769. Otherwise, enter "NO."

ALT ID No.:

If ALT have been approved, enter the corresponding unique identifier for each unit (maximum 10 characters). If the unique identifier is unavailable, then enter the date of the approval letter in the table column. The unique identifier and/or the date of the approval letter is contained in the Compliance File under the appropriate account number. Otherwise, leave this column blank.

Table 8a: Title 40 Code of Federal Regulations Part 62, (40 CFR Part 62) Subpart OOO: Federal Plan Requirements for Municipal Solid Waste Landfills That Commenced Construction On or Before July 17, 2014 and Have Not Been Modified or Reconstructed Since July 17, 2014

- ★ **Complete this table only for a municipal solid waste landfill (MSW landfill) that has accepted waste at any time since November 8, 1987, or a MSW landfill that has additional capacity for future waste deposition.**
- ★ **Do not complete this table for a MSW landfill that is regulated by an EPA-approved and currently effective state or tribal plan implementing 40 CFR Part 60, Subpart Cf.**

Unit ID No.:

Enter the identification number (ID No.) for the municipal solid waste landfill (maximum 10 characters) as listed on Form OP-SUM (Individual Unit Summary).

SOP/GOP Index No.:

Site operating permit (SOP) applicants should indicate the SOP index number for the unit or group of units (maximum 15 characters consisting of numeric, alphanumeric characters, and/or dashes prefixed by a code for the applicable regulation [i.e., 60KB-XXXX]). General operating permit (GOP) applicants should indicate the appropriate GOP index number in this column from the applicable GOP table (SSS-FF-XXX). Applicants should complete all applicable GOP attribute information before determining the GOP index number. For additional information relating to SOP and GOP index numbers, please see the Completing FOP Applications – Additional Guidance on the TCEQ website at www.tceq.texas.gov/permitting/air/guidance/titlev/tv_fop_guidance.html.

Construction/Modification Date:

Select one of the following options that describe the date of commencement of the most recent construction, reconstruction, or modification. Enter the code on the form.

Code	Description
14-	Construction, reconstruction, or modification commenced on or before July 17, 2014
14+	Construction, reconstruction, or modification commenced after July 17, 2014

- ▼ **Continue only if “Construction/Modification Date” is “14-.”**

Design Capacity:

Select one of the following options for the design capacity of the MSW landfill. Enter the code on the form.

Code	Description
2.5-	Design capacity is less than 2.5 million megagrams (2.75 million tons) or 2.5 million cubic meters (3.27 million cubic yards)
2.5+	Design capacity is greater than or equal to 2.5 million megagrams (2.75 million tons) and 2.5 million cubic meters (3.27 million cubic yards)

- ★ **Complete "Negative Declaration Letter" only if “Design Capacity” is “2.5-.”**

Negative Declaration Letter:

Enter “YES” if the MSW landfill is located in a state, locality, or portion of Indian country that submitted a negative declaration letter. Otherwise, enter “NO.”

- ▼ **Continue only if “Design Capacity” is “2.5+.”**

Leachate/Liquids:

Enter “YES” if leachate recirculation or added liquids has been employed at the MSW landfill within the last 10 years. Otherwise, enter “NO.”

Control Device:

Select one of the following options for the type of control device. Enter the code on the form.

Code	Description
FLARE	Open combustor without enclosure or shroud
COMB98	Enclosed combustion device other than a boiler or process heater reducing NMOC by 98 wt.%
COMB20	Enclosed combustion device other than a boiler or process heater reducing NMOC outlet concentration to less than 20 ppmv
B44+98	Enclosed combustion device that is a boiler or process heater with a design heat input capacity greater than or equal to 44 MW reducing NMOC by 98 wt.%
B44-98	Enclosed combustion device that is a boiler or process heater with a design heat input capacity less than 44 MW reducing NMOC by 98 wt.%
B44+20	Enclosed combustion device that is a boiler or process heater with a design heat input capacity greater than or equal to 44 MW reducing NMOC outlet concentration to less than 20 ppmv
B44-20	Enclosed combustion device that is a boiler or process heater with a design heat input capacity less than 44 MW reducing NMOC outlet concentration to less than 20 ppmv
CTRL98	Control device other than a flare or enclosed combustion device reducing NMOC by 98 wt.%
TREAT	Gas treatment system which processes the collected gas emissions for subsequent use or sale
NONE	No gas collection and control system is installed at the MSW landfill. [Use only if the NMOC emission rate is less than 50 megagrams per year]

Control Device ID No.:

If applicable, enter the identification number (maximum 10 characters) for the control device to which emissions are routed. This number should be consistent with the control device identification number listed on Form OP-SUM. Use multiple lines if more than one control device is used. If there is no control device, then leave this column blank.

Table 8b: Title 40 Code of Federal Regulations Part 62, (40 CFR Part 62) Subpart OOO: Federal Plan Requirements for Municipal Solid Waste Landfills That Commenced Construction On or Before July 17, 2014, and Have Not Been Modified or Reconstructed Since July 17, 2014

Unit ID No.:

Enter the identification number (ID No.) for the municipal solid waste landfill (maximum 10 characters) as listed on Form OP-SUM (Individual Unit Summary).

SOP/GOP Index No.:

Site operating permit (SOP) applicants should indicate the SOP index number for the unit or group of units (maximum 15 characters consisting of numeric, alphanumeric characters, and/or dashes prefixed by a code for the applicable regulation [i.e., 60KB-XXXX]). General operating permit (GOP) applicants should indicate the appropriate GOP index number in this column from the applicable GOP table (SSS-FF-XXX). Applicants should complete all applicable GOP attribute information before determining the GOP index number. For additional information relating to SOP and GOP index numbers, please see the Completing FOP Applications – Additional Guidance on the TCEQ website at www.tceq.texas.gov/permitting/air/guidance/titlev/tv_fop_guidance.html.

★ **Complete "Compliance Demonstration" only if "Control Device" is "NONE."**

Compliance Demonstration:

Select one of the following options for the type of compliance demonstration used for the nonmethane organic compounds (NMOC) emission rate or the surface methane emissions concentration. Enter the code on the form.

Code	Description
TIER1	Tier 1 [§62.16718(a)(2)] is used to show that the NMOC emission rate is less than 34 megagrams (37.5 tons) per year
TIER2	Tier 2 [§62.16718(a)(3)] is used to show that the NMOC emission rate is less than 34 megagrams (37.5 tons) per year
TIER3	Tier 3 [§62.16718(a)(4)] is used to show that the NMOC emission rate is less than 34 megagrams (37.5 tons) per year
TIER4	Tier 4 [§62.16718(a)(6)] is used to show that the surface methane emissions concentration is less than 500 parts per million [Use only if the NMOC emission rate is greater than or equal to 34 megagrams per year]
ALT	EPA approval of an alternative method to determine the NMOC concentration or a site-specific methane generation rate constant in accordance with 40 CFR §62.16718(a)(5)

▼ **Do not continue if "Control Device" is "NONE."**

Optional Provisions:

Select one of the following options that describes the provisions that the MSW landfill is complying with. Enter the code on the form.

Code	Description
OOO	The MSW landfill is complying with the provisions of 40 CFR §§62.16716, 62.16720, and 62.16722
AAAA	The MSW landfill is complying with the provisions of 40 CFR §§63.1958, 63.1960, and 63.1961
BOTH	The MSW landfill is complying with both the provisions of 40 CFR §§62.16716, 62.16720, and 62.16722 and the provisions of 40 CFR §§63.1958, 63.1960, and 63.1961

ALT Design Plan

Enter "YES" if the collection/control system design plan includes alternative provisions (ALT) of 40 CFR §§62.16716 – 16722 and/or §§ 63.1958 - 1961. Otherwise, enter "NO."

ALT ID No.:

If ALT has been approved, enter the corresponding unique identifier for each unit (maximum 10 characters). If the unique identifier is unavailable, then enter the date of the approval letter in the table column. The unique identifier and/or the date of the approval letter are contained in the Compliance File under the appropriate account number. Otherwise, leave this column blank.

Gas Collection System:

Select one of the following options for the type of collection system used by the facility.

Code	Description
ACT	An active collection system is utilized to move gas to the control device
PAS	A passive collection system is utilized to move gas to the control device

★ Complete "ALT to 40 CFR § 62.16728" only if "Gas Collection System" is "ACT."

ALT to 40 CFR § 62.16728:

Enter "YES" if the owner or operator has demonstrated to the EPA Administrator's satisfaction the sufficiency of ALT to 40 CFR § 62.16728. Otherwise, enter "NO."

ALT ID No.:

If ALT has been approved, enter the corresponding unique identifier for each unit (maximum 10 characters). If the unique identifier is unavailable, then enter the date of the approval letter in the table column. The unique identifier and/or the date of the approval letter are contained in the Compliance File under the appropriate account number. Otherwise, leave this column blank.

**Municipal Solid Waste Landfill/Waste Disposal Site Attributes
Form OP-UA44 (Page 1)**

Federal Operating Permit Program

Table 1: Title 30 Texas Administrative Code Chapter 115 (30 TAC Chapter 115)

Subchapter B: Municipal Solid Waste Landfills

Texas Commission on Environmental Quality

Date	Permit No.	Regulated Entity No.

Unit ID No.	SOP/GOP Index No.	Facility Capacity	Closed or Not Receiving Waste	NMOC Emission Rate	Alternate Control Requirements	ACR ID No.	NMOC Emissions Control	Atmosphere Vents	Gas Collection and Control System	Control Device ID No.

**Municipal Solid Waste Landfill/Waste Disposal Site Attributes
Form OP-UA44 (Page 2)
Federal Operating Permit Program
Table 2: Title 40 Code of Federal Regulations Part 60 (40 CFR Part 60)
Subchapter WWW, Standards of Performance for Municipal Solid Waste Landfills
Texas Commission on Environmental Quality**

Date	Permit No.	Regulated Entity No.

Unit ID No.	SOP/GOP Index No.	Construction/Modification Date	Design Capacity	NMOC Emission Rate	Active Collection System	ALT to 40 CFR §§ 60.753-60.758	ALT to 40 CFR §60.759	ALT ID No.	Utilizing Geomembrane or Synthetic Cover	Control Device	Control Device ID No.

Municipal Solid Waste Landfill/Waste Disposal Site Attributes
Form OP-UA44 (Page 3)
Federal Operating Permit Program
Table 3: Title 40 Code of Federal Regulations Part 61 (40 CFR Part 61)
Subchapter M: National Emission Standard for Asbestos
Texas Commission on Environmental Quality

Date	Permit No.	Regulated Entity No.

Unit ID No.	SOP/GOP Index No.	Waste Disposal Site	Alternative Control Method	ACM ID No.	Emission Compliance

**Municipal Solid Waste Landfill/Waste Disposal Site Attributes
Form OP-UA44 (Page 4)**

Federal Operating Permit Program

Table 4a: Title 30 Texas Administrative Code Chapter 113 (30 TAC Chapter 113)

Subchapter D: Municipal Solid Waste Landfills

Texas Commission on Environmental Quality

Date	Permit No.	Regulated Entity No.

Unit ID No.	SOP/GOP Index No.	Less Stringent Standard	Design Capacity	Gas Collection and Control System	NMOC Emission Rate	ALT to 40 CFR §§60.753-60.758

**Municipal Solid Waste Landfill/Waste Disposal Site Attributes
Form OP-UA44 (Page 5)**

Federal Operating Permit Program

Table 4b: Title 30 Texas Administrative Code Chapter 113 (30 TAC Chapter 113)

Subchapter D: Municipal Solid Waste Landfills

Texas Commission on Environmental Quality

Date	Permit No.	Regulated Entity No.

Unit ID No.	SOP/GOP Index No.	ALT to 40 CFR §§60.758	ALT ID No.	Active Collection System	Geomembrane or Synthetic Cover	Control System	Control Device ID No.

**Municipal Solid Waste Landfill/Waste Disposal Site Attributes
Form OP-UA44 (Page 6)**

Federal Operating Permit Program

Table 5a: Title 40 Code of Federal Regulations Part 63 (40 CFR Part 63)

**Subchapter AAAA, National Emission Standards for Hazardous Air Pollutants: Municipal Solid Waste Landfills
Texas Commission on Environmental Quality**

Date	Permit No.	Regulated Entity No.

Unit ID No.	SOP/GOP Index No.	Subpart AAAA Applicability	Source Category	Design Capacity	Facility Type	NMOC Emission Rate	Compliance Demonstration

**Municipal Solid Waste Landfill/Waste Disposal Site Attributes
Form OP-UA44 (Page 7)**

Federal Operating Permit Program

Table 5b: Title 40 Code of Federal Regulations Part 63 (40 CFR Part 63)

**Subchapter AAAA, National Emission Standards for Hazardous Air Pollutants: Municipal Solid Waste Landfills
Texas Commission on Environmental Quality**

Date	Permit No.	Regulated Entity No.

Unit ID No.	SOP/GOP Index No.	Control Device	Control Device ID No.	ALT to CFR §§63.1958-63.1961	Gas Collection System	ALT to 40 CFR §63.1962	ALT ID No.

**Municipal Solid Waste Landfill/Waste Disposal Site Attributes
Form OP-UA44 (Page 8)**

Federal Operating Permit Program

**Table 6: Title 40 Code of Federal Regulations Part 60 (40 CFR Part 60)
Subpart OOO, Standards of Performance for Nonmetallic Mineral Processing Plants
Texas Commission on Environmental Quality**

Date	Permit No.	Regulated Entity No.

Unit ID No.	GOP Index No.	Facility Type

**Municipal Solid Waste Landfill/Waste Disposal Site Attributes
Form OP-UA44 (Page 9)**

Federal Operating Permit Program

**Table 7a: Title 40 Code of Federal Regulations Part 60 (40 CFR Part 60)
Subpart XXX, Standards of Performance for Municipal Solid Waste Landfills That Commenced Construction,
Reconstruction, or Modification After July 17, 2014
Texas Commission on Environmental Quality**

Date	Permit No.	Regulated Entity No.

Unit ID No.	SOP/GOP Index No.	Construction/ Modification Date	Design Capacity	NMOC Emission Rate	Compliance Demonstration

**Municipal Solid Waste Landfill/Waste Disposal Site Attributes
Form OP-UA44 (Page 10)**

Federal Operating Permit Program

Table 7b: Title 40 Code of Federal Regulations Part 60 (40 CFR Part 60)

**Subpart XXX, Standards of Performance for Municipal Solid Waste Landfills That Commenced Construction,
Reconstruction, or Modification After July 17, 2014
Texas Commission on Environmental Quality**

Date	Permit No.	Regulated Entity No.

Unit ID No.	SOP/GOP Index No.	Control Device	Control Device ID No.	Gas Collection System	ALT to 40 CFR §§ 60.763- 60.766	ALT ID No.	ALT to 40 CFR §60.769	ALT ID No.

**Municipal Solid Waste Landfill/Waste Disposal Site Attributes
Form OP-UA44 (Page 11)**

Federal Operating Permit Program

Table 8a: Title 40 Code of Federal Regulations Part 62 (40 CFR Part 62)

**Subpart OOO: Federal Plan Requirements for Municipal Solid Waste Landfills That Commenced Construction On or Before July 17, 2014
and Have Not Been Modified or Reconstructed Since July 17, 2014
Texas Commission on Environmental Quality**

Date	Permit No.	Regulated Entity No.

Unit ID No.	SOP/GOP Index No.	Construction/ Modification Date	Design Capacity	Negative Declaration Letter	Leachate/Liquids	Control Device	Control Device ID No.

**Municipal Solid Waste Landfill/Waste Disposal Site Attributes
Form OP-UA44 (Page 12)**

Federal Operating Permit Program

Table 8b: Title 40 Code of Federal Regulations Part 62 (40 CFR Part 62)

**Subpart OOO: Federal Plan Requirements for Municipal Solid Waste Landfills That Commenced Construction On or Before July 17, 2014
and Have Not Been Modified or Reconstructed Since July 17, 2014
Texas Commission on Environmental Quality**

Date	Permit No.	Regulated Entity No.

Unit ID No.	SOP/GOP Index No.	Compliance Demonstration	Optional Provisions	ALT Design Plan	ALT ID No.	Gas Collection System	ALT to 40 CFR §62.16728	ALT ID No.