Texas Commission on Environmental Quality Edwards Aquifer Application Cover Page

Our Review of Your Application

The Edwards Aquifer Program staff conducts an administrative and technical review of all applications. The turnaround time for administrative review can be up to 30 days as outlined in 30 TAC 213.4(e). Generally administrative completeness is determined during the intake meeting or within a few days of receipt. The turnaround time for technical review of an administratively complete Edwards Aquifer application is 90 days as outlined in 30 TAC 213.4(e). Please know that the review and approval time is directly impacted by the quality and completeness of the initial application that is received. In order to conduct a timely review, it is imperative that the information provided in an Edwards Aquifer application include final plans, be accurate, complete, and in compliance with <u>30 TAC 213</u>.

Administrative Review

1. <u>Edwards Aquifer applications</u> must be deemed administratively complete before a technical review can begin. To be considered administratively complete, the application must contain completed forms and attachments, provide the requested information, and meet all the site plan requirements. The submitted application and plan sheets should be final plans. Please submit one full-size set of plan sheets with the original application, and half-size sets with the additional copies.

To ensure that all applicable documents are included in the application, the program has developed tools to guide you and web pages to provide all forms, checklists, and guidance. Please visit the below website for assistance: <u>http://www.tceq.texas.gov/field/eapp</u>.

- 2. This Edwards Aquifer Application Cover Page form (certified by the applicant or agent) must be included in the application and brought to the administrative review meeting.
- 3. Administrative reviews are scheduled with program staff who will conduct the review. Applicants or their authorized agent should call the appropriate regional office, according to the county in which the project is located, to schedule a review. The average meeting time is one hour.
- 4. In the meeting, the application is examined for administrative completeness. Deficiencies will be noted by staff and emailed or faxed to the applicant and authorized agent at the end of the meeting, or shortly after. Administrative deficiencies will cause the application to be deemed incomplete and returned.

An appointment should be made to resubmit the application. The application is re-examined to ensure all deficiencies are resolved. The application will only be deemed administratively complete when all administrative deficiencies are addressed.

- 5. If an application is received by mail, courier service, or otherwise submitted without a review meeting, the administrative review will be conducted within 30 days. The applicant and agent will be contacted with the results of the administrative review. If the application is found to be administratively incomplete, it can be retrieved from the regional office or returned by regular mail. If returned by mail, the regional office may require arrangements for return shipping.
- 6. If the geologic assessment was completed before October 1, 2004 and the site contains "possibly sensitive" features, the assessment must be updated in accordance with the *Instructions to Geologists* (TCEQ-0585 Instructions).

Technical Review

- 1. When an application is deemed administratively complete, the technical review period begins. The regional office will distribute copies of the application to the identified affected city, county, and groundwater conservation district whose jurisdiction includes the subject site. These entities and the public have 30 days to provide comments on the application to the regional office. All comments received are reviewed by TCEQ.
- 2. A site assessment is usually conducted as part of the technical review, to evaluate the geologic assessment and observe existing site conditions. The site must be accessible to our staff. The site boundaries should be

clearly marked, features identified in the geologic assessment should be flagged, roadways marked and the alignment of the Sewage Collection System and manholes should be staked at the time the application is submitted. If the site is not marked the application may be returned.

- 3. We evaluate the application for technical completeness and contact the applicant and agent via Notice of Deficiency (NOD) to request additional information and identify technical deficiencies. There are two deficiency response periods available to the applicant. There are 14 days to resolve deficiencies noted in the first NOD. If a second NOD is issued, there is an additional 14 days to resolve deficiencies. If the response to the second notice is not received, is incomplete or inadequate, or provides new information that is incomplete or inadequate, the application must be withdrawn or will be denied. Please note that because the technical review is underway, whether the application is withdrawn or denied **the application fee will be forfeited**.
- 4. The program has 90 calendar days to complete the technical review of the application. If the application is technically adequate, such that it complies with the Edwards Aquifer rules, and is protective of the Edwards Aquifer during and after construction, an approval letter will be issued. Construction or other regulated activity may not begin until an approval is issued.

Mid-Review Modifications

It is important to have final site plans prior to beginning the permitting process with TCEQ to avoid delays.

Occasionally, circumstances arise where you may have significant design and/or site plan changes after your Edwards Aquifer application has been deemed administratively complete by TCEQ. This is considered a "Mid-Review Modification". Mid-Review Modifications may require redistribution of an application that includes the proposed modifications for public comment.

If you are proposing a Mid-Review Modification, two options are available:

- If the technical review has begun your application can be denied/withdrawn, your fees will be forfeited, and the plan will have to be resubmitted.
- TCEQ can continue the technical review of the application as it was submitted, and a modification application can be submitted at a later time.

If the application is denied/withdrawn, the resubmitted application will be subject to the administrative and technical review processes and will be treated as a new application. The application will be redistributed to the affected jurisdictions.

Please contact the regional office if you have questions. If your project is located in Williamson, Travis, or Hays County, contact TCEQ's Austin Regional Office at 512-339-2929. If your project is in Comal, Bexar, Medina, Uvalde, or Kinney County, contact TCEQ's San Antonio Regional Office at 210-490-3096

Please fill out all required fields below and submit with your application.

1. Regulated Entity N	ame: Apple	e Inc	2. Re	gulate	ed Entity No.:	105366561
3. Customer Name:	Apple Inc		4. Cu	stom	er No.: 6	03691783
5. Project Type: (Please circle/check one)	New	Modification	Exten	sion	Exception	
6. Plan Type: (Please circle/check one)	WPAP CZP	SCS UST AST	EXP	EXT	Technical Clarification	Optional Enhanced Measures
7. Land Use: (Please circle/check one)	Residential	Non-residential		8. Sit	e (acres):	38.8
9. Application Fee:	\$500	10. Permanent	BMP(s	s):	Detention B	asin
11. SCS (Linear Ft.):	0	12. AST/UST (N	o. Tan	ks):	0	
13. County:	Travis	14. Watershed:			Colorado R	iver

Application Distribution

Instructions: Use the table below to determine the number of applications required. One original and one copy of the application, plus additional copies (as needed) for each affected incorporated city, county, and groundwater conservation district are required. Linear projects or large projects, which cross into multiple jurisdictions, can require additional copies. Refer to the "Texas Groundwater Conservation Districts within the EAPP Boundaries" map found at:

http://www.tceq.texas.gov/assets/public/compliance/field_ops/eapp/EAPP%20GWCD%20map.pdf

For more detailed boundaries, please contact the conservation district directly.

	Region		
County:	Hays	Travis	Williamson
Original (1 req.)		<u> </u>	
Region (1 req.)			
County(ies)		<u>_X</u>	
Groundwater Conservation District(s)	Edwards Aquifer Authority Barton Springs/ Edwards Aquifer Hays Trinity Plum Creek	<u>×</u> Barton Springs∕ Edwards Aquifer	NA
City(ies) Jurisdiction	Austin Buda Dripping Springs Kyle Mountain City San Marcos Wimberley Woodcreek	XAustin Bee Cave Pflugerville Rollingwood Round Rock Sunset Valley West Lake Hills	Austin Cedar Park Florence Georgetown Jerrell Leander Liberty Hill Pflugerville Round Rock

	San Antonio Region					
County:	Bexar	Comal	Kinney	Medina	Uvalde	
Original (1 req.)						
Region (1 req.)						
County(ies)						
Groundwater Conservation District(s)	Edwards Aquifer Authority Trinity-Glen Rose	Edwards Aquifer Authority	Kinney	EAA Medina	EAA Uvalde	
City(ies) Jurisdiction	Castle Hills Fair Oaks Ranch Helotes Hill Country Village Hollywood Park San Antonio (SAWS) Shavano Park	Bulverde Fair Oaks Ranch Garden Ridge New Braunfels Schertz	NA	San Antonio ETJ (SAWS)	NA	

I certify that to the best of my knowledge, that the application is complete and accurate. This application is hereby submitted to TCEQ for administrative review and technical review.

Ian Graham

Print Name of Customer/Authorized Agent

9/5/2024

Signature of Customer/Authorized Agent

Date

FOR TCEQ INTERNAL USE ONL	.Y		
Date(s)Reviewed:		Date Adn	ninistratively Complete:
Received From:		Correct N	Number of Copies:
Received By:		Distribut	ion Date:
EAPP File Number:		Complex	:
Admin. Review(s) (No.):		No. AR R	counds:
Delinquent Fees (Y/N):		Review T	'ime Spent:
Lat./Long. Verified:		SOS Cust	tomer Verification:
Agent Authorization Complete/Notarized (Y/N):		Fee	Payable to TCEQ (Y/N):
Core Data Form Complete (Y/N):		Check:	Signed (Y/N):
Core Data Form Incomplete Nos.:			Less than 90 days old (Y/N):

General Information Form

Texas Commission on Environmental Quality

For Regulated Activities on the Edwards Aquifer Recharge and Transition Zones and Relating to 30 TAC §213.4(b) & §213.5(b)(2)(A), (B) Effective June 1, 1999

To ensure that the application is administratively complete, confirm that all fields in the form are complete, verify that all requested information is provided, consistently reference the same site and contact person in all forms in the application, and ensure forms are signed by the appropriate party.

Note: Including all the information requested in the form and attachments contributes to more streamlined technical reviews.

Signature

To the best of my knowledge, the responses to this form accurately reflect all information requested concerning the proposed regulated activities and methods to protect the Edwards Aquifer. This **General Information Form** is hereby submitted for TCEQ review. The application was prepared by:

Print Name of Customer/Agent: Cushing Terrell Date: 5/17/2024

Signature of Customer/Agent:

Project Information

- 1. Regulated Entity Name: Apple Parmer Lane
- 2. County: Travis
- 3. Stream Basin: Walnut Creek
- 4. Groundwater Conservation District (If applicable): <u>N/A</u>
- 5. Edwards Aquifer Zone:

Х	Recharge Zone
	Transition Zone

6. Plan Type:

WPAP
SCS
Modification

AST
UST
X Exception Request

7.	Customer	(Applicant):
	easterner	(, ipplicalle).

Contact Person: _____Tucker Jones Entity: <u>Apple</u> Mailing Address: 12545 Riata Vista Circle City, State: <u>Austin, TX</u> Telephone: <u>(832)</u> 350-4570 Email Address: <u>tucke</u>rjones@apple.com

Zip: 78727-6524 FAX: _____

8. Agent/Representative (If any):

Contact Person:Ian Graham, PEEntity:Cushing TerrellMailing Address:316 W 12th Street, Suite 300City, State:Austin, TXTelephone:(512)804-1210FAX:Email Address:iangraham@cushingterrell.com

9. Project Location:

X The project site is located inside the city limits of <u>Austin</u>.

The project site is located outside the city limits but inside the ETJ (extra-territorial jurisdiction) of ______.

The project site is not located within any city's limits or ETJ.

10. X The location of the project site is described below. The description provides sufficient detail and clarity so that the TCEQ's Regional staff can easily locate the project and site boundaries for a field investigation.

Apple Campus located at 5505 W Parmer Ln, Austin, TX 78727

- 11. X Attachment A Road Map. A road map showing directions to and the location of the project site is attached. The project location and site boundaries are clearly shown on the map.
- 12. X Attachment B USGS / Edwards Recharge Zone Map. A copy of the official 7 ½ minute USGS Quadrangle Map (Scale: 1" = 2000') of the Edwards Recharge Zone is attached. The map(s) clearly show:
 - X Project site boundaries.
 - X USGS Quadrangle Name(s).
 - X Boundaries of the Recharge Zone (and Transition Zone, if applicable).

X Drainage path from the project site to the boundary of the Recharge Zone.

- 13. X The TCEQ must be able to inspect the project site or the application will be returned. Sufficient survey staking is provided on the project to allow TCEQ regional staff to locate the boundaries and alignment of the regulated activities and the geologic or manmade features noted in the Geologic Assessment.
 - X Survey staking will be completed by this date: Completed 12/20/2023

- 14. X Attachment C Project Description. Attached at the end of this form is a detailed narrative description of the proposed project. The project description is consistent throughout the application and contains, at a minimum, the following details:
 - X Area of the site
 - x Offsite areas
 - X Impervious cover
 - X Permanent BMP(s)
 - X Proposed site use
 - x Site history
 - X Previous development
 - X Area(s) to be demolished
- 15. Existing project site conditions are noted below:
 - X Existing commercial site
 Existing industrial site
 Existing residential site
 Existing paved and/or unpaved roads
 Undeveloped (Cleared)
 Undeveloped (Undisturbed/Uncleared)
 Other: _____

Prohibited Activities

- 16. X I am aware that the following activities are prohibited on the Recharge Zone and are not proposed for this project:
 - (1) Waste disposal wells regulated under 30 TAC Chapter 331 of this title (relating to Underground Injection Control);
 - (2) New feedlot/concentrated animal feeding operations, as defined in 30 TAC §213.3;
 - (3) Land disposal of Class I wastes, as defined in 30 TAC §335.1;
 - (4) The use of sewage holding tanks as parts of organized collection systems; and
 - (5) New municipal solid waste landfill facilities required to meet and comply with Type I standards which are defined in §330.41(b), (c), and (d) of this title (relating to Types of Municipal Solid Waste Facilities).
 - (6) New municipal and industrial wastewater discharges into or adjacent to water in the state that would create additional pollutant loading.
- 17. X I am aware that the following activities are prohibited on the Transition Zone and are not proposed for this project:
 - (1) Waste disposal wells regulated under 30 TAC Chapter 331 (relating to Underground Injection Control);
 - (2) Land disposal of Class I wastes, as defined in 30 TAC §335.1; and

(3) New municipal solid waste landfill facilities required to meet and comply with Type I standards which are defined in §330.41 (b), (c), and (d) of this title.

Administrative Information

- 18. The fee for the plan(s) is based on:
 - For a Water Pollution Abatement Plan or Modification, the total acreage of the site where regulated activities will occur.
 - For an Organized Sewage Collection System Plan or Modification, the total linear footage of all collection system lines.
 - For a UST Facility Plan or Modification or an AST Facility Plan or Modification, the total number of tanks or piping systems.
 - X A request for an exception to any substantive portion of the regulations related to the protection of water quality.
 - A request for an extension to a previously approved plan.
- 19. Application fees are due and payable at the time the application is filed. If the correct fee is not submitted, the TCEQ is not required to consider the application until the correct fee is submitted. Both the fee and the Edwards Aquifer Fee Form have been sent to the Commission's:

X Austin Regional Office (for projects in Hays, Travis, and Williamson Counties)

San Antonio Regional Office (for projects in Bexar, Comal, Kinney, Medina, and Uvalde Counties)

- 20. X Submit one (1) original and one (1) copy of the application, plus additional copies as needed for each affected incorporated city, groundwater conservation district, and county in which the project will be located. The TCEQ will distribute the additional copies to these jurisdictions. The copies must be submitted to the appropriate regional office.
- 21. X No person shall commence any regulated activity until the Edwards Aquifer Protection Plan(s) for the activity has been filed with and approved by the Executive Director.

ATTACHMENT A - ROAD MAP



ATTACHMENT B – USGS / EDWARDS RECHARGE ZONE MAP





ATTACHMENT C – PROJECT DESCRIPTION

Apple is proposing to construct a concrete pad for new equipment. The new concrete pad will have an area of 1,011 square feet.

- The existing Apple campus consists of approximately 38.8 acres
- No offsite areas are impacted by this scope of work
- This concrete pad will increase the impervious cover by 1,011 square feet or 0.02 acres. The concrete pad area is 0.05% of the total site area.
- The existing campus contains a stormwater detention basin and will serve as the permanent BMP for this scope of work.
- The existing site use is research.
- The specific area where the project scope takes places on the existing Apple Campus was developed in 2014. The existing buildings on the eastern half of the site were developed in 2013.
- No previous development other than what is noted above in the site history.
- No demolition is proposed with this scope of work.

Geologic Assessment

Texas Commission on Environmental Quality

For Regulated Activities on The Edwards Aquifer Recharge/transition Zones and Relating to 30 TAC §213.5(b)(3), Effective June 1, 1999

To ensure that the application is administratively complete, confirm that all fields in the form are complete, verify that all requested information is provided, consistently reference the same site and contact person in all forms in the application, and ensure forms are signed by the appropriate party.

Note: Including all the information requested in the form and attachments contributes to more streamlined technical reviews.

Signature

To the best of my knowledge, the responses to this form accurately reflect all information requested concerning the proposed regulated activities and methods to protect the Edwards Aquifer. My signature certifies that I am qualified as a geologist as defined by 30 TAC Chapter 213.

Print Name of Geologist: <u>M. Kevin Denson</u>

Telephone: 512-442-1122

Date: August 28, 2024

Fax: <u>512-442-1181</u>

Representing: <u>Terracon Consultants, Inc.</u> (Name of Company and TBPG or TBPE registration number) TBPG 50058

Signature of Geologist:

Dusa

Regulated Entity Name: Parmer Lane 4 HWE Labs, 5505 West Parmer Lane, Austin, Texas

Project Information

- 1. Date(s) Geologic Assessment was performed: August 15, 2024
- 2. Type of Project:

\ge	WPAP
	SCS

AST
UST



3. Location of Project:



_____ Transition Zone

Contributing Zone within the Transition Zone

- 4. X Attachment A Geologic Assessment Table. Completed Geologic Assessment Table (Form TCEQ-0585-Table) is attached.
- 5. Soil cover on the project site is summarized in the table below and uses the SCS Hydrologic Soil Groups* (Urban Hydrology for Small Watersheds, Technical Release No. 55, Appendix A, Soil Conservation Service, 1986). If there is more than one soil type on the project site, show each soil type on the site Geologic Map or a separate soils map.

Table 1 - Soil Units, InfiltrationCharacteristics and Thickness

Soil Name	Group*	Thickness(feet)
Eckrant and Speck (TcA)	D	0-1

- * Soil Group Definitions (Abbreviated)
 - A. Soils having a high infiltration rate when thoroughly wetted.
 - B. Soils having a moderate infiltration rate when thoroughly wetted.
 - C. Soils having a slow infiltration rate when thoroughly wetted.
 - D. Soils having a very slow infiltration rate when thoroughly wetted.
- 6. Attachment B Stratigraphic Column. A stratigraphic column showing formations, members, and thicknesses is attached. The outcropping unit, if present, should be at the top of the stratigraphic column. Otherwise, the uppermost unit should be at the top of the stratigraphic column.
- 7. X Attachment C Site Geology. A narrative description of the site specific geology including any features identified in the Geologic Assessment Table, a discussion of the potential for fluid movement to the Edwards Aquifer, stratigraphy, structure(s), and karst characteristics is attached.
- 8. Attachment D Site Geologic Map(s). The Site Geologic Map must be the same scale as the applicant's Site Plan. The minimum scale is 1": 400'

Applicant's Site Plan Scale: 1" = _' Site Geologic Map Scale: 1" = <u>10</u>' Site Solls Map Scale (if more than 1 soil type): 1" = <u>125</u> '

9. Method of collecting positional data:

Global Positioning System (GPS) technology.

Other method(s). Please describe method of data collection:

- 10. 🔀 The project site and boundaries are clearly shown and labeled on the Site Geologic Map.
- 11. 🔀 Surface geologic units are shown and labeled on the Site Geologic Map.

- 12. Geologic or manmade features were discovered on the project site during the field investigation. They are shown and labeled on the Site Geologic Map and are described in the attached Geologic Assessment Table.
 - Geologic or manmade features were not discovered on the project site during the field investigation.
- 13. 🔀 The Recharge Zone boundary is shown and labeled, if appropriate.
- 14. All known wells (test holes, water, oil, unplugged, capped and/or abandoned, etc.): If applicable, the information must agree with Item No. 20 of the WPAP Application Section.
 - There are _____ (#) wells present on the project site and the locations are shown and labeled. (Check all of the following that apply.)
 - The wells are not in use and have been properly abandoned.
 -] The wells are not in use and will be properly abandoned.
 - The wells are in use and comply with 16 TAC Chapter 76.
 - There are no wells or test holes of any kind known to exist on the project site.

Administrative Information

15. Submit one (1) original and one (1) copy of the application, plus additional copies as needed for each affected incorporated city, groundwater conservation district, and county in which the project will be located. The TCEQ will distribute the additional copies to these jurisdictions. The copies must be submitted to the appropriate regional office.

	K LUILA														
		HARACTER	ZISTI	ŝ							EVAL	UATIO	IT P	IYSICA	L SETTING
2 4	2B 2B	m		4	n	SA	8	~	BB	-	64	₽	-	-	12
LCNGTUDE FEA	RUNCE PE	FORMATION	DIME	WENOMS (FEE	(DEGREE	50 - (S)	(LION)	(FEET)		RELATIVE INFLTRATICM PATE	TODAL	4 MILLIN 4	NO CM	다. (2) (2)	TCPOSP19HY
			×	7	N	1						41 040	· ~	1.6 21.6	
FIED															
						+							+		
						+							++-		
				H		$\left \right $									
			30												
5		2B POINTS		BA INFI	ILLING										
		30		Ź	one, expos	sed bec	drock								
		20		о́ U	oarse - col	bbles, t	breakdov	wn, sand,	gravel						
rged fracture(s)		20		ک o	DOSE OF SO	it mud	or soil, o	nganics, k	eaves, s	sticks, dark o	cirs				
		20		Ē	ines, comp	acted 4	clay-rich	sediment	, soil pri	ofile, gray or i	red colo	ŝ			
bedrock features		43		× >	egetation.	Give di	etails in I	narrative (descripti	no					
ture in bedrock		30		R F	lowstone, (pement	ts, cave (deposits							
		88		o ×	Wher mater	ials									
		4'									Г				
ed depression id or aligned featu	ures	" R		12 TOP Criff, Hi	OGRAPHI Mop, Hillsi	de, Dr	ainage, F	⁻ loodplain	, Stream	nbed					
I ha Info My My My B (Rev. 5-1-02	ive read, ur rmation pres signaturation))	derstood, and enjeormane cou	the second	with that	d the Texar	s Natur. t and is as defin	al Resound and Lev 3	urce Coms epresenta 0 TAC 21:	servation ation of t	Commission the conditions Deta		ad in the		The lists.	Mark Kevin De GEOLOG

Attachment B Stratigraphic Column Parmer Lane 4 HWE Labs 5505 W Parmer Lane Austin, Travis County, Texas

LITHOLOGY	Mudstone to packstone, crystalline limestone, wackestone
THICKNESS (feet)	20
FORMATION	Edwards Linestone
HYDROGEOLOGIC SUBDIVISION	Edwards Aquifer

Source: Senger, Collins and Kreitler, 1990





ATTACHMENT C SITE-SPECIFIC GEOLOGY

The Geologic Assessment (GA) of the Parmer Lane 4 HWE Labs site was performed by Kevin Denson, P.G., of Terracon on August 15, 2024. The approximate 1,000 square foot portion of the Apple Parmer Lane Campus is located on the west side of Apple Parmer Lane Building 4, Austin, Travis County, Texas.

Exhibit 1 (attached) is a site location map depicting the site in relation to the surrounding area. The areas immediately surrounding the site are a mix of commercial and undeveloped properties. The site is characterized as gently sloping to the southeast, and site elevation ranges from about 862 to 856 feet above mean sea level (msl).

The surficial geologic unit present at the site has been identified as the Edwards Limestone. The Edwards consists of massive to thin bedded limestones and dolostones. The formation is characterized by honeycomb textures, collapse breccias and cavern systems, which account for most of the significant porosity within the strata that compose most of the aquifer. Exposure of the geologic unit at the site is typically obscured by soil. Table 1 (attached) is a stratigraphic column prepared for the site. Figure 3 (attached) is a geologic map of the site.

The site is located entirely within the recharge zone boundary of the Edwards Aquifer, and the recharge zone boundary is located approximately 7,400 feet southwest of the site. No faulting was observed on the site and the nearest mapped fault is located approximately 6,300 feet southeast of the site. The fault, which trends toward the northeast, is associated with the Balcones Fault zone which represents the dominant structural trend in the vicinity of the site. The completed Geologic Assessment form is attached.

Based on the lack of significant sensitive recharge features observed on the site, the potential for fluid movement to the Edwards aquifer beneath the project is considered low.



Province			Fet
🔲 Travis Cour	nty Parcel	v 120 200	500
Eckrant an slopes (Tc4	d Speck soils, 0 to 2 percent \)	DATA SOURCES: Williamson County TX, Maxar, Ne Maps Contributors, Austin Communi County of Williamson, Texas OpenStreetMap, Microsoft, CONANI SafeGraph, GeoTechnologies, Inc, M NPS, US Census Bureau, USDA, US	armap, Esri Community by College, City of Austin, Parks & Wildlife, ® ?, Esri, TomTom, Garmin, IETUNASA, USGS, EPA, SFWS
Project No.: 96247419		USDA Site Soil Map	Exhibit
Date:	erracon	Parmer Lane 4 HWE Labs	
Aug 2024 Drawn By:			
RC Reviewed By: KD	5307 Industrial Oaks Blvd #160 Austin, TX 78735 PH. (512) 442-1122 terracon.com	Austin TX 78727	2.0





Recharge and Transition Zone Exception Request Form

Texas Commission on Environmental Quality

30 TAC §213.9 Effective June 1, 1999

To ensure that the application is administratively complete, confirm that all fields in the form are complete, verify that all requested information is provided, consistently reference the same site and contact person in all forms in the application, and ensure forms are signed by the appropriate party.

Note: Including all the information requested in the form and attachments contributes to more streamlined technical reviews.

Signature

To the best of my knowledge, the responses to this form accurately reflect all information requested concerning the proposed regulated activities and methods to protect the Edwards Aquifer. This Recharge and Transition Zone Exception Request Form is hereby submitted for TCEQ review and executive director approval. The request was prepared by:

Print Name of Customer/Agent: Cushing Terrell (c/o Apple, Inc.) Date: 5/17/2024 Signature of Customer/Agent:

Regulated Entity Name: _____

Exception Request

- 1. X Attachment A Nature of Exception. A narrative description of the nature of each exception requested is attached. All provisions of 30 TAC §213 Subchapter A for which an exception is being requested have been identified in the description.
- 2. |X| Attachment B Documentation of Equivalent Water Quality Protection. Documentation demonstrating equivalent water quality protection for the Edwards Aquifer is attached.

Administrative Information

- 3. Submit one (1) original and one (1) copy of the application, plus additional copies as needed for each affected incorporated city, groundwater conservation district, and county in which the project will be located. The TCEQ will distribute the additional copies to these jurisdictions. The copies must be submitted to the appropriate regional office.
- 4. |X| The applicant understands that no exception will be granted for a prohibited activity in Chapter 213.
- 5. X The applicant understands that prior approval under this section must be obtained from the executive director for the exception to be authorized.

ATTACHMENT A - NATURE OF EXCEPTION

Apple is requesting an exception to the Edwards Aquifer process due to the proposed scope of work being limited to a small soil disturbance and stabilization. In addition, the proposed scope of work consists of adding a 1,011 square foot concrete pad which is a negligible increase in impervious cover, approximately 0.05% of the total site area which is currently an existing development.

ATTACHMENT B – DOCUMENTATION OF EQUIVALENT WATER QUALITY PROTECTION

The existing Apple campus contains storm infrastructure (storm sewer, detention basins) that provide water quality to the stormwater generated from the site. The existing infrastructure will remain in place and serve the proposed 1,011 square foot concrete pad.

Temporary Stormwater Section

Texas Commission on Environmental Quality

for Regulated Activities on the Edwards Aquifer Recharge Zone and Relating to 30 TAC §213.5(b)(4)(A), (B), (D)(I) and (G); Effective June 1, 1999

To ensure that the application is administratively complete, confirm that all fields in the form are complete, verify that all requested information is provided, consistently reference the same site and contact person in all forms in the application, and ensure forms are signed by the appropriate party.

Note: Including all the information requested in the form and attachments contributes to more streamlined technical reviews.

Signature

To the best of my knowledge, the responses to this form accurately reflect all information requested concerning the proposed regulated activities and methods to protect the Edwards Aquifer. This **Temporary Stormwater Section** is hereby submitted for TCEQ review and executive director approval. The application was prepared by:

Print Name of Customer/Agent: Cushing Terrell

Date: _5/17/2024

Signature of Customer/Agent:

Regulated Entity Name: Apple Inc

Project Information

Potential Sources of Contamination

Examples: Fuel storage and use, chemical storage and use, use of asphaltic products, construction vehicles tracking onto public roads, and existing solid waste.

1. Fuels for construction equipment and hazardous substances which will be used during construction:

X The following fuels and/or hazardous substances will be stored on the site: $\frac{N/A}{N}$

These fuels and/or hazardous substances will be stored in:

Aboveground storage tanks with a cumulative storage capacity of less than 250 gallons will be stored on the site for less than one (1) year.

Aboveground storage tanks with a cumulative storage capacity between 250 gallons and 499 gallons will be stored on the site for less than one (1) year.
 Aboveground storage tanks with a cumulative storage capacity of 500 gallons or more will be stored on the site. An Aboveground Storage Tank Facility Plan application must be submitted to the appropriate regional office of the TCEQ prior to moving the tanks onto the project.

- Fuels and hazardous substances will not be stored on the site.
- 2. X Attachment A Spill Response Actions. A site specific description of the measures to be taken to contain any spill of hydrocarbons or hazardous substances is attached.
- 3. X Temporary aboveground storage tank systems of 250 gallons or more cumulative storage capacity must be located a minimum horizontal distance of 150 feet from any domestic, industrial, irrigation, or public water supply well, or other sensitive feature.
- 4. X Attachment B Potential Sources of Contamination. A description of any activities or processes which may be a potential source of contamination affecting surface water quality is attached.

Sequence of Construction

- 5. X Attachment C Sequence of Major Activities. A description of the sequence of major activities which will disturb soils for major portions of the site (grubbing, excavation, grading, utilities, and infrastructure installation) is attached.
 - For each activity described, an estimate (in acres) of the total area of the site to be disturbed by each activity is given.
 - X For each activity described, include a description of appropriate temporary control measures and the general timing (or sequence) during the construction process that the measures will be implemented.
- 6. X Name the receiving water(s) at or near the site which will be disturbed or which will receive discharges from disturbed areas of the project: Walnut Creek

Temporary Best Management Practices (TBMPs)

Erosion control examples: tree protection, interceptor swales, level spreaders, outlet stabilization, blankets or matting, mulch, and sod. Sediment control examples: stabilized construction exit, silt fence, filter dikes, rock berms, buffer strips, sediment traps, and sediment basins. Please refer to the Technical Guidance Manual for guidelines and specifications. All structural BMPs must be shown on the site plan.

7. X Attachment D – Temporary Best Management Practices and Measures. TBMPs and measures will prevent pollution of surface water, groundwater, and stormwater. The construction-phase BMPs for erosion and sediment controls have been designed to retain sediment on site to the extent practicable. The following information is attached:

A description of how BMPs and measures will prevent pollution of surface water, groundwater or stormwater that originates upgradient from the site and flows across the site.	
X A description of how BMPs and measures will prevent pollution of surface water or groundwater that originates on-site or flows off site, including pollution caused by contaminated stormwater runoff from the site.	
X A description of how BMPs and measures will prevent pollutants from entering surface streams, sensitive features, or the aquifer.	
 A description of how, to the maximum extent practicable, BMPs and measures will maintain flow to naturally-occurring sensitive features identified in either the geologic assessment, TCEQ inspections, or during excavation, blasting, or construction. 	
 X The temporary sealing of a naturally-occurring sensitive feature which accepts recharge to the Edwards Aquifer as a temporary pollution abatement measure during active construction should be avoided. 	ļ
N/A Attachment E - Request to Temporarily Seal a Feature. A request to temporarily seal a feature is attached. The request includes justification as to why no reasonabl and practicable alternative exists for each feature.	e
site.	
9. X Attachment F - Structural Practices. A description of the structural practices that will b used to divert flows away from exposed soils, to store flows, or to otherwise limit runof discharge of pollutants from exposed areas of the site is attached. Placement of structural practices in floodplains has been avoided.	e f
10. Attachment G - Drainage Area Map. A drainage area map supporting the following requirements is attached:	
N/A Definition For areas that will have more than 10 acres within a common drainage area disturbed at one time, a sediment basin will be provided.	
N/A For areas that will have more than 10 acres within a common drainage area disturbed at one time, a smaller sediment basin and/or sediment trap(s) will be	
used. N/A For areas that will have more than 10 acres within a common drainage area disturbed at one time, a sediment basin or other equivalent controls are not	
attainable, but other TBMPs and measures will be used in combination to protect down slope and side slope boundaries of the construction area.	
N/A There are no areas greater than 10 acres within a common drainage area that will be disturbed at one time. A smaller sediment basin and/or sediment trap(s) will be used in combination with other erosion and sediment controls within each disturbed drainage area.	e d

X There are no areas greater than 10 acres within a common drainage area that will be disturbed at one time. Erosion and sediment controls other than sediment basins or sediment traps within each disturbed drainage area will be used.

11. Attachment H - Temporary Sediment Pond(s) Plans and Calculations. Temporary sediment pond or basin construction plans and design calculations for a proposed temporary BMP or measure have been prepared by or under the direct supervision of a Texas Licensed Professional Engineer. All construction plans and design information must be signed, sealed, and dated by the Texas Licensed Professional Engineer. Construction plans for the proposed temporary BMPs and measures are attached.

- X N/A
- 12. X Attachment I Inspection and Maintenance for BMPs. A plan for the inspection of each temporary BMP(s) and measure(s) and for their timely maintenance, repairs, and, if necessary, retrofit is attached. A description of the documentation procedures, recordkeeping practices, and inspection frequency are included in the plan and are specific to the site and/or BMP.
- 13. X All control measures must be properly selected, installed, and maintained in accordance with the manufacturer's specifications and good engineering practices. If periodic inspections by the applicant or the executive director, or other information indicate a control has been used inappropriately, or incorrectly, the applicant must replace or modify the control for site situations.
- 14. X If sediment escapes the construction site, off-site accumulations of sediment must be removed at a frequency sufficient to minimize offsite impacts to water quality (e.g., fugitive sediment in street being washed into surface streams or sensitive features by the next rain).
- 15. X Sediment must be removed from sediment traps or sedimentation ponds not later than when design capacity has been reduced by 50%. A permanent stake will be provided that can indicate when the sediment occupies 50% of the basin volume.
- 16. X Litter, construction debris, and construction chemicals exposed to stormwater shall be prevented from becoming a pollutant source for stormwater discharges (e.g., screening outfalls, picked up daily).

Soil Stabilization Practices

Examples: establishment of temporary vegetation, establishment of permanent vegetation, mulching, geotextiles, sod stabilization, vegetative buffer strips, protection of trees, or preservation of mature vegetation.

17. X Attachment J - Schedule of Interim and Permanent Soil Stabilization Practices. A schedule of the interim and permanent soil stabilization practices for the site is attached.

- 18. X Records must be kept at the site of the dates when major grading activities occur, the dates when construction activities temporarily or permanently cease on a portion of the site, and the dates when stabilization measures are initiated.
- 19. X Stabilization practices must be initiated as soon as practicable where construction activities have temporarily or permanently ceased.

Administrative Information

- 20. X All structural controls will be inspected and maintained according to the submitted and approved operation and maintenance plan for the project.
- 21. X If any geologic or manmade features, such as caves, faults, sinkholes, etc., are discovered, all regulated activities near the feature will be immediately suspended. The appropriate TCEQ Regional Office shall be immediately notified. Regulated activities must cease and not continue until the TCEQ has reviewed and approved the methods proposed to protect the aquifer from any adverse impacts.
- 22. X Silt fences, diversion berms, and other temporary erosion and sediment controls will be constructed and maintained as appropriate to prevent pollutants from entering sensitive features discovered during construction.

ATTACHMENT A – SPILL RESPONSE ACTIONS

The contractor shall be responsible for the adequate cleanup of any chemical spill during construction. The cleanup will be performed to the TNRCC Regulatory Guidance Handbook standards, RG-285, June 1997. The contractor will notify TCEQ of any chemical spills as required and outline in the TNRCC Regulatory Guidance Handbook, at 512-463-7727 or 512-239-2507.

Reportable quantities as defined by 30 TAC Chapter 327 are as follows:

- (a) Hazardous substances. The reportable quantities for hazardous substances shall be:
 - 1) For spills or discharges onto land, the quantity designated as the Final Reportable Quantity (RQ) in Table 302.4 in 40 CPR 302.4; or
 - 2) For spills or discharges into waters in the state, the quantity designated as the Final RQ in Table 302.4 in 40 CPR 302.4, except where the Final RQ is greater than 100 pounds in which case the RQ shall be 100 pounds.
- (b) Oil, petroleum product, and used oil.
 - 1) The RQ for crude oil and oil other than that defined as petroleum product or used oil shall be:
 - i. For spills or discharges onto land, 210 gallons (five barrels); or
 - ii. For spills or discharges directly into water in the state, quantity sufficient to create a sheen.
 - 2) The RQ for petroleum product and used oil shall be:
 - i. Except as noted in subparagraph (B) of this paragraph, for spills or discharges onto land, 25 gallons.
 - ii. For spills or discharges to land from PST exempted facilities, 210 gallons (five barrels); or
 - iii. For spills or discharges directly into water in the state, quantity sufficient to create a sheen.
- (c) Industrial solid waste or other substances. The RQ for spills or discharges into water in the state shall be 100 pounds.

ATTACHMENT B – POTENTIAL SOURCES OF CONTAMINATION

Concrete will be used on this project. After the placement of concrete, the contractor will be responsible for immediate cleanup should an unexpected rain occur. For the duration of the concrete curing time, the contractor shall maintain personnel and equipment to contain any concrete wash-off should an unexpected rain occur.

Sediment and soil from disturbed areas are another potential source of contamination. During activities causing soil disturbance, temporary best management practices outline in Attached D shall be used.

Other potential sources of contamination include hydraulic fluid and diesel fuel from mechanical equipment, as well as paints and chemicals used on site. Any spills shall be handled according to the Spill Response Actions in Attachment A.

ATTACHMENT C – SEQUENCE OF MAJOR ACTIVITIES

- 1. Install temporary stormwater pollution prevention measures. 0.05 acres. 1 week.
- 2. Rough grading. Stripping and stockpiling topsoil. Stockpiles shall be temporarily stabilized with silt fence and/or temporary seeding. 0.05 acres. 1 week.
- 3. Underground utilities. Excavated materials shall be stockpiled, leveled on site, or disposed of off-site in a legal manner. 0.02 acres. 2 weeks.
- 4. Final Grading (1). Areas outside of the influence of further construction activities shall be final graded and stabilized with permanent seed and mulch. 0.05 acres. 1 week.
- 5. Paving. 0.02 acres. 2 weeks.
- 6. Final Grading (2). All remaining areas shall be seeded and mulched within 5 days of final grading. 0.05 acres. 1 week.
- 7. Temporary stormwater pollution prevention measures are to be removed when permanent measures are in place and the area is stabilized. 0.05 acres. 2 weeks.

ATTACHMENT D - TEMPORARY BEST MANAGEMENT PRACTICES AND MEASURES

- 1. Dust Control Reduce dust and sedimentation from wind and construction activities.
- 2. Mulch To aid in establishing stabilization and protect newly seeded areas from wind and erosion.
- 3. Permanent Seeding Provides stabilization to soil to prevent erosion.
- 4. Silt Fence Prevent sediment laden sheet flow from leaving the limits of disturbance.
- 5. Inlet Protection Prevent sediment laden sheet flow from entering storm infrastructure without treatment.



ATTACHMENT F – STRUCTURAL PRACTICES

The overall land disturbance is minimal and practices such as dust control, seeding, and inlet protection measures will be used to prevent any contaminants from soil erosion and sedimentation.



ATTACHMENT I – INSPECTION AND MAINTENANCE FOR BMPS

- 1. Once every fourteen days and within 24 hours of the end of a storm event of 0.5 inches or greater.
- 2. Once a month if areas of the site meet final stabilization or have been temporarily stabilized OR if there are frozen conditions at the site preventing runoff
- 3. Once a month if your site is in an arid, semi-arid, or drought-stricken area and within 24 hours after the end of a storm event of 0.5 inches or greater.
- 4. Once every seven days regardless of a storm event.



ATTACHMENT J – SCHEDULE OF INTERIM AND PERMANENT SOIL STABILIZATION PRACTICES

Permanent or temporary soil stabilization practices should be applied to cleared areas within 15 days after final grade is reached on any portion of the site. Soil stabilization should also be applied within 15 days to denuded areas that may not be at final grade but will remain exposed to rain for 30 days or more. Soil stabilization practices protect soil from the erosive forces of raindrop impact and flowing water. Temporary erosion control practices usually include seeding, mulching, establishing general vegetation, and early application of a gravel base on areas to be paved. Permanent soil stabilization practices include vegetation, filter strips, and structural devices.

Sediment basins and traps, perimeter dikes, sediment barriers, and other practices intended to trap sediment on site should be constructed as a first step in grading and should be functional before upslope land disturbance takes place. Structural practices such as earthen dams, dikes, and diversions should be seeded and mulched within 15 days of installation.

	Agent Authorization Form For Required Signature Edwards Aquifer Protection Program Relating to 30 TAC Chapter 213 Effective June 1, 1999
1	Edwin Baytosis
	Schivr Manager, 545
	Title - Owner/President/Other
of	Apple, the.
	Corporation/Partnership/Entity Name
have authorized	lan Graham, PE
-	Print Name of Agent/Engineer
of	Cushing Terrell
	Print Name of Firm

to represent and act on the behalf of the above named Corporation, Partnership, or Entity for the purpose of preparing and submitting this plan application to the Texas Commission on Environmental Quality (TCEQ) for the review and approval consideration of regulated activities.

I also understand that:

- 1. The applicant is responsible for compliance with 30 Texas Administrative Code Chapter 213 and any condition of the TCEQ's approval letter. The TCEQ is authorized to assess administrative penalties of up to \$10,000 per day per violation.
- 2. For those submitting an application who are not the property owner, but who have the right to control and possess the property, additional authorization is required from the owner.
- Application fees are due and payable at the time the application is submitted. The application fee must be sent to the TCEQ cashier or to the appropriate regional office. The application will not be considered until the correct fee is received by the commission.
- 4. A notarized copy of the Agent Authorization Form must be provided for the person preparing the application, and this form must accompany the completed application.
- No person shall commence any regulated activity on the Edwards Aquifer Recharge Zone, Contributing Zone or Transition Zone until the appropriate application for the activity has been filed with and approved by the Executive Director.

SIGNATURE PAGE:

6/13/24 Rola Br Applicant's Signature Date See attachedertificate THE STATE OF _____ § Gounty of _____ § BEFORE ME, the undersigned authority, on this day personally appeared _____known to me to be the person whose name is subscribed to the foregoing instrument, and acknowledged to me that (s)he executed same for the purpose and consideration therein expressed. GIVEN under my hand and seal of office on this ____ day of ______. NOTARY PUBLIC Typed or Printed Name of Notary MY COMMISSION EXPIRES: _____

CALIFORNIA ACKNOWLEDGMENT

CIVIL CODE § 1189

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

State of California	
County of Santa Caro	
On June 13, 2024 before me, Teres	Here Insert Name and Title of the Officer
personally appeared Edwin Baylosis	
/ Nam	e(s) of Signer(s)

who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) is/are subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their authorized capacity(ies), and that by his/her/their signature(s) on the instrument the person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.



I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing paragraph is true and correct.

WITNESS my hand and official seal.

Signature

Place Notary Seal and/or Stamp Above

. .

Signature of Notary Public

- OPTIONAL -

Completing this information can deter alteration of the document or fraudulent reattachment of this form to an unintended document.

Document Date: _		Number of Pages:				
Signer(s) Other T	nan Named Above:					
Capacity(ies) Cla	imed by Signer(s)					
Signer's Name: _		Signer's Name:				
□ Corporate Offic	er – Title(s):	□ Corporate Officer – Title(s):				
□ Partner – □ Li	mited 🗆 General	□ Partner – □ Lir	mited 🗆 General			
Individual	Attorney in Fact	Individual	Attorney in Fact			
· · · · · · · · · · · · · · · · · · ·	Guardian or Conservator	□ Trustee	Guardian or Conservator			
Trustee						
Trustee Other:		Other:				

©2018 National Notary Association



TCEQ Core Data Form

For detailed instructions on completing this form, please read the Core Data Form Instructions or call 512-239-5175.

SECTION I: General Information

1. Reason for Submission (If other is checked please d	lescribe in space provided.)	
New Permit, Registration or Authorization (Core Da	ta Form should be submitted with	the program application.)
Renewal (Core Data Form should be submitted with	the renewal form)	Other NOR
2. Customer Reference Number (if issued)	Follow this link to search	3. Regulated Entity Reference Number (if issued)
CN 6036917	<u>Central Registry**</u>	RN 105366561

SECTION II: Customer Information

4. General Customer Information 5. Effective Date for Customer Information Updates (mm/dd/yyyy)													
New Custor	mer egal Name (V	/erifiabl	U 🛛 U e with the Te	pdate to Cus xas Secretary	tomer Informa of State or Te	ation xas Con	nptroll	Cha 🗌 Cha ler of Publ	nge in Re ic Accou	egulated Ent nts)	tity Own	ership	•
The Custome (SOS) or Texa	r Name sub as Comptro	omitted ller of l	l here may Public Accou	be updated ints (CPA).	automatical	lly base	ed on	what is a	current (and active	with th	ne Texas Sec	retary of State
6. Customer	Legal Name	e (If an i	ndividual, pri	nt last name	first: eg: Doe, .	John)			<u>If new</u>	Customer,	enter pro	evious Custon	ner below:
Apple													
7. TX SOS/CPA Filing Number 8 0004789806 1			8. TX State Tax ID (11 digits) 19424041101				9. Federal Tax ID (9 digits) 942404110		10. DUNS applicable)	Number (if			
11. Type of C	ustomer:		Corporat	tion				🗌 Individ	dual		Partne	ership: 🔲 Ger	neral 🔲 Limited
Government: [City 🗌 Co	ounty [Federal	Local 🗌 Sta	ate 🗌 Other			Sole P	roprieto	rship	Oti	her:	
12. Number of	of Employe	es							13. In	depender	itly Ow	ned and Op	erated?
0-20	21-100	101-25	50 🗌 251-	500 🛛 50)1 and higher		🛛 Yes 🗌 No						
14. Customer	r Role (Prop	osed or	Actual) – as i	t relates to ti	he Regulated E	ntity lis	ted on	this form.	. Please c	check one of	f the follo	owing	
Owner Occupation	al Licensee	D Ope	erator esponsible Pa	rty C	Owner & Opera VCP/BSA App	ator plicant				Other:			
15. Mailing	5505 W. P	armer L	ane										
Address	522-EHS										n da na matana		
Address:	City	Austin	(State	тх		ZIP	78727	1		ZIP + 4	
16. Country I	Mailing Info	ormatio	on (if outside	USA)			17. E-Mail Address (if applicable)						
							ebaylosis@apple.com						
18. Telephon	18. Telephone Number 19. Extension o				on or C	ode			20. Fax N	umber	(if applicable)		

SECTION III: Regulated Entity Information

21. General Regulated Entity Information (If 'New Regulated Entity" is selected, a new permit application is also required.)

New Regulated Entity Update to Regulated Entity Name 🛛 Update to Regulated Entity Information

The Regulated Entity Name submitted may be updated, in order to meet TCEQ Core Data Standards (removal of organizational endings such as Inc, LP, or LLC).

22. Regulated Entity Name (Enter name of the site where the regulated action is taking place.)

Riata Vista Office Complex (Apple, Inc.)

23. Street Address of the Regulated Entity: (No PO Boxes)	5505 W. Parmer Lane									
	City	Austin	State	тх	ZIP	78727	ZIP + 4			
24. County	Travis									

If no Street Address is provided, fields 25-28 are required.

25. Description to	South cida	of Parmar between	n Riata Circle on Wes						
Physical Location:	Journaide	of Faimer between							
26. Nearest City	· · · · · · · · · · · · · · · · · · ·					State		Nea	rest ZIP Code
Latitude/Longitude are roused to supply coordinate	equired an es where n	d may be added/ one have been p	updated to meet rovided or to gain	TCEQ Core D accuracy).	ata Standa	rds. (Geoc	oding of th	e Physical	Address may be
27. Latitude (N) In Decim	al:	30.43657		28. Lo	ongitude (W	/) In Decim	al:	-97.73563	l
Degrees	Minutes		Seconds	Degre	es	Mi	nutes		Seconds
29. Primary SIC Code	30	. Secondary SIC	Code	31. Primar	y NAICS Co	de	32. Seco	ndary NAIC	S Code
(4 digits)	(4	digits)		(5 or 6 digit	s)		(5 or 6 dig	its)	
7372				551114					
33. What is the Primary I	Business of	this entity? (Do	o not repeat the SIC o	r NAICS descri	iption.)				
Software and computer	design and	development.							
	5505 W.	Parmer Lane							
34. Mailing									
Address:	City	Austin	State	тх	ZIP	78727		ZIP + 4	
35. E-Mail Address:	eb	aylosis@apple.com	n						
36. Telephone Number			37. Extension or	Code	38. Fa	ax Numbe	r (if applicat	ole)	
(925) 413-7150	(925) 413-7150				(408) 783-7928			

39. TCEQ Programs and ID Numbers Check all Programs and write in the permits/registration numbers that will be affected by the updates submitted on this form. See the Core Data Form instructions for additional guidance.

Dam Safety	Districts	Edwards Aquifer	Emissions Inventory Air	Industrial Hazardous Waste
Municipal Solid Waste	New Source Review Air	□ OSSF	Petroleum Storage Tank	D PWS
Sludge	Storm Water	Title V Air	Tires	Used Oil
Voluntary Cleanup	Wastewater	Wastewater Agriculture	Water Rights	Other:

SECTION IV: Preparer Information

40. Name: Cushing Terrell				41. Title:	Engineer
42. Telephone Number 43. Ext./0		43. Ext./Code	44. Fax Number	45. E-Mail Address	
(406) 500-3505		() -	iangraham@	Dcushingterrell.com	

SECTION V: Authorized Signature

46. By my signature below, I certify, to the best of my knowledge, that the information provided in this form is true and complete, and that I have signature authority to submit this form on behalf of the entity specified in Section II, Field 6 and/or as required for the updates to the ID numbers identified in field 39.

Company:	Apple, truc	Job Title:	Sr. Manas	er 545
Name (In Print):	Edvin Baylosis		Phone:	1989413-7150
Signature:	lon Gho		Date:	6/13/24
	en apr			

Application Fee Form

□ Hays X Travis □ Williamson San Antonio Regional Office (3362) □ ∪valde □ Comal □ □ Application fees must be paid by check, certified check, or money order, payable to the Texas Commission on Environmental Quality. Your canceled check will serve as your receipt. This form must be submitted with your fee payment. This payment is being submitted to: Image: Austin Regional Office □ San Antonio Regional Office □ Mailed to: TCEQ - Cashier □ Overnight Delivery to: TCEQ - Cashier Revenues Section 12100 Park 35 Circle Mail Code 214 Building A, 3rd Floor P.O. Box 13088 Austin, TX 78753 Austin, TX 78753 Fee Due Ste Location (Check All That Apply): □ Transition Zone Fee Due Water Pollution Abatement Plan, Contributing Zone □ Fee Due Plan: Multiple Single Family Residential Dwelling Acres \$ Water Pollution Abatement	Texas Commission on Environmental Quality Name of Proposed Regulated Entity: Apple Parmer Lane Regulated Entity Location: City of Austin Name of Customer: Apple Inc Contact Person: Tucker Jones Phone: (832) Customer Reference Number (if issued):CN 603691783 Regulated Entity Reference Number (if issued):RN 105366561			
□Bexar□Medina□Uvalde□□□	Hays San Antonio Regional Office (3362	X Travis	w	illiamson
Application resention be paid by check, certified check, or money order, payable to the rexas Commission on Environmental Quality. Your canceled check will serve as your receipt. This form must be submitted with your fee payment. This payment is being submitted to: X Austin Regional Office Mailed to: TCEQ - Cashier Overnight Delivery to: TCEQ - Cashier Revenues Section 12100 Park 35 Circle Mail Code 214 Building A, 3rd Floor P.O. Box 13088 Austin, TX 78753 Austin, TX 78711-3088 (512)239-0357 Site Location (Check All That Apply): Transition Zone X Recharge Zone Contributing Zone Plan: One Single Family Residential Dwelling Acres Water Pollution Abatement Plan, Contributing Zone Plan: Multiple Single Family Residential and Parks Water Pollution Abatement Plan, Contributing Zone Plan: Multiple Single Family Residential and Parks Water Pollution Abatement Plan, Contributing Zone Plan: Multiple Single Family Residential and Parks Sewage Collection System L.F. \$ Underground or Aboveground Storage Tank Facility Tanks \$ Piping System(s)(only) Each \$ Exception 1 Each	Bexar Comal	Medina Kinney		valde
▲ Austin Regional OfficeSan Antonio Regional OfficeMailed to: TCEQ - CashierOvernight Delivery to: TCEQ - CashierRevenues Section12100 Park 35 CircleMail Code 214Building A, 3rd FloorP.O. Box 13088Austin, TX 78753Austin, TX 78711-3088(512)239-0357Site Location (Check All That Apply):Image: Section Check All That Apply):Image: Section TransitImage: Section Check All That Apply):Image: Section Section Check All That Apply):Image: Section Check All That Apply):Image: Section Section Check All That Apply):Image: Section Check All That Apply):Image: Section Section Section Section Check All That Apply):Image: Section Check All That Apply):Image: Section	Commission on Environmental Qu form must be submitted with your	ality. Your canceled or r fee payment. This p	check will serve as you ayment is being subm	r receipt. This itted to:
Site Location (Check All That Apply):Image: Site Location (Check All That Apply):Image: Contributing ZoneImage: Transiton ZoneImage: Site Pollution Abatement Plan, Contributing ZoneSizeFee DuePlan: One Single Family Residential DwellingAcres\$Water Pollution Abatement Plan, Contributing ZoneAcres\$Plan: Multiple Single Family Residential and ParksAcres\$Water Pollution Abatement Plan, Contributing ZoneAcres\$Plan: Multiple Single Family Residential and ParksAcres\$Water Pollution Abatement Plan, Contributing ZoneFee DueImage: Single Family Residential and ParksPlan: Non-residentialAcres\$Image: Single Family Residential and ParksSewage Collection SystemL.F.\$Image: Single Family Residential FacilityUnderground or Aboveground Storage Tank FacilityTanks\$Piping System(s)(only)Each\$500.00Exception1Each\$500.00Extension of TimeEach\$500.00	 x Austin Regional Office Mailed to: TCEQ - Cashier Revenues Section Mail Code 214 P.O. Box 13088 Austin, TX 78711-3088 	 San Antonio Regional Office Overnight Delivery to: TCEQ - Cashier 12100 Park 35 Circle Building A, 3rd Floor Austin, TX 78753 (512)239-0357 		
XRecharge ZoneContributing ZoneTransition ZoneType of PlanSizeFee DueWater Pollution Abatement Plan, Contributing ZoneAcres\$Plan: One Single Family Residential DwellingAcres\$Water Pollution Abatement Plan, Contributing Zone	Site Location (Check All That Apply):			
Type of PlanSizeFee DueWater Pollution Abatement Plan, Contributing Zone Plan: One Single Family Residential DwellingAcres\$Water Pollution Abatement Plan, Contributing Zone Plan: Multiple Single Family Residential and ParksAcres\$Water Pollution Abatement Plan, Contributing Zone Plan: Multiple Single Family Residential and ParksAcres\$Water Pollution Abatement Plan, Contributing Zone Plan: Non-residentialKSSWater Pollution Abatement Plan, Contributing Zone Plan: Non-residentialL.F.\$SSewage Collection SystemL.F.\$SLift Stations without sewer linesAcres\$SUnderground or Aboveground Storage Tank FacilityTanks\$SPiping System(s)(only)Each\$500.00Exception1Each\$500.00Extension of TimeEach\$\$	X Recharge Zone	Contributing Zone	Transi	ition Zone
Water Pollution Abatement Plan, Contributing Zone Plan: One Single Family Residential DwellingAcres\$Water Pollution Abatement Plan, Contributing Zone Plan: Multiple Single Family Residential and ParksAcres\$Water Pollution Abatement Plan, Contributing Zone Plan: Non-residentialAcres\$Plan: Non-residentialAcres\$Sewage Collection SystemL.F.\$Lift Stations without sewer linesAcres\$Underground or Aboveground Storage Tank FacilityTanks\$Piping System(s)(only)Each\$Exception1Each\$Extension of TimeEach\$	Type of Plan		Size	Fee Due
Water Pollution Abatement Plan, Contributing Zone Plan: Multiple Single Family Residential and ParksAcres\$Water Pollution Abatement Plan, Contributing Zone Plan: Non-residentialAcres\$Sewage Collection SystemL.F.\$Lift Stations without sewer linesAcres\$Underground or Aboveground Storage Tank FacilityTanks\$Piping System(s)(only)Each\$Exception1Each\$Extension of TimeEach\$	Water Pollution Abatement Plan, Contributing Zone Plan: One Single Family Residential Dwelling		Acres	\$
Water Pollution Abatement Plan, Contributing Zone Plan: Non-residentialAcres\$Sewage Collection SystemL.F.\$Lift Stations without sewer linesAcres\$Underground or Aboveground Storage Tank FacilityTanks\$Piping System(s)(only)Each\$Exception1Each\$Extension of Time5500.00	Water Pollution Abatement Plan, Contributing Zone Plan: Multiple Single Family Residential and Parks		Acres	\$
Plant. Non-residentialAcres\$Sewage Collection SystemL.F.\$Lift Stations without sewer linesAcres\$Underground or Aboveground Storage Tank FacilityTanks\$Piping System(s)(only)Each\$Exception1Each\$Extension of TimeEach\$	Water Pollution Abatement Plan, Contributing Zone		Acros	ć
Sewage collection systemSLift Stations without sewer linesAcresUnderground or Aboveground Storage Tank FacilityTanksPiping System(s)(only)EachException1Extension of Time500.00	Sewage Collection System		Acres	ې د
Underground or Aboveground Storage Tank FacilityTanks\$Piping System(s)(only)Each\$Exception1Each\$Extension of TimeEach\$	Lift Stations without sewer lines			ې د
Piping System(s)(only)Each\$Exception1Each\$Extension of TimeEach\$	Underground or Aboveground Stor	age Tank Facility	Tanks	<i>५</i>
Exception1Each\$500.00Extension of TimeEach\$	Piping System(s)(only)	age functionity	Each	Ś
Extension of Time Each \$	Exception		1 Each	\$ 500.00
	Extension of Time		Each	\$

Date: _____ Signature: _____

Application Fee Schedule

Texas Commission on Environmental Quality

Edwards Aquifer Protection Program 30 TAC Chapter 213 (effective 05/01/2008)

Water Pollution Abatement Plans and Modifications

Contributing Zone Plans and Modifications

Project	Project Area in Acres	Fee
One Single Family Residential Dwelling	< 5	\$650
Multiple Single Family Residential and Parks	< 5	\$1,500
	5 < 10	\$3,000
	10 < 40	\$4,000
	40 < 100	\$6,500
	100 < 500	\$8,000
	≥ 500	\$10,000
Non-residential (Commercial, industrial, institutional,	< 1	\$3,000
multi-family residential, schools, and other sites	1 < 5	\$4,000
where regulated activities will occur)	5 < 10	\$5,000
	10 < 40	\$6,500
	40 < 100	\$8,000
	≥ 100	\$10,000

Organized Sewage Collection Systems and Modifications

Project	Cost per Linear Foot	Minimum Fee- Maximum Fee
Sewage Collection Systems	\$0.50	\$650 - \$6,500

Underground and Aboveground Storage Tank System Facility Plans and Modifications

Project	Cost per Tank or Piping System	Minimum Fee- Maximum Fee
Underground and Aboveground Storage Tank Facility	\$650	\$650 - \$6,500

Exception Requests

Project	Fee
Exception Request	\$500

Extension of Time Requests

Project	Fee
Extension of Time Request	\$150