



May 7, 2025

Laurie Wilson
Region 11 Director
TCEQ Regional Office
MC R11
PO Box 13087
Austin TX 78711-3087

Ms. Wilson:

Please accept our Water Pollution Abatement Plan (WPAP) exemption application for the City's proposed removal of trees near Runway 36 at the Georgetown Executive Airport, 500 Terminal Dr, Georgetown, TX 78628. The City formally requests a WPAP exemption to remove trees on the 50-acre tract of land, highlighted in the attached area map, as part of its mitigation strategy for mitigating hazardous wildlife attractants on Airport property.

As a recipient of Federal Airport Improvement Program grant dollars, the City is required to maintain compliance with FAA grant assurances. Grant assurance 21 requires the City to take appropriate action "to assure that such terminal airspace as is required to protect instrument and visual operations to the airport (including established minimum flight altitudes) will be adequately cleared and protected by removing, lowering, relocating, marking, or lighting or otherwise mitigating existing airport hazards and by preventing the establishment or creation of future airport hazards."

In recent months, the City has observed an increase in deer activity on Airport property. On February 11, 2025, an Airport tenant reported a wildlife strike of a deer. At the time of the strike, the tenant observed nine deer on the runway.

The City 50-acre tract provides shelter for a large deer population on Airport property. In order to take prompt, remedial action, the City would like to remove the trees as soon as possible, but also wants to ensure the City is following the proper policies and procedures for compliance.

Thank you for your assistance in this matter. If you have any questions, please do not hesitate to reach out to me.

Sincerely,



Eric Johnson
Public Works Director

Attachments:

- Area Map

Texas Commission on Environmental Quality

Edwards Aquifer Application Cover Page

Our Review of Your Application

The Edwards Aquifer Program staff conducts an administrative and technical review of all applications. The turnaround time for administrative review can be up to 30 days as outlined in 30 TAC 213.4(e). Generally administrative completeness is determined during the intake meeting or within a few days of receipt. The turnaround time for technical review of an administratively complete Edwards Aquifer application is 90 days as outlined in 30 TAC 213.4(e). Please know that the review and approval time is directly impacted by the quality and completeness of the initial application that is received. In order to conduct a timely review, it is imperative that the information provided in an Edwards Aquifer application include final plans, be accurate, complete, and in compliance with 30 TAC 213.

Administrative Review

1. Edwards Aquifer applications must be deemed administratively complete before a technical review can begin. To be considered administratively complete, the application must contain completed forms and attachments, provide the requested information, and meet all the site plan requirements. The submitted application and plan sheets should be final plans. Please submit one full-size set of plan sheets with the original application, and half-size sets with the additional copies.

To ensure that all applicable documents are included in the application, the program has developed tools to guide you and web pages to provide all forms, checklists, and guidance. Please visit the below website for assistance: <http://www.tceq.texas.gov/field/eapp>.
2. This Edwards Aquifer Application Cover Page form (certified by the applicant or agent) must be included in the application and brought to the administrative review meeting.
3. Administrative reviews are scheduled with program staff who will conduct the review. Applicants or their authorized agent should call the appropriate regional office, according to the county in which the project is located, to schedule a review. The average meeting time is one hour.
4. In the meeting, the application is examined for administrative completeness. Deficiencies will be noted by staff and emailed or faxed to the applicant and authorized agent at the end of the meeting, or shortly after. Administrative deficiencies will cause the application to be deemed incomplete and returned.

An appointment should be made to resubmit the application. The application is re-examined to ensure all deficiencies are resolved. The application will only be deemed administratively complete when all administrative deficiencies are addressed.
5. If an application is received by mail, courier service, or otherwise submitted without a review meeting, the administrative review will be conducted within 30 days. The applicant and agent will be contacted with the results of the administrative review. If the application is found to be administratively incomplete, it can be retrieved from the regional office or returned by regular mail. If returned by mail, the regional office may require arrangements for return shipping.
6. If the geologic assessment was completed before October 1, 2004 and the site contains "possibly sensitive" features, the assessment must be updated in accordance with the *Instructions to Geologists* (TCEQ-0585 Instructions).

Technical Review

1. When an application is deemed administratively complete, the technical review period begins. The regional office will distribute copies of the application to the identified affected city, county, and groundwater conservation district whose jurisdiction includes the subject site. These entities and the public have 30 days to provide comments on the application to the regional office. All comments received are reviewed by TCEQ.
2. A site assessment is usually conducted as part of the technical review, to evaluate the geologic assessment and observe existing site conditions. The site must be accessible to our staff. The site boundaries should be

clearly marked, features identified in the geologic assessment should be flagged, roadways marked and the alignment of the Sewage Collection System and manholes should be staked at the time the application is submitted. If the site is not marked the application may be returned.

3. We evaluate the application for technical completeness and contact the applicant and agent via Notice of Deficiency (NOD) to request additional information and identify technical deficiencies. There are two deficiency response periods available to the applicant. There are 14 days to resolve deficiencies noted in the first NOD. If a second NOD is issued, there is an additional 14 days to resolve deficiencies. If the response to the second notice is not received, is incomplete or inadequate, or provides new information that is incomplete or inadequate, the application must be withdrawn or will be denied. Please note that because the technical review is underway, whether the application is withdrawn or denied **the application fee will be forfeited.**
4. The program has 90 calendar days to complete the technical review of the application. If the application is technically adequate, such that it complies with the Edwards Aquifer rules, and is protective of the Edwards Aquifer during and after construction, an approval letter will be issued. Construction or other regulated activity may not begin until approval is issued.

Mid-Review Modifications

It is important to have final site plans prior to beginning the permitting process with TCEQ to avoid delays.

Occasionally, circumstances arise where you may have significant design and/or site plan changes after your Edwards Aquifer application has been deemed administratively complete by TCEQ. This is considered a "Mid-Review Modification". Mid-Review Modifications may require redistribution of an application that includes the proposed modifications for public comment.

If you are proposing a Mid-Review Modification, two options are available:

- If the technical review has begun your application can be denied/withdrawn, your fees will be forfeited, and the plan will have to be resubmitted.
- TCEQ can continue the technical review of the application as it was submitted, and a modification application can be submitted at a later time.

If the application is denied/withdrawn, the resubmitted application will be subject to the administrative and technical review processes and will be treated as a new application. The application will be redistributed to the affected jurisdictions.

Please contact the regional office if you have questions. If your project is located in Williamson, Travis, or Hays County, contact TCEQ's Austin Regional Office at 512-339-2929. If your project is in Comal, Bexar, Medina, Uvalde, or Kinney County, contact TCEQ's San Antonio Regional Office at 210-490-3096

Please fill out all required fields below and submit with your application.

1. Regulated Entity Name: Georgetown Executive Airport (KGTU) City of Georgetown						2. Regulated Entity No.: CN000412043 RN103887279					
3. Customer Name: City of Georgetown						4. Customer No.: CN000412043					
5. Project Type: (Please circle/check one)		New		Modification			Extension		Exception X		
6. Plan Type: (Please circle/check one)		WPAP X	CZP	SCS	UST	AST	EXP	EXT	Technical Clarification		Optional Enhanced Measures
7. Land Use: (Please circle/check one)		Residential		Non-residential X			8. Site (acres): 50				

9. Application Fee:	\$500	10. Permanent BMP(s): None	None in this specific parcel.
11. SCS (Linear Ft.):	None	12. AST/UST (No. Tanks):	0
13. County:	Williamson	14. Watershed:	San Gabriel Watershed in the Brazos River Basin

Application Distribution

Instructions: Use the table below to determine the number of applications required. One original and one copy of the application, plus additional copies (as needed) for each affected incorporated city, county, and groundwater conservation district are required. Linear projects or large projects, which cross into multiple jurisdictions, can require additional copies. Refer to the "Texas Groundwater Conservation Districts within the EAPP Boundaries" map found at:

http://www.tceq.texas.gov/assets/public/compliance/field_ops/eapp/EAPP%20GWCD%20map.pdf

For more detailed boundaries, please contact the conservation district directly.

Austin Region			
County:	Hays	Travis	Williamson
Original (1 req.)	—	—	—
Region (1 req.)	—	—	—
County(ies)	—	—	—
Groundwater Conservation District(s)	<input type="checkbox"/> Edwards Aquifer Authority <input type="checkbox"/> Barton Springs/ Edwards Aquifer <input type="checkbox"/> Hays Trinity <input type="checkbox"/> Plum Creek	<input type="checkbox"/> Barton Springs/ Edwards Aquifer	NA
City(ies) Jurisdiction	<input type="checkbox"/> Austin <input type="checkbox"/> Buda <input type="checkbox"/> Dripping Springs <input type="checkbox"/> Kyle <input type="checkbox"/> Mountain City <input type="checkbox"/> San Marcos <input type="checkbox"/> Wimberley <input type="checkbox"/> Woodcreek	<input type="checkbox"/> Austin <input type="checkbox"/> Bee Cave <input type="checkbox"/> Pflugerville <input type="checkbox"/> Rollingwood <input type="checkbox"/> Round Rock <input type="checkbox"/> Sunset Valley <input type="checkbox"/> West Lake Hills	<input type="checkbox"/> Austin <input type="checkbox"/> Cedar Park <input type="checkbox"/> Florence <input checked="" type="checkbox"/> Georgetown <input type="checkbox"/> Jerrell <input type="checkbox"/> Leander <input type="checkbox"/> Liberty Hill <input type="checkbox"/> Pflugerville <input type="checkbox"/> Round Rock

San Antonio Region					
County:	Bexar	Comal	Kinney	Medina	Uvalde
Original (1 req.)	—	—	—	—	—
Region (1 req.)	—	—	—	—	—
County(ies)	—	—	—	—	—
Groundwater Conservation District(s)	<input type="checkbox"/> Edwards Aquifer Authority <input type="checkbox"/> Trinity-Glen Rose	<input type="checkbox"/> Edwards Aquifer Authority	<input type="checkbox"/> Kinney	<input type="checkbox"/> EAA <input type="checkbox"/> Medina	<input type="checkbox"/> EAA <input type="checkbox"/> Uvalde

City(ies) Jurisdiction	<input type="checkbox"/> Castle Hills	<input type="checkbox"/> Bulverde	NA	<input type="checkbox"/> San Antonio ETJ (SAWS)	NA
	<input type="checkbox"/> Fair Oaks Ranch	<input type="checkbox"/> Fair Oaks Ranch			
	<input type="checkbox"/> Helotes	<input type="checkbox"/> Garden Ridge			
	<input type="checkbox"/> Hill Country Village	<input type="checkbox"/> New Braunfels			
	<input type="checkbox"/> Hollywood Park	<input type="checkbox"/> Schertz			
	<input type="checkbox"/> San Antonio (SAWS)				
	<input type="checkbox"/> Shavano Park				

I certify that to the best of my knowledge, that the application is complete and accurate. This application is hereby submitted to TCEQ for administrative review and technical review.

Eric Johnson, Public Works Director City of Georgetown, Texas

Print Name of Customer/Authorized Agent

Signature of Customer/Authorized Agent 6/04/2025
Date

FOR TCEQ INTERNAL USE ONLY			
Date(s) Reviewed:		Date Administratively Complete:	
Received From:		Correct Number of Copies:	
Received By:		Distribution Date:	
EAPP File Number:		Complex:	
Admin. Review(s) (No.):		No. AR Rounds:	
Delinquent Fees (Y/N):		Review Time Spent:	
Lat./Long. Verified:		SOS Customer Verification:	
Agent Authorization Complete/Notarized (Y/N):		Fee Check:	Payable to TCEQ (Y/N):
Core Data Form Complete (Y/N):			Signed (Y/N):
Core Data Form Incomplete Nos.:			Less than 90 days old (Y/N):

☒ **Required Copies:**

1. **Original** — to TCEQ
2. **One copy** — to the TCEQ Austin Region Office
3. **One copy** — to Williamson County
4. ~~One copy — to the City of Georgetown~~

General Information Form

Texas Commission on Environmental Quality

For Regulated Activities on the Edwards Aquifer Recharge and Transition Zones and Relating to 30 TAC §213.4(b) & §213.5(b)(2)(A), (B) Effective June 1, 1999

To ensure that the application is administratively complete, confirm that all fields in the form are complete, verify that all requested information is provided, consistently reference the same site and contact person in all forms in the application, and ensure forms are signed by the appropriate party.

Note: Including all the information requested in the form and attachments contributes to more streamlined technical reviews.

Signature

To the best of my knowledge, the responses to this form accurately reflect all information requested concerning the proposed regulated activities and methods to protect the Edwards Aquifer. This **General Information Form** is hereby submitted for TCEQ review. The application was prepared by:

Print Name of Customer/Agent: Eric Johnson, Public Works Director, City of Georgetown

Date: 5/12/2025

Signature of Customer/Agent:

Project Information

1. Regulated Entity Name: Georgetown Executive Airport (KGTU)

2. County: Williamson County

3. Stream Basin: Pecan Branch and Berry Creek

4. Groundwater Conservation District (If applicable): NA

5. Edwards Aquifer Zone:

- ☒ Recharge Zone
☐ Transition Zone

6. Plan Type:

- | | |
|---------------------------------------|---|
| <input type="checkbox"/> WPAP | <input type="checkbox"/> AST |
| <input type="checkbox"/> SCS | <input type="checkbox"/> UST |
| <input type="checkbox"/> Modification | <input checked="" type="checkbox"/> Exception Request |

7. Customer (Applicant):

Contact Person: Eric Johnson, Public Works Director

Entity: City of Georgetown

Mailing Address: 808 Martin Luther King Jr. Street

City, State: Georgetown, Texas

Zip: 78626

Telephone: 5128193145

FAX: _____

Email Address: Eric.Johnson@

8. Agent/Representative (If any):

Contact Person: Same as above.

Entity: _____

Mailing Address: _____

City, State: _____

Zip: _____

Telephone: _____

FAX: _____

Email Address: _____

9. Project Location:

☒ The project site is located inside the city limits of Georgetown, Texas.

☐ The project site is located outside the city limits but inside the ETJ (extra-territorial jurisdiction) of _____.

☐ The project site is not located within any city's limits or ETJ.

10. ☒ The location of the project site is described below. The description provides sufficient detail and clarity so that the TCEQ's Regional staff can easily locate the project and site boundaries for a field investigation. The Georgetown Executive Airport is located at 500 Terminal Drive in Georgetown, Texas. The site is near the terminal and is marked.

11. ☒ **Attachment A – Road Map.** A road map showing directions to and the location of the project site is attached. The project location and site boundaries are clearly shown on the map.

12. ☒ **Attachment B - USGS / Edwards Recharge Zone Map.** A copy of the official 7 ½ minute USGS Quadrangle Map (Scale: 1" = 2000') of the Edwards Recharge Zone is attached. The map(s) clearly show:

☒ Project site boundaries.

☒ USGS Quadrangle Name(s).

☒ Boundaries of the Recharge Zone (and Transition Zone, if applicable).

☒ Drainage path from the project site to the boundary of the Recharge Zone.

13. ☒ **The TCEQ must be able to inspect the project site or the application will be returned.** Sufficient survey staking is provided on the project to allow TCEQ regional staff to locate the boundaries and alignment of the regulated activities and the geologic or manmade features noted in the Geologic Assessment.

☒ Survey staking will be completed by this date: _____

14. ☒ **Attachment C – Project Description.** Attached at the end of this form is a detailed narrative description of the proposed project. The project description is consistent throughout the application and contains, at a minimum, the following details:

- ☐ Area of the site
- ☐ Offsite areas
- ☐ Impervious cover
- ☐ Permanent BMP(s)
- ☐ Proposed site use
- ☐ Site history
- ☐ Previous development
- ☐ Area(s) to be demolished

15. Existing project site conditions are noted below:

- ☐ Existing commercial site
- ☐ Existing industrial site
- ☐ Existing residential site
- ☐ Existing paved and/or unpaved roads
- ☐ Undeveloped (Cleared)
- ☒ Undeveloped (Undisturbed/Uncleared)
- ☐ Other: _____

Prohibited Activities

16. ☒ I am aware that the following activities are prohibited on the Recharge Zone and are not proposed for this project:

- (1) Waste disposal wells regulated under 30 TAC Chapter 331 of this title (relating to Underground Injection Control);
- (2) New feedlot/concentrated animal feeding operations, as defined in 30 TAC §213.3;
- (3) Land disposal of Class I wastes, as defined in 30 TAC §335.1;
- (4) The use of sewage holding tanks as parts of organized collection systems; and
- (5) New municipal solid waste landfill facilities required to meet and comply with Type I standards which are defined in §330.41(b), (c), and (d) of this title (relating to Types of Municipal Solid Waste Facilities).
- (6) New municipal and industrial wastewater discharges into or adjacent to water in the state that would create additional pollutant loading.

17. ☒ I am aware that the following activities are prohibited on the Transition Zone and are not proposed for this project:

- (1) Waste disposal wells regulated under 30 TAC Chapter 331 (relating to Underground Injection Control);
- (2) Land disposal of Class I wastes, as defined in 30 TAC §335.1; and

- (3) New municipal solid waste landfill facilities required to meet and comply with Type I standards which are defined in §330.41 (b), (c), and (d) of this title.

Administrative Information


18. The fee for the plan(s) is based on:

- ☐ For a Water Pollution Abatement Plan or Modification, the total acreage of the site where regulated activities will occur.
- ☐ For an Organized Sewage Collection System Plan or Modification, the total linear footage of all collection system lines.
- ☐ For a UST Facility Plan or Modification or an AST Facility Plan or Modification, the total number of tanks or piping systems.
- ☒ A request for an exception to any substantive portion of the regulations related to the protection of water quality.
- ☐ A request for an extension to a previously approved plan.

19. ☐ Application fees are due and payable at the time the application is filed. If the correct fee is not submitted, the TCEQ is not required to consider the application until the correct fee is submitted. Both the fee and the Edwards Aquifer Fee Form have been sent to the Commission's:

- ☐ TCEQ cashier
- ☐ Austin Regional Office (for projects in Hays, Travis, and Williamson Counties)
- ☐ San Antonio Regional Office (for projects in Bexar, Comal, Kinney, Medina, and Uvalde Counties)

20. ☒ Submit one (1) original and one (1) copy of the application, plus additional copies as needed for each affected incorporated city, groundwater conservation district, and county in which the project will be located. The TCEQ will distribute the additional copies to these jurisdictions. The copies must be submitted to the appropriate regional office.
21. ☒ No person shall commence any regulated activity until the Edwards Aquifer Protection Plan(s) for the activity has been filed with and approved by the Executive Director.



Georgetown Executive Airport Roads Map

Georgetown Executive Airport Scale Map






U.S. DEPARTMENT OF THE INTERIOR
U.S. GEOLOGICAL SURVEY





GEORGETOWN QUADRANGLE
TEXAS - WILLIAMSON COUNTY
7.5-MINUTE SERIES



Produced by the United States Geological Survey

North American Datum of 1983 (NAD83)
World Geodetic System of 1984 (WGS84) Projection and
1 degree grid interval. Transverse Mercator, Zone 14E.
This map is a digital elevation model (DEM) derived from
aerial photography. It is not a topographic map. It is
intended for use in conjunction with a digital elevation
model (DEM) derived from aerial photography. It is
not a topographic map. It is intended for use in
conjunction with a digital elevation model (DEM) derived
from aerial photography.

Source: HAP, August 2016; November 2016
Roads: U.S. Census Bureau, 2010
Hydrology: National Hydrology Data Center, 2010
Contours: National Elevation Dataset, 2000
Boundaries: Multiple sources; see metadata file 2016-2017
MapScale: 1:24,000
MapDate: 2016



CONTOUR INTERVAL, 10 FEET
NORTH AMERICAN VERTICAL DATUM OF 1983
The map was produced in conformance with the
National Geographic Program US Topo Product Standards, 2011.
A map that is updated with the product's data version 2.12.



ROAD CLASSIFICATION
Interstate
State
Local
Interstate
State
Local

GEORGETOWN, TX
30.6250



Edwards Aquifer Recharger & Transition Zone City of Georgetown

Georgetown Executive
Airport

UNIVERSITY AVE

GEORGETOWN



Attachment C – Project Description. Attached at the end of this form is a detailed narrative description of the proposed project. The project description is consistent throughout the application and contains, at a minimum, the following details:

The site is a 50-acre parcel of land known as Tract 1 on the GA and is located at the Georgetown Executive Airport in Georgetown, Texas.




Required Notes:

1. **Impervious Cover.** The parcel does not contain any impervious cover, nor does the project include adding any impervious cover.
2. **Stormwater BMPs.** The parcel does not have any permanent stormwater BMPs nor does the project include adding any permanent stormwater BMPs.
3. **Parcel Use.** This project seeks limited exceptions under 30 TAC Chapter 213 related to activities within the Edwards Aquifer Recharge Zone. The proposed work consists solely of vegetation clearing—specifically, the removal of trees and brush on approximately 50 acres (Tract 1) at Georgetown Airport in Georgetown, Texas as a wildlife hazard mitigation measure. The goal is to reduce the suitability of this area as deer habitat, thereby minimizing the risk of wildlife entering the active runway area.
4. **Site History.** The Georgetown Executive Airport at Johnny Gantt Field was established with a grant from the Civil Aeronautics Board, forerunner of the Federal Aviation

Administration (FAA) in 1941. Construction started in early 1945. Our Airport plays a vital role as a general aviation reliever airport for the region.

5. Previous Development. This parcel does not have any previous development. It is undeveloped land in its natural state.

6. Area(s) to be demolished. See red hatched area on the map below.



Geologic Assessment

Texas Commission on Environmental Quality

For Regulated Activities on The Edwards Aquifer Recharge/transition Zones and Relating to 30 TAC §213.5(b)(3), Effective June 1, 1999

To ensure that the application is administratively complete, confirm that all fields in the form are complete, verify that all requested information is provided, consistently reference the same site and contact person in all forms in the application, and ensure forms are signed by the appropriate party.

Note: Including all the information requested in the form and attachments contributes to more streamlined technical reviews.

Signature

To the best of my knowledge, the responses to this form accurately reflect all information requested concerning the proposed regulated activities and methods to protect the Edwards Aquifer. My signature certifies that I am qualified as a geologist as defined by 30 TAC Chapter 213.

Print Name of Geologist: Russell C Ford


Telephone: 512 442-1122

Date: 3/27/23

Fax: _____

Represented by: Environmental Consultants, Inc. (Name of Company and TBPG or TBPE registration number)

Signature



Regulated Activity Name: Georgetown Municipal Airport, 50 and 104-acre Tracts, Lakeway Drive and Northwest Boulevard, Georgetown, Texas

Project Information

1. Date(s) Geologic Assessment was performed: 3/9/23

2. Type of Project:

☒ WPAP
☐ SCS

☐ AST
☐ UST

3. Location of Project:

☒ Recharge Zone
☐ Transition Zone
☐ Contributing Zone within the Transition Zone

4. ☒ **Attachment A - Geologic Assessment Table.** Completed Geologic Assessment Table (Form TCEQ-0585-Table) is attached.
5. ☒ Soil cover on the project site is summarized in the table below and uses the SCS Hydrologic Soil Groups* (Urban Hydrology for Small Watersheds, Technical Release No. 55, Appendix A, Soil Conservation Service, 1986). If there is more than one soil type on the project site, show each soil type on the site Geologic Map or a separate soils map.

Table 1 - Soil Units, Infiltration Characteristics and Thickness

Soil Name	Group*	Thickness(feet)
EaD	D	0-1
EeB	D	0-1
GsB	D	0-3
DoC	D	0-3

** Soil Group Definitions (Abbreviated)*

- A. Soils having a high infiltration rate when thoroughly wetted.
- B. Soils having a moderate infiltration rate when thoroughly wetted.
- C. Soils having a slow infiltration rate when thoroughly wetted.
- D. Soils having a very slow infiltration rate when thoroughly wetted.

6. ☒ **Attachment B – Stratigraphic Column.** A stratigraphic column showing formations, members, and thicknesses is attached. The outcropping unit, if present, should be at the top of the stratigraphic column. Otherwise, the uppermost unit should be at the top of the stratigraphic column.
7. ☒ **Attachment C – Site Geology.** A narrative description of the site specific geology including any features identified in the Geologic Assessment Table, a discussion of the potential for fluid movement to the Edwards Aquifer, stratigraphy, structure(s), and karst characteristics is attached.
8. ☒ **Attachment D – Site Geologic Map(s).** The Site Geologic Map must be the same scale as the applicant's Site Plan. The minimum scale is 1": 400'
Applicant's Site Plan Scale: 1" = _'
Site Geologic Map Scale: 1" = 400'
Site Soils Map Scale (if more than 1 soil type): 1" = 400'
9. Method of collecting positional data:
☒ Global Positioning System (GPS) technology.
☐ Other method(s). Please describe method of data collection: _____
10. ☒ The project site and boundaries are clearly shown and labeled on the Site Geologic Map.
11. ☒ Surface geologic units are shown and labeled on the Site Geologic Map.

12. ☒ Geologic or manmade features were discovered on the project site during the field investigation. They are shown and labeled on the Site Geologic Map and are described in the attached Geologic Assessment Table.
- ☐ Geologic or manmade features were not discovered on the project site during the field investigation.
13. ☐ The Recharge Zone boundary is shown and labeled, if appropriate.
14. All known wells (test holes, water, oil, unplugged, capped and/or abandoned, etc.): If applicable, the information must agree with Item No. 20 of the WPAP Application Section.
- ☐ There are _____ (#) wells present on the project site and the locations are shown and labeled. (Check all of the following that apply.)
- ☐ The wells are not in use and have been properly abandoned.
- ☐ The wells are not in use and will be properly abandoned.
- ☐ The wells are in use and comply with 16 TAC Chapter 76.
- ☒ There are no wells or test holes of any kind known to exist on the project site.

Administrative Information

15. ☒ Submit one (1) original and one (1) copy of the application, plus additional copies as needed for each affected incorporated city, groundwater conservation district, and county in which the project will be located. The TCEQ will distribute the additional copies to these jurisdictions. The copies must be submitted to the appropriate regional office.

ATTACHMENT A

GEOLOGIC ASSESSMENT TABLE										PROJECT NAME: Georgetown Municipal Airport, 50 and 104-acre tracts, Lakeway Drive and Northwest Boulevard, Georgetown, Texas									
LOCATION										EVALUATION PHYSICAL SETTING									
FEATURE CHARACTERISTICS																			
1A	1B *	1C *	2A	2B	3	4	5	5A	6	7	8A	8B	9	10	11	12			
FEATURE ID	LATITUDE	LONGITUDE	FEATURE TYPE	POINTS	FORMATION	DIMENSIONS (FEET)	TREND (DEGREES)	DOM	DENSITY (NO/FT)	APERTURE (FEET)	INFILL	RELATIVE INFILTRATION RATE	TOTAL SENSITIVITY	CATCHMENT AREA (ACRES)	TOPOGRAPHY				
						X Y Z		10					<40	>40	<1.6	>1.6			
S-1	30.6772	-97.6811	SC	20	Kgt	1 1 1					O	15	35		X	Hillside			
S-2	30.6768	-97.6809	C	30	Kgt	36 9 4.5					C	40	70		X	Hillside			
S-3	30.6725	-97.68	SC	20	Ked	0.5 1 0.8					O	15	35		X	Hillside			
S-4	30.6726	-97.6806	SC	20	Ked	4.5 4.5 1.5					O	15	35		X	Hillside			

2A TYPE		2B POINTS	
C	Cave	30	
SC	Solution cavity	20	
SF	Solution-enlarged fracture(s)	20	
F	Fault	20	
O	Other natural bedrock features	5	
MB	Manmade feature in bedrock	30	
SW	Swallow hole	30	
SH	Sinkhole	20	
CD	Non-karst closed depression	5	
Z	Zone, clustered or aligned features	30	

8A INFILLING	
N	None, exposed bedrock
C	Coarse - cobbles, breakdown, sand, gravel
O	Loose or soft mud or soil, organics, leaves, sticks, dark colors
F	Fines, compacted clay-rich sediment, soil profile, gray or red colors
V	Vegetation. Give details in narrative description
FS	Flowstone, cements, cave deposits
X	Other materials

12 TOPOGRAPHY	
Cliff, Hilltop, Hillside, Drainage, Floodplain, Streambed	

I have read, I understood, and I have followed the Texas Natural Resource Conservation Commission's Instructions to Geologists. The information presented here complies with that document and is a true representation of the conditions observed in the field.

My signature certifies that I am qualified as a geologist as defined by 30 TAC 213

Date _____

TNRC-0585-Table (Rev. 5-1-02)

Sheet _____ of _____



3/29/2023

Attachment B

Stratigraphic Column
Georgetown Municipal Airpor
50 and 104-Acre Tracts
Lakeway Drive and Northwest Boulevard
Georgetown, Texas

HYDROGEOLOGIC SUBDIVISION	FORMATION	THICKNESS (feet)	LITHOLOGY
Edwards Aquifer	Georgetown Formation	85	Marly, nodular limestone, fossiliferous
	Edwards Limestone	150	Mudstone to packstone, crystalline limestone, wackestone

Source: Senger, Collins and Kreidler, 1990



3/25/2023



ATTACHMENT C SITE-SPECIFIC GEOLOGY

The Geologic Assessment (GA) of the Georgetown Municipal Airport was performed by Mr. Russell C. Ford, P.G., of Terracon on March 9, 2023. The site is comprised of two non-contiguous tracts of land (Tract 1 and Tract 2) totaling approximately 154 acres located at the Northeast Quadrant of Lakeway Drive and Northwest Boulevard in Georgetown, Williamson County, Texas. Tract 1 is an approximate 50-acre tract of vacant, wooded/undeveloped land and Tract 2 is an approximate 104-acre tract vacant, wooded/undeveloped land.

Exhibit 1 (attached) is a site location map depicting the site in relation to the surrounding area. The areas immediately surrounding the site are a mix of undeveloped, residential, and commercial properties. The site is characterized as gently sloping to the southeast. Site elevation ranges from about 810 feet above mean sea level (msl) to 740 feet above msl.

The surficial geologic units present at the site have been identified as the Edwards Limestone and the Georgetown Formation. Exhibit 2 (attached) is a geologic map of the site. The Edwards consists of massive to thin bedded limestones and dolostones. The formation is characterized by honeycomb textures, collapse breccias and cavern systems, which account for most of the significant porosity within the strata that compose most of the aquifer. The Georgetown Formation overlies the Edwards and forms the uppermost portion of the Edwards Aquifer. The Georgetown consists of an interbedded nodular, fossiliferous limestone and marl layers. The site is located entirely within the recharge zone of the Edwards Aquifer and the recharge zone boundary is located about 2.5 miles southeast of the site. Attachment B (attached) is a stratigraphic column prepared for the site. Exposure of these units onsite is somewhat obscured by the soil cover and vegetation present. No faulting was observed on the site and the nearest mapped fault is located approximately 900 feet east of the site. The fault, which trends toward the northeast, is associated with the Balcones Fault zone which represents the dominant structural trend in the vicinity of the site. The completed Geologic Assessment Form is attached.

A total of four geologic features, designated S-1 through S-4, were observed on the site and are described below:

Feature S-1 30.6772, -97.6811

This feature is a small solution cavity/tree sink. The feature is approximately 1-foot in diameter and about 1 foot deep, where it appears to pinch closed. There were no apparent vertical portals present and no airflow observed. The feature scored a total of 35 points on the Geologic Assessment Form and is not considered to be a sensitive recharge feature.

Feature S-2 30.6768, -97.6809

This feature is a cluster of features and is locally referred to as Willow the Wisp Cave. The feature has been previously identified/described and excavated as part of a karst survey conducted by Zara Environmental, LLC in 2010 and 2011. The feature is approximately 36



feet long by 9 feet wide and the main cave opening is about 4.5 feet deep. Airflow was observed coming from the feature and it most likely extends further underground. The feature scored a total of 70 points on the Geologic Assessment Form and is considered to be a sensitive recharge feature.


Feature S-3 30.6725, -97.68

This feature is a small solution cavity/tree sink. The feature is approximately 6-inches wide by 1-foot long and about 9-inches deep where it appears to pinch closed. There were no apparent vertical portals present and no airflow observed. The feature scored a total of 35 points on the Geologic Assessment Form and is not considered to be a sensitive recharge feature.


Feature S-4 30.6726, -97.6806

This feature is a small solution cavity developed along a horizontal bedding plane. The feature is approximately 4.5-foot in diameter and about 1.5 foot deep where it pinches closed. There were no apparent vertical portals present and no airflow observed. The feature scored a total of 35 points on the Geologic Assessment Form and is not considered to be a sensitive recharge feature.


Due to the presence of a significant sensitive recharge features observed on the site (S-2), the potential for fluid movement to the Edwards aquifer beneath the site is considered high. No streams or springs were observed onsite. A review of the site maps contained in the City of Georgetown Ordinance 2015-14 indicated there are no known springs occupied by the Georgetown Salamander on the site and the nearest known occupied site is located approximately one mile northwest of the site (Bat Well Cave).



3/29/2023




SCALE 1:24,000



CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1988


Georgetown, Texas
2019
7.5 MINUTE SERIES (TOPOGRAPHIC)

Project Mgr.: RF Drawn By: ATX Drafting Checked By: RF Approved By: RF	Project No.: 96237114A Scale: AS SHOWN File No.: 96237114A Date: Mar 23, 2023	 Consulting Engineers and Scientists 5307 INDUSTRIAL OAKS BLVD. - #160 AUSTIN, TX 78735 PH. (512) 442-1122 FAX (512) 442-1181	<p>TOPOGRAPHIC MAP</p> <p>104 Acre Tract and 50 Acre Tract - Georgetown Municipal Airport Northeast Quadrant of Lakeway Drive and Northwest Boulevard Georgetown, Williamson County, Texas</p>	<p>EXHIBIT</p> <p>1</p>
---	--	---	---	---------------------------------------



- LEGEND**
- Site Boundary
 - Kgt Georgetown Formation
 - Ked Edwards Formation
 - S-1 • Geologic Feature

terracon <small>Consulting Engineers and Scientists</small> <small>200 West 10th Street, Suite 100</small> <small>Georgetown, Delaware County, Georgia 30142</small>	
<small>Project No.</small> 100271141 <small>Client</small> AZ SOWAL <small>Field No.</small> 100271141 <small>Date</small> Mar 29, 2023	SITE GEOLOGIC MAP EXHIBIT 2 104 Acre Tract and 50 Acre Tract - Georgetown Municipal Airport Northeast Quarter of Laneway Drive and Northwest Boulevard <small>Georgetown, Delaware County, Georgia</small>



LEGEND

Site Boundary

5-1 • Geologic Feature

DoC Doss Silty Clay

(1%-5% slopes)

Ead Eckrant Cobby Cla
(1924-88% eloner)

Foot **Foot Show Class** **(100 % scores)**

LED
LOW-DRAW SWIFT CLAY
(0%-3% slopes)

GsB Georgetown Stony

(1%-3% slopes)

DATE	NO. 12111A	DATE	NO. 12111A
BY	AL. SCHOEN	BY	AL. SCHOEN
FOR	NO. 12111A	FOR	NO. 12111A
PROJECT	ATLANTA	PROJECT	ATLANTA
DESCRIPTION	BE	DESCRIPTION	BE
REMARKS	RF	REMARKS	RF

terracon
 Consulting Engineers and Surveyors
 1000 Peachtree Street, N.E., Suite 1000
 Atlanta, Georgia 30309
 Phone: (404) 525-8800
 Fax: (404) 525-8801
 E-Mail: terracon@terracon.com

SITE SOILS MAP

104 Ace Tract and 50 Ace Tract - Georgetown Municipal Airport
 Northwest Quarter of Section 29 and Northeast Boulevard
 Georgetown, Williamson County, Texas

EXHIBIT

3

Recharge and Transition Zone Exception Request Form

Texas Commission on Environmental Quality

30 TAC§213.9 Effective June 1, 1999

To ensure that the application is administratively complete, confirm that all fields in the form are complete, verify that all requested information is provided, consistently reference the same site and contact person in all forms in the application, and ensure forms are signed by the appropriate party.

Note: Including all the information requested in the form and attachments contributes to more streamlined technical reviews

Signature

To the best of my knowledge, the responses to this form accurately reflect all information requested concerning the proposed regulated activities and methods to protect the Edwards Aquifer. This **Recharge and Transition Zone Exception Request Form** is hereby submitted for TCEQ review and executive director approval. The request was prepared by:

Print Name of Customer/ Agent: Eric Johnson, Public Works Director, City of Georgetown, Texas

Date: May 15, 2025

Signature of Customer/ Agent:



Regulated Entity Name: City of Georgetown

Exception Request

1. ☒ **Attachment A - Nature of Exception.** A narrative description of the nature of each exception requested is attached. All provisions of 30 TAC§213 Subchapter A for which an exception is being requested have been identified in the description.
2. ☐ **Attachment B - Documentation of Equivalent Water Quality Protection.** Documentation demonstrating equivalent water quality protection for the Edwards Aquifer is attached.

Administrative Information

3. ☒ Submit one (1) original and one (1) copy of the application, plus additional copies as needed for each affected incorporated city, groundwater conservation district, and county in which the project will be located. The TCEQ will distribute the additional copies to these jurisdictions. The copies must be submitted to the appropriate regional office.
4. ☒ The applicant understands that no exception will be granted for a prohibited activity in Chapter 213.
5. ☒ The applicant understands that prior approval under this section must be obtained from the executive director for the exception to be authorized.

4a. Narrative Description of Exceptions Requested under 30 TAC Chapter 213 – Tract 1, Georgetown Airport

This project seeks limited exceptions under 30 TAC Chapter 213 related to activities within the Edwards Aquifer Recharge Zone. The proposed work consists solely of vegetation clearing—specifically, the removal of trees and brush on approximately 50 acres (Tract 1) at Georgetown Airport in Georgetown, Texas as a wildlife hazard mitigation measure. The goal is to reduce the suitability of this area as deer habitat, thereby minimizing the risk of wildlife entering the active runway area.

The following describes the nature of each exception requested:

1. Minimal Soil Disturbance

The project involves only above-ground vegetation removal using mechanized equipment. Tree stumps and root systems will remain intact. While minor soil disturbance may occur from equipment movement (e.g., wheel ruts or shallow surface disruption), no excavation, grading, trenching, or construction will take place. No impervious cover will be added, and natural drainage patterns will be preserved. Therefore, we request an exception for minimal soil disturbance as the project does not involve regulated construction nor alteration of subsurface hydrological features.

2. No Construction or Structural Development

As no buildings, pavement, or utilities are being installed, the activity does not meet the definition of regulated construction under Chapter 213. An exception is requested from construction-related requirements, as the scope of work is strictly limited to vegetation removal for ecological management purposes.

3. Limited Impact to Recharge Features

Based on the accompanying geologic assessment, the project area (Tract 1) does not contain known sensitive recharge features. In the event a feature is encountered, it will be flagged and avoided. No blasting, excavation, or trenching that might affect these features will occur. An exception is requested from full recharge feature protection provisions due to the limited, non-invasive nature of the proposed activity.

The intent of these exceptions is to enable necessary wildlife hazard mitigation without triggering regulatory requirements designed for large-scale construction or land development. The project will maintain compliance with the overall goals of the Edwards Aquifer Protection Program by minimizing environmental impact and preserving subsurface integrity.

Temporary Stormwater Section

Texas Commission on Environmental Quality

for Regulated Activities on the Edwards Aquifer Recharge Zone and Relating to 30 TAC §213.5(b)(4)(A), (B), (D)(I) and (G); Effective June 1, 1999

To ensure that the application is administratively complete, confirm that all fields in the form are complete, verify that all requested information is provided, consistently reference the same site and contact person in all forms in the application, and ensure forms are signed by the appropriate party.

Note: Including all the information requested in the form and attachments contributes to more streamlined technical reviews.

Signature

To the best of my knowledge, the responses to this form accurately reflect all information requested concerning the proposed regulated activities and methods to protect the Edwards Aquifer. This **Temporary Stormwater Section** is hereby submitted for TCEQ review and executive director approval. The application was prepared by:

Print Name of Customer/Agent: Eric Johnson, Public Works Director, City of Georgetown, Texas

Date: May 15, 2025

Signature of Customer/Agent:



Regulated Entity Name: Georgetown Municipal Airport/RN103887279

Project Information

Potential Sources of Contamination

Examples: Fuel storage and use, chemical storage and use, use of asphaltic products, construction vehicles tracking onto public roads, and existing solid waste.

1. Fuels for construction equipment and hazardous substances which will be used during construction:

☐ The following fuels and/or hazardous substances will be stored on the site: _____

These fuels and/or hazardous substances will be stored in:

- ☐ Aboveground storage tanks with a cumulative storage capacity of less than 250 gallons will be stored on the site for less than one (1) year.

- ☐ Aboveground storage tanks with a cumulative storage capacity between 250 gallons and 499 gallons will be stored on the site for less than one (1) year.
- ☐ Aboveground storage tanks with a cumulative storage capacity of 500 gallons or more will be stored on the site. An Aboveground Storage Tank Facility Plan application must be submitted to the appropriate regional office of the TCEQ prior to moving the tanks onto the project.
- ☒ Fuels and hazardous substances will not be stored on the site.
- 2. ☒ **Attachment A - Spill Response Actions.** A site specific description of the measures to be taken to contain any spill of hydrocarbons or hazardous substances is attached.
- 3. ☐ Temporary aboveground storage tank systems of 250 gallons or more cumulative storage capacity must be located a minimum horizontal distance of 150 feet from any domestic, industrial, irrigation, or public water supply well, or other sensitive feature.
- 4. ☒ **Attachment B - Potential Sources of Contamination.** A description of any activities or processes which may be a potential source of contamination affecting surface water quality is attached.

Sequence of Construction

- 5. ☒ **Attachment C - Sequence of Major Activities.** A description of the sequence of major activities which will disturb soils for major portions of the site (grubbing, excavation, grading, utilities, and infrastructure installation) is attached.
 - ☒ For each activity described, an estimate (in acres) of the total area of the site to be disturbed by each activity is given.
 - ☒ For each activity described, include a description of appropriate temporary control measures and the general timing (or sequence) during the construction process that the measures will be implemented.
- 6. ☒ Name the receiving water(s) at or near the site which will be disturbed or which will receive discharges from disturbed areas of the project: Pecan Branch

Temporary Best Management Practices (TBMPs)

Erosion control examples: tree protection, interceptor swales, level spreaders, outlet stabilization, blankets or matting, mulch, and sod. Sediment control examples: stabilized construction exit, silt fence, filter dikes, rock berms, buffer strips, sediment traps, and sediment basins. Please refer to the Technical Guidance Manual for guidelines and specifications. All structural BMPs must be shown on the site plan.

- 7. ☒ **Attachment D – Temporary Best Management Practices and Measures.** TBMPs and measures will prevent pollution of surface water, groundwater, and stormwater. The construction-phase BMPs for erosion and sediment controls have been designed to retain sediment on site to the extent practicable. The following information is attached:

- ☒ A description of how BMPs and measures will prevent pollution of surface water, groundwater or stormwater that originates upgradient from the site and flows across the site.
 - ☒ A description of how BMPs and measures will prevent pollution of surface water or groundwater that originates on-site or flows off site, including pollution caused by contaminated stormwater runoff from the site.
 - ☒ A description of how BMPs and measures will prevent pollutants from entering surface streams, sensitive features, or the aquifer.
 - ☐ A description of how, to the maximum extent practicable, BMPs and measures will maintain flow to naturally-occurring sensitive features identified in either the geologic assessment, TCEQ inspections, or during excavation, blasting, or construction.
8. ☐ The temporary sealing of a naturally-occurring sensitive feature which accepts recharge to the Edwards Aquifer as a temporary pollution abatement measure during active construction should be avoided.
- ☐ **Attachment E - Request to Temporarily Seal a Feature.** A request to temporarily seal a feature is attached. The request includes justification as to why no reasonable and practicable alternative exists for each feature.
- ☐ There will be no temporary sealing of naturally-occurring sensitive features on the site.
9. ☐ **Attachment F - Structural Practices.** A description of the structural practices that will be used to divert flows away from exposed soils, to store flows, or to otherwise limit runoff discharge of pollutants from exposed areas of the site is attached. Placement of structural practices in floodplains has been avoided.
10. ☒ **Attachment G - Drainage Area Map.** A drainage area map supporting the following requirements is attached:
- ☐ For areas that will have more than 10 acres within a common drainage area disturbed at one time, a sediment basin will be provided.
 - ☐ For areas that will have more than 10 acres within a common drainage area disturbed at one time, a smaller sediment basin and/or sediment trap(s) will be used.
 - ☒ For areas that will have more than 10 acres within a common drainage area disturbed at one time, a sediment basin or other equivalent controls are not attainable, but other TBMPs and measures will be used in combination to protect down slope and side slope boundaries of the construction area.
 - ☐ There are no areas greater than 10 acres within a common drainage area that will be disturbed at one time. A smaller sediment basin and/or sediment trap(s) will be used in combination with other erosion and sediment controls within each disturbed drainage area.

- ☐ There are no areas greater than 10 acres within a common drainage area that will be disturbed at one time. Erosion and sediment controls other than sediment basins or sediment traps within each disturbed drainage area will be used.
11. ☐ **Attachment H - Temporary Sediment Pond(s) Plans and Calculations.** Temporary sediment pond or basin construction plans and design calculations for a proposed temporary BMP or measure have been prepared by or under the direct supervision of a Texas Licensed Professional Engineer. All construction plans and design information must be signed, sealed, and dated by the Texas Licensed Professional Engineer. Construction plans for the proposed temporary BMPs and measures are attached.
- ☒ N/A
12. ☒ **Attachment I - Inspection and Maintenance for BMPs.** A plan for the inspection of each temporary BMP(s) and measure(s) and for their timely maintenance, repairs, and, if necessary, retrofit is attached. A description of the documentation procedures, recordkeeping practices, and inspection frequency are included in the plan and are specific to the site and/or BMP.
13. ☒ All control measures must be properly selected, installed, and maintained in accordance with the manufacturer's specifications and good engineering practices. If periodic inspections by the applicant or the executive director, or other information indicate a control has been used inappropriately, or incorrectly, the applicant must replace or modify the control for site situations.
14. ☒ If sediment escapes the construction site, off-site accumulations of sediment must be removed at a frequency sufficient to minimize offsite impacts to water quality (e.g., fugitive sediment in street being washed into surface streams or sensitive features by the next rain).
15. ☐ Sediment must be removed from sediment traps or sedimentation ponds not later than when design capacity has been reduced by 50%. A permanent stake will be provided that can indicate when the sediment occupies 50% of the basin volume.
16. ☒ Litter, construction debris, and construction chemicals exposed to stormwater shall be prevented from becoming a pollutant source for stormwater discharges (e.g., screening outfalls, picked up daily).

Soil Stabilization Practices


Examples: establishment of temporary vegetation, establishment of permanent vegetation, mulching, geotextiles, sod stabilization, vegetative buffer strips, protection of trees, or preservation of mature vegetation.

17. ☒ **Attachment J - Schedule of Interim and Permanent Soil Stabilization Practices.** A schedule of the interim and permanent soil stabilization practices for the site is attached.

18. ☐ Records must be kept at the site of the dates when major grading activities occur, the dates when construction activities temporarily or permanently cease on a portion of the site, and the dates when stabilization measures are initiated.
19. ☒ Stabilization practices must be initiated as soon as practicable where construction activities have temporarily or permanently ceased.

Administrative Information

20. ☒ All structural controls will be inspected and maintained according to the submitted and approved operation and maintenance plan for the project.
21. ☒ If any geologic or manmade features, such as caves, faults, sinkholes, etc., are discovered, all regulated activities near the feature will be immediately suspended. The appropriate TCEQ Regional Office shall be immediately notified. Regulated activities must cease and not continue until the TCEQ has reviewed and approved the methods proposed to protect the aquifer from any adverse impacts.
22. ☒ Silt fences, diversion berms, and other temporary erosion and sediment controls will be constructed and maintained as appropriate to prevent pollutants from entering sensitive features discovered during construction.



Application Fee Form

Texas Commission on Environmental Quality

Name of Proposed Regulated Entity: Georgetown Executive Airport, City of Georgetown

Regulated Entity Location: Georgetown, Texas

Name of Customer: City of Georgetown

Contact Person: Eric Johnson, Public Works

Phone: 512-819-3145

Director

Customer Reference Number (if issued): CN CN600412043

Regulated Entity Reference Number (if issued): RN RN103887279

Austin Regional Office (3373)

☐ Hays

☐ Travis

☒ Williamson

San Antonio Regional Office (3362)

☐ Bexar

☒ Medina

☐ Uvalde

☐ Comal

☐ Kinney

Application fees must be paid by check, certified check, or money order, payable to the **Texas Commission on Environmental Quality**. Your canceled check will serve as your receipt. **This form must be submitted with your fee payment.** This payment is being submitted to:

☒ Austin Regional Office

☐ San Antonio Regional Office

☐ Mailed to: TCEQ - Cashier

☐ Overnight Delivery to: TCEQ - Cashier

Revenues Section

Mail Code 214

P.O. Box 13088

Austin, TX 78711-3088

12100 Park 35 Circle

Building A, 3rd Floor

Austin, TX 78753

(512)239-0357

Site Location (Check All That Apply):

☒ Recharge Zone

☐ Contributing Zone

☐ Transition Zone

Type of Plan	Size	Fee Due
Water Pollution Abatement Plan, Contributing Zone Plan: One Single Family Residential Dwelling	Acres	\$
Water Pollution Abatement Plan, Contributing Zone Plan: Multiple Single Family Residential and Parks	Acres	\$
Water Pollution Abatement Plan, Contributing Zone Plan: Non-residential	Acres	\$
Sewage Collection System	L.F.	\$
Lift Stations without sewer lines	Acres	\$
Underground or Aboveground Storage Tank Facility	Tanks	\$
Piping System(s)(only)	Each	\$
Exception	\$500 Each	\$ 500
Extension of Time	Each	\$

Signature: _____

Date: 06/04/25

Application Fee Schedule

Texas Commission on Environmental Quality

Edwards Aquifer Protection Program 30 TAC Chapter 213 (effective 05/01/2008)

Water Pollution Abatement Plans and Modifications

Contributing Zone Plans and Modifications

<i>Project</i>	<i>Project Area in Acres</i>	<i>Fee</i>
One Single Family Residential Dwelling	< 5	\$650
Multiple Single Family Residential and Parks	< 5	\$1,500
	5 < 10	\$3,000
	10 < 40	\$4,000
	40 < 100	\$6,500
	100 < 500	\$8,000
	≥ 500	\$10,000
Non-residential (Commercial, industrial, institutional, multi-family residential, schools, and other sites where regulated activities will occur)	< 1	\$3,000
	1 < 5	\$4,000
	5 < 10	\$5,000
	10 < 40	\$6,500
	40 < 100	\$8,000
	≥ 100	\$10,000

Organized Sewage Collection Systems and Modifications

<i>Project</i>	<i>Cost per Linear Foot</i>	<i>Minimum Fee- Maximum Fee</i>
Sewage Collection Systems	\$0.50	\$650 - \$6,500

Underground and Aboveground Storage Tank System Facility Plans and Modifications

<i>Project</i>	<i>Cost per Tank or Piping System</i>	<i>Minimum Fee- Maximum Fee</i>
Underground and Aboveground Storage Tank Facility	\$650	\$650 - \$6,500

Exception Requests

<i>Project</i>	<i>Fee</i>
Exception Request	\$500

Extension of Time Requests

<i>Project</i>	<i>Fee</i>
Extension of Time Request	\$150



TCEQ Core Data Form

For detailed instructions on completing this form, please read the Core Data Form Instructions or call 512-239-5175.

SECTION I: General Information

1. Reason for Submission (If other is checked please describe in space provided.)		
<input type="checkbox"/> New Permit, Registration or Authorization (Core Data Form should be submitted with the program application.)		
<input type="checkbox"/> Renewal (Core Data Form should be submitted with the renewal form)	<input checked="" type="checkbox"/> Other WPAP Exception	
2. Customer Reference Number (if issued)	Follow this link to search for CN or RN numbers in Central Registry**	3. Regulated Entity Reference Number (if issued)
CN CN0004120		RN 1038872

SECTION II: Customer Information

4. General Customer Information		5. Effective Date for Customer Information Updates (mm/dd/yyyy)	
<input type="checkbox"/> New Customer <input type="checkbox"/> Update to Customer Information <input type="checkbox"/> Change in Regulated Entity Ownership			
<input type="checkbox"/> Change in Legal Name (Verifiable with the Texas Secretary of State or Texas Comptroller of Public Accounts)			
<i>The Customer Name submitted here may be updated automatically based on what is current and active with the Texas Secretary of State (SOS) or Texas Comptroller of Public Accounts (CPA).</i>			
6. Customer Legal Name (If an individual, print last name first: eg: Doe, John)		<i>If new Customer, enter previous Customer below:</i>	
7. TX SOS/CPA Filing Number	8. TX State Tax ID (11 digits)	9. Federal Tax ID (9 digits)	10. DUNS Number (if applicable)
11. Type of Customer:		Partnership: <input type="checkbox"/> General <input type="checkbox"/> Limited	
<input type="checkbox"/> Corporation		<input type="checkbox"/> Individual	
Government: <input type="checkbox"/> City <input type="checkbox"/> County <input type="checkbox"/> Federal <input type="checkbox"/> Local <input type="checkbox"/> State <input type="checkbox"/> Other		<input type="checkbox"/> Sole Proprietorship <input type="checkbox"/> Other:	
12. Number of Employees		13. Independently Owned and Operated?	
<input type="checkbox"/> 0-20 <input type="checkbox"/> 21-100 <input type="checkbox"/> 101-250 <input type="checkbox"/> 251-500 <input type="checkbox"/> 501 and higher		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
14. Customer Role (Proposed or Actual) – as it relates to the Regulated Entity listed on this form. Please check one of the following			
<input type="checkbox"/> Owner <input type="checkbox"/> Operator <input type="checkbox"/> Owner & Operator <input type="checkbox"/> Other:			
<input type="checkbox"/> Occupational Licensee <input type="checkbox"/> Responsible Party <input type="checkbox"/> VCP/BSA Applicant			
15. Mailing Address:			
City			
State			
ZIP			
ZIP + 4			
16. Country Mailing Information (if outside USA)		17. E-Mail Address (if applicable)	

18. Telephone Number () -	19. Extension or Code	20. Fax Number (if applicable) () -
--	------------------------------	--

SECTION III: Regulated Entity Information

21. General Regulated Entity Information (If 'New Regulated Entity' is selected, a new permit application is also required.)							
<input type="checkbox"/> New Regulated Entity <input type="checkbox"/> Update to Regulated Entity Name <input type="checkbox"/> Update to Regulated Entity Information							
<i>The Regulated Entity Name submitted may be updated, in order to meet TCEQ Core Data Standards (removal of organizational endings such as Inc, LP, or LLC).</i>							
22. Regulated Entity Name (Enter name of the site where the regulated action is taking place.)							
City of Georgetown, Georgetown Executive Airport							
23. Street Address of the Regulated Entity: (No PO Boxes)	500 Terminal Drive						
	City	Georgetown	State	TX	ZIP	78628	ZIP + 4
24. County	Williamson						

If no Street Address is provided, fields 25-28 are required.

25. Description to Physical Location:	500 Terminal Drive, Georgetown Texas. Westside of IH-35, behind the Costco.						
26. Nearest City					State	Nearest ZIP Code	
Georgetown					TX	78628	
<i>Latitude/Longitude are required and may be added/updated to meet TCEQ Core Data Standards. (Geocoding of the Physical Address may be used to supply coordinates where none have been provided or to gain accuracy).</i>							
27. Latitude (N) In Decimal:		097-40-45.8000W			28. Longitude (W) In Decimal:		30-40-43.7000N
Degrees	Minutes	Seconds	Degrees	Minutes	Seconds		
97	40	45.8000	30	40	43.7000		
29. Primary SIC Code (4 digits)	30. Secondary SIC Code (4 digits)		31. Primary NAICS Code (5 or 6 digits)		32. Secondary NAICS Code (5 or 6 digits)		
4581			488119				
33. What is the Primary Business of this entity? (Do not repeat the SIC or NAICS description.)							
Airport							
34. Mailing Address:	500 Terminal Drive						
	City	Georgetown	State	TX	ZIP	78628	ZIP + 4
35. E-Mail Address:	Teresa.chapman@georgetowntexas.gov						
36. Telephone Number	37. Extension or Code		38. Fax Number (if applicable)				
(512) 930-6533	NA		() NA-				

39. TCEQ Programs and ID Numbers Check all Programs and write in the permits/registration numbers that will be affected by the updates submitted on this form. See the Core Data Form instructions for additional guidance.

<input type="checkbox"/> Dam Safety	<input type="checkbox"/> Districts	<input type="checkbox"/> Edwards Aquifer	<input type="checkbox"/> Emissions Inventory Air	<input type="checkbox"/> Industrial Hazardous Waste
<input type="checkbox"/> Municipal Solid Waste	<input type="checkbox"/> New Source Review Air	<input type="checkbox"/> OSSF	<input type="checkbox"/> Petroleum Storage Tank	<input type="checkbox"/> PWS
<input type="checkbox"/> Sludge	<input type="checkbox"/> Storm Water	<input type="checkbox"/> Title V Air	<input type="checkbox"/> Tires	<input type="checkbox"/> Used Oil
<input type="checkbox"/> Voluntary Cleanup	<input type="checkbox"/> Wastewater	<input type="checkbox"/> Wastewater Agriculture	<input type="checkbox"/> Water Rights	<input checked="" type="checkbox"/> Other: None

SECTION IV: Preparer Information

40. Name:	Teresa Chapman			41. Title:	Environmental Services Manager
42. Telephone Number	43. Ext./Code	44. Fax Number	45. E-Mail Address		
(512) 930-+533	NA	(NA) -	Teresa.Chapman@georgetowntexas.gov		

SECTION V: Authorized Signature

46. By my signature below, I certify, to the best of my knowledge, that the information provided in this form is true and complete, and that I have signature authority to submit this form on behalf of the entity specified in Section II, Field 6 and/or as required for the updates to the ID numbers identified in field 39.

Company:	City of Georgetown, Georgetown Executive Airport		Job Title:	Public Works Director	
Name (In Print):	Eric Johnson			Phone:	(512) 819- 3145
Signature:				Date:	06/05/2025