

Texas Commission on Environmental Quality

Edwards Aquifer Application Cover Page

Our Review of Your Application

The Edwards Aquifer Program staff conducts an administrative and technical review of all applications. The turnaround time for administrative review can be up to 30 days as outlined in 30 TAC 213.4(e). Generally administrative completeness is determined during the intake meeting or within a few days of receipt. The turnaround time for technical review of an administratively complete Edwards Aquifer application is 90 days as outlined in 30 TAC 213.4(e). Please know that the review and approval time is directly impacted by the quality and completeness of the initial application that is received. In order to conduct a timely review, it is imperative that the information provided in an Edwards Aquifer application include final plans, be accurate, complete, and in compliance with [30 TAC 213](#).

Administrative Review

1. [Edwards Aquifer applications](#) must be deemed administratively complete before a technical review can begin. To be considered administratively complete, the application must contain completed forms and attachments, provide the requested information, and meet all the site plan requirements. The submitted application and plan sheets should be final plans. Please submit one full-size set of plan sheets with the original application, and half-size sets with the additional copies.

To ensure that all applicable documents are included in the application, the program has developed tools to guide you and web pages to provide all forms, checklists, and guidance. Please visit the below website for assistance: <http://www.tceq.texas.gov/field/eapp>.

2. This Edwards Aquifer Application Cover Page form (certified by the applicant or agent) must be included in the application and brought to the administrative review meeting.
3. Administrative reviews are scheduled with program staff who will conduct the review. Applicants or their authorized agent should call the appropriate regional office, according to the county in which the project is located, to schedule a review. The average meeting time is one hour.
4. In the meeting, the application is examined for administrative completeness. Deficiencies will be noted by staff and emailed or faxed to the applicant and authorized agent at the end of the meeting, or shortly after. Administrative deficiencies will cause the application to be deemed incomplete and returned.

An appointment should be made to resubmit the application. The application is re-examined to ensure all deficiencies are resolved. The application will only be deemed administratively complete when all administrative deficiencies are addressed.

5. If an application is received by mail, courier service, or otherwise submitted without a review meeting, the administrative review will be conducted within 30 days. The applicant and agent will be contacted with the results of the administrative review. If the application is found to be administratively incomplete, it can be retrieved from the regional office or returned by regular mail. If returned by mail, the regional office may require arrangements for return shipping.
6. If the geologic assessment was completed before October 1, 2004 and the site contains "possibly sensitive" features, the assessment must be updated in accordance with the *Instructions to Geologists* (TCEQ-0585 Instructions).

Technical Review

1. When an application is deemed administratively complete, the technical review period begins. The regional office will distribute copies of the application to the identified affected city, county, and groundwater conservation district whose jurisdiction includes the subject site. These entities and the public have 30 days to provide comments on the application to the regional office. All comments received are reviewed by TCEQ.
2. A site assessment is usually conducted as part of the technical review, to evaluate the geologic assessment and observe existing site conditions. The site must be accessible to our staff. The site boundaries should be

clearly marked, features identified in the geologic assessment should be flagged, roadways marked and the alignment of the Sewage Collection System and manholes should be staked at the time the application is submitted. If the site is not marked the application may be returned.

3. We evaluate the application for technical completeness and contact the applicant and agent via Notice of Deficiency (NOD) to request additional information and identify technical deficiencies. There are two deficiency response periods available to the applicant. There are 14 days to resolve deficiencies noted in the first NOD. If a second NOD is issued, there is an additional 14 days to resolve deficiencies. If the response to the second notice is not received, is incomplete or inadequate, or provides new information that is incomplete or inadequate, the application must be withdrawn or will be denied. Please note that because the technical review is underway, whether the application is withdrawn or denied the application fee will be forfeited.
4. The program has 90 calendar days to complete the technical review of the application. If the application is technically adequate, such that it complies with the Edwards Aquifer rules, and is protective of the Edwards Aquifer during and after construction, an approval letter will be issued. Construction or other regulated activity may not begin until an approval is issued.

Mid-Review Modifications

It is important to have final site plans prior to beginning the permitting process with TCEQ to avoid delays.

Occasionally, circumstances arise where you may have significant design and/or site plan changes after your Edwards Aquifer application has been deemed administratively complete by TCEQ. This is considered a "Mid-Review Modification". Mid-Review Modifications may require redistribution of an application that includes the proposed modifications for public comment.

If you are proposing a Mid-Review Modification, two options are available:

- If the technical review has begun your application can be denied/withdrawn, your fees will be forfeited, and the plan will have to be resubmitted.
- TCEQ can continue the technical review of the application as it was submitted, and a modification application can be submitted at a later time.

If the application is denied/withdrawn, the resubmitted application will be subject to the administrative and technical review processes and will be treated as a new application. The application will be redistributed to the affected jurisdictions.

Please contact the regional office if you have questions. If your project is located in Williamson, Travis, or Hays County, contact TCEQ's Austin Regional Office at 512-339-2929. If your project is in Comal, Bexar, Medina, Uvalde, or Kinney County, contact TCEQ's San Antonio Regional Office at 210-490-3096

Please fill out all required fields below and submit with your application.

1. Regulated Entity Name: Market Square					2. Regulated Entity No.:					
3. Customer Name: Baghdad San Gabriel Developers LLC					4. Customer No.:					
5. Project Type: (Please circle/check one)		New			Modification		Extension		Exception	
6. Plan Type: (Please circle/check one)		WPAP	CZP	SCS	UST	AST	EXP	EXT	Technical Clarification	Optional Enhanced Measures
7. Land Use: (Please circle/check one)		Residential			Non-residential			8. Site (acres):		±14.79
9. Application Fee:					10. Permanent BMP(s):			Batch Detention Pond		
11. SCS (Linear Ft.):		N/A			12. AST/UST (No. Tanks):			N/A		
13. County:		Williamson			14. Watershed:			Brushy Creek		

Application Distribution

Instructions: Use the table below to determine the number of applications required. One original and one copy of the application, plus additional copies (as needed) for each affected incorporated city, county, and groundwater conservation district are required. Linear projects or large projects, which cross into multiple jurisdictions, can require additional copies. Refer to the "Texas Groundwater Conservation Districts within the EAPP Boundaries" map found at:

http://www.tceq.texas.gov/assets/public/compliance/field_ops/eapp/EAPP%20GWCD%20map.pdf

For more detailed boundaries, please contact the conservation district directly.

Austin Region			
County:	Hays	Travis	Williamson
Original (1 req.)	—	—	__x__
Region (1 req.)	—	—	__x__
County(ies)	—	—	__x__
Groundwater Conservation District(s)	__ Edwards Aquifer Authority __ Barton Springs/ Edwards Aquifer __ Hays Trinity __ Plum Creek	__ Barton Springs/ Edwards Aquifer	NA
City(ies) Jurisdiction	__ Austin __ Buda __ Dripping Springs __ Kyle __ Mountain City __ San Marcos __ Wimberley __ Woodcreek	__ Austin __ Bee Cave __ Pflugerville __ Rollingwood __ Round Rock __ Sunset Valley __ West Lake Hills	__ Austin __ Cedar Park __ Florence __ Georgetown __ Jerrell __x__ Leander __ Liberty Hill __ Pflugerville __ Round Rock

San Antonio Region					
County:	Bexar	Comal	Kinney	Medina	Uvalde
Original (1 req.)	—	—	—	—	—
Region (1 req.)	—	—	—	—	—
County(ies)	—	—	—	—	—
Groundwater Conservation District(s)	__ Edwards Aquifer Authority __ Trinity-Glen Rose	__ Edwards Aquifer Authority	__ Kinney	__ EAA __ Medina	__ EAA __ Uvalde
City(ies) Jurisdiction	__ Castle Hills __ Fair Oaks Ranch __ Helotes __ Hill Country Village __ Hollywood Park __ San Antonio (SAWS) __ Shavano Park	__ Bulverde __ Fair Oaks Ranch __ Garden Ridge __ New Braunfels __ Schertz	NA	__ San Antonio ETJ (SAWS)	NA

I certify that to the best of my knowledge, that the application is complete and accurate. This application is hereby submitted to TCEQ for administrative review and technical review.	
PAULO Misi	
Print Name of Customer/Authorized Agent	
PAULO Misi	5/27/2025
Signature of Customer/Authorized Agent	Date

FOR TCEQ INTERNAL USE ONLY			
Date(s) Reviewed:		Date Administratively Complete:	
Received From:		Correct Number of Copies:	
Received By:		Distribution Date:	
EAPP File Number:		Complex:	
Admin. Review(s) (No.):		No. AR Rounds:	
Delinquent Fees (Y/N):		Review Time Spent:	
Lat./Long. Verified:		SOS Customer Verification:	
Agent Authorization Complete/Notarized (Y/N):		Fee Check:	Payable to TCEQ (Y/N):
Core Data Form Complete (Y/N):			Signed (Y/N):
Core Data Form Incomplete Nos.:			Less than 90 days old (Y/N):

Contributing Zone Plan Application

Texas Commission on Environmental Quality

for Regulated Activities on the Contributing Zone to the Edwards Aquifer and Relating to 30 TAC §213.24(1), Effective June 1, 1999

To ensure that the application is administratively complete, confirm that all fields in the form are complete, verify that all requested information is provided, consistently reference the same site and contact person in all forms in the application, and ensure forms are signed by the appropriate party.

Note: Including all the information requested in the form and attachments contributes to more streamlined technical reviews.

Signature

To the best of my knowledge, the responses to this form accurately reflect all information requested concerning the proposed regulated activities and methods to protect the Edwards Aquifer. This **Contributing Zone Plan Application** is hereby submitted for TCEQ review and Executive Director approval. The application was prepared by:

Print Name of Customer/Agent: Paulo Misi, P.E.

Date: 05/27/2025

Signature of Customer/Agent:

Paulo Misi

Regulated Entity Name: Market Square

Project Information

1. County: Williamson
2. Stream Basin: Turkey Creek
3. Groundwater Conservation District (if applicable): N/A
4. Customer (Applicant):

Contact Person: Kalyan Vijai Lakimsetty

Entity: Baghdad San Gabriel Developers LLC

Mailing Address: 6 Miller Dr

City, State: Hillsborough, New Jersey

Telephone: 908-448-8608

Email Address: kalyanvijai@gmail.com

Zip: 08844

Fax: _____

5. Agent/Representative (If any):

Contact Person: Paulo Misi

Entity: Southwest Engineers, Inc

Mailing Address: 2631 Gattis School Rd, Bldg 2, Ste 270

City, State: Round Rock, Texas

Zip: 78664

Telephone: 512-222-4964

Fax: _____

Email Address: paulo.misi@swengineers.com

6. Project Location:

- ☒ The project site is located inside the city limits of Leander.
- ☐ The project site is located outside the city limits but inside the ETJ (extra-territorial jurisdiction) of _____.
- ☐ The project site is not located within any city's limits or ETJ.

7. ☒ The location of the project site is described below. Sufficient detail and clarity has been provided so that the TCEQ's Regional staff can easily locate the project and site boundaries for a field investigation.

N Bagdad Rd and W San Gabriel Pkwy, Leander, TX 78641

8. ☒ Attachment A - Road Map. A road map showing directions to and the location of the project site is attached. The map clearly shows the boundary of the project site.

9. ☒ Attachment B - USGS Quadrangle Map. A copy of the official 7 ½ minute USGS Quadrangle Map (Scale: 1" = 2000") is attached. The map(s) clearly show:

- ☒ Project site boundaries.
- ☒ USGS Quadrangle Name(s).

10. ☒ Attachment C - Project Narrative. A detailed narrative description of the proposed project is attached. The project description is consistent throughout the application and contains, at a minimum, the following details:

- ☒ Area of the site
- ☒ Offsite areas
- ☒ Impervious cover
- ☒ Permanent BMP(s)
- ☒ Proposed site use
- ☒ Site history
- ☒ Previous development
- ☒ Area(s) to be demolished

11. Existing project site conditions are noted below:

- ☐ Existing commercial site
- ☐ Existing industrial site
- ☐ Existing residential site

- ☐ Existing paved and/or unpaved roads
☐ Undeveloped (Cleared)
☒ Undeveloped (Undisturbed/Not cleared)
☐ Other: _____

12. The type of project is:

- ☐ Residential: # of Lots: _____
☐ Residential: # of Living Unit Equivalents: _____
☒ Commercial
☐ Industrial
☐ Other: _____

13. Total project area (size of site): 14.79 Acres

Total disturbed area: 14.82 Acres

14. Estimated projected population: N/A

15. The amount and type of impervious cover expected after construction is complete is shown below:

Table 1 - Impervious Cover

<i>Impervious Cover of Proposed Project</i>	<i>Sq. Ft.</i>	<i>Sq. Ft./Acre</i>	<i>Acres</i>
Structures/Rooftops	91364	÷ 43,560 =	2.10
Parking	72576	÷ 43,560 =	1.67
Other paved surfaces	274080	÷ 43,560 =	6.29
Total Impervious Cover	29438020	÷ 43,560 =	10.06

Total Impervious Cover 10.06 ÷ Total Acreage 14.79 X 100 = 68.02% Impervious Cover

16. ☒ Attachment D - Factors Affecting Surface Water Quality. A detailed description of all factors that could affect surface water quality is attached. If applicable, this includes the location and description of any discharge associated with industrial activity other than construction.

17. ☒ Only inert materials as defined by 30 TAC 330.2 will be used as fill material.

For Road Projects Only

Complete questions 18 - 23 if this application is exclusively for a road project.

☐ N/A

18. Type of project:

- ☐ TXDOT road project.
- ☐ County road or roads built to county specifications.
- ☐ City thoroughfare or roads to be dedicated to a municipality.
- ☐ Street or road providing access to private driveways.

19. Type of pavement or road surface to be used:

- ☐ Concrete
- ☐ Asphaltic concrete pavement
- ☐ Other: _____

20. Right of Way (R.O.W.):

Length of R.O.W.: _____ feet.

Width of R.O.W.: _____ feet.

$L \times W = \text{_____ Ft}^2 \div 43,560 \text{ Ft}^2/\text{Acre} = \text{_____ acres.}$

21. Pavement Area:

Length of pavement area: _____ feet.

Width of pavement area: _____ feet.

$L \times W = \text{_____ Ft}^2 \div 43,560 \text{ Ft}^2/\text{Acre} = \text{_____ acres.}$

Pavement area _____ acres \div R.O.W. area _____ acres $\times 100 = \text{_____ \%}$ impervious cover.

22. ☐ A rest stop will be included in this project.

☐ A rest stop will not be included in this project.

23. ☐ Maintenance and repair of existing roadways that do not require approval from the TCEQ Executive Director. Modifications to existing roadways such as widening roads/adding shoulders totaling more than one-half (1/2) the width of one (1) existing lane require prior approval from the TCEQ.

Stormwater to be generated by the Proposed Project

24. ☒ Attachment E - Volume and Character of Stormwater. A detailed description of the volume (quantity) and character (quality) of the stormwater runoff which is expected to occur from the proposed project is attached. The estimates of stormwater runoff quality and quantity are based on area and type of impervious cover. Include the runoff coefficient of the site for both pre-construction and post-construction conditions.

Wastewater to be generated by the Proposed Project

25. ☐ Wastewater is to be discharged in the contributing zone. Requirements under 30 TAC §213.6(c) relating to Wastewater Treatment and Disposal Systems have been satisfied.

☐ N/A

26. Wastewater will be disposed of by:

☐ On-Site Sewage Facility (OSSF/Septic Tank):

☐ Attachment F - Suitability Letter from Authorized Agent. An on-site sewage facility will be used to treat and dispose of the wastewater from this site. The appropriate licensing authority's (authorized agent) written approval is attached. It states that the land is suitable for the use of private sewage facilities and will meet or exceed the requirements for on-site sewage facilities as specified under 30 TAC Chapter 285 relating to On-site Sewage Facilities.

☐ Each lot in this project/development is at least one (1) acre (43,560 square feet) in size. The system will be designed by a licensed professional engineer or registered sanitarian and installed by a licensed installer in compliance with 30 TAC Chapter 285.

☒ Sewage Collection System (Sewer Lines):

The sewage collection system will convey the wastewater to the Leander Wastewater (name) Treatment Plant. The treatment facility is:

☒ Existing.

☐ Proposed.

☐ N/A

Permanent Aboveground Storage Tanks (ASTs) \geq 500 Gallons

Complete questions 27 - 33 if this project includes the installation of AST(s) with volume(s) greater than or equal to 500 gallons.

☒ N/A

27. Tanks and substance stored:

Table 2 - Tanks and Substance Storage

<i>AST Number</i>	<i>Size (Gallons)</i>	<i>Substance to be Stored</i>	<i>Tank Material</i>
1			
2			
3			
4			
5			

Total x 1.5 = _____ Gallons

28. ☐ The AST will be placed within a containment structure that is sized to capture one and one-half (1 1/2) times the storage capacity of the system. For facilities with more than

one tank system, the containment structure is sized to capture one and one-half (1 1/2) times the cumulative storage capacity of all systems.

- ☐ Attachment G - Alternative Secondary Containment Methods. Alternative methods for providing secondary containment are proposed. Specifications showing equivalent protection for the Edwards Aquifer are attached.

29. Inside dimensions and capacity of containment structure(s):

Table 3 - Secondary Containment

<i>Length (L)(Ft.)</i>	<i>Width(W)(Ft.)</i>	<i>Height (H)(Ft.)</i>	<i>L x W x H = (Ft3)</i>	<i>Gallons</i>

Total: _____ Gallons

30. Piping:

- ☐ All piping, hoses, and dispensers will be located inside the containment structure.
- ☐ Some of the piping to dispensers or equipment will extend outside the containment structure.
- ☐ The piping will be aboveground
- ☐ The piping will be underground

31. ☐ The containment area must be constructed of and in a material impervious to the substance(s) being stored. The proposed containment structure will be constructed of: _____.

32. ☐ Attachment H - AST Containment Structure Drawings. A scaled drawing of the containment structure is attached that shows the following:

- ☐ Interior dimensions (length, width, depth and wall and floor thickness).
- ☐ Internal drainage to a point convenient for the collection of any spillage.
- ☐ Tanks clearly labeled
- ☐ Piping clearly labeled
- ☐ Dispenser clearly labeled

33. ☐ Any spills must be directed to a point convenient for collection and recovery. Spills from storage tank facilities must be removed from the controlled drainage area for disposal within 24 hours of the spill.

- ☐ In the event of a spill, any spillage will be removed from the containment structure within 24 hours of the spill and disposed of properly.

- ☐ In the event of a spill, any spillage will be drained from the containment structure through a drain and valve within 24 hours of the spill and disposed of properly. The drain and valve system are shown in detail on the scaled drawing.

Site Plan Requirements

Items 34 - 46 must be included on the Site Plan.

34. ☒ The Site Plan must have a minimum scale of 1" = 400'.
Site Plan Scale: 1" = 50'.
35. 100-year floodplain boundaries:
- ☐ Some part(s) of the project site is located within the 100-year floodplain. The floodplain is shown and labeled.
- ☒ No part of the project site is located within the 100-year floodplain.
The 100-year floodplain boundaries are based on the following specific (including date of material) sources(s): _____.
36. ☒ The layout of the development is shown with existing and finished contours at appropriate, but not greater than ten-foot contour intervals. Lots, recreation centers, buildings, roads, etc. are shown on the site plan.
- ☐ The layout of the development is shown with existing contours at appropriate, but not greater than ten-foot contour intervals. Finished topographic contours will not differ from the existing topographic configuration and are not shown. Lots, recreation centers, buildings, roads, etc. are shown on the site plan.
37. ☒ A drainage plan showing all paths of drainage from the site to surface streams.
38. ☒ The drainage patterns and approximate slopes anticipated after major grading activities.
39. ☒ Areas of soil disturbance and areas which will not be disturbed.
40. ☒ Locations of major structural and nonstructural controls. These are the temporary and permanent best management practices.
41. ☒ Locations where soil stabilization practices are expected to occur.
42. ☐ Surface waters (including wetlands).
☒ N/A
43. ☐ Locations where stormwater discharges to surface water.
☒ There will be no discharges to surface water.
44. ☐ Temporary aboveground storage tank facilities.
☒ Temporary aboveground storage tank facilities will not be located on this site.

45. ☐ Permanent aboveground storage tank facilities.
☒ Permanent aboveground storage tank facilities will not be located on this site.
46. ☒ Legal boundaries of the site are shown.

Permanent Best Management Practices (BMPs)

Practices and measures that will be used during and after construction is completed.

47. ☒ Permanent BMPs and measures must be implemented to control the discharge of pollution from regulated activities after the completion of construction.
☐ N/A
48. ☒ These practices and measures have been designed, and will be constructed, operated, and maintained to insure that 80% of the incremental increase in the annual mass loading of total suspended solids (TSS) from the site caused by the regulated activity is removed. These quantities have been calculated in accordance with technical guidance prepared or accepted by the executive director.
☒ The TCEQ Technical Guidance Manual (TGM) was used to design permanent BMPs and measures for this site.
☐ A technical guidance other than the TCEQ TGM was used to design permanent BMPs and measures for this site. The complete citation for the technical guidance that was used is: _____.
☐ N/A
49. ☒ Owners must insure that permanent BMPs and measures are constructed and function as designed. A Texas Licensed Professional Engineer must certify in writing that the permanent BMPs or measures were constructed as designed. The certification letter must be submitted to the appropriate regional office within 30 days of site completion.
☐ N/A
50. Where a site is used for low density single-family residential development and has 20 % or less impervious cover, other permanent BMPs are not required. This exemption from permanent BMPs must be recorded in the county deed records, with a notice that if the percent impervious cover increases above 20% or land use changes, the exemption for the whole site as described in the property boundaries required by 30 TAC §213.4(g) (relating to Application Processing and Approval), may no longer apply and the property owner must notify the appropriate regional office of these changes.
☐ The site will be used for low density single-family residential development and has 20% or less impervious cover.
☐ The site will be used for low density single-family residential development but has more than 20% impervious cover.
☒ The site will not be used for low density single-family residential development.

51. The executive director may waive the requirement for other permanent BMPs for multi-family residential developments, schools, or small business sites where 20% or less impervious cover is used at the site. This exemption from permanent BMPs must be recorded in the county deed records, with a notice that if the percent impervious cover increases above 20% or land use changes, the exemption for the whole site as described in the property boundaries required by 30 TAC §213.4(g) (relating to Application Processing and Approval), may no longer apply and the property owner must notify the appropriate regional office of these changes.
- ☐ Attachment I - 20% or Less Impervious Cover Waiver. The site will be used for multi-family residential developments, schools, or small business sites and has 20% or less impervious cover. A request to waive the requirements for other permanent BMPs and measures is attached.
 - ☒ The site will be used for multi-family residential developments, schools, or small business sites but has more than 20% impervious cover.
 - ☐ The site will not be used for multi-family residential developments, schools, or small business sites.
52. ☒ Attachment J - BMPs for Upgradient Stormwater.
- ☐ A description of the BMPs and measures that will be used to prevent pollution of surface water, groundwater, or stormwater that originates upgradient from the site and flows across the site is attached.
 - ☐ No surface water, groundwater or stormwater originates upgradient from the site and flows across the site, and an explanation is attached.
 - ☒ Permanent BMPs or measures are not required to prevent pollution of surface water, groundwater, or stormwater that originates upgradient from the site and flows across the site, and an explanation is attached.
53. ☒ Attachment K - BMPs for On-site Stormwater.
- ☒ A description of the BMPs and measures that will be used to prevent pollution of surface water or groundwater that originates on-site or flows off the site, including pollution caused by contaminated stormwater runoff from the site is attached.
 - ☐ Permanent BMPs or measures are not required to prevent pollution of surface water or groundwater that originates on-site or flows off the site, including pollution caused by contaminated stormwater runoff, and an explanation is attached.
54. ☐ Attachment L - BMPs for Surface Streams. A description of the BMPs and measures that prevent pollutants from entering surface streams is attached.
- ☒ N/A
55. ☒ Attachment M - Construction Plans. Construction plans and design calculations for the proposed permanent BMPs and measures have been prepared by or under the direct supervision of a Texas Licensed Professional Engineer, and are signed, sealed, and dated. Construction plans for the proposed permanent BMPs and measures are

attached and include: Design calculations, TCEQ Construction Notes, all proposed structural plans and specifications, and appropriate details.

☐ N/A

56. ☒ Attachment N - Inspection, Maintenance, Repair and Retrofit Plan. A site and BMP specific plan for the inspection, maintenance, repair, and, if necessary, retrofit of the permanent BMPs and measures is attached. The plan fulfills all of the following:

- ☐ Prepared and certified by the engineer designing the permanent BMPs and measures
- ☐ Signed by the owner or responsible party
- ☐ Outlines specific procedures for documenting inspections, maintenance, repairs, and, if necessary, retrofit.
- ☐ Contains a discussion of record keeping procedures

☐ N/A

57. ☐ Attachment O - Pilot-Scale Field Testing Plan. Pilot studies for BMPs that are not recognized by the Executive Director require prior approval from the TCEQ. A plan for pilot-scale field testing is attached.

☒ N/A

58. ☒ Attachment P - Measures for Minimizing Surface Stream Contamination. A description of the measures that will be used to avoid or minimize surface stream contamination and changes in the way in which water enters a stream as a result of the construction and development is attached. The measures address increased stream flashing, the creation of stronger flows and in-stream velocities, and other in-stream effects caused by the regulated activity, which increase erosion that result in water quality degradation.

☐ N/A

Responsibility for Maintenance of Permanent BMPs and Measures after Construction is Complete.

59. ☒ The applicant is responsible for maintaining the permanent BMPs after construction until such time as the maintenance obligation is either assumed in writing by another entity having ownership or control of the property (such as without limitation, an owner's association, a new property owner or lessee, a district, or municipality) or the ownership of the property is transferred to the entity. Such entity shall then be responsible for maintenance until another entity assumes such obligations in writing or ownership is transferred.
60. ☒ A copy of the transfer of responsibility must be filed with the executive director at the appropriate regional office within 30 days of the transfer if the site is for use as a multiple single-family residential development, a multi-family residential development,

or a non-residential development such as commercial, industrial, institutional, schools, and other sites where regulated activities occur.


Administrative Information

- 61. ☒ Submit one (1) original and one (1) copy of the application, plus additional copies as needed for each affected incorporated city, groundwater conservation district, and county in which the project will be located. The TCEQ will distribute the additional copies to these jurisdictions.
- 62. ☒ Any modification of this Contributing Zone Plan may require TCEQ review and Executive Director approval prior to construction, and may require submission of a revised application, with appropriate fees.
- 63. ☒ The site description, controls, maintenance, and inspection requirements for the storm water pollution prevention plan (SWPPP) developed under the EPA NPDES general permits for stormwater discharges have been submitted to fulfill paragraphs 30 TAC §213.24(1-5) of the technical report. All requirements of 30 TAC §213.24(1-5) have been met by the SWPPP document.
- ☒ The Temporary Stormwater Section (TCEQ-0602) is included with the application.

CONTRIBUTING ZONE PLAN

ATTACHMENT A

ROAD MAP



**WEST SAN GABRIEL PARKWAY & BAGDAD ROAD,
LEANDER, TX 78641**


ATTACHMENT B



U.S. DEPARTMENT OF THE INTERIOR
U.S. GEOLOGICAL SURVEY






NAMELESS QUADRANGLE
TEXAS
7.5-MINUTE SERIES



Produced by the United States Geological Survey
North American Datum of 1983 (NAD83)
World Geodetic System of 1984 (WGS84). Projection and
1 000-meter grid/Universal Transverse Mercator, Zone 14R
This map is not a legal document. Boundaries may be
generalized for this map scale. Private lands within government
reservations may not be shown. Obtain permission before
entering private lands.

Imagery.....NAIP, September 2016 - November 2016
Roads.....U.S. Census Bureau, 2015 - 2019
Names.....GNIS, 1979 - 2023
Hydrography.....National Hydrography Dataset, 2002 - 2022
Contours.....National Elevation Dataset, 2019
Boundaries.....Multiple sources; see metadata file 2020 - 2022
Wetlands.....FWS National Wetlands Inventory Not Available



NAMELESS, TX
2023



CONTRIBUTING ZONE APPLICATION
ATTACHMENT C

PROJECT NARRATIVE

The subject property consists of a ± 14.79 -acre tract located at the northeast corner of N Bagdad Rd and W San Gabriel Pkwy, Leander, TX 78641. The property is located within the City of Leander City Limits and Williamson County and is not located within the Edwards Aquifer Recharge Zone as defined by the Texas Commission on Environmental Quality (TCEQ). The project tract is located within the Turkey Creek-Brushy Creek Watershed. It lies east of The Haven at San Gabriel and south of Tom Glenn High School. Currently, the tract is undeveloped with no existing buildings or drives. Therefore, nothing is to be demolished. The proposed development includes the construction of thirteen (13) various commercial and retail buildings, associated parking, and a water quality/detention pond (Batch Detention Pond).

- Limits of Construction: ± 14.82 acres
- Legal Boundaries: ± 14.79 acres
- Total Impervious Cover: ± 10.06 acres

The batch detention pond will be used as a Permanent Best Management Practice (BMP) onsite to treat stormwater generated. The BMP has been designed in accordance with TCEQ's Edwards Aquifer Rules Technical Guidance on Best Management Practices RG-348 Addendum Sheet. Stormwater will be detained in the batch detention pond prior to being released into the existing Turkey Creek.

CONTRIBUTING ZONE PLAN
ATTACHMENT D

FACTORS AFFECTING SURFACE WATER QUALITY

DURING CONSTRUCTION

Non-Storm Water Discharges - The following non-storm water discharges may occur from the site during the construction period:

- Non-point discharge of paint and solvents
- Water used to wash vehicles or control dust
- Water from utility line flushing during initial line testing
- Petroleum drippings from vehicle movement
- Pavement wash waters (where no spills or leaks of toxic or hazardous materials have occurred)
- Groundwater (from dewatering of excavation)
- Silt Runoff from soil disturbance
- Trash and Debris (Litter) and discarded Food and Tobacco Products

All non-storm water discharge will be directed to the Erosion and Sedimentation Controls (Best Management Practices) to remove any suspended solids contained therein. Material management practices will be utilized to reduce the risk of spills, or other accidental exposure of the materials listed above to storm water runoff. These and any other sources of pollutants that may affect storm water quality will be screened and filtered by temporary BMPs, which will be installed prior to the commencement of site clearing.

POST CONSTRUCTION

Non-Storm Water Discharges after construction has been completed which can affect water quality include:

- Lawn fertilizer and pesticides
- Petroleum drippings from vehicle movement
- Cleaning products used out-of-doors not captured in sanitary sewer
- Landscape Maintenance

Post-construction storm water discharges typically will transport sediment in the form of dirt and dust accumulated on streets and other impervious flatwork, rooftops and sediment from erosion of grassy areas. That material will be conveyed to the water quality pond (where most pollutants will be removed), and then conveyed to the proposed detention pond and finally discharge sheet flows into the undeveloped land.

CONTRIBUTING ZONE PLAN
ATTACHMENT E

VOLUME AND CHARACTER OF STORMWATER

The project site is defined by five (5) major existing drainage areas, and they drain from all directions to the south end of the property. Using City of Georgetown runoff coefficients and Atlas 14 rainfall data, the existing drainage area will produce a peak flow of approximately 314.8 cubic feet per second (cfs) during a 100-year storm event. Please refer to the “Existing Drainage Area Map – Overall” provided in the site construction drawings for more information. This existing drainage area naturally conveys storm water via overland flow into Turkey Creek.

In proposed conditions, the impervious cover on-site will be approximately 10.06 acres ($\pm 68.02\%$ of the total property acreage). Using City of Georgetown runoff coefficients and Atlas 14 rainfall data, the proposed drainage areas will produce a peak flow of approximately 314.5 cubic feet per second (cfs) during a 100-year storm event. Please refer to the “Proposed Drainage Area Map – Overall” provided in the site construction drawings for more information. Please see the Project Narrative - Attachment C for more information.

Erosion Controls will be installed to decrease and/or prevent sediment runoff during construction. Please refer to the site construction drawings for further details.



**Southwest
Engineers**
Engineering Texas Since 1978

**Public Infrastructure
Land Development
Land & ROW Acquisition**

TBPELS No. F-1909

CONTRIBUTING ZONE PLAN
ATTACHMENT I

20% OR LESS IMPERVIOUS COVER WAIVER

This attachment is not applicable. Please refer to the site construction drawings provided with this application for information concerning the proposed permanent Best Management Practices (BMPs) on-site.



**Southwest
Engineers**
Engineering Texas Since 1978

**Public Infrastructure
Land Development
Land & ROW Acquisition**

TBPELS No. F-1909

CONTRIBUTING ZONE PLAN
ATTACHMENT J

BMPS FOR UPGRADIENT STORMWATER

All upgradient stormwater is to be conveyed through two (2) 5'x3' concrete box culverts to an area at the downstream end of the property where it will be transferred into existing culverts going under W San Gabriel Pkwy. Therefore, no BMPs will be needed to prevent the pollution of upgradient stormwater.



**Southwest
Engineers**
Engineering Texas Since 1978

**Public Infrastructure
Land Development
Land & ROW Acquisition**

TBPELS No. F-1909

CONTRIBUTING ZONE PLAN
ATTACHMENT K

BMPS FOR ON-SITE STORMWATER

Permanent Best Management Practices (BMPs) are proposed to prevent pollution of surface water that originates on-site, including pollution that originates from contaminated storm water runoff from the site. The BMP will be in the form of a Batch Detention Pond designed to capture and treat storm water runoff produced on-site. The TCEQ Total Suspended Solids (TSS) Removal Calculations spreadsheet was used to determine the total TSS removal required for the Market Square commercial development. Please refer to the site construction drawings for detailed calculations and more information.



**Southwest
Engineers**
Engineering Texas Since 1978

**Public Infrastructure
Land Development
Land & ROW Acquisition**

TBPELS No. F-1909

CONTRIBUTING ZONE PLAN
ATTACHMENT L

BMPS FOR SURFACE STREAMS

No BMP's are required for preventing pollutants from entering surface streams. Please refer to the site construction drawings for more information.



**Southwest
Engineers**
Engineering Texas Since 1978

**Public Infrastructure
Land Development
Land & ROW Acquisition**

TBPELS No. F-1909

CONTRIBUTING ZONE PLAN
ATTACHMENT M

CONSTRUCTION PLANS

Please refer to the Market Square construction plans and TSS Removal Calculations provided with this application.

O:\Company\Drawings\1197 - Bagdad San Gabriel Development\CAD\Drawings\1197-001_DRAINAGE-EXISTING.dwg - Layout: "EXISTING DRAINAGE AREA MAP" - Wed, Jun 18, 2025, 8:31am, By: kaden.dobson@sweng.com



DRAINAGE AREA	SHEET FLOW				SHALLOW CONCENTRATED FLOW				CHANNEL FLOW (GUTTER)			Total Tc (MIN.)	Total Tc (HRS.)	Total Tlag (MIN.)
	L FT	SLOPE (FT/FT)	n	Tc sheet (MIN.)	L FT	SLOPE (FT/FT)	Paved? Y or N	Tc Shallow (MIN.)	L FT	Vavg (FT/S)	Tc Channel (MIN.)			
	100	0.015	0.24	14.6	1434.601	0.013	N	13.3	0	4.00	0.0			
EX-A	DATA EXTRACTED FROM L.I.S.D. HIGH SCHOOL NO. 6 "AS-BUILT" PLANS PERMIT SET											27.8	0.464	16.689
EX-OS-A1	DATA EXTRACTED FROM L.I.S.D. HIGH SCHOOL NO. 6 "AS-BUILT" PLANS PERMIT SET											9.8	0.163	5.868
EX-OS-A2	DATA EXTRACTED FROM L.I.S.D. HIGH SCHOOL NO. 6 "AS-BUILT" PLANS PERMIT SET											7.5	0.125	4.500
EX-OS-A3	100	0.019	0.011	1.1	370.900	0.017	Y	2.4	633.735	4.00	2.6	6.1	0.102	3.678
EX-OS-A4	100	0.009	0.011	1.5	41.438	0.068	Y	0.1	167.188	4.00	0.7	5.0	0.083	3.000

DRAINAGE AREA	AREA (sq ft)	AREA (acres)	Imprv.	Perv.	% Imprv	CN	Tc (hrs)	Q - PEAK FLOWS			
								2 YR (cfs)	10 YR (cfs)	25 YR (cfs)	100 YR (cfs)
EX-POA-A	644345.429	14.79	0.000	14.79	0%	80	0.464	25.4	48.5	64.6	92.1
EX-OS-A1	744316.890	17.05	6.374	10.672	37%	89.2	0.163	59.6	97.4	122.9	165.7
EX-OS-A2	251837.185	5.77	3.866	1.908	67%	93.4	0.125	23.4	43.4	46.1	61.5
EX-OS-A3	43596.350	1.00	0.470	0.530	47%	80	0.102	3.8	6.4	8.2	11.2
EX-OS-A4	21028.722	0.48	0.365	0.115	76%	80	0.083	2.3	3.6	4.5	6.0

LEGEND

PROPERTY LINE

RIGHT-OF-WAY LINE

EASEMENT LINE OR SETBACK

EXISTING CONTOUR

EXISTING TREE AND TREE TAG

TO REMAIN

TO BE REMOVED

TC

DRAINAGE BOUNDARY LINE

TIME OF CONCENTRATION LINE

DRAINAGE FLOW ARROW

NAME

DRAINAGE LABEL

AREA (ACRES)

#

INLET LABEL

NOTES:

- ON-SITE SURVEY TOPOGRAPHIC INFORMATION PROVIDED BY QUICK INC. OBTAINED ON JULY 22, 2024.
- OFF-SITE TOPOGRAPHIC INFORMATION OBTAINED FROM TEXAS NATURAL RESOURCES INFORMATION SYSTEM.
- REFER TO WATER QUALITY AND DETENTION POND PLAN SHEETS FOR ADDITIONAL DRAINAGE CALCULATIONS AND DETAILS.
- DRAINAGE AREAS EX-OS-A1 AND EX-OS-A2 INFORMATION WERE EXTRACTED FROM THE "AS-BUILT" PLANS PERMIT SET FROM THE L.I.S.D. HIGH SCHOOL NO. 6, AND UPDATED TO MEET THE CURRENT CITY OF AUSTIN DCM REGULATIONS.

NO.	REVISION	DATE

THE SEAL APPEARING ON THIS DOCUMENT WAS AUTHORIZED BY PAULO MISI, PE #106179 ON THE DATE INDICATED. ANY ALTERATIONS OF THIS SEALED DOCUMENT WITHOUT PROPER NOTIFICATION TO THE RESPONSIBLE ENGINEER IS AN OFFENSE UNDER THE TEXAS ENGINEERING PRACTICE ACT.

Southwest Engineers
Engineering Texas Since 1978
TBPE NO. F-1909
www.swengineering.com

ROUND ROCK
2631 GATTO SCHOOL ROAD STE 270
ROUND ROCK, TEXAS 78664
PH: 512.222.4962
GONZALES | BUDA | BASTROP
ROUND ROCK | CUERO

TEXAS ONE CALL SYSTEM
1-800-245-4545
UNDER PENALTY OF LAW, THE CONTRACTOR IS REQUIRED TO CONTACT THE TEXAS ONE CALL SYSTEM AT LEAST 48 HOURS BEFORE STARTING EXCAVATION.


EXISTING DRAINAGE AREA MAP

EXISTING DRAINAGE AREA MAP

WEST SAN GABRIEL PKWY & BAGDAD ROAD, LEANDER, TEXAS, 78641

DRAWN BY:	PROJECT NO.
CHECKED BY:	DRAWING NO.
SHEET 12 OF 63	

XX-####-####X



Texas Commission on Environmental Quality TSS Removal Calculations 04-20-2009			Project Name: Leander Commercial Retail Development Date Prepared: 1/2/2025		
1. The Required Load Reduction for the total project:			4. Calculate Maximum TSS Load Removed (L _T) for this Drainage Basin by the selected BMP Type:		
Page 3-29 Equation 3.3: L _T = 27.2(A _u × P)			RG-348 Page 3-33 Equation 3.7: L _T = (BMP efficiency) × P × (A _u × 34.6 + A _p × 0.54)		
where:			where:		
L _T TOTAL PROJECT = Required TSS removal resulting from the proposed development = 80% of increased to			A _u = Total On-Site drainage area in the BMP catchment area		
A _u = Net increase in impervious area for the project			A _p = Impervious area proposed in the BMP catchment area		
P = Average annual precipitation, inches			A _p = Previous area remaining in the BMP catchment area		
L _T TOTAL PROJECT = 8495 lbs			L _T = TSS Load removed from this catchment area by the proposed BMP		
2. Drainage Basin Parameters (This information should be provided for each basin):			5. Calculate Fraction of Annual Runoff to Treat the drainage basin / outfall area		
Drainage Basin/Outfall Area No. = 1			Desired L _T THIS BASIN = 8495 lbs		
Total drainage basin/outfall area = 14.79 acres			F = 0.86		
Predevelopment impervious area within the limits of the plan = 0.00 acres			6. Calculate Capture Volume required by the BMP Type for this drainage basin / outfall area		
Post-development impervious area within the limits of the plan = 9.76 acres			Rainfall Depth = 1.38 inches		
Post-development impervious fraction within drainage basin/outfall area = 0.66			Post Development Runoff Coefficient = 0.47		
L _T THIS BASIN = 8495 lbs			On-site Water Quality Volume = 34679 cubic feet		
3. Indicate the proposed BMP Code for this basin:			Calculations from RG-348 Pages 3-36 to 3-37		
Proposed BMP = Batch Detention Basin			Off-site area draining to BMP = 0.00 acres		
Removal efficiency = 91 percent			Off-site impervious cover draining to BMP = 0.00 acres		
			Impervious fraction of off-site area = 0		
			Off-site Runoff Coefficient = 0.00		
			Off-site Water Quality Volume = 0 cubic feet		
			Storage for Sediment = 6936 cubic feet		
			Total Capture Volume (required water quality volume(s) × 1.20) = 41615 cubic feet		
			The following sections are used to calculate the required water quality volume(s) for the selected BMP.		
			The values for BMP Types not selected in call C45 will show NA.		
			22. Batch Detention Basin		
			Designed as Required in RG-348		
			Pg. 29, Addendum		
			Required Water Quality Volume for batch detention basin = 41615 cubic feet		

NO.

REVISION

DATE

THE SEAL APPEARING ON THIS DOCUMENT WAS AUTHORIZED BY PAUL MISI, PE

#106179 ON

THE DATE INDICATED, ANY ALTERATIONS OF THIS SEALED DOCUMENT WITHOUT PROPER NOTIFICATION TO THE RESPONSIBLE ENGINEER IS AN OFFENSE UNDER THE TEXAS ENGINEERING PRACTICE ACT.

PAUL MISI

106179

PROFESSIONAL ENGINEER

6/18/2025

Southwest Engineers

Engineering Texas Since 1978

TBPE NO. F-1909

www.swengineering.com

ROUND ROCK

2631 GATTIS SCHOOL ROAD STE 270

ROUND ROCK, TEXAS 78664

PH: 512.222.4962

GONZALES | BUDA | BASTROP

ROUND ROCK | CUERO

TEXAS ONE CALL SYSTEM

1-800-245-4545

UNDER PENALTY OF LAW, THE CONTRACTOR IS REQUIRED TO CONTACT THE TEXAS ONE CALL SYSTEM AT LEAST 48 HOURS BEFORE STARTING EXCAVATION.

WATER QUALITY DRAINAGE AREA MAP

MARKET SQUARE

WEST SAN GABRIEL PKWY & BAGDAD ROAD, LEANDER, TEXAS, 78641

DRAWN BY:

PROJECT NO.


CHECKED BY:

DRAWING NO.

SHEET 14 OF 63


O:\Company\Draft\1197-001_Bagdad San Gabriel Development\1197-001_DRNG-WQ.dwg - Wed Jun 18, 2025, 8:31 am, By: kaden.debarbaris

O:\Company\Drawings\1197 - Bagdad San Gabriel Development\1197-001_SITE-Overall.dwg - Layout: "SITE PLAN - OVERALL" - Wed, Jun 18, 2025, 8:32am By: jordan.dabandine




NO.	REVISION	DATE

THE SEAL APPEARING ON THIS DOCUMENT WAS AUTHORIZED BY PAULO MISI, PE #106179 ON THE DATE INDICATED. ANY ALTERATIONS OF THIS SEALED DOCUMENT WITHOUT PROPER NOTIFICATION TO THE RESPONSIBLE ENGINEER IS AN OFFENSE UNDER THE TEXAS ENGINEERING PRACTICE ACT.



Southwest Engineers
Engineering Texas Since 1978
TBPE NO. F-1909
www.swengineering.com

ROUND ROCK
2631 GATTIS SCHOOL ROAD STE 270
ROUND ROCK, TEXAS 78664
PH: 512.222.4962
GONZALES | BUDA | BASTROP
ROUND ROCK | CUERO



TEXAS ONE CALL SYSTEM
1-800-245-4545
UNDER PENALTY OF LAW, THE CONTRACTOR IS REQUIRED TO CONTACT THE TEXAS ONE CALL SYSTEM AT LEAST 48 HOURS BEFORE STARTING EXCAVATION.

SITE PLAN - OVERALL

MARKET SQUARE
WEST SAN GABRIEL PKWY & BAGDAD ROAD, LEANDER, TEXAS, 78641

DRAWN BY:

PROJECT NO.
1173-001


CHECKED BY:

DRAWING NO.

SHEET 19 OF 63

XX-####-####X

O:\Company\Drawings\1197 - Bagdad San Gabriel Development\1197-001_PONDOS.dwg - Layout - "WATER QUALITY AND DETENTION POND PLAN" - Wed, Jun 18, 2025, 8:32am, By: Justin Debarrios



LEGEND

TO REMAIN

TO BE REMOVED

PROPERTY LINE

RIGHT-OF-WAY LINE

EASEMENT LINE OR SETBACK

(SEE PLAN FOR TYPE AND WIDTH)

EXISTING CONTOUR

EXISTING TREE AND TREE TAG

(SEE TREE LIST FOR SIZE / TYPE)

PROPOSED ACCESSIBLE ROUTE

PROPOSED CONTOURS

PROPOSED SPOT GRADES

EXISTING SPOT GRADES

PROPOSED FLOWLINE

PROPOSED FLOW ARROWS

TC = TOP OF CURB

EOP = EDGE OF PAVEMENT

FL = FLOW LINE

LP = LOW POINT

TW = TOP OF WALL

ME = MATCH EXISTING

HP = HIGH POINT


EG = EXISTING GRADE

SECTION CALL OUT

SHEET FOUND ON


NO.	REVISION	DATE	THE SEAL APPEARING ON THIS DOCUMENT WAS AUTHORIZED BY PAULO MISI, PE #106179 ON THE DATE INDICATED. ANY ALTERATIONS OF THIS SEALED DOCUMENT WITHOUT PROPER NOTIFICATION TO THE RESPONSIBLE ENGINEER IS AN OFFENSE UNDER THE TEXAS ENGINEERING PRACTICE ACT.	<div><div><div>STATE OF TEXAS</div><div>PAULO MISI</div><div>106179</div><div>PROFESSIONAL ENGINEER</div><div>06/18/2025</div></div></div>	<div><div><div><div></div></div><div>Southwest Engineers</div><div>Engineering Texas Since 1978</div><div>TBPE NO. F-1909</div><div>www.swengineering.com</div></div></div>	<div><div><div>ROUND ROCK</div><div>2631 GATTIS SCHOOL ROAD STE 270</div><div>ROUND ROCK, TEXAS 78664</div><div>PH: 512.222.4962</div><div>GONZALES BUDA BASTROP</div><div>ROUND ROCK CUERO</div></div></div>	<div><div><div><div></div></div><div>TEXAS ONE CALL SYSTEM</div><div>1-800-245-4545</div><div>UNDER PENALTY OF LAW, THE CONTRACTOR IS REQUIRED TO CONTACT THE TEXAS ONE CALL SYSTEM AT LEAST 48 HOURS BEFORE STARTING EXCAVATION.</div></div></div>	<div><div><div>WATER QUALITY AND DETENTION POND PLAN</div><div>MARKET SQUARE</div><div>WEST SAN GABRIEL PKWY & BAGDAD ROAD, LEANDER, TEXAS, 78641</div></div></div>	<div><div><div>DRAWN BY:</div><div>CHECKED BY:</div></div><div><div><div>PROJECT NO.</div><div>0954-001</div></div><div><div>DRAWING NO.</div></div></div></div>	<div><div>SHEET 37 OF 63</div><div>XX-####-####X</div></div>
-----	----------	------	---	--	---	---	---	---	--	--

O:\Company\Detail\1197 - Bagdad San Gabriel Development\1197-001_PONDS.dwg - Layout: "WATER QUALITY AND DETENTION POND CALCS AND DETAILS" - Wed, Jun 18, 2025, 8:32am. By: kadin.debernardinis




A DETENTION POND OUTFALL CROSS SECTION

Scale: 1"=30'




B DETENTION POND OUTFALL CROSS SECTION

Scale: 1"=30'



C DETENTION POND OUTFALL PLAN

Scale: 1"=5'




D DETENTION POND OUTFALL CROSS SECTION

Scale: 1"=5'

NO.	REVISION	DATE

THE SEAL APPEARING ON THIS DOCUMENT WAS AUTHORIZED BY PAULO MISI, PE #106179 ON THE DATE INDICATED. ANY ALTERATIONS OF THIS SEALED DOCUMENT WITHOUT PROPER NOTIFICATION TO THE RESPONSIBLE ENGINEER IS AN OFFENSE UNDER THE TEXAS ENGINEERING PRACTICE ACT.




ROUND ROCK
2631 GATTIS SCHOOL ROAD STE 270
ROUND ROCK, TEXAS 78664
PH: 512.222.4962
GONZALES | BUDA | BASTROP
ROUND ROCK | CUERO



WATER QUALITY AND DETENTION POND CALCS AND DETAILS	
MARKET SQUARE	
WEST SAN GABRIEL PKWY & BAGDAD ROAD, LEANDER, TEXAS, 78641	
DRAWN BY:	PROJECT NO. 0954-001
CHECKED BY:	DRAWING NO.
SHEET 38 OF 63	

O:\Company\Drawings\1197 - Bagdad San Gabriel Development\1197-001_OVERALL STORM.dwg - Wed Jun 18 2025, 8:32am By: kaden.dehner@rdms




LEGEND			
	PROPERTY LINE		RIGHT-OF-WAY LINE
	EASEMENT LINE OR SETBACK		EXISTING CONTOUR
	EXISTING TREE AND TREE TAG		PROPOSED UTILITIES:
	FIRE HYDRANTS		WATER VALVE
	MANHOLE (STORM)		MANHOLE (WASTEWATER)
	INLET		INLET
	WATER		WASTEWATER
	STORM SEWER		STORM SEWER

NO.	REVISION	DATE	THE SEAL APPEARING ON THIS DOCUMENT WAS AUTHORIZED BY PAULO MISI, PE #106179 ON THE DATE INDICATED. ANY ALTERATIONS OF THIS SEALED DOCUMENT WITHOUT PROPER NOTIFICATION TO THE RESPONSIBLE ENGINEER IS AN OFFENSE UNDER THE TEXAS ENGINEERING PRACTICE ACT.			Southwest Engineers Engineering Texas Since 1978 TBPE NO. F-1909 www.swengineering.com	ROUND ROCK 2631 GATTIS SCHOOL ROAD STE 270 ROUND ROCK, TEXAS 78664 PH: 512.222.4962 GONZALES BUDA BASTROP ROUND ROCK CUERO		TEXAS ONE CALL SYSTEM 1-800-245-4545 UNDER PENALTY OF LAW, THE CONTRACTOR IS REQUIRED TO CONTACT THE TEXAS ONE CALL SYSTEM AT LEAST 48 HOURS BEFORE STARTING EXCAVATION.	X.X.	OVERALL STORM		DRAWN BY:	PROJECT NO. 1197-00124
													CHECKED BY:	DRAWING NO.
MARKET SQUARE WEST SAN GABRIEL PKWY & BAGDAD ROAD, LEANDER, TEXAS, 78641												SHEET 40 OF 63		



XX-####-####X

O:\CompanyData\1197 - Bagdad San Gabriel Development\1197-001_STR-OFFSITE-COLLECTION-STR-Layout - OFFSITE COLLECTION STRUCTURE.dwg - Wed, Jun 18, 2025, 8:32am. By: jaden.soborodkin




LEGEND	
	PROPERTY LINE
	RIGHT-OF-WAY LINE
	EASEMENT LINE OR SETBACK (SEE PLAN FOR TYPE AND WIDTH)
	EXISTING CONTOUR
	EXISTING TREE AND TREE TAG (SEE TREE LIST FOR SIZE / TYPE)
	PROPOSED ACCESSIBLE ROUTE
	PROPOSED CONTOURS
	PROPOSED SPOT GRADES
	EXISTING SPOT GRADES
	PROPOSED FLOWLINE
	PROPOSED FLOW ARROWS
	TC = TOP OF CURB
	ECOP = EDGE OF PAVEMENT
	FL = FLOW LINE
	LP = LOW POINT
	T/W = TOP OF WALL
	ME = MATCH EXISTING
	HP = HIGH POINT
	EG = EXISTING GRADE

NOTES:
1. REFER TO STRUCTURAL PLAN SHEETS FOR ADDITIONAL INFORMATION. CONTRACTOR TO NOTIFY CIVIL ENGINEER UPON FINDING ANY DISCREPANCIES WITH THIS PLAN AND STRUCTURAL.



NO.	REVISION	DATE

THE SEAL APPEARING ON THIS DOCUMENT WAS AUTHORIZED BY PAULO MISI, PE #106179 ON THE DATE INDICATED. ANY ALTERATIONS OF THIS SEALED DOCUMENT WITHOUT PROPER NOTIFICATION TO THE RESPONSIBLE ENGINEER IS AN OFFENSE UNDER THE TEXAS ENGINEERING PRACTICE ACT.



Southwest Engineers
Engineering Texas Since 1978
TBPE NO. F-1909
www.swengineering.com

ROUND ROCK
2631 GATTIS SCHOOL ROAD STE 270
ROUND ROCK, TEXAS 78664
PH: 512.222.4962
GONZALES | BUDA | BASTROP
ROUND ROCK | CUERO


TEXAS ONE CALL SYSTEM
1-800-245-4545
UNDER PENALTY OF LAW, THE CONTRACTOR IS REQUIRED TO CONTACT THE TEXAS ONE CALL SYSTEM AT LEAST 48 HOURS BEFORE STARTING EXCAVATION.

OFFSITE COLLECTION STRUCTURE
MARKET SQUARE
WEST SAN GABRIEL PKWY & BAGDAD ROAD, LEANDER, TEXAS, 78641




DRAWN BY:	PROJECT NO. 0954-001
CHECKED BY:	DRAWING NO.
SHEET 42 OF 63	

XX-####-####X

O:\CompanyData\1197 - Bagdad San Gabriel Development\1197-001_STRA-CULVERTS.dwg - Layout - "CULVERT PLAN AND PROFILES" - Wed, Jun 18, 2025, 8:32am. By: kaden.debarndia




LEGEND	
	PROPERTY LINE
	RIGHT-OF-WAY LINE
	EASEMENT LINE OR SETBACK (SEE PLAN FOR TYPE AND WIDTH)
	EXISTING CONTOUR
	EXISTING TREE AND TREE TAG (SEE TREE LIST FOR SIZE / TYPE)
PROPOSED UTILITIES:	
	FIRE HYDRANTS
	WATER VALVE
	MANHOLE (STORM)
	MANHOLE (WW)
	INLET
EXISTING UTILITIES:	
	FIRE HYDRANTS
	WATER VALVE
	MANHOLE (STORM)
	MANHOLE (WW)
	INLET
PROPOSED FINISHED GRADE	
	PROPOSED SUB-GRADE
	EXISTING GRADE (@ CL.)
	PROPOSED STORM LINE




NO.	REVISION	DATE

THE SEAL APPEARING ON THIS DOCUMENT WAS AUTHORIZED BY PAULU MISI, PE #106179 ON THE DATE INDICATED. ANY ALTERATIONS OF THIS SEALED DOCUMENT WITHOUT PROPER NOTIFICATION TO THE RESPONSIBLE ENGINEER IS AN OFFENSE UNDER THE TEXAS ENGINEERING PRACTICE ACT.



ROUND ROCK
2631 GATTIS SCHOOL ROAD STE 270
ROUND ROCK, TEXAS 78664
PH: 512.222.4962

GONZALES | BUDA | BASTROP
ROUND ROCK | CUERO



TEXAS ONE CALL SYSTEM
1-800-248-4545
UNDER PENALTY OF LAW, THE CONTRACTOR IS REQUIRED TO CONTACT THE TEXAS ONE CALL SYSTEM AT LEAST 48 HOURS BEFORE STARTING EXCAVATION.

CULVERT PLAN AND PROFILES

MARKET SQUARE



WEST SAN GABRIEL PKWY & BAGDAD ROAD, LEANDER, TEXAS, 78641

DRAWN BY:	PROJECT NO.
CHECKED BY:	DRAWING NO.
SHEET 43 OF 63	

XX-####-####X

O:\Company\Drawings\1197 - Bagdad San Gabriel Development\1197-001_STM-PRIVATE.dwg - Layout - STORM SEWER PLAN (PRIVATE) - 1 of 2 - Wed, Jun 18, 2025, 8:32am, By: eaden.leander@sweng.com

SEE SHEET 44 FOR CONTINUATION



LEGEND	
	PROPERTY LINE
	RIGHT-OF-WAY LINE
	EASEMENT LINE OR SETBACK
	EXISTING CONTOUR
	EXISTING TREE AND TREE TAG
PROPOSED UTILITIES:	
	FIRE HYDRANTS
	WATER VALVE
	MANHOLE (STORM)
	INLET
EXISTING UTILITIES:	
	FIRE HYDRANTS
	WATER VALVE
	MANHOLE (STORM)
	INLET
	WATER
	WASTEWATER
	STORM SEWER

NO.	REVISION	DATE

THE SEAL APPEARING ON THIS DOCUMENT WAS AUTHORIZED BY PAUL M. M. PE #106179 ON THE DATE INDICATED. ANY ALTERATIONS OF THIS SEALED DOCUMENT WITHOUT PROPER NOTIFICATION TO THE RESPONSIBLE ENGINEER IS AN OFFENSE UNDER THE TEXAS ENGINEERING PRACTICE ACT.



Southwest Engineers
Engineering Texas Since 1978
TBPE NO. F-1909
www.swengineering.com

ROUND ROCK
2631 GATTS SCHOOL ROAD STE 270
ROUND ROCK, TEXAS 78664
PH: 512.222.4962

TEXAS ONE CALL SYSTEM
1-800-245-4545
UNDER PENALTY OF LAW, THE CONTRACTOR IS REQUIRED TO CONTACT THE TEXAS ONE CALL SYSTEM AT LEAST 48 HOURS BEFORE STARTING EXCAVATION.

STORM SEWER PLAN (PRIVATE) - 1 OF 2

MARKET SQUARE
WEST SAN GABRIEL PKWY & BAGDAD ROAD, LEANDER, TEXAS, 78641

DRAWN BY: PROJECT NO. 1173-001
CHECKED BY: DRAWING NO. 63

SHEET 44 OF 63

XX-####-####X

1. The Required Load Reduction for the total project:

Calculations from RG-348

Pages 3-27 to 3-30

Page 3-29 Equation 3.3: $L_M = 27.2(A_N \times P)$

where:

L_M TOTAL PROJECT = Required TSS removal resulting from the proposed development = 80% of increased load
 A_N = Net increase in impervious area for the project
 P = Average annual precipitation, inches

Site Data: Determine Required Load Removal Based on the Entire Project

County =	Williamson	
Total project area included in plan *	14.79	acres
Predevelopment impervious area within the limits of the plan *	0.00	acres
Total post-development impervious area within the limits of the plan *	9.76	acres
Total post-development impervious cover fraction *	0.66	
P	32	inches

approximation

L_M TOTAL PROJECT = 8495 lbs.

* The values entered in these fields should be for the total project area.

Number of drainage basins / outfalls areas leaving the plan area = 1

2. Drainage Basin Parameters (This information should be provided for each basin):

Drainage Basin/Outfall Area No. =	1	
Total drainage basin/outfall area =	14.79	acres
Predevelopment impervious area within drainage basin/outfall area =	0.00	acres
Post-development impervious area within drainage basin/outfall area =	9.76	acres
Post-development impervious fraction within drainage basin/outfall area =	0.66	
L_M THIS BASIN =	8495	lbs.

3. Indicate the proposed BMP Code for this basin.

Proposed BMP = Batch Detention Basin
Removal efficiency = 91 percent

4. Calculate Maximum TSS Load Removed (L_R) for this Drainage Basin by the selected BMP Type.

RG-348 Page 3-33 Equation 3.7: $L_R = (\text{BMP efficiency}) \times P \times (A_i \times 34.6 + A_p \times 0.54)$

where:

A_C = Total On-Site drainage area in the BMP catchment area
 A_i = Impervious area proposed in the BMP catchment area
 A_p = Pervious area remaining in the BMP catchment area
 L_R = TSS Load removed from this catchment area by the proposed BMP

A_C =	14.79	acres
A_i =	9.76	acres
A_p =	5.03	acres
L_R =	9913	lbs

5. Calculate Fraction of Annual Runoff to Treat the drainage basin / outfall area

Desired L_M THIS BASIN = 8495 lbs.

F = 0.86

6. Calculate Capture Volume required by the BMP Type for this drainage basin / outfall area.

Calculations from RG-348

Pages 3-34 to 3-36

Rainfall Depth = 1.38 inches



Post Development Runoff Coefficient = 0.47
On-site Water Quality Volume = 34679 cubic feet

Calculations from RG-348 Pages 3-36 to 3-37

Off-site area draining to BMP = 0.00 acres
Off-site impervious cover draining to BMP = 0.00 acres
Impervious fraction of off-site area = 0
Off-site Runoff Coefficient = 0.00
Off-site Water Quality Volume = 0 cubic feet

Storage for Sediment = 6936

Total Capture Volume (required water quality volume(s) x 1.20) = 41615 cubic feet

The following sections are used to calculate the required water quality volume(s) for the selected BMP.
The values for BMP Types not selected in cell C45 will show NA.

22. Batch Detention Basin

Designed as Required in RG-348

Pg. 28, Addendum

Required Water Quality Volume for batch detention basin = 41615 cubic feet

pond area sf	depth for water quality (ft)	Volume provided for WQ cu. ft.	Volume required in cu. Ft
48827	6	248618	41615



Paulo Misi
6/18/2025

CONTRIBUTING ZONE PLAN ATTACHMENT N

INSPECTION, MAINTENANCE, REPAIR AND RETROFIT PLAN

PROJECT NAME: Market Square
ADDRESS: N Bagdad Rd & W San Gabriel Pkwy
CITY, STATE ZIP: Leander, TX 78641

Maintenance Guidelines for Sedimentation/Filtration Basin:

The recommended maintenance plan for the Sedimentation/Filtration Basin is as follows:

Inspection

BMP facilities must be inspected at least twice a year (once during or immediately following wet weather) to evaluate facility operation. During each inspection, erosion areas inside and downstream of the BMP must be identified and repaired or revegetated immediately. With each inspection, any damage to the structural elements of the system (pipes, concrete drainage structures, retaining walls, etc.) must be identified and repaired immediately. Cracks, voids and undermining should be patched/filled to prevent additional structural damage. Trees and root systems should be removed to prevent growth in cracks and joints that can cause structural damage.

Debris and Litter Removal


Debris and litter will accumulate near the sedimentation basin outlet device and should be removed during regular mowing operations and inspections. Particular attention should be paid to floating debris that can eventually clog the control device or riser.

Sediment Removal

Remove sediment from the inlet structure and sedimentation chamber when sediment buildup reaches a depth of 6 inches or when the proper functioning of inlet and outlet structures is impaired. Sediment should be cleared from the inlet structure at least every year and from the sedimentation basin at least every 5 years.

Media Replacement

Maintenance of the filter media is necessary when the drawdown time exceeds 48 hours. When this occurs, the upper layer of sand should be removed and replaced with new material meeting the original specifications. Any discolored sand should also be removed and replaced. In filters that have been regularly maintained, this should be limited to the top 2 to 3 inches.




Filter Underdrain

Clean underdrain piping network to remove any sediment build up as needed to maintain design drawdown time.

Mowing

Grass areas in and around sand filters must be mowed at least twice annually to limit vegetation height to 18 inches. More frequent mowing to maintain aesthetic appeal may be necessary in landscaped areas. Vegetation on the pond embankments should be mowed as appropriate to prevent the establishment of woody vegetation.



Public Infrastructure
Land Development
Land & ROW Acquisition

TBPELS No. F-1909

Documenting Inspections: Inspection, maintenance, repairs, and retrofits performed per the above requirements must be documented and records thereof maintained with the CZP.

The following format may be used to document the required maintenance:

Facility Name: _____

Date of Inspection: _____

Reason of Inspection/Action: _____

(Monthly, Quarterly, Yearly, Rainfall, Other)

Sedimentation/Filtration Basin Conditions: _____

Detailed Description of Actions Taken: _____

Owner/Responsible Party: Kalyan Vijai Lakimsetty
(Name Typed)

Entity: Baghdad San Gabriel Developers, LLC
Mailing Address: 6 Miller Drive
City, State: Hillsborough, NJ Zip: 08844
Telephone: (908) 448-8608
Fax: _____

I, Kalyan Vijai Lakimsetty for Baghdad San Gabriel Developers, LLC, agree to maintain the BMP's according to the above recommended maintenance plan, until such time the ownership transfers.

L. Kalyan Vijai
Signature of Owner or Responsible Party

05/27/2025
Date



**Southwest
Engineers**
Engineering Texas Since 1978

**Public Infrastructure
Land Development
Land & ROW Acquisition**

TBPELS No. F-1909

CONTRIBUTING ZONE PLAN
ATTACHMENT P

MEASURES FOR MINIMIZING SURFACE STREAM CONTAMINATION

The proposed improvements are not expected to change the way in which stormwater runoff enters nearby streams or affects stream flashing, in-stream velocities, and other in-stream effects.

Temporary Stormwater Section

Texas Commission on Environmental Quality

for Regulated Activities on the Edwards Aquifer Recharge Zone and Relating to 30 TAC §213.5(b)(4)(A), (B), (D)(I) and (G); Effective June 1, 1999

To ensure that the application is administratively complete, confirm that all fields in the form are complete, verify that all requested information is provided, consistently reference the same site and contact person in all forms in the application, and ensure forms are signed by the appropriate party.

Note: Including all the information requested in the form and attachments contributes to more streamlined technical reviews.

Signature

To the best of my knowledge, the responses to this form accurately reflect all information requested concerning the proposed regulated activities and methods to protect the Edwards Aquifer. This **Temporary Stormwater Section** is hereby submitted for TCEQ review and executive director approval. The application was prepared by:

Print Name of Customer/Agent: Paulo Misi, P.E.

Date: 05/27/2015

Signature of Customer/Agent:

Paulo Misi

Regulated Entity Name: Market Square

Project Information

Potential Sources of Contamination

Examples: Fuel storage and use, chemical storage and use, use of asphaltic products, construction vehicles tracking onto public roads, and existing solid waste.

1. Fuels for construction equipment and hazardous substances which will be used during construction:

☐ The following fuels and/or hazardous substances will be stored on the site: _____

These fuels and/or hazardous substances will be stored in:

- ☐ Aboveground storage tanks with a cumulative storage capacity of less than 250 gallons will be stored on the site for less than one (1) year.

- ☐ Aboveground storage tanks with a cumulative storage capacity between 250 gallons and 499 gallons will be stored on the site for less than one (1) year.
- ☐ Aboveground storage tanks with a cumulative storage capacity of 500 gallons or more will be stored on the site. An Aboveground Storage Tank Facility Plan application must be submitted to the appropriate regional office of the TCEQ prior to moving the tanks onto the project.
- ☒ Fuels and hazardous substances will not be stored on the site.
- 2. ☒ Attachment A - Spill Response Actions. A site specific description of the measures to be taken to contain any spill of hydrocarbons or hazardous substances is attached.
- 3. ☒ Temporary aboveground storage tank systems of 250 gallons or more cumulative storage capacity must be located a minimum horizontal distance of 150 feet from any domestic, industrial, irrigation, or public water supply well, or other sensitive feature.
- 4. ☒ Attachment B - Potential Sources of Contamination. A description of any activities or processes which may be a potential source of contamination affecting surface water quality is attached.

Sequence of Construction

- 5. ☒ Attachment C - Sequence of Major Activities. A description of the sequence of major activities which will disturb soils for major portions of the site (grubbing, excavation, grading, utilities, and infrastructure installation) is attached.
 - ☒ For each activity described, an estimate (in acres) of the total area of the site to be disturbed by each activity is given.
 - ☐ For each activity described, include a description of appropriate temporary control measures and the general timing (or sequence) during the construction process that the measures will be implemented.
- 6. ☒ Name the receiving water(s) at or near the site which will be disturbed or which will receive discharges from disturbed areas of the project: Brushy Creek

Temporary Best Management Practices (TBMPs)

Erosion control examples: tree protection, interceptor swales, level spreaders, outlet stabilization, blankets or matting, mulch, and sod. Sediment control examples: stabilized construction exit, silt fence, filter dikes, rock berms, buffer strips, sediment traps, and sediment basins. Please refer to the Technical Guidance Manual for guidelines and specifications. All structural BMPs must be shown on the site plan.

- 7. ☒ Attachment D – Temporary Best Management Practices and Measures. TBMPs and measures will prevent pollution of surface water, groundwater, and stormwater. The construction-phase BMPs for erosion and sediment controls have been designed to retain sediment on site to the extent practicable. The following information is attached:

- ☒ A description of how BMPs and measures will prevent pollution of surface water, groundwater or stormwater that originates upgradient from the site and flows across the site.
 - ☒ A description of how BMPs and measures will prevent pollution of surface water or groundwater that originates on-site or flows off site, including pollution caused by contaminated stormwater runoff from the site.
 - ☒ A description of how BMPs and measures will prevent pollutants from entering surface streams, sensitive features, or the aquifer.
 - ☒ A description of how, to the maximum extent practicable, BMPs and measures will maintain flow to naturally-occurring sensitive features identified in either the geologic assessment, TCEQ inspections, or during excavation, blasting, or construction.
8. ☒ The temporary sealing of a naturally-occurring sensitive feature which accepts recharge to the Edwards Aquifer as a temporary pollution abatement measure during active construction should be avoided.
- ☐ Attachment E - Request to Temporarily Seal a Feature. A request to temporarily seal a feature is attached. The request includes justification as to why no reasonable and practicable alternative exists for each feature.
 - ☒ There will be no temporary sealing of naturally-occurring sensitive features on the site.
9. ☒ Attachment F - Structural Practices. A description of the structural practices that will be used to divert flows away from exposed soils, to store flows, or to otherwise limit runoff discharge of pollutants from exposed areas of the site is attached. Placement of structural practices in floodplains has been avoided.
10. ☒ Attachment G - Drainage Area Map. A drainage area map supporting the following requirements is attached:
- ☒ For areas that will have more than 10 acres within a common drainage area disturbed at one time, a sediment basin will be provided.
 - ☐ For areas that will have more than 10 acres within a common drainage area disturbed at one time, a smaller sediment basin and/or sediment trap(s) will be used.
 - ☐ For areas that will have more than 10 acres within a common drainage area disturbed at one time, a sediment basin or other equivalent controls are not attainable, but other TBMPs and measures will be used in combination to protect down slope and side slope boundaries of the construction area.
 - ☒ There are no areas greater than 10 acres within a common drainage area that will be disturbed at one time. A smaller sediment basin and/or sediment trap(s) will be used in combination with other erosion and sediment controls within each disturbed drainage area.

- ☐ There are no areas greater than 10 acres within a common drainage area that will be disturbed at one time. Erosion and sediment controls other than sediment basins or sediment traps within each disturbed drainage area will be used.
11. ☐ Attachment H - Temporary Sediment Pond(s) Plans and Calculations. Temporary sediment pond or basin construction plans and design calculations for a proposed temporary BMP or measure have been prepared by or under the direct supervision of a Texas Licensed Professional Engineer. All construction plans and design information must be signed, sealed, and dated by the Texas Licensed Professional Engineer. Construction plans for the proposed temporary BMPs and measures are attached.
- ☒ N/A
12. ☒ Attachment I - Inspection and Maintenance for BMPs. A plan for the inspection of each temporary BMP(s) and measure(s) and for their timely maintenance, repairs, and, if necessary, retrofit is attached. A description of the documentation procedures, recordkeeping practices, and inspection frequency are included in the plan and are specific to the site and/or BMP.
13. ☒ All control measures must be properly selected, installed, and maintained in accordance with the manufacturer's specifications and good engineering practices. If periodic inspections by the applicant or the executive director, or other information indicate a control has been used inappropriately, or incorrectly, the applicant must replace or modify the control for site situations.
14. ☒ If sediment escapes the construction site, off-site accumulations of sediment must be removed at a frequency sufficient to minimize offsite impacts to water quality (e.g., fugitive sediment in street being washed into surface streams or sensitive features by the next rain).
15. ☒ Sediment must be removed from sediment traps or sedimentation ponds not later than when design capacity has been reduced by 50%. A permanent stake will be provided that can indicate when the sediment occupies 50% of the basin volume.
16. ☒ Litter, construction debris, and construction chemicals exposed to stormwater shall be prevented from becoming a pollutant source for stormwater discharges (e.g., screening outfalls, picked up daily).

Soil Stabilization Practices

Examples: establishment of temporary vegetation, establishment of permanent vegetation, mulching, geotextiles, sod stabilization, vegetative buffer strips, protection of trees, or preservation of mature vegetation.

17. ☒ Attachment J - Schedule of Interim and Permanent Soil Stabilization Practices. A schedule of the interim and permanent soil stabilization practices for the site is attached.

18. ☒ Records must be kept at the site of the dates when major grading activities occur, the dates when construction activities temporarily or permanently cease on a portion of the site, and the dates when stabilization measures are initiated.
19. ☒ Stabilization practices must be initiated as soon as practicable where construction activities have temporarily or permanently ceased.

Administrative Information

20. ☒ All structural controls will be inspected and maintained according to the submitted and approved operation and maintenance plan for the project.
21. ☒ If any geologic or manmade features, such as caves, faults, sinkholes, etc., are discovered, all regulated activities near the feature will be immediately suspended. The appropriate TCEQ Regional Office shall be immediately notified. Regulated activities must cease and not continue until the TCEQ has reviewed and approved the methods proposed to protect the aquifer from any adverse impacts.
22. ☒ Silt fences, diversion berms, and other temporary erosion and sediment controls will be constructed and maintained as appropriate to prevent pollutants from entering sensitive features discovered during construction.

TEMPORARY STORMWATER SECTION

ATTACHMENT A

SPILL RESPONSE ACTIONS

Responsibility for adequate cleanup of any chemical spills during construction will be placed on the owner. All spill prevention actions, and spill response/cleanup actions will be per Section 1.4.16 of TCEQ RG-348. The responsible person will notify TCEQ of any chemical spills as required and outlined in 30 TAC 327.4 and 40 CFR 302.4.

General Measures

1. To the extent that the work can be accomplished safely, spills of oil, petroleum products, substances listed under 40 CFR parts 110, 117, and 302, and sanitary and septic wastes should be contained and cleaned up immediately.
2. Store hazardous materials and wastes in covered containers and protect from vandalism.
3. Place a stockpile of spill cleanup materials where it will be readily accessible.
4. Train employees in spill prevention and cleanup.
5. Designate responsible individuals to oversee and enforce control measures.
6. Spills should be covered and protected from stormwater runoff during rainfall to the extent that it doesn't compromise cleanup activities.
7. Do not bury or wash spills with water.
8. Store and dispose of used clean up materials, contaminated materials, and recovered spill material that is no longer suitable for the intended purpose in conformance with the provisions in applicable BMPs.
9. Do not allow water used for cleaning and decontamination to enter storm drains or watercourses. Collect and dispose of contaminated water in accordance with applicable regulations.
10. Contain water overflow or minor water spillage and do not allow it to discharge into drainage facilities or watercourses.
11. Place Material Safety Data Sheets (MSDS), as well as proper storage, cleanup, and spill reporting instructions for hazardous materials stored or used on the project site in an open, conspicuous, and accessible location.
12. Keep waste storage areas clean, well-organized, and equipped with ample cleanup supplies as appropriate for the materials being stored. Perimeter controls, containment structures, covers, and liners should be repaired or replaced as needed to maintain proper function.



Cleanup

1. Clean up leaks and spills immediately.
2. Use a rag for small spills on paved surfaces, a damp mop for general cleanup, and absorbent material for larger spills. If the spilled material is hazardous, then the used cleanup materials are also hazardous and must be disposed of as hazardous waste.
3. Never hose down or bury dry material spills. Clean up as much of the material as possible and dispose of properly. See the waste management BMPs in this section for specific information.

Minor Spills

1. Minor spills typically involve small quantities of oil, gasoline, paint, etc. which can be controlled by the first responder at the discovery of the spill.
2. Use absorbent materials on small spills rather than hosing down or burying the spill.
3. Absorbent materials should be promptly removed and disposed of properly.
4. Follow the practice below for a minor spill:
 - i) Contain the spread of the spill.
 - ii) Recover spilled materials.
 - iii) Clean the contaminated area and properly dispose of contaminated materials.

Semi-Significant Spills

Semi-significant spills still can be controlled by the first responder along with the aid of other personnel such as laborers and the foreman, etc. This response may require the cessation of all other activities.

Spills should be cleaned up immediately:

- 1) Contain spread of the spill.
- 2) Notify the project foreman immediately.
- 3) If the spill occurs on paved or impermeable surfaces, clean up using "dry" methods (absorbent materials, cat litter and/or rags). Contain the spill by encircling with absorbent materials and do not let the spill spread widely.
- 4) If the spill occurs in dirt areas, immediately contain the spill by constructing an earthen dike. Dig up and properly dispose of contaminated soil.
- 5) If the spill occurs during rain, cover spill with tarps or other material to prevent contaminating runoff.



Significant/Hazardous Spills

For significant or hazardous spills that are in reportable quantities:

- 1) Notify the TCEQ by telephone as soon as possible and within 24 hours at 512- 339-2929 (Austin) or 210-490-3096 (San Antonio) between 8 AM and 5 PM. After hours, contact the Environmental Release Hotline at 1-800-832-8224. It is the contractor's responsibility to have all emergency phone numbers at the construction site.
- 2) For spills of federal reportable quantities, in conformance with the requirements in 40 CFR parts 110, 119, and 302, the contractor should notify the National Response Center at (800) 424-8802.
- 3) Notification should first be made by telephone and followed up with a written report.
- 4) The services of a spill's contractor or a Haz-Mat team should be obtained immediately. Construction personnel should not attempt to clean up until the appropriate and qualified staffs have arrived at the job site.
- 5) Other agencies which may need to be consulted include, but are not limited to, the City Police Department, County Sheriff Office, Fire Departments, etc. More information on spill rules and appropriate responses is available on the TCEQ website at:
http://www.tnrcc.state.tx.us/enforcement/emergency_response.html



**Southwest
Engineers**
Engineering Texas Since 1978

**Public Infrastructure
Land Development
Land & ROW Acquisition**

TBPELS No. F-1909

TEMPORARY STORMWATER SECTION ATTACHMENT B

POTENTIAL SOURCES OF CONTAMINATION

Some potential sources of contamination are as follows:

- fuel storage and use,
- chemical storage and use,
- use of asphaltic products,
- construction vehicles tracking onto public roads,
- existing solid waste,
- and other vehicular contaminants (i.e., fuel, oil, lubricants, etc.).

Refer to Attachment A for Spill Response Actions.

TEMPORARY STORMWATER SECTION ATTACHMENT C

SEQUENCE OF MAJOR ACTIVITIES

1. Construct temporary erosion control measures, including all silt fences, inlet protections, mulch socks, and tree protection fencing per approved plan. (2.73 acres)
2. Conduct pre-construction conference with city inspector, water and wastewater utility representative, owner's representative, architect, engineer, and contractor. Contact Williamson County Development Services Department (512-943-3330) a minimum of 48 hours prior to this pre-construction meeting. An esc contact name and number will be provided to the city inspector for 24/7 access in the event of erosion and sediment control breach or related problem. (N/A)
3. The Existing Sand Filtration basin will act as permanent sedimentation basin. (N/A)
4. Contractor shall contact City of Leander Utility Department prior to utility abandonment at 512-259-1142, if appropriate. (N/A)
5. Perform clearing, demolition and rough grading. (14.82 acres)
6. Install utilities. Conduct water and wastewater utility construction and testing for city acceptance. Coordinate underground electric, telephone, cable tv, and telecommunications construction. (5.14 acres)
7. Construct all weather access drives including asphalt, base, and curb & gutter. (1.00 acres)
8. Construct buildings. (2.25 acres)
9. Install all sidewalks. (1.17 acres)
10. Install streetscape and/or landscaping improvements. (2.48 acres)
11. Prior to city final acceptance, the contractor shall have vegetative cover in place in conformance with the general construction notes and landscape plan. All adjacent areas disturbed by the work will be repaired and revegetated by the general contractor to preexisting or better conditions. Permanent controls will be cleaned out and filter media will be installed prior to/concurrently with revegetation of site. (N/A)



12. Schedule site final inspection with city environmental technician and city building inspector. (N/A)
13. Remove any trapped sediment at erosion control devices and upon approval of city inspector.
Remove all temporary erosion controls and tree protection. (2.73 acres)
14. The total overall disturbed area (limits of construction) for subject site is approximately 14.82 acres.
The total proposed impervious cover is 10.06 acres.

TEMPORARY STORMWATER SECTION ATTACHMENT D

TEMPORARY BEST MANAGEMENT PRACTICES AND MEASURES

At the beginning of the project, Temporary Best Management Practices (BMPs) will be installed according to the Erosion and Sedimentation Notes and Details sheet and placed as shown on the Erosion and Sedimentation Control Plan sheet. Silt fences will be installed, and the proposed detention pond and vegetative filter strips will be rough cut before construction begins. When full, the proposed batch detention pond overflow will sheet flow downstream through silt fence. During construction, the silt fencing, vegetative filter strips and detention pond are to be inspected weekly, and after any rainfall. There is no upgradient water from the undeveloped site upstream of the proposed development.

On-site Water

Silt fencing will be placed downwards along the boundary line of the tracts. These Temporary BMPs will be installed along the down-gradient boundary of the property to filter all runoff that originates on site. The temporary construction entrance will be installed to prevent tracking materials offsite. Additionally, a concrete truck washout area will be placed onsite and be accessible to all existing traffic leaving the site. By this, the Temporary BMPs will prevent pollution of surface water that originates on-site due to the construction of the project.

The following sections were taken from the TNCC Manual, "Complying with Edward Aquifer Rules: Technical Guidance on Best Management Practices."

- Construction Exit should be used at all designated access points.
 - Silt Fence (interior) Areas of minor sheet flow. < ¼ acre/100 feet of fence < 20% slopes.
 - Silt Fence (exterior) Down slope borders of site; up slope border is necessary to divert offsite drainage. For larger areas use diversion swale or berm. < ¼ acre/100 feet of fence < 20% slopes.
 - Rock Berm Drainage swales and ditches with and below site. < 5 acres < 30% slopes.
 - Inlet Protection Prevent sediment from entering storm drain system. < 1 acre.
 - Spill Prevention Used on all sites to reduce spills.
 - Concrete Washout Use on all concrete pouring operations.
- A. A description of how BMPs and measures will prevent pollution of surface water, groundwater or storm water that originates upgradient from the site and flows across the site.



1. The upgradient storm water will be directed to the previously mentioned temporary BMPs.
- B. A description of how BMPs and measures will prevent pollution of surface water or groundwater that originates on-site or flows off site, including pollution caused by contaminated storm water runoff from the site.
1. Silt fence and stabilized construction entrances shall be used to prevent pollution of surface water, groundwater or storm water that originates on-site or flows off-site by locating the TBMPs downstream of the flows leaving the site. The TBMPs will reduce the amount of contaminated runoff leaving the site by acting as a filter for sediment before the flows are released into the existing storm sewer system. Also included is a stabilized construction entrance to reduce the amount of mud tracked onto surrounding streets by construction vehicles. Inspection and maintenance of the on-site controls shall be performed during the site clearing and rough grading process.
- All TBMPs will be maintained by the Contractor as will be described in the Contractor's Storm water Pollution Prevention Plan (SWPPP). The initial installation of Erosion and Sedimentation Controls will act as a sediment trap, and help to prevent pollution of surface waters from runoff originating on-site to the greatest extent practicable.
- C. A description of how BMPs and measures will prevent pollutants from entering surface streams, sensitive features, or the aquifer.
1. By locating the TBMPs downstream of the flows leaving the site, the TBMPs will reduce the amount of contaminated runoff leaving the site by acting as a filter for sediment before the flows are released. Also included is a stabilized construction entrance to reduce the amount of mud tracked onto surrounding streets by construction vehicles. Inspection and maintenance of the on-site controls shall be performed during the site clearing and rough grading process. All TBMPs will be maintained by the Contractor as will be described in the Contractor's SWPPP. The initial installation of Erosion and Sedimentation Controls will act as a sediment trap and help to prevent pollution of surface waters from runoff originating onsite to the greatest extent practicable.
- D. A description of how, to the maximum extent practicable, BMPs and measures will maintain flow to naturally occurring sensitive features identified in either the geologic assessment, TCEQ inspections, or during excavation, blasting, or construction.



**Southwest
Engineers**
Engineering Texas Since 1978

**Public Infrastructure
Land Development
Land & ROW Acquisition**

TBPELS No. F-1909

TEMPORARY STORMWATER SECTION ATTACHMENT E

REQUEST TO TEMPORARILY SEAL A FEATURE

This section is Not Applicable (N/A) for this project. There will be no temporary sealing of naturally occurring sensitive features on the site.

TEMPORARY STORMWATER SECTION ATTACHMENT F

STRUCTURAL PRACTICES

Structural practices will be used to limit runoff discharge of pollutants from exposed areas of the site. Silt fencing, triangular sediment filter dikes, inlet protection devices, and stabilized construction entrances will be incorporated as temporary erosion control devices and will be removed after the permanent stabilization is established.

Silt fencing shall be incorporated throughout the construction process. The placement of the silt fencing shall be perpendicular to runoff flow. Refer to project construction documents for quantity and actual locations of these erosion control devices. In areas where silt fencing is to be situated but is non-installable, triangular filter dikes shall be incorporated.

Stabilized construction entrances will be employed during the construction of this site to help minimize vehicle tracking of sediments. Paved streets adjacent to these site entrances shall be cleaned and/or swept regularly to remove any excess mud, dirt or rock tracked from the site. Refer to the project construction documents for actual locations of these erosion control devices. Staging areas will be utilized in locations as decided by the project general contractor and validated by the civil engineer. If the contractor determines the need for additional stabilized construction entrances, construction staging areas or pits, their locations shall be agreed upon by the contractor and the engineer and annotated in the Storm Water Pollution Prevention Plan (SWPPP) posted on the site during construction.



**Southwest
Engineers**
Engineering Texas Since 1978

**Public Infrastructure
Land Development
Land & ROW Acquisition**

TBPELS No. F-1909

TEMPORARY STORMWATER SECTION
ATTACHMENT G

DRAINAGE AREA MAPS

Please refer to the Contributing Zone Plan Attachment M for the Existing and Proposed Drainage Area Maps.



**Southwest
Engineers**
Engineering Texas Since 1978

**Public Infrastructure
Land Development
Land & ROW Acquisition**

TBPELS No. F-1909

TEMPORARY STORMWATER SECTION
ATTACHMENT H

TEMPORARY SEDIMENT POND(S) PLANS AND CALCULATIONS

This section is Not Applicable (N/A) for this project.



TEMPORARY STORMWATER SECTION ATTACHMENT I

INSPECTION AND MAINTENANCE FOR BMPS

INSPECTIONS

Each contractor will designate a qualified person (or persons) to perform the following inspections:

1. Disturbed areas and areas used for storage of materials that are exposed to precipitation will be inspected for evidence of, or the potential for, pollutants entering the drainage system.
2. Erosion and sediment control measures identified in the plan will be observed to ensure that they are operating correctly.
3. Where discharge locations or points are accessible, they will be inspected to ascertain whether erosion control measures are effective in preventing significant impacts to receiving waters.
4. Locations where vehicles enter or exit the site will be inspected for evidence of offsite sediment tracking.

The inspection shall be conducted by the responsible person at least once every seven (7) calendar days and within 24 hours after a storm providing 1/2 inches of rainfall or greater. If one or more of the following conditions apply, the frequency of inspections shall be conducted at least once every month:

1. The site has been temporarily stabilized.
2. Where runoff is unlikely due to winter conditions (i.e. site is covered with snow, ice, or where frozen ground exists).
3. During seasonal arid periods in arid areas (areas with an average annual rainfall of 0 to 10 inches) and semi-arid areas (areas with an average annual rainfall of 10 to 20 inches).

The information required within an inspection and maintenance report are as follows:

1. Summary of the scope of the inspection.
2. Name(s) and qualifications of personnel making the inspection.
3. The date(s) of the inspection.



4. Major observations relating to the implementation of the storm water pollution prevention plan.
5. Changes required to correct damages or deficiencies in the control measures.

In addition to the required routine inspections, the following record of information will also be maintained:

1. The dates when selective clearing activities occur.
2. The dates when selective clearing activities permanently cease on a portion of the site.

Inspection and maintenance reports, as well as all records required by a Storm Water Pollution Prevention Plan (SWPPP), shall be included in the onsite SWPPP as part of the Texas Pollution Discharge Elimination System (TPDES) Report. Copies of example forms to be used for the inspection and maintenance reports along with their related records, will be included in the onsite SWPPP and are provided for reference.

MAINTENANCE

Based on the results of the inspection, any changes required to correct damages or deficiencies in the control measures shall be made within seven (7) calendar days after the inspection. If existing erosion controls need modification or additional erosion controls are necessary, implementation shall be achieved prior to the next anticipated storm event. If, however, the execution of this requirement becomes impractical, then the implementation will occur as soon as possible, with the incident duly noted with an explanation of the impracticality, in the inspection report.

Sediment accumulation at each control will be removed and properly disposed when the depth of accumulation equals or exceeds six (6) inches. If sediment accumulation is found to be contaminated, its disposal shall be off-site in a manner which conforms to the appropriate applicable regulations.

MARKET SQUARE

N Bagdad Rd & W San Gabriel Pkwy, Leander, TX 78641

Inspection Report

Prevention Pollution Measure	Inspected in Compliance (Y/N)	Corrective Action Required	
		Description (use additional sheet if necessary)	Date Completed
BEST MANAGEMENT PRACTICES			
Silt fences			
Rock berms			
Drain inlet protection			
Gravel filter bags			
Vehicle exits (offsite tracking)			
Concrete washout pit (leaks, failure)			
Temporary vegetation			
Permanent vegetation			
Sediment control basin			
Other structural controls			
Material storage areas (leakage)			
Equipment areas (leaks, spills)			
Construction debris			
General site cleanliness			
Trash receptacles			
Natural vegetation buffer strips			
EVIDENCE OF EROSION			
Site preparation			
Roadway or Parking Lot Construction			
Utility Construction			
Drainage Construction			
Building Construction			
MAJOR OBSERVATIONS			
Sediment discharges from site			
BMPs requiring maintenance			
BMPs requiring modification			
Additional BMPs required			

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Inspector's Name (Superintendent)

Inspector's Signature

Date

Name of Owner/Operator (Firm)

Authorized Signature

Date

Note: If there is a "NO" answer in the second column, the right columns will need to be completed and action is required within 7 days.
Use additional sheets if necessary.



MARKET SQUARE
N Bagdad Rd & W San Gabriel Pkwy
Leander, TX 78641

Responsible Party Form and Schedule

Prevention Pollution Measure	Responsible Party Company Name:										
	Start Date	Estimated Days									
BEST MANAGEMENT PRACTICES											
Silt fences											
Rock berms											
Drain inlet protection											
Gravel filter bags											
Vehicle exits (offsite tracking)											
Concrete washout pit (leaks, failure)											
Temporary vegetation											
Permanent vegetation											
Sediment control basin											
Other structural controls											
Material storage areas (leakage)											
Equipment areas (leaks, spills)											
Construction debris											
General site cleanliness											
Trash receptacles											
Natural vegetation buffer strips											
Inspections											
SWP3 Modification & Records											
POTENTIAL EROSION SOURCES											
Clearing											
Grading											
Excavation											
Drainage Construction											
Utility Construction											
Roadway or Parking Lot Construction											
Foundation Construction											
Building Construction											
Landscaping Activities											
Identify responsible parties and indicate responsible party for each pollution prevention item listed above by marking an X under the Responsible Party Name.											

TEMPORARY STORMWATER SECTION ATTACHMENT J

SCHEDULE OF INTERIM AND PERMANENT SOIL STABILIZATION PRACTICES

DURING CONSTRUCTION:

The methodology for handling pollution of on-site or up-gradient storm water during construction will include the following:

1. Silt fencing and rock berms will be used as a temporary erosion and sedimentation controls.
2. Stabilized construction entrances/exits will be put into place to reduce the dispersion of sediment from the site, and to aid in accessibility to the site.
3. A construction staging area will also be put into place for material stockpiles, machinery storage, and machinery maintenance.
4. Concrete truck washout pits will be put into place to prevent contamination of storm water runoff and to aid in the removal of sediments from the site.
5. As required by the TCEQ General Permit, disturbed areas on which construction activity has ceased (temporarily or permanently) and which will be exposed for more than 21 days shall be stabilized within 14 days. Areas receiving less than 20 inches of annual rainfall should be stabilized as soon as practicable and only to pre-project conditions.
6. If construction stops for more than 14 days, hydro-seeding, sod or other TCEQ approved method will be applied to re-stabilize vegetation.

AFTER CONSTRUCTION:

This site will provide the following permanent pollution abatement measures to prevent the pollution of storm water originating on-site or upgradient from the project site:

1. Storm water will be directed and conveyed via curbing and grading and discharged into the vegetative filter strip. The vegetative filter strip has been designed to capture the required runoff from the individual watersheds. The sedimentation/filtration basin has been designed in accordance with the TCEQ Technical Guidance Manual.



2. Native grasses will be used on-site to help reduce the use of fertilizers and this will in turn reduce the levels of phosphates present in the storm water runoff.
3. Where possible drainage will be directed across vegetated areas to provide some pretreatment prior to discharge into the filtration basin.

PERMANENT EROSION CONTROL:

1. All disturbed areas shall be restored as noted below:
 - A minimum of 4" of topsoil shall be placed in all drainage channels (except rock) and between the curb and R.O.W. property lines.
2. Broadcast Seeding:
 - From September 15 to March 1, seeding shall be with a combination of 2 pounds per 1,000 SF of unhulled Bermuda and 7 pounds per 1000 SF of Winter Rye with a purity of 95% with 90% germination.
 - From March 2 to September 14, seeding shall be with hulled Bermuda at a rate of 2 pounds per 1000 SF with a purity of 95% with 85% germination.
3. Fertilizer shall be a pelleted or granular slow release with an analysis of 15-15-15 to be applied once at planting and once during the period of establishment at a rate of 1 pound per 1,000 SF.

SEEDING:

- 1) The seeding for permanent erosion control shall be applied over areas disturbed by construction as follows:
 - a) From September 15 to March 1, seeding shall be with a combination of 2 pounds per 1,000 square feet of unhulled Bermuda and 7 pounds per 1,000 square feet of Winter rye with a purity of 95% with 90% germination.
 - b) From March 2 to September 14, seeding shall be with hulled Bermuda at a rate of 3 pounds per 1,000 square feet with a purity of 95% with 85% germination.
- 2) Fertilizer shall be slow release granular or pelleted type and shall have an analysis of 15-15-15 and shall be applied at the rate of 23 pounds per acre, once at the time of planting and again once during the time of establishment.
- 3) The planted area shall be irrigated or sprinkled in a manner that will not erode the topsoil but will sufficiently soak the soil to a depth of six inches. The irrigation shall occur at ten-day



intervals during the first two months. Rainfall occurrences of an inch or more shall postpone the watering schedule for one week.

- 4) Mulch type used shall be Prairie hay, applied at a rate of 4,000 pounds per acre.
- 5) Restoration shall be acceptable when the grass has grown at least one inch high with 70% coverage, provided no bare spots larger than 18 square feet exist.



TCEQ Notice of Intent (NOI) for Stormwater Discharges Associated with Construction Activity under TPDES General Permit (TXR150000)

IMPORTANT:

- Use the **INSTRUCTIONS** to fill out each question in this form.
- Use the **CHECKLIST** to make certain all you filled out all required information. Incomplete applications **WILL** delay approval or result in automatic denial.
- Once processed your permit can be viewed at:
http://www2.tceq.texas.gov/wq_dpa/index.cfm

ePERMITS: Sign up now for online NOI: <https://www3.tceq.texas.gov/steers/index.cfm>
Pay a \$225 reduced application fee by using ePermits.

APPLICATION FEE:

- You must pay the **\$325** Application Fee to TCEQ for the paper application to be complete.
- Payment and NOI must be mailed to separate addresses.
- Did you know you can pay on line?
 - Go to <https://www3.tceq.texas.gov/epay/index.cfm>
 - Select Fee Type: GENERAL PERMIT CONSTRUCTION STORM WATER DISCHARGE NOI APPLICATION
- **Provide your payment information below, for verification of payment:**

Mailed	Check/Money Order No.: _____
	Name Printed on Check: _____
EPAY	Voucher No.: _____
	Is the Payment Voucher copy attached? Yes

RENEWAL: Is this NOI a Renewal of an existing General Permit Authorization?
(Note: A permit cannot be renewed after June 3, 2013.)

Yes The Permit number is: TXR15_____

(If a permit number is not provided, a new number will be assigned.)

No

1) OPERATOR (Applicant)

- a)** If the applicant is currently a customer with TCEQ, what is the Customer Number (CN) issued to this entity? You may search for your CN at:
<http://www12.tceq.texas.gov/crpub/index.cfm?fuseaction=cust.CustSearch>

CN _____

b) What is the Legal Name of the entity (applicant) applying for this permit?

(The legal name must be spelled exactly as filed with the Texas Secretary of State, County, or in the legal document forming the entity.)

c) What is the name and title of the person signing the application? The person must be an executive official meeting signatory requirements in TAC 305.44(a).

Prefix (Mr. Ms. Miss): _____

First/Last Name: _____ Suffix: _____

Title: _____ Credential: _____

d) What is the Operator Contact's (Responsible Authority) contact information and mailing address as recognized by the US Postal Service (USPS)? You may verify the address at:

<http://zip4.usps.com/zip4/welcome.jsp>

Phone #: _____ ext: _____ Fax #: _____

E-mail: _____

Mailing Address: _____

Internal Routing (Mail Code, Etc.): _____

City: _____ State: _____ ZIP Code: _____

If outside USA: Territory: _____ Country Code: _____ Postal Code: _____

e) Indicate the type of Customer (The instructions will help determine your customer type):

Individual	Limited Partnership	Sole Proprietorship-DBA
Joint Venture	General Partnership	Corporation
Trust	Estate	Federal Government
State Government	County Government	City Government
Other Government		

f) Independent Operator? Yes No
(If governmental entity, subsidiary, or part of a larger corporation, check "No".)

g) Number of Employees: 0-20; 21-100; 101-250; 251-500; or 501 or higher

h) Customer Business Tax and Filing Numbers:

(REQUIRED for Corporations and Limited Partnerships. Not Required for Individuals, Government, or Sole Proprietors)

State Franchise Tax ID Number: _____

Federal Tax ID: _____

Texas Secretary of State Charter (filing) Number: _____

DUNS Number (if known): _____

2) APPLICATION CONTACT

If TCEQ needs additional information regarding this application, who should be contacted?

Is the application contact the same as the applicant identified above?

Yes, go to Section 3). No, complete section below.

Prefix (Mr. Ms. Miss): _____

First/Last Name: _____ Suffix: _____

Title: _____ Credential: _____

Organization Name: _____
Phone No.: _____ ext: _____ Fax Number: _____
E-mail: _____
Mailing Address: _____
Internal Routing (Mail Code, Etc.): _____
City: _____ State: _____ ZIP Code: _____
Mailing Information if outside USA:
Territory: _____ Country Code: _____ Postal Code: _____

3) REGULATED ENTITY (RE) INFORMATION ON PROJECT OR SITE

If the site of your business is part of a larger business site or if other businesses were located at this site before yours, a Regulated Entity Number (RN) may already be assigned for the larger site. Use the RN assigned for the larger site. Search TCEQ's Central Registry to see if the larger site may already be registered as a regulated site at:

<http://www12.tceq.texas.gov/crpub/index.cfm?fuseaction=regent.RNSearch>.

If the site is found, provide the assigned Regulated Entity Reference Number and provide the information for the site to be authorized through this application below. The site information for this authorization may vary from the larger site information.

- a)** TCEQ issued RE Reference Number (RN): RN _____
- b)** Name of project or site (the name known by the community where located):

- c)** In your own words, briefly describe the primary business of the Regulated Entity: (Do not repeat the SIC and NAICS code):

- d)** County (or counties if > 1) _____
- e)** Latitude: _____ Longitude: _____
- f)** Does the site have a physical address?
Yes, complete Section A for a physical address.
No, complete Section B for site location information.

Section A: Enter the physical address for the site.

Verify the address with USPS. If the address is not recognized as a delivery address, provide the address as identified for overnight mail delivery, 911 emergency or other online map tools to confirm an address.

Physical Address of Project or Site:

Street Number: _____ Street Name: _____
City: _____ State: _____ ZIP Code: _____

Section B: Enter the site location information.

If no physical address (Street Number & Street Name), provide a written location access description to the site. (Ex.: located 2 miles west from intersection of Hwy 290 & IH35 accessible on Hwy 290 South)

City where the site is located or, if not in a city, what is the nearest city:

State: _____ ZIP Code where the site is located: _____

4) GENERAL CHARACTERISTICS

a) Is the project/site located on Indian Country Lands?

Yes - If the answer is Yes, you must obtain authorization through EPA, Region 6.

No

b) Is your construction activity associated with a facility that, when completed, would be associated with the exploration, development, or production of oil or gas or geothermal resources?

Yes - If the answer is Yes, you may be under jurisdiction of the Railroad Commission of Texas and may need to obtain authorization through EPA, Region 6.

No

c) What is the Primary Standard Industrial Classification (SIC) Code that best describes the construction activity being conducted at the site?

Primary SIC Code: _____

d) If applicable, what is the Secondary SIC Code(s): _____

e) What is the total number of acres disturbed? _____

f) Is the project site part of a larger common plan of development or sale?

Yes - If the answer is Yes, the total number of acres disturbed can be less than 5 acres.

No - If the answer is No, the total number of acres disturbed must be 5 or more. If the total number of acres disturbed is less than 5 then the project site does not qualify for coverage through this Notice of Intent. Coverage will be denied. See the requirements in the general permit for small construction sites.

g) What is the name of the first water body(s) to receive the stormwater runoff or potential runoff from the site?

h) What is the segment number(s) of the classified water body(s) that the discharge will eventually reach?

i) Is the discharge into an MS4?

Yes - If the answer is Yes, provide the name of the MS4 operator below.

No

If Yes, provide the name of the MS4 operator:

Note: The general permit requires you to send a copy of the NOI to the MS4 operator.

j) Are any of the surface water bodies receiving discharges from the construction site on the latest EPA-approved CWA 303(d) List of impaired waters?

Yes - If the answer is Yes, provide the name(s) of the impaired water body(s) below.

No

If Yes, provide the name(s) of the impaired water body(s):

k) Is the discharge or potential discharge within the Recharge Zone, Contributing Zone, or Contributing Zone within the Transition Zone of the Edwards Aquifer as defined in 30 TAC Chapter 213?

Yes - If the answer is Yes, complete certification below by checking "Yes."

No

I certify that a copy of the TCEQ approved Plan required by the Edwards Aquifer Rule (30 TAC Chapter 213) is either included or referenced in the Stormwater Pollution Prevention Plan.

Yes

5) CERTIFICATION

Check Yes to the certifications below. Failure to indicate Yes to **ALL** items may result in denial of coverage under the general permit.

- a) I certify that I have obtained a copy and understand the terms and conditions of the Construction General Permit (TXR150000). ☒ Yes
- b) I certify that the full legal name of the entity applying for this permit has been provided and is legally authorized to do business in Texas. ☒ Yes
- c) I understand that a Notice of Termination (NOT) must be submitted when this authorization is no longer needed. ☒ Yes
- d) I certify that a Stormwater Pollution Prevention Plan has been developed, will be implemented prior to construction and to the best of my knowledge and belief is compliant with any applicable local sediment and erosion control plans, as required in the general permit TXR150000. Note: For multiple operators who prepare a shared SWP3, the confirmation of an operator may be limited to its obligations under the SWP3 provided all obligations are confirmed by at least one operator. ☐ Yes

Operator Certification:

I, Paulo Misi, P.E. Senior Project Manager
Typed or printed name Title

certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

I further certify that I am authorized under 30 Texas Administrative Code 305.44 to sign and submit this document, and can provide documentation in proof of such authorization upon request.

Signature: Paulo Misi Date: 05/27/2025
(Use blue ink)

NOTICE OF INTENT CHECKLIST (TXR150000)

- Did you complete everything? Use this checklist to be sure!
- Are you ready to mail your form to TCEQ? Go to the General Information Section of the Instructions for mailing addresses.

This checklist is for use by the operator to ensure a complete application. Missing information may result in denial of coverage under the general permit. (See NOI process description in the Instructions)

Application Fee:

If paying by Check:

Check was mailed **separately** to the TCEQs Cashier's Office. (See Instructions for Cashier's address and Application address.)

Check number and name on check is provided in this application.

If using ePay:

The voucher number is provided in this application or a copy of the voucher is attached.

PERMIT NUMBER:

Permit number provided – if this application is for renewal of an existing authorization.

OPERATOR INFORMATION - Confirm each item is complete:

Customer Number (CN) issued by TCEQ Central Registry

Legal name as filed to do business in Texas (Call TX SOS 512/463-5555)

Name and title of responsible authority signing the application

Mailing address is complete & verifiable with USPS. www.usps.com

Phone numbers/e-mail address

Type of operator (entity type)

Independent operator

Number of employees

For corporations or limited partnerships – Tax ID and SOS filing numbers

Application contact and address is complete & verifiable with USPS. <http://www.usps.com>

REGULATED ENTITY (RE) INFORMATION ON PROJECT OR SITE - Confirm each item is complete:

Regulated Entity Reference Number (RN) (if site is already regulated by TCEQ)

Site/project name/regulated entity

Latitude and longitude <http://www.tceq.texas.gov/gis/sqmaview.html>

County

Site/project physical address. Do not use a rural route or post office box.

Business description

GENERAL CHARACTERISTICS - Confirm each item is complete:

Indian Country Lands –the facility is not on Indian Country Lands

Construction activity related to facility associated to oil, gas, or geothermal resources

Standard Industrial Classification (SIC) Code www.osha.gov/oshstats/sicser.html

Acres disturbed is provided and qualifies for coverage through a NOI

Common plan of development or sale

Receiving water body(s)

Segment number(s)

Impaired water body(s)

MS4 operator

Edwards Aquifer rule

CERTIFICATION

Certification statements have been checked indicating "Yes"

Signature meets 30 Texas Administrative Code (TAC) 305.44 and is original.

Notice of Intent (NOI) for Stormwater Discharges Associated with Construction Activity under TPDES General Permit (TXR150000)

General Information and Instructions

GENERAL INFORMATION

Where to Send the Notice of Intent (NOI):

BY REGULAR U.S. MAIL
Texas Commission on
Environmental Quality
Stormwater Processing Center
(MC228)
P.O. Box 13087
Austin, Texas 78711-3087

BY OVERNIGHT/EXPRESS MAIL
Texas Commission on
Environmental Quality
Stormwater Processing Center
(MC228)
12100 Park 35 Circle
Austin, TX 78753

TCEQ Contact List:

Application – status and form questions:	512/245-0130, swpermit@tceq.texas.gov
Technical questions:	512/239-4671, swgp@tceq.texas.gov
Environmental Law Division:	512/239-0600
Records Management - obtain copies of forms:	512/239-0900
Reports from databases (as available):	512/239-DATA (3282)
Cashier's office:	512/239-0357 or 512/239-0187

Notice of Intent Process:

When your NOI is received by the program, the form will be processed as follows:

- 1) **Administrative Review:** Each item on the form will be reviewed for a complete response. In addition, the operator's legal name must be verified with Texas Secretary of State as valid and active (if applicable). The address(s) on the form must be verified with the US Postal service as receiving regular mail delivery. Never give an overnight/express mailing address.
- 2) **Notice of Deficiency:** If an item is incomplete or not verifiable as indicated above, a notice of deficiency (NOD) will be mailed to the operator. The operator will have 30 days to respond to the NOD. The response will be reviewed for completeness.
- 3) **Acknowledgment of Coverage:** An Acknowledgment Certificate will be mailed to the operator. This certificate acknowledges coverage under the general permit.
-or-
Denial of Coverage: If the operator fails to respond to the NOD or the response is inadequate, coverage under the general permit may be denied. If coverage is denied, the operator will be notified.

General Permit (Your Permit)

For NOIs submitted **electronically** through ePermits, provisional coverage under the general permit begins immediately following confirmation of receipt of the NOI form by the TCEQ.

For **paper** NOIs, provisional coverage under the general permit begins **7 days after a completed NOI is postmarked for delivery** to the TCEQ.

You should have a copy of your general permit when submitting your application. You may view and print your permit for which you are seeking coverage, on the TCEQ web site <http://www.tceq.texas.gov>. Search using key word TXR150000.

General Permit Forms

The Notice of Intent (NOI), Notice of Termination (NOT), and Notice of Change (NOC) (including instructions) are available in Adobe Acrobat PDF format on the TCEQ web site <http://www.tceq.texas.gov>.

Change in Operator

An authorization under the general permit is not transferable. If the operator of the regulated entity changes, the present permittee must submit a Notice of Termination and the new operator must submit a Notice of Intent. The NOT and NOI must be submitted no later than 10 days prior to the change in Operator status.

TCEQ Central Registry Core Data Form

The Core Data Form has been incorporated into this form. Do not send a Core Data Form to TCEQ. After final acknowledgment of coverage under the general permit, the program will assign a Customer Number and Regulated Entity Number.

You can find the information on the Central Registry web site at <http://www12.tceq.texas.gov/crpub/index.cfm>. You can search by the Regulated Entity (RN), Customer Number (CN) or Name (Permittee), or by your permit number under the search field labeled AAdditional ID@. Capitalize all letters in the permit number.

The Customer (Permittee) is responsible for providing consistent information to the TCEQ, and for updating all CN and RN data for all authorizations as changes occur. For General Permits, a Notice of Change form must be submitted to the program area.

Fees associated with a General Permit

Payment of the fee may be made by check or money order, payable to TCEQ, or through EPAY (electronic payment through the web).

Application Fee: This fee is required to be paid at the time the NOI is submitted. Failure to submit payment at the time the application is filed will cause delays in acknowledgment or denial of coverage under the general permit.

Mailed Payments:

Payment must be mailed under separate cover at one of the addresses below using the attached Application Fee submittal form. (DO NOT SEND A COPY OF THE NOI WITH THE APPLICATION FEE SUBMITTAL FORM)

BY REGULAR U.S. MAIL

Texas Commission on Environmental Quality
Financial Administration Division
Cashier's Office, MC-214
P.O. Box 13088
Austin, TX 78711-3088

BY OVERNIGHT/EXPRESS MAIL

Texas Commission on Environmental Quality
Financial Administration Division
Cashier's Office, MC-214
12100 Park 35 Circle
Austin, TX 78753

ePAY Electronic Payment: <http://www.tceq.texas.gov/epay>

When making the payment you must select Water Quality, and then select the fee category “General Permit Construction Storm Water Discharge NOI Application”. You must include a copy of the payment voucher with your NOI. Your NOI will not be considered complete without the payment voucher.

INSTRUCTIONS FOR FILLING OUT THE NOI FORM

Renewal of General Permit. Dischargers holding active authorizations under the expired General Permit are required to submit a NOI to continue coverage. The existing permit number is required. If the permit number is not provided or has been terminated, expired, or denied a new permit number will be issued.

1. Operator (Applicant)

a) Enter assigned Customer Number (CN)

TCEQ’s Central Registry will assign each customer a number that begins with CN, followed by nine digits. **This is not a permit number, registration number, or license number.**

If this customer has not been assigned a CN, leave the space for the CN blank.

If this customer has already been assigned this number, enter the permittee’s CN.

b) Legal Name

Provide the current legal name of the permittee, as authorized to do business in Texas. The name must be provided exactly as filed with the Texas Secretary of State (SOS), or on other legal documents forming the entity, that is filed in the county where doing business. You may contact the SOS at 512/463-5555, for more information related to filing in Texas. If filed in the county where doing business, provide a copy of the legal documents showing the legal name.

c) Person Signing Application

Provide information about person signing section 5) Certification.

d) Operator Contact’s (Responsible Authority) Contact Information and Mailing Address

Provide a complete mailing address for receiving mail from the TCEQ. The address must be verifiable with the US Postal Service at <http://www.usps.com> for regular mail delivery (not overnight express mail). If you find that the address is not verifiable using the USPS web search, please indicate the address is used by the USPS for regular mail delivery.

The area code and phone number should provide contact to the operator. Leave Extension blank if not applicable.

The fax number and e-mail address are optional and should correspond to the operator.

e) Type of Customer (Entity Type)

Check only one box that identifies the type of entity. Use the descriptions below to identify the appropriate entity type. Note that the selected entity type also indicates the name that must be provided as an applicant for a permit, registration or authorization.

Sole Proprietorship – DBA

A sole proprietorship is a customer that is owned by only one person and has not been incorporated. This business may:

- be under the person's name
- have its own name (doing business as or d.b.a.)
- have any number of employees

If the customer is a Sole Proprietorship or DBA, the 'legal name' of the individual business 'owner' must be provided. The DBA name is not recognized as the 'legal name' of the entity. The DBA name may be used for the site name (regulated entity).

Individual

An individual is a customer who has not established a business, but conducts an activity that needs to be regulated by the TCEQ.

Partnership

- A customer that is established as a partnership as defined by the Texas Secretary of State Office (TX SOS). A Limited Partnership or Limited Liability Partnership (Partnership) is required to file with the Texas Secretary of State. A General Partnership or Joint Venture is not required to register with the state.
- **Partnership (Limited Partnership or Limited Liability Partnership):** A limited partnership is defined in the Act as a partnership formed by two or more persons under the provisions of Section 3 of the Uniform Limited Partnership Act (Art. 6132a, Revised Civil Statutes of Texas) and having as members one or more general partners and one or more limited partners. The limited partners as such are not bound by the obligations of the partnership. Limited partners may not take part in the day-to-day operations of the business. A Limited Partnership must file with the Texas Secretary of State. A registered limited liability partnership is a general or limited partnership that is registered with the Texas Secretary of State. The partnership's name must contain the words "Registered Limited Liability Partnership" or the abbreviation "L.L.P." as the last words or letters of its name.
- **General Partnership:** A general partner may or may not invest, participates in running the partnership and is liable for all acts and debts of the partnership and any member of it. A General Partnership does not have limited partners. For a General Partnership, there is no registration with the state or even written agreement necessary for a general partnership to be formed. The legal definition of a partnership is generally stated as "an association of two or more persons to carry on as co-owners a business for profit" (Revised Uniform Partnership Act § 101 [1994]).
- **Joint Venture:** A joint venture is but another name for a special partnership. It might be distinguished from a general partnership in that the latter is formed for the transaction of a general business, while a joint venture is usually limited to a single transaction. That is, a joint venture is a special combination of persons in the nature of a partnership engaged in the joint prosecution of a particular transaction for mutual benefit or profit.

Corporation

A customer meets all of these conditions:

- is a legally incorporated entity under the laws of any state or country
- is recognized as a corporation by the Texas Secretary of State

- has proper operating authority to operate in Texas.
- The corporation's 'legal name' as filed with the Texas Secretary of State must be provided as applicant. An 'assumed' name of a corporation is not recognized as the 'legal name' of the entity.

Government

Federal, state, county, or city government (as appropriate)

The customer is either an agency of one of these levels of government or the governmental body itself. The government agency's 'legal name' must be provided as the applicant. A department name or other description of the organization should not be included as a part of the 'legal name' as applicant.

Trust or Estate

A trust and an estate are fiduciary relationships governing the trustee/executor with respect to the trust/estate property.

Other Government

A utility district, water district, tribal government, college district, council of governments, or river authority. Write in the specific type of government.

Other

The customer does not fit any of the above descriptions. Enter a short description of the type of customer in the blank provided.

f) Independent Entity

Check No if this customer is a subsidiary, part of a larger company, or is a governmental entity. Otherwise, check Yes.

g) Number of Employees

Check one box to show the number of employees for this customer's entire company, at all locations. This is not necessarily the number of employees at the site named in the application.

h) Customer Business Tax and Filing Numbers

These are required for Corporations and Limited Partnerships. These are not required for Individuals, Government, and Sole Proprietors.

State Franchise Tax ID Number

Corporations and limited liability companies that operate in Texas are issued a franchise tax identification number. If this customer is a corporation or limited liability company, enter this number here.

Federal Tax ID

All businesses, except for some small sole proprietors, individuals, or general partnerships should have a federal taxpayer identification number (TIN). Enter this number here. Use no prefixes, dashes, or hyphens. Sole proprietors, individuals, or general partnerships do not need to provide a federal tax ID.

TX SOS Charter (filing) Number

Corporations and Limited Partnerships required to register with the Texas Secretary of State are issued a charter or filing number. You may obtain further information by calling SOS at 512/463-5555.

DUNS Number

Most businesses have a DUNS (Data Universal Numbering System) number issued by Dun and Bradstreet Corp. If this customer has one, enter it here.

2. APPLICATION CONTACT

Provide the name, title and communication information of the person that TCEQ can contact for additional information regarding this application.

3. REGULATED ENTITY (RE) INFORMATION ON PROJECT OR SITE**a) Regulated Entity Reference Number (RN)**

A number issued by TCEQ's Central Registry to sites (a location where a regulated activity occurs) regulated by TCEQ. This is not a permit number, registration number, or license number. If this regulated entity has not been assigned an RN, leave this space blank.

If the site of your business is part of a larger business site, a Regulated Entity Number (RN) may already be assigned for the larger site. Use the RN assigned for the larger site. Search TCEQ's Central Registry to see if the larger site may already be registered as a regulated site at:

<http://www12.tceq.texas.gov/crpub/index.cfm?fuseaction=regent.RNSearch>

If the site is found, provide the assigned Regulated Entity Reference Number (RN) and provide the information for the site to be authorized through this application. The site information for this authorization may vary from the larger site information.

An example is a chemical plant where a unit is owned or operated by a separate corporation that is accessible by the same physical address of your unit or facility. Other examples include industrial parks identified by one common address but different corporations have control of defined areas within the site. In both cases, an RN would be assigned for the physical address location and the permitted sites would be identified separately under the same RN.

b) Site/Project Name/Regulated Entity

Provide the name of the site as known by the public in the area where the site is located. The name you provide on this application will be used in the TCEQ Central Registry as the Regulated Entity name.

c) Description of Activity Regulated

In your own words, briefly describe the primary business that you are doing that requires this authorization. Do not repeat the SIC Code description.

d) County

Identify the county or counties in which the regulated entity is located.

e) Latitude and Longitude

Enter the latitude and longitude of the site in degrees, minutes, and seconds or decimal form. For help obtaining the latitude and longitude, go to:

<http://www.tceq.texas.gov/gis/sqmapview.html> or <http://nationalmap.gov/ustopo>

f) Site/Project (RE) Physical Address/Location Information

Enter the complete address for the site in Section A if the address can be validated through the US Postal Service. If the physical address is not recognized as a USPS delivery address, you may need to validate the address with your local police (911 service) or through an online map site

used to locate a site. Please confirm this to be a complete and valid address. Do not use a rural route or post office box for a site location.

If a site does not have an address that includes a street (or house) number and street name, enter NO ADDRESS for the street name in Section A. In Section B provide a complete written location description. For example: "The site is located 2 miles west from intersection of Hwy 290 & IH35, located on the southwest corner of the Hwy 290 South bound lane." Provide the city (or nearest city) and zip code of the facility location.

4. GENERAL CHARACTERISTICS

a) Indian Country Lands

If your site is located on Indian Country Lands, the TCEQ does not have authority to process your application. You must obtain authorization through EPA, Region 6, Dallas. Do not submit this form to TCEQ.

b) Construction activity associated with facility associated with exploration, development, or production of oil, gas, or geothermal resources

If your activity is associated with oil and gas exploration, development, or production, you may be under jurisdiction of the Railroad Commission of Texas and may need to obtain authorization from EPA Region 6. For more information, see:

http://info.sos.state.tx.us/pls/pub/readtacSext.TacPage?sl=R&app=9&p_dir=&p_rloc=&p_tloc=&p_ploc=&pg=1&p_tac=&ti=16&pt=1&ch=3&rl=30

Construction activities associated with a facility related to oil, gas or geothermal resources may include the construction of a well site; treatment or storage facility; underground hydrocarbon or natural gas storage facility; reclamation plant; gas processing facility; compressor station; terminal facility where crude oil is stored prior to refining and at which refined products are stored solely for use at the facility; a carbon dioxide geologic storage facility; and a gathering, transmission, or distribution pipeline that will transport crude oil or natural gas, including natural gas liquids, prior to refining of such oil or the use of the natural gas in any manufacturing process or as a residential or industrial fuel.

Where required by federal law, discharges of stormwater associated with construction activities under the Railroad Commission's jurisdiction must be authorized by the EPA and the Railroad Commission of Texas, as applicable. Activities under Railroad Commission of Texas jurisdiction include construction of a facility that, when completed, would be associated with the exploration, development, or production of oil or gas or geothermal resources, such as a well site; treatment or storage facility; underground hydrocarbon or natural gas storage facility; reclamation plant; gas processing facility; compressor station; terminal facility where crude oil is stored prior to refining and at which refined products are stored solely for use at the facility; a carbon dioxide geologic storage facility under the jurisdiction of the Railroad Commission of Texas; and a gathering, transmission, or distribution pipeline that will transport crude oil or natural gas, including natural gas liquids, prior to refining of such oil or the use of the natural gas in any manufacturing process or as a residential or industrial fuel. The Railroad Commission of Texas also has jurisdiction over stormwater from land disturbance associated with a site survey that is conducted prior to construction of a facility that would be regulated by the Railroad Commission of Texas. Under 33 U.S.C. §1342(l)(2) and §1362(24), EPA cannot require a permit for discharges of stormwater from "field activities or operations associated with {oil and gas} exploration, production, processing, or treatment operations, or transmission facilities, including activities necessary to prepare a site for drilling and for the movement and placement

of drilling equipment, whether or not such field activities or operations may be considered to be construction activities" unless the discharge is contaminated by contact with any overburden, raw material, intermediate product, finished product, byproduct, or waste product located on the site of the facility. Under §3.8 of this title (relating to Water Protection), the Railroad Commission of Texas prohibits operators from causing or allowing pollution of surface or subsurface water. Operators are encouraged to implement and maintain best management practices (BMPs) to minimize discharges of pollutants, including sediment, in stormwater during construction activities to help ensure protection of surface water quality during storm events.

c) Primary Standard Industrial Classification (SIC) Code

Provide the SIC Code that best describes the construction activity being conducted at this site.

Common SIC Codes related to construction activities include:

- 1521 - Construction of Single Family Homes
- 1522 - Construction of Residential Bldgs. Other than Single Family Homes
- 1541 - Construction of Industrial Bldgs. and Warehouses
- 1542 - Construction of Non-residential Bldgs, other than Industrial Bldgs. and Warehouses
- 1611 - Highway and Street Construction, except Highway Construction
- 1622 - Bridge, Tunnel, and Elevated Highway Construction
- 1623 - Water, Sewer, Pipeline and Communications, and Power Line Construction

For help with SIC Codes, go to:

<http://www.osha.gov/pls/imis/sicsearch.html>

d) Secondary SIC Code

Secondary SIC Code(s) may be provided. Leave blank if not applicable. For help with SIC Codes, go to:

<http://www.osha.gov/pls/imis/sicsearch.html>

e) Total Number of Acres Disturbed

Provide the approximate number of acres that the construction site will disturb. Construction activities that disturb less than one acre, unless they are part of a larger common plan that disturbs more than one acre, do not require permit coverage. Construction activities that disturb between one and five acres, unless they are part of a common plan that disturbs more than five acres, do not require submission of an NOI. Therefore, the estimated area of land disturbed should not be less than five, unless the project is part of a larger common plan that disturbs five or more acres. Disturbed means any clearing, grading, excavating, or other similar activities.

If you have any questions about this item, please contact the stormwater technical staff by phone at (512)239-4671 or by email at swgp@tceq.texas.gov.

f) Common Plan of Development

Construction activities that disturb less than five acres do not require submission of an NOI unless they are part of a common plan of development or for sale where the area disturbed is five or more acres. Therefore, the estimated area of land disturbed should not be less than five, unless the project is part of a larger common plan that disturbs five or more acres. Disturbed means any clearing, grading, excavating, or other similar activities.

For more information on "What is a common plan of development?" go to:
www.tceq.texas.gov/permitting/stormwater/common_plan_of_development_steps.html

For further information, go to the TCEQ stormwater construction webpage at:
www.tceq.texas.gov/goto/construction and search for "Additional Guidance and Quick Links". If you have any further questions about this item, please call the stormwater technical staff at (512)239-4671.

g) Identify the water body(s) receiving stormwater runoff

The stormwater may be discharged directly to a receiving stream or through a MS4 from your site. It eventually reaches a receiving water body such as a local stream or lake, possibly via a drainage ditch. You must provide the name of the water body that receives the discharge from the site (a local stream or lake).

If your site has more than one outfall you need to include the name of the first water body for each outfall, if they are different.

h) Identify the segment number(s) of the classified water body(s)

Identify the classified segment number(s) receiving a discharge directly or indirectly. Go to the following link to find the segment number of the classified water body where stormwater will flow from the site: www.tceq.texas.gov/waterquality/monitoring/viewer.html

You may also find the segment number in TCEQ publication GI-316:
www.tceq.texas.gov/publications/gi/gi-316

If the discharge is into an unclassified receiving water and then crosses state lines prior to entering a classified segment, select the appropriate watershed:

- 0100 (Canadian River Basin)
- 0200 (Red River Basin)
- 0300 (Sulfur River Basin)
- 0400 (Cypress Creek Basin)
- 0500 (Sabine River Basin)

Call the Water Quality Assessments section at (512)239-4671 for further assistance.

i) Discharge into MS4

The discharge may initially be into a municipal separate storm sewer system (MS4). The Construction General Permit requires the Operator to provide a copy of the NOI to the MS4 Operator.

j) Identify the MS4 Operator

If the stormwater discharge is into an MS4, provide the name of the entity that operates the MS4 where the stormwater discharges. An MS4 operator is often a city, town, county, or utility district, but possibly can be another form of government. Please note that the Construction General Permit requires the Operator to supply the MS4 with a copy of the NOI submitted to TCEQ. For assistance, you may call the technical staff at (512)239-4671.

k) Surface Water bodies on list of impaired waters

Indicate Yes or No if any surface water bodies receiving discharges from the construction site are on the latest EPA-approved CWA 303(d) List of impaired waters. The EPA-approved CWA

303(d) List of impaired waters in Texas can be found at:
www.tceq.texas.gov/waterquality/assessment/305_303.html

NOTE: Do not use any "draft" documents.

l) Identify the impaired water body(s)

Provide the name(s) of surface water bodies receiving discharges or potential discharges from the construction site that are on the latest EPA-approved CWA 303(d) List of impaired waters. The EPA-approved CWA 303(d) List of impaired waters in Texas can be found at:
www.tceq.texas.gov/waterquality/assessment/305_303.html

NOTE: Do not use any "draft" documents.

m) Discharges to the Edwards Aquifer Recharge Zone

See maps on the TCEQ website to determine if the site is located within the Recharge Zone, Contributing Zone, or Contributing Zone within the Transition Zone of the Edwards Aquifer at:
www.tceq.texas.gov/field/eapp/viewer.html

If the discharge or potential discharge is within the Recharge Zone, Contributing Zone, or Contributing Zone within the Transition Zone of the Edwards Aquifer, a site specific authorization approved by the Executive Director under the Edwards Aquifer Protection Program (30 TAC Chapter 213) is required before construction can begin.

The general permit requires the approved Contributing Zone Plan or Water Pollution Abatement Plan to be included or referenced as a part of the Stormwater Pollution Prevention Plan.

n) Certification regarding Edwards Aquifer Rule (30 TAC Chapter 213)

If the discharge or potential discharge is within the Recharge Zone, Contributing Zone, or Contributing Zone within the Transition Zone of the Edwards Aquifer as defined in 30 TAC Chapter 213, the certification must be answered "Yes" for coverage under the Construction General Permit. The TCEQ approved plan must be readily available for TCEQ staff to review at the time that the NOI is submitted.

For questions regarding the Edwards Aquifer Protection Program, contact the appropriate TCEQ Regional Office. For projects in Hays, Travis and Williamson Counties: Austin Regional Office, 12100 Park 35 Circle, Austin, TX 78753, 512-339-2929. For Projects in Bexar, Comal, Kinney, Medina and Uvalde Counties: TCEQ San Antonio Regional Office, 14250 Judson Rd., San Antonio, TX 78233-4480, 210-490-3096.

5. CERTIFICATIONS

Failure to indicate **Yes** to ALL of the certification items may result in denial of coverage under the general permit.

a) Certification of Understanding the Terms and Conditions of Construction General Permit (TXR150000)

Provisional coverage under the Construction General Permit (TXR150000) begins 7 days after the completed paper NOI is postmarked for delivery to the TCEQ. (Electronic applications submitted through ePermits have immediate provisional coverage). You must obtain a copy and read the Construction General Permit before submitting your application. You may view and print the Construction General Permit for which you are seeking coverage at the TCEQ web site: www.tceq.texas.gov/goto/construction

b) Certification of Legal Name

The full legal name of the applicant as authorized to do business in Texas is required. The name must be provided exactly as filed with the Texas Secretary of State (SOS), or on other legal documents forming the entity, that is filed in the county where doing business. You may contact the SOS at (512)463 5555, for more information related to filing in Texas.

c) Understanding of Notice of Termination

A permittee shall terminate coverage under this Construction General Permit through the submittal of a NOT when the operator of the facility changes, final stabilization has been reached, the discharge becomes authorized under an individual permit, or the construction activity never began at this site.

d) Certification of Stormwater Pollution Prevention Plan

The SWP3 identifies the areas and activities that could produce contaminated runoff at your site and then tells how you will ensure that this contamination is mitigated. For example, in describing your mitigation measures, your site's plan might identify the devices that collect and filter stormwater, tell how those devices are to be maintained, and tell how frequently that maintenance is to be carried out. You must develop this plan in accordance with the TCEQ general permit requirements. This plan must be developed and implemented before you complete this NOI. The SWP3 must be available for a TCEQ investigator to review on request.

Operator Certification:

The certification must bear an original signature of a person meeting the signatory requirements specified under 30 Texas Administrative Code (TAC) §305.44.

IF YOU ARE A CORPORATION:

The regulation that controls who may sign an NOI or similar form is 30 Texas Administrative Code §305.44(a)(1) (see below). According to this code provision, any corporate representative may sign an NOI or similar form so long as the authority to sign such a document has been delegated to that person in accordance with corporate procedures. By signing the NOI or similar form, you are certifying that such authority has been delegated to you. The TCEQ may request documentation evidencing such authority.

IF YOU ARE A MUNICIPALITY OR OTHER GOVERNMENT ENTITY:

The regulation that controls who may sign an NOI or similar form is 30 Texas Administrative Code §305.44(a)(3) (see below). According to this code provision, only a ranking elected official or principal executive officer may sign an NOI or similar form. Persons such as the City Mayor or County Commissioner will be considered ranking elected officials. In order to identify the principal executive officer of your government entity, it may be beneficial to consult your city charter, county or city ordinances, or the Texas statute(s) under which your government entity was formed. An NOI or similar document that is signed by a government official who is not a ranking elected official or principal executive officer does not conform to §305.44(a)(3). The signatory requirement may not be delegated to a government representative other than those identified in the regulation. By signing the NOI or similar form, you are certifying that you are either a ranking elected official or principal executive officer as required by the administrative code. Documentation demonstrating your position as a ranking elected official or principal executive officer may be requested by the TCEQ.

If you have any questions or need additional information concerning the signatory requirements discussed above, please contact the Texas Commission on Environmental Quality's Environmental Law Division at (512)239-0600.

30 Texas Administrative Code

§305.44. Signatories to Applications

(a) All applications shall be signed as follows.

(1) For a corporation, the application shall be signed by a responsible corporate officer. For purposes of this paragraph, a responsible corporate officer means a president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy or decision-making functions for the corporation; or the manager of one or more manufacturing, production, or operating facilities employing more than 250 persons or having gross annual sales or expenditures exceeding \$25 million (in second-quarter 1980 dollars), if authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures. Corporate procedures governing authority to sign permit or post-closure order applications may provide for assignment or delegation to applicable corporate positions rather than to specific individuals.

(2) For a partnership or sole proprietorship, the application shall be signed by a general partner or the proprietor, respectively.

(3) For a municipality, state, federal, or other public agency, the application shall be signed by either a principal executive officer or a ranking elected official. For purposes of this paragraph, a principal executive officer of a federal agency includes the chief executive officer of the agency, or a senior executive officer having responsibility for the overall operations of a principal geographic unit of the agency (e.g., regional administrator of the EPA).

Texas Commission on Environmental Quality General Permit Payment Submittal Form

Use this form to submit your Application Fee only if you are mailing your payment.

- Complete items 1 through 5 below:
- Staple your check in the space provided at the bottom of this document.
- Do not mail this form with your NOI form.
- Do not mail this form to the same address as your NOI.

Mail this form and your check to:

BY REGULAR U.S. MAIL

Texas Commission on Environmental
Quality
Financial Administration Division
Cashier's Office, MC-214
P.O. Box 13088
Austin, TX 78711-3088

BY OVERNIGHT/EXPRESS MAIL

Texas Commission on Environmental
Quality
Financial Administration Division
Cashier's Office, MC-214
12100 Park 35 Circle
Austin, TX 78753

Fee Code: GPA

General Permit:

TXR150000

1. Check / Money Order No: _____
2. Amount of Check/Money Order: _____
3. Date of Check or Money Order: _____
4. Name on Check or Money Order: _____
5. NOI INFORMATION

If the check is for more than one NOI, list each Project/Site (RE) Name and Physical Address exactly as provided on the NOI. DO NOT SUBMIT A COPY OF THE NOI WITH THIS FORM AS IT COULD CAUSE DUPLICATE PERMIT ENTRIES.

See Attached List of Sites (If more space is needed, you may attach a list.)

Project/Site (RE) Name: _____

Project/Site (RE) Physical Address:

Staple Check in This Space

Agent Authorization Form
For Required Signature
Edwards Aquifer Protection Program
Relating to 30 TAC Chapter 213
Effective June 1, 1999

I Kalyan Vijai Lakimsetty,
Print Name

Owner,
Title - Owner/President/Other

of Baghdad San Gabriel Developers LLC,
Corporation/Partnership/Entity Name

have authorized Paulo Misi
Print Name of Agent/Engineer

of Southwest Engineers, Inc
Print Name of Firm

to represent and act on the behalf of the above-named Corporation, Partnership, or Entity for the purpose of preparing and submitting this plan application to the Texas Commission on Environmental Quality (TCEQ) for the review and approval consideration of regulated activities.

I also understand that:

1. The applicant is responsible for compliance with 30 Texas Administrative Code Chapter 213 and any condition of the TCEQ's approval letter. The TCEQ is authorized to assess administrative penalties of up to \$10,000 per day per violation.
2. For those submitting an application who are not the property owner, but who have the right to control and possess the property, additional authorization is required from the owner.
3. Application fees are due and payable at the time the application is submitted. The application fee must be sent to the TCEQ cashier or to the appropriate regional office. The application will not be considered until the correct fee is received by the commission.
4. A notarized copy of the Agent Authorization Form must be provided for the person preparing the application, and this form must accompany the completed application.
5. No person shall commence any regulated activity on the Edwards Aquifer Recharge Zone, Contributing Zone or Transition Zone until the appropriate application for the activity has been filed with and approved by the Executive Director.

SIGNATURE PAGE:

L. Kalyan Vijai
Applicant's Signature

06/03/2025
Date

THE STATE OF NJ §

County of Middlesex §

BEFORE ME, the undersigned authority, on this day personally appeared Mr. Kalyan Vijai Lakimsetty known to me to be the person whose name is subscribed to the foregoing instrument, and acknowledged to me that (s)he executed same for the purpose and consideration therein expressed.

GIVEN under my hand and seal of office on this 3rd day of June, 2025.

Ashwini
NOTARY PUBLIC

Ashwini Sawant
Typed or Printed Name of Notary

MY COMMISSION EXPIRES: 05/15/2029

Commission # 50105014



Application Fee Form

Texas Commission on Environmental Quality

Name of Proposed Regulated Entity: Market Square

Regulated Entity Location: N Bagdad Rd & W San Gabriel Pkwy, Leander, TX 78641

Name of Customer: Baghdad San Gabriel Developers LLC

Contact Person: Kalyan Vijai Lakimsetty

Phone: (908) 448-8608

Customer Reference Number (if issued):CN _____

Regulated Entity Reference Number (if issued):RN _____

Austin Regional Office (3373)

☐ Hays

☐ Travis

☒ Williamson

San Antonio Regional Office (3362)

☐ Bexar

☐ Medina

☐ Uvalde

☐ Comal

☐ Kinney

Application fees must be paid by check, certified check, or money order, payable to the **Texas Commission on Environmental Quality**. Your canceled check will serve as your receipt. **This form must be submitted with your fee payment.** This payment is being submitted to:

☐ Austin Regional Office

☐ San Antonio Regional Office

☐ Mailed to: TCEQ - Cashier

☐ Overnight Delivery to: TCEQ - Cashier

Revenues Section

Mail Code 214

P.O. Box 13088

Austin, TX 78711-3088

12100 Park 35 Circle

Building A, 3rd Floor

Austin, TX 78753

(512)239-0357

Site Location (Check All That Apply):

☐ Recharge Zone

☒ Contributing Zone

☐ Transition Zone

<i>Type of Plan</i>	<i>Size</i>	<i>Fee Due</i>
Water Pollution Abatement Plan, Contributing Zone Plan: One Single Family Residential Dwelling	Acres	\$
Water Pollution Abatement Plan, Contributing Zone Plan: Multiple Single Family Residential and Parks	Acres	\$
Water Pollution Abatement Plan, Contributing Zone Plan: Non-residential	14.79 Acres	\$ 6,500
Sewage Collection System	L.F.	\$
Lift Stations without sewer lines	Acres	\$
Underground or Aboveground Storage Tank Facility	Tanks	\$
Piping System(s)(only)	Each	\$
Exception	Each	\$
Extension of Time	Each	\$

Signature: Pamela Mizer

Date: 05/27/2025

Application Fee Schedule

Texas Commission on Environmental Quality

Edwards Aquifer Protection Program 30 TAC Chapter 213 (effective 05/01/2008)

Water Pollution Abatement Plans and Modifications

Contributing Zone Plans and Modifications

<i>Project</i>	<i>Project Area in Acres</i>	<i>Fee</i>
One Single Family Residential Dwelling	< 5	\$650
Multiple Single Family Residential and Parks	< 5	\$1,500
	5 < 10	\$3,000
	10 < 40	\$4,000
	40 < 100	\$6,500
	100 < 500	\$8,000
	≥ 500	\$10,000
Non-residential (Commercial, industrial, institutional, multi-family residential, schools, and other sites where regulated activities will occur)	< 1	\$3,000
	1 < 5	\$4,000
	5 < 10	\$5,000
	10 < 40	\$6,500
	40 < 100	\$8,000
	≥ 100	\$10,000

Organized Sewage Collection Systems and Modifications

<i>Project</i>	<i>Cost per Linear Foot</i>	<i>Minimum Fee- Maximum Fee</i>
Sewage Collection Systems	\$0.50	\$650 - \$6,500

Underground and Aboveground Storage Tank System Facility Plans and Modifications

<i>Project</i>	<i>Cost per Tank or Piping System</i>	<i>Minimum Fee- Maximum Fee</i>
Underground and Aboveground Storage Tank Facility	\$650	\$650 - \$6,500

Exception Requests

<i>Project</i>	<i>Fee</i>
Exception Request	\$500

Extension of Time Requests

<i>Project</i>	<i>Fee</i>
Extension of Time Request	\$150



TCEQ Core Data Form

For detailed instructions on completing this form, please read the Core Data Form Instructions or call 512-239-5175.

SECTION I: General Information

1. Reason for Submission (If other is checked please describe in space provided.)		
<input checked="" type="checkbox"/> New Permit, Registration or Authorization (Core Data Form should be submitted with the program application.)		
<input type="checkbox"/> Renewal (Core Data Form should be submitted with the renewal form)		<input type="checkbox"/> Other
2. Customer Reference Number (if issued)	Follow this link to search for CN or RN numbers in Central Registry**	3. Regulated Entity Reference Number (if issued)
CN		RN

SECTION II: Customer Information

4. General Customer Information		5. Effective Date for Customer Information Updates (mm/dd/yyyy)			
<input checked="" type="checkbox"/> New Customer <input type="checkbox"/> Update to Customer Information <input type="checkbox"/> Change in Regulated Entity Ownership					
<input type="checkbox"/> Change in Legal Name (Verifiable with the Texas Secretary of State or Texas Comptroller of Public Accounts)					
The Customer Name submitted here may be updated automatically based on what is current and active with the Texas Secretary of State (SOS) or Texas Comptroller of Public Accounts (CPA).					
6. Customer Legal Name (If an individual, print last name first: eg: Doe, John)				If new Customer, enter previous Customer below:	
Baghdad San Gabriel Developers LLC					
7. TX SOS/CPA Filing Number		8. TX State Tax ID (11 digits)		9. Federal Tax ID (9 digits)	
805439709		32093944612		10. DUNS Number (if applicable)	
11. Type of Customer:		<input checked="" type="checkbox"/> Corporation		<input type="checkbox"/> Individual	
Government: <input type="checkbox"/> City <input type="checkbox"/> County <input type="checkbox"/> Federal <input type="checkbox"/> Local <input type="checkbox"/> State <input type="checkbox"/> Other		<input type="checkbox"/> Sole Proprietorship		Partnership: <input type="checkbox"/> General <input type="checkbox"/> Limited	
12. Number of Employees				13. Independently Owned and Operated?	
<input checked="" type="checkbox"/> 0-20 <input type="checkbox"/> 21-100 <input type="checkbox"/> 101-250 <input type="checkbox"/> 251-500 <input type="checkbox"/> 501 and higher				<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
14. Customer Role (Proposed or Actual) – as it relates to the Regulated Entity listed on this form. Please check one of the following					
<input checked="" type="checkbox"/> Owner <input type="checkbox"/> Operator <input type="checkbox"/> Owner & Operator <input type="checkbox"/> Other:					
<input type="checkbox"/> Occupational Licensee <input type="checkbox"/> Responsible Party <input type="checkbox"/> VCP/BSA Applicant					
15. Mailing Address:		6 Miller Dr			
City		Hillsborough		State	NJ
ZIP		08844		ZIP + 4	
16. Country Mailing Information (if outside USA)				17. E-Mail Address (if applicable)	

18. Telephone Number (908) 448-8608	19. Extension or Code	20. Fax Number (if applicable) () -
--	-----------------------	---

SECTION III: Regulated Entity Information

21. General Regulated Entity Information (If 'New Regulated Entity' is selected, a new permit application is also required.)								
<input checked="" type="checkbox"/> New Regulated Entity <input type="checkbox"/> Update to Regulated Entity Name <input type="checkbox"/> Update to Regulated Entity Information								
The Regulated Entity Name submitted may be updated, in order to meet TCEQ Core Data Standards (removal of organizational endings such as Inc, LP, or LLC).								
22. Regulated Entity Name (Enter name of the site where the regulated action is taking place.)								
Market Square								
23. Street Address of the Regulated Entity: (No PO Boxes)								
	City		State		ZIP		ZIP + 4	
24. County								

If no Street Address is provided, fields 25-28 are required.

25. Description to Physical Location:	Northeast corner of N Bagdad Rd & W San Gabriel Pkwy							
26. Nearest City	State				Nearest ZIP Code			
Leander	TX				78641			
Latitude/Longitude are required and may be added/updated to meet TCEQ Core Data Standards. (Geocoding of the Physical Address may be used to supply coordinates where none have been provided or to gain accuracy).								
27. Latitude (N) In Decimal:	30.595244			28. Longitude (W) In Decimal:	-97.882239			
Degrees	Minutes	Seconds	Degrees	Minutes	Seconds			
29. Primary SIC Code (4 digits)	30. Secondary SIC Code (4 digits)		31. Primary NAICS Code (5 or 6 digits)		32. Secondary NAICS Code (5 or 6 digits)			
1542			236200					
33. What is the Primary Business of this entity? (Do not repeat the SIC or NAICS description.)								
Commercial/Retail Development								
34. Mailing Address:	6 Miller Dr							
	City	Hillsborough	State	NJ	ZIP	8844	ZIP + 4	
35. E-Mail Address:	kalyanvijai@gmail.com							
36. Telephone Number	37. Extension or Code		38. Fax Number (if applicable)					
(908) 448-8608			() -					

39. TCEQ Programs and ID Numbers Check all Programs and write in the permits/registration numbers that will be affected by the updates submitted on this form. See the Core Data Form instructions for additional guidance.

<input type="checkbox"/> Dam Safety	<input type="checkbox"/> Districts	<input type="checkbox"/> Edwards Aquifer	<input type="checkbox"/> Emissions Inventory Air	<input type="checkbox"/> Industrial Hazardous Waste
<input type="checkbox"/> Municipal Solid Waste	<input type="checkbox"/> New Source Review Air	<input type="checkbox"/> OSSF	<input type="checkbox"/> Petroleum Storage Tank	<input type="checkbox"/> PWS
<input type="checkbox"/> Sludge	<input type="checkbox"/> Storm Water	<input type="checkbox"/> Title V Air	<input type="checkbox"/> Tires	<input type="checkbox"/> Used Oil
<input type="checkbox"/> Voluntary Cleanup	<input type="checkbox"/> Wastewater	<input type="checkbox"/> Wastewater Agriculture	<input type="checkbox"/> Water Rights	<input type="checkbox"/> Other:

SECTION IV: Preparer Information

40. Name:	Paulo Misi, P.E.			41. Title:	Senior Project Manager
42. Telephone Number	43. Ext./Code	44. Fax Number	45. E-Mail Address		
(512) 222-4964	521	() -	paulo.misi@swengineers.com		

SECTION V: Authorized Signature

46. By my signature below, I certify, to the best of my knowledge, that the information provided in this form is true and complete, and that I have signature authority to submit this form on behalf of the entity specified in Section II, Field 6 and/or as required for the updates to the ID numbers identified in field 39.

Company:	Southwest Engineers, Inc	Job Title:	Senior Project Manager
Name (In Print):	Paulo Misi, P.E.	Phone:	(512) 350- 1363
Signature:	<i>Paulo Misi</i>	Date:	<i>05/27/2025</i>