General Information

This index identifies all water bodies with one or more impairments. The index is divided into two main categories:

Category 4	Impairments that are not suitable for a TMDL or for which a TMDL has already been
	approved
Category 5	Impairments which may be suitable for development of a TMDL (303d List)

Explanation of Column Headings

SegID and Name:	three types of 0218), as defi unclassified v water body be Oyster Water	he unique identifier (SegID), segment name, and location of the water body. Items may be one of tree types of numbers for SegID. The first type is a classified segment number (4 digits, e.g. 218), as defined in the Texas Surface Water Quality Standards (TSWQS). The second type is an nclassified water body (e.g. 0218A), not defined in the Standards and associated with a classified rater body because it is in the same watershed. The third type includes special Segments for byster Water Use (e.g. 24210W) and Beach Watch Use (e.g. 2481CB) special areas. The segment ame and description follow SegID.		
AU_ID:	location of th	assessment unit (AU_ID, six or seven digits, <i>e.g.</i> , 0101A_01) and describes the e specific area within a classified or unclassified water body for which one or more standards are not met.		
Parameter(s):	Pollutants or water quality	water quality conditions that assessment procedures indicate do not meet assigned standards.		
quality status and management activities on that water body. Both Categor are each divided into three subcategories; when a water body has parameter		, its overall category is the highest category. The category and its subcategories		
	<u>Category 4:</u>	 Standard is not supported for one or more designated uses but does not require the development of a TMDL. <i>Category 4a</i> - All TMDLs have been completed and approved by EPA. <i>Category 4b</i> - Other control requirements are reasonably expected to result in the attainment of all standards. <i>Category 4c</i> - Nonattainment is shown to be caused by pollution, not by pollutants and that the water quality conditions cannot be changed by the allocation and control of pollutaints through the TMDL process. 		
	<u>Category 5</u> :	 The water body does not meet applicable water quality standards for one or more designated uses by one or more pollutants. <i>Category 5a</i> - TMDLs are underway, scheduled, or will be scheduled for one or more parameters. <i>Category 5b</i> - A review of the standards for one or more parameters will be conducted before a management strategy is selected, including a possible revision to the TSWQSs. <i>Category 5c</i> - Additional data or information will be collected and/or evaluated for one or more parameters before a management strategy is selected. 		
Carryforward:		ly listed impairments did not have adequate data to re-assess in 2016 and were carried 014 and remain impaired.		

SegID: 0101	Canadian River Below Lake Meredith From the Oklahoma State Line in Hemphill County to Sanford Dam in Hutchinso	on County	
	From the Oktationia State Line in Hempinin County to Samord Dam in Hutenniss	on County	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 0101_03	reation Use) From the confluence with White Deer Creek upstream to the confluence with Dixon Creek east of Borger	5c	Yes
SegID: 0101A	Dixon Creek		
	Dixon Creek - intermittent stream with perennial pools from the confluence with Hutchinson County upstream to the confluence with the Middle, West, and East		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Reci			
0101A_01	Dixon Creek an Appendix D Intermittent stream with perennial pools from the	5b	No
	confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed diss			
0101A_01	Dixon Creek an Appendix D Intermittent stream with perennial pools from the	5c	Yes
	confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
selenium in wa	ater		

confluence with the Canadian River upstream to the confluence with the

permitted outfall receiving waters tributary

SegID: 0102	Lake Meredith Lake Meredith - from Sanford Dam in Hutchinson County to a point immediately Camp Creek in Potter County, up to the normal pool elevation of 2936.5 feet (imp		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
chloride	Lake Meredith downstream of a line from red starboard marker 14 at Blue West	5c	No
0102_01	Campground to green port marker 11 north of Fritch Canyon	30	INO
0102_02	Lake Meredith upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	5c	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
mercury in edi	ible tissue		
0102_01	Lake Meredith downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	5c	Yes
0102_02	Lake Meredith upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	5c	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
sulfate			
0102_01	Lake Meredith downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	5c	No
0102_02	Lake Meredith upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	5c	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
total dissolved	solids		
0102_01	Lake Meredith downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	5c	No
0102_02	Lake Meredith upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	5c	No

SegID: 0103 **Canadian River Above Lake Meredith** From a point immediately upstream of the confluence of Camp Creek in Potter County to the New Mexico State Line in Oldham County Carryforward Parameter(s) **Category** chloride 0103_01 From the headwaters of Lake Meredith upstream to the confluence with Sand No 5c Creek 0103_02 From the confluence with Sand Creek upstream to the confluence with Punta de 5c No Agua Creek 0103 03 From the confluence with Punta de Agua Creek upstream to the New Mexico 5c No State Line

SegID: 0105	Rita Blanca Lake Rita Blanca Lake - from Rita Blanca Dam in Hartley County up to the normal poo (impounds Rita Blanca Creek)	l elevation of	3860 feet
<u>Parameter(s)</u> chloride		<u>Category</u>	<u>Carryforward</u>
0105_01	Rita Blanca Lake from Rita Blanca Dam up to the normal pool elevation of 3860 feet	5b	No
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
pH 0105_01	Rita Blanca Lake from Rita Blanca Dam up to the normal pool elevation of 3860 feet	5b	No

SegID: 0201A	Mud Creek Mud Creek - from the confluence of the Red River upstream to the headwater near Bowie CR 3403	r the intersection	on of US 82 and
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Recr	eation Use)		
0201A_01	Mud Creek from the confluence of the Red River upstream to the headwater near the intersection of US 82 and Bowie CR 3403	5b	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed disso 0201A_01	blved oxygen Mud Creek from the confluence of the Red River upstream to the headwater near the intersection of US 82 and Bowie CR 3403	5c	No
SegID: 0202E	Post Oak Creek Post Oak Creek - from the confluence of Choctaw Creek upstream to the headwate of Sherman	er east of Shad	ow St northwest
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 0202E_01	eation Use) Post Oak Creek from the confluence of Choctaw Creek upstream to the confluence of Sand Creek	5c	No
SegID: 0202F	Choctaw Creek From the confluence with the Red River east of Denison to the upstream perennial of SH 56 and SH 289 in Grayson County	l portion near t	he intersection
Parameter(s)		Category	Carryforward
bacteria (Recro 0202F_01	eation Use) From the confluence with the Red River upstream to the confluence with Post Oak Creek	5b	No
SegID: 0202G	Smith Creek Smith Creek - from the confluence of Pine Creek upstream to the confluence of tw Loop 286 in Paris	vo unnamed str	reams south of
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr			
0202G_01	Smith Creek from the confluence of Pine Creek upstream to the confluence of two unnamed streams south of Loop 286 in Paris	5b	No
SegID: 0202I	Little Pine Creek Little Pine Creek - from the confluence of Big Pine Creek upstream to the headwa	ter north of De	etroit, TX
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed disso	olved oxygen	J	
02021_01	Little Pine Creek from the confluence of Big Pine Creek upstream to the headwater north of Detroit, TX	5c	Yes

SegID: 0202K	Iron Ore Creek Iron Ore Creek - from the confluence of Choctaw Creek upstream to the headwate Denison	er south of FM 1	20 east of
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	eation Use)		
0202K_01	Iron Ore Creek from the confluence of Choctaw Creek upstream to the headwater south of FM 120 east of Denison	· 5b	Yes
SegID: 0202L	Honey Grove Creek Honey Grove Creek - from the confluence of Bois d'Arc Creek upstream to the he	adwater east of I	Honey Grove
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr			
0202L_01	Honey Grove Creek from the confluence of Bois d'Arc Creek upstream to the headwater east of Honey Grove	5c	No
SegID: 0206B	South Groesbeck Creek South Groesbeck Creek - from the confluence of Groesbeck Creek and North Gro headwater 12.6 km southwest of Childress	esbeck Creek up	ostream to the
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Recr	eation Use)		<u>+_</u>
0206B_01	South Groesbeck Creek from the confluence of Groesbeck Creek and North Groesbeck Creek upstream to the headwater 12.6 km southwest of Childress	5b	Yes
SegID: 0207	Lower Prairie Dog Town Fork Red River Lower Prairie Dog Town Fork Red River - from a point immediately upstream of in Hardeman County to a point 100 meters (110 yards) upstream of the confluence Armstrong County		
	Trinstong County		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
Parameter(s) bacteria (Recr 0207_04		<u>Category</u>	<u>Carryforward</u>

Claude

SegID: 0211	Little Wichita River From the confluence with the Red River in Clay County to Lake Arrowhead Dam	in Clay County	7
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed diss 0211_02	olved oxygen From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam	5c	Yes
Parameter(s)		<u>Category</u>	Carryforward
sulfate			
0211_01	From the confluence with the Red River upstream to the confluence with the East Fork Little Wichita River	5b	No
0211_02	From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam	5b	No
Parameter(s)		<u>Category</u>	<u>Carryforwara</u>
total dissolved			
0211_01	From the confluence with the Red River upstream to the confluence with the East Fork Little Wichita River	5b	No
0211_02	From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam	5b	No
SegID: 0214	Wichita River Below Diversion Lake Dam From the confluence with the Red River in Clay County to Diversion Dam in Arch	er County	
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Recr	reation Use)		
0214_05	From the confluence with Beaver Creek upstream to the Diversion Lake Dam	5c	No
SegID: 0214A	Beaver Creek From the confluence of the Wichita River west of Wichita Falls in Wichita County west of Crowell in Foard County	upstream to th	e headwaters
Parameter(s)		Category	Carryforward

<u>Parameter(s)</u>		Calegory	Carryforwara
bacteria (Reci	reation Use)		
0214A_01	From the confluence with the Wichita River upstream to the confluence with Bull	5c	No
	Creek		
0214A_02	From the confluence with Bull Creek upstream to the Santa Rosa Lake dam	5b	No

SegID: 0214B Buffalo Creek Buffalo Creek - from the confluence of the Wichita River upstream to the headwater east of Electra				
Parameter(s)		<u>Category</u>	Carryforward	
bacteria (Rec				
0214B_01	Buffalo Creek from the confluence of the Wichita River upstream to the headwater east of Electra	5b	No	

SegID: 0214F Unnamed tributary of Buffalo Creek Unnamed tributary of Buffalo Creek - from the confluence of Buffalo Creek upstream to the headwater at eastbound frontage road of US 287 in Iowa Park			
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 0214F_01	veation Use) Unnamed tributary from the confluence of Buffalo Creek upstream to the headwater at eastbound frontage road of US 287 in Iowa Park	5c	No
SegID: 0215	Diversion Lake Diversion Lake - from Diversion Dam in Archer County to a point 1.5 km (0.9 n of Cottonwood Creek in Baylor County, up to the normal pool elevation of 1052		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
chloride 0215_01	Diversion Lake from Diversion Dam to a point 1.5 km downstream of the confluence of Cottonwood Creek, to the normal pool elevation of 1052 feet	5c	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
sulfate 0215_01	Diversion Lake from Diversion Dam to a point 1.5 km downstream of the confluence of Cottonwood Creek, to the normal pool elevation of 1052 feet	5c	No
SegID: 0219	Lake Wichita Lake Wichita - from Lake Wichita Dam in Wichita County up to the normal poo (impounds Holliday Creek)	l elevation of 98	0.5 feet
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
chloride 0219_01	Lake Wichita from the dam up to the normal pool elevation of 980.5 feet	5c	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
sulfate 0219_01	Lake Wichita from the dam up to the normal pool elevation of 980.5 feet	5c	No
<u>Parameter(s)</u> total dissolved	solids	<u>Category</u>	<u>Carryforward</u>
0219_01	Lake Wichita from the dam up to the normal pool elevation of 980.5 feet	5c	No
SegID: 0222	Salt Fork Red River Salt Fork Red River - from the Oklahoma State Line in Collingsworth County to County	Greenbelt Dam	in Donley
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 0222_01	eation Use) Salt Fork Red River from the Oklahoma State Line upstream to the confluence o Lake Creek	f 5c	No

SegID: 0228	Mackenzie Reservoir Mackenzie Reservoir - from Mackenzie Dam in Briscoe County up to the normal (impounds Tule Creek)	pool elevation	of 3100 feet	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
sulfate				
0228_01	Mackenzie Reservoir from the dam up to the normal pool elevation of 3100 feet	5c	No	
Parameter(s)		Category	<u>Carryforward</u>	
total dissolved solids				
0228_01	Mackenzie Reservoir from the dam up to the normal pool elevation of 3100 feet	5c	No	

SegID: 0230A	Paradise Creek Paradise Creek - from the confluence of the Pease River east of Vernon upstream t the intersection of US 70 and Foard CR 233	o the headwa	ter 500m west of
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Reci	reation Use)		
0230A_01	Paradise Creek from the confluence of the Pease River east of Vernon upstream to	5b	Yes
	a point 400m upstream of the intersection of FM 433 and Wilbarger CR 97		

SegID: 0302	Wright Patman Lake From Wright Patman Lake Dam in Bowie/Cass County to a point 1.5 km (0.9 in Bowie/Cass County, up to the normal pool elevation of 226.4 feet (impound		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
рН			
0302_11	2700 acres near dam	5b	No
0302_12	2000 acres in northern arms of reservoir	5b	No
0302_13	5600 acres in mid-reservoir	5b	No
0302_14	9000 acres in upper portion of reservoir	5b	No

SegID: 0303B	White Oak Creek From the confluence of the Sulphur River north of Naples in Morris County to Lal County	ke Sulphur Spri	ngs in Hopkins
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	eation Use)		
0303B_01	Portion of White Oak Creek from the confluence with the South Sulphur River approximately 40 km (25 mi) upstream to the confluence with Lacy Creek; App D	5b	No
0303B_04	Portion of White Oak Creek from approximately 0.26 km upstream of FM 900 in northeast Hopkins County upstream to Lake Sulphur Springs.	5b	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed disso	olved oxygen		
0303B_01	Portion of White Oak Creek from the confluence with the South Sulphur River approximately 40 km (25 mi) upstream to the confluence with Lacy Creek; App D	5c	Yes
0303B_02	Portion of White Oak Creek from the confluence with the Lacy Creek approximately 42 km (26 mi) upstream to the confluence with Ripley Creek; App D	5c	Yes
0303B_03	Portion of White Oak Creek from the confluence with the Ripley Creek to approximately 0.26 km upstream of FM 900 in northeast Hopkins County; App D	5c	Yes

	Wagner Creek Perennial stream from the confluence with Days Creek upstream to the headwate Davis Road		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	eation Use)		
0304C_01	Perennial stream from the confluence with Days Creek upstream to a point 1.5 km upstream of IH 30; App D	5c	No
SegID: 0306	Upper South Sulphur River From a point 1.0 km (0.6 mi) upstream of SH 71 in Delta/Hopkins County to SH	78 in Fannin Co	unty
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
рН 0306_03	Portion of the Upper South Sulphur River from the confluence with Hickory Creek approximately 19 km (12 mi) to SH 71.	5c	Yes
SegID: 0307	Jim L. Chapman Lake (formerly Cooper Lake) From Jim L. Chapman Dam to a point 1.0 km (0.7 mi) upstream of SH 71 on the 300 meters (275 yards) below the confluence of Barnett Creek on the Middle Sul conservation pool elevation of 440 feet		
Parameter(s)	· · · ·	<u>Category</u>	<u>Carryforward</u>
pH	N. 111 5000	5 -	V
0307_03	Middle 5000 acres	5c	Yes
0307_04	Middle 2000 acre Johns Creek arm	5c	Yes
SegID: 0401	Caddo Lake From the Louisiana State Line in Harrison/Marion County to a point 12.3 km (7.4 Harrison/Marion County, up to pool elevation of 168.5 feet (impounds Big Cypro		n of SH 43 in
Parameter(s)		<u>Category</u>	Carryforward
depressed disso			
0401_02	Harrison Bayou arm	5c	No
0401_03	Goose Prairie arm	5c	No
0401 05	Clinton Lake	5c	No

0401_07

0401_01

0401_02

0401 03

0401_05

0401_07

Parameter(s)

mercury in edible tissue

Lower 5000 acres

Goose Prairie arm

Clinton Lake

Harrison Bayou arm

Mid-lake near Uncertain

Mid-lake near Uncertain

Yes

Carryforward

Yes

Yes

Yes

Yes

Yes

5c

<u>Category</u>

5c

5c

5c

5c

5c

SegID: 0401A	Harrison Bayou From the confluence of Caddo Lake east of Karnack in Harrison County to the up stream east of Marshall in Harrison County	ostream perennia	l portion of the
Parameter(s)		<u>Category</u>	Carryforward
depressed diss	olved oxygen		
0401A_01	Intermittent stream with perennial pools from the confluence with Caddo Lake within the Caddo Lake National Wildlife Refuge east of the City of Karnack upstream to FM 1998 east of the City of Marshall. App D	5c	Yes

SegID: 0402 Big Cypress Creek Below Lake O' the Pines

From a point 12.3 km (7.6 mi) downstream of SH 43 in Harrison/Marion County to Ferrell's Bridge Dam in Marion County

Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed diss	olved oxygen		
0402_02	From the confluence with Haggerty Creek upstream 25 km (15.5 mi) to the confluence with Black Cypress Bayou.	5c	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
mercury in edi	ble tissue		
0402_01	From the confluence with Caddo Lake upstream 15 km (9 mi) to Haggerty Creek	5c	Yes
0402_02	From the confluence with Haggerty Creek upstream 25 km (15.5 mi) to the confluence with Black Cypress Bayou.	5c	Yes
0402_03	From the confluence with Black Cypress Bayou upstream 23.8 km (14.7 mi) to French Creek.	5c	Yes
0402_04	From the confluence with French Creek upstream 13 km (8 mi) to Lake O' the Pines	5c	Yes

SegID: 0403	Lake O' the Pines From Ferrell's Bridge Dam in Marion County to a point 1.0 km (0.6 mi) downstr Morris/Upshur County, up to normal pool elevation of 228.5 feet (impounds Big		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed diss	olved oxygen		
0403_04	Upper 3700 acres	4a	Yes
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
pН			
0403_02	Middle 5000 acres	5c	No

SegID: 0404	Big Cypress Creek Below Lake Bob Sandlin From a point 1.0 km (0.6 mi) downstream of US 259 in Morris/Upshur Counties to Fort Sherman Dam in Camp/Titus Counties			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria (Recr	reation Use)			
0404_02	From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin	5b	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
sulfate				
0404_01	From the confluence with Lake O' the Pines upstream 24 km (14.9 mi) to the confluence with an unnamed tributary NHD RC 11140305002717	5c	No	
0404_02	From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin	5c	No	

dioxin in edible tissue Addition of the Morris County Dam up to normal pool elevation near Lone Star in Sa Norris County (impounds Ellison Creek) Parameter(s) Category Carryfr PCBs in edible tissue Norris County Dam up to normal pool elevation near Lone Star in Sa Y Sa Y Morris County (impounds Ellison Creek) Category Carryfr PCBs in edible tissue Sa Y Morris County (impounds Ellison Creek) Parameter(s) Category Carryfr toxicity in sediment Sc Y Morris County (impounds Ellison Creek) 0404A_01 From the Morris County Dam up to normal pool elevation near Lone Star in Sc Y Sc Y 0404A_01 From the Morris County Dam up to normal pool elevation near Lone Star in Sc Y Sc Y 0404A_01 From the Morris County Dam up to normal pool elevation near Lone Star in Sc Y Y 0404A_01 From the Morris County Dam up to normal pool elevation near Lone Star in Sc Y Y 0404A_01 From the Morris County Dam up to normal pool elevation near Lone Star in Sc Y Y 0404A_01 From the confluence with Big Cypress Creek upstream to the confluence with an unnamed tributary 250 meters upstream of IH 30 Y Parameter(s) Category Category Caryfe 0404B	U	Ellison Creek Reservoir From the Morris County Dam up to normal pool elevation near Lone Star in Mor Creek)	rris County (imp	ounds Ellison
0404A_01 From the Morris County Dam up to normal pool elevation near Lone Star in Sa Morris County (impounds Ellison Creek) Sa Norris County (impounds Ellison Creek) Parameter(s) Category Carryfe 0404A_01 From the Morris County Dam up to normal pool elevation near Lone Star in Sa Y Sa Y Morris County (impounds Ellison Creek) Category Carryfe Parameter(s) Category Carryfe toxicity in sediment Sc Y Morris County (impounds Ellison Creek) Parameter(s) Category Carryfe toxicity in sediment Sc Y Morris County (impounds Ellison Creek) SegID: 0404B Tankersley Creek Perennial stream from the confluence with Big Cypress Creek upstream to the confluence with an unnamed tributary 250 meters upstream of IH 30 Sb N Parameter(s) Category Carryfe bacteria (Recreation Use) Category Carryfe 0404B_01 From the confluence with Big Cypress Creek upstream to the headwaters 0.2 km south of C 1635, Titus County Sb N SegID: 0404C Hart Creek Perennial stream from the confluence with Big Cypress Creek upstream to the headwaters 0.2 km south of C 1635, Titus County Category Carryfe bacteria (Recreration Use) Category Ca	<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
Morris County (impounds Ellison Creek) Category Carryfn PCBs in edible tissue Norris County Dam up to normal pool elevation near Lone Star in 5a Y Sa Y Morris County (impounds Ellison Creek) Parameter(s) Category Carryfn Parameter(s) Category Carryfn toxicity in sediment Sc Y Morris County (impounds Ellison Creek) SegID: 0404A_01 From the Morris County Dam up to normal pool elevation near Lone Star in 5c Y Y Morris County (impounds Ellison Creek) Morris County (impounds Ellison Creek) Y SegID: 0404B Tankersley Creek Perennial stream from the confluence with Big Cypress Creek upstream to the confluence with an unnamed tributary 250 meters upstream of IH 30 Category Carryfn Datetria (Recreation Use) Category Carryfn 0404B_01 From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to 5b N N Tankersley Lake. WQS Appendix D portion of the creek. SegID: 0404C Hart Creek Perennial stream from the confluence with Big Cypress Creek upstream to the headwaters 0.2 km south of C 1635, Titus County Parameter(s) Category Carryfn Datetria (Recreation Use) Category Carryfn 0404C_01 <t< td=""><td>dioxin in edib</td><td>le tissue</td><td></td><td></td></t<>	dioxin in edib	le tissue		
PCBs in edible tissue Image: Control of Co	0404A_01		5a	No
0404A_01 From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek) 5a Y Parameter(s) Category Carryfe toxicity in sediment 5c Y 0404A_01 From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek) 5c Y SegID: 0404B Tankersley Creek Perennial stream from the confluence with Big Cypress Creek upstream to the confluence with an unnamed tributary 250 meters upstream of IH 30 Parameter(s) bacteria (Recreation Use) Category Carryfe 0404B_01 From the confluence with Big Cypress Creek upstream to the headwaters 0.2 km south of Clo35, Titus County Sb SegID: 0404C Hart Creek Perennial stream from the confluence with Big Cypress Creek upstream to the headwaters 0.2 km south of Clo35, Titus County Parameter(s) Category Carryfe bacteria (Recreation Use) Category Carryfe 0404B_01 From the confluence with Big Cypress Creek upstream to the headwaters 0.2 km south of Clo35, Titus County SegID: 0404C Parameter(s) Category Carryfe bacteria (Recreation Use) Category Carryfe <tr< td=""><td>Parameter(s)</td><td></td><td><u>Category</u></td><td><u>Carryforward</u></td></tr<>	Parameter(s)		<u>Category</u>	<u>Carryforward</u>
Morris County (impounds Ellison Creek) Parameter(s) Category Carryfe toxicity in sediment 5c Y 0404A_01 From the Morris County Dam up to normal pool elevation near Lone Star in 5c Y Morris County (impounds Ellison Creek) Sc Y Morris County (impounds Ellison Creek) Sc Y SegID: 0404B Tankersley Creek Perennial stream from the confluence with Big Cypress Creek upstream to the confluence with an unnamed tributary 250 meters upstream of IH 30 Category Carryfe Parameter(s) Category Carryfe Category Carryfe bacteria (Recreation Use) From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to 5b N SegID: 0404C Hart Creek Perennial stream from the confluence with Big Cypress Creek upstream to the headwaters 0.2 km south of C 1635, Titus County Category Carryfe Parameter(s) Category Carryfe Category Carryfe 0404E Hart Creek Perennial stream from the confluence with Big Cypress Creek upstream to the headwaters 0.2 km south of C 1635, Titus County Category Carryfe bacteria (Recreation Use) Outype Category Carryfe				
toxicity in sediment From the Morris County Dam up to normal pool elevation near Lone Star in Sc Y 0404A_01 From the Morris County (impounds Ellison Creek) SegID: 0404B Tankersley Creek Perennial stream from the confluence with Big Cypress Creek upstream to the confluence with an unnamed tributary 250 meters upstream of IH 30 Parameter(s) Category D404B_01 From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to 5b Notris County SegID: 0404C Hart Creek Perennial stream from the confluence with Big Cypress Creek upstream to the headwaters 0.2 km south of C 1635, Titus County Parameter(s) Category Category Carryfn D404C_01 Perennial stream from the confluence with Big Cypress Creek upstream to the headwaters 0.2 km south of C 1635, Titus County	0404A_01		5a	Yes
0404A_01 From the Morris County Dam up to normal pool elevation near Lone Star in Sc Y Morris County (impounds Ellison Creek) SegID: 0404B Tankersley Creek Perennial stream from the confluence with Big Cypress Creek upstream to the confluence with an unnamed tributary 250 meters upstream of IH 30 Parameter(s) Category bacteria (Recreation Use) 0404B_01 From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to 5b SegID: 0404C Hart Creek Perennial stream from the confluence with Big Cypress Creek upstream to the headwaters 0.2 km south of C 1635, Titus County Parameter(s) Category Category Carryfn SegID: 0404C Hart Creek Perennial stream from the confluence with Big Cypress Creek upstream to the headwaters 0.2 km south of C 1635, Titus County Parameter(s) Category Category Carryfn bacteria (Recreation Use) Category 0404C_01 Perennial stream from the confluence with Big Cypress Creek upstream to 0.2 km 5b			Category	<u>Carryforward</u>
Morris County (impounds Ellison Creek) SegID: 0404B Tankersley Creek Perennial stream from the confluence with Big Cypress Creek upstream to the confluence with an unnamed tributary 250 meters upstream of IH 30 Parameter(s) Category bacteria (Recreation Use) 0404B_01 From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to 5b N Tankersley Lake. WQS Appendix D portion of the creek. SegID: 0404C Hart Creek Perennial stream from the confluence with Big Cypress Creek upstream to the headwaters 0.2 km south of C 1635, Titus County Parameter(s) Category Category Carryfn bacteria (Recreation Use) Category 0404C_01 Perennial stream from the confluence with Big Cypress Creek upstream to 0.2 km 5b				
Perennial stream from the confluence with Big Cypress Creek upstream to the confluence with an unnamed tributary 250 meters upstream of IH 30 <u>Category</u> <u>Carryn</u> <u>bacteria (Recreation Use)</u> 0404B_01 From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to 5b N Tankersley Lake. WQS Appendix D portion of the creek. N SegID: 0404C Hart Creek Perennial stream from the confluence with Big Cypress Creek upstream to the headwaters 0.2 km south of C 1635, Titus County Category Carryn Parameter(s) Category Category Carryn bacteria (Recreation Use) Output: Sequence with Big Cypress Creek upstream to 0.2 km South of C 0404C_01 Perennial stream from the confluence with Big Cypress Creek upstream to 0.2 km South of C South of C	0404A_01		5c	Yes
bacteria (Recreation Use) 0404B_01 From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to 5b N Tankersley Lake. WQS Appendix D portion of the creek. SegID: 0404C Hart Creek Perennial stream from the confluence with Big Cypress Creek upstream to the headwaters 0.2 km south of C 1635, Titus County Parameter(s) Category Carryfe bacteria (Recreation Use) 0404C_01 Perennial stream from the confluence with Big Cypress Creek upstream to 0.2 km 5b N			Sintuence with an	nunnamed
0404B_01 From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to 5b N Tankersley Lake. WQS Appendix D portion of the creek. 5b N SegID: 0404C Hart Creek Perennial stream from the confluence with Big Cypress Creek upstream to the headwaters 0.2 km south of C 1635, Titus County Parameter(s) Category Carryfe bacteria (Recreation Use) 0404C_01 Perennial stream from the confluence with Big Cypress Creek upstream to 0.2 km 5b N	Parameter(s)			
Perennial stream from the confluence with Big Cypress Creek upstream to the headwaters 0.2 km south of C 1635, Titus County Parameter(s) Category Carryfe bacteria (Recreation Use) Perennial stream from the confluence with Big Cypress Creek upstream to 0.2 km Sb N		tributary 250 meters upstream of IH 30		
Perennial stream from the confluence with Big Cypress Creek upstream to the headwaters 0.2 km south of C 1635, Titus County Parameter(s) Category Carryfe bacteria (Recreation Use) Perennial stream from the confluence with Big Cypress Creek upstream to 0.2 km Sb N	bacteria (Rec	tributary 250 meters upstream of IH 30 reation Use) From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to	<u>Category</u>	
bacteria (Recreation Use)0404C_01Perennial stream from the confluence with Big Cypress Creek upstream to 0.2 km5bN	bacteria (Rec 0404B_01	tributary 250 meters upstream of IH 30 reation Use) From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to Tankersley Lake. WQS Appendix D portion of the creek.	<u>Category</u>	Carryforward
0404C_01 Perennial stream from the confluence with Big Cypress Creek upstream to 0.2 km 5b N	bacteria (Rec 0404B_01	tributary 250 meters upstream of IH 30 reation Use) From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to Tankersley Lake. WQS Appendix D portion of the creek. C Hart Creek Perennial stream from the confluence with Big Cypress Creek upstream to the h	<u>Category</u> 5b	<u>Carryforward</u> No
	bacteria (Rec 0404B_01 SegID: 0404(<u>Parameter(s)</u>	 tributary 250 meters upstream of IH 30 reation Use) From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to Tankersley Lake. WQS Appendix D portion of the creek. C Hart Creek Perennial stream from the confluence with Big Cypress Creek upstream to the h 1635, Titus County 	<u>Category</u> 5b headwaters 0.2 km	<u>Carryforward</u> No n south of CR
SegID: 0404N Lake Daingerfield	bacteria (Rec 0404B_01 SegID: 0404(<u>Parameter(s)</u> bacteria (Rec	tributary 250 meters upstream of IH 30 reation Use) From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to Tankersley Lake. WQS Appendix D portion of the creek. C Hart Creek Perennial stream from the confluence with Big Cypress Creek upstream to the h 1635, Titus County reation Use) Perennial stream from the confluence with Big Cypress Creek upstream to 0.2 km	<u>Category</u> 5b headwaters 0.2 km <u>Category</u>	<u>Carryforward</u> No

		Southeast of the City of Daingerfield in Daingerfield State Park in Morris County		
L	Parameter(s)		<u>Category</u>	Carryforward
	mercury in edi	ible tissue		
	0404N_01	Southeast of the City of Daingerfield in Daingerfield State Park in Morris County	5c	Yes

SegID: 0405	Lake Cypress Springs From Franklin County Dam in Franklin County up to the normal pool elevation of 378 feet (impounds Big Cypress Creek)				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
excessive alga	growth				
0405_01	From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin	5c	No		
0405_02	Upper 2600 acres	5c	No		
0405_03	Panther Arm	5c	No		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
рН					
0405_01	From the confluence with an unnamed tributary NHD RC 11140305002717	5c	No		
	upstream 37.2 km (23 mi) to Lake Bob Sandlin				
0405_02	Upper 2600 acres	5c	No		
0405_03	Panther Arm	5c	No		

SegID: 0405A	Big Cypress Creek From the confluence with Lake Cypress springs in Franklin County, to appro 37	oximately 5 mi west o	of State HWY		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria (Reci	eation Use)				
0405A_01	From the confluence with Lake Cypress springs in Franklin County, to approximately 5 mi west of State HWY 37	5c	No		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>		
depressed dissolved oxygen					
0405A_01	From the confluence with Lake Cypress springs in Franklin County, to approximately 5 mi west of State HWY 37	5c	No		

SegID: 0406	Black Bayou From the Louisiana State Line in Cass County to FM 96 in Cass County		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	eation Use)		
0406_02	From the confluence with Hurricane Creek upstream 28.6 km (17.7 mi) to NHD	5c	No
	RC 11140304000881 near FM 96		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed diss	olved oxygen		
0406_01	Black Bayou from the LA state line upstream 19.1 km (11.8 mi) to the confluence	5c	Yes
	with Hurricane Creek		
0406_02	From the confluence with Hurricane Creek upstream 28.6 km (17.7 mi) to NHD	5c	No
	RC 11140304000881 near FM 96		

<u></u>			
SegID: 0407	James' Bayou From the Louisiana State Line in Marion County to Club Lake Road northwest of	f Linden in Cass	County
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Reci	reation Use)		
0407_02	From the confluence with Bear Creek upstream 29.8 km (18.5 mi) to approximately 2 km north of HWY 11	5c	Yes
Parameter(s)		<u>Category</u>	Carryforward
depressed diss	olved oxygen		
0407_02	From the confluence with Bear Creek upstream 29.8 km (18.5 mi) to approximately 2 km north of HWY 11	5c	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
impaired fish	community		
0407_01	From the LA state line upstream 31.6 km (19.6 mi) to the confluence with Bear Creek.	5c	Yes
Parameter(s)		Category	Carryforward
	robenthic community		
0407_01	From the LA state line upstream 31.6 km (19.6 mi) to the confluence with Bear Creek.	5c	Yes
SegID: 0409	Little Cypress Bayou (Creek) From the confluence of Big Cypress Creek in Harrison/Marion County to a point FM 2088 in Wood County	1.0 km (0.6 mi)	upstream of
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Reci	reation Use)		
0409_02 `	From the confluence with Lawrence Creek upstream 29.2 km (18.1 mi) to the	5c	Yes

0409_02	From the confluence with Lawrence Creek upstream 29.2 km (18.1 mi) to the confluence with NHD RC 11140307000368	5c	Yes
0409_04	From the confluence with NHD RC 11140307001531 upstream 41.1 km (29.2 mi) to the headwaters at FM 2088	5c	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed dis	solved oxygen		
0409_01	From the confluence with Big Cypress Creek upstream 41 km (25.4 mi) to the	5c	Yes
	confluence with Lawrence Creek		
0409_02	From the confluence with Lawrence Creek upstream 29.2 km (18.1 mi) to the confluence with NHD RC 11140307000368	5c	Yes

SegID: 0409A Lilly Creek From the confluence with Little Cypress Creek to the Camp County line near Lawton in Upshur County.				
Parameter(s)		<u>Category</u>	Carryforward	
bacteria (Rec	reation Use)			
0409A_01	From the confluence with Little Cypress Creek to the Camp County line near	5c	No	
	Lawton in Upshur County.			

SegID: 0409B	South Lilly Creek From the confluence of Lilly Creek to approximately 2 mi west of FM 1647		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Reci	reation Use)		
0409B_01	From the confluence of Lilly Creek to approximately 2 mi west of FM 1647	5b	No

SegID: 0410	Black Cypress Bayou (Creek) From the confluence with Big Cypress Creek in Marion County to the confluence County	with Kelly Cr	eek in Cass
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	eation Use)		
0410_04	From Pruitt Lake 26.4 km (16.4 mi) upstream to the confluence with Kelly Creek in Cass County	5c	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
copper in wate	ar		
0410_01	From the confluence with Big Cypress Creek upstream 25 km (15.5 mi) to the confluence with White Oak Creek	5c	Yes
0410_03	Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)	5c	No
Parameter(s)		<u>Category</u>	Carryforward
depressed diss	olved oxygen		
0410_02	From the confluence with White Oak Creek upstream 31.3 km (19.4 mi) to Pruitt Lake	5c	Yes
0410 03	Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)	5c	Yes
0410_04	From Pruitt Lake 26.4 km (16.4 mi) upstream to the confluence with Kelly Creek in Cass County	5c	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
mercury in edi	ble tissue		
0410_03	Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)	5c	Yes

SegID: 0410A	Black Cypress Creek/Bayou An Appendix D intermittent stream with perennial pools from the confluence wit 250 north of the City of Hughes Springs	h Kelly Creek u	pstream to FM
Parameter(s)		<u>Category</u>	Carryforward
depressed diss	solved oxygen		
0410A_01	Intermittent stream with perennial pools from the confluence with Kelly Creek upstream to FM 250 north of the City of Hughes Springs; App D	5c	Yes

SegID: 0501	Sabine River Tidal Sabine River Tidal - from the confluence with Sabine Lake in Orange County to V	Vest Bluff in O	range County
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	reation Use)		
0501_01	Sabine River tidal from the confluence of Sabine Lake upstream to confluence of Adams Bayou Tidal	5c	No
0501_02	Sabine River tidal from the confluence of Adams Bayou Tidal upstream to the confluence of Little Cypress Bayou	5c	No
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
PCBs in edible	e tissue		
0501_01	Sabine River tidal from the confluence of Sabine Lake upstream to confluence of Adams Bayou Tidal	5c	Yes
0501_02	Sabine River tidal from the confluence of Adams Bayou Tidal upstream to the confluence of Little Cypress Bayou	5c	Yes
0501_03	Sabine River tidal from the confluence of Little Cypress Bayou upstream to the confluence of Old River at West Bluff	5c	Yes

-	Little Cypress Bayou Little Cypress Bayou - from the confluence of the Sabine River upstream to the he of S Teal Rd and Dunromin Rd north of Orange		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	,	C1	17
0501B_01	Little Cypress Bayou from the confluence of the Sabine River upstream to a point 340m downstream of 16th St in Orange	5b	Yes
0501B_02	Little Cypress Bayou from a point 340m downstream of 16th St in Orange upstream to the confluence of an unnamed stream 100m downstream of Little Cypress Dr	5b	Yes
0501B_03	Little Cypress Bayou from the confluence of an unnamed stream 100m downstream of Little Cypress Dr upstream to the headwater near the intersection of S Teal Rd and Dunromin Rd north of Orange	5b	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed diss			
0501B_01	Little Cypress Bayou from the confluence of the Sabine River upstream to a point 340m downstream of 16th St in Orange	5c	No
0501B_02	Little Cypress Bayou from a point 340m downstream of 16th St in Orange upstream to the confluence of an unnamed stream 100m downstream of Little Cypress Dr	5c	No
0501B_03	Little Cypress Bayou from the confluence of an unnamed stream 100m downstream of Little Cypress Dr upstream to the headwater near the intersection of S Teal Rd and Dunromin Rd north of Orange	5c	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
toxicity in wat			
0501B_01	Little Cypress Bayou from the confluence of the Sabine River upstream to a point 340m downstream of 16th St in Orange	5c	Yes
0501B_02	Little Cypress Bayou from a point 340m downstream of 16th St in Orange upstream to the confluence of an unnamed stream 100m downstream of Little Cypress Dr	5c	Yes
0501B_03	Little Cypress Bayou from the confluence of an unnamed stream 100m downstream of Little Cypress Dr upstream to the headwater near the intersection of S Teal Rd and Dunromin Rd north of Orange	5c	Yes

SegID: 0502A	Nichols Creek Nichols Creek from the confluence of the Sabine River upstream to the headwater Kirbyville	at FM 1013 r	northwest of
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	eation Use)		
0502A_01	Nichols Creek from the confluence of the Sabine River upstream to the headwater at FM 1013 northwest of Kirbyville	5b	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed disso	olved oxygen		
0502A_01	Nichols Creek from the confluence of the Sabine River upstream to the headwater at FM 1013 northwest of Kirbyville	5c	Yes

SegID: 0502B	Caney Creek Caney Creek - perennial stream from the Sabine River upstream to the confluence	with Martin I	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recre			
0502B_02	Caney Creek an Appendix D perennial stream from the Davison St crossing in Newton upstream to the confluence of Martin Branch	5b	Yes
SegID: 0502E	Cypress Creek Cypress Creek - from the confluence of the Sabine River up to the headwater 500r Kirbyville	m south of FM	82 east of
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed disso	olved oxygen		
0502E_01	Cypress Creek from the confluence of the Sabine River up to the headwater 500m south of FM 82 east of Kirbyville	5b	Yes
SegID: 0504	Toledo Bend Reservoir Toledo Bend Reservoir - from Toledo Bend Dam in Newton County to a point imm confluence of Murvaul Creek in Panola County, up to the normal pool elevation of	• •	

Parameter(s)		<u>Category</u>	<u>Carryforwara</u>
mercury in ed	ible tissue	-	
0504_01	Toledo Bend Reservoir from the dam up to a line from Louisiana State Park #15 (LA) west to near Pleasure Bend Rd (TX)	5c	Yes
0504_02	Toledo Bend Reservoir Six Mile Bay, including Sandy Creek arm, from near Lakeview Rd on the northside peninsula to near Pleasure Bend Rd on the southside peninsula	5c	Yes
0504_03	Toledo Bend Reservoir Sunshine Bay arm, including Spring Hill Bay, from Alpine Marina on the northside peninsula to New Haven Rd on the southside peninsula	5c	Yes
0504_04	Toledo Bend Reservoir from a line from Cypress Bend Golf Resort (LA) west to Alpine Marina (TX) up to a line from North Toledo Bend State Park (LA) southwest to Carter's Ferry Rd north of Patroon Bayou (TX)	5c	Yes
0504_05	Toledo Bend Reservoir Patroon Bayou arm from Carter's Ferry Rd on northside peninsula to Elma Ln on southside peninsula	5c	Yes
0504_06	Toledo Bend Reservoir from a line from the confluence of Ten Acre Creek (LA) west to Shelby CR 2000 near Huxley, TX up to a line from the confluence of Pen Bayou (LA) west to the confluence of Tenaha Bayou (TX)	5c	Yes
0504_07	Toledo Bend Reservoir from a line from the confluence of Pen Bayou (LA) west to the confluence of Tenaha Bayou (TX) up to a point immediately upstream of the confluence of Murvaul Creek, up to the normal pool elevation of 172 feet	5c	Yes
0504_11	Toledo Bend Reservoir from a line from North Toledo Bend State Park (LA) southwest to Carter's Ferry Rd north of Patroon Bayou (TX) up to a line from the confluence of Ten Acre Creek (LA) west to Shelby CR 2000 near Huxley, TX	5c	Yes
0504_12	Toledo Bend Reservoir from a line from Louisiana State Park #15 (LA) west to Pleasure Bend Rd (TX) up to Cypress Bend Golf Resort (LA) west to Alpine Marina (TX)	5c	Yes

SegID: 0504E	Clear Lake Clear Lake - an oxbow lake 12 mi northwest of Logansport, LA		
Parameter(s)		<u>Category</u>	Carryforward
mercury in edi	ble tissue		
0504E_01	Clear Lake an oxbow lake 12 mi northwest of Logansport, LA	5c	Yes

SegID: 0505	Sabine River Above Toledo Bend Reservoir Sabine River Above Toledo Bend Reservoir - from a point immediately upstre Creek in Panola County to a point 100 meters (110 yards) downstream of US				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria (Reci	bacteria (Recreation Use)				
0505_04	Sabine River from the confluence of Hatley Creek 7.7.km north of Tatum upstream to the confluence of Grace Creek near IH 20 west of Longview	5c	No		

SegID: 0505B	Grace Creek Grace Creek - perennial stream from the confluence of the Sabine River upstream	to the headwa	ter at FM 1844
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	eation Use)		
0505B_01	Grace Creek an Appendix D perennial stream from the confluence of the Sabine	5c	No
	River upstream to an unnamed tributary from Longview WWTP south of Loop		
	281		
0505B_02	Grace Creek an Appendix D perennial stream from an unnamed tributary from	5b	No
	Longview WWTP south of Loop 281 upstream to the headwater at FM 1844		

SegID: 0505G	Wards Creek Wards Creek - intermittent stream with perennial pools from the confluence of Se confluence of an unnamed second order tributary approximately 0.6 km upstream		ream to the	
Parameter(s)		<u>Category</u>	Carryforward	
depressed diss	depressed dissolved oxygen			
0505G_01	Wards Creek an Appendix D intermittent stream with perennial pools from the confluence of Sewell Creek upstream to the confluence of an unnamed second order tributary approximately 0.6 km upstream of US 80	5c	Yes	

SegID: 0505O Hills Lake Hills Lake - an oxbow lake 13 mi east of Carthage		
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
mercury in edible tissue		
05050_01 Hills Lake an oxbow lake 13 mi east of Carthage	5c	Yes

SegID: 0506A	Harris Creek Harris Creek - from the confluence of the Sabine River 5.7 km north of Winona u SH 64 east of Tyler	•	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed disso 0506A_01	Dived oxygen Harris Creek from the confluence of the Sabine River 5.7 km north of Winona upstream to the headwater near SH 64 east of Tyler	5c	No
SegID: 0507G	South Fork of Sabine River South Fork of Sabine River - from the confluence of Lake Tawakoni upstream to Sabine Creeks	the confluence	of Parker and
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 0507G_01	eation Use) South Fork of Sabine River from the confluence of Lake Tawakoni upstream to the confluence of Parker and Sabine Creeks	5b	No
SegID: 0508	Adams Bayou Tidal From the confluence with the Sabine River in Orange County to a point 1.1 km (Orange County	0.7 mi) upstrean	n of IH 10 in
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recro	eation Use)		
0508_01	Lower 3 miles of segment	4a	No
0508_02	2 mile reach near Western Avenue	4a	Yes
0508_03 0508_04	1 mile reach near Green Avenue Upper 2 miles of segment	4a 4a	Yes Yes
$\overline{Parameter(s)}$	Opper 2 miles of segment	<u>Category</u>	Carryforward
depressed disso	alved oxygen	<u>Cutegory</u>	<u>Carryjorwara</u>
0508 01	Lower 3 miles of segment	4a	Yes
0508 02	2 mile reach near Western Avenue	4a	Yes
0508_03	1 mile reach near Green Avenue	4a	Yes
0508_04	Upper 2 miles of segment	4a	Yes
SegID: 0508A Parameter(s)	Adams Bayou Above Tidal From a point 1.1 km (0.7 mi) upstream of IH 10 in Orange County to the upstream stream northwest of Orange in Orange Count	m perennial port	ion of the <u>Carryforward</u>

 depressed dissolved oxygen
 0508A_01
 From a point 1.1 km (0.7 mi) upstream of IH 10 in Orange County to the upstream perennial portion of the stream northwest of Orange in Orange Count
 4a
 Yes

SegID: 0508B	Gum Gully From the confluence of Adams Bayou to the upstream perennial portion of the st Orange County	tream northwest o	of Orange in	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria (Recr	eation Use)			
0508B_01	From the confluence of Adams Bayou to the upstream perennial portion of the stream northwest of Orange in Orange County	4a	Yes	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed dissolved oxygen				
0508B_01	From the confluence of Adams Bayou to the upstream perennial portion of the stream northwest of Orange in Orange County	4a	Yes	

SegID: 0508C Hudson Gully From the confluence with Adams Bayou to the headwaters near US 890 in Pinehurst in Orange County				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria (Recr	eation Use)			
0508C_01	From the confluence with Adams Bayou to the headwaters near US 890 in Pinehurst in Orange County	4a	Yes	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed dissolved oxygen				
0508C_01	From the confluence with Adams Bayou to the headwaters near US 890 in Pinehurst in Orange County	4a	Yes	

SegID: 0510	Lake Cherokee Lake Cherokee - from Cherokee Dam in Gregg/Rusk County up to the normal po (impounds Cherokee Bayou)	ol elevation of	280 feet
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
pH 0510_02	Lake Cherokee from a line at the East Texas Regional Airport runway up to the normal pool elevation of 280 feet	5c	No

SegID: 0511	Cow Bayou Tidal From the confluence with the Sabine River in Orange County to a point 4.8 km (3.0 mi) upstream of IH 10 in Orange County		
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Reci	reation Use)		
0511_01	Lower 5 miles	4a	No
0511_03	5 mile reach near FM 1442 (north crossing)	4a	Yes
0511_04	Upper 4 miles	4a	Yes
Parameter(s)		<u>Category</u>	Carryforward
depressed diss	olved oxygen		
0511_02	6 mile reach near FM 105	4a	Yes
0511_03	5 mile reach near FM 1442 (north crossing)	4a	Yes
0511_04	Upper 4 miles	4a	Yes
Parameter(s)		<u>Category</u>	Carryforward
рН			
0511_04	Upper 4 miles	4a	Yes

SegID: 0511A	Cow Bayou Above Tidal From a point 4.8 km (3.0 mi) upstream of IH 10 in Orange County stream northeast of Vidor in Orange County	to the upstream perennial portion	on of the
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed diss 0511A_02	olved oxygen Upper 5.3 miles of above-tidal reach	4a	Yes
SegID: 0511B	Coon Bayou From the confluence with Cow Bayou up to the extent of tidal limit	it in Orange County	

	Trom the confidence with cow Buyou up to the extent of that mint in orange of	Junity	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Rec	reation Use)		
0511B_01	From the confluence with Cow Bayou up to the extent of tidal limit in Orange	4a	Yes
	County		
Parameter(s)		<u>Category</u>	Carryforward
depressed dis	solved oxygen		
0511B_01	From the confluence with Cow Bayou up to the extent of tidal limit in Orange	4a	Yes
	County		

SegID: 0511C	Cole Creek From the confluence of Cow Bayou west of Orange in Orange County to the upst stream south of Mauriceville in Orange Count	tream perennial j	portion of the
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed diss	solved oxygen		
0511C_01	From the confluence of Cow Bayou west of Orange in Orange County to the upstream perennial portion of the stream south of Mauriceville in Orange Count	4a	Yes

SegID: 0511E	Terry Gully From the confluence with Cow Bayou in Orange County to the headwaters nor	theast of Vidor in (Orange County		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria (Recr	bacteria (Recreation Use)				
0511E_01	From the confluence with Cow Bayou in Orange County to the headwaters northeast of Vidor in Orange County	4a	Yes		

SegID: 0512	Lake Fork Reservoir Lake Fork Reservoir - from Lake Fork Dam in Wood County up to the normal po (impounds Lake Fork Creek)	ool elevation of 4	403 feet
Parameter(s)		<u>Category</u>	Carryforward
рН 0512_05	Upper Lake Fork Creek arm from the FM 2946 crossing up to the normal pool elevation of 403 feet	5c	No

SegID: 0512A	Running Creek Running Creek - from the confluence of Lake Fork at the Hopkins/Wood County 400 m south of SH 11 southeast of Sulphur Springs	line upstream to	the headwater	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria (Recr	eation Use)			
0512A_01	Running Creek from the confluence of Lake Fork at the Hopkins/Wood County	5b	Yes	
	line upstream to the headwater 400 m south of SH 11 southeast of Sulphur			
	Springs			
SegID: 0512B Elm Creek Elm Creek - from the confluence of Lake Fork 375 m downstream of FM 514 upstream to the headwater at Hopkins CR 1110 southwest of Sulphur Springs				
	Elm Creek - from the confluence of Lake Fork 375 m downstream of FM 514 up	stream to the hea	dwater at	
Parameter(s)	Elm Creek - from the confluence of Lake Fork 375 m downstream of FM 514 up	stream to the hea <u>Category</u>	dwater at	
Parameter(s) bacteria (Recre	Elm Creek - from the confluence of Lake Fork 375 m downstream of FM 514 up Hopkins CR 1110 southwest of Sulphur Springs	~~~~		

SegID: 0514	Big Sandy Creek Big Sandy Creek - from the confluence with the Sabine River in Upshur County to upstream of SH 11 in Hopkins County	o a point 2.6 ki	n (1.6 mi)
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Reci	reation Use)		
0514_01	Big Sandy Creek from the confluence of the Sabine River southeast of Big Sandy upstream to the confluence of Mill Creek near FM 49 north of Hawkins	5c	Yes
0514_02	Big Sandy Creek from the confluence of Mill Creek near FM 49 north of Hawkins upstream to the headwater 2.6 km upstream of SH 11 northwest of Winnsboro	5c	Yes

SegID: 0601	Neches River Tidal From the confluence with Sabine Lake in Orange County to the Neches River Salt point 0.8 km (0.5 mi) downstream of the confluence of Pine Island Bayou, in Orar		which is at a
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	reation Use)		
0601_01	Lower boundary to top of first oxbow, above Bird Island Bayou confluence at NHD RC 12020003000004	5c	No
0601_02	Top of first oxbow to top of U.S. Nat'l Defense Reserve Fleet Basin at top of NHD RC 12020003008459	5c	No
0601_03	Top of U.S. Nat'l Defense Reserve Fleet Basin to top of last oxbow below Kansas City Southern Railroad bridge 0.44km upstream of NHD RC 12020003000013	5c	No
0601_04	Top of last oxbow below Kansas City Southern Railroad bridge to saltwater barrier at NHD RC 12020003000017	5c	No
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
PCBs in edible	e tissue		
0601_01	Lower boundary to top of first oxbow, above Bird Island Bayou confluence at NHD RC 12020003000004	5c	Yes
0601_02	Top of first oxbow to top of U.S. Nat'l Defense Reserve Fleet Basin at top of NHD RC 12020003008459	5c	Yes
0601_03	Top of U.S. Nat'l Defense Reserve Fleet Basin to top of last oxbow below Kansas City Southern Railroad bridge 0.44km upstream of NHD RC 12020003000013	5c	Yes
0601_04	Top of last oxbow below Kansas City Southern Railroad bridge to saltwater barrier at NHD RC 12020003000017	5c	Yes

SegID: 0601A Star Lake Canal North of Groves in Jefferson County		
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
0601A_01 North of Groves in Jefferson County	5c	No

SegID: 0602	Neches River Below B. A. Steinhagen Lake From the Neches River Saltwater Barrier, which is at a point 0.8 km (0.5 mi) downstream of the confluence of Pine Island Bayou, in Orange County to Town Bluff Dam in Jasper/Tyler County		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
dioxin in edib	le tissue		
0602_02	From the confluence with Village Creek 0608 upstream to the confluence with Black Branch NHD RC 12020003000695	5c	Yes
0602_03	From the confluence with Black Branch upstream to confluence with unnamed tributary at NHD RC 12020003000058	5c	Yes
0602_04	From the confluence with unnamed tributary at NHD RC 12020003000058 upstream to Town Bluff Dam	5c	Yes
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
mercury in ed	ible tissue		
0602_01	From the saltwater barrier upstream to confluence with Village Creek 0608 at NHD RC 12020003000025	5c	Yes
0602_02	From the confluence with Village Creek 0608 upstream to the confluence with Black Branch NHD RC 12020003000695	5c	Yes
0602_03	From the confluence with Black Branch upstream to confluence with unnamed tributary at NHD RC 12020003000058	5c	Yes
0602_04	From the confluence with unnamed tributary at NHD RC 12020003000058 upstream to Town Bluff Dam	5c	Yes

SegID: 0603	B. A. Steinhagen Lake From Town Bluff Dam to a point immediately upstream of the confluence of Hopson Mill Creek on the Neches River Arm and to a point immediately upstream of the confluence of Indian Creek on the Angelina River Arm, up to the normal pool elevation of 83 feet		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
dioxin in edibl	le tissue		
0603_01	Main pool by dam to include all the area below the US HWY 190 bridge	5c	Yes
0603_02	Area above the US HWY 190 bridge to the upper boundaries of the segment at points immediately upstream of confluences Hopson Mill Creek (Neches Arm) and Indian Creek (Angelina Arm)	5c	Yes
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
mercury in ed	ible tissue		
0603_01	Main pool by dam to include all the area below the US HWY 190 bridge	5c	Yes
0603_02	Area above the US HWY 190 bridge to the upper boundaries of the segment at points immediately upstream of confluences Hopson Mill Creek (Neches Arm) and Indian Creek (Angelina Arm)	5c	Yes

SegID: 0603A	Sandy Creek in Jasper County From the confluence of B.A. Steinhagen Lake southwest of City of Jasper in Jas Big and Little Sandy Creeks in City of Jasper in Jasper County	per County to the	confluence of
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Rec	reation Use)		
0603A_01	From the confluence with B.A. Steinhagen Lake upstream to confluence with	5c	No
	Little Sandy Creek about 0.5 km downstream of Hwy 776, per WQS App. D		

SegID: 0603B	Wolf Creek From the confluence of B. A. Steinhagen Lake southeast of Colmesneil in Tyler of perennial portion of the stream south of Colmesneil in Tyler County	County to the up	stream		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>		
bacteria (Recreation Use)					
0603B 01	From the confluence of B.A. Steinhagen Lake upstream to Lake Amanda Dam.	5c	No		

SegID: 0604	Neches River Below Lake Palestine From a point immediately upstream of the confluence of Hopson Mill Creek in Ja Crossing Dam in Anderson/Cherokee County	sper/Tyler Cou	inty to Blackburn
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
dioxin in edibl	le tissue		
0604_01	Lower boundary to a point immediately upstream of confluence of Biloxi Creek 0604M at NHD RC 12020002001061	5c	Yes
0604_02	From the confluence of Biloxi Creek (0604M) upstream to the upper confluence of Old River at NHD RC 12020002000037	5c	Yes
0604_03	From the upper confluence of Old River upstream to the confluence with Cedar Creek in Cherokee County at NHD RC 12020002000085 near Hargrove Lake	5c	Yes
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
mercury in ed	ible tissue		
0604_01	Lower boundary to a point immediately upstream of confluence of Biloxi Creek 0604M at NHD RC 12020002001061	5c	Yes
0604_02	From the confluence of Biloxi Creek (0604M) upstream to the upper confluence of Old River at NHD RC 12020002000037	5c	Yes
0604_03	From the upper confluence of Old River upstream to the confluence with Cedar Creek in Cherokee County at NHD RC 12020002000085 near Hargrove Lake	5c	Yes

SegID: 0604A	Cedar Creek From the confluence of the Neches River southwest of Lufkin in Angelina County portion of the stream in Lufkin in Angelina County	7 to the upstream	n perennial
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Recr	reation Use)		
0604A_02	From the confluence with Jack Creek (0604C) upstream to confluence with unnamed tributary adjacent to State Loop 287, per App. D in WQS, at NHD RC 12020002000436	5b	No

SegID: 0604B	Hurricane Creek From the confluence with Cedar Creek upstream to the headwaters near Groesbee	ck Ave in the Ci	ty of Lufkin
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	eation Use)		
0604B_01	From the confluence with Cedar Creek (0604A) upstream to confluence with unnamed tributary 100m above State Loop 287 in Lufkin, per WQS App. D, at NHD RC 12020002000043	5b	No
SegID: 0604D	Piney Creek From the confluence of the Neches River at the Polk/Tyler/Angelina County lines upstream perennial portion of the stream east of Crockett in Houston County	s east of Corriga	in to the
SegID: 0604D	From the confluence of the Neches River at the Polk/Tyler/Angelina County lines	s east of Corriga <u>Category</u>	in to the <u>Carryforward</u>
	From the confluence of the Neches River at the Polk/Tyler/Angelina County lines upstream perennial portion of the stream east of Crockett in Houston County	-	
Parameter(s)	From the confluence of the Neches River at the Polk/Tyler/Angelina County lines upstream perennial portion of the stream east of Crockett in Houston County	-	

SegID: 0604M Biloxi Creek	SegID:	0604M	Biloxi	Creek
---------------------------	--------	-------	--------	-------

From the confluence with the Neches River southeas	st of Diboll to FM 325 east of Lufkin in Angelina County
From the confidence with the freehes kivel southeas	St Of DIDOIT to TWI 525 cast of Lutkin in Aligenna County

Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Rec	reation Use)		
0604M_03	From the confluence with One Eye Creek in Angelina County SE of Lufkin	5b	No
	upstream to FM 325 east of Lufkin		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed dis	solved oxygen		
0604M_03	From the confluence with One Eye Creek in Angelina County SE of Lufkin	5c	Yes
	upstream to FM 325 east of Lufkin		

SegID: 0604T Lake Ratcliff Lake in Houston County 3.4 mi northeast of Kennard		
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
mercury in edible tissue 0604T_01 Lake in Houston County 3.4 mi northeast of Kennard	5c	Yes

SegID: 0605	Lake Palestine From Blackburn Crossing Dam in Anderson/Cherokee County to a point 6.7km in Henderson/Smith County, up to normal pool elevation of 345 feet (impounds		eam of FM 279
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
рН			
0605_01	Lower portion of reservoir near dam to the first bend in reservoir	5b	No
0605_03	Upper mid-lake including Tyler Public Water Supply intake	5b	No
0605_09	Flat Creek Arm	5b	No
0605_10	Upper Lake	5b	No
0605_11	From the SH 155 Bridge crossing to the Flat Creek Arm and across the main portion of the lake at the Flat Creek Arm	5b	No

SegID: 0605A	Kickapoo Creek in Henderson County From the confluence of Lake Palestine east of Brownsboro in Henderson County portion of the stream northeast of Murchison in Henderson County	to the upstream	perennial	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria (Rec	reation Use)			
0605A_01	From the confluence with Lake Palestine (0605) east of Brownsboro in Henderson County to the confluence with Slater Creek (0605E).	5b	Yes	
0605A_02	From the confluence with Slater Creek (0605E) upstream to confluence with unnamed tributary about 1.62 km north of FM 858 in Van Zandt County at NHD RC 12020001000161.	5b	No	
Parameter(s)		<u>Category</u>	Carryforward	
depressed dissolved oxygen				
0605A_01	From the confluence with Lake Palestine (0605) east of Brownsboro in Henderson County to the confluence with Slater Creek (0605E).	5c	Yes	

SegID: 0606 **Neches River Above Lake Palestine** From a point 6.7 km (4.2 mi) downstream of FM 279 in Henderson/Smith County to Rhine Lake Dam in Van Zandt County before it was breached in 2001 Parameter(s) <u>Category</u> **Carryforward** bacteria (Recreation Use) 0606 01 From a point approximately 0.06km (0.03 mi) south of St. Louis Southwestern 5b Yes Railroad upstream to the confluence with Prairie Creek (0606A). 0606 02 From the confluence with Prairie Creek (0606A) upstream to the Rhine Lake 5c No Dam Parameter(s) Carryforward <u>Category</u> depressed dissolved oxygen 0606 02 From the confluence with Prairie Creek (0606A) upstream to the Rhine Lake 5b Yes Dam

SegID: 0606A	Prairie Creek Perennial stream from the confluence with the Neches River to an unnamed tributa downstream of the US 69 bridge crossing.	ary approximat	ely 0.6km
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Recr	eation Use)		
0606A_01	From the confluence with Neches River (0606), per WQS App. D first entry for	5b	Yes
	Prairie Creek at NHD RC 12020001000071 in Smith County upstream to the confluence with Black Fork Creek (0606D) at NHD RC 12020001000071.		
0606A_03	From the confluence with Caney Creek upstream to confluence with unnamed	5b	Yes
	tributary appx. 0.6 km downstream of the US 69 bridge crossing, which is located		
	appx. 0.6 km south of the City of Lindale, per App. D second line entry		

SegID: 0606D	Black Fork Creek Perennial stream from the confluence with Prairie Creek to a point 0.4 km downst	ream of FM 14	in Tyler
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Recr			
0606D_02	From the confluence with unnamed tributary at NHD RC 12020001000072 upstream to a point 0.4km downstream of FM 14 in Tyler, at the confluence with unnamed tributary at NHD RC 12020001000073, per WQS App. D second entry for Black Fork Creek.	5c	Yes

SegID: 0607	Pine Island Bayou From the confluence with the Neches River in Hardin/Jefferson County to FM 787	in Hardin Cou	inty
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	reation Use)		
0607_03	From the confluence with Black Creek upstream to the confluence with Willow Creek (0607C)	5c	No
Parameter(s)		<u>Category</u>	Carryforward
depressed diss	olved oxygen		
0607_01	From the confluence with the Neches River upstream to unnamed tributary at	5b	Yes
	NHD RC 12020007001215 that runs through Sherwood Drive in northern City of		
	Beaumont.		
0607_02	From the confluence with unnamed tributary that runs through Sherwood Drive in	5b	Yes
	northern City of Beaumont upstream to the confluence with Black Creek		
0607_03	From the confluence with Black Creek upstream to the confluence with Willow	5b	Yes
	Creek (0607C)		
0607_04	From the confluence with Willow Creek (0607C) upstream to the confluence with	5b	Yes
	Mayhaw Slough near oil fields		

SegID: 0607A	Boggy Creek From the confluence of Pine Island Bayou upstream to the confluence with an unn downstream of the crossing of the Southern Pacific Railroad.	amed tributary	7 4 km
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed diss	olved oxygen		
0607A_02	From the confluence with unnamed tributary 0.39 km downstream of CR 421 upstream to confluence with unnamed tributary 4 km downstream of the crossing of the Southern Pacific Railroad, per WQS App. D, at NHD RC 12020007003034.	5b	Yes

SegID: 0607F	B Little Pine Island Bayou From the confluence of Pine Island Bayou southwest of Lumberton in Hardin Couportion of the stream west of Kountze in Hardin County	inty to the upsti	ream perennial
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed dis	solved oxygen		
0607B_01	From the confluence with Pine Island Bayou (0607) at the Hardin/Jefferson Counties border upstream to unnamed tributary 1.1 km SE of intersection of FM 770 and FM 787 at NHD RC 12020007000021, same tributary as Big Thicket National Park boundary.	56	Yes

SegID: 0607C	Willow Creek From the confluence of Pine Island Bayou north of Nome in Jefferson County to t of the stream east of Devers in Liberty County	he upstream p	erennial portion
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed diss	olved oxygen		
0607C_01	From the confluence with Pine Island Bayou (0607) at the State Hwy 326 bridge at NHD RC 12020007000258 upstream to headwaters NE of Devers in Liberty County at NHD RC 12020007000200.	5b	No

SegID: 0608	Village Creek From the confluence with the Neches River in Hardin County to Lake Kimble Dam in Hardin County				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
mercury in edi	ble tissue				
0608_01	From the confluence with Neches River (0602) upstream to confluence with Cypress Creek (0608C)	5c	Yes		
0608_02	From the confluence with Cypress Creek (0608C) upstream to confluence with Beech Creek (0608A)	5c	Yes		
0608_03	From the confluence with Beech Creek (0608A) upstream to confluence with Big Sandy Creek and Kimball Creek in Hardin County	5c	Yes		

	SegID: 0608A	 Beech Creek From the confluence of Village Creek northeast of Kountze in Hardin County to of the stream southeast of Woodville in Tyler County 	the upstream per	rennial portion
l	Parameter(s)		<u>Category</u>	<u>Carryforward</u>
l	copper in wat	er		
	0608A_01	From the confluence with Village Creek (0608) at NHD RC 12020006000017 upstream to the confluence with Drakes Branch 0.35 km upstream of FM1943 RD E at NHD RC 12020006000025	5c	No

SegID: 0608B	Big Sandy Creek From the confluence of Village and Kimball Creeks in Hardin County upstream	to headwaters in	Polk County
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Reci	reation Use)		
0608B_04	From the confluence with Bear Creek in Polk County upstream to headwaters about 5 km SE of intersection of US Hwy 59 and FM 62 at NHD RC 12020006000133.	5b	No

SegID: 0608C Cypress Creek From the confluence of Village Creek (0608) east of Kountze in Hardin County to the confluence with Bad Luck Creek northwest of Kountze in Hardin County					
Parameter(s)		<u>Category</u>	Carryforward		
depressed diss	solved oxygen				
0608C_01	Upper portion from the confluence with unnamed tributary upstream of Pea	5b	Yes		
	Monk Branch upstream to confluence with Bad Luck Creek, per WQS App. D, at NHD RC 12020006000148.				

SegID: 0608E	Mill Creek in Hardin County From the confluence of Village Creek (0608) west of Silsbee in Hardin County unorthwest of Silsbee in Hardin County	pstream to head	waters
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed diss	olved oxygen		
0608E_01	From the confluence of Village Creek (0608) west of Silsbee in Hardin County upstream to headwaters northwest of Silsbee in Hardin County	5c	Yes

	Turkey Creek Perennial stream from the confluence with Village Creek up to 1.6 km above U.S.	. 69 north of Ci	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 0608F_02	From the confluence with Big Cypress Creek in Tyler County upstream to confluence with unnamed tributary about 1.6 km above U.S. 69 north of City of Woodville, per WQS App. D, at NHD RC 12020006000057	5b	No
SegID: 0608G	Lake Kimball From Kimble Creek Dam northwest of Kountze in Hardin County to normal pool (impounds Kimble and Village Creeks)	elevation in Ty	ler County
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
mercury in edi 0608G_01	ble tissue From Kimble Creek Dam northwest of Kountze in Hardin County to normal pool elevation in Tyler County (impounds Kimble and Village Creeks)	5c	Yes
SegID: 0609	Angelina River Below Sam Rayburn Reservoir From a point immediately upstream of the confluence of Indian Creek in Jasper C Jasper County	ounty to Sam F	Rayburn Dam in
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
dioxin in edible 0609_01	e tissue From a point immediately upstream of the confluence of Indian Creek in Jasper County to Sam Rayburn Dam in Jasper County	5c	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
mercury in edi 0609_01	ble tissue From a point immediately upstream of the confluence of Indian Creek in Jasper County to Sam Rayburn Dam in Jasper County	5c	Yes

SegID: 0610	Sam Rayburn Reservoir		
	From Sam Rayburn Dam to a point 5.6 km (3.5 mi) upstream of Marion's Fer.	ry on the Angelina I	River Arm and
	to a point 3.9 km (2.4 mi) downstream of Curry Creek on the Attoyac Bayou	Arm, up to the norm	al pool
	elevation of 164.4 feet (except on the Angelina R	-	-
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
dioxin in edib	e tissue		
0610_01	Sam Rayburn main pool by the dam to the Bear Creek and Ayish Arms	5c	Yes
0610_02	Sam Rayburn lower Angelina River arm	5c	Yes
610_03	Sam Rayburn mid-Angelina River arm (area around SH 147)	5c	Yes
610_04	Sam Rayburn upper mid-Angelina River arm	5c	Yes
610_05	Sam Rayburn lower Attoyac Bayou arm	5c	Yes
0610_06	Sam Rayburn upper Attoyac Bayou arm	5c	Yes
610 07	Sam Rayburn upper Angelina arm	5c	Yes
610_08	Sam Rayburn Bear Creek arm	5c	Yes
0610_09	Sam Rayburn lower Ayish Bayou arm	5c	Yes
0610_10	Sam Rayburn upper Ayish Bayou arm	5c	Yes
Parameter(s)		<u>Category</u>	<u>Carryforwar</u>
mercury in ed	ible tissue		
0610_01	Sam Rayburn main pool by the dam to the Bear Creek and Ayish Arms	5c	Yes
0610_02	Sam Rayburn lower Angelina River arm	5c	Yes
0610_03	Sam Rayburn mid-Angelina River arm (area around SH 147)	5c	Yes
0610_04	Sam Rayburn upper mid-Angelina River arm	5c	Yes
0610_05	Sam Rayburn lower Attoyac Bayou arm	5c	Yes
0610_06	Sam Rayburn upper Attoyac Bayou arm	5c	Yes
610_07	Sam Rayburn upper Angelina arm	5c	Yes
610_08	Sam Rayburn Bear Creek arm	5c	Yes
0610_09	Sam Rayburn lower Ayish Bayou arm	5c	Yes
0610_10	Sam Rayburn upper Ayish Bayou arm	5c	Yes

SegID: 0610A	Ayish Bayou Perennial stream from the headwaters of Sam Rayburn Reservoir to the dam impor approximately 0.1km upstream of FM 1279 near the City of San Augustine	unding Bland I	Lake
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	reation Use)		
0610A_01	From the headwaters of Sam Rayburn Reservoir, per WQS App. D, about 2.4 km	5b	No
	north of FM 83 upstream to confluence with unnamed tributary about 0.4 km SW		
	of intersection of SH 147 and AT and SF Railroad at NHD RC 12020005000036.		
0610A_02	From the confluence with unnamed tributary about 0.4 km SW of intersection of	5b	Yes
	SH 147 and AT and SF Railroad in the City of San Augustine upstream to the		
	Bland Lake dam, per WQS App. D.		

SegID: 0611	Angelina River Above Sam Rayburn Reservoir From the aqueduct crossing 1.0 km (0.6 mi) upstream of the confluence of Paper I Angelina/Nacogdoches County to the confluence of Barnhardt Creek and Mill Creek		in Rusk County
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	reation Use)		
0611_04	From a point immediately upstream of confluence with East Fork Angelina River (0611A) upstream to confluence with Barnhardt and Mill Creeks.	5c	No

SegID: 0611A	East Fork Angelina River From the confluence of the Angelina River at the Rusk/Nacogdoches county line Wooten Creek in Rusk County	e upstream to the	confluence with
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	reation Use)		
0611A_01	From the confluence with Angelina River (0611) at Rusk/Nacogdoches county	5b	No
	line upstream to confluence with Beech Creek (0611J) in Rusk County		

SegID: 0611B	La Nana Bayou From the confluence of the Angelina River south of Nacogdoches in Nacogdoche perennial portion of the stream north of Nacogdoches in Nacogdoches County	s County to the	upstream
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Reci	reation Use)		
0611B_01	From the confluence with Angelina River (0611), per WQS App. D, upstream to	5b	No
	State Loop 224 in City of Nacogdoches		
0611B_02	From the upstream side of State Loop 224 upstream to FM 1878 in City of	5b	No
	Nacogdoches, per WQS App. D.		

SegID: 0611C Mud Creek Perennial stream from the confluence with the Angelina River upstream to a point immediately upstream of the confluence of Prairie Creek in Smith County			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Rec	reation Use)		
0611C_01	From the confluence with Angelina River (0611), per WQS App. D, at the Cherokee and Nacogdoches county line south of City of Reklaw upstream to top of channelized/dredged portion about 2.3 km south of US hwy 79 at -95.150452N/31.956933W	5b	No

SegID: 0611D	West Mud Creek Perennial stream from the confluence with Mud Creek in Cherokee County to the confluence of an unnamed tributary 300 meters upstream of the most northern crossing of US 69 (approximately 2.25 km south of the intersection of Loop 323) in the City of Tyler,			
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria (Recr	eation Use)			
0611D_01	From the confluence with Mud Creek (0611C), per WQS App. D, upstream to confluence with unnamed tributary about 75 m north of WWTP in City of Tyler at NHD RC 12020004000212.	5b	No	
0611D_02	From the confluence with unnamed tributary about 75 m north of WWTP in City of Tyler upstream to confluence of unnamed tributary about 300 meters upstream of the most northern crossing of US 69 in City of Tyler, per WQS App. D, at NHD RC 12020004000212.	5b	Yes	

SegID: 0612	Attoyac Bayou From a point 3.9 km (2.4 mi) downstream of Curry Creek in Nacogdoches/San Augustine County to FM 95 in Rusk County			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria (Recr	reation Use)			
0612_02	From a point immediately upstream of Polly Branch confluence upstream to	5b	No	
	confluence with Bear Bayou.			
0612_03	From a point immediately upstream of Bear Bayou upstream to upper boundary at	5b	No	
	FM 95.			

SegID: 0615	Angelina River/Sam Rayburn Reservoir The riverine portion of Sam Rayburn Reservoir from a point 5.6 kilometers (3.5 mi) upstream of Marion's Ferry to the aqueduct crossing 1.0 km (0.6 mile) upstream of the confluence of Paper Mill Creek				
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>		
depressed diss	olved oxygen				
0615_01	The riverine portion of Sam Rayburn Reservoir from a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry to the aqueduct crossing 1.0 kilometer (0.6 mile) upstream of the confluence of Paper Mill Creek	5c	Yes		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>		
dioxin in edibl	e tissue				
0615_01	The riverine portion of Sam Rayburn Reservoir from a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry to the aqueduct crossing 1.0 kilometer (0.6 mile) upstream of the confluence of Paper Mill Creek	5c	Yes		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
mercury in ed	mercury in edible tissue				
0615_01	The riverine portion of Sam Rayburn Reservoir from a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry to the aqueduct crossing 1.0 kilometer (0.6 mile) upstream of the confluence of Paper Mill Creek	5c	Yes		

SegID: 0615A	 Paper Mill Creek From the confluence with Angelina River/Sam Rayburn Reservoir (0615) ups Creek (0615B) 	tream to confluence	with Mill
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Reci	reation Use)		
0615A_01	From the confluence of Angelina River/Sam Rayburn (0615) upstream to confluence with Mill Creek (0615B)	5b	No

SegID: 0701	SegID: 0701 Taylor Bayou/North Fork Taylor Bayou Above Tidal From the saltwater lock 7.7 km (4.8 mi) downstream of SH 73 in Jefferson County to the Lower Neches Valley Authority Canal in Jefferson County		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed diss	olved oxygen		
0701_01	From the saltwater lock 7.7 km (4.8 miles) downstream of SH 73 in Jefferson	5b	Yes
	County, per WQS App. C, upstream to the confluence with Hillebrandt Bayou (0704).		
0701_02	From the confluence with Hillebrandt Bayou upstream to confluences with North	5b	Yes
	Fork Taylor Bayou and South Fork Bayou.		

SegID: 0702	Intracoastal Waterway Tidal From the confluence with Galveston Bay at Port Bolivar to the confluence with the Sabine-Neches/Port Arthur Canal (including Taylor Bayou Tidal from the confluence with the Intracoastal Waterway up to the saltwater lock 7.7 km (4.8 mi) downstream of SH 73				
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>		
bacteria (Reci	eation Use)				
0702_01	From the confluence with Sabine-Neches Canal Tidal (0703) to eastern most	5c	No		
	boundary of East Bay				
0702_02	Taylor Bayou tidal from the confluence with the Intracoastal Waterway Tidal to	5c	No		
	the saltwater barriers.				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
dioxin in edibl	le tissue				
0702_03	From the eastern most boundary of East Bay to Port Bolivar	5a	Yes		
Parameter(s)		<u>Category</u>	Carryforward		
PCBs in edible	PCBs in edible tissue				
0702_03	From the eastern most boundary of East Bay to Port Bolivar	5a	Yes		

SegID: 0702A	SegID: 0702A Alligator Bayou and Main Canals A, B, C, and D All perennial canals in Jefferson County Drainage District No. 7 that eventually drain into the tidal portion of Taylor Bayou at the pump house gate, including Alligator Bayou.			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
toxicity in sedi	ment			
0702A_01	From Taylor Bayou Tidal (0702) to confluence with Main Canal D above SH 82.	5c	Yes	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
toxicity in wat	er			
0702A_03	Main Canal D from the confluence with Alligator Bayou at SH 82 upstream to about 0.35 km upstream of confluence with Canal A	5c	Yes	

SegID: 0703	Sabine-Neches Canal Tidal From the confluence with Sabine Pass at the southern tip of Pleasure Island in Jefferson County to the Sabine Lake seawall at the northern tip of Pleasure Island in Jefferson County		
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Reci	reation Use)		
0703_01	From the confluence with Sabine Pass at the southern tip of Pleasure Island in	5c	No
	Jefferson County to the Sabine Lake seawall at the northern tip of Pleasure Island		
	in Jefferson County		

SegID: 0704	Hillebrandt Bayou From the confluence of Taylor Bayou in Jefferson County to a point 100 meters (1 in Jefferson County	10 yards) upst	rream of SH 124
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Recr	eation Use)		
0704_02	From the confluence with Willow Marsh Bayou (0704A) upstream to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County	5c	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed diss	olved oxygen		
0704_01	From the confluence with Taylor Bayou Above Tidal (0701) upstream to confluence with Willow Marsh Bayou (0704A)	5b	Yes

SegID: 0801C	Cotton Bayou From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers C RC 12040203000496) approximately 1 mi north of IH 10 in Chambers County	v 1	a point (NHD
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	reation Use)		
0801C_01	From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point (NHD RC 12040203000496) approximately 1 mi north of IH 10 in Chambers County	5c	No
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed diss	olved oxygen		
0801C_01	From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point (NHD RC 12040203000496) approximately 1 mi north of IH 10 in Chambers County	5c	No

SegID: 0802	Trinity River Below Lake Livingston From a point 3.1 km (1.9 mi) downstream of US 90 in Liberty County to Liv County	ingston Dam in Polk	/San Jacinto
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
dioxin in edibl	e tissue		
0802_01	Lower 17 miles of segment	5a	No
0802_02	Approx. 9 miles upstream to approx. 15 miles downstream of SH 105	5a	No
0802_03	11 miles upstream to approx. 9 miles downstream of FM 787	5a	No
0802_04	5 miles upstream to 11 miles downstream of US 59	5a	No
0802_05	Upper 6 miles of segment	5a	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
PCBs in edible	e tissue		
0802_01	Lower 17 miles of segment	5a	No
0802_02	Approx. 9 miles upstream to approx. 15 miles downstream of SH 105	5a	No
0802_03	11 miles upstream to approx. 9 miles downstream of FM 787	5a	No
0802_04	5 miles upstream to 11 miles downstream of US 59	5a	No
0802_05	Upper 6 miles of segment	5a	No

SegID: 0803	Lake Livingston			
	From Livingston Dam in Polk/San Jacinto County to a point 1.8 km (1.1 mi) upstream of Boggy Creek in Houston/Leon County, up to normal pool elevation of 131 feet (impounds Trinity River)			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
dioxin in edibl				
0803_01	Lowermost portion of reservoir, adjacent to dam	5a	No	
0803_02	Lower portion of reservoir, East Wolf Creek	5a	No	
0803_03	Lower portion of reservoir, East Willow Springs	5a	No	
0803_04	Middle portion of reservoir, East Pointblank	5a	No	
0803_05	Middle portion of reservoir, downstream of Kickapoo Creek	5a	No	
0803_06	Middle portion of reservoir, centering on US 190	5a	No	
0803_07	Upper portion of reservoir, west of Carlisle	5a	No	
0803_08	Cove off upper portion of reservoir, East Trinity	5a	No	
0803_09	West Carolina Creek cove, off upper portion of reservoir	5a 5a	No No	
0803_10 0803_11	Upper portion of reservoir, centering on SH 19 Riverine portion of reservoir, centering on SH 21	5a 5a	No	
0803_11	Remainder of reservoir	5a	No	
	Remainder of reservoir			
<u>Parameter(s)</u> PCBs in edible	tissuo	<u>Category</u>	<u>Carryforward</u>	
0803_01	Lowermost portion of reservoir, adjacent to dam	5a	No	
0803 02	Lower portion of reservoir, East Wolf Creek	5a	No	
0803_02	Lower portion of reservoir, East Willow Springs	5a	No	
0803_04	Middle portion of reservoir, East Pointblank	5a	No	
0803 05	Middle portion of reservoir, downstream of Kickapoo Creek	5a	No	
0803_06	Middle portion of reservoir, centering on US 190	5a	No	
0803_07	Upper portion of reservoir, west of Carlisle	5a	No	
0803_08	Cove off upper portion of reservoir, East Trinity	5a	No	
0803_09	West Carolina Creek cove, off upper portion of reservoir	5a	No	
0803_10	Upper portion of reservoir, centering on SH 19	5a	No	
0803_11	Riverine portion of reservoir, centering on SH 21	5a	No	
0803_12	Remainder of reservoir	5a	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
sulfate				
0803_01	Lowermost portion of reservoir, adjacent to dam	5b	No	
0803_02	Lower portion of reservoir, East Wolf Creek	5b	No	
0803_03	Lower portion of reservoir, East Willow Springs	5b	No	
0803_04	Middle portion of reservoir, East Pointblank	5b	No	
0803_05	Middle portion of reservoir, downstream of Kickapoo Creek	5b	No	
0803_06	Middle portion of reservoir, centering on US 190	5b	No	
0803_07	Upper portion of reservoir, west of Carlisle	5b 5b	No No	
0803_08 0803_09	Cove off upper portion of reservoir, East Trinity West Carolina Creek cove, off upper portion of reservoir	5b 5b	No No	
0803_09 0803_10	Upper portion of reservoir, centering on SH 19	5b 5b	No No	
0803_10	Riverine portion of reservoir, centering on SH 19	5b 5b	No	
0803_11	Remainder of reservoir	5b	No	
		20		

SegID: 0803G Lake Madisonville

 From Lake Madisonville Dam in Madison County up to the normal pool elevation of 285 feet (impounds Town Branch)

 Parameter(s)
 Category
 Carryforward

mercury in e	dible tissue		
0803G_01	From Lake Madisonville Dam in Madison County up to the normal pool elevation	5c	Yes
	of 285 feet (impounds Town Branch)		

SegID: 0804	Trinity River Above Lake Livingston From a point 1.8 km (1.1 mi) upstream of Boggy Creek in Houston/Leon County is upstream of the confluence of the Cedar Creek Reservoir discharge canal in Hend	erson/Navarro	County
<u>Parameter(s)</u> dioxin in edibl	la tionna	<u>Category</u>	<u>Carryforward</u>
		5a	No
0804_01	From the lower end of the segment up to just above the confluence with Hurricane Bayou in Houston County.		
0804_02	From just upstream of the confluence with Hurricane Bayou up to just above the confluence with Boons Creek.	5a	No
0804_03	From just upstream of the confluence with Boons Creek up to just above the confluence with Caney Creek.	5a	No
0804_04	From the confluence with Caney Creek up to just above the confluence with Indian Creek in Anderson County.	5a	No
0804_05	From just above the confluence with Indian Creek in Anderson County up to just above the confluence with Tehuacana Creek.	5a	No
0804_06	From just above the confluence with Tehuacana Creek to just above the confluence with Richland Creek.	5a	No
0804_07	From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.	5a	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
PCBs in edible		-	
0804_01	From the lower end of the segment up to just above the confluence with Hurricane Bayou in Houston County.	5a	No
0804_02	From just upstream of the confluence with Hurricane Bayou up to just above the confluence with Boons Creek.	5a	No
0804_03	From just upstream of the confluence with Boons Creek up to just above the confluence with Caney Creek.	5a	No
0804_04	From the confluence with Caney Creek up to just above the confluence with Indian Creek in Anderson County.	5a	No
0804_05	From just above the confluence with Indian Creek in Anderson County up to just above the confluence with Tehuacana Creek.	5a	No
0804_06	From just above the confluence with Tehuacana Creek to just above the confluence with Richland Creek.	5a	No
0804_07	From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.	5a	No

SegID: 0804G Catfish Creek Twenty mile stretch of Catfish Creek running upstream from US 287 in Anderson Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed dissolved oxygen				
0804G_01	Twenty mile stretch of Catfish Creek running upstream from US 287 in Anderson	5b	No	
	Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.			

SegID: 0804H Upper Keechi Creek From confluence with segment 0804 Trinity River to the upper end of NHD stream Upper Keechi Creek (NHD RC 12030201001075)				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed dissolved oxygen				
0804H_01	From the confluence with segment 0804 Trinity River up to confluence with Twin Branch (NHD RC 12030201027099)	5b	Yes	

SegID: 0805	Upper Trinity River From a point immediately upstream of the confluence of the Cedar Creek Reserv Henderson/Navarro County to a point immediately upstream of the confluence o Dallas County	f Elm Fork Trini	ty River in
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Rec			
0805_03	From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.	4a	No
0805_04	From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River	4a	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
dioxin in edib			
0805_01	From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.	5a	Yes
0805 02	From confluence of Smith Creek upstream to confluence of Tenmile Creek.	5a	Yes
0805_03	From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.	5a	Yes
0805_04	From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River	5a	Yes
0805_06	From confluence of Tenmile Creek upstream to confluence of Fivemile Creek	5a	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
PCBs in edib	le tissue		
0805_01	From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.	5a	Yes
0805 02	From confluence of Smith Creek upstream to confluence of Tenmile Creek.	5a	Yes
0805_03	From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.	5a	Yes
0805_04	From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River	5a	Yes
0805 06	From confluence of Tenmile Creek upstream to confluence of Fivemile Creek	5a	Yes

SegID: 0806	West Fork Trinity River Below Lake Worth From a point immediately upstream of the confluence of Village Creek in Tarrant Tarrant County	County to Lake	e Worth Dam in
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
dioxin in edib	le tissue		
0806_01	From confluence of Village Creek upstream to confluence of Clear Fork Trinity	5a	Yes
	River		
0806_02	From confluence of Clear Fork Trinity River upstream to Lake Worth Dam	5a	Yes
Parameter(s)		<u>Category</u>	Carryforward
PCBs in edible	e tissue		
0806_01	From confluence of Village Creek upstream to confluence of Clear Fork Trinity	5a	Yes
	River		
0806_02	From confluence of Clear Fork Trinity River upstream to Lake Worth Dam	5a	Yes

SegID: 0806A Fosdic Lake From Fosdic Lake Dam to the reservoir headwaters in Oakland Lake Park in Tarrant County					
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
PCBs in edibl	PCBs in edible tissue				
0806A_01	From Fosdic Lake Dam to the reservoir headwaters in Oakland Lake Park in	4a	Yes		
	Tarrant County				

SegID: 0806B	From Echo Lake Dam to the reservoirs headwaters in Tarrant County		
<u>Parameter(s)</u>		<u>Category</u>	Carryforward
dieldrin in edi	ble tissue		
0806B_01	From Echo Lake Dam to the reservoirs headwaters in Tarrant County	5a	No
Parameter(s)		<u>Category</u>	Carryforward
dioxin in edibl	e tissue		
0806B_01	From Echo Lake Dam to the reservoirs headwaters in Tarrant County	5a	No
Parameter(s)		<u>Category</u>	Carryforward
PCBs in edible	e tissue		
0806B_01	From Echo Lake Dam to the reservoirs headwaters in Tarrant County	4a	No
0000D_01	Tom Leno Lake Dam to the reservoirs headwaters in Tarrant County	та	110

SegID: 0806E Sycamore Creek Five mi stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth.				
Parameter(s)		<u>Category</u>	Carryforward	
bacteria (Recr				
0806E_01	Five mile stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth	5a	Yes	

SegID: 0807	Lake Worth From Lake Worth Dam in Tarrant County to a point 4.0 km (2.5 mi) downstrea Tarrant County, up to normal pool elevation of 594 feet (impounds West Fork		ain Dam in
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
PCBs in edible	e tissue		
0807_01	From Lake Worth Dam in Tarrant County to a point 4.0 km (2.5 miles) downstream of Eagle Mountain Dam in Tarrant County, up to normal pool elevation of 594 feet (impounds West Fork Trinity River)	4a	Yes

SegID: 0808 West Fork Trinity River Below Eagle Mountain Reservoir From a point 4.0 km (2.5 mi) downstream of Eagle Mountain Dam in Tarrant County to Eagle Mountain Dam in Tarrant County				
Parameter(s)		<u>Category</u>	Carryforward	
PCBs in edible	e tissue			
0808_01	From a point 4.0 km (2.5 mi) downstream of Eagle Mountain Dam in Tarrant County to Eagle Mountain Dam in Tarrant County	4a	Yes	

SegID: 0809B	Ash Creek Intermittent stream with perennial pools from Eagle Mountain Lake in Tarrant C with Mill Branch in Parker County	ounty upstream t	to its confluence		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria (Reci	bacteria (Recreation Use)				
0809B_01	Intermittent stream with perennial pools from Eagle Mountain Lake in Tarrant County upstream to its confluence with Mill Branch in Parker County	5c	No		

SegID: 0810	West Fork Trinity River Below Bridgeport Reservoir From a point 0.6 km (0.4 mi) downstream of the confluence of Oates Branch in Win Wise County	Vise County to I	Bridgeport Dam
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr			
0810_01	Lower 25 miles of segment	5c	No
SegID: 0810A	Big Sandy Creek Fifteen mi stretch of Sycamore Creek running upstream from confluence with Wa of Alvord, Wise County	aggoner Creek t	o FM 1810, west
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 0810A_01	eation Use) Fifteen mile stretch of Big Sandy Creek running from confluence with Waggoner Creek to FM 1810 West of Alvord, Wise Co.	5c	Yes
SegID: 0810C	Martin Branch The eight mi stretch of Martin Branch running upstream from confluence with Ce Decatur, Wise County.	enter Creek to F	M 730 south of
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 0810C_01	eation Use) Eight mile stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.	5c	No
SegID: 0812	West Fork Trinity River Above Bridgeport Reservoir From a point immediately upstream of the confluence of Bear Hollow in Jack Con	unty to SH 79 in	n Archer County
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr		_	
0812_01	Lower 25 mi of segment	5c	No
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed diss 0812_01	Lower 25 mi of segment	5c	Yes
SegID: 0815	Bardwell Reservoir From Bardwell Dam in Ellis County up to the normal pool elevation of 421 feet (impounds Waxa	ahachie Creek)
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
sulfate 0815_01	From Bardwell Dam in Ellis County up to the normal pool elevation of 421 feet	5c	No

(impounds Waxahachie Creek)

SegID: 0818	Cedar Creek Reservoir From Joe B. Hoggsett Dam in Henderson County up to normal pool elevation of 322 feet (impounds Cedar Creek)			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
pН				
0818_01	Lowermost portion of the reservoir, adjacent to the dam.	5b	No	
0818_02	Caney Creek cove	5b	Yes	
0818_03	Clear Creek cove	5b	Yes	
0818_04	Lower portion of reservoir east of Key Ranch Estates	5b	No	
0818 05	Cove off lower portion of reservoir adjacent to Clearview Estates	5b	Yes	
0818_06	Middle portion of reservoir downstream of Twin Creeks cove	5b	No	
0818_07	Twin Creeks cove	5b	Yes	
0818_08	Prairie Creek cove	5b	Yes	
0818_09	Upper portion of reservoir adjacent to Lacy Fork cove	5b	No	
0818 11	Upper portion of reservoir east of Tolosa	5b	No	
0818_12	Uppermost portion of reservoir downstream of Kings Creek	5b	Yes	

SegID: 0819 **East Fork Trinity River** From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in Kaufman County Parameter(s) Category Carryforward sulfate 0819_01 From the confluence with the Trinity River in Kaufman County to 5c No Rockwall-Forney Dam in Kaufman County Parameter(s) Carryforward Category total dissolved solids From the confluence with the Trinity River in Kaufman County to 0819_01 5c No Rockwall-Forney Dam in Kaufman County

SegID: 0820B	SegID: 0820B Rowlett Creek Perennial stream from the normal pool elevation of Lake Ray Hubbard upstream to the Parker Road crossing				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria (Recro	eation Use)				
0820B_01	Perennial stream from the normal pool elevation of Lake Ray Hubbard upstream to the Parker Road crossing	5c	No		
SegID: 0820C	Muddy Creek From the confluence with Lake Ray Hubbard, in Dallas County, to the headwaters	s east of Allen,	in Collin		

County		
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
copper in water0820C_01From the confluence with Lake Ray Hubbard, in Dallas County, to the headwaters east of Allen, in Collin County	5c	No

SegID: 0821C	Wilson Creek From the confluence with Lake Lavon in Collin County up to West FM 455 (NH east of Celina, Collin Co., TX.	D RC 1203010	5000086), just
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 0821C_01	From the confluence with Lake Lavon in Collin County up to West FM 455 (NHD RC 12030106000086), just east of Celina, Collin Co., TX.	5c	Yes
SegID: 0821D	East Fork Trinity River above Lake Lavon A portion of the East Fork Trinity River extending from the confluence with Lake upper end of the water body (NHD RC 12030106000074) in Grayson County, Te		nt 0821) to the
<u>Parameter(s)</u>	action Has	<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 0821D_01	A portion of the East Fork Trinity River extending from the confluence with Lake Lavon (segment 0821) to the upper end of the water body (NHD RC 12030106000074) in Grayson County, Texas.	5c	No
SegID: 0822	Elm Fork Trinity River Below Lewisville Lake From the confluence with the West Fork Trinity River in Dallas County to Lewisv	ville Dam in De	nton County
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
sulfate 0822 01	Lower 11 miles of segment	5c	No
0822_02	4.5 miles upstream to 7.5 miles downstream DWU intake	5c	No
$0822_03 \\ 0822_04$	1.0 mi upstream to 4.5 miles downstream SH 121 Upper 1.5 miles of segment	5c 5c	No No
			110
	Cottonwood Branch A 6 mi stretch of Cottonwood Branch running upstream from confluence with Ha Road in Dallas County.		
<u>Parameter(s)</u>	action Usa)	<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 0822A_02	A 3. 5 mile stretch of Cottonwood Branch running upstream from approximately 0.5 miles downstream of N. Story Rd. to Valley View Rd, Dallas, Co.	4a	No
SegID: 0824	Elm Fork Trinity River Above Ray Roberts Lake From a point 9.5 km (5.9 mi) downstream of the confluence of Pecan Creek in Co Montague County		
<u>Parameter(s)</u>	action Usa)	<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 0824_03	3.5 mile reach near SH 51	5c	No

SegID: 0826	Grapevine Lake From Grapevine Dam in Tarrant County up to normal pool elevation of 535 feet (a	impounds Dente	on Creek)
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
рН 0826_07	Upper portion of reservoir east of Marshall Creek Park	5c	No
0020_07	opper portion of resolvon east of maisman crock faik	30	110
SegID: 0827A	White Rock Creek above White Rock Lake Perennial stream from the headwaters of White Rock Lake upstream to the headwaters	raters at Hilcres	t Road in Frisco
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 0827A_01	eation Use) Perennial stream from the headwaters of White Rock Lake upstream to the confluence with McKamy Branch east of the City of Addison	5c	No
SegID: 0828A	Village Creek From the confluence with Lake Arlington in Tarrant County to the headwaters eas	t of Joshua in J	ohnson County
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr		-	
0828A_01	From Lake Arlington to the headwaters	5c	No
SegID: 0829	Clear Fork Trinity River Below Benbrook Lake From the confluence with the West Fork Trinity River in Tarrant County to Benbr	ook Dam in Tar	rant County
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
dioxin in edibl		5.0	Vac
0829_01 0829_02	From the confluence with West Fork Trinity River to 1 mile upstream. From 1 mile upstream of the confluence with West Fork Trinity River up to the	5a 5a	Yes Yes
0027_02	confluence with Mary's Creek.	54	105
0829_03	From the confluence with Mary's Creek up to Benbrook Dam in Tarrant County, TX.	5a	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
PCBs in edible		-	
0829_01	From the confluence with West Fork Trinity River to 1 mile upstream.	5a	Yes
0829_02	From 1 mile upstream of the confluence with West Fork Trinity River up to the confluence with Mary's Creek.	5a	Yes
0829_03	From the confluence with Mary's Creek up to Benbrook Dam in Tarrant County, TX.	5a	Yes

SegID: 0829A	Lake Como From Lake Como Dam to the reservoir headwaters in Lake Como Park in Tarrant	County	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
dieldrin in edit	ble tissue		
0829A_01	From Lake Como Dam to the reservoir headwaters in Lake Como Park in Tarrant	4a	No
	County		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
dioxin in edible	e tissue		
0829A_01	From Lake Como Dam to the reservoir headwaters in Lake Como Park in Tarrant	5a	No
	County		
Parameter(s)		Category	<u>Carryforward</u>
PCBs in edible	tissue		
0829A_01	From Lake Como Dam to the reservoir headwaters in Lake Como Park in Tarrant	4a	No
—	County		

SegID: 0831	Clear Fork Trinity River Below Lake Weatherford From a point 200 meters (220 yards) downstream of US 377 in Tarrant County to Weatherford Dam in Parker County			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria (Reci	eation Use)			
0831_01	Lower 12.75 miles, downstream from South Fork Trinity River confluence	5c	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed diss	olved oxygen			
0831_04	2 mi upstream of South Fork Trinity River confluence to Squaw Ck. Confluence	5c	Yes	
0831_05	From the confluence of Squaw Ck. to Lake Weatherford Dam	5c	Yes	

SegID: 0833 Clear Fork Trinity River Above Lake Weatherford From a point 3.1 km (1.9 mi) upstream of FM 730 in Parker County, to the confluence with Strickland Creek approximately 8 km (5 mi) upstream of FM 51 in Parker County			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed diss	olved oxygen		
0833_03	From the confluence of McKnight Branch to the confluence of Strickland Ck. approximately 8 km (5 mi) upstream of FM 51 in Parker County.	5b	Yes
0833 04	From the confluence with Dobbs Branch to confluence with McKnight Branch	5b	Yes
0833_05	From the confluence of Dobbs Branch to the lower end of segment	5c	Yes

SegID: 0836B	Cedar Creek From the confluence with Richland Chambers Reservoir to the upper end of the c 12030109012807)	reek (NHD RC	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed diss 0836B_01	olved oxygen From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012807)	5b	Yes

SegID: 0838C	Walnut Creek From the confluence with Joe Pool Lake up to the headwaters at Spring Street in I	Burleson.	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	eation Use)		
0838C_01	From the confluence with Joe Pool Lake up to the headwaters at Spring Street in Burleson.	5b	No
SegID: 0841	Lower West Fork Trinity River From a point immediately upstream of the confluence of the Elm Fork Trinity Riv immediately upstream of the confluence of Village Creek in Tarrant County	er in Dallas Co	ounty to a point
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr			
0841_01	From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek.	4a	No
Parameter(s)		<u>Category</u>	Carryforward
dioxin in edible	e tissue		
0841_01	From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek.	5a	Yes
0841_02	From the confluence with Johnson Creek upstream to the confluence of Village Creek.	5a	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
PCBs in edible	e tissue		
0841_01	From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek.	5a	Yes
0841_02	From the confluence with Johnson Creek upstream to the confluence of Village	5a	Yes

SegID: 0841A	Mountain Creek Lake From Mountain Creek Lake Dam to the reservoir headwater at the confluence of M Dallas County (impounds Mountain Creek)	Mountain and 1	Fish Creeks, in
Parameter(s)		<u>Category</u>	Carryforward
dioxin in edibl	e tissue		
0841A_01	From Mountain Creek Lake Dam to the reservoir headwater at the confluence of	5a	No
	Mountain and Fish Creeks, in Dallas County (impounds Mountain Creek)		
Parameter(s)		<u>Category</u>	Carryforward
PCBs in edible	tissue		
0841A_01	From Mountain Creek Lake Dam to the reservoir headwater at the confluence of	4a	Yes
	Mountain and Fish Creeks, in Dallas County (impounds Mountain Creek)		

SegID: 0841F	Cottonwood Creek A 6.5 mi stretch of Cottonwood Creek running upstream from approx. 0.1 mi ups Reservoir in Dallas Co., to SH 360 in, Tarrant Co.	stream of Mount	ain Creek
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Rec	reation Use)		
0841F_01	A 6.5 mi stretch of Cottonwood Creek running upstream from approx. 0.1 mi upstream of Mountain Creek Reservoir in Dallas Co., to SH 360 in, Tarrant Co.	4a	No

Creek.

	Dalworth Creek A 2.2 mi stretch of Dalworth Creek running upstream from confluence with Low Line Road in Grand Prairie, Dallas Co.	ver W. Fork Trii	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 0841G_01	eation Use) A 2.2 mi stretch of Dalworth Creek running upstream from confluence with Lower W. Fork Trinity to County Line Road in Grand Prairie, Dallas Co.	4a	No
SegID: 0841J	Estelle Creek A 4 mi stretch of Estelle Creek running upstream from confluence with Bear Cre Irving, Dallas County.	ek to Valley Vi	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 0841J_01	eation Use) A 4 mi stretch of Estelle Creek running upstream from confluence with Bear Creek to Valley View Lane in Irving, Dallas County.	4a	Yes
	· -		
SegID: 0841K	Fish Creek A 15 mi stretch of Fish Creek running upstream from the confluence with Mounta Prairie, Dallas Co., to the upper end of the creek (NHD RC 12030102000107) i		
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Recr 0841K_01	eation Use) A 15 mi stretch of Fish Creek running upstream from the confluence with Mountain Creek Reservoir in Grand Prairie, Dallas Co., to the upper end of the creek (NHD RC 12030102000107) in Arlington, Tarrant Co.	4a	No
SegID: 0841L	Johnson Creek Four mi stretch of Johnson Creek running upstream from confluence with the Arb I30 in Grand Prairie, Tarrant Co.	oor Creek to jus	t upstream of
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 0841L_01	eation Use) From the confluence wit the Lower West Fork Trinity River, upstream to just south of Mayfield Road in Arlington, Tarrant, Co	4a	No
SegID: 0841M	Kee Branch Six mi stretch of Kee Branch running upstream from confluence with Rush Creek (NHD RC 12030102000165).	to upper end c	of the creek
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 0841M_01	eation Use) Six mi stretch of Kee Branch running upstream from confluence with Rush Creek to upper end of the creek (NHD RC 12030102000165).	c 4a	No

SegID: 0841N	Kirby Creek Four mi stretch of Kirby Creek running upstream from confluence with Fish Cree to just upstream of Great Southwest Parkway in Arlington, Tarrant Co.	k in Grand Pra	irie, Dallas Co.,
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recro 0841N_01	eation Use) Four mi stretch of Kirby Creek running upstream from confluence with Fish Creek in Grand Prairie, Dallas Co., to just upstream of Great Southwest Parkway in Arlington, Tarrant Co.	4a	No
SegID: 0841Q	North Fork Fish Creek North Fork Fish Creek from confluence with Fish Creek in Dallas Co. upstream to	o SH 360 in Ta	rrant Co.
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 0841Q_01	eation Use) North Fork Fish Creek from confluence with Fish Creek in Dallas Co. upstream to SH 360 in Tarrant Co.	5c	No
SegID: 0841R	Rush Creek A 5 mi stretch of Rush Creek running upstream from confluence with Village Cree Branch in Arlington, Tarrant Co.	eek to confluen	ce with Kee
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 0841R_01	eation Use) A 5 mi stretch of Rush Creek running upstream from confluence with Village Creek to confluence with Kee Branch in Arlington, Tarrant Co.	4a	No
SegID: 0841T	Village Creek A 7 mi stretch of Village Creek running upstream from confluence with West Forl approx. 0.75 mi downstream of Lake Arlington.	k Trinity River	to SH 303
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 0841T_01	eation Use) A 7 mile stretch of Village Creek running upstream from confluence with West Fork Trinity River to SH 303 approx. 0.75 mi. downstream of Lake Arlington.	4a	No
SegID: 0841U	West Irving Creek A 4 mi stretch of West Irving Branch running upstream from approx. 0.4 mi down south of Sowers Road in Irving, Dallas Co.	nstream of Oak	dale Rd. to just
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 0841U_01	eation Use) A 4 mile stretch of West Irving Branch running upstream from approx. 0.4 mi. downstream of Oakdale Rd. to just south of Sowers Road in Irving, Dallas Co.	4a	No

SegID: 0841V	 Crockett Branch A 1 mi (1.5 KM) stretch of Crockett Branch extending upstream from the confluence with Cottonwood Creek to the upper end of the creek (NHD RC 12030102044745) 			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria (Recr	· · · · · · · · · · · · · · · · · · ·			
0841V_01	A 1 mi (1.5 KM) stretch of Crockett Branch extending upstream from the confluence with Cottonwood Creek to the upper end of the creek (NHD RC 12030102044745)	4a	No	
SegID: 0901	Cedar Bayou Tidal From the confluence with Galveston Bay 1.0 km (0.6 mi) downstream of Tri-C County to a point 2.2 km (1.4 mi) upstream of IH 10 in Chambers/Harris Count	•	Chambers	

Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	eation Use)		
0901_01	From the confluence with Galveston Bay 1.0 km (0.6 mi) downstream of Tri-City	5c	No
	Beach Road to a point 2.2 km (1.4 miles) upstream of IH 10		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
dioxin in edible	e tissue		
0901_01	From the confluence with Galveston Bay 1.0 km (0.6 mi) downstream of Tri-City	5a	Yes
	Beach Road to a point 2.2 km (1.4 miles) upstream of IH 10		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
PCBs in edible	tissue		
0901_01	From the confluence with Galveston Bay 1.0 km (0.6 mi) downstream of Tri-City	5a	Yes
	Beach Road to a point 2.2 km (1.4 miles) upstream of IH 10		

SegID: 1001	San Jacinto River Tidal From a point 100 meters (110yards) downstream of IH 10 in Harris County to Lake Houston Dam in Harris County			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
dioxin in edib	e tissue			
1001_01	From Lake Houston Dam to US Hwy 90	5a	No	
1001_02	From US Hwy 90 to IH 10	5a	No	
Parameter(s)		<u>Category</u>	Carryforward	
PCBs in edible	e tissue			
1001_01	From Lake Houston Dam to US Hwy 90	5a	No	
1001_02	From US Hwy 90 to IH 10	5a	No	

SegID: 1002	2 Lake Houston From Lake Houston Dam in Harris County to the confluence of Spring Creek on the West Fork San Jacinto Arm in Harris/Montgomery County and to the confluence of Caney Creek on the East Fork San Jacinto Arm in Harris County, up to normal pool elevation of 44				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria (Reci					
1002_06	From the confluence with Spring Creek to West Lake Houston Pkwy	4a	No		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
pН					
1002_02	From West Lake Houston Parkway to FM 1960 West Pass	5c	No		
1002_05	From Foley Road to the Lake Houston Dam	5c	No		

SegID: 1002C	Lake Isabell Small lake located at the southern end of Lake Houston Park northeast of the Cano of the San Jacinto River (1003) confluence in Harris County.	ey Creek (1010		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
mercury in edi 1002C_01	ble tissue Small lake located at the southern end of Lake Houston Park northeast of the Caney Creek (1010) and East Fork of the San Jacinto River (1003) confluence in Harris County.	5c	Yes	
SegID: 1003	East Fork San Jacinto River From the confluence of Caney Creek in Harris County to US 190 in Walker Count	ty		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria (Recr				
1003_01	From the Caney Creek confluence upstream to US 59	4a	No	
1003_02	From US Hwy 59 to a point immediately downstream of State Hwy 150	4a	No	
1003_03	From a point immediately downstream of State Hwy 150 to US 190 (upper segment boundary)	4a	No	
	segment ootnoory)			
SegID: 1004	SegID: 1004 West Fork San Jacinto River From the confluence of Spring Creek in Harris/Montgomery County to Conroe Dam in Montgomery County			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria (Recr 1004_02	eation Use) From the Stewart Creek confluence upstream to the Lake Conroe Dam	4a	No	
			L	
SegID: 1004E	Stewarts Creek From headwaters northwest of old Montgomery Rd to confluence with West Fork	of the San Jaci	nto River	
Parameter(s)		<u>Category</u>	Carryforward	
bacteria (Recr	eation Use)	0.		
1004E_02	From Airport Rd to confluence with West Fork San Jacinto River	4a	No	
SegID: 1005 Houston Ship Channel/San Jacinto River Tidal From the confluence with Galveston Bay at Morgan's Point in Harris/Chambers County to a point 100 meters (110 yards) downstream of IH 10 in Harris County				
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
dioxin in edibl		50	Na	
1005_01	Downstream I-10 to Lynchburg Ferry Road Lynchburg Ferry Road to Goose Island	5a 5a	No No	
1005_02 1005_03	Goose Island to SH 146	5a 5a	No	
1005_03	SH 146 to Morgans Point	5a 5a	Yes	
	511 1 10 10 1015uto 1 0110		<u>Carryforward</u>	
<u>Parameter(s)</u> PCBs in edible	tissue	<u>Category</u>	<u>Curryjorwuru</u>	
1005 01	Downstream I-10 to Lynchburg Ferry Road	5a	No	
1005_02	Lynchburg Ferry Road to Goose Island	5a	No	
1005_02	Goose Island to SH 146	5a	No	
1005_04	SH 146 to Morgans Point	5a	Yes	

SegID: 1006	Houston Ship Channel Tidal From the confluence with the San Jacinto River in Harris County to a point immed Bayou in Harris County, including tidal portions of tributaries	liately upstream	n of Greens
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Gene 1006_05	eral Use) Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	5c	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
dioxin in edibl			
1006_01	Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence	5a	No
1006_02	Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence	5a	No
1006_03	Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	5a	No
1006_04	Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	5a	No
1006_05	Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	5a	No
1006_06	Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream	5a	No
1006_07	Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)	5a	No
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
mercury in wa 1006_04	ter Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	5c	Yes
Parameter(s)		<u>Category</u>	Carryforward
PCBs in edible	tissue		
1006_01	Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence	5a	No
1006_02	Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence	5a	No
1006_03	Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	5a	No
1006_04	Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	5a	No
1006_05	Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	5a	No
1006_06	Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream	5a	No
1006_07	Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)	5a	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
toxicity in sedi 1006_04	ment Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	5c	Yes

SegID: 1006D	Halls Bayou From the Greens Bayou confluence upstream to Frick Road in Harris County		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	eation Use)		
1006D_01	From the Greens Bayou confluence upstream to US 59	4a	No
1006D_02	From US 59 upstream to Frick Road	4a	No

SegID: 1006F Big Gulch Above Tidal From the confluence with Greens Bayou Tidal to Wallisville Road in Harris County				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria (Recr 1006F_01	reation Use) From the confluence with Greens Bayou Tidal to Wallisville Road in Harris County	4a	No	

SegID: 1006H Spring Gully Above Tidal From confluence with Greens Bayou to US 90 in Harris County		
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1006H_01From confluence with Greens Bayou to US 90 in Harris County	4a	No

SegID: 1006I Unnamed Tributary of Halls Bayou From the confluence with Halls Bayou to a point 0.13 mi upstream of Richland Drive in Harris County				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria (Reci	reation Use)			
1006I_01	From the confluence with Halls Bayou to a point 0.13 mi upstream of Richland Drive in Harris County	4a	No	
	Drive in Harris County			

SegID: 1006J Unnamed Tributary of Halls Bayou From the confluence with Halls Bayou (east of US 59 and south of Langley Road) to Mount Houston Road in Harris County				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria (Recr	eation Use)			
1006J_01	From the Halls Bayou confluence (east of US 59 and south of Langley Road) to	4a	No	
	Mount Houston Road			

SegID: 1007	Houston Ship Channel/Buffalo Bayou Tidal From a point immediately upstream of Greens Bayou in Harris County to a point a upstream of US 59 in Harris County, including tidal portion of tributaries	100 meters (110) yards)
Parameter(s)		<u>Category</u>	<u>Carryforwarc</u>
oacteria (Ge			
007_05	Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	5c	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
lioxin in edil			
007_01	Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall	5a	No
007_02	Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream	5a	No
007_03	Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10	5a	No
007_04	Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45	5a	No
007_05	Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	5a	No
007_06	Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence	5a	No
007_07	Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59	5a	No
007_08	Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225	5a	No
Parameter(s)		<u>Category</u>	<u>Carryforwar</u>
CBs in edib	le tissue		
007_01	Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall	5a	No
007_02	Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream	5a	No
007 03	Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10	5a	No
007_04	Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45	5a	No
007_05	Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	5a	No
007_06	Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence	5a	No
007_07	Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59	5a	No
007_08	Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225	5a	No
Parameter(s) oxicity in se		<u>Category</u>	<u>Carryforward</u>
007_05	Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	5c	Yes

SegID: 1007A Canal C-147 From the confluence with Sims Bayou to a point 0.71 km east of Beltway 8 in Houston				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria (Rec	reation Use)			
1007A_01	From the confluence with Sims Bayou upstream to a point 0.71 km east of	4a	No	
	Beltway 8			

SegID: 1007B	Brays Bayou Above Tidal From a point 11.5 km (7.1 mi) upstream of confluence with Houston Ship Char	nnel up to SH 6	
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Recr	eation Use)	0,	
1007B_01	From a point 11.5 km (7.1 mi) upstream of confluence with Houston Ship Channel up to SH 6	4a	No
1007B_02	From State Highway 6 upstream to Clodine Road	4a	No
SegID: 1007C	Keegans Bayou Above Tidal From the Brays Bayou confluence upstream to Harris County line		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr			
1007C_01	From the Brays Bayou confluence to the Harris County Line	4a	No
SegID: 1007D	Sime Ravou Above Tidal		

	Perennial stream from 11.0 km upstream of confluence with Houston Ship Channel upstream to Hiram Clark Drive				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria (Reci	bacteria (Recreation Use)				
1007D_01	From Fort Bend Parkway to Hiram Clarke	4a	No		
1007D_02	From Hiram Clark to 11 miles upstream of the confluence with the Houston Ship Channel	4a	No		
1007D_03	From 11 miles upstream of the Houston Ship Channel confluence to SH 35	4a	No		

SegID: 1007F	Willow Waterhole Bayou Above Tidal From the Brays Bayou confluence upstream to South Garden (in Missouri City)		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Rec	reation Use)		
1007E_01	From the Brays Bayou confluence upstream to South Garden Street	4a	No

SegID: 1007F	Berry Bayou Above Tidal From a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence to the sou Houston	thern city limits c	of South
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1007F 01	eation Use) From a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence to SH 3	40	No
100/F_01	From a point 2.4 km (1.5 ml) upstream of the Sims Bayou confidence to SH 5	4a	INO

SegID: 1007G	Kuhlman Gully Above Tidal From Brays Bayou confluence to Atchison, Topeka and Santa Fe Railroad tracks i	n Harris County			
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>		
bacteria (Recreation Use)					
1007G_01	From Brays Bayou confluence to Atchison, Topeka and Santa Fe Railroad tracks	4a	No		

SegID: 1007H Pine Gully Above Tidal From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street in Harris County					
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria (Reci	reation Use)				
1007H_01	From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street	4a	No		
Parameter(s)		<u>Category</u>	Carryforward		
depressed dissolved oxygen					
1007H_01	From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street	5c	No		

SegID: 1007I	Plum Creek Above Tidal From the Sims Bayou confluence to Telephone Road in Harris County				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria (Recr	eation Use)				
1007I_01	From the Sims Bayou confluence to Telephone Road in Harris County	4a	No		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
depressed dissolved oxygen					
1007I_01	From the Sims Bayou confluence to Telephone Road in Harris County	5c	No		

SegID: 1007K Country Club Bayou Above Tidal From just downstream of South Lockwood Drive to the confluence with Brays Bayou to approximately 0.5 mi upstream of North Wayside Drive in Harris County				
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria (Recr	reation Use)			
1007K_01	From just downstream of South Lockwood Drive to the confluence with Brays Bayou	4a	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed dissolved oxygen				
1007K_01	From just downstream of South Lockwood Drive to the confluence with Brays Bayou	5c	No	

Parameter(s) <u>Category</u> <u>Ca</u>	rryforward
bacteria (Recreation Use) 1007L_01 From the Brays Bayou confluence near Fondren Road to a point (0.37 km) 0.60 4a miles upstream in Harris County	No

SegID: 1007N	1 Unnamed Tributary of Hunting Bayou From the confluence with Hunting Bayou to Mercury Road in Harris County				
Parameter(s)		<u>Category</u>	Carryforward		
bacteria (Recreation Use)					
1007M_01	From the confluence with Hunting Bayou to Mercury Road in Harris County	4a	No		

SegID: 1007N Unnamed Tributary of Sims Bayou From the confluence with Sims Bayou, south of Airport Road, east of SH 288 in Harris County					
Parameter(s)		<u>Category</u>	Carryforward		
bacteria (Recr	bacteria (Recreation Use)				
1007N_01	From the confluence with Sims Bayou, south of Airport Road, east of SH 288 in	4a	No		
	Harris County				

SegID: 1007O Unnamed Tributary of Buffalo Bayou

From the confluence with Buffalo Bayou to IH-10 between Hirsch Road and Lockwood in Harris County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Rec	creation Use)		
10070_01	From the confluence with Buffalo Bayou to IH-10 between Hirsch Road and	4a	No
	Lockwood in Harris County		
Parameter(s)		<u>Category</u>	Carryforward
depressed dis	ssolved oxygen		
10070_01	From the confluence with Buffalo Bayou to IH-10 between Hirsch Road and	5c	No
	Lockwood in Harris County		

SegID: 1007R Hunting Bayou Above Tidal

From the confluence with Hunting Bayou Tidal at IH-10 to Maury Street on the north fork and Bain Street on the south fork

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>			
bacteria (Rec	bacteria (Recreation Use)					
1007R_01	From Bain Street to Sayers Street (South Fork)	4a	No			
1007R_02	From just east of Elysian Street to Falls Street (North Fork)	4a	No			
1007R_03	From Falls Street to Loop 610	4a	No			
1007R_04	From Loop 610 East to IH 10	4a	No			
Parameter(s)		<u>Category</u>	Carryforward			
depressed dise	depressed dissolved oxygen					
1007R_01	From Bain Street to Sayers Street (South Fork)	5c	Yes			
1007R_04	From Loop 610 East to IH 10	5c	Yes			

SegID: 1007S Poor Farm Ditch From the Brays Bayou confluence upstream 3.6 km (2.3 mi) to the Bissonnet Road bridge crossing Parameter(s) Category Carryforward bacteria (Recreation Use) From the Brays Bayou confluence upstream 3.6 km (2.3 mi) to the Bissonnet 4a No 1007S_01 From the Brays Bayou confluence upstream 3.6 km (2.3 mi) to the Bissonnet 4a No

SegID: 1007T	Bintliff Ditch From the Brays Bayou confluence upstream 5.8 km (3.6 mi) to the Fondren Road	bridge crossing	
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Recr	eation Use)		
1007T_01	From the Brays Bayou confluence to $0.57 \text{ km} (0.35 \text{ mi})$ upstream of the Fondren Road bridge crossing	4a	No

	Mimosa Ditch From the Brays Bayou confluence upstream 2.9 km (1.8 mi) to the Chimney Rock		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	eation Use)		
1007U_0Ì	From the Brays Bayou confluence upstream 2.9 km (1.8 mi) to the Chimney Rocl bridge crossing	k 4a	No
SegID: 1007V	Unnamed Tributary of Hunting Bayou From the Hunting Bayou confluence to 1.7 km (1.1 mi) upstream of the confluence Collingsworth Street)	ce (0.3 km west o	of
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1007V_01	eation Use) From the Hunting Bayou confluence to 1.7 km (1.1 mi) upstream of the confluence (0.3 km west of Collingsworth Street	4a	No
	Harris County Flood Control Ditch D 138 From the confluence with Brays Bayou to a point immediately south of Beechnut		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1007W_01	eation Use) From the confluence with Brays Bayou to a point immediately south of Beechnut Street in Houston	5c	No
SegID: 1008	Spring Creek From the confluence with the West Fork of the San Jacinto River in Harris/Montg confluence with Kickapoo Creek in Harris/Waller County	gomery County to	o the
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Recr	eation Use)	-	_
1008_02	Kickapoo Creek confluence to SH 249	4a	No
1008_03	SH 249 to IH 45	4a	No
1008_04	IH 45 to the confluence with Lake Houston	4a	No
Parameter(s)		Category	Carryforward
depressed diss	alved avvgan	<u>Cullgory</u>	<u>Curryforwuru</u>
1008_02	Kickapoo Creek confluence to SH 249	5c	Yes
SegID: 1008B	Upper Panther Branch From the normal pool elevation of 125 feet of Lake Woodlands upstream to Old C	Conroe Road	
Parameter(s)		<u>Category</u>	Carryforward

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Rec	reation Use)		
1008B_02	From a point 0.22 miles (0.35 km) upstream of the Bear Branch confluence to the	4a	No
	confluence of Lake Woodlands		

SegID: 1008C	Lower Panther Branch From the Spring Creek confluence upstream to the dam impounding Lak	e Woodlands in Montgor	mery County
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	eation Use)		
1008C_01	From Spring Creek confluence upstream to Saw Dust Road	4a	No
1008C_02	From Saw Dust Road to the Lake Woodlands Dam	4a	No

SegID: 1008E Bear Branch From the Upper Panther Branch confluence to south of FM 1488 in Montgomery County Parameter(s) bacteria (Recreation Use) 1008E_01 Category From Upper Panther Branch confluence to south of FM 1488 Category Carryforward

SegID: 1008H	Willow Creek From the Spring Creek confluence to a point 0.48 km (0.3 mi) north of Juergen R	d	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1008H_01	reation Use) From the Spring Creek confluence to a point 0.48 km (0.3 mi) north of Juergen Rd	4a	No

SegID: 1008I	Walnut Creek From the Spring Creek confluence to a point 41.1 km (25.5 mi) upstream		
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Reci	reation Use)		
1008I_01	From the Spring Creek confluence to a point 41.1 km (25.5 mi) upstream	5c	No

SegID: 1008J	Brushy Creek From the Spring Creek confluence upstream to a point 5.6 km (3.5 mi) upstream of	of FM 1488	
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Reci	reation Use)		
1008J_01	From the Spring Creek confluence upstream to a point 5.6 km (3.5 mi) upstream of FM 1488	5c	No

SegID: 1009 Cypress Creek From the confluence with Spring Creek in Harris County to the confluence of Snake Creek and Mound Creek in Waller County					
Parameter(s)		<u>Category</u>	Carryforward		
bacteria (Reci	reation Use)				
1009_01	Upper portion of segment to downstream of US 290	4a	No		
1009_02	US 290 to SH 249	4a	No		
1009 03	SH 249 to IH 45	4a	No		
1009_04	IH 45 to confluence with Spring Creek	4a	No		

SegID: 1009C	Faulkey Gully From Cypress Creek confluence with upstream 3.2 km (2.0 mi), which is approved to the second secon	oximately 1.0 km u	pstream of
<u>Parameter(s)</u> bacteria (Recr 1009C 01	reation Use) From the Cypress Creek confluence to a point 11.7 km (7.2 mi) upstream	<u>Category</u> 4a	<u>Carryforward</u> No
SegID: 1009D	Spring Gully From the Cypress Creek confluence upstream to near Spring Cypress Road		
<u>Parameter(s)</u> bacteria (Recr 1009D_01	reation Use) From the Cypress Creek confluence upstream to near Spring Cypress Road	<u>Category</u> 4a	<u>Carryforward</u> No
SegID: 1009E	Little Cypress Creek From the Cypress Creek confluence to a point 11 km (6.8 mi) upstream in Har	ris County	
Parameter(s)	motion II.a.)	<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1009E_01	From the Cypress Creek confluence to a point 11 km (6.8 mi) upstream	4a	No

SegID: 1010	Caney Creek From the confluence with the East Fork San Jacinto River in Harris County to	SH 150 in Walker (County
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Reci	reation Use)		
1010_02	FM 1097 to SH 105	4a	No
1010_04	FM 2090 to lower segment boundary	4a	No

SegID: 1010C Spring Branch From the Caney Creek confluence to a point 0.54 km (0.34 mi) upstream of SH 105					
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria (Recrea	ation Use)				
1010C_01	From the Caney Creek confluence to a point 0.54 km (0.34 mi) upstream of SH	5c	No		
	105				
Parameter(s)		<u>Category</u>	Carryforward		
depressed dissol	lved oxygen				
1010C_01	From the Caney Creek confluence to a point 0.54 km (0.34 mi) upstream of SH	5c	Yes		
	105				

August 6, 2019

Parameter(s)CategoryCarryforwardbacteria (Recreation Use)1011_01Upper segment boundary to US Hwy 594aNo	SegID: 1011	Peach Creek From the confluence with Caney Creek in Montgomery County to SH 150 in V	Valker County	
	Parameter(s)		<u>Category</u>	Carryforward
1011_01Upper segment boundary to US Hwy 594aNo	bacteria (Reci	reation Use)		
	1011_01	Upper segment boundary to US Hwy 59	4a	No
1011_02US Hwy 59 to confluence with Caney Creek4aNo	1011_02	US Hwy 59 to confluence with Caney Creek	4a	No

SegID: 1013 Buffalo Bayou Tidal From a point 100 meters (110 yards) upstream of US 59 in Harris County to a point 400 meters (440 yards) upstream of Shepherd Drive in Harris County Parameter(s) Category Carryforward bacteria (Recreation Use) 1013_01 From a point immediately upstream of US 59 to a point immediately upstream of Shepard Drive Value

SegID: 1013A	Little White Oak Bayou From the White Oak Bayou confluence to Yale Street in Harris County		
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Recre	eation Use)		
1013A_01	From the confluence of White Oak Bayou upstream to the RR Tracks north of IH	4a	No
	610		
Parameter(s)		<u>Category</u>	Carryforward
depressed disso	olved oxygen		
1013A_01	From the confluence of White Oak Bayou upstream to the RR Tracks north of IH 610	5c	No

SegID: 1013C Unnamed Non-Tidal Tributary of Buffalo Bayou Tidal Located approximately 1.8 mi upstream of the Buffalo Bayou/White Oak Bayou confluence between IH-10 and Memorial Drive west of IH-45 in Harris County					
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria (Recr	eation Use)				
1013C_01	Located approximately 1.8 mi upstream of the Buffalo Bayou/White Oak Bayou confluence between IH-10 and Memorial Drive west of IH-45 in Harris County	4a	No		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
depressed diss	olved oxygen				
1013C_01	Located approximately 1.8 mi upstream of the Buffalo Bayou/White Oak Bayou confluence between IH-10 and Memorial Drive west of IH-45 in Harris County	5c	No		

SegID: 1014	Buffalo Bayou Above Tidal From a point 400 meters (440 yards) upstream of Shepherd Drive in Harris Co	ounty to SH 6 in Ha	rris County
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Rec	reation Use)		
1014_01	From a point immediately upstream of Shepherd Drive upstream to SH 6	4a	No

			h
SegID: 1014A	Bear Creek Perennial stream from the confluence with South Mayde Creek upstream to the confluency 1.24 km north of Longenbaugh Road		an unnamed
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1014A_01	eation Use) Confluence with South Mayde Creek to a point upstream of an unnamed tributary north of Langenbaugh Road	4a	No
			1
	Buffalo Bayou/Barker Reservoir Perennial stream from SH 6 in Harris County upstream to the confluence with Wi Fort Bend County	llow Fork Buff	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1014B_01	eation Use) From SH 6 to the confluence with Willow Fork Buffalo Bayou	4a	No
SegID: 1014C	Horsepen Creek From the Langham Creek confluence upstream to a point 0.1 km (0.06 mi) west o	f Barker Cypre	ss Road
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Recr 1014C_01	eation Use) From the Langham Creek confluence upstream to where channelization begins, 0.62 km (0.39 mi) north of FM 529	5c	No
SegID: 1014E	Langham Creek From the Dinner Creek confluence upstream to FM 529		
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Recr			
1014E_01	From the Bear Creek confluence upstream to the Dinner Creek confluence	4a	No
SegID: 1014H	South Mayde Creek Perennial stream in the Addicks Reservoir flood pool area from the confluence with the confluence with an unnamed tributary 1.05 km south of Clay Road	th Buffalo Bay	ou upstream to
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1014H_01	eation Use) Perennial stream in the Addicks Reservoir flood pool area from the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 1.3 km (0.8 mi) west of Barker-Cypress Road	4a	No

SegID: 1014K	Turkey Creek From the South Mayde Creek confluence upstream to a point 1.1 km (0.68 mi) dir County	ectly east of F	M 529 in Harris
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Reci	reation Use)		
1014K_01	From the South Mayde Creek confluence upstream to 0.17 km (0.1 mi) south of	4a	No
	Clay Road		
1014K_02	From 0.17 km (0.1 mi) south of Clay Road upstream to FM 529 1.1 km (0.68 mi)	4a	No
_	directly east of N. Eldridge Pkwy		

SegID: 1014L	Mason Creek From the Buffalo Bayou confluence upstream to Mason Road upstream to 0.32 Drive	km (0.2 mi) east o	of Katyland
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	eation Use)		
1014L_01	From the Buffalo Bayou confluence upstream to Mason Road	4a	No

SegID: 1014M	I Newman Branch (Neimans Bayou) From the Buffalo Bayou Above Tidal confluence to 0.1 km (0.06 mi) upstream of County	Hammerly Blv	/d in Harris		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>		
bacteria (Recr	reation Use)				
1014M_01	From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd	4a	No		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
depressed diss	olved oxygen				
1014M_01	From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd	5b	Yes		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
impaired fish	community				
1014M_01	From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd	5c	Yes		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
impaired mac	impaired macrobenthic community				
1014M_01	From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd	5c	Yes		

SegID: 1014N	Rummel Creek From the Buffalo Bayou Above Tidal confluence to 1.2 km (0.75 mi) upstream of 1	IH-10 in Harri	s County
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Recr 1014N_01	eation Use) From the Buffalo Bayou Above Tidal confluence to 1.2 km (0.75 mi) upstream of IH-10	4a	No

SegID: 1014O	• Spring Branch From Buffalo Bayou Above Tidal confluence to 1.4 km (0.87 mi) upstream of Lo	ong Point Road i	n Harris County
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	reation Use)		
10140_01	From Buffalo Bayou Above Tidal confluence to 1.4 km (0.87 mi) upstream of	4a	No
	Long Point Road in Harris County		

SegID: 1015A Mound Creek From the confluence with Lake Creek to a point 0.69 km east of FM 149 near Conroe Parameter(s) Category Carryforward bacteria (Recreation Use) 1015A_01 Perennial stream from the confluence with Lake Creek upstream to the confluence with an unnamed tributary approximately 0.75 km downstream of Rabon-Chapel Road No

SegID: 1016	Greens Bayou Above Tidal From a point 0.7 km (0.4 mi) above the confluence of Halls Bayou in Harris County to a point 100 meters (110 yards) above FM 1960 in Harris County		
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Reci	reation Use)		
1016_01	Upper segment boundary (FM 1960) to IH 45	4a	No
1016_02	IH 45 to US 59	4a	No
1016_03	From US 59 to the downstream boundary 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	4a	No

SegID: 1016A	Garners Bayou From the confluence with Greens Bayou upstream to a point 0.89 km northea Humble	ast of Will Clayton P	arkway near
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Reci	reation Use)		
1016A_03	From the Greens Bayou confluence to the Williams Gully confluence	4a	No

SegID: 1016B	Unnamed Tributary of Greens Bayou From confluence with Greens Bayou to Hirsch Road in Harris County		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Reci	reation Use)		
1016B_01	From confluence with Greens Bayou to Hirsch Road in Harris County	4a	No

SegID: 1016C	Unnamed Tributary of Greens Bayou From the confluence with Greens Bayou, east of Aldine Westfield Road, to the Ha	rdy Toll Road	in Harris County
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	eation Use)		
1016C_01	From the confluence with Greens Bayou, east of Aldine Westfield Road, to the Hardy Toll Road in Harris County	4a	No
SegID: 1016D	Unnamed Tributary of Greens Bayou From the confluence with Greens Bayou, west of El Dorado Country Club to Lee Harris County	Road, west of	US Hwy 59 in
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Recr	eation Use)		
1016D_01	From the confluence with Greens Bayou, west of El Dorado Country Club to Lee Road, west of US Hwy 59 in Harris County	4a	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed disso			
1016D_01	From the confluence with Greens Bayou, west of El Dorado Country Club to Lee Road, west of US Hwy 59 in Harris County	5c	No

SegID: 1017	Whiteoak Bayou Above Tidal From a point immediately upstream of the confluence of Little White Oak Bayou in Harris County to a point 3.0 km (1.9 mi) upstream of FM 1960 in Harris County		
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Reci	reation Use)		
1017_01	Huffmeister Rd to the confluence with Vogel Creek	4a	No
1017_02	Vogel Creek to the Cole Creek confluence	4a	No
1017_03	Cole Creek confluence to the Brickhouse Gully confluence	4a	No
1017_04	From Brickhouse Gully confluence to a point immediately upstream of the confluence of Little White Oak Bayou in Harris Co. (lower segment boundary).	4a	No

SegID: 1017A	Brickhouse Gully/Bayou Perennial stream from the confluence with Whiteoak Bayou up to Gessner Road				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria (Reci	bacteria (Recreation Use)				
1017A_01	Perennial stream from the confluence with Whiteoak Bayou up to Gessner Road	4a	No		

SegID: 1017B	Cole Creek Perennial stream from the confluence with White Oak Bayou up to south of Be	ltway 8	
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Recr 1017B_02	e ation Use) From Flintlock Street to confluence with White Oak Bayou	4a	No

			ı		
SegID: 1017C	SegID: 1017C Vogel Creek From the White Oak Bayou Above Tidal confluence to a point 3.2 km (2.0 mi) upstream of the White Oak Bayou confluence to just south of State Hwy 249 in Harris County				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria (Recr					
1017C_01	From the White Oak Bayou confluence to a point 3.2 km (2.0 mi) upstream	4a	No		
SegID: 1017D	Unnamed Tributary of Whiteoak Bayou From the confluence with White Oak Bayou downstream of TC Jester, to Hemps in Harris County	stead Hwy, north	-		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>		
bacteria (Recr 1017D_01	eation Use) From the confluence with White Oak Bayou downstream of TC Jester, to Hempstead Hwy, north of US Hwy 290 in Harris County	4a	No		
Parameter(s)		<u>Category</u>	Carryforward		
depressed diss					
1017D_01	From the confluence with White Oak Bayou downstream of TC Jester, to Hempstead Hwy, north of US Hwy 290 in Harris County	5c	No		
SegID: 1017E	Unnamed Tributary of White Oak Bayou From the confluence with White Oak, near W 11th Street, to just upstream of W W in Harris County	26th Street, sout	h of Loop 610		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria (Recr 1017E_01	eation Use) From the confluence with White Oak, near W 11th Street, to just upstream of W 26th Street, south of Loop 610 W in Harris County	4a	No		
SegID: 1017F Rolling Fork Creek From the White Oak Bayou Above Tidal confluence to a point 3.9 km (2.4 mi) upstream					
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>		
bacteria (Recr 1017F_01	eation Use) From the White Oak Bayou Above Tidal confluence to a point 3.9 km (2.4 mi) upstream	4a	No		

SegID: 1101	SegID: 1101Clear Creek Tidal From the Clear Lake confluence at a point 3.2 km (2.0 mi) downstream of El Camino Real in Galveston/Harris County to a point 100 m (110 yards) upstream of FM528 in Galveston/Harris County				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria (Rec	reation Use)				
1101_01	Upper segment boundary to Chigger Creek confluence	4a	Yes		
1101_02	Chigger Creek confluence to IH 45	4a	No		
1101_03	IH 45 to Cow Bayou confluence	4a	No		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
dioxin in edib	ole tissue				
1101_01	Upper segment boundary to Chigger Creek confluence	5a	Yes		
1101_02	Chigger Creek confluence to IH 45	5a	Yes		
1101_03	IH 45 to Cow Bayou confluence	5a	Yes		
1101_04	Cow Bayou confluence to confluence with Clear Lake	5a	Yes		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
PCBs in edib	le tissue				
1101_01	Upper segment boundary to Chigger Creek confluence	5a	Yes		
1101_02	Chigger Creek confluence to IH 45	5a	Yes		
1101_03	IH 45 to Cow Bayou confluence	5a	Yes		
1101 04	Cow Bayou confluence to confluence with Clear Lake	5a	Yes		

SegID: 1101A Magnolia Creek

From the Clear Creek Tidal confluence upstream to 0.8 km (0.5 mi) upstream of the confluence with the second unnamed tributary

Parameter(s)		<u>Category</u>	Carryforward
bacteria (Recreation Use)			
1101A_01	From the Clear Creek Tidal confluence upstream 7.7 km (4.8 mi)	4a	No

SegID: 1101C Cow Bayou From the Clear Creek Tidal confluence to SH 3 in Galveston County		
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use) 1101C 01 From the Clear Creek Tidal confluence to SH3	4a	No

SegID: 1101D	Robinson Bayou From confluence with Clear Creek to 0.33 mile upstream of Webster Street i	n Galveston County	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Rec	reation Use)		
1101D_01	From headwater to Abilene St	4a	Yes
1101D_02	From Abilene St. to confluence with Clear Creek Tidal	4a	No

SegID: 1101E	Unnamed Trib of Clear Creek Tidal From Clear Creek Tidal confluence to a point 3.2 km (2.0 mi) immediately do County	ownstream of I-45 in	n Galveston	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria (Recreation Use)				
1101E_01	From the Clear Creek Tidal confluence to a point 3.0 km (1.9 mi) upstream	4a	Yes	

SegID: 1102	Clear Creek Above Tidal From a point 100 meters (110 yards) upstream of FM 528 in Galveston/Harris County to Rouen Road in Fort Bend County				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria (Re	creation Use)				
1102_04	Turkey Creek confluence to Mary's Creek confluence	4a	No		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
PCBs in edib	le tissue				
1102_01	Upper segment boundary (Rouen Road) to SH 288	5a	Yes		
1102_02	SH 288 to Hickory Slough confluence	5a	Yes		
1102 03	Hickory Slough confluence to Turkey Creek confluence	5a	Yes		
1102_04	Turkey Creek confluence to Mary's Creek confluence	5a	Yes		
1102_05	Mary's Creek confluence to lower segment boundary	5a	Yes		

SegID: 1102A Cowart Creek

From the Clear Creek Above Tidal confluence in Galveston County to SH 35 in Brazoria County

Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)			
1102A_01	Sunset Drive to SH 35	4a	Yes
1102A_02	Confluence with Clear Creek to Sunset Drive	4a	No

	SegID: 1102B	Mary's Creek/ North Fork Mary's Creek			
		Perennial stream from the confl. With Clear Creek to confl. with N. and S. Fork Mary's Creek near FM 1128,			
	approx. 5 km SW Pearland. Includes perennial portion of N. Fork Mary's Creek to confl. with unnamed trib			named trib	
		approx. 3.2 km upstrm of FM 1128			
	Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
	bacteria (Recro	eation Use)			
L	1102B_01	From the Clear Creek Above Tidal confluence upstream to the N. and S. Fork	4a	No	
	_	Mary's Creek near FM 1128			

SegID: 1102D	• Turkey Creek From the Clear Creek Above Tidal confluence to a point 0.98 km (0.61 mi) ups	stream of Scarsdale	Blvd
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Rec	reation Use)		
1102D_01	From the Clear Creek Above Tidal confluence to a point 0.98 km (0.61 mi) upstream of Scarsdale Blvd	4a	Yes

SegID: 1102F	Mary's Creek Bypass From the Mary's Creek confluence NE of FM 518 to a point 0.96 km (0.60 mi) u confluence (NW of County Road 126)	pstream to the M	lary's Creek		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria (Recr	bacteria (Recreation Use)				
1102F_01	From the Mary's Creek confluence NE of FM 518 to a point 0.96 km (0.60 mi) upstream to the Mary's Creek confluence (NW of County Road 126)	5a	Yes		

SegID: 1102G	Unnamed Tributary of Mary's Creek From the Mary's Creek confluence 1.3 km (0.84 mi) west of FM 1128 to a point 1. confluence of an unnamed tributary	.2 km (0.75 mi	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	eation Use)		
1102G_01	From the Mary's Creek confluence 1.3 km (0.84 mi) west of FM 1128 to a point 1.2 km (0.75 mi) upstream to the confluence of an unnamed tributary	4a	Yes
SegID: 1103	Dickinson Bayou Tidal From the Dickinson Bay confluence 2.1 km (1.3 mi) downstream of SH 146 in Ga km (2.5 mi) downstream of FM 517 in Galveston County		-
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr			
1103_01	From the Dickinson Bay confluence (downstream of State Hwy 146) upstream to the Gum Bayou confluence	4a	No
1103_02	From the Gum Bayou confluence upstream to the Benson Bayou confluence	4a	No
1103_03	From the Benson Bayou confluence upstream to the Bordens Gully confluence	4a	Yes
1103_04	From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517	4a	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed diss	olved oxygen		
1103_02	From the Gum Bayou confluence upstream to the Benson Bayou confluence	5b	Yes
1103_03	From the Benson Bayou confluence upstream to the Bordens Gully confluence	5b	Yes
1103_04	From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi)	5b	No
	downstream of FM 517		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
dioxin in edible	e tissue		
1103_01	From the Dickinson Bay confluence (downstream of State Hwy 146) upstream to the Gum Bayou confluence	5a	Yes
1103_02	From the Gum Bayou confluence upstream to the Benson Bayou confluence	5a	Yes
1103_03	From the Benson Bayou confluence upstream to the Bordens Gully confluence	5a	Yes
1103_04	From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi)	5a	Yes
—	downstream of FM 517		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
PCBs in edible	tissue		
1103_01	From the Dickinson Bay confluence (downstream of State Hwy 146) upstream to	5a	Yes
1102 02	the Gum Bayou confluence	5 -	X7
1103_02	From the Gum Bayou confluence upstream to the Benson Bayou confluence	5a	Yes
1103_03	From the Benson Bayou confluence upstream to the Bordens Gully confluence	5a	Yes
1103_04	From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517	5a	Yes

SegID: 1103A	Bensons Bayou From the Dickinson Bayou confluence to point 0.6 km (0.37 mi) upstream of FM	646 in Galvest	ton County
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Recr			
1103A_01	From the Dickinson Bayou Tidal confluence to point 0.6 km (0.37 mi) upstream of FM 646	4a	No
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed diss 1103A_01	olved oxygen From the Dickinson Bayou Tidal confluence to point 0.6 km (0.37 mi) upstream of FM 646	5b	No
SegID: 1103B	Bordens Gully From the Dickinson Bayou Tidal confluence to a point 1.4 km (0.87 mi) upstream County	of FM 646 in	Galveston
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr			N
1103B_01	From the Dickinson Bayou Tidal confluence to a point 1.4 km (0.87 mi) upstream of FM 646	4a	No
SegID: 1103C	Geisler Bayou From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream County	n of FM 646 ii	n Galveston
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1103C_01	eation Use) From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646	4a	No
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed diss 1103C_01	blved oxygen From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646	5b	No
SegID: 1103D	Gum Bayou From the Dickinson Bayou Tidal confluence to State Hwy 96 in Galveston Count	ł	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1103D_01	eation Use) From Dickinson Bayou Tidal confluence to State Hwy 96	4a	No
SegID: 1103E	Cedar Creek From the Dickinson Bayou Tidal confluence to a point 0.63 km (0.39 mi) upstream	n FM 517 in G	alveston County
Parameter(s)		Category	<u>Carryforward</u>
bacteria (Recr		<u>.</u>	<u> </u>
1103E_01	From the Dickinson Bayou Tidal confluence to a point 0.63 km (0.39 mi) upstream FM 517	4a	No

SegID: 1104	SegID: 1104 Dickinson Bayou Above Tidal From a point 4.0 km (2.5 mi) downstream of FM 517 in Galveston County to FM 528 in Galveston County				
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>		
bacteria (Recr 1104_01	From the lower segment boundary (a point 4.0 km [2.5 mi] downstream of FM 517) to FM 517	4a	Yes		
1104_02	From FM 517 upstream to FM 528	4a	No		
SegID: 1105	Bastrop Bayou Tidal From the confluence with Bastrop Bay 1.1 km (0.7 mi) downstream of the Intrace County to a point 8.6km (5.3 mi) upstream of Business 288 at Lake Jackson in Br		y in Brazoria		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria (Recr 1105_01	eation Use) From the confluence with Bastrop Bay 1.1 kilometers (0.7 miles) downstream of the Intracoastal Waterway in Brazoria County to a point 8.6 km (5.3 miles) upstream of Business 288 at Lake Jackson in Brazoria County	5c	No		
SegID: 1105A	Flores Bayou From a point 2.6 km (1.6 mi) downstream of County Road 171 upstream to SH 33	5 in Brazoria C	ounty		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria (Recr 1105A_03	eation Use) From the confluence with Austin Bayou Above Tidal upstream to the a point 2.6 km (1.6 mi) downstream of County Road 171	5c	No		
SegID: 1105B	Austin Bayou Tidal From the Bastrop Bayou Tidal confluence to the FM 2004 bridge crossing in Braz	zoria County			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria (Recr 1105B_01	eation Use) From the Bastrop Bayou Tidal confluence to the FM 2004 bridge crossing	5c	No		
SegID: 1105C	SegID: 1105C Austin Bayou Above Tidal From FM 2004 upstream (Austin Bayou Tidal upper boundary) to 1.73 mi upstream from where the water body crosses county road 51.				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria (Recr 1105C_01	eation Use) From FM 2004 upstream (Austin Bayou Tidal upper boundary) to 1.73 mi upstream from where the water body crosses county road 51.	5c	No		

SegID: 1105E	5E Brushy Bayou From the confluence with Austin Bayou Above Tidal (1105C) upstream to end of canal approximately 0.4 mi upstream of FM 210 crossing east of the City of Angleton in Brazoria County.			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria (Recr	eation Use)			
1105E_01	From the confluence with Austin Bayou Above Tidal (1105C) upstream to end of canal approximately 0.4 mi upstream of FM 210 crossing east of the City of Angleton in Brazoria County.	5c	Yes	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed disso	olved oxygen			
1105E_01	From the confluence with Austin Bayou Above Tidal (1105C) upstream to end of canal approximately 0.4 mi upstream of FM 210 crossing east of the City of Angleton in Brazoria County.	5c	Yes	

SegID: 1107	Chocolate Bayou Tidal From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35 in Brazoria County			
Parameter(s)		<u>Category</u>	Carryforward	
bacteria (Recr	eation Use)			
1107_01	From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35	5c	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
dioxin in edibl	e tissue			
1107_01	From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35	5a	Yes	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
PCBs in edible tissue				
1107_01	From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35	5a	Yes	

SegID: 1108	Chocolate Bayou Above Tidal From a point 4.2 km (2.6 mi) downstream of SH 35 in Brazoria County to SH 6	n Brazoria County	,		
Parameter(s)		<u>Category</u>	Carryforward		
bacteria (Recreation Use)					
1108_01	From a point 4.2 km (2.6 mi) downstream of SH 35 to SH 6	5c	No		

SegID: 1109	Oyster Creek Tidal From the Intercoastal Waterway confluence to a point 100 meters (110 yards) ups County	tream of FM 20	004 in Brazoria
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Rec 1109_01	reation Use) From the Intracoastal Waterway confluence to a point 100 m (110 yds) upstream of FM 2004	5c	No

SegID: 1110	Oyster Creek Above Tidal From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County to upstream of Scanlan Road in Fort Bend County	a point 4.3 km	(2.7 mi)
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Reci	reation Use)		
1110_01	From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County upstream to the Styles Bayou confluence	5c	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed diss	olved oxygen		
1110_01	From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County upstream to the Styles Bayou confluence	5b	Yes
1110_03	From an unnamed tributary [2.9 km (1.8 mi) downstream of FM 1462] upstream to a point 4.3 km (2.7 mi) upstream of Scanlan Road in Fort Bend County	5b	Yes
SegID: 1113	Armand Bayou Tidal From the Clear Lake confluence (at NASA Road 1 bridge) in Harris County to a r	oint 0.8 km (0	5 mi)

	From the Clear Lake confluence (at NASA Road 1 bridge) in Harris County to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road in Pasadena in Harris County (includes Mud Lake/Pasadena Lake)			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria (Rec				
1113_02	From the Horsepen Bayou confluence to the Big Island Slough confluence	4a	No	
1113_03	From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi)	5a	No	
	downstream of Genoa-Red Bluff Road			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed diss				
1113_02	From the Horsepen Bayou confluence to the Big Island Slough confluence	5b	Yes	
1113_03	From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi)	5b	Yes	
	downstream of Genoa-Red Bluff Road			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
dioxin in edib				
1113_01	From the Clear Lake confluence at Nasa Road 1 to the Horsepen Bayou	5c	Yes	
	confluence			
1113_02	From the Horsepen Bayou confluence to the Big Island Slough confluence	5c	Yes	
1113_03	From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi)	5c	Yes	
	downstream of Genoa-Red Bluff Road			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
PCBs in edibl				
1113_01	From the Clear Lake confluence at Nasa Road 1 to the Horsepen Bayou	5c	Yes	
	confluence			
1113_02	From the Horsepen Bayou confluence to the Big Island Slough confluence	5c	Yes	
1113_03	From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi)	5c	Yes	
	downstream of Genoa-Red Bluff Road			

SegID: 1113A	Armand Bayou Above Tidal From the upper segment boundary of Armand Bayou Tidal, 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road), upstream to Beltway 8 in Harris County			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria (Reci	reation Use)			
1113A_01	From the upper segment boundary of Armand Bayou Tidal (point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road) upstream to Beltway 8	4a	No	
Parameter(s)		<u>Category</u>	Carryforward	
depressed diss	olved oxygen			
1113A_01	From the upper segment boundary of Armand Bayou Tidal (point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road) upstream to Beltway 8	5b	No	
Parameter(s)		<u>Category</u>	Carryforward	
impaired fish	community			
1113A_01	From the upper segment boundary of Armand Bayou Tidal (point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road) upstream to Beltway 8	5b	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
impaired mac	robenthic community			
1113A_01	From the upper segment boundary of Armand Bayou Tidal (point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road) upstream to Beltway 8	5b	No	
SogID: 1112D	Horsonon Boyou Tidol			

SegID: 1113B	Horsepen Bayou Tidal				
	From the Armand Bayou confluence to the SH3				
Parameter(s)		<u>Category</u>	Carryforward		
bacteria (Recr	bacteria (Recreation Use)				
1113B_01	From the Armand Bayou confluence to the SH3	4a	No		

SegID: 11130	C Unnamed Tributary to Horsepen Bayou From the Horsepen Bayou confluence to Reseda Road		
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Rec	reation Use)		
1113C_01	From the Horsepen Bayou confluence to Reseda Drive	4a	No

SegID: 1113D	Willow Springs Bayou From the Armand Bayou confluence to a point 2.8 km (1.8 mi) upstream to an up	nnamed tributary	
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Reci	reation Use)		
1113D_01	From the Armand Bayou confluence to a point 2.8 km (1.8 mi) upstream to an	4a	No
	unnamed tributary		

	Big Island Slough From the Armand Bayou confluence upstream to a point 2.4 km (1.5 mi) north of S	Spenser Hwy	
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Recro	eation Hee)		
1113E_01	From the Armand Bayou confluence upstream to a point 2.4 km (1.5 mi) north of Spencer Hwy	4a	No
SegID: 1202H	Allen's Creek From the confluence with the Brazos River, two miles northeast of Wallis, to the h 10 in Austin County.		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recro 1202H_01	eation Use) From the confluence with the Brazos River, two miles northeast of Wallis, to the headwaters one mile north of IH 10 in Austin County.	5b	No
SegID: 1202J	Big Creek Big Creek - from the confluence of the Brazos River upstream to the confluence of Creek	f Cottonwood (Creek and Coon
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Recro 1202J_01	eation Use) Big Creek from the confluence of the Brazos River upstream to the confluence of an unnamed tributary 2.1 km downstream of FM 2977 south of Rosenberg	<u>5c</u>	No
SegID: 1202K	Mill Creek From confluence of East and West Mill Creeks downstream to confluence with Bra	azos River	
Parameter(s)		Category	Carryforward
bacteria (Recro	aation Usa)		
1202K_01	Portion of Mill Creek from confluence with Brazos River upstream to confluence with East/West Forks Mill Creek in Austin County.	5c	No
SegID: 1204A	Camp Creek From its confluence with the Brazos River downstream of Lake Granbury, upstreat north of US Hwy 67 in Johnson County.	m to its headw	aters, 0.9 miles
<u>Parameter(s)</u>		<u>Category</u>	Carryforward
bacteria (Recro	eation Use)		
1204A_01	From its confluence with the Brazos River downstream of Lake Granbury, upstream to its headwaters, 0.9 miles north of US Hwy 67 in Johnson County.	5b	Yes

SegID: 1208 Brazos River Above Possum Kingdom Lake From a point immediately upstream of the confluence of Cove Creek at Salem Bend in Young County to the confluence of the Double Mountain Fork Brazos River and the Salt Fork Brazos River in Stonewall County			
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Recreation Use)			
1208_01	Portion of segment from confluence with Possum Kingdom Reservoir headwaters upstream to confluence with Spring Branch in Young County.	5c	Yes
1208_02	Portion of segment from confluence with Spring Branch upstream to confluence with Fish Creek	5c	No
1208 04	From confluence with Boggy Creek upstream to confluence with Millers Creek	5c	Yes
1208_05	From confluence with Millers Creek upstream to confluence with Lake Creek	5c	No

SegID: 1209	Navasota River Below Lake Limestone From the confluence with the Brazos River in Grimes County to Sterling C. Robertson Dam in Leon/Robertson County		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Rec	reation Use)		
1209_03	Portion of Navasota River from confluence with Sandy Branch upstream to	5c	Yes
	confluence with Shepherd Branch in Madison County.		
1209_05	Portion of Navasota River from confluence with Camp Creek upstream to Lake	5a	No
	Limestone Dam in Robertson County.		

SegID: 1209A Country Club Lake From the Country Club Branch Dam up to normal pool elevation in Bryan in Brazos County				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
toxicity in sed 1209A_01	iment From the Country Club Branch Dam up to normal pool elevation in Bryan in Brazos County	5c	Yes	

SegID: 1209B Fin Feather Lake From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
toxicity in sedi 1209B_01	ment From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County	5c	Yes

SegID: 12090	C Carters Creek Perennial stream from the confluence with the Navasota River southeast of Colle upstream to the headwaters 1.6 km upstream on US 190	ege Station in Bra	azos County
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Rec	reation Use)		
1209C_01	Perennial stream from the confluence with the Navasota River upstream to the confluence of an unnamed tributary 0.5 km upstream of FM 158; App D	4a	No

SegID: 1209D	Country Club Branch From the confluence with Country Club Lake in Bryan in Brazos County to the da Bryan	um at Fin Feath	er Lake in
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1209D_01	eation Use) From the confluence with Country Club Lake in Bryan in Brazos County to the dam at Fin Feather Lake in Bryan	4a	Yes
SegID: 1209E	Wickson Creek Perennial stream from the confluence with an unnamed first order tributary (appro Reliance Road crossing) upstream to the confluence with an unnamed first order to meters upstream of Dilly Shaw Road		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1209E_01	eation Use) Perennial stream from the confluence with an unnamed first order tributary (approximately 1.3 km upstream of Reliance Road crossing) upstream to the confluence with an unnamed first order tributary approximately 15 meters upstream of Dilly Shaw Road	5b	Yes
SegID: 1209H	Duck Creek From the confluence with the Navasota river in Robertson County to Twin Oak Re County	eservoir dam in	Robertson
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr		_1	
1209H_01	Portion of Duck Creek from confluence with Navasota River upstream to confluence with Mineral Creek in Robertson County.	5b	Yes
1209H_02	Portion of Duck Creek from confluence with Mineral Creek in Robertson County	5b	Yes

	upstream to Twin Oak Reservoir dam in Robertson County.		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed diss	solved oxygen		
1209H_01	Portion of Duck Creek from confluence with Navasota River upstream to	5c	No
	confluence with Mineral Creek in Robertson County.		
1209H_02	Portion of Duck Creek from confluence with Mineral Creek in Robertson County	5c	Yes
	upstream to Twin Oak Reservoir dam in Robertson County.		

SegID: 1209I	Gibbons Creek From confluence with Navasota River in Grimes County to SH 90 in Grimes Cou	nty	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	eation Use)		
1209I_01	Portion of Gibbons Creek from confluence with Navasota River upstream to confluence with Dry Creek in Grimes County.	5b	Yes
1209I_02	Portion of Gibbons Creek from confluence with Dry Creek upstream to Gibbons Creek Reservoir dam in Grimes County	5b	No
Parameter(s)		<u>Category</u>	Carryforward
depressed diss	olved oxygen		
1209I_01	Portion of Gibbons Creek from confluence with Navasota River upstream to confluence with Dry Creek in Grimes County.	5c	No

N	Shepherd Creek From the confluence with the Navasota River in Madison County to a point 0.7 m Madison County	i upstream of F	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
	tion Use) From the confluence with the Navasota River in Madison County to a point 0.7 ni upstream of FM 1452 in Madison County	5b	Yes
	Steele Creek From confluence with Navasota River in Robertson County to a point 2.4 mi upst County	ream of FM 14'	7 in Limestone
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
	tion Use) Portion of Steele Creek from confluence with Willow Creek upstream to neadwaters in Limestone County.	5b	No
	Burton Creek Burton Creek - from the confluence of Carters Creek in College Station upstream fortheast of Finfeather Lake in Bryan	to the headwate	er 0.7 km
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Recreat			
	Burton Creek from the confluence of Carters Creek in College Station upstream o the headwater 0.7 km northeast of Finfeather Lake in Bryan	4a	No
F	Navasota River above Lake Mexia From the confluence with the headwaters of Lake Mexia in Limestone County to 1 in Hill County	a point 1.25 mi	upstream of SH
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
_	tion Use) From the confluence with the headwaters of Lake Mexia in Limestone County to point 1.25 mi upstream of SH 31 in Hill County	5c	Yes
	Davidson Creek ntermittent stream with perennial pools from the confluence with Yegua Creek to County	0 1.7 km above	CR 322, Milam
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
	tion Use) ntermittent stream with perennial pools from the confluence with Yegua Creek apstream to 0.2 km above SH 21 near the City of Caldwell; App D	5b	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
	wed oxygen ntermittent stream with perennial pools from the confluence with Yegua Creek upstream to 0.2 km above SH 21 near the City of Caldwell; App D	5c	Yes

SegID: 1212	Somerville Lake From Somerville Dam in Burleson/Washington County up to normal pool ele Creek)	vation of 238 feet (in	mpounds Yegua
Parameter(s)		<u>Category</u>	Carryforward
pН			
1212_01	Eastern end of reservoir near dam	5c	Yes
1212_03	Middle of reservoir near Birch Creek State Park	5c	Yes
1212_04	Western end of reservoir near upper segment boundary	5c	Yes

SegID: 1212A	Middle Yegua Creek From the confluence with East Yegua and Yegua Creeks in Lee County to the Lee line	county/Willia	umson County
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	reation Use)		
1212A_02	From confluence with West Yegua Creek upstream to headwaters of water body in Williamson County.	5b	Yes

SegID: 1213	Little River From the confluence with the Brazos River in Milam County to the confluence of Lampasas River in Bell County	of the Leon River	and the
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Reci	reation Use)		
1213_04	From confluence with Boggy Creek upstream to its confluence with Leon and Lampasas Rivers	5c	Yes

SegID: 1213A	Big Elm Creek From the confluence with Little River in Milam county, 4.5 km northeast of the dist headwaters in McLennan County, 0.7 km west of Moody.	City of Camero	n , upstream to
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Rec	reation Use)		
1213A_01	Portion of Big Elm Creek from the confluence with the Little River upstream to	5c	No
	confluence with Little Elm Creek.		

SegID: 1214	San Gabriel River From the confluence with the Little River in Milam County to Granger Lake D	am in Williamson	County
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
chloride			
1214_01	From confluence with Little River upstream to confl. with Alligator Creek	5c	No
1214_02	From confluence with Alligator Creek upstream to Lake Granger	5c	No

SegID: 1217B	Sulphur Creek From the confluence of the Lampasas River east of Lampasas in Lampasas Count Creek and East Fork Sulphur Creek west of Lampasas in Lampasas County	y to the conflue	nces of Bean
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Recr	eation Use)		
1217B_02	From the spring source located in the City of Lampasas upstream to the	5c	No
	confluences with Bean Creek and East Fork Sulphur Creek west of Lampasas in		
	Lampasas County		
SegID: 1217D	North Fork Rocky Creek		
	Intermittent stream with perennial pools from the confluence with South Rocky C approximately 11 km west of US 183]	reek upstream t	o its headwaters
Parameter(s)		Category	Carryforward
depressed disso	olved oxygen	 _	

depressed dissolved oxygen				
1217D_01	Intermittent stream with perennial pools from the confluence with South Rocky	5c	Yes	
	Creek upstream to its headwaters approximately 11 km west of US 183; App D			

SegID: 1218	Nolan Creek/ South Nolan Creek From the confluence with the Leon River in Bell County to a point 100 meters (1) upstream crossing of US 190 and Loop 172 in Bell County	l0 yards) upstre	eam to the most	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria (Reci	bacteria (Recreation Use)			
1218_01	Portion of Nolan Creek from the confluence with the Leon River upstream to confluence with North Nolan/South Nolan Creek fork in Bell county	5c	No	
1218_02	Portion of South Nolan Creek from confluence with North Nolan / Nolan Creek fork upstream to confluence with Liberty Ditch in city of Killeen in Bell County.	5b	No	

SegID: 1218	C Little Nolan Creek From the confluence with Nolan Creek/South Nolan Creek upstream to heady County.	vaters in the city of	Killeen, Bell
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Re	creation Use)		
1218C_01	From the confluence with Nolan Creek/South Nolan Creek upstream to headwaters in the city of Killeen, Bell County.	5b	Yes

SegID: 1221	Leon River Below Proctor Lake From a point immediately upstream of the confluence of Plum Creek in Coryell Comanche County	County to Procto	r Dam in
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Rec 1221_06	reation Use) From confluence with South Leon Creek upstream to confluence with Walnut Creek	5c	No

SegID: 1221A	Resley Creek From the confluence of the Leon River east of Gustine in Comanche County to the the stream north of Gustine in Erath County	e upstream pere	ennial portion of
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Recr	eation Use)		
1221A_01	Portion of Resley Creek from confluence with Leon River upstream to conf. with unnamed tributary (NHD RC 12070201007823), approx. 1.0 mi N. of Comanche County Line	5b	No
1221A_02	Portion of Resley Creek from confluence with unnamed tributary (NHD RC 12070201007823), upstream to headwaters in Erath County.	5b	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed diss	olved oxygen		
1221A_01	Portion of Resley Creek from confluence with Leon River upstream to conf. with unnamed tributary (NHD RC 12070201007823), approx. 1.0 mi N. of Comanche County Line	5b	Yes

SegID: 12211	221D Indian Creek Perennial stream from the confluence of the Leon River to the headwaters approximately 7.5 km west of Comanche in Comanche County			
Parameter(s)		<u>Category</u>	Carryforward	
bacteria (Rec	reation Use)			
1221D_01	From confluence with Leon River, upstream to confluence with Armstrong Creek	5b	No	
1221D_02	Perennial stream from the confluence with Armstrong Creek approximately 1.5	5b	No	
—	km downstream of SH 36 upstream to the confluence with an unnamed tributary			
	approximately 0.1 km upstream of US 377; App D			

SegID: 1222A Duncan Creek From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream west of Comanche in Comanche County				
Parameter(s)		<u>Category</u>	Carryforward	
bacteria (Rec	reation Use)			
1222A_01	From the confluence of Proctor Lake northeast of Comanche in Comanche	5b	Yes	
_	County to the upstream perennial portion of the stream west of Comanche in			
	Comanche County			

SegID: 1222B	Rush-Copperas Creek From the confluence of Proctor Lake northeast of Comanche in Comanche County portion of the stream northwest of Comanche in Comanche County	to the upstrea	m perennial
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Reci	reation Use)		
1222B_01	From the confluence of Proctor Lake northeast of Comanche in Comanche	5b	Yes
	County to the upstream perennial portion of the stream northwest of Comanche in		
	Comanche County		

SegID: 1222C	Sabana River		
	From the confluence of Proctor Lake northeast of Comanche in Comanche County portion of the stream northwest of Rising Star in Eastland County	to the upstrea	im perennial
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1222C_01	Portion Use) Portion of Sabana River from confluence with Proctor Lake in Comanche County upstream to confluence with Elm Creek in Eastland County.	5b	Yes
SegID: 1222E	Sweetwater Creek From its confluence with Copperas Creek, upstream to its headwaters, 6.3 mi west County	of Comanche	in Comanche
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1222E_01	From its confluence with Copperas Creek, upstream to its headwaters, 6.3 mi west of Comanche in Comanche County	5b	Yes
SegID: 1223	Leon River Below Leon Reservoir From a point immediately upstream of the confluence of Mill Branch in Comanch Eastland County	e County to Le	con Dam in
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1223_01	eation Use) From a point immediately upstream of the confluence of Mill Branch in Comanche County to Leon Dam in Eastland County	5b	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed diss 1223_01	From a point immediately upstream of the confluence of Mill Branch in Comanche County to Leon Dam in Eastland County	5c	Yes
SegID: 1223A	Armstrong Creek From its confluence with the Leon River downstream of Leon Reservoir, upstream County 6.2 mi east of State Hwy 16.	n to its headwa	ters in Erath
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1223A_01	eation Use) From its confluence with the Leon River downstream of Leon Reservoir, upstream to its headwaters in Erath County 6.2 mi east of State Hwy 16.	5b	Yes
SegID: 1226	North Bosque River From a point 0.51 km (0.32 mi) downstream of Caldwell Crossing in McLennan C upstream of the confluence of Indian Creek in Erath County	County to a poi	nt immediately
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
excessive algal 1226_02	growth Portion of North Bosque River from confluence with Neils Creek upstream to	4a	Yes
1226_03	confluence with Meridian Creek in Bosque County. Portion of North Bosque River from confluence with Meridian Creek upstream to confluence with Duffau Creek in Bosque County.	4a	Yes
1226_04	Portion of North Bosque River from confluence with Duffau Creek in Bosque County upstream to a point immediately upstream of Indian Creek confluence (end of segment) in Erath County.	4a	Yes

SegID: 1226B	Green Creek From the confluence of the North Bosque River south of Clairette in Erath County 10km west of Stephenville in Erath County	y upstream to it	s headwaters
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed diss 1226B_01	blved oxygen From the confluence of the North Bosque River south of Clairette in Erath County upstream to its headwaters 10km west of Stephenville in Erath County	5c	Yes
SegID: 1226F	Sims Creek From the confluence with the North Bosque River in Erath County to the headwa Stephenville in Erath County	ters 6 mi southe	ast of
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1226F_01	eation Use) From the confluence with the North Bosque River in Erath County to the headwaters 6 mi southeast of Stephenville in Erath County	5b	No
	1 5		
SegID: 1226H	Alarm Creek From its confluence with the North Bosque River, upstream to its headwaters 3 m County	i west of Steph	enville in Erath
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Recr 1226H_01	eation Use) From its confluence with the North Bosque River, upstream to its headwaters 3 mi west of Stephenville in Erath County	5b	No
SegID: 1226K	Little Duffau Creek From its confluence with Duffau Creek, upstream to its headwaters 2.4 mi south v	west of US 67 in	n Erath County
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1226K_01	eation Use) From its confluence with Duffau Creek, upstream to its headwaters 2.4 mi south west of US 67 in Erath County	5b	No
SegID: 1226M	Little Green Creek From its confluence with Green Creek, upstream to its confluence with the North Green Creek, 2.4 mi south of SH 6 in Erath County.	and South Fork	s of Little
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1226M_01	eation Use) From its confluence with Green Creek, upstream to its confluence with the North and South Forks of Little Green Creek, 2.4 mi south of SH 6 in Erath County.	5b	No

SegID: 1227	Nolan River From a point immediately upstream of the confluence of Rock Creek in Hill Con County	unty to Cleburne I	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
chloride			
1227_01	Portion of Nolan River from confluence with Whitney Lake upstream to confluence with Mustang Creek in Hill County.	5c	No
1227_02	Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.	5b	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
sulfate			
1227_01	Portion of Nolan River from confluence with Whitney Lake upstream to confluence with Mustang Creek in Hill County.	5b	No
1227_02	Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.	5b	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
total dissolved	solids		
1227_01	Portion of Nolan River from confluence with Whitney Lake upstream to confluence with Mustang Creek in Hill County.	5b	No
1227_02	Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.	5b	No
SegID: 1232	Clear Fork Brazos River From the confluence with the Brazos River in Young County to the most upstreat County	am crossing of US	\$ 180 in Fisher
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
pH 1232_02	From confluence with Hubbard Creek upstream to confluence with Deadman Creek	5c	No

SegID: 1232A	egID: 1232A California Creek From the confluence of Paint Creek southeast of Haskell in Haskell County to the headwaters southwest of Stamford in Jones County				
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>		
bacteria (Recr	eation Use)				
1232A_01	Portion of California Creek from confluence with Paint Creek in Haskell County upstream to confluence with Thompson Creek in Jones County.	5b	Yes		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
impaired fish c	impaired fish community				
1232A_01	Portion of California Creek from confluence with Paint Creek in Haskell County upstream to confluence with Thompson Creek in Jones County.	5c	No		

SegID: 1238	Salt Fork Brazos River From the confluence of the Double Mountain Fork Brazos River in Stonewall Co crossing of SH 207 in Crosby County	unty to the most	upstream
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
chloride			
1238_01	Portion of Salt Fork Brazos River from confluence with Double Mountain Fork Brazos River upstream to confluence with Croton Creek in Stonewall County.	5c	No
1238_02	Portion of Salt Fork Brazos River from confluence with Croton Creek in	5c	No
	Stonewall County upstream to confluence with Butte Creek in Kent County.		
1238_03	Portion of Salt Fork Brazos River from confluence with Butte Creek in Kent	5c	No
	County upstream to headwaters in Crosby County.		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
total dissolved	solids		
1238_01	Portion of Salt Fork Brazos River from confluence with Double Mountain Fork	5c	No
	Brazos River upstream to confluence with Croton Creek in Stonewall County.		
1238_02	Portion of Salt Fork Brazos River from confluence with Croton Creek in	5c	No
	Stonewall County upstream to confluence with Butte Creek in Kent County.		
1238_03	Portion of Salt Fork Brazos River from confluence with Butte Creek in Kent	5c	No
	County upstream to headwaters in Crosby County.		

SegID: 1240	White River Lake From White River Dam in Crosby County up to the normal pool elevation of 2372.2 feet (impounds White River)			
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
chloride				
1240_01	From White River Dam in Crosby County up to the normal pool elevation of 2372.2 feet (impounds White River)	5b	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
excessive algal	growth			
1240_01	From White River Dam in Crosby County up to the normal pool elevation of 2372.2 feet (impounds White River)	5c	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
sulfate				
1240_01	From White River Dam in Crosby County up to the normal pool elevation of 2372.2 feet (impounds White River)	5b	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
total dissolved	solids			
1240_01	From White River Dam in Crosby County up to the normal pool elevation of 2372.2 feet (impounds White River)	5b	No	

SegID: 1241	Double Mountain Fork Brazos River From the confluence with the Salt Fork Brazos River in Stonewall County to the confluence of the North Fork Double Mountain Fork Brazos River in Kent County				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria (Rec	bacteria (Recreation Use)				
1241_01	25 miles near Hwy 83	5b	Yes		

SegID: 1241B	Lake Alan Henry Impounded Double Mountain Fork Brazos Rive, 20.0 mi south east of Post in G	arza and Kent Co	unties.
Parameter(s)		<u>Category</u>	Carryforward
mercury in ed	ible tissue		
1241B_01	Impounded Double Mountain Fork Brazos Rive, 20.0 mi south east of Post in	5c	Yes
	Garza and Kent Counties.		

SegID: 1242B	Cottonwood Branch Intermittent stream with perennial pools from the confluence with Still Creek upstream 0.95 km to the confluence with an unnamed tributary				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria (Recr	bacteria (Recreation Use)				
1242B_01	Portion of Cottonwood Branch from confluence with Still Creek upstream to unnamed tributary (NHD RC 12070101000835) in Brazos County.	5b	Yes		
1242B_02	Portion of Cottonwood Branch from confluence with unnamed tributary (NHD RC 12070101000835) upstream to headwaters in Brazos County.	5b	Yes		

SegID: 1242C	Still Creek Perennial stream from the confluence with Thompson's Creek upstream to the US 190	neadwaters in Braz	zos County near
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	reation Use)		
1242C_02	Portion of Still Creek from confluence with Cottonwood Branch upstream to	5b	Yes
	headwaters in Brazos County near US 190.		

SegID: 1242D	Thompsons Creek Thompsons Creek - from the confluence of the Brazos River upstream to the confluence of Thompson's Branch, north of FM 1687				
Parameter(s)		<u>Category</u>	Carryforward		
bacteria (Recr	eation Use)				
1242D_01	Thompsons Creek an Appendix D perennial stream from the confluence of the Brazos River upstream to the confluence of Still Creek in Brazos County.	5b	No		
1242D_02	Thompsons Creek an Appendix D intermittent stream with perennial pools from the confluence of Still Creek upstream to the confluence of Thompson's Branch, north of FM 1687	5b	Yes		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
depressed disso	depressed dissolved oxygen				
1242D_02	Thompsons Creek an Appendix D intermittent stream with perennial pools from the confluence of Still Creek upstream to the confluence of Thompson's Branch, north of FM 1687	5b	Yes		

	nd Creek ennial stream from the confluence with the Brazos River in Milam County u north of FM 935 in Bell County	pstream to the hea	dwaters 0.18	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria (Recreation Use)				
1242F_01 From	m the Brazos confluence upstream to Live Oak Creek confluence	5b	Yes	

	Campbells Creek From the confluence with the Little Brazos River upstream to the headwaters, one Road		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1242I_01	eation Use) From the confluence with the Little Brazos River upstream to the headwaters, one mi west of Old San Antonio Road	5b	No
SegID: 1242J	Deer Creek Deer Creek - perennial stream from the confluence of the Brazos River upstream to Branch northwest of Lott	to the confluence	ce of Dog
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1242J_01	eation Use) Deer Creek an Appendix D perennial stream from the confluence of the Brazos River upstream to the confluence of Dog Branch northwest of Lott	5c	No
SegID: 1242K	Mud Creek From confluence with the Little Brazos River, upstream to the confluence with To Branch, in Robertson County	uchstone Bran	ch and Wolf Den
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Recr 1242K_01	eation Use) From confluence with the Little Brazos River, upstream to the confluence with Touchstone Branch and Wolf Den Branch, in Robertson County	5b	No
SegID: 1242L	Pin Oak Creek From the confluence with the Little Brazos River in Robertson County upstream to of Franklin	o the headwate	rs, 2.07 mi south
Parameter(s)		Category	<u>Carryforward</u>
bacteria (Recr 1242L_01	eation Use) From the confluence with the Little Brazos River in Robertson County upstream to the headwaters, 2.07 mi south of Franklin	5b	No
SegID: 1242M	Spring Creek From the confluence with the Little Brazos River in Robertson County, upstream of FM 391	to the headwate	ers, 1.5 mi north
Parameter(s)	From the confluence with the Little Brazos River in Robertson County, upstream of FM 391	to the headwate <u>Category</u>	ers, 1.5 mi north <u>Carryforward</u>
	From the confluence with the Little Brazos River in Robertson County, upstream of FM 391		
<u>Parameter(s)</u> bacteria (Recr	From the confluence with the Little Brazos River in Robertson County, upstream of FM 391 eation Use) From the confluence with the Little Brazos River in Robertson County, upstream	<u>Category</u>	<u>Carryforward</u>
Parameter(s) bacteria (Recr 1242M_01	From the confluence with the Little Brazos River in Robertson County, upstream of FM 391 eation Use) From the confluence with the Little Brazos River in Robertson County, upstream	<u>Category</u> 5b	<u>Carryforward</u> No
Parameter(s) bacteria (Recr 1242M_01 SegID: 1242O Parameter(s)	From the confluence with the Little Brazos River in Robertson County, upstream of FM 391 eation Use) From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, 1.5 mi north of FM 391 Walnut Creek From the confluence with the Little Brazos River in Robertson County, upstream of White Rock	<u>Category</u> 5b	<u>Carryforward</u> No
Parameter(s) bacteria (Recr 1242M_01 SegID: 1242O	From the confluence with the Little Brazos River in Robertson County, upstream of FM 391 eation Use) From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, 1.5 mi north of FM 391 Walnut Creek From the confluence with the Little Brazos River in Robertson County, upstream of White Rock	<u>Category</u> 5b to the headwate	<u>Carryforward</u> No ers, one mi south

SegID: 1242P	Big Creek From the confluence with Little Brazos River in Falls County upstream to the conear Mart in the northeast corner of Falls County	onfluence with uni	named creeks
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr			
1242P_01	Downstream portion of water body	5b	Yes

SegID: 1244	Brushy Creek From the confluence with the San Gabriel River in Milam County to the confluence of South Brushy Creek in Williamson County				
Parameter(s)		<u>Category</u>	Carryforward		
bacteria (Reci	bacteria (Recreation Use)				
1244_01	From the confluence of the San Gabriel River upstream to the confluence of	5c	No		
	Mustang Creek				
1244_03	From the confluence of Cottonwood Creek upstream to the confluence of Lake	5c	No		
	Creek				
1244_04	From the confluence of Lake Creek upstream to the confluence of South Brushy	5c	No		
	Creek				

SegID: 1245	5 Upper Oyster Creek From Steep Bank Creek/Brazos River confluence in Fort Bend County to pumping station on Jones Creek confluence at Brazos River in Fort Bend County (includes portions of Steep Bank Creek, Flat Bank Creek, and Jones Creek)				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria (Recr	reation Use)				
1245_01	From the confluence with the Brazos River upstream to Dam #3	4a	No		
1245_02	From Dam #3 upstream to Harmon St. crossing in Sugar Land	4a	No		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
depressed diss	depressed dissolved oxygen				
1245_02	From Dam #3 upstream to Harmon St. crossing in Sugar Land	4a	Yes		

SegID: 12450	C Bullhead Bayou From its confluence with Steep Bank Creek in Fort Colony, upstream to its hea Bend County	ndwaters in Pecan (Grove in Fort
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Rec	reation Use)		
1245C_01	From its confluence with Steep Bank Creek in Fort Colony, upstream to its headwaters in Pecan Grove in Fort Bend County	5c	Yes

SegID: 1245D Unnamed Tributary of Bullhead Bayou Tributary to Bullhead Bayou in Fort Bend County		
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use)		
1245D_01 Tributary to Bullhead Bayou in Fort Bend County	5c	Yes

	Alcorn Bayou From the confluence with Steep Bank Creek upstream to its headwaters 0.5km eacounty	st of Pecan Gro	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1245F_01	reation Use) From the confluence with Steep Bank Creek upstream to its headwaters 0.5km east of Pecan Grove in Fort Bend county	5b	Yes
SegID: 1245I	Steep Bank Creek From confluence with Oyster Creek (Flat Bank Creek portion) upstream to end of 59 in city of First Colony, Fort Bend County.	water body, 0	.2 km east of US
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 12451_01	reation Use) From confluence with Oyster Creek (Flat Bank Creek portion) upstream to end of water body, 0.2 km east of US 59 in city of First Colony, Fort Bend County.	5b	Yes
SegID: 1246E	Wasp Creek From the confluence with Tonk Creek in Crawford in McLennan County, upstread County, 0.15 mi east of FM 185	m to the headw	vaters in Coryell
Parameter(s)		Category	Carryforward
bacteria (Recr 1246E_01	reation Use) From the confluence with Tonk Creek in Crawford in McLennan County, upstream to the headwaters in Coryell County, 0.15 mi east of FM 185	5b	No
SegID: 1247A	Willis Creek From the confluence with the headwaters of Granger Lake in Williamson County County	to CR 313 in V	Villiamson
SegID: 1247A Parameter(s)	From the confluence with the headwaters of Granger Lake in Williamson County		Williamson Carryforward
	From the confluence with the headwaters of Granger Lake in Williamson County County	to CR 313 in V <u>Category</u> 5b	
<u>Parameter(s)</u> bacteria (Recr	From the confluence with the headwaters of Granger Lake in Williamson County County reation Use) From the confluence with the headwaters of Granger Lake in Williamson County	Category	<u>Carryforward</u>
<u>Parameter(s)</u> bacteria (Recr	From the confluence with the headwaters of Granger Lake in Williamson County County reation Use) From the confluence with the headwaters of Granger Lake in Williamson County	<u>Category</u> 5b	<u>Carryforward</u> No
Parameter(s) bacteria (Recr 1247A_01	From the confluence with the headwaters of Granger Lake in Williamson County County reation Use) From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County San Gabriel/North Fork San Gabriel River From point 1.9 km (1.2 mi) downstream of SH 95 in Williamson County to North	<u>Category</u> 5b	<u>Carryforward</u> No
Parameter(s) bacteria (Recr 1247A_01 SegID: 1248	From the confluence with the headwaters of Granger Lake in Williamson County County reation Use) From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County San Gabriel/North Fork San Gabriel River From point 1.9 km (1.2 mi) downstream of SH 95 in Williamson County to North	<u>Category</u> 5b San Gabriel D <u>Category</u>	Carryforward No Dam in
Parameter(s) bacteria (Recr 1247A_01 SegID: 1248 <u>Parameter(s)</u> chloride	From the confluence with the headwaters of Granger Lake in Williamson County County reation Use) From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County San Gabriel/North Fork San Gabriel River From point 1.9 km (1.2 mi) downstream of SH 95 in Williamson County to North Williamson County From point 1.9 km (1.2 mi) downstream of SH 95 in Williamson County to North	<u>Category</u> 5b San Gabriel D <u>Category</u>	Carryforward No Dam in <u>Carryforward</u>
Parameter(s) bacteria (Recr 1247A_01 SegID: 1248 Parameter(s) chloride 1248_01	From the confluence with the headwaters of Granger Lake in Williamson County County reation Use) From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County San Gabriel/North Fork San Gabriel River From point 1.9 km (1.2 mi) downstream of SH 95 in Williamson County to North Williamson County From point 1.9 km (1.2 mi) downstream of SH 95 in Williamson County to North	Category 5b San Gabriel D <u>Category</u> 5c	Carryforward No Dam in <u>Carryforward</u> No
Parameter(s) bacteria (Recr 1247A_01 SegID: 1248 Parameter(s) chloride 1248_01 SegID: 1248C Parameter(s) Parameter(s)	From the confluence with the headwaters of Granger Lake in Williamson County County From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County San Gabriel/North Fork San Gabriel River From point 1.9 km (1.2 mi) downstream of SH 95 in Williamson County to North Williamson County From point 1.9 km (1.2 mi) downstream of SH 95 in Williamson County to North San Gabriel Dam in Williamson County Mankins Branch Perennial stream from the confluence with the San Gabriel River in Williamson County 105 and 104 in Williamson County	Category 5b San Gabriel D <u>Category</u> 5c	Carryforward No Dam in <u>Carryforward</u> No
Parameter(s) bacteria (Recr 1247A_01 SegID: 1248 Parameter(s) chloride 1248_01 SegID: 1248C	From the confluence with the headwaters of Granger Lake in Williamson County County From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County San Gabriel/North Fork San Gabriel River From point 1.9 km (1.2 mi) downstream of SH 95 in Williamson County to North Williamson County From point 1.9 km (1.2 mi) downstream of SH 95 in Williamson County to North San Gabriel Dam in Williamson County Mankins Branch Perennial stream from the confluence with the San Gabriel River in Williamson County 105 and 104 in Williamson County	<u>Category</u> 5b San Gabriel D <u>Category</u> 5c County to the in	Carryforward No Dam in Carryforward No

SegID: 1252	degID: 1252Lake LimestoneFrom Sterling C. Robertson Dam in Leon/Robertson County to a point 2.3 km (1.4 mi) downstream of SH 164 in Limestone County, up to normal pool elevation of 363 feet (impounds Navasota River)			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
рН 1252_03	Lambs Creek arm on east side of lake	5c	No	
SegID: 1255	Upper North Bosque River From a point immediately above the confluence of Indian Creek in Erath County Fork and South Fork of the Bosque River in Erath County	y to the confluenc	e of the North	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria (Reci	reation Use)			
1255_01	Portion of Upper North Bosque River from confluence with Indian Creek	5b	No	
1255_02	upstream to confluence with Dry Branch in Erath County. Portion of Upper North Bosque River from confluence with Dry Branch upstream to confluence with North/South Forks North Bosque River in Erath County.	5b	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed diss				
1255_02	Portion of Upper North Bosque River from confluence with Dry Branch upstream to confluence with North/South Forks North Bosque River in Erath County.	5c	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
excessive alga	l growth			
1255_01	Portion of Upper North Bosque River from confluence with Indian Creek upstream to confluence with Dry Branch in Erath County.	4a	Yes	
1255_02	Portion of Upper North Bosque River from confluence with Dry Branch upstream to confluence with North/South Forks North Bosque River in Erath County.	4a	Yes	

SegID: 1255A	Goose Branch From the confluence with the south fork of the North Bosque River 2.5 mi (4.0 km) upstream to the headwaters 0.5 mi (0.8 km) north of FM 8 in Erath County	m) west of Stepl	nenville,
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	reation Use)		
1255A_01	From the confluence with the south fork of the North Bosque River 2.5 mi (4.0 km) west of Stephenville, upstream to the headwaters 0.5 mi (0.8 km) north of FM 8 in Erath County	5b	Yes

SegID: 1255B	North Fork Upper North Bosque River From the confluence with the South Fork of the Upper North Bosque River in St headwaters, 2.0 mi north of FM 219	tephenville, upstr	eam to the
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Reci	reation Use)		
1255B_01	From the confluence with the South Fork of the Upper North Bosque River in Stephenville, upstream to the headwaters, 2.0 mi north of FM 219	5b	No

	Scarborough Creek From the confluence with the North Fork of the upper North Bosque River, upstre (0.2 km) southeast of FM 219 in Erath County	am to the head	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1255C_01	eation Use) From the confluence with the North Fork of the upper North Bosque River, upstream to the headwaters 0.1 mi (0.2 km) southeast of FM 219 in Erath County	5b	Yes
SegID: 1255D	South Fork North Bosque River From the confluence with the North Fork of the upper North Bosque River in Step headwaters 3 mi (4.8 km) north of FM 219 in Erath County	henville, upstro	eam to the
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1255D_01	eation Use) From the confluence with the North Fork of the upper North Bosque River in Stephenville, upstream to the headwaters 3 mi (4.8 km) north of FM 219 in Erath County	5b	No
SegID: 1255E	Unnamed Tributary of Goose Branch From the confluence with Goose Branch in Erath County to its headwaters, 0.2 mi FM 8 and Farm Road 1219	southeast of th	e intersection of
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Recr 1255E_01	eation Use) From the confluence with Goose Branch in Erath County to its headwaters, 0.2 mi southeast of the intersection of FM 8 and Farm Road 1219	5b	Yes
SegID: 1255F	Unnamed Tributary of Scarborough Creek From the confluence with Scarborough Creek, 1.0 mi west of SH 108 in Erath Conheadwaters, 0.3 mi north of FM 219	unty, upstream	to the
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1255F_01	eation Use) From the confluence with Scarborough Creek, 1.0 mi west of SH 108 in Erath County, upstream to the headwaters, 0.3 mi north of FM 219	5b	No
SegID: 1255G	Woodhollow Branch From the confluence with the South Fork of the North Bosque River, 6 mi northwe the headwaters, 1.5 mi north of FM 219 in Erath County	est of Stephenv	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1255G_01	eation Use) From the confluence with the South Fork of the North Bosque River, 6 mi northwest of Stephenville, upstream to the headwaters, 1.5 mi north of FM 219 in Erath County	5b	Yes

SegID: 1255I	Dry Branch From its confluence with the Upper North Bosque River, upstream to its headwat Erath County	ters 2.3 mi east o	of SH 106 in
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1255I_01	eation Use) From its confluence with the Upper North Bosque River, upstream to its headwaters 2.3 mi east of SH 106 in Erath County	5b	Yes
SegID: 1259	Leon River Above Belton Lake From a point 100 meters (110 yards) upstream of FM 236 in Coryell County to the in Coryell County	ne confluence w	ith Plum Creek
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1259_03	From the confluence with Stillhouse Creek upstream to the confluence with Plum Creek	n 5c	No
SegID: 1301	San Bernard River Tidal From the confluence with the Intracoastal Waterway in Brazoria County to a poir SH 35 in Brazoria County	nt 3.2 km (2.0 m	i) upstream of
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1301_01	eation Use) From the confluence with the Intracoastal Waterway in Brazoria County to a poir 3.2 km (2.0 mi) upstream of SH 35 in Brazoria County	nt 5c	No
SegID: 1302	San Bernard River Above Tidal From a point 3.2 km (2.0 mi) upstream of SH 35 in Brazoria County to the count Austin County	y road southeast	of New Ulm in
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1302_01	eation Use) From the confluence with the Intracoastal Waterway in Brazoria County to confluence with Peach Creek	5b	No
1302_02	From the confluence with Peach Creek to the unnamed tributary at NHD RC 12090401001535 at N-96.03, W29.51	5b	Yes
1302_03	From the confluence with unnamed tributary at NHD RC 12090401001535 at N-96.03, W29.51 to the confluence with Coushatta Creek	5b	No
SegID: 1302A	Gum Tree Branch From the confluence with West Bernard Creek near Wharton CR 252 to the head upstream near RR 102	waters approxin	nately 15 mi
Parameter(s)		Category	Carryforward

 Parameter(s)
 Category
 Carryforward

 bacteria (Recreation Use)
 1302A_01
 From the confluence with West Bernard Creek near Wharton CR 252 to the headwaters approximately 15 mi upstream near RR 102
 5b
 Yes

See ID: 1202D			
SegID: 1302B	West Bernard Creek From the confluence with the San Bernard River Above Tidal downstream of US approximately 40 mi upstream near FM 1093	highway 59 to	the headwaters
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1302B_01	From the confluence with the San Bernard River Above Tidal to the confluence with Clarks Branch	5b	No
1302B_02	From the confluence with Clarks Branch to the upper end of segment	5b	Yes
<u>Parameter(s)</u> depressed diss	alved avvgen	<u>Category</u>	<u>Carryforward</u>
1302B_01	From the confluence with the San Bernard River Above Tidal to the confluence with Clarks Branch	5c	No
SegID: 1302D	Peach Creek From the confluence with the San Bernard River in Wharton Co. to the headwate of FM-102 in Wharton Co.	rs approximatel	y 8 km upstream
<u>Parameter(s)</u> bacteria (Recr	mation Has)	<u>Category</u>	<u>Carryforward</u>
1302D_01	From the confluence with the San Bernard River in Wharton Co. to the headwaters approximately 8 km upstream of FM-102 in Wharton Co.	5c	No
SegID: 1304	Caney Creek Tidal From the confluence with the Intracoastal Waterway in Matagorda County to a potthe confluence of Linville Bayou in Matagorda County	oint 1.9 km (1.2	mi) upstream of
Parameter(s)	· • •	<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1304_01	From the downstream end of segment to the confluence with Dead Slough	5c	No
SegID: 1304A	Linnville Bayou From the confluence with Caney Creek in Matagorda County upstream to a point Brazoria/Matagorda Counties	0.7 km above S	SH 35 in
<u>Parameter(s)</u> bacteria (Recr	mation Has)	<u>Category</u>	<u>Carryforward</u>
1304A_01	Intermittent stream with perennial pools from a point 1.1 km above the confluence with Caney Creek in Matagorda County upstream to a point 0.1 km above SH 35 in Brazoria/Matagorda counties; AppD	5b	Yes
SegID: 1305	Caney Creek Above Tidal From a point 1.9 km (1.2 mi) upstream of the confluence of Linnville Bayou in M confluence of Water Hole Creek in Matagorda County	latagorda Coun	ty to the
Parameter(s)	alvad avygan	<u>Category</u>	<u>Carryforward</u>
depressed diss 1305_03	From the confluence with Snead Slough in Matagorda Co. to the upper end of segment at the confluence with Water Hole Creek in Matagorda Co.	5c	Yes

SegID: 1402	Colorado River below La Grange From a point 2.1 km (1.3 mi) downstream of the Missouri-Pacific Railroad in Mat meters (110 yards) downstream of SH 71 at La Grange in Fayette County		-
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1402_02	eation Use) From the confluence of Blue Creek in Matagorda County upstream to the confluence of Pierce Canal west of Wharton in Wharton County	5c	No
_	Buckners Creek Perennial stream from the confluence with the Colorado River upstream to the heat southeast of the City of Rosanky in Bastrop County		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed disse 1402C_01	olved oxygen Perennial stream from the confluence with the Colorado River upstream to the confluence with Chandler Branch 1.6 km upstream of FM 154 in Fayette County	5c	Yes
	confluence with Chandrer Dranen 1.0 km upsteam of 110 13 + m r upone county		
SegID: 1402H	Skull Creek From the confluence with the Colorado River west of Eagle Lake in Colorado Comportion southwest of Columbus	unty to the upst	ream perennial
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed disse 1402H_01	olved oxygen From the confluence with the Colorado River west of Eagle Lake in Colorado County to the upstream perennial portion southwest of Columbus	5b	No
SegID: 1403A	Bull Creek From the confluence of Lake Austin in northwest Austin in Travis County to the u the stream north of Austin in Travis County	ipstream perenr	nial portion of
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed diss 1403A_04	olved oxygen From Spicewood Springs Rd. crossing near Yaupon Dr. upstream to the Spicewood Springs Dr. crossing near Oak Grove cemetery	5c	No
SegID: 1403J	Spicewood Tributary to Shoal Creek From the confluence of an unnamed tributary west of the MoPac Expressway in n upstream to the head waters north of Williamsburg Circle in Travis County	orth Austin in T	Fravis County
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1403J_01	eation Use) From the confluence of an unnamed tributary west of the MoPac Expressway in north Austin in Travis County upstream to the head waters north of Williamsburg Circle in Travis County	4a	No

SegID: 1403K	Taylor Slough South From the confluence of Lake Austin in Travis County to the headwaters near Sout Department of Aging and Disability Services campus in Austin in Travis County	h Meadow Circ	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	eation Use)		
1403K_01	From the confluence of Lake Austin in Travis County to the headwaters near South Meadow Circle on the Texas Department of Aging and Disability Services campus in Austin in Travis County	4a	Yes
SegID: 1407A	Clear Creek From the confluence with Inks Lake in Burnet County west of Burnet upstream to of FM 2341 near Potato Hill northwest of Burnet	a point 2 miles	s (3.2 km) west
Parameter(s)		Category	<u>Carryforward</u>
aluminum in w	zater	<u>euregory</u>	<u>Carryjor wara</u>
1407A_01	From the confluence with Inks Lake upstream to FM 2341	5c	No
		Category	Carryforward
nickel in water		<u>\$</u>	
1407A_01	From the confluence with Inks Lake upstream to FM 2341	5c	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
рН			
1407A_01	From the confluence with Inks Lake upstream to FM 2341	5c	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
sulfate		_	
1407A_01	From the confluence with Inks Lake upstream to FM 2341	5c	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
total dissolved		-	N
1407A_01	From the confluence with Inks Lake upstream to FM 2341	5c	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
zinc in water	From the confluence with Inles I also constant to FM 2241	5 -	N.
1407A_01	From the confluence with Inks Lake upstream to FM 2341	5c	No
SegID: 1411	E. V. Spence Reservoir From Robert Lee Dam in Coke County to a point immediately upstream of the con in Coke County, up to the normal pool elevation of 1898 feet (impounds Colorado		le Silver Creek

Parameter(s)		<u>Category</u>	<u>Carryforward</u>
chloride			
1411_01	Main pool from the dam upstream to the Rough Creek arm	5c	No
1411_02	From the Rough Creek arm upstream to the confluence of Little Silver Creek	5c	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
sulfate			
1411_01	Main pool from the dam upstream to the Rough Creek arm	4a	No
1411_02	From the Rough Creek arm upstream to the confluence of Little Silver Creek	4a	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
total dissolved	solids		
1411_01	Main pool from the dam upstream to the Rough Creek arm	4a	No
1411_02	From the Rough Creek arm upstream to the confluence of Little Silver Creek	4a	No

SegID: 1412	Colorado River Below Lake J. B. Thomas From a point immediately upstream of the confluence of Little Silver Creek in Co Dam in Scurry County	ke County to (Colorado River
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1412_02	eation Use) From the confluence of Beals Creek upstream to the dam below Barber Reservoir pump station	5b	Yes
SegID: 1412B	Beals Creek From the confluence of the Colorado River south of Colorado City in Mitchell Co Mustang Draw and Sulphur Springs Draw in Howard County	ounty to the con	nfluence of
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1412B_03	eation Use) From the confluence of Gutherie Draw upstream to the confluence of Mustang Draw and Sulphur Springs Draw	5b	Yes
SegID: 1413	Lake J. B. Thomas		
-	From Colorado River Dam in Scurry County up to normal pool elevation of 2258 River)	feet (impound	s Colorado
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
chloride 1413_01	From Colorado River Dam in Scurry County up to normal pool elevation of 2258 feet (impounds Colorado River)	5b	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
sulfate 1413_01	From Colorado River Dam in Scurry County up to normal pool elevation of 2258 feet (impounds Colorado River)	5b	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
total dissolved 1413_01	solids From Colorado River Dam in Scurry County up to normal pool elevation of 2258 feet (impounds Colorado River)	5b	No
SegID: 1416	San Saba River From the confluence with the Colorado River in San Saba County to the confluence and the Middle Valley Prong in Schleicher County	ce of the North	n Valley Prong
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1416_01	eation Use) From the confluence with the Colorado River in San Saba County upstream to the US 190	e 5c	No
SegID: 1416A	Brady Creek From the confluence of the San Saba River southwest of San Saba in San Saba Co of Brady in McCulloch County	ounty to Brady	Lake Dam west
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed disse 1416A_03	olved oxygen From FM 714 upstream to Brady Lake dam	5c	Yes

SegID: 1421	Concho River From a point 2 km (1.2 mi) above the confluence of Fuzzy Creek in Concho Coun North Concho River in Tom Green County and to Nasworthy Dam on the South C County		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed diss	North Concho River, from the confluence with the South Concho River upstream to O.C. Fisher dam	5c	No
SegID: 1425	O. C. Fisher Lake From San Angelo Dam in Tom Green County up to normal pool elevation of 1908 River)	feet (impound	ls North Concho

	Kivel)		
Parameter(s)		<u>Category</u>	Carryforward
chloride			
1425_01	From San Angelo Dam in Tom Green County up to normal pool elevation of 1908	5c	No
	feet (impounds North Concho River)		
Parameter(s)		Category	Carryforward
total dissolved	solids		
1425_01	From San Angelo Dam in Tom Green County up to normal pool elevation of 1908	5c	No
	feet (impounds North Concho River)		

SegID: 1426	Colorado River Below E. V. Spence Reservoir From a point 3.7 km (2.3 mi) below the confluence of Mustang Creek in Run Coke County	nnels County to Robe	ert Lee Dam in
Parameter(s)		<u>Category</u>	Carryforward
chloride			
1426_01	Lower end of segment to Country Club Lake	4a	No
1426_02	Country Club Lake to Coke County line	4a	No
1426_03	Coke County line to SH 208	4a	No
1426_04	SH 208 to dam	4a	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
total dissolved	l solids		
1426_01	Lower end of segment to Country Club Lake	4a	No
1426_02	Country Club Lake to Coke County line	4a	No
1426_03	Coke County line to SH 208	4a	No
1426_04	SH 208 to dam	4a	No

SegID: 1427A	Slaughter Creek Intermittent stream with perennial pools from the confluence with Onion Creek to	above US 290	west of Austin
Parameter(s)		<u>Category</u>	Carryforward
impaired macr	obenthic community		
1427A_01	Intermittent stream with perennial pools from the confluence with Onion Creek to above US 290 west of Austin	5b	Yes

SegID: 1428B	Walnut Creek From the confluence of the Colorado River in east Austin in Travis County to the the stream in north Austin in Travis County	upstream perer	nnial portion of
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	eation Use)		
1428B_05	From MoPac/Loop 1 upstream to Union Pacific Railroad tracks south of McNeil	4a	Yes
	Drive		

SegID: 1428	C Gilleland Creek Perennial stream and intermittent stream with perennial pools from the spring source (Ward Spring) northwest of Pflugerville, in Travis		ado River up to
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Re	creation Use)		
1428C_01	From the Colorado River upstream to Taylor Lane	4a	No
1428C_03	From Old Highway 20 to Cameron Road	4a	Yes
1428C 04	From Cameron Road to the spring source	4a	No

SegID: 1429C	Waller Creek From the confluence of Town Lake in central Austin in Travis County to the unorth Austin in Travis County	pstream portion of t	the stream in
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	eation Use)		
1429C_01	From the confluence with Town Lake to East MLK Blvd.	5a	No
1429C 02	From East MLK Blvd. to East 41st Street	4a	No
1429C_03	Upper portion of creek	4a	No
Parameter(s)		<u>Category</u>	Carryforward
impaired macr	obenthic community		
	From the confluence with Town Lake to East MLK Blvd.	5c	Yes

SegID: 1432	Upper Pecan Bayou From a point immediately upstream of the confluence of Willis Creek in Brown C Dam in Brown County	County to Lake 1	Brownwood
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Reci	reation Use)		
1432_01	From a point immediately upstream of the confluence of Willis Creek in Brown County to Lake Brownwood Dam in Brown County	5c	No

SegID: 1501	Tres Palacios Creek Tidal From the confluence with Tres Palacios Bay in Matagorda County to a point 1.6 km (1.0 mi) upstream of the confluence of Wilson Creek in Matagorda County		
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Recr	reation Use)		
1501_01	From the confluence with Willow Dam Creek at Tres Palacios Bay/Turtle Bay upstream to a point 1.6 km (1.0 mile) upstream of the confluence of Wilson Creek in Matagorda County	4a	No
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed diss	olved oxygen		
1501_01	From the confluence with Willow Dam Creek at Tres Palacios Bay/Turtle Bay upstream to a point 1.6 km (1.0 mile) upstream of the confluence of Wilson Creek in Matagorda County	5b	Yes

SegID: 1602	2 Lavaca River Above Tidal From a point 8.6 km (5.3 mi) downstream of US 59 in Jackson County to the confluence of Campbell Branch west of Hallettsville in Lavaca County			
Parameter(s)		<u>Category</u>	Carryforward	
bacteria (Reci	reation Use)			
1602_03	Lower portion of segment from confluence with NHD RC 12100101002463 south of Edna in Jackson County upstream to confluence with Beard Branch	5a	No	

SegID: 1602B	Rocky Creek Perennial stream from the confluence with the Lavaca River upstream to 2.9 km north west of the City of Shiner	upstream of Cou	nty Rd 364
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	reation Use)		
1602B_01	From the confluence of Lavaca River upstream to confluence of Ponton Creek	5a	Yes

SegID: 1602C	C Lavaca River Above Campbell Branch From the confluence of Campbell Branch in Hallettsville to approximately 3.4 mi Co.	upstream of SI	H 95 in Lavaca
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed diss	solved oxygen		
1602C_01	From confluence of Campbell Branch in Hallettsville upstream to the confluence	5b	Yes
	of West Prong Lavaca River		
1602C_02	From confluence of West Prong Lavaca River to the headwaters approximately	5b	Yes
	6.5 km upstream of TX Hwy 95 in the City of Moulton		

SegID: 1803A	Elm Creek From the confluence of Sandies Creek east of Smiley in Gonzales County to the up the stream southwest of Smiley in Gonzales County	pstream perenn	ial portion of
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed diss	olved oxygen		
1803A_01	From the confluence of Sandies Creek east of Smiley in Gonzales County to the upstream perennial portion of the stream southwest of Smiley in Gonzales County	5b	Yes

SegID: 1803B	SegID: 1803B Sandies Creek From the confluence of the Guadalupe River west of Cuero in DeWitt County to the upstream perennial portion of the stream northwest of Smiley in Gonzales County				
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>		
bacteria (Recr	eation Use)				
1803B_01	From the confluence with the Guadalupe River to the confluence with Elm Ck.	5b	No		
1803B_02	From the confluence with Elm Creek to upper end of water body	5b	Yes		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
depressed disso	depressed dissolved oxygen				
1803B_01	From the confluence with the Guadalupe River to the confluence with Elm Ck.	5b	Yes		
1803B_02	From the confluence with Elm Creek to upper end of water body	5b	Yes		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
impaired fish c	ommunity				
1803B_01	From the confluence with the Guadalupe River to the confluence with Elm Ck.	5b	Yes		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
impaired macr 1803B_01	obenthic community From the confluence with the Guadalupe River to the confluence with Elm Ck.	5b	Yes		

SegID: 1803C	SegID: 1803C Peach Creek From the confluence of the Guadalupe River southeast of Gonzales in Gonzales County to the upstream perennial portion of the stream northeast of Waelder in Gonzales County			
Parameter(s)		<u>Category</u>	Carryforward	
bacteria (Recr	eation Use)			
1803C_01	Lower 25 miles of water body	5b	No	
1803C_03	From approx. 1.2 mi. downstream of FM 1680 in Gonzales Co. to confluence	5b	Yes	
	with Elm Cr. In Fayette Co.			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed diss	olved oxygen			
1803C_01	Lower 25 miles of water body	5b	Yes	
1803C_03	From approx. 1.2 mi. downstream of FM 1680 in Gonzales Co. to confluence with Elm Cr. In Fayette Co.	5b	Yes	

SegID: 1804A	A Geronimo Creek From the confluence of the Guadalupe River south of Seguin in Guadalupe Cour portion north of Seguin in Guadalupe County	ity to the upstrea	m perennial
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Rec	reation Use)		
1804A_01	From the confluence of the Guadalupe River south of Seguin in Guadalupe County to the upstream perennial portion north of Seguin in Guadalupe County	5c	No

SegID: 1805 Canyon Lake From Canyon Dam in Comal County to a point 2.7 km (1.7 mi) downstream of Rebecca Creek Road in Comal County, up to normal pool elevation of 909 feet (impounds Guadalupe River)				
Parameter(s)		<u>Category</u>	Carryforward	
mercury in ed	ible tissue			
1805_01	Cove around Jacob's Creek Park	5c	Yes	
1805 02	North end of Crane's Mill Park peninsula to south end of Canyon Park	5c	Yes	
1805_03	Upper end of segment	5c	Yes	
1805_04	Lower end of reservoir from dam upstream to Canyon Park	5c	Yes	

SegID: 1806D	Quinlan Creek From the confluence of the Guadalupe River in Kerrville in Kerr County to the up stream north of Kerrville in Kerr County	pstream perenni	al portion of the
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Reci	reation Use)		
1806D_01	From the confluence of the Guadalupe River in Kerrville in Kerr County to the upstream perennial portion of the stream north of Kerrville in Kerr County	4a	No

SegID: 1806E Town Creek From the confluence of the Guadalupe River in Kerrville in Kerr County to the upstream perennial portion of the stream north of Kerrville in Kerr County				
Parameter(s)		<u>Category</u>	Carryforward	
bacteria (Rec	reation Use)			
1806E_01	From the confluence with segment 1806 of the Guadalupe River in Kerrville,	4a	No	
	Kerr County Texas up to the upper end of the segment (NHD RC 12100201000572)			

SegID: 1810	Plum Creek From the confluence with the San Marcos River in Caldwell County to FM 2770 in	n Hays Count	у
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Reci	reation Use)		
1810_01	Confluence with San Marcos River to approx. 2.5 mi. upstream of the confluence with Clear Fork Plum Creek	4b	No
1810_02	From approx. 2.5 mi. upstream of confluence with Clear Fork Plum Ck to approx. 0.5 mi upstream of SH21	4b	No
1810_03	From approx. 0.5 mi. upstream of SH 21 to upper end of segment	4b	No

SegID: 1811 Comal River From the confluence with the Guadalupe River in Comal County to Klingemann Street in New Braunfels in Comal County					
Parameter(s)		<u>Category</u>	Carryforward		
bacteria (Reci	bacteria (Recreation Use)				
1811_01	From the confluence with segment 1804 of the Guadalupe River up to just upstream of the confluence with Dry Comal Creek in New Braunfels, Comal County, Texas.	5c	No		
_					
SegID: 1811A Dry Comal Creek					

	From the confluence of the Comal River in New Braunfels in Comal County to the upstream perennial portion of the stream southwest of New Braunfels in Comal County			nnial portion of
	Parameter(s)		<u>Category</u>	Carryforward
I	bacteria (Rec	reation Use)		
	1811A_01	Lower 25 miles of water body	5c	No
ъ				

C .	From the confluence with the Guadalupe River in Refugio/Victoria County to a point 600 meters (660 yards) downstream of FM 791 at Mays crossing near Falls City in Karnes County		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	eation Use)		
1901_02	25 miles upstream of Manahuilla Creek	4a	No
1901_03	From 25 miles upstream of Manahuilla Cr to 9 mi downstream of Escondido Cr	4a	No
1901_04	9 miles downstream of Escondido Creek	4a	No
Parameter(s)		<u>Category</u>	<u>Carryforwara</u>
impaired fish	community		
1901 02	25 miles upstream of Manahuilla Creek	5c	Yes

SegID: 1901A Escondido Creek

From the confluence with segment 1901 up to the upper end of the water body (NHD RC 12100)	303002847).

Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Rec 1901A_01	reation Use) From the confluence with segment 1901 up to the confluence with Nichols Creek in Kennedy.	5c	No

SegID: 1901B	B Cabeza Creek From the confluence with segment 1901, west of Goliad, Goliad County, up to the upper end of the water body (NHD RC 12100303000882)		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	eation Use)		
1901B_01	From the confluence with segment 1901, west of Goliad, Goliad County, up to	5c	Yes
	the upper end of the water body (NHD RC 12100303000882)		

SegID: 1901F	Ecleto Creek From the confluence with the Lower San Antonio River upstream to the head Seguin in Guadalupe County	waters adjacent to S	H 123 south of
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed diss	olved oxygen		
1901F_01	From the confluence with the Lower San Antonio River upstream to the	5c	No
	headwaters adjacent to SH 123 south of Seguin in Guadalupe County		

SegID: 1902	Lower Cibolo Creek From the confluence with the San Antonio River in Karnes County to a point 100 r of IH 10 in Bexar/Guadalupe County	meters (110 ya	ards) downstream
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Reci	reation Use)		
1902_01	From the confluence with the Lower San Antonio River in Karnes County upstream to the confluence with Mulifest Creek	5b	No
1902_02	From the confluence with Mulifest Creek upstream to the confluence with Pulaski Creek	5b	No
1902_03	From the confluence with Pulaski Creek upstream to the confluence with Clifton Branch	5c	No

SegID: 1902A	Martinez Creek Perennial stream from the confluence with Lower Cibolo Creek upstream to the he	eadwaters in B	exar County
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Recr			
1902A_01	From the confluence with Lower Cibolo Creek upstream to the confluence with Salatrillo Creek	5c	No
SegID: 1902C	Clifton Branch From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 mi ups of Stockdale	stream of Wils	on CR 424 north
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed diss			
1902C_01	From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 miles	5c	No
	upstream of Wilson CR 424 north of Stockdale		
SegID: 1903	Medina River Below Medina Diversion Lake From the confluence with the San Antonio River in Bexar County to Medina Dive	rsion Dam in N	Medina County
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1903_02	eation Use) From the confluence with Palo Blanco Creek approximately 2.0 km upstream of FM 1937 upstream to the confluence with Lower Leon Creek	5c	No
SegID: 1905	Medina River Above Medina Lake From a point immediately upstream of the confluence of Red Bluff Creek in Band the North Prong Medina River and the West Prong Medina River in Bandera Cour	· · · · ·	the confluence of
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
impaired fish o 1905_01	c ommunity From a point immediately upstream of the confluence of Red Bluff Creek upstream to RM 470	5c	Yes
SegID: 1906	Lower Leon Creek From the confluence with the Medina River in Bexar County to a point 100 meters 16 northwest of San Antonio in Bexar County	s (110 yards) u	-
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
PCBs in edible		~	17
1906_03 1906_04	From confluence with Indian Creek to Hwy 353 (New Laredo Hwy) From Hwy 353 (New Laredo Hwy) upstream approximately 2 miles to a point southeast of Pearsall Park	5a 5a	Yes Yes
1906_05	From a point southeast of Pearsall Park upstream to US 90 on the westside of San Antonio	5a	Yes
1906_06	From US 90 on the westside of San Antonio upstream to a point 100 meters upstream of SH 16 northwest of San Antonio	5a	Yes

SegID: 1908	Upper Cibolo Creek From the Missouri-Pacific Railroad Bridge west of Bracken in Comal County to a point 1.5 km (0.9 mi) upstream of the confluence of Champee Springs in Kendall County		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Reci	reation Use)		
1908_02	From approx. 2 mi. upstream of Hwy 87 in Boerne upstream to a point 1.5 km	5c	Yes
	(0.9 mi) upstream of the confluence of Champee Springs in Kendall County		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
chloride			
1908_01	From confluence. with Balcones Creek to approx. 2 mi. upstream of Hwy 87 in	5c	No
1000 00	Boerne	_	
1908_02	From approx. 2 mi. upstream of Hwy 87 in Boerne upstream to a point 1.5 km (0.9 mi) upstream of the confluence of Champee Springs in Kendall County	5c	No
1908_03	From the Missouri-Pacific Railroad bridge west of Bracken in Comal County upstream to the confluence of Balcones Creek	5c	No

SegID: 1910	Salado Creek From the confluence with the San Antonio River in Bexar County to the confluence County	ce of Beitel Cr	eek in Bexar		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria (Recr	reation Use)				
1910_03	From the confluence with Pershing Creek up to the confluence with Walzem Creek.	4a	No		
1910_04	From the confluence with Walzem Creek up to the confluence with Beitel Creek	4a	No		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
depressed diss	depressed dissolved oxygen				
1910_04	From the confluence with Walzem Creek up to the confluence with Beitel Creek	4a	Yes		

SegID: 1910A	Walzem Creek From the confluence with Salado Creek to approximately 1.5 mi upstream of Wa	lzem Road in Sa	n Antonio
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Reci	reation Use)		
1910A_01	From the confluence with Salado Creek upstream to Lanark Dr in San Antonio	4a	No

SegID: 1910D	SegID: 1910D Menger Creek From the confluence with segment 1910 to the upper end of the water body, NHD RC 12100301000147.				
Parameter(s)		<u>Category</u>	Carryforward		
bacteria (Recr 1910D_01	eation Use) From the confluence with segment 1910 to the upper end of the water body, NHD RC 12100301000147.	4a	No		

SegID: 1911	Upper San Antonio River From a point 600 meters (660 yards) downstream of FM 791 at Mays Crossing near Falls City in Karnes County to a point 100 meters (110 yards) upstream of Hildebrand Avenue at San Antonio in Bexar County				
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>		
bacteria (Reci	reation Use)				
1911_07	From just upstream of the confluence with Salado Creek up to just upstream of	4a	No		
	the confluence with Sixmile Creek.				
1911_08	From just upstream of the confluence with Sixmile Creek to just upstream of the confluence with San Pedro Creek.	4a	No		
1911_09	From just upstream of the confluence with San Pedro Creek up to the upper end of the segment.	4a	No		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
impaired fish	impaired fish community				
1911_09	From just upstream of the confluence with San Pedro Creek up to the upper end of the segment.	5c	Yes		

SegID: 1911B Apache Creek From the confluence with San Pedro Creek upstream to the headwaters at SH 421 (Bandera Rd) in San Antonio				
Parameter(s)		<u>Category</u>	Carryforward	
bacteria (Reci	reation Use)			
1911B_01	From the confluence with San Pedro Creek upstream to the confluence with	4a	No	
_	Zarzamora Creek.			

SegID: 1911C	SegID: 1911C Alazan Creek From the confluence with Apache Creek up to 0.4 KM (0.25 mi) upstream of St. Cloud Road (NHD RC 12100301000163) in San Antonio, Bexar County, Texas.				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria (Reci	reation Use)				
1911C_01	From the confluence with Apache Creek up to the confluence with Martinez Creek.	4a	No		
1911C_02	From just upstream of the confluence with Martinez Creek to the upper end of the segment.	4a	No		

SegID: 1911D San Pedro Creek

From the confluence with segment 1911 to the upper end of the water body, NHD RC 12100301000867

Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Reci	reation Use)		
1911D_01	From the confluence with segment 1911 up to the confluence with Apache Creek.	4a	No
1911D_02	From the confluence with Apache Creek to the upper end of the segment, NHD RC 12100301000867	4a	No

SegID: 1911E	Sixmile Creek From the confluence with 1911 to the upper end of the water body at NHD RC 12	2100301000061	
<u>Parameter(s)</u> bacteria (Recr 1911E_01	eation Use) From the confluence with 1911 to the upper end of the water body at NHD RC 12100301000061	<u>Category</u> 4a	<u>Carryforward</u> No
SegID: 1911H	Picosa Creek From the confluence with segment 1911 to the upper end of the water body, NHE	O RC 12100303	003001937.
Parameter(s)		<u>Category</u>	Carryforward
depressed diss 1911H_01	olved oxygen From the confluence with 1911 up to the confluence with Mariana Creek	5c	No
SegID: 1911I	Martinez Creek Martinez Creek from the confluence of Alazan Creek in central San Antonio upst Jackson Rd in north San Antonio	ream to the tern	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 1911I_01	eation Use) Martinez Creek from the confluence of Alazan Creek in central San Antonio upstream to the concrete channel portion at San Francisco St in north San Antonio	5c 0	No
SegID: 1913	Mid Cibolo Creek From a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe C Railroad bridge west of Bracken in Comal County	County to the Mi	ssouri-Pacific
SegID: 1913 Parameter(s)	From a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe C	County to the Mi	ssouri-Pacific <u>Carryforward</u>
	From a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe C Railroad bridge west of Bracken in Comal County	Category	
<u>Parameter(s)</u> depressed diss	From a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe C Railroad bridge west of Bracken in Comal County olved oxygen From the confluence with unnamed tributary approximately 0.3 miles upstream of Weir Road, Bexar county, Texas up to 100 meters upstream of the Cibolo Creek	Category	<u>Carryforward</u>
<u>Parameter(s)</u> depressed diss	From a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe C Railroad bridge west of Bracken in Comal County olved oxygen From the confluence with unnamed tributary approximately 0.3 miles upstream of Weir Road, Bexar county, Texas up to 100 meters upstream of the Cibolo Creek	<u>Category</u> f 4b	<u>Carryforward</u> Yes
Parameter(s) depressed diss 1913_02	From a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe C Railroad bridge west of Bracken in Comal County olved oxygen From the confluence with unnamed tributary approximately 0.3 miles upstream of Weir Road, Bexar county, Texas up to 100 meters upstream of the Cibolo Creek Municipal WWTP. Mission River Tidal From the confluence with Mission Bay in Refugio County to a point 7.4 km (4.6	<u>Category</u> f 4b	<u>Carryforward</u> Yes
Parameter(s) depressed diss 1913_02 SegID: 2001	From a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe C Railroad bridge west of Bracken in Comal County olved oxygen From the confluence with unnamed tributary approximately 0.3 miles upstream of Weir Road, Bexar county, Texas up to 100 meters upstream of the Cibolo Creek Municipal WWTP. Mission River Tidal From the confluence with Mission Bay in Refugio County to a point 7.4 km (4.6 Refugio County	<u>Category</u> of 4b mi) downstrean	<u>Carryforward</u> Yes
Parameter(s) depressed diss 1913_02 SegID: 2001 <u>Parameter(s)</u> bacteria (Recr	From a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe C Railroad bridge west of Bracken in Comal County olved oxygen From the confluence with unnamed tributary approximately 0.3 miles upstream of Weir Road, Bexar county, Texas up to 100 meters upstream of the Cibolo Creek Municipal WWTP.	<u>Category</u> of 4b mi) downstrean <u>Category</u>	<u>Carryforward</u> Yes
Parameter(s) depressed diss 1913_02 SegID: 2001 Parameter(s) bacteria (Recr 2001_01 SegID: 2003	From a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe C Railroad bridge west of Bracken in Comal County olved oxygen From the confluence with unnamed tributary approximately 0.3 miles upstream of Weir Road, Bexar county, Texas up to 100 meters upstream of the Cibolo Creek Municipal WWTP.	<u>Category</u> of 4b mi) downstrean <u>Category</u> 4a km (1.0 mi) ups	Carryforward Yes n of US 77 in <u>Carryforward</u> No
Parameter(s) depressed diss 1913_02 SegID: 2001 Parameter(s) bacteria (Recr 2001_01	From a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe C Railroad bridge west of Bracken in Comal County olved oxygen From the confluence with unnamed tributary approximately 0.3 miles upstream of Weir Road, Bexar county, Texas up to 100 meters upstream of the Cibolo Creek Municipal WWTP. Mission River Tidal From the confluence with Mission Bay in Refugio County to a point 7.4 km (4.6 Refugio County eation Use) From the confluence with Mission Bay in Refugio County to a point 7.4 km (4.6 mi) downstream of US 77 in Refugio County Aransas River Tidal From the confluence with Copano Bay in Aransas/Refugio County to a point 1.6 in Refugio/San Patricio County	<u>Category</u> of 4b mi) downstrean <u>Category</u> 4a	Carryforward Yes n of US 77 in <u>Carryforward</u> No

SegID: 2004	Aransas River Above Tidal From a point 1.6 km (1.0 mi) upstream of US 77 in Refugio/San Patricio County to Creek and Aransas Creek in Bee County		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 2004_02	eation Use) From the confluence with Papalote Creek to the upstream end of segment at the confluence with Aransas Creek and Poesta Creek	4a	No
	Aransas Creek From confluence with the Aransas River to the headwaters of the stream about 10 59.	km upstream	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 2004A_01	eation Use) From confluence with the Aransas River to the headwaters of the stream about 10 km upstream of US Highway 59.	5b	No
SegID: 2004B	Poesta Creek From the confluence with the Aransas River to the headwaters of the stream about	7.5 km upstre	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 2004B_02	eation Use) From the confluence with Talpacate Creek to the headwaters of the stream approximately 7.5 km upstream of FM 673	4a	No
	AA V A		
SegID: 2102	Nueces River Below Lake Corpus Christi From Calallen Dam 1.7 km (1.1 mi) upstream of US 77/IH 37 in Nueces/San Patri Dam in Jim Wells/San Patricio County	cio County to	Wesley E. Seale
SegID: 2102 Parameter(s)	Nueces River Below Lake Corpus Christi From Calallen Dam 1.7 km (1.1 mi) upstream of US 77/IH 37 in Nueces/San Patri	cio County to Category	Wesley E. Seale Carryforward
	Nueces River Below Lake Corpus Christi From Calallen Dam 1.7 km (1.1 mi) upstream of US 77/IH 37 in Nueces/San Patri Dam in Jim Wells/San Patricio County		
Parameter(s)	Nueces River Below Lake Corpus Christi From Calallen Dam 1.7 km (1.1 mi) upstream of US 77/IH 37 in Nueces/San Patri Dam in Jim Wells/San Patricio County solids From the downstream end of segment to the confluence with Javelin Creek From the confluence with Javelin Creek to the upstream end of segment at Lake		
Parameter(s) total dissolved 2102_01	Nueces River Below Lake Corpus Christi From Calallen Dam 1.7 km (1.1 mi) upstream of US 77/IH 37 in Nueces/San Patri Dam in Jim Wells/San Patricio County solids From the downstream end of segment to the confluence with Javelin Creek	<u>Category</u> 5c	<u>Carryforward</u> No
Parameter(s) total dissolved 2102_01	Nueces River Below Lake Corpus Christi From Calallen Dam 1.7 km (1.1 mi) upstream of US 77/IH 37 in Nueces/San Patri Dam in Jim Wells/San Patricio County solids From the downstream end of segment to the confluence with Javelin Creek From the confluence with Javelin Creek to the upstream end of segment at Lake	<u>Category</u> 5c	<u>Carryforward</u> No
Parameter(s) total dissolved 2102_01	Nueces River Below Lake Corpus Christi From Calallen Dam 1.7 km (1.1 mi) upstream of US 77/IH 37 in Nueces/San Patri Dam in Jim Wells/San Patricio County solids From the downstream end of segment to the confluence with Javelin Creek From the confluence with Javelin Creek to the upstream end of segment at Lake	<u>Category</u> 5c 5c s (110 yards) r	<u>Carryforward</u> No No
Parameter(s) total dissolved 2102_01 2102_02	Nueces River Below Lake Corpus Christi From Calallen Dam 1.7 km (1.1 mi) upstream of US 77/IH 37 in Nueces/San Patri Dam in Jim Wells/San Patricio County solids From the downstream end of segment to the confluence with Javelin Creek From the confluence with Javelin Creek to the upstream end of segment at Lake Corpus Christi Lake Corpus Christi From Wesley E. Seale Dam in Jim Wells/San Patricio County to a point 100 meters	<u>Category</u> 5c 5c s (110 yards) r	<u>Carryforward</u> No No
Parameter(s) total dissolved 2102_01 2102_02 SegID: 2103	Nueces River Below Lake Corpus Christi From Calallen Dam 1.7 km (1.1 mi) upstream of US 77/IH 37 in Nueces/San Patri Dam in Jim Wells/San Patricio County solids From the downstream end of segment to the confluence with Javelin Creek From the confluence with Javelin Creek to the upstream end of segment at Lake Corpus Christi Lake Corpus Christi From Wesley E. Seale Dam in Jim Wells/San Patricio County to a point 100 meters 59 in Live Oak County, up to normal pool elevation of 94 feet (impounds Nueces I	<u>Category</u> 5c 5c s (110 yards) River) <u>Category</u>	Carryforward No No
Parameter(s) total dissolved 2102_01 2102_02 SegID: 2103 <u>Parameter(s)</u> total dissolved	Nueces River Below Lake Corpus Christi From Calallen Dam 1.7 km (1.1 mi) upstream of US 77/IH 37 in Nueces/San Patri Dam in Jim Wells/San Patricio County solids From the downstream end of segment to the confluence with Javelin Creek From the confluence with Javelin Creek to the upstream end of segment at Lake Corpus Christi Lake Corpus Christi From Wesley E. Seale Dam in Jim Wells/San Patricio County to a point 100 meters 59 in Live Oak County, up to normal pool elevation of 94 feet (impounds Nueces I solids From the Wesley E. Seale Dam in Jim Wells/San Patricio County to a point 4.5 mi upstream to County Road 10F on the east side of the lake and the third arm on the west side of the lake	<u>Category</u> 5c 5c s (110 yards) River) <u>Category</u>	<u>Carryforward</u> No No upstream of US <u>Carryforward</u>
Parameter(s) total dissolved 2102_01 2102_02 SegID: 2103 Parameter(s) total dissolved 2103_01	Nueces River Below Lake Corpus Christi From Calallen Dam 1.7 km (1.1 mi) upstream of US 77/IH 37 in Nueces/San Patri Dam in Jim Wells/San Patricio County solids From the downstream end of segment to the confluence with Javelin Creek From the confluence with Javelin Creek to the upstream end of segment at Lake Corpus Christi Lake Corpus Christi From Wesley E. Seale Dam in Jim Wells/San Patricio County to a point 100 meters 59 in Live Oak County, up to normal pool elevation of 94 feet (impounds Nueces I solids From the Wesley E. Seale Dam in Jim Wells/San Patricio County to a point 4.5 mi upstream to County Road 10F on the east side of the lake and the third arm on the	<u>Category</u> 5c 5c s (110 yards) River) <u>Category</u> 5b	Carryforward No No upstream of US <u>Carryforward</u> No
Parameter(s) total dissolved 2102_01 2102_02 SegID: 2103 <u>Parameter(s)</u> total dissolved 2103_01 2103_02	Nueces River Below Lake Corpus Christi From Calallen Dam 1.7 km (1.1 mi) upstream of US 77/IH 37 in Nueces/San Patri Dam in Jim Wells/San Patricio County solids From the downstream end of segment to the confluence with Javelin Creek From the confluence with Javelin Creek to the upstream end of segment at Lake Corpus Christi Lake Corpus Christi From Wesley E. Seale Dam in Jim Wells/San Patricio County to a point 100 meters 59 in Live Oak County, up to normal pool elevation of 94 feet (impounds Nueces I solids From the Wesley E. Seale Dam in Jim Wells/San Patricio County to a point 4.5 mi upstream to County Road 10F on the east side of the lake and the third arm on the west side of the lake Area approx. 4 mi. SE of FM 3162 and FM 534 intersection near western shore	<u>Category</u> 5c 5c s (110 yards) River) <u>Category</u> 5b 5b	Carryforward No No No Upstream of US <u>Carryforward</u> No No
Parameter(s) total dissolved 2102_01 2102_02 SegID: 2103 Parameter(s) total dissolved 2103_01 2103_02 2103_03	 Nueces River Below Lake Corpus Christi From Calallen Dam 1.7 km (1.1 mi) upstream of US 77/IH 37 in Nueces/San Patri Dam in Jim Wells/San Patricio County solids From the downstream end of segment to the confluence with Javelin Creek From the confluence with Javelin Creek to the upstream end of segment at Lake Corpus Christi Lake Corpus Christi From Wesley E. Seale Dam in Jim Wells/San Patricio County to a point 100 meters 59 in Live Oak County, up to normal pool elevation of 94 feet (impounds Nueces I solids From the Wesley E. Seale Dam in Jim Wells/San Patricio County to a point 4.5 mi upstream to County Road 10F on the east side of the lake and the third arm on the west side of the lake Area approx. 4 mi. SE of FM 3162 and FM 534 intersection near western shore Western arm of lake near Lagarto Creek inlet 	<u>Category</u> 5c 5c s (110 yards) River) <u>Category</u> 5b 5b 5b	Carryforward No No No Upstream of US Carryforward No No No

SegID: 2105	Nueces River Above Holland Dam From Holland Dam in LaSalle County to a point 100 meters (110 yards) upstream	of FM 1025 in	n Zavala County
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed dis 2105_02	solved oxygen From the confluence with Sauz Macho Creek to the confluence of Line Oak Slough	5c	No
SegID: 2106	Nueces/Lower Frio River From a point 100 meters (110 yards) upstream of US 59 in Live Oak County to Cl County	noke Canyon I	Dam in Live Oak
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Rec		-	27
2106_02	The Frio River from the confluence with the Nueces River to Choke Canyon Dam		No
<u>Parameter(s)</u> total dissolved	l solids	<u>Category</u>	<u>Carryforward</u>
2106_01	The Nueces river from the downstream end of segment to the confluence with the Frio River	5b	No
2106_02	The Frio River from the confluence with the Nueces River to Choke Canyon Dam	5b	No
SegID: 2107	Atascosa River From the confluence with the Frio River in Live Oak County to the confluence of and the North Prong Atascosa River in Atascosa County	the West Pron	-
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Rec 2107_01	reation Use) From the downstream end of the segment at the confluence with the Frio River to the confluence with Borrego Creek	5b	No
2107_02	From the confluence with Borrego Creek to the confluence with Galvan Creek	5b	Yes
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed dis 2107_02	solved oxygen From the confluence with Borrego Creek to the confluence with Galvan Creek	5b	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
impaired fish		-1	
2107_02	From the confluence with Borrego Creek to the confluence with Galvan Creek	5b	Yes
2107 03	From the confluence with Galvan Creek to the confluence with Palo Alto Creek	5b	Yes

			100
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
impaired mad	crobenthic community		
2107_02	From the confluence with Borrego Creek to the confluence with Galvan Creek	5b	Yes
2107_03	From the confluence with Galvan Creek to the confluence with Palo Alto Creek	5b	Yes

SegID: 2108	San Miguel Creek From a point immediately upstream of the confluence of Mustang Branch in Mc of San Francisco Perez Creek and Chacon Creek in Frio County	Mullen County to	the confluence		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria (Reci	bacteria (Recreation Use)				
2108_01	From the downstream end of the segment to the confluence of Liveoak Creek	5b	Yes		

SegID: 2109	Leona River From the confluence with the Frio River in Frio County to US 83 in Uvalde Coun	ty	
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Reci	reation Use)		
2109 01	From the downstream end of segment to the confluence of Yoledigo Creek	5b	Yes
2109_02	From the confluence of Yoledigo Creek to the confluence of Camp Lake Slough	5b	Yes
2109_03	From the confluence of Camp Lake Slough to the upper end of segment	5b	Yes

SegID: 2113	Upper Frio River From a point 100 meters (110 yards) upstream of US 90 in Uvalde County to the confluence of the West Frio River and the East Frio River in Real County					
Parameter(s)		<u>Category</u>	<u>Carryforward</u>			
impaired fish	community					
2113_01	From the downstream end of the segment to the confluence with Bear Creek	5c	Yes			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>			
impaired mac	impaired macrobenthic community					
2113_01	From the downstream end of the segment to the confluence with Bear Creek	5c	Yes			

SegID: 2114	Hondo Creek From the confluence with the Frio River in Frio County to FM 470 in Bandera Cou	unty	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
chloride			
2114_01	From the downstream end of the segment to the confluence with and unnamed tributary with NHD RC 12110107000245 at point N-99.12, W29.38 just upstream of FM 2676.	5c	No
2114_02	From the confluence with and unnamed tributary with NHD RC 12110107000245 at point N-99.12, W29.38 just upstream of FM 2676 to the upstream end of the segment.	5c	No

SegID: 2117	Frio River Above Choke Canyon Reservoir From a point 4.2 km (2.6 mi) downstream of SH 16 in McMullen County to a point 100 meters (110 yards) upstream of US 90 in Uvalde County			
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria (Reci	reation Use)			
2117_01	From the downstream end of segment to the confluence with Esperanza Creek	5c	No	
2117_02	From the confluence with Esperanza Creek to the confluence with Ruiz Creek	5c	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
chloride				
2117_01	From the downstream end of segment to the confluence with Esperanza Creek	5c	No	
2117_02	From the confluence with Esperanza Creek to the confluence with Ruiz Creek	5c	No	
2117_03	From the confluence with Ruiz Creek to the confluence with Live Oak Creek	5c	No	
2117_04	From the confluence with Live Oak Creek to the confluence with Elm Creek	5c	No	
2117_05	From the confluence with Elm Creek to the confluence with Spring Branch	5c	No	
2117_06	From the confluence with Spring Branch to the upstream end of the segment	5c	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
total dissolved	solids			
2117_01	From the downstream end of segment to the confluence with Esperanza Creek	5c	No	
2117_02	From the confluence with Esperanza Creek to the confluence with Ruiz Creek	5c	No	
2117_03	From the confluence with Ruiz Creek to the confluence with Live Oak Creek	5c	No	
2117_04	From the confluence with Live Oak Creek to the confluence with Elm Creek	5c	No	
2117_05	From the confluence with Elm Creek to the confluence with Spring Branch	5c	No	
2117_06	From the confluence with Spring Branch to the upstream end of the segment	5c	No	

SegID: 2201	Arroyo Colorado Tidal From confluence with Laguna Madre in Cameron/Willacy County to a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria (Reci	,			
2201_01	From the downstream end of the segment to the confluence with San Vincente Drainage Ditch	5c	Yes	
2201_02	From the confluence with San Vincente Drainage Ditch to the confluence with an unnamed drainage ditch with NHD RC 12110108005353 at point N-97.53, W 26.31	5c	Yes	
2201_03	From the confluence with an unnamed drainage ditch with NHD RC 12110108005353 at point N-97.53, W 26.31 to the confluence with Harding Ranch Ditch tributary	5c	Yes	
2201_04	From the confluence with Harding Ranch Ditch tributary to just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186	5c	Yes	
2201_05	From just upstream of the City Rio of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	5c	Yes	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed diss				
2201_04	From the confluence with Harding Ranch Ditch tributary to just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186	5c	Yes	
2201_05	From just upstream of the City Rio of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	5c	Yes	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
mercury in ed				
2201_05	From just upstream of the City Rio of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	5c	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
PCBs in edible				
2201_05	From just upstream of the City Rio of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	5a	No	

SegID: 2201B	SegID: 2201BUnnamed Drainage Ditch Tributary (B) in Cameron County Drainage District #3From the confluence with the Arroyo Colorado in Cameron County in the Rio Hondo turning basin at -97.6, 26.196 decimal degrees to a point 17.6 km upstream at the FM 510 crossing.		
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Recr	reation Use)		
2201B_01	From the confluence with the Arroyo Colorado in Cameron County in the Rio Hondo turning basin at -97.6, 26.196 decimal degrees to a point 17.6 km upstream at the FM 510 crossing.	5b	Yes

SegID: 2202	From a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County to FM 2062 in Hidalgo County			
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria (Reci				
2202_01	From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 499.	5b	Yes	
2202_02	From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway.	5b	No	
2202_03	From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907	5b	No	
2202_04	From the confluence with La Cruz Resaca to the upper end of segment at FM 2062	5b	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
mercury in ed				
2202_01	From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 499.	5c	No	
2202_02	From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway.	5c	No	
2202_03	From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907	5c	No	
2202_04	From the confluence with La Cruz Resaca to the upper end of segment at FM 2062	5c	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
PCBs in edible				
2202_01	From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 499.	5a	No	
2202_02	From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway.	5a	No	
2202_03	From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907	5a	No	
2202_04	From the confluence with La Cruz Resaca to the upper end of segment at FM 2062	5a	No	

	SegID: 2202A	Donna Reservoir Off-channel irrigation reservoir pumped from Rio Grande near the City of Donna in Hidalgo County			
	Parameter(s)		<u>Category</u>	Carryforward	
	PCBs in edible 2202A_01	Off-channel irrigation reservoir pumped from Rio Grande near the City of Donna	4a	Yes	
L		in Hidalgo County			

SegID: 2203	Petronila Creek Tidal From the confluence of Chiltipin Creek in Kleberg County to a point 1 km (0.6 mi crossing near Laureles Ranch in Kleberg County) upstream of j	private road			
Parameter(s)		<u>Category</u>	Carryforward			
bacteria (Recr	bacteria (Recreation Use)					
2203_01	From the confluence with Tunas Creek and Alazan Bay to a point 11 mi upstream	5c	Yes			

SegID: 2204	Petronila Creek Above Tidal From a point 1 km (0.6 mi) upstream of private road crossing near Laureles Ranch in Kleberg County to the confluence of Agua Dulce and Banquete Creeks in Nueces County			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria (Recr				
2204_01	From downstream end of segment to the confluence with 2204A, unnamed drainage ditch tributary to Petronila Creek at N-97.7, W27.65 approximately 32.5 km (20.2 mi) upstream	5c	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
chloride 2204_01	From downstream end of segment to the confluence with 2204A, unnamed drainage ditch tributary to Petronila Creek at N-97.7, W27.65 approximately 32.5 km (20.2 mi) upstream	4a	No	
2204_02	From the confluence with 2204A, unnamed drainage ditch tributary of Petronila Creek at N-97.7, W27.65 to the upstream end of segment at the confluence with Agua Dulce and Banquete Creeks approximately 31.6 km (19.6 mi) upstream	4a	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
sulfate	E i i i i i i i i i i i i i i i i i i i	4 -	N-	
2204_01	From downstream end of segment to the confluence with 2204A, unnamed drainage ditch tributary to Petronila Creek at N-97.7, W27.65 approximately 32.5 km (20.2 mi) upstream	4a	No	
2204_02	From the confluence with 2204A, unnamed drainage ditch tributary of Petronila Creek at N-97.7, W27.65 to the upstream end of segment at the confluence with Agua Dulce and Banquete Creeks approximately 31.6 km (19.6 mi) upstream	4a	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
total dissolved				
2204_01	From downstream end of segment to the confluence with 2204A, unnamed drainage ditch tributary to Petronila Creek at N-97.7, W27.65 approximately 32.5 km (20.2 mi) upstream	4a	No	
2204_02	From the confluence with 2204A, unnamed drainage ditch tributary of Petronila Creek at N-97.7, W27.65 to the upstream end of segment at the confluence with Agua Dulce and Banquete Creeks approximately 31.6 km (19.6 mi) upstream	4a	No	

SegID: 2302A	Arroyo Los Olmos From Rio Grande confluence at Rio Grande City to El Sauz in Starr County		
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Rec	reation Use)		
2302A_01	From the Rio Grande confluence near Rio Grande City upstream to a point 39.4 km (24.5 mi) near El Sauz	5b	Yes

SegID: 2304	Rio Grande Below Amistad Reservoir From a point 0.66 km (0.41 mi) upstream of the confluence of the Arroyo El Lobo (Mexico) in Webb County to Amistad Dam in Val Verde County			
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria (Reci	reation Use)			
2304_01	From a point 0.66 km (0.41 mi) upstream of the confluence of the Arroyo El Lobo (Mexico) in Webb County upstream to the San Idelfonso Creek confluence	5c	Yes	
2304_02	From the San Idelfonso Creek confluence upstream to International Bridge #2	5c	No	
2304_03	From the International Bridge #2 upstream to the City of Laredo water treatment plant intake	5c	No	
2304_07	From El Indio upstream to downstream of US Hwy 277 (Eagle Pass)	5c	No	
2304_09	From the Las Moras Creek confluence upstream to the San Felipe Creek confluence	5c	No	

SegID: 2306	Rio Grande Above Amistad Reservoir From a point 1.8 km (1.1 mi) downstream of the confluence of Ramsey Canyon in Val Verde County to the confluence of the Rio Conchos (Mexico) in Presidio County			
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
sulfate		-1		
2306_01	From the lower segment boundary at Ramsey Canyon upstream to the confluence of Panther Gulch	5b	No	
2306_02	From the confluence of Panther Gulch upstream to FM 2627	5b	No	
2306_03	From FM 2627 upstream to Boquillas Canyon	5b	No	
2306_04	From Boquillas Canyon upstream to Mariscal Canyon	5b	No	
2306_05	From Mariscal Canyon to a point upstream of the IBWC gage at Johnson Ranch	5b	No	
2306_06	From a point upstream of the IBWC gage at Johnson Ranch to the mouth of Santa Elena Canyon at the Terlingua Creek confluence	5b	No	
2306_07	From the mouth of Santa Elena Canyon at the Terlingua Creek confluence upstream to the Alamito Creek confluence	5b	No	
2306_08	From Alamito Creek confluence upstream to the Rio Conchos confluence	5b	No	
Parameter(s)		<u>Category</u>	Carryforward	
total dissolved				
2306_01	From the lower segment boundary at Ramsey Canyon upstream to the confluence of Panther Gulch	5b	No	
2306_02	From the confluence of Panther Gulch upstream to FM 2627	5b	No	
2306_03	From FM 2627 upstream to Boquillas Canyon	5b	No	
2306_04	From Boquillas Canyon upstream to Mariscal Canyon	5b	No	
2306_05	From Mariscal Canyon to a point upstream of the IBWC gage at Johnson Ranch	5b	No	
2306_06	From a point upstream of the IBWC gage at Johnson Ranch to the mouth of Santa Elena Canyon at the Terlingua Creek confluence	5b	No	
2306_07	From the mouth of Santa Elena Canyon at the Terlingua Creek confluence upstream to the Alamito Creek confluence	5b	No	
2306_08	From Alamito Creek confluence upstream to the Rio Conchos confluence	5b	No	

SegID: 2307	Rio Grande Below Riverside Diversion Dam		
	From the confluence of the Rio Conchos (Mexico) in Presidio County to Riversid	e Diversion Da	m in El Paso
	County		
Parameter(s)		Category	Carryforward
bacteria (Reci	reation Use)		
2307 03	From Little Box Canyon upstream to the Alamo Grade Structure	5c	Yes
2307_04	From the Alamo Grade Structure upstream to the Guadalupe Bridge	5c	No
2307_05	From the Guadalupe Bridge to downstream of the Riverside Diversion Dam	5c	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
chloride			
2307_01	From immediately upstream of the Rio Conchos confluence to a point 40.2 km	5b	No
	(25 mi) upstream		
2307_02	From a point 40.2 km (25 mi) upstream of the Rio Conchos confluence to Little	5b	No
	Box Canyon		
2307_03	From Little Box Canyon upstream to the Alamo Grade Structure	5b	No
2307_04	From the Alamo Grade Structure upstream to the Guadalupe Bridge	5b	No
2307_05	From the Guadalupe Bridge to downstream of the Riverside Diversion Dam	5b	No
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
total dissolved	solids		
2307_01	From immediately upstream of the Rio Conchos confluence to a point 40.2 km	5b	No
	(25 mi) upstream		
2307_02	From a point 40.2 km (25 mi) upstream of the Rio Conchos confluence to Little	5b	No
	Box Canyon		
2307_03	From Little Box Canyon upstream to the Alamo Grade Structure	5b	No
2307_04	From the Alamo Grade Structure upstream to the Guadalupe Bridge	5b	No
2307_05	From the Guadalupe Bridge to downstream of the Riverside Diversion Dam	5b	No

SegID: 2308	Rio Grande Below International Dam From the Riverside Diversion Dam in El Paso County to International Dam in El	Paso County	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Reci	reation Use)		
2308_01	From the Riverside Diversion Dam to the International Dam in El Paso County	5c	Yes

SegID: 2311	Upper Pecos River From a point immediately upstream of the confluence of Independence Creek Bluff Dam in Loving/Reeves County	in Crockett/Terrell	County to Red		
Parameter(s)		<u>Category</u>	Carryforward		
depressed diss	depressed dissolved oxygen				
2311_03	From US Hwy 67 upstream to the Ward Two Irrigation Turnout	5b	No		

SegID: 2312	Red Bluff Reservoir From Red Bluff Dam in Loving/Reeves County to New Mexico State Line in Loving/Reeves County, up to normal pool elevation 2842 feet (impounds Pecos River)		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
chloride			
2312 01	From the Red Bluff Dam to mid-lake	5c	No
2312_02	From mid-lake to the Texas/New Mexico state line	5c	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
sulfate			
2312_01	From the Red Bluff Dam to mid-lake	5c	No
2312_02	From mid-lake to the Texas/New Mexico state line	5c	No

SegID: 2313	San Felipe Creek From the confluence with the Rio Grande in Val Verde County to a point 4.0 km (Val Verde County	2.5 mi) upstrea	um of US 90 in
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Reci	reation Use)		
2313_01	From the Rio Grande confluence to the San Felipe Springs upstream of US Hwy 90	5c	No

SegID: 2314	SegID: 2314 Rio Grande Above International Dam From International Dam in El Paso County to the New Mexico State Line in El Paso County				
Parameter(s)		<u>Category</u>	Carryforward		
bacteria (Recreation Use)					
2314_01	From the International Dam upstream to the Anthony Drain confluence	5c	No		

SegID: 2411	Sabine Pass From the end of jetties at the Gulf of Mexico to SH 82		
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Reci	reation Use)		
2411_01	From the end of jetties at the Gulf of Mexico to SH 82	5c	No
Parameter(s)		<u>Category</u>	Carryforward
PCBs in edible	e tissue		
2411_01	From the end of jetties at the Gulf of Mexico to SH 82	5a	Yes

SegID: 2412	Sabine Lake Sabine Lake		
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Reci	reation Use)		
2412_01	Sabine Lake	5c	No
Parameter(s)		<u>Category</u>	Carryforward
PCBs in edible	e tissue		
2412_01	Sabine Lake	5a	Yes

SegID: 2421	Upper Galveston Bay Upper Galveston Bay		
Parameter(s,		<u>Category</u>	<u>Carryforward</u>
dioxin in edi			
2421_01	Red Bluff to Five mi Cut to Houston Point to Morgans Point	5a	Yes
2421_02	Western portion of the bay	5a	Yes
2421_03	Main portion of the bay	5a	Yes
Parameter(s,		<u>Category</u>	<u>Carryforward</u>
PCBs in edil	ole tissue		
2421_01	Red Bluff to Five mi Cut to Houston Point to Morgans Point	5a	Yes
2421_02	Western portion of the bay	5a	Yes
2421_03	Main portion of the bay	5a	Yes
SegID: 2421	A Clear Lake Channel		
	From the Lower Galveston Bay confluence to SH 146		
		Category	Carryforward
Parameter(s,	<u> </u>		<u>Curry</u> jor wurd
<u>Parameter(s</u> dioxin in edi		<u> </u>	<u>Curryforwurd</u>
dioxin in edi		5a	Yes
dioxin in edi 2421A_01	ble tissue From Lower Galveston Bay confluence to SH 146		
	ble tissue From Lower Galveston Bay confluence to SH 146	5a	Yes

2421A_01 From Lower Galveston Bay confluence to SH 146

SegID: 2421OWUpper Galveston Bay (Oyster Waters) Upper Galveston Bay (Oyster Waters)		
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters)		
2421OW_01 Entire western portion of the bay	4a	No

SegID: 2422	Trinity Bay Trinity Bay		
Parameter(s)		<u>Category</u>	Carryforward
dioxin in edibl	e tissue		
2422_01	Upper half of bay	5a	Yes
2422_02	Lower half of bay	5a	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
PCBs in edible	e tissue		
2422_01	Upper half of bay	5a	Yes
2422_02	Lower half of bay	5a	Yes

SegID: 2422B	Double Bayou West Fork From the Trinity Bay confluence to Belton Road in Chambers County		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	eation Use)		
2422B_01	From the Trinity Bay confluence to Belton Road	5c	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed diss	olved oxygen		
2422B_01	From the Trinity Bay confluence to Belton Road	5b	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
dioxin in edibl	e tissue		
2422B_01	From the Trinity Bay confluence to Belton Road	5a	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
PCBs in edible	tissue		
01	From the Trinity Bay confluence to Belton Road	5a	Yes

SegID: 2422D	Double Bayou East Fork From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	eation Use)		
2422D_01	From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65	5c	No
Parameter(s)		<u>Category</u>	Carryforward
dioxin in edibl	e tissue		
2422D_01	From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65	5a	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
PCBs in edible	tissue		
2422D_01	From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65	5a	Yes

SegID: 2422OVTrinity Bay (Oyster Waters) Trinity Bay (Oyster Waters)		
Parameter(s)	<u>Category</u>	Carryforward
bacteria (oyster waters)		
2422OW_01 Upper portion of the bay	4a	No

SegID: 2423	East Bay East Bay		
Parameter(s)		<u>Category</u>	Carryforward
dioxin in edib	e tissue		
2423_01	Area adjacent to the ICWW (Segment 0702)	5a	Yes
2423_02	Remainder of segment	5a	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
PCBs in edible	e tissue		
2423_01	Area adjacent to the ICWW (Segment 0702)	5a	Yes
2423_02	Remainder of segment	5a	Yes

SegID: 2423A	Oyster Bayou From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65 in	n Chambers Cou	nty
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	reation Use)		
2423A_01	From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65	5c	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
dioxin in edibl	e tissue		
2423A_01	From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65	5a	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
PCBs in edible	e tissue		
2423A_01	From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65	5a	Yes

SegID: 2423OVEast Bay (Oyster Waters) East Bay (Oyster Waters)		
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters)		
2423OW_01 East end of bay adjacent to the ICWW and East Bay Bayou	4a	No

SegID: 2424	West Bay West Bay		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
dioxin in edibl	e tissue		
2424_01	West Bay	5a	Yes
2424_02	Area adjacent to Lower Galveston Island	5a	Yes
Parameter(s)		<u>Category</u>	Carryforward
PCBs in edible	tissue		
2424_01	West Bay	5a	Yes
2424_02	Area adjacent to Lower Galveston Island	5a	Yes

SegID: 2424A Highland Bayou From Jones Bay confluence to Avenue Q 0.8 km (0.5 mi) north of SH 6 between Arcadia and Alta Loma in Galveston County Parameter(s) Carryforward **Category** bacteria (Recreation Use) 2424A 02 From Bayou Lane upstream to Lake Road 5c From Lake Road upstream to FM 519 2424A 03 5c 2424A 04 From FM 519 upstream to FM 2004 5c From FM 2004 to the headwaters just west of FM 1764 2424A 05 5c Parameter(s) Carryforward **Category** depressed dissolved oxygen 2424A 05 From FM 2004 to the headwaters just west of FM 1764 5b Parameter(s) Carryforward Category dioxin in edible tissue 2424A 01 From the Jones Bay confluence upstream to Bayou Lane 5a From Bayou Lane upstream to Lake Road 2424A_02 5a From Lake Road upstream to FM 519 2424A 03 5a 2424A 04 From FM 519 upstream to FM 2004 5a 2424A 05 From FM 2004 to the headwaters just west of FM 1764 5a *Parameter(s)* Category Carryforward PCBs in edible tissue 2424A 01 From the Jones Bay confluence upstream to Bayou Lane 5a

2424A_02 2424A_03 2424A_04	From Bayou Lane upstream to Lake Road From Lake Road upstream to FM 519 From FM 519 upstream to FM 2004	5a 5a 5a	Yes Yes Yes		
2424A_04 2424A_05	From FM 2004 to the headwaters just west of FM 1764	5a 5a	Yes		
SegID: 2424B Lake Madeline Located between Jones Street, Stewart Street and Pine Street, north of the seawall on Galveston Island					
SegID: 2424B		ill on Galveston I	sland		
Parameter(s)	Located between Jones Street, Stewart Street and Pine Street, north of the seawa	all on Galveston I <u>Category</u>	sland <u>Carryforward</u>		
	Located between Jones Street, Stewart Street and Pine Street, north of the seawa				

SegID: 2424C Marchand Bayou From Highland Bayou confluence to 0.72 km (0.45 mi) north of IH 45 in Galveston County Parameter(s) **Category** Carryforward bacteria (Recreation Use) 2424C 01 From Highland Bayou confluence 0.72 km (0.45 mi) north of IH-45 5c No Parameter(s) Category Carryforward depressed dissolved oxygen

From Highland Bayou confluence 0.72 km (0.45 mi) north of IH-45

2424C 01

Galveston Island

Yes

Yes

No

Yes

No

Yes

Yes

Yes

Yes

Yes

Yes

Yes

5c

SegID: 2424D	Offatts Bayou Located on the east end of Galveston Island, running parallel with the southe Bay near Teichman Point	ern terminus of IH 45	, and joins West
Parameter(s)		<u>Category</u>	Carryforward
dioxin in edibl	e tissue		
2424D_01	Upper area bordered by SH 342 and 71st Street	5a	Yes
2424D_02	Middle area bordered by 71st Street and Walsh Street	5a	Yes
2424D_03	Lower area bordered by Walsh Street and Techmann Point	5a	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
PCBs in edible	tissue		
2424D_01	Upper area bordered by SH 342 and 71st Street	5a	Yes
2424D_02	Middle area bordered by 71st Street and Walsh Street	5a	Yes
2424D_03	Lower area bordered by Walsh Street and Techmann Point	5a	Yes

SegID: 2424G Highland Bayou Diversion Canal From the confluence with an unnamed tributary adjacent to Jones Bay upstream to the Highland Bayou confluence				
Parameter(s)		<u>Category</u>	Carryforward	
bacteria (Reci	reation Use)			
2424G_01	From the confluence with an unnamed tributary adjacent to Jones Bay upstream	5c	No	
	to the Highland Bayou confluence			

SegID: 2424OVWest Bay (Oyster Waters) West Bay (Oyster Waters)		
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters)		
2424OW_02 Area adjacent to Lower Galveston Bay and Galveston Island	4a	No

SegID: 2425	Clear Lake Clear Lake		
Parameter(s)		<u>Category</u>	Carryforward
copper in wat	er		
2425_01	Clear Lake	5c	No
Parameter(s)		<u>Category</u>	Carryforward
dioxin in edib	le tissue		
2425_01	Clear Lake	5a	Yes
Parameter(s)		<u>Category</u>	Carryforward
PCBs in edibl	e tissue		
2425_01	Clear Lake	5a	Yes

SegID: 2425A	2425A Taylor Lake Taylor Lake from the confluence with Clear Lake upstream to the terminus of Taylor Bayou south of Bay Forest Golf Club in LaPorte			
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
dioxin in edible	e tissue			
2425A_01	Taylor Lake from the confluence with Clear Lake to the confluence with Taylor Bayou at Red Bluff Rd in Seabrook	5a	Yes	
2425A_02	Taylor Bayou from the confluence with Taylor Lake at Red Bluff Rd in Seabrook upstream to the Southern Pacific railroad bridge parallel with SH 146 in Harris County	5a	Yes	
2425A_03	Taylor Bayou from the Southern Pacific railroad bridge parallel with SH 146 in Harris County upstream to the terminus south of Bay Forest Golf Club in LaPorte	5a	Yes	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
PCBs in edible	tissue			
2425A_01	Taylor Lake from the confluence with Clear Lake to the confluence with Taylor Bayou at Red Bluff Rd in Seabrook	5a	Yes	
2425A_02	Taylor Bayou from the confluence with Taylor Lake at Red Bluff Rd in Seabrook upstream to the Southern Pacific railroad bridge parallel with SH 146 in Harris County	5a	Yes	
2425A_03	Taylor Bayou from the Southern Pacific railroad bridge parallel with SH 146 in Harris County upstream to the terminus south of Bay Forest Golf Club in LaPorte	5a	Yes	

SegID: 2425B Jarbo Bayou From Clear Lake confluence with Clear Lake to 1.1 km (0.67 mi) upstream of FM 518 in Galveston County Carryforward Parameter(s) Category bacteria (Recreation Use) 2425B 01 From the Clear Lake confluence upstream to Lawrence Road 4a No Parameter(s) Carryforward <u>Category</u> dioxin in edible tissue 2425B_01 From the Clear Lake confluence upstream to Lawrence Road 5a Yes 2425B_02 From Lawrence Road to the headwaters 1.1 km (0.67 mi) upstream of FM 518 5a Yes T

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
PCBs in edibl	e tissue		
2425B_01	From the Clear Lake confluence upstream to Lawrence Road	5a	Yes
2425B_02	From Lawrence Road to the headwaters 1.1 km (0.67 mi) upstream of FM 518	5a	Yes

SegID: 2426	Tabbs Bay Tabbs Bay		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
dioxin in edib	le tissue		
2426_01	Tabbs Bay	5a	Yes
Parameter(s)		<u>Category</u>	Carryforward
PCBs in edible	e tissue		
2426_01	Tabbs Bay	5a	Yes

SegID: 2426C	Goose Creek Tidal	~	
	From the Tabbs Bay confluence upstream to the East Fork of Goose Creek con	fluence	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
dioxin in edib	le tissue		
2426C_01	From the Tabbs Bay confluence upstream to the East Fork of Goose Creek	5a	Yes
	confluence		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
PCBs in edible	e tissue		
2426C_01	From the Tabbs Bay confluence upstream to the East Fork of Goose Creek	5a	Yes
	confluence		
SegID: 2427	San Jacinto Bay		
C	San Jacinto Bay		
	y		
		<i>a</i> .	<i>C C</i> 1
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
dioxin in edib			
2427 01	San Jacinto Bay	5a	Yes

2427_01	San Jacinto Bay	5a	Yes
Parameter(s	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edi	ible tissue		
2427_01	San Jacinto Bay	5a	Yes

SegID: 2428	Black Duck Bay Black Duck Bay		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
dioxin in edib	le tissue		
2428_01	Black Duck Bay	5a	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
PCBs in edibl	e tissue		
2428_01	Black Duck Bay	5a	Yes

SegID: 2429	Scott Bay Scott Bay		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
dioxin in edib	le tissue		
2429_01	Scott Bay	5a	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
PCBs in edibl	e tissue		
2429_01	Scott Bay	5a	Yes

SegID: 2430	Burnet Bay Burnet Bay		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
dioxin in edibl	e tissue		
2430_01	Burnet Bay	5a	Yes
Parameter(s)		<u>Category</u>	Carryforward
PCBs in edible	e tissue		
2430_01	Burnet Bay	5a	Yes

SegID: 2430A	Crystal Bay Crystal Bay, a side bay of Burnett Bay, located between Burnett and Scott (Segment 2429) Bays adjacent to the San Jacinto Monument and Houston Ship Channel (Segment 1005)		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
dioxin in edible	e tissue		
2430A_01	Crystal Bay, a side bay of Burnett Bay, located between Burnett and Scott (Segment 2429) Bays adjacent to the San Jacinto Monument and Houston Ship Channel (Segment 1005)	5a	Yes
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
PCBs in edible	tissue		
2430A_01	Crystal Bay, a side bay of Burnett Bay, located between Burnett and Scott (Segment 2429) Bays adjacent to the San Jacinto Monument and Houston Ship Channel (Segment 1005)	5a	Yes

SegID: 2431	Moses Lake Moses Lake		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
dioxin in edibl	e tissue		
2431_01	Moses Lake	5a	Yes
Parameter(s)		<u>Category</u>	Carryforward
PCBs in edible	e tissue		
2431_01	Moses Lake	5a	Yes

SegID: 2431A Moses Bayou

From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3 in Galveston County

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (Rec	reation Use)		
2431A_01	From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3	5c	No
Parameter(s)		<u>Category</u>	Carryforward
dioxin in edib	le tissue		
2431A_01	From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3	5a	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
PCBs in edibl	e tissue		
2431A_01	From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3	5a	Yes

From	named Tributary to the Southern Arm of Moses Lake (West) om the confluence with the southern arm (west) of Moses Lake to a point 0.45 r ar La Marque	-	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
	on Use) om the confluence with the southern arm (west) of Moses Lake to a point 0.45 upstream of State Highway 3 near La Marque	5c	No
Cho	ocolate Bay ocolate Bay		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
dioxin in edible tiss	sue		
2432_01 Cho	ocolate Bay	5a	Yes
Parameter(s)		Category	Carryforward
PCBs in edible tissu		Culczory	<u>Curryfor wuru</u>
	ocolate Bay	5a	Yes
2432_01 Cho		Ja	105
SegID: 2432C Hal From	Ils Bayou Tidal om the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstrea	am	
Parameter(s)		<u>Category</u>	Carryforward
bacteria (Recreatio	an Use)	<u>cureso.</u>	<u></u>
2432C_01 From	om the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) stream	5c	No
Parameter(s)		<u>Category</u>	Carryforward
dioxin in edible tiss	SUC.		
2432C_01 From	om the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) stream	5a	Yes
Parameter(s)		<u>Category</u>	Carryforward
PCBs in edible tissu	пе		
2432C_01 From	om the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) stream	5a	Yes
-	ocolate Bay (Oyster Waters) ocolate Bay (Oyster Waters)		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (oyster wat	ators)	<u>cureço.,</u>	<u></u>
	ocolate Bay (Oyster Waters)	4a	No
2152011_01 0110	ocolute Buy (Syster maters)	14	1.0
	strop Bay/Oyster Lake (Oyster Waters) strop Bay/Oyster Lake (Oyster Waters)		
Parameter(s)		<u>Category</u>	Carryforward
bacteria (oyster wa	stors)	<u>Curczory</u>	<u>Curryfor ware.</u>
	strop Bay	5c	No
	ster Lake	4a	No
$2+350$ m $_{02}$ $0y_3$	Ster Lake	Ξu	110

SegID: 2434O	WChristmas Bay (Oyster Waters) Christmas Bay (Oyster Waters)		
	Childhinds Duy (Cyster Waters)		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (oyste 2434OW_01	e r waters) Area adjacent to West Bay	4a	No
24540 11_01	Their adjacent to trest Day	-10	110
See Dr. 24250			
SegID: 24350	WDrum Bay (Oyster Waters) Drum Bay (Oyster Waters)		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (oyste 2435OW_01	er waters) Area adjacent to Christmas Bay	4a	No
2435OW_02	Remainder of Drum Bay	4a	No
SegID: 2436	Barbours Cut		
	Barbours Cut		
Parameter(s)		Category	Carryforward
dioxin in edibl	e tissue	<u>Culegory</u>	<u>Curryjorwara</u>
2436_01	Barbours Cut	5a	Yes
Parameter(s) PCBs in edible	A HISSING	<u>Category</u>	<u>Carryforward</u>
2436_01	Barbours Cut	5a	Yes
SegID: 2437	Texas City Ship Channel		
	Texas City Ship Channel		
		Cutur	
<u>Parameter(s)</u> dioxin in edibl	e tissue	<u>Category</u>	<u>Carryforward</u>
2437_01	Texas City Ship Channel	5a	Yes
Parameter(s) PCBs in edible	4 anno	<u>Category</u>	<u>Carryforward</u>
2437_01	Texas City Ship Channel	5a	Yes
SegID: 2438	Bayport Channel		
	Bayport Channel		
		~	
<u>Parameter(s)</u> dioxin in edibl	e tissue	<u>Category</u>	<u>Carryforward</u>
2438_01	Bayport Channel	5a	Yes
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
PCBs in edible 2438 01	e tissue Bayport Channel	5a	Yes
2.00_01		Ju	100

SegID: 2439	Lower Galveston Bay Lower Galveston Bay		
Parameter(s)		<u>Category</u>	Carryforward
lioxin in edibl 439_01 439_02	e tissue Area adjacent to the Texas City Ship Channel and Moses Lake Eastern portion of the bay	5a 5a	Yes Yes
Parameter(s)		<u>Category</u>	<u>Carryforwara</u>
CBs in edible 439_01 439_02	e tissue Area adjacent to the Texas City Ship Channel and Moses Lake Eastern portion of the bay	5a 5a	Yes Yes
egID: 24390	WLower Galveston Bay (Oyster Waters) Lower Galveston Bay (Oyster Waters)		
Parameter(s)		<u>Category</u>	Carryforwara
acteria (oysto 4390W_01	er waters) Area adjacent to the Texas City Ship Channel and Moses Lake	4a	No
P <u>arameter(s)</u> pacteria (oysto	East Matagorda Bay (Oyster Waters)	<u>Category</u>	Carryforward
4410W_01	Caney Creek arm and western shoreline area	5a	No
egID: 2452O	WTres Palacios Bay/Turtle Bay (Oyster Waters) Tres Palacios Bay/Turtle Bay (Oyster Waters)		
Parameter(s)		<u>Category</u>	Carryforward
acteria (oysto 452OW_01	er waters) Turtle Bay and Tres Palacios Creek Arm	5a	No
egID: 2452T	PTres Palacios Bay (Recreational Beaches) Tres Palacios Bay (Recreational Beaches)		
Parameter(s)		<u>Category</u>	Carryforwara
acteria (Recu 452TP_01	reational Beaches) Palacios (Beach ID TX 784742)	5a	No

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen2453A_01From the Lavaca Bay confluence to a point 13.7 km (8.5 mi) upstream of FM 616	5b	Yes

SegID: 2453C Arenosa Creek From Garcitas Creek confluence upstream to J-2 Ranch Road		
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
bacteria (Recreation Use) 2453C_01 From Garcitas Creek confluence upstream to J-2 Ranch Road	5b	Yes
SegID: 2453D Lavaca Bay Ship Channel Area Lavaca Bay Ship Channel Area		
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
copper in water 2453D_01 Lavaca Bay Ship Channel Area	5c	No
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen 2453D_01 Lavaca Bay Ship Channel Area	5c	Yes
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
mercury in edible tissue 2453D_01 Lavaca Bay Ship Channel Area	4b	Yes
SegID: 2453OVLavaca Bay/Chocolate Bay (Oyster Waters) Lavaca Bay/Chocolate Bay (Oyster Waters)		
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters)2453OW_02North-northeastern portion of the bay near Point Comfort2453OW_03Chocolate Bay area	5a 5a	No No
SegID: 2454 Cox Bay Cox Bay		
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
copper in water 2454_02 Remainder of Cox Bay	5c	No
SegID: 2455OVKeller Bay (Oyster Waters) Keller Bay (Oyster Waters)		
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters) 2455OW_01 Upper arm	5a	No

SegID: 2456	Carancahua Bay Carancahua Bay		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr 2456 02	eation Use) Upper half of bay	5a	Yes
	11 2	-	
SegID: 2456A	West Carancahua Creek Tidal From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upst County	ream of FM 616	in Jackson
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed diss 2456A_01	From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upstream of FM 616 in Jackson County	5c	Yes
SegID: 2456O	WCarancahua Bay (Oyster Waters) Carancahua Bay (Oyster Waters)		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (oyste 2456OW 02	r waters) Upper portion of bay and shoreline area	5a	No
SegID: 2462O	WSan Antonio Bay/Hynes Bay/Guadalupe Bay/Mission Lake (Oyster Waters) San Antonio Bay/Hynes Bay/Guadalupe Bay/Mission Lake (Oyster Waters)		
Parameter(s)			
		<u>Category</u>	<u>Carryforward</u>
2462OW_01	r waters) Guadalupe Bay	<u>Category</u> 5a	<u>Carryforward</u> No
2402OW_01			
SegID: 2472O Parameter(s)	Guadalupe Bay WCopano Bay/Port Bay/Mission Bay (Oyster Waters) Copano Bay/Port Bay/Mission Bay (Oyster Waters)		
SegID: 2472O	Guadalupe Bay WCopano Bay/Port Bay/Mission Bay (Oyster Waters) Copano Bay/Port Bay/Mission Bay (Oyster Waters)	5a	No
SegID: 2472O <u>Parameter(s)</u> bacteria (oyste	Guadalupe Bay WCopano Bay/Port Bay/Mission Bay (Oyster Waters) Copano Bay/Port Bay/Mission Bay (Oyster Waters) r waters)	5a <u>Category</u>	No <u>Carryforward</u>
SegID: 2472O <u>Parameter(s)</u> bacteria (oyste 2472OW_01	Guadalupe Bay WCopano Bay/Port Bay/Mission Bay (Oyster Waters) Copano Bay/Port Bay/Mission Bay (Oyster Waters) r waters)	5a <u>Category</u>	No <u>Carryforward</u>
SegID: 2472O <u>Parameter(s)</u> bacteria (oyste 2472OW_01 SegID: 2481C <u>Parameter(s)</u>	Guadalupe Bay WCopano Bay/Port Bay/Mission Bay (Oyster Waters) Copano Bay/Port Bay/Mission Bay (Oyster Waters) r waters) Mission Bay, Aransas River arm, Port Bay, and eastern shoreline BCorpus Christi Bay (Recreational Beaches) Corpus Christi Bay (Recreational Beaches)	5a <u>Category</u>	No <u>Carryforward</u>
SegID: 2472O <u>Parameter(s)</u> bacteria (oyste 2472OW_01 SegID: 2481C <u>Parameter(s)</u> bacteria (Recr	Guadalupe Bay WCopano Bay/Port Bay/Mission Bay (Oyster Waters) Copano Bay/Port Bay/Mission Bay (Oyster Waters) r waters) Mission Bay, Aransas River arm, Port Bay, and eastern shoreline BCorpus Christi Bay (Recreational Beaches) Corpus Christi Bay (Recreational Beaches) Corpus Christi Bay (Recreational Beaches)	5a 5a Category 5c	No Carryforward No Carryforward
SegID: 2472O <u>Parameter(s)</u> bacteria (oyste 2472OW_01 SegID: 2481C <u>Parameter(s)</u>	Guadalupe Bay WCopano Bay/Port Bay/Mission Bay (Oyster Waters) Copano Bay/Port Bay/Mission Bay (Oyster Waters) r waters) Mission Bay, Aransas River arm, Port Bay, and eastern shoreline BCorpus Christi Bay (Recreational Beaches) Corpus Christi Bay (Recreational Beaches)	5a <u>Category</u> 5c	No <u>Carryforward</u> No

SegID: 2482	Nueces Bay		
0	Nueces Bay		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
copper in wate 2482_01	Nueces Bay	5c	No
_			
SegID: 24820	VNueces Bay (Oyster Waters)		
Stgib: 24020	Nueces Bay (Oyster Waters)		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
zinc in edible to 2482OW 01	issue Nueces Bay (Oyster Waters)	4a	No
24820 W_0]	Nucces Day (Oyster waters)	4a	INU
a			
SegID: 2484	Corpus Christi Inner Harbor Corpus Christi Inner Harbor - from US 181 to Viola Turning Basin		
	Corpus Christi hiner Harbor - Holii CS 181 to viola Turning Basin		
Parameter(s)		<u>Category</u>	Carryforward
copper in wate		5 -	No
2484_01	Corpus Christi Inner Harbor - from US 181 to Viola Turning Basin	5c	INO
SecID: 2405			
SegID: 2485	Oso Bay Oso Bay		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr	eation Use) Lower portion of bay (Ocean Drive to State Park Road 22)	4a	Yes
$\frac{2485_{03}}{Parameter(s)}$	Lower portion of day (Ocean Drive to State Park Road 22)	4a Category	<u>Carryforward</u>
depressed diss	olved oxygen		
2485_02	Middle bay (State Park Road 22 to Holly Road)	5b	Yes
SegID: 2485A			
	From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) Corpus Christi in Nueces County	upstream of SH	I 44, west of
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Recr			
2485A_01	From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi)	5a	No

upstream of SH 44, west of Corpus Christi

SegID: 2485OVOso Bay (Oyster Waters) Oso Bay (Oyster Waters)		
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters)		
2485OW_01 Oso Bay	5a	No

SegID: 2491	Laguna Madre Laguna Madre		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Reci	eation Use)		
2491_02	Area adjacent to the Arroyo Colorado confluence	5c	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed diss	olved oxygen		
2491_01	Upper portion of bay north of the Arroyo Colorado confluence	5b	Yes
2491_02	Area adjacent to the Arroyo Colorado confluence	5b	Yes

SegID: 2491OVLaguna Madre (Oyster Waters) Laguna Madre (Oyster Waters)		
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters)		
2491OW_02 Area adjacent to the Arroyo Colorado confluence	5c	No

SegID: 2492	SegID: 2492A San Fernando Creek From the Cayo Del Grullo confluence in Kleberg County upstream to the confluence with Chiltipin Creek and San Diego Creek in Jim Wells County				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria (Recreation Use)					
2492A_01	From the Cayo Del Grullo confluence in Kleberg County upstream to the confluence with Chiltipin Creek and San Diego Creek in Jim Wells County	5c	No		

SegID: 2494	Brownsville Ship Channel Brownsville Ship Channel		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (Rec 2494_01	reation Use) From the Laguna Madre confluence upstream to the Port of Brownsville	5c	Yes

SegID: 2494A	SegID: 2494A Port Isabel Fishing Harbor From the Laguna Madre confluence to 0.4 km (0.25 mi) south of SH 100 in Port Isabel in Cameron County				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria (Recreation Use)					
2494A_01	From the Laguna Madre confluence to 0.4 km (0.25 mi) south of SH 100 in Port	5c	Yes		
	Isabel				

SegID: 2501	Gulf of Mexico From the Gulf shoreline to the limit of Texas' jurisdiction between Sabine Pass and the mouth of the Rio Grande				
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>		
bacteria (Reci	reation Use)				
2501_01	Sabine Pass to Sea Rim Park area	5c	No		
2501_02	Jefferson-Chambers County line area	5c	No		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
mercury in ed	mercury in edible tissue				
2501_01	Sabine Pass to Sea Rim Park area	5c	Yes		
2501_02	Jefferson-Chambers County line area	5c	Yes		
2501_03	Bolivar Point to San Luis Pass area	5c	Yes		
2501_04	Freeport Area	5c	Yes		
2501_05	Area between Freeport and Port Aransas	5c	Yes		
2501_06	Port Aransas Area	5c	Yes		
2501_07	Area between Port Aransas and Port Mansfield	5c	Yes		
2501_08	Port Mansfield area	5c	Yes		
2501_09	Area between Port Mansfield and Port Isabel	5c	Yes		
2501_10	Port Isabel area	5c	Yes		