

This file contains the following documents:

- 1. Summary of application (in plain language)
 - English
 - Alternative Language (Spanish)
- 2. First notice (NORI-Notice of Receipt of Application and Intent to Obtain a Permit)
 - English
 - Alternative Language (Spanish)
- 3. Second notice (NAPD-Notice of Preliminary Decision)
 - English
 - Alternative Language (Spanish)
- 4. Application materials
- 5. Draft permit
- 6. Technical summary or fact sheet



Este archivo contiene los siguientes documentos:

- 1. Resumen de la solicitud (en lenguaje sencillo)
 - Inglés
 - Idioma alternativo (español)
- 2. Primer aviso (NORI, Aviso de Recepción de Solicitud e Intención de Obtener un Permiso)
 - Inglés
 - Idioma alternativo (español)
- 3. Segundo aviso (NAPD, Aviso de Decisión Preliminar)
 - Inglés
 - Idioma alternativo (español)
- 4. Materiales de la solicitud
- 5. Proyecto de permiso
- 6. Resumen técnico u hoja de datos

TCEQ

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

PLAIN LANGUAGE SUMMARY FOR TPDES OR TLAP PERMIT APPLICATIONS

Plain Language Summary Template and Instructions for Texas Pollutant Discharge Elimination System (TPDES) and Texas Land Application (TLAP) Permit Applications

Applicants should use this template to develop a plain language summary as required by <u>Title 30, Texas Administrative Code (30 TAC)</u>, <u>Chapter 39</u>, <u>Subchapter H.</u> Applicants may modify the template as necessary to accurately describe their facility as long as the summary includes the following information: (1) the function of the proposed plant or facility; (2) the expected output of the proposed plant or facility; (3) the expected pollutants that may be emitted or discharged by the proposed plant or facility; and (4) how the applicant will control those pollutants, so that the proposed plant will not have an adverse impact on human health or the environment.

Fill in the highlighted areas below to describe your facility and application in plain language. Instructions and examples are provided below. Make any other edits necessary to improve readability or grammar and to comply with the rule requirements.

If you are subject to the alternative language notice requirements in 30 TAC Section 39.426, you must provide a translated copy of the completed plain language summary in the appropriate alternative language as part of your application package. For your convenience, a Spanish template has been provided below.

ENGLISH TEMPLATE FOR TPDES or TLAP NEW/RENEWAL/AMENDMENT APPLICATIONS Enter 'INDUSTRIAL' or 'DOMESTIC' here WASTEWATER/STORMWATER

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 TAC Chapter 39. The information provided in this summary may change during the technical review of the application and is not a federal enforceable representation of the permit application.

Webb County (CN600612758) operates Webb County Colorado Acres Water Treatment Plant (RN101613073), an industrial wastewater treatment facility. The facility is located approximately 0.5 mile northwest of the intersection of Las Lomas Road and U.S. Highway 59, near the city of Laredo, Webb County, Texas 78046. Request for renewal of permit authorizing the evaporation of 9,500 GPD of reverse osmosis water. This permit will not authorize a discharge of pollutants into water in the state.

Discharges from the facility are expected to contain 14. List all expected pollutants here. Reverse osmosis treatment water will be treated by evaporation.

PLANTILLA EN ESPAÑOL PARA SOLICITUDES NUEVAS/RENOVACIONES/ENMIENDAS DE TPDES o TLAP

AGUAS RESIDUALES Introduzca 'INDUSTRIALES' o 'DOMÉSTICAS' aquí /AGUAS PLUVIALES

El siguiente resumen se proporciona para esta solicitud de permiso de calidad del agua pendiente que está siendo revisada por la Comisión de Calidad Ambiental de Texas según lo requerido por el Capítulo 39 del Código Administrativo de Texas 30. La información proporcionada en este resumen puede cambiar durante la revisión técnica de la solicitud y no es una representación ejecutiva fedérale de la solicitud de permiso.

El Condado de Webb (CN600612758) opera la Planta de Tratamiento de Agua Colorado Acres del Condado de Webb (RN101613073), una instalación de tratamiento de aguas residuales industriales. La instalación está ubicada aproximadamente a 0.5 milla al noroeste de la intersección de Las Lomas Road y U.S. Highway 59, cerca de la ciudad de Laredo, Condado de Webb, Texas 78046. Solicitud de renovación de permiso que autoriza la evaporación de 9,500 GPD de agua por ósmosis inversa. Este permiso no autorizará una descarga de contaminantes al agua del estado.

Se espera que las descargas de la instalación contengan 14. Enumere aquí todos los contaminantes esperados. El agua del tratamiento por ósmosis inversa será tratada por evaporación.

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



NOTICE OF RECEIPT OF APPLICATION AND INTENT TO OBTAIN WATER QUALITY PERMIT RENEWAL.

PERMIT NO. WQ0004184000

APPLICATION. Webb County, 515 Martha Drive, Rio Bravo, Texas 78046, which owns a reverse osmosis water treatment facility, has applied to the Texas Commission on Environmental Quality (TCEQ) to renew Texas Land Application Permit (TLAP) No. WQ0004184000 to authorize the disposal of reverse osmosis reject water at a volume not to exceed a daily average flow of 9,500 gallons per day via evaporation. The water treatment facility and disposal area are located approximately 0.5 miles northwest of the intersection of Las Lomas Road and U.S. Highway 59, near the city of Laredo, in Webb County, Texas 78044. TCEQ received this application on March 20, 2025. The permit application will be available for viewing and copying at Webb County Courthouse, 1000 Houston Street, Laredo, in Webb County, Texas prior to the date this notice is published in the newspaper. The application, including any updates, and associated notices are available electronically at the following webpage: https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tlap-applications. This link to an electronic map of the site or facility's general location is provided as a public courtesy and not part of the application or notice. For the exact location, refer to the application.

https://gisweb.tceq.texas.gov/LocationMapper/?marker=-99.229722,27.619444&level=18

ALTERNATIVE LANGUAGE NOTICE. Alternative language notice in Spanish is available at: https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tlap-applications. El aviso de idioma alternativo en español está disponible en https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tlap-applications.

ADDITIONAL NOTICE. TCEQ's Executive Director has determined the application is administratively complete and will conduct a technical review of the application. After technical review of the application is complete, the Executive Director may prepare a draft permit and will issue a preliminary decision on the application. Notice of the Application and Preliminary Decision will be published and mailed to those who are on the countywide mailing list and to those who are on the mailing list for this application. That notice will contain the deadline for submitting public comments.

PUBLIC COMMENT / PUBLIC MEETING. You may submit public comments or request a public meeting on this application. The purpose of a public meeting is to provide the opportunity to submit comments or to ask questions about the application. TCEQ will hold a public meeting if the Executive Director determines that there is a significant degree of public

interest in the application or if requested by a local legislator. A public meeting is not a contested case hearing.

OPPORTUNITY FOR A CONTESTED CASE HEARING. After the deadline for submitting public comments, the Executive Director will consider all timely comments and prepare a response to all relevant and material, or significant public comments. Unless the application is directly referred for a contested case hearing, the response to comments, and the Executive Director's decision on the application, will be mailed to everyone who submitted public comments and to those persons who are on the mailing list for this application. If comments are received, the mailing will also provide instructions for requesting reconsideration of the Executive Director's decision and for requesting a contested case hearing. A contested case hearing is a legal proceeding similar to a civil trial in state district court.

TO REQUEST A CONTESTED CASE HEARING, YOU MUST INCLUDE THE FOLLOWING ITEMS IN YOUR REQUEST: your name, address, phone number; applicant's name and proposed permit number; the location and distance of your property/activities relative to the proposed facility; a specific description of how you would be adversely affected by the facility in a way not common to the general public; a list of all disputed issues of fact that you submit during the comment period and, the statement "[I/we] request a contested case hearing." If the request for contested case hearing is filed on behalf of a group or association, the request must designate the group's representative for receiving future correspondence; identify by name and physical address an individual member of the group who would be adversely affected by the proposed facility or activity; provide the information discussed above regarding the affected member's location and distance from the facility or activity; explain how and why the member would be affected; and explain how the interests the group seeks to protect are relevant to the group's purpose.

Following the close of all applicable comment and request periods, the Executive Director will forward the application and any requests for reconsideration or for a contested case hearing to the TCEQ Commissioners for their consideration at a scheduled Commission meeting.

The Commission may only grant a request for a contested case hearing on issues the requestor submitted in their timely comments that were not subsequently withdrawn. If a hearing is granted, the subject of a hearing will be limited to disputed issues of fact or mixed questions of fact and law relating to relevant and material water quality concerns submitted during the comment period. TCEQ may act on an application to renew a permit for discharge of wastewater without providing an opportunity for a contested case hearing if certain criteria are met.

MAILING LIST. If you submit public comments, a request for a contested case hearing or a reconsideration of the Executive Director's decision, you will be added to the mailing list for this specific application to receive future public notices mailed by the Office of the Chief Clerk. In addition, you may request to be placed on: (1) the permanent mailing list for a specific applicant name and permit number; and/or (2) the mailing list for a specific county. If you wish to be placed on the permanent and/or the county mailing list, clearly specify which list(s) and send your request to TCEQ Office of the Chief Clerk at the address below.

INFORMATION AVAILABLE ONLINE. For details about the status of the application, visit the Commissioners' Integrated Database at www.tceq.texas.gov/goto/cid. Search the database using the permit number for this application, which is provided at the top of this notice.

AGENCY CONTACTS AND INFORMATION. All public comments and requests must be submitted either electronically at https://www14.tceq.texas.gov/epic/eComment/, or in writing to the Texas Commission on Environmental Quality, Office of the Chief Clerk, MC-105, P.O. Box 13087, Austin, Texas 78711-3087. Please be aware that any contact information you provide, including your name, phone number, email address and physical address will become part of the agency's public record. For more information about this permit application or the permitting process, please call the TCEQ Public Education Program, Toll Free, at 1-800-687-4040 or visit their website at www.tceq.texas.gov/goto/pep. Si desea información en Español, puede llamar al 1-800-687-4040.

Further information may also be obtained from Webb County at the address stated above or by calling Mr. Javier Gonzalez, Interim Director, at 956-480-8214.

Issuance Date: April 22, 2025

Comisión de Calidad Ambiental del Estado de Texas



AVISO DE RECIBO DE LA SOLICITUD Y EL INTENTO DE OBTENER PERMISO PARA LA CALIDAD DEL AGUA RENOVACION

PERMISO NO. WQ0004184000

SOLICITUD. El Condado de Webb, 515 Martha Drive, Rio Bravo, Texas 78046, que posee una instalación de tratamiento de agua por ósmosis inversa, ha solicitado a la Comisión de Calidad Ambiental de Texas (TCEQ) para renovar el Permiso de Aplicación en Terrenos de Texas (TLAP) No. WQ0004184000 para autorizar la eliminación de agua rechazada por ósmosis inversa en un volumen que no exceda un flujo promedio diario de 9,500 galones por día a través de la evaporación. La instalación de tratamiento de agua y el área de eliminación están ubicadas aproximadamente a 0.5 millas al noroeste de la intersección de Las Lomas Road y U.S. Highway 59, cerca de la ciudad de Laredo, en el Condado de Webb, Texas 78044. La TCEQ recibió esta solicitud el 20 de marzo de 2025. La solicitud de permiso estará disponible para ver y copiar en Webb County Courthouse, 1000 Houston Street, Laredo, en el Condado de Texas, Texas, antes de la fecha de publicación de este aviso en el periódico. La solicitud, incluidas las actualizaciones y los avisos asociados, están disponibles electrónicamente en la siguiente página web:

https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tlap-applications. Este enlace a un mapa electrónico de la ubicación general del sitio o de la instalación es proporcionado como una cortesía y no es parte de la solicitud o del aviso. Para la ubicación exacta, consulte la solicitud.

https://gisweb.tceq.texas.gov/LocationMapper/?marker=-99.229722,27.619444&level=18

AVISO DE IDIOMA ALTERNATIVO. El aviso de idioma alternativo en español está disponible en https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tlap-applications.

AVISO ADICIONAL. El Director Ejecutivo de la TCEQ ha determinado que la solicitud es administrativamente completa y conducirá una revisión técnica de la solicitud. Después de completar la revisión técnica, el Director Ejecutivo puede preparar un borrador del permiso y emitirá una Decisión Preliminar sobre la solicitud. El aviso de la solicitud y la decisión preliminar serán publicados y enviado a los que están en la lista de correo de las personas a lo largo del condado que desean recibir los avisos y los que están en la lista de correo que desean recibir avisos de esta solicitud. El aviso dará la fecha límite para someter comentarios públicos.

COMENTARIO PUBLICO / REUNION PUBLICA. Usted puede presentar comentarios públicos o pedir una reunión pública sobre esta solicitud. El propósito de una reunión pública es dar la oportunidad de presentar comentarios o hacer preguntas acerca de la solicitud. La TCEQ

realiza una reunión pública si el Director Ejecutivo determina que hay un grado de interés público suficiente en la solicitud o si un legislador local lo pide. Una reunión pública no es una audiencia administrativa de lo contencioso.

OPORTUNIDAD DE UNA AUDIENCIA ADMINISTRATIVA DE LO CONTENCIOSO. Después del plazo para presentar comentarios públicos, el Director Ejecutivo considerará todos los comentarios apropiados y preparará una respuesta a todo los comentarios públicos esenciales, pertinentes, o significativos. A menos que la solicitud haya sido referida directamente a una audiencia administrativa de lo contencioso, la respuesta a los comentarios y la decisión del Director Ejecutivo sobre la solicitud serán enviados por correo a todos los que presentaron un comentario público y a las personas que están en la lista para recibir avisos sobre esta solicitud. Si se reciben comentarios, el aviso también proveerá instrucciones para pedir una reconsideración de la decisión del Director Ejecutivo y para pedir una audiencia administrativa de lo contencioso. Una audiencia administrativa de lo contencioso es un procedimiento legal similar a un procedimiento legal civil en un tribunal de distrito del estado.

PARA SOLICITAR UNA AUDIENCIA DE CASO IMPUGNADO, USTED DEBE INCLUIR EN SU SOLICITUD LOS SIGUIENTES DATOS: su nombre, dirección, y número de teléfono; el nombre del solicitante y número del permiso; la ubicación y distancia de su propiedad/actividad con respecto a la instalación; una descripción específica de la forma cómo usted sería afectado adversamente por el sitio de una manera no común al público en general; una lista de todas las cuestiones de hecho en disputa que usted presente durante el período de comentarios; y la declaración "[Yo/nosotros] solicito/solicitamos una audiencia de caso impugnado". Si presenta la petición para una audiencia de caso impugnado de parte de un grupo o asociación, debe identificar una persona que representa al grupo para recibir correspondencia en el futuro; identificar el nombre y la dirección de un miembro del grupo que sería afectado adversamente por la planta o la actividad propuesta; proveer la información indicada anteriormente con respecto a la ubicación del miembro afectado y su distancia de la planta o actividad propuesta; explicar cómo y porqué el miembro sería afectado; y explicar cómo los intereses que el grupo desea proteger son pertinentes al propósito del grupo.

Después del cierre de todos los períodos de comentarios y de petición que aplican, el Director Ejecutivo enviará la solicitud y cualquier petición para reconsideración o para una audiencia de caso impugnado a los Comisionados de la TCEQ para su consideración durante una reunión programada de la Comisión.

La Comisión sólo puede conceder una solicitud de una audiencia de caso impugnado sobre los temas que el solicitante haya presentado en sus comentarios oportunos que no fueron retirados posteriormente. Si se concede una audiencia, el tema de la audiencia estará limitado a cuestiones de hecho en disputa o cuestiones mixtas de hecho y de derecho relacionadas a intereses pertinentes y materiales de calidad del agua que se hayan presentado durante el período de comentarios. Si ciertos criterios se cumplen, la TCEQ puede actuar sobre una solicitud para renovar un permiso sin proveer una oportunidad de una audiencia administrativa de lo contencioso.

LISTA DE CORREO. Si somete comentarios públicos, un pedido para una audiencia administrativa de lo contencioso o una reconsideración de la decisión del Director Ejecutivo,

la Oficina del Secretario Principal enviará por correo los avisos públicos en relación con la solicitud. Además, puede pedir que la TCEQ ponga su nombre en una o más de las listas correos siguientes (1) la lista de correo permanente para recibir los avisos del solicitante indicado por nombre y número del permiso específico y/o (2) la lista de correo de todas las solicitudes en un condado específico. Si desea que se agrega su nombre en una de las listas designe cual lista(s) y envía por correo su pedido a la Oficina del Secretario Principal de la TCEQ.

INFORMACIÓN DISPONIBLE EN LÍNEA. Para detalles sobre el estado de la solicitud, favor de visitar la Base de Datos Integrada de los Comisionados en www.tceq.texas.gov/goto/cid. Para buscar en la base de datos, utilizar el número de permiso para esta solicitud que aparece en la parte superior de este aviso.

CONTACTOS E INFORMACIÓN A LA AGENCIA. Todos los comentarios públicos y solicitudes deben ser presentadas electrónicamente vía

http://www14.tceq.texas.gov/epic/eComment/ o por escrito dirigidos a la Comisión de Texas de Calidad Ambiental, Oficial de la Secretaría (Office of Chief Clerk), MC-105, P.O. Box 13087, Austin, Texas 78711-3087. Tenga en cuenta que cualquier información personal que usted proporcione, incluyendo su nombre, número de teléfono, dirección de correo electrónico y dirección física pasarán a formar parte del registro público de la Agencia. Para obtener más información acerca de esta solicitud de permiso o el proceso de permisos, llame al programa de educación pública de la TCEQ, gratis, al 1-800-687-4040. Si desea información en Español, puede llamar al 1-800-687-4040.

También se puede obtener información adicional del Condado de Webb a la dirección indicada arriba o llamando al Sr. Javier Gonzalez, Director Interino, at 956-480-8214.

Fecha de emisión: 22 de abril de 2025

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



NOTICE OF APPLICATION AND PRELIMINARY DECISION FOR LAND APPLICATION PERMIT FOR INDUSTRIAL WASTEWATER

RENEWAL

Permit No. WQ0004184000

APPLICATION AND PRELIMINARY DECISION. Webb County, 515 Martha Drive, Rio Bravo, Texas 78046, which operates Webb County Colorado Acres Water Plant, a reverse osmosis water treatment facility, has applied to the Texas Commission on Environmental Quality (TCEQ) for a renewal of TCEQ Permit No. WQ0004184000, which authorizes the disposal of reverse osmosis reject water at a daily average flow of not to exceed 9,500 gallons per day via evaporation. This permit will not authorize a discharge of pollutants into water in the state. TCEQ received this application on March 20, 2025.

The facility and land application site are located approximately 0.5 miles northwest of the intersection of Las Lomas Road and U.S. Highway 59, near the city of Laredo, in Webb County, Texas 78044. The facility and land application site are located in the drainage area of the Nueces River Above Frio River, in Segment No. 2104 of the Nueces River Basin. This link to an electronic map of the site or facility's general location is provided as a public courtesy and is not part of the application or notice. For the exact location, refer to the application.

https://gisweb.tceq.texas.gov/LocationMapper/?marker=-99.229722,27.619444&level=18

The TCEQ Executive Director has completed the technical review of the application and prepared a draft permit. The draft permit, if approved, would establish the conditions under which the facility must operate. The Executive Director has made a preliminary decision that this permit, if issued, meets all statutory and regulatory requirements. The permit application, Executive Director's preliminary decision, and draft permit are available for viewing and copying at Webb County Courthouse, 1000 Houston Street, Rio Bravo, Texas. The application, including any updates, and associated notices are available electronically at the following webpage:

https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tlap-applications

ALTERNATIVE LANGUAGE NOTICE. Alternative language notice in Spanish is available at https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications. El aviso de idioma alternativo en español está disponible en https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications.

PUBLIC COMMENT / PUBLIC MEETING. You may submit public comments or request a public meeting about this application. The purpose of a public meeting is to provide the opportunity to submit comments or to ask questions about the application. TCEQ holds a public meeting if the Executive Director determines that there is a significant degree of public interest in the application or if requested by a local legislator. A public meeting is not a contested case hearing.

OPPORTUNITY FOR A CONTESTED CASE HEARING. After the deadline for submitting public comments, the Executive Director will consider the comments and prepare a response to all relevant and material, or significant public comments. Unless the application is directly referred for a contested case hearing, the response to comments will be mailed to everyone who submitted public comments and to those persons who are on the mailing list for this application. If comments are received, the mailing will also provide instructions for requesting a contested case hearing or reconsideration of the Executive Director's decision. A contested case hearing is a legal proceeding similar to a civil trial in a state district court.

TO REQUEST A CONTESTED CASE HEARING, YOU MUST INCLUDE THE FOLLOWING ITEMS IN YOUR REQUEST: your name, address, phone number; applicant's name and proposed permit number; the location and distance of your property/activities relative to the proposed facility; a specific description of how you would be adversely affected by the facility in a way not common to the general public; a list of all disputed issues of fact that you submit during the comment period; and the statement "[I/we] request a contested case hearing." If the request for contested case hearing is filed on behalf of a group or association, the request must designate the group's representative for receiving future correspondence; identify by name and physical address an individual member of the group who would be adversely affected by the proposed facility or activity; provide the information discussed above regarding the affected member's location and distance from the facility or activity; explain how and why the member would be affected; and explain how the interests the group seeks to protect are relevant to the group's purpose.

Following the close of all applicable comment and request periods, the Executive Director will forward the application and any requests for reconsideration or for a contested case hearing to the TCEQ Commissioners for their consideration at a scheduled Commission meeting. The Commission may only grant a request for a contested case hearing on issues the requestor submitted in their timely comments that were not subsequently withdrawn. If a hearing is granted, the subject of a hearing will be limited to disputed issues of fact or mixed questions of fact and law relating to relevant and material water quality concerns submitted during the comment period. TCEQ may act on an application to renew a permit for discharge of wastewater without providing an opportunity for a contested case hearing if certain criteria are met.

EXECUTIVE DIRECTOR ACTION. The Executive Director may issue final approval of the application unless a timely contested case hearing request or request for reconsideration is filed. If a timely hearing request or request for reconsideration is filed, the Executive Director will not issue final approval of the permit and will forward the application and request to the TCEQ Commissioners for their consideration at a scheduled Commission meeting.

MAILING LIST. If you submit public comments, a request for a contested case hearing or a reconsideration of the Executive Director's decision, you will be added to the mailing list for this specific application to receive future public notices mailed by the Office of the Chief Clerk. In addition, you may request to be placed on: (1) the permanent mailing list for a specific applicant name and permit number; and (2) the mailing list for a specific county. If you wish to be placed on the permanent or the county mailing list, clearly specify which list(s) and send your request to TCEQ Office of the Chief Clerk at the address below.

All written public comments and public meeting requests must be submitted to the Office of the Chief Clerk, MC 105, TCEQ, P.O. Box 13087, Austin, TX 78711-3087 or electronically at https://www.tceq.texas.gov/goto/comment/ within 30 days from the date of newspaper publication of this notice.

INFORMATION AVAILABLE ONLINE. For details about the status of the application, visit the Commissioners' Integrated Database at https://www.tceq.texas.gov/goto/cid/. Search the database using the permit number for this application, which is provided at the top of this notice.

AGENCY CONTACTS AND INFORMATION. Public comments and requests must be submitted either electronically at https://www.tceq.texas.gov/goto/comment/, or in writing to the Texas Commission on Environmental Quality, Office of the Chief Clerk, MC-105, P.O. Box 13087, Austin, Texas 78711-3087. Please be aware that any contact information you provide, including your name, phone number, email address, and physical address will become part of the agency's public record. For more information about this permit application or the permitting process, please call the TCEQ Public Education Program, Toll Free, at 1-800-687-4040 or visit their website at https://www.tceq.texas.gov/agency/decisions/participation/permitting-participation. Si desea información en Español, puede llamar al 1-800-687-4040.

Further information may also be obtained from Webb County at the address stated above or by calling Mr. Javier Gonzalez at 956-480-8214.

Issued: October 31, 2025

Comisión De Calidad Ambiental Del Estado De Texas



AVISO DE SOLICITUD Y DECISIÓN PRELIMINAR PARA PERMISO PARA APLICACIÓN DE LA CALIDAD DEL AGUA EN TERRENOS PARA AGUAS RESIDUALES INDUSTRIALES

RENOVACIÓN

PERMISO NO. WQ 0004184000

SOLICITUD Y DECISIÓN PRELIMINAR. Condado de Webb, 515 Martha Drive, Rio Bravo, Texas 78046 ha solicitado a la Comisión de Calidad Ambiental del Estado de Texas (TCEQ) por una renovación para autorizar la Planta de Agua Colorado Acres del Condado de Webb, una instalación de tratamiento de agua por osmosis inversa, para la renovación del Permiso TCEQ No. WQ0004184000, el cual autoriza la disposición de agua rechazada de osmosis inversa a un flujo promedio diario que no exceda las 9,500 galones por dia mediante evaporación. Este permiso no autorizará una descarga de contaminantes a las aguas del estado. La TCEQ recibió esta solicitud el Marzo de 20 de 2025.

La planta y el sitio de disposición están ubicadas a .05 millas al noroeste de la intersección de Las Lomas Road y la Carreterra U.S. 59, en el Condado de Webb, Texas. La planta y el sitio de disposición están ubicados en la cuenca de drenaje de Rio Nueces por encima de Rio Frio en el Segmento No. 2104 de la Cuenca del Río Nueces. Este enlace a un mapa electrónico de la ubicación general del sitio o de la instalación es proporcionado como una cortesía y no es parte de la solicitud o del aviso. Para la ubicación exacta, consulte la solicitud. https://gisweb.tceq.texas.gov/LocationMapper/?marker=-99.229722,27.619444&level=18

El Director Ejecutivo de la TCEQ ha completado la revisión técnica de la solicitud y ha preparado un borrador del permiso. El borrador del permiso, si es aprobado, establecería las condiciones bajo las cuales la instalación debe operar. El Director Ejecutivo ha tomado una decisión preliminar que si este permiso es emitido, cumple con todos los requisitos normativos y legales. La solicitud del permiso, la decisión preliminar del Director Ejecutivo y el borrador del permiso están disponibles para leer y copiar en el Palacio de Justicia de Condado de Webb, 1000 Calle Houston, Laredo, Texas. La solicitud (cualquier actualización y aviso inclusive) está disponible electrónicamente en la siguiente página web: https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tlap-applications.

AVISO DE IDIOMA ALTERNATIVO. El aviso de idiome elternativo en español está

AVISO DE IDIOMA ALTERNATIVO. El aviso de idioma alternativo en español está disponible en https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tlap-applications.

COMENTARIO PUBLICO / REUNION PUBLICA. Usted puede presentar comentarios públicos o pedir una reunión pública sobre esta solicitud.

El propósito de una reunión pública es dar la oportunidad de presentar comentarios o hacer preguntas acerca de la solicitud. La TCEQ realiza una reunión pública si el Director Ejecutivo determina que hay un grado de interés público suficiente en la solicitud o si un legislador local lo pide. Una reunión pública no es una audiencia administrativa de lo contencioso.

OPORTUNIDAD DE UNA AUDIENCIA ADMINISTRATIVA DE LO CONTENCIOSO.

Después del plazo para presentar comentarios públicos, el Director Ejecutivo considerará todos los comentarios apropiados y preparará una respuesta a todo los comentarios públicos esenciales, pertinentes, o significativos. A menos que la solicitud haya sido referida directamente a una audiencia administrativa de lo contencioso, la respuesta a los comentarios y la decisión del Director Ejecutivo sobre la solicitud serán enviados por correo a todos los que presentaron un comentario público y a las personas que están en la lista para recibir avisos sobre esta solicitud. Si se reciben comentarios, el aviso también proveerá instrucciones para pedir una reconsideración de la decisión del Director Ejecutivo y para pedir una audiencia administrativa de lo contencioso. Una audiencia administrativa de lo contencioso es un procedimiento legal similar a un procedimiento legal civil en un tribunal de distrito del estado.

PARA SOLICITAR UNA AUDIENCIA DE CASO IMPUGNADO, USTED DEBE INCLUIR EN SU SOLICITUD LOS SIGUIENTES DATOS: su nombre, dirección, y número de teléfono: el nombre del solicitante y número del permiso: la ubicación y distancia de su propiedad/actividad con respecto a la instalación; una descripción específica de la forma cómo usted sería afectado adversamente por el sitio de una manera no común al público en general; una lista de todas las cuestiones de hecho en disputa que usted presente durante el período de comentarios; y la declaración "[Yo/nosotros] solicito/solicitamos una audiencia de caso impugnado". Si presenta la petición para una audiencia de caso impugnado de parte de un grupo o asociación, debe identificar una persona que representa al grupo para recibir correspondencia en el futuro; identificar el nombre y la dirección de un miembro del grupo que sería afectado adversamente por la planta o la actividad propuesta; proveer la información indicada anteriormente con respecto a la ubicación del miembro afectado y su distancia de la planta o actividad propuesta; explicar cómo y porqué el miembro sería afectado; y explicar cómo los intereses que el grupo desea proteger son pertinentes al propósito del grupo.

Después del cierre de todos los períodos de comentarios y de petición que aplican, el Director Ejecutivo enviará la solicitud y cualquier petición para reconsideración o para una audiencia de caso impugnado a los Comisionados de la TCEQ para su consideración durante una reunión programada de la Comisión. La Comisión sólo puede conceder una solicitud de una audiencia de caso impugnado sobre los temas que el solicitante haya presentado en sus comentarios oportunos que no fueron retirados posteriormente. Si se concede una audiencia, el tema de la audiencia estará limitado a cuestiones de hecho en disputa o cuestiones mixtas de hecho y de derecho relacionadas a intereses pertinentes y materiales de calidad del agua que se hayan presentado durante el período de comentarios. Si ciertos criterios se cumplen, la TCEQ puede actuar sobre una solicitud para renovar un permiso sin proveer una oportunidad de una audiencia administrativa de lo contencioso.

ACCIÓN DEL DIRECTOR EJECUTIVO. El Director Ejecutivo puede emitir una aprobación final de la solicitud a menos que exista un pedido antes del plazo de vencimiento de una audiencia administrativa de lo contencioso o se ha presentado un pedido de reconsideración. Si un pedido ha llegado antes del plazo de vencimiento de la audiencia o el pedido de reconsideración ha sido presentado, el Director Ejecutivo no emitirá una aprobación final sobre el permiso y enviará la solicitud y el pedido a los Comisionados de la TECQ para consideración en una reunión programada de la Comisión.

LISTA DE CORREO. Si somete comentarios públicos, un pedido para una audiencia administrativa de lo contencioso o una reconsideración de la decisión del Director Ejecutivo, la Oficina del Secretario Principal enviará por correo los avisos públicos en relación con la solicitud. Ademas, puede pedir que la TCEQ ponga su nombre en una or mas de las listas correos siguientes (1) la lista de correo permanente para recibir los avisos de el solicitante indicado por nombre y número del permiso específico y/o (2) la lista de correo de todas las solicitudes en un condado específico. Si desea que se agrega su nombre en una de las listas designe cual lista(s) y envia por correo su pedido a la Oficina del Secretario Principal de la TCEQ.

Todos los comentarios escritos del público y los pedidos una reunión deben ser presentados durante los 30 días después de la publicación del aviso a la Oficina del Secretario Principal, MC 105, TCEQ, P.O. Box 13087, Austin, TX 78711-3087 or por el internet a www.tceq.texas.gov/about/comments.html. Tenga en cuenta que cualquier información personal que usted proporcione, incluyendo su nombre, número de teléfono, dirección de correo electrónico y dirección física pasarán a formar parte del registro público de la Agencia.

CONTACTOS E INFORMACIÓN DE LA AGENCIA. Los comentarios y solicitudes públicas deben enviarse electrónicamente a https://www14.tceq.texas.gov/epic/eComment/, o por escrito a Texas Commission on Environmental Quality, Office of the Chief Clerk, MC-105, P.O. Box 13087, Austin, Texas 78711-3087. Cualquier información personal que envíe a al TCEQ pasará a formar parte del registro de la agencia; esto incluye las direcciones de correo electrónico. Para obtener más información sobre esta solicitud de permiso o el proceso de permisos, llame al Programa de Educación Pública de la TCEQ, sin cargo, al 1-800-687-4040 o visite su sitio web en www.tceq.texas.gov/goto/pep. Si desea información en español, puede llamar al 1-800-687-4040.

También se puede obtener información adicional del Condado de Webb a la dirección indicada arriba o llamando a Javier Gonzalez al 956-523-5590.

Fecha de emisión 31 de octubre de 2025



TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

INDUSTRIAL WASTEWATER PERMIT APPLICATION CHECKLIST

Complete and submit this checklist with the industrial wastewater permit application.

APPLICANT NAME: Webb County

PERMIT NUMBER (If new, leave blank): WQ00 04184000

Indicate if each of the following items is included in your application.

	Y	N		\mathbf{Y}	N
Administrative Report 1.0	\boxtimes		Worksheet 8.0		\boxtimes
Administrative Report 1.1		\boxtimes	Worksheet 9.0		\boxtimes
SPIF			Worksheet 10.0		\boxtimes
Core Data Form	\boxtimes		Worksheet 11.0		\boxtimes
Public Involvement Plan Form			Worksheet 11.1		\boxtimes
Plain Language Summary	\boxtimes		Worksheet 11.2		\boxtimes
Technical Report 1.0	\boxtimes		Worksheet 11.3		\boxtimes
Worksheet 1.0		\boxtimes	Original USGS Map	\boxtimes	
Worksheet 2.0	\boxtimes		Affected Landowners Map		\boxtimes
Worksheet 3.0	\boxtimes		Landowner Disk or Labels		\boxtimes
Worksheet 3.1		\boxtimes	Flow Diagram	\boxtimes	
Worksheet 3.2		\boxtimes	Site Drawing	\boxtimes	
Worksheet 3.3		\boxtimes	Original Photographs		\boxtimes
Worksheet 4.0		\boxtimes	Design Calculations		\boxtimes
Worksheet 4.1		\boxtimes	Solids Management Plan		\boxtimes
Worksheet 5.0		\boxtimes	Water Balance		\boxtimes
Worksheet 6.0	\boxtimes				
Worksheet 7.0		\boxtimes			
For TCEQ Use Only		the section of the section of the section of			
Segment Number Expiration Date: Permit Number	in the second second	Region			

Page 1 of 18

TCEQ-10053 (01/08/2024) Industrial Wastewater Permit Application Administrative Report

OMMINION STATE OF THE PARTY OF

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

INDUSTRIAL WASTEWATER PERMIT APPLICATION ADMINISTRATIVE REPORT 1.0

This report is required for all applications for TPDES permits and TLAPs, except applications for oil and gas extraction operations subject to 40 CFR Part 435. Contact the Applications Review and Processing Team at 512-239-4671 with any questions about completing this report.

Applications for oil and gas extraction operations subject to 40 CFR Part 435 must use the Oil and Gas Exploration and Production Administrative Report (TCEQ Form-20893 and 20893-inst¹).

Ite	em 1. Application Information and Fees (Instructions, Page 26)
a.	Complete each field with the requested information, if applicable.
	Applicant Name: Webb County
	Permit No.: WQ0004184000
	EPA ID No.: TX0Click to enter text.
	Expiration Date: 5/1/2025
b.	Check the box next to the appropriate authorization type.
	☑ Industrial Wastewater (wastewater and stormwater)
	☐ Industrial Stormwater (stormwater only)
c.	Check the box next to the appropriate facility status.
	⊠ Active □ Inactive
Ь	Check the box next to the appropriate permit type.
u.	☐ TPDES Permit ☐ TLAP ☐ TPDES with TLAP component
e.	Check the box next to the appropriate application type.
	□ New
	\square Renewal with changes \boxtimes Renewal without changes
	\square Major amendment with renewal \square Major amendment without renewal
	☐ Minor amendment without renewal
	☐ Minor modification without renewal
f.	If applying for an amendment or modification, describe the request: Click to enter text.
For	TCEQ Use Only
	gment NumberCounty
	piration Date,Region,

¹ https://www.tceq.texas.gov/publications/search_forms.html TCEQ-10411 (01/08/2024) Industrial Wastewater Application Administrative Report

TCEQ ePay Voucher Receipt

-Transaction	

Voucher Number:

757626

Trace Number:

582EA000659448

Date:

03/14/2025 09:19 AM

Payment Method: Voucher Amount: CC - Authorization 0000071910

Fee Type:

WW PERMIT - MINOR FACILITY NOT SUBJECT TO 40 CFR 400-471 - RENEWAL

ePay Actor:

STEPHANIE LANDSMAN

Payment Contact Information

Name:

STEPHANIE LANDSMAN

Company:

LANDSMAN ENVIRONMENTAL LLC

Address:

9597 JONES ROAD 962, JERSEY VILLAGE, TX 77065

Phone: 281-658-5899

Site Information -

Site Name: Site Address: Site Location: WEBB COUNTY COLORADO ACRES WATER TREATMENT PLANT

NORTH OF SH 59 APPROXIMATELY, LAREDO TX, TX 78046

NORTH OF SH 59 APPROXIMATELY 15 MILES EAST OF LAREDO TX

-Customer Information

Customer Name:

WEBB COUNTY

Customer Address: 515 MARTHA DRIVE, RIO BRAVO, TX 78046

Other Information

Program Area ID:

0004184000

TCEQ ePay Voucher Receipt

-Transaction Information -

757627 Voucher Number:

Trace Number:

582EA000659448

Date:

03/14/2025 09:19 AM

Payment Method:

CC - Authorization 0000071910

Voucher Amount: Fee Type:

\$15.00 30 TAC 305.53B WQ RENEWAL NOTIFICATION FEE

ePay Actor:

STEPHANIE LANDSMAN

-Payment Contact Information -

Name:

STEPHANIE LANDSMAN

Company:

Address:

LANDSMAN ENVIRONMENTAL LLC 9597 JONES ROAD 962, JERSEY VILLAGE, TX 77065

Phone:

281-658-5899

g. Application Fee

EPA Classification	New	Major Amend. (with or without renewal)	Renewal (with or without changes)	Minor Amend. / Minor Mod. (without renewal)
Minor facility not subject to EPA categorical effluent guidelines	□ \$350	□ \$350	⊠ \$315	□ \$150
(40 CFR Parts 400-471)				
Minor facility subject to EPA categorical effluent guidelines	□ \$1,250	□ \$1,250	□ \$1,215	□ \$150
(40 CFR Parts 400-471)				
Major facility	N/A ²	□ \$2,050	□ \$2,015	□ \$450

h. Payment Information

Mailed

Check or money order No.: Click to enter text.

Check or money order amt.: Click to enter text.

Named printed on check or money order: Click to enter text.

Epay

Voucher number: 757626/757627

Copy of voucher attachment: Click to enter text.

Item 2. Applicant Information (Instructions, Pages 26)

- a. Customer Number, if applicant is an existing customer: <u>CN600612758</u> Note: Locate the customer number using the TCEO's Central Registry Customer Search³.
- b. Legal name of the entity (applicant) applying for this permit: Webb County Note: The owner of the facility must apply for the permit. The legal name must be spelled exactly as filed with the TX SOS, Texas Comptroller of Public Accounts, County, or in the legal documents forming the entity.
- c. Name and title of the person signing the application. (Note: The person must be an executive official that meets signatory requirements in 30 TAC § 305.44.) Prefix: Click to enter text.

Title: Interim Directgor

Full Name (Last/First Name): Gonzalez, Javier

Credential: Click to enter text.

d. Will the applicant have overall financial responsibility for the facility?

\boxtimes	Yes	No

² All facilities are designated as minors until formally classified as a major by EPA.

https://www15.fceq.texas.gov/crpuh/index.cfm?fuseaction=cust.CustSearch

Note: The entity with overall financial responsibility for the facility must apply as a coapplicant, if not the facility owner.

Item 3. Co-applicant Information (Instructions, Page 27)

☑ Check this box if there is no co-applicant.; otherwise, complete the below questions.

- a. Legal name of the entity (co-applicant) applying for this permit: <u>Click to enter text.</u>
 Note: The legal name must be spelled exactly as filed with the TX SOS, Texas Comptroller of Public Accounts, County, or in the legal documents forming the entity.
- b. Customer Number (if applicant is an existing customer): <u>CNClick to enter text.</u>

 Note: Locate the customer number using the TCEQ's Central Registry Customer Search.
- c. Name and title of the person signing the application. (**Note:** The person must be an executive official that meets signatory requirements in 30 TAC § 305.44.)

Prefix: Click to enter text.

Full Name (Last/First Name): Click to enter text.

Title: Click to enter text.

Credential: Click to enter text.

d. Will the co-applicant have overall financial responsibility for the facility?

☐ Yes ☐ No

Note: The entity with overall financial responsibility for the facility must apply as a coapplicant, if not the facility owner.

Item 4. Core Data Form (Instructions, Pages 27)

a. Complete one Core Data Form (TCEQ Form 10400) for each customer (applicant and coapplicant(s)) and include as an attachment. If the customer type selected on the Core Data Form is Individual, complete Attachment 1 of the Administrative Report. Attachment: <u>D</u>

Item 5. Application Contact Information (Instructions, Page 27)

Provide names of two individuals who can be contact for additional information about this application. Indicate if the individual can be contact about administrative or technical information, or both.

Prefix: Ms. Full Name (Last/First Name): Landsman, Stephanie

Title: Click to enter text.

Credential: Click to enter text.

Organization Name: Landsman Environmental LLC

Mailing Address: 9597 Jones Road #962

City/State/Zip: Jersey Village, TX 77065

Phone No: <u>281-658-5899</u>

Email: stephanie@landsmanenviro.com

b. ☐ Administrative Contact ☐ Technical Contact

Prefix: Mr. Full Name (Last/First Name): Gonzalez, Javier

Title: Interim Director

Credential: Click to enter text.

Organization Name: Webb County

Mailing Address: 513 Martha Drive

City/State/Zip: Rio Bravo, TX 78046

TCEQ-10411 (01/08/2024) Industrial Wastewater Application Administrative Report

Page 5 of 18

Phone No: <u>956-480-8214</u> Email: <u>javierg@webbcountytx.gov</u>

Attachment: Click to enter text.

Item 6. Permit Contact Information (Instructions, Page 28)

Provide two names of individuals that can be contacted throughout the permit term.

a. Prefix: Mr. Full Name (Last/First Name): Gonzalez, Javier

Title: Interim Director Credential: Click to enter text.

Organization Name: Webb County

Mailing Address: 513 Martha Drive City/State/Zip: Rio Bravo, TX 78046

Phone No: 956-480-8214 Email: javierg@webbcountytx.gov

b. Prefix: <u>Click to enter text.</u> Full Name (Last/First Name): <u>Click to enter text.</u>

Title: Click to enter text. Credential: Click to enter text.

Organization Name: Click to enter text.

Mailing Address: Click to enter text. City/State/Zip: Click to enter text.

Phone No: Click to enter text. Email: Click to enter text.

Attachment: Click to enter text.

Item 7. Billing Contact Information (Instructions, Page 28)

The permittee is responsible for paying the annual fee. The annual fee will be assessed for permits **in effect on September 1 of each year**. The TCEQ will send a bill to the address provided in this section. The permittee is responsible for terminating the permit when it is no longer needed (form TCEQ-20029).

Provide the complete mailing address where the annual fee invoice should be mailed and the name and phone number of the permittee's representative responsible for payment of the invoice.

Prefix: Mr. Full Name (Last/First Name): Diaz, Enrique

Title: Click to enter text. Credential: Click to enter text.

Organization Name: Webb County

Mailing Address: 515 Martha Drive City/State/Zip: Rio Bravo, TX 78046

Phone No: 956-480-8214 Email: endiaz@webbcountytx.gov

Item 8. DMR/MER Contact Information (Instructions, Page 28)

Provide the name and mailing address of the person delegated to receive and submit DMRs or MERs. **Note:** DMR data must be submitted through the NetDMR system. An electronic reporting account can be established once the facility has obtained the permit number.

Prefix: Mr. Full Name (Last/First Name): Diaz, Enrique

Title: Click to enter text. Credential: Click to enter text.

Organization Name: Webb County

Mailing Address: 515 Martha Drive City/State/Zip: Rio Bravo, TX 78046

Phone No: 956-480-8214 Email: endiaz@webbcountytx.gov

TCEQ-10411 (01/08/2024) Industrial Wastewater Application Administrative Report Page 6 of 18

Item 9. Notice Information (Instructions, Pages 28)

a. Individual Publishing the Notices

Prefix: Ms. Full Name (Last/First Name): Landsman, Stephanie

Title: Click to enter text.

Credential: Click to enter text.

Organization Name: Landsman Environmental LLC

Mailing Address: 9597 Jones Road #962

City/State/Zip: Jersey Village, TX 77065

Phone No: 281-658-5899

Email: stephanie@landsmanenviro.com

b. Method for Receiving Notice of Receipt and Intent to Obtain a Water Quality Permit Package (only for NORI, NAPD will be sent via regular mail)

☑ E-mail: stephanie@landsmanenviro.com

☐ Fax: Click to enter text.

☐ Regular Mail (USPS)

Mailing Address: Click to enter text.

City/State/Zip Code: Click to enter text.

c. Contact in the Notice

Prefix: Mr. Full Name (Last/First Name): Gonzalez, Javier

Title: Interim Director

Credential: Click to enter text.

Organization Name: Webb County

Phone No: 956-480-8197

Email: javierg@webbcountytx.gov4184000

d. Public Viewing Location Information

Note: If the facility or outfall is located in more than one county, provide a public viewing place for each county.

Public building name: <u>Webb County Courthouse</u> Location within the building: <u>Click to enter text.</u>

Physical Address of Building: 1000 Houston St.

City: RioBravo County: Webb

e. Bilingual Notice Requirements

This information is required for new, major amendment, minor amendment or minor modification, and renewal applications.

This section of the application is only used to determine if alternative language notices will be needed. Complete instructions on publishing the alternative language notices will be in your public notice package.

Call the bilingual/ESL coordinator at the nearest elementary and middle schools and obtain the following information to determine if an alternative language notice(s) is required.

1. Is a bilingual education program required by the Texas Education Code at the elementary or middle school nearest to the facility or proposed facility?

⊠ Yes □ No

	If no, publication of an alternative language notice is not required; skip to Item 8 (Regulated Entity and Permitted Site Information.)		
	2. Are the students who attend either the elementary school or the middle school enrolled in a bilingual education program at that school?		
	⊠ Yes □ No		
	3. Do the students at these schools attend a bilingual education program at another location?		
	□ Yes ⋈ No		
	4. Would the school be required to provide a bilingual education program, but the school has waived out of this requirement under 19 TAC §89.1205(g)?		
	□ Yes ⋈ No □ N/A		
	5. If the answer is yes to question 1, 2, 3, or 4, public notices in an alternative language are required. Which language is required by the bilingual program? Spanish		
f.	Plain Language Summary Template – Complete the Plain Language Summary (TCEQ Form 20972) and include as an attachment. Attachment: $\underline{\bf E}$		
g.	. Complete one Public Involvement Plan (PIP) Form (TCEQ Form 20960) for each application for a new permit or major amendment and include as an attachment. Attachment: N/A		
Ite	em 10. Regulated Entity and Permitted Site Information (Instructions Page 29)		
a.	TCEQ issued Regulated Entity Number (RN), if available: RN101613073		
	Note: If your business site is part of a larger business site, a Regulated Entity Number (RN) may already be assigned for the larger site. Use the RN assigned for the larger site. Search the TCEQ's Central Registry to determine the RN or to see if the larger site may already be registered as a Regulated Entity. If the site is found, provide the assigned RN.		
b.	Name of project or site (the name known by the community where located): <u>Webb County Colorado Acres Water Plant</u>		
c.	Is the location address of the facility in the existing permit the same?		
	Note: If the facility is located in Bexar, Comal, Hays, Kinney, Medina, Travis, Uvalde, or Williamson County, additional information concerning protection of the Edwards Aquifer may be required.		
d.	Owner of treatment facility:		
	Prefix: Click to enter text. Full Name (Last/First Name): Click to enter text.		
	or Organization Name: Webb County		
	Mailing Address: 515 Martha Drive City/State/Zip: Rio Bravo, TX 78046		
	Phone No: <u>956-480-8263</u> Email: <u>rcflores@webbcountytx.gov</u>		
e.	Ownership of facility: \boxtimes Public \square Private \square Both \square Federal		
f.	Owner of land where treatment facility is or will be: Click to enter text.		
TC	EQ-10411 (01/08/2024) Industrial Wastewater Application Administrative Report Page 8 of 18		

	Prefix: <u>Click to enter text.</u> Fu	ll Name (Last/First Name): <u>Click to enter text.</u>	
	or Organization Name: Webb Cou	inty	
	Mailing Address: 515 Martha Driv	ve City/State/Zip: Rio Bravo, TX	78046
	Phone No: <u>956-480-8263</u> Em	nail: <u>rcflores@webbcountytx.gov</u>	
		ity owner, attach a long-term lease agreement in a lease may not suffice - see instructions). Attac	
g.	. Owner of effluent TLAP disposal	site (if applicable): N/A	
	Prefix: Click to enter text. Full	ll Name (Last/First Name): <u>Click to enter text.</u>	
	or Organization Name: Click to e	nter text.	
	Mailing Address: Click to enter te	ext. City/State/Zip: Click to enter	text.
	Phone No: Click to enter text. Em	aail: <u>Click to enter text.</u>	
	Note: If not the same as the faciliat least six years. Attachment: <u>Cl.</u>	ity owner, attach a long-term lease agreement in ick to enter text.	a effect for
h.	. Owner of sewage sludge disposal	site (if applicable):	
	Prefix: <u>N/A</u> Full Name (La	ast/First Name): <u>Click to enter text.</u>	
	or Organization Name: Click to e	nter text.	
	Mailing Address: Click to enter to	ext. City/State/Zip: Click to enter	text.
	Phone No: Click to enter text. Ema	ail: <u>Click to enter text.</u>	
	Note: If not the same as the faciliat least six years. Attachment: Cl	ty owner, attach a long-term lease agreement is ick to enter text.	a effect for
Ito	tem 11. TDPES Discharge/ Page 31)	TLAP Disposal Information (Instruc	tions,
a.	. Is the facility located on or does	the treated effluent cross Native American Land	d?
	□ Yes ⊠ No		
b.		Topographic Map (or an 8.5"×11" reproduced pons) with all required information. Check the bostoen included on the map.	
	⊠ One-mile radius	☐ Three-miles downstream informa	tion
	⊠ Applicant's property boundari	es ☐ Treatment facility boundaries	
	\square Labeled point(s) of discharge	\square Highlighted discharge route(s)	
	\square Effluent disposal site boundar	ies ⊠ All wastewater ponds	
	\square Sewage sludge disposal site	\square New and future construction	
	Attachment: Click to enter text.	•	
c.		lge disposal site in the existing permit accurate	:?
	☐ Yes ☐ No or New Permit		
TC	If no, or a new application, providing TEQ-10411 (01/08/2024) Industrial Waster	de an accurate location description: Click to entail vater Application Administrative Report	ter text. Page 9 of 18

d.	Are the point(s) of discharge in the existing permit correct?
	☐ Yes ☐ No or New Permit
	If no, or a new application, provide an accurate location description: Click to enter text.
e.	Are the discharge route(s) in the existing permit correct?
	☐ Yes ☐ No or New Permit
	If no, or a new permit, provide an accurate description of the discharge route: $\underline{\text{Click to enter}}$ $\underline{\text{text.}}$
f.	City nearest the outfall(s): Click to enter text.
g.	County in which the outfalls(s) is/are located: Click to enter text.
h.	Is or will the treated wastewater discharge to a city, county, or state highway right-of-way, or a flood control district drainage ditch?
	□ Yes □ No
	If yes, indicate by a check mark if: \square Authorization granted \square Authorization pending
	For new and amendment applications, attach copies of letters that show proof of contact and provide the approval letter upon receipt. Attachment: <u>Click to enter text.</u>
	For all applications involving an average daily discharge of 5 MGD or more, provide the names of all counties located within 100 statute miles downstream of the point(s) of discharge: <u>Click to enter text.</u>
i.	For TLAPs, is the location of the effluent disposal site in the existing permit accurate?
	\square Yes No or New Permit \square Click to enter text.
	If no, or a new application, provide an accurate location description: Click to enter text.
j.	City nearest the disposal site: <u>Laredo</u>
k.	County in which the disposal site is located: <u>Webb</u>
l.	For TLAPs, describe how effluent is/will be routed from the treatment facility to the disposal site: <u>Click to enter text.</u>
m.	For TLAPs, identify the nearest watercourse to the disposal site to which rainfall runoff might flow if not contained: <u>Click to enter text.</u>

Item 12. Miscellaneous Information (Instructions, Page 33)

a.	Did any person formerly employed by the TCEQ represent your company and get paid for service regarding this application?
	□ Yes ⊠ No
	If yes, list each person: <u>Click to enter text.</u>
b.	Do you owe any fees to the TCEQ?
	□ Yes ⋈ No
	If yes, provide the following information:
	Account no.: Click to enter text.
	Total amount due: <u>Click to enter text.</u>
c.	Do you owe any penalties to the TCEQ?
	□ Yes ⋈ No
	If yes, provide the following information:
	Enforcement order no.: Click to enter text.
	Amount due: <u>Click to enter text.</u>

Item 13: Signature Page (Instructions, Page 33)

Permit No: WQ0004184000

Applicant Name: Webb County

Certification: I, <u>Javier Gonzalez</u>, certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

I further certify that I am authorized under 30 Texas Administrative Code §305.44 to sign and submit this document and can provide documentation in proof of such authorization upon request.

Signatory name (typed or printed): Javier Gonzalez

Signatory title: Interim Director	
Signature: (Use blue ink)	Date: 02-18-25
Subscribed and Sworn to before me by the said	er Gonzalez
on this <u>February</u> day of _	18 th , 20 25.
My commission expires on the day of	18 th , 20 27th
Notary Public Webb	JESUS ALEJANDRO CRUZ Notary Public, State of Texas Comm. Expires 08-18-2027 Notary ID 13451652-1
County, Texas	What shall be a second

Note: If co-applicants are necessary, each entity must submit an original, separate signature page.

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



INDUSTRIAL WASTEWATER PERMIT APPLICATION TECHNICAL REPORT 1.0

The following information **is required** for all applications for a TLAP or an individual TPDES discharge permit.

For **additional information** or clarification on the requested information, please refer to the <u>Instructions for Completing the Industrial Wastewater Permit Application</u>¹ available on the TCEQ website. Please contact the Industrial Permits Team at 512-239-4671 with any questions about this form.

If more than one outfall is included in the application, provide applicable information for each individual outfall. If an item does not apply to the facility, enter N/A to indicate that the item has been considered. Include separate reports or additional sheets as clearly cross-referenced attachments and provide the attachment number in the space provided for the item the attachment addresses.

NOTE: This application is for an industrial wastewater permit only. Additional authorizations from the TCEQ Waste Permits Division or the TCEQ Air Permits Division may be needed.

Item 1. Facility/Site Information (Instructions, Page 39)

a. Describe the general nature of the business and type(s) of industrial and commercial

Process p	otable water with a reverse osmosis system and rejected brine water.
)escribe	all wastewater-generating processes at the facility.
	ty processes groundwater through a reverse osmosis system and rejected brine water to
an evapo	ation points

https://www.tceq.texas.gov/permitting/wastewater/industrial/TPDES_industrial_wastewater_steps.html

Materials List		
Raw Materials	Intermediate Products	Final Products
Well water	Filter water	Drinking water
Attachment: Click to ente	er text.	
d. Attach a facility map (dra	wn to scale) with the following	g information:
 Production areas, mai and water intake struct 		dling areas, waste-disposal areas,
 The location of each usumps, impoundment outfall locations. 	nit of the WWTP including the s, outfalls, and sampling point	e location of wastewater collection ts, if significantly different from
Attachment: <u>F</u>		
e. Is this a new permit appl	ication for an existing facility?	
□ Yes ⊠ No		
If yes , provide backgr	ound discussion: Click to ente	r text.
f. Is/will the treatment facilevel.	lity/disposal site be located ab	oove the 100-year frequency flood
⊠ Yes □ No		
List source(s) used to det	ermine 100-year frequency flo	od plain: <u>FEMA</u>
protective measures are u	on of the 100-year frequency flused/proposed to prevent floo of the treatment facility and d	lood plain and describe what ding (including tail water and isposal area: Click to enter text.
Attachment: Click to ent	er text,	•
	ment permit applications, wil	l any construction operations resul
	erial into a water in the state?	
	erial into a water in the state?	

h.	If yes to Item 1.g, has the applicant applied for a USACE CWA Chapter 404 Dredge and Fill permit?						
	□ Yes □ No						
	If yes , provide the permit number: Click to enter text						
	If no , provide an approximate date of application submittal to the USACE: Click to enter text.						
It	em 2. Treatment System (Instructions, Page 40)						
a.	List any physical, chemical, or biological treatment process(es) used/proposed to treat wastewater at this facility. Include a description of each treatment process, starting with initial treatment and finishing with the outfall/point of disposal.						
	N/A						
b.	Attach a flow schematic with a water balance showing all sources of water and wastewater flow into the facility, wastewater flow into and from each treatment unit, and wastewater flow to each outfall/point of disposal.						
	Attachment: Click to enter text,						
It	em 3. Impoundments (Instructions, Page 40)						
Do	oes the facility use or plan to use any wastewater impoundments (e.g., lagoons or ponds?)						
	⊠ Yes □ No						
3.6	no, proceed to Item 4. If yes, complete Item 3.a for existing impoundments and Items 3.a - e for new or proposed impoundments. NOTE: See instructions, Pages 40-42, for additional formation on the attachments required by Items 3.a - 3.e.						
a.	Complete the table with the following information for each existing, new, or proposed impoundment. Attach additional copies of the Impoundment Information table, if needed.						
	Use Designation: Indicate the use designation for each impoundment as Treatment (T), Disposal (D), Containment (C), or Evaporation (E).						

Associated Outfall Number: Provide an outfall number if a discharge occurs or will occur.

Liner Type: Indicate the liner type as Compacted clay liner (**C**), In-situ clay liner (**I**), Synthetic/plastic/rubber liner (**S**), or Alternate liner (**A**). **NOTE:** See instructions for further detail on liner specifications. If an alternate liner (**A**) is selected, include an attachment that provides a description of the alternate liner and any additional technical information necessary for an evaluation.

Leak Detection System: If any leak detection systems are in place/planned, enter Y for yes. Otherwise, enter N for no.

Groundwater Monitoring Wells and Data: If groundwater monitoring wells are in place/planned, enter **Y** for yes. Otherwise, enter **N** for no. Attach any existing groundwater monitoring data.

Dimensions: Provide the dimensions, freeboard, surface area, storage capacity of the impoundments, and the maximum depth (not including freeboard). For impoundments with irregular shapes, submit surface area instead of length and width.

Compliance with 40 CFR Part 257, Subpart D: If the impoundment is required to be in compliance with 40 CFR Part 257, Subpart D, enter Y for yes. Otherwise, enter N for no.

Date of Construction: Enter the date construction of the impoundment commenced (mm/dd/yy).

Impoundment Information

Parameter	Pond #	Pond #	Pond #	Pond #
Use Designation: (T) (D) (C) or (E)	E			
Associated Outfall Number	N/A			
Liner Type (C) (I) (S) or (A)	С			
Alt. Liner Attachment Reference				
Leak Detection System, Y/N				
Groundwater Monitoring Wells, Y/N				
Groundwater Monitoring Data Attachment				
Pond Bottom Located Above The Seasonal High-Water Table, Y/N				
Length (ft)	200			
Width (ft)	200			
Max Depth From Water Surface (ft), Not Including Freeboard	3			
Freeboard (ft)	3			
Surface Area (acres)	2.75			
Storage Capacity (gallons)	897			
40 CFR Part 257, Subpart D, Y/N				
Date of Construction				

Attachment: Click to enter text.

The following information (Items 3.b - 3.e) is required only for new or proposed impoundments.

b.	ite		If attache				ents, attach any available information on the following ne appropriate box. Otherwise, check no or not yet
	1.	Lin	er data				
			Yes		No		Not yet designed
	2.	Lea	k detecti	on sy	stem or	grou	ndwater monitoring data
			Yes		No		Not yet designed
	3.	Gro	undwate	r imj	pacts		
			Yes		No		Not yet designed
							the bottom of the pond is not above the seasonal high- vater-bearing zone.
	At	tach	ment: Cli	ick t	enter te	ext.	
o	r T	LAP.	applicati	ons:	Items 3.	c – 3	.e are not required , continue to Item 4.
	an	d ide		ll kn			y of original quality and scale which accurately locates pply wells and monitor wells within ½-mile of the
	At	tach	ment: Cli	ick to	enter te	ext.	
ł.	da	ta or	depths	to gr	oundwat	er fo	Reports (e.g., driller's logs, completion data, etc.), and or all known water supply wells including a description of vere obtained.
	At	tach	ment: Cli	ick to	enter te	ext.	
2.	ass	sess	the poter	ntial	for migra	ation	the groundwater, soils, geology, pond liner, etc. used to of wastes from the impoundments or the potential for surface water.
	Δt	tach	ment Cli	ick to	enter te	vt	

Item 4. Outfall/Disposal Method Information (Instructions, Page 42)

Complete the following tables to describe the location and wastewater discharge or disposal operations for each outfall for discharge, and for each point of disposal for TLAP operations.

If there are more outfalls/points of disposal at the facility than the spaces provided, copies of pages 6 and/0r numbered accordingly (i.e., page 6a, 6b, etc.) may be used to provide information on the additional outfalls.

For TLAP applications: Indicate the disposal method and each individual irrigation area I, evaporation pond E, or subsurface drainage system S by providing the appropriate letter designation for the disposal method followed by a numerical designation for each disposal area in the space provided for **Outfall** number (e.g. E1 for evaporation pond 1, I2 for irrigation area No. 2, etc.).

Outfall No.	Latitude (De	cimal De	grees)	L	ongit	gitude (Decimal Degrees)			
					****	· · · · · · · · · · · · · · · · · · ·			
		and the second			***************************************				
	1								
	on Description		NAME OF THE PARTY						*
Outfall No.	Location Des	cription							
								,	
escription of	Sampling Point	(s) (if diffe	erent fro	om Outfall le	ocatio	n)			
Outfall No.	Description	of sampli	ing poi	nt					
outfall Flour									
Julian Lion II	nformation – Per	mitted an	d Propo	sed					
	Permitted	Permi	tted	Propose		Propo			icipated
Outfall No.	Permitted Daily Avg	Permi Daily	tted Max	Propose Daily Av	vg	Daily	Max	Disc	charge Date
	Permitted	Permi	tted Max	Propose	vg		Max	Disc	
	Permitted Daily Avg	Permi Daily	tted Max	Propose Daily Av	vg	Daily	Max	Disc	charge Date
	Permitted Daily Avg	Permi Daily	tted Max	Propose Daily Av	vg	Daily	Max	Disc	charge Date
Outfall No.	Permitted Daily Avg Flow (MGD)	Permi Daily Flow (tted Max (MGD)	Propose Daily Av	vg	Daily	Max	Disc	charge Date
Outfall No.	Permitted Daily Avg Flow (MGD) rge – Method an	Permi Daily Flow (tted Max (MGD)	Propose Daily Av Flow (M	vg GD)	Daily Flow (Max MGD)	Disc (mn	charge Date n/dd/yy)
Outfall No.	Permitted Daily Avg Flow (MGD)	Permi Daily Flow (tted Max (MGD)	Propose Daily Av	vg GD)	Daily Flow (Max MGD)	Disc (mn	charge Date
Outfall No.	Permitted Daily Avg Flow (MGD) rge - Method an	Permi Daily Flow (tted Max (MGD) ement Gravi	Propose Daily Av Flow (M	vg GD)	Daily Flow (Max MGD) of Flow	Disc (mn	charge Date
Outfall No.	Permitted Daily Avg Flow (MGD) rge - Method an	Permi Daily Flow (tted Max (MGD) ement Gravi	Propose Daily Av Flow (M	vg GD)	Daily Flow (Max MGD) of Flow	Disc (mn	charge Date
Outfall No.	Permitted Daily Avg Flow (MGD) rge - Method an	Permi Daily Flow (tted Max (MGD) ement Gravi	Propose Daily Av Flow (M	vg GD)	Daily Flow (Max MGD) of Flow	Disc (mn	charge Date
Outfall No. Outfall Discha Outfall No.	Permitted Daily Avg Flow (MGD) rge - Method an Pumped Disc Y/N	Permi Daily Flow (ement Gravi	Propose Daily Av Flow (M	vg GD)	Daily Flow (Max MGD) of Flow	Disc (mn	charge Date
Outfall No. Outfall Discha Outfall No.	Permitted Daily Avg Flow (MGD) rge - Method an Pumped Disc Y/N	Permi Daily Flow (ad Measur charge?	ement Gravi Y/N	Propose Daily Av Flow (M	vg GD) ge?	Type Device	Max MGD) of Flow ce Used	Disc (mn	charge Date n/dd/yy) surement
Outfall No. Outfall Discha Outfall No.	Permitted Daily Avg Flow (MGD) rge - Method an Pumped Disc Y/N	Permi Daily Flow (ement Gravi Y/N sous Sous Sous Sous Sous D	Propose Daily Av Flow (M	ge?	Daily Flow (Max MGD) of Flow	Disc (mn	charge Date

Outfall Wastestream Contributions

Outfall No. Click to enter text.

Contributing Wastestream	Volume (MGD)	Percent (%) of Total Flow
	,	
A A A A A A A A A A A A A A A A A A A		

Outfall No. Click to enter text.

Contributing Wastestream	Volume (MGD)	Percent (%) of Total Flow

Outfall No. Click to enter text.

Contributing Wastestream	Volume (MGD)	Percent (%) of Total Flow
•		

Attachment: Click to enter text.

Item 5. Blowdown and Once-Through Cooling Water Discharges (Instructions, Page 43)

a.	Indicate	if the	facility	currently	or	proposes to:
----	----------	--------	----------	-----------	----	--------------

☐ Yes ☑ No Use cooling towers that discharge blowdown or other wastestreams

☐ Yes ☒ No Use boilers that discharge blowdown or other wastestreams

 \square Yes \boxtimes No Discharge once-through cooling water

NOTE: If the facility uses or plans to use cooling towers or once-through cooling water, Item 12 **is required.**

- b. If **yes** to any of the above, attach an SDS with the following information for each chemical additive.
 - Manufacturers Product Identification Number
 - Product use (e.g., biocide, fungicide, corrosion inhibitor, etc.)
 - Chemical composition including CASRN for each ingredient
 - Classify product as non-persistent, persistent, or bioaccumulative
 - · Product or active ingredient half-life
 - Frequency of product use (e.g., 2 hours/day once every two weeks)
 - Product toxicity data specific to fish and aquatic invertebrate organisms
 - Concentration of whole product or active ingredient, as appropriate, in wastestream.

In addition to each SDS, attach a summary of the above information for each specific wastestream and the associated chemical additives. Specify which outfalls are affected.

Attachment: Click to enter text.

c. Cooling Towers and Boilers

If the facility currently or proposes to use cooling towers or boilers that discharge blowdown or other wastestreams to the outfall(s), complete the following table.

Cooling Towers and Boilers

Type of Unit	Number of Units	Daily Avg Blowdown (gallons/day)	Daily Max Blowdown (gallons/day)
Cooling Towers			
Boilers			

Item 6. Stormwater Management (Instructions, Page 44)

Will any existing/proposed outfalls discharge stormwater associated with industrial activities, as defined at 40 CFR § 122.26(b)(14), commingled with any other wastestream?

□ Yes ⊠ No

If **yes**, briefly describe the industrial processes and activities that occur outdoors or in a manner which may result in exposure of the activities or materials to stormwater: Click to enter text.

Item 7. Domestic Sewage, Sewage Sludge, and Septage Management and Disposal (Instructions, Page 44)

Domestic Sewage - Waste and wastewater from humans or household operations that is discharged to a wastewater collection system or otherwise enters a treatment works.

a.	. Check the box next to the appropriate method of domestic sewage and domestic sewage sludge treatment or disposal. Complete Worksheet 5.0 or Item 7.b if directed to do so.							
		☑ Domestic sewage is routed (i.e., connected to or transported to) to a WWTP permitted to receive domestic sewage for treatment, disposal, or both. Complete Item 7.b.						
	□ Domestic sewage disposed of by an on-site septi Item 7.b.	c tank and drainfield system. Complete						
	☐ Domestic and industrial treatment sludge ARE o	ommingled prior to use or disposal.						
	☐ Industrial wastewater and domestic sewage are t sludge IS NOT commingled prior to sludge use of							
□ Facility is a POTW. Complete Worksheet 5.0.								
☐ Domestic sewage is not generated on-site.								
	□ Other (e.g., portable toilets), specify and Comple	te Item 7.b: Click to enter text.						
	Provide the name and TCEQ, NPDES, or TPDES Perm which receives the domestic sewage/septage. If has name and TCEQ Registration No. of the hauler.							
_	lant/Hauler Name	Permit/Registration No.						
	•	, ,						
-								
It	em 8. Improvements or Compliano	ce/Enforcement						
	Requirements (Instructions,	Page 45)						
a.	Is the permittee currently required to meet any impenforcement?	olementation schedule for compliance or						
	□ Yes ⊠ No							
b.	Has the permittee completed or planned for any in	aprovements or construction projects?						
	□ Yes ⊠ No							
_		of the warnings out a and a status						
c.	If yes to either 8.a or 8.b, provide a brief summary update: Click to enter text,	or the requirements and a status						

						cute or chi n to the dis					the discharge	s or
	4000	Ye	s 🗵	No								
If	yes,	ider	ntify th	ne tests	s and d	escribe the	eir purpo	oses: Click	k to ente	r text.		
						all tests pe enter text.	erformed	d which h	ave not	oeen sub	mitted to the	TCEQ
It	em	1(). Of	f-Sit	e/Th	ird Par	ty Wa	stes (l	Instru	ctions	, Page 45)
a.						eive waste plication,					nt at the facili ll?	ity,
			Yes		No							
	If y	es,]	provid	e respo	onses to	o Items 10	.b throu	gh 10.d b	elow.			
	If n	o, p	roceec	l to Ite	m 11.							
b.	Att	ach	the fo	llowing	inforn	nation to t	he appli	cation:				
		List was		stes re	ceived (including	volumes	s, characte	erization	, and cap	ability with o	n-site
			itify the		ces of v	wastes rec	eived (in	cluding t	he legal 1	name and	d addresses of	the
	•	Des	criptio	n of th	e relati	ionship of	waste so	ource(s) w	vith the f	acility's a	activities.	
	Att	achi	nent:	Click t	o enter	text.						
C.	wit	h th	is facil		astewa						cility commin ge via the fina	
			Yes		No							
	•				-	_					umber of the to this activity	y.
	Att	achi	nent:	Click t	o enter	text.						
d.											any SIU and l TPDES program	
			Yes		No							
If y	yes,	Woı	kshee	et 6.0 o	f this a	pplication	is requi	ired.				
It	em	1]	. Ra	dioa	ctive	Mater	ials (I	nstruc	ctions,	Page	46)	
a.	Are	/wil	l radio	active	materi	als be min	ed, used	l, stored,	or proces	ssed at th	nis facility?	
			Yes	\boxtimes	No							
	-				_	ble to prov nay be pre				-	he effluent fo	r all
TC	EQ-10	0055	(01/08/	/2024) It	ndustrial	Wastewater	Permit Ap	plication T	echnical Re	eport	Page 10	of 82

Item 9. Toxicity Testing (Instructions, Page 45)

	rial Name	Concentration (pCi/L)				
radioactive mate		ave any knowledge or reason to believe that ischarge, including naturally occurring on the facility property?				
□ Yes ⊠ N	No.					
radioactive mate information pro	erials that may be present. Provided in response to Item 11.	results of one analysis of the effluent for all ovide results in pCi/L. Do not include a.				
Radioactive Material	s Present in the Discharge rial Name	Concentration (pCi/L)				
tem 12. Coo	ling Water (Instruct	ions, Page 46)				
	TILL I MICEL (ILLOCK MCC					
- WALLERS		6				
. Does the facility	use or propose to use water	for cooling purposes?				
. Does the facility □ Yes	⊠, No					
. Does the facility	465					
. Does the facility Yes If no , stop here.	☑ No If yes , complete Items 12.b to					
. Does the facility Yes If no , stop here.	☑ No If yes , complete Items 12.b to	hru 12.f.				
Does the facility ☐ Yes If no , stop here. Cooling water is	☑ No If yes , complete Items 12.b the solution of the soluti	hru 12.f.				
Does the facility ☐ Yes If no , stop here. Cooling water is ☐ Yes If yes , stop here	☑ No If yes , complete Items 12.b the solution of the soluti	hru 12.f.				
Does the facility ☐ Yes If no, stop here. Cooling water is ☐ Yes If yes, stop here. Cooling Water S	☑ No If yes , complete Items 12.b the solution of the soluti	hru 12.f. undwater source (e.g., on-site well).				
Does the facility ☐ Yes If no, stop here. Cooling water is ☐ Yes If yes, stop here. Cooling Water S 1. Provide the reserved.	☑ No If yes , complete Items 12.b the solution of the soluti	hru 12.f. undwater source (e.g., on-site well). rator(s) for the CWIS that supplies or will				
Does the facility ☐ Yes If no, stop here. Cooling water is ☐ Yes If yes, stop here Cooling Water S 1. Provide the resupply water	☑ No If yes , complete Items 12.b the solution of the owner(s) and open	hru 12.f. Indwater source (e.g., on-site well). rator(s) for the CWIS that supplies or will facility.				
I. Does the facility Yes If no, stop here. Cooling water is Yes If yes, stop here. Cooling Water S Provide the r supply water	☑ No If yes , complete Items 12.b the solution of the owner(s) and open of the for cooling purposes to the force of the cooling purposes to the cooling purpose to the cooling purposes to the cooling purpose to the cooling	hru 12.f. Indwater source (e.g., on-site well). rator(s) for the CWIS that supplies or will facility.				
Does the facility □ Yes If no , stop here. Cooling water is □ Yes If yes , stop here Cooling Water S supply water Cooling Water Intake	☑ No If yes , complete Items 12.b the solution of the owner(s) and open of the for cooling purposes to the force of the cooling purposes to the cooling purpose to the cooling purposes to the cooling purpose to the cooling	hru 12.f. Indwater source (e.g., on-site well). rator(s) for the CWIS that supplies or will facility.				

	2.	Cooling water is/will be obtained from a Public Water Supplier (PWS)
		□ Yes □ No
		If no , continue. If yes , provide the PWS Registration No. and stop here: <u>PWS No. Click</u> to enter text.
	3.	Cooling water is/will be obtained from a reclaimed water source?
		□ Yes □ No
		If no , continue. If yes , provide the Reuse Authorization No. and stop here: Click to ente text.
	4.	Cooling water is/will be obtained from an Independent Supplier
		□ Yes □ No
		If no , proceed to Item 12.d. If yes , provide the actual intake flow of the Independent Supplier's CWIS that is/will be used to provide water for cooling purposes and proceed: Click to enter text.
d.	31	6(b) General Criteria
	1.	The CWIS(s) used to provide water for cooling purposes to the facility has or will have a cumulative design intake flow of 2 MGD or greater.
		□ Yes □ No
	2.	At least 25% of the total water withdrawn by the CWIS is/will be used at the facility exclusively for cooling purposes on an annual average basis.
		□ Yes □ No
	3.	The CWIS(s) withdraw(s)/propose(s) to withdraw water for cooling purposes from surface waters that meet the definition of Waters of the United States in 40 CFR § 122.2.
		□ Yes □ No
		If no , provide an explanation of how the waterbody does not meet the definition of Waters of the United States in 40 CFR § 122.2: Click to enter text.
		to all three questions in Item 12.d, the facility meets the minimum criteria to be subject full requirements of Section 316(b) of the CWA. Proceed to Item 12.f .
be	suk	to any of the questions in Item 12.d, the facility does not meet the minimum criteria to bject to the full requirements of Section 316(b) of the CWA; however, a determination is ed based upon BPJ. Proceed to Item 12.e .
e.		e facility does not meet the minimum requirements to be subject to the fill requirement. Section 316(b) and uses/proposes to use cooling towers.
		Yes 📮 No
		yes, stop here. If no , complete Worksheet 11.0, Items 1.a, 1.b.1-3 and 6, 2.b.1, and 3.a to ow for a determination based upon BPJ.
f.	Oil	and Gas Exploration and Production
	1.	The facility is subject to requirements at 40 CFR Part 435, Subparts A or D.

TCEQ-10055 (01/08/2024) Industrial Wastewater Permit Application Technical Report

Page 12 of 82

		If yes , continue. If no , skip to Item 12.g.
	2.	The facility is an existing facility as defined at 40 CFR \S 125.92(k) or a new unit at an existing facility as defined at 40 CFR \S 125.92(u).
		☐ Yes ☐ No
		If yes , complete Worksheet 11.0, Items 1.a, 1.b.1-3 and 6, 2.b.1, and 3.a to allow for a determination based upon BPJ. If no , skip to Item 12.g.3.
Ţ.	Co	ompliance Phase and Track Selection
	1.	Phase I – New facility subject to 40 CFR Part 125, Subpart I
		□ Yes □ No
		If yes , check the box next to the compliance track selection, attach the requested information, and complete Worksheet 11.0, Items 2 and 3, and Worksheet 11.2.
		□ Track I – AIF greater than 2 MGD, but less than 10 MGD
		 Attach information required by 40 CFR §§ 125.86(b)(2)-(4).
		☐ Track I – AIF greater than 10 MGD
		 Attach information required by 40 CFR § 125.86(b).
		□ Track II
		 Attach information required by 40 CFR § 125.86(c).
		Attachment: Click to enter text.
	2.	Phase II – Existing facility subject to 40 CFR Part 125, Subpart J
		□ Yes □ No
		If yes, complete Worksheets 11.0 through 11.3, as applicable.
	3.	Phase III – New facility subject to 40 CFR Part 125, Subpart N
		□ Yes □ No
		If yes , check the box next to the compliance track selection and provide the requested information.
		□ Track I – Fixed facility
		 Attach information required by 40 CFR § 125.136(b) and complete Worksheet 11.0, Items 2 and 3, and Worksheet 11.2.
		☐ Track I – Not a fixed facility
		 Attach information required by 40 CFR § 125.136(b) and complete Worksheet 11.0, Item 2 (except CWIS latitude/longitude under Item 2.a).
		☐ Track II – Fixed facility
		 Attach information required by 40 CFR § 125.136(c) and complete Worksheet 11.0, Items 2 and 3.
		TO WIND

Attachment: Click to enter text.

Item 13. Permit Change Requests (Instructions, Page 48) This item is only applicable to existing permitted facilities. a. Is the facility requesting a major amendment of an existing permit? Yes No If yes, list each request individually and provide the following information: 1) detailed information regarding the scope of each request and 2) a justification for each request. Attach any supplemental information or additional data to support each request. Click to enter text. b. Is the facility requesting any **minor amendments** to the permit? No If **yes**, list and describe each change individually. Click to enter text. c. Is the facility requesting any **minor modifications** to the permit? No If **yes**, list and describe each change individually. Click to enter text.

Item 14. Laboratory Accreditation (Instructions, Page 49)

All laboratory tests performed must meet the requirements of *30 TAC Chapter 25*, *Environmental Testing Laboratory Accreditation and Certification*, which includes the following general exemptions from National Environmental Laboratory Accreditation Program (NELAP) certification requirements:

- The laboratory is an in-house laboratory and is:
 - o periodically inspected by the TCEQ; or
 - o located in another state and is accredited or inspected by that state; or
 - o performing work for another company with a unit located in the same site; or
 - performing pro bono work for a governmental agency or charitable organization.
- · The laboratory is accredited under federal law.
- The data are needed for emergency-response activities, and a laboratory accredited under the Texas Laboratory Accreditation Program is not available.
- The laboratory supplies data for which the TCEQ does not offer accreditation.

The applicant should review 30 TAC Chapter 25 for specific requirements.

The following certification statement shall be signed and submitted with every application. See the *Signature Page* section in the Instructions, for a list of designated representatives who may sign the certification.

CERTIFICATION:

I certify that all laboratory tests submitted with this application meet the requirements of 30 TAC Chapter 25, Environmental Testing Laboratory Accreditation and Certification.

Printed Name: Javier Gonzalez

Title: Interim Director

Signature:

Date: 02-18-25

Attachment Index


Attachment	Title	
Α	Original USGS Topographic Map	•
В	Site Drawing	
С	Flow Diagram	
D	Core Data Form	
E	PLS	

	4.4.	- 1-			- 1	
А	tta	cn	m	eı	nt	A

Original USGS Topographic Map

٨	tta	ah	-	-	-4	D
Δ	ma	cn	m	e	nt	н

Site Drawing





Webb County WQ0004184000 March 2025



	-		
Atta	abe		
Alla		пе	11 6

Flow Diagram





Attachment D	
 Core Data Form	

23. Street Addres	s of											
the Regulated En	tity:											
(No PO Boxes)		City	T		State		ZIP				ZIP+4	
24. County	72.7	Webb	1		June		20					
····												
			if no S	treet Ad	dress is prov	ided, field	is 25-28	are re	equired.			
25. Description to Physical Location		North of Sta	ite Highway 5	9, approx	imately 15 mile	es east of L	aredo, TX	78046	5			
26. Nearest City			-				*		State		Nea	erest ZIP Code
aredo									TX	•	780	46
.atitude/Longitu	de are re	quired and	may be add	ded/upd	ated to meet	TCEQ Con	e Data S	tando	ards. (Ge	ocoding o	f the Physica	l Address may b
used to supply co	ordinate	s where no	ne have bee	n provid	led or to gair	accuracy	1).					
27. Latitude (N) li	Decima	d:				28	. Longitu	ude (V	N) In Dec	imal:		
Degrees		Minutes		Seco	nds	De	grees			Minutes		Seconds
10. Daimer etc. o		20	Const.	CIC C- 2		21 0.4	anne ki a	ICC C	ndo.	22.0	conda NA	Cs Code
29. Primary SIC Co 4 digits)	ode		Secondary (oic Code		31. Prir (5 or 6 d	nary NAI digits)	ال المارة ا	oue		condary NAI digits)	Coue Coue
1941						221310						
33. What is the P	rimary B	usiness of t	this entity?	(Do not i	repeat the SIC	or NAICS de	escription.)		-1		
Water Treatment Pl												
	1	515 Marth	a Drive									
4. Mailing												
Address:	,		1			1			1			
· · · · · · · · · · · · · · · · · · ·	7.	City	Rio Bravo		State	TX		ZIP	78046		ZIP+4	
5. E-Mail Addres	SS:	refle	ores@webbc	ountytx.g	v							
6. Telephone Nu	ımber	·		37.	Extension o	r Code		38. F	ax Numb	er (if appl	içable)	
956) 480-8214								() -			
TCEQ Programs					ite in the pern	nits/registra	ation num	bers th	hat will be	affected b	y the updates s	submitted on this
m. See the Core Dat	a Form in	Structions fo			wards Aguifer		Пс	micrior	ns Invento	nc Air	Industri	al Hazardous Was
☐ Dam Safety		LIUISI	incis	LIEU	warus Aquiter			11133101	IIS HIVEIRG	ly Au	indostri	or riazai dodo vvas
		I Ne	w Source	-		~	-				1-	
Municipal Solid	Waste	Review		OS	SF		☐ Pe	Petroleum Storage Tank		PWS		
Sludge		Sto	rm Water	Tit	le V Air		ПП	Tires		☐ Used O	I	
☐ Voluntary Clean	ир	₩a	stewater	☐ Wa	istewater Agri	culture	ture Water Rights				Other:	
		WQ000	04184000									
ECTION 1	V: P	repar	er Inf	orma	ation							
7						A4	da.	14/		afa llat		
	phanie La					41. Tit			water Spe	rigiist		
2. Telephone Nu	mber	43. Ext.	/Code	44. Fax	Number		-Mail Ac					*****
281) 658-5899				()	-	steph	nanie@lar	ndsmar	nenviro.co	m		
ECTION V	V: A	uthor	ized S	igna	ture							
. By my signature b	elow, I cei	tify, to the b	est of my kno	wledge, t	hat the inform	ation provi required fo	ded in this	s form	is true and	d complete imbers ide	e, and that I hav	ve signature autho 39.
	1	of the entity specified in Section II, Field 6 and/or as re			1	Job Title: Interim Director						
	Webb	County				Job T	itle:	Inter	rim Directo	ır		
Company:	-	County	-			Job T	itle:	Inter		one:	(956)480-8	3214

TCEQ-10400 (11/22)

Attachment E					
PLS					

TCEQ

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

PLAIN LANGUAGE SUMMARY FOR TPDES OR TLAP PERMIT APPLICATIONS

Plain Language Summary Template and Instructions for Texas Pollutant Discharge Elimination System (TPDES) and Texas Land Application (TLAP) Permit Applications

Applicants should use this template to develop a plain language summary as required by <u>Title 30, Texas Administrative Code (30 TAC)</u>, <u>Chapter 39, Subchapter H</u>. Applicants may modify the template as necessary to accurately describe their facility as long as the summary includes the following information: (1) the function of the proposed plant or facility; (2) the expected output of the proposed plant or facility; (3) the expected pollutants that may be emitted or discharged by the proposed plant or facility; and (4) how the applicant will control those pollutants, so that the proposed plant will not have an adverse impact on human health or the environment.

Fill in the highlighted areas below to describe your facility and application in plain language. Instructions and examples are provided below. Make any other edits necessary to improve readability or grammar and to comply with the rule requirements.

If you are subject to the alternative language notice requirements in <u>30 TAC Section 39.426</u>, you must provide a translated copy of the completed plain language summary in the appropriate alternative language as part of your application package. For your convenience, a Spanish template has been provided below.

ENGLISH TEMPLATE FOR TPDES or TLAP NEW/RENEWAL/AMENDMENT APPLICATIONS Enter 'INDUSTRIAL' or 'DOMESTIC' here WASTEWATER/STORMWATER

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 TAC Chapter 39. The information provided in this summary may change during the technical review of the application and is not a federal enforceable representation of the permit application.

Webb County (CN600612758) operates Webb County Colorado Acres Water Treatment Plant (RN101613073), an industrial wastewater treatment facility. The facility is located at north of state highway 59, approximately 15 miles east of Laredo TX, in Laredo, Webb County, Texas 78046. Request for renewal of permit authorizing the evaporation of 9.500 GPD of reverse osmosis water. This permit will not authorize a discharge of pollutants into water in the state.

Discharges from the facility are expected to contain 14. List all expected pollutants here. Reverse osmosis treatment water will be treated by evaporation.

PLANTILLA EN ESPAÑOL PARA SOLICITUDES NUEVAS/RENOVACIONES/ENMIENDAS DE TPDES o TLAP

AGUAS RESIDUALES Introduzca 'INDUSTRIALES' o 'DOMÉSTICAS' aquí /AGUAS PLUVIALES

El siguiente resumen se proporciona para esta solicitud de permiso de calidad del agua pendiente que está siendo revisada por la Comisión de Calidad Ambiental de Texas según lo requerido por el Capítulo 39 del Código Administrativo de Texas 30. La información proporcionada en este resumen puede cambiar durante la revisión técnica de la solicitud y no es una representación ejecutiva fedérale de la solicitud de permiso.

El Condado de Webb (CN600612758) opera la Planta de Tratamiento de Agua Colorado Acres del Condado de Webb (RN101613073), una instalación de tratamiento de aguas residuales industriales. La instalación está ubicada al norte de State Highway 59, aproximadamente a 15 millas al este de Laredo TX, en Laredo, Condado de Webb, Texas 78046. Solicitud de renovación de permiso que autoriza la evaporación de 9,500 GPD de agua por ósmosis inversa. Este permiso no autorizará una descarga de contaminantes al agua del estado.

Se espera que las descargas de la instalación contengan 14. Enumere aquí todos los contaminantes esperados. El agua del tratamiento por ósmosis inversa será tratada por evaporación.

INDUSTRIAL WASTEWATER PERMIT APPLICATION **WORKSHEET 1.0: EPA CATEGORICAL EFFLUENT GUIDELINES**

This worksheet is required for all applications for TPDES permits for discharges of wastewaters subject to EPA categorical effluent limitation guidelines (ELGs).

Item 1. Categ	orical Industries	(Instructions, Pa	ge 53)
Is this facility subject	ct to any 40 CFR categoric	al ELGs outlined on page	53 of the instructions?
☐ Yes ⊠ N	0		
If no , this workshee	t is not required. If yes , pr	rovide the appropriate in	formation below.
40 CFR Effluent Guid	eline		
Industry		40	CFR Part
			To the second se
	The second secon		
Itom 2 Dwady	ration (Drogges Do	to (Twaterious	Dogo E4)
The second secon	uction/Process Da	and the second section of the second	and an let
of oil and gas explor	S permit applications requestion and production was der the Oil and Gas Extraction 2 instead	tewater (discharges into	or adjacent to water in
a. Production Data		an antilo mundonation bossi	l officer and limitations
* * *	data for effluent guidelin	es with production-based	t efficient limitations.
Production Data	Actival Ovantity /Day	Design Overtity/Day	Units
Subcategory	Actual Quantity/Day	Design Quantity/Day	Units
			<u> </u>
	N. P. C.		
		1	

Facility is not in operation.

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 2.0: POLLUTANT ANALYSIS

Worksheet 2.0 **is required** for all applications submitted for a TPDES permit. Worksheet 2.0 is not required for applications for a permit to dispose of all wastewater by land disposal or for discharges solely of stormwater associated with industrial activities.

Item 1. General Testing Requirements (Instructions, Page 55)

- a. Provide the date range of all sampling events conducted to obtain the analytical data submitted with this application (e.g., 05/01/2018-05/30/2018): <u>Click to enter text.</u>
- b. \square Check the box to confirm all samples were collected no more than 12 months prior to the date of application submittal.
- c. Read the general testing requirements in the instructions for important information about sampling, test methods, and MALs. If a contact laboratory was used, attach a list which includes the name, contact information, and pollutants analyzed for each laboratory/firm. Attachment: Click to enter text.

Item 2. Specific Testing Requirements (Instructions, Page 56)

Attach correspondence from TCEQ approving submittal of less than the required number of samples, if applicable. **Attachment:** <u>Click to enter text.</u>

TABLE 1 and TABLE 2 (Instructions, Page 58)

Completion of Tables 1 and 2 is required for all external outfalls for all TPDES permit applications.

Pollutant	Sample 1 (mg/L)	Sample 2 (mg/L)	Sample 3 (mg/L)	Sample 4 (mg/L)
BOD (5-day)				
CBOD (5-day)				
Chemical oxygen demand				
Total organic carbon				
Dissolved oxygen		***		
Ammonia nitrogen				
Total suspended solids				
Nitrate nitrogen				
Total organic nitrogen				
Total phosphorus				
Oil and grease				
Total residual chlorine		,		1

INDUSTRIAL WASTEWATER PERMIT APPLICATION **WORKSHEET 3.0: LAND APPLICATION OF EFFLUENT**

This worksheet is required for all applications for a permit to disposal of wastewater by land application (i.e., TLAP)).

Item 1. Type of Disposal System (Instructions, Page 69)

Check the box next to the type of land disposal requested by this application:

	Irrigation		Subsurface application				
\boxtimes	Evaporation		Subsurface soils absorption				
	Evapotranspiration beds		Surface application				
	Drip irrigation system		Other, specify: Click to enter text.				
Ito	Item 2 Land Application Area (Instructions Page 69)						

Land Application Area Information

Effluent Application (gallons/day)	Irrigation Acreage (acres)	Describe land use & indicate type(s) of crop(s)	Public Access? (Y/N)
	1		

Item 3. Annual Cropping Plan (Instructions, Page 69)

Attach the required cropping plan that includes each of the following:

- Cool and warm season plant species
- Breakdown of acreage and percent of total acreage for each crop
- Crop growing season
- Harvesting method/number of harvests
- Minimum/maximum harvest height
- Crop yield goals
- Soils map
- Nitrogen requirements per crop
- Additional fertilizer requirements
- Supplemental watering requirements
- Crop salt tolerances
- Justification for not removing existing vegetation to be irrigated

Attachment:

Item 4. Well and Map Information (Instructions, Page 70)

a.		eck eac GS map		equired inform	nation is shown and labe	eled on the attached				
		The ex	xact boundaries of the	land applicati	on area					
		On-site buildings								
		Waste-disposal or treatment facilities								
		Efflue	nt storage and tailwate	er control facil	lities					
		Buffer	zones							
		All su	rface waters in the stat	te onsite and v	within 500 feet of the pr	operty boundaries				
	□ bou	All wa indarie		e of the dispos	sal site, wastewater pond	ds, or property				
		All sp	rings and seeps onsite	and within 50	00 feet of the property b	oundaries				
	Atta	achmer	nt: <u>Click to enter text.</u>							
	was	stewate essary		oundaries in t	on or within 500 feet of he following table. Attac					
M	ell I	D	Well Use	Producing?	Open, cased, capped,	Proposed Best				
				Y/N/U	or plugged?	Management Practice				
						,				
At	tach	ment:]	N/A		I					
C.			ter monitoring wells on n site or wastewater po	•	re/will be installed arou	nd the land				
		□ Ye	s 🗆 No							
	site lysi	map a	ttached for Item 4.a. A	dditionally, at	of the monitoring wells tach information on the g parameters for TCEQ r	depth of the wells or				
	Atta	achme	nt: Click to enter text.							
d.		ach a sl achme	0	nical report us	sing 30 TAC § 309.20(a	(4) as guidance.				

Item 5. Soil Map and Soil Information (Instructions, Page 71)

Check each box to confirm that the following information is attached:

- a. USDA NRCS Soil Survey Map depicting the area to be used for land application with the locations identified by fields and crops.
- b.

 Breakdown of acreage and percent of total acreage for each soil type.
- c.

 Copies of laboratory soil analyses. Attachment: Click to enter text.

Item 6. Effluent Monitoring Data (Instructions, Page 72)

a. Completion of Table 14 **is required** for all **renewal** and **major amendment** applications. Complete the table with monitoring data for the previous two years for all parameters regulated in the current permit. An additional table has been provided with blank headers for parameters regulated in the current permit which are not listed in Table 14.

Date Daily Avg BOD5 TSS			Nitrogen	e (check one): Conductivity	Composite ☐ Grab Total Hydraulic		
(mo/yr)	Flow (gpd)	(mg/L)	(mg/L)	(mg/L)	(mmhos/cm)	acres irrigated	Hydraulic Application rate (acre-feet/month)
				1			
				-			
A AND AND AND AND AND AND AND AND AND AN							
							A. W. Carlotte
-							

Date (mo/yr)	Daily Avg Flow (gpd)	BOD5 (mg/L)	TSS (mg/L)	Nitrogen (mg/L)	Conductivity (mmhos/cm)	Total acres irrigated	Hydraulic Application rate (acre-feet/month)

b. Use this table to provide effluent analysis for parameters regulated in the current permit which are not listed in Table 14.

Additional Parameter Effluent Analysis

Date (mo/yr)				
			 1	
		,		

c. Attach an explanation of all persistent excursions to permitted parameters and corrective actions taken. Attachment: <u>Click to enter text.</u>

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 3.1: SURFACE LAND APPLICATION AND APPLICATION

This worksheet **is required** for all applications for a permit to disposal of wastewater by surface land application or evaporation.

Item 1. Edwards Aquifer (Instructions, Page 73)

a. Is the facility subject to 30 TAC Chapter 213, Edwards Aquifer Rules?

□ Yes ⋈ No
If no, proceed to Item 2. If yes, complete Items 1.b and 1.c.
b. Check the box next to the subchapter applicable to the facility.
□ 30 TAC Chapter 213, Subchapter A
□ 30 TAC Chapter 213, Subchapter B
c. If 30 TAC Chapter 213, Subchapter A applies, attach either: 1) a Geologic Assessment (if conducted in accordance with 30 TAC § 213.5) or 2) a report that contains the following:

A description of the surface geological units within the proposed land application site and wastewater pond area.
The location and extent of any sensitive recharge features in the land application site and wastewater pond area

Attachment: Click to enter text.

Item 2. Surface Spray/Irrigation (Instructions, Page 73)

A list of any proposed BMPs to protect the recharge features.

a. Provide the following information on the irrigation operations:

Area under irrigation (acres): Click to enter text.

Design application rate (acre-ft/acre/yr): Click to enter text.

Design application frequency (hours/day): Click to enter text.

Design application frequency (days/week): Click to enter text.

Design total nitrogen loading rate (lbs nitrogen/acre/year): Click to enter text.

Average slope of the application area (percent): Click to enter text.

Maximum slope of the application area (percent): Click to enter text.

Irrigation efficiency (percent): Click to enter text.

Effluent conductivity (mmhos/cm): Click to enter text.

Soil conductivity (mmhos/cm): Click to enter text.

Curve number: Click to enter text.

Describe the application method and equipment: Click to enter text

b. Attach a detailed engineering report which includes a water balance, storage volume calculations, and a nitrogen balance. **Attachment:** <u>Click to enter text.</u>

Item 3. Evaporation Ponds (Instructions, Page 74)

- a. Daily average effluent flow into ponds: 13,400 gallons per day
- b. Attach a separate engineering report of evaporation calculations for average long-term and worst-case critical conditions. **Attachment:** G

Item 4. Evapotranspiration Beds (Instructions, Page 74)

a. Provide the following information on the evapotranspiration beds:

Number of beds: Click to enter text.

Area of bed(s) (acres): Click to enter text.

Depth of bed(s) (feet): Click to enter text.

Void ratio of soil in the beds: Click to enter text.

Storage volume within the beds (include units): Click to enter text.

Description of any lining to protect groundwater: Click to enter text.

- b. Attach a certification by a licensed Texas professional engineer that the liner meets TCEQ requirements. Attachment: Click to enter text.
- c. Attach a separate engineering report with water balance, storage volume calculations, and description of the liner. **Attachment:** <u>Click to enter text.</u>

Item 5. Overland Flow (Instructions, Page 74)

a. Provide the following information on the overland flow:

Area used for application (acres): Click to enter text.

Slopes for application area (percent): Click to enter text.

Design application rate (gpm/foot of slope width): Click to enter text.

Slope length (feet): Click to enter text.

Design BOD5 loading rate (lbs BOD5/acre/day): Click to enter text.

Design application frequency (hours/day): Click to enter text.

Design application frequency (days/week): Click to enter text.

b. Attach a separate engineering report with the method of application and design requirements according to *30 TAC § 217.212*. **Attachment:** Click to enter text.

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 6.0: INDUSTRIAL WASTE CONTRIBUTION

The following information **is required** for all applications for publicly-owned treatment works (POTWs).

For an explanation of the terms used in this worksheet, refer to the General Definitions on pages 4-12 and the Definitions Relating to Pretreatment on pages 13-14 of the Instructions.

Item 1. All POTWs (Instructions, Page 86)

a. Complete the following table with the number of each type of industrial users (IUs) that discharge to the POTW and the daily average flows from each.

Industrial	User	Info	ormation
-------------------	------	------	----------

Type of Industrial User	Number of Industrial Users	Daily Average Flow (gallons per day)
CIU	0	
SIU - Non-categorical	0	
Other IU	0	
☐ Yes ☒ No	(s), duration, nature of interfere	nce, and probable cause(s) and
caused the interference		ne names of the IU(s) that may have
□ Yes ⊠ No	O .	
probable cause(s) and p		through the treatment plant, and hrough event. Include the names of to enter text.
d. Does the POTW have, or	r is it required to develop, an ap	proved pretreatment program?
□ Yes ⊠ No	o	
If yes , answer all questi	ions in Item 2 and skip Item 3.	
If no , skip Item 2 and a	nswer all questions in Item 3 fo	r each SIU and CIU.

Item 2. POTWs With Approved Pretreatment Programs or Those Required To Develop A Pretreatment Program (Instructions, Page 86)

		(Ins	truc	tions, Page 86)	
a.		pretreatment)) for approval			
		Yes		No	
~~	TO 100F	. (07 (00)	(0004) 7	lander of the control	Dans #4 -

	If yes , include an attachme been submitted to the TCE				ons that have not					
	Attachment: Click to enter text.									
b. Have there been any non-substantial modifications to the POTW's approved p program that have not been submitted to the Approval Authority (TCEQ)?										
	□ Yes □ No									
	If yes , include an attachment which identifies all non-substantial modifications that have not been submitted to the TCEQ and the purpose of the modification.									
	Attachment: Click to enter text.									
	List all parameters measured last three years:	•	n the POTW	l's effluent mo	nitoring during the					
	fluent Parameters Measured A ollutant	Concentration	MAL	Units	Date					
-										
_										
	Attachment: Click to enter	text.	1							
d.	Has any SIU, CIU, or other linterference or pass-throug	U caused or contri			ns (excluding					
	□ Yes □ No									
	If yes , provide a description problems, and probable polymay have caused or contributions.	llutants. Include th	ne name(s) o	of the SIU(s)/CI	U(s)/other IU(s) that					
It	em 3. Significant I	ndustrial Use ation (Instru			H. 회복구를 제어되었다. 2014년에 발표한 1200년 위치 (17 km)					
D(OTWs that do not have an ap	to the state of th	and and he is a to face me							
	llowing information for each		iit program	die required	·					
a.	Mr. or Ms.: N/A First/Last Name: Click to enter text.									
	Organization Name: <u>Click to enter text.</u> SIC Code: <u>Click to enter text.</u>									
	Phone number: Click to en	ter text. En	Email address: Click to enter text.							
	Physical Address: Click to		ity/State/ZI	P Code: Click to	o enter text.					
	Attachment Click to enter	tovt								

b. Describe the industrial processes or other activities that affect or contribute to the SIU(s) or CIU(s) discharge (e.g., process and non-process wastewater): <u>Click to enter text.</u>

Effluent Type		Discharge Day (gallons per day)		Discharge Frequency (Continuous, batch, or intermittent		
Process Wastew		P	- (,		
Non-process W	astewater					
instructio Yes 2. Is the SIU Yes If yes, provid	or CIU subject ons? No subject to cate No le the category	egorical pretreatment	standards?			
	retreatment St ategorical Pretre Subcategory 40 CFR	eatment Standards	Subcategory in 40 CFR	Subcategory in 40 CFR		
		or contributed to any polockages) at the POTV		years?		

Leah Whallon

From: Stephanie Landsman < stephanie@landsmanenviro.com>
Sent: Tuesday, April 8, 2025 9:16 AM
To: Leah Whallon

To:Leah WhallonSubject:WQ0004184000

Attachments: Webb County (CA) Revised Technical Report.pdf

Follow Up Flag: Follow up Flag Status: Flagged

--

Stephanie Landsman Wastewater Specialist Landsman Environmental LLC 9597 Jones Road #962 Jersey Village, TX 77065 (281)-658-5899



Leah Whallon


From: Stephanie Landsman < stephanie@landsmanenviro.com>

Sent: Tuesday, April 8, 2025 9:17 AM

To: Leah Whallon Subject: WQ0004184000

Attachments: Webb County (CA) Revised Worksheets and Attachments.pdf

Follow Up Flag: Follow up Flag Status: Flagged



--

Stephanie Landsman Wastewater Specialist Landsman Environmental LLC 9597 Jones Road #962 Jersey Village, TX 77065 (281)-658-5899





TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

INDUSTRIAL WASTEWATER PERMIT APPLICATION CHECKLIST

Complete and submit this checklist with the industrial wastewater permit application.

APPLICANT NAME: Webb County

PERMIT NUMBER (If new, leave blank): $WQ00\underline{4184000}$

Indicate if each of the following items is included in your application.

	Y	N		Y	N
Administrative Report 1.0			Worksheet 8.0		\boxtimes
Administrative Report 1.1		\boxtimes	Worksheet 9.0		\boxtimes
SPIF			Worksheet 10.0		\boxtimes
Core Data Form	\boxtimes		Worksheet 11.0		\boxtimes
Summary of Application (PLS)	\boxtimes		Worksheet 11.1		\boxtimes
Public Involvement Plan Form			Worksheet 11.2		\boxtimes
Technical Report 1.0	\boxtimes		Worksheet 11.3		\boxtimes
Worksheet 1.0			Original USGS Map	\boxtimes	
Worksheet 2.0	\boxtimes		Affected Landowners Map		
Worksheet 3.0	\boxtimes		Landowner Disk or Labels		\boxtimes
Worksheet 3.1		\boxtimes	Flow Diagram	\boxtimes	
Worksheet 3.2		\boxtimes	Site Drawing	\boxtimes	
Worksheet 3.3		\boxtimes	Original Photographs		\boxtimes
Worksheet 4.0		\boxtimes	Design Calculations		\boxtimes
Worksheet 4.1		\boxtimes	Solids Management Plan		\boxtimes
Worksheet 5.0		\boxtimes	Water Balance		\boxtimes
Worksheet 6.0	\boxtimes				
Worksheet 7.0					
For TCEQ Use Only					
Segment Number Expiration Date					

	GENERAL SERVICE	The second		
Perr	nit	NIXX	mh	MA
			88888	I with the



Expiration Date

Permit Number _

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

INDUSTRIAL WASTEWATER PERMIT APPLICATION ADMINISTRATIVE REPORT 1.0

This report is required for all applications for TPDES permits and TLAPs, except applications for oil and gas extraction operations subject to 40 CFR Part 435. Contact the Applications Review and Processing Team at 512-239-4671 with any questions about completing this report.

Applications for oil and gas extraction operations subject to 40 CFR Part 435 must use Oil and Gas Exploration and Production Administrative Report (TCEQ Form-20893 and 20893-inst¹).

Ite	em 1. Application Information and Fees (Instructions, Page 26)				
a.	Complete each field with the requested information, if applicable.				
	Applicant Name: Webb County				
	Permit No.: WO0004184000				
	EPA ID No.: TX0Click to enter text.				
	Expiration Date: $5/1/2025$				
b.	Check the box next to the appropriate authorization type.				
	☑ Industrial Wastewater (wastewater and stormwater)				
	☐ Industrial Stormwater (stormwater only)				
	☐ Reverse Osmosis Water Treatment (reverse osmosis water treatment wastewaters only)				
c.	Check the box next to the appropriate facility status.				
	⊠ Active □ Inactive				
d.	Check the box next to the appropriate permit type.				
	☐ TPDES Permit ☐ TPDES with TLAP component				
e.	Check the box next to the appropriate application type.				
	□ New				
	☐ Renewal with changes ☐ Renewal without changes				
	☐ Major amendment with renewal ☐ Major amendment without renewal				
	☐ Minor amendment without renewal				
	☐ Minor modification without renewal				
f.	If applying for an amendment or modification, describe the request: <u>Click to enter text.</u>				
For	TCEQ Use Only				
Ses	ement Number County				

Region

¹ <u>https://www.tceq.texas.gov/publications/search_forms.html</u> TCEQ-10411 (09/13/2024) Industrial Wastewater Application Administrative Report

g. Application Fee

EPA Classification	New	Major Amend. (with or without renewal)	Renewal (with or without changes)	Minor Amend. / Minor Mod. (without renewal)
Minor facility not subject to EPA categorical effluent guidelines	□ \$350	□ \$350	⊠ \$315	□ \$150
(40 CFR Parts 400-471)				
Minor facility subject to EPA categorical effluent guidelines (40 CFR Parts 400-471)	□ \$1,250	□ \$1,250	□ \$1,215	□ \$150
Major facility	N/A ²	□ \$2,050	□ \$2,015	□ \$450

h. Payment Information

Mailed

Check or money order No.: <u>Click to enter text.</u>

Check or money order amt.: Click to enter text.

Named printed on check or money order: Click to enter text.

Epay

Voucher number: <u>757626/757627</u> Copy of voucher attachment: <u>F</u>

Item 2. Applicant Information (Instructions, Pages 26)

a. Customer Number, if applicant is an existing customer: <u>CN600612758</u> **Note:** Locate the customer number using the <u>TCEQ's Central Registry Customer Search</u>³.

b. Legal name of the entity (applicant) applying for this permit: Webb County

Note: The owner of the facility must apply for the permit. The legal name must be spelled exactly as filed with the TX SOS, Texas Comptroller of Public Accounts, County, or in the legal documents forming the entity.

c. Name and title of the person signing the application. (**Note:** The person must be an executive official that meets signatory requirements in 30 TAC § 305.44.)

Prefix: Click to enter text.

Full Name (Last/First Name): Gonzalez, Javier

Title: Interim Director

Credential: Click to enter text.

d. Will the applicant have overall financial responsibility for the facility?

⊠ Yes □ No

² All facilities are designated as minors until formally classified as a major by EPA.

³ https://www15.tceq.texas.gov/crpub/index.cfm?fuseaction=cust.CustSearch

Note: The entity with overall financial responsibility for the facility must apply as a coapplicant, if not the facility owner.

Item 3. Co-applicant Information (Instructions, Page 27)

☑ Check this box if there is no co-applicant.; otherwise, complete the below questions.

a. Legal name of the entity (co-applicant) applying for this permit: <u>Click to enter text.</u>
 Note: The legal name must be spelled exactly as filed with the TX SOS, Texas Comptroller of Public Accounts, County, or in the legal documents forming the entity.

b. Customer Number (if applicant is an existing customer): <u>CNClick to enter text.</u>

Note: Locate the customer number using the TCEQ's Central Registry Customer Search.

c. Name and title of the person signing the application. (**Note:** The person must be an executive official that meets signatory requirements in 30 TAC § 305.44.)

Prefix: Click to enter text. Full Name (Last/First Name): Click to enter text.

Title: Click to enter text. Credential: Click to enter text.

d. Will the co-applicant have overall financial responsibility for the facility?

☐ Yes ☐ No

Note: The entity with overall financial responsibility for the facility must apply as a coapplicant, if not the facility owner.

Item 4. Core Data Form (Instructions, Pages 27)

a. Complete and attach one Core Data Form (TCEQ Form 10400) for each customer (applicant and co-applicant(s)). If the customer type selected on the Core Data Form is Individual, complete Attachment 1 of the Administrative Report. Attachment: <u>D</u>

Item 5. Application Contact Information (Instructions, Page 27)

Provide names of two individuals who can be contacted about this application. Indicate if the individual can be contacted about administrative or technical information, or both.

a. ⊠ Administrative Contact . ☐ Technical Contact

Prefix: Ms. Full Name (Last/First Name): Landsman, Stephanie

Title: Click to enter text. Credential: Click to enter text.

Organization Name: <u>Landsman Environmental</u>, <u>LLC</u>

Mailing Address: 9597 Jones Road #962 City/State/Zip: <u>Jersey Village</u>, TX 77065

Phone No: 281-658-5899 Email: stephanie@landsmanenviro.com

b. ☐ Administrative Contact ☐ Technical Contact

Prefix: Mr. Full Name (Last/First Name): Hernandez, Jaime

Title: <u>Customer Service Technician</u> Credential: <u>Click to enter text.</u>

Organization Name: Webb County

Mailing Address: 515 Martha Drive City/State/Zip: Rio Bravo, TX 78046

TCEQ-10411 (09/13/2024) Industrial Wastewater Application Administrative Report

Page 6 of 20

Phone No: <u>956-480-8214</u> Email: <u>jjhernandez@webbcountytx.gov</u>

Attachment: Click to enter text.

Item 6: Permit Contact Information (Instructions, Page 28)

Provide two names of individuals that can be contacted throughout the permit term.

a. Prefix: Mr. Full Name (Last/First Name): Gonzalez, Javier

Title: Interim Director Credential: Click to enter text.

Organization Name: Webb County

Mailing Address: 515 Martha Drive City/State/Zip: Rio Bravo, TX 78046

Phone No: 956-480-8214 Email: javierg@webbcountytx.gov

b. Prefix: Mr. Full Name (Last/First Name): Chapa, Diego

Title: Click to enter text. Credential: Click to enter text.

Organization Name: Webb County

Mailing Address: 515 Martha Drive City/State/Zip: Rio Bravo, TX 78046

Phone No: 956-480-8214 Email: dchapa@webbcountytx.gov

Attachment: Click to enter text.

Item 7. Billing Contact Information (Instructions, Page 28)

The permittee is responsible for paying the annual fee. The annual fee will be assessed for permits **in effect on September 1 of each year**. The TCEQ will send a bill to the address provided in this section. The permittee is responsible for terminating the permit when it is no longer needed (form TCEQ-20029).

Provide the complete mailing address where the annual fee invoice should be mailed and the name and phone number of the permittee's representative responsible for payment of the invoice.

Prefix: Mr. Full Name (Last/First Name): Diaz, Enrique

Title: Click to enter text. Credential: Click to enter text.

Organization Name: Webb County

Mailing Address: 515 Martha Drive City/State/Zip: Rio Bravo, TX 78046

Phone No: 956-480-8214 Email: endiaz@webbcountytx.gov

Item 8. DMR/MER Contact Information (Instructions, Page 28)

Provide the name and mailing address of the person delegated to receive and submit DMRs or MERs. **Note:** DMR data must be submitted through the NetDMR system. An electronic reporting account can be established once the facility has obtained the permit number.

Prefix: Mr. Full Name (Last/First Name): Diaz, Enrique

Title: Click to enter text. Credential: Click to enter text.

Organization Name: Webb County

Mailing Address: 515 Martha Drive City/State/Zip: Rio Bravo, TX 78046

TCEQ-10411 (09/13/2024) Industrial Wastewater Application Administrative Report

Page 7 of 20

Phone No: <u>956-480-8214</u> Email: <u>endiaz@webbcountytx.gov</u>

Item 9. Notice Information (Instructions, Pages 28)

a. Individual Publishing the Notices

Prefix: Ms. Full Name (Last/First Name): Landsman, Stephanie

Title: Click to enter text.

Credential: Click to enter text.

Organization Name: Landsman Environmental LLC

Mailing Address: 9597 Jones Road #962

City/State/Zip: Jersey Village, TX 77065

Phone No: 281-658-5899

Email: stephanie@landsmanenviro.com

- b. Method for Receiving Notice of Receipt and Intent to Obtain a Water Quality Permit Package (only for NORI, NAPD will be sent via regular mail)
 - ⊠ E-mail: <u>stephanie@landsmanenviro.com</u>
 - ☐ Fax: Click to enter text.
 - 🗀 Regular Mail (USPS)

Mailing Address: Click to enter text.

City/State/Zip Code: Click to enter text.

c. Contact in the Notice

Prefix: Mr. Full Name (Last/First Name): Gonzalez, Javier

Title: Interim Director

Credential: Click to enter text.

Organization Name: Webb County

Phone No: 956-480-8214

Email: javierg@webbcountytx.gov

d. Public Viewing Location Information

Note: If the facility or outfall is located in more than one county, provide a public viewing place for each county.

Public building name: Webb County Courthouse Location within the building: Click to enter text.

Physical Address of Building: 1000 Housto St.

City: Rio Bravo County: Webb

e. Bilingual Notice Requirements

This information is required for new, major amendment, minor amendment or minor modification, and renewal applications.

This section of the application is only used to determine if alternative language notices will be needed. Complete instructions on publishing the alternative language notices will be in your public notice package.

Call the bilingual/ESL coordinator at the nearest elementary and middle schools and obtain the following information to determine if an alternative language notice(s) is required.

1. Is a bilingual education program required by the Texas Education Code at the elementary or middle school nearest to the facility or proposed facility?

		⊠ Yes □ No
		If no, publication of an alternative language notice is not required; skip to Item 8 (Regulated Entity and Permitted Site Information.)
	2.	Are the students who attend either the elementary school or the middle school enrolled in a bilingual education program at that school?
		⊠ Yes □ No
	3.	Do the students at these schools attend a bilingual education program at another location?
		☐ Yes ☒ No
	4.	Would the school be required to provide a bilingual education program, but the school has waived out of this requirement under 19 TAC §89.1205(g)?
		□ Yes ⋈ No □ N/A
	5.	If the answer is yes to question 1, 2, 3, or 4, public notices in an alternative language are required. Which language is required by the bilingual program? $\underline{\text{Spanish}}$
f.	Ap	mmary of Application in Plain Language Template – Complete and attach the Summary of plication in Plain Language Template (TCEQ Form 20972), also known as the plain aguage summary or PLS. Attachment: $\underline{\mathbf{E}}$
g.		mplete and attach one Public Involvement Plan (PIP) Form (TCEQ Form 20960) for each plication for a new permit or major amendment. Attachment: N/A
	NEW TOWN	
Ite	m	10. Regulated Entity and Permitted Site Information (Instructions
Ite	m	10. Regulated Entity and Permitted Site Information (Instructions Page 29)
	TC No ma	Page 29)
a.	TC No ma the reg	Page 29) EQ issued Regulated Entity Number (RN), if available: RN101613073 Ite: If your business site is part of a larger business site, a Regulated Entity Number (RN) by already be assigned for the larger site. Use the RN assigned for the larger site. Search at TCEQ's Central Registry to determine the RN or to see if the larger site may already be
a.	TC No ma the reg Na Co	Page 29) EQ issued Regulated Entity Number (RN), if available: RN101613073 Sete: If your business site is part of a larger business site, a Regulated Entity Number (RN) by already be assigned for the larger site. Use the RN assigned for the larger site. Search at TCEQ's Central Registry to determine the RN or to see if the larger site may already be gistered as a Regulated Entity. If the site is found, provide the assigned RN. The project or site (name known by the community where located): Webb County
a.	TC No ma the reg	Page 29) EQ issued Regulated Entity Number (RN), if available: RN101613073 Ite: If your business site is part of a larger business site, a Regulated Entity Number (RN) by already be assigned for the larger site. Use the RN assigned for the larger site. Search at TCEQ's Central Registry to determine the RN or to see if the larger site may already be gistered as a Regulated Entity. If the site is found, provide the assigned RN. Ime of project or site (name known by the community where located): Webb County lorado Acres Water Plant Ithe location address of the facility in the existing permit the same?
a.	TC No mather regular No William N	Page 29) EQ issued Regulated Entity Number (RN), if available: RN101613073 Ste: If your business site is part of a larger business site, a Regulated Entity Number (RN) by already be assigned for the larger site. Use the RN assigned for the larger site. Search at TCEQ's Central Registry to determine the RN or to see if the larger site may already be gistered as a Regulated Entity. If the site is found, provide the assigned RN. The of project or site (name known by the community where located): Webb County lorado Acres Water Plant
a. b.	TCO No ma the reg Na Co Is the With ma	Page 29) EQ issued Regulated Entity Number (RN), if available: RN101613073 Ate: If your business site is part of a larger business site, a Regulated Entity Number (RN) by already be assigned for the larger site. Use the RN assigned for the larger site. Search at TCEQ's Central Registry to determine the RN or to see if the larger site may already be gistered as a Regulated Entity. If the site is found, provide the assigned RN. The of project or site (name known by the community where located): Webb County lorado Acres Water Plant The location address of the facility in the existing permit the same? Yes No N/A (new permit) The facility is located in Bexar, Comal, Hays, Kinney, Medina, Travis, Uvalde, or Illiamson County, additional information concerning protection of the Edwards Aquifer
a. b.	TCO No ma the reg Na Co Is No Wi ma	Page 29) EQ issued Regulated Entity Number (RN), if available: RN101613073 Interest of the larger street of a larger business site, a Regulated Entity Number (RN) and already be assigned for the larger site. Use the RN assigned for the larger site. Search of TCEQ's Central Registry to determine the RN or to see if the larger site may already be distered as a Regulated Entity. If the site is found, provide the assigned RN. Interest of project or site (name known by the community where located): Webb County lorado Acres Water Plant Interest of the facility in the existing permit the same? Yes No N/A (new permit) Interest of the facility is located in Bexar, Comal, Hays, Kinney, Medina, Travis, Uvalde, or liliamson County, additional information concerning protection of the Edwards Aquifer by be required.
a. b.	TCO No mather regular No William Own Pro	Page 29) EQ issued Regulated Entity Number (RN), if available: RN101613073 Ate: If your business site is part of a larger business site, a Regulated Entity Number (RN) and already be assigned for the larger site. Use the RN assigned for the larger site. Search are TCEQ's Central Registry to determine the RN or to see if the larger site may already be gistered as a Regulated Entity. If the site is found, provide the assigned RN. The of project or site (name known by the community where located): Webb County lorado Acres Water Plant The location address of the facility in the existing permit the same? Yes No N/A (new permit) Attention of the facility is located in Bexar, Comal, Hays, Kinney, Medina, Travis, Uvalde, or liamson County, additional information concerning protection of the Edwards Aquifer by be required.
a. b.	TC No mather regular No Co William Own Preform	Page 29) EQ issued Regulated Entity Number (RN), if available: RN101613073 Ate: If your business site is part of a larger business site, a Regulated Entity Number (RN) by already be assigned for the larger site. Use the RN assigned for the larger site. Search at TCEQ's Central Registry to determine the RN or to see if the larger site may already be gistered as a Regulated Entity. If the site is found, provide the assigned RN. The of project or site (name known by the community where located): Webb County lorado Acres Water Plant The location address of the facility in the existing permit the same? Yes No N/A (new permit) Ate: If the facility is located in Bexar, Comal, Hays, Kinney, Medina, Travis, Uvalde, or liamson County, additional information concerning protection of the Edwards Aquifer by be required. The provided Hays is located in the Edwards Aquifer and the Edward
a. b.	TC No mather regular No William Over Or Mather than 19 Mather than	Page 29) EQ issued Regulated Entity Number (RN), if available: RN101613073 Ite: If your business site is part of a larger business site, a Regulated Entity Number (RN) by already be assigned for the larger site. Use the RN assigned for the larger site. Search of TCEQ's Central Registry to determine the RN or to see if the larger site may already be gistered as a Regulated Entity. If the site is found, provide the assigned RN. Ime of project or site (name known by the community where located): Webb County lorado Acres Water Plant Ithe location address of the facility in the existing permit the same? Yes No N/A (new permit) Inte: If the facility is located in Bexar, Comal, Hays, Kinney, Medina, Travis, Uvalde, or liliamson County, additional information concerning protection of the Edwards Aquifer by be required. Interest Click to enter text. Full Name (Last/First Name): Click to enter text. Organization Name: Webb County

e.	Ownership of facility: 🛛 Public] Private	☐ Both	☐ Federal
f.	f. Owner of land where treatment facility is or will be: Click to enter text.			
	Prefix: Click to enter text. Full Name (Last/First Na	me): Click to e	nter text.
	or Organization Name: Webb County			
	Mailing Address: 515 Martha Drive	City	/State/Zip: <u>Ric</u>	Bravo, TX 78046
Phone No: 956-480-8214 Email: jjhernandez@webbcountytx.gov				
	Note: If not the same as the facility owner at least six years (In some cases, a lease notice to enter text.			
g.	Owner of effluent TLAP disposal site (if a	pplicable): <u>N</u> /	<u>A</u>	
	Prefix: Click to enter text. Full Name (Last/First Na	me): <u>Click to e</u>	nter text.
	or Organization Name: Webb County			
	Mailing Address: 515 Martha Drive	City	/State/Zip: <u>Rio</u>	Bravo, TX 7046
			bcountytx.gov	
	Note: If not the same as the facility owner at least six years. Attachment: <u>Click to en</u>		g-term lease a	greement in effect for
h.	Owner of sewage sludge disposal site (if a	pplicable):		
	Prefix: N/A Full Name (Last/First	Name): Click	to enter text.	
	or Organization Name: Click to enter text.			
	Mailing Address: Click to enter text.	City	/State/Zip: Cli	ck to enter text.
	Phone No: Click to enter text. Email: Click			
	Note: If not the same as the facility owner at least six years. Attachment: <u>Click to enter</u>		g-term lease a	greement in effect for
Ite	em 11. TDPES Discharge/TLAP l Page 31)	Disposal I	nformation	(Instructions,
a.	Is the facility located on or does the treate	ed effluent cr	oss Native Am	erican Land?
	☐ Yes ☐ No			
b.	Attach an original full size USGS Topogray renewal or amendment applications) with each item below to confirm it has been in	all required	nformation. C	
	One-mile radius	☐ Three-m	iles downstrea	m information
	☐ Applicant's property boundaries	☐ Treatme	nt facility bou	ndaries
	Labeled point(s) of discharge	Highligh	ted discharge	route(s)
	☐ Effluent disposal site boundaries	All wast	ewater ponds	
	Sewage sludge disposal site	□ New and	future constr	uction
	Attachment: Click to enter text.			

C.	Is the location of the sewage sludge disposal site in the existing permit accurate? Yes No or New Permit
	If no, or a new application, provide an accurate location description: Click to enter text.
d.	Are the point(s) of discharge in the existing permit correct?
	☐ Yes ☐ No or New Permit
	If no, or a new application, provide an accurate location description: Click to enter text.
e.	Are the discharge route(s) in the existing permit correct?
	⊠ Yes □ No or New Permit
	If no, or a new permit, provide an accurate description of the discharge route: <u>Click to enter text.</u>
f.	City nearest the outfall(s): Click to enter text.
g.	County in which the outfalls(s) is/are located: Click to enter text.
h.	Is or will the treated wastewater discharge to a city, county, or state highway right-of-way, or a flood control district drainage ditch?
	□ Yes □ No
	If yes, indicate by a check mark if: 🖂 Authorization granted 💢 Authorization pending
	For new and amendment applications, attach copies of letters that show proof of contact and provide the approval letter upon receipt. Attachment: Click to enter text.
	For all applications involving an average daily discharge of 5 MGD or more, provide the names of all counties located within 100 statute miles downstream of the point(s) of discharge: Click to enter text.
i.	For TLAPs, is the location of the effluent disposal site in the existing permit accurate?
	If no, or a new application, provide an accurate location description: Click to enter text.
j.	City nearest the disposal site: Rio Bravo
k.	County in which the disposal site is located: Webb County
1.	For TLAPs, describe how effluent is/will be routed from the treatment facility to the disposal site: <u>via pipe</u>
m.	For TLAPs, identify the nearest watercourse to the disposal site to which rainfall runoff might flow if not contained: <u>Pond 2</u>

a. Did any person formerly employed by the TCEQ represent your company and get paid for service regarding this application?
☐ Yes ☒ No
If yes, list each person: Click to enter text.
b. Do you owe any fees to the TCEQ?
☐ Yes ☒ No
If yes, provide the following information:

Account no.: Click to enter text.

c. Do you owe any penalties to the TCEQ?☐ Yes ☒ No


If yes, provide the following information:

Total amount due: Click to enter text.

Enforcement order no.: Click to enter text.

Amount due: Click to enter text.





INDUSTRIAL WASTEWATER PERMIT APPLICATION **WORKSHEET 1.0: EPA CATEGORICAL EFFLUENT GUIDELINES**

This worksheet **is required** for all applications for TPDES permits for discharges of wastewaters subject to EPA categorical effluent limitation guidelines (ELGs).

Item 1. Cates	gorical Industries	(Instructions, Pa	ge 53)
Is this facility subje	ect to any 40 CFR categoric	al ELGs outlined on page	2 53 of the instructions?
□ Yes ⊠ N	No		
If no , this workshe	et is not required. If yes , pr	ovide the appropriate in	nformation below.
40 CFR Effluent Guid	deline		
Industry		40	CFR Part
Item 2. Produ	uction/Process Da	ta (Instructions.	Page 54)
of oil and gas explo the state, falling un Worksheet 12.0, Ite		tewater (discharges into	or adjacent to water in
a. Production Data			1 (6)
11 1	e data for effluent guidelin	es with production-base	d effluent limitations.
Production Data	A street Organities / Days	Design Quantity/Day	Units
Subcategory	Actual Quantity/Day	Design Quantity/Day	Units

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 3.0: LAND APPLICATION OF EFFLUENT

This worksheet **is required** for all applications for a permit to disposal of wastewater by land application (i.e., TLAP)).

Item 1. Type of Disposal System (Instructions, Page 69)

Check the box next to the type of land disposal requested by this application:

	Irrigation	Subsurface application
\boxtimes	Evaporation	Subsurface soils absorption
	Evapotranspiration beds	Surface application
	Drip irrigation system	 Other, specify: Click to enter text.

Item 2. Land Application Area (Instructions, Page 69)

Land Application Area Information

Irrigation Acreage (acres)	Describe land use & indicate type(s) of crop(s)	Public Access? (Y/N)
	1	

Item 3. Annual Cropping Plan (Instructions, Page 69)

Attach the required cropping plan that includes each of the following:

- Cool and warm season plant species
- Breakdown of acreage and percent of total acreage for each crop
- Crop growing season
- Harvesting method/number of harvests
- Minimum/maximum harvest height
- · Crop yield goals
- · Soils map
- Nitrogen requirements per crop
- Additional fertilizer requirements
- Supplemental watering requirements
- Crop salt tolerances
- Justification for not removing existing vegetation to be irrigated

Attachment:

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 3.1: SURFACE LAND APPLICATION AND APPLICATION

This worksheet **is required** for all applications for a permit to disposal of wastewater by surface land application or evaporation.

Item 1. Edwards Aquifer (Instructions, Page 73)

a. Is the facility subject to 30 TAC Chapter 213, Edwards Aquifer Rules?

- □ Yes ⋈ No
 If no, proceed to Item 2. If yes, complete Items 1.b and 1.c.
 b. Check the box next to the subchapter applicable to the facility.
 □ 30 TAC Chapter 213, Subchapter A
 □ 30 TAC Chapter 213, Subchapter B
 c. If 30 TAC Chapter 213, Subchapter A applies, attach either: 1) a Geologic Assessment (if conducted in accordance with 30 TAC § 213.5) or 2) a report that contains the following:
 A description of the surface geological units within the proposed land application site and wastewater pond area.
 The location and extent of any sensitive recharge features in the land application site
 - A list of any proposed BMPs to protect the recharge features.

Attachment: Click to enter text.

and wastewater pond area

Item 2. Surface Spray/Irrigation (Instructions, Page 73)

a. Provide the following information on the irrigation operations:

Area under irrigation (acres): Click to enter text.

Design application rate (acre-ft/acre/yr): Click to enter text.

Design application frequency (hours/day): Click to enter text.

Design application frequency (days/week): Click to enter text.

Design total nitrogen loading rate (lbs nitrogen/acre/year): Click to enter text

Average slope of the application area (percent): Click to enter text.

Maximum slope of the application area (percent): Click to enter text.

Irrigation efficiency (percent): Click to enter text.

Effluent conductivity (mmhos/cm): Click to enter text.

Soil conductivity (mmhos/cm): Click to enter text.

Curve number: Click to enter text.

Describe the application method and equipment: Click to enter text.

Page 40 of 82

INDUSTRIAL WASTEWATER PERMIT APPLICATION **WORKSHEET 6.0: INDUSTRIAL WASTE CONTRIBUTION**

The following information is required for all applications for publicly-owned treatment works (POTWs).

For an explanation of the terms used in this worksheet, refer to the General Definitions on pages 4-12 and the Definitions Relating to Pretreatment on pages 13-14 of the Instructions.

Item 1. All POTWs (Instructions, Page 86)

a. Complete the following table with the number of each type of industrial users (IUs) that discharge to the POTW and the daily average flows from each.

Industrial User Information

Type of Industrial User	Number of Industrial Users	Daily Average Flow (gallons per day)
CIU	0	
SIU - Non-categorical	0	
Other IU	0	

O	ther IU	0	
b.	3.3	s, has the POTW experien	ced treatment plant interference?
		each interference event. I	interference, and probable cause(s) and nclude the names of the IU(s) that may have
C.	In the past three years	s, has the POTW experien	ced pass-through?
	□ Yes ⊠	No	
	probable cause(s) and		s passing through the treatment plant, and the pass-through event. Include the names of the chick to enter text.
1.	Does the POTW have,	or is it required to develo	op, an approved pretreatment program?
	□ Yes ⊠	No	
	If yes , answer all ques	stions in Item 2 and skip	Item 3.
	If no. skip Item 2 and	answer all questions in I	tem 3 for each SIU and CIU.

		(Ins	truc	tions, Page 86)	
a.	progra	m that	have r	substantial modifications to the POTW's approved plot been submitted to the Approval Authority (TCEQ) 8 ± 403.18 ?	
		Yes		No	
тс	EO 1005	2 (00 /1 2 /	2024) I	nductrial Wastawatar Permit Application Technical Penort	Page 54 o

	If yes , include an attachme been submitted to the TCE				ons that have not
	Attachment: Click to enter	text.			
b.	Have there been any non-s program that have not bee				
	□ Yes □ No				
	If yes , include an attachmenot been submitted to the	ent which identifies TCEQ and the purp	all non-sub ose of the 1	ostantial modif modification.	ications that have
	Attachment: Click to enter	text.			
	List all parameters measur last three years: Euent Parameters Measured A		n the POTW	7's effluent moi	nitoring during the
	ollutant	Concentration	MAL	Units	Date
					
	Attachment: Click to enter	text.			
d.	Has any SIU, CIU, or other interference or pass-throug	IU caused or contri			ns (excluding
	□ Yes □ No				
	If yes , provide a description problems, and probable positive may have caused or contributions.	llutants. Include th	e name(s) o	of the SIU(s)/CI	J(s)/other IU(s) that
It	em 3. Significant I				
	User Inform	ation (Instru	ctions, I	Pages 88-8	7)
	TWs that do not have an ap llowing information for each		nt program	are required t	o provide the
a.	Mr. or Ms.: N/A First/Last	Name: Click to ent	er text.		
	Organization Name: Click	o enter text. SI	C Code: Clie	ck to enter text	•
	Phone number: Click to en	ter text. Er	nail addres	s: Click to ente	r text.
	Physical Address: Click to	enter text. Ci	ty/State/ZI	P Code: Click to	enter text.
	Attachment: Click to enter	text.			

CIU(s) discharge (e.g., process and non-process wastewater): Click to enter text.

b. Describe the industrial processes or other activities that affect or contribute to the SIU(s) or

Effluent Type		ischarge Day gallons per day)	Discharge I (Continuou	requency s, batch, or intermitter
Process Wastev	vater			
Non-process W	astewater			
Pretreatment	Standards			
 Is the SIU instruction ☐ Yes 		to technology-based l	ocal limits as defin	ed in the application
2. Is the SIU	subject to categ	gorical pretreatment :	standards?	
□ Yes	□ No	,		
Categorical P	retreatment Sta	and subcategory or sundards table. atment Standards	abcategories in the	SIUs Subject To
Category in 40 CFR	Subcategory i 40 CFR		Subcategory in 40 CFR	Subcategory in 40 CFR



TCEQ Core Data Form

For detailed instructions on completing this form, please read the Core Data Form Instructions or call 512-239-5175.

SECTION I: General Information

Renewal	(Core Data	Form shou	ıld be subn	nitted with th	e renewal form,)		Other			
2. Customer	Reference	Number	r (if issued)		Follow this	link to sear	3. Regulated Entity Reference Number (if issued)				issued)
CN 600612758			for CN or RN numbers in Central Registry**		in						
ECTIO	N II:	Cust	omei	Infor	mation	1					
4. General C	ustomer lı	nformatio	on	5. Effect	ive Date for C	ustomer	Information	n Updates (mm	/dd/yyyy)		
☐ New Custo☐Change in I		(Verifiable		•	stomer Informa y of State or Te		-	inge in Regulate lic Accounts)	d Entity Ow	nership	
The Custom	er Name su	ıbmitted	here may	be update	d automatica	lly based	on what is	current and ac	tive with	the Texas Se	cretary of State
(SOS) or Tex	as Comptr	oller of P	ublic Acco	ounts (CPA)							
6. Customer	Legal Nan	ne (If an in	dividual, p	rint last name	e first: eg: Doe, .	John)		If new Custor	ner, enter p	revious Custor	ner below:
Webb County											
7. TX SOS/C	PA Filing N	umber		8. TX Sta 74600115	te Tax ID (11 o	digits)		9. Federal T (9 digits)	ax ID	10. DUNS applicable)	Number (if
11. Type of (Customer:		Corpor	ation			☐ Indivi	dual	Partr	nership: Ge	neral 🔲 Limited
Government:	☐ City 🛛 (County 🗌	Federal [Local S	tate 🗌 Other		Sole F	Proprietorship		ther:	
12. Number ☑ 0-20 ☐	of Employ 21-100		25:	1-500 🔲 5	01 and higher			13. Indeper	dently O	wned and Op	erated?
14. Custome	r Role (Pro	posed or A	Actual) – as	it relates to	the Regulated E	ntity listed	on this form	. Please check o	ne of the fo	llowing	
Owner Occupation	al Licensee	☐ Oper	ator sponsible P		Owner & Opera			Ot	ner:		, , , , , , , , , , , , , , , , , , , ,
1	515 Mart	ha Drive					il a santa di nagara			*	
15. Mailing										·····	
Address:	City	Rio Brav	/O		State	TX	ZIP	78046		ZIP + 4	
16. Country	Mailing In	formatio	n (if outsid	le (ISA)		1	I7. F-Mail A	ddress (if appli	cable)		
			(1) 00.0.10	2 00, 17				webbcountytx.g			
18. Telepho	ne Numbe				19. Extension					r (if applicable)
(956) 480-8	214							() -		
ECTIO	N III:	Rea	ulate	ed Ent	ity Info	orma	tion	·····			
										<i>-</i> 1	
14. Camanal	CONTRACTOR OF THE PERSON NAMED IN	dhering's co		ulated Entity				ty Information	iso require	a.)	
and the state of	ated Entity										
21. General New Regulate The Regulate as Inc, LP, or	ed Entity N		mitted m	ay be upda	ted, in order t	to meet T	CEQ Core D	ata Standards	(removal	of organizati	ional endings su

23. Street Addres the Regulated En	_										in a construction of		
(No PO Boxes)	C	ity			State		ZI	P			ZIP +	1	
24. County	w	ebb											******
			If no S	Street A	ddress is prov	ided, fields	25-28	B are re	quired	ı.			
25. Description to Physical Location	lan	proxima			t of the intersect						ear the city o	f Lar	edo.
26. Nearest City									State		ı	lear	est ZIP Code
Laredo									TX		7	8046	i
Latitude/Longitud used to supply co	-							Standa	irds. (C	Geocoding (of the Phys	cal A	Address may be
27. Latitude (N) Ir	Decimal:		27.620455			28.	Longi	tude (V	V) In D	ecimal:	-99.22	2935	5
Degrees	M	inutes		Sec	onds	Deg	rees			Minutes		1	Seconds
29. Primary SIC Co	ode	30	. Secondary	SIC Cod	e	31. Prim	ary N	AICS Co	de	32. \$	econdary N	IAIC	S Code
(4 digits)		(4	digits)			(5 or 6 di	gits)			(5 or 1	6 digits)		
4941						221310		***************************************					
33. What is the Pr		ness of	this entity?	(Do not	repeat the SIC	or NAICS des	criptio	n.)					
Water Treatment Pla	ant				-								
34. Mailing	5	15 Mart	ha Drive										
Address:		City	Rio Bravo		State	тх		ZIP	7804	16	ZIP+	4	
35. E-Mail Addres	ss:	jjh	ernandez@we	bbcount	tytx.gov								
36. Telephone Nu	mber			37	. Extension o	r Code		38. Fa	ax Nui	mber (if app	licable)		
(956) 480-8214					4			() -				
9. TCEQ Programs a					rite in the perm	nits/registrat	ion nu	mbers th	nat will	be affected b	y the update	es su	omitted on this
☐ Dam Safety		Dis	stricts	Ec	Edwards Aquifer			Emission	s Inver	itory Air	☐ Industrial Hazardous Wa		Hazardous Waste
Municipal Solid	Waste	☐ Ne	ew Source w Air		SSF			Petroleu	m Stor	age Tank	□ PWS		
Sludge		□ s+	orm Water	Пп	tle V Air			Tires			ПUsed	l Oil	
siduge			Jilli Water		LIC V AII		-	11163		-		Oli	
☐ Voluntary Clean	up	⊠ w	astewater	Uw	astewater Agric	culture		Water Ri	ights		Othe	er:	
		WQ00	004184000	1									
SECTION I	V: Pro	epai	er Inf	orm	<u>ation</u>								
40. Name: Ste	phanie Lands	sman				41. Title	e:	Wastew	water S	pecialist			
42. Telephone Nur	nber	43. Ext	./Code	44. Fax	Number	45. E-	Mail A	ddress					
(281)658-5899				()	-	stepha	nie@la	indsman	enviro.	com			
SECTION V	/: Au	thor	ized S	iana	ture								
6. By my signature be submit this form on	elow, I certify	, to the	best of my kno	wledge,	that the informa	ation provide	ed in th	nis form i	is true a	and complete	e, and that !	nave	signature authorit
Company:	Webb Cou					Job Tit			m Direc				
Name (In Print):	Javier Gon					200 110	-	1		Phone:	(956)480)- 82:	.4
Signature:										Date:			

TCEQ

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

PLAIN LANGUAGE SUMMARY FOR TPDES OR TLAP PERMIT APPLICATIONS

Plain Language Summary Template and Instructions for Texas Pollutant Discharge Elimination System (TPDES) and Texas Land Application (TLAP) Permit Applications

Applicants should use this template to develop a plain language summary as required by <u>Title 30. Texas Administrative Code (30 TAC)</u>, <u>Chapter 39.</u> Subchapter H. Applicants may modify the template as necessary to accurately describe their facility as long as the summary includes the following information: (1) the function of the proposed plant or facility; (2) the expected output of the proposed plant or facility; (3) the expected pollutants that may be emitted or discharged by the proposed plant or facility; and (4) how the applicant will control those pollutants, so that the proposed plant will not have an adverse impact on human health or the environment.

Fill in the highlighted areas below to describe your facility and application in plain language. Instructions and examples are provided below. Make any other edits necessary to improve readability or grammar and to comply with the rule requirements.

If you are subject to the alternative language notice requirements in <u>30 TAC Section 39.426</u>, you must provide a translated copy of the completed plain language summary in the appropriate alternative language as part of your application package. For your convenience, a Spanish template has been provided below.

ENGLISH TEMPLATE FOR TPDES or TLAP NEW/RENEWAL/AMENDMENT APPLICATIONS Enter 'INDUSTRIAL' or 'DOMESTIC' here WASTEWATER/STORMWATER

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 TAC Chapter 39. The information provided in this summary may change during the technical review of the application and is not a federal enforceable representation of the permit application.

Webb County (CN600612758) operates Webb County Colorado Acres Water Treatment Plant (RN101613073), an industrial wastewater treatment facility. The facility is located approximately 0.5 mile northwest of the intersection of Las Lomas Road and U.S. Highway 59, near the city of Laredo, Webb County, Texas 78046. Request for renewal of permit authorizing the evaporation of 9,500 GPD of reverse osmosis water. This permit will not authorize a discharge of pollutants into water in the state.

Discharges from the facility are expected to contain 14. List all expected pollutants here. Reverse osmosis treatment water will be treated by evaporation.

PLANTILLA EN ESPAÑOL PARA SOLICITUDES NUEVAS/RENOVACIONES/ENMIENDAS DE TPDES o TLAP

AGUAS RESIDUALES Introduzca 'INDUSTRIALES' o 'DOMÉSTICAS' aquí /AGUAS PLUVIALES

El siguiente resumen se proporciona para esta solicitud de permiso de calidad del agua pendiente que está siendo revisada por la Comisión de Calidad Ambiental de Texas según lo requerido por el Capítulo 39 del Código Administrativo de Texas 30. La información proporcionada en este resumen puede cambiar durante la revisión técnica de la solicitud y no es una representación ejecutiva fedérale de la solicitud de permiso.

El Condado de Webb (CN600612758) opera la Planta de Tratamiento de Agua Colorado Acres del Condado de Webb (RN101613073), una instalación de tratamiento de aguas residuales industriales. La instalación está ubicada aproximadamente a 0.5 milla al noroeste de la intersección de Las Lomas Road y U.S. Highway 59, cerca de la ciudad de Laredo, Condado de Webb, Texas 78046. Solicitud de renovación de permiso que autoriza la evaporación de 9,500 GPD de agua por ósmosis inversa. Este permiso no autorizará una descarga de contaminantes al agua del estado.

Se espera que las descargas de la instalación contengan 14. Enumere aquí todos los contaminantes esperados. El agua del tratamiento por ósmosis inversa será tratada por evaporación.

TCEQ ePay Voucher Receipt

Transaction Information -

Voucher Number: 757626

Trace Number: 582EA000659448 **Date:** 03/14/2025 09:19 AM

Payment Method: CC - Authorization 0000071910

Voucher Amount: \$300.00

Fee Type: WW PERMIT - MINOR FACILITY NOT SUBJECT TO 40 CFR 400-471 - RENEWAL

ePay Actor: STEPHANIE LANDSMAN

- Payment Contact Information -

Name: STEPHANIE LANDSMAN

Company: LANDSMAN ENVIRONMENTAL LLC

Address: 9597 JONES ROAD 962, JERSEY VILLAGE, TX 77065

Phone: 281-658-5899

-Site Information -

 Site Name:
 WEBB COUNTY COLORADO ACRES WATER TREATMENT PLANT

 Site Address:
 NORTH OF SH 59 APPROXIMATELY, LAREDO TX, TX 78046

Site Location: NORTH OF SH 59 APPROXIMATELY 15 MILES EAST OF LAREDO TX

-Customer Information -

Customer Name: WEBB COUNTY

Customer Address: 515 MARTHA DRIVE, RIO BRAVO, TX 78046

-Other Information-

Program Area ID: 0004184000

TCEQ ePay Voucher Receipt

- Transaction Information -

Voucher Number: 757627

Trace Number:

582EA000659448

Date:

03/14/2025 09:19 AM

Payment Method: **Voucher Amount:**

CC - Authorization 0000071910

Fee Type:

30 TAC 305.53B WQ RENEWAL NOTIFICATION FEE

ePay Actor:

STEPHANIE LANDSMAN

-Payment Contact Information -

Name:

STEPHANIE LANDSMAN

Company: Address:

LANDSMAN ENVIRONMENTAL LLC 9597 JONES ROAD 962, JERSEY VILLAGE, TX 77065

Phone:

281-658-5899

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



INDUSTRIAL WASTEWATER PERMIT APPLICATION TECHNICAL REPORT 1.0

The following information **is required** for all applications for a TLAP or an individual TPDES discharge permit.

For **additional information** or clarification on the requested information, please refer to the <u>Instructions for Completing the Industrial Wastewater Permit Application</u> available on the TCEQ website. Please contact the Industrial Permits Team at 512-239-4671 with any questions about this form.

If more than one outfall is included in the application, provide applicable information for each individual outfall. **If an item does not apply to the facility, enter N/A** to indicate that the item has been considered. Include separate reports or additional sheets as **clearly cross-referenced attachments** and provide the attachment number in the space provided for the item the attachment addresses.

NOTE: This application is for an industrial wastewater permit only. Additional authorizations from the TCEQ Waste Permits Division or the TCEQ Air Permits Division may be needed.

Item 1. Facility/Site Information (Instructions, Page 39)

a. Describe the general nature of the business and type(s) of industrial and commercial

Proces	s potable water w	vith a reverse osme	osis system ar	nd rejected brine	water.
Describ	e all wastewate	er-generating pro	cesses at the	e facility.	
The fac	cility processes gr poration pond.	roundwater throu	gh a reverse o	smosis system ar	nd rejected brine water to

 $[\]underline{https://www.tceq.texas.gov/permitting/wastewater/industrial/TPDES_industrial_wastewater_st_eps.html$

w Materials ll water	Filter water	Final Products Drinking water
ll water	Filter water	Drinking water
		,
	·	
Attachment: Click to en	nter text.	
Attach a facility map (d	rawn to scale) with the following	information:
		ing areas, waste-disposal areas,
Attachment: <u>F</u>		
s this a new permit ap	plication for an existing facility?	
□ Yes ⊠ N	0	
If yes , provide back	ground discussion: Click to enter	text.
s/will the treatment fa evel.	cility/disposal site be located abo	ve the 100-year frequency flood
⊠ Yes □ N	0	
ist source(s) used to d	etermine 100-year frequency floo	d plain: <u>FEMA</u>
protective measures are	e used/proposed to prevent flood	ing (including tail water and
Attachment: Click to en	nter text.	
		any construction operations resul
	Production areas, mand water intake strand water intake water int	and water intake structures. The location of each unit of the WWTP including the I sumps, impoundments, outfalls, and sampling points outfall locations. Attachment: F Is this a new permit application for an existing facility? Yes No If yes, provide background discussion: Click to enter s/will the treatment facility/disposal site be located aboveel. Yes No ist source(s) used to determine 100-year frequency floor of no, provide the elevation of the 100-year frequency floor or otective measures are used/proposed to prevent flood ainfall run-on controls) of the treatment facility and dispartachment: Click to enter text. For new or major amendment permit applications, will an a discharge of fill material into a water in the state?

h.	If yes to Item 1.g, has the applicant applied for a USACE CWA Chapter 404 Dredge and Fill permit?
	□ Yes □ No
	If yes , provide the permit number: Click to enter text.
	If ${f no}$, provide an approximate date of application submittal to the USACE: Click to enter text.
It	em 2. Treatment System (Instructions, Page 40)
a.	List any physical, chemical, or biological treatment process(es) used/proposed to treat wastewater at this facility. Include a description of each treatment process, starting with initial treatment and finishing with the outfall/point of disposal.
	N/A
b.	Attach a flow schematic with a water balance showing all sources of water and wastewater flow into the facility, wastewater flow into and from each treatment unit, and wastewater flow to each outfall/point of disposal.
	Attachment: Click to enter text.
Ite	em 3. Impoundments (Instructions, Page 40)
Do	es the facility use or plan to use any wastewater impoundments (e.g., lagoons or ponds?)
	⊠ Yes □ No
3.6	no, proceed to Item 4. If yes, complete Item 3.a for existing impoundments and Items 3.a - e for new or proposed impoundments. NOTE: See instructions, Pages 40-42, for additional formation on the attachments required by Items 3.a – 3.e.
a.	Complete the table with the following information for each existing, new, or proposed impoundment. Attach additional copies of the Impoundment Information table, if needed.
	Use Designation: Indicate the use designation for each impoundment as Treatment (T), Disposal (D), Containment (C), or Evaporation (E).

Associated Outfall Number: Provide an outfall number if a discharge occurs or will occur.

Liner Type: Indicate the liner type as Compacted clay liner (**C**), In-situ clay liner (**I**), Synthetic/plastic/rubber liner (**S**), or Alternate liner (**A**). **NOTE:** See instructions for further detail on liner specifications. If an alternate liner (**A**) is selected, include an attachment that provides a description of the alternate liner and any additional technical information necessary for an evaluation.

Leak Detection System: If any leak detection systems are in place/planned, enter Y for yes. Otherwise, enter N for no.

Groundwater Monitoring Wells and Data: If groundwater monitoring wells are in place/planned, enter **Y** for yes. Otherwise, enter **N** for no. Attach any existing groundwater monitoring data.

Dimensions: Provide the dimensions, freeboard, surface area, storage capacity of the impoundments, and the maximum depth (not including freeboard). For impoundments with irregular shapes, submit surface area instead of length and width.

Compliance with 40 CFR Part 257, Subpart D: If the impoundment is required to be in compliance with 40 CFR Part 257, Subpart D, enter Y for yes. Otherwise, enter N for no.

Date of Construction: Enter the date construction of the impoundment commenced (mm/dd/yy).

Impoundment Information

Parameter	Pond #	Pond #	Pond #	Pond #
Use Designation: (T) (D) (C) or (E)	E			
Associated Outfall Number	N/A			
Liner Type (C) (I) (S) or (A)	С			
Alt. Liner Attachment Reference				
Leak Detection System, Y/N				
Groundwater Monitoring Wells, Y/N				
Groundwater Monitoring Data Attachment	***************************************			
Pond Bottom Located Above The Seasonal High-Water Table, Y/N				
Length (ft)	200			
Width (ft)	200			
Max Depth From Water Surface (ft), Not Including Freeboard	3			
Freeboard (ft)	3			
Surface Area (acres)	2.75			
Storage Capacity (gallons)	897			
40 CFR Part 257, Subpart D, Y/N				
Date of Construction				

Attachment: Click to enter text.

The following information (Items 3.b - 3.e) is required only for new or proposed impoundments.
b. For new or proposed impoundments, attach any available information on the following items. If attached, check yes in the appropriate box. Otherwise, check no or not yet designed.

1. Liner data Yes No Not yet designed 2. Leak detection system or groundwater monitoring data Yes No Not yet designed 3. Groundwater impacts Yes Not yet designed No **NOTE:** Item b.3 is required if the bottom of the pond is not above the seasonal highwater table in the shallowest water-bearing zone.

Attachment: Click to enter text.

For TLAP applications: Items 3.c - 3.e are not required, continue to Item 4.

c. Attach a USGS map or a color copy of original quality and scale which accurately locates and identifies all known water supply wells and monitor wells within ½-mile of the impoundments.

Attachment: Click to enter text.

d. Attach copies of State Water Well Reports (e.g., driller's logs, completion data, etc.), and data on depths to groundwater for all known water supply wells including a description of how the depths to groundwater were obtained.

Attachment: Click to enter text.

e. Attach information pertaining to the groundwater, soils, geology, pond liner, etc. used to assess the potential for migration of wastes from the impoundments or the potential for contamination of groundwater or surface water.

Attachment: Click to enter text.

Item 4. Outfall/Disposal Method Information (Instructions, Page 42)

Complete the following tables to describe the location and wastewater discharge or disposal operations for each outfall for discharge, and for each point of disposal for TLAP operations.

If there are more outfalls/points of disposal at the facility than the spaces provided, copies of pages 6 and/0r numbered accordingly (i.e., page 6a, 6b, etc.) may be used to provide information on the additional outfalls.

For TLAP applications: Indicate the disposal method and each individual irrigation area I, evaporation pond E, or subsurface drainage system S by providing the appropriate letter designation for the disposal method followed by a numerical designation for each disposal area in the space provided for **Outfall** number (e.g. E1 for evaporation pond 1, I2 for irrigation area No. 2, etc.).

Outfall No.	Latitude (De	cimal Deg	grees)	L	ongit	ude (De	cimal D	egree	es)
10/	the state of the s								
1 200 200 200 200 200 200 200 200 200 20	1					47			
			100					,	11.54.
		V 94		1		. w			A Committee of the Comm
Outfall Location Outfall No.	on Description	orintion							
Outlan No.	Location Des	scripuon							
		to do any to							
Description of	Sampling Point				ocatio	n)			
Outfall No.	Description	of sampli	ng poir	ıt					
12 110									
Outfall Flow I	oformation - Per	mitted an	d Propo	has					de de la complèta de la completa de
Outfall Flow I	nformation - Per Permitted	mitted an			d	Propo	sed	Ant	icipated
Outfall Flow II	Permitted Daily Avg	Permit Daily	tted Max	Propose Daily Av	vg	Daily	Max	Dis	charge Date
	Permitted	Permit	tted Max	Propose	vg		Max	Dis	icipated charge Date n/dd/yy)
	Permitted Daily Avg	Permit Daily	tted Max	Propose Daily Av	vg	Daily	Max	Dis	charge Date
	Permitted Daily Avg	Permit Daily	tted Max	Propose Daily Av	vg	Daily	Max	Dis	charge Date
	Permitted Daily Avg	Permit Daily	tted Max	Propose Daily Av	vg	Daily	Max	Dis	charge Date
Outfall No.	Permitted Daily Avg	Permit Daily I Flow (tted Max MGD)	Propose Daily Av	vg	Daily	Max	Dis	charge Date
Outfall No.	Permitted Daily Avg Flow (MGD) rge - Method an	Permit Daily Flow (tted Max MGD) ement Gravit	Propose Daily Av	vg GD)	Daily Flow (Max MGD) of Flow	Dise (mr	charge Date
Outfall No.	Permitted Daily Avg Flow (MGD) rge - Method an	Permit Daily Flow (tted Max MGD)	Propose Daily Av Flow (M	vg GD)	Daily Flow (Max MGD)	Dise (mr	charge Date n/dd/yy)
Outfall No.	Permitted Daily Avg Flow (MGD) rge - Method an	Permit Daily Flow (tted Max MGD) ement Gravit	Propose Daily Av Flow (M	vg GD)	Daily Flow (Max MGD) of Flow	Dise (mr	charge Date n/dd/yy)
Outfall No.	Permitted Daily Avg Flow (MGD) rge - Method an	Permit Daily Flow (tted Max MGD) ement Gravit	Propose Daily Av Flow (M	vg GD)	Daily Flow (Max MGD) of Flow	Dise (mr	charge Date n/dd/yy)
Outfall No.	Permitted Daily Avg Flow (MGD) rge - Method an	Permit Daily Flow (tted Max MGD) ement Gravit	Propose Daily Av Flow (M	vg GD)	Daily Flow (Max MGD) of Flow	Dise (mr	charge Date n/dd/yy)
Outfall No. Outfall Discha Outfall No.	Permitted Daily Avg Flow (MGD) rge - Method an	Permit Daily Flow (ement Gravit	Propose Daily Av Flow (M	vg GD)	Daily Flow (Max MGD) of Flow	Dise (mr	charge Date n/dd/yy)
Outfall No. Outfall Discha Outfall No.	Permitted Daily Avg Flow (MGD) rge - Method an Pumped Disc Y/N	Permit Daily Flow (ement Gravit Y/N	Propose Daily Av Flow (M	ge?	Daily Flow (Max MGD) of Flow	Disc (mr	charge Date n/dd/yy)

Outfall Wastestream Contributions

Outfall No. Click to enter text.

Contributing Wastestream	Volume (MGD)	Percent (%) of Total Flow
· · · · · · · · · · · · · · · · · · ·		

Outfall No. Click to enter text.

Contributing Wastestream	Volume (MGD)	Percent (%) of Total Flow
444		

Outfall No. Click to enter text.

Contributing Wastestream	Volume (MGD)	Percent (%) of Total Flow
		Arms .
The second secon		
Annual Commence of the Commenc		

Attachment: Click to enter text.

Item 5. Blowdown and Once-Through Cooling Water Discharges (Instructions, Page 43)

a.	Indicate if	the facility	currently	y or	proposes to:	
----	-------------	--------------	-----------	------	--------------	--

 \square Yes \boxtimes No Use cooling towers that discharge blowdown or other wastestreams

☐ Yes ☒ No Use boilers that discharge blowdown or other wastestreams

☐ Yes ☒ No Discharge once-through cooling water

NOTE: If the facility uses or plans to use cooling towers or once-through cooling water, Item 12 **is required**.

- b. If **yes** to any of the above, attach an SDS with the following information for each chemical additive.
 - Manufacturers Product Identification Number
 - Product use (e.g., biocide, fungicide, corrosion inhibitor, etc.)
 - · Chemical composition including CASRN for each ingredient
 - Classify product as non-persistent, persistent, or bioaccumulative
 - · Product or active ingredient half-life
 - Frequency of product use (e.g., 2 hours/day once every two weeks)
 - Product toxicity data specific to fish and aquatic invertebrate organisms
 - Concentration of whole product or active ingredient, as appropriate, in wastestream.

In addition to each SDS, attach a summary of the above information for each specific wastestream and the associated chemical additives. Specify which outfalls are affected.

Attachment: Click to enter text.

c. Cooling Towers and Boilers

If the facility currently or proposes to use cooling towers or boilers that discharge blowdown or other wastestreams to the outfall(s), complete the following table.

Cooling Towers and Boilers

Type of Unit	Number of Units	Daily Avg Blowdown (gallons/day)	Daily Max Blowdown (gallons/day)
Cooling Towers			
Boilers			

Item 6. Stormwater Management (Instructions, Page 44)

Will any existing/proposed outfalls discharge stormwater associated with industrial activities, as defined at 40 CFR § 122.26(b)(14), commingled with any other wastestream?

	Yes	\boxtimes	No
--	-----	-------------	----

If **yes**, briefly describe the industrial processes and activities that occur outdoors or in a manner which may result in exposure of the activities or materials to stormwater: Click to enter text.

Item 7. Domestic Sewage, Sewage Sludge, and Septage Management and Disposal (Instructions, Page 44)

Domestic Sewage - Waste and wastewater from humans or household operations that is discharged to a wastewater collection system or otherwise enters a treatment works.

a.		k the box next to the appropriate method of domestic sewage and domestic sewage se treatment or disposal. Complete Worksheet 5.0 or Item 7.b if directed to do so.				
	☑ Domestic sewage is routed (i.e., connected to or tra- receive domestic sewage for treatment, disposal, or	-				
	☐ Domestic sewage disposed of by an on-site septic t Item 7.b.	mestic sewage disposed of by an on-site septic tank and drainfield system. Complete m 7.b.				
	☐ Domestic and industrial treatment sludge ARE com	mingled prior to use or disposal.				
	Industrial wastewater and domestic sewage are treated separately, and the respecti sludge IS NOT commingled prior to sludge use or disposal. Complete Worksheet 5.0					
	☐ Facility is a POTW. Complete Worksheet 5.0.					
	□ Domestic sewage is not generated on-site.					
	□ Other (e.g., portable toilets), specify and Complete Item 7.b: Click to enter text.					
b.	Provide the name and TCEQ, NPDES, or TPDES Permit No. of the waste-disposal facility which receives the domestic sewage/septage. If hauled by motorized vehicle, provide the name and TCEQ Registration No. of the hauler.					
	mestic Sewage Plant/Hauler Name	T. T				
P	lant/Hauler Name	Permit/Registration No.				
Īŧ	em 8. Improvements or Compliance	/Fnforcement				
	Requirements (Instructions, Page 1987)					
a.	Is the permittee currently required to meet any implementation schedule for compliance or enforcement?					
	□ Yes ⊠ No					
b.	Has the permittee completed or planned for any impr	rovements or construction projects?				
	□ Yes ⊠ No					
c.	If yes to either 8.a or 8.b, provide a brief summary of the requirements and a status update: Click to enter text.					

	ive any biological tests for acute or chronic toxicity been made on any of the discharges or a receiving water in relation to the discharge within the last three years?
	□ Yes ⊠ No
If y	yes, identify the tests and describe their purposes: Click to enter text.
	lditionally, attach a copy of all tests performed which have not been submitted to the TCEQ EPA. Attachment: Click to enter text.
It	em 10. Off-Site/Third Party Wastes (Instructions, Page 45)
a.	Does or will the facility receive wastes from off-site sources for treatment at the facility, disposal on-site via land application, or discharge via a permitted outfall?
	□ Yes ⊠ No
	If yes, provide responses to Items 10.b through 10.d below.
	If no , proceed to Item 11.
b.	Attach the following information to the application:
	• List of wastes received (including volumes, characterization, and capability with on-site wastes).
	 Identify the sources of wastes received (including the legal name and addresses of the generators).
	 Description of the relationship of waste source(s) with the facility's activities.
	Attachment: Click to enter text.
C.	Is or will wastewater from another TCEQ, NPDES, or TPDES permitted facility commingled with this facility's wastewater after final treatment and prior to discharge via the final outfall/point of disposal?
	□ Yes □ No
	If yes , provide the name, address, and TCEQ, NPDES, or TPDES permit number of the contributing facility and a copy of any agreements or contracts relating to this activity.
	Attachment: Click to enter text.
d.	Is this facility a POTW that accepts/will accept process wastewater from any SIU and has/is required to have an approved pretreatment program under the NPDES/TPDES program?
	□ Yes □ No
If	yes, Worksheet 6.0 of this application is required.
It	em 11. Radioactive Materials (Instructions, Page 46)
a.	Are/will radioactive materials be mined, used, stored, or processed at this facility?
	□ Yes ⊠ No
	If yes , use the following table to provide the results of one analysis of the effluent for all radioactive materials that may be present. Provide results in pCi/L.

Item 9. Toxicity Testing (Instructions, Page 45)

	ctive Material Name	Concentration (pCi/L)
radio	the applicant or anyone at the facility active materials may be present in the active materials in the source waters o	have any knowledge or reason to believe that e discharge, including naturally occurring or on the facility property?
	es □ No	
radio		ne results of one analysis of the effluent for all Provide results in pCi/L. Do not include 1.a.
Radioacti	ve Materials Present in the Discharge	
Radioac	ctive Material Name	Concentration (pCi/L)
Itama 1	12 Cooling Water (Instru	otions Page 46)
Item 1	12. Cooling Water (Instru	ctions, Page 46)
	12. Cooling Water (Instruction of the facility use or propose to use wat	
	the facility use or propose to use wat Yes	
a. Does	the facility use or propose to use wat Yes	er for cooling purposes?
a. Does □ ⊠	the facility use or propose to use wat Yes No Decommissioned: Click to enter tex	er for cooling purposes?
a. Does	the facility use or propose to use wat Yes No Decommissioned: Click to enter tex	er for cooling purposes?
a. Does	the facility use or propose to use wat Yes No Decommissioned: Click to enter tex To Be Decommissioned: Click to en	er for cooling purposes? ct. iter text. , stop here.
a. Does	the facility use or propose to use wat Yes No Decommissioned: Click to enter tex To Be Decommissioned: Click to enter s, complete Items 12.b thru 12.f. If no	er for cooling purposes? ct. iter text. , stop here.
a. Does If yes If dec	the facility use or propose to use wat Yes No Decommissioned: Click to enter tex To Be Decommissioned: Click to enter s, complete Items 12.b thru 12.f. If no commissioned, provide the date operate be decommissioned, provide the date	er for cooling purposes? Att. Atter text. A stop here. Action ceased and stop here. A operation is anticipated to cease and stop here.
a. Does If yes If dec	the facility use or propose to use wat Yes No Decommissioned: Click to enter tex To Be Decommissioned: Click to enter tex s, complete Items 12.b thru 12.f. If no commissioned, provide the date operate decommissioned, provide the date on the decommissioned of the date of the decommissioned.	er for cooling purposes? Att. Atter text. A stop here. Action ceased and stop here. A operation is anticipated to cease and stop here.

C.	Cooling	Water	Supplie
C.	Coomig	water	ouppite

1. Provide the name of the owner(s) and operator(s) for the CWIS that supplies or will supply water for cooling purposes to the facility.

Cooling Water	Intake	Structure(s)	Owner(s	and O	perator(s)
---------------	--------	--------------	---------	-------	------------

C	WIS	SID											
0	wn	er											
0	pei	rator			,								
	2	Cooling wa	ater is/v	will be	ohtaine	ed from	a Public	c Wa	ter Sun	nlier (PV	WS)		
	۷.		No				Click to		A made to the contract of the	pirci (i)	(13)		
		If no , cont		10,000						nd ston	here		
							Ü			_	ncre.		
	3.	Cooling wa	ater is/v	will be	obtaine	ed from	a reclai	med	l water s	source?			
			No		Yes; A	uth No.:	Click to	o ent	ter text.				
		If no , cont	inue. If	yes, p	rovide	the Reus	se Auth	oriza	ation No	o. and s	top he	ere.	
	4.	Cooling wa	ater is/v	will be	obtaine	ed from	an Inde	pen	dent Su	pplier			
			No		Yes; A	F:_Click	to ente	r tex	kt.				
		If no , proc Supplier's	eed to I CWIS tl	tem 1 hat is/	2.d. If y will be	es, provused to	vide the provide	actu	ual intak er for c	te flow ooling p	of the ourpo	Indepenses and p	ident proceed.
d.	31	6(b) Genera	d Criter	ia									
	1.	The CWIS(cumulative								the fac	cility h	nas or wi	ll have a
			Yes		No								
	2.	At least 25 exclusively									e used	l at the f	acility
			Yes		No								
	3.	The CWIS(surface was 122.2.											
			Yes		No. Ex	planatio	n:_Click	to	enter tex	kt.			
		If no , prov Waters of							y does r	ot mee	t the o	definitio	n of

If **yes** to all three questions in Item 12.d, the facility **meets** the minimum criteria to be subject to the full requirements of Section 316(b) of the CWA. Proceed to **Item 12.f**.

If **no** to any of the questions in Item 12.d, the facility **does not meet** the minimum criteria to be subject to the full requirements of Section 316(b) of the CWA; however, a determination is required based upon BPJ. Proceed to **Item 12.e**.

e.	The facility does not meet the minimum requirements to be subject to the fill requirements of Section 316(b) and uses/ proposes to use cooling towers .
	□ Yes □ No
	If yes , stop here. If no , complete Worksheet 11.0, Items 1.a, 1.b.1-3 and 6, 2.b.1, and 3.a to allow for a determination based upon BPJ.
f.	Oil and Gas Exploration and Production
	1. The facility is subject to requirements at 40 CFR Part 435, Subparts A or D.
	□ Yes □ No
	If yes , continue. If no , skip to Item 12.g.
	2. The facility is an existing facility as defined at 40 CFR § 125.92(k) or a new unit at an existing facility as defined at 40 CFR § 125.92(u).
	□ Yes □ No
	If yes , complete Worksheet 11.0, Items 1.a, 1.b.1-3 and 6, 2.b.1, and 3.a to allow for a determination based upon BPJ. If no , skip to Item 12.g.3.
g.	Compliance Phase and Track Selection
	1. Phase I - New facility subject to 40 CFR Part 125, Subpart I
	□ Yes □ No
	If yes , check the box next to the compliance track selection, attach the requested information, and complete Worksheet 11.0, Items 2 and 3, and Worksheet 11.2.
	☐ Track I - AIF greater than 2 MGD, but less than 10 MGD
	 Attach information required by 40 CFR §§ 125.86(b)(2)-(4).
	□ Track I – AIF greater than 10 MGD
	 Attach information required by 40 CFR § 125.86(b).
	□ Track II
	 Attach information required by 40 CFR § 125.86(c).
	Attachment: Click to enter text.
	2. Phase II – Existing facility subject to 40 CFR Part 125, Subpart J
	□ Yes □ No
	If yes, complete Worksheets 11.0 through 11.3, as applicable.
	3. Phase III – New facility subject to 40 CFR Part 125, Subpart N
	□ Yes □ No
	If yes , check the box next to the compliance track selection and provide the requested information.
	□ Track I – Fixed facility
	 Attach information required by 40 CFR § 125.136(b) and complete Worksheet 11.0. Items 2 and 3, and Worksheet 11.2.

	Track I - Not a fixed facility
	 Attach information required by 40 CFR § 125.136(b) and complete Worksheet 11.0, Item 2 (except CWIS latitude/longitude under Item 2.a).
	Track II - Fixed facility
	 Attach information required by 40 CFR § 125.136(c) and complete Worksheet 11.0, Items 2 and 3.
At	tachment: Click to enter text.
Item 1	3. Permit Change Requests (Instructions, Page 48)
This item	is only applicable to existing permitted facilities.
a. Is the	facility requesting a major amendment of an existing permit?
	Yes ⊠ No
inforr	, list each request individually and provide the following information: 1) detailed nation regarding the scope of each request and 2) a justification for each request. h any supplemental information or additional data to support each request.
b. Is the	facility requesting any minor amendments to the permit?
	Yes ⊠ No
If yes	, list and describe each change individually.
Click	to enter text.
c. Is the	facility requesting any minor modifications to the permit?
	Yes □ No
If yes	s, list and describe each change individually.

Leah Whallon

From: Stephanie Landsman < stephanie@landsmanenviro.com>

Sent: Saturday, April 19, 2025 8:21 AM

To: Leah Whallon Subject: Re: WQ0004184000

Attachments: Webb County notice.docx; Webb County(CA) Revised Pages.pdf

Follow Up Flag: Follow up **Flag Status:** Flagged

Here is the info I received from the applicant. The plant is not in operation at this time and outfall may be changed in the future.

On Tue, Apr 15, 2025 at 2:46 PM Leah Whallon < Leah. Whallon@tceq.texas.gov > wrote:

Hi Stephanie,

The technical report I was emailed last week does not have any responses in Item 4, and also is missing the relevant page(s) for the land application worksheets.

Thanks,

Leah Whallon



Texas Commission on Environmental Quality

Water Quality Division

512-239-0084

leah.whallon@tceq.texas.gov

How is our customer service? Fill out our online customer satisfaction survey at www.tceq.texas.gov/customersurvey

From: Stephanie Landsman < stephanie@landsmanenviro.com>

Sent: Tuesday, April 15, 2025 2:36 PM

To: Leah Whallon < Leah. Whallon@Tceq. Texas. Gov >

Subject: Re: WQ0004184000

My copy of the technical report says 9,500 gpd-must have changed it after I sent it in?

On Tue, Apr 15, 2025 at 2:32 PM Stephanie Landsman < stephanie@landsmanenviro.com> wrote:

I apologize, these items weren't addressed at last renewal so I will have to ask the applicant. Also, I can get the NORI done today. Send the letter if you need to but I will get this done quickly.

On Tue, Apr 15, 2025 at 12:23 PM Leah Whallon < Leah. Whallon@tceq.texas.gov > wrote:

Thank you, Stephanie.

I've reviewed the response and there are several items still needed at this time. There was no response to items 9-12 of the initial NOD.

9. Technical Report 1.0, Item 4

No response was provided for these items but is required. Please provide responses for the disposal method information.

10. Technical Worksheet 3.1, Item 3

No flow was listed in Item 4 of technical report 1.0, but worksheet 3.1 lists a daily average flow of 13,400 gallons per day which is more than the permitted flow of 9,500 gallons per day. Please confirm the proposed flow and update the item. If an increase in flow is proposed, a major amendment application is required.

11. The following is a portion of the NORI which contains information relevant to your application. Please read it carefully and indicate if it contains any errors or omissions. The complete notice will be sent to you once the application is declared administratively complete.

APPLICATION. Webb County, 515 Martha Drive, Rio Bravo, Texas 78046 (pending response), which owns a reverse osmosis water treatment facility, has applied to the Texas Commission on Environmental Quality (TCEQ) to renew Texas Land Application Permit (TLAP) No. WQ0004184000 to authorize the disposal of reverse osmosis reject water at a volume not to exceed a daily average flow of 9,500 gallons per day via evaporation. The water treatment facility and disposal area are located approximately 0.5 miles northwest of the intersection of Las Lomas Road and U.S. Highway 59, near the city of Laredo, in Webb County, Texas 78044. TCEQ received this application on March 20, 2025. The permit application will be available for viewing and copying at Webb County Courthouse, 1000 Houston Street, Laredo, in Texas County, Texas prior to the date this notice is published in the newspaper. The application, including any updates, and associated notices are available electronically at the following webpage: https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tlap-applications. This link to an electronic map of the site or facility's general location is provided as a public courtesy and not part of the application or notice. For the exact location, refer to the application.

https://gisweb.tceq.texas.gov/LocationMapper/?marker=-99.229722,27.619444&level=18

Further information may also be obtained from Webb County at the address stated above or by calling Mr. Javier Gonzalez, Interim Director, at 956-480-8197.

12. The application indicates that public notices in Spanish are required. After confirming the portion of the NORI above does not contain any errors or omissions, please use the attached template to translate the NORI into Spanish. Only the first and last paragraphs are unique to this application and require translation. Please provide the translated Spanish NORI in a Microsoft Word document.

I can send a 30 day extension letter to allow more time to complete the response. Please let me know if you have any questions.

Thanks,

Leah Whallon



Texas Commission on Environmental Quality

Water Quality Division

512-239-0084 leah.whallon@tceq.texas.gov How is our customer service? Fill out our online customer satisfaction survey at www.tceq.texas.gov/customersurvey

From: Stephanie Landsman < stephanie@landsmanenviro.com>

Sent: Tuesday, April 15, 2025 9:24 AM

To: Leah Whallon < Leah. Whallon@Tceq.Texas.Gov >

Subject: Re: WQ0004184000

On Mon, Apr 14, 2025 at 4:26 PM Leah Whallon < Leah. Whallon@tceq.texas.gov > wrote:

Thank you, Stephanie.

I'm reviewing the response now and do not see the updated Administrative Report. I received 3 emails with the technical report, maps, and other attachments. Can you please send the revised admin report as well?

Thanks,

Leah Whallon



Texas Commission on Environmental Quality

Water Quality Division

512-239-0084 leah.whallon@tceq.texas.gov

How is our customer service? Fill out our online customer satisfaction survey at www.tceq.texas.gov/customersurvey

Outfall Lon	ngitude ar	nd Latitude
--------------------	------------	-------------

Outfall No.	Latitude (Decimal Degrees)	Longitude (Decimal Degrees)
E1	27.620455	- 99.229355

Outfall Location Description

Outfall No.	Location Description
EI	

Description of Sampling Point(s) (if different from Outfall location)

utfall No. Description of sampling point			
Pond			

Outfall Flow Information - Permitted and Proposed

Outfall No.	Permitted Daily Avg Flow (MGD)	Permitted Daily Max Flow (MGD)	Proposed Daily Avg Flow (MGD)	Proposed Daily Max Flow (MGD)	Anticipated Discharge Date (mm/dd/yy)
E1	10095				

Outfall Discharge - Method and Measurement

Outfall No.	Pumped Discharge? Y/N	Gravity Discharge? Y/N	Type of Flow Measurement Device Used

Outfall Discharge - Flow Characteristics

Outfall No.	Intermittent Discharge? Y/N	Continuous Discharge? Y/N	Seasonal Discharge? Y/N	Discharge Duration (hrs/day)	Discharge Duration (days/mo)	Discharge Duration (mo/yr)

b. Attach a detailed engineering report which includes a water balance, storage volume calculations, and a nitrogen balance. Attachment: Click to enter text.

Item 3. Evaporation Ponds (Instructions, Page 74)

- a. Daily average effluent flow into ponds: 9,500 gallons per day
- b. Attach a separate engineering report of evaporation calculations for average long-term and worst-case critical conditions. **Attachment:** Click to enter text.

Item 4. Evapotranspiration Beds (Instructions, Page 74)

a. Provide the following information on the evapotranspiration beds:

Number of beds: Click to enter text.

Area of bed(s) (acres): Click to enter text.

Depth of bed(s) (feet): Click to enter text.

Void ratio of soil in the beds: Click to enter text.

Storage volume within the beds (include units): Click to enter text.

Description of any lining to protect groundwater: Click to enter text.

- b. Attach a certification by a licensed Texas professional engineer that the liner meets TCEQ requirements. **Attachment:** Click to enter text.
- c. Attach a separate engineering report with water balance, storage volume calculations, and description of the liner. **Attachment:** <u>Click to enter text.</u>

Item 5. Overland Flow (Instructions, Page 74)

a. Provide the following information on the overland flow:

Area used for application (acres): Click to enter text.

Slopes for application area (percent): Click to enter text.

Design application rate (gpm/foot of slope width): Click to enter text.

Slope length (feet): Click to enter text.

Design BOD5 loading rate (lbs BOD5/acre/day): Click to enter text.

Design application frequency (hours/day): Click to enter text.

Design application frequency (days/week): Click to enter text.

b. Attach a separate engineering report with the method of application and design requirements according to *30 TAC § 217.212*. **Attachment:** <u>Click to enter text.</u>

Comisión de Calidad Ambiental del Estado de Texas



AVISO DE RECEPCIÓN DE LA SOLICITUD Y LA INTENCIÓN DE OBTENER CALIDAD DEL AGUA PERMISO RENOVACIÓN

SOLICITUD. El Condado de Webb, 515 Martha Drive, Rio Bravo, Texas 78046 (respuesta pendiente), que posee una instalación de tratamiento de agua por ósmosis inversa, ha solicitado a la Comisión de Calidad Ambiental de Texas (TCEQ) renovar el Permiso de Aplicación en Terrenos de Texas (TLAP) No. WQ0004184000 para autorizar la eliminación de agua rechazada por ósmosis inversa en un volumen que no exceda un flujo promedio diario de 9,500 galones por día a través de la evaporación. La instalación de tratamiento de agua y el área de eliminación están ubicadas aproximadamente a 0.5 millas al noroeste de la intersección de Las Lomas Road y U.S. Highway 59, cerca de la ciudad de Laredo, en el Condado de Webb, Texas 78044. La TCEQ recibió esta solicitud el 20 de marzo de 2025. La solicitud de permiso estará disponible para ver y copiar en Webb County Courthouse, 1000 Houston Street, Laredo, en el Condado de Texas, Texas, antes de la fecha de publicación de este aviso en el periódico. La solicitud, incluidas las actualizaciones y los avisos asociados, están disponibles electrónicamente en la siguiente página web:

https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tlap-applications. Este enlace a un mapa electrónico de la ubicación general del sitio o de la instalación es proporcionado como una cortesía y no es parte de la solicitud o del aviso. Para la ubicación exacta, consulte la solicitud.

https://gisweb.tceq.texas.gov/LocationMapper/?marker=-99.229722,27.619444&level=18

Include the following non-italicized sentence if the facility is located in the Coastal Management Program boundary and is an application for a major amendment which will increase the pollutant loads to coastal waters or would result in relocation of an outfall to a critical areas, or a renewal with such a major amendment. The Coastal Management Program boundary is the area along the Texas Coast of the Gulf of México as depicted on the map in 31 TAC §503.1 and includes part or all of the following counties: Cameron, Willacy, Kenedy, Kleberg, Nueces, San Patricio, Aransas, Refugio, Calhoun, Victoria, Jackson, Matagorda, Brazoria, Galveston, Harris, Chambers, Jefferson y Orange. If the application is for amendment that does not meet the above description, do not include the sentence: El Director Ejecutivo de la TCEQ ha revisado esta medida para ver si está de acuerdo con los objetivos y las regulaciones del Programa

de Administración Costero de Texas (CMP) de acuerdo con las regulaciones del Consejo Coordinador de la Costa (CCC) y ha determinado que la acción es conforme con las metas y regulaciones pertinentes del CMP.

AVISO ADICIONAL. El Director Ejecutivo de la TCEQ ha determinado que la solicitud es administrativamente completa y conducirá una revisión técnica de la solicitud. Después de completar la revisión técnica, el Director Ejecutivo puede preparar un borrador del permiso y emitirá una Decisión Preliminar sobre la solicitud. El aviso de la solicitud y la decisión preliminar serán publicados y enviado a los que están en la lista de correo de las personas a lo largo del condado que desean recibir los avisos y los que están en la lista de correo que desean recibir avisos de esta solicitud. El aviso dará la fecha límite para someter comentarios públicos.

COMENTARIO PUBLICO / REUNION PUBLICA. Usted puede presentar comentarios públicos o pedir una reunión pública sobre esta solicitud. El propósito de una reunión pública es dar la oportunidad de presentar comentarios o hacer preguntas acerca de la solicitud. La TCEQ realiza una reunión pública si el Director Ejecutivo determina que hay un grado de interés público suficiente en la solicitud o si un legislador local lo pide. Una reunión pública no es una audiencia administrativa de lo contencioso.

OPORTUNIDAD DE UNA AUDIENCIA ADMINISTRATIVA DE LO

CONTENCIOSO. Después del plazo para presentar comentarios públicos, el Director Ejecutivo considerará todos los comentarios apropiados y preparará una respuesta a todo los comentarios públicos esenciales, pertinentes, o significativos. A menos que la solicitud haya sido referida directamente a una audiencia administrativa de lo contencioso, la respuesta a los comentarios y la decisión del Director Ejecutivo sobre la solicitud serán enviados por correo a todos los que presentaron un comentario público y a las personas que están en la lista para recibir avisos sobre esta solicitud. Si se reciben comentarios, el aviso también proveerá instrucciones para pedir una reconsideración de la decisión del Director Ejecutivo y para pedir una audiencia administrativa de lo contencioso. Una audiencia administrativa de lo contencioso es un procedimiento legal similar a un procedimiento legal civil en un tribunal de distrito del estado.

PARA SOLICITAR UNA AUDIENCIA DE CASO IMPUGNADO, USTED DEBE INCLUIR EN SU SOLICITUD LOS SIGUIENTES DATOS: su nombre, dirección, y número de teléfono; el nombre del solicitante y número del permiso; la ubicación y distancia de su propiedad/actividad con respecto a la instalación; una descripción específica de la forma cómo usted sería afectado adversamente por el sitio de una manera no común al público en general; una lista de todas las cuestiones de hecho en disputa que usted presente durante el período de comentarios; y la declaración "[Yo/nosotros] solicito/solicitamos una audiencia de caso impugnado". Si presenta la petición para una audiencia de caso impugnado de parte de un

grupo o asociación, debe identificar una persona que representa al grupo para recibir correspondencia en el futuro; identificar el nombre y la dirección de un miembro del grupo que sería afectado adversamente por la planta o la actividad propuesta; proveer la información indicada anteriormente con respecto a la ubicación del miembro afectado y su distancia de la planta o actividad propuesta; explicar cómo y porqué el miembro sería afectado; y explicar cómo los intereses que el grupo desea proteger son pertinentes al propósito del grupo.

Después del cierre de todos los períodos de comentarios y de petición que aplican, el Director Ejecutivo enviará la solicitud y cualquier petición para reconsideración o para una audiencia de caso impugnado a los Comisionados de la TCEQ para su consideración durante una reunión programada de la Comisión. La Comisión sólo puede conceder una solicitud de una audiencia de caso impugnado sobre los temas que el solicitante haya presentado en sus comentarios oportunos que no fueron retirados posteriormente. Si se concede una audiencia, el tema de la audiencia estará limitado a cuestiones de hecho en disputa o cuestiones mixtas de hecho y de derecho relacionadas a intereses pertinentes y materiales de calidad del agua que se hayan presentado durante el período de comentarios.

LISTA DE CORREO. Si somete comentarios públicos, un pedido para una audiencia administrativa de lo contencioso o una reconsideración de la decisión del Director Ejecutivo, la Oficina del Secretario Principal enviará por correo los avisos públicos en relación con la solicitud. Ademas, puede pedir que la TCEQ ponga su nombre en una or mas de las listas correos siguientes (1) la lista de correo permanente para recibir los avisos de el solicitante indicado por nombre y número del permiso específico y/o (2) la lista de correo de todas las solicitudes en un condado especifico. Si desea que se agrega su nombre en una de las listas designe cual lista(s) y envia por correo su pedido a la Oficina del Secretario Principal de la TCEO.

CONTACTOS E INFORMACIÓN DE LA TCEQ. Todos los comentarios escritos del público y los para pedidos una reunión deben ser presentados a la Oficina del Secretario Principal, MC 105, TCEQ, P.O. Box 13087, Austin, TX 78711-3087 o por el internet at www.tceq.texas.gov/about/comments.html. Tenga en cuenta que cualquier información personal que usted proporcione, incluyendo su nombre, número de teléfono, dirección de correo electrónico y dirección física pasarán a formar parte del registro público de la Agencia. Si necesita más información en Español sobre esta solicitud para un permiso o el proceso del permiso, por favor llame a El Programa de Educación Pública de la TCEQ, sin cobro, al 1-800-687-4040. La información general sobre la TCEQ puede ser encontrada en nuestro sitio de la red: www.tceq.texas.gov.

	r información adicional del Condado de Webb a la dirección o al Sr. Javier Gonzalez, Director Interino, at 956-480-8197.
Fecha de emisión	[Date notice issued]



TEXAS COMMISSION ON ENVIRONMENTAL OUALITY

P.O. Box 13087 Austin, Texas 78711-3087 This renewal replaces TCEQ Permit No. WQ0004184000 issued on, February 22, 2016.

PERMIT TO DISPOSE OF WASTES

under provisions of Chapter 26 of the Texas Water Code

I. NAME OF PERMITTEE

A. Name: Webb County

B. Address: 515 Martha Drive

Rio Bravo, Texas 78046

II. NATURE OF BUSINESS PRODUCING WASTE

Webb County Colorado Acres Water Treatment Plant, a reverse osmosis water treatment plant. (SIC 4941)

III. GENERAL DESCRIPTION AND LOCATION OF WASTE DISPOSAL SYSTEM

Description: Wastewater from the reverse osmosis treatment process is routed to an

evaporation pond with a surface area of 0.92 acres and storage capacity of

2.72 acre-feet.

<u>Location:</u> are located approximately 0.5 miles northwest of the intersection of Las

Lomas Road and U.S. Highway 59, near the City of Laredo, in Webb

County, Texas 78044.

Drainage Basin: The facility and disposal site are located in the drainage area of Nueces

River Above Frio River in Segment No. 2104 of the Nueces River Basin. No discharge of pollutants into water in the state is authorized by this permit.

This permit shall expire at midnight ten years from the date of permit issuance.

ISSUED DATE:		
	For the Commission	

IV. CONDITIONS OF THE PERMIT

<u>Character:</u> The disposal of reverse osmosis reject water by evaporation from a reverse

osmosis water treatment plant.

<u>Volume:</u> The daily average flow of reverse osmosis reject wastewater to the evaporation

ponds shall not exceed 9,500 gallons per day (gpd).

Quality: Wastewater shall meet the following effluent limitations and shall be monitored

in accordance with the following schedule:

Parameter	Limitation	Frequency	Sample Type
Flow (gallons/day) ¹	9,500 daily	1/day	Estimate
TT (average	1/ 1	G 1
pH (standard units)	Between 6.0 and 9.0 S.U.	1/month	Grab

¹ Monitoring of the effluent shall be conducted at a point following the reverse osmosis treatment unit and prior to effluent being routed to the evaporation pond.

Results from the analyses must be retained on site for five years and available for inspection by authorized representatives of the Texas Commission on Environmental Quality (TCEQ). This data must be submitted to the TCEQ Enforcement Division (MC 224), Industrial Permits Team (MC 148), and Region 16 Office during the month of September of each calendar year.

V. SPECIAL PROVISIONS:

- A. For the purpose of Part IV of this permit, the following definition shall apply:
 - 1. Grab sample quality the quality determined by measuring the concentration in milligrams per liter, parts per million, or other appropriate units of measurement in a single grab sample of the defined waste.
- B. A readily accessible sampling point and flow measuring device shall be provided by the permittee.
- C. All wastewater retention ponds shall be operated in such a manner as to maintain a minimum freeboard of two feet.
- D. The permittee shall maintain an operating log that records the volume of wastewater discharged to the evaporation pond each day and analytical results for pH required in Section IV. Results from the operating log shall be readily available for inspection by authorized representatives of the TCEQ for a minimum of five years.
- E. This permit does not authorize the discharge of any pollutant from the evaporation ponds. The wastewater disposal system shall be designed and operated to prevent:
 - 1. Recharge of groundwater resources which supply or may potentially supply domestic raw water.
 - 2. The occurrence of nuisance conditions.

- F. Storm water drainage shall be prevented from entering all ponds.
- G. Pond Requirements

A wastewater pond must comply with the following requirements. A wastewater pond (or lagoon) is an earthen structure used to evaporate, hold, store, or treat water that contains a waste or pollutant or that would cause pollution upon discharge as those terms are defined in Texas Water Code § 26.001, but does not include a pond that contains only stormwater.

- 1. N/A
- 2. An **existing** wastewater pond must be maintained to meet or exceed the original approved design and liner requirements; or, in the absence of original approved requirements, must be maintained to prevent unauthorized discharge of wastewater into or adjacent to water in the state. The permittee shall maintain copies of all liner construction and testing documents at the facility or in a reasonably accessible location and make the information available to the executive director upon request.
- 3. A **new** wastewater pond constructed after the issuance date of this permit must be lined in compliance with one of the following requirements if it will contain <u>process</u> <u>wastewater</u> as defined in 40 CFR §122.2. The executive director will review ponds that will contain only <u>non-process wastewater</u> on a case-by case basis to determine whether the pond must be lined. If a pond will contain only non-process wastewater, the owner shall notify the Industrial Permits Team (MC 148) to obtain a written determination at least 90 days before the pond is placed into service and copy the TCEQ Compliance Monitoring Team (MC-224). The permittee must submit all information about the proposed pond contents that is reasonably necessary for the executive director to make a determination. If the executive director determines that a pond does not need to be lined, then the pond is exempt from 3a through 3c and 4 through 7 of POND REOUIREMENTS.

A wastewater pond that <u>only contains domestic wastewater</u> must comply with the design requirements in 30 TAC Chapter 217 and 30 TAC §309.13(d) in lieu of items 3a through 3c of this subparagraph.

- a. <u>Soil liner</u>: The soil liner must contain clay-rich soil material (at least 30% of the liner material passing through a #200 mesh sieve, liquid limit greater than or equal to 30, and plasticity index greater than or equal to 15) that completely covers the sides and bottom of the pond. The liner must be at least 3.0 feet thick. The liner material must be compacted in lifts of no more than 8 inches to 95% standard proctor density at the optimum moisture content in accordance with ASTM D698 to achieve a permeability less than or equal to 1 × 10⁻⁷ (≤ 0.0000001) cm/sec. For insitu soil material that meets the permeability requirement, the material must be scarified at least 8 inches deep and then re-compacted to finished grade.
- b. <u>Synthetic membrane</u>: The liner must be a synthetic membrane liner at least 40 mils in thickness that completely covers the sides and the bottom of the pond. The liner material used must be compatible with the wastewater and be resistant to degradation (e.g., from ultraviolet light, chemical reactions, wave action, erosion, etc.). The liner material must be installed and maintained in accordance with the manufacturer's guidelines. A wastewater pond with a synthetic membrane liner must include an underdrain with a leak detection and collection system.
- c. <u>Alternate liner</u>: The permittee shall submit plans signed and sealed by a Texaslicensed professional engineer for any other equivalently-protective pond lining

method to the TCEQ Industrial Permits Team (MC-148) and copy the TCEQ Compliance Monitoring Team (MC-224).

4. For a pond that must be lined according to subparagraph 3 (including ponds with in-situ soil liners), the permittee shall provide certification, signed and sealed by a Texaslicensed professional engineer, stating that the completed pond lining and any required underdrain with leak detection and collection system for the pond meet the requirements in subparagraph 3a - 3c before using the pond. The certification shall include the following minimum details about the pond lining system: (1) pond liner type (in-situ soil, amended in-situ soil, imported soil, synthetic membrane, or alternative), (2) materials used, (3) thickness of materials, and (4) either permeability test results or a leak detection and collection system description, as applicable.

The certification must be provided to the TCEQ Water Quality Assessment Team (MC-150), Industrial Permits Team (MC-148), Compliance Monitoring Team (MC-224), and Regional Office. A copy of the liner certification and construction details (i.e., as-built drawings, construction QA/QC documentation, and post construction testing) must be kept on-site or in a reasonably accessible location (in either hardcopy or digital format) until the pond is closed.

- 5. Protection and maintenance requirements for a pond subject to subparagraph 2 or 3 (including ponds with in-situ soil liners).
 - a. The permittee shall maintain a liner to prevent the unauthorized discharge of wastewater into or adjacent to water in the state.
 - b. A liner must be protected from damage caused by animals. Fences or other protective devices or measures may be used to satisfy this requirement.
 - c. The permittee shall maintain the structural integrity of the liner and shall keep the liner and embankment free of woody vegetation, animal burrows, and excessive erosion.
 - d. The permittee shall inspect each pond liner and each leak detection system at least once per month. Evidence of damage or unauthorized discharge must be evaluated by a Texas-licensed professional engineer or Texas-licensed professional geoscientist within 30 days. The permittee is not required to drain an operating pond or to inspect below the waterline during these routine inspections.
 - i. A Texas-licensed professional engineer or Texas-licensed professional geoscientist must evaluate damage to a pond liner, including evidence of an unauthorized discharge without visible damage.
 - ii. Pond liner damage must be repaired at the recommendation of a Texas-licensed professional engineer or Texas-licensed professional geoscientist. If the damage is significant or could result in unauthorized discharge, then the repair must be documented and certified by a Texas-licensed professional engineer. Within 60 days after a repair is completed, liner certification must be provided to the TCEQ Water Quality Assessment Team (MC-150), Compliance Monitoring Team (MC-224), and TCEQ Regional Office. A copy of the liner certification must be maintained at the facility or in a reasonably accessible location and made available to the executive director upon request.
 - iii. A release determination and subsequent corrective action will be based on 40 CFR Part 257 or the Texas Risk Reduction Program (30 TAC Chapter 350), as applicable. If evidence indicates that an unauthorized discharge occurred, including evidence that the actual permeability exceeds the

design permeability, the matter may also be referred to the TCEQ Enforcement Division to ensure the protection of the public and the environment.

- 6. For a pond subject to subparagraph 2 or 3 (including ponds with in-situ soil liners), the permittee shall have a Texas-licensed professional engineer perform an evaluation of each pond that requires a liner at least once every five years. The evaluation must include: (1) a physical inspection of the pond liner to check for structural integrity, damage, and evidence of leaking; (2) a review of the liner documentation for the pond; and (3) a review of all documentation related to liner repair and maintenance performed since the last evaluation. For the purposes of this evaluation, evidence of leaking also includes evidence that the actual permeability exceeds the design permeability. The permittee is not required to drain an operating pond or to inspect below the waterline during the evaluation. A copy of the engineer's evaluation report must be maintained at the facility or in a reasonably accessible location and made available to the executive director upon request.
- 7. For a pond subject to subparagraph 2 or 3 (including ponds with in-situ soil liners), the permittee shall maintain at least 2.0 feet of freeboard in the pond except when:
 - a. the freeboard requirement temporarily cannot be maintained due to a large storm event that requires the additional retention capacity to be used for a limited period of time;
 - b. the freeboard requirement temporarily cannot be maintained due to upset plant conditions that require the additional retention capacity to be used for treatment for a limited period of time; or
 - c. the pond was not required to have at least 2.0 feet of freeboard according to the requirements at the time of construction.
- H. No substances placed into the evaporation pond shall be either listed and/or characterized as hazardous.
- I. The permittee shall implement measures or provide additional storage to store/dispose of a minimum of 9.12 acre-feet of wastewater per year. This shall be demonstrated by the following:
 - 1. Construction of an additional evaporation pond(s). in compliance with Item No. G.2 of *Special Provisions*; or
 - 2. Provision of adequate alternate source of storage/disposal of sufficient capacity of 9.12 acre-feet of wastewater per year; or
 - 3. The development of a contingency plan which identifies that the permittee is capable of managing an additional 9.12 acre-feet of effluent per year. The plan shall be put into effect when the evaporation pond exceeds storage capacity prior to an unauthorized discharge and may include, but is not limited to, the following:
 - a. Contracting a third party to haul the additional effluent offsite.
 - b. Connecting to a Publicly Owned Treatment Works (POTW).
 - c. Modifying the facility processes or wastewater management; or
 - d. Implementing evaporation enhancing measures.
 - 4. Any combination of I.1., I.2., and I.3.

The permittee shall submit a proposal, which demonstrates the capability to sufficiently satisfy the above requirements to the Industrial Permits Team (MC 148) of the Water

- Quality Division within 180 days of permit issuance. Based upon this proposal this permit may be reopened to require additional effluent storage capacity or other conditions.
- J. Attachment 1 must be completed with the results of analysis for within 90 days following initiation of discharge to the evaporation pond. Analytical results must be submitted from one grab or composite sample from the wastewater stream for every parameter. Sample results shall be reported to the Texas Commission on Environmental Quality, Wastewater Permitting Section, Industrial Permits Team (MC-148).
 - Upon examination of the results, this permit may be reopened to incorporate additional effluent limits and/or monitoring requirements.
- K. Within 90 days of permit issuance, the permittee shall furnish certification that the liner for the existing evaporation pond complies with the requirements for a soil liner located in *Special Provisions* No. G.3.a. The certification of the liner shall be provided by a Texaslicensed professional engineer to the TCEQ Water Quality Assessment Team (MC-150) and Region 16 Office. The certification should provide documentation of the permeability and liner thickness. A copy of the liner certification must be kept on-site for future reference.
- L. This permit does not authorize the discharge of domestic wastewater to the evaporation pond. All domestic wastewater must be disposed of in an approved manner, such as routing to an approved on-site septic tank and drainfield system or to an authorized third party for treatment and disposal.

Attachment 1

Ta<u>ble 1</u>

Outfall No.:		Effluent	Concentrati	on (mg/L)	
Pollutants	Samp. 1	Samp. 2	Samp. 3	Samp. 4	Average
BOD (5-day)					
CBOD (5-day)					
Chemical Oxygen Demand					
Total Organic Carbon					
Ammonia Nitrogen					
Total Suspended Solids					
Nitrate Nitrogen					
Total Organic Nitrogen					
Total Phosphorus					
Oil and Grease					
Total Residual Chlorine					
Total Dissolved Solids					
Sulfate					
Chloride					
Fluoride					
pH (Standard Units;					
min/max)					
Soluble Sodium					
Soluble Calcium					
Soluble Magnesium					

	Effluent Concentration (μg/L)	
		(μg/L)
Aluminum, Total		2.5
Antimony, Total		5
Arsenic, Total		0.5
Barium, Total		3
Beryllium, Total		0.5
Boron, Total		20
Cadmium, Total		1
Chromium, Total		3
Chromium, Trivalent		N/A
Chromium, Hexavalent		3
Copper, Total		2
Cyanide		10
Lead, Total		0.5
Mercury, Total		0.005^{2} /
		0.0005^{3}
Nickel, Total		2
Selenium, Total		5
Silver, Total		0.5
Thallium, Total		0.5
Zinc, Total		5.0

MAL¹ - Minimum Analytical Level

0.005² – Using test method 245.7, Rev. 2.0

0.0005³ – Using test method 1631E

VI. STANDARD PERMIT CONDITIONS

This permit is granted in accordance with the Texas Water Code and the rules and other Orders of the Commission and the laws of the State of Texas.

A. DEFINITIONS

All definitions in Section (§) 26.001 of the Texas Water Code and Title 30 of the Texas Administrative Code (30 TAC) Chapter 305 shall apply to this permit and are incorporated by reference. Some specific definitions of words or phrases used in this permit are as follows:

1. Flow Measurements

- a. Daily average flow the arithmetic average of all determinations of the daily flow within a period of one calendar month. The daily average flow determination shall consist of determinations made on at least four separate days. If instantaneous measurements are used to determine the daily flow, the determination shall be the arithmetic average of all instantaneous measurements taken during that month. Daily average flow determination for intermittent discharges shall consist of a minimum of three flow determinations on days of discharge.
- b. Annual average flow the arithmetic average of all daily flow determinations taken within the preceding 12 consecutive calendar months. The annual average flow determination shall consist of daily flow volume determinations made by a totalizing meter, charted on a chart recorder and limited to major domestic wastewater discharge facilities with a 1 million gallons per day or greater permitted flow.
- c. Instantaneous flow the measured flow during the minimum time required to interpret the flow measuring device.

2. Concentration Measurements

- a. Daily average concentration the arithmetic average of all effluent samples, composite or grab as required by this permit, within a period of one calendar month, consisting of at least four separate representative measurements.
 - i. For domestic wastewater treatment plants When four samples are not available in a calendar month, the arithmetic average (weighted by flow) of all values in the previous four consecutive month period consisting of at least four measurements shall be utilized as the daily average concentration.
 - ii. For all other wastewater treatment plants When four samples are not available in a calendar month, the arithmetic average (weighted by flow) of all values taken during the month shall be utilized as the daily average concentration.
- b. 7-day average concentration the arithmetic average of all effluent samples, composite or grab as required by this permit, within a period of one calendar week, Sunday through Saturday.
- c. Daily maximum concentration the maximum concentration measured on a single day, by the sample type specified in the permit, within a period of one calendar month.

3. Sample Type

a. Composite sample - For domestic wastewater, a composite sample is a sample made up of a minimum of three effluent portions collected in a continuous 24-hour period or during the period of daily discharge if less than 24 hours, and combined in volumes proportional to flow, and collected at the intervals required by 30 TAC § 319.9(a). For industrial wastewater, a composite sample is a sample made up of a minimum of three effluent portions collected in

a continuous 24-hour period or during the period of daily discharge if less than 24 hours, and combined in volumes proportional to flow, and collected at the intervals required by 30 TAC § 319.9(c).

- b. Grab sample an individual sample collected in less than 15 minutes.
- 4. Treatment Facility (facility) wastewater facilities used in the conveyance, storage, treatment, recycling, reclamation or disposal of domestic sewage, industrial wastes, agricultural wastes, recreational wastes, or other wastes including sludge handling or disposal facilities under the jurisdiction of the Commission.
- 5. The term "sewage sludge" is defined as solid, semi-solid, or liquid residue generated during the treatment of domestic sewage in 30 TAC Chapter 312. This includes the solids which have not been classified as hazardous waste separated from wastewater by unit processes.
- 6. Bypass the intentional diversion of a waste stream from any portion of a treatment facility.

B. MONITORING REQUIREMENTS

1. Monitoring Requirements

Monitoring results shall be collected at the intervals specified in the permit. Unless otherwise specified in this permit or otherwise ordered by the Commission, the permittee shall conduct effluent sampling in accordance with 30 TAC §§319.4 - 319.12.

As provided by state law, the permittee is subject to administrative, civil and criminal penalties, as applicable, for negligently or knowingly violating the Texas Water Code, Chapters 26, 27, and 28, and Texas Health and Safety Code, Chapter 361, including but not limited to knowingly making any false statement, representation, or certification on any report, record or other document submitted or required to be maintained under this permit, including monitoring reports, records or reports of compliance or noncompliance, or falsifying, tampering with or knowingly rendering inaccurate any monitoring device or method required by this permit or violating any other requirement imposed by state or federal regulations.

2. Test Procedures

- a. Unless otherwise specified in this permit, test procedures for the analysis of pollutants shall comply with procedures specified in 30 TAC §§319.11 319.12. Measurements, tests and calculations shall be accurately accomplished in a representative manner.
- b. All laboratory tests submitted to demonstrate compliance with this permit must meet the requirements of 30 TAC Chapter 25, Environmental Testing Laboratory Accreditation and Certification.

3. Records of Results

- a. Monitoring samples and measurements shall be taken at times and in a manner so as to be representative of the monitored activity.
- b. Except for records of monitoring information required by this permit related to the permittee's sewage sludge use and disposal activities, which shall be retained for a period of at least five years, monitoring and reporting records, including strip charts and records of calibration and maintenance, copies of all records required by this permit, and records of all data used to complete the application for this permit-shall be retained at the facility site, or shall be readily available for review by a TCEQ representative for a period of three years from the date of the record or sample measurement, report, or application. This period shall be extended at the request of the Executive Director.
- c. Records of monitoring activities shall include the following:

- i. date, time and place of sample or measurement;
- ii. identity of individual who collected the sample or made the measurement.
- iii. date and time of analysis;
- iv. identity of the individual and laboratory who performed the analysis;
- v. the technique or method of analysis; and
- vi. the results of the analysis or measurement and quality assurance/quality control records.

The period during which records are required to be kept shall be automatically extended to the date of the final disposition of any administrative or judicial enforcement action that may be instituted against the permittee.

4. Additional Monitoring by Permittee

If the permittee monitors any pollutant at the location(s) designated herein more frequently than required by this permit using approved analytical methods as specified above, all results of such monitoring shall be included in determining compliance with permit requirements.

5. Calibration of Instruments

All automatic flow measuring or recording devices and all totalizing meters for measuring flows shall be accurately calibrated by a trained person at plant start-up and as often thereafter as necessary to ensure accuracy, but not less often than annually unless authorized by the Executive Director for a longer period. Such person shall verify in writing that the device is operating properly and giving accurate results. Copies of the verification shall be retained at the facility site and shall be readily available for review by a TCEQ representative for a period of three years.

6. Compliance Schedule Reports

Reports of compliance or noncompliance with, or any progress reports on, interim and final requirements contained in any compliance schedule of the permit shall be submitted no later than 14 days following each schedule date to the Regional Office and the Enforcement Division (MC 224).

7. Noncompliance Notification

- a. In accordance with 30 TAC §305.125(9), any noncompliance which may endanger human health or safety, or the environment shall be reported by the permittee to the TCEQ. Report of such information shall be provided orally or by facsimile transmission (FAX) to the Regional Office within 24 hours of becoming aware of the noncompliance. A written submission of such information shall also be provided by the permittee to the Regional Office and the Enforcement Division (MC 224) within five working days of becoming aware of the noncompliance. The written submission shall contain a description of the noncompliance and its cause; the potential danger to human health or safety, or the environment; the period of noncompliance, including exact dates and times; if the noncompliance has not been corrected, the time it is expected to continue; and steps taken or planned to reduce, eliminate, and prevent recurrence of the noncompliance, and to mitigate its adverse effects.
- b. The following violations shall be reported under Monitoring and Reporting Requirement 7.a.:
 - i. unauthorized discharges as defined in Permit Condition 2(g).
 - ii. any unanticipated bypass which exceeds any effluent limitation in the permit.
- c. In addition to the above, any effluent violation which deviates from the permitted effluent limitation by more than 40% shall be reported by the permittee in writing to the Regional Office and the Enforcement Division (MC 224) within 5 working days of becoming aware of the noncompliance.

- d. Any noncompliance other than that specified in this section, or any required information not submitted or submitted incorrectly, shall be reported to the Enforcement Division (MC 224) as promptly as possible.
- 8. In accordance with the procedures described in 30 TAC §§35.301 35.303 (relating to Water Quality Emergency and Temporary Orders) if the permittee knows in advance of the need for a bypass, it shall submit prior notice by applying for such authorization.
- 9. Changes in Discharges of Toxic Substances

All existing manufacturing, commercial, mining, and silvicultural permittees shall notify the Regional Office, orally or by facsimile transmission within 24 hours, and both the Regional Office and the Enforcement Division (MC 224) in writing within five (5) working days, after becoming aware of or having reason to believe:

- a. That any activity has occurred or will occur which would result in the discharge, on a routine or frequent basis, of any toxic pollutant listed at 40 CFR Part 122, Appendix D, Tables II and III (excluding Total Phenols) which is not limited in the permit, if that discharge will exceed the highest of the following "notification levels":
 - i. one hundred micrograms per liter (100 μ g/L);
 - ii. two hundred micrograms per liter (200 μ g/L) for acrolein and acrylonitrile; five hundred micrograms per liter (500 μ g/L) for 2,4-dinitrophenol and for 2-methyl-4,6-dinitrophenol; and one milligram per liter (1 mg/L) for antimony;
 - iii. five (5) times the maximum concentration value reported for that pollutant in the permit application; or
 - iv. the level established by the TCEQ.
- b. That any activity has occurred or will occur which would result in any discharge, on a nonroutine or infrequent basis, of a toxic pollutant which is not limited in the permit, if that discharge will exceed the highest of the following "notification levels":
 - i. five hundred micrograms per liter (500 µg/L);
 - ii. one milligram per liter (1 mg/L) for antimony;
 - iii. ten (10) times the maximum concentration value reported for that pollutant in the permit application; or
 - iv. the level established by the TCEQ.

10. Signatories to Reports

All reports and other information requested by the Executive Director shall be signed by the person and in the manner required by 30 TAC §305.128 (relating to Signatories to Reports).

C. PERMIT CONDITIONS

1. General

- a. When the permittee becomes aware that it failed to submit any relevant facts in a permit application, or submitted incorrect information in an application or in any report to the Executive Director, it shall promptly submit such facts or information.
- b. This permit is granted on the basis of the information supplied and representations made by the permittee during action on an application, and relying upon the accuracy and completeness of that information and those representations. After notice and opportunity for a hearing, this permit may be modified, suspended, or revoked, in whole or in part, in accordance with 30 TAC Chapter 305, Subchapter D, during its term for good cause including, but not limited to, the following:

- i. violation of any terms or conditions of this permit;
- ii. obtaining this permit by misrepresentation or failure to disclose fully all relevant facts; or
- iii. a change in any condition that requires either a temporary or permanent reduction or elimination of the authorized discharge.
- c. The permittee shall furnish to the Executive Director, upon request and within a reasonable time, any information to determine whether cause exists for amending, revoking, suspending or terminating the permit. The permittee shall also furnish to the Executive Director, upon request, copies of records required to be kept by the permit.

2. Compliance

- a. Acceptance of the permit by the person to whom it is issued constitutes acknowledgment and agreement that such person will comply with all the terms and conditions embodied in the permit, and the rules and other orders of the Commission.
- b. The permittee has a duty to comply with all conditions of the permit. Failure to comply with any permit condition constitutes a violation of the permit and the Texas Water Code or the Texas Health and Safety Code, and is grounds for enforcement action, for permit amendment, revocation or suspension, or for denial of a permit renewal application or an application for a permit for another facility.
- c. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit.
- d. The permittee shall take all reasonable steps to minimize or prevent any discharge or sludge use or disposal or other permit violation which has a reasonable likelihood of adversely affecting human health or the environment.
- e. Authorization from the Commission is required before beginning any change in the permitted facility or activity that may result in noncompliance with any permit requirements.
- f. A permit may be amended, suspended and reissued, or revoked for cause in accordance with 30 TAC §§305.62 and 305.66 and Texas Water Code Section 7.302. The filing of a request by the permittee for a permit amendment, suspension and reissuance, or termination, or a notification of planned changes or anticipated noncompliance, does not stay any permit condition.
- g. There shall be no unauthorized discharge of wastewater or any other waste. For the purpose of this permit, an unauthorized discharge is considered to be any discharge of wastewater into or adjacent to water in the state at any location not permitted as an outfall or otherwise defined in the Special Provisions section of this permit.
- h. The permittee is subject to administrative, civil, and criminal penalties, as applicable, under Texas Water Code §§7.051 7.075 (relating to Administrative Penalties), 7.101 7.111 (relating to Civil Penalties), and 7.141 7.202 (relating to Criminal Offenses and Penalties).

3. Inspections and Entry

- a. Inspection and entry shall be allowed as prescribed in the Texas Water Code Chapters 26, 27, and 28, and Texas Health and Safety Code Chapter 361.
- b. The members of the Commission and employees and agents of the Commission are entitled to enter any public or private property at any reasonable time for the purpose of inspecting and investigating conditions relating to the quality of water in the state or the compliance with any rule, regulation, permit or other order of the Commission. Members, employees, or agents of the Commission and Commission contractors are entitled to enter public or private

property at any reasonable time to investigate or monitor or, if the responsible party is not responsive or there is an immediate danger to public health or the environment, to remove or remediate a condition related to the quality of water in the state. Members, employees, Commission contractors, or agents acting under this authority who enter private property shall observe the establishment's rules and regulations concerning safety, internal security, and fire protection, and if the property has management in residence, shall notify management or the person then in charge of his presence and shall exhibit proper credentials. If any member, employee, Commission contractor, or agent is refused the right to enter in or on public or private property under this authority, the Executive Director may invoke the remedies authorized in Texas Water Code Section 7.002. The statement above, that Commission entry shall occur in accordance with an establishment's rules and regulations concerning safety, internal security, and fire protection, is not grounds for denial or restriction of entry to any part of the facility, but merely describes the Commission's duty to observe appropriate rules and regulations during an inspection.

4. Permit Amendment with or without Renewal

- a. The permittee shall give notice to the Executive Director as soon as possible of any planned physical alterations or additions to the permitted facility if such alterations or additions would require a permit amendment or result in a violation of permit requirements. Notice shall also be required under this paragraph when:
 - i. The alteration or addition could significantly change the nature or increase the quantity of pollutants discharged. This notification applies to pollutants which are subject neither to effluent limitations in the permit, nor to notification requirements in Monitoring Requirements No. 9;
 - ii. The alteration or addition results in a significant change in the permittee's sludge use or disposal practices, and such alteration, addition, or change may justify the application of permit conditions that are different from or absent in the existing permit, including notification of additional use or disposal sites not reported during the permit application process or not reported pursuant to an approved land application plan.
- b. Prior to any facility modifications, additions, or expansions that will increase the plant capacity beyond the permitted flow, the permittee must apply for and obtain proper authorization from the Commission before commencing construction.
- c. The permittee must apply for an amendment or renewal at least 180 days prior to expiration of the existing permit in order to continue a permitted activity after the expiration date of the permit. If an application is submitted prior to the expiration date of the permit, the existing permit shall remain in effect until the application is approved, denied, or returned. If the application is returned or denied, authorization to continue such activity shall terminate upon the effective date of the action. If an application is not submitted prior to the expiration date of the permit, the permit shall expire and authorization to continue such activity shall terminate.
- d. Prior to accepting or generating wastes which are not described in the permit application or which would result in a significant change in the quantity or quality of the existing discharge, the permittee must report the proposed changes to the Commission. The permittee must apply for a permit amendment reflecting any necessary changes in permit conditions, including effluent limitations for pollutants not identified and limited by this permit.
- e. In accordance with the Texas Water Code §26.029(b), after a public hearing, notice of which shall be given to the permittee, the Commission may require the permittee, from time to time, for good cause, in accordance with applicable laws, to conform to new or additional conditions.

5. Permit Transfer

- a. Prior to any transfer of this permit, Commission approval must be obtained. The Commission shall be notified in writing of any change in control or ownership of facilities authorized by this permit. Such notification should be sent to the Applications Review and Processing Team (MC 148) of the Water Quality Division.
- b. A permit may be transferred only according to the provisions of 30 TAC §305.64 (relating to Transfer of Permits) and 30 TAC §50.133 (relating to Executive Director Action on Application or WQMP update).
- 6. Relationship to Hazardous Waste Activities

This permit does not authorize any activity of hazardous waste storage, processing, or disposal which requires a permit or other authorization pursuant to the Texas Health and Safety Code.

7. Property Rights

A permit does not convey any property rights of any sort, or any exclusive privilege.

8. Permit Enforceability

The conditions of this permit are severable, and if any provision of this permit, or the application of any provision of this permit to any circumstances, is held invalid, the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby.

9. Relationship to Permit Application

The application pursuant to which the permit has been issued is incorporated herein; provided, however, that in the event of a conflict between the provisions of this permit and the application, the provisions of the permit shall control.

- 10. Notice of Bankruptcy.
 - a. Each permittee shall notify the executive director, in writing, immediately following the filing of a voluntary or involuntary petition for bankruptcy under any chapter of Title 11 (Bankruptcy) of the United States Code (11 USC) by or against:
 - i. the permittee;
 - ii. an entity (as that term is defined in 11 USC, §101(15)) controlling the permittee or listing the permit or permittee as property of the estate; or
 - iii. an affiliate (as that term is defined in 11 USC, §101(2)) of the permittee.
 - b. This notification must indicate:
 - i. the name of the permittee;
 - ii. the permit number(s);
 - iii. the bankruptcy court in which the petition for bankruptcy was filed; and
 - iv. the date of filing of the petition.

OPERATIONAL REQUIREMENTS

1. The permittee shall at all times ensure that the facility and all of its systems of collection, treatment, and disposal are properly operated and maintained. This includes, but is not limited to, the regular, periodic examination of wastewater solids within the treatment plant by the operator in order to maintain an appropriate quantity and quality of solids inventory as described in the various operator training manuals and according to accepted industry standards for process control. Process control, maintenance, and operations records shall be retained at the facility site, or shall be readily available for review by a TCEQ representative, for a period of three years.

- 2. Upon request by the Executive Director, the permittee shall take appropriate samples and provide proper analysis in order to demonstrate compliance with Commission rules. Unless otherwise specified in this permit or otherwise ordered by the Commission, the permittee shall comply with all applicable provisions of 30 TAC Chapter 312 concerning sewage sludge use and disposal and 30 TAC §§319.21 319.29 concerning the discharge of certain hazardous metals.
- 3. Domestic wastewater treatment facilities shall comply with the following provisions:
 - a. The permittee shall notify the Municipal Permits Team, Wastewater Permitting Section (MC 148) of the Water Quality Division, in writing, of any facility expansion at least 90 days prior to conducting such activity.
 - b. The permittee shall submit a closure plan for review and approval to the Municipal Permits Team, Wastewater Permitting Section (MC 148) of the Water Quality Division, for any closure activity at least 90 days prior to conducting such activity. Closure is the act of permanently taking a waste management unit or treatment facility out of service and includes the permanent removal from service of any pit, tank, pond, lagoon, surface impoundment or other treatment unit regulated by this permit.
- 4. The permittee is responsible for installing prior to plant start-up, and subsequently maintaining, adequate safeguards to prevent the discharge of untreated or inadequately treated wastes during electrical power failures by means of alternate power sources, standby generators, or retention of inadequately treated wastewater.
- 5. Unless otherwise specified, the permittee shall provide a readily accessible sampling point and, where applicable, an effluent flow measuring device or other acceptable means by which effluent flow may be determined.
- 6. The permittee shall remit an annual water quality fee to the Commission as required by 30 TAC Chapter 21. Failure to pay the fee may result in revocation of this permit under Texas Water Code §7.302(b)(6).

7. Documentation

For all written notifications to the Commission required of the permittee by this permit, the permittee shall keep and make available a copy of each such notification under the same conditions as self-monitoring data are required to be kept and made available. Except for information specified as not confidential in 30 TAC §1.5(d), any information submitted pursuant to this permit may be claimed as confidential by the submitter. Any such claim must be asserted in the manner prescribed in the application form or by stamping the words "confidential business information" on each page containing such information. If no claim is made at the time of submission, information may be made available to the public without further notice. If the Commission or Executive Director agrees with the designation of confidentiality, the TCEQ will not provide the information for public inspection unless required by the Texas Attorney General or a court pursuant to an open records request. If the Executive Director does not agree with the designation of confidentiality, the person submitting the information will be notified.

- 8. Facilities which generate domestic wastewater shall comply with the following provisions; domestic wastewater treatment facilities at permitted industrial sites are excluded.
 - a. Whenever flow measurements for any domestic sewage treatment facility reach 75 percent of the permitted daily average or annual average flow for three consecutive months, the permittee must initiate engineering and financial planning for expansion or upgrading of the domestic wastewater treatment or collection facilities. Whenever the flow reaches 90 percent of the permitted daily average or annual average flow for three consecutive months, the permittee shall obtain necessary authorization from the Commission to commence construction of the necessary additional treatment or collection facilities. In the case of a

domestic wastewater treatment facility which reaches 75 percent of the permitted daily average or annual average flow for three consecutive months, and the planned population to be served or the quantity of waste produced is not expected to exceed the design limitations of the treatment facility, the permittee shall submit an engineering report supporting this claim to the Executive Director of the Commission.

If in the judgment of the Executive Director the population to be served will not cause permit noncompliance, then the requirement of this section may be waived. To be effective, any waiver must be in writing and signed by the Director of the Enforcement Division (MC 149) of the Commission, and such waiver of these requirements will be reviewed upon expiration of the existing permit; however, any such waiver shall not be interpreted as condoning or excusing any violation of any permit parameter.

- b. The plans and specifications for domestic sewage collection and treatment works associated with any domestic permit must be approved by the Commission, and failure to secure approval before commencing construction of such works or making a discharge is a violation of this permit and each day is an additional violation until approval has been secured.
- c. Permits for domestic wastewater treatment plants are granted subject to the policy of the Commission to encourage the development of area-wide waste collection, treatment and disposal systems. The Commission reserves the right to amend any domestic wastewater permit in accordance with applicable procedural requirements to require the system covered by this permit to be integrated into an area-wide system, should such be developed; to require the delivery of the wastes authorized to be collected in, treated by or discharged from said system, to such area-wide system; or to amend this permit in any other particular to effectuate the Commission's policy. Such amendments may be made when the changes required are advisable for water quality control purposes and are feasible on the basis of waste treatment technology, engineering, financial, and related considerations existing at the time the changes are required, exclusive of the loss of investment in or revenues from any then existing or proposed waste collection, treatment or disposal system.
- 9. Domestic wastewater treatment plants shall be operated and maintained by sewage plant operators holding a valid certificate of competency at the required level as defined in 30 TAC Chapter 30.
- 10. Facilities which generate industrial solid waste as defined in 30 TAC §335.1 shall comply with these provisions:
 - a. Any solid waste, as defined in 30 TAC §335.1 (including but not limited to such wastes as garbage, refuse, sludge from a waste treatment, water supply treatment plant or air pollution control facility, discarded materials, discarded materials to be recycled, whether the waste is solid, liquid, or semisolid), generated by the permittee during the management and treatment of wastewater, must be managed in accordance with all applicable provisions of 30 TAC Chapter 335, relating to Industrial Solid Waste Management.
 - b. Industrial wastewater that is being collected, accumulated, stored, or processed before discharge through any final discharge outfall, specified by this permit, is considered to be industrial solid waste until the wastewater passes through the actual point source discharge and must be managed in accordance with all applicable provisions of 30 TAC Chapter 335.
 - c. The permittee shall provide written notification, pursuant to the requirements of 30 TAC §335.8(b)(1), to the Environmental Cleanup Section (MC 127) of the Remediation Division informing the Commission of any closure activity involving an Industrial Solid Waste Management Unit, at least 90 days prior to conducting such an activity.
 - d. Construction of any industrial solid waste management unit requires the prior written notification of the proposed activity to the Registration and Reporting Section (MC 129) of the Permitting and Remediation Support Division. No person shall dispose of industrial solid

- waste, including sludge or other solids from wastewater treatment processes, prior to fulfilling the deed recordation requirements of 30 TAC §335.5.
- e. The term "industrial solid waste management unit" means a landfill, surface impoundment, waste-pile, industrial furnace, incinerator, cement kiln, injection well, container, drum, salt dome waste containment cavern, or any other structure vessel, appurtenance, or other improvement on land used to manage industrial solid waste.
- f. The permittee shall keep management records for all sludge (or other waste) removed from any wastewater treatment process. These records shall fulfill all applicable requirements of 30 TAC Chapter 335 and must include the following, as it pertains to wastewater treatment and discharge:
 - i. volume of waste and date(s) generated from treatment process;
 - ii. volume of waste disposed of on-site or shipped off-site;
 - iii. date(s) of disposal;
 - iv. identity of hauler or transporter;
 - v. location of disposal site; and
 - vi. method of final disposal.

The above records shall be maintained on a monthly basis. The records shall be retained at the facility site, or shall be readily available for review by authorized representatives of the TCEQ for at least five years.

11. For industrial facilities to which the requirements of 30 TAC Chapter 335 do not apply, sludge and solid wastes, including tank cleaning and contaminated solids for disposal, shall be disposed of in accordance with Chapter 361 of the Texas Health and Safety Code.

TCEQ Revision 06/2008

DESCRIPTION OF APPLICATION

Applicant: Webb County; Permit No. WQ0004184000

Regulated Activity: Industrial Wastewater Permit

Type of Application: Renewal

Request: Renewal without changes

Authority: Texas Water Code § 26.027; 30 Texas Administrative Code (30 TAC)

Chapter 305, Subchapters C-F, Chapters 307, 309, and 319; Commission

policies;

EXECUTIVE DIRECTOR RECOMMENDATION

The Executive Director has made a preliminary decision that this permit, if issued, meets all statutory and regulatory requirements. The draft permit will expire at midnight, ten years from date of permit issuance, according to the requirements of 30 TAC §305.127(1)(C)(ii)(III).

REASON FOR PROJECT PROPOSED

The applicant has applied to the Texas Commission on Environmental Quality (TCEQ) for a renewal of its existing permit.

PROJECT DESCRIPTION AND LOCATION

The applicant currently operates Webb County Colorado Acres Water Plant, a reverse osmosis water treatment plant.

Wastewater consisting of reverse osmosis process reject wastewater is routed from the treatment plant to a clay-lined evaporation pond with a surface area of 0.92 acres and a storage capacity of 2.76 acre-feet. Wastewaters receive no treatment prior to discharge to the evaporation pond.

The plant site is located approximately 0.5 miles northwest of the intersection of Las Lomas Road and U.S. Highway 59, near the City of Laredo, in Webb County, Texas 78044.

The facility and disposal site are located in the drainage area of Nueces River Above Frio River in Segment No. 2104 of the Nueces River Basin. The designated uses for Segment No. 2104 are primary contact recreation, public water supply, and high aquatic life use. All determinations are preliminary and subject to additional review and revisions.

SUMMARY OF EFFLUENT DATA

Self-reporting data is not available because the facility has not discharged.

DRAFT PERMIT CONDITIONS

The draft permit authorizes the disposal of reverse osmosis reject water by evaporation.

Final effluent limitations are established in the draft permit as follows:

^{*}Texas Water Development Board Lake Evaporation and Precipitation data for Quadrangle 1008 for the period of record 2000 through 2024.

Pollutant	Daily Average	Daily Maximum
Flow	9,500 gallons/day	-
pH	6.0 S.U	9.0 S.U.

The effluent limitation for the daily average flow of 9,500 gallons/day is continued from the existing permit, but does not meet the calculated storage and evaporation capacity requirements of the evaporation pond. Special Provision "I" was placed in the existing permit to address this insufficiency. An evaluation of the capacity of the evaporation pond was conducted to determine suitable capacity to prevent unauthorized discharges into surface waters in the state and the evaluation and conclusions are included in Appendix A.

The effluent limitations for pH are continued from the existing permit.

SUMMARY OF CHANGES FROM APPLICATION

No changes were made from the application.

SUMMARY OF CHANGES FROM EXISTING PERMIT

The following additional changes have been made to the draft permit.

- 1. Special provision G from the current permit is revised to make it consistent with TCEQ current language being used in other Texas Land Application Permits (TLAPs).
- 2. Special provision I has been revised in the draft permit which requires the permittee to provide for the management of an additional 9.12 acre-feet of effluent by either constructing an additional pond(s), providing an adequate alternate source of storage/disposal of sufficient capacity, or developing a contingency plan.
- 3. Conditions of the Permit: The following language is added

"Monitoring of the effluent shall be conducted at a point following the reverse osmosis treatment unit and prior to effluent being routed to the evaporation pond."

4. Special Provision L is added to the draft permit, it reads as following:

"This permit does not authorize the discharge of domestic wastewater. All domestic wastewater must be disposed of in an approved manner, such as routing to an approved on-site septic tank and drainfield system or to an authorized third party for treatment and disposal."

5. Special Provision K is added to the draft permit, it reads as following:

"Within 90 days of permit issuance, the permittee shall furnish certification that the liner for the existing evaporation pond complies with the requirements for a soil liner located in *Special Provisions* No. G.3.a. The certification of the liner shall be provided by a Texas-licensed professional engineer to the TCEQ Water Quality Assessment Team (MC-150) and Region 16 Office. The certification should provide documentation of the permeability and liner thickness. A copy of the liner certification must be kept on-site for future reference."

BASIS FOR DRAFT PERMIT

The following items were considered in developing the draft permit:

- 1. Application received on March 20, 2025 and additional information received on April 22, 2025.
- 2. Existing permits: TCEQ Permit No. WQ0004184000 issued February 22, 2016.
- 3. TCEQ Rules.
- 4. "Guidance Document for Establishing Monitoring Frequencies for Domestic and Industrial Wastewater Discharge Permits," May 1998.
- Texas Commission on Environmental Interoffice Memorandum, Permit No. WQ0004184000, dated May 20, 2015
- 6. 30 TAC Chapter 309.
- Texas Water Development Board Lake Evaporation and Precipitation data for Quadrangle 1008.
- 8. Consistency with the Coastal Management Plan: N/A

PROCEDURES FOR FINAL DECISION

When an application is declared administratively complete, the Chief Clerk sends a letter to the applicant advising the applicant to publish the Notice of Receipt of Application and Intent to Obtain Permit in the newspaper. In addition, the Chief Clerk instructs the applicant to place a copy of the application in a public place for reviewing and copying in the county where the facility is or will be located. This application will be in a public place throughout the comment period. The Chief Clerk also mails this notice to any interested persons and, if required, to landowners identified in the permit application. This notice informs the public about the application and provides that an interested person may file comments on the application or request a contested case hearing or a public meeting.

Once a draft permit is completed, it is sent, along with the Executive Director's preliminary decision, as contained in the technical summary or fact sheet, to the Chief Clerk. At that time, the Notice of Application and Preliminary Decision will be mailed to the same people and published in the same newspaper as the prior notice. This notice sets a deadline for making public comments. The applicant must place a copy of the Executive Director's preliminary decision and draft permit in the public place with the application. This notice sets a deadline for public comment.

Any interested person may request a public meeting on the application until the deadline for filing public comments. A public meeting is intended for the taking of public comment and is not a contested case proceeding.

After the public comment deadline, the Executive Director prepares a response to all significant public comments on the application or the draft permit raised during the public comment period. The Chief Clerk then mails the Executive Director's response to comments and final decision to people who have filed comments, requested a contested case hearing, or requested to be on the mailing list. This notice provides that if a person is not satisfied with the Executive Director's response and decision, they can request a contested case hearing or file a request to reconsider the Executive Director's decision within 30 days after the notice is mailed.

The Executive Director will issue the permit unless a written hearing request or request for reconsideration is filed within 30 days after the Executive Director's response to comments and final decision is mailed. If a hearing request or request for reconsideration is filed, the Executive Director will not issue the permit and will forward the application and request to the TCEO

Commissioners for their consideration at a scheduled Commission meeting. If a contested case hearing is held, it will be a legal proceeding similar to a civil trial in state district court.

If the Executive Director calls a public meeting or the Commission grants a contested case hearing as described above, the Commission will give notice of the date, time, and place of the meeting or hearing. If a hearing request or request for reconsideration is made, the Commission will consider all public comments in making its decision and shall either adopt the Executive Director's response to public comments or prepare its own response.

For additional information about this application, contact Seif Deiab at (512) 239-4622.

Seif Deiab
Seif Deiab

October 24, 2025

Date

Appendix A: Evaporation Pond Evaluation

30 Texas Administrative Code (TAC), Chapter 309, Subchapter C outlines procedures used to determine appropriate design for irrigation systems at domestic wastewater treatment plants. Appropriate evaporation pond sizing is determined based upon these procedures using best professional judgement (BPJ). These procedures consist of two evaluations: critical condition evaluation and average condition evaluation.

Critical Condition Evaluation

The critical condition evaluation is designed to evaluate the storage capacity of the pond(s) under a "worst-case scenario." The worst-case scenario is defined as the 25-year lowest net evaporation* assuming daily flow to the pond at the permitted rate. The pond's storage capacity is considered adequate when the Total Storage Necessary is less than or equal to the Pond Storage Volume (the pond could contain all wastewater discharged when evaporation is lowest).

The following is a summary of calculations performed in determining the Total Storage Necessary:

Effluent Flow	0.0095	MGD
Pond Surface Acres	0.92	acres
Pond Storage Volume	2.76	acre-feet

				Evap	Storage
		Flow to Ponds	Evap Rate	from Ponds	Requirements
<u>Month</u>	# of Days	(acre-feet)	<u>(feet)</u>	(acre-feet)	(acre-feet)
January	31	0.90	0.07	0.07	0.84
February	28	0.82	0.10	0.09	0.73
March	31	0.90	0.13	0.12	0.78
April	30	0.87	0.16	0.15	0.73
May	31	0.90	0.13	0.12	0.79
June	30	0.87	0.24	0.22	0.65
July	31	0.90	0.23	0.21	0.69
August	31	0.90	0.25	0.23	0.68
September	30	0.87	0.07	0.06	0.81
October	31	0.90	0.12	0.11	0.79
November	30	0.87	0.09	0.08	0.79
December	31	0.90	0.07	0.06	0.84

Total Storage Necessary

9.12

Flow to Pond = (Effluent Flow (MGD)) * (# of Days)* (3.0684)
Evaporation from Pond = (Pond Surface Acres) * (Evaporation Rate)
Evaporation Rate = 25-year lowest net evaporation distributed by month
Storage Requirement = (Flow to Pond) - (Evaporation from Pond)
Total Storage Necessary = SUM (Storage
Requirement)

^{*}Texas Water Development Board Lake Evaporation and Precipitation data for Quadrangle 1008 for the period of record 2000 through 2024.

Average Condition Evaluation

The pond(s) must have enough surface area to evaporate all the flow to the pond(s) under average rainfall conditions. The pond is considered adequately sized when the Total Storage Necessary is less than or equal to zero. If this value is greater than zero, the pond's surface must be increased or the effluent flow reduced to ensure that no accumulation occurs during average conditions

Total Storage Necessary

7.34

The following is a summary of calculations performed in determining the Total Storage Necessary:

Effluent Flow	0.0095	MGD
Pond Surface Acres	0.92	acres
Pond Storage Volume	2.76	acre-feet

				Evap	Storage
		Flow to Ponds	Evap Rate	from Ponds	Requirements
<u>Month</u>	# of Days	(acre-feet)	(feet)	(acre-feet)	(acre-feet)
January	31	0.90	0.16	0.15	0.76
February	28	0.82	0.21	0.19	0.63
March	31	0.90	0.28	0.26	0.64
April	30	0.87	0.35	0.32	0.55
May	31	0.90	0.28	0.26	0.65
June	30	0.87	0.52	0.48	0.39
July	31	0.90	0.50	0.46	0.44
August	31	0.90	0.54	0.50	0.41
September	30	0.87	0.15	0.14	0.74
October	31	0.90	0.27	0.25	0.66
November	30	0.87	0.19	0.17	0.70
December	31	0.90	0.15	0.13	0.77

Flow to Pond = (Effluent Flow (MGD)) * (# of Days) * (3.0684) Evaporation from Pond = (Pond Surface Acres) * (Evaporation Rate) Evaporation Rate = 25-year average monthly net evaporation* Storage Requirement = (Flow to Pond) - (Evaporation from Pond) Total Storage Necessary = SUM (Storage Requirement)

Conclusions

The critical and average conditions evaluations above indicate that the evaporation pond is not adequately sized to accommodate the permitted daily average flow of 0.0095 MGD. Since the critical condition evaluation is the more stringent, the pond will require an increase in surface area to completely evaporate. Under average rainfall, an additional 5.58 acre of surface area is required. Special Requirement No. I was updated in the permit, which requires the permittee to provide for the management of an additional 9.12 acre-feet of effluent per year, by either constructing an additional irrigation holding pond(s), providing an adequate alternate source of storage/disposal of sufficient capacity, or developing a contingency plan.