

This file contains the following documents:

- 1. Summary of application (in plain language)
- 2. First notice (NORI-Notice of Receipt of Application and Intent to Obtain a Permit)
- 3. Second notice (NAPD-Notice of Preliminary Decision)
- 4. Application materials
- 5. Draft permit
- 6. Technical summary or fact sheet

Plain Language Summary Template and Instructions for Texas Pollutant Discharge Elimination System (TPDES) and Texas Land Application (TLAP) Permit Applications

ENGLISH TEMPLATE FOR TPDES or TLAP NEW/RENEWAL/AMENDMENT APPLICATIONS

DOMESTIC WASTEWATER

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 Texas Administrative Code Chapter 39. The information provided in this summary may change during the technical review of the application and are not federal enforceable representations of the permit application.

City of Whiteface (CN600678445) operates City of Whiteface Wastewater Treatment Plant (RN101917474). a domestic wastewater treatment facility. The facility is located at approximately 2,500 feet northeast of the intersection of HWY 114 and FM 1780, in Whiteface, Cochran County, Texas 79379.

This application request is for a standard renewal without changes to municipal wastewater TLAP permit WQ0010314001. This permit will not authorize a discharge of pollutants into water in the state.

Discharges from the facility are expected to contain CBOD₅ and pH. Treated domestic sewage effluent is treated by a treatment facility consisting of a facultative lagoon and three storage/evaporation ponds.

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



NOTICE OF RECEIPT OF APPLICATION AND INTENT TO OBTAIN WATER QUALITY PERMIT RENEWAL.

PERMIT NO. WQ0010314001

APPLICATION. City of Whiteface, P.O. Box 248, Whiteface, Texas 79379, has applied to the Texas Commission on Environmental Quality (TCEQ) to renew Texas Land Application Permit (TLAP) No. WQ0010314001 to authorize the disposal of treated wastewater at a volume not to exceed a daily average flow of 35,000 gallons per day via evaporation. The domestic wastewater treatment facility and disposal area are located approximately 2500 feet northeast of the intersection of Farm-to-Market Road 1780 and State Highway 114, near the city of Whiteface, in Cochran County, Texas 79379. TCEQ received this application on July 8, 2024. The permit application will be available for viewing and copying at Whiteface City Hall, 404 North Fillmore Street, Whiteface, in Cochran County, Texas prior to the date this notice is published in the newspaper. The application, including any updates, and associated notices are available electronically at the following webpage:

https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tlap-applications. This link to an electronic map of the site or facility's general location is provided as a public courtesy and not part of the application or notice. For the exact location, refer to the application.

https://gisweb.tceq.texas.gov/LocationMapper/?marker=-102.608333,33.608888&level=18

ADDITIONAL NOTICE. TCEQ's Executive Director has determined the application is administratively complete and will conduct a technical review of the application. After technical review of the application is complete, the Executive Director may prepare a draft permit and will issue a preliminary decision on the application. Notice of the Application and Preliminary Decision will be published and mailed to those who are on the countywide mailing list and to those who are on the mailing list for this application. That notice will contain the deadline for submitting public comments.

PUBLIC COMMENT / PUBLIC MEETING. You may submit public comments or request a public meeting on this application. The purpose of a public meeting is to provide the opportunity to submit comments or to ask questions about the application. TCEQ will hold a public meeting if the Executive Director determines that there is a significant degree of public interest in the application or if requested by a local legislator. A public meeting is not a contested case hearing.

OPPORTUNITY FOR A CONTESTED CASE HEARING. After the deadline for submitting public comments, the Executive Director will consider all timely comments and prepare a response to all relevant and material, or significant public comments. **Unless the application**

is directly referred for a contested case hearing, the response to comments, and the Executive Director's decision on the application, will be mailed to everyone who submitted public comments and to those persons who are on the mailing list for this application. If comments are received, the mailing will also provide instructions for requesting reconsideration of the Executive Director's decision and for requesting a contested case hearing. A contested case hearing is a legal proceeding similar to a civil trial in state district court.

TO REQUEST A CONTESTED CASE HEARING, YOU MUST INCLUDE THE FOLLOWING ITEMS IN YOUR REQUEST: your name, address, phone number; applicant's name and proposed permit number; the location and distance of your property/activities relative to the proposed facility; a specific description of how you would be adversely affected by the facility in a way not common to the general public; a list of all disputed issues of fact that you submit during the comment period and, the statement "[I/we] request a contested case hearing." If the request for contested case hearing is filed on behalf of a group or association, the request must designate the group's representative for receiving future correspondence; identify by name and physical address an individual member of the group who would be adversely affected by the proposed facility or activity; provide the information discussed above regarding the affected member's location and distance from the facility or activity; explain how and why the member would be affected; and explain how the interests the group seeks to protect are relevant to the group's purpose.

Following the close of all applicable comment and request periods, the Executive Director will forward the application and any requests for reconsideration or for a contested case hearing to the TCEQ Commissioners for their consideration at a scheduled Commission meeting.

The Commission may only grant a request for a contested case hearing on issues the requestor submitted in their timely comments that were not subsequently withdrawn. If a hearing is granted, the subject of a hearing will be limited to disputed issues of fact or mixed questions of fact and law relating to relevant and material water quality concerns submitted during the comment period.

TCEQ may act on an application to renew a permit for discharge of wastewater without providing an opportunity for a contested case hearing if certain criteria are met.

MAILING LIST. If you submit public comments, a request for a contested case hearing or a reconsideration of the Executive Director's decision, you will be added to the mailing list for this specific application to receive future public notices mailed by the Office of the Chief Clerk. In addition, you may request to be placed on: (1) the permanent mailing list for a specific applicant name and permit number; and/or (2) the mailing list for a specific county. If you wish to be placed on the permanent and/or the county mailing list, clearly specify which list(s) and send your request to TCEQ Office of the Chief Clerk at the address below.

INFORMATION AVAILABLE ONLINE. For details about the status of the application, visit the Commissioners' Integrated Database at www.tceq.texas.gov/goto/cid. Search the database using the permit number for this application, which is provided at the top of this notice.

AGENCY CONTACTS AND INFORMATION. All public comments and requests must be submitted either electronically at https://www14.tceq.texas.gov/epic/eComment/, or in writing to the Texas Commission on Environmental Quality, Office of the Chief Clerk, MC-105,

P.O. Box 13087, Austin, Texas 78711-3087. Please be aware that any contact information you provide, including your name, phone number, email address and physical address will become part of the agency's public record. For more information about this permit application or the permitting process, please call the TCEQ Public Education Program, Toll Free, at 1-800-687-4040 or visit their website at www.tceq.texas.gov/goto/pep. Si desea información en Español, puede llamar al 1-800-687-4040.

Further information may also be obtained from City of Whiteface at the address stated above or by calling Ms. Belinda Terrell, City Secretary, at 806-287-1111.

Issuance Date: August 1, 2024

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



NOTICE OF APPLICATION AND PRELIMINARY DECISION FOR WATER QUALITY LAND APPLICATION PERMIT FOR MUNICIPAL WASTEWATER

RENEWAL

PERMIT NO. WQ0010314001

APPLICATION AND PRELIMINARY DECISION. City of Whiteface, P.O. Box 248, Whiteface, Texas 79379, has applied to the Texas Commission on Environmental Quality (TCEQ) for a renewal of TCEQ Permit No. WQ0010314001 which authorizes the disposal of treated domestic wastewater at a daily average flow not to exceed 35,000 gallons per day via evaporation. This permit will not authorize a discharge of pollutants into water in the state. TCEQ received this application on July 8, 2024.

The wastewater treatment facility and disposal site are located approximately 2,500 feet northeast of the intersection of Farm-to-Market Road 1780 and State Highway 114, near the City of Whiteface, in Cochran County, Texas 79379. The wastewater treatment facility and disposal site are located in the drainage basin of Double Mountain Fork Brazos River in Segment No. 1241 of the Brazos River Basin. This link to an electronic map of the site or facility's general location is provided as a public courtesy and is not part of the application or notice. For the exact location, refer to the application.

https://gisweb.tceq.texas.gov/LocationMapper/?marker=-102.608333.33.608888&level=18

The TCEQ Executive Director has completed the technical review of the application and prepared a draft permit. The draft permit, if approved, would establish the conditions under which the facility must operate. The Executive Director has made a preliminary decision that this permit, if issued, meets all statutory and regulatory requirements. The permit application, Executive Director's preliminary decision, and draft permit are available for viewing and copying at Whiteface City Hall, 404 North Fillmore Street, Whiteface, in Cochran County, Texas. The application, including any updates, and associated notices are available electronically at the following webpage: https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tlap-applications.

PUBLIC COMMENT / PUBLIC MEETING. You may submit public comments or request a public meeting about this application. The purpose of a public meeting is to provide the opportunity to submit comments or to ask questions about the application. TCEQ

holds a public meeting if the Executive Director determines that there is a significant degree of public interest in the application or if requested by a local legislator. A public meeting is not a contested case hearing.

OPPORTUNITY FOR A CONTESTED CASE HEARING. After the deadline for submitting public comments, the Executive Director will consider all timely comments and prepare a response to all relevant and material, or significant public comments. Unless the application is directly referred for a contested case hearing, the response to comments will be mailed to everyone who submitted public comments and to those persons who are on the mailing list for this application. If comments are received, the mailing will also provide instructions for requesting a contested case hearing or reconsideration of the Executive Director's decision. A contested case hearing is a legal proceeding similar to a civil trial in a state district court.

TO REQUEST A CONTESTED CASE HEARING, YOU MUST INCLUDE THE FOLLOWING ITEMS IN YOUR REQUEST: your name, address, phone number; applicant's name and proposed permit number; the location and distance of your property/activities relative to the proposed facility; a specific description of how you would be adversely affected by the facility in a way not common to the general public; a list of all disputed issues of fact that you submit during the comment period; and the statement "[I/we] request a contested case hearing." If the request for contested case hearing is filed on behalf of a group or association, the request must designate the group's representative for receiving future correspondence; identify by name and physical address an individual member of the group who would be adversely affected by the proposed facility or activity; provide the information discussed above regarding the affected member's location and distance from the facility or activity; explain how and why the member would be affected; and explain how the interests the group seeks to protect are relevant to the group's purpose.

Following the close of all applicable comment and request periods, the Executive Director will forward the application and any requests for reconsideration or for a contested case hearing to the TCEQ Commissioners for their consideration at a scheduled Commission meeting.

The Commission may only grant a request for a contested case hearing on issues the requestor submitted in their timely comments that were not subsequently withdrawn. If a hearing is granted, the subject of a hearing will be limited to disputed issues of fact or mixed questions of fact and law relating to relevant and material water quality concerns submitted during the comment period. TCEQ may act on an application to renew a permit for discharge of wastewater without providing an opportunity for a contested case hearing if certain criteria are met.

EXECUTIVE DIRECTOR ACTION. The Executive Director may issue final approval of the application unless a timely contested case hearing request or request for reconsideration is filed. If a timely hearing request or request for reconsideration is filed, the Executive Director will not issue final approval of the permit and will forward the application and request to the TCEQ Commissioners for their consideration at a scheduled Commission meeting.

MAILING LIST. If you submit public comments, a request for a contested case hearing or a reconsideration of the Executive Director's decision, you will be added to the mailing list for this specific application to receive future public notices mailed by the Office of the Chief Clerk. In

addition, you may request to be placed on: (1) the permanent mailing list for a specific applicant name and permit number; and/or (2) the mailing list for a specific county. If you wish to be placed on the permanent and/or the county mailing list, clearly specify which list(s) and send your request to TCEQ Office of the Chief Clerk at the address below.

All written public comments and public meeting requests must be submitted to the Office of the Chief Clerk, MC 105, Texas Commission on Environmental Quality, P.O. Box 13087, Austin, TX 78711-3087 or electronically at www.tceq.texas.gov/goto/comment within 30 days from the date of newspaper publication of this notice.

INFORMATION AVAILABLE ONLINE. For details about the status of the application, visit the Commissioners' Integrated Database at www.tceq.texas.gov/goto/cid. Search the database using the permit number for this application, which is provided at the top of this notice.

AGENCY CONTACTS AND INFORMATION. Public comments and requests must be submitted either electronically at www.tceq.texas.gov/goto/comment, or in writing to the Texas Commission on Environmental Quality, Office of the Chief Clerk, MC 105, P.O. Box 13087, Austin, Texas 78711-3087. Any personal information you submit to the TCEQ will become part of the agency's record; this includes email addresses. For more information about this permit application or the permitting process, please call the TCEQ Public Education Program, Toll Free, at 1-800-687-4040 or visit their website at www.tceq.texas.gov/goto/pep. Si desea información en Español, puede llamar al 1-800-687-4040.

Further information may also be obtained from City of Whiteface at the address stated above or by calling Ms. Belinda Terrell, City Secretary, at 806-287-1111.

Issuance Date September 16, 2025

THE TONMENTAL OUR LAND

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

DOMESTIC WASTEWATER PERMIT APPLICATION CHECKLIST

Complete and submit this checklist with the application.

APPLICANT NAME: <u>C</u>	City of Whiteface
--------------------------	-------------------

PERMIT NUMBER (If new, leave blank): WQoo10314001

Indicate if each of the following items is included in your application.

	Y	N		Y	N
Administrative Report 1.0	\boxtimes		Original USGS Map	\boxtimes	
Administrative Report 1.1		\boxtimes	Affected Landowners Map		\boxtimes
SPIF		\boxtimes	Landowner Disk or Labels		\boxtimes
Core Data Form	\boxtimes		Buffer Zone Map		\boxtimes
Public Involvement Plan Form		\boxtimes	Flow Diagram	\boxtimes	
Technical Report 1.0	\boxtimes		Site Drawing	\boxtimes	
Technical Report 1.1	\boxtimes		Original Photographs		\boxtimes
Worksheet 2.0		\boxtimes	Design Calculations		\boxtimes
Worksheet 2.1		\boxtimes	Solids Management Plan		\boxtimes
Worksheet 3.0	\boxtimes		Water Balance		\boxtimes
Worksheet 3.1		\boxtimes			
Worksheet 3.2		\boxtimes			
Worksheet 3.3		\boxtimes			
Worksheet 4.0		\boxtimes			
Worksheet 5.0		\boxtimes			
Worksheet 6.0	\boxtimes				
Worksheet 7.0		\boxtimes			

For TCEQ Use Only	
Segment Number	County
Expiration Date	Region
Permit Number	

THE TONMENTAL OURS

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

DOMESTIC WASTEWATER PERMIT APPLICATION ADMINISTRATIVE REPORT 1.0

For any questions about this form, please contact the Applications Review and Processing Team at 512-239-4671.

Section 1. Application Fees (Instructions Page 26)

Indicate the amount submitted for the application fee (check only one).

Flow	New/Major Amendment	Renewal
<0.05 MGD	\$350.00 □	\$315.00 ⊠
≥0.05 but <0.10 MGD	\$550.00 □	\$515.00 □
≥0.10 but <0.25 MGD	\$850.00 □	\$815.00 □
≥0.25 but <0.50 MGD	\$1,250.00 □	\$1,215.00
≥0.50 but <1.0 MGD	\$1,650.00 □	\$1,615.00 □
≥1.0 MGD	\$2,050.00 □	\$2,015.00

Minor Amendment (for any flow) \$150.00 □

Mailed Check/Money Order Number: Click to enter text.

Check/Money Order Amount: Click to enter text.

Name Printed on Check: Click to enter text.

EPAY Voucher Number: Click to enter text.

Copy of Payment Voucher enclosed? Yes □

Section 2. Type of Application (Instructions Page 26)

a.	Che	ck the box next to the appropriate authorization type.
	\boxtimes	Publicly-Owned Domestic Wastewater
		Privately-Owned Domestic Wastewater
		Conventional Wastewater Treatment
b.	Che	ck the box next to the appropriate facility status.
	\boxtimes	Active Inactive

c.	Che	Check the box next to the appropriate permit type. N/A - Evaporation						
		TPDES Permit						
		TLAP						
		TPDES Permit with TLAP component						
		Subsurface Area Drip Dispersal System (SAD	DS)					
d.	Che	ck the box next to the appropriate application	ı typ	e				
		New						
		Major Amendment <u>with</u> Renewal		Minor Amendment with Renewal				
		Major Amendment without Renewal		Minor Amendment without Renewal				
	\boxtimes	Renewal without changes		Minor Modification of permit				
e.	For	amendments or modifications, describe the p	ropo	sed changes: Click to enter text.				
f.	For	existing permits:						
	Peri	mit Number: WQ00 <u>10314001</u>						
	EPA	I.D. (TPDES only): TX Click to enter text.						
	Exp	iration Date: <u>December 6, 2024</u>						

Section 3. Facility Owner (Applicant) and Co-Applicant Information (Instructions Page 26)

A. The owner of the facility must apply for the permit.

What is the Legal Name of the entity (applicant) applying for this permit?

City of Whiteface

(The legal name must be spelled exactly as filed with the Texas Secretary of State, County, or in the legal documents forming the entity.)

If the applicant is currently a customer with the TCEQ, what is the Customer Number (CN)? You may search for your CN on the TCEQ website at http://www15.tceq.texas.gov/crpub/

CN: 600678445

What is the name and title of the person signing the application? The person must be an executive official meeting signatory requirements in *30 TAC § 305.44*.

Prefix: Mr. Last Name, First Name: Soliz, James

Title: Mayor Credential: Click to enter text.

B. Co-applicant information. Complete this section only if another person or entity is required to apply as a co-permittee.

What is the Legal Name of the co-applicant applying for this permit?

N/A

(The legal name must be spelled exactly as filed with the TX SOS, with the County, or in the legal documents forming the entity.)

If the co-applicant is currently a customer with the TCEQ, what is the Customer Number (CN)? You may search for your CN on the TCEQ website at: http://www15.tceq.texas.gov/crpub/

CN: N/A

What is the name and title of the person signing the application? The person must be an executive official meeting signatory requirements in *30 TAC § 305.44*.

Prefix: Click to enter text. Last Name, First Name: Click to enter text.

Title: Click to enter text. Credential: Click to enter text.

Provide a brief description of the need for a co-permittee: Click to enter text.

C. Core Data Form

Complete the Core Data Form for each customer and include as an attachment. If the customer type selected on the Core Data Form is **Individual**, complete **Attachment 1** of Administrative Report 1.0. <u>Appendix A</u>

Section 4. Application Contact Information (Instructions Page 27)

This is the person(s) TCEQ will contact if additional information is needed about this application. Provide a contact for administrative questions and technical questions.

A. Prefix: Ms. Last Name, First Name: <u>Terrell, Belinda</u>

Title: <u>City Secretary</u> Credential:

Organization Name: City of Whiteface

Mailing Address: P.O. Box 248 City, State, Zip Code: Whiteface, TX 79379

Phone No.: (806) 287-1111 E-mail Address: whiteface5@aol.com

B. Prefix: Mr. Last Name, First Name: Krueger, Paul

Title: Civil Engineer Credential: P.E.

Organization Name: Parkhill

Mailing Address: 4222 85th Street City, State, Zip Code: Lubbock, TX 79423

Phone No.: (806) 473-3715 E-mail Address: PKrueger@Parkhill.com

Check one or both: Administrative Contact Machine Technical Contact

Section 5. Permit Contact Information (Instructions Page 27)

Provide the names and contact information for two individuals that can be contacted throughout the permit term.

A. Prefix: Mr. Last Name, First Name: Krueger, Paul

Title: Civil Engineer Credential: P.E.

Organization Name: Parkhill

Mailing Address: 4222 85th Street City, State, Zip Code: <u>Lubbock, TX 79423</u>

Phone No.: 806) 473-3715 E-mail Address: PKrueger@Parkhill.com

B. Prefix: Ms. Last Name, First Name: Terrell, Belinda

Title: City Secretary Credential: Click to enter text.

Organization Name: City of Whiteface

Mailing Address: P.O. Box 248 City, State, Zip Code: Whiteface, TX 79379

Phone No.: (806) 287-1111 E-mail Address: whiteface5@aol.com

Section 6. Billing Contact Information (Instructions Page 27)

The permittee is responsible for paying the annual fee. The annual fee will be assessed to permits *in effect on September 1 of each year*. The TCEQ will send a bill to the address provided in this section. The permittee is responsible for terminating the permit when it is no longer needed (using form TCEQ-20029).

Prefix: Ms. Last Name, First Name: Terrell, Belinda

Title: City Secretary Credential: Click to enter text.

Organization Name: City of Whiteface

Mailing Address: P.O. Box 248 City, State, Zip Code: Whiteface, TX 79379

Phone No.: (806) 287-1111 E-mail Address: whiteface5@aol.com

Section 7. DMR/MER Contact Information (Instructions Page 27)

Provide the name and complete mailing address of the person delegated to receive and submit Discharge Monitoring Reports (DMR) (EPA 3320-1) or maintain Monthly Effluent Reports (MER).

Prefix: Ms. Last Name, First Name: Terrell, Belinda

Title: <u>City Secretary</u> Credential: Click to enter text.

Organization Name: City of Whiteface

Mailing Address: P.O. Box 248 City, State, Zip Code: Whiteface, TX 79379

Phone No.: (806) 287-1111 E-mail Address: whiteface5@aol.com

Section 8. Public Notice Information (Instructions Page 27)

A. Individual Publishing the Notices

Prefix: Mr. Last Name, First Name: Krueger, Paul

Title: <u>Civil Engineer</u> Credential: <u>P.E.</u>

Organization Name: Parkhill

Mailing Address: 4222 85th St. City, State, Zip Code: <u>Lubbock, Tx 79423</u>

Phone No.: (806)473-3715 E-mail Address: pkrueger@parkhill.com

В.		ethod fo ckage	or Receivin	g Noti	ce of Receipt and Intent to Obtain a Water Quality Permit			
	Inc	licate b	y a check m	ark th	ne preferred method for receiving the first notice and instructions:			
	\boxtimes	E-mai	l Address					
		Fax						
	\boxtimes	Regul	lar Mail					
C.	Co	ntact p	ermit to be	listed	l in the Notices			
	Pre	efix: <u>Ms</u> .	<u>.</u>		Last Name, First Name: <u>Terrell, Belinda</u>			
	Tit	le: <u>City</u>	<u>Secretary</u>		Credential: Click to enter text.			
	Or	ganizat	ion Name: <u>(</u>	City of V	Whiteface			
	Ma	iling Ac	ddress: <u>P.O.</u>	Box 24	City, State, Zip Code: Whiteface, TX 79379			
	Ph	one No.	: <u>(806)287-1</u>	.111	E-mail Address: whiteface5@aol.com			
D.	Pu	blic Vie	ewing Infor	matio	n			
	-	-	ity or outfa Ist be provid		cated in more than one county, a public viewing place for each			
	Pu	blic bui	lding name	: White	eface City Hall			
	Lo	cation v	vithin the b	uilding	g: <u>Front Lobby</u>			
	Ph	ysical A	ddress of B	uildin	g: <u>404 N Filmore St.</u>			
	Cit	y: White	<u>eface</u>		County: <u>Cochran</u>			
	Co	ntact (L	ast Name, I	First N	ame): <u>Terrell, Belinda</u>			
	Ph	one No.	: <u>(806)287-1</u>	<u>111</u> Ext	t.: Click to enter text.			
E.	Bil	Bilingual Notice Requirements						
				_	d for new, major amendment, minor amendment or minor applications.			
	This section of the application is only used to determine if alternative language notices will be needed. Complete instructions on publishing the alternative language notices will be in your public notice package.							
	Please call the bilingual/ESL coordinator at the nearest elementary and middle schools and obtain the following information to determine whether an alternative language notices are required.							
	1.				program required by the Texas Education Code at the elementary to the facility or proposed facility?			
			Yes	\boxtimes	No			
		If no , p	oublication	of an a	alternative language notice is not required; skip to Section 9			
	2.				tend either the elementary school or the middle school enrolled in ogram at that school?			
			Voc		No			

	3.	Do the locatio	students n?	at these	schools a	attend	a bilingua	l educa	tion prog	ram at	t another
			Yes		No						
	4.		the school lout of th							gram b	out the school has
			Yes		No						
	5.										tive language are enter text.
F.	Pla	in Lang	guage Sun	nmary To	emplate						
	Co	mplete	the Plain	Language	Summa	ry (TCF	EQ Form 2	0972) a	and includ	de as a	n attachment.
	At	tachme	nt: <u>Append</u>	dix B							
G.	Pu	blic Inv	olvemen	t Plan Fo	rm						
						n Form	(TCEQ Fo	rm 209	60) for ea	ach ap	plication for a
			iit or majo								
	At	tachme	nt: Click t	o enter to	ext.						
•				1 - 1 -		1.5			. C		/T
Se	CU	on 9.	Regu Page		ntity a	na Pe	rmitted	i Site i	inform	ation	(Instructions
Α.				ly regula	ted by T	CEQ, pı	ovide the	Regula	ited Entity	y Num	ber (RN) issued to
			TCEQ's C		_ ,		<u>/www15.t</u>	tceq.tex	as.gov/cr	<u>rpub/</u> t	to determine if
B.	Na	me of p	roject or	site (the	name kn	own by	the com	nunity	where loc	cated):	
	<u>Cit</u>	y of Whi	iteface Was	stewater T	reatment	<u>Plant</u>					
C.	Ov	vner of	treatment	facility:	City of W	hiteface					
	Ov	vnershij	of Facili	ty: 🖂	Public		Private		Both		Federal
D.	Ov	vner of	land wher	e treatme	ent facili	ty is or	will be:				
	Pre	efix: Cli	ck to ente	r text.	Las	t Name	, First Na	me: Clic	ck to ente	er text.	
	Tit	le: Clicl	k to enter	text.	Cre	dential	: <u>N/A</u>				
	Or	ganizat	ion Name	City of W	<u>hiteface</u>						
	Ma	iling A	ddress: <u>P.</u>	O. Box 248	<u>3</u>		City, State	e, Zip C	ode: <u>Whit</u>	eface, T	ΓX <u>79379</u>
	Ph	one No.	: <u>(806)287</u>	<u>'-1111</u>	E-r	nail Ad	dress: wh	iteface <u>5</u>	@aol.com		
			lowner is i						or co-ap	plican	t, attach a lease
		Attach	ment: Cli	ck to ente	er text.						

	Prefix: Click to enter text.	Last Name, First Name: Click to enter text.
	Title: Click to enter text.	Credential: <u>N/A</u>
	Organization Name: City of White	<u>eface</u>
	Mailing Address: P.O. Box 248	City, State, Zip Code: Whiteface, TX 79379
	Phone No.: <u>(806)287-1111</u>	E-mail Address: whiteface5@aol.com
	If the landowner is not the same agreement or deed recorded eas	e person as the facility owner or co-applicant, attach a lease ement. See instructions.
	Attachment: Click to enter to	ext.
F.	Owner sewage sludge disposal s property owned or controlled by	ite (if authorization is requested for sludge disposal on y the applicant)::
	Prefix: Click to enter text.	Last Name, First Name: $N/A - No$ sludge disposal located on site
	Title: Click to enter text.	Credential: Click to enter text.
	Organization Name: Click to ent	er text.
	Mailing Address: Click to enter t	cext. City, State, Zip Code: Click to enter text.
	Phone No.: Click to enter text.	E-mail Address: Click to enter text.
	If the landowner is not the same agreement or deed recorded eas	e person as the facility owner or co-applicant, attach a lease sement. See instructions.
	Attachment: Click to enter to	ext.
Se		ge Information (Instructions Page 31)
	ection 10. TPDES Dischar	
	ection 10. TPDES Dischar	ge Information (Instructions Page 31)
	Is the wastewater treatment faci Yes No No	ge Information (Instructions Page 31)
	ection 10. TPDES Dischar Is the wastewater treatment faci Yes No	ge Information (Instructions Page 31) lity location in the existing permit accurate?
A.	Is the wastewater treatment faci Yes No If no, or a new permit application N/A - Evaporation	ge Information (Instructions Page 31) lity location in the existing permit accurate? on, please give an accurate description:
A.	Is the wastewater treatment faci Yes No If no, or a new permit application Are the point(s) of discharge and	ge Information (Instructions Page 31) lity location in the existing permit accurate?
A.	Is the wastewater treatment faci Yes No If no, or a new permit application Are the point(s) of discharge and Yes No	ge Information (Instructions Page 31) dity location in the existing permit accurate? on, please give an accurate description: d the discharge route(s) in the existing permit correct?
A.	Is the wastewater treatment faci Yes No If no, or a new permit application Are the point(s) of discharge and Yes No If no, or a new or amendment permit application	ge Information (Instructions Page 31) lity location in the existing permit accurate? on, please give an accurate description: d the discharge route(s) in the existing permit correct? permit application, provide an accurate description of the
A.	Is the wastewater treatment facing the wastewater treatment facing the second s	ge Information (Instructions Page 31) dity location in the existing permit accurate? on, please give an accurate description: d the discharge route(s) in the existing permit correct?
A.	Is the wastewater treatment faci Yes No If no, or a new permit application Are the point(s) of discharge and Yes No If no, or a new or amendment point of discharge and the discharge	ge Information (Instructions Page 31) lity location in the existing permit accurate? on, please give an accurate description: d the discharge route(s) in the existing permit correct? permit application, provide an accurate description of the
A.	Is the wastewater treatment facing the wastewater treatment facing the second s	ge Information (Instructions Page 31) lity location in the existing permit accurate? on, please give an accurate description: d the discharge route(s) in the existing permit correct? permit application, provide an accurate description of the
A.	Is the wastewater treatment facing the wastewater treatment facing the second s	ge Information (Instructions Page 31) lity location in the existing permit accurate? on, please give an accurate description: d the discharge route(s) in the existing permit correct? permit application, provide an accurate description of the harge route to the nearest classified segment as defined in 30
A.	Is the wastewater treatment faci Yes No If no, or a new permit application Are the point(s) of discharge and Yes No If no, or a new or amendment point of discharge and the discharge and th	ge Information (Instructions Page 31) lity location in the existing permit accurate? on, please give an accurate description: d the discharge route(s) in the existing permit correct? permit application, provide an accurate description of the harge route to the nearest classified segment as defined in 30
A.	Is the wastewater treatment faci Yes No If no, or a new permit application Are the point(s) of discharge and Yes No If no, or a new or amendment point of discharge and the discharge and th	Instructions Page 31) In the existing permit accurate? In the discharge route(s) in the existing permit correct? In the discharge route(s) in the existing permit correct? In the discharge route an accurate description of the harge route to the nearest classified segment as defined in 30 to enter text. In the discharge route to a city, county, or state highway right-of-way, or state highway right-of-way.
A.	Is the wastewater treatment faci Yes No If no, or a new permit application Are the point(s) of discharge and Yes No If no, or a new or amendment point of discharge and the discharge and th	Instructions Page 31) In the existing permit accurate? In the discharge route(s) in the existing permit correct? In the discharge route(s) in the existing permit correct? In the discharge route an accurate description of the harge route to the nearest classified segment as defined in 30 to enter text. In the discharge route to a city, county, or state highway right-of-way, or state highway right-of-way.
A.	Is the wastewater treatment faci Yes No If no, or a new permit application Are the point(s) of discharge and Yes No If no, or a new or amendment point of discharge and the discharge and th	Instructions Page 31) In the existing permit accurate? In the discharge route(s) in the existing permit correct? In the discharge route(s) in the existing permit correct? In the discharge route an accurate description of the harge route to the nearest classified segment as defined in 30 to enter text. In the discharge route to a city, county, or state highway right-of-way, or state highway right-of-way.

E. Owner of effluent disposal site:

	If yes , indicate by a check mark if:
	\square Authorization granted \square Authorization pending
	For new and amendment applications, provide copies of letters that show proof of contact and the approval letter upon receipt.
	Attachment: Click to enter text.
D.	For all applications involving an average daily discharge of 5 MGD or more, provide the names of all counties located within 100 statute miles downstream of the point(s) of discharge: Click to enter text.
Se	ction 11. TLAP Disposal Information (Instructions Page 32)
A.	For TLAPs, is the location of the effluent disposal site in the existing permit accurate?
	□ Yes □ No
	If no, or a new or amendment permit application , provide an accurate description of the disposal site location:
	N/A - Evaporation
D	City magnest the disposal site Click to enter taxt
B.	City nearest the disposal site: Click to enter text.
C.	County in which the disposal site is located: Click to enter text. For TLAPs , describe the routing of effluent from the treatment facility to the disposal site:
υ.	Click to enter text.
	Chek to chter text.
Ε.	For TLAPs , please identify the nearest watercourse to the disposal site to which rainfall runoff might flow if not contained: Click to enter text.
	Tallor inglic flow if not contained. Effect to circle texts
Se	ction 12. Miscellaneous Information (Instructions Page 32)
A.	Is the facility located on or does the treated effluent cross American Indian Land?
	□ Yes ⊠ No
В.	If the existing permit contains an onsite sludge disposal authorization, is the location of the sewage sludge disposal site in the existing permit accurate?
	\square Yes \square No \boxtimes Not Applicable
	If No, or if a new onsite sludge disposal authorization is being requested in this permit application, provide an accurate location description of the sewage sludge disposal site.
	Click to enter text.

C.	Did any person formerly employed by the TCEQ represent your company and get paid for service regarding this application?
	□ Yes ⊠ No
	If yes, list each person formerly employed by the TCEQ who represented your company and was paid for service regarding the application: Click to enter text.
D.	Do you owe any fees to the TCEQ?
	□ Yes ⊠ No
	If yes , provide the following information:
	Account number: Click to enter text.
	Amount past due: Click to enter text.
E.	Do you owe any penalties to the TCEQ?
	□ Yes ⊠ No
	If yes , please provide the following information:
	Enforcement order number: Click to enter text.
	Amount past due: Click to enter text.
Se	ection 13. Attachments (Instructions Page 33)
Inc	dicate which attachments are included with the Administrative Report. Check all that apply:
	Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant.
\boxtimes	Original full-size USGS Topographic Map with the following information:
	 Applicant's property boundary Treatment facility boundary Appendix C: USGS Map Labeled point of discharge for each discharge point (TPDES only) Highlighted discharge route for each discharge point (TPDES only) Onsite sewage sludge disposal site (if applicable) Effluent disposal site boundaries (TLAP only) New and future construction (if applicable) 1 mile radius information

☐ Attachment 1 for Individuals as co-applicants

All ponds.

3 miles downstream information (TPDES only)

Other Attachments. Please specify: <u>Appendix A: Core Data Form, Appendix B: Plain Language Summary</u>

Section 14. Signature Page (Instructions Page 34)

If co-applicants are necessary, each entity must submit an original, separate signature page.

Permit Number: <u>WQ0010314001</u> Applicant: <u>City of Whiteface</u>

Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

I further certify that I am authorized under 30 Texas Administrative Code § 305.44 to sign and submit this document, and can provide documentation in proof of such authorization upon request.

Signatory name (typed or printed): <u>Ja</u>	<u>mes Soliz</u>	
Signatory title: <u>Mayor</u>		
Signature:	Date	e:
(Use blue ink)		
Cula quila ed and Curama to hafave me h	er the said	
Subscribed and Sworn to before me b	by the said	
on thisda		
My commission expires on the	day of	, 20
Notary Public		[SEAL]
County, Texas		

DOMESTIC WASTEWATER PERMIT APPLICATION **ADMINISTRATIVE REPORT 1.0**

N/A Renewal

The following information is required for new and amendment applications.

Section 1. Affected Landowner Information (Instructions Page 36)

Α.		cate by a check mark that the landowners map or drawing, with scale, includes the owing information, as applicable:
		The applicant's property boundaries
		The facility site boundaries within the applicant's property boundaries
		The distance the buffer zone falls into adjacent properties and the property boundaries of the landowners located within the buffer zone
		The property boundaries of all landowners surrounding the applicant's property (Note: if the application is a major amendment for a lignite mine, the map must include the property boundaries of all landowners adjacent to the new facility (ponds).)
		The point(s) of discharge and highlighted discharge route(s) clearly shown for one mile downstream
		The property boundaries of the landowners located on both sides of the discharge route for one full stream mile downstream of the point of discharge
		The property boundaries of the landowners along the watercourse for a one-half mile radius from the point of discharge if the point of discharge is into a lake, bay, estuary, or affected by tides
		The boundaries of the effluent disposal site (for example, irrigation area or subsurface drainfield site) and all evaporation/holding ponds within the applicant's property
		The property boundaries of all landowners surrounding the effluent disposal site
		The boundaries of the sludge land application site (for land application of sewage sludge for beneficial use) and the property boundaries of landowners surrounding the applicant's property boundaries where the sewage sludge land application site is located
		The property boundaries of landowners within one-half mile in all directions from the applicant's property boundaries where the sewage sludge disposal site (for example, sludge surface disposal site or sludge monofill) is located
В.	□ add	Indicate by a check mark that a separate list with the landowners' names and mailing resses cross-referenced to the landowner's map has been provided.
C.	Indi	cate by a check mark in which format the landowners list is submitted:
	[☐ USB Drive ☐ Four sets of labels
D.	Prov	vide the source of the landowners' names and mailing addresses: Click to enter text.
Е.		required by <i>Texas Water Code § 5.115</i> , is any permanent school fund land affected by application? Yes \square No
		100 - 110

	If ye s	s, provide the location and foreseeable impacts and effects this application has on the s):
	Clic	k to enter text.
Se	ctio	n 2. Original Photographs (Instructions Page 38)
Pro	ovide	original ground level photographs. Indicate with checkmarks that the following tion is provided.
		At least one original photograph of the new or expanded treatment unit location
		At least two photographs of the existing/proposed point of discharge and as much area downstream (photo 1) and upstream (photo 2) as can be captured. If the discharge is to an open water body (e.g., lake, bay), the point of discharge should be in the right or left edge of each photograph showing the open water and with as much area on each respective side of the discharge as can be captured.
		At least one photograph of the existing/proposed effluent disposal site
		A plot plan or map showing the location and direction of each photograph
Sa	ctio	n 3. Buffer Zone Map (Instructions Page 38)
	Buffe infor	er zone map. Provide a buffer zone map on 8.5×11 -inch paper with all of the following mation. The applicant's property line and the buffer zone line may be distinguished by a dashes or symbols and appropriate labels.
	•	The applicant's property boundary; The required buffer zone; and Each treatment unit; and The distance from each treatment unit to the property boundaries.
В.		er zone compliance method. Indicate how the buffer zone requirements will be met. k all that apply.
		Ownership Restrictive easement Nuisance odor control Variance
C.		itable site characteristics. Does the facility comply with the requirements regarding itable site characteristic found in 30 TAC § 309.13(a) through (d)? Yes No

DOMESTIC WASTEWATER PERMIT APPLICATION SUPPLEMENTAL PERMIT INFORMATION FORM (SPIF)

This form applies to TPDES permit applications only. Complete and attach the Supplemental Permit information Form (SPIF) (TCEQ Form 20971).

Attachment: N/A - Evaporation

WATER QUALITY PERMIT

PAYMENT SUBMITTAL FORM

Use this form to submit the Application Fee, if the mailing the payment.

- Complete items 1 through 5 below.
- Staple the check or money order in the space provided at the bottom of this document.
- Do Not mail this form with the application form.
- Do not mail this form to the same address as the application.
- Do not submit a copy of the application with this form as it could cause duplicate permit entries.

Mail this form and the check or money order to:

BY REGULAR U.S. MAIL

BY OVERNIGHT/EXPRESS MAIL

Texas Commission on Environmental Quality Texas Commission on Environmental Quality

Financial Administration Division Financial Administration Division

Cashier's Office, MC-214
P.O. Box 13088
Cashier's Office, MC-214
12100 Park 35 Circle

Austin, Texas 78711-3088 Austin, Texas 78753

Fee Code: WQP Waste Permit No: WW0010314001

1. Check or Money Order Number: Click to enter text.

2. Check or Money Order Amount: Click to enter text.

3. Date of Check or Money Order: Click to enter text.

4. Name on Check or Money Order: Click to enter text.

5. APPLICATION INFORMATION

Name of Project or Site: City of Whiteface Wastewater Treatment Plant

Physical Address of Project or Site: <u>2,500' NE of the intersection of HWY 114 and FM 1780, in Whiteface, Cochran County, Texas 79379</u>

If the check is for more than one application, attach a list which includes the name of each Project or Site (RE) and Physical Address, exactly as provided on the application.

Staple Check or Money Order in This Space

ATTACHMENT 1

INDIVIDUAL INFORMATION

Section 1. Individual Information (Instructions Page 41)

Complete this attachment if the facility applicant or co-applicant is an individual. Make additional copies of this attachment if both are individuals.

Prefix (Mr., Ms., Miss): Click to enter text.

Full legal name (Last Name, First Name, Middle Initial): Click to enter text.

Driver's License or State Identification Number: Click to enter text.

Date of Birth: Click to enter text.

Mailing Address: Click to enter text.

City, State, and Zip Code: Click to enter text.

Phone Number: Click to enter text. Fax Number: Click to enter text.

E-mail Address: Click to enter text.

CN: Click to enter text.

For Commission Use Only:

Customer Number:

Regulated Entity Number:

Permit Number:

DOMESTIC WASTEWATER PERMIT APPLICATION CHECKLIST OF COMMON DEFICIENCIES

Below is a list of common deficiencies found during the administrative review of domestic wastewater permit applications. To ensure the timely processing of this application, please review the items below and indicate by checking Yes that each item is complete and in accordance applicable rules at 30 TAC Chapters 21, 281, and 305. If an item is not required this application, indicate by checking N/A where appropriate. Please do not submit the application until the items below have been addressed.

application until the items below have been addressed.				
Core Data Form (TCEQ Form No. 10400) (Required for all application types. Must be completed in its entirety Note: Form may be signed by applicant representative.)	and s	igned.		Yes
Correct and Current Industrial Wastewater Permit Application Form (TCEQ Form Nos. 10053 and 10054. Version dated 6/25/2018 or la			\boxtimes	Yes
Water Quality Permit Payment Submittal Form (Page 19) (Original payment sent to TCEQ Revenue Section. See instructions fo	or mai	iling ad	⊠ Idress	Yes
7.5 Minute USGS Quadrangle Topographic Map Attached (Full-size map if seeking "New" permit. 8½ x 11 acceptable for Renewals and Amendments)				Yes
Current/Non-Expired, Executed Lease Agreement or Easement	\boxtimes	N/A		Yes
Landowners Map (See instructions for landowner requirements)				Yes
 Things to Know: All the items shown on the map must be labeled. The applicant's complete property boundaries must be doundaries of contiguous property owned by the applicate. The applicant cannot be its own adjacent landowner. You landowners immediately adjacent to their property, regarder from the actual facility. If the applicant's property is adjacent to a road, creek, on on the opposite side must be identified. Although the prapplicant's property boundary, they are considered potentified adjacent road is a divided highway as identified on map, the applicant does not have to identify the landown the highway. 	nt. I mus rdless strea operti ntially the U	t idention of how am, the es are a affectors	ify the value of the control of the	e they are owners djacent to ndowners. aphic
Landowners Cross Reference List (See instructions for landowner requirements)	\boxtimes	N/A		Yes
Landowners Labels or USB Drive attached (See instructions for landowner requirements)	\boxtimes	N/A		Yes
Original signature per 30 TAC § 305.44 - Blue Ink Preferred			\square	Yes

a copy of signature authority/delegation letter must be attached)

Plain Language Summary

(If signature page is not signed by an elected official or principle executive officer,

Yes

THI THOUNDENTAL OUT IN

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

DOMESTIC WASTEWATER PERMIT APPLICATION TECHNICAL REPORT 1.0

For any questions about this form, please contact the Domestic Wastewater Permitting Team at 512-239-4671.

The following information is required for all renewal, new, and amendment applications.

Section 1. Permitted or Proposed Flows (Instructions Page 43)

A. Existing/Interim I Phase

Design Flow (MGD): Click to enter text.

2-Hr Peak Flow (MGD): Click to enter text.

Estimated construction start date: Click to enter text.

Estimated waste disposal start date: Click to enter text.

B. Interim II Phase

Design Flow (MGD): Click to enter text.

2-Hr Peak Flow (MGD): Click to enter text.

Estimated construction start date: Click to enter text.

Estimated waste disposal start date: Click to enter text.

C. Final Phase

Design Flow (MGD): <u>0.035</u>

2-Hr Peak Flow (MGD): 0.105

Estimated construction start date: Click to enter text.

Estimated waste disposal start date: Click to enter text.

D. Current Operating Phase

Provide the startup date of the facility: 01/01/2009

Section 2. Treatment Process (Instructions Page 43)

A. Current Operating Phase

Provide a detailed description of the treatment process. **Include the type of treatment plant, mode of operation, and all treatment units.** Start with the plant's head works and

finish with the point of discharge. Include all sludge processing and drying units. **If more than one phase exists or is proposed, a description of** *each phase* **must be provided**.

The wastewater treatment plant consists of a facultative lagoon and three storage/evaporation ponds. The effluent is disposed of by evaporation.

B. Treatment Units

In Table 1.0(1), provide the treatment unit type, the number of units, and dimensions (length, width, depth) of each treatment unit, accounting for *all* phases of operation.

Table 1.0(1) - Treatment Units

Treatment Unit Type	Number of Units	Dimensions (L x W x D)
Facultative Lagoon	1	300' L x 100' W x 7.5' Avg. depth
Storage Pond 1	1	530' L x 230' W x 6' D
Storage Pond 2	1	530' L x 70' W x 6' D
Storage Pond 3	1	390' L x 150' W x 6' D

C. Process Flow Diagram

Provide flow diagrams for the existing facilities and **each** proposed phase of construction.

Attachment: Appendix D: Flow Diagram

Section 3. Site Information and Drawing (Instructions Page 44)

Provide the TPDES discharge outfall latitude and longitude. Enter N/A if not applicable.

Latitude: N/ALongitude: N/A

Provide the TLAP disposal site latitude and longitude. Enter N/A if not applicable.

Latitude: N/ALongitude: N/A

Provide a site drawing for the facility that shows the following:

- The boundaries of the treatment facility;
- The boundaries of the area served by the treatment facility;
- If land disposal of effluent, the boundaries of the disposal site and all storage/holding ponds; and
- If sludge disposal is authorized in the permit, the boundaries of the land application or disposal site.

Attachment: Appendix E: Site Map

Provide the name and a des	cription of the area so	erved by the treatmen	it facility.			
The City of Whiteface in Coch	ran County, Texas					
	f	DDFC				
Collection System Informati each uniquely owned collection						
satellite collection systems. examples.	Please see the instru	ictions for a detailed	explanation and			
Collection System Information	n					
Collection System Name	Owner Name	Owner Type	Population Served			
Whiteface Collection System	City of Whiteface	Publicly Owned	449			
Section 4. Unbuilt P	Phases (Instruction	one Pago 45)				
Is the application for a rene			agga or phagga?			
☐ Yes ☑ No	war of a permit that c	ontains an unbunt pr	iase of phases:			
If yes, does the existing per	mit contain a nhase t	hat has not been cons	structed within five			
years of being authorized b	_	nat has not been cons	mucica widini iive			
□ Yes □ No						
If yes, provide a detailed dis						
Failure to provide sufficient recommending denial of the			e Director			
N/A						
Section 5. Closure F	Plans (Instruction	ns Page 45)				
Have any treatment units be			ill any units be taken			
out of service in the next fiv		,,	,			
□ Yes ⊠ No						
If yes, was a closure plan su	ıbmitted to the TCEQ	?				
□ Yes □ No						
If yes, provide a brief descr	iption of the closure	and the date of plan a	ipproval.			

	ection 6. Permit Specific Requirements (Instructions Page 45)
	r applicants with an existing permit, check the Other Requirements or Special ovisions of the permit.
A.	Summary transmittal
	Have plans and specifications been approved for the existing facilities and each proposed phase?
	⊠ Yes □ No
	If yes, provide the date(s) of approval for each phase: 04/02/2008
	Provide information, including dates, on any actions taken to meet a <i>requirement or provision</i> pertaining to the submission of a summary transmittal letter. Provide a copy of an approval letter from the TCEQ, if applicable.
	N/A
В.	Buffer zones
	Have the buffer zone requirements been met?
	⊠ Yes □ No
	Provide information below, including dates, on any actions taken to meet the conditions of the buffer zone. If available, provide any new documentation relevant to maintaining the buffer zones.
	N/A

C. Other actions required by the current permit

Does the *Other Requirements* or *Special Provisions* section in the existing permit require submission of any other information or other required actions? Examples include Notification of Completion, progress reports, soil monitoring data, etc.

		□ Yes ⊠ No
		yes, provide information below on the status of any actions taken to meet the nditions of an <i>Other Requirement</i> or <i>Special Provision</i> .
	N	/A
D.	Gr	it and grease treatment
	1.	Acceptance of grit and grease waste
		Does the facility have a grit and/or grease processing facility onsite that treats and decants or accepts transported loads of grit and grease waste that are discharged directly to the wastewater treatment plant prior to any treatment?
		□ Yes ⊠ No
		If No, stop here and continue with Subsection E. Stormwater Management.
	2.	Grit and grease processing
		Describe below how the grit and grease waste is treated at the facility. In your description, include how and where the grit and grease is introduced to the treatment works and how it is separated or processed. Provide a flow diagram showing how grit and grease is processed at the facility.
		N/\underline{A}
	3.	Grit disposal
		Does the facility have a Municipal Solid Waste (MSW) registration or permit for grit disposal?
		□ Yes □ No
		If No , contact the TCEQ Municipal Solid Waste team at 512-239-2335. Note: A registration or permit is required for grit disposal. Grit shall not be combined with treatment plant sludge. See the instruction booklet for additional information on grit disposal requirements and restrictions.
		Describe the method of grit disposal.

		N/\underline{A}
	4.	Grease and decanted liquid disposal
		Note: A registration or permit is required for grease disposal. Grease shall not be combined with treatment plant sludge. For more information, contact the TCEQ Municipal Solid Waste team at 512-239-2335.
		Describe how the decant and grease are treated and disposed of after grit separation.
		N <u>/A</u>
E.	Sto	ormwater management
		Applicability
		Does the facility have a design flow of 1.0 MGD or greater in any phase?
		□ Yes ⊠ No
		Does the facility have an approved pretreatment program, under 40 CFR Part 403? □ Yes ☑ No
		If no to both of the above, then skip to Subsection F, Other Wastes Received.
	2.	MSGP coverage
		Is the stormwater runoff from the WWTP and dedicated lands for sewage disposal currently permitted under the TPDES Multi-Sector General Permit (MSGP), TXR050000? Yes No
		If yes, please provide MSGP Authorization Number and skip to Subsection F, Other Wastes Received:
		TXR05 Click to enter text. or TXRNE Click to enter text.
		If no, do you intend to seek coverage under TXR050000?
		□ Yes □ No
	3.	Conditional exclusion
		Alternatively, do you intend to apply for a conditional exclusion from permitting based TXR050000 (Multi Sector General Permit) Part II B.2 or TXR050000 (Multi Sector General Permit) Part V, Sector T 3(b)?
		□ Yes □ No
		If yes, please explain below then proceed to Subsection F, Other Wastes Received:

	N <u>/A</u>
4.	Existing coverage in individual permit
	Is your stormwater discharge currently permitted through this individual TPDES or TLAP permit?
	□ Yes □ No
	If yes , provide a description of stormwater runoff management practices at the site that are authorized in the wastewater permit then skip to Subsection F, Other Wastes Received.
	N <u>/A</u>
5.	Zero stormwater discharge
	Do you intend to have no discharge of stormwater via use of evaporation or other means?
	□ Yes □ No
	If yes, explain below then skip to Subsection F. Other Wastes Received.
	N/\underline{A}
	Note: If there is a potential to discharge any stormwater to surface water in the state as the result of any storm event, then permit coverage is required under the MSGP or an individual discharge permit. This requirement applies to all areas of facilities with treatment plants or systems that treat, store, recycle, or reclaim domestic sewage, wastewater or sewage sludge (including dedicated lands for sewage sludge disposal located within the onsite property boundaries) that meet the applicability criteria of above. You have the option of obtaining coverage under the MSGP for direct discharges, (recommended), or obtaining coverage under this individual permit.
5.	Request for coverage in individual permit
	Are you requesting coverage of stormwater discharges associated with your treatment plant under this individual permit?
	□ Yes □ No
	If yes, provide a description of stormwater runoff management practices at the site for which you are requesting authorization in this individual wastewater permit and describe whether you intend to comingle this discharge with your treated effluent or discharge it via a separate dedicated stormwater outfall. Please also indicate if you

	intend to divert stormwater to the treatment plant headworks and indirectly discharge it to water in the state.					
		N/\underline{A}				
		Note: Direct stormwater discharges to waters in the state authorized through this individual permit will require the development and implementation of a stormwater pollution prevention plan (SWPPP) and will be subject to additional monitoring and reporting requirements. Indirect discharges of stormwater via headworks recycling will require compliance with all individual permit requirements including 2-hour peak flow limitations. All stormwater discharge authorization requests will require additional information during the technical review of your application.				
F.	Dis	scharges to the Lake Houston Watershed				
	Do	es the facility discharge in the Lake Houston watershed?				
		□ Yes ⊠ No				
	If y <u>N/</u>	ves, attach a Sewage Sludge Solids Management Plan. See Example 5 in the instructions. $\underline{\mathbf{A}}$				
G.	Ot	her wastes received including sludge from other WWTPs and septic waste				
	1.	Acceptance of sludge from other WWTPs				
		Does or will the facility accept sludge from other treatment plants at the facility site?				
		□ Yes ⊠ No				
		If yes, attach sewage sludge solids management plan. See Example 5 of instructions.				
		In addition, provide the date the plant started or is anticipated to start accepting sludge, an estimate of monthly sludge acceptance (gallons or millions of gallons), an				
		estimate of the BOD_5 concentration of the sludge, and the design BOD_5 concentration of the influent from the collection system. Also note if this information has or has not changed since the last permit action.				
		N/A				
		Note: Permits that accept sludge from other wastewater treatment plants may be required to have influent flow and organic loading monitoring.				
	2.	Acceptance of septic waste				
		Is the facility accepting or will it accept septic waste?				
		□ Yes ⊠ No				
		If yes, does the facility have a Type V processing unit?				
		□ Yes ⊠ No				
		If yes, does the unit have a Municipal Solid Waste permit?				
		□ Yes ⊠ No				

	accepting septic waste, an estimate of monthly septic waste acceptance (gamillions of gallons), an estimate of the BOD_5 concentration of the septic was				
			ation of the influent fro s not changed since the	om the collection system. Also note if thi e last permit action.	S
	N/A				
			ept sludge from other vent flow and organic lo	wastewater treatment plants may be ading monitoring.	
3.	-	-	vastes (not including s listed in Worksheet 6)	eptic, grease, grit, or RCRA, CERCLA or	
		ill the facility ac ries listed above	-	ot domestic in nature excluding the	
		Yes 🗵 No			
	much v descrip other p	waste is accepted otion of the enti	d on a monthly basis (g ties generating the was eristic of the waste. Als	d accepting the waste, an estimate how gallons or millions of gallons), a ste, and any distinguishing chemical or so note if this information has or has not	
	N/A				
Secti	ion 7.	Pollutant 2 50)	Analysis of Treate	ed Effluent (Instructions Page	
Is the	facility	in operation?			
\boxtimes	Yes	□ No		Appendix F: Pollutant Analysis	
ŕ			icable. Proceed to Section		
facilit comp	t ies com lete Tab	plete Table 1.0() le 1.0(3). Provid	2). W <i>ater treatment fa</i> e copies of the laborato	pollutants. <i>Wastewater treatment</i> acilities discharging filter backwash water ory results sheets. These tables are not al. See the instructions for guidance.	1,

If yes to any of the above, provide the date the plant started or is anticipated to start

Note: The sample date must be within 1 year of application submission.

Table 1.0(2) - Pollutant Analysis for Wastewater Treatment Facilities

Pollutant	Average Conc.	Max Conc.	No. of Samples	Sample Type	Sample Date/Time
CBOD ₅ , mg/l	17.1	17.1	1	GRAB	3/14/24 @ 9:15
Total Suspended Solids, mg/l	51.7	51.7	1	GRAB	3/14/24 @ 9:15
Ammonia Nitrogen, mg/l	14	14	1	GRAB	3/14/24 @ 9:15
Nitrate Nitrogen, mg/l	<2	<2	1	GRAB	3/14/24 @ 9:15
Total Kjeldahl Nitrogen, mg/l	33.1	33.1	1	GRAB	3/14/24 @ 9:15
Sulfate, mg/l	239	239	1	GRAB	3/14/24 @ 9:15
Chloride, mg/l	295	295	1	GRAB	3/14/24 @ 9:15
Total Phosphorus, mg/l	4.06	4.06	1	GRAB	3/14/24 @ 9:15
pH, standard units	7.7	7.7	1	GRAB	3/14/24 @ 9:15
Dissolved Oxygen*, mg/l	N/A	N/A	N/A	N/A	N/A
Chlorine Residual, mg/l	N/A	N/A	N/A	N/A	N/A
E.coli (CFU/100ml) freshwater	N/A	N/A	N/A	N/A	N/A
Entercocci (CFU/100ml) saltwater	N/A	N/A	N/A	N/A	N/A
Total Dissolved Solids, mg/l	1200	1200	1	GRAB	3/14/24 @ 9:15
Electrical Conductivity, µmohs/cm, †	N/A	N/A	N/A	N/A	N/A
Oil & Grease, mg/l	<5.56	<5.56	1	GRAB	3/14/24 @ 9:15
Alkalinity (CaCO ₃)*, mg/l	N/A	N/A	N/A	N/A	N/A

^{*}TPDES permits only †TLAP permits only

Table1.0(3) - Pollutant Analysis for Water Treatment Facilities

Pollutant	Average Conc.	Max Conc.	No. of Samples	Sample Type	Sample Date/Time
Total Suspended Solids, mg/l	N/A				
Total Dissolved Solids, mg/l					
pH, standard units					
Fluoride, mg/l					
Aluminum, mg/l					
Alkalinity (CaCO ₃), mg/l					

Section 8. Facility Operator (Instructions Page 50)

Facility Operator Name: <u>Joey Alvarez</u>

Facility Operator's License Classification and Level: **D**

Facility Operator's License Number: WWoo38348

Sludge and Biosolids Management and Disposal Section 9. (Instructions Page 51)

A.	WW	TP's Biosolids Management Facility Type					
	Che	Check all that apply. See instructions for guidance					
		Design flow>= 1 MGD					
		Serves >= 10,000 people					
		Class I Sludge Management Facility (per 40 CFR § 503.9)					
		Biosolids generator					
		Biosolids end user – land application (onsite)					
		Biosolids end user – surface disposal (onsite)					
		Biosolids end user – incinerator (onsite)					
B.	ww	TP's Biosolids Treatment Process					
	Che	Check all that apply. See instructions for guidance.					
		Aerobic Digestion					
		Air Drying (or sludge drying beds)					
		Lower Temperature Composting					
		Lime Stabilization					
		Higher Temperature Composting					
		Heat Drying					
		Thermophilic Aerobic Digestion					
		Beta Ray Irradiation					
		Gamma Ray Irradiation					
		Pasteurization					
		Preliminary Operation (e.g. grinding, de-gritting, blending)					
		Thickening (e.g. gravity thickening, centrifugation, filter press, vacuum filter)					
	\boxtimes	Sludge Lagoon					
		Temporary Storage (< 2 years)					
		Long Term Storage (>= 2 years)					
		Methane or Biogas Recovery					
	⊠ life o	Other Treatment Process: <u>Facultative Lagoon is designed to store and digest sludge over the</u> of the plant					

C. Biosolids Management

Provide information on the *intended* biosolids management practice. Do not enter every management practice that you want authorized in the permit, as the permit will authorize all biosolids management practices listed in the instructions. Rather indicate the management practice the facility plans to use.

Biosolids Management

Management Practice	Handler or Preparer Type	Bulk or Bag Container	Amount (dry metric tons)	Pathogen Reduction Options	Vector Attraction Reduction Option
Other	On-Site Owner or Operator	Bulk		Class B: PSRP Air Drying	Option 5: Aerobic process for 14 days at >40C

If "Other" is selected for Management Practice, please explain (e.g. monofill or transport to another WWTP): $\underline{N/A}$

D.	Dis	posal	site
ν.	פוע	posai	SILL

Disposal site name: N/A

TCEQ permit or registration number: Click to enter text.

County where disposal site is located: Click to enter text.

E. Transportation method

Method of transportation (truck, train, pipe, other): N/A

Name of the hauler: Click to enter text.

Hauler registration number: Click to enter text.

Sludge is transported as a:

Liquid \square semi-liquid \square semi-solid \square solid \square

Section 10. Permit Authorization for Sewage Sludge Disposal (Instructions Page 53)

A. Beneficial use authorization

Does the existing permit include authorization f	or land application	of sewage sludge for
beneficial use?		

□ Yes ⊠ No

If yes, are you requesting to continue this authorization to land apply sewage sludge for beneficial use?

□ Yes □ No

If yes, is the completed Application for Permit for Beneficial Land Use of Sewage Sludge (TCEQ Form No. 10451) attached to this permit application (see the instructions for details)?

□ Yes □ No

B. Sludge processing authorization

Does the existing permit include authorization f storage or disposal options?	s the existing permit include authorization for any of the following sludge processing, age or disposal options?				
Sludge Composting		Yes		No	
Marketing and Distribution of sludge		Yes		No	
Sludge Surface Disposal or Sludge Monofill		Yes		No	
Temporary storage in sludge lagoons		Yes		No	
If yes to any of the above sludge options and the authorization, is the completed Domestic Waste Technical Report (TCEQ Form No. 10056) attack	wate	r Permi	t Appl	ication: Sewage Sludge	
□ Yes □ No					
Section 11. Sewage Sludge Lagoons (Ins	stru	ctions	Page	e 53)	
Does this facility include sewage sludge lagoons?					
□ Yes ⊠ No					
If yes, complete the remainder of this section. If no,	proc	eed to S	ection	12.	
A. Location information					
The following maps are required to be submitted as part of the application. For each map, provide the Attachment Number.					
Original General Highway (County) Map:					
Attachment: Click to enter text.					
USDA Natural Resources Conservation Service Soil Map:					
Attachment : Click to enter text.	Attachment: Click to enter text.				
• Federal Emergency Management Map:	• Federal Emergency Management Map:				
	Attachment: Click to enter text.				
• Site map:					
Attachment: Click to enter text.					
Discuss in a description if any of the following exist within the lagoon area. Check all that apply.					
Overlap a designated 100-year frequency	floo	d plain			
\square Soils with flooding classification					
Overlap an unstable area					
□ Wetlands					
☐ Located less than 60 meters from a fault					
□ None of the above	□ None of the above				
Attachment: Click to enter text.					
If a portion of the laggon(s) is located within the 100-year frequency flood plain, provide					

If a portion of the lagoon(s) is located within the 100-year frequency flood plain, provide the protective measures to be utilized including type and size of protective structures:

Click to enter text.
Chek to chief text.
Temporary storage information
Provide the results for the pollutant screening of sludge lagoons. These results are in
addition to pollutant results in Section 7 of Technical Report 1.0.
Nitrate Nitrogen, mg/kg: <u>Click to enter text.</u>
Total Kjeldahl Nitrogen, mg/kg: <u>Click to enter text.</u>
Total Nitrogen (=nitrate nitrogen + TKN), mg/kg: Click to enter text.
Phosphorus, mg/kg: Click to enter text.
Potassium, mg/kg: Click to enter text.
pH, standard units: <u>Click to enter text.</u>
Ammonia Nitrogen mg/kg: Click to enter text.
Arsenic: Click to enter text.
Cadmium: Click to enter text.
Chromium: Click to enter text.
Copper: Click to enter text.
Lead: Click to enter text.
Mercury: Click to enter text.
Molybdenum: Click to enter text.
Nickel: Click to enter text.
Selenium: Click to enter text.
Zinc: Click to enter text.
Total PCBs: Click to enter text.
Provide the following information:
Volume and frequency of sludge to the lagoon(s): Click to enter text.
Total dry tons stored in the lagoons(s) per 365-day period: Click to enter text.
Total dry tons stored in the lagoons(s) over the life of the unit: <u>Click to enter text.</u>
Liner information
Does the active/proposed sludge lagoon(s) have a liner with a maximum hydraulic
conductivity of 1x10 ⁻⁷ cm/sec?
□ Yes □ No

B.

C.

	If yes, describe the liner below. Please note that a liner is required.				
	Click	to enter text.			
D.	Site d	evelopment plan			
	Provid	le a detailed description of the methods used to deposit sludge in the lagoon(s):			
	Click	to enter text.			
	Attac	n the following documents to the application.			
	•	Plan view and cross-section of the sludge lagoon(s)			
		Attachment: Click to enter text.			
	•	Copy of the closure plan			
		Attachment: Click to enter text.			
	•	Copy of deed recordation for the site			
		Attachment: Click to enter text.			
	•	Size of the sludge lagoon(s) in surface acres and capacity in cubic feet and gallons			
		Attachment: Click to enter text.			
	•	Description of the method of controlling infiltration of groundwater and surface water from entering the site			
		Attachment: Click to enter text.			
	•	Procedures to prevent the occurrence of nuisance conditions			
		Attachment: Click to enter text.			
E.	Grou	ndwater monitoring			
	groun	undwater monitoring currently conducted at this site, or are any wells available for dwater monitoring, or are groundwater monitoring data otherwise available for the e lagoon(s)?			
		Yes □ No			
	types	undwater monitoring data are available, provide a copy. Provide a profile of soil encountered down to the groundwater table and the depth to the shallowest dwater as a separate attachment.			
	_	tachment: Click to enter text.			

Section 12. Authorizations/Compliance/Enforcement (Instructions Page 55)

A. Additional authorizations	
Does the permittee have additional authorizations for this facility, such as reuse authorization, sludge permit, etc?	
□ Yes ⊠ No	
If yes, provide the TCEQ authorization number and description of the authorization:	
Click to enter text.	
B. Permittee enforcement status	
Is the permittee currently under enforcement for this facility?	
□ Yes ⊠ No	
Is the permittee required to meet an implementation schedule for compliance or enforcement?	
□ Yes ⊠ No	
If yes to either question, provide a brief summary of the enforcement, the implement schedule, and the current status:	ation
N/A	
Section 13. RCRA/CERCLA Wastes (Instructions Page 55)	
A. RCRA hazardous wastes	
Has the facility received in the past three years, does it currently receive, or will it received.	eive
RCRA hazardous waste?	-1 v C

Yes ⊠

No

B. Remediation activity wastewater

Has the facility received in the past three years, does it currently receive, or will it receive CERCLA wastewater, RCRA remediation/corrective action wastewater or other remediation activity wastewater?

□ Yes ⊠ No

C. Details about wastes received

If yes to either Subsection A or B above, provide detailed information concerning these wastes with the application.

Attachment: Click to enter text.

Section 14. Laboratory Accreditation (Instructions Page 56)

All laboratory tests performed must meet the requirements of *30 TAC Chapter 25*, *Environmental Testing Laboratory Accreditation and Certification*, which includes the following general exemptions from National Environmental Laboratory Accreditation Program (NELAP) certification requirements:

- The laboratory is an in-house laboratory and is:
 - o periodically inspected by the TCEQ; or
 - o located in another state and is accredited or inspected by that state; or
 - o performing work for another company with a unit located in the same site; or
 - performing pro bono work for a governmental agency or charitable organization.
- The laboratory is accredited under federal law.
- The data are needed for emergency-response activities, and a laboratory accredited under the Texas Laboratory Accreditation Program is not available.
- The laboratory supplies data for which the TCEQ does not offer accreditation.

The applicant should review 30 TAC Chapter 25 for specific requirements.

The following certification statement shall be signed and submitted with every application. See the Signature Page section in the Instructions, for a list of designated representatives who may sign the certification.

CERTIFICATION:

I certify that all laboratory tests submitted with this application meet the requirements of 30 TAC Chapter 25, Environmental Testing Laboratory Accreditation and Certification.

Title: <u>Mayor</u>
Signature:
Date:

Printed Name: James Soliz

DOMESTIC WASTEWATER PERMIT APPLICATION TECHNICAL REPORT 1.1 N/A - Renewal

The following information is required for new and amendment major applications.

Section 1. Justification for Permit (Instructions Page 57)

A. Justification of permit need

B.

Provide a detailed discussion regarding the need for any phase(s) not currently permitted
Failure to provide sufficient justification may result in the Executive Director
recommending denial of the proposed phase(s) or permit.

	eominicitating definal of the proposed phase(s) of permits
(Click to enter text.
D ₀	egionalization of facilities
	r additional guidance, please review <u>TCEQ's Regionalization Policy for Wastewater</u> eatment¹.
	ovide the following information concerning the potential for regionalization of domestic astewater treatment facilities:
1.	Municipally incorporated areas
	If the applicant is a city, then Item 1 is not applicable. Proceed to Item 2 Utility CCN areas.
	Is any portion of the proposed service area located in an incorporated city?
	□ Yes □ No □ Not Applicable
	If yes, within the city limits of: <u>Click to enter text.</u>
	If yes, attach correspondence from the city.
	Attachment: Click to enter text.
	If consent to provide service is available from the city, attach a justification for the proposed facility and a cost analysis of expenditures that includes the cost of connecting to the city versus the cost of the proposed facility or expansion attached.
	Attachment: Click to enter text.
2.	Utility CCN areas
	Is any portion of the proposed service area located inside another utility's CCN area?
	□ Yes □ No

¹ https://www.tceq.texas.gov/permitting/wastewater/tceq-regionalization-for-wastewater

If yes, attach a justification for the proposed facility and a cost analysis of expenditures that includes the cost of connecting to the CCN facilities versus the cost of the proposed facility or expansion.
Attachment: Click to enter text.
3. Nearby WWTPs or collection systems
Are there any domestic permitted wastewater treatment facilities or collection systems located within a three-mile radius of the proposed facility?
□ Yes □ No
If yes, attach a list of these facilities and collection systems that includes each permittee's name and permit number, and an area map showing the location of these facilities and collection systems.
Attachment: Click to enter text.
If yes , attach proof of mailing a request for service to each facility and collection system, the letters requesting service, and correspondence from each facility and collection system.
Attachment: Click to enter text.
If the facility or collection system agrees to provide service, attach a justification for the proposed facility and a cost analysis of expenditures that includes the cost of connecting to the facility or collection system versus the cost of the proposed facility or expansion.
Attachment: Click to enter text.
Section 2. Proposed Organic Loading (Instructions Page 59)
Is this facility in operation?
□ Yes □ No
If no, proceed to Item B, Proposed Organic Loading.
If yes, provide organic loading information in Item A, Current Organic Loading
A. Current organic loading
Facility Design Flow (flow being requested in application): Click to enter text.
Average Influent Organic Strength or BOD ₅ Concentration in mg/l: <u>Click to enter text.</u>
Average Influent Loading (lbs/day = total average flow X average BOD ₅ conc. X 8.34): $\underline{\text{Click}}$ to enter text.
Provide the source of the average organic strength or BOD_5 concentration.
Click to enter text

B. Proposed organic loading

This table must be completed if this application is for a facility that is not in operation or if this application is to request an increased flow that will impact organic loading.

Table 1.1(1) - Design Organic Loading

Source	Total Average Flow (MGD)	Influent BOD5 Concentration (mg/l)
Municipality		
Subdivision		
Trailer park - transient		
Mobile home park		
School with cafeteria and showers		
School with cafeteria, no showers		
Recreational park, overnight use		
Recreational park, day use		
Office building or factory		
Motel		
Restaurant		
Hospital		
Nursing home		
Other		
TOTAL FLOW from all sources		
AVERAGE BOD ₅ from all sources		

Section 3. Proposed Effluent Quality and Disinfection (Instructions Page 59)

A. Existing/Interim I Phase Design Effluent Quality

Biochemical Oxygen Demand (5-day), mg/l: Click to enter text.

Total Suspended Solids, mg/l: Click to enter text.

Ammonia Nitrogen, mg/l: <u>Click to enter text.</u>
Total Phosphorus, mg/l: <u>Click to enter text.</u>
Dissolved Oxygen, mg/l: <u>Click to enter text.</u>

Other: Click to enter text.

B.	Interim II Phase Design Effluent Quality
	Biochemical Oxygen Demand (5-day), mg/l: Click to enter text.
	Total Suspended Solids, mg/l: Click to enter text.
	Ammonia Nitrogen, mg/l: Click to enter text.
	Total Phosphorus, mg/l: Click to enter text.
	Dissolved Oxygen, mg/l: Click to enter text.
	Other: Click to enter text.
C.	Final Phase Design Effluent Quality
	Biochemical Oxygen Demand (5-day), mg/l: Click to enter text.
	Total Suspended Solids, mg/l: Click to enter text.
	Ammonia Nitrogen, mg/l: Click to enter text.
	Total Phosphorus, mg/l: Click to enter text.
	Dissolved Oxygen, mg/l: Click to enter text.
	Other: Click to enter text.
D.	Disinfection Method
	Identify the proposed method of disinfection.
	☐ Chlorine: Click to enter text. mg/l after Click to enter text. minutes detention time
	at peak flow
	Dechlorination process: <u>Click to enter text.</u>
	☐ Ultraviolet Light: <u>Click to enter text.</u> seconds contact time at peak flow
	□ Other: Click to enter text.
Se	ction 4. Design Calculations (Instructions Page 59)
	each design calculations and plant features for each proposed phase. Example 4 of the
	tructions includes sample design calculations and plant features.
	Attachment: Click to enter text.
Co	ation F Facility Site (Instructions Dage 60)
3 E	ction 5. Facility Site (Instructions Page 60)
A.	100-year floodplain
	Will the proposed facilities be located <u>above</u> the 100-year frequency flood level?
	□ Yes □ No
	If no , describe measures used to protect the facility during a flood event. Include a site map showing the location of the treatment plant within the 100-year frequency flood level. If applicable, provide the size and types of protective structures.
	Click to enter text.

	Provide the source(s) used to determine 100-year frequency flood plain.
	Click to enter text.
	For a new or expansion of a facility, will a wetland or part of a wetland be filled?
	□ Yes □ No
	If yes, has the applicant applied for a US Corps of Engineers 404 Dredge and Fill Permit?
	□ Yes □ No
	If yes, provide the permit number: <u>Click to enter text.</u>
	If no, provide the approximate date you anticipate submitting your application to the Corps: Click to enter text.
B.	Wind rose
	Attach a wind rose: Click to enter text.
Se	ection 6. Permit Authorization for Sewage Sludge Disposal (Instructions Page 60)
Α.	Beneficial use authorization
	Are you requesting to include authorization to land apply sewage sludge for beneficial use on property located adjacent to the wastewater treatment facility under the wastewater permit?
	□ Yes □ No
	If yes, attach the completed Application for Permit for Beneficial Land Use of Sewage Sludge (TCEQ Form No. 10451): Click to enter text.
B.	Sludge processing authorization
	Identify the sludge processing, storage or disposal options that will be conducted at the wastewater treatment facility:
	□ Sludge Composting
	☐ Marketing and Distribution of sludge
	□ Sludge Surface Disposal or Sludge Monofill
	If any of the above, sludge options are selected, attach the completed Domestic Wastewater Permit Application: Sewage Sludge Technical Report (TCEQ Form No. 10056): Click to enter text.
Se	ection 7. Sewage Sludge Solids Management Plan (Instructions Page 61)

Attach a solids management plan to the application.

Attachment: Click to enter text.

The sewage sludge solids management plan must contain the following information:

Treatment units and processes dimensions and capacities

- Solids generated at 100, 75, 50, and 25 percent of design flow
- Mixed liquor suspended solids operating range at design and projected actual flow
- Quantity of solids to be removed and a schedule for solids removal
- Identification and ownership of the ultimate sludge disposal site
- For facultative lagoons, design life calculations, monitoring well locations and depths, and the ultimate disposal method for the sludge from the facultative lagoon

An example of a sewage sludge solids management plan has been included as Example 5 of the instructions.

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 2.0: RECEIVING WATERS

The following information is required for all TPDES permit applications.

N/A - Evaporation

Section 1. Domestic Drinking Water Supply (Instructions Page 64)
Is there a surface water intake for domestic drinking water supply located within 5 miles downstream from the point or proposed point of discharge?
□ Yes □ No
If no , proceed it Section 2. If yes , provide the following:
Owner of the drinking water supply: <u>Click to enter text.</u>
Distance and direction to the intake: <u>Click to enter text.</u>
Attach a USGS map that identifies the location of the intake.
Attachment: Click to enter text.
Section 2. Discharge into Tidally Affected Waters (Instructions Page 64)
Does the facility discharge into tidally affected waters?
□ Yes □ No
If no , proceed to Section 3. If yes , complete the remainder of this section. If no, proceed to Section 3.
A. Receiving water outfall
Width of the receiving water at the outfall, in feet: Click to enter text.
B. Oyster waters
Are there oyster waters in the vicinity of the discharge?
□ Yes □ No
If yes, provide the distance and direction from outfall(s).
Click to enter text.
C. Sea grasses
Are there any sea grasses within the vicinity of the point of discharge?
□ Yes □ No
If yes, provide the distance and direction from the outfall(s).
Click to enter text.

St	cuon	5. Classified Segments (instructions Page 64)
Is	the disc	harge directly into (or within 300 feet of) a classified segment?
	□ Ye	s 🗆 No
If	yes , this	s Worksheet is complete.
If	no , com	plete Sections 4 and 5 of this Worksheet.
Se	ection	4. Description of Immediate Receiving Waters (Instructions
	2011011	Page 65)
Na	me of t	he immediate receiving waters: <u>Sulphur Springs Draw</u>
A.	Receiv	ing water type
		y the appropriate description of the receiving waters.
		Stream
		Freshwater Swamp or Marsh
		Lake or Pond
		Surface area, in acres: Click to enter text.
		Average depth of the entire water body, in feet: Click to enter text.
		Average depth of water body within a 500-foot radius of discharge point, in feet: Click to enter text.
		Man-made Channel or Ditch
		Open Bay
		Tidal Stream, Bayou, or Marsh
		Other, specify: <u>Click to enter text.</u>
B.	Flow c	haracteristics
	existin	eam, man-made channel or ditch was checked above, provide the following. For g discharges, check one of the following that best characterizes the area <i>upstream</i> discharge. For new discharges, characterize the area <i>downstream</i> of the discharge one).
		Intermittent - dry for at least one week during most years
	□ mai	Intermittent with Perennial Pools - enduring pools with sufficient habitat to intain significant aquatic life uses
		Perennial - normally flowing
	Check dischar	the method used to characterize the area upstream (or downstream for new rgers).
		USGS flow records
		Historical observation by adjacent landowners
		Personal observation
		Other, specify: Click to enter text.

	List the names of all perennial streams that join the receiving water within three miles downstream of the discharge point.					
	N/A					
D.	Downs	stream characteristics				
	Do the receiving water characteristics change within three miles downstream of the discharge (e.g., natural or man-made dams, ponds, reservoirs, etc.)? □ Yes ☑ No					
	If yes,	discuss how.				
	N/A					
E. Normal dry weather characteristics Provide general observations of the water body during normal dry weather conditions Stream remains dry and only flows during wet weather						
	Date a	nd time of observation: <u>07/18/</u>	['] 2023			
		e water body influenced by st	_	unoff during observations?		
	☐ Yes ☐ No					
Se	Section 5. General Characteristics of the Waterbody (Instructions Page 66)					
A.	Upstre	am influences				
		mmediate receiving water ups aced by any of the following? (ne discharge or proposed discharge site at apply.		
		Oil field activities		Urban runoff		
		Upstream discharges		Agricultural runoff		
		Septic tanks		Other(s), specify: Click to enter text.		

C. Downstream perennial confluences

B. Waterbody uses Observed or evidences of the following uses. Check all that apply. Livestock watering Contact recreation Irrigation withdrawal Non-contact recreation **Fishing Navigation** Domestic water supply Industrial water supply Park activities \boxtimes Other(s), specify: N/A C. Waterbody aesthetics Check one of the following that best describes the aesthetics of the receiving water and the surrounding area. Wilderness: outstanding natural beauty; usually wooded or unpastured area; water clarity exceptional Natural Area: trees and/or native vegetation; some development evident (from fields, pastures, dwellings); water clarity discolored Common Setting: not offensive; developed but uncluttered; water may be colored or turbid Offensive: stream does not enhance aesthetics; cluttered; highly developed; dumping areas; water discolored

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 2.1: STREAM PHYSICAL CHARACTERISTICS

Required for new applications, major facilities, and applications adding an outfall.

Worksheet 2.1 is not required for discharges to intermittent streams or discharges directly to (or within 300 feet of) a classified segment.

Section 1. General information (instructions Page 66)					
Date of study: Click to enter text. Time of study: Click to enter text.					
Stream name: Click to enter text.					
Location: Click to enter text.					
Type of stream upstream of existing discharge or downstream of proposed discharge (check one).					
□ Perennial □ Intermittent with perennial pools					
Section 2. Data Collection (Instructions Page 66)					
Number of stream bends that are well defined: Click to enter text.					
Number of stream bends that are moderately defined: Click to enter text.					
Number of stream bends that are poorly defined: Click to enter text.					
Number of riffles: Click to enter text.					
Evidence of flow fluctuations (check one):					
□ Minor □ moderate □ severe					
Indicate the observed stream uses and if there is evidence of flow fluctuations or channel obstruction/modification.					
Click to enter text.					

Stream transects

In the table below, provide the following information for each transect downstream of the existing or proposed discharges. Use a separate row for each transect.

Table 2.1(1) - Stream Transect Records

Stream type at transect	Transect location	Water surface	Stream depths (ft) at 4 to 10 points along each
Select riffle, run, glide, or pool. See Instructions, Definitions section.		width (ft)	transect from the channel bed to the water surface. Separate the measurements with commas.
Choose an item.			

Section 3. Summarize Measurements (Instructions Page 66)

Streambed slope of entire reach, from USGS map in feet/feet: Click to enter text.

Approximate drainage area above the most downstream transect (from USGS map or county highway map, in square miles): <u>Click to enter text.</u>

Length of stream evaluated, in feet: Click to enter text.

Number of lateral transects made: Click to enter text.

Average stream width, in feet: Click to enter text.

Average stream depth, in feet: Click to enter text.

Average stream velocity, in feet/second: Click to enter text.

Instantaneous stream flow, in cubic feet/second: Click to enter text.

Indicate flow measurement method (type of meter, floating chip timed over a fixed distance, etc.): Click to enter text.

Size of pools (large, small, moderate, none): Click to enter text.

Maximum pool depth, in feet: Click to enter text.

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 3.0: LAND DISPOSAL OF EFFLUENT

The following is required for renewal, new, and amendment permit applications.

Section 1. Type of Disposal System (Instructions Page 68)

Identify the method of land disposal:					
	Surface application		Subsurface application		
	Irrigation		Subsurface soils absorption		
	Drip irrigation system		Subsurface area drip dispersal system		
	Evaporation		Evapotranspiration beds		
	Other (describe in detail): Click	to er	nter text.		
NOTE: All applicants without authorization or proposing new/amended subsurface disposal MUST complete and submit Worksheet 7.0.					

For existing authorizations, provide Registration Number: RN101917474

Section 2. Land Application Site(s) (Instructions Page 68)

In table 3.0(1), provide the requested information for the land application sites. Include the agricultural or cover crop type (wheat, cotton, alfalfa, bermuda grass, native grasses, etc.), land use (golf course, hayland, pastureland, park, row crop, etc.), irrigation area, amount of effluent applied, and whether or not the public has access to the area. Specify the amount of land area and the amount of effluent that will be allotted to each agricultural or cover crop, if more than one crop will be used.

Table 3.0(1) - Land Application Site Crops

Crop Type & Land Use	Irrigation Area (acres)	Effluent Application (GPD)	Public Access? Y/N
N/A - Evaporation Only			

Section 3. Storage and Evaporation Lagoons/Ponds (Instructions Page 68)

Table 3.0(2) - Storage and Evaporation Ponds

Pond Number	Surface Area (acres)	Storage Volume (acre-feet)	Dimensions	Liner Type
Pond 1	2.8	16.8	530'L x 230'W x 6'D	In situ Soil
Pond 2	0.85	5.10	530'L x 70'W x 6'D	In situ Soil
Pond 3	1.35	8.10	390'L x 150'W x 6'D	In situ Soil

Attach a copy of a liner certification that was prepared, signed, and sealed by a Texas licensed professional engineer for each pond.

Section 5. Annual Cropping Plan (Instructions Page 68)

Attach an Annual Cropping Plan which includes a discussion of each of the following items. If not applicable, provide a detailed explanation indicating why. **Attachment**: N/A - Evap Only

- Soils map with crops
- Cool and warm season plant species
- Crop yield goals
- Crop growing season
- Crop nutrient requirements
- Additional fertilizer requirements
- Minimum/maximum harvest height (for grass crops)
- Supplemental watering requirements
- Crop salt tolerances
- Harvesting method/number of harvests
- Justification for not removing existing vegetation to be irrigated

Section 6. Well and Map Information (Instructions Page 69)

Attach a USGS map with the following information shown and labeled. If not applicable, provide a detailed explanation indicating why. **Attachment**: Appendix H: Well Map

- The boundaries of the land application site(s)
- Waste disposal or treatment facility site(s)
- On-site buildings
- Buffer zones
- Effluent storage and tailwater control facilities
- All water wells within 1-mile radius of the disposal site or property boundaries
- All springs and seeps onsite and within 500 feet of the property boundaries
- All surface waters in the state onsite and within 500 feet of the property boundaries
- All faults and sinkholes onsite and within 500 feet of the property

List and cross reference all water wells located within a half-mile radius of the disposal site or property boundaries shown on the USGS map in the following table. Attach additional pages as necessary to include all of the wells.

Table 3.0(3) - Water Well Data

Well ID	Well Use	Producing? Y/N	Open, cased, capped, or plugged?	Proposed Best Management Practice
78539	Irrigation	Yes	Cased	Buffer
317549	Irrigation	Yes	Cased	Buffer
325648	Irrigation	Yes	Cased	Buffer
2428103	Irrigation	Yes	Cased	Buffer
2428101	Irrigation		Cased	Buffer

Well ID	Well Use	Producing? Y/N	Open, cased, capped, or plugged?	Proposed Best Management Practice
392572	Irrigation	Yes	Cased	Buffer
2428109	Monitoring	No	Cased	Construction

If water quality data or well log information is available please include the information in an attachment listed by Well ID.

Attachment: Appendix H: Well Map

Section 7. Groundwater Quality (Instructions Page 69)

Attach a Groundwater Quality Technical Report which assesses the impact of the wastewater disposal system on groundwater. This report shall include an evaluation of the water wells (including the information in the well table provided in Item 6. above), the wastewater application rate, and pond liners. Indicate by a check mark that this report is provided.

Attachment:	Ap	pendix	G:	Groundwater	Quali	ty

Are groundwater monitoring wells available onsite?	Yes 🗆	No
Do you plan to install ground water monitoring wells or lysapplication site? \square Yes \boxtimes No	imeters arc	ound the land
If yes, provide the proposed location of the monitoring well	lls or lysim	eters on a site map.
Attachment: Click to enter text.		

Section 8. Soil Map and Soil Analyses (Instructions Page 70)

A. Soil map

Attach a USDA Soil Survey map that shows the area to be used for effluent disposal.

Attachment: N/A – Evaporation only

B. Soil analyses

Attach the laboratory results sheets from the soil analyses. **Note**: for renewal applications, the current annual soil analyses required by the permit are acceptable as long as the test date is less than one year prior to the submission of the application.

Attachment: N/A – Evaporation only

List all USDA designated soil series on the proposed land application site. Attach additional pages as necessary.

Table 3.0(4) - Soil Data

Soil Series	Depth from Surface	Permeability	Available Water Capacity	Curve Number

Soil Series	Depth from Surface	Permeability	Available Water Capacity	Curve Number

Section 9. Effluent Monitoring Data (Instructions Page 71)

Is the facility in operation?

⊠ Yes □ No

If no, this section is not applicable and the worksheet is complete.

If yes, provide the effluent monitoring data for the parameters regulated in the existing permit. If a parameter is not regulated in the existing permit, enter N/A.

Table 3.0(5) - Effluent Monitoring Data

Date	30 Day Avg Flow MGD	BOD5 mg/l	TSS mg/l	рН	Chlorine Residual mg/l	Acres irrigated
3/1/22	.023310	27.3				
4/1/22	.022473	59.8				
5/1/22	.02304	<40				
6/1/22	.019431	16.8				
7/1/22	.019648	35.1				
8/1/22	.019588	<40				
9/1/22	.019730	48.2				
10/1/22	.02185	27.7				
11/1/22	.019555	41.1				
12/1/22	.023825	90.7				
1/1/23	.018387	41.5				
2/1/23	.018856	27.1				
3/1/23	.0244435	<30				
4/1/23	.023206					
5/1/23	.023051					
6/1/23	.022885					
7/1/23	.023346					

Date	30 Day Avg Flow MGD	BOD5 mg/l	TSS mg/l	pН	Chlorine Residual mg/l	Acres irrigated
8/1/23	.021524					
9/1/23	.021524					
10/1/23	.021410					
11/1/23	.021148					
12/1/23	.021850					

Provide a discussion of all persistent excursions above the permitted limits and any corrective actions taken.

Click to enter text.			

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 3.1: SURFACE LAND DISPOSAL OF EFFLUENT

The following is required for new and major amendment permit applications. Renewal and minor amendment permit applications may be asked for this worksheet on a case by case basis.

Section 1. Surface Disposal (Instructions Page 72)

Complete the item that applies for the method of disposal being used.

A. Irrigation

Area under irrigation, in acres: Click to enter text.

Design application frequency:

hours/day <u>Click to enter text.</u> And days/week <u>Click to enter text.</u>

Land grade (slope):

average percent (%): Click to enter text.

maximum percent (%): Click to enter text.

Design application rate in acre-feet/acre/year: Click to enter text.

Design total nitrogen loading rate, in lbs N/acre/year: Click to enter text.

Soil conductivity (mmhos/cm): Click to enter text.

Method of application: Click to enter text.

Attach a separate engineering report with the water balance and storage volume calculations, method of application, irrigation efficiency, and nitrogen balance.

Attachment: Click to enter text.

B. Evaporation ponds

Daily average effluent flow into ponds, in gallons per day: Click to enter text.

Attach a separate engineering report with the water balance and storage volume calculations.

Attachment: Click to enter text.

C. Evapotranspiration beds

Number of beds: Click to enter text.

Area of bed(s), in acres: <u>Click to enter text.</u>

Depth of bed(s), in feet: Click to enter text.

Void ratio of soil in the beds: Click to enter text.

Storage volume within the beds, in acre-feet: Click to enter text.

Attach a separate engineering report with the water balance and storage volume calculations, and a description of the lining.

Attachment: Click to enter text.

D. Overland flow Area used for application, in acres: Click to enter text. Slopes for application area, percent (%): Click to enter text. Design application rate, in gpm/foot of slope width: Click to enter text. Slope length, in feet: Click to enter text. Design BOD₅ loading rate, in lbs BOD₅/acre/day: Click to enter text. Design application frequency: hours/day: Click to enter text. **And** days/week: Click to enter text. Attach a separate engineering report with the method of application and design requirements according to 30 TAC Chapter 217. **Attachment:** Click to enter text. **Edwards Aquifer (Instructions Page 73)** Section 2. Is the facility subject to 30 TAC Chapter 213, Edwards Aquifer Rules?

Yes □ No If **yes**, is the facility located on the Edwards Aquifer Recharge Zone?

Yes □ No

If yes, attach a geological report addressing potential recharge features.

Attachment: Click to enter text.

DOMESTIC WASTEWATER PERMIT APPLICATION **WORKSHEET 3.2: SURFACE LAND DISPOSAL OF EFFLUENT**

The following is required for new and major amendment permit applications. Renewal and minor amendments applicants may be asked for the worksheet on a case by case basis.

NOTE: All applicants proposing new/amended subsurface disposal MUST complete and submit Worksheet 7.0. This worksheet applies to any subsurface disposal system that **does not meet** the definition of a subsurface area drip dispersal system as defined in 30 TAC Chapter 222, Subsurface Area Drip Dispersal System.

Section 1. Subsurface Application (Instructions Page 74)
Identify the type of system:
Conventional Gravity Drainfield, Beds, or Trenches (new systems must be less than 5,000 GPD)
□ Low Pressure Dosing
□ Other, specify: <u>Click to enter text.</u>
Application area, in acres: Click to enter text.
Area of drainfield, in square feet: Click to enter text.
Application rate, in gal/square foot/day: Click to enter text.
Depth to groundwater, in feet: Click to enter text.
Area of trench, in square feet: Click to enter text.
Dosing duration per area, in hours: <u>Click to enter text.</u>
Number of beds: Click to enter text.
Dosing amount per area, in inches/day: Click to enter text.
Infiltration rate, in inches/hour: Click to enter text.
Storage volume, in gallons: <u>Click to enter text.</u>
Area of bed(s), in square feet: <u>Click to enter text.</u>
Soil Classification: <u>Click to enter text.</u>
Attach a separate engineering report with the information required in $30\ TAC\ S\ 309.20$, excluding the requirements of $S\ 309.20\ b(3)(A)$ and (B) design analysis which may be asked for on a case by case basis. Include a description of the schedule of dosing basin rotation.
Attachment: Click to enter text.
Section 2. Edwards Aquifer (Instructions Page 74)
Is the subsurface system over the Edwards Aquifer Recharge Zone as mapped by TCEQ?
□ Yes □ No
Is the subsurface system over the Edwards Aquifer Transition Zone as mapped by TCEQ?
□ Yes □ No
If yes to either question , the subsurface system may be prohibited by <i>30 TAC §213.8</i> . Please call the Municipal Permits Team, at 512-239-4671, to schedule a pre-application meeting.

DOMESTIC WASTEWATER PERMIT APPLICATION **WORKSHEET 3.3: SUBSURFACE AREA DRIP DISPERSAL** (SADDS) LAND DISPOSAL OF EFFLUENT

The following **is required** for **new and major amendment** subsurface area drip dispersal system permit applications. Renewal and minor amendments applicants may be asked for the worksheet on a case by case basis.

NOTE: All applicants proposing new/amended subsurface disposal MUST complete and submit Worksheet 7.0. This worksheet applies to any subsurface disposal system that **meets** the definition of a subsurface area drip dispersal system as defined in 30 TAC Chapter 222, Subsurface Area Drip Dispersal System.

Se	ction 1. Administrative Information (Instructions Page 75)
A.	Provide the legal name of all corporations or other business entities managed, owned, or otherwise closely related to the owner of the treatment facility:
В.	<u>Click to enter text.</u> Is the owner of the land where the treatment facility is located the same as the owner of the treatment facility?
	□ Yes □ No
	If no , provide the legal name of all corporations or other business entities managed, owned, or otherwise closely related to the owner of the land where the treatment facility is located.
	Click to enter text.
C.	Owner of the subsurface area drip dispersal system: <u>Click to enter text.</u>
D.	Is the owner of the subsurface area drip dispersal system the same as the owner of the wastewater treatment facility or the site where the wastewater treatment facility is located?
	□ Yes □ No
	If no , identify the names of all corporations or other business entities managed, owned, or otherwise closely related to the entity identified in Item 1.C.
	Click to enter text.
Е.	Owner of the land where the subsurface area drip dispersal system is located: <u>Click to enter text.</u>
F.	Is the owner of the land where the subsurface area drip dispersal system is located the same as owner of the wastewater treatment facility, the site where the wastewater treatment facility is located, or the owner of the subsurface area drip dispersal system? \[\textstyle \text{Yes} \textstyle \text{No} \]
	If ${\bf no}$, identify the name of all corporations or other business entities managed, owned, or otherwise closely related to the entity identified in item 1.E.
	Click to enter text.

Section 2. Subsurface Area Drip Dispersal System (Instructions Page

A.	Type of system
	□ Subsurface Drip Irrigation
	□ Surface Drip Irrigation
	□ Other, specify: <u>Click to enter text.</u>
B.	Irrigation operations
	Application area, in acres: Click to enter text.
	Infiltration Rate, in inches/hour: Click to enter text.
	Average slope of the application area, percent (%): Click to enter text.
	Maximum slope of the application area, percent (%): Click to enter text.
	Storage volume, in gallons: <u>Click to enter text.</u>
	Major soil series: Click to enter text.
	Depth to groundwater, in feet: <u>Click to enter text.</u>
C.	Application rate
	Is the facility located west of the boundary shown in <i>30 TAC § 222.83</i> and also using a vegetative cover of non-native grasses over seeded with cool season grasses during the winter months (October-March)?
	□ Yes □ No
	If yes, then the facility may propose a hydraulic application rate not to exceed 0.1 gal/square foot/day.
	Is the facility located east of the boundary shown in <i>30 TAC § 222.83</i> or in any part of the state when the vegetative cover is any crop other than non-native grasses?
	□ Yes □ No
	If yes , the facility must use the formula in <i>30 TAC §222.83</i> to calculate the maximum hydraulic application rate.
	Do you plan to submit an alternative method to calculate the hydraulic application rate for approval by the executive director?
	□ Yes □ No
	Hydraulic application rate, in gal/square foot/day: Click to enter text.
	Nitrogen application rate, in lbs/gal/day: Click to enter text.
D.	Dosing information
	Number of doses per day: Click to enter text.
	Dosing duration per area, in hours: <u>Click to enter text.</u>

Rest period between doses, in hours: Click to enter text. Dosing amount per area, in inches/day: Click to enter text.

	Number of zones: Click to enter text.
	Does the proposed subsurface drip irrigation system use tree vegetative cover as a crop?
	□ Yes □ No
	If yes , provide a vegetation survey by a certified arborist. Please call the Water Quality Assessment Team at (512) 239-4671 to schedule a pre-application meeting.
	Attachment: Click to enter text.
Se	ction 3. Required Plans (Instructions Page 75)
A.	Recharge feature plan
	Attach a Recharge Feature Plan with all information required in 30 TAC §222.79.
	Attachment: Click to enter text.
B.	Soil evaluation
	Attach a Soil Evaluation with all information required in 30 TAC §222.73.
	Attachment: Click to enter text.
C.	Site preparation plan
	Attach a Site Preparation Plan with all information required in 30 TAC §222.75.
	Attachment: Click to enter text.
D.	Soil sampling/testing
	Attach soil sampling and testing that includes all information required in 30 TAC §222.157.
	Attachment: Click to enter text.
Se	ction 4. Floodway Designation (Instructions Page 76)
A.	Site location
	Is the existing/proposed land application site within a designated floodway?
	□ Yes □ No
B.	Flood map
	Attach either the FEMA flood map or alternate information used to determine the floodway.
	Attachment: Click to enter text.
Se	ction 5. Surface Waters in the State (Instructions Page 76)
	ction 3. Surface waters in the state (mstructions ruge 10)

S

A. Buffer Map

Attach a map showing appropriate buffers on surface waters in the state, water wells, and springs/seeps.

Attachment: Click to enter text.

Do you plan to request a buffer variance from water wells or waters in the state?
□ Yes □ No
If yes, then attach the additional information required in 30 TAC § 222.81(c).
Attachment: Click to enter text.
Section 6. Edwards Aquifer (Instructions Page 76)
A. Is the SADDS located over the Edwards Aquifer Recharge Zone as mapped by TCEQ? \Box Yes \Box No
B. Is the SADDS located over the Edwards Aquifer Transition Zone as mapped by TCEQ?
□ Yes □ No
If yes to either question , then the SADDS may be prohibited by <i>30 TAC §213.8</i> . Please call the Municipal Permits Team at 512-239-4671 to schedule a pre-application meeting.

B. Buffer variance request

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 4.0: POLLUTANT ANALYSIS REQUIREMENTS

The following **is required** for facilities with a permitted or proposed flow of **1.0 MGD or greater**, facilities with an approved **pretreatment** program, or facilities classified as a **major** facility. See instructions for further details.

This worksheet is not required minor amendments without renewal.

Section 1. Toxic Pollutants (Instructions Page 78)

For pollutants identified in Table $4.0(1)$, indicate the type of sam	ple.
------------------------------------------------------------------------	------

Grab □ Composite □

Date and time sample(s) collected: Click to enter text.

Table 4.0(1) - Toxics Analysis

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Acrylonitrile				50
Aldrin				0.01
Aluminum				2.5
Anthracene				10
Antimony				5
Arsenic				0.5
Barium				3
Benzene				10
Benzidine				50
Benzo(a)anthracene				5
Benzo(a)pyrene				5
Bis(2-chloroethyl)ether				10
Bis(2-ethylhexyl)phthalate				10
Bromodichloromethane				10
Bromoform				10
Cadmium				1
Carbon Tetrachloride				2
Carbaryl				5
Chlordane*				0.2
Chlorobenzene				10
Chlorodibromomethane				10

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Chloroform				10
Chlorpyrifos				0.05
Chromium (Total)				3
Chromium (Tri) (*1)				N/A
Chromium (Hex)				3
Copper				2
Chrysene				5
p-Chloro-m-Cresol				10
4,6-Dinitro-o-Cresol				50
p-Cresol				10
Cyanide (*2)				10
4,4'- DDD				0.1
4,4'- DDE				0.1
4,4'- DDT				0.02
2,4-D				0.7
Demeton (O and S)				0.20
Diazinon				0.5/0.1
1,2-Dibromoethane				10
m-Dichlorobenzene				10
o-Dichlorobenzene				10
p-Dichlorobenzene				10
3,3'-Dichlorobenzidine				5
1,2-Dichloroethane				10
1,1-Dichloroethylene				10
Dichloromethane				20
1,2-Dichloropropane				10
1,3-Dichloropropene				10
Dicofol				1
Dieldrin				0.02
2,4-Dimethylphenol				10
Di-n-Butyl Phthalate				10
Diuron				0.09
Endosulfan I (alpha)				0.01

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (μg/l)	Number of Samples	MAL (μg/l)
Endosulfan II (beta)				0.02
Endosulfan Sulfate				0.1
Endrin				0.02
Ethylbenzene				10
Fluoride				500
Guthion				0.1
Heptachlor				0.01
Heptachlor Epoxide				0.01
Hexachlorobenzene				5
Hexachlorobutadiene				10
Hexachlorocyclohexane (alpha)				0.05
Hexachlorocyclohexane (beta)				0.05
gamma-Hexachlorocyclohexane				0.05
(Lindane)				
Hexachlorocyclopentadiene				10
Hexachloroethane				20
Hexachlorophene				10
Lead				0.5
Malathion				0.1
Mercury				0.005
Methoxychlor				2
Methyl Ethyl Ketone				50
Mirex				0.02
Nickel				2
Nitrate-Nitrogen				100
Nitrobenzene				10
N-Nitrosodiethylamine				20
N-Nitroso-di-n-Butylamine				20
Nonylphenol				333
Parathion (ethyl)				0.1
Pentachlorobenzene				20
Pentachlorophenol				5
Phenanthrene				10

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Polychlorinated Biphenyls (PCB's) (*3)				0.2
Pyridine				20
Selenium				5
Silver				0.5
1,2,4,5-Tetrachlorobenzene				20
1,1,2,2-Tetrachloroethane				10
Tetrachloroethylene				10
Thallium				0.5
Toluene				10
Toxaphene				0.3
2,4,5-TP (Silvex)				0.3
Tributyltin (see instructions for explanation)				0.01
1,1,1-Trichloroethane				10
1,1,2-Trichloroethane				10
Trichloroethylene				10
2,4,5-Trichlorophenol				50
TTHM (Total Trihalomethanes)				10
Vinyl Chloride				10
Zinc				5

^(*1) Determined by subtracting hexavalent Cr from total Cr.

^(*2) Cyanide, amenable to chlorination or weak-acid dissociable.

^(*3) The sum of seven PCB congeners 1242, 1254, 1221, 1232, 1248, 1260, and 1016.

Section 2. Priority Pollutants

For 1	pollutants	identified	in Table	4.0(2)A-E	, indicate	type of	sample.
-------	------------	------------	----------	-----------	------------	---------	---------

Grab □ Composite □

Date and time sample(s) collected: Click to enter text.

Table 4.0(2)A - Metals, Cyanide, and Phenols

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Antimony				5
Arsenic				0.5
Beryllium				0.5
Cadmium				1
Chromium (Total)				3
Chromium (Hex)				3
Chromium (Tri) (*1)				N/A
Copper				2
Lead				0.5
Mercury				0.005
Nickel				2
Selenium				5
Silver				0.5
Thallium				0.5
Zinc				5
Cyanide (*2)				10
Phenols, Total				10

^(*1) Determined by subtracting hexavalent Cr from total Cr.

^(*2) Cyanide, amenable to chlorination or weak-acid dissociable

Table 4.0(2)B - Volatile Compounds

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Acrolein				50
Acrylonitrile				50
Benzene				10
Bromoform				10
Carbon Tetrachloride				2
Chlorobenzene				10
Chlorodibromomethane				10
Chloroethane				50
2-Chloroethylvinyl Ether				10
Chloroform				10
Dichlorobromomethane [Bromodichloromethane]				10
1,1-Dichloroethane				10
1,2-Dichloroethane				10
1,1-Dichloroethylene				10
1,2-Dichloropropane				10
1,3-Dichloropropylene				10
[1,3-Dichloropropene]				
1,2-Trans-Dichloroethylene				10
Ethylbenzene				10
Methyl Bromide				50
Methyl Chloride				50
Methylene Chloride				20
1,1,2,2-Tetrachloroethane				10
Tetrachloroethylene				10
Toluene				10
1,1,1-Trichloroethane				10
1,1,2-Trichloroethane				10
Trichloroethylene				10
Vinyl Chloride				10

Table 4.0(2)C - Acid Compounds

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
2-Chlorophenol				10
2,4-Dichlorophenol				10
2,4-Dimethylphenol				10
4,6-Dinitro-o-Cresol				50
2,4-Dinitrophenol				50
2-Nitrophenol				20
4-Nitrophenol				50
P-Chloro-m-Cresol				10
Pentalchlorophenol				5
Phenol				10
2,4,6-Trichlorophenol				10

Table 4.0(2)D - Base/Neutral Compounds

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Acenaphthene				10
Acenaphthylene				10
Anthracene				10
Benzidine				50
Benzo(a)Anthracene				5
Benzo(a)Pyrene				5
3,4-Benzofluoranthene				10
Benzo(ghi)Perylene				20
Benzo(k)Fluoranthene				5
Bis(2-Chloroethoxy)Methane				10
Bis(2-Chloroethyl)Ether				10
Bis(2-Chloroisopropyl)Ether				10
Bis(2-Ethylhexyl)Phthalate				10
4-Bromophenyl Phenyl Ether				10
Butyl benzyl Phthalate				10
2-Chloronaphthalene				10

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
4-Chlorophenyl phenyl ether				10
Chrysene				5
Dibenzo(a,h)Anthracene				5
1,2-(o)Dichlorobenzene				10
1,3-(m)Dichlorobenzene				10
1,4-(p)Dichlorobenzene				10
3,3-Dichlorobenzidine				5
Diethyl Phthalate				10
Dimethyl Phthalate				10
Di-n-Butyl Phthalate				10
2,4-Dinitrotoluene				10
2,6-Dinitrotoluene				10
Di-n-Octyl Phthalate				10
1,2-Diphenylhydrazine (as Azobenzene)				20
Fluoranthene				10
Fluorene				10
Hexachlorobenzene				5
Hexachlorobutadiene				10
Hexachlorocyclo-pentadiene				10
Hexachloroethane				20
Indeno(1,2,3-cd)pyrene				5
Isophorone				10
Naphthalene				10
Nitrobenzene				10
N-Nitrosodimethylamine				50
N-Nitrosodi-n-Propylamine				20
N-Nitrosodiphenylamine				20
Phenanthrene				10
Pyrene				10
1,2,4-Trichlorobenzene				10

Table 4.0(2)E - Pesticides

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Aldrin				0.01
alpha-BHC (Hexachlorocyclohexane)				0.05
beta-BHC (Hexachlorocyclohexane)				0.05
gamma-BHC (Hexachlorocyclohexane)				0.05
delta-BHC (Hexachlorocyclohexane)				0.05
Chlordane				0.2
4,4-DDT				0.02
4,4-DDE				0.1
4,4,-DDD				0.1
Dieldrin				0.02
Endosulfan I (alpha)				0.01
Endosulfan II (beta)				0.02
Endosulfan Sulfate				0.1
Endrin				0.02
Endrin Aldehyde				0.1
Heptachlor				0.01
Heptachlor Epoxide				0.01
PCB-1242				0.2
PCB-1254				0.2
PCB-1221				0.2
PCB-1232				0.2
PCB-1248				0.2
PCB-1260				0.2
PCB-1016				0.2
Toxaphene				0.3

^{*} For PCBS, if all are non-detects, enter the highest non-detect preceded by a "<".

Section 3. Dioxin/Furan Compounds

	te which of the following compounds from may be present in the influent from a buting industrial user or significant industrial user. Check all that apply.
	2,4,5-trichlorophenoxy acetic acid
	Common Name 2,4,5-T, CASRN 93-76-5
	2-(2,4,5-trichlorophenoxy) propanoic acid
	Common Name Silvex or 2,4,5-TP, CASRN 93-72-1
	2-(2,4,5-trichlorophenoxy) ethyl 2,2-dichloropropionate
	Common Name Erbon, CASRN 136-25-4
	0,0-dimethyl 0-(2,4,5-trichlorophenyl) phosphorothioate
	Common Name Ronnel, CASRN 299-84-3
	2,4,5-trichlorophenol
	Common Name TCP, CASRN 95-95-4
	hexachlorophene
	Common Name HCP, CASRN 70-30-4
	ch compound identified, provide a brief description of the conditions of its/their nce at the facility.
N/ <u>A</u>	
-	u know or have any reason to believe that 2,3,7,8 Tetrachlorodibenzo-P-Dioxin o) or any congeners of TCDD may be present in your effluent?
	Yes 🗵 No
f yes ,	provide a brief description of the conditions for its presence.
N <u>/A</u>	
	ontril

C.	If any of the compounds in Subsection A ${f or}$ B are present, complete Table 4.0(2)F.
	For pollutants identified in Table 4.0(2)F, indicate the type of sample.

Grab □ Composite □

Date and time sample(s) collected: Click to enter text.

Table 4.0(2)F - Dioxin/Furan Compounds

Compound	Toxic Equivalenc y Factors	Wastewater Concentration (ppq)	Wastewater Equivalents (ppq)	Sludge Concentration (ppt)	Sludge Equivalents (ppt)	MAL (ppq)
2,3,7,8 TCDD	1					10
1,2,3,7,8 PeCDD	0.5					50
2,3,7,8 HxCDDs	0.1					50
1,2,3,4,6,7,8 HpCDD	0.01					50
2,3,7,8 TCDF	0.1					10
1,2,3,7,8 PeCDF	0.05					50
2,3,4,7,8 PeCDF	0.5					50
2,3,7,8 HxCDFs	0.1					50
2,3,4,7,8 HpCDFs	0.01					50
OCDD	0.0003					100
OCDF	0.0003					100
PCB 77	0.0001					0.5
PCB 81	0.0003					0.5
PCB 126	0.1					0.5
PCB 169	0.03					0.5
Total						

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 5.0: TOXICITY TESTING REQUIREMENTS

The following **is required** for facilities with a current operating design flow of **1.0 MGD or greater**, with an EPA-approved **pretreatment** program (or those required to have one under 40 CFR Part 403), or are required to perform Whole Effluent Toxicity testing. See instructions for further details.

This worksheet is not required minor amendments without renewal.

Section 1. Required Tests (Instructions Page 88)

Indicate the number of 7-day chronic or 48-hour acute Whole Effluent Toxicity (WET) tests performed in the four and one-half years prior to submission of the application.

performed in the four and one-half years prior to submission of the application.	
7-day Chronic: Click to enter text.	
48-hour Acute: Click to enter text.	
Section 2. Toxicity Reduction Evaluations (TREs)	
Has this facility completed a TRE in the past four and a half years? Or is the facility curreperforming a TRE?	rently
□ Yes □ No	
If yes, describe the progress to date, if applicable, in identifying and confirming the tox	icant.
Click to enter text.	

Section 3. Summary of WET Tests

If the required biomonitoring test information has not been previously submitted via both the Discharge Monitoring Reports (DMRs) and the Table 1 (as found in the permit), provide a summary of the testing results for all valid and invalid tests performed over the past four and one-half years. Make additional copies of this table as needed.

Table 5.0(1) Summary of WET Tests

Test Date	Test Species	NOEC Survival	NOEC Sub-lethal

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 6.0: INDUSTRIAL WASTE CONTRIBUTION

The following is required for all publicly owned treatment works.

Section 1. All POTWs (Instructions Page 89)

A. Industrial users (IUs)

Provide the number of each of the following types of industrial users (IUs) that discharge to your POTW and the daily flows from each user. See the Instructions for definitions of Categorical IUs, Significant IUs – non-categorical, and Other IUs.

If there are no users, enter 0 (zero).

Categorical IUs:

Number of IUs: o

Average Daily Flows, in MGD: N/A

Significant IUs - non-categorical:

Number of IUs: o

Average Daily Flows, in MGD: N/A

Other IUs:

Number of IUs: o

Average Daily Flows, in MGD: N/A

B. Treatment plant interference

In the past three years, has your POTW experienced treatment plant interference (see instructions)?

Yes	\boxtimes	No

If yes, identify the dates, duration, description of interference, and probable cause(s) and possible source(s) of each interference event. Include the names of the IUs that may have caused the interference.

N/A	

	In the past three years, has your POTW experienced pass through (see instructions)?
	□ Yes ⊠ No
	If yes , identify the dates, duration, a description of the pollutants passing through the treatment plant, and probable cause(s) and possible source(s) of each pass through event. Include the names of the IUs that may have caused pass through.
	N/A
D.	Pretreatment program
-	Does your POTW have an approved pretreatment program?
	□ Yes ⊠ No
	If yes, complete Section 2 only of this Worksheet.
	Is your POTW required to develop an approved pretreatment program?
	□ Yes ⊠ No
	If yes, complete Section 2.c. and 2.d. only, and skip Section 3.
	If no to either question above , skip Section 2 and complete Section 3 for each significant industrial user and categorical industrial user.
Se	ction 2. POTWs with Approved Programs or Those Required to Develop a Program (Instructions Page 90)
Α.	Substantial modifications
	Have there been any substantial modifications to the approved pretreatment program that have not been submitted to the TCEQ for approval according to 40 CFR §403.18?
	□ Yes ⊠ No
	If yes , identify the modifications that have not been submitted to TCEQ, including the purpose of the modification.
	N/A

C. Treatment plant pass through

	n any non-substantial ave not been submitte No			
If yes, identify a	all non-substantial mourpose of the modific		nat have not been	submitted to TCEQ,
N/A	arpose of the mounte	ucion.		
C. Effluent param	eters above the MAL			
monitoring dur	list all parameters me ing the last three year meters Above the MAL			
Pollutant	Concentration	MAL	Units	Date
N/A				
D. Industrial user	interruptions			
	U, or other IU caused r pass throughs) at yo			
□ Yes □	No			
	the industry, describes, and probable pollut		e, including dates,	duration, description
N/A				

B. Non-substantial modifications

Section 3. Significant Industrial User (SIU) Information and Categorical Industrial User (CIU) (Instructions Page 90)

A. General information

	Company Name: <u>N/A – No industrial users</u>
	SIC Code: <u>Click to enter text.</u>
	Contact name: Click to enter text.
	Address: Click to enter text.
	City, State, and Zip Code: <u>Click to enter text.</u>
	Telephone number: <u>Click to enter text.</u>
	Email address: <u>Click to enter text.</u>
B.	Process information
	Describe the industrial processes or other activities that affect or contribute to the SIU(s) or CIU(s) discharge (i.e., process and non-process wastewater).
	N/A
C.	Product and service information
	Provide a description of the principal product(s) or services performed.
	N/A
D.	Flow rate information
	See the Instructions for definitions of "process" and "non-process wastewater."
	Process Wastewater:
	Discharge, in gallons/day: <u>N/A</u>
	Discharge Type: □ Continuous □ Batch □ Intermittent
	Man Dragge Mestarrator
	Non-Process Wastewater:
	Discharge, in gallons/day: <u>Click to enter text.</u>

E.	Pretreatment standards
	Is the SIU or CIU subject to technically based local limits as defined in the <i>i</i> nstructions?
	□ Yes □ No
	Is the SIU or CIU subject to categorical pretreatment standards found in 40 CFR Parts 405 - 471 ?
	□ Yes □ No
	If subject to categorical pretreatment standards , indicate the applicable category and subcategory for each categorical process.
	Category: Subcategories: <u>N/A</u>
	Click or tap here to enter text. Click to enter text.
	Category: Click to enter text.
	Subcategories: <u>Click to enter text.</u>
	Category: Click to enter text.
	Subcategories: <u>Click to enter text.</u>
	Category: Click to enter text.
	Subcategories: <u>Click to enter text.</u>
	Category: <u>Click to enter text.</u>
	Subcategories: <u>Click to enter text.</u>
F.	Industrial user interruptions
	Has the SIU or CIU caused or contributed to any problems (e.g., interferences, pass through, odors, corrosion, blockages) at your POTW in the past three years?
	□ Yes □ No
	If yes , identify the SIU, describe each episode, including dates, duration, description of problems, and probable pollutants.
	N/A

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

CLASS V INJECTION WELL INVENTORY/AUTHORIZATION FORM

Submit the completed form to:

TCEQ IUC Permits Team Radioactive Materials Division MC-233 PO Box 13087 Austin, Texas 78711-3087 512-239-6466

For TCEQ Use Only
Reg. No
Date Received
Date Authorized

Section 1. General Information (Instructions Page 92)

1	TCFO	Program	Aron
ı.	ICEU	riogiam	Area

Program Area (PST, VCP, IHW, etc.): Click to enter text.

Program ID: Click to enter text.

Contact Name: <u>Click to enter text.</u> Phone Number: <u>Click to enter text.</u>

2. Agent/Consultant Contact Information

Contact Name: Click to enter text.

Address: Click to enter text.

City, State, and Zip Code: Click to enter text.

Phone Number: Click to enter text.

3. Owner/Operator Contact Information

□ Owner □ Operator

Owner/Operator Name: Click to enter text.

Contact Name: Click to enter text.

Address: Click to enter text.

City, State, and Zip Code: Click to enter text.

Phone Number: Click to enter text.

4. Facility Contact Information

Facility Name: Click to enter text.

Address: Click to enter text.

City, State, and Zip Code: Click to enter text.

Location description (if no address is available): Click to enter text.

Facility Contact Person: Click to enter text.

Phone Number: Click to enter text.

5.	Latitude and Longitude, in degrees-minutes-seconds
	Latitude: Click to enter text.
	Longitude: Click to enter text.
	Method of determination (GPS, TOPO, etc.): Click to enter text.
	Attach topographic quadrangle map as attachment A.
6.	Well Information
	Type of Well Construction, select one:
	□ Vertical Injection
	□ Subsurface Fluid Distribution System
	□ Infiltration Gallery
	☐ Temporary Injection Points
	□ Other, Specify: <u>Click to enter text.</u>
	Number of Injection Wells: Click to enter text.
7.	Purpose
	Detailed Description regarding purpose of Injection System:
	Click to enter text.
	Attach a Site Map as Attachment B (Attach the Approved Remediation Plan, if appropriate.)
8.	Water Well Driller/Installer
	Water Well Driller/Installer Name: Click to enter text.
	City, State, and Zip Code: <u>Click to enter text.</u>
	Phone Number: Click to enter text.
	License Number: <u>Click to enter text.</u>
ection	1 2. Proposed Down Hole Design
	diagram signed and sealed by a licensed engineer as Attachment C.
	(1) - Down Hole Design Table Sign Sorting Sorting Compart / Crosst Hole Weight

Та

Name of String	Size	Setting Depth	Sacks Cement/Grout - Slurry Volume - Top of Cement	Hole Size	Weight (lbs/ft) PVC/Steel
Casing					
Tubing					
Screen					

Section 3. Proposed Trench System, Subsurface Fluid Distribution System, or Infiltration Gallery

Attach a diagram signed and sealed by a licensed engineer as Attachment D.

System(s) Dimensions: <u>Click to enter text.</u> System(s) Construction: Click to enter text.

Section 4.	Site Hydroge	ological and In	jection Zone Data

- 1. Name of Contaminated Aguifer: Click to enter text.
- 2. Receiving Formation Name of Injection Zone: Click to enter text.
- 3. Well/Trench Total Depth: Click to enter text.
- **4.** Surface Elevation: Click to enter text.
- **5.** Depth to Ground Water: <u>Click to enter text.</u>
- **6.** Injection Zone Depth: Click to enter text.
- 7. Injection Zone vertically isolated geologically? ☐ Yes ☐ No Impervious Strata between Injection Zone and nearest Underground Source of Drinking Water:

Name: Click to enter text.

Thickness: Click to enter text.

- **8.** Provide a list of contaminants and the levels (ppm) in contaminated aquifer Attach as Attachment E.
- **9.** Horizontal and Vertical extent of contamination and injection plume Attach as Attachment F.
- **10.** Formation (Injection Zone) Water Chemistry (Background levels) TDS, etc. Attach as Attachment G.
- **11.** Injection Fluid Chemistry in PPM at point of injection Attach as Attachment H.
- 12. Lowest Known Depth of Ground Water with < 10,000 PPM TDS: Click to enter text.
- 13. Maximum injection Rate/Volume/Pressure: Click to enter text.
- **14.** Water wells within 1/4 mile radius (attach map as Attachment I): Click to enter text.
- 15. Injection wells within 1/4 mile radius (attach map as Attachment J): <u>Click to enter text.</u>
- 16. Monitor wells within 1/4 mile radius (attach drillers logs and map as Attachment K): Click to enter text.
- 17. Sampling frequency: Click to enter text.
- **18.** Known hazardous components in injection fluid: Click to enter text.

Section 5. Site History

- **1.** Type of Facility: <u>Click to enter text.</u>
- **2.** Contamination Dates: Click to enter text.
- 3. Original Contamination (VOCs, TPH, BTEX, etc.) and Concentrations (attach as Attachment L): <u>Click to enter text.</u>
- **4.** Previous Remediation (attach results of any previous remediation as attachment M): Click to enter text.

NOTE: Authorization Form should be completed in detail and authorization given by the TCEQ before construction, operation, and/or conversion can begin. Attach additional pages as necessary.

Class V Injection Well Designations

- 5A07 Heat Pump/AC return (IW used for groundwater to heat and/or cool buildings)
- 5A19 Industrial Cooling Water Return Flow (IW used to cool industrial process equipment)
- 5B22 Salt Water Intrusion Barrier (IW used to inject fluids to prevent the intrusion of salt water into an aquifer)
- 5D02 Storm Water Drainage (IW designed for the disposal of rain water)
- 5D04 Industrial Stormwater Drainage Wells (IW designed for the disposal of rain water associated with industrial facilities)
- 5F01 Agricultural Drainage (IW that receive agricultural runoff)
- 5R21 Aquifer Recharge (IW used to inject fluids to recharge an aquifer)
- 5S23 Subsidence Control Wells (IW used to control land subsidence caused by ground water withdrawal)
- 5W09 Untreated Sewage
- 5W10 Large Capacity Cesspools (Cesspools that are designed for 5,000 gpd or greater)
- 5W11 Large Capacity Septic systems (Septic systems designed for 5,000 gpd or greater)
- 5W12 WTTP disposal
- 5W20 Industrial Process Waste Disposal Wells
- 5W31 Septic System (Well Disposal method)
- 5W32 Septic System Drainfield Disposal
- 5X13 Mine Backfill (IW used to control subsidence, dispose of mining byproducts, and/or fill sections of a mine)
- 5X25 Experimental Wells (Pilot Test) (IW used to test new technologies or tracer dye studies)
- 5X26 Aguifer Remediation (IW used to clean up, treat, or prevent contamination of a USDW)
- 5X27 Other Wells
- 5X28 Motor Vehicle Waste Disposal Wells (IW used to dispose of waste from a motor vehicle site These are currently banned)
- 5X29 Abandoned Drinking Water Wells (waste disposal)

Appendix A

Core Data Form



TCEQ Core Data Form

For detailed instructions on completing this form, please read the Core Data Form Instructions or call 512-239-5175.

SECTION I: General Information

1. Reason for	Submissi	on (If other is checked	l please describ	e in space pr	rovided.)							
☐ New Pern	nit, Registra	ation or Authorization	(Core Data For	m should be	submitte	d with t	the prog	ram application.)				
Renewal (Core Data Form should be submitted with the renewal form)					Other							
2. Customer Reference Number (if issued)				Follow this link to search			3. Regulated Entity Reference Number (if issued)					
CN 600678445				for CN or RN Central R	N number Registry**		RN 101917474					
SECTIO	V II:	Customer	Inforn	nation	1	_						
4. General Customer Information 5. Effective Date for Customer Inform						nation	Updates (mm/d	d/yyyy)				
☐ New Custor	mer	U	pdate to Custo	mer Informa	ition	[Char	nge in Regulated E	ntity Own	ership		
Change in Le	egal Name ((Verifiable with the Te	xas Secretary o	of State or Te	xas Comp	troller	of Publi	c Accounts)				
(SOS) or Texa	s Comptro	ubmitted here may coller of Public Account ne (If an individual, pri	ınts (CPA).			on wh	hat is c	urrent and active				
		() aaaaa, p			,			<u>ij new custome</u>	r, enter pr	evious custori	ner below.	
City of Whitefa	ce											
7. TX SOS/CPA Filing Number 8. TX State Tax ID (11 digits) 9. Federal (9 digits)						9. Federal Tax (9 digits)	(ID	D 10. DUNS Number (if applicable)				
11. Type of C	ustomer:	☐ Corpora	tion				Individ	lual	Partne	ership: 🔲 Ge	neral 🔲 Limited	
Government:	☑ City ☐ C	County 🗌 Federal 📗	Local State	e 🗌 Other			Sole P	roprietorship	☐ Ot	her:		
12. Number o	of Employ	ees						13. Independ	ently Ow	ned and Op	erated?	
☑ 0-20	21-100	101-250 251-	500 🗌 501	and higher				Yes	⊠ No			
14. Customer	Role (Pro	posed or Actual) – as i	t relates to the	Regulated E	ntity liste	d on th	is form.	Please check one	of the foll	owing		
Owner Operator Owner & Operator Other:												
15. Mailing	15. Mailing PO Box 248											
Address:					1				0240			
	City	Whiteface		State	TX		ZIP	79379		ZIP + 4	0248	
16. Country N	Mailing Inf	formation (if outside	USA)	•		17. E-I	Mail A	ddress (if applica	ble)			
						whitefa	ace5@a	ol.com				
18 Telenhon	a Numbar	•		19 Extensio	on or Cod	do		20 Fav	Number	(if annlicable	1	

TCEQ-10400 (11/22) Page 1 of 3

806) 287-1111		(806) 287-1120
----------------	--	------------------

SECTION III: Regulated Entity Information

21. General Regulated Entity Information (If 'New Regulated Entity" is selected, a new permit application is also required.)								
☐ New Regulated Entity ☐ Update to Regulated Entity Name ☐ Update to Regulated Entity Information								
The Regulated Entity Nai as Inc, LP, or LLC).	me submitte	ed may be upda	ated, in order to m	eet TCEQ Core	Data Stand	dards (removal d	of organizatio	nal endings such
22. Regulated Entity Nan	ne (Enter nam	ne of the site whe	ere the regulated action	on is taking place	e.)			
City of Whiteface Wastewate	er Treatment	Facility						
23. Street Address of the Regulated Entity:								
(No PO Boxes)	City		State		ZIP		ZIP + 4	
24. County			-		'			
	I	If no Stre	et Address is prov	ided, fields 25	-28 are req	uired.		
25. Description to Physical Location:	Approximat County, Tex	-	rtheast of the interse	ction of State Hi	ghway 114 a	nd FM 1780, north	of the City of V	Whiteface in Cochran
26. Nearest City					:	State	Nea	arest ZIP Code
Whiteface					Т	X	793	79
Latitude/Longitude are required and may be added/updated to meet TCEQ Core Data Standards. (Geocoding of the Physical Address may be used to supply coordinates where none have been provided or to gain accuracy).								
		·	•					
27. Latitude (N) In Decim	al:	33.60914		28. Lor	ngitude (W)	In Decimal:	-102.608	256
27. Latitude (N) In Decim	Minutes	-	Seconds	28. Lor		In Decimal:	-102.608	Seconds
Degrees 33	Minutes	33.60914	Seconds 32.9			Minutes	36	Seconds 30.8
Degrees 33 29. Primary SIC Code	Minutes 30.	33.60914 36 Secondary SIC	Seconds 32.9	Degrees 31. Primary	-102	Minutes e 32. S	36 econdary NAI	Seconds 30.8
Degrees 33 29. Primary SIC Code (4 digits)	Minutes 30.	33.60914	Seconds 32.9	Degrees	-102	Minutes e 32. S	36	Seconds 30.8
Degrees 33 29. Primary SIC Code (4 digits) 4952	30. (4 d	33.60914 36 Secondary SIC ligits)	Seconds 32.9 Code	31. Primary (5 or 6 digits)	-102 NAICS Cod	Minutes e 32. S	36 econdary NAI	Seconds 30.8
Degrees 33 29. Primary SIC Code (4 digits) 4952 33. What is the Primary B	30. (4 d	33.60914 36 Secondary SIC ligits)	Seconds 32.9 Code	31. Primary (5 or 6 digits)	-102 NAICS Cod	Minutes e 32. S	36 econdary NAI	Seconds 30.8
Degrees 33 29. Primary SIC Code (4 digits) 4952	30. (4 d	33.60914 36 Secondary SIC ligits)	Seconds 32.9 Code	31. Primary (5 or 6 digits)	-102 NAICS Cod	Minutes e 32. S	36 econdary NAI	Seconds 30.8
Degrees 33 29. Primary SIC Code (4 digits) 4952 33. What is the Primary B	30. (4 d	33.60914 36 Secondary SIC ligits)	Seconds 32.9 Code	31. Primary (5 or 6 digits)	-102 NAICS Cod	Minutes e 32. S	36 econdary NAI	Seconds 30.8
Degrees 33 29. Primary SIC Code (4 digits) 4952 33. What is the Primary B Treatment of domestic wast	30. (4 d	33.60914 36 Secondary SIC ligits) this entity? (D	Seconds 32.9 Code	31. Primary (5 or 6 digits)	-102 NAICS Cod	Minutes e 32. S (5 or 6	36 econdary NAI 6 digits)	Seconds 30.8
Degrees 33 29. Primary SIC Code (4 digits) 4952 33. What is the Primary II Treatment of domestic wast 34. Mailing	30. (4 d	33.60914 36 Secondary SIC ligits)	Seconds 32.9 Code	31. Primary (5 or 6 digits)	-102 NAICS Cod	Minutes e 32. S	36 econdary NAI	Seconds 30.8
Degrees 33 29. Primary SIC Code (4 digits) 4952 33. What is the Primary II Treatment of domestic wast 34. Mailing	30. (4 d Business of tewater PO Box 24 City	33.60914 36 Secondary SIC ligits) this entity? (D	Seconds 32.9 Code On not repeat the SIC of State	31. Primary (5 or 6 digits)	-102 NAICS Cod	Minutes e 32. S (5 or 6	36 econdary NAI 6 digits)	Seconds 30.8
Degrees 33 29. Primary SIC Code (4 digits) 4952 33. What is the Primary E Treatment of domestic wast 34. Mailing Address:	30. (4 d Business of tewater PO Box 24 City	33.60914 36 Secondary SIC ligits) this entity? (D	Seconds 32.9 Code On not repeat the SIC of State	31. Primary (5 or 6 digits)	-102 NAICS Cod	Minutes e 32. S (5 or 6	36 econdary NAI 6 digits) ZIP + 4	Seconds 30.8

39. TCEQ Programs and ID Numbers Check all Programs and write in the permits/registration numbers that will be affected by the updates submitted on this form. See the Core Data Form instructions for additional guidance.

TCEQ-10400 (11/22) Page 2 of 3

☐ Dam Safety	,	Districts	Edwards Aquifer		Emissions Inventory Air	Industrial Hazardous Waste
☐ Municipal S	olid Waste	New Source Review Air	OSSF		Petroleum Storage Tank	PWS
Sludge		Storm Water	☐ Title V Air] Tires	Used Oil
☐ Voluntary C	Cleanup		☐ Wastewater Agricu	lture	Water Rights	Other:
		WQ0010314001				
SECTION	SECTION IV: Preparer Information					
40. Name:	Paul Krueger, PE			41. Title:	Civil Engineer	

40. Name:	Paul Krueger, PE		41. Title:	Civil Engineer	
42. Telephone Number		43. Ext./Code	44. Fax Number	45. E-Mail <i>I</i>	Address
(806)473-3715			() -	pkrueger@P	arkhill.com

SECTION V: Authorized Signature

46. By my signature below, I certify, to the best of my knowledge, that the information provided in this form is true and complete, and that I have signature authority to submit this form on behalf of the entity specified in Section II, Field 6 and/or as required for the updates to the ID numbers identified in field 39.

Company:	City of Whiteface Job Title:		Mayor		
Name (In Print):	James Soliz			Phone:	(806) 287-1111
Signature:				Date:	

TCEQ-10400 (11/22) Page 3 of 3 Appendix B

Plain Language Summary

TCEQ

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

PLAIN LANGUAGE SUMMARY FOR TPDES OR TLAP PERMIT APPLICATIONS

Plain Language Summary Template and Instructions for Texas Pollutant Discharge Elimination System (TPDES) and Texas Land Application (TLAP) Permit Applications

Applicants should use this template to develop a plain language summary as required by <u>Title 30, Texas Administrative Code (30 TAC), Chapter 39, Subchapter H</u>. Applicants may modify the template as necessary to accurately describe their facility as long as the summary includes the following information: (1) the function of the proposed plant or facility; (2) the expected output of the proposed plant or facility; (3) the expected pollutants that may be emitted or discharged by the proposed plant or facility; and (4) how the applicant will control those pollutants, so that the proposed plant will not have an adverse impact on human health or the environment.

Fill in the highlighted areas below to describe your facility and application in plain language. Instructions and examples are provided below. Make any other edits necessary to improve readability or grammar and to comply with the rule requirements.

If you are subject to the alternative language notice requirements in 30 TAC Section 39.426, you must provide a translated copy of the completed plain language summary in the appropriate alternative language as part of your application package. For your convenience, a Spanish template has been provided below.

ENGLISH TEMPLATE FOR TPDES or TLAP NEW/RENEWAL/AMENDMENT APPLICATIONS DOMESTIC WASTEWATER/STORMWATER


The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 TAC Chapter 39. The information provided in this summary may change during the technical review of the application and is not a federal enforceable representation of the permit application.

The City of Whiteface (CN60678445) operates City of Whiteface Wastewater Treatment Plant (RN101917474), a wastewater treatment plant. The facility is located at at approximately 2,500' NE of the intersection of HWY 114 and FM 1780, in Whiteface, Cochran County, Texas 79379. This is a renewal Municipal Wastewater permit (WQ0010314001) to authorize the disposal of treated domestic wastewater at a daily average flow to exceed 0.035 million gallons per day (MGD) via evaporation.

Discharges from the facility are expected to contain CBOD₅ and pH. Treated domestic sewage effluent is treated by a treatment facility consisting of a facultative lagoon and three storage/evaporation ponds.

Appendix C

USGS Map



Parkhill

Whiteface WWTP

Permit Renewal

City of Whiteface 404 N Filmore St Whiteface, TX 79379

Appendix C -USGS Map

lssne:

Renewal

Date:

Parkhill.com


Project No: Sheet:

05/28/2024

41949.23 1 of 1

Appendix D

Flow Diagram



Whiteface WWTP Permit Renewal

City of Whiteface 404 N Filmore St Whiteface, TX 79379



Appendix C - Flow Diagram

lssne:


05/28/2024 Renewal Project No: Sheet: Date:

Parkhill.com

1 of 1 41949.23

Appendix E

Site Map



Parkhill

Permit Renewal

City of Whiteface 404 N Filmore St Whiteface, TX 79379

Appendix E -Site Map

Renewal

Issue: Date: Project No: Sheet:

Parkhill.com

41949.23 1 of 1 05/28/2024

Appendix F

Pollutant Analysis

ANALYTICAL REPORT

PREPARED FOR

Generated 4/3/2024 2:09:15 PM

Attn: Paul K Krueger Parkhill Smith & Cooper Inc. 4222 85th Street Lubbock, Texas 79423

JOB DESCRIPTION

Whiteface WWTP

JOB NUMBER

820-12485-1

Eurofins Lubbock 6701 Aberdeen Ave. Suite 8 Lubbock TX 79424



Eurofins Lubbock

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

Authorization

Generated 4/3/2024 2:09:15 PM

Authorized for release by Anita Patel, Project Manager Anita.Patel@et.eurofinsus.com (832)776-2275

Page 2 of 22

3

4

5

6

7

0

9

10

4 4

12

Client: Parkhill Smith & Cooper Inc. Project/Site: Whiteface WWTP

Laboratory Job ID: 820-12485-1

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	
QC Sample Results	7
QC Association Summary	
Lab Chronicle	15
Certification Summary	16
Method Summary	17
Sample Summary	18
Chain of Custody	19
Receipt Chacklists	21

2

4

5

0

10

46

13

Definitions/Glossary

Client: Parkhill Smith & Cooper Inc. Job ID: 820-12485-1 Project/Site: Whiteface WWTP

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not
	applicable.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

General Chemistry

Qualifier	Qualifier Description
Н	Sample was prepped or analyzed beyond the specified holding time. This does not meet regulatory requirements.
HF	Parameter with a holding time of 15 minutes. Test performed by laboratory at client's request. Sample was analyzed outside of hold time.
U	Indicates the analyte was analyzed for but not detected.

Glossary	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
n	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)

LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDI	Method Detection Limit

MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit

NC Not Calculated

ND Not Detected at the reporting limit (or MDL or EDL if shown)

NEG Negative / Absent POS Positive / Present Practical Quantitation Limit PQL

PRES Presumptive QC **Quality Control**

RER Relative Error Ratio (Radiochemistry)

RL Reporting Limit or Requested Limit (Radiochemistry)

Relative Percent Difference, a measure of the relative difference between two points RPD

TEF Toxicity Equivalent Factor (Dioxin) TEQ Toxicity Equivalent Quotient (Dioxin)

TNTC Too Numerous To Count

Eurofins Lubbock

Page 4 of 22 4/3/2024

Case Narrative

Client: Parkhill Smith & Cooper Inc.

Project: Whiteface WWTP

Job ID: 820-12485-1 Eurofins Lubbock

Job Narrative 820-12485-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The sample was received on 3/14/2024 10:00 AM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 9.4°C.

HPLC/IC

Method 300_ORGFM_28D: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for analytical batch 860-151352 were outside control limits. Sample matrix interference is suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

Method SM5210B CBODCal: The following sample was received outside of holding time: Marshall Belder (820-12485-1).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Biology

Method 9223B_CIQT18_8H: Sample had dark color before media was added and before incubation. This could possibly interfere with results.

Marshall Belder (820-12485-1)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Lubbock

Job ID: 820-12485-1

Page 5 of 22 4/3/2024

Client Sample Results

Client: Parkhill Smith & Cooper Inc. Project/Site: Whiteface WWTP

Lab Sample ID: 820-12485-1

Matrix: Water

Job ID: 820-12485-1

Client Sample ID: Marshall Belder

Date Collected: 03/14/24 09:15 Date Received: 03/14/24 10:00

Method: EPA 300.0 - Anions, lo	n Chromatograp	hy							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	295		0.500		mg/L			03/26/24 10:14	1
Sulfate	239		0.500		mg/L			03/26/24 10:14	1

General Chemistry									
Analyte	Result	Qualifier	RL	MDL	Unit	_ D	Prepared	Analyzed	Dil Fac
HEM (1664B)	<5.56	U	5.56		mg/L			03/26/24 08:57	1
SGT-HEM (1664B)	<5.56	U	5.56		mg/L			03/26/24 08:57	1
Ammonia as N (EPA 350.1)	14.0		1.00		mg/L			03/26/24 16:56	10
Nitrogen, Kjeldahl (EPA 351.2)	33.1		2.00		mg/L		03/23/24 19:56	03/25/24 16:19	10
Nitrate Nitrite as N (EPA 353.2)	<2.00	U	2.00		mg/L			03/27/24 13:10	20
Total Phosphorus as P (EPA 365.1)	4.06		0.200		mg/L			04/02/24 23:20	10
Total Dissolved Solids (SM 2540C)	1200		20.0		mg/L			03/19/24 18:03	1
Total Suspended Solids (SM 2540D)	51.7		13.3		mg/L			03/19/24 19:26	1
pH (SM 4500 H+ B)	7.7	HF			SU			03/22/24 13:15	1
Temperature (SM 4500 H+ B)	16.7	HF			Degrees C			03/22/24 13:15	1
Carbonaceous Biochemical	17.1	Н	6.00		mg/L		03/18/24 17:00	03/18/24 17:47	1
Oxygen Demand (SM5210B CBOD)									

Method: SM 9223B - Coliforms, To	tal, and E.Coll (Colilert - Q	uanti Tray)						
Analyte	Result Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Coliform, Total	>2400	1.0		MPN/100mL			03/14/24 16:05	1
Escherichia coli	52	1.0		MPN/100mL			03/14/24 16:05	1

3

5

7

9

11

12

Ш

Job ID: 820-12485-1

Prep Type: Total/NA

Prep Type: Total/NA

Prep Type: Total/NA

Client Sample ID: Method Blank

Client Sample ID: Method Blank

Client Sample ID: Lab Control Sample

Client Sample ID: Lab Control Sample Dup

Client Sample ID: Lab Control Sample

Client Sample ID: Marshall Belder

Client Sample ID: Marshall Belder

Client: Parkhill Smith & Cooper Inc. Project/Site: Whiteface WWTP

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 860-151352/3

Matrix: Water

Analysis Batch: 151352

	MB	MB							
Analyte	Result	Qualifier	RL	MDL I	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.500	U	0.500		mg/L			03/26/24 04:30	1
Sulfate	<0.500	U	0.500	ı	mg/L			03/26/24 04:30	1

Lab Sample ID: MB 860-151352/39

Matrix: Water

Analysis Batch: 151352

	MB	мв							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.500	U	0.500		mg/L			03/26/24 09:48	1
Sulfate	< 0.500	U	0.500		mg/L			03/26/24 09:48	1

Lab Sample ID: LCS 860-151352/40

Matrix: Water

Analysis Batch: 151352

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Chloride	10.0	9.028		mg/L		90	90 - 110	
Sulfate	10.0	9.949		mg/L		99	90 - 110	

Lab Sample ID: LCSD 860-151352/41

Matrix: Water

Analysis Batch: 151352

	Spike	LCSD	LCSD				%Rec		RPD	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Chloride	10.0	9.037		mg/L		90	90 - 110	0	20	
Sulfate	10.0	9.963		mg/L		100	90 - 110	0	20	

Lab Sample ID: LLCS 860-151352/7

Matrix: Water

Analysis Batch: 151352

_	Spike	LLCS	LLCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Chloride	0.500	0.6444		mg/L		129	50 - 150	
Sulfate	0.500	0.3696	J	mg/L		74	50 - 150	

Lab Sample ID: 820-12485-1 MS

Matrix: Water

Analysis Batch: 151352

•	Sample	Sample	Spike	MS	MS				%Rec	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Chloride	295		10.0	295.2	4	mg/L		-0.8	90 - 110	
Sulfate	239		10.0	245.2	4	ma/l		67	90 110	

Lab Sample ID: 820-12485-1 MSD

Matrix: Water

Analysis Batch: 151352

, , , , , , , , , , , , , , , , , , , ,	Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Chloride	295		10.0	295.2	4	mg/L		-0.9	90 - 110	0	15
Sulfate	239		10.0	245.3	4	mg/L		68	90 - 110	0	15

Eurofins Lubbock

Page 7 of 22 4/3/2024

Job ID: 820-12485-1

Prep Type: Total/NA

Prep Type: Total/NA

Client Sample ID: Lab Control Sample

Client Sample ID: Method Blank

Client Sample ID: Lab Control Sample

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Type: Total/NA

Prep Type: Total/NA

Client: Parkhill Smith & Cooper Inc. Project/Site: Whiteface WWTP

Method: 1664B - HEM and SGT-HEM

Lab Sample ID: MB 860-151576/1 Client Sample ID: Method Blank

Matrix: Water

Analyte

Analysis Batch: 151576

мв мв Result Qualifier RLMDL Unit D Prepared Analyzed Dil Fac

HEM <5.00 U 5.00 mg/L 03/26/24 08:57 SGT-HEM <5.00 U 5.00 mg/L 03/26/24 08:57

Lab Sample ID: LCS 860-151576/2

Matrix: Water

Analysis Batch: 151576

LCS LCS Spike %Rec Analyte Added Result Qualifier Unit %Rec Limits HEM 40.0 43 50 78 - 114 109 mg/L SGT-HEM 20.0 20.50 mg/L 103 64 - 132

Lab Sample ID: LCSD 860-151576/3 Client Sample ID: Lab Control Sample Dup Prep Type: Total/NA

Matrix: Water

Analysis Batch: 151576

		Spike	LCSD	LCSD				%Rec		RPD	
Analyte		Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
HEM		40.0	38.20		mg/L		96	78 - 114	13	18	
SGT-HEM		20.0	19.80		mg/L		99	64 - 132	3	18	

Method: 350.1 - Nitrogen, Ammonia

Lab Sample ID: MB 860-151803/16

Matrix: Water

Analysis Batch: 151803

мв мв

Result Qualifier RL MDL Unit Dil Fac Analyte Analyzed Prepared Ammonia as N <0.100 U 0.100 03/26/24 16:27 mg/L

Lab Sample ID: LCS 860-151803/17

Matrix: Water

Analysis Batch: 151803

		Spike	LCS	LCS				%Rec	
Analyte		Added	Result	Qualifier	Unit	D	%Rec	Limits	
Ammonia as N	 	1.00	0.9710		mg/L		97	90 - 110	

Lab Sample ID: LCSD 860-151803/18

Matrix: Water

Analysis Batch: 151803								
	Spike	LCSD	LCSD			%Rec		RPD
Analyte	Added	Result	Qualifier Un	it D	%Rec	Limits	RPD	Limit
Ammonia as N	1.00	0.9850	ma	ı/L	99	90 - 110	1	20

Method: 351.2 - Nitrogen, Total Kjeldahl

Lab Sample ID: MB 860-151311/19-A Client Sample ID: Method Blank

Matrix: Water

Analysis Batch: 151588

Prep Batch: 151311 мв мв Analyte Result Qualifier RL MDL Unit D Prepared Analyzed Dil Fac 0.200 03/23/24 19:56 Nitrogen, Kjeldahl <0.200 U mg/L 03/25/24 15:29

Eurofins Lubbock

Prep Type: Total/NA

Page 8 of 22 4/3/2024

Client: Parkhill Smith & Cooper Inc. Project/Site: Whiteface WWTP

Job ID: 820-12485-1

Prep Batch: 151311

Prep Type: Total/NA

Prep Batch: 151311

Prep Type: Total/NA

Prep Type: Total/NA

Prep Type: Total/NA

Prep Type: Total/NA

Client Sample ID: Lab Control Sample

Client Sample ID: Lab Control Sample

Client Sample ID: Method Blank

Client Sample ID: Lab Control Sample

Client Sample ID: Lab Control Sample Dup

Method: 351.2 - Nitrogen	, Total Kjeldahl	(Continued)
--------------------------	------------------	-------------

Lab Sample ID: MB 860-151311/4-A	Client Sample ID: Method Blank
Matrix: Water	Prep Type: Total/NA

Matrix: Water

Analysis Batch: 151588

MB	MB							
Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<8.00	U	8.00		mg/L		03/23/24 19:56	03/25/24 15:22	1

Lab Sample ID: LCS 860-151311/20-A

Matrix: Water

Analysis Batch: 151588

_	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Nitrogen, Kjeldahl	2.00	1.890		mg/L		94	90 - 110	

Lab Sample ID: LCSD 860-151311/21-A Client Sample ID: Lab Control Sample Dup Prep Type: Total/NA

Matrix: Water

Analyte

Nitrogen, Kjeldahl

Analysis Batch: 151588			Batch: 1	51311				
	Spike	LCSD	LCSD			%Rec		RPD
Analyte	Added	Result	Qualifier Ur	nit D	%Rec	Limits	RPD	Limit
Nitrogen, Kjeldahl	2.00	1.880	m	g/L	94	90 - 110	1	20

Lab Sample ID: LLCS 860-151311/5-A

Matrix: Water

Analysis Batch: 151588

Prep Batch: 151311 Spike LLCS LLCS %Rec

Analyte Added Result Qualifier Unit %Rec Limits 8.00 8.349 Nitrogen, Kjeldahl 104 50 - 150 mg/L

Method: 353.2 - Nitrogen, Nitrate-Nitrite

Lab Sample ID: MB 860-152142/3

Matrix: Water

Analysis Batch: 152142

MB MB

Analyte	Result	Qualifier	RL	MDL Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N	<0.100	U	0.100	mg/L			03/27/24 12:43	1

Lab Sample ID: LCS 860-152142/4

Matrix: Water

Analysis Batch: 152142

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Nitrate Nitrite as N	1.00	0.9991		ma/L		100	90 - 110	

Lab Sample ID: LCSD 860-152142/5

Matrix: Water

Analysis Batch: 152142									
	Spike	LCSD	LCSD				%Rec		RPD
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Nitrate Nitrite as N	1.00	0.9741		mg/L		97	90 - 110	3	20

Eurofins Lubbock

4/3/2024

Method: 365.1 - Phosphorus, Total

Lab Sample ID: MB 860-153014/46 Client Sample ID: Method Blank Prep Type: Total/NA

Matrix: Water

Analyte

Analysis Batch: 153014

мв мв MDL Unit Result Qualifier RL Prepared Analyzed Dil Fac Total Phosphorus as P <0.0200 U 0.0200 mg/L 04/02/24 22:23

Lab Sample ID: MB 860-153014/7 Client Sample ID: Method Blank **Matrix: Water** Prep Type: Total/NA

Analysis Batch: 153014

		IVID						
Analyte	Result	Qualifier	RL	MDL Unit	D	Prepared	Analyzed	Dil Fac
Total Phosphorus as P	<0.0200	U	0.0200	mg/L			04/02/24 20:13	1

Lab Sample ID: LCS 860-153014/47 **Client Sample ID: Lab Control Sample** Prep Type: Total/NA

Matrix: Water

Analysis Batch: 153014

		Spike	LCS	LCS				%Rec	
Analyte		Added	Result	Qualifier	Unit	D	%Rec	Limits	
Total Phosphorus as P		0.250	0.2430		mg/L	 _	97	90 - 110	

Lab Sample ID: LCS 860-153014/8 Client Sample ID: Lab Control Sample **Matrix: Water** Prep Type: Total/NA

Analysis Batch: 153014

		Spike	LCS	LCS				%Rec	
Analyte		Added	Result	Qualifier	Unit	D	%Rec	Limits	
Total Phosphorus as P		0.250	0.2460		mg/L		98	90 - 110	

Lab Sample ID: LCSD 860-153014/48

Matrix: Water

Analysis Batch: 153014

	Spike	LCSD	LCSD				%Rec		RPD	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Total Phosphorus as P	 0.250	0.2530		ma/L		101	90 - 110	4	20	

Lab Sample ID: LCSD 860-153014/9

Matrix: Water

Analysis Batch: 153014

	Spike	LCSD	LCSD				%Rec		RPD	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Total Phosphorus as P	0.250	0.2550		mg/L		102	90 - 110	4	20	

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 860-150611/1 Client Sample ID: Method Blank Prep Type: Total/NA

Matrix: Water

Analysis Batch: 150611

MB MB

Analyte	Result	Qualifier	RL	MDL	Unit	D)	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<5.00	U	5.00		mg/L			_	03/19/24 18:02	1

Client Sample ID: Lab Control Sample Dup

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Type: Total/NA

Job ID: 820-12485-1

Prep Type: Total/NA

Client: Parkhill Smith & Cooper Inc.

Project/Site: Whiteface WWTP

Method: SM 2540C - Solids, Total Dissolved (TDS) (Continued)

Lab Sample ID: LCS 860-150611/2 Client Sample ID: Lab Control Sample Prep Type: Total/NA

Matrix: Water

Analysis Batch: 150611

Spike LCS LCS %Rec Added Result Qualifier %Rec Limits Analyte Unit **Total Dissolved Solids** 1000 1112 mg/L 111 80 - 120

Lab Sample ID: LCSD 860-150611/3 Client Sample ID: Lab Control Sample Dup **Matrix: Water** Prep Type: Total/NA

Analysis Batch: 150611

Spike LCSD LCSD %Rec RPD Analyte Added Result Qualifier Unit D %Rec Limits RPD Limit **Total Dissolved Solids** 1000 1111 mg/L 111 80 - 120 0

Lab Sample ID: LLCS 860-150611/4 Client Sample ID: Lab Control Sample Prep Type: Total/NA

Matrix: Water

Analysis Batch: 150611

Spike LLCS LLCS %Rec Analyte Added Result Qualifier Unit %Rec Limits 12.00 **Total Dissolved Solids** 10.0 mg/L 120 50 - 150

Method: SM 2540D - Solids, Total Suspended (TSS)

Lab Sample ID: MB 860-150631/1 Client Sample ID: Method Blank

Matrix: Water

Analysis Batch: 150631

мв мв

Analyte Result Qualifier RL MDL Unit Dil Fac Prepared Analyzed Total Suspended Solids <4.00 U 4.00 03/19/24 19:26 mq/L

Lab Sample ID: LCS 860-150631/2 **Client Sample ID: Lab Control Sample Matrix: Water** Prep Type: Total/NA

Analysis Batch: 150631

Spike LCS LCS %Rec Added Analyte Result Qualifier Unit %Rec Limits Total Suspended Solids 100 112.0 112 80 - 120 mg/L

Lab Sample ID: LCSD 860-150631/3 Client Sample ID: Lab Control Sample Dup Prep Type: Total/NA

Matrix: Water

Analysis Batch: 150631

LCSD LCSD Spike %Rec RPD Added Result Qualifier %Rec RPD Limit Analyte Unit D Limits 100 111.0 10 **Total Suspended Solids** mg/L 111 80 - 120

Method: SM5210B CBOD - Carbonaceous BOD, 5 Day

Lab Sample ID: SCB 860-151359/2 Client Sample ID: Method Blank Prep Type: Total/NA

Matrix: Water

Analysis Batch: 151359

SCB SCB

Result Qualifier RL MDL Unit Dil Fac Analyte D Prepared Analyzed Carbonaceous Biochemical Oxygen 0.7200 0.0000020 mg/L 03/18/24 17:37 Demand 0

Eurofins Lubbock

4/3/2024

QC Sample Results

Client: Parkhill Smith & Cooper Inc. Job ID: 820-12485-1

Project/Site: Whiteface WWTP

Method: SM5210B CBOD - Carbonaceous BOD, 5 Day (Continued)

Lab Sample ID: USB 860-151359/1 Client Sample ID: Method Blank

0

Matrix: Water

Analyte

Demand

Analysis Batch: 151359

USB USB Result Qualifier RL MDL Unit Dil Fac D Prepared Analyzed Carbonaceous Biochemical Oxygen 0.02000 0.0000020 mg/L 03/18/24 17:35

Lab Sample ID: LCS 860-151359/3

Matrix: Water

Analysis Batch: 151359

LCS LCS %Rec Spike Analyte Added Result Qualifier Unit %Rec Limits 198 100 198.4 mg/L 85 - 115 Carbonaceous Biochemical

Oxygen Demand

Prep Type: Total/NA

Prep Type: Total/NA

Client Sample ID: Lab Control Sample

QC Association Summary

Client: Parkhill Smith & Cooper Inc.
Project/Site: Whiteface WWTP

HPLC/IC

Analy	/sis	Batch:	151	352
Allul	7313	Dutcii.		002

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
820-12485-1	Marshall Belder	Total/NA	Water	300.0	
MB 860-151352/3	Method Blank	Total/NA	Water	300.0	
MB 860-151352/39	Method Blank	Total/NA	Water	300.0	
LCS 860-151352/40	Lab Control Sample	Total/NA	Water	300.0	
LCSD 860-151352/41	Lab Control Sample Dup	Total/NA	Water	300.0	
LLCS 860-151352/7	Lab Control Sample	Total/NA	Water	300.0	
820-12485-1 MS	Marshall Belder	Total/NA	Water	300.0	
820-12485-1 MSD	Marshall Belder	Total/NA	Water	300.0	

General Chemistry

Prep Batch: 150391

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
820-12485-1	Marshall Belder	Total/NA	Water	BOD Prep	

Analysis Batch: 150611

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
820-12485-1	Marshall Belder	Total/NA	Water	SM 2540C	
MB 860-150611/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 860-150611/2	Lab Control Sample	Total/NA	Water	SM 2540C	
LCSD 860-150611/3	Lab Control Sample Dup	Total/NA	Water	SM 2540C	
LLCS 860-150611/4	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 150631

Lab Sample ID 820-12485-1	Client Sample ID Marshall Belder	Prep Type Total/NA	Matrix Water	Method SM 2540D	Prep Batch
MB 860-150631/1	Method Blank	Total/NA	Water	SM 2540D	
LCS 860-150631/2	Lab Control Sample	Total/NA	Water	SM 2540D	
LCSD 860-150631/3	Lab Control Sample Dup	Total/NA	Water	SM 2540D	

Analysis Batch: 151156

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
820-12485-1	Marshall Belder	Total/NA	Water	SM 4500 H+ B	

Prep Batch: 151311

Lab Sample ID 820-12485-1	Client Sample ID Marshall Belder	Prep Type Total/NA	Matrix Water	Method 351.2	Prep Batch
MB 860-151311/19-A	Method Blank	Total/NA	Water	351.2	
MB 860-151311/4-A	Method Blank	Total/NA	Water	351.2	
LCS 860-151311/20-A	Lab Control Sample	Total/NA	Water	351.2	
LCSD 860-151311/21-A	Lab Control Sample Dup	Total/NA	Water	351.2	
LLCS 860-151311/5-A	Lab Control Sample	Total/NA	Water	351.2	

Analysis Batch: 151359

Lab Sample ID 820-12485-1	Client Sample ID Marshall Belder	Prep Type Total/NA	Matrix Water	Method SM5210B CBOD	Prep Batch 150391
SCB 860-151359/2	Method Blank	Total/NA	Water	SM5210B CBOD	
USB 860-151359/1	Method Blank	Total/NA	Water	SM5210B CBOD	
LCS 860-151359/3	Lab Control Sample	Total/NA	Water	SM5210B CBOD	

Eurofins Lubbock

9

Job ID: 820-12485-1

А

5

7

8

10

11

12

QC Association Summary

Client: Parkhill Smith & Cooper Inc.
Project/Site: Whiteface WWTP

Job ID: 820-12485-1

General Chemistry

Analysis Batch: 151576

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
820-12485-1	Marshall Belder	Total/NA	Water	1664B	
MB 860-151576/1	Method Blank	Total/NA	Water	1664B	
LCS 860-151576/2	Lab Control Sample	Total/NA	Water	1664B	
LCSD 860-151576/3	Lab Control Sample Dup	Total/NA	Water	1664B	

Analysis Batch: 151588

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
820-12485-1	Marshall Belder	Total/NA	Water	351.2	151311
MB 860-151311/19-A	Method Blank	Total/NA	Water	351.2	151311
MB 860-151311/4-A	Method Blank	Total/NA	Water	351.2	151311
LCS 860-151311/20-A	Lab Control Sample	Total/NA	Water	351.2	151311
LCSD 860-151311/21-A	Lab Control Sample Dup	Total/NA	Water	351.2	151311
LLCS 860-151311/5-A	Lab Control Sample	Total/NA	Water	351.2	151311

Analysis Batch: 151803

Lab Sample ID 820-12485-1	Client Sample ID Marshall Belder	Prep Type Total/NA	Matrix Water	Method 350.1	Prep Batch
MB 860-151803/16	Method Blank	Total/NA	Water	350.1	
LCS 860-151803/17	Lab Control Sample	Total/NA	Water	350.1	
LCSD 860-151803/18	Lab Control Sample Dup	Total/NA	Water	350.1	

Analysis Batch: 152142

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
820-12485-1	Marshall Belder	Total/NA	Water	353.2	<u> </u>
MB 860-15214	2/3 Method Blank	Total/NA	Water	353.2	
LCS 860-1521	Lab Control Sample	Total/NA	Water	353.2	
LCSD 860-152	142/5 Lab Control Sample Dup	Total/NA	Water	353.2	

Analysis Batch: 153014

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
820-12485-1	Marshall Belder	Total/NA	Water	365.1	<u> </u>
MB 860-153014/46	Method Blank	Total/NA	Water	365.1	
MB 860-153014/7	Method Blank	Total/NA	Water	365.1	
LCS 860-153014/47	Lab Control Sample	Total/NA	Water	365.1	
LCS 860-153014/8	Lab Control Sample	Total/NA	Water	365.1	
LCSD 860-153014/48	Lab Control Sample Dup	Total/NA	Water	365.1	
LCSD 860-153014/9	Lab Control Sample Dup	Total/NA	Water	365.1	

Biology

Analysis Batch: 2467

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
820-12485-1	Marshall Belder	Total/NA	Water	9223B	

Eurofins Lubbock

4/3/2024

Lab Chronicle

Client: Parkhill Smith & Cooper Inc. Job ID: 820-12485-1 Project/Site: Whiteface WWTP

Client Sample ID: Marshall Belder

Lab Sample ID: 820-12485-1 Date Collected: 03/14/24 09:15 Date Received: 03/14/24 10:00

Matrix: Water

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			151352	03/26/24 10:14	RBNS	EET HOU
Total/NA	Analysis	1664B		1	900 mL	1000 mL	151576	03/26/24 08:57	TB	EET HOU
Total/NA	Analysis	350.1		10	10 mL	10 mL	151803	03/26/24 16:56	ADL	EET HOU
Total/NA	Prep	351.2			20 mL	20 mL	151311	03/23/24 19:56	SA	EET HOU
Total/NA	Analysis	351.2		10			151588	03/25/24 16:19	LD	EET HOU
Total/NA	Analysis	353.2		20	10 mL	10 mL	152142	03/27/24 13:10	LD	EET HOU
Total/NA	Analysis	365.1		10	10 mL	10 mL	153014	04/02/24 23:20	HN	EET HOU
Total/NA	Analysis	SM 2540C		1	50 mL	200 mL	150611	03/19/24 18:03	HC	EET HOU
Total/NA	Analysis	SM 2540D		1	300 mL	1000 mL	150631	03/19/24 19:26	FN	EET HOU
Total/NA	Analysis	SM 4500 H+ B		1			151156	03/22/24 13:15	SC	EET HOU
Total/NA	Prep	BOD Prep					150391	03/18/24 17:00	HN	EET HOU
Total/NA	Analysis	SM5210B CBOD		1	100 mL	300 mL	151359	03/18/24 17:47	ALL	EET HOU
Total/NA	Analysis	9223B		1	100 mL	100 mL	2467	03/14/24 16:05	LT	EET LUB

Laboratory References:

EET HOU = Eurofins Houston, 4145 Greenbriar Dr, Stafford, TX 77477, TEL (281)240-4200

EET LUB = Eurofins Lubbock, 6701 Aberdeen Ave., Suite 8, Lubbock, TX 79424, TEL (806)794-1296

Accreditation/Certification Summary

Client: Parkhill Smith & Cooper Inc. Project/Site: Whiteface WWTP

Job ID: 820-12485-1

Laboratory: Eurofins Lubbock

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704219	03-31-24

Laboratory: Eurofins Houston

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Progra	am	Identification Number	Expiration Date
Texas	NELAF)	T104704215	06-30-24
The following analy	rtes are included in this report, bu	t the laboratory is not certif	ied by the governing authority. This lis	t mav include analyte
		· · · · · · · · · · · · · · · · · · ·	, 9,	
for which the agen	cy does not offer certification.			
for which the agen Analysis Method	cy does not offer certification. Prep Method	Matrix	Analyte	

12 100 1

3

4

5

6

8

9

10

10

Method Summary

Client: Parkhill Smith & Cooper Inc. Project/Site: Whiteface WWTP

Job ID: 820-12485-1

Method	Method Description	Protocol	Laboratory
300.0	Anions, Ion Chromatography	EPA	EET HOU
1664B	HEM and SGT-HEM	1664B	EET HOU
350.1	Nitrogen, Ammonia	EPA	EET HOU
351.2	Nitrogen, Total Kjeldahl	EPA	EET HOU
353.2	Nitrogen, Nitrate-Nitrite	EPA	EET HOU
365.1	Phosphorus, Total	EPA	EET HOU
SM 2540C	Solids, Total Dissolved (TDS)	SM	EET HOU
SM 2540D	Solids, Total Suspended (TSS)	SM	EET HOU
SM 4500 H+ B	рН	SM	EET HOU
SM5210B CBOD	Carbonaceous BOD, 5 Day	SM	EET HOU
9223B	Coliforms, Total, and E.Coll (Colilert - Quanti Tray)	SM	EET LUB
351.2	Nitrogen, Total Kjeldahl	EPA	EET HOU
BOD Prep	Preparation, BOD	SM	EET HOU

Protocol References:

1664B = EPA-821-98-002

EPA = US Environmental Protection Agency

SM = "Standard Methods For The Examination Of Water And Wastewater"

Laboratory References:

EET HOU = Eurofins Houston, 4145 Greenbriar Dr, Stafford, TX 77477, TEL (281)240-4200 EET LUB = Eurofins Lubbock, 6701 Aberdeen Ave., Suite 8, Lubbock, TX 79424, TEL (806)794-1296

12485-1

3

4

5

7

8

10

1 1

12

Sample Summary

Client: Parkhill Smith & Cooper Inc. Project/Site: Whiteface WWTP

Job ID: 820-12485-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
820-12485-1	Marshall Belder	Water	03/14/24 09:15	03/14/24 10:00

-

4

_

Q

9

11

111

004	Sampler			II ab PM				Carrier	Carrier Tracking No(s)		COC No.	
ormation				Patel, /	nita						820-7793-163.1	1
Marshall Belcher	Phone:			E-Mail: Anita.P	E-Mail: Anita. Patel@et.eurofinsus.com	ofinsus.co	F	State of Origin	Origin:		Page 1 of 1	
Company			PWSID:			ſ	9	1	,		Job #:	
Parkhill Smith & Cooper Inc.	- Parket	,			2000	-	Allanysis	naisanhau	-		Drocounting Codes	odoe:
Address. 4222 85th Street	Doe Date Request	j			-, -,0						A - HCL	M - Hexane
City: Lubbock	TAT Requested (days):	ıys):			letoT	+1					B - NaOH C - Zn Acetate	N - None O - AsNaO2 P - Na2O4S
State, Zip: TX, 79423	Compliance Project:	∆ Yes	∆ No		323.2,	009#	(5)				D - Nitric Acid E - NaHSO4 F - MeOH	Q - Na2SO3 R - Na2S2O3
Phone:	Po #: Purchase Order r	not required		(0		WS Hd	OT) be				G - Amchlor H - Ascorbic Acid	S - H2SO4 T - TSP Dodecahydrate
Email: mbelcher@parkhill.com	:# OM		-	ON JO	(ON	, G82_1	vlossi(SJ		V - MCAA W - pH 4-5
Project Name: Whiteface WWTPI	Project #: 82001120			9A) 9	Coli)KGEN		M3H-T		əuistr	mar entra	Y - Trizma Z - other (specify)
Site:	SSOW#:			dme	2D (K 3H - E. 1KN 3			98 % N		100 10	Other:	
Sample Identification	Sample Date	Sample	Sample Type (C=comp,	Matrix (Wewater, Sesoild, Onwasteroil, Did Onwasteroil, D	Perform MS/M: 9223B_CIQT18_3 hmonnia 350.1,	Phosphorus 365 Sulfate/Chloride 2540D - TSS	SE40C_Calcd - S	1864B_NP - HEM		Total Number		Special Instructions/Note:
	$\langle \rangle$	X	a		X R S	z	+=	4		X		V
Marchall Rylete	3/[1	1,5	5	Water				-				
												`.
											**	
											and the second	
									55,			
											Maria management	(M) (M)
								4.				
									820-124	35 Chain	820-12485 Chain of Custour	
							à.	27				
Possible Hazard Identification	Poison B Unknown		Radiological		Sample Di	le Disposal (A 1 Return To Client	fee may	be assessed if san	d if samples	are retail	Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) Return To Client Mor	1 month) Months
sted: I, II, III, IV, Other (specify)					Special Instructions/QC Requirements:	tructions/0	C Require	ments:				
Empty Kit Relinquished by:		Date:		<u> </u>	Time:	(0	Me	Method of Shipment:	t		
Reinquisted by Relian	Date/Time:	Min a		JAMA MAY		Sold Property	hat	1	DateLine	17/1/	201 pc	Company
Relinquished by:	Date/Time:		ט	Company	Kecawed by	Vá	1		Date/ Ime			Company
Relinquished by:	Date/Time:		<u>u</u>	Company	Received by	l by:	_		Date/Time	ne:		Company
Custody Seals Intact: Custody Seal No.: A Yes A No					CoolerT	emperature(Cooler Temperature(s) °C and Other Remarks:	er Remarks:)	9.6	14.4°	
												Ver: 01/16/2019

eurofins | Environment Testing

Chain of Custody Record

s Lubbock een Ave. Suite 8 'X 79424) 794-1296

Loc: 820 12485

Chain of Custody Record

Pale Anita Pale	Custody Seals Intact Custody Seal No.	Reinquished by	Q	Empty Kit Relinquished by	Deliverable Requested: I, II, III IV Other (specify) Primary D		creatization status should be prought to Europhits Environment I esting South Central, LLC atte	the Since laboratory accreditations are subject to change. Eurofins Environment Testing Sounted Since laboratory accreditations are subject to change. Eurofins Environment Testing Soundatory does not currently maintain accreditation in the State of Origin listed above for analyst pradiction status should be brought to Eurofins Environment Testing South Central LIC states.					Marshall Belder (820-12485-1) 3/14/24		Sample Identification - Client ID (Lab ID)	Sile: SSOW#	ect Name: iterface VWVTP	Email: WO#	Phone: PO # 281-240-4200(Tel)	State, Zip: TX, 77477	City: TAT Reques	5 Greenbriar Dr	s Environment Testing South Centr	1	Client Information (Sub Contract Lab)	Phone: 806-794-1296
Cock Name Faller, Antical Cock	0	0	124 120		eliverable Rank: 2		ition immediately. If all requested acc	1 Central, LLC places the ownership or s/tests/matrix being analyzed, the san tion immediately. If all requested acc.						BV688.6	Sample Type Sample (C≃comp, Time G=grab)						ted (days):	quested:				
Carrier Tracking No(s): Carrier Tracking No(s	Received by: Cooler Temograture(s)			Time:		Sample Disposal (A fee r.	editations are current to dete, return the signed Cha	method, enalyte & accreditation compliance upon o ples must be shipped back to the Eurofins Environm reditations are current to date return the signed Cha					× × ×	3000	Jeffell diterent (1) Joanna III. SM5210B_CBOI 2540D/ Solids, T 350.1/ Ammonia 353.2/ Nitrogen,	DCeI/B Total S Nitros	es on OD_Prouspend uspend gen	(ir)) ep CB(led (TS	OD 38)	**************************************		Analy	Texas	Patel@et.eurofinsus.co	Patei, Anita	
CCC No: 520-9055.1 Page: Page: Page 1 of 1 Job #: 820-12485-1 Preservation Cod A HCL B Nach C Zn Acette Nitric Acid E Na-1504 F Mech G Amchor H Ascorbic Acid I to J Di Water K EDTA L EDA Special In	Date/Time	Date/Time:	Date/Time:	Method of Shipment	quirements:	nay be assessed if samples are Disposal By Lab	in of Custody attesting to said compliance	ur subcontract taboratories. This sample s ent Testing South Central, LLC laboratory in of Custody attesting to said compliance.					×		365.1_NP/ Phos SM4500_H+/ pH 2540C_Calcd/ S	and T	s, Total empera Total D	ture	(TD	s)					Camer I racking No(s):	RCM-D
les: N Hexar N Hexa	16 0's					retained longer than 1 month) Archive For Mon	to Eurofins Environment Testin	shipment is forwarded under cha or other instructions will be pro- to Funding Engagement Testing		Wing of							£ EDA	I loe J DI Water	Amchlor Ascorbic Acid	D Nitric Acid E NaHSO4	B NaOH C Zn Acetate	eservation Code	Job# 820-12485-1	Page: Page 1 of 1	620-9056.1	

Login Sample Receipt Checklist

Client: Parkhill Smith & Cooper Inc.

Job Number: 820-12485-1

Login Number: 12485 List Source: Eurofins Lubbock

List Number: 1

Creator: Triplett, Colby

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information	True	
s the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

2

3

4

6

0

3

11

12

Login Sample Receipt Checklist

Client: Parkhill Smith & Cooper Inc. Job Number: 820-12485-1

Login Number: 12485
List Source: Eurofins Houston
List Number: 2
List Creation: 03/18/24 12:46 PM

Creator: Grandits, Corey

Answer	Comment
N/A	
N/A	
True	
True	Water present in cooler; indicates evidence of melted ice.
False	Cooler temperature outside required temperature criteria.
True	
False	Due to FedEx delay, BOD was received out of hold
True	
	N/A N/A True True False True True True True True True True Tru

2

6

8

9

11

12

Appendix G


Groundwater Quality

Groundwater Quality Report

The impact on groundwater is estimated to be very minimal, if at all. The groundwater quality assessment for the evaporation pond indicates that there are no signs of leakage, as evidenced by stable and expected levels of key water quality parameters in nearby monitoring wells. Parameters such as pH, electrical conductivity, total dissolved solids, and concentrations of major ions (e.g., chloride, sulfate, nitrate) remain within their baseline ranges, consistent with historical data prior to the pond's establishment. Furthermore, no unusual contaminants or significant changes in groundwater levels have been detected, confirming the structural integrity of the pond and its effective containment measures. Thus, the evaporation pond is functioning as intended without negatively impacting the surrounding groundwater quality.

Appendix H

Well Map



Parkhill

Permit Renewal

City of Whiteface 404 N Filmore St Whiteface, TX 79379

Appendix H -Well Map

lssne:

Renewal 05/28/2024

Date:

Parkhill.com

Project No: Sheet:

41949.23 1 of 1

STATE OF TEXAS WELL REPORT for Tracking #78539

Owner: Emi Family Limited Owner Well #: No Data

Address: P. O. Box 2307 Grid #: 24-28-1

Lubbock, TX 79458

Well Location: 2 mi East on 214-1 mi S.

Latitude: 33° 36' 34" N

Whiteface, TX 79379 Longitude: 102° 36' 01" W

Well County: Hockley Elevation: No Data

Type of Work: New Well Proposed Use: Irrigation

Drilling Start Date: 3/2/2004 Drilling End Date: 3/9/2004

Borehole:

Diameter (in.)
Top Depth (ft.)
Bottom Depth (ft.)

10

16.5 10 198

Drilling Method: Mud (Hydraulic) Rotary

Borehole Completion: Straight Wall

Annular Seal Data:

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

10

Seal Method: **Truck** Distance to Property Line (ft.): **No Data**

Sealed By: **Driller** Distance to Septic Field or other

concentrated contamination (ft.): No Data

Distance to Septic Tank (ft.): No Data

Method of Verification: No Data

Surface Completion: Surface Slab Installed

Water Level: No Data

Packers: No Data

Type of Pump: No Data

Well Tests: No Test Data Specified

Water Quality:

Strata Depth (ft.)	Water Type
No Data	No Data

Chemical Analysis Made: No

Did the driller knowingly penetrate any strata which contained injurious constituents?:

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: Gilco Drilling Company

701 East Grant Morton, TX 79346

Driller Name: Dub Allen Gilliam License Number: 2165

Comments: \$dfs

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

No

Top (ft.)	Bottom (ft.)	Description
0	4	Top Soil
4	31	Caliche and Clay
31	47	Rock Ledges and Soft Sandstone
47	137	Sand and Soft Sandstone
137	147	Hard Rock
147	168	Sandy Clay and Soft Sandstone
168	193	Sand and Gravel
193	198	Yellow and Blue Clay

Dia. (in.)	New/Used	Туре	Setting From/To (ft.)			
12 3/4 New Steel +2 158 188						
12 3/4 New Perf. 158 198 188						

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Texas Department of Licensing and Regulation P.O. Box 12157 Austin, TX 78711 (512) 334-5540

STATE OF TEXAS WELL REPORT for Tracking #178774

Owner: Eric Silhan Owner Well #:

Address: **304 E Grant** Grid #: **24-28-1**

Morton, TX 79346 Latitude:

league 62 Labor 23 Whiteface, TX 79379 Longitude: 102° 36' 43" W

Well County: Cochran Elevation: No Data

Type of Work: New Well Proposed Use: Irrigation

Drilling Start Date: 5/8/2009 Drilling End Date: 5/11/2009

 Diameter (in.)
 Top Depth (ft.)
 Bottom Depth (ft.)

 Borehole:
 12
 0
 240

Drilling Method: Mud (Hydraulic) Rotary

Borehole Completion: Straight Wall

Well Location:

Annular Seal Data:

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

12 cement

Seal Method: **ready mix**Distance to Property Line (ft.): **66**

Sealed By: **Driller**Distance to Septic Field or other

concentrated contamination (ft.): **none**

Distance to Septic Tank (ft.): No Data

33° 36' 11" N

Method of Verification: gps

Surface Completion: Unknown

Water Level: No Data

Packers: No Data

Type of Pump: No Data

Well Tests: No Test Data Specified

Water Quality:

No Data

Water Type

No Data

Chemical Analysis Made: No

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: Pearson Drilling

RT 2 Box 130

Seminole, TX 79360

Driller Name: Tobias Peters License Number: 56068

Comments: No Data

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

From (ft) To (ft)	Description
0-5 topsoil	
5-25 caliche	
25-47 sand	
47-55 sandstone	
55-113 sand	
113- 121 rock	
121-185 sand	
185-226 sand and gr	avel
226-236 red sand an	d gravel
236-240 blue clay	

Dia. (in.)	New/Used	Туре	Setting From/To (ft.)				
8 5/8 new steel 0 - 160 .188							
new 160 - 240 3/8							

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Texas Department of Licensing and Regulation P.O. Box 12157 Austin, TX 78711 (512) 334-5540

STATE OF TEXAS WELL REPORT for Tracking #208779

Owner: City of Whiteface Owner Well #: No Data

Address: 105 West 2nd Street Grid #: 24-28-1

Whiteface, TX 79379

Latitude: 33° 36' 30" N

Well Location: 3/4 mi North
Whiteface, TX Longitude: 102° 36' 32" W

Well County: Cochran Elevation: No Data

Type of Work: New Well Proposed Use: Monitor

Drilling Start Date: 3/12/2009 Drilling End Date: 3/13/2009

Diameter (in.) Top Depth (ft.) Bottom Depth (ft.)

Borehole: 13 0 10

7.875 10 188

Drilling Method: Mud (Hydraulic) Rotary

Borehole Completion: Filter Packed

Top Depth (ft.) Bottom Depth (ft.) Filter Material Size

Filter Pack Intervals: 88 188 Gravel 00

Annular Seal Data:

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

5 sks

Seal Method: Mixer Distance to Property Line (ft.): excess

Sealed By: **Frontier Pump**Distance to Septic Field or other concentrated contamination (ft.): **50**

Distance to Septic Tank (ft.): No Data

Method of Verification: Tape / Owner

Surface Completion: Alternative Procedure Used

Water Level: No Data

Packers: No Data

Type of Pump: No Data

Well Tests: No Test Data Specified

Water Quality:

No Data

Water Type

No Data

Chemical Analysis Made: No

Did the driller knowingly penetrate any strata which

contained injurious constituents?: No

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: Gilco Drilling Co.

701 E. Grant Ave. Morton, TX 79346

Driller Name: Dub Allen Gilliam License Number: 2165

Comments: \$mew

TWDB SW #24-28-109 Doc Jones 1/24/2010

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

Top (ft.)	Bottom (ft.)	Description
0	2	Top Soil
2	25	Caliche & Clay
25	35	Rock & Rock Ledges
35	109	Sand & Soft Sandstone
109	163	Sand & Sandy Clay (Some Sandstone)
163	184	Sand & Gravel
184	188	Yellow & Light Blue Clay

Dia. (in.)	New/Used	Type	Setting From/To (ft.)				
5 New Plastic +2 - 168 160#							
5 New Perf .035 168 - 188 200#							

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Texas Department of Licensing and Regulation P.O. Box 12157 Austin, TX 78711 (512) 334-5540

STATE OF TEXAS WELL REPORT for Tracking #317549

Owner: Richard Slaughter Owner Well #: No Data

Address: 5610 83rd. lane Grid #: 24-28-1

lubbock, TX 79424

Latitude: 33° 36' 16" N

Longitude: 102° 36' 48" W

Well County: Cochran Elevation: No Data

Type of Work: New Well Proposed Use: Irrigation

Drilling Start Date: 3/5/2013 Drilling End Date: 3/6/2013

 Diameter (in.)
 Top Depth (ft.)
 Bottom Depth (ft.)

 Borehole:
 14
 0
 235

Drilling Method: Mud (Hydraulic) Rotary

No Data

Borehole Completion: Straight Wall

Well Location:

Annular Seal Data:

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

15

Seal Method: water Distance to Property Line (ft.): No Data

Sealed By: **Abe Neufeld** Distance to Septic Field or other

concentrated contamination (ft.): No Data

Distance to Septic Tank (ft.): No Data

Method of Verification: No Data

Surface Completion: Unknown

Water Level: No Data

Packers: No Data

Type of Pump: No Data

Well Tests: No Test Data Specified

Water Quality:

No Data

Water Type

No Data

Chemical Analysis Made: No

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: MONTE MOORE DRILLING

1313 N.HWY.137 LAMESA, TX 79331

Driller Name: Abraham Neufeld License Number: 58699

Comments: No Data

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

From (ft) To (ft) Description	Dia. (in.) New/Used Type Setting From/To (ft.)
0-2 top soil	8 5/8 new steel blank 0-135
2-31 caliche	perf 135-235 5 rows 3/8"
31-55 sandy clay	
55-76sandy clay broken rock	
76-157 sandy clay	
157-230 sand gravel	
230-235 yellow clay	

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Texas Department of Licensing and Regulation P.O. Box 12157 Austin, TX 78711 (512) 334-5540

STATE OF TEXAS WELL REPORT for Tracking #325648

Owner: **City Bank Trust EMI Family Ltd** No Data

24-28-1

Domestic

Address: PO Box 2307

Lubbock, TX 79408

Owner Well #:

Grid #:

Well Location: 1/10 mi N

Latitude: 33° 36' 15" N

Whiteface, TX

Longitude: 102° 36' 37" W

Well County: Cochran Elevation: No Data

Type of Work: **New Well** Proposed Use:

Drilling Start Date: 12/9/2011 Drilling End Date: 12/11/2011

Borehole:

Diameter (in.)	Top Depth (ft.)	Bottom Depth (ft.)
13	0	10
8.75	10	205

Drilling Method: Mud (Hydraulic) Rotary

Borehole Completion: **Filter Packed**

Filter Pack Intervals:

Annular Seal Data:

Top Depth (ft.)	Bottom Depth (ft.)	Filter Material	Size
100	205	Gravel	00

Top Depth (ft.)	Bottom Depth (ft.)	Description (number of sacks & material)
0	10	13 sk cement

Seal Method: Wheel barrel

Distance to Property Line (ft.): 100

Sealed By: Gilco Drilling

Distance to Septic Field or other concentrated contamination (ft.): 200

Distance to Septic Tank (ft.): No Data

Method of Verification: owner

Surface Completion: Alternative Procedure Used

Water Level: No Data

Packers: No Data

No Data Type of Pump:

Well Tests: No Test Data Specified Water Quality:

Strata Depth (ft.)	Water Type
No Data	No Data

Chemical Analysis Made: No

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: Gilco Drilling Company

701 E Grant Ave Morton, TX 79346

Driller Name: Dub Allen Gilliam License Number: 2165

Comments: ^mjl

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Top (ft.) Bottom (ft.) Description 0 5 top soil 5 39 caliche, clay & sand 39 48 rock & rock ledges sand & soft sandstone (rock 48 **73** ledges) sand & soft sandstone (some **73** 132 sandy clay) sand & soft sandstone (rock 132 144 ledges) 144 151 rock 151 179 sand & sandy clay 179 200 sand & gravel 200 205 yellow & light blue clay

Casing: BLANK PIPE & WELL SCREEN DATA

Dia. (in.) New/Used	Туре	Setting From/To (ft.)			
6 New Plastic 2 above-185 160#					
6 New Perf.035 185-205 200#					

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Texas Department of Licensing and Regulation P.O. Box 12157 Austin, TX 78711 (512) 334-5540



July 19, 2024

Savannah Jackson Applications Review and Processing Team (MC148) Water Quality Division Texas Commission of Environmental Quality P.O. Box 13087 Austin, TX 78711-3087

Re: Application to Renew Permit No. WQ0010314001

City of Whiteface (CN600678445)

City of Whiteface WWTP (RN101917474), Renewal

Dear Ms. Jackson:

We have received the Notice of Deficiency letter on the above referenced application in your e-mail dated July 16, 2024, and provide the following response.

 Comment: The Plain Language Summary currently contains the wrong CN number (CN60678445). Please provide a Plain Language Summary with the corrected information (CN600678445). Please use the attached Plain Language Summary (PLS) Template to provide the PLS in a Microsoft Word Document.

Response: As requested, a word version of the PLS will be provided via email.

 Comment: Core Data Form, Section V: The Authorized Signature is insufficient because it is not signed or dated. Please submit a corrected Core Data Form that contains a handwritten signature.

Response: The signature pages have been accounted for per our conversation.

 Comment: Administrative Report 1.0, Section 14: The signature page is insufficient because it is not filled out. Please submit an updated signature page that contains a notarized handwritten signature

Response: The signature pages have been accounted for per our conversation.

Comment: The following is a portion of the NORI which contains information relevant to your application. Please read it carefully and indicate if it contains any errors or omissions. The complete notice will be sent to you once the application is declared administratively complete. APPLICATION. City of Whiteface, P.O. Box 248, Whiteface, Texas 79379, has applied to the Texas Commission on Environmental Quality (TCEQ) to renew Texas Land Application Permit (TLAP) No. WQ0010314001 to authorize the disposal of treated wastewater at a volume not to exceed a daily average flow of 35,000 gallons per day via evaporation. The domestic wastewater treatment facility and disposal area are located approximately 2,500 feet northeast of the intersection of Farm-to-Market Road 1780 and State Highway 114, near the City of Whiteface, in Cochran County, Texas 79379. TCEQ received this application on July 8, 2024. The permit application will be available for viewing and copying at Whiteface City Hall, 404 North Fillmore Street, Whiteface, in Cochran County, Texas prior to the date this notice is published in the newspaper. The application, including any updates, and associated notices are available electronically at the following webpage:

https://www.tceq.texas.gov/permitting/wastewater/pendingpermits/tlap-applications. This link to

an electronic map of the site or facility's general location is provided as a public courtesy and not part of the application or notice. For the exact location, refer to the application. https://gisweb.tceq.texas.gov/LocationMapper/?marker=- 102.608333,33.608888&level=18 Further information may also be obtained from City of Whiteface at the address stated above or by calling Ms. Belinda Terrell, City Secretary, at 806.287.1111.

Response: All information above is correct.

Thank you for reviewing the submitted application. If you have any questions or would like to discuss them further, please feel free to call me at 806.473.3715.

Sincerely,

PARKHILL

Civil Engineer

PK/kh/pp

Enclosure: Plain Language Summary

Plain Language Summary Template and Instructions for Texas Pollutant Discharge Elimination System (TPDES) and Texas Land Application (TLAP) Permit Applications

ENGLISH TEMPLATE FOR TPDES or TLAP NEW/RENEWAL/AMENDMENT APPLICATIONS

DOMESTIC WASTEWATER

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 Texas Administrative Code Chapter 39. The information provided in this summary may change during the technical review of the application and are not federal enforceable representations of the permit application.

City of Whiteface (CN600678445) operates City of Whiteface Wastewater Treatment Plant (RN101917474). a domestic wastewater treatment facility. The facility is located at approximately 2,500 feet northeast of the intersection of HWY 114 and FM 1780, in Whiteface, Cochran County, Texas 79379.

This application request is for a standard renewal without changes to municipal wastewater TLAP permit WQ0010314001. This permit will not authorize a discharge of pollutants into water in the state.

Discharges from the facility are expected to contain CBOD₅ and pH. Treated domestic sewage effluent is treated by a treatment facility consisting of a facultative lagoon and three storage/evaporation ponds.

INSTRUCTIONS

- 1. Enter the name of applicant in this section. The applicant name should match the name associated with the customer number.
- 2. Enter the Customer Number in this section. Each Individual or Organization is issued a unique 11-digit identification number called a CN (e.g. CN123456789).
- 3. Choose "operates" in this section for existing facility applications or choose "proposes to operate" for new facility applications.
- 4. Enter the name of the facility in this section. The facility name should match the name associated with the regulated entity number.
- 5. Enter the Regulated Entity number in this section. Each site location is issued a unique 11-digit identification number called an RN (e.g. RN123456789).
- 6. Choose the appropriate article (a or an) to complete the sentence.
- 7. Enter a description of the facility in this section. For example, a domestic permit might specify: city ISD, MUD, etc.
- 8. Choose "is" for an existing facility or "will be" for a new facility.
- 9. Enter the location of the facility in this section.
- 10. Enter the City nearest the facility in this section.
- 11. Enter the County nearest the facility in this section.
- 12. Enter the zip code for the facility address in this section.
- 13. Enter a summary of the application request in this section. For example: renewal to discharge 25,000 gallons per day of treated domestic wastewater, new application to discharge process wastewater and stormwater on an intermittent and flow-variable basis, major amendment to reduce monitoring frequency for pH, etc. If more than one outfall is included in the application, provide applicable information for each individual outfall.
- 14. List all pollutants expected in the discharge from this facility in this section. If applicable, refer to the pollutants from any federal numeric effluent limitations that apply to your facility.
- 15. Enter the discharge types from your facility in this section (e.g., domestic wastewater.)
- 16. Choose the appropriate verb tense to complete the sentence.
- 17. Enter a description of the wastewater treatment used at your facility. Include a description of each process, starting with initial treatment and finishing with the outfall/point of disposal. Use additional lines for individual discharge types if necessary.

Examples

Example 1: Domestic Wastewater TPDES Renewal application

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30

Texas Administrative Code Chapter 39. The information provided in this summary may change during the technical review of the application and are not federal enforceable representations of the permit application.

The City of Texas (CN000000000) operates the City of Texas wastewater treatment plant (RN00000000), an activated sludge process plant operated in the complete mix mode. The facility is located at 123 Texas Street, near the City of More Texas, Texas County, Texas 71234.

This application is for a renewal to discharge at an annual average flow of 1,200,000 gallons per day of treated domestic wastewater via Outfalls 001 and 002.

Discharges from the facility are expected to contain five-day carbonaceous biochemical oxygen demand ($CBOD_5$), total suspended solids (TSS), ammonia nitrogen (NH_3 -N), and *Escherichia coli*. Additional potential pollutants are included in the Domestic Technical Report 1.0, Section 7. Pollutant Analysis of Treated Effluent and Domestic Worksheet 4.0 in the permit application package. Domestic wastewater is treated by an activated sludge process plant and the treatment units include a bar screen, a grit chamber, aeration basins, final clarifiers, sludge digesters, a belt filter press, chlorine contact chambers and a dechlorination chamber.

Example 2: TPDES New Application

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 Texas Administrative Code Chapter 39. The information provided in this summary may change during the technical review of the application and are not federal enforceable representations of the permit application.

The City of Texas (CN000000000) proposes to operate the City of Texas wastewater treatment plant (RN00000000), an activated sludge process plant operated in the extended aeration mode. The facility will be located at 123 Texas Street, in the City of More Texas, Texas County, Texas 71234.

This application is for a new application to discharge at a daily average flow of 200,000 gallons per day of treated domestic wastewater.

Discharges from the facility are expected to contain five-day carbonaceous biochemical oxygen demand (CBOD₅), total suspended solids (TSS), ammonia nitrogen (NH₃-N), and *Escherichia coli*. Additional potential pollutants are included in the Domestic Technical Report 1.0, Section 7. Pollutant Analysis of Treated Effluent in the permit application package. Domestic wastewater will be treated by an activated sludge process plant and the treatment units will include a bar screen, a grit chamber, aeration basins, final clarifiers, sludge digesters, a belt filter press, chlorine contact chambers and a dechlorination chamber.

Example 3: TLAP Renewal application

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 Texas Administrative Code Chapter 39. The information provided in this summary may

change during the technical review of the application and are not federal enforceable representations of the permit application.

The City of Texas (CN0000000000) operates the City of Texas wastewater treatment plant (RN00000000), an activated sludge process plant operated in the complete mix mode. The facility is located at 123 Texas Street, near the City of More Texas, Texas County, Texas 71234.

This application is for a renewal to dispose a daily average flow not to exceed 76,500 gallons per day of treated domestic wastewater via public access subsurface drip irrigation system with a minimum area of 32 acres. This permit will not authorize a discharge of pollutants into water in the state.

Land application of domestic wastewater from the facility are expected to contain five-day biochemical oxygen demand (BOD₅), total suspended solids (TSS), and *Escherichia coli*. Additional potential pollutants are included in the Domestic Technical Report 1.0, Section 7. Pollutant Analysis of Treated Effluent in the permit application package. Domestic wastewater is treated by an activated sludge process plant and the treatment units include a bar screen, an equalization basin, an aeration basin, a final clarifier, an aerobic sludge digester, tertiary filters, and a chlorine contact chamber. In addition, the facility includes a temporary storage that equals to at least three days of the daily average flow.

RE: Application to Renew Permit No. WQ0010314001 - Notice of Deficiency Letter

Paul Krueger < PKrueger@Parkhill.com >

Fri 7/19/2024 11:46 AM

To:Savannah Jackson <Savannah.Jackson@tceq.texas.gov>;whiteface5@aol.com <whiteface5@aol.com>Cc:Erwin Madrid <Erwin.Madrid@tceq.texas.gov>;Kyra Heinisch <kheinisch@parkhill.com>

2 attachments (120 KB)

City of Whiteface Permit Renewal Letter.pdf; Municipal TPDES and TLAP PLS Form (1).docx;

Good Morning Ms. Jackson,

Thank you for helping us with the signature pages. We will be sure to include them on future electronic submissions.

Please find the attached response to your Notice of Deficiency letter, including a Microsoft Word version of the updated PLS. If you have any questions or need anything else, please let

Paul Krueger PE

Civil Enginee

Parkhill

806.473.3715 | Parkhill.com

From: Savannah Jackson <Savannah.Jackson@tceq.texas.gov>

Sent: Wednesday, July 17, 2024 11:20 AM

To: Paul Krueger < PKrueger@Parkhill.com>; whiteface5@aol.com

Cc: Erwin Madrid < Erwin. Madrid@tceq.texas.gov>

Subject: Re: Application to Renew Permit No. WQ0010314001 - Notice of Deficiency Letter

Good Morning,

I went ahead and scanned in the paper signatures, so you are good to go on Items 2 and 3 on the Notice of Deficiency letter. Just so you know for future submissions, including the signatures in your electronic submission would be greatly appreciated!

Thanks,



Savannah Jackson

Texas Commission on Environmental Quality

Water Quality Division

512-239-4306

savannah.jackson@tceq.texas.gov

From: Paul Krueger < PKrueger@Parkhill.com >

Sent: Wednesday, July 17, 2024 9:00 AM

To: Savannah Jackson <<u>Savannah.Jackson@tceq.texas.gov</u>>; <u>whiteface5@aol.com</u> <<u>whiteface5@aol.com</u> <

Cc: Erwin Madrid < Frwin.Madrid@tceq.texas.gov>

Subject: RE: Application to Renew Permit No. WQ0010314001 - Notice of Deficiency Letter

Good morning Ms. Jackson,

I have a question in regard to comments 3 and 4 of the Notice of Deficiency. The original application was submitted via mail and should have contained handwritten signatures. After the application was submitted, we were asked to submit a copy of the application online as a courtesy for review. The online version did not have signatures because they had already been submitted via mail. Is there any way you can check the original mailed application submittal for the signature pages, and let me know if they are sufficient?

I will continue to gather remaining information requested in your NOD for a complete response. Please let me know if we will need to provide signature pages or if they were able to be located with the original submission.

Thank you,

Paul Krueger, PE

Civil Engineer

Parkhill

806.473.3715 | Parkhill.com

From: Savannah Jackson < Savannah. Jackson@tceq.texas.gov >

Sent: Tuesday, July 16, 2024 4:32 PM

To: whiteface5@aol.com

Cc: Paul Krueger < PKrueger@Parkhill.com >; Erwin Madrid < Erwin.Madrid@tceq.texas.gov >

Subject: Application to Renew Permit No. WQ0010314001 - Notice of Deficiency Letter

Dear Ms. Belinda Terrell,

The attached Notice of Deficiency letter sent on July 16, 2024, requests additional information needed to declare the application administratively complete. Please send the complete response to my attention by July 30, 2024.

Thank you,



Savannah Jackson

Texas Commission on Environmental Quality Water Quality Division 512-239-4306 savannah.jackson@teeq.texas.gov

This email has been scanned for spam and viruses by Proofpoint Essentials. Click <u>here</u> to report this email as spam.

This email has been scanned for spam and viruses by Proofpoint Essentials. Click <u>here</u> to report this email as spam.

Section 14. Signature Page (Instructions Page 34)

If co-applicants are necessary, each entity must submit an original, separate signature page.

Permit Number: WQ0010314001

Applicant: City of Whiteface

Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

I further certify that I am authorized under 30 Texas Administrative Code § 305.44 to sign and submit this document, and can provide documentation in proof of such authorization upon request.

Signatory name (typed or printed): <u>James Soliz</u>
Signatory title: <u>Mayor</u>
Signature:
(Use blue ink)
Subscribed and Sworn to before me by the said \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
on this day of June 20 24.
My commission expires on the day of day of day of 26.
JOEL ALVAREZ MY COMMISSION EXPIRES DECEMBER 11, 2026 NOTARY ID: 130051600 [SEAL]
County, Texas

☐ Dam Safety		Districts	Edwards Aquifer		Emissions Inv	entory Air	Industrial Hazardous Waste
☐ Municipal Soli	id Waste	New Source Review Air	OSSF		Petroleum Sto	orage Tank	PWS
Sludge		Storm Water	☐ Title V Air		Tires		Used Oil
☐ Voluntary Cle	anup	⊠ Wastewater	☐ Wastewater Agricul	lture 🔲	Water Rights		Other:
		WQ0010314001					
SECTION	IV: Pr	eparer Inf	<u>ormation</u>				
40. Name: P	Paul Krueger, P	E		41. Title:	Civil Enginee	er	
42. Telephone N	umber	43. Ext./Code	44. Fax Number	45. E-Mail A	Address		
(806) 473-3715			() -	pkrueger@Pa	arkhill.com		
SECTION	V: Au	thorized S	<u>ignature</u>				
			owledge, that the informati				e, and that I have signature authority ntified in field 39.
Company:	City of W	hiteface		Job Title:	Mayor		
Name (In Print):	James So	liz				Phone:	(806) 287- 1111
Signature:	()a	m July				Date:	6-11-24

TCEQ-10400 (11/22) Page 3 of 3

TCEQ Telephone Memorandum

To: Paul Krueger, P.E.

Phone Number: 806-473-3715

From: April Hoh, P.G.

Date: October 23, 2024

Subject: City of Whiteface, WQ10314001, Groundwater Monitoring Data

Called Mr. Krueger to see if he had located groundwater monitoring data required by special provision 9. He said they were still trying to find the reports.

I will recommend adding language to the permit that requires the previous 10 years of data to be submitted to the TCEQ within 30 days of permit issuance. Should the City provide the data before the permit is issued, I will update my recommendation memo.

From: Paul Krueger
To: April Hoh

Subject: RE: WQ0010314-001 City of Whiteface--follow up Date: Wednesday, November 6, 2024 11:06:18 AM

Attachments: MW-1 1887.pdf

MW-2 1822.pdf MW-4 2234.pdf

Morning April,

Here is the summarized information we have gathered for the groundwater monitoring samples. If you need me to send the actual lab reports let me know as it will likely need to be sent through our information exchange server due to size.

Thank you for your patience while we were compiling this information.

Paul Krueger, PE

Civil Engineer

Parkhill

806.473.3715 | Parkhill.com

From: April Hoh <april.hoh@tceq.texas.gov>
Sent: Tuesday, October 29, 2024 2:40 PM
To: Paul Krueger <PKrueger@Parkhill.com>

Subject: RE: WQ0010314-001 City of Whiteface--follow up

Great! Thanks for the update.

From: Paul Krueger < PKrueger@Parkhill.com Sent: Tuesday, October 29, 2024 1:46 PM
To: April Hoh april.hoh@tceq.texas.gov>

Subject: RE: WQ0010314-001 City of Whiteface--follow up

Hi April,

Just wanted to let you know we found records of the testing and are sorting through them now. I will send you the information once we get it organized and have everything accounted for.

Thank you,

Paul Krueger, PE

Civil Engineer

Parkhill

806.473.3715 | Parkhill.com

From: April Hoh <april.hoh@tceq.texas.gov>
Sent: Friday, October 25, 2024 11:11 AM
To: Paul Krueger < PKrueger@Parkhill.com>

Subject: RE: WQ0010314-001 City of Whiteface--follow up

Hi, Paul,

Fortunately, I do have a copy of the groundwater monitoring plan and approval letter. Please see attached.

Thanks, April

From: Paul Krueger < PKrueger@Parkhill.com Sent: Friday, October 25, 2024 10:51 AM To: April Hoh April Hoh <a href="mailto:April.hoh@tceq.tex

Subject: RE: WQ0010314-001 City of Whiteface--follow up

Good morning April,

I asked the City yesterday and they are currently searching for them. I suggested we check in with the lab to see if they kept any records, but the lab needs more information about the samples. I do not have a copy of the groundwater monitoring plan. Is there any chance you have a copy?

Paul Krueger, PE

Civil Engineer

Parkhill

806.473.3715 | Parkhill.com

From: April Hoh <april.hoh@tceq.texas.gov>
Sent: Friday, October 25, 2024 9:19 AM
To: Paul Krueger < PKrueger@Parkhill.com>

Subject: WQ0010314-001 City of Whiteface--follow up

Paul.

Good morning. I am checking in to see if you had any luck with getting ahold of the City to see if they have groundwater monitoring reports available. Any news to share?

Thanks, April April Hoh, P.G.

Water Quality Assessment Team/Water Quality Division Texas Commission on Environmental Quality MC-150 P.O. Box 13087 Austin, TX 78711-3087

512-239-3567

This email has been scanned for spam and viruses by Proofpoint Essentials. Click <u>here</u> to report this email as spam.

This email has been scanned for spam and viruses by Proofpoint Essentials. Click <u>here</u> to report this email as spam.

Well #1887	May 09, 2014	Sep. 12, 2014	May 29, 2015	Oct. 06, 2015	Sep. 08, 2016	May 04, 2017	Sep. 29, 2017	Apr. 26, 2018	Aug. 15, 2018	Sep. 06, 2019	Apr. 21, 2020
Total Nitrogen (mg/L)	<10	<10	-	<10	<10	<0.3	3.76	<0.3	<0.05	<0.05	<0.0614
Nitrate Nitrogen (mg/L)	5	7.16	-	11.4	10.9	•	7.59	9.12	9.58	9.52	9.91
Ammonia Nitrogen (mg/L)	<1	<1	-	<1	<1	<0.1	<0.1	<0.1	<0.0345	<0.0345	<0.0345
Phosphrous (mg/L)	<0.5	<0.5	-	<0.5	<0.5		-	•	0.0069	0.0038	<0.0052
Total Dissolved Solids (mg/L)	1480	1470	-	1260	1190	1390	1290	-	1180	1240	1280
Chloride (mg/L)	460	343	-	373	320	361	333	350	341	334	306
Sodium (mg/L)	85.5	92.2	-	98.4	101	95.6	92.9	94.6	106	101	110
Iron (mg/L)	2.84	<0.01	-	<0.01	0.017	0.0251	0.132	<0.2	0.00452	<0.0283	0.0052
Sulfate (mg/L)	263	-	-	213	-	218	217	231	239	250	232
Total Organic Carbon (mg/L)	4.98	-	-	-	-	<1	<1	1.33	1.36	0.853	0.875
Chemical Oxygen Demand (mg/L)	4390	<50	-	<50	<50	<20	-	-	-	<3.36	12
Fecal Coliforms (colonies 100/ml)	<1	8.6	-	Positive	1730	-	-	42	38.8	14.6	30.9

Aug. 25, 2020	Apr. 20, 2021	Aug. 24, 2021	Aug. 09, 2022	Apr. 18, 2023	Aug. 30, 2023	Apr. 24, 2024	Aug. 20, 2024
<0.0614	6.6	5.09	9.1	10.1	9.98	15	15.6
10.1	5.82	4.77	8.02	9.71	9.98	15	15.6
<0.0345	0.26	0.184	0.416	<0.0345	-	-	-
0.0134	0.0296	<0.00959	0.0451	0.036	-	•	-
816	1010	1130	1600	1310	2160	2660	1330
300	292	297	299	273	287	356	288
106	104	109	111	108	91.9	55.3	65.3
<0.0283	1.63	1.84	1.57	<0.0185	0.01	•	-
230	201	203	209	216	194	403	332
0.848	1.56	1.46	<5	0.525	1.7	2.4	2.85
-	-	1	-	1	32	1	12
3.1	>2400	>2400	>2400	9.7	-	-	-

Well #1822	May 09, 2014	Sep. 12, 2014	May 29, 2015	Oct. 06, 2015	Sep. 08, 2016	May 04, 2017	Sep. 29, 2017	Apr. 26, 2018	Aug. 15, 2018	Sep. 06, 2019	Apr. 21, 2020
Total Nitrogen (mg/L)	<10.0	<10	<10	<10	<10	<0.3	0.482	<0.3	<0.05	<0.05	<0.0614
Nitrate Nitrogen (mg/L)	0.89	2.12	1.96	2.35	2.19	1	1.6	2.13	2.44	2.7	3.1
Ammonia Nitrogen (mg/L)	<1	<1	<1	<1	<1	<1	<0.1	<0.1	<0.0345	<0.0345	<0.0345
Phosphrous (mg/L)	<0.5	<0.5	1	<0.5	<0.5	<0.04	-	•	0.006	0.0143	<0.052
Total Dissolved Solids (mg/L)	820	856	792	774	572	768	762	•	754	858	1040
Chloride (mg/L)	168	134	134	161	136	152	147	204	204	211	232
Sodium (mg/L)	57.1	52.2	1	64.5	46.7	48.8	48.4	53	58.9	54.9	62.4
Iron (mg/L)	0.0732	0.069	-	0.063	<0.01	0.241	0.412	<0.2	0.0331	0.0394	0.0121
Sulfate (mg/L)	225	-	1	182		199	174	178	177	174	175
Total Organic Carbon (mg/L)	1.34	-	-	-		<1	<1	1.29	0.766	0.774	1.01
Chemical Oxygen Demand (mg/L)	296	<50	<50	<50	<50	<20	-	-	-	10	8
Fecal Coliforms (colonies 100/ml)	<1	1	Negative	<1	<1	-	-	<1	14.5	<1	<1

Aug. 25, 2020	Apr. 20, 2021	Aug. 24, 2021	Aug. 09, 2022	Apr. 18, 2023	Aug. 30, 2023	Apr. 24, 2024	Aug. 20, 2024
<0.0614	3.85	4.05	3.58	5.19	5.1	5.98	6.06
3.53	-	4.05	3.21	4.59	5.1	5.98	6.06
<0.0345	<0.0345	<0.0345	<0.0345	0.0464	-	1	-
0.0104	0.0157	<0.00959	0.0096	0.0449	-	1	-
940	1060	929	1280	1390	2290	2270	1422
276	-	302	282	362	335	386	307
62	57.9	62.2	61.7	66.7	66	56.5	50.4
0.697	<0.0283	<0.0283	0.0195	<0.0185	-	1	-
182	-	187	186	216	201	50	213
0.676	1.88	0.749	0.616	<0.5	1.8	2.6	2.3
-	-	•	-	1	34	18	11
23.3	<1	6.3	<1	<1	-	-	-

Well #2234	May 09, 2014	Sep. 12, 2014	May 29, 2015	Oct. 06, 2015	Sep. 08, 2016	May 04, 2017	Sep. 29, 2017	Apr. 26, 2018	Aug. 15, 2018	Sep. 06, 2019	Apr. 21, 2020
Total Nitrogen (mg/L)	<10	<10	<10	-	<10	<0.3	<0.1	<0.3	<0.05	<0.05	<0.0614
Nitrate Nitrogen (mg/L)	4.13	2.76	3.31	-	5.05	•	3.83	5.8	5.71	6.1	3.74
Ammonia Nitrogen (mg/L)	<1	<1	<1	-	<1	<0.1	<0.1	<0.1	<0.0345	<0.0345	<0.0345
Phosphrous (mg/L)	<0.5	<0.5	1	-	<0.5	<0.04	-	•	0.0091	0.0069	<0.0052
Total Dissolved Solids (mg/L)	1150	1040	1050	-	1110	958	1020	•	907	1100	1020
Chloride (mg/L)	278	213	207	-	290	198	189	323	304	293	209
Sodium (mg/L)	72.9	64.6	1	-	66.3	60.6	64.4	66.1	71.2	68.4	68.3
Iron (mg/L)	0.338	<0.01	1	-	0.015	0.637	0.0366	<0.2	0.008	<0.0283	0.0123
Sulfate (mg/L)	267	-	1	-	-	269	268	237	276	274	242
Total Organic Carbon (mg/L)	2.23	-	1	-	-	<1	<1	<1	1.53	0.936	0.74
Chemical Oxygen Demand (mg/L)	<50	<50	<50	-	<50	<20	-	-	1	6	<3.36
Fecal Coliforms (colonies 100/ml)	1410	17.3	Positive	-	12.2	-	-	<1	<1	<1	<1

Aug. 25, 2020	Apr. 20, 2021	Aug. 24, 2021	Aug. 09, 2022	Apr. 18, 2023	Aug. 30, 2023	Apr. 24, 2024	Aug. 20, 2024
<0.0614	8.49	-	11.3	11.8	8.54	14.8	10.9
6.97	8.33	-	11.3	11.4	8.54	14.8	10.9
<0.0345	< 0.0345	-	< 0.0345	<0.0345	-	-	-
0.0114	0.0104	-	0.0644	0.0427	-	•	-
950	1160	-	2380	1640	2290	3000	1160
300	352	-	562	368	401	443	373
69.7	72.8	-	95.1	82	73.3	69.8	57.3
<0.0283	1.18	-	7.33	0.0431	-	0.719	-
271	305	-	550	413	296	394	302
0.793	1.02	-	0.925	0.614	2	2.6	2.61
-	-	-	-	-	24	21	13
<1	6.3	-	1100	<1	-	-	-



TEXAS COMMISSION ON ENVIRONMENTAL QUALITY P.O. Box 13087 Austin, Texas 78711-3087

This is a renewal of Permit No. WQ0010314001 issued on September 2, 2014.

PERMIT TO DISCHARGE WASTES

under provisions of Chapter 26 of the Texas Water Code

City of Whiteface

whose mailing address is

P.O. Box 248 Whiteface, Texas 79379

Nature of Business Producing Waste: Domestic wastewater treatment operation, SIC Code 4952.

General Description and Location of Waste Disposal System:

Description: The City of Whiteface Wastewater Treatment Facility consists of a facultative lagoon and three storage/evaporation ponds with a combined surface area of 5.0 acres and total volume of 30 acre-feet. The permittee is authorized to disposal of treated domestic wastewater at a daily average flow not to exceed 0.035 million gallons per day (MGD) via evaporation.

Location: The wastewater treatment facility and disposal site are located approximately 2,500 feet northeast of the intersection of State Highway 114 and Farm-to-Market Road 1780, north of the City of Whiteface, in Cochran County, Texas 79379. (See Attachment A.)

Drainage Area: The wastewater treatment facility and disposal site are located in the drainage basin of Double Mountain Fork Brazon River in Segment No. 1241 of the Brazos River Basin. No discharge of pollutants into water in the state is authorized by this permit.

This permit and the authorization contained herein shall expire at midnight on **five years** from the date of issuance.

ISSUED DATE: December 6, 2019

For the Commission

EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

Conditions of the Permit: No discharge of pollutants into water in the state is authorized.

A. Effluent Limitations

Character:

Treated Domestic Sewage Effluent

Volume:

Daily Average Flow – 0.035 MGD from the treatment system

Quality:

The following effluent limitations are required:

	Effluent Concentrations (Not to Exceed)				
	Daily	Single			
<u>Parameter</u>	<u>Average</u>	<u>Grab</u>			
	mg/l	mg/l			
Biochemical Oxygen Demand (5-day)	N/A	100			

The pH shall not be less than 6.0 standard units nor greater than 9.0 standard units.

B. Monitoring Requirements:

<u>Parameter</u>	Monitoring Frequency	<u>Sample Type</u>
Flow	Five/week	Instantaneous
Biochemical Oxygen	One/month	Grab
Demand (5-day)		
pН	One/month	Grab

The monitoring shall be done after the final treatment unit and prior to storage of the treated effluent. If the effluent is land applied directly from the treatment system, monitoring shall be done after the final treatment unit and prior to land application. These records shall be maintained on a monthly basis and be available at the plant site for inspection by authorized representatives of the Commission for at least three years.

STANDARD PERMIT CONDITIONS

This permit is granted in accordance with the Texas Water Code and the rules and other Orders of the Commission and the laws of the State of Texas.

DEFINITIONS

All definitions in Section 26.001 of the Texas Water Code and 30 TAC Chapter 305 shall apply to this permit and are incorporated by reference. Some specific definitions of words or phrases used in this permit are as follows:

1. Flow Measurements

- a. Daily average flow the arithmetic average of all determinations of the daily flow within a period of one calendar month. The daily average flow determination shall consist of determinations made on at least four separate days. If instantaneous measurements are used to determine the daily flow, the determination shall be the arithmetic average of all instantaneous measurements taken during that month. Daily average flow determination for intermittent discharges shall consist of a minimum of three flow determinations on days of discharge.
- b. Annual average flow the arithmetic average of all daily flow determinations taken within the preceding 12 consecutive calendar months. The annual average flow determination shall consist of daily flow volume determinations made by a totalizing meter, charted on a chart recorder and limited to major domestic wastewater discharge facilities with a 1 million gallons per day or greater permitted flow.
- c. Instantaneous flow the measured flow during the minimum time required to interpret the flow measuring device.

2. Concentration Measurements

- a. Daily average concentration the arithmetic average of all effluent samples, composite or grab as required by this permit, within a period of one calendar month, consisting of at least four separate representative measurements.
 - i. For domestic wastewater treatment plants When four samples are not available in a calendar month, the arithmetic average (weighted by flow) of all values in the previous four consecutive month period consisting of at least four measurements shall be utilized as the daily average concentration.
 - ii. For all other wastewater treatment plants When four samples are not available in a calendar month, the arithmetic average (weighted by flow) of all values taken during the month shall be utilized as the daily average concentration.
- b. 7-day average concentration the arithmetic average of all effluent samples, composite or grab as required by this permit, within a period of one calendar week, Sunday through Saturday.
- c. Daily maximum concentration the maximum concentration measured on a single day, by the sample type specified in the permit, within a period of one calender month.

3. Sample Type

- a. Composite sample For domestic wastewater, a composite sample is a sample made up of a minimum of three effluent portions collected in a continuous 24-hour period or during the period of daily discharge if less than 24 hours, and combined in volumes proportional to flow, and collected at the intervals required by 30 TAC § 319.9 (a). For industrial wastewater, a composite sample is a sample made up of a minimum of three effluent portions collected in a continuous 24-hour period or during the period of daily discharge if less than 24 hours, and combined in volumes proportional to flow, and collected at the intervals required by 30 TAC § 319.9 (b).
- b. Grab sample an individual sample collected in less than 15 minutes.
- 4. Treatment Facility (facility) wastewater facilities used in the conveyance, storage, treatment, recycling, reclamation and/or disposal of domestic sewage, industrial wastes, agricultural wastes, recreational wastes, or other wastes including sludge handling or disposal facilities under the jurisdiction of the Commission.
- 5. The term "sewage sludge" is defined as solid, semi-solid, or liquid residue generated during the treatment of domestic sewage in 30 TAC Chapter 312. This includes the solids which have not been classified as hazardous waste separated from wastewater by unit processes.
- 6. Bypass the intentional diversion of a waste stream from any portion of a treatment facility.

MONITORING REQUIREMENTS

1. Monitoring Requirements

Monitoring results shall be collected at the intervals specified in the permit. Unless otherwise specified in this permit or otherwise ordered by the Commission, the permittee shall conduct effluent sampling in accordance with 30 TAC §§ 319.4 - 319.12.

As provided by state law, the permittee is subject to administrative, civil and criminal penalties, as applicable, for negligently or knowingly violating the Texas Water Code, Chapters 26, 27, and 28, and Texas Health and Safety Code, Chapter 361, including but not limited to knowingly making any false statement, representation, or certification on any report, record or other document submitted or required to be maintained under this permit, including monitoring reports, records or reports of compliance or noncompliance, or falsifying, tampering with or knowingly rendering inaccurate any monitoring device or method required by this permit or violating any other requirement imposed by state or federal regulations.

2. Test Procedures

- a. Unless otherwise specified in this permit, test procedures for the analysis of pollutants shall comply with procedures specified in 30 TAC §§ 319.11 319.12. Measurements, tests and calculations shall be accurately accomplished in a representative manner.
- b. All laboratory tests submitted to demonstrate compliance with this permit must meet the requirements of 30 TAC Chapter 25, Environmental Testing Laboratory Accreditation and Certification.

3. Records of Results

- Monitoring samples and measurements shall be taken at times and in a manner so as to be representative of the monitored activity.
- b. Except for records of monitoring information required by this permit related to the permittee's sewage sludge use and disposal activities, which shall be retained for a period of at least five years, monitoring and reporting records, including strip charts and records of calibration and maintenance, copies of all records required by this permit, and records of all data used to complete the application for this permit shall be retained at the facility site, or shall be readily available for review by a TCEQ representative for a period of three years from the date of the record or sample, measurement, report, or application. This period shall be extended at the request of the Executive Director.
- c. Records of monitoring activities shall include the following:
 - date, time and place of sample or measurement;
 - ii. identity of individual who collected the sample or made the measurement.
 - iii. date and time of analysis;
 - iv. identity of the individual and laboratory who performed the analysis;
 - v. the technique or method of analysis; and
 - vi. the results of the analysis or measurement and quality assurance/quality control records.

The period during which records are required to be kept shall be automatically extended to the date of the final disposition of any administrative or judicial enforcement action that may be instituted against the permittee.

4. Additional Monitoring by Permittee

If the permittee monitors any pollutant at the location(s) designated herein more frequently than required by this permit using approved analytical methods as specified above, all results of such monitoring shall be included in determining compliance with permit requirements.

5. Calibration of Instruments

All automatic flow measuring or recording devices and all totalizing meters for measuring flows shall be accurately calibrated by a trained person at plant start-up and as often thereafter as necessary to ensure accuracy, but not less often than annually unless authorized by the Executive Director for a longer period. Such person shall verify in writing that the device is operating properly and giving accurate results. Copies of the verification shall be retained at the facility site and/or shall be readily available for review by a TCEQ representative for a period of three years.

6. Compliance Schedule Reports

Reports of compliance or noncompliance with, or any progress reports on, interim and final requirements contained in any compliance schedule of the permit shall be submitted no later than 14 days following each schedule date to the Regional Office and the Compliance Monitoring Team of the Enforcement Division (MC 224).

7. Noncompliance Notification

- a. In accordance with 30 TAC § 305.125(9), any noncompliance which may endanger human health or safety, or the environment shall be reported by the permittee to the TCEQ. Except as allowed by 30 TAC § 305.132, report of such information shall be provided orally or by facsimile transmission (FAX) to the Regional Office within 24 hours of becoming aware of the noncompliance. A written submission of such information shall also be provided by the permittee to the Regional Office and the Compliance Monitoring Team of the Enforcement Division (MC 224) within five working days of becoming aware of the noncompliance. The written submission shall contain a description of the noncompliance and its cause; the potential danger to human health or safety, or the environment; the period of noncompliance, including exact dates and times; if the noncompliance has not been corrected, the time it is expected to continue; and steps taken or planned to reduce, eliminate, and prevent recurrence of the noncompliance, and to mitigate its adverse effects.
- b. The following violations shall be reported under Monitoring and Reporting Requirement 7.a.:
 - i. Unauthorized discharges as defined in Permit Condition 2(g).
 - ii. Any unanticipated bypass which exceeds any effluent limitation in the permit.
- c. In addition to the above, any effluent violation which deviates from the permitted effluent limitation by more than 40% shall be reported by the permittee in writing to the Regional Office and the Compliance Monitoring Team of the Enforcement Division (MC 224) within 5 working days of becoming aware of the noncompliance.
- d. Any noncompliance other than that specified in this section, or any required information not submitted or submitted incorrectly, shall be reported to the Compliance Monitoring Team of the Enforcement Division (MC 224) as promptly as possible.
- 8. In accordance with the procedures described in 30 TAC §§ 35.301 35.303 (relating to Water Quality Emergency and Temporary Orders) if the permittee knows in advance of the need for a bypass, it shall submit prior notice by applying for such authorization.
- 9. Changes in Discharges of Toxic Substances

All existing manufacturing, commercial, mining, and silvicultural permittees shall notify the Regional Office, orally or by facsimile transmission within 24 hours, and both the Regional Office and the Compliance Monitoring Team of the Enforcement Division (MC 224) in writing within five (5) working days, after becoming aware of or having reason to believe:

- a. That any activity has occurred or will occur which would result in the discharge, on a routine or frequent basis, of any toxic pollutant listed at 40 CFR Part 122, Appendix D, Tables II and III (excluding Total Phenols) which is not limited in the permit, if that discharge will exceed the highest of the following "notification levels":
 - i. One hundred micrograms per liter (100 µg/L);
 - ii. Two hundred micrograms per liter (200 μ g/L) for acrolein and acrylonitrile; five hundred micrograms per liter (500 μ g/L) for 2,4-dinitrophenol and for 2-methyl-

- 4,6-dinitrophenol; and one milligram per liter (1 mg/L) for antimony;
- iii. Five (5) times the maximum concentration value reported for that pollutant in the permit application; or
- iv. The level established by the TCEQ.
- b. That any activity has occurred or will occur which would result in any discharge, on a nonroutine or infrequent basis, of a toxic pollutant which is not limited in the permit, if that discharge will exceed the highest of the following "notification levels":
 - i. Five hundred micrograms per liter (500 μg/L);
 - ii. One milligram per liter (1 mg/L) for antimony;
 - iii. Ten (10) times the maximum concentration value reported for that pollutant in the permit application; or
 - iv. The level established by the TCEO.

10. Signatories to Reports

All reports and other information requested by the Executive Director shall be signed by the person and in the manner required by 30 TAC § 305.128 (relating to Signatories to Reports).

PERMIT CONDITIONS

General

- a. When the permittee becomes aware that it failed to submit any relevant facts in a permit application, or submitted incorrect information in an application or in any report to the Executive Director, it shall promptly submit such facts or information.
- b. This permit is granted on the basis of the information supplied and representations made by the permittee during action on an application, and relying upon the accuracy and completeness of that information and those representations. After notice and opportunity for a hearing, this permit may be modified, suspended, or revoked, in whole or in part, in accordance with 30 TAC Chapter 305, Subchapter D, during its term for good cause including, but not limited to, the following:
 - i. Violation of any terms or conditions of this permit;
 - ii. Obtaining this permit by misrepresentation or failure to disclose fully all relevant facts: or
 - iii. A change in any condition that requires either a temporary or permanent reduction or elimination of the authorized discharge.
- c. The permittee shall furnish to the Executive Director, upon request and within a reasonable time, any information to determine whether cause exists for amending, revoking, suspending or terminating the permit. The permittee shall also furnish to the Executive Director, upon request, copies of records required to be kept by the permit.

2. Compliance

- a. Acceptance of the permit by the person to whom it is issued constitutes acknowledgment and agreement that such person will comply with all the terms and conditions embodied in the permit, and the rules and other orders of the Commission.
- b. The permittee has a duty to comply with all conditions of the permit. Failure to comply with any permit condition constitutes a violation of the permit and the Texas Water Code or the Texas Health and Safety Code, and is grounds for enforcement action, for permit amendment, revocation or suspension, or for denial of a permit renewal application or an application for a permit for another facility.
- c. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit.
- d. The permittee shall take all reasonable steps to minimize or prevent any discharge or sludge use or disposal or other permit violation which has a reasonable likelihood of adversely affecting human health or the environment.
- e. Authorization from the Commission is required before beginning any change in the permitted facility or activity that may result in noncompliance with any permit requirements.
- f. A permit may be amended, suspended and reissued, or revoked for cause in accordance with 30 TAC §§ 305.62 and 305.66 and Texas Water Code Section 7.302. The filing of a request by the permittee for a permit amendment, suspension and reissuance, or termination, or a notification of planned changes or anticipated noncompliance, does not stay any permit condition.
- g. There shall be no unauthorized discharge of wastewater or any other waste. For the purpose of this permit, an unauthorized discharge is considered to be any discharge of wastewater into or adjacent to water in the state at any location not permitted as an outfall or otherwise defined in the Special Provisions section of this permit.
- h. The permittee is subject to administrative, civil, and criminal penalties, as applicable, under Texas Water Code §§ 7.051 7.075 (relating to Administrative Penalties), 7.101 7.111 (relating to Civil Penalties), and 7.141 7.202 (relating to Criminal Offenses and Penalties).

3. Inspections and Entry

- a. Inspection and entry shall be allowed as prescribed in the Texas Water Code Chapters 26, 27, and 28, and Texas Health and Safety Code Chapter 361.
- b. The members of the Commission and employees and agents of the Commission are entitled to enter any public or private property at any reasonable time for the purpose of inspecting and investigating conditions relating to the quality of water in the state or the compliance with any rule, regulation, permit or other order of the Commission.

 Members, employees, or agents of the Commission and Commission contractors are entitled to enter public or private property at any reasonable time to investigate or monitor or, if the responsible party is not responsive or there is an immediate danger to public health or the environment, to remove or remediate a condition related to the

quality of water in the state. Members, employees, Commission contractors, or agents acting under this authority who enter private property shall observe the establishment's rules and regulations concerning safety, internal security, and fire protection, and if the property has management in residence, shall notify management or the person then in charge of his presence and shall exhibit proper credentials. If any member, employee, Commission contractor, or agent is refused the right to enter in or on public or private property under this authority, the Executive Director may invoke the remedies authorized in Texas Water Code Section 7.002. The statement above, that Commission entry shall occur in accordance with an establishment's rules and regulations concerning safety, internal security, and fire protection, is not grounds for denial or restriction of entry to any part of the facility, but merely describes the Commission's duty to observe appropriate rules and regulations during an inspection.

4. Permit Amendment and/or Renewal

- a. The permittee shall give notice to the Executive Director as soon as possible of any planned physical alterations or additions to the permitted facility if such alterations or additions would require a permit amendment or result in a violation of permit requirements. Notice shall also be required under this paragraph when:
 - i. The alteration or addition could significantly change the nature or increase the quantity of pollutants discharged. This notification applies to pollutants which are subject neither to effluent limitations in the permit, nor to notification requirements in Monitoring and Reporting Requirements No. 9;
 - ii. The alteration or addition results in a significant change in the permittee's sludge use or disposal practices, and such alteration, addition, or change may justify the application of permit conditions that are different from or absent in the existing permit, including notification of additional use or disposal sites not reported during the permit application process or not reported pursuant to an approved land application plan.
- b. Prior to any facility modifications, additions, or expansions that will increase the plant capacity beyond the permitted flow, the permittee must apply for and obtain proper authorization from the Commission before commencing construction.
- c. The permittee must apply for an amendment or renewal at least 180 days prior to expiration of the existing permit in order to continue a permitted activity after the expiration date of the permit. If an application is submitted prior to the expiration date of the permit, the existing permit shall remain in effect until the application is approved, denied, or returned. If the application is returned or denied, authorization to continue such activity shall terminate upon the effective date of the action. If an application is not submitted prior to the expiration date of the permit, the permit shall expire and authorization to continue such activity shall terminate.
- d. Prior to accepting or generating wastes which are not described in the permit application or which would result in a significant change in the quantity or quality of the existing discharge, the permittee must report the proposed changes to the Commission. The permittee must apply for a permit amendment reflecting any necessary changes in permit conditions, including effluent limitations for pollutants not identified and limited by this permit.

e. In accordance with the Texas Water Code § 26.029(b), after a public hearing, notice of which shall be given to the permittee, the Commission may require the permittee, from time to time, for good cause, in accordance with applicable laws, to conform to new or additional conditions.

5. Permit Transfer

- a. Prior to any transfer of this permit, Commission approval must be obtained. The Commission shall be notified in writing of any change in control or ownership of facilities authorized by this permit. Such notification should be sent to the Applications Review and Processing Team (MC 148) of the Water Quality Division.
- b. A permit may be transferred only according to the provisions of 30 TAC § 305.64 (relating to Transfer of Permits) and 30 TAC § 50.133 (relating to Executive Director Action on Application or WQMP update).

6. Relationship to Hazardous Waste Activities

This permit does not authorize any activity of hazardous waste storage, processing, or disposal which requires a permit or other authorization pursuant to the Texas Health and Safety Code.

7. Property Rights

A permit does not convey any property rights of any sort, or any exclusive privilege.

8. Permit Enforceability

The conditions of this permit are severable, and if any provision of this permit, or the application of any provision of this permit to any circumstances, is held invalid, the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby.

9. Relationship to Permit Application

The application pursuant to which the permit has been issued is incorporated herein; provided, however, that in the event of a conflict between the provisions of this permit and the application, the provisions of the permit shall control.

10. Notice of Bankruptcy.

- a. Each permittee shall notify the Executive Director, in writing, immediately following the filing of a voluntary or involuntary petition for bankruptcy under any chapter of Title 11 (Bankruptcy) of the United States Code (11 USC) by or against:
 - i. the permittee;
 - ii. an entity (as that term is defined in 11 USC, § 101(14)) controlling the permittee or listing the permit or permittee as property of the estate; or
 - iii. an affiliate (as that term is defined in 11 USC, § 101(2)) of the permittee.

b. This notification must indicate:

- i. the name of the permittee;
- ii. the permit number(s);
- iii. the bankruptcy court in which the petition for bankruptcy was filed; and
- iv. the date of filing of the petition.

OPERATIONAL REQUIREMENTS

- 1. The permittee shall at all times ensure that the facility and all of its systems of collection, treatment, and disposal are properly operated and maintained. This includes, but is not limited to, the regular, periodic examination of wastewater solids within the treatment plant by the operator in order to maintain an appropriate quantity and quality of solids inventory as described in the various operator training manuals and according to accepted industry standards for process control. Process control, maintenance, and operations records shall be retained at the facility site, or shall be readily available for review by a TCEQ representative, for a period of three years.
- 2. Upon request by the Executive Director, the permittee shall take appropriate samples and provide proper analysis in order to demonstrate compliance with Commission rules. Unless otherwise specified in this permit or otherwise ordered by the Commission, the permittee shall comply with all applicable provisions of 30 TAC Chapter 312 concerning sewage sludge use and disposal and 30 TAC §§ 319.21 319.29 concerning the discharge of certain hazardous metals.
- 3. Domestic wastewater treatment facilities shall comply with the following provisions:
 - a. The permittee shall notify the Municipal Permits Team, Wastewater Permitting Section (MC 148) of the Water Quality Division, in writing, of any facility expansion at least 90 days prior to conducting such activity.
 - b. The permittee shall submit a closure plan for review and approval to the Municipal Permits Team, Wastewater Permitting Section (MC 148) of the Water Quality Division, for any closure activity at least 90 days prior to conducting such activity. Closure is the act of permanently taking a waste management unit or treatment facility out of service and includes the permanent removal from service of any pit, tank, pond, lagoon, surface impoundment and/or other treatment unit regulated by this permit.
- 4. The permittee is responsible for installing prior to plant start-up, and subsequently maintaining, adequate safeguards to prevent the discharge of untreated or inadequately treated wastes during electrical power failures by means of alternate power sources, standby generators, and/or retention of inadequately treated wastewater.
- 5. Unless otherwise specified, the permittee shall provide a readily accessible sampling point and, where applicable, an effluent flow measuring device or other acceptable means by which effluent flow may be determined.
- 6. The permittee shall remit an annual water quality fee to the Commission as required by 30 TAC Chapter 21. Failure to pay the fee may result in revocation of this permit under Texas Water Code § 7.302(b)(6).
- 7. Documentation

For all written notifications to the Commission required of the permittee by this permit, the permittee shall keep and make available a copy of each such notification under the same conditions as self-monitoring data are required to be kept and made available. Except for information specified as not confidential in 30 TAC § 1.5(d), any information submitted pursuant to this permit may be claimed as confidential by the submitter. Any such claim must be asserted in the manner prescribed in the application form or by stamping the words "confidential business information" on each page containing such information. If no claim is made at the time of submission, information may be made available to the public without further notice. If the Commission or Executive Director agrees with the designation of confidentiality, the TCEQ will not provide the information for public inspection unless required by the Texas Attorney General or a court pursuant to an open records request. If the Executive Director does not agree with the designation of confidentiality, the person submitting the information will be notified.

- 8. Facilities which generate domestic wastewater shall comply with the following provisions; domestic wastewater treatment facilities at permitted industrial sites are excluded.
 - a. Whenever flow measurements for any domestic sewage treatment facility reach 75 percent of the permitted daily average or annual average flow for three consecutive months, the permittee must initiate engineering and financial planning for expansion and/or upgrading of the domestic wastewater treatment and/or collection facilities. Whenever the flow reaches 90 percent of the permitted daily average or annual average flow for three consecutive months, the permittee shall obtain necessary authorization from the Commission to commence construction of the necessary additional treatment and/or collection facilities. In the case of a domestic wastewater treatment facility which reaches 75 percent of the permitted daily average or annual average flow for three consecutive months, and the planned population to be served or the quantity of waste produced is not expected to exceed the design limitations of the treatment facility, the permittee shall submit an engineering report supporting this claim to the Executive Director of the Commission.

If in the judgement of the Executive Director the population to be served will not cause permit noncompliance, then the requirement of this section may be waived. To be effective, any waiver must be in writing and signed by the Director of the Enforcement Division (MC 219) of the Commission, and such waiver of these requirements will be reviewed upon expiration of the existing permit; however, any such waiver shall not be interpreted as condoning or excusing any violation of any permit parameter.

- b. The plans and specifications for domestic sewage collection and treatment works associated with any domestic permit must be approved by the Commission and failure to secure approval before commencing construction of such works or making a discharge is a violation of this permit and each day is an additional violation until approval has been secured.
- c. Permits for domestic wastewater treatment plants are granted subject to the policy of the Commission to encourage the development of area-wide waste collection, treatment and disposal systems. The Commission reserves the right to amend any domestic wastewater permit in accordance with applicable procedural requirements to require the system covered by this permit to be integrated into an area-wide system, should such be developed; to require the delivery of the wastes authorized to be collected in, treated by or discharged from said system, to such area-wide system; or to amend this permit in any other particular to effectuate the Commission's policy. Such amendments may be made

when the changes required are advisable for water quality control purposes and are feasible on the basis of waste treatment technology, engineering, financial, and related considerations existing at the time the changes are required, exclusive of the loss of investment in or revenues from any then existing or proposed waste collection, treatment or disposal system.

- Domestic wastewater treatment plants shall be operated and maintained by sewage plant operators holding a valid certificate of competency at the required level as defined in 30 TAC Chapter 30.
- 10. Facilities which generate industrial solid waste as defined in 30 TAC § 335.1 shall comply with these provisions:
 - a. Any solid waste, as defined in 30 TAC § 335.1 (including but not limited to such wastes as garbage, refuse, sludge from a waste treatment, water supply treatment plant or air pollution control facility, discarded materials, discarded materials to be recycled, whether the waste is solid, liquid, or semisolid), generated by the permittee during the management and treatment of wastewater, must be managed in accordance with all applicable provisions of 30 TAC Chapter 335, relating to Industrial Solid Waste Management.
 - b. Industrial wastewater that is being collected, accumulated, stored, or processed before discharge through any final discharge outfall, specified by this permit, is considered to be industrial solid waste until the wastewater passes through the actual point source discharge and must be managed in accordance with all applicable provisions of 30 TAC Chapter 335.
 - c. The permittee shall provide written notification, pursuant to the requirements of 30 TAC § 335.8(b)(1), to the Corrective Action Section (MC 221) of the Remediation Division informing the Commission of any closure activity involving an Industrial Solid Waste Management Unit, at least 90 days prior to conducting such an activity.
 - d. Construction of any industrial solid waste management unit requires the prior written notification of the proposed activity to the Registration and Reporting Section (MC 129) of the Permitting and Remediation Support Division. No person shall dispose of industrial solid waste, including sludge or other solids from wastewater treatment processes, prior to fulfilling the deed recordation requirements of 30 TAC § 335.5.
 - e. The term "industrial solid waste management unit" means a landfill, surface impoundment, waste-pile, industrial furnace, incinerator, cement kiln, injection well, container, drum, salt dome waste containment cavern, or any other structure vessel, appurtenance, or other improvement on land used to manage industrial solid waste.
 - f. The permittee shall keep management records for all sludge (or other waste) removed from any wastewater treatment process. These records shall fulfill all applicable requirements of 30 TAC Chapter 335 and must include the following, as it pertains to wastewater treatment and discharge:
 - i. Volume of waste and date(s) generated from treatment process;
 - ii. Volume of waste disposed of on-site or shipped off-site;
 - iii. Date(s) of disposal;
 - iv. Identity of hauler or transporter;

- v. Location of disposal site; and
- vi. Method of final disposal.

The above records shall be maintained on a monthly basis. The records shall be retained at the facility site, or shall be readily available for review by authorized representatives of the TCEQ for at least five years.

11. For industrial facilities to which the requirements of 30 TAC Chapter 335 do not apply, sludge and solid wastes, including tank cleaning and contaminated solids for disposal, shall be disposed of in accordance with Chapter 361 of the Texas Health and Safety Code.

TCEQ Revision 06/2008

SLUDGE PROVISIONS

The permittee is authorized to dispose of sludge only at a Texas Commission on Environmental Quality (TCEQ) authorized land application site, co-disposal landfill, wastewater treatment facility, or facility that further processes sludge. The disposal of sludge by land application on property owned, leased or under the direct control of the permittee is a violation of the permit unless the site is authorized with the TCEQ. This provision does not authorize Distribution and Marketing of Class A or Class AB Sewage Sludge. This provision does not authorize the permittee to land apply sludge on property owned, leased or under the direct control of the permittee.

SECTION I. REQUIREMENTS APPLYING TO ALL SEWAGE SLUDGE LAND APPLICATION

A. General Requirements

- 1. The permittee shall handle and dispose of sewage sludge in accordance with 30 TAC § 312 and all other applicable state and federal regulations in a manner that protects public health and the environment from any reasonably anticipated adverse effects due to any toxic pollutants that may be present in the sludge.
- 2. In all cases, if the person (permit holder) who prepares the sewage sludge supplies the sewage sludge to another person for land application use or to the owner or lease holder of the land, the permit holder shall provide necessary information to the parties who receive the sludge to assure compliance with these regulations.
- 3. The permittee shall give 180 days prior notice to the Executive Director in care of the Wastewater Permitting Section (MC 148) of the Water Quality Division of any change planned in the sewage sludge disposal practice.

B. Testing Requirements

Sewage sludge shall be tested prior to sludge disposal in accordance with the method specified in both 40 CFR Part 261, Appendix II and 40 CFR Part 268, Appendix I [Toxicity Characteristic Leaching Procedure (TCLP)] or other method that receives the prior approval of the TCEQ for the contaminants listed in 40 CFR Part 261.24, Table 1. Sewage sludge failing this test shall be managed according to RCRA standards for generators of hazardous waste, and the waste's disposition must be in accordance with all applicable requirements for hazardous waste processing, storage, or disposal. Following failure of any TCLP test, the management or disposal of sewage sludge at a facility other than an authorized hazardous waste processing, storage, or disposal facility shall be prohibited until such time as the permittee can demonstrate the sewage sludge no longer exhibits the hazardous waste toxicity characteristics (as demonstrated by the results of the TCLP tests). A written report shall be provided to both the TCEQ Registration and Reporting Section (MC 129) of the Permitting and Registration Support Division and the Regional Director (MC Region 2) within seven (7) days after failing the TCLP Test.

The report shall contain test results, certification that unauthorized waste management has stopped and a summary of alternative disposal plans that comply with RCRA standards for the management of hazardous waste. The report shall be addressed to: Director, Permitting and Registration Support Division (MC 129), Texas Commission on Environmental Quality, P.O. Box 13087, Austin, Texas 78711-3087. In addition, the permittee shall prepare an annual report on the results of all sludge toxicity testing. This annual report shall be submitted to the TCEQ Regional Office (MC Region 2) and the Compliance Monitoring Team (MC 224) of the Enforcement Division by September 30th of each year. Effective September 1, 2020, the permittee must submit this annual report using the online electronic reporting system available through the TCEQ website unless the permittee requests and obtains an electronic reporting waiver.

2. Sewage sludge shall not be applied to the land if the concentration of the pollutants exceeds the pollutant concentration criteria in Table 1. The frequency of testing for pollutants in Table 1 is found in Section I.C. of this permit.

TABLE 1

Pollutant	<u>Ceiling Concentration</u> (Milligrams per kilogram)*
Arsenic	75
Cadmium	85
Chromium	3000
Copper	4300
Lead	840
Mercury	57
Molybdenum	75
Nickel	420
PCBs	49
Selenium	100
Zinc	7500

^{*} Dry weight basis

3. Pathogen Control

All sewage sludge that is applied to agricultural land, forest, a public contact site, or a reclamation site must be treated by one of the following methods to ensure that the sludge meets either the Class A, Class AB or Class B pathogen requirements.

a. For sewage sludge to be classified as Class A with respect to pathogens, the density of fecal coliform in the sewage sludge must be less than 1,000 most probable number (MPN) per gram of total solids (dry weight basis), or the density of Salmonella sp. bacteria in the sewage sludge must be less than three MPN per four grams of total solids (dry weight basis) at the time the sewage sludge is used or disposed. In addition, one of the alternatives listed below must be met:

Alternative 1 - The temperature of the sewage sludge that is used or disposed shall be maintained at or above a specific value for a period of time. See 30 TAC § 312.82(a)(2)(A) for specific information;

Alternative 5 (PFRP) - Sewage sludge that is used or disposed of must be treated in one of the Processes to Further Reduce Pathogens (PFRP) described in 40 CFR Part 503, Appendix B. PFRP include composting, heat drying, heat treatment, and thermophilic aerobic digestion; or

Alternative 6 (PFRP Equivalent) - Sewage sludge that is used or disposed of must be treated in a process that has been approved by the U. S. Environmental Protection Agency as being equivalent to those in Alternative 5.

b. For sewage sludge to be classified as Class AB with respect to pathogens, the density of fecal coliform in the sewage sludge must be less than 1,000 MPN per gram of total solids (dry weight basis), or the density of *Salmonella* sp. bacteria in the sewage sludge be less than three MPN per four grams of total solids (dry weight basis) at the time the sewage sludge is used or disposed. In addition, one of the alternatives listed below must be met:

<u>Alternative 2</u> - The pH of the sewage sludge that is used or disposed shall be raised to above 12 std. units and shall remain above 12 std. units for 72 hours.

The temperature of the sewage sludge shall be above 52° Celsius for 12 hours or longer during the period that the pH of the sewage sludge is above 12 std. units.

At the end of the 72-hour period during which the pH of the sewage sludge is above 12 std. units, the sewage sludge shall be air dried to achieve a percent solids in the sewage sludge greater than 50%; or

Alternative 3 - The sewage sludge shall be analyzed for enteric viruses prior to pathogen treatment. The limit for enteric viruses is less than one Plaque-forming Unit per four grams of total solids (dry weight basis) either before or following pathogen treatment. See 30 TAC § 312.82(a)(2)(C)(i-iii) for specific information. The sewage sludge shall be analyzed for viable helminth ova prior to pathogen treatment. The limit for viable helminth ova is less than one per four grams of total solids (dry weight basis) either before or following pathogen treatment. See 30 TAC § 312.82(a)(2)(C)(iv-vi) for specific information; or

Alternative 4 - The density of enteric viruses in the sewage sludge shall be less than one Plaque-forming Unit per four grams of total solids (dry weight basis) at the time the sewage sludge is used or disposed. The density of viable helminth ova in the sewage sludge shall be less than one per four grams of total solids (dry weight basis) at the time the sewage sludge is used or disposed.

- c. Sewage sludge that meets the requirements of Class AB sewage sludge may be classified a Class A sewage sludge if a variance request is submitted in writing that is supported by substantial documentation demonstrating equivalent methods for reducing odors and written approval is granted by the executive director. The executive director may deny the variance request or revoke that approved variance if it is determined that the variance may potentially endanger human health or the environment, or create nuisance odor conditions.
- d. Three alternatives are available to demonstrate compliance with Class B criteria for

sewage sludge.

Alternative 1

- A minimum of seven random samples of the sewage sludge shall be collected within 48 hours of the time the sewage sludge is used or disposed of during each monitoring episode for the sewage sludge.
- ii. The geometric mean of the density of fecal coliform in the samples collected shall be less than either 2,000,000 MPN per gram of total solids (dry weight basis) or 2,000,000 Colony Forming Units per gram of total solids (dry weight basis).

<u>Alternative 2</u> - Sewage sludge that is used or disposed of shall be treated in one of the Processes to Significantly Reduce Pathogens (PSRP) described in 40 CFR Part 503, Appendix B, so long as all of the following requirements are met by the generator of the sewage sludge.

- i. Prior to use or disposal, all the sewage sludge must have been generated from a single location, except as provided in paragraph v. below;
- ii. An independent Texas Licensed Professional Engineer must make a certification to the generator of a sewage sludge that the wastewater treatment facility generating the sewage sludge is designed to achieve one of the PSRP at the permitted design loading of the facility. The certification need only be repeated if the design loading of the facility is increased. The certification shall include a statement indicating the design meets all the applicable standards specified in Appendix B of 40 CFR Part 503;
- iii. Prior to any off-site transportation or on-site use or disposal of any sewage sludge generated at a wastewater treatment facility, the chief certified operator of the wastewater treatment facility or other responsible official who manages the processes to significantly reduce pathogens at the wastewater treatment facility for the permittee, shall certify that the sewage sludge underwent at least the minimum operational requirements necessary in order to meet one of the PSRP. The acceptable processes and the minimum operational and record keeping requirements shall be in accordance with established U.S. Environmental Protection Agency final guidance;
- iv. All certification records and operational records describing how the requirements of this paragraph were met shall be kept by the generator for a minimum of three years and be available for inspection by commission staff for review; and
- v. If the sewage sludge is generated from a mixture of sources, resulting from a person who prepares sewage sludge from more than one wastewater treatment facility, the resulting derived product shall meet one of the PSRP, and shall meet the certification, operation, and record keeping requirements of this paragraph.

<u>Alternative 3</u> - Sewage sludge shall be treated in an equivalent process that has been approved by the U.S. Environmental Protection Agency, so long as all of the following requirements are met by the generator of the sewage sludge.

i. Prior to use or disposal, all the sewage sludge must have been generated from a

single location, except as provided in paragraph v. below;

- ii. Prior to any off-site transportation or on-site use or disposal of any sewage sludge generated at a wastewater treatment facility, the chief certified operator of the wastewater treatment facility or other responsible official who manages the processes to significantly reduce pathogens at the wastewater treatment facility for the permittee, shall certify that the sewage sludge underwent at least the minimum operational requirements necessary in order to meet one of the PSRP. The acceptable processes and the minimum operational and record keeping requirements shall be in accordance with established U.S. Environmental Protection Agency final guidance;
- iii. All certification records and operational records describing how the requirements of this paragraph were met shall be kept by the generator for a minimum of three years and be available for inspection by commission staff for review;
- iv. The Executive Director will accept from the U.S. Environmental Protection Agency a finding of equivalency to the defined PSRP; and
- v. If the sewage sludge is generated from a mixture of sources resulting from a person who prepares sewage sludge from more than one wastewater treatment facility, the resulting derived product shall meet one of the Processes to Significantly Reduce Pathogens, and shall meet the certification, operation, and record keeping requirements of this paragraph.

In addition to the Alternatives 1 - 3, the following site restrictions must be met if Class B sludge is land applied:

- Food crops with harvested parts that touch the sewage sludge/soil mixture and are totally above the land surface shall not be harvested for 14 months after application of sewage sludge.
- ii. Food crops with harvested parts below the surface of the land shall not be harvested for 20 months after application of sewage sludge when the sewage sludge remains on the land surface for 4 months or longer prior to incorporation into the soil.
- iii. Food crops with harvested parts below the surface of the land shall not be harvested for 38 months after application of sewage sludge when the sewage sludge remains on the land surface for less than 4 months prior to incorporation into the soil.
- iv. Food crops, feed crops, and fiber crops shall not be harvested for 30 days after application of sewage sludge.
- v. Animals shall not be allowed to graze on the land for 30 days after application of sewage sludge.
- vi. Turf grown on land where sewage sludge is applied shall not be harvested for 1 year after application of the sewage sludge when the harvested turf is placed on either land with a high potential for public exposure or a lawn.

- vii. Public access to land with a high potential for public exposure shall be restricted for 1 year after application of sewage sludge.
- viii. Public access to land with a low potential for public exposure shall be restricted for 30 days after application of sewage sludge.
- ix. Land application of sludge shall be in accordance with the buffer zone requirements found in 30 TAC § 312.44.

4. Vector Attraction Reduction Requirements

All bulk sewage sludge that is applied to agricultural land, forest, a public contact site, or a reclamation site shall be treated by one of the following Alternatives 1 through 10 for vector attraction reduction.

- Alternative 1 The mass of volatile solids in the sewage sludge shall be reduced by a minimum of 38%.
- Alternative 2 If Alternative 1 cannot be met for an anaerobically digested sludge, demonstration can be made by digesting a portion of the previously digested sludge anaerobically in the laboratory in a bench-scale unit for 40 additional days at a temperature between 30° and 37° Celsius. Volatile solids must be reduced by less than 17% to demonstrate compliance.
- Alternative 3 If Alternative 1 cannot be met for an aerobically digested sludge, demonstration can be made by digesting a portion of the previously digested sludge with percent solids of two percent or less aerobically in the laboratory in a bench-scale unit for 30 additional days at 20° Celsius. Volatile solids must be reduced by less than 15% to demonstrate compliance.
- Alternative 4 The specific oxygen uptake rate (SOUR) for sewage sludge treated in an aerobic process shall be equal to or less than 1.5 milligrams of oxygen per hour per gram of total solids (dry weight basis) at a temperature of 20° Celsius.
- Alternative 5 Sewage sludge shall be treated in an aerobic process for 14 days or longer. During that time, the temperature of the sewage sludge shall be higher than 40° Celsius and the average temperature of the sewage sludge shall be higher than 45° Celsius.
- Alternative 6 The pH of sewage sludge shall be raised to 12 or higher by alkali addition and, without the addition of more alkali shall remain at 12 or higher for two hours and then remain at a pH of 11.5 or higher for an additional 22 hours at the time the sewage sludge is prepared for sale or given away in a bag or other container.
- Alternative 7 The percent solids of sewage sludge that does not contain unstabilized solids generated in a primary wastewater treatment process shall be equal to or greater than 75% based on the moisture content and total solids prior to mixing with other materials. Unstabilized solids are

defined as organic materials in sewage sludge that have not been treated in either an aerobic or anaerobic treatment process.

Alternative 8 -

The percent solids of sewage sludge that contains unstabilized solids generated in a primary wastewater treatment process shall be equal to or greater than 90% based on the moisture content and total solids prior to mixing with other materials at the time the sludge is used. Unstabilized solids are defined as organic materials in sewage sludge that have not been treated in either an aerobic or anaerobic treatment process.

Alternative 9 -

- i. Sewage sludge shall be injected below the surface of the land.
- ii. No significant amount of the sewage sludge shall be present on the land surface within one hour after the sewage sludge is injected.
- iii. When sewage sludge that is injected below the surface of the land is Class A or Class AB with respect to pathogens, the sewage sludge shall be injected below the land surface within eight hours after being discharged from the pathogen treatment process.

Alternative 10-

- i. Sewage sludge applied to the land surface or placed on a surface disposal site shall be incorporated into the soil within six hours after application to or placement on the land.
- ii. When sewage sludge that is incorporated into the soil is Class A or Class AB with respect to pathogens, the sewage sludge shall be applied to or placed on the land within eight hours after being discharged from the pathogen treatment process.

C. Monitoring Requirements

Toxicity Characteristic Leaching Procedure - prior to sludge disposal (TCLP) Test
PCBs - prior to sludge disposal

All metal constituents and fecal coliform or *Salmonella* sp. bacteria shall be monitored at the appropriate frequency shown below, pursuant to 30 TAC § 312.46(a)(1):

Amount of sewage sludge (*) metric tons per 365-day period	Monitoring Frequency
o to less than 290	Once/Year
290 to less than 1,500	Once/Quarter
1,500 to less than 15,000	Once/Two Months
15,000 or greater	Once/Month

(*) The amount of bulk sewage sludge applied to the land (dry wt. basis).

Representative samples of sewage sludge shall be collected and analyzed in accordance with the methods referenced in 30 TAC § 312.7

Identify each of the analytic methods used by the facility to analyze enteric viruses, fecal coliforms, helminth ova, *Salmonella* sp., and other regulated parameters.

Identify in the following categories (as applicable) the sewage sludge treatment process or processes at the facility: preliminary operations (e.g., sludge grinding and degritting), thickening (concentration), stabilization, anaerobic digestion, aerobic digestion, composting, conditioning, disinfection (e.g., beta ray irradiation, gamma ray irradiation, pasteurization), dewatering (e.g., centrifugation, sludge drying beds, sludge lagoons), heat drying, thermal reduction, and methane or biogas capture and recovery.

Identify the nature of material generated by the facility (such as a biosolid for beneficial use or land-farming, or sewage sludge for disposal at a monofill) and whether the material is ultimately conveyed off-site in bulk or in bags.

SECTION II.

REQUIREMENTS SPECIFIC TO BULK SEWAGE SLUDGE FOR APPLICATION TO THE LAND MEETING CLASS A, CLASS AB or B PATHOGEN REDUCTION AND THE CUMULATIVE LOADING RATES IN TABLE 2, OR CLASS B PATHOGEN REDUCTION AND THE POLLUTANT CONCENTRATIONS IN TABLE 3

For those permittees meeting Class A, Class AB or B pathogen reduction requirements and that meet the cumulative loading rates in Table 2 below, or the Class B pathogen reduction requirements and contain concentrations of pollutants below listed in Table 3, the following conditions apply:

A. Pollutant Limits

Table 2

	Cumulative Pollutant Loading
	Rate
<u>Pollutant</u>	(pounds per acre)*
Arsenic	36
Cadmium	35
Chromium	2677
Copper	1339
Lead	268
Mercury	15
Molybdenum	Report Only
Nickel	375
Selenium	89
Zinc	2500

Table 3

M	onthly Average	
	Concentration	
(<u>millig</u>	rams per kilogram)*	
	41	
	39	
	1200	
	1500	
	300	
	17	
Rej	port Only	
	420	
	36	
	2800	
*Dry weight basis		
	(millig	

B. Pathogen Control

All bulk sewage sludge that is applied to agricultural land, forest, a public contact site, a reclamation site, shall be treated by either Class A, Class AB or Class B pathogen reduction requirements as defined above in Section I.B.3.

C. Management Practices

- 1. Bulk sewage sludge shall not be applied to agricultural land, forest, a public contact site, or a reclamation site that is flooded, frozen, or snow-covered so that the bulk sewage sludge enters a wetland or other waters in the State.
- 2. Bulk sewage sludge not meeting Class A requirements shall be land applied in a manner which complies with Applicability in accordance with 30 TAC §312.41 and the Management Requirements in accordance with 30 TAC § 312.44.
- 3. Bulk sewage sludge shall be applied at or below the agronomic rate of the cover crop.
- 4. An information sheet shall be provided to the person who receives bulk sewage sludge sold or given away. The information sheet shall contain the following information:
 - a. The name and address of the person who prepared the sewage sludge that is sold or given away in a bag or other container for application to the land.
 - b. A statement that application of the sewage sludge to the land is prohibited except in accordance with the instruction on the label or information sheet.
 - c. The annual whole sludge application rate for the sewage sludge application rate for the sewage sludge that does not cause any of the cumulative pollutant loading rates in Table 2 above to be exceeded, unless the pollutant concentrations in Table 3 found in Section II above are met.

D. Notification Requirements

- 1. If bulk sewage sludge is applied to land in a State other than Texas, written notice shall be provided prior to the initial land application to the permitting authority for the State in which the bulk sewage sludge is proposed to be applied. The notice shall include:
 - a. The location, by street address, and specific latitude and longitude, of each land application site.
 - b. The approximate time period bulk sewage sludge will be applied to the site.
 - c. The name, address, telephone number, and National Pollutant Discharge Elimination System permit number (if appropriate) for the person who will apply the bulk sewage sludge.
- 2. The permittee shall give 180 days prior notice to the Executive Director in care of the Wastewater Permitting Section (MC 148) of the Water Quality Division of any change planned in the sewage sludge disposal practice.

E. Record keeping Requirements

The sludge documents will be retained at the facility site and/or shall be readily available for review by a TCEQ representative. The person who prepares bulk sewage sludge or a sewage sludge material shall develop the following information and shall retain the information at

the facility site and/or shall be readily available for review by a TCEQ representative for a period of <u>five years</u>. If the permittee supplies the sludge to another person who land applies the sludge, the permittee shall notify the land applier of the requirements for record keeping found in 30 TAC § 312.47 for persons who land apply.

- 1. The concentration (mg/kg) in the sludge of each pollutant listed in Table 3 above and the applicable pollutant concentration criteria (mg/kg), or the applicable cumulative pollutant loading rate and the applicable cumulative pollutant loading rate limit (lbs/ac) listed in Table 2 above.
- 2. A description of how the pathogen reduction requirements are met (including site restrictions for Class AB and Class B sludge, if applicable).
- 3. A description of how the vector attraction reduction requirements are met.
- 4. A description of how the management practices listed above in Section II.C are being met.
- 5. The following certification statement:
 - "I certify, under penalty of law, that the applicable pathogen requirements in 30 TAC § 312.82(a) or (b) and the vector attraction reduction requirements in 30 TAC § 312.83(b) have been met for each site on which bulk sewage sludge is applied. This determination has been made under my direction and supervision in accordance with the system designed to ensure that qualified personnel properly gather and evaluate the information used to determine that the management practices have been met. I am aware that there are significant penalties for false certification including fine and imprisonment."
- 6. The recommended agronomic loading rate from the references listed in Section II.C.3. above, as well as the actual agronomic loading rate shall be retained. The person who applies bulk sewage sludge or a sewage sludge material shall develop the following information and shall retain the information at the facility site and/or shall be readily available for review by a TCEQ representative <u>indefinitely</u>. If the permittee supplies the sludge to another person who land applies the sludge, the permittee shall notify the land applier of the requirements for record keeping found in 30 TAC § 312.47 for persons who land apply:
 - a. A certification statement that all applicable requirements (specifically listed) have been met, and that the permittee understands that there are significant penalties for false certification including fine and imprisonment. See 30 TAC § 312.47(a)(4)(A)(ii) or 30 TAC § 312.47(a)(5)(A)(ii), as applicable, and to the permittee's specific sludge treatment activities.
 - b. The location, by street address, and specific latitude and longitude, of each site on which sludge is applied.
 - c. The number of acres in each site on which bulk sludge is applied.
 - d. The date and time sludge is applied to each site.

- e. The cumulative amount of each pollutant in pounds/acre listed in Table 2 applied to each site.
- f. The total amount of sludge applied to each site in dry tons.

The above records shall be maintained on-site on a monthly basis and shall be made available to the Texas Commission on Environmental Quality upon request.

F. Reporting Requirements

The permittee shall report annually to the TCEQ Regional Office (MC Region 2) and Compliance Monitoring Team (MC 224) of the Enforcement Division, by September 30th of each year the following information. Effective September 1, 2020, the permittee must submit this annual report using the online electronic reporting system available through the TCEQ website unless the permittee requests and obtains an electronic reporting waiver.

- Identify in the following categories (as applicable) the sewage sludge treatment process
 or processes at the facility: preliminary operations (e.g., sludge grinding and degritting),
 thickening (concentration), stabilization, anaerobic digestion, aerobic digestion,
 composting, conditioning, disinfection (e.g., beta ray irradiation, gamma ray irradiation,
 pasteurization), dewatering (e.g., centrifugation, sludge drying beds, sludge lagoons),
 heat drying, thermal reduction, and methane or biogas capture and recovery.
- 2. Identify the nature of material generated by the facility (such as a biosolid for beneficial use or land-farming, or sewage sludge for disposal at a monofill) and whether the material is ultimately conveyed off-site in bulk or in bags.
- 3. Results of tests performed for pollutants found in either Table 2 or 3 as appropriate for the permittee's land application practices.
- 4. The frequency of monitoring listed in Section I.C. that applies to the permittee.
- 5. Toxicity Characteristic Leaching Procedure (TCLP) results.
- 6. PCB concentration in sludge in mg/kg.
- 7. Identity of hauler(s) and TCEQ transporter number.
- 8. Date(s) of transport.
- 9. Texas Commission on Environmental Quality registration number, if applicable.
- 10. Amount of sludge disposal dry weight (lbs/acre) at each disposal site.
- 11. The concentration (mg/kg) in the sludge of each pollutant listed in Table 1 (defined as a monthly average) as well as the applicable pollutant concentration criteria (mg/kg) listed in Table 3 above, or the applicable pollutant loading rate limit (lbs/acre) listed in Table 2 above if it exceeds 90% of the limit.
- 12. Level of pathogen reduction achieved (Class A, Class AB or Class B).
- 13. Alternative used as listed in Section I.B.3.(a. or b.). Alternatives describe how the pathogen reduction requirements are met. If Class B sludge, include information on how site restrictions were met.

- 14. Identify each of the analytic methods used by the facility to analyze enteric viruses, fecal coliforms, helminth ova, *Salmonella* sp., and other regulated parameters.
- 15. Vector attraction reduction alternative used as listed in Section I.B.4.
- 16. Amount of sludge transported in dry tons/year.
- 17. The certification statement listed in either 30 TAC § 312.47(a)(4)(A)(ii) or 30 TAC § 312.47(a)(5)(A)(ii) as applicable to the permittee's sludge treatment activities, shall be attached to the annual reporting form.
- 18. When the amount of any pollutant applied to the land exceeds 90% of the cumulative pollutant loading rate for that pollutant, as described in Table 2, the permittee shall report the following information as an attachment to the annual reporting form.
 - a. The location, by street address, and specific latitude and longitude.
 - b. The number of acres in each site on which bulk sewage sludge is applied.
 - c. The date and time bulk sewage sludge is applied to each site.
 - d. The cumulative amount of each pollutant (i.e., pounds/acre) listed in Table 2 in the bulk sewage sludge applied to each site.
 - e. The amount of sewage sludge (i.e., dry tons) applied to each site.

The above records shall be maintained on a monthly basis and shall be made available to the Texas Commission on Environmental Quality upon request.

SECTION III. REQUIREMENTS APPLYING TO ALL SEWAGE SLUDGE DISPOSED IN A MUNICIPAL SOLID WASTE LANDFILL

- A. The permittee shall handle and dispose of sewage sludge in accordance with 30 TAC § 330 and all other applicable state and federal regulations to protect public health and the environment from any reasonably anticipated adverse effects due to any toxic pollutants that may be present. The permittee shall ensure that the sewage sludge meets the requirements in 30 TAC § 330 concerning the quality of the sludge disposed in a municipal solid waste landfill.
- B. If the permittee generates sewage sludge and supplies that sewage sludge to the owner or operator of a municipal solid waste landfill (MSWLF) for disposal, the permittee shall provide to the owner or operator of the MSWLF appropriate information needed to be in compliance with the provisions of this permit.
- C. The permittee shall give 180 days prior notice to the Executive Director in care of the Wastewater Permitting Section (MC 148) of the Water Quality Division of any change planned in the sewage sludge disposal practice.
- D. Sewage sludge shall be tested prior to sludge disposal in accordance with the method specified in both 40 CFR Part 261, Appendix II and 40 CFR Part 268, Appendix I (Toxicity Characteristic Leaching Procedure) or other method, which receives the prior approval of the TCEQ for contaminants listed in Table 1 of 40 CFR § 261.24. Sewage sludge failing this test shall be managed according to RCRA standards for generators of hazardous waste, and the waste's disposition must be in accordance with all applicable requirements for hazardous waste processing, storage, or disposal.

Following failure of any TCLP test, the management or disposal of sewage sludge at a facility other than an authorized hazardous waste processing, storage, or disposal facility shall be prohibited until such time as the permittee can demonstrate the sewage sludge no longer exhibits the hazardous waste toxicity characteristics (as demonstrated by the results of the TCLP tests). A written report shall be provided to both the TCEQ Registration and Reporting Section (MC 129) of the Permitting and Registration Support Division and the Regional Director (MC Region 2) of the appropriate TCEQ field office within 7 days after failing the TCLP Test.

The report shall contain test results, certification that unauthorized waste management has stopped and a summary of alternative disposal plans that comply with RCRA standards for the management of hazardous waste. The report shall be addressed to: Director, Permitting and Registration Support Division (MC 129), Texas Commission on Environmental Quality, P. O. Box 13087, Austin, Texas 78711-3087. In addition, the permittee shall prepare an annual report on the results of all sludge toxicity testing. This annual report shall be submitted to the TCEQ Regional Office (MC Region 2) and the Compliance Monitoring Team (MC 224) of the Enforcement Division by September 30 of each year.

- E. Sewage sludge shall be tested as needed, in accordance with the requirements of 30 TAC Chapter 330.
- F. Record keeping Requirements

The permittee shall develop the following information and shall retain the information for five years.

- 1. The description (including procedures followed and the results) of all liquid Paint Filter Tests performed.
- 2. The description (including procedures followed and results) of all TCLP tests performed.

The above records shall be maintained on-site on a monthly basis and shall be made available to the Texas Commission on Environmental Quality upon request.

G. Reporting Requirements

The permittee shall report annually to the TCEQ Regional Office (MC Region 2) and Compliance Monitoring Team (MC 224) of the Enforcement Division by September 30th of each year the following information. Effective September 1, 2020, the permittee must submit this annual report using the online electronic reporting system available through the TCEQ website unless the permittee requests and obtains an electronic reporting waiver.

- 1. Identify in the following categories (as applicable) the sewage sludge treatment process or processes at the facility: preliminary operations (e.g., sludge grinding and degritting), thickening (concentration), stabilization, anaerobic digestion, aerobic digestion, composting, conditioning, disinfection (e.g., beta ray irradiation, gamma ray irradiation, pasteurization), dewatering (e.g., centrifugation, sludge drying beds, sludge lagoons), heat drying, thermal reduction, and methane or biogas capture and recovery.
- 2. Toxicity Characteristic Leaching Procedure (TCLP) results.
- 3. Annual sludge production in dry tons/year.
- 4. Amount of sludge disposed in a municipal solid waste landfill in dry tons/year.
- 5. Amount of sludge transported interstate in dry tons/year.
- 6. A certification that the sewage sludge meets the requirements of 30 TAC § 330 concerning the quality of the sludge disposed in a municipal solid waste landfill.
- 7. Identity of hauler(s) and transporter registration number.
- 8. Owner of disposal site(s).
- 9. Location of disposal site(s).
- 10. Date(s) of disposal.

The above records shall be maintained on-site on a monthly basis and shall be made available to the Texas Commission on Environmental Quality upon request.

SECTION IV. REQUIREMENTS APPLYING TO SLUDGE TRANSPORTED TO ANOTHER FACILITY FOR FURTHER PROCESSING

These provisions apply to sludge that is transported to another wastewater treatment facility or facility that further processes sludge. These provisions are intended to allow transport of sludge to facilities that have been authorized to accept sludge. These provisions do not limit the ability of the receiving facility to determine whether to accept the sludge, nor do they limit the ability of the receiving facility to request additional testing or documentation.

A. General Requirements

- The permittee shall handle and dispose of sewage sludge in accordance with 30 TAC Chapter 312 and all other applicable state and federal regulations in a manner that protects public health and the environment from any reasonably anticipated adverse effects due to any toxic pollutants that may be present in the sludge.
- 2. Sludge may only be transported using a registered transporter or using an approved pipeline.

B. Record Keeping Requirements

- 1. For sludge transported by an approved pipeline, the permittee must maintain records of the following:
 - a. the amount of sludge transported;
 - b. the date of transport;
 - c. the name and TCEQ permit number of the receiving facility or facilities;
 - d. the location of the receiving facility or facilities;
 - e. the name and TCEQ permit number of the facility that generated the waste; and
 - f. copy of the written agreement between the permittee and the receiving facility to accept sludge.
- 2. For sludge transported by a registered transporter, the permittee must maintain records of the completed trip tickets in accordance with 30 TAC § 312.145(a)(1)-(7) and amount of sludge transported.
- The above records shall be maintained on-site on a monthly basis and shall be made available to the TCEQ upon request. These records shall be retained for at least five years.

C. Reporting Requirements

The permittee shall report the following information annually to the TCEQ Regional Office (MC Region 2) and Compliance Monitoring Team (MC 224) of the Enforcement Division, by September 30th of each year. Effective September 1, 2020, the permittee must submit this annual report using the online electronic reporting system available through the TCEQ website unless the permittee requests and obtains an electronic reporting waiver.

- Identify in the following categories (as applicable) the sewage sludge treatment process
 or processes at the facility: preliminary operations (e.g., sludge grinding and degritting),
 thickening (concentration), stabilization, anaerobic digestion, aerobic digestion,
 composting, conditioning, disinfection (e.g., beta ray irradiation, gamma ray irradiation,
 pasteurization), dewatering (e.g., centrifugation, sludge drying beds, sludge lagoons),
 heat drying, thermal reduction, and methane or biogas capture and recovery.
- 2. the annual sludge production;
- 3. the amount of sludge transported;
- 4. the owner of each receiving facility;
- 5. the location of each receiving facility; and
- 6. the date(s) of disposal at each receiving facility.

TCEQ Revision 01/2016

SPECIAL PROVISIONS:


- 1. This permit is granted subject to the policy of the Commission to encourage the development of area-wide waste collection, treatment, and disposal systems. The Commission reserves the right to amend this permit in accordance with applicable procedural requirements to require the system covered by this permit to be integrated into an area-wide system, if an area-wide system is developed; to require the delivery of the wastes authorized to be collected in, treated by, or discharged from the system, to an area-wide system; or to amend this permit in any other particular to effectuate the Commission's policy. Such amendments may be made when the changes required are advisable for water quality control purposes and are feasible on the basis of waste treatment technology, engineering, financial, and related considerations existing at the time the changes are required, exclusive of the loss of investment in or revenues from any then existing or proposed waste collection, treatment, or disposal system.
- 2. The permittee shall employ or contract with one or more licensed wastewater treatment facility operators or wastewater system operations companies holding a valid license or registration according to the requirements of 30 TAC Chapter 30, Occupational Licenses and Registrations, and in particular 30 TAC Chapter 30, Subchapter J, Wastewater Operators and Operations Companies.
 - This Category D facility must be operated by a chief operator or an operator holding a Category D license or higher. The facility must be operated a minimum of five days per week by the licensed chief operator or an operator holding the required level of license or higher. The licensed chief operator or operator holding the required level of license or higher must be available by telephone or pager seven days per week. Where shift operation of the wastewater treatment facility is necessary, each shift which does not have the on-site supervision of the licensed chief operator must be supervised by an operator in charge who is licensed not less than one level below the category for the facility.
- 3. The permittee shall maintain and operate the treatment facility in order to achieve optimum efficiency of treatment capability. This shall include required monitoring of effluent flow and quality as well as appropriate grounds and building maintenance.
- 4. The permittee submitted TCEQ letter dated April 2, 2008 which states in part that, "Our review of your analysis and the manufacturers specifications for the Bentomat CL GCL liner from CETCO finds this application meets the design requirements with the applicable minimum standards as set forth in Chapter 317 of the Texas Natural Resource Conservation Commission's rules entitled <u>Criteria for Sewerage Systems</u>. On that basis, this project is approved for construction..."
- 5. The permittee shall comply with the requirements of 30 TAC Section 309.13 (a) through (d). The permittee has submitted sufficient evidence of legal restrictions dated October 1, 2007, prohibiting residential structures within the part of the buffer zone not owned by the permittee according to 30 TAC Section 309.13(e)(3). (See Attachment A.)
- 6. Holding or storage ponds shall conform to the design criteria for stabilization ponds with regard to construction and levee design and shall maintain a minimum freeboard of two feet according to 30 TAC Chapter 317, Design Criteria for Sewerage Systems.
- 7. The permittee shall provide evidence which shows that the facultative lagoon has been

adequately lined to control seepage. The following methods of pond lining are acceptable.

- a. In-situ clay soils or placed and compacted clay soils meeting the following requirements:
 - 1) More than 30% passing a No. 200 mesh sieve
 - 2) Liquid limit greater than 30%
 - 3) Plasticity index greater than 15
 - 4) A minimum thickness of 3 feet
 - 5) Permeability equal to or less than 1x10⁻⁷ cm/sec
 - 6) Soil compaction will be 95% standard proctor at optimum moisture content
- b. Membrane lining, with a minimum thickness of 30 mils, and an underdrain leak detection system.
- c. An alternate method of pond lining may be utilized with prior approval from the Executive Director.

Upon request, the permittee shall furnish certification by a Texas Licensed Professional Engineer that the completed pond lining meets the appropriate criteria above. The certification shall be sent to the TCEQ Regional Office (MC Region 2), the TCEQ Water Quality Assessment Team (MC150) of the Water Quality Division, and the Water Quality Compliance Monitoring Team (MC 224) of the Enforcement Division. In addition, the permittee shall maintain a copy of the certification on-site and make it available for review by TCEQ representatives upon request.

- 8. The permittee shall maintain sufficient evaporation pond area and volume to ensure that no discharge will occur from the evaporation ponds. Maintenance practices shall be taken to prevent the occurrence of nuisance conditions in the area.
- 9. The permittee shall implement the Groundwater Quality Assessment Plan provided by the permittee in compliance with the permit requirement. The plan consists of the document dated September 2008, signed and sealed by Mr. Michael J. Adams, P.E. of OJD Engineering, Inc. The permittee shall implement the plan by conducting a groundwater monitoring event in accordance with its approved plan. The results of the groundwater analyses shall be submitted to the TCEQ Regional Office (MC Region 2), the TCEQ Water Quality Assessment Team (MC150) of the Water Quality Division and the Water Quality Compliance Monitoring Team (MC 224) of the Enforcement Division during the month of September of each year. The permittee may be required to revise the Groundwater Quality Assessment Plan if review of the groundwater analytical data indicates that more frequent monitoring, additional monitoring wells or monitoring for additional water quality parameters is needed to assess the groundwater impact from the disposal of treated effluent.



TECHNICAL SUMMARY AND EXECUTIVE DIRECTOR'S PRELIMINARY DECISION

DESCRIPTION OF APPLICATION

Applicant: City of Whiteface

TCEQ Permit No. WQ0010314001

Regulated Activity: Domestic Wastewater Permit

Type of Application: Renewal

Request: Renewal with no changes

Authority: Texas Water Code (TWC) § 26.027; 30 Texas Administrative

Code (TAC) Chapters 305, 309, 312, 319, and 30; and

Commission policies.

EXECUTIVE DIRECTOR RECOMMENDATION

The Executive Director has made a preliminary decision that this permit, if issued, meets all statutory and regulatory requirements. The draft permit includes an expiration date of **ten years from the date of issuance**, according to 30 TAC Section 305.127(1)(C)(ii)(III), Conditions to be Determined for Individual Permits.

REASON FOR PROJECT PROPOSED

City of Whiteface has applied to the Texas Commission on Environmental Quality (TCEQ) for a renewal of Permit No. WQ0010314001 to authorize the disposal of treated domestic wastewater at a daily average flow not to exceed 0.035 million gallons per day (MGD) via evaporation ponds with a total surface area of 5.0 acres and total capacity of 30 acre-feet for disposal of treated effluent via evaporation. The existing wastewater treatment facility serves the City of Whiteface.

PROJECT DESCRIPTION AND LOCATION

The City of Whiteface Wastewater Treatment Facility consists of a pond system. Treatment units include a facultative lagoon, and three storage/evaporation ponds with a combined surface area of 5.0 acres and volume of 30 acre-feet. The facility is in operation.

The facility is a pond system and sludge from the ponds has not been removed for sludge disposal to date. The draft permit also authorizes the disposal of sludge at a TCEQ-authorized land application site, co-disposal landfill, wastewater treatment facility, or facility that further processes sludge.

The wastewater treatment facility and disposal site are located approximately 2,500 feet northeast of the intersection of Farm-to-Market Road 1780 and State Highway 114, near the City of Whiteface, in Cochran County, Texas 79379.

The wastewater treatment facility and disposal site are located in the drainage basin of Double Mountain Fork Brazos River in Segment No. 1241 of the Brazos River Basin. No discharge of

City of Whiteface Permit No. WQ0010314001

Statement of Basis/Technical Summary and Executive Director's Preliminary Decision

pollutants into water in the state is authorized by this permit.

SUMMARY OF EFFLUENT DATA

The following is a summary of the applicant's effluent monitoring data for the period March 2022 through December 2023. The average of Daily Average value is computed by averaging of all 30-day average values for the reporting period for each parameter: flow, and five-day biochemical oxygen demand (BOD_5).

<u>Parameter</u> <u>Average of Daily Average</u>

Flow, MGD 0.03 BOD₅, mg/l 38.8

DRAFT PERMIT CONDITIONS

The draft permit authorizes the disposal of treated domestic wastewater effluent at a daily average flow not to exceed 0.035 MGD via evaporation. The facility includes three storage ponds with a total surface area of 5.0 acres and total capacity of 30 acre-feet for disposal of treated effluent via evaporation.

The effluent limitation in the draft permit, based on a single grab, is 100 mg/l biochemical oxygen demand (BOD₅).

The draft permit includes a requirement for the permittee to obtain legal restrictions prohibiting residential structures within the part of the buffer zone not owned by the permittee according to 30 TAC § 309.13(e)(3).

The draft permit includes Sludge Provisions according to the requirements of 30 TAC Chapter 312, Sludge Use, Disposal, and Transportation. The facility is a pond system and sludge from the ponds has not been removed for sludge disposal to date. The draft permit also authorizes the disposal of sludge at a TCEQ-authorized land application site, co-disposal landfill, wastewater treatment facility, or facility that further processes sludge.

SUMMARY OF CHANGES FROM APPLICATION

None.

SUMMARY OF CHANGES FROM EXISTING PERMIT

Effluent limitations and monitoring requirements in the draft permit remain the same as the existing permit effluent limitations and monitoring requirements.

Certain accidental discharges or spills of treated or untreated wastewater from wastewater treatment facilities or collection systems owned or operated by a local government may be reported on a monthly basis in accordance with 30 TAC § 305.132.

Special Provisions Nos. 6, 7, and 9 have been updated from the existing permit in the draft permit.

City of Whiteface Permit No. WQ0010314001 Statement of Basis/Technical Summary and Executive Director's Preliminary Decision

Special Provisions Nos. 8, 9, 10, 13, and 14 have been added to the draft permit.

The draft permit includes all updates based on the 30 TAC 312 rule change effective April 23, 2020.

BASIS FOR DRAFT PERMIT

The following items were considered in developing the draft permit:

- 1. Application received on July 8, 2024, and additional information received on April 7, 2025.
- 2. Existing TCEQ permit: Permit No. WQ0010314001 issued on December 6, 2019.
- 3. Interoffice Memorandum from the Water Quality Assessment Team, Water Quality Assessment & Standards Section, Water Quality Division.

PROCEDURES FOR FINAL DECISION

When an application is declared administratively complete, the Chief Clerk sends a letter to the applicant advising the applicant to publish the Notice of Receipt of Application and Intent to Obtain Permit in the newspaper. In addition, the Chief Clerk instructs the applicant to place a copy of the application in a public place for review and copying in the county where the facility is or will be located. This application will be in a public place throughout the comment period. The Chief Clerk also mails this notice to any interested persons and, if required, to landowners identified in the permit application. This notice informs the public about the application and provides that an interested person may file comments on the application or request a contested case hearing or a public meeting.

Once a draft permit is completed, it is sent, along with the Executive Director's preliminary decision, as contained in the technical summary or fact sheet, to the Chief Clerk. At that time, the Notice of Application and Preliminary Decision will be mailed to the same people and published in the same newspaper as the prior notice. This notice sets a deadline for making public comments. The applicant must place a copy of the Executive Director's preliminary decision and draft permit in the public place with the application.

Any interested person may request a public meeting on the application until the deadline for filing public comments. A public meeting is intended for the taking of public comment and is not a contested case proceeding.

After the public comment deadline, the Executive Director prepares a response to all significant public comments on the application or the draft permit raised during the public comment period. The Chief Clerk then mails the Executive Director's response to comments and final decision to people who have filed comments, requested a contested case hearing, or requested to be on the mailing list. This notice provides that if a person is not satisfied with the Executive Director's response and decision, they can request a contested case hearing or file a request to reconsider the Executive Director's decision within 30 days after the notice is mailed.

The Executive Director will issue the permit unless a written hearing request or request for reconsideration is filed within 30 days after the Executive Director's response to comments and

City of Whiteface Permit No. WQ0010314001 Statement of Basis/Technical Summary and Executive Director's Preliminary Decision

final decision is mailed. If a hearing request or request for reconsideration is filed, the Executive Director will not issue the permit and will forward the application and request to the TCEQ Commissioners for their consideration at a scheduled Commission meeting. If a contested case hearing is held, it will be a legal proceeding similar to a civil trial in state district court.

If the Executive Director calls a public meeting or the Commission grants a contested case hearing as described above, the Commission will give notice of the date, time, and place of the meeting or hearing. If a hearing request or request for reconsideration is made, the Commission will consider all public comments in making its decision and shall either adopt the Executive Director's response to public comments or prepare its own response.

Director's response to public comments or prepare its own response	onse.	
For additional information about this application, contact Garrison Layne at (512) 239-0849.		
Garrison Layne	Date	
Municipal Permits Team		
Wastewater Permitting Section (MC 148)		