

Administrative Package Cover Page

This file contains the following documents:

- 1. Summary of application (in plain language)
- 2. First Notice (NORI-Notice of Receipt of Application and Intent to Obtain a Permit)
- 3. Application Materials



TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

SUMMARY OF APPLICATION IN PLAIN LANGUAGE FOR TPDES OR TLAP PERMIT APPLICATIONS

Summary of Application (in plain language) Template and Instructions for Texas Pollutant Discharge Elimination System (TPDES) and Texas Land Application (TLAP) Permit Applications

Applicants should use this template to develop a plain language summary of your facility and application as required by Title 30, Texas Administrative Code (30 TAC), Chapter 39, Subchapter H. You may modify the template as necessary to accurately describe your facility as long as the summary includes the following information: (1) the function of the proposed plant or facility; (2) the expected output of the proposed plant or facility; (3) the expected pollutants that may be emitted or discharged by the proposed plant or facility; and (4) how you will control those pollutants, so that the proposed plant will not have an adverse impact on human health or the environment.

Fill in the highlighted areas below to describe your facility and application in plain language. Instructions and examples are provided below. Make any other edits necessary to improve readability or grammar and to comply with the rule requirements. After filling in the information for your facility delete these instructions.

If you are subject to the alternative language notice requirements in 30 TAC Section 39.426, you must provide a translated copy of the completed plain language summary in the appropriate alternative language as part of your application package. For your convenience, a Spanish template has been provided below.

ENGLISH TEMPLATE FOR TPDES or TLAP NEW/RENEWAL/AMENDMENT APPLICATIONS DOMESTIC WASTEWATER/STORMWATER

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 TAC Chapter 39. The information provided in this summary may change during the technical review of the application and is not a federal enforceable representation of the permit application.

City of McLean (CN600638191) operates Domestic Wastewater Treatment Plant (RN102080611), a 0.14 MGD Wastewater Treatment Plant. The facility is located at 12929 FM 3143, in McLean, Gray County, Texas 79057. Wastewater treatment permit renewal. << For TLAP applications include the following sentence, otherwise delete:>> This permit will not authorize a discharge of pollutants into water in the state.

Discharges from the facility are expected to contain CDOD₅, TSS, Ammonia Nitrogen, Nitrate Nitrogen, TKN, Sulfate, Chloride, Total Phosphorus, pH, Dissolved Oxygen, Chlorine Residual, E.coli, TDSA, Electrical Conductivity, Oil & Grease, and Alkalinity. domestic are treated by via an imhoff tank and disposal via irrigation. Influent flows through a bar screen into an imhoff tank and discharges through a 3" Palmer-Bowlus Flume prefabricated metering manhole. Thence the flow passes through splitter box with in-line plug valves to either or both of the

two (2) irrigation holding ponds. Irrigation is accomplished via water-reel irrigation device. Sludge is removed periodically from the imhoff tank to the sludge drying bed.. PLANTILLA EN ESPAÑOL PARA SOLICITUDES NUEVAS/RENOVACIONES/ENMIENDAS DE TPDES o TLAP

AGUAS RESIDUALES DOMESTICAS /AGUAS PLUVIALES

El siguiente resumen se proporciona para esta solicitud de permiso de calidad del agua pendiente que está siendo revisada por la Comisión de Calidad Ambiental de Texas según lo requerido por el Capítulo 39 del Código Administrativo de Texas 30. La información proporcionada en este resumen puede cambiar durante la revisión técnica de la solicitud y no es una representación ejecutiva fedérale de la solicitud de permiso.

Ciudad de McLean (CN600638191) opera Planta de tratamiento de aguas residuales domésticas RN102080611, un Planta de tratamiento de aguas residuales de 0.14 millones de galones día. La instalación está ubicada en 12929 FM 3143, en McLean, Condado de Gray, Texas 79057. Renovación del permiso de tratamiento de aguas residuales. << *Para las solicitudes de TLAP incluya la siguiente oración, de lo contrario, elimine:*>> Este permiso no autorizará una descarga de contaminantes en el agua en el estado.

Se espera que las descargas de la instalación contengan CDOD5, TSS, nitrógeno amoniacal, nitrógeno nitrato, TKN, sulfato, cloruro, fósforo total, pH, oxígeno disuelto, cloro residual, E. coli, TDSA, conductividad eléctrica, aceite y grasa y alcalinidad. domesti. estará tratado por a través de un tanque imhoff y eliminación a través del riego. El afluente fluye a través de una pantalla de barra hacia un tanque imhoff y se descarga a través de una boca de inspección dosificadora prefabricada Palmer-Bowlus Flume de 3". Desde allí, el flujo pasa a través de una caja divisora con válvulas de tapón en línea a uno o ambos de los dos (2) estanques de retención de riego. El riego se realiza a través de un dispositivo de riego con carrete de agua. Los lodos se eliminan periódicamente del tanque imhoff al lecho de secado de lodos..

INSTRUCTIONS

- 1. Enter the name of applicant in this section. The applicant name should match the name associated with the customer number.
- 2. Enter the Customer Number in this section. Each Individual or Organization is issued a unique 11-digit identification number called a CN (e.g. CN123456789).
- 3. Choose "operates" in this section for existing facility applications or choose "proposes to operate" for new facility applications.
- 4. Enter the name of the facility in this section. The facility name should match the name associated with the regulated entity number.
- 5. Enter the Regulated Entity number in this section. Each site location is issued a unique 11-digit identification number called an RN (e.g. RN123456789).
- 6. Choose the appropriate article (a or an) to complete the sentence.
- 7. Enter a description of the facility in this section. For example: steam electric generating facility, nitrogenous fertilizer manufacturing facility, etc.
- 8. Choose "is" for an existing facility or "will be" for a new facility.
- 9. Enter the location of the facility in this section.
- 10. Enter the City nearest the facility in this section.
- 11. Enter the County nearest the facility in this section.
- 12. Enter the zip code for the facility address in this section.
- 13. Enter a summary of the application request in this section. For example: renewal to discharge 25,000 gallons per day of treated domestic wastewater, new application to discharge process wastewater and stormwater on an intermittent and flow-variable basis, or major amendment to reduce monitoring frequency for pH, etc. If more than one outfall is included in the application, provide applicable information for each individual outfall.
- 14. List all pollutants expected in the discharge from this facility in this section. If applicable, refer to the pollutants from any federal numeric effluent limitations that apply to your facility.
- 15. Enter the discharge types from your facility in this section (e.g., stormwater, process wastewater, once through cooling water, etc.)
- 16. Choose the appropriate verb tense to complete the sentence.
- 17. Enter a description of the wastewater treatment used at your facility. Include a description of each process, starting with initial treatment and finishing with the outfall/point of disposal. Use additional lines for individual discharge types if necessary.

Questions or comments concerning this form may be directed to the Water Quality Division's Application Review and Processing Team by email at wq-ARPTeam@tceq.texas.gov or by phone at (512) 239-4671.

Example 1: Industrial Wastewater TPDES Application (ENGLISH)

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 TAC Chapter 39. The information provided in this summary may change during the technical review of the application and are not federal enforceable representations of the permit application.

ABC Corporation (CN600000000) operates the Starr Power Station (RN10000000000), a two-unit gas-fired electric generating facility. Unit 1 has a generating capacity of 393 megawatts (MWs) and Unit 2 has a generating capacity of 528 MWs. The facility is located at 1356 Starr Street, near the City of Austin, Travis County, Texas 78753.

This application is for a renewal to discharge 870,000,000 gallons per day of once through cooling water, auxiliary cooling water, and also authorizes the following waste streams monitored inside the facility (internal outfalls) before it is mixed with the other wastewaters authorized for discharge via main Outfall 001, referred to as "previously monitored effluents" (low-volume wastewater, metal-cleaning waste, and stormwater (from diked oil storage area yards and storm drains)) via Outfall 001. Low-volume waste sources, metal-cleaning waste, and stormwater drains on a continuous and flow-variable basis via internal Outfall 101.

The discharge of once through cooling water via Outfall 001 and low-volume waste and metal-cleaning waste via Outfall 101 from this facility is subject to federal effluent limitation guidelines at 40 CFR Part 423. The pollutants expected from these discharges based on 40 CFR Part 423 are: free available chlorine, total residual chlorine, total suspended solids, oil and grease, total iron, total copper, and pH. Temperature is also expected from these discharges. Additional potential pollutants are included in the Industrial Wastewater Application Technical Report, Worksheet 2.0.

Cooling water and boiler make-up water are supplied by Lake Starr Reservoir. The City of Austin municipal water plant (CN600000000, PWS 00000) supplies the facility's potable water and serves as an alternate source of boiler make-up water. Water from the Lake Starr Reservoir is withdrawn at the intake structure and treated with sodium hypochlorite to prevent biofouling and sodium bromide as a chlorine enhancer to improve efficacy and then passed through condensers and auxiliary equipment on a once-through basis to cool equipment and condense exhaust steam.

Low-volume wastewater from blowdown of boiler Units 1 and 2 and metal-cleaning wastes receive no treatment prior to discharge via Outfall 101. Plant floor and equipment drains and stormwater runoff from diked oil storage areas, yards, and storm drains are routed through an oil and water separator prior to discharge via Outfall 101. Domestic wastewater, blowdown, and backwash water from the service water filter, clarifier, and sand filter are routed to the Starr Creek Domestic Sewage Treatment Plant, TPDES Permit No. WQ0010000001, for treatment and disposal. Metal-cleaning waste from equipment cleaning is generally disposed of off-site.

Example 2: Domestic Wastewater TPDES Renewal application

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 Texas Administrative Code Chapter 39. The information provided in this summary may change during the technical review of the application and are not federal enforceable representations of the permit application.

The City of Texas (CN000000000) operates the City of Texas wastewater treatment plant (RN00000000), an activated sludge process plant operated in the complete mix mode. The facility is located at 123 Texas Street, near the City of More Texas, Texas County, Texas 71234.

This application is for a renewal to discharge at an annual average flow of 1,200,000 gallons per day of treated domestic wastewater via Outfalls 001 and 002.

Discharges from the facility are expected to contain five-day carbonaceous biochemical oxygen demand (CBOD₅), total suspended solids (TSS), ammonia nitrogen (NH₃-N), and *Escherichia coli*. Additional potential pollutants are included in the Domestic Technical Report 1.0, Section 7. Pollutant Analysis of Treated Effluent and Domestic Worksheet 4.0 in the permit application package. Domestic wastewater is treated by an activated sludge process plant and the treatment units include a bar screen, a grit chamber, aeration basins, final clarifiers, sludge digesters, a belt filter press, chlorine contact chambers and a dechlorination chamber.

Example 3: Domestic Wastewater TPDES New Application

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 Texas Administrative Code Chapter 39. The information provided in this summary may change during the technical review of the application and are not federal enforceable representations of the permit application.

The City of Texas (CN000000000) proposes to operate the City of Texas wastewater treatment plant (RN00000000), an activated sludge process plant operated in the extended aeration mode. The facility will be located at 123 Texas Street, in the City of More Texas, Texas County, Texas 71234.

This application is for a new application to discharge at a daily average flow of 200,000 gallons per day of treated domestic wastewater.

Discharges from the facility are expected to contain five-day carbonaceous biochemical oxygen demand (CBOD₅), total suspended solids (TSS), ammonia nitrogen (NH₃-N), and *Escherichia coli*. Additional potential pollutants are included in the Domestic Technical Report 1.0, Section 7. Pollutant Analysis of Treated Effluent in the permit application package. Domestic wastewater will be treated by an activated sludge process plant and the treatment units will include a bar screen, a grit chamber, aeration basins, final clarifiers, sludge digesters, a belt filter press, chlorine contact chambers and a dechlorination chamber.

Example 4: Domestic Wastewater TLAP Renewal application

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 Texas Administrative Code Chapter 39. The information provided in this summary may change during the technical review of the application and are not federal enforceable representations

of the permit application.

The City of Texas (CN000000000) operates the City of Texas wastewater treatment plant (RN00000000), an activated sludge process plant operated in the complete mix mode. The facility is located at 123 Texas Street, near the City of More Texas, Texas County, Texas 71234.

This application is for a renewal to dispose a daily average flow not to exceed 76,500 gallons per day of treated domestic wastewater via public access subsurface drip irrigation system with a minimum area of 32 acres. This permit will not authorize a discharge of pollutants into water in the state.

Land application of domestic wastewater from the facility are expected to contain five-day biochemical oxygen demand (BOD₅), total suspended solids (TSS), and *Escherichia coli*. Additional potential pollutants are included in the Domestic Technical Report 1.0, Section 7. Pollutant Analysis of Treated Effluent in the permit application package. Domestic wastewater is treated by an activated sludge process plant and the treatment units include a bar screen, an equalization basin, an aeration basin, a final clarifier, an aerobic sludge digester, tertiary filters, and a chlorine contact chamber. In addition, the facility includes a temporary storage that equals to at least three days of the daily average flow.

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



NOTICE OF RECEIPT OF APPLICATION AND INTENT TO OBTAIN WATER QUALITY PERMIT RENEWAL.

PERMIT NO. WQ0010354001

APPLICATION. City of McLean, P.O. Box 9, McLean, Texas 79057, has applied to the Texas Commission on Environmental Quality (TCEQ) to renew Texas Land Application Permit (TLAP) No. WQ0010354001 to authorize the disposal of treated wastewater at a volume not to exceed a daily average flow of 140,000 gallons per day via surface irrigation of 63.5 acres of non-public access agricultural land. The domestic wastewater treatment facility and disposal area are located at 12929 Farm-to-Market Road 3143, in McLean, in Gray County, Texas 79057. TCEQ received this application on October 13, 2025. The permit application will be available for viewing and copying at McLean City Hall, Front Desk, 220 North Main Street, Mclean, in Gray County, Texas, prior to the date this notice is published in the newspaper. The application is available for viewing and copying at the following webpage: https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tlap-applications. This link to an electronic map of the site or facility's general location is provided as a public courtesy and not part of the application or notice. For the exact location, refer to the application.

https://gisweb.tceq.texas.gov/LocationMapper/?marker=-100.5889,35.2217&level=18

ADDITIONAL NOTICE. TCEQ's Executive Director has determined the application is administratively complete and will conduct a technical review of the application. After technical review of the application is complete, the Executive Director may prepare a draft permit and will issue a preliminary decision on the application. Notice of the Application and Preliminary Decision will be published and mailed to those who are on the countywide mailing list and to those who are on the mailing list for this application. That notice will contain the deadline for submitting public comments.

PUBLIC COMMENT / PUBLIC MEETING. You may submit public comments or request a public meeting on this application. The purpose of a public meeting is to provide the opportunity to submit comments or to ask questions about the application. TCEQ will hold a public meeting if the Executive Director determines that there is a significant degree of public interest in the application or if requested by a local legislator. A public meeting is not a contested case hearing.

OPPORTUNITY FOR A CONTESTED CASE HEARING. After the deadline for submitting public comments, the Executive Director will consider all timely comments and prepare a response to all relevant and material, or significant public comments. **Unless the application is directly referred for a contested case hearing, the response to comments, and the**

Executive Director's decision on the application, will be mailed to everyone who submitted public comments and to those persons who are on the mailing list for this application. If comments are received, the mailing will also provide instructions for requesting reconsideration of the Executive Director's decision and for requesting a contested case hearing. A contested case hearing is a legal proceeding similar to a civil trial in state district court.

TO REQUEST A CONTESTED CASE HEARING, YOU MUST INCLUDE THE FOLLOWING ITEMS IN YOUR REQUEST: your name, address, phone number; applicant's name and proposed permit number; the location and distance of your property/activities relative to the proposed facility; a specific description of how you would be adversely affected by the facility in a way not common to the general public; a list of all disputed issues of fact that you submit during the comment period and, the statement "[I/we] request a contested case hearing." If the request for contested case hearing is filed on behalf of a group or association, the request must designate the group's representative for receiving future correspondence; identify by name and physical address an individual member of the group who would be adversely affected by the proposed facility or activity; provide the information discussed above regarding the affected member's location and distance from the facility or activity; explain how and why the member would be affected; and explain how the interests the group seeks to protect are relevant to the group's purpose.

Following the close of all applicable comment and request periods, the Executive Director will forward the application and any requests for reconsideration or for a contested case hearing to the TCEQ Commissioners for their consideration at a scheduled Commission meeting.

The Commission may only grant a request for a contested case hearing on issues the requestor submitted in their timely comments that were not subsequently withdrawn. If a hearing is granted, the subject of a hearing will be limited to disputed issues of fact or mixed questions of fact and law relating to relevant and material water quality concerns submitted during the comment period.

TCEQ may act on an application to renew a permit for discharge of wastewater without providing an opportunity for a contested case hearing if certain criteria are met.

MAILING LIST. If you submit public comments, a request for a contested case hearing or a reconsideration of the Executive Director's decision, you will be added to the mailing list for this specific application to receive future public notices mailed by the Office of the Chief Clerk. In addition, you may request to be placed on: (1) the permanent mailing list for a specific applicant name and permit number; and/or (2) the mailing list for a specific county. If you wish to be placed on the permanent and/or the county mailing list, clearly specify which list(s) and send your request to TCEQ Office of the Chief Clerk at the address below.

INFORMATION AVAILABLE ONLINE. For details about the status of the application, visit the Commissioners' Integrated Database at www.tceq.texas.gov/goto/cid. Search the database using the permit number for this application, which is provided at the top of this notice.

AGENCY CONTACTS AND INFORMATION. All public comments and requests must be submitted either electronically at https://www14.tceq.texas.gov/epic/eComment/, or in writing to the Texas Commission on Environmental Quality, Office of the Chief Clerk, MC-105, P.O. Box 13087, Austin, Texas 78711-3087. Please be aware that any contact information you

provide, including your name, phone number, email address and physical address will become part of the agency's public record. For more information about this permit application or the permitting process, please call the TCEQ Public Education Program, Toll Free, at 1-800-687-4040 or visit their website at www.tceq.texas.gov/goto/pep. Si desea información en Español, puede llamar al 1-800-687-4040.

Further information may also be obtained from City of McLean at the address stated above or by calling Toni Bohlar, City Secretary, at 806-779-2481.

Issuance Date: October 30, 2025



October 13, 2025

Texas Commission on Environmental Quality Application Review and Processing Team Building F, Room 2101 12100 Park 35 Circle Austin, Texas 78753

Re: City of McLean Wastewater Treatment Plant Permit No. WQ0010354001

Dear TCEQ:

Enclosed, you will find a copy of the application package for the City of McLean's Wastewater Treatment Plant, Permit No. WQ0010354001. The City's permit fees have been paid with check #15161. This permit was originally submitted via email to WQDeCopy@tceq.texas.gov on October 13, 2025.

Please feel free to contact me if you have any questions.

Thank you,

Clint Green, Engineering Technician/Designer OJD Engineering, LLC clint.green@ojdengineering.com



TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

DOMESTIC WASTEWATER PERMIT APPLICATION CHECKLIST

Complete and submit this checklist with the application.

APPLICANT NAME: City of McLean

PERMIT NUMBER (If new, leave blank): WQ0010354001

Indicate if each of the following items is included in your application.

	Y	N		Y	N
Administrative Report 1.0	\boxtimes		Original USGS Map		
Administrative Report 1.1		\boxtimes	Affected Landowners Map		\boxtimes
SPIF		\boxtimes	Landowner Disk or Labels		\boxtimes
Core Data Form	\boxtimes		Buffer Zone Map		\boxtimes
Summary of Application (PLS)		\boxtimes	Flow Diagram		
Public Involvement Plan Form		\boxtimes	Site Drawing	\boxtimes	
Technical Report 1.0	\boxtimes		Original Photographs		\boxtimes
Technical Report 1.1		\boxtimes	Design Calculations		\boxtimes
Worksheet 2.0		\boxtimes	Solids Management Plan		\boxtimes
Worksheet 2.1		\boxtimes	Water Balance		\boxtimes
Worksheet 3.0	\boxtimes				
Worksheet 3.1		\boxtimes			
Worksheet 3.2		\boxtimes			
Worksheet 3.3		\boxtimes			
Worksheet 4.0		\boxtimes			
Worksheet 5.0		\boxtimes			
Worksheet 6.0	\boxtimes				
Worksheet 7.0		\boxtimes			

For TCEQ Use On	nly	
Segment Numbe	r	County
Expiration Date		_Region
Permit Number		

THE TOTAL COMMISSION OF THE PROPERTY OF THE PR

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

DOMESTIC WASTEWATER PERMIT APPLICATION ADMINISTRATIVE REPORT 1.0

For any questions about this form, please contact the Applications Review and Processing Team at 512-239-4671.

Section 1. Application Fees (Instructions Page 26)

Indicate the amount submitted for the application fee (check only one).

Flow	New/Major Amendment	Renewal		
<0.05 MGD	\$350.00 □	\$315.00		
≥0.05 but <0.10 MGD	\$550.00 □	\$515.00		
≥0.10 but <0.25 MGD	\$850.00 □	\$815.00 ⊠		
\geq 0.25 but \leq 0.50 MGD	\$1,250.00	\$1,215.00		
\geq 0.50 but <1.0 MGD	\$1,650.00 □	\$1,615.00		
≥1.0 MGD	\$2,050.00	\$2,015.00		
Minor Amendment (for any flow) \$150.00 □				

Payment Information:

Mailed Check/Money Order Number: <u>15161</u>

Check/Money Order Amount: <u>\$815.00</u>

Name Printed on Check: City of McLean

EPAY Voucher Number: Click to enter text.

Copy of Payment Voucher enclosed? Yes □

Section 2. Type of Application (Instructions Page 26)

a.	Che	ck the box next to the appropriate authorization type.
	\boxtimes	Publicly Owned Domestic Wastewater
		Privately-Owned Domestic Wastewater
		Conventional Water Treatment
b.	Che	ck the box next to the appropriate facility status.
	\boxtimes	Active Inactive
c.	Che	ck the box next to the appropriate permit type.
		TPDES Permit
	\boxtimes	TLAP
		TPDES Permit with TLAP component

		Subsurface Area Drip Dispersa	l System (SADDS))	
d.	Che	eck the box next to the appropri	ite application ty	p e	e
		New			
		Major Amendment with Renew	al 🗆		Minor Amendment with Renewal
		Major Amendment without Ren	ewal \Box		Minor Amendment without Renewal
	\boxtimes	Renewal without changes			Minor Modification of permit
e.	For	amendments or modifications,	describe the prop	00	sed changes: Click to enter text.
f.	For	existing permits:			
	Peri	mit Number: WQ00 <u>10354001</u>			
	EPA	A I.D. (TPDES only): TX Click to en	iter text.		
	Exp	iration Date: <u>12/1/2025</u>			
Se	ctio	on 3. Facility Owner (A (Instructions Page		1 (Co-Applicant Information
A.		e owner of the facility must app	•		
		at is the Legal Name of the entit	y (applicant) appl	lyi	ng for this permit?
	<u>City</u>	<u>of McLean</u>			
		e legal name must be spelled exa legal documents forming the en		th	e Texas Secretary of State, County, or in
					, what is the Customer Number (CN)? ttp://www15.tceq.texas.gov/crpub/
		CN: <u>600638191</u>			
		at is the name and title of the pecutive official meeting signatory			oplication? The person must be an 0 TAC § 305.44.
		Prefix: Click to enter text.	Last Name, Firs	t]	Name: <u>Hess, Taner</u>
		m!:1 3.5	a 1 1 a	1	

Title: <u>Mayor</u> Credential: Click to enter text.

B. Co-applicant information. Complete this section only if another person or entity is required to apply as a co-permittee.

What is the Legal Name of the co-applicant applying for this permit?

Click to enter text.

(The legal name must be spelled exactly as filed with the TX SOS, with the County, or in the legal documents forming the entity.)

If the co-applicant is currently a customer with the TCEQ, what is the Customer Number (CN)? You may search for your CN on the TCEQ website at: http://www15.tceq.texas.gov/crpub/

CN: Click to enter text.

What is the name and title of the person signing the application? The person must be an executive official meeting signatory requirements in 30 TAC § 305.44.

Prefix: Click to enter text. Last Name, First Name: Click to enter text. Title: Click to enter text. Credential: Click to enter text.

Provide a brief description of the need for a co-permittee: Click to enter text.

C. Core Data Form

Complete the Core Data Form for each customer and include as an attachment. If the customer type selected on the Core Data Form is Individual, complete Attachment 1 of Administrative Report 1.0. A-1

Section 4. Application Contact Information (Instructions Page 27)

This is the person(s) TCEQ will contact if additional information is needed about this application. Provide a contact for administrative questions and technical questions.

A. Prefix: Click to enter text. Last Name, First Name: Bohlar, Toni

Title: <u>City Secretary</u> Credential: Click to enter text.

Organization Name: City of McLean

Mailing Address: P.O. Box 9 City, State, Zip Code: McLean, TX 79057

Phone No.: 806.779.2481 E-mail Address: cityofmcleantx@gmail.com

Check one or both:

☐ Administrative Contact
☐ Technical Contact

B. Prefix: Click to enter text. Last Name, First Name: Green, Clint

Title: Engineering Technician/Designer Credential: Click to enter text.

Organization Name: OJD Engineering, LLC

Mailing Address: 2420 Lakeview Drive City, State, Zip Code: Amarillo, Texas 79109

Phone No.: 806.352.7117 E-mail Address: clint.green@ojdengineering.com

Check one or both: Administrative Contact Technical Contact

Section 5. Permit Contact Information (Instructions Page 27)

Provide the names and contact information for two individuals that can be contacted throughout the permit term.

A. Prefix: Click to enter text. Last Name, First Name: Bohlar, Toni

Title: City Secretary Credential: Click to enter text.

Organization Name: City of McLean

Mailing Address: P.O. Box 9 City, State, Zip Code: McLean, Texas 79057

Phone No.: 806.779.2481 E-mail Address: cityofmcleantx@gmail.com

B. Prefix: Click to enter text. Last Name, First Name: Green, Clint

Title: Engineering Technician/Designer Credential: Click to enter text.

Organization Name: OJD Engineering, LLC

Mailing Address: 2420 Lakeview Drive City, State, Zip Code: Amarillo, Texas 79109

Phone No.: 806.352.7117 E-mail Address: clint.green@ojdengineering.com

Section 6. Billing Contact Information (Instructions Page 27)

The permittee is responsible for paying the annual fee. The annual fee will be assessed to permits in effect on September 1 of each year. The TCEQ will send a bill to the address provided in this section. The permittee is responsible for terminating the permit when it is no longer needed (using form TCEQ-20029).

Prefix: Click to enter text. Last Name, First Name: Bohlar, Toni

Credential: Click to enter text. Title: City Secretary

Organization Name: City of McLean

Mailing Address: P.O. Box 9 City, State, Zip Code: McLean, Texas 79057

E-mail Address: cityofmcleantx@gmail.com Phone No.: 806.779.2418

Section 7. DMR/MER Contact Information (Instructions Page 27)

Provide the name and complete mailing address of the person delegated to receive and submit Discharge Monitoring Reports (DMR) (EPA 3320-1) or maintain Monthly Effluent Reports (MER).

Prefix: Click to enter text. Last Name, First Name: Bohlar, Toni

Title: <u>City Secretary</u> Credential: Click to enter text.

Organization Name: City of McLean

Mailing Address: P.O. Box 9 City, State, Zip Code: McLean, Texas 79057

Phone No.: 806.779.2481 E-mail Address: cityofmcleantx@gmail.com

Section 8. Public Notice Information (Instructions Page 27)

A. Individual Publishing the Notices

Prefix: Click to enter text. Last Name, First Name: Bohlar, Toni

Title: <u>City Secretary</u> Credential: Click to enter text.

Organization Name: City of McLean

Mailing Address: P.O. Box 9 City, State, Zip Code: McLean, Texas 79057

E-mail Address: cityofmcleantx@gmail.com Phone No.: 806.779.2481

B. Method for Receiving Notice of Receipt and Intent to Obtain a Water Quality Permit Package

Indicate by a check mark the preferred method for receiving the first notice and instructions:

- E-mail Address
- П Fax
- \boxtimes Regular Mail
- C. Contact permit to be listed in the Notices

Prefix: Click to enter text. Last Name, First Name: Bohlar, Toni

Title: City Secretary Credential: Click to enter text.

	Or	ganızat	101 Name: <u>C</u>	ity of I	<u>McLean</u>
	Ma	iling Ad	ddress: <u>P.O.</u>	Box 9	City, State, Zip Code: McLean, Texas 79057
	Ph	one No.	: <u>806.779.248</u>	<u>81</u>	E-mail Address: cityofmcleantx@gmail.com
D.	Pu	blic Vie	ewing Inform	natio	n
			lity or outfall 1st be provid		cated in more than one county, a public viewing place for each
	Pu	blic bui	lding name:	<u>McLe</u>	an City Hall
	Lo	cation v	vithin the bu	ildin	g: <u>Front Desk</u>
	Ph	ysical A	ddress of Bu	ıildin	g: 220 N Main Street
	Cit	y: McLe	<u>ean</u>		County: <u>Gray</u>
	Co	ntact (L	ast Name, F	irst N	ame): <u>Bohlar, Toni</u>
	Ph	one No.	: <u>806.779.248</u>	<u>81</u> Ext	.: Click to enter text.
E.	Bil	ingual	Notice Requ	irem	ents
					d for new, major amendment, minor amendment or minor applications.
	be	needed		nstru	ion is only used to determine if alternative language notices will ctions on publishing the alternative language notices will be in
	ob				coordinator at the nearest elementary and middle schools and ation to determine whether an alternative language notices are
	1.		•		program required by the Texas Education Code at the elementary to the facility or proposed facility?
		\boxtimes	Yes		No
		If no, p		f an a	alternative language notice is not required; skip to Section 9
	2.	Are the	e students w gual educatio	ho at	tend either the elementary school or the middle school enrolled in ogram at that school?
			Yes		No
	3.	Do the locatio		these	e schools attend a bilingual education program at another
			Yes	\boxtimes	No
	4.				uired to provide a bilingual education program but the school has rement under 19 TAC §89.1205(g)?
			Yes	\boxtimes	No
	5.				uestion 1, 2, 3, or 4, public notices in an alternative language are ge is required by the bilingual program? Click to enter text.

Complete the F. Summary of Application in Plain Language Template (TCEQ Form 20972), also known as the plain language summary or PLS, and include as an attachment.

F. Summary of Application in Plain Language Template

Attachment: Click to enter text.

G. Public Involvement Plan Form

Complete the Public Involvement Plan Form (TCEQ Form 20960) for each application for a new permit or major amendment to a permit and include as an attachment.

Attachment: Click to enter text.

Section 9. Regulated Entity and Permitted Site Information (Instructions Page 29)

A. If the site is currently regulated by TCEQ, provide the Regulated Entity Number (RN) issued to this site. RN 102080611

Search the TCEQ's Central Registry at http://www15.tceq.texas.gov/crpub/ to determine if the site is currently regulated by TCEQ.

B. Name of project or site (the name known by the community where located):

City of McLean Wastewater Treatment Plant

C.	Owner of treatment fac	ility	: Click to	enter te	ext.		
	Ownership of Facility:	\boxtimes	Public		Private	Both	Federal

D. Owner of land where treatment facility is or will be:

Prefix: Click to enter text. Last Name, First Name: Click to enter text.

Title: Click to enter text. Credential: Click to enter text.

Organization Name: City of McLean

Mailing Address: P.O. Box 185 City, State, Zip Code: McLean, Texas 79057

Phone No.: 806.779.2481 E-mail Address: cityofmcleantx@gmail.com

If the landowner is not the same person as the facility owner or co-applicant, attach a lease agreement or deed recorded easement. See instructions.

Attachment: A-2

E. Owner of effluent disposal site:

Prefix: Click to enter text. Last Name, First Name: Click to enter text.

Title: Click to enter text. Credential: Click to enter text.

Organization Name: Click to enter text.

Mailing Address: Click to enter text. City, State, Zip Code: Click to enter text.

Phone No.: Click to enter text. E-mail Address: Click to enter text.

If the landowner is not the same person as the facility owner or co-applicant, attach a lease agreement or deed recorded easement. See instructions.

Attachment: Click to enter text.

F. Owner sewage sludge disposal site (if authorization is requested for sludge disposal on property owned or controlled by the applicant)::

Prefix: Click to enter text. Last Name, First Name: Click to enter text.

Title: Click to enter text. Credential: Click to enter text.

	Organization Name: Click to enter text.
	Mailing Address: Click to enter text. City, State, Zip Code: Click to enter text.
	Phone No.: Click to enter text. E-mail Address: Click to enter text.
	If the landowner is not the same person as the facility owner or co-applicant, attach a lease agreement or deed recorded easement. See instructions.
	Attachment: Click to enter text.
C	
	ction 10. TPDES Discharge Information (Instructions Page 31)
A.	Is the wastewater treatment facility location in the existing permit accurate?
	□ Yes □ No
	If no, or a new permit application, please give an accurate description:
	Click to enter text.
В.	Are the point(s) of discharge and the discharge route(s) in the existing permit correct?
	□ Yes □ No
	If no, or a new or amendment permit application, provide an accurate description of the
	point of discharge and the discharge route to the nearest classified segment as defined in 30 TAC Chapter 307:
	Click to enter text.
	City nearest the outfall(s): Click to enter text.
	County in which the outfalls(s) is/are located: Click to enter text.
C.	Is or will the treated wastewater discharge to a city, county, or state highway right-of-way, or
	a flood control district drainage ditch?
	□ Yes □ No
	If yes, indicate by a check mark if:
	☐ Authorization granted ☐ Authorization pending
	For new and amendment applications, provide copies of letters that show proof of contact
	and the approval letter upon receipt.
ъ	Attachment: Click to enter text.
υ.	For all applications involving an average daily discharge of 5 MGD or more, provide the names of all counties located within 100 statute miles downstream of the point(s) of
	discharge: Click to enter text.
C	
Se	ction 11. TLAP Disposal Information (Instructions Page 32)
A.	For TLAPs, is the location of the effluent disposal site in the existing permit accurate?
	⊠ Yes □ No
	If no, or a new or amendment permit application, provide an accurate description of the
	disposal site location:

	Click to enter text.
В.	City nearest the disposal site: McLean
C.	County in which the disposal site is located: Gray
D.	For TLAPs, describe the routing of effluent from the treatment facility to the disposal site:
	From the treatment plant through a six-inch pipe to a series of two (2) 2.25 acre irrigation holding ponds for a total surface area of 4.5 acres; thence via a six-inch pipe to the effluent disposal area.
E.	For TLAPs, please identify the nearest watercourse to the disposal site to which rainfall runoff might flow if not contained: <u>A unnamed tributary of South Long Creek; thence to the Salt Fork of the Red River in Segment No. 0222 of the Red River Basin.</u>
Se	ection 12. Miscellaneous Information (Instructions Page 32)
A.	Is the facility located on or does the treated effluent cross American Indian Land?
	□ Yes ⊠ No
В.	If the existing permit contains an onsite sludge disposal authorization, is the location of the sewage sludge disposal site in the existing permit accurate?
	□ Yes □ No ⊠ Not Applicable
	If No, or if a new onsite sludge disposal authorization is being requested in this permit application, provide an accurate location description of the sewage sludge disposal site.
	Click to enter text.
C.	Did any person formerly employed by the TCEQ represent your company and get paid for service regarding this application?
	□ Yes ⊠ No
	If yes, list each person formerly employed by the TCEQ who represented your company and was paid for service regarding the application: Click to enter text.
D.	Do you owe any fees to the TCEQ?
	□ Yes ⊠ No
	If yes, provide the following information:
	Account number: Click to enter text.
	Amount past due: Click to enter text.
E.	Do you owe any penalties to the TCEQ?
	□ Yes ⊠ No
	If yes, please provide the following information:
	Enforcement order number: Click to enter text.
	Amount past due: Click to enter text

Section 13. Attachments (Instructions Page 33)

Indicate which attachments are included with the Administrative Report. Check all that apply:

- Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant.
- Original full-size USGS Topographic Map with the following information:
 - Applicant's property boundary
 - Treatment facility boundary
 - Labeled point of discharge for each discharge point (TPDES only)
 - Highlighted discharge route for each discharge point (TPDES only)
 - Onsite sewage sludge disposal site (if applicable)
 - Effluent disposal site boundaries (TLAP only)
 - New and future construction (if applicable)
 - 1 mile radius information
 - 3 miles downstream information (TPDES only)
 - All ponds.
- ☐ Attachment 1 for Individuals as co-applicants
- Other Attachments. Please specify: Click to enter text.

Section 14. Signature Page (Instructions Page 34)

If co-applicants are necessary, each entity must submit an original, separate signature page.

Permit Number: WQ0010354001

Applicant: City of McLean

Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

I further certify that I am authorized under 30 Texas Administrative Code § 305.44 to sign and submit this document, and can provide documentation in proof of such authorization upon request.

Signatory name (typed	or printed): Tanner Hess
-----------------------	--------------------------

Signatory title: Mayor

Signatural Agent	Date: 3-71-2025
Signature:	Date: 7 2 Communication

(Use blue ink)

Subscribed and Sworn to before	me by the said TANNER I	Hess
on this 2/3T		, 20 25.
My commission expires on the	23rd day of October	, 20 <u>27</u> .

Notary Public

County, Texas

TONI BOHLAR

Notary Public, State of Texas

Comm. Expires 10-23-2027

Notary ID 10345183

DOMESTIC WASTEWATER PERMIT APPLICATION ADMINISTRATIVE REPORT 1.0

The following information is required for new and amendment applications.

Section 1. Affected Landowner Information (Instructions Page 36)

A.		cate by a check mark that the landowners map or drawing, with scale, includes the owing information, as applicable:
		The applicant's property boundaries
		The facility site boundaries within the applicant's property boundaries
		The distance the buffer zone falls into adjacent properties and the property boundaries of the landowners located within the buffer zone
		The property boundaries of all landowners surrounding the applicant's property (Note: if the application is a major amendment for a lignite mine, the map must include the property boundaries of all landowners adjacent to the new facility (ponds).)
		The point(s) of discharge and highlighted discharge route(s) clearly shown for one mile downstream
		The property boundaries of the landowners located on both sides of the discharge route for one full stream mile downstream of the point of discharge
		The property boundaries of the landowners along the watercourse for a one-half mile radius from the point of discharge if the point of discharge is into a lake, bay, estuary, or affected by tides
		The boundaries of the effluent disposal site (for example, irrigation area or subsurface drainfield site) and all evaporation/holding ponds within the applicant's property
		The property boundaries of all landowners surrounding the effluent disposal site
		The boundaries of the sludge land application site (for land application of sewage sludge for beneficial use) and the property boundaries of landowners surrounding the applicant's property boundaries where the sewage sludge land application site is located
		The property boundaries of landowners within one-half mile in all directions from the applicant's property boundaries where the sewage sludge disposal site (for example, sludge surface disposal site or sludge monofill) is located
B.		Indicate by a check mark that a separate list with the landowners' names and mailing resses cross-referenced to the landowner's map has been provided.
C.		Indicate by a check mark that the landowners list has also been provided as mailing els in electronic format (Avery 5160).
D.	Prov	vide the source of the landowners' names and mailing addresses: Click to enter text.
E.		equired by Texas Water Code § 5.115, is any permanent school fund land affected by application?
		□ Yes □ No
	If y	es, provide the location and foreseeable impacts and effects this application has on the

	land(s Click): to enter text.
Se	ction	2. Original Photographs (Instructions Page 38)
		riginal ground level photographs. Indicate with checkmarks that the following on is provided.
	□ A	t least one original photograph of the new or expanded treatment unit location
	d a e	t least two photographs of the existing/proposed point of discharge and as much area ownstream (photo 1) and upstream (photo 2) as can be captured. If the discharge is to n open water body (e.g., lake, bay), the point of discharge should be in the right or left dge of each photograph showing the open water and with as much area on each espective side of the discharge as can be captured.
	□ A	t least one photograph of the existing/proposed effluent disposal site
	□ A	plot plan or map showing the location and direction of each photograph
Se	ction	3. Buffer Zone Map (Instructions Page 38)
A.	inform	zone map. Provide a buffer zone map on 8.5 x 11-inch paper with all of the following nation. The applicant's property line and the buffer zone line may be distinguished by dashes or symbols and appropriate labels.
	•	The applicant's property boundary; The required buffer zone; and Each treatment unit; and The distance from each treatment unit to the property boundaries.
В.		zone compliance method. Indicate how the buffer zone requirements will be met. all that apply.
		Ownership
		Restrictive easement
		Nuisance odor control
		Variance
C.		table site characteristics. Does the facility comply with the requirements regarding table site characteristic found in 30 TAC § 309.13(a) through (d)?
		Yes

DOMESTIC WASTEWATER PERMIT APPLICATION SUPPLEMENTAL PERMIT INFORMATION FORM (SPIF)

This form applies to TPDES permit applications only. Complete and attach the Supplemental Permit information Form (SPIF) (TCEQ Form 20971).

Attachment: Click to enter text.

WATER QUALITY PERMIT

PAYMENT SUBMITTAL FORM

Use this form to submit the Application Fee, if the mailing the payment.

- Complete items 1 through 5 below.
- Staple the check or money order in the space provided at the bottom of this document.
- Do Not mail this form with the application form.
- Do not mail this form to the same address as the application.
- Do not submit a copy of the application with this form as it could cause duplicate permit entries.

Mail this form and the check or money order to:

BY REGULAR U.S. MAIL

Texas Commission on Environmental Quality Financial Administration Division Cashier's Office, MC-214 P.O. Box 13088 Austin, Texas 78711-3088 BY OVERNIGHT/EXPRESS MAIL

Texas Commission on Environmental Quality Financial Administration Division Cashier's Office, MC-214 12100 Park 35 Circle Austin, Texas 78753

Fee Code: WQP Waste Permit No: WQ0010354001

1. Check or Money Order

2. Check or Money Order Amount: \$815.00

3. Date of Check or Money Order: 3/21/2025

4. Name on Check or Money Order: City of McLean

5. APPLICATION INFORMATION

Name of Project or Site: City of McLean Wastewater Treatment Plant

Physical Address of Project or Site: Click to enter text.

If the check is for more than one application, attach a list which includes the name of each Project or Site (RE) and Physical Address, exactly as provided on the application.

Staple Check or Money Order in This Space

ATTACHMENT 1

INDIVIDUAL INFORMATION

Section 1. Individual Information (Instructions Page 41)

Complete this attachment if the facility applicant or co-applicant is an individual. Make additional copies of this attachment if both are individuals.

Prefix (Mr., Ms., Miss): Click to enter text.

Full legal name (Last Name, First Name, Middle Initial): Click to enter text.

Driver's License or State Identification Number: Click to enter text.

Date of Birth: Click to enter text.

Mailing Address: Click to enter text.

City, State, and Zip Code: Click to enter text.

Phone Number: Click to enter text. Fax Number: Click to enter text.

E-mail Address: Click to enter text.

CN: Click to enter text.

For Commission Use Only:

Customer Number:

Regulated Entity Number:

Permit Number:

DOMESTIC WASTEWATER PERMIT APPLICATION CHECKLIST OF COMMON DEFICIENCIES

Below is a list of common deficiencies found during the administrative review of domestic wastewater permit applications. To ensure the timely processing of this application, please review the items below and indicate by checking Yes that each item is complete and in accordance applicable rules at 30 TAC Chapters 21, 281, and 305. If an item is not required this application, indicate by checking N/A where appropriate. Please do not submit the application until the items below have been addressed.

Core Data Form (TCEQ Form No. 10400) (Required for all application types. Must be completed in its entirety a Note: Form may be signed by applicant representative.)	nd s	igned.		Yes
Correct and Current Industrial Wastewater Permit Application Form (TCEQ Form Nos. 10053 and 10054. Version dated 6/25/2018 or late				Yes
Water Quality Permit Payment Submittal Form (Page 19) (Original payment sent to TCEQ Revenue Section. See instructions for	mai	ling ad	⊠ dress	Yes
7.5 Minute USGS Quadrangle Topographic Map Attached (Full-size map if seeking "New" permit. 8 ½ x 11 acceptable for Renewals and Amendments)				Yes
Current/Non-Expired, Executed Lease Agreement or Easement	\boxtimes	N/A		Yes
Landowners Map (See instructions for landowner requirements)		N/A		Yes
 All the items shown on the map must be labeled. The applicant's complete property boundaries must be de boundaries of contiguous property owned by the applicant. The applicant cannot be its own adjacent landowner. You landowners immediately adjacent to their property, regard from the actual facility. If the applicant's property is adjacent to a road, creek, or on the opposite side must be identified. Although the propapplicant's property boundary, they are considered potent if the adjacent road is a divided highway as identified on the map, the applicant does not have to identify the landowned the highway. 	t. mus iless strea perti tially the U	t idention of how am, the ses are affected USGS to	fy the value of the land of the land of the land pogra	e they are owners djacent to adowners. aphic
Landowners Labels and Cross Reference List (See instructions for landowner requirements)		N/A		Yes
Electronic Application Submittal (See application submittal requirements on page 23 of the instruction	s.)			Yes
Original signature per 30 TAC § 305.44 – Blue Ink Preferred (If signature page is not signed by an elected official or principle exec a copy of signature authority/delegation letter must be attached)	utive	e office	п,	Yes
Summary of Application (in Plain Language)				Yes



Attachment A1 TCEQ-10400 Core Data Form

Wolfforth | Amarillo

fax: 806 352.7188



TCEQ Core Data Form

For detailed instructions on completing this form, please read the Core Data Form Instructions or call 512-239-5175.

SECTION I: General Information

1. Reason for Submission (If other is checked please describe in space provided.)

ollow this link to or CN or RN num	search	3 Por					
Central Registr			egulated Entity Reference Number (if issued) 102075231				
ation							
ate for Custon	ner Info	rmation	Updates (mm/dd/	уууу)			
er Information State or Texas Co	mptrolle			ity Owne	ership		
omatically ba	sed on v	vhat is c	urrent and active	with th	e Texas Sec	retary of State	
: eg: Doe, John)			If new Customer,	enter pre	vious Custom	er below:	
ax ID (11 digits)		9. Federal Tax ID (9 digits)			10. DUNS Number (if applicable)		
		Individ	lual	Partne	rship: 🗌 Ger	neral 🗌 Limited	
Other		Sole P	roprietorship	Oth	ner:		
			13. Independer	ıtly Owr	ned and Op	erated?	
nd higher			Yes	No			
egulated Entity li	isted on t	his form.	Please check one of	the follo	wing		
er & Operator CP/BSA Applicant	t		Other:				
State TX		ZIP	79237		ZIP + 4		
			11	,			
	er Information er Inf	er Information State or Texas Comptroller tomatically based on v eg: Doe, John) ax ID (11 digits) Other od higher egulated Entity listed on t er & Operator CP/BSA Applicant State TX	ate for Customer Information er Information	rate for Customer Information Updates (mm/dd/er Information	rate for Customer Information Updates (mm/dd/yyyy) er Information	rate for Customer Information Updates (mm/dd/yyyy) er Information	

TCEQ-10400 (11/22) Page 1 of 3

18. Telephone Number	19. Extension or Code	20. Fax Number (if applicable)					
(806) 856-5241		(806) 856-0018					
SECTION III. Pagulated Entity Information							

SECTION 111: Requiated Entity Information

21. General Regulated Entity Information (If 'New Regulated Entity" is selected, a new permit application is also required.)

☐ New Regulated Entity	Update to	Regulated Entity	Name Update t	o Regulated I	Entity Ir	nforma	tion			
The Regulated Entity Nan as Inc, LP, or LLC).	ne submitte	ed may be upda	ted, in order to mee	t TCEQ Cor	e Data	a Stand	dards (re	moval of or	ganization	al endings such
22. Regulated Entity Nam	e (Enter nan	ne of the site wher	re the regulated action	is taking pla	ce.)					
City of Hedley Wastewater Tr	eatement Pl	ant								
23. Street Address of										
the Regulated Entity.	the Regulated Entity:									
(No PO Boxes)	City		State		ZIP				ZIP + 4	
24. County	Donley									
		If no Stre	et Address is provid	ed, fields 2	5-28 a	re req	uired.			
25. Description to										
Physical Location:	Travel nort	neasterly from He	dley on Highway 203 a	pproximately	/ 1.4 mi	iles to e	entrance o	of WWTP loca	ted on north	side of Highway.
26. Nearest City							State		Near	est ZIP Code
Hedley						T	TX		7923	7
Latitude/Longitude are re	quired and	l may be added	/updated to meet T	CEQ Core D	ata St	andar	ds. (Geo	coding of th	e Physical i	Address may be
used to supply coordinate	s where no	ne have been p	rovided or to gain o	accuracy).						
27. Latitude (N) In Decima	al:	34.883333°		28. Lo	ongitu	de (W) In Deci	mal:	-100.6433	33°
Degrees	Minutes		Seconds	Degre	es		N	1inutes		Seconds
34		53	00		10	00		38		36
29. Primary SIC Code	30	Secondary SIC	Code	31. Primar	y NAIC	CS Cod	le	32. Seco	ndary NAIC	S Code
(4 digits)	(4 (ligits)		(5 or 6 digit				(5 or 6 dig	its)	
4952				221320						
33. What is the Primary B	usiness of	this entity? (D	o not repeat the SIC or	NAICS descr	iption.)) 				
34. Mailing	P.O. Box 1	85								
_	J-F. Mailing									
Address:	City	Hedley	State	тх	71	IP	79237		ZIP + 4	
	City	neuley	State	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	21	IF	79237		21F + 4	
35. E-Mail Address:	hee	lleycityhall@gma	il.com							
36. Telephone Number			37. Extension or 0	Code		38. Fa	x Numbe	er (if applicab	le)	
(806) 856-5241						(806)	856-0018	1		

Page 2 of 3 TCEQ-10400 (11/22)

☐ Dam Safety	/	Districts	Edwards Aquifer		Emissic	ons Inventory Air	☐ Industrial Hazardous Waste			
		1 (0-11-0)	00-38							
Municipal Solid Waste		☐ New Source Review Air	OSSF		Petroleum Storage Tank		□ PWS			
Sludge		Storm Water	☐ Title V Air		Tires		Used Oil			
☐ Voluntary Cleanup			☐ Wastewater Agricul	Iture [] Water I	Rights	Other:			
		WQ00107090	 							
ECTIO	N IV: Pr	eparer Inf	<u>ormation</u>	- I						
40. Name:	Clint Green		41. Title: Enginee			eering Technician/D	ring Technician/Designer			
42. Telephone	Number	43. Ext./Code	44. Fax Number	45. E-Mai	Addres	s				
(806)352-7117	1		(806) 352-7188 clint.green@ojdengi			ngineering.com				
ECTIO	N V: Au	thorized S	<u>ignature</u>							
			wledge, that the information wition II, Field 6 and/or as re				e, and that I have signature authority entified in field 39.			
Company: OJD Engine		neering, LLC	Job Title:	Engi	ineering Technician/Designer					
Name (In Print): Clint Gre		en				(806) 352- 7117				
Signature:		1	21/2			Date:	10/13/2025			
	1						1			

39. TCEQ Programs and ID Numbers Check all Programs and write in the permits/registration numbers that will be affected by the updates submitted on this



Attachment A2 Plain Language Summary

ww.OJDEngineering.com

fax: 806 352.7188



TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

SUMMARY OF APPLICATION IN PLAIN LANGUAGE FOR TPDES OR TLAP PERMIT APPLICATIONS

Summary of Application (in plain language) Template and Instructions for Texas Pollutant Discharge Elimination System (TPDES) and Texas Land Application (TLAP) Permit Applications

Applicants should use this template to develop a plain language summary of your facility and application as required by Title 30, Texas Administrative Code (30 TAC), Chapter 39, Subchapter H. You may modify the template as necessary to accurately describe your facility as long as the summary includes the following information: (1) the function of the proposed plant or facility; (2) the expected output of the proposed plant or facility; (3) the expected pollutants that may be emitted or discharged by the proposed plant or facility; and (4) how you will control those pollutants, so that the proposed plant will not have an adverse impact on human health or the environment.

Fill in the highlighted areas below to describe your facility and application in plain language. Instructions and examples are provided below. Make any other edits necessary to improve readability or grammar and to comply with the rule requirements. After filling in the information for your facility delete these instructions.

If you are subject to the alternative language notice requirements in 30 TAC Section 39.426, **you must provide a translated copy of the completed plain language summary in the appropriate alternative language as part of your application package**. For your convenience, a Spanish template has been provided below.

ENGLISH TEMPLATE FOR TPDES or TLAP NEW/RENEWAL/AMENDMENT APPLICATIONS Enter 'INDUSTRIAL' or 'DOMESTIC' here WASTEWATER/STORMWATER

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 TAC Chapter 39. The information provided in this summary may change during the technical review of the application and is not a federal enforceable representation of the permit application.

City of McLean (CN600638191) operates Domestic Wastewater Treatment Plant (RN102080611), a 0.14 MGD Wastewater Treatment Plant. The facility is located at 9. Enter location here, in McLean, Gray County, Texas 79057. Wastewater treatment permit renewal. <<- TLAP applications include the following sentence, otherwise delete:>> This permit will not authorize a discharge of pollutants into water in the state.

Discharges from the facility are expected to contain CDOD₅, TSS, Ammonia Nitrogen, Nitrate Nitrogen, TKN, Sulfate, Chloride, Total Phosphorus, pH, Dissolved Oxygen, Chlorine Residual, E.coli, TDSA, Electrical Conductivity, Oil & Grease, and Alkalinity. domestic are treated by via an imhoff tank and disposal via irrigation. Influent flows through a bar screen into an imhoff tank and discharges through a 3" Palmer-Bowlus Flume prefabricated metering manhole. Thence the flow passes through splitter box with in-line plug valves to either or both of the two (2) irrigation holding ponds. Irrigation is accomplished via water-reel irrigation device. Sludge is removed periodically from the imhoff tank to the sludge drying bed..

PLANTILLA EN ESPAÑOL PARA SOLICITUDES NUEVAS/RENOVACIONES/ENMIENDAS DE TPDES o TLAP

AGUAS RESIDUALES Introduzca 'INDUSTRIALES' o 'DOMÉSTICAS' aquí /AGUAS PLUVIALES

El siguiente resumen se proporciona para esta solicitud de permiso de calidad del agua pendiente que está siendo revisada por la Comisión de Calidad Ambiental de Texas según lo requerido por el Capítulo 39 del Código Administrativo de Texas 30. La información proporcionada en este resumen puede cambiar durante la revisión técnica de la solicitud y no es una representación ejecutiva fedérale de la solicitud de permiso.

1. Introduzca el nombre del solicitante aquí (2. Introduzca el número de cliente aquí (es decir, CN6########).) 3. Elija del menú desplegable 4. Introduzca el nombre de la instalación aquí 5. Introduzca el número de entidad regulada aquí (es decir, RN1######), 6. Elija del menú desplegable 7. Introduzca la descripción de la instalación aquí. La instalación 8. Elija del menú desplegable. ubicada en 9. Introduzca la ubicación aquí, en 10. Introduzca el nombre de la ciudad aquí, Condado de 11. Introduzca el nombre del condado aquí, Texas 12. Introduzca el código postal aquí. 13. Introduzca el resumen de la petición de solicitud aquí. << Para las solicitudes de TLAP incluya la siguiente oración, de lo contrario, elimine:>> Este permiso no autorizará una descarga de contaminantes en el agua en el estado.

Se espera que las descargas de la instalación contengan 14. Liste todos los contaminantes esperados aquí. 15. Introduzca los tipos de aguas residuales descargadas aquí. 16. Elija del menú desplegable tratado por 17. Introduzca una descripción del tratamiento de aguas residuales utilizado en la instalación aquí.

INSTRUCTIONS

- 1. Enter the name of applicant in this section. The applicant name should match the name associated with the customer number.
- 2. Enter the Customer Number in this section. Each Individual or Organization is issued a unique 11-digit identification number called a CN (e.g. CN123456789).
- 3. Choose "operates" in this section for existing facility applications or choose "proposes to operate" for new facility applications.
- 4. Enter the name of the facility in this section. The facility name should match the name associated with the regulated entity number.
- 5. Enter the Regulated Entity number in this section. Each site location is issued a unique 11-digit identification number called an RN (e.g. RN123456789).
- 6. Choose the appropriate article (a or an) to complete the sentence.
- 7. Enter a description of the facility in this section. For example: steam electric generating facility, nitrogenous fertilizer manufacturing facility, etc.
- 8. Choose "is" for an existing facility or "will be" for a new facility.
- 9. Enter the location of the facility in this section.
- 10. Enter the City nearest the facility in this section.
- 11. Enter the County nearest the facility in this section.
- 12. Enter the zip code for the facility address in this section.
- 13. Enter a summary of the application request in this section. For example: renewal to discharge 25,000 gallons per day of treated domestic wastewater, new application to discharge process wastewater and stormwater on an intermittent and flow-variable basis, or major amendment to reduce monitoring frequency for pH, etc. If more than one outfall is included in the application, provide applicable information for each individual outfall.
- 14. List all pollutants expected in the discharge from this facility in this section. If applicable, refer to the pollutants from any federal numeric effluent limitations that apply to your facility.
- 15. Enter the discharge types from your facility in this section (e.g., stormwater, process wastewater, once through cooling water, etc.)
- 16. Choose the appropriate verb tense to complete the sentence.
- 17. Enter a description of the wastewater treatment used at your facility. Include a description of each process, starting with initial treatment and finishing with the outfall/point of disposal. Use additional lines for individual discharge types if necessary.

Questions or comments concerning this form may be directed to the Water Quality Division's Application Review and Processing Team by email at <a href="https://www.wevenue.com

Example 1: Industrial Wastewater TPDES Application (ENGLISH)

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 TAC Chapter 39. The information provided in this summary may change during the technical review of the application and are not federal enforceable representations of the permit application.

ABC Corporation (CN600000000) operates the Starr Power Station (RN10000000000), a two-unit gas-fired electric generating facility. Unit 1 has a generating capacity of 393 megawatts (MWs) and Unit 2 has a generating capacity of 528 MWs. The facility is located at 1356 Starr Street, near the City of Austin, Travis County, Texas 78753.

This application is for a renewal to discharge 870,000,000 gallons per day of once through cooling water, auxiliary cooling water, and also authorizes the following waste streams monitored inside the facility (internal outfalls) before it is mixed with the other wastewaters authorized for discharge via main Outfall 001, referred to as "previously monitored effluents" (low-volume wastewater, metal-cleaning waste, and stormwater (from diked oil storage area yards and storm drains)) via Outfall 001. Low-volume waste sources, metal-cleaning waste, and stormwater drains on a continuous and flow-variable basis via internal Outfall 101.

The discharge of once through cooling water via Outfall 001 and low-volume waste and metal-cleaning waste via Outfall 101 from this facility is subject to federal effluent limitation guidelines at 40 CFR Part 423. The pollutants expected from these discharges based on 40 CFR Part 423 are: free available chlorine, total residual chlorine, total suspended solids, oil and grease, total iron, total copper, and pH. Temperature is also expected from these discharges. Additional potential pollutants are included in the Industrial Wastewater Application Technical Report, Worksheet 2.0.

Cooling water and boiler make-up water are supplied by Lake Starr Reservoir. The City of Austin municipal water plant (CN600000000, PWS 00000) supplies the facility's potable water and serves as an alternate source of boiler make-up water. Water from the Lake Starr Reservoir is withdrawn at the intake structure and treated with sodium hypochlorite to prevent biofouling and sodium bromide as a chlorine enhancer to improve efficacy and then passed through condensers and auxiliary equipment on a once-through basis to cool equipment and condense exhaust steam.

Low-volume wastewater from blowdown of boiler Units 1 and 2 and metal-cleaning wastes receive no treatment prior to discharge via Outfall 101. Plant floor and equipment drains and stormwater runoff from diked oil storage areas, yards, and storm drains are routed through an oil and water separator prior to discharge via Outfall 101. Domestic wastewater, blowdown, and backwash water from the service water filter, clarifier, and sand filter are routed to the Starr Creek Domestic Sewage Treatment Plant, TPDES Permit No. WQ0010000001, for treatment and disposal. Metal-cleaning waste from equipment cleaning is generally disposed of off-site.

Example 2: Domestic Wastewater TPDES Renewal application

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 Texas Administrative Code Chapter 39. The information provided in this summary may change during the technical review of the application and are not federal enforceable representations of the permit application.

The City of Texas (CN000000000) operates the City of Texas wastewater treatment plant (RN00000000), an activated sludge process plant operated in the complete mix mode. The facility is located at 123 Texas Street, near the City of More Texas, Texas County, Texas 71234.

This application is for a renewal to discharge at an annual average flow of 1,200,000 gallons per day of treated domestic wastewater via Outfalls 001 and 002.

Discharges from the facility are expected to contain five-day carbonaceous biochemical oxygen demand ($CBOD_5$), total suspended solids (TSS), ammonia nitrogen (NH_3 -N), and *Escherichia coli*. Additional potential pollutants are included in the Domestic Technical Report 1.0, Section 7. Pollutant Analysis of Treated Effluent and Domestic Worksheet 4.0 in the permit application package. Domestic wastewater is treated by an activated sludge process plant and the treatment units include a bar screen, a grit chamber, aeration basins, final clarifiers, sludge digesters, a belt filter press, chlorine contact chambers and a dechlorination chamber.

Example 3: Domestic Wastewater TPDES New Application

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 Texas Administrative Code Chapter 39. The information provided in this summary may change during the technical review of the application and are not federal enforceable representations of the permit application.

The City of Texas (CN000000000) proposes to operate the City of Texas wastewater treatment plant (RN00000000), an activated sludge process plant operated in the extended aeration mode. The facility will be located at 123 Texas Street, in the City of More Texas, Texas County, Texas 71234.

This application is for a new application to discharge at a daily average flow of 200,000 gallons per day of treated domestic wastewater.

Discharges from the facility are expected to contain five-day carbonaceous biochemical oxygen demand (CBOD₅), total suspended solids (TSS), ammonia nitrogen (NH₃-N), and *Escherichia coli*. Additional potential pollutants are included in the Domestic Technical Report 1.0, Section 7. Pollutant Analysis of Treated Effluent in the permit application package. Domestic wastewater will be treated by an activated sludge process plant and the treatment units will include a bar screen, a grit chamber, aeration basins, final clarifiers, sludge digesters, a belt filter press, chlorine contact chambers and a dechlorination chamber.

Example 4: Domestic Wastewater TLAP Renewal application

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 Texas Administrative Code Chapter 39. The information provided in this summary may change during the technical review of the application and are not federal enforceable representations of the permit application.

The City of Texas (CN000000000) operates the City of Texas wastewater treatment plant (RN00000000), an activated sludge process plant operated in the complete mix mode. The facility is located at 123 Texas Street, near the City of More Texas, Texas County, Texas 71234.

This application is for a renewal to dispose a daily average flow not to exceed 76,500 gallons per day of treated domestic wastewater via public access subsurface drip irrigation system with a minimum area of 32 acres. This permit will not authorize a discharge of pollutants into water in the state.


Land application of domestic wastewater from the facility are expected to contain five-day biochemical oxygen demand (BOD_5), total suspended solids (TSS), and *Escherichia coli*. Additional potential pollutants are included in the Domestic Technical Report 1.0, Section 7. Pollutant Analysis of Treated Effluent in the permit application package. Domestic wastewater is treated by an activated sludge process plant and the treatment units include a bar screen, an equalization basin, an aeration basin, a final clarifier, an aerobic sludge digester, tertiary filters, and a chlorine contact chamber. In addition, the facility includes a temporary storage that equals to at least three days of the daily average flow.



Attachment A3
USGS Map



fax: 806 352.7188



S COMMISSION OF THE PROPERTY O

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

DOMESTIC WASTEWATER PERMIT APPLICATION TECHNICAL REPORT 1.0

For any questions about this form, please contact the Domestic Wastewater Permitting Team at 512-239-4671.

The following information is required for all renewal, new, and amendment applications.

Section 1. Permitted or Proposed Flows (Instructions Page 42)

A. Existing/Interim I Phase

Design Flow (MGD): <u>0.14</u> 2-Hr Peak Flow (MGD): <u>0.42</u>

Estimated construction start date: <u>N/A</u>
Estimated waste disposal start date: <u>N/A</u>

B. Interim II Phase

Design Flow (MGD): <u>N/A</u> 2-Hr Peak Flow (MGD): <u>N/A</u>

Estimated construction start date: <u>N/A</u>
Estimated waste disposal start date: <u>N/A</u>

C. Final Phase

Design Flow (MGD): <u>0.14</u> 2-Hr Peak Flow (MGD): 0.42

Estimated construction start date: <u>N/A</u>
Estimated waste disposal start date: N/A

D. Current Operating Phase

Provide the startup date of the facility: 9/2006

Section 2. Treatment Process (Instructions Page 42)

A. Current Operating Phase

Provide a detailed description of the treatment process. **Include the type of treatment plant, mode of operation, and all treatment units.** Start with the plant's head works and

finish with the point of discharge. Include all sludge processing and drying units. **If more than one phase exists or is proposed, a description of** *each phase* **must be provided**.

Plant operation consists of primary treatment via an imhoff tank and disposal via irrigation. Influent flows through a bar screen into an imhoff tank and discharges through a 3" Palmer-Bowlus Flume prefabricated metering manhole. Thence the flow passes through splitter box with in-line plug valves to either or both of the two (2) irrigation holding ponds. Irrigation is accomplished via water-reel irrigation device. Sludge is removed periodically from the imhoff tank to the sludge drying bed.

B. Treatment Units

In Table 1.0(1), provide the treatment unit type, the number of units, and dimensions (length, width, depth) of each treatment unit, accounting for *all* phases of operation.

Table 1.0(1) - Treatment Units

Treatment Unit Type	Number of Units	Dimensions (L x W x D)
Bar Screen	1	17" x 7"
Imhoff Tank	1	2 2' x 21' x 20'
Irrigation Holding Ponds	2	530' x 180' x 8'

C. Process Flow Diagram

Provide flow diagrams for the existing facilities and **each** proposed phase of construction.

Attachment: T-1

Section 3. Site Information and Drawing (Instructions Page 43)

Provide the TPDES discharge outfall latitude and longitude. Enter N/A if not applicable.

• Latitude: Click to enter text.

• Longitude: <u>Click to enter text.</u>

Provide the TLAP disposal site latitude and longitude. Enter N/A if not applicable.

• Latitude: 35° 13' 18"

• Longitude: <u>-100° 35' 21"</u>

Provide a site drawing for the facility that shows the following:

- The boundaries of the treatment facility;
- The boundaries of the area served by the treatment facility;
- If land disposal of effluent, the boundaries of the disposal site and all storage/holding ponds; and
- If sludge disposal is authorized in the permit, the boundaries of the land application or disposal site.

Attachment: T-2

Provide the name and a des	cription of the area	a served by the treatmen	t facility.
City of McLean, Texas			
Collection System Informati	ion for wastewate r	TPDES permits only: Pi	rovide information for
each uniquely owned collections and literately owned collections.			
satellite collection systems. examples.	Please see the ins	tructions for a detailed	explanation and
-			
Collection System Informatio Collection System Name	Owner Name	Ournor Tymo	Population Served
Conection system Name	Owner Name	Owner Type	ropulation served
		Choose an item.	
Section 4. Unbuilt P	hases (Instruc	tions Page 44)	
Is the application for a rene	wal of a permit tha	it contains an unbuilt ph	ase or phases?
□ Yes ⊠ No			
If yes , does the existing per years of being authorized b		e that has not been cons	structed within five
□ Yes □ No			
If yes, provide a detailed di			
Failure to provide sufficier recommending denial of the			e Director
	e unbunt phase of	phases.	
Click to enter text.			
Section 5. Closure I	Plans (Instructi	ons Page 44)	
Have any treatment units be out of service in the next fiv	een taken out of se		ll any units be taken
☐ Yes ☑ No	ic years:		
If ves. was a closure plan si	ihmitted to the TC	FO?	

If v	yes, provide a brief description of the closure and the date of plan approval.
	ection 6. Permit Specific Requirements (Instructions Page 44)
	r applicants with an existing permit, check the Other Requirements or Special ovisions of the permit.
A.	Summary transmittal
	Have plans and specifications been approved for the existing facilities and each proposed phase?
	If yes, provide the date(s) of approval for each phase: 6/2005
	Provide information, including dates, on any actions taken to meet a <i>requirement or provision</i> pertaining to the submission of a summary transmittal letter. Provide a copy of an approval letter from the TCEQ, if applicable .
	Click to enter text.
B.	Buffer zones
	Have the buffer zone requirements been met?
	⊠ Yes □ No
	Provide information below, including dates, on any actions taken to meet the conditions of the buffer zone. If available, provide any new documentation relevant to maintaining the buffer zones.
	Click to enter text.

C.	Ot	her actions required by the current permit
	sul	es the <i>Other Requirements</i> or <i>Special Provisions</i> section in the existing permit require omission of any other information or other required actions? Examples include tification of Completion, progress reports, soil monitoring data, etc.
		□ Yes ⊠ No
		ves, provide information below on the status of any actions taken to meet the additions of an <i>Other Requirement</i> or <i>Special Provision</i> .
	C	lick to enter text.
D.	Gr	it and grease treatment
	1.	Acceptance of grit and grease waste
		Does the facility have a grit and/or grease processing facility onsite that treats and decants or accepts transported loads of grit and grease waste that are discharged directly to the wastewater treatment plant prior to any treatment?
		□ Yes ⊠ No
		If No, stop here and continue with Subsection E. Stormwater Management.
	2.	Grit and grease processing
		Describe below how the grit and grease waste is treated at the facility. In your description, include how and where the grit and grease is introduced to the treatment works and how it is separated or processed. Provide a flow diagram showing how grit and grease is processed at the facility.
		Click to enter text.
	3.	Grit disposal
		Does the facility have a Municipal Solid Waste (MSW) registration or permit for grit disposal?

□ Yes ⊠ No

If No, contact the TCEQ Municipal Solid Waste team at 512-239-2335. Note: A registration or permit is required for grit disposal. Grit shall not be combined with treatment plant sludge. See the instruction booklet for additional information on grit disposal requirements and restrictions.

Describe the method of grit disposal.

		Click to enter text.
	4.	Grease and decanted liquid disposal
		Note: A registration or permit is required for grease disposal. Grease shall not be combined with treatment plant sludge. For more information, contact the TCEQ Municipal Solid Waste team at 512-239-2335.
		Describe how the decant and grease are treated and disposed of after grit separation.
		Click to enter text.
Е.	Cta	ormwater management
С.		ormwater management
	1.	Applicability Does the facility have a design flow of 1.0 MGD or greater in any phase?
		Yes No
		Does the facility have an approved pretreatment program, under 40 CFR Part 403?
		☐ Yes ☒ No
	2	If no to both of the above , then skip to Subsection F, Other Wastes Received.
	2.	MSGP coverage Is the starmy star maneff from the MANTED and dedicated lands for servings disposal
		Is the stormwater runoff from the WWTP and dedicated lands for sewage disposal currently permitted under the TPDES Multi-Sector General Permit (MSGP), TXR050000?
		□ Yes □ No
		If yes , please provide MSGP Authorization Number and skip to Subsection F, Other Wastes Received:
		TXR05 Click to enter text. or TXRNE Click to enter text.
		If no, do you intend to seek coverage under TXR050000?
		□ Yes □ No
	3.	Conditional exclusion
		Alternatively, do you intend to apply for a conditional exclusion from permitting based TXR050000 (Multi Sector General Permit) Part II B.2 or TXR050000 (Multi Sector General Permit) Part V, Sector T 3(b)?
		□ Yes □ No
		If ves please explain below then proceed to Subsection F. Other Wastes Received:

	Click to enter text.
4.	Existing coverage in individual permit
	Is your stormwater discharge currently permitted through this individual TPDES or TLAP permit?
	□ Yes □ No
	If yes , provide a description of stormwater runoff management practices at the site that are authorized in the wastewater permit then skip to Subsection F, Other Wastes Received.
	Click to enter text.
5 .	Zero stormwater discharge
	Do you intend to have no discharge of stormwater via use of evaporation or other means?
	□ Yes □ No
	If yes, explain below then skip to Subsection F. Other Wastes Received.
	Click to enter text.
	Note: If there is a potential to discharge any stormwater to surface water in the state as the result of any storm event, then permit coverage is required under the MSGP or an individual discharge permit. This requirement applies to all areas of facilities with treatment plants or systems that treat, store, recycle, or reclaim domestic sewage, wastewater or sewage sludge (including dedicated lands for sewage sludge disposal located within the onsite property boundaries) that meet the applicability criteria of above. You have the option of obtaining coverage under the MSGP for direct discharges, (recommended), or obtaining coverage under this individual permit.
6.	Request for coverage in individual permit
	Are you requesting coverage of stormwater discharges associated with your treatment plant under this individual permit?
	□ Yes □ No
	If yes , provide a description of stormwater runoff management practices at the site for which you are requesting authorization in this individual wastewater permit and describe whether you intend to comingle this discharge with your treated effluent or discharge it via a separate dedicated stormwater outfall. Please also indicate if you

		intend to divert stormwater to the treatment plant headworks and indirectly discharge it to water in the state.
		Click to enter text.
		Note: Direct stormwater discharges to waters in the state authorized through this individual permit will require the development and implementation of a stormwater pollution prevention plan (SWPPP) and will be subject to additional monitoring and reporting requirements. Indirect discharges of stormwater via headworks recycling will require compliance with all individual permit requirements including 2-hour peak flow limitations. All stormwater discharge authorization requests will require additional information during the technical review of your application.
F.	Dis	scharges to the Lake Houston Watershed
	Do	es the facility discharge in the Lake Houston watershed?
		□ Yes ⊠ No
		ves, attach a Sewage Sludge Solids Management Plan. See Example 5 in the instructions. ck to enter text.
G.	Ot	her wastes received including sludge from other WWTPs and septic waste
	1.	Acceptance of sludge from other WWTPs
		Does or will the facility accept sludge from other treatment plants at the facility site?
		□ Yes ⊠ No
		If yes, attach sewage sludge solids management plan. See Example 5 of instructions.
		In addition, provide the date the plant started or is anticipated to start accepting sludge, an estimate of monthly sludge acceptance (gallons or millions of gallons), an
		estimate of the BOD_5 concentration of the sludge, and the design BOD_5 concentration of the influent from the collection system. Also note if this information has or has not changed since the last permit action.
		Click to enter text.
		Note: Permits that accept sludge from other wastewater treatment plants may be required to have influent flow and organic loading monitoring.
	2.	Acceptance of septic waste
		Is the facility accepting or will it accept septic waste?
		□ Yes ⊠ No
		If yes, does the facility have a Type V processing unit?
		□ Yes □ No
		If yes, does the unit have a Municipal Solid Waste permit?
		□ Yes □ No

If yes to any of the above, provide the date the plant started or is anticipated to start accepting septic waste, an estimate of monthly septic waste acceptance (gallons or millions of gallons), an estimate of the BOD_5 concentration of the septic waste, and the design BOD_5 concentration of the influent from the collection system. Also note if this information has or has not changed since the last permit action.

Click to enter text.
Note: Permits that accept sludge from other wastewater treatment plants may be required to have influent flow and organic loading monitoring.
Acceptance of other wastes (not including septic, grease, grit, or RCRA, CERCLA or as discharged by IUs listed in Worksheet 6)
Is or will the facility accept wastes that are not domestic in nature excluding the categories listed above?
□ Yes ⊠ No
If yes, provide the date that the plant started accepting the waste, an estimate how much waste is accepted on a monthly basis (gallons or millions of gallons), a description of the entities generating the waste, and any distinguishing chemical or other physical characteristic of the waste. Also note if this information has or has no changed since the last permit action.
Click to enter text.

Section 7. Pollutant Analysis of Treated Effluent (Instructions Page 49)

Is the facility in operation?

⊠ Yes □ No

3.

If no, this section is not applicable. Proceed to Section 8.

If yes, provide effluent analysis data for the listed pollutants. *Wastewater treatment facilities* complete Table 1.0(2). *Water treatment facilities* discharging filter backwash water, complete Table 1.0(3). Provide copies of the laboratory results sheets. **These tables are not applicable for a minor amendment without renewal.** See the instructions for guidance.

Note: The sample date must be within 1 year of application submission.

Table 1.0(2) - Pollutant Analysis for Wastewater Treatment Facilities

Pollutant	Average Conc.	Max Conc.	No. of Samples	Sample Type	Sample Date/Time
CBOD ₅ , mg/l	38		1	Grab	4/16/25 8:00
Total Suspended Solids, mg/l	119		1	Grab	4/16/25 8:00
Ammonia Nitrogen, mg/l	0.17		1	Grab	4/16/25 8:00
Nitrate Nitrogen, mg/l	0.73		1	Grab	4/16/25 8:00
Total Kjeldahl Nitrogen, mg/l	21.8		1	Grab	4/16/25 8:00
Sulfate, mg/l	34.8		1	Grab	4/16/25 8:00
Chloride, mg/l	164		1	Grab	4/16/25 8:00
Total Phosphorus, mg/l	2.38		1	Grab	4/16/25 8:00
pH, standard units	8.3		1	Grab	4/16/25 8:00
Dissolved Oxygen*, mg/l	5.1		1	Grab	4/16/25 8:00
Chlorine Residual, mg/l	0.0		1	Grab	4/16/25 8:00
E.coli (CFU/100ml) freshwater	15		1	Grab	4/16/25 8:00
Entercocci (CFU/100ml) saltwater	N/A	N/A	N/A	N/A	N/A
Total Dissolved Solids, mg/l	572		1	Grab	4/16/25 8:00
Electrical Conductivity, µmohs/cm, †	867		1	Grab	4/16/25 8:00
Oil & Grease, mg/l	<7		1	Grab	4/16/25 8:00
Alkalinity (CaCO ₃)*, mg/l	256		1	Grab	4/16/25 8:00

^{*}TPDES permits only

Table 1.0(3) - Pollutant Analysis for Water Treatment Facilities

Pollutant	Average Conc.	Max Conc.	No. of Samples	Sample Type	Sample Date/Time
Total Suspended Solids, mg/l	N/A	N/A	N/A	N/A	N/A
Total Dissolved Solids, mg/l	N/A	N/A	N/A	N/A	N/A
pH, standard units	N/A	N/A	N/A	N/A	N/A
Fluoride, mg/l	N/A	N/A	N/A	N/A	N/A
Aluminum, mg/l	N/A	N/A	N/A	N/A	N/A
Alkalinity (CaCO ₃), mg/l	N/A	N/A	N/A	N/A	N/A

Section 8. Facility Operator (Instructions Page 49)

Facility Operator Name: Michael L Story

Facility Operator's License Classification and Level: Wastewater Treatment Operator C

Facility Operator's License Number: <u>WW0054621</u>

[†]TLAP permits only

Section 9. Sludge and Biosolids Management and Disposal (Instructions Page 50)

WW	TP's Sewage Sludge or Biosolids Management Facility Type
Che	eck all that apply. See instructions for guidance
	Design flow>= 1 MGD
	Serves >= 10,000 people
	Class I Sludge Management Facility (per 40 CFR § 503.9)
	Biosolids generator
	Biosolids end user - land application (onsite)
	Biosolids end user - surface disposal (onsite)
	Biosolids end user - incinerator (onsite)
ww	TP's Sewage Sludge or Biosolids Treatment Process
Che	eck all that apply. See instructions for guidance.
	Aerobic Digestion
	Air Drying (or sludge drying beds)
	Lower Temperature Composting
	Lime Stabilization
	Higher Temperature Composting
	Heat Drying
	Thermophilic Aerobic Digestion
	Beta Ray Irradiation
	Gamma Ray Irradiation
	Pasteurization
	Preliminary Operation (e.g. grinding, de-gritting, blending)
	Thickening (e.g. gravity thickening, centrifugation, filter press, vacuum filter)
	Sludge Lagoon
	Temporary Storage (< 2 years)
	Long Term Storage (>= 2 years)
	Methane or Biogas Recovery
\boxtimes	Other Treatment Process: <u>Permitted Landfill</u>

C. Sewage Sludge or Biosolids Management

B.

Provide information on the *intended* sewage sludge or biosolids management practice. Do not enter every management practice that you want authorized in the permit, as the permit will authorize all sewage sludge or biosolids management practices listed in the instructions. Rather indicate the management practice the facility plans to use.

Biosolids Management

Management Practice	Handler or Preparer Type	Bulk or Bag Container	Amount (dry metric tons)	Pathogen Reduction Options	Vector Attraction Reduction Option
Choose an item.	Choose an item.	Choose an item.		Choose an item.	Choose an item.
Choose an item.	Choose an item.	Choose an item.		Choose an item.	Choose an item.
Choose an item.	Choose an item.	Choose an item.		Choose an item.	Choose an item.

If "Other" is selected for Management Practice, please explain (e.g. monofill or transport to another WWTP): Click to enter text.

D. Disposal site

Disposal site name: McLean Landfill

TCEQ permit or registration number: <u>2414</u> County where disposal site is located: <u>Gray</u>

E. Transportation method

Method of transportation (truck, train, pipe, other): Truck

Name of the hauler: <u>Click to enter text.</u>

Hauler registration number: <u>Click to enter text.</u>

Sludge is transported as a:

Liquid \square semi-liquid \square semi-solid \square solid \boxtimes

Section 10. Permit Authorization for Sewage Sludge Disposal (Instructions Page 52)

A. Beneficial use authorization

Does the existing	permit include	authorization	for land	application	of biosolids	for
beneficial use?						

□ Yes ⊠ No

If yes, are you requesting to continue this authorization to land apply biosolids for beneficial use?

□ Yes □ No

If yes, is the completed Application for Permit for Beneficial Land Use of Sewage Sludge (TCEQ Form No. 10451) attached to this permit application (see the instructions for details)?

□ Yes □ No

B. Sludge processing authorization

Does the existing permit include authorization for any of the following sludge processing, storage or disposal options?

Slu	dge Composting		Yes	\boxtimes	No
Mai	rketing and Distribution of Biosolids		Yes	\boxtimes	No
Slu	dge Surface Disposal or Sludge Monofill		Yes	\boxtimes	No
Ter	nporary storage in sludge lagoons		Yes	\boxtimes	No
author	to any of the above sludge options and the ization, is the completed Domestic Wastevical Report (TCEQ Form No. 10056) attach	vate	r Permi	t Appl	ication: Sewage Sludge
	Yes □ No				
Section	11. Sewage Sludge Lagoons (Ins	tru	ctions	Page	e 53)
	facility include sewage sludge lagoons?			8	,
□ Ye	,				
	aplete the remainder of this section. If no,	proc	eed to S	ection	12.
A. Locatio	on information				
The fo	llowing maps are required to be submitted e the Attachment Number.	as p	art of tl	1е арр	lication. For each map,
•	Original General Highway (County) Map:				
	Attachment: Click to enter text.				
•	USDA Natural Resources Conservation Serv	vice :	Soil Mar):	
	Attachment: Click to enter text.				
•	Federal Emergency Management Map:				
	Attachment: Click to enter text.				
•	Site map:				
	Attachment: Click to enter text.				
Discus apply.	s in a description if any of the following ex	ist v	vithin th	ie lago	on area. Check all that
	Overlap a designated 100-year frequency	floo	d plain		
	Soils with flooding classification				
	Overlap an unstable area				
	Wetlands				
	Located less than 60 meters from a fault				
	None of the above				
Att	achment: Click to enter text.				
If a no	rtion of the lagran(s) is located within the	100	waar fra	anono	y flood plain, provide

If a portion of the lagoon(s) is located within the 100-year frequency flood plain, provide the protective measures to be utilized including type and size of protective structures:

Click to enter text.
Temporary storage information
Provide the results for the pollutant screening of sludge lagoons. These results are in addition to pollutant results in <i>Section 7 of Technical Report 1.0.</i>
Nitrate Nitrogen, mg/kg: Click to enter text.
Total Kjeldahl Nitrogen, mg/kg: <u>Click to enter text.</u>
Total Nitrogen (=nitrate nitrogen + TKN), mg/kg: Click to enter text.
Phosphorus, mg/kg: Click to enter text.
Potassium, mg/kg: Click to enter text.
pH, standard units: Click to enter text.
Ammonia Nitrogen mg/kg: Click to enter text.
Arsenic: Click to enter text.
Cadmium: Click to enter text.
Chromium: Click to enter text.
Copper: Click to enter text.
Lead: Click to enter text.
Mercury: Click to enter text.
Molybdenum: Click to enter text.
Nickel: Click to enter text.
Selenium: Click to enter text.
Zinc: Click to enter text.
Total PCBs: Click to enter text.
Provide the following information:
Volume and frequency of sludge to the lagoon(s): Click to enter text.
Total dry tons stored in the lagoons(s) per 365-day period: Click to enter text.
Total dry tons stored in the lagoons(s) over the life of the unit: Click to enter text.
Liner information
Does the active/proposed sludge lagoon(s) have a liner with a maximum hydraulic
conductivity of 1x10 ⁻⁷ cm/sec?
□ Yes □ No

B.

C.

	If yes	, describe the liner below. Please note that a liner is required.
	N/A	
D	Sito d	evelopment plan
υ.		de a detailed description of the methods used to deposit sludge in the lagoon(s):
	N/A	ic a detailed description of the methods used to deposit studge in the lagoon(s).
	IN/A	
	Attod	h the following documents to the application.
	Attac	
	•	Plan view and cross-section of the sludge lagoon(s)
		Attachment: Click to enter text.
	•	Copy of the closure plan
		Attachment: Click to enter text.
	•	Copy of deed recordation for the site
		Attachment: Click to enter text.
	•	Size of the sludge lagoon(s) in surface acres and capacity in cubic feet and gallons
		Attachment: Click to enter text.
	•	Description of the method of controlling infiltration of groundwater and surface water from entering the site
		Attachment: Click to enter text.
	•	Procedures to prevent the occurrence of nuisance conditions
		Attachment: Click to enter text.
E.	Groui	ndwater monitoring
	groun	undwater monitoring currently conducted at this site, or are any wells available for dwater monitoring, or are groundwater monitoring data otherwise available for the e lagoon(s)?
		Yes 🗵 No
	types	undwater monitoring data are available, provide a copy. Provide a profile of soil encountered down to the groundwater table and the depth to the shallowest dwater as a separate attachment.
	_	tachment: Click to enter text.

Page 54)

A. Additional authorizations	
Does the permittee have additional authorizations for this facility, such as reuse authorization, sludge permit, etc?	
□ Yes ⊠ No	
If yes, provide the TCEQ authorization number and description of the authorization:	
Click to enter text.	
B. Permittee enforcement status	
Is the permittee currently under enforcement for this facility?	
□ Yes ⊠ No	
Is the permittee required to meet an implementation schedule for compliance or enforcement?	
□ Yes ⊠ No	
If yes to either question, provide a brief summary of the enforcement, the implementa schedule, and the current status:	tion
Click to enter text.	

Section 13. RCRA/CERCLA Wastes (Instructions Page 55)

A. RCRA hazardous wastes

Has the facility received in the past three years, does it currently receive, or will it receive RCRA hazardous waste?

Yes ⊠ No

B. Remediation activity wastewater

Has the facility received in the past three years, does it currently receive, or will it receive CERCLA wastewater, RCRA remediation/corrective action wastewater or other remediation activity wastewater?

Yes	No

C. Details about wastes received

If yes to either Subsection A or B above, provide detailed information concerning these wastes with the application.

Attachment: Click to enter text.

Section 14. Laboratory Accreditation (Instructions Page 55)

All laboratory tests performed must meet the requirements of 30 TAC Chapter 25, Environmental Testing Laboratory Accreditation and Certification, which includes the following general exemptions from National Environmental Laboratory Accreditation Program (NELAP) certification requirements:

- The laboratory is an in-house laboratory and is:
 - o periodically inspected by the TCEQ; or
 - o located in another state and is accredited or inspected by that state; or
 - o performing work for another company with a unit located in the same site; or
 - o performing pro bono work for a governmental agency or charitable organization.
- The laboratory is accredited under federal law.
- The data are needed for emergency-response activities, and a laboratory accredited under the Texas Laboratory Accreditation Program is not available.
- The laboratory supplies data for which the TCEQ does not offer accreditation.

The applicant should review 30 TAC Chapter 25 for specific requirements.

The following certification statement shall be signed and submitted with every application. See the Signature Page section in the Instructions, for a list of designated representatives who may sign the certification.

CERTIFICATION:

I certify that all laboratory tests submitted with this application meet the requirements of 30 TAC Chapter 25, Environmental Testing Laboratory Accreditation and Certification.

Printed Name: <u>Tanner Hess</u>

Title: Mayor

Signature: 🟒

DOMESTIC WASTEWATER PERMIT APPLICATION TECHNICAL REPORT 1.1

The following information is required for new and amendment major applications.

Section 1. Justification for Permit (Instructions Page 56)

Δ	Justification	of ·	nermit	need
A.	Justincation	OΙ	permit	neeu

B.

Provide a detailed discussion regarding the need for any phase(s) not currently permitted
Failure to provide sufficient justification may result in the Executive Director
recommending denial of the proposed phase(s) or permit.

Click to enter text.
Regionalization of facilities
For additional guidance, please review <u>TCEO's Regionalization Policy for Wastewater Treatment</u> ¹ .
Provide the following information concerning the potential for regionalization of domestic wastewater treatment facilities:
1. Municipally incorporated areas
If the applicant is a city, then Item 1 is not applicable. Proceed to Item 2 Utility CCN areas.
Is any portion of the proposed service area located in an incorporated city?
□ Yes □ No □ Not Applicable
If yes, within the city limits of: Click to enter text.
If yes, attach correspondence from the city.
Attachment: Click to enter text.
If consent to provide service is available from the city, attach a justification for the proposed facility and a cost analysis of expenditures that includes the cost of connecting to the city versus the cost of the proposed facility or expansion attached.
Attachment: Click to enter text.
2. Utility CCN areas
Is any portion of the proposed service area located inside another utility's CCN area?
□ Yes □ No

¹ https://www.tceq.texas.gov/permitting/wastewater/tceq-regionalization-for-wastewater

If ves, attach a justification for the proposed facility and a cost analysis of expenditures that includes the cost of connecting to the CCN facilities versus the cost of the proposed facility or expansion. Attachment: Click to enter text. 3. Nearby WWTPs or collection systems Are there any domestic permitted wastewater treatment facilities or collection systems located within a three-mile radius of the proposed facility? Yes No If yes, attach a list of these facilities and collection systems that includes each permittee's name and permit number, and an area map showing the location of these facilities and collection systems. Attachment: Click to enter text. If yes, attach proof of mailing a request for service to each facility and collection system, the letters requesting service, and correspondence from each facility and collection system. Attachment: Click to enter text. If the facility or collection system agrees to provide service, attach a justification for the proposed facility and a cost analysis of expenditures that includes the cost of connecting to the facility or collection system versus the cost of the proposed facility or expansion. Attachment: Click to enter text. **Proposed Organic Loading (Instructions Page 58)** Section 2. Is this facility in operation? Yes □ No **If no**, proceed to Item B, Proposed Organic Loading. If yes, provide organic loading information in Item A, Current Organic Loading A. Current organic loading Facility Design Flow (flow being requested in application): Click to enter text. Average Influent Organic Strength or BOD₅ Concentration in mg/l: Click to enter text. Average Influent Loading (lbs/day = total average flow X average BOD₅ conc. X 8.34): Click to enter text. Provide the source of the average organic strength or BOD₅ concentration.

Click to enter text.

B. Proposed organic loading

This table must be completed if this application is for a facility that is not in operation or if this application is to request an increased flow that will impact organic loading.

Table 1.1(1) - Design Organic Loading

Source	Total Average Flow (MGD)	Influent BOD5 Concentration (mg/l)
Municipality		
Subdivision		
Trailer park - transient		
Mobile home park		
School with cafeteria and showers		
School with cafeteria, no showers		
Recreational park, overnight use		
Recreational park, day use		
Office building or factory		
Motel		
Restaurant		
Hospital		
Nursing home		
Other		
TOTAL FLOW from all sources		
AVERAGE BOD ₅ from all sources		

Section 3. Proposed Effluent Quality and Disinfection (Instructions Page 58)

A. Existing/Interim I Phase Design Effluent Quality

Biochemical Oxygen Demand (5-day), mg/l: Click to enter text.

Total Suspended Solids, mg/l: Click to enter text.

Ammonia Nitrogen, mg/l: Click to enter text.

Total Phosphorus, mg/l: Click to enter text.

Dissolved Oxygen, mg/l: Click to enter text.

Other: Click to enter text.

B. Interim II Phase Design Effluent Quality

Biochemical Oxygen Demand (5-day), mg/l: Click to enter text.

Total Suspended Solids, mg/l: Click to enter text.

Ammonia Nitrogen, mg/l: Click to enter text.
Total Phosphorus, mg/l: Click to enter text.
Dissolved Oxygen, mg/l: Click to enter text.
Other: Click to enter text.
C. Final Phase Design Effluent Quality
Biochemical Oxygen Demand (5-day), mg/l: Click to enter text.
Total Suspended Solids, mg/l: Click to enter text.
Ammonia Nitrogen, mg/l: Click to enter text.
Total Phosphorus, mg/l: Click to enter text.
Dissolved Oxygen, mg/l: Click to enter text.
Other: Click to enter text.
D. Disinfection Method
Identify the proposed method of disinfection.
Chlorine: Click to enter text. mg/l after Click to enter text. minutes detention tinat peak flow
Dechlorination process: Click to enter text.
☐ Ultraviolet Light: <u>Click to enter text.</u> seconds contact time at peak flow
□ Other: Click to enter text.
Section 4. Design Calculations (Instructions Page 58)
Attach design calculations and plant features for each proposed phase. Example 4 of the instructions includes sample design calculations and plant features.
Attachment: Click to enter text.
Section 5. Facility Site (Instructions Page 59)
Section 5. Tacinty Site (instructions rage 39)
A. 100-year floodplain
Will the proposed facilities be located <u>above</u> the 100-year frequency flood level?
□ Yes □ No
If no , describe measures used to protect the facility during a flood event. Include a site map showing the location of the treatment plant within the 100-year frequency flood level. If applicable, provide the size and types of protective structures.
Click to enter text.
Provide the source(s) used to determine 100-year frequency flood plain.
Click to enter text.

For a new or expansion of a facility, will a wetland or part of a wetland be filled?
□ Yes □ No
If yes, has the applicant applied for a US Corps of Engineers 404 Dredge and Fill Permit?
□ Yes □ No
If yes, provide the permit number: Click to enter text.
If no, provide the approximate date you anticipate submitting your application to the Corps: Click to enter text.
Wind rose
Attach a wind rose: <u>Click to enter text.</u>
ection 6. Permit Authorization for Sewage Sludge Disposal
(Instructions Page 59)
Beneficial use authorization
Are you requesting to include authorization to land apply sewage sludge for beneficial use on property located adjacent to the wastewater treatment facility under the wastewater permit?
□ Yes □ No
If yes, attach the completed Application for Permit for Beneficial Land Use of Sewage Sludge (TCEQ Form No. 10451) : <u>Click to enter text.</u>
Sludge processing authorization
Identify the sludge processing, storage or disposal options that will be conducted at the wastewater treatment facility:
□ Sludge Composting
☐ Marketing and Distribution of sludge
□ Sludge Surface Disposal or Sludge Monofill
If any of the above, sludge options are selected, attach the completed Domestic Wastewater Permit Application: Sewage Sludge Technical Report (TCEQ Form No. 10056): Click to enter text.

Section 7. Sewage Sludge Solids Management Plan (Instructions Page 60)

Attach a solids management plan to the application.

Attachment: Click to enter text.

B.

B.

The sewage sludge solids management plan must contain the following information:

- Treatment units and processes dimensions and capacities
- Solids generated at 100, 75, 50, and 25 percent of design flow
- Mixed liquor suspended solids operating range at design and projected actual flow
- Quantity of solids to be removed and a schedule for solids removal
- Identification and ownership of the ultimate sludge disposal site
- For facultative lagoons, design life calculations, monitoring well locations and depths, and the ultimate disposal method for the sludge from the facultative lagoon

An example of a sewage sludge solids management plan has been included as Example 5 of the instructions.	

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 2.0: RECEIVING WATERS

The following information is required for all TPDES permit applications.

Section 1. Domestic Drinking Water Supply (Instructions Page 63)
Is there a surface water intake for domestic drinking water supply located within 5 miles downstream from the point or proposed point of discharge?
□ Yes □ No
If no , proceed it Section 2. If yes , provide the following:
Owner of the drinking water supply: Click to enter text.
Distance and direction to the intake: Click to enter text.
Attach a USGS map that identifies the location of the intake.
Attachment: Click to enter text.
Section 2. Discharge into Tidally Affected Waters (Instructions Page 63)
Does the facility discharge into tidally affected waters?
□ Yes □ No
If no , proceed to Section 3. If yes , complete the remainder of this section. If no, proceed to Section 3.
A. Receiving water outfall
Width of the receiving water at the outfall, in feet: Click to enter text.
B. Oyster waters
Are there oyster waters in the vicinity of the discharge?
□ Yes □ No
If yes, provide the distance and direction from outfall(s).
Click to enter text.
C. Sea grasses
Are there any sea grasses within the vicinity of the point of discharge?
□ Yes □ No
If yes, provide the distance and direction from the outfall(s).
Click to enter text.

J	Cuon	5. Classifica segments (instructions rage 03)
Is	the disc	harge directly into (or within 300 feet of) a classified segment?
	□ Ye	es 🗆 No
If ·	yes , this	s Worksheet is complete.
If :	no , com	plete Sections 4 and 5 of this Worksheet.
Se	ection	4. Description of Immediate Receiving Waters (Instructions
	ction	Page 63)
Na	me of t	he immediate receiving waters: <u>Click to enter text.</u>
A.	Receiv	ring water type
	Identif	y the appropriate description of the receiving waters.
		Stream
		Freshwater Swamp or Marsh
		Lake or Pond
		Surface area, in acres: Click to enter text.
		Average depth of the entire water body, in feet: Click to enter text.
		Average depth of water body within a 500-foot radius of discharge point, in feet: <u>Click to enter text.</u>
		Man-made Channel or Ditch
		Open Bay
		Tidal Stream, Bayou, or Marsh
		Other, specify: <u>Click to enter text.</u>
B.	Flow c	haracteristics
	existin	eam, man-made channel or ditch was checked above, provide the following. For g discharges, check one of the following that best characterizes the area <i>upstream</i> discharge. For new discharges, characterize the area <i>downstream</i> of the discharge one).
		Intermittent - dry for at least one week during most years
	□ mai	Intermittent with Perennial Pools - enduring pools with sufficient habitat to intain significant aquatic life uses
		Perennial - normally flowing
	Check dischar	the method used to characterize the area upstream (or downstream for new rgers).
		USGS flow records
		Historical observation by adjacent landowners
		Personal observation
		Other, specify: Click to enter text.

	List the names of all perennial streams that join the receiving water within three miles downstream of the discharge point.						
	Click t	o enter text.					
D.	Downstream characteristics						
	Do the receiving water characteristics change within three miles downstream of the discharge (e.g., natural or man-made dams, ponds, reservoirs, etc.)?						
		Yes □ No					
		discuss how.					
	Click t	o enter text.					
Ε.	Norma	dry weather characteristics					
Provide general observations of the water body during normal dry weather condition							
Click to enter text.							
	Date an	nd time of observation: Click to	enter tex	<u>t.</u>			
	Was the	e water body influenced by stor	rmwater r	unoff during observations?			
		Yes □ No					
Se	ection	5. General Characteris Page 65)	stics of	the Waterbody (Instructions			
A.	Upstrea	am influences					
		nmediate receiving water upstr ced by any of the following? Ch		ne discharge or proposed discharge site at apply.			
		Oil field activities		Urban runoff			
		Upstream discharges		Agricultural runoff			
		Septic tanks		Other(s), specify: Click to enter text.			

C. Downstream perennial confluences

B.	Waterb	Waterbody uses				
Observed or evidences of the following uses. Check all that apply.						
		Livestock watering		Contact recreation		
		Irrigation withdrawal		Non-contact recreation		
		Fishing		Navigation		
		Domestic water supply		Industrial water supply		
		Park activities		Other(s), specify: <u>Click to enter text.</u>		
C.	Waterb	oody aesthetics				
Check one of the following that best describes the aesthetics of the receiving water and the surrounding area. Wilderness: outstanding natural beauty; usually wooded or unpastured area; we clarity exceptional				the aesthetics of the receiving water and		
				; usually wooded or unpastured area; water		
	Natural Area: trees and/or native vegetation; some development evident (from fields, pastures, dwellings); water clarity discolored					
	 Common Setting: not offensive; developed but uncluttered; water may be colored or turbid Offensive: stream does not enhance aesthetics; cluttered; highly developed; dumping areas; water discolored 					

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 2.1: STREAM PHYSICAL CHARACTERISTICS

Required for new applications, major facilities, and applications adding an outfall.

Worksheet 2.1 is not required for discharges to intermittent streams or discharges directly to (or within 300 feet of) a classified segment.

Section 1. General Information (Instructions Page 65)				
Date of study: Click to enter text. Time of study: Click to enter text.				
Stream name: Click to enter text.				
Location: Click to enter text.				
Type of stream upstream of existing discharge or downstream of proposed discharge (check one).				
\square Perennial \square Intermittent with perennial pools				
Section 2. Data Collection (Instructions Page 65)				
Number of stream bends that are well defined: Click to enter text.				
Number of stream bends that are moderately defined: Click to enter text.				
Number of stream bends that are poorly defined: Click to enter text.				
Number of riffles: Click to enter text.				
Evidence of flow fluctuations (check one):				
□ Minor □ moderate □ severe				
Indicate the observed stream uses and if there is evidence of flow fluctuations or channel obstruction/modification.				
Click to enter text.				

Stream transects

In the table below, provide the following information for each transect downstream of the existing or proposed discharges. Use a separate row for each transect.

Table 2.1(1) - Stream Transect Records

Stream type at transect	Transect location	Water surface	Stream depths (ft) at 4 to 10 points along each
Select riffle, run, glide, or pool. See Instructions,		width (ft)	transect from the channel bed to the water surface. Separate the measurements
Definitions section.			with commas.
Choose an item.			

Section 3. Summarize Measurements (Instructions Page 65)

Streambed slope of entire reach, from USGS map in feet/feet: Click to enter text.

Approximate drainage area above the most downstream transect (from USGS map or county highway map, in square miles): Click to enter text.

Length of stream evaluated, in feet: Click to enter text.

Number of lateral transects made: Click to enter text.

Average stream width, in feet: <u>Click to enter text.</u> Average stream depth, in feet: <u>Click to enter text.</u>

Average stream velocity, in feet/second: Click to enter text.

Instantaneous stream flow, in cubic feet/second: Click to enter text.

Indicate flow measurement method (type of meter, floating chip timed over a fixed distance, etc.): <u>Click to enter text.</u>

Size of pools (large, small, moderate, none): Click to enter text.

Maximum pool depth, in feet: Click to enter text.

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 3.0: LAND DISPOSAL OF EFFLUENT

The following is required for renewal, new, and amendment permit applications.

Section 1. Type of Disposal System (Instructions Page 67)

Identif	y the method of land disposal:		
	Surface application		Subsurface application
\boxtimes	Irrigation		Subsurface soils absorption
	Drip irrigation system		Subsurface area drip dispersal system
	Evaporation		Evapotranspiration beds
	Other (describe in detail): Click	to er	nter text.
	All applicants without authoriza complete and submit Worksheet		or proposing new/amended subsurface disposal

For existing authorizations, provide Registration Number: Click to enter text.

Section 2. Land Application Site(s) (Instructions Page 67)

In table 3.0(1), provide the requested information for the land application sites. Include the agricultural or cover crop type (wheat, cotton, alfalfa, bermuda grass, native grasses, etc.), land use (golf course, hayland, pastureland, park, row crop, etc.), irrigation area, amount of effluent applied, and whether or not the public has access to the area. Specify the amount of land area and the amount of effluent that will be allotted to each agricultural or cover crop, if more than one crop will be used.

Table 3.0(1) - Land Application Site Crops

Crop Type & Land Use	Irrigation Area (acres)	Effluent Application (GPD)	Public Access? Y/N
Alfalfa/winter wheat - Agricultural Land	63.5	140,000	N

Section 3. Storage and Evaporation Lagoons/Ponds (Instructions Page 67)

Table 3.0(2) - Storage and Evaporation Ponds

Pond Number	Surface Area (acres)	Storage Volume (acre-feet)	Dimensions	Liner Type
1	2.19	17.52	530 ft x 360 ft	3' Compacted Clay
2	2.19	17.52	530 ft x 360 ft	3' Compacted Clay

Attach a copy of a liner certification that was prepared, signed, and sealed by a Texas licensed professional engineer for each pond. Attachment: Click to enter text.							
			n (Instructions D	laga (57)			
			n (Instructions P	age o/)			
_	No	<u>n</u> the 100-year freq	uency 11000 level?				
		be protected from	inundation				
Click to enter to		be protected from	munuation.				
	CZZCI						
		mine the 100-year	frequency flood level:				
FEMA Flood Ma	p						
Provide a description of tailwater controls and rainfall run-on controls used for the land application site.							
Click to enter text.							

Section 5. Annual Cropping Plan (Instructions Page 67)

Attach an Annual Cropping Plan which includes a discussion of each of the following items. If not applicable, provide a detailed explanation indicating why. **Attachment**: Click to enter text.

- Soils map with crops
- Cool and warm season plant species
- Crop yield goals
- Crop growing season
- Crop nutrient requirements
- Additional fertilizer requirements
- Minimum/maximum harvest height (for grass crops)
- Supplemental watering requirements
- Crop salt tolerances
- Harvesting method/number of harvests
- Justification for not removing existing vegetation to be irrigated

Section 6. Well and Map Information (Instructions Page 68)

Attach a USGS map with the following information shown and labeled. If not applicable, provide a detailed explanation indicating why. **Attachment**: <u>Click to enter text.</u>

- The boundaries of the land application site(s)
- Waste disposal or treatment facility site(s)
- On-site buildings
- Buffer zones
- Effluent storage and tailwater control facilities
- All water wells within 1-mile radius of the disposal site or property boundaries
- All springs and seeps onsite and within 500 feet of the property boundaries
- All surface waters in the state onsite and within 500 feet of the property boundaries
- All faults and sinkholes onsite and within 500 feet of the property

List and cross reference all water wells located within a half-mile radius of the disposal site or property boundaries shown on the USGS map in the following table. Attach additional pages as necessary to include all of the wells.

Table 3.0(3) - Water Well Data

Well ID	Well Use	Producing? Y/N	Open, cased, capped, or plugged?	Proposed Best Management Practice
552106	Public Supply	Y	Cased	Not Known
552107	Public Supply	Y	Cased	Not Known
552108	Public Supply	Y	Cased	Not Known
552110	Irrigation	Y	Cased	Not Known
552203	Irrigation	Y	Cased	Not Known

Well ID	Well Use	Producing? Y/N	Open, cased, capped, or plugged?	Proposed Best Management Practice
552207	Irrigation	Y	Cased	Not Known

If water quality data or well log information is available please include the information in an attachment listed by Well ID.

Attachment: Click to enter text.

Section 7. Groundwater Quality (Instructions Page 68)

Attach a Groundwater Quality Technical Report which assesses the impact of the wastewater disposal system on groundwater. This report shall include an evaluation of the water wells (including the information in the well table provided in Item 6. above), the wastewater application rate, and pond liners. Indicate by a check mark that this report is provided.

Attachment: Click to enter text.
Are groundwater monitoring wells available onsite? \Box Yes \Box No
Do you plan to install ground water monitoring wells or lysimeters around the land application site? \square Yes \boxtimes No
If yes, provide the proposed location of the monitoring wells or lysimeters on a site map.
Attachment: Click to enter text.

Section 8. Soil Map and Soil Analyses (Instructions Page 69)

A. Soil map

Attach a USDA Soil Survey map that shows the area to be used for effluent disposal.

Attachment: T-3

B. Soil analyses

Attach the laboratory results sheets from the soil analyses. **Note**: for renewal applications, the current annual soil analyses required by the permit are acceptable as long as the test date is less than one year prior to the submission of the application.

Attachment: T-4

List all USDA designated soil series on the proposed land application site. Attach additional pages as necessary.

Table 3.0(4) - Soil Data

Soil Series	Depth from Surface	Permeability	Available Water Capacity	Curve Number
MdB - Miles loamy fine sand	80"	0.57 to 1.98 in/hr	Moderate	
MfA - Miles fine sandy loam	0 - 10"	0.6 to 6.0 in/hr	Moderate	
MfB - Miles fine sandy loam	10 - 16"	0.57 to 1.98 in/hr	Moderate	

Soil Series	Depth from Surface	Permeability	Available Water Capacity	Curve Number

Section 9. Effluent Monitoring Data (Instructions Page 70)

Is the facility in operation?

⊠ Yes □ No

If no, this section is not applicable and the worksheet is complete.

If yes, provide the effluent monitoring data for the parameters regulated in the existing permit. If a parameter is not regulated in the existing permit, enter N/A.

Table 3.0(5) - Effluent Monitoring Data

Date	30 Day Avg Flow MGD	BOD5 mg/l	TSS mg/l	pН	Chlorine Residual mg/l	Acres irrigated
8/2025	0.29	37		8.3		32
7/2025	0.27	36		8.6		32
6/2025	0.25	33		5.1		32
5/2025	0.82	29		8.7		30
4/2025	0.83	33		5.1		32
3/2025	0.80	20		8.2		45
2/2025	0.84	35		8.2		65
1/2025	0.90	50		8.6		25
12/2024	0.81	57		8.7		60.5
11/2024	0.98	39		8.7		32
10/2024	0.88	39		8.0		25
9/2024	0.59	19		8.5		20
8/2024	0.26	15		8.3		20
7/2024	0.25	30		8.3		25
6/2024	0.77	25		8.3		12
5/2024	0.28	27		8.1		28
4/2024	0.30	38		8.2		35
3/2024	0.27	29		8.0		0
2/2024	0.28	25		8.2		55

Date	30 Day Avg Flow MGD	BOD5 mg/l	TSS mg/l	рН	Chlorine Residual mg/l	Acres irrigated
1/2024	0.38	19		8.2		50
12/2023	0.38	29		8.0		58
11/2023	0.34	21		8.5		60.5
10/2023	0.32	40		8.2		62
9/2023	0.34	44		8.3		0

Provide a discussion of all persistent excursions above the permitted limits and any corrective actions taken.

Click to enter text.		

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 3.1: SURFACE LAND DISPOSAL OF EFFLUENT

The following is required for new and major amendment permit applications. Renewal and minor amendment permit applications may be asked for this worksheet on a case by case basis.

Section 1. Surface Disposal (Instructions Page 71)

Complete the item that applies for the method of disposal being used.

A. Irrigation

Area under irrigation, in acres: Click to enter text.

Design application frequency:

hours/day Click to enter text. And days/week Click to enter text.

Land grade (slope):

average percent (%): Click to enter text.

maximum percent (%): Click to enter text.

Design application rate in acre-feet/acre/year: Click to enter text.

Design total nitrogen loading rate, in lbs N/acre/year: Click to enter text.

Soil conductivity (mmhos/cm): Click to enter text.

Method of application: Click to enter text.

Attach a separate engineering report with the water balance and storage volume calculations, method of application, irrigation efficiency, and nitrogen balance.

Attachment: Click to enter text.

B. Evaporation ponds

Daily average effluent flow into ponds, in gallons per day: Click to enter text.

Attach a separate engineering report with the water balance and storage volume calculations.

Attachment: Click to enter text.

C. Evapotranspiration beds

Number of beds: Click to enter text.

Area of bed(s), in acres: <u>Click to enter text.</u> Depth of bed(s), in feet: <u>Click to enter text.</u>

Void ratio of soil in the beds: Click to enter text.

Storage volume within the beds, in acre-feet: Click to enter text.

Attach a separate engineering report with the water balance and storage volume calculations, and a description of the lining.

Attachment: Click to enter text.

D. Overland flow

Design application rate, in gpm/foot of slope width: <u>Click to enter text.</u>
Slope length, in feet: Click to enter text.
Design BOD leading water in the BOD /eare /dest Click to eater text
Design BOD ₅ loading rate, in lbs BOD ₅ /acre/day: <u>Click to enter text.</u>
Design application frequency:
hours/day: Click to enter text. And days/week: Click to enter text.
Attach a separate engineering report with the method of application and design requirements according to $30\ TAC\ Chapter\ 217$.
Attachment: Click to enter text.
Section 2. Edwards Aquifer (Instructions Page 72)
Section 2. Edwards Aquifer (Instructions Page 72)
Section 2. Edwards Aquifer (Instructions Page 72) Is the facility subject to <i>30 TAC Chapter 213</i> , Edwards Aquifer Rules?
Section 2. Edwards Aquifer (Instructions Page 72) Is the facility subject to <i>30 TAC Chapter 213</i> , Edwards Aquifer Rules? ☐ Yes ☐ No

Area used for application, in acres: Click to enter text.

Attachment: Click to enter text.

Slopes for application area, percent (%): Click to enter text.

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 3.2: SURFACE LAND DISPOSAL OF EFFLUENT

The following **is required** for **new and major amendment** permit applications. Renewal and minor amendments applicants may be asked for the worksheet on a case by case basis.

NOTE: All applicants proposing new/amended subsurface disposal MUST complete and submit Worksheet 7.0. This worksheet applies to any subsurface disposal system that **does not meet** the definition of a subsurface area drip dispersal system as defined in *30 TAC Chapter 222, Subsurface Area Drip Dispersal System.*

Section 1. Subsurface Application (Instructions Page 73)

Identify the type of system:
□ Conventional Gravity Drainfield, Beds, or Trenches (new systems must be less than 5,000 GPD)
□ Low Pressure Dosing
☐ Other, specify: <u>Click to enter text.</u>
Application area, in acres: Click to enter text.
Area of drainfield, in square feet: Click to enter text.
Application rate, in gal/square foot/day: Click to enter text.
Depth to groundwater, in feet: Click to enter text.
Area of trench, in square feet: Click to enter text.
Dosing duration per area, in hours: <u>Click to enter text.</u>
Number of beds: Click to enter text.
Dosing amount per area, in inches/day: Click to enter text.
Infiltration rate, in inches/hour: Click to enter text.
Storage volume, in gallons: <u>Click to enter text.</u>
Area of bed(s), in square feet: Click to enter text.
Soil Classification: Click to enter text.
Attach a separate engineering report with the information required in $30\ TAC\ \S\ 309.20$, excluding the requirements of $\S\ 309.20\ b(3)(A)$ and (B) design analysis which may be asked for on a case by case basis. Include a description of the schedule of dosing basin rotation.
Attachment: Click to enter text.
Section 2. Edwards Aquifer (Instructions Page 73)
Is the subsurface system over the Edwards Aquifer Recharge Zone as mapped by TCEQ?
□ Yes □ No
Is the subsurface system over the Edwards Aquifer Transition Zone as mapped by TCEQ?
□ Yes □ No
If yes to either question , the subsurface system may be prohibited by <i>30 TAC §213.8</i> . Please call the Municipal Permits Team, at 512-239-4671, to schedule a pre-application meeting.

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 3.3: SUBSURFACE AREA DRIP DISPERSAL (SADDS) LAND DISPOSAL OF EFFLUENT

The following **is required** for **new and major amendment** subsurface area drip dispersal system permit applications. Renewal and minor amendments applicants may be asked for the worksheet on a case by case basis.

NOTE: All applicants proposing new/amended subsurface disposal MUST complete and submit Worksheet 7.0. This worksheet applies to any subsurface disposal system that **meets** the definition of a subsurface area drip dispersal system as defined in *30 TAC Chapter 222*, *Subsurface Area Drip Dispersal System*.

Se	ction 1. Administrative Information (Instructions Page 74)
Α.	Provide the legal name of all corporations or other business entities managed, owned, or otherwise closely related to the owner of the treatment facility:
B.	<u>Click to enter text.</u> Is the owner of the land where the treatment facility is located the same as the owner of the treatment facility?
	□ Yes □ No
	If no , provide the legal name of all corporations or other business entities managed, owned, or otherwise closely related to the owner of the land where the treatment facility is located.
	Click to enter text.
C.	Owner of the subsurface area drip dispersal system: <u>Click to enter text.</u>
D.	Is the owner of the subsurface area drip dispersal system the same as the owner of the wastewater treatment facility or the site where the wastewater treatment facility is located?
	□ Yes □ No
	If no , identify the names of all corporations or other business entities managed, owned, or otherwise closely related to the entity identified in Item 1.C.
	Click to enter text.
E.	Owner of the land where the subsurface area drip dispersal system is located: <u>Click to enter text.</u>
F.	Is the owner of the land where the subsurface area drip dispersal system is located the same as owner of the wastewater treatment facility, the site where the wastewater treatment facility is located, or the owner of the subsurface area drip dispersal system? Yes No
	If no , identify the name of all corporations or other business entities managed, owned, or otherwise closely related to the entity identified in item 1.E.
	Click to enter text.

Section 2. Subsurface Area Drip Dispersal System (Instructions Page

74)

A. Type of system	Α.	Tv	'nе	of	S	vstem
-------------------	----	----	-----	----	---	-------

☐ Subsurface Drip Irrigation

☐ Surface Drip Irrigation

□ Other, specify: <u>Click to enter text.</u>

B. Irrigation operations

Application area, in acres: Click to enter text.

Infiltration Rate, in inches/hour: Click to enter text.

Average slope of the application area, percent (%): Click to enter text.

Maximum slope of the application area, percent (%): Click to enter text.

Storage volume, in gallons: Click to enter text.

Major soil series: Click to enter text.

Depth to groundwater, in feet: Click to enter text.

C. Application rate

Is the facility located **west** of the boundary shown in *30 TAC § 222.83* **and** also using a vegetative cover of non-native grasses over seeded with cool season grasses during the winter months (October-March)?

□ Yes □ No

If yes, then the facility may propose a hydraulic application rate not to exceed 0.1 gal/square foot/day.

Is the facility located **east** of the boundary shown in *30 TAC § 222.83* **or** in any part of the state when the vegetative cover is any crop other than non-native grasses?

□ Yes □ No

If **yes**, the facility must use the formula in *30 TAC §222.83* to calculate the maximum hydraulic application rate.

Do you plan to submit an alternative method to calculate the hydraulic application rate for approval by the executive director?

□ Yes □ No

Hydraulic application rate, in gal/square foot/day: Click to enter text.

Nitrogen application rate, in lbs/gal/day: Click to enter text.

D. Dosing information

Number of doses per day: Click to enter text.

Dosing duration per area, in hours: Click to enter text.

Rest period between doses, in hours: Click to enter text.

Dosing amount per area, in inches/day: Click to enter text.

Number of zones: Click to enter text.

Does the proposed subsurface drip irrigation system use tree vegetative cover as a crop?

	☐ Yes ☐ No If yes , provide a vegetation survey by a certified arborist. Please call the Water Quality Assessment Team at (512) 239-4671 to schedule a pre-application meeting. Attachment: Click to enter text.
Se	ection 3. Required Plans (Instructions Page 74)
A.	Recharge feature plan Attach a Recharge Feature Plan with all information required in 30 TAC §222.79. Attachment: Click to enter text.
В.	Soil evaluation Attach a Soil Evaluation with all information required in 30 TAC §222.73. Attachment: Click to enter text.
C.	Site preparation plan Attach a Site Preparation Plan with all information required in 30 TAC §222.75. Attachment: Click to enter text.
D.	Soil sampling/testing Attach soil sampling and testing that includes all information required in <i>30 TAC §222.157</i> . Attachment: Click to enter text.
Se	ection 4. Floodway Designation (Instructions Page 75)
	Site location Is the existing/proposed land application site within a designated floodway? □ Yes □ No
В.	Flood map Attach either the FEMA flood map or alternate information used to determine the floodway. Attachment: Click to enter text.
Se	ection 5. Surface Waters in the State (Instructions Page 75)
A.	Buffer Map Attach a map showing appropriate buffers on surface waters in the state, water wells, and springs/seeps. Attachment: Click to enter text.
В.	Buffer variance request Do you plan to request a buffer variance from water wells or waters in the state? Yes No

If yes, then attach the additional information required in 30 TAC § 222.81(c).

Attachment: Click to enter text.

A.	Is the	SADDS	S loca	ated over the Edwards Aquifer Recharge Zone as mapped by TCEQ?
		Yes		No
B.	Is the	SADDS	S loca	ated over the Edwards Aquifer Transition Zone as mapped by TCEQ?
		Yes		No
If v	ves to	either	ques	stion, then the SADDS may be prohibited by 30 TAC §213.8. Please call
	•		_	ts Team at 512-239-4671 to schedule a pre-application meeting.

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 4.0: POLLUTANT ANALYSIS REQUIREMENTS

The following **is required** for facilities with a permitted or proposed flow of **1.0 MGD or greater**, facilities with an approved **pretreatment** program, or facilities classified as a **major** facility. See instructions for further details.

This worksheet is not required minor amendments without renewal.

Section 1. Toxic Pollutants (Instructions Page 76)

For pollutan	ts identified in T	Fable $4.0(1)$,	indicate the	type of samp	ıle.
Grab □	Composite □				

Date and time sample(s) collected: Click to enter text.

Table 4.0(1) - Toxics Analysis

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Acrylonitrile				50
Aldrin				0.01
Aluminum				2.5
Anthracene				10
Antimony				5
Arsenic				0.5
Barium				3
Benzene				10
Benzidine				50
Benzo(a)anthracene				5
Benzo(a)pyrene				5
Bis(2-chloroethyl)ether				10
Bis(2-ethylhexyl)phthalate				10
Bromodichloromethane				10
Bromoform				10
Cadmium				1
Carbon Tetrachloride				2
Carbaryl				5
Chlordane*				0.2
Chlorobenzene				10
Chlorodibromomethane				10

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (μg/l)	Number of Samples	MAL (μg/l)
Chloroform				10
Chlorpyrifos				0.05
Chromium (Total)				3
Chromium (Tri) (*1)				N/A
Chromium (Hex)				3
Copper				2
Chrysene				5
p-Chloro-m-Cresol				10
4,6-Dinitro-o-Cresol				50
p-Cresol				10
Cyanide (*2)				10
4,4'- DDD				0.1
4,4'- DDE				0.1
4,4'- DDT				0.02
2,4-D				0.7
Demeton (O and S)				0.20
Diazinon				0.5/0.1
1,2-Dibromoethane				10
m-Dichlorobenzene				10
o-Dichlorobenzene				10
p-Dichlorobenzene				10
3,3'-Dichlorobenzidine				5
1,2-Dichloroethane				10
1,1-Dichloroethylene				10
Dichloromethane				20
1,2-Dichloropropane				10
1,3-Dichloropropene				10
Dicofol				1
Dieldrin				0.02
2,4-Dimethylphenol				10
Di-n-Butyl Phthalate				10
Diuron				0.09
Endosulfan I (alpha)				0.01
Endosulfan II (beta)				0.02

Pollutant	AVG Effluent Conc. (μg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Endosulfan Sulfate				0.1
Endrin				0.02
Epichlorohydrin				
Ethylbenzene				10
Ethylene Glycol				
Fluoride				500
Guthion				0.1
Heptachlor				0.01
Heptachlor Epoxide				0.01
Hexachlorobenzene				5
Hexachlorobutadiene				10
Hexachlorocyclohexane (alpha)				0.05
Hexachlorocyclohexane (beta)				0.05
gamma-Hexachlorocyclohexane				0.05
(Lindane)				
Hexachlorocyclopentadiene				10
Hexachloroethane				20
Hexachlorophene				10
4,4'-Isopropylidenediphenol				1
Lead				0.5
Malathion				0.1
Mercury				0.005
Methoxychlor				2
Methyl Ethyl Ketone				50
Methyl tert-butyl ether				
Mirex				0.02
Nickel				2
Nitrate-Nitrogen				100
Nitrobenzene				10
N-Nitrosodiethylamine				20
N-Nitroso-di-n-Butylamine				20
Nonylphenol				333
Parathion (ethyl)				0.1
Pentachlorobenzene				20

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Pentachlorophenol				5
Phenanthrene				10
Polychlorinated Biphenyls (PCB's) (*3)				0.2
Pyridine				20
Selenium				5
Silver				0.5
1,2,4,5-Tetrachlorobenzene				20
1,1,2,2-Tetrachloroethane				10
Tetrachloroethylene				10
Thallium				0.5
Toluene				10
Toxaphene				0.3
2,4,5-TP (Silvex)				0.3
Tributyltin (see instructions for explanation)				0.01
1,1,1-Trichloroethane				10
1,1,2-Trichloroethane				10
Trichloroethylene				10
2,4,5-Trichlorophenol				50
TTHM (Total Trihalomethanes)				10
Vinyl Chloride				10
Zinc				5

^(*1) Determined by subtracting hexavalent Cr from total Cr.

^(*2) Cyanide, amenable to chlorination or weak-acid dissociable.

^(*3) The sum of seven PCB congeners 1242, 1254, 1221, 1232, 1248, 1260, and 1016.

Section 2. Priority Pollutants

For pollutant	s identified in Tables 4.0(2)A-E, indicate type of sample.
Grab □	Composite □
Date and tim	e sample(s) collected: <u>Click to enter text.</u>

Table 4.0(2)A - Metals, Cyanide, and Phenols

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Antimony				5
Arsenic				0.5
Beryllium				0.5
Cadmium				1
Chromium (Total)				3
Chromium (Hex)				3
Chromium (Tri) (*1)				N/A
Copper				2
Lead				0.5
Mercury				0.005
Nickel				2
Selenium				5
Silver				0.5
Thallium				0.5
Zinc				5
Cyanide (*2)				10
Phenols, Total				10

^(*1) Determined by subtracting hexavalent Cr from total Cr.

^(*2) Cyanide, amenable to chlorination or weak-acid dissociable

Table 4.0(2)B - Volatile Compounds

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Acrolein				50
Acrylonitrile				50
Benzene				10
Bromoform				10
Carbon Tetrachloride				2
Chlorobenzene				10
Chlorodibromomethane				10
Chloroethane				50
2-Chloroethylvinyl Ether				10
Chloroform				10
Dichlorobromomethane [Bromodichloromethane]				10
1,1-Dichloroethane				10
1,2-Dichloroethane				10
1,1-Dichloroethylene				10
1,2-Dichloropropane				10
1,3-Dichloropropylene				10
[1,3-Dichloropropene]				
1,2-Trans-Dichloroethylene				10
Ethylbenzene				10
Methyl Bromide				50
Methyl Chloride				50
Methylene Chloride				20
1,1,2,2-Tetrachloroethane				10
Tetrachloroethylene				10
Toluene				10
1,1,1-Trichloroethane				10
1,1,2-Trichloroethane				10
Trichloroethylene				10
Vinyl Chloride				10

Table 4.0(2)C - Acid Compounds

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
2-Chlorophenol				10
2,4-Dichlorophenol				10
2,4-Dimethylphenol				10
4,6-Dinitro-o-Cresol				50
2,4-Dinitrophenol				50
2-Nitrophenol				20
4-Nitrophenol				50
P-Chloro-m-Cresol				10
Pentalchlorophenol				5
Phenol				10
2,4,6-Trichlorophenol				10

Table 4.0(2)D - Base/Neutral Compounds

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Acenaphthene				10
Acenaphthylene				10
Anthracene				10
Benzidine				50
Benzo(a)Anthracene				5
Benzo(a)Pyrene				5
3,4-Benzofluoranthene				10
Benzo(ghi)Perylene				20
Benzo(k)Fluoranthene				5
Bis(2-Chloroethoxy)Methane				10
Bis(2-Chloroethyl)Ether				10
Bis(2-Chloroisopropyl)Ether				10
Bis(2-Ethylhexyl)Phthalate				10
4-Bromophenyl Phenyl Ether				10
Butyl benzyl Phthalate				10
2-Chloronaphthalene				10
4-Chlorophenyl phenyl ether				10
Chrysene				5
Dibenzo(a,h)Anthracene				5
1,2-(o)Dichlorobenzene				10
1,3-(m)Dichlorobenzene				10
1,4-(p)Dichlorobenzene				10
3,3-Dichlorobenzidine				5
Diethyl Phthalate				10
Dimethyl Phthalate				10
Di-n-Butyl Phthalate				10
2,4-Dinitrotoluene				10
2,6-Dinitrotoluene				10
Di-n-Octyl Phthalate				10
1,2-Diphenylhydrazine (as Azobenzene)				20
Fluoranthene				10
Fluorene				10

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Hexachlorobenzene				5
Hexachlorobutadiene				10
Hexachlorocyclo-pentadiene				10
Hexachloroethane				20
Indeno(1,2,3-cd)pyrene				5
Isophorone				10
Naphthalene				10
Nitrobenzene				10
N-Nitrosodimethylamine				50
N-Nitrosodi-n-Propylamine				20
N-Nitrosodiphenylamine				20
Phenanthrene				10
Pyrene				10
1,2,4-Trichlorobenzene				10

Table 4.0(2)E - Pesticides

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Aldrin				0.01
alpha-BHC (Hexachlorocyclohexane)				0.05
beta-BHC (Hexachlorocyclohexane)				0.05
gamma-BHC (Hexachlorocyclohexane)				0.05
delta-BHC (Hexachlorocyclohexane)				0.05
Chlordane				0.2
4,4-DDT				0.02
4,4-DDE				0.1
4,4,-DDD				0.1
Dieldrin				0.02
Endosulfan I (alpha)				0.01
Endosulfan II (beta)				0.02
Endosulfan Sulfate				0.1
Endrin				0.02
Endrin Aldehyde				0.1
Heptachlor				0.01
Heptachlor Epoxide				0.01
PCB-1242				0.2
PCB-1254				0.2
PCB-1221				0.2
PCB-1232				0.2
PCB-1248				0.2
PCB-1260				0.2
PCB-1016				0.2
Toxaphene				0.3

^{*} For PCBS, if all are non-detects, enter the highest non-detect preceded by a "<".

Dioxin/Furan Compounds Section 3. A. Indicate which of the following compounds from may be present in the influent from a contributing industrial user or significant industrial user. Check all that apply. 2,4,5-trichlorophenoxy acetic acid Common Name 2,4,5-T, CASRN 93-76-5 2-(2,4,5-trichlorophenoxy) propanoic acid Common Name Silvex or 2,4,5-TP, CASRN 93-72-1 2-(2,4,5-trichlorophenoxy) ethyl 2,2-dichloropropionate Common Name Erbon, CASRN 136-25-4 0,0-dimethyl 0-(2,4,5-trichlorophenyl) phosphorothioate Common Name Ronnel, CASRN 299-84-3 2,4,5-trichlorophenol Common Name TCP, CASRN 95-95-4 hexachlorophene Common Name HCP, CASRN 70-30-4 For each compound identified, provide a brief description of the conditions of its/their presence at the facility.

	Click to enter text.
В.	Do you know or have any reason to believe that 2,3,7,8 Tetrachlorodibenzo-P-Dioxin (TCDD) or any congeners of TCDD may be present in your effluent?
	□ Yes □ No
	If yes , provide a brief description of the conditions for its presence.
	Click to enter text.

C.	If any of the compounds in Subsection A or B are present, complete Table 4.0(2)F.
	For pollutants identified in Table 4.0(2)F, indicate the type of sample.
	Grab □ Composite □
	Date and time sample(s) collected: <u>Click to enter text.</u>

Table 4.0(2)F - Dioxin/Furan Compounds

Compound	Toxic Equivalenc y Factors	Wastewater Concentration (ppq)	Wastewater Equivalents (ppq)	Sludge Concentration (ppt)	Sludge Equivalents (ppt)	MAL (ppq)
2,3,7,8 TCDD	1					10
1,2,3,7,8 PeCDD	0.5					50
2,3,7,8 HxCDDs	0.1					50
1,2,3,4,6,7,8 HpCDD	0.01					50
2,3,7,8 TCDF	0.1					10
1,2,3,7,8 PeCDF	0.05					50
2,3,4,7,8 PeCDF	0.5					50
2,3,7,8 HxCDFs	0.1					50
2,3,4,7,8 HpCDFs	0.01					50
OCDD	0.0003					100
OCDF	0.0003					100
PCB 77	0.0001					0.5
PCB 81	0.0003					0.5
PCB 126	0.1					0.5
PCB 169	0.03					0.5
Total						

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 5.0: TOXICITY TESTING REQUIREMENTS

The following **is required** for facilities with a current operating design flow of **1.0 MGD or greater**, with an EPA-approved **pretreatment** program (or those required to have one under 40 CFR Part 403), or are required to perform Whole Effluent Toxicity testing. See Page 86 of the instructions for further details.

This worksheet is not required minor amendments without renewal.

Section 1. Required Tests

Indicate the number of 7-day chronic or 48-hour acute Whole Effluent Toxicity (WET) tests performed in the four and one-half years prior to submission of the application.

7-day Chronic: <u>Click to enter text.</u>
48-hour Acute: Click to enter text.

48-nour Acute. Chek to enter text.	
Section 2. Toxicity Reduction Evaluations (TREs)	
Has this facility completed a TRE in the past four and a half years? Or is the facility currently performing a TRE?	rently
□ Yes □ No	
If yes, describe the progress to date, if applicable, in identifying and confirming the tox	icant.
Click to enter text.	

Section 3. Summary of WET Tests

If the required biomonitoring test information has not been previously submitted via both the Discharge Monitoring Reports (DMRs) and the Table 1 (as found in the permit), provide a summary of the testing results for all valid and invalid tests performed over the past four and one-half years. Make additional copies of this table as needed.

Table 5.0(1) Summary of WET Tests

Test Date	Test Species	NOEC Survival	NOEC Sub-lethal

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 6.0: INDUSTRIAL WASTE CONTRIBUTION

The following is required for all publicly owned treatment works.

Section 1. All POTWs (Instructions Page 87)

A. Industrial users (IUs)

Provide the number of each of the following types of industrial users (IUs) that discharge to your POTW and the daily flows from each user. See the Instructions for definitions of Categorical IUs, Significant IUs – non-categorical, and Other IUs.

If there are no users, enter 0 (zero).
Categorical IUs:
Number of IUs: <u>o</u>
Average Daily Flows, in MGD: Click to enter text.
Significant IUs - non-categorical:
Number of IUs: <u>o</u>
Average Daily Flows, in MGD: Click to enter text.
Other IUs:
Number of IUs: o

Average Daily Flows, in MGD: Click to enter text.

B. Treatment plant interference

In the past three years,	has your POTW	experienced	treatment	plant interfere	nce (see
instructions)?	-	_		_	

□ Yes ⊠ No

If yes, identify the dates, duration, description of interference, and probable cause(s) and possible source(s) of each interference event. Include the names of the IUs that may have caused the interference.

Click to enter text.

C. Treatment plant pass through

	□ Yes ⊠ No
	If yes, identify the dates, duration, a description of the pollutants passing through the treatment plant, and probable cause(s) and possible source(s) of each pass through event. Include the names of the IUs that may have caused pass through.
	Click to enter text.
D.	Pretreatment program
	Does your POTW have an approved pretreatment program?
	□ Yes ⊠ No
	If yes, complete Section 2 only of this Worksheet.
	Is your POTW required to develop an approved pretreatment program?
	□ Yes ⊠ No
	If yes, complete Section 2.c. and 2.d. only, and skip Section 3.
	If no to either question above, skip Section 2 and complete Section 3 for each significant
	industrial user and categorical industrial user.
Se	ction 2. POTWs with Approved Programs or Those Required to Develop a Program (Instructions Page 87)
A.	Substantial modifications
	Have there been any substantial modifications to the approved pretreatment program that have not been submitted to the TCEQ for approval according to <i>40 CFR §403.18</i> ?
	□ Yes □ No
	If yes , identify the modifications that have not been submitted to TCEQ, including the purpose of the modification.
	Click to enter text.

In the past three years, has your POTW experienced pass through (see instructions)?

B. Non-substantial modifications

Have there been any non-substantial modifications to the approved pretreatment program that have not been submitted to TCEQ for review and acceptance?							
□ Yes □	No						
If yes, identify all non-substantial modifications that have not been submitted to TCEQ, including the purpose of the modification.							
Click to enter t	ext.						
C. Effluent parame	eters above the MAL						
monitoring duri	list all parameters me ing the last three year meters Above the MAL						
Pollutant	Concentration	MAL	Units	Date			
D. Industrial user	interruptions						
	U, or other IU caused or pass throughs) at you						
□ Yes □	No						
If yes , identify the industry, describe each episode, including dates, duration, description of the problems, and probable pollutants.							
Click to enter t	Click to enter text.						

Categorical Industrial User (CIU) (Instructions Page 88)

A.	General information
	Company Name: <u>N/A</u>
	SIC Code: Click to enter text.
	Contact name: Click to enter text.
	Address: Click to enter text.
	City, State, and Zip Code: <u>Click to enter text.</u>
	Telephone number: <u>Click to enter text.</u>
	Email address: Click to enter text.
B.	Process information
	Describe the industrial processes or other activities that affect or contribute to the SIU(s) or CIU(s) discharge (i.e., process and non-process wastewater).
	N <u>/A</u>
C.	Product and service information
C.	Product and service information Provide a description of the principal product(s) or services performed.
C.	
C.	Provide a description of the principal product(s) or services performed.
C.	Provide a description of the principal product(s) or services performed.
C.	Provide a description of the principal product(s) or services performed.
C.	Provide a description of the principal product(s) or services performed.
C.	Provide a description of the principal product(s) or services performed.
	Provide a description of the principal product(s) or services performed. N/A
	Provide a description of the principal product(s) or services performed. N/A Flow rate information
	Provide a description of the principal product(s) or services performed. N/A Flow rate information See the Instructions for definitions of "process" and "non-process wastewater."
	Provide a description of the principal product(s) or services performed. N/A Flow rate information See the Instructions for definitions of "process" and "non-process wastewater." Process Wastewater:
	Provide a description of the principal product(s) or services performed. N/A Flow rate information See the Instructions for definitions of "process" and "non-process wastewater." Process Wastewater: Discharge, in gallons/day: N/A
	Provide a description of the principal product(s) or services performed. N/A Flow rate information See the Instructions for definitions of "process" and "non-process wastewater." Process Wastewater: Discharge, in gallons/day: N/A Discharge Type: Continuous Batch Intermittent
	Provide a description of the principal product(s) or services performed. N/A Flow rate information See the Instructions for definitions of "process" and "non-process wastewater." Process Wastewater: Discharge, in gallons/day: N/A Discharge Type: Continuous Batch Intermittent Non-Process Wastewater:
	Provide a description of the principal product(s) or services performed. N/A Flow rate information See the Instructions for definitions of "process" and "non-process wastewater." Process Wastewater: Discharge, in gallons/day: N/A Discharge Type: Continuous Batch Intermittent

E. Pretreatment standards

Is the SIU or CIU subject to technically based local limits as defined in the <i>i</i> nstructions?
□ Yes □ No
Is the SIU or CIU subject to categorical pretreatment standards found in 40 CFR Parts 405-471?
□ Yes □ No
If subject to categorical pretreatment standards , indicate the applicable category and subcategory for each categorical process.
Category: Subcategories: Click to enter text.
Click or tap here to enter text. Click to enter text.
Category: Click to enter text.
Subcategories: Click to enter text.
Category: Click to enter text.
Subcategories: Click to enter text.
Category: Click to enter text.
Subcategories: Click to enter text.
Category: Click to enter text.
Subcategories: <u>Click to enter text.</u>
Industrial user interruptions
Has the SIU or CIU caused or contributed to any problems (e.g., interferences, pass through, odors, corrosion, blockages) at your POTW in the past three years?
□ Yes □ No
If yes , identify the SIU, describe each episode, including dates, duration, description of problems, and probable pollutants.
Click to enter text.

F.

WORKSHEET 7.0

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

CLASS V INJECTION WELL INVENTORY/AUTHORIZATION FORM

Submit the completed form to:

TCEQ IUC Permits Team Radioactive Materials Division MC-233 PO Box 13087 Austin, Texas 78711-3087 512-239-6466

For TCEQ Use Only
Reg. No
Date Received
Date Authorized

Section 1. General Information (Instructions Page 90)

1.	TCEQ Prograr	n Area
----	--------------	--------

Program Area (PST, VCP, IHW, etc.): Click to enter text.

Program ID: <u>Click to enter text.</u>

Contact Name: Click to enter text.

Phone Number: Click to enter text.

2. Agent/Consultant Contact Information

Contact Name: Click to enter text.

Address: Click to enter text.

City, State, and Zip Code: Click to enter text.

Phone Number: Click to enter text.

3. Owner/Operator Contact Information

□ Owner □ Operator

Owner/Operator Name: Click to enter text.

Contact Name: Click to enter text.

Address: Click to enter text.

City, State, and Zip Code: Click to enter text.

Phone Number: Click to enter text.

4. Facility Contact Information

Facility Name: Click to enter text.

Address: Click to enter text.

City, State, and Zip Code: Click to enter text.

Location description (if no address is available): Click to enter text.

Facility Contact Person: Click to enter text.

Phone Number: Click to enter text.

5. Latitude and Longitude, in degrees-minutes-seconds

Latitude: Click to enter text.

	Longitude: <u>Click to enter text.</u>							
	Method of determination (GPS, TOPO, etc.): Click to enter text.							
	Attach topographic quadrangle map as attachment A.							
6.	Well Information							
	Type of Well Construction, select one:							
	□ Vertical Injection							
	□ Subsurface Fluid Distribution System							
	□ Infiltration Gallery							
	☐ Temporary Injection Points							
	□ Other, Specify: <u>Click to enter text.</u>							
	Number of Injection Wells: Click to enter text.							
7.	Purpose							
	Detailed Description regarding purpose of Injection System:							
	Click to enter text.							
	Attach a Site Map as Attachment B (Attach the Approved Remediation Plan, if appropriate.)							
8.	Water Well Driller/Installer							
	Water Well Driller/Installer Name: Click to enter text.							
	City, State, and Zip Code: <u>Click to enter text.</u>							
	Phone Number: <u>Click to enter text.</u>							
	License Number: Click to enter text.							

Section 2. Proposed Down Hole Design

Attach a diagram signed and sealed by a licensed engineer as Attachment C.

Table 7.0(1) - Down Hole Design Table

Name of String	Size	Setting Depth	Sacks Cement/Grout - Slurry Volume - Top of Cement	Hole Size	Weight (lbs/ft) PVC/Steel
Casing					
Tubing					
Screen					

Section 3. Proposed Trench System, Subsurface Fluid Distribution

System, or Infiltration Gallery

Attach a diagram signed and sealed by a licensed engineer as Attachment D.

System(s) Dimensions: <u>Click to enter text.</u> System(s) Construction: Click to enter text.

Section 4.	Site Hydrogeo	logical and I	niection Zo	ne Data
	DICCII, GII O GCO.	Concar arrest	LICCLOIL LO	He Data

- 1. Name of Contaminated Aguifer: Click to enter text.
- 2. Receiving Formation Name of Injection Zone: Click to enter text.
- 3. Well/Trench Total Depth: Click to enter text.
- **4.** Surface Elevation: Click to enter text.
- **5.** Depth to Ground Water: <u>Click to enter text.</u>
- **6.** Injection Zone Depth: <u>Click to enter text.</u>
- 7. Injection Zone vertically isolated geologically? ☐ Yes ☐ No Impervious Strata between Injection Zone and nearest Underground Source of Drinking Water:

Name: Click to enter text.

Thickness: Click to enter text.

- **8.** Provide a list of contaminants and the levels (ppm) in contaminated aquifer Attach as Attachment E.
- **9.** Horizontal and Vertical extent of contamination and injection plume Attach as Attachment F.
- **10.** Formation (Injection Zone) Water Chemistry (Background levels) TDS, etc. Attach as Attachment G.
- **11.** Injection Fluid Chemistry in PPM at point of injection Attach as Attachment H.
- 12. Lowest Known Depth of Ground Water with < 10,000 PPM TDS: Click to enter text.
- **13.** Maximum injection Rate/Volume/Pressure: <u>Click to enter text.</u>
- **14.** Water wells within 1/4 mile radius (attach map as Attachment I): <u>Click to enter text.</u>
- 15. Injection wells within 1/4 mile radius (attach map as Attachment J): <u>Click to enter text.</u>
- 16. Monitor wells within 1/4 mile radius (attach drillers logs and map as Attachment K): Click to enter text.
- 17. Sampling frequency: Click to enter text.
- **18.** Known hazardous components in injection fluid: Click to enter text.

Section 5. Site History

- **1.** Type of Facility: <u>Click to enter text.</u>
- 2. Contamination Dates: <u>Click to enter text.</u>
- 3. Original Contamination (VOCs, TPH, BTEX, etc.) and Concentrations (attach as Attachment L): Click to enter text.
- **4.** Previous Remediation (attach results of any previous remediation as attachment M): Click to enter text.


NOTE: Authorization Form should be completed in detail and authorization given by the TCEQ before construction, operation, and/or conversion can begin. Attach additional pages as necessary.

Class V Injection Well Designations

- 5A07 Heat Pump/AC return (IW used for groundwater to heat and/or cool buildings)
- 5A19 Industrial Cooling Water Return Flow (IW used to cool industrial process equipment)
- 5B22 Salt Water Intrusion Barrier (IW used to inject fluids to prevent the intrusion of salt water into an aquifer)
- 5D02 Storm Water Drainage (IW designed for the disposal of rain water)
- 5D04 Industrial Stormwater Drainage Wells (IW designed for the disposal of rain water associated with industrial facilities)
- 5F01 Agricultural Drainage (IW that receive agricultural runoff)
- 5R21 Aquifer Recharge (IW used to inject fluids to recharge an aquifer)
- 5S23 Subsidence Control Wells (IW used to control land subsidence caused by ground water withdrawal)
- 5W09 Untreated Sewage
- 5W10 Large Capacity Cesspools (Cesspools that are designed for 5,000 gpd or greater)
- 5W11 Large Capacity Septic systems (Septic systems designed for 5,000 gpd or greater)
- 5W12 WTTP disposal
- 5W20 Industrial Process Waste Disposal Wells
- 5W31 Septic System (Well Disposal method)
- 5W32 Septic System Drainfield Disposal
- 5X13 Mine Backfill (IW used to control subsidence, dispose of mining byproducts, and/or fill sections of a mine)
- 5X25 Experimental Wells (Pilot Test) (IW used to test new technologies or tracer dye studies)
- 5X26 Aguifer Remediation (IW used to clean up, treat, or prevent contamination of a USDW)
- 5X27 Other Wells
- 5X28 Motor Vehicle Waste Disposal Wells (IW used to dispose of waste from a motor vehicle site These are currently banned)
- 5X29 Abandoned Drinking Water Wells (waste disposal)




Attachment T1 Flow Diagram





.Attachment T2
Site Drawing





Attachment T3
Soil Map





MAP LEGEND

Area of Interest (AOI)

Area of Interest (AOI)

Soils

Soil Map Unit Polygons



Soil Map Unit Lines



Soil Map Unit Points

Special Point Features

Blowout



Borrow Pit



Clay Spot



Closed Depression



Gravel Pit



Gravelly Spot



Landfill



Lava Flow

Marsh or swamp



Mine or Quarry



Miscellaneous Water



Perennial Water



Rock Outcrop



Saline Spot



Sandy Spot



Severely Eroded Spot



Sinkhole



Slide or Slip



Sodic Spot



Spoil Area Stony Spot



Very Stony Spot



Wet Spot Other



Special Line Features

Water Features



Streams and Canals

Transportation



Rails



Interstate Highways



US Routes



Major Roads



Local Roads

Background



Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Gray County, Texas Survey Area Data: Version 21, Aug 30, 2024

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Nov 23, 2021—Dec 5, 2021

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Soil Map—Gray County, Texas McLean WWTP

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
M-W	Miscellaneous water	8.5	9.7%
MdB	Miles loamy fine sand, 0 to 3 percent slopes	70.2	80.2%
MfA	Miles fine sandy loam, 0 to 1 percent slopes	8.1	9.3%
MfB	Miles fine sandy loam, 1 to 3 percent slopes	0.7	0.8%
Totals for Area of Interest	-	87.5	100.0%



Attachment T4
Soil Analysis



ENVIRONMENTAL MONITORING LABORATORY

BIOLOGICAL & CHEMICAL ANALYSIS / UTILITIES MANAGEMENT & OPERATION / WATERWELL DRILLING & SERVICE / GEOLOGICAL INVESTIGATIONS P. O. Box 477 Hillsboro, TX 76645 Office (254) 582-2622 Fax (254) 582-0380 Mobile (254) 582-1614



City of McLean 2025

VWTP - A	nalytica	l Summ	ary Sh	eet						January		2025				
	11						Irrigation I	Field 0"-	6"							
						SUBCONTR	RACTED									
Date	Plant Available Phosphorus	Plant Available Potassium	Plant Available Calcium	Plant Available Magnesium	Plant Available Sulfur	Plant Available Sodium Mehich III - ICP	Conductivity 2:1 (w/v w/s)	Total Kjeldahl Nitrogen	Nitrate as N	Total Nitrogen	pH 2:1 (v/v w/s)	SAR	Sodium	Potassium	Calcium	Magnesiu
EPA Week Of	menich III - ICP	mg/kg	mg/kg	make	menicii ili - icr	mg/kg	da/m - mmhos/cm	mg/kg	тр/кр	mg/kg	S.U.	Riflo	mg/L.	mg/L	mg/L	ngit.
1/7/25	233	150	2040	117	2.15	26.2	186	364	2.32	366	7.9	0.529	9.96	5.57	23.8	1.85
177720	200	100	2040		2.10	20.2	100		2.02			7.020				
													, ,			
							Irrigation F	ield 6"- 1	8"							
	Disat	Diset	Dlast	Dient	Plant	Plant										
Date	Plant Available Phosphorus	Plant Available Potassium	Plant Available Calcium	Plant Available Magnesium	Available Sulfur	Available Sodium	Conductivity	Total Kjeldahl Nitrogen	Nitrate as N	Total Nitrogen	рН	SAR	Sodium	Potassium	Calcium	Magnesium
EPA	Mehlich III - ICP	Mehiich III - ICP	Mehich III - ICP	Mehlich III - ICP	Mehlich III - ICP	Mehlich III - IOP	2:1 (w/v:w/s)		Link W	ngho	2:1 (v/v w/s) S.U.	Retio	mgl.	mg/L	mg/L	.mg/L
Week Of	mgAg	mg/kg	mg/kg	mg/kg	mpt	mg/kg	dalm - mmhosiom	motio 4.0.4	2.05	183	8.1	0.625	10.70	3.60	19.7	1.50
1/7/25	228	118	1930	107	2.33	27.7	174	181	2.05	103	0.1	0.023	10.70	3.00	13.7	1.50
AVERAGES:																
							Irrigation F	ield 18"-	30"							
	-		Divi	Division	Disat	SUBCONT	RACTED	Total					-			
Date	Plant Available Phosphorus	Plant Avaitable Potassium	Plant Available Calcium	Plant Available Magnesium	Plant Available Sulfur	Plant Available Sodlum	Conductivity	Total Kjedahl Nitrogen	Nitrate as N	Total Nitrogen		SAR	Sodium	Potassium	Calcium	Magnesiur
EPA	Mehilch III - ICP	Mehlich III - ICP	Mehlich III - ICP	Mehlich III - ICP	Mehlich III - ICP	Mehlich til - ICP	2:1 (w/v w/s)				2.1 (w/y w/s)	Patte				. April
Week Of	inglig	тулц	mg/kg	mg/kg	High,	mafia	daim - mmhoeicm	mafka	maka	marka	5 U,		mpt.	mg/L	mg/L	
1/7/25	224	158	2040	112	2.03	18.3	184	286	1.74	288	8.3	0.390	6.85	5.84	20.3	1.90
AVERAGES:				_												



ENVIRONMENTAL MONITORING LABORATORY, L.L.C.

BIOLOGICAL & CHEMICAL ANALYSIS / UTILITIES MANAGEMENT & OPERATION / WATERWELL DRILLING & SERVICE / GEOLOGICAL INVESTIGATION

January 31, 2025

City of McLean P.O. Box 9 McLean, TX 79057



Re: City of McLean - Irrigation Field 0"-6", 6"-18", 18"-30" - 870-33098-1

Dear Client:

ENVIRONMENTAL SCIENTIST President C.C. "Chuck" Blair, M.S. P.G. - B/B EML collected samples on 01/07/25 and submitted them for analysis on 01/13/25. The following is the result of the analytical procedures performed on this sample and listed on the following pages that include QA/QC information, chain of custody form, and other lab identification information.

Respectfully Submitted, Environmental Monitoring Laboratory

SySoward

Lisa Soward B.A Data Manager

ANALYTICAL REPORT

PREPARED FOR

Attn: Serissa Beck Environmental Monitoring Laboratory, LLC 6145 State Highway 171 PO BOX 477 Hillsboro, Texas 76645

JOB DESCRIPTION

Generated 1/31/2025 4:09:52 PM

City of Mclean

JOB NUMBER

870-33098-1

Eurofins Dallas 9701 Harry Hines Blvd Dallas TX 75220



Eurofins Dallas

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization

Generated 1/31/2025 4:09:52 PM

Authorized for release by Anita Patel, Project Manager Anita.Patel@et.eurofinsus.com (832)776-2275

Table of Contents

Cover Page	1
Table of Contents	
Definitions/Glossary	4
	5
Detection Summary	6
Client Sample Results	8
	10
	14
Lab Chronicle	18
Certification Summary	21
Method Summary	22
	23
Chain of Custody	24
Receipt Checklists	

Definitions/Glossary

Client: Environmental Monitoring Laboratory, LLC

Project/Site: City of Mclean

Job ID: 870-33098-1

Qualifiers

Metals

TEF

TEQ TNTC

Qualifier Qualifier Description

U Indicates the analyte was analyzed for but not detected.

Toxicity Equivalent Factor (Dioxin)

Too Numerous To Count

Toxicity Equivalent Quotient (Dioxin)

General Chemistry

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
HF	Parameter with a holding time of 15 minutes. Test performed by laboratory at client's request. Sample was analyzed outside of hold time.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points

Case Narrative

Client: Environmental Monitoring Laboratory, LLC

Project: City of Mclean

Job ID: 870-33098-1 Eurofins Dallas

Job Narrative 870-33098-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 1/13/2025 11:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 20.3°C.

Metals

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

Method 351.2: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 860-211478 and 860-213510 and analytical batch 860-214043 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

Method 353.2: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 860-212289 and 860-212295 and analytical batch 860-212726 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

Method 353.2_Nitrite: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 860-212289 and 860-212295 and analytical batch 860-212533 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Dallas

Job ID: 870-33098-1

Page 5 of 26 1/31/2025

Detection Summary

Client: Environmental Monitoring Laboratory, LLC

Project/Site: City of Mclean

Client Sample ID: Irrigation Field 0-6"

Lab Sample ID: 870-33098-1

Job ID: 870-33098-1

Analyte	Result	Qualifier	RL	MDL Unit	Dil Fac	Method	Prep Type
Na	9.96		0.500	mg/L	1	29B SAR	Total/NA
Ca	23.8		0,200	mg/L	1	29B SAR	Total/NA
Mg	1.85		0.400	mg/L	1	29B SAR	Total/NA
K	5.57		0.500	mg/L	1	29B SAR	Total/NA
Sodium Adsorption Ratio	0.529		0.100	NONE	1	29B SAR	Total/NA
Calcium	2040		97.6	mg/Kg	50	6010C	Total/NA
Magnesium	117		1.95	mg/Kg	1	6010C	Total/NA
Phosphorus	233		19.5	mg/Kg	50	6010C	Total/NA
Potassium	150		4.88	mg/Kg	1	6010C	Total/NA
Sodium	26.2		4.88	mg/Kg	1	6010C	Total/NA
Sulfur	2,15		0.976	mg/Kg	1	6010C	Total/NA
Nitrogen, Kjeldahl	364		7.84	mg/Kg	1	351.2	Total/NA
Nitrate Nitrite as N	2.32	F1	0.984	mg/Kg	1	353.2	Total/NA
pH	7.9	HF		SU	1	9045D	Total/NA
Temperature	17.7	HF		Deg. C	1	9045D	Total/NA
Corrosivity	7.9	HF		SU	1	9045D	Total/NA
Nitrate as N	2.32		1.00	mg/Kg	1	Nitrate by calc	Total/NA
Specific Conductance	186		20.0	umho/cm @ 25C	1	SM 2510B	Total/NA
Nitrogen, Total	366		0,200	mg/Kg	1	Total Nitrogen	Total/NA

Client Sample ID: Irrigation Field 6-18"

Lab Sample ID: 870-33098-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D Method	Prep Type
Na	10.7		0.500		mg/L	1	29B SAR	Total/NA
Ca	19.7		0.200		mg/L	1	29B SAR	Total/NA
Mg	1.50		0.400		mg/L	1	29B SAR	Total/NA
K	3.60		0.500		mg/L	1	29B SAR	Total/NA
Sodium Adsorption Ratio	0.625		0.100		NONE	1	29B SAR	Total/NA
Calcium	1930		99.5		mg/Kg	50	6010C	Total/NA
Magnesium	107		1.99		mg/Kg	1	6010C	Total/NA
Phosphorus	228		19,9		mg/Kg	50	6010C	Total/NA
Potassium	118		4.98		mg/Kg	1	6010C	Total/NA
Sodium	27.7		4.98		mg/Kg	1	6010C	Total/NA
Sulfur	2.33		0.995		mg/Kg	1	6010C	Total/NA
Nitrogen, Kjeldahl	181	F1	76.9		mg/Kg	10	351.2	Total/NA
Nitrate Nitrite as N	2.05		0.994		mg/Kg	1	353.2	Total/NA
pH	8.1	HF			SU	1	9045D	Total/NA
Temperature	16.9	HF			Deg. C	1	9045D	Total/NA
Corrosivity	8.1	HF			SU	1	9045D	Total/NA
Nitrate as N	2.05		1.00		mg/Kg	1	Nitrate by calc	Total/NA
Specific Conductance	174		20.0		umho/cm @ 25C	1	SM 2510B	Total/NA
Nitrogen, Total	183		0.200		mg/Kg	1	Total Nitrogen	Total/NA

Client Sample ID: Irrigation Field 18-30"

Lab Sample ID: 870-33098-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Na	6.85		0.500		mg/L	1	_	29B SAR	Total/NA
Ca	20.3		0.200		mg/L	1		29B SAR	Total/NA
Mg	1.90		0.400		mg/L	1		29B SAR	Total/NA
K	5,84		0.500		mg/L	1		29B SAR	Total/NA

This Detection Summary does not include radiochemical test results.

Detection Summary

Client: Environmental Monitoring Laboratory, LLC

Project/Site: City of Mclean

Client Sample ID: Irrigation Field 18-30" (Continued)

Lab Sample ID: 870-33098-3

Job ID: 870-33098-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Sodium Adsorption Ratio	0.390		0.100		NONE	1		29B SAR	Total/NA
Calcium	2040		99,5		mg/Kg	50		6010C	Total/NA
Magnesium	112		1,99		mg/Kg	1		6010C	Total/NA
Phosphorus	224		19.9		mg/Kg	50		6010C	Total/NA
Potassium	158		4.98		mg/Kg	1		6010C	Total/NA
Sodium	18.3		4.98		mg/Kg	1		6010C	Total/NA
Sulfur	2.03		0.995		mg/Kg	1		6010C	Total/NA
Nitrogen, Kjeldahl	286		7.55		mg/Kg	1		351.2	Total/NA
Nitrate Nitrite as N	1.74		0,982		mg/Kg	1		353.2	Total/NA
рН	8.3	HF			SU	1		9045D	Total/NA
Temperature	16.7	HF			Deg. C	1		9045D	Total/NA
Corrosivity	8.3	HF			SU	1		9045D	Total/NA
Nitrate as N	1.74		1.00		mg/Kg	1		Nitrate by calc	Total/NA
Specific Conductance	184		20.0		umho/cm @ 25C	1		SM 2510B	Total/NA
Nitrogen, Total	288		0.200		mg/Kg	1		Total Nitrogen	Total/NA

This Detection Summary does not include radiochemical test results.

Client Sample Results

Client: Environmental Monitoring Laboratory, LLC

Project/Site: City of Mclean

Client Sample ID: Irrigation Field 0-6"

Date Collected: 01/07/25 13:20 Date Received: 01/13/25 11:00 Lab Sample ID: 870-33098-1

Matrix: Solid

Job ID: 870-33098-1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Na	9,96		0.500		mg/L	-	01/20/25 15:59	01/20/25 20:11	1
Ca	23.8		0.200		mg/L		01/20/25 15:59	01/20/25 20:11	1
Mg	1.85		0.400		mg/L		01/20/25 15:59	01/20/25 20:11	1
K	5.57		0.500		mg/L		01/20/25 15:59	01/20/25 20:11	1
Sodium Adsorption Ratio	0.529		0.100		NONE		01/20/25 15:59	01/22/25 12:50	1
Method: SW846 6010C - Metals (ICF	P)								
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	2040		97.6		mg/Kg		01/17/25 17:13	01/22/25 14:38	50
Magnesium	117		1.95		mg/Kg		01/17/25 17:13	01/22/25 14:29	1
Phosphorus	233		19.5		mg/Kg		01/17/25 17:13	01/22/25 14:38	50
Potassium	150		4.88		mg/Kg		01/17/25 17:13	01/22/25 14:29	1
Sodium	26.2		4.88		mg/Kg		01/17/25 17:13	01/22/25 14:29	1
Sulfur	2,15		0.976		mg/Kg		01/17/25 17:13	01/22/25 14:29	1
General Chemistry									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrogen, Kjeldahl (EPA 351.2)	364		7.84		mg/Kg		01/24/25 18:49	01/25/25 12:50	1
Nitrate Nitrite as N (EPA 353.2)	2.32	F1	0.984		mg/Kg		01/23/25 14:03	01/25/25 13:19	1
Nitrite as N (EPA 353.2)	<0.984	U F1	0.984		mg/Kg		01/23/25 14:03	01/24/25 11:32	1
pH (SW846 9045D)	7.9	HF			SU			01/20/25 14:42	1
Temperature (SW846 9045D)	17.7	HF			Deg. C			01/20/25 14:42	1
Corrosivity (SW846 9045D)	7.9	HF			SU			01/20/25 14:42	1
Nitrate as N (SM Nitrate by calc)	2.32		1.00		mg/Kg			01/24/25 13:32	1
Specific Conductance (SM 2510B)	186		20.0		umho/cm @ 25C			01/20/25 14:56	1
Nitrogen, Total (EPA Total	366		0.200		mg/Kg			01/27/25 10:38	1

Client Sample ID: Irrigation Field 6-18"

Date Collected: 01/07/25 13:30

Nitrogen)

Lab Sample ID: 870-33098-2

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Na	10.7		0.500		mg/L		01/20/25 15:59	01/20/25 20:13	1
Ca	19.7		0.200		mg/L		01/20/25 15:59	01/20/25 20:13	1
Mg	1,50		0.400		mg/L		01/20/25 15:59	01/20/25 20:13	1
K	3,60		0.500		mg/L		01/20/25 15:59	01/20/25 20:13	1
Sadium Adapantian Datia	0.625		0.100		NONE		01/20/25 15:59	01/22/25 12:50	1
Sodium Adsorption Ratio									
Method: SW846 6010C - Metals	s (ICP)	Qualifier		MDI		D		hazvlenA	Dil Fac
Method: SW846 6010C - Metals Analyte	s (ICP)	Qualifier	RL	MDL	Unit	<u>D</u>	Prepared	Analyzed 01/22/25 14:39	Dil Fac
Method: SW846 6010C - Metals Analyte Calcium	Result	Qualifier		MDL	Unit mg/Kg	<u>D</u>		Analyzed 01/22/25 14:39 01/22/25 14:31	Dil Fac
Method: SW846 6010C - Metals Analyte Calcium Magnesium	s (ICP)	Qualifier	RL 99.5	MDL	Unit	<u>D</u>	Prepared 01/17/25 17:13	01/22/25 14:39	50
Method: SW846 6010C - Metals Analyte Calcium Magnesium Phosphorus	Result 1930 107	Qualifier	RL 99.5 1.99	MDL	Unit mg/Kg mg/Kg	<u>D</u>	Prepared 01/17/25 17:13 01/17/25 17:13	01/22/25 14:39 01/22/25 14:31	50
Method: SW846 6010C - Metals Analyte Calcium Magnesium Phosphorus Potassium Sodium	Result 1930 107 228	Qualifier	99.5 1.99 19.9	MDL	Unit mg/Kg mg/Kg mg/Kg	D	Prepared 01/17/25 17:13 01/17/25 17:13 01/17/25 17:13	01/22/25 14:39 01/22/25 14:31 01/22/25 14:39	

Client Sample Results

Client: Environmental Monitoring Laboratory, LLC

Project/Site: City of Mclean

Client Sample ID: Irrigation Field 6-18"

Date Collected: 01/07/25 13:30 Date Received: 01/13/25 11:00 Lab Sample ID: 870-33098-2

Matrix: Solid

Job ID: 870-33098-1

General Chemistry Analyte	Result	Qualifier	RL	MDŁ	Unit	D	Prepared	Analyzed	Dil Fac
Nitrogen, Kjeldahl (EPA 351.2)	181	F1	76.9		mg/Kg		01/29/25 16:36	01/31/25 14:21	10
Nitrate Nitrite as N (EPA 353.2)	2.05		0.994		mg/Kg		01/23/25 14:03	01/25/25 13:57	1
Nitrite as N (EPA 353.2)	< 0.994	U	0.994		mg/Kg		01/23/25 14:03	01/24/25 11:52	1
pH (SW846 9045D)	8.1	HF			SU			01/20/25 14:42	1
Temperature (SW846 9045D)	16.9	HF			Deg. C			01/20/25 14:42	1
Corrosivity (SW846 9045D)	8.1	HF			SU			01/20/25 14:42	1
Nitrate as N (SM Nitrate by calc)	2.05		1,00		mg/Kg			01/24/25 13:32	1
Specific Conductance (SM 2510B)	174		20.0		umho/cm @			01/20/25 14:56	1
,					25C				
Nitrogen, Total (EPA Total	183		0.200		mg/Kg			01/27/25 10:38	1
Nitrogen)									

Client Sample ID: Irrigation Field 18-30"

Date Collected: 01/07/25 13:40 Date Received: 01/13/25 11:00 Lab Sample ID: 870-33098-3

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
Na	6.85		0.500		mg/L		01/20/25 15:59	01/20/25 20:15	
Ca	20.3		0.200		mg/L		01/20/25 15:59	01/20/25 20:15	•
Mg	1.90		0.400		mg/L		01/20/25 15:59	01/20/25 20:15	
K	5.84		0.500		mg/L		01/20/25 15:59	01/20/25 20:15	•
Sodium Adsorption Ratio	0.390		0.100		NONE		01/20/25 15:59	01/22/25 12:50	
Method: SW846 6010C - Metals (ICP)								
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	2040		99.5		mg/Kg		01/17/25 17:13	01/22/25 14:41	50
Magnesium	112		1,99		mg/Kg		01/17/25 17:13	01/22/25 14:32	•
Phosphorus	224		19.9		mg/Kg		01/17/25 17:13	01/22/25 14:41	50
Potassium	158		4.98		mg/Kg		01/17/25 17:13	01/22/25 14:32	•
Sodium	18.3		4.98		mg/Kg		01/17/25 17:13	01/22/25 14:32	•
Sulfur	2.03		0.995		mg/Kg		01/17/25 17:13	01/22/25 14:32	•
General Chemistry									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
Nitrogen, Kjeldahl (EPA 351.2)	286		7.55		mg/Kg		01/24/25 18:49	01/25/25 12:50	
Nitrate Nitrite as N (EPA 353.2)	1,74		0.982		mg/Kg		01/23/25 14:03	01/25/25 13:24	,
Nitrite as N (EPA 353.2)	<0.982	U	0.982		mg/Kg		01/23/25 14:03	01/24/25 11:35	•
pH (SW846 9045D)	8,3	HF			SU			01/20/25 14:42	
Temperature (SW846 9045D)	16.7	HF			Deg. C			01/20/25 14:42	
Corrosivity (SW846 9045D)	8.3	HF			SU			01/20/25 14:42	
Nitrate as N (SM Nitrate by calc)	1.74		1.00		mg/Kg			01/24/25 13:32	,
Specific Conductance (SM 2510B)	184		20.0		umho/cm @ 25C			01/20/25 14:56	,
Nitrogen, Total (EPA Total Nitrogen)	288		0.200		mg/Kg			01/27/25 10:38	

Client: Environmental Monitoring Laboratory, LLC

Project/Site: City of Mclean

Job ID: 870-33098-1

Method: 29B SAR - Sodium Adsorption Ratio

Lab Sample ID: MB 860-211907/1-A

Matrix: Solid

Analysis Batch: 211981

Client Sample ID: Method Blank

Prep Type: Soluble

Prep Batch: 211907

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Na	<0.500	U	0.500		mg/L		01/20/25 17:17	01/20/25 19:09	1
Ca	<0.200	U	0.200		mg/L		01/20/25 17:17	01/20/25 19:09	1
Mg	<0.400	U	0.400		mg/L		01/20/25 17:17	01/20/25 19:09	1
к	<0.500	U	0.500		mg/L		01/20/25 17:17	01/20/25 19:09	1

Method: 6010C - Metals (ICP)

Lab Sample ID: MB 860-211499/1-A

Matrix: Solid

Analysis Batch: 212136

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 211499

	MB							
Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<2.00	U	2.00		mg/Kg		01/17/25 17:12	01/22/25 14:10	1
<2.00	U	2.00		mg/Kg		01/17/25 17:12	01/22/25 14:10	1
<0.400	U	0.400		mg/Kg		01/17/25 17:12	01/22/25 14:10	1
<5.00	U	5.00		mg/Kg		01/17/25 17:12	01/22/25 14:10	1
<5,00	U	5.00		mg/Kg		01/17/25 17:12	01/22/25 14:10	1
<1.00	U	1.00		mg/Kg		01/17/25 17:12	01/22/25 14:10	1
	<2.00 <2.00 <0.400 <5.00	Result Qualifier	<2.00 U 2.00 <2.00 U 2.00 <0.400 U 0.400 <5.00 U 5.00 <5.00 U 5.00	<2.00 U 2.00 <2.00 U 2.00 <0.400 U 0.400 <5.00 U 5.00 <5.00 U 5.00	<2.00 U 2.00 mg/Kg <2.00 U 2.00 mg/Kg <0.400 U 0.400 mg/Kg <5.00 U 5.00 mg/Kg <5,00 U 5.00 mg/Kg	<2.00 U 2.00 mg/Kg <2.00 U 2.00 mg/Kg <0.400 U 0.400 mg/Kg <5.00 U 5.00 mg/Kg <5.00 U 5.00 mg/Kg	<2.00 U	<2.00 U

Method: 351.2 - Nitrogen, Total Kjeldahl

Lab Sample ID: MB 860-212651/4-A

Matrix: Solid

Analysis Batch: 212724

Client Sample ID: Method Blank Prep Type: Total/NA

Prep Batch: 212651

 Analyte
 Result
 Qualifier
 RL
 MDL
 Unit
 D
 Prepared
 Analyzed
 Dil Fac

 Nitrogen, Kjeldahl
 <8.00</td>
 U
 8.00
 mg/Kg
 01/24/25 18:49
 01/25/25 12:44
 1

Lab Sample ID: LCS 860-212651/6-A

Matrix: Solid

Analysis Batch: 212724

Client Sample ID: Lab Control Sample Prep Type: Total/NA

Prep Batch: 212651

 Analyte
 Added
 Result
 Qualifier
 Unit
 D
 %Rec
 Limits

 Nitrogen, Kjeldahl
 80.0
 79.95
 mg/Kg
 100
 90 - 110

Lab Sample ID: LCSD 860-212651/7-A

Matrix: Solid

Analysis Batch: 212724

Client Sample ID: Lab Control Sample Dup Prep Type: Total/NA

Prep Batch: 212651 %Rec RPD

Spike LCSD LCSD Added Result Qualifier Unit %Rec Limits RPD Limit Analyte 0.08 105 90 - 110 84.13 mg/Kg Nitrogen, Kjeldahl

Lab Sample ID: LLCS 860-212651/5-A

Matrix: Solid

Analysis Batch: 212724

Client Sample ID: Lab Control Sample

Prep Type: Total/NA Prep Batch: 212651

 Spike
 LLCS
 LLCS
 LLCS
 %Rec

 Analyte
 Added
 Result
 Qualifier
 Unit
 D
 %Rec
 Limits

 Nitrogen, Kjeldahl
 8.00
 9.457
 mg/Kg
 118
 50 - 150

Client: Environmental Monitoring Laboratory, LLC

Project/Site: City of Mclean

Job ID: 870-33098-1

Method:	351.2 - Nit	rogen, Tota	l Kjeldahl (Continued)

MR MR

MR MR

Lab Sample ID: MB 860-213510/26-A

Matrix: Solid

Analyte

Analysis Batch: 214043

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 213510

Result Qualifier RL MDL Unit D Prepared Analyzed Dil Fac 01/29/25 16:36 01/31/25 13:55 <7.84 U 7.84 mg/Kg Nitrogen, Kjeldahl

Lab Sample ID: MB 860-213510/4-A

Matrix: Solid

Analysis Batch: 214043

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 213510

Prepared Analyzed Result Qualifier RL MDL Unit Dil Fac Analyte 0.200 01/29/25 16:36 01/31/25 13:44 <0.200 U mg/Kg Nitrogen, Kjeldahl

Lab Sample ID: LCS 860-213510/27-A

Matrix: Solid

Analysis Batch: 214043

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 213510

%Rec Spike LCS LCS Added Result Qualifier Unit %Rec Limits Analyte 76.9 76.89 mg/Kg 100 90 - 110 Nitrogen, Kjeldahl

Lab Sample ID: LCSD 860-213510/28-A

Matrix: Solid

Analysis Batch: 214043

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 213510

RPD

Spike LCSD LCSD Limit Added Result Qualifier Unit %Rec Limits 76.9 75.81 99 90 - 110 mg/Kg Nitrogen, Kjeldahl

Lab Sample ID: LLCS 860-213510/5-A

Matrix: Solid

Analysis Batch: 214043

Client Sample ID: Lab Control Sample

%Rec

Prep Type: Total/NA

Prep Batch: 213510

LLCS LLCS %Rec Spike Result Qualifier %Rec Limits Added Unit Analyte 87 50 - 150 0.200 0.1731 J mg/Kg Nitrogen, Kjeldahl

Lab Sample ID: 870-33098-2 MS

Matrix: Solid

Analysis Batch: 214043

Client Sample ID: Irrigation Field 6-18"

Prep Type: Total/NA

Prep Batch: 213510

MS MS Spike %Rec Sample Sample %Rec Limits Analyte Result Qualifier Added Result Qualifier Unit 90 - 110 Nitrogen, Kjeldahl 181 F1 75.5 358.4 F1 mg/Kg 236

Lab Sample ID: 870-33098-2 MSD

Matrix: Solid

Analysis Batch: 214043

Client Sample ID: Irrigation Field 6-18"

Prep Type: Total/NA Prep Batch: 213510

%Rec RPD Spike MSD MSD Sample Sample %Rec RPD Limits Limit Result Qualifier Added Result Qualifier Unit D Analyte Nitrogen, Kjeldahl 181 F1 75.5 358.3 F1 mg/Kg 235 90 - 110 20

Client: Environmental Monitoring Laboratory, LLC

Project/Site: City of Mclean

Job ID: 870-33098-1

Method: 353.2 - Nitrogen, Nitrite

Lab Sample ID: MB 860-212295/1-A

Matrix: Solid

Analysis Batch: 212533

Client Sample ID: Method Blank

Client Sample ID: Lab Control Sample

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 212295

MR MR

MDL Unit Analyzed Dil Fac Result Qualifier RL Prepared Analyte 1.00 01/23/25 14:03 01/24/25 11:29 <1.00 U Nitrite as N mg/Kg

Lab Sample ID: LCS 860-212295/2-A

Matrix: Solid

Analysis Batch: 212533

Prep Type: Total/NA Prep Batch: 212295 LCS LCS %Rec

Spike Added Result Qualifier Unit %Rec Limits Analyte 90 - 110 9.98 98 9 776 Nitrite as N mg/Kg

Lab Sample ID: LCSD 860-212295/3-A

Matrix: Solid

Analysis Batch: 212533

Prep Type: Total/NA

Prep Batch: 212295

LCSD LCSD RPD Spike Limits RPD Limit Added Result Qualifier Unit D %Rec Analyte 20 9.98 9.829 mg/Kg 98 90 - 110 Nitrite as N

Lab Sample ID: 870-33098-1 MS

Matrix: Solid

Analysis Batch: 212533

Client Sample ID: Irrigation Field 0-6"

Prep Type: Total/NA Prep Batch: 212295

%Rec

Sample Sample Spike MS MS Result Qualifier %Rec Limits Result Qualifier Added Unit D Analyte <0.984 UF1 9.82 <0.982 UF1 -0.9 90 _ 110 Nitrite as N mg/Kg

Spike

Added

9.82

Lab Sample ID: 870-33098-1 MSD

Matrix: Solid

Analyte

Nitrite as N

Analysis Batch: 212533

Client Sample ID: Irrigation Field 0-6"

Prep Type: Total/NA Prep Batch: 212295

%Rec RPD Limits RPD %Rec Limit 90 - 110 NC 20

Method: 353,2 - Nitrogen, Nitrate-Nitrite

Lab Sample ID: MB 860-212295/1-A

Matrix: Solid

Analysis Batch: 212726

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 212295

MB MB

Sample Sample

<0.984 UF1

Result Qualifier

Dil Fac Analyte Result Qualifier RΙ MDL Unit D Prepared Analyzed 1.00 01/23/25 14:03 01/25/25 13:14 Nitrate Nitrite as N <1.00 U mg/Kg

MSD MSD

<0.982 UF1

Result Qualifier

Unit

mg/Kg

Lab Sample ID: LCS 860-212295/2-A

Matrix: Solid

Analysis Batch: 212726

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 212295

LCS LCS %Rec Spike Limits Added Result Qualifier Unit %Rec Analyte 9.98 10.23 mg/Kg 103 90 - 110 Nitrate Nitrite as N

Client: Environmental Monitoring Laboratory, LLC

Project/Site: City of Mclean

Job ID: 870-33098-1

Method: 353.2 - Nitrogen, Nitrate-Nitrite (Continued)

Lab Sample ID: LCSD 860-212295/3-A

Matrix: Solid

Nitrate Nitrite as N

Analyte

Analysis Batch: 212726

Client Sample ID: Lab Control Sample Dup Prep Type: Total/NA

Prep Type: Total/NA Prep Batch: 212295

 %Rec
 RPD

 %Rec
 Limits
 RPD
 Limit

 105
 90 - 110
 3
 20

Lab Sample ID: 870-33098-1 MS

Matrix: Solid

Analysis Batch: 212726

Client Sample ID: Irrigation Field 0-6"

Prep Type: Total/NA Prep Batch: 212295

Spike MS MS Sample Sample Result Qualifier Limits Analyte Result Qualifier Added Unit %Rec Nitrate Nitrite as N 2.32 F1 9.82 2.485 F1 mg/Kg 90 - 110

Spike

Added

9.98

LCSD LCSD

10.50

Result Qualifier

Unit

mg/Kg

D

Lab Sample ID: 870-33098-1 MSD

Matrix: Solid

Analysis Batch: 212726

Client Sample ID: Irrigation Field 0-6"

Prep Type: Total/NA

Prep Batch: 212295

MSD MSD %Rec RPD Sample Sample Spike Limit RPD Result Qualifier Added Result Qualifier Unit %Rec Limits Analyte 2.337 F1 0.2 90 - 110 6 20 2.32 F1 9.82 mg/Kg Nitrate Nitrite as N

Method: SM 2510B - Conductivity, Specific Conductance

Lab Sample ID: MB 860-211876/2

Matrix: Solid

Analysis Batch: 211876

Client Sample ID: Method Blank

Prep Type: Total/NA

MB MB

 Analyte
 Result
 Qualifier
 RL
 MDL
 Unit
 D
 Prepared
 Analyzed
 Dil Fac

 Specific Conductance
 <10.0</td>
 10.0
 umho/cm @
 55C
 01/20/25 14:56
 1

Client: Environmental Monitoring Laboratory, LLC

Project/Site: City of Mclean

Metals

Prep Batch: 211499

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
870-33098-1	Irrigation Field 0-6"	Total/NA	Solid	MEHL Prep	
870-33098-2	Irrigation Field 6-18"	Total/NA	Solid	MEHL Prep	
870-33098-3	Irrigation Field 18-30"	Total/NA	Solid	MEHL Prep	
MB 860-211499/1-A	Method Blank	Total/NA	Solid	MEHL Prep	

Prep Batch: 211886

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
870-33098-1	Irrigation Field 0-6"	Total/NA	Solid	29B	
870-33098-2	Irrigation Field 6-18"	Total/NA	Solid	29B	
870-33098-3	Irrigation Field 18-30"	Total/NA	Solid	29B	

Prep Batch: 211907

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
870-33098-1	Irrigation Field 0-6"	Total/NA	Solid	29B	211886
870-33098-2	Irrigation Field 6-18"	Total/NA	Solid	29B	211886
870-33098-3	Irrigation Field 18-30"	Total/NA	Solid	29B	211886
MB 860-211907/1-A	Method Blank	Soluble	Solid	29B	

Analysis Batch: 211981

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
870-33098-1	Irrigation Field 0-6"	Total/NA	Solid	29B SAR	211907
870-33098-2	Irrigation Field 6-18"	Total/NA	Solid	29B SAR	211907
870-33098-3	Irrigation Field 18-30"	Total/NA	Solid	29B SAR	211907
MB 860-211907/1-A	Method Blank	Soluble	Solid	29B SAR	211907

Analysis Batch: 212002

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
870-33098-1	Irrigation Field 0-6"	Total/NA	Solid	29B SAR	211907
870-33098-2	Irrigation Field 6-18"	Total/NA	Solid	29B \$AR	211907
870-33098-3	Irrigation Field 18-30"	Total/NA	Solid	29B SAR	211907

Analysis Batch: 212136

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
870-33098-1	Irrigation Field 0-6"	Total/NA	Solid	6010C	211499
870-33098-1	Irrigation Field 0-6"	Total/NA	Solid	6010C	211499
870-33098-2	Irrigation Field 6-18"	Total/NA	Solid	6010C	211499
870-33098-2	Irrigation Field 6-18"	Total/NA	Solid	6010C	211499
870-33098-3	Irrigation Field 18-30"	Total/NA	Solid	6010C	211499
870-33098-3	Irrigation Field 18-30"	Total/NA	Solid	6010C	211499
MB 860-211499/1-A	Method Blank	Total/NA	Solid	6010C	211499

General Chemistry

Leach Batch: 211478

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
870-33098-2	Irrigation Field 6-18"	Total/NA	Solid	Dry and Grind	
870-33098-2 MS	Irrigation Field 6-18"	Total/NA	Solid	Dry and Grind	
870-33098-2 MSD	Irrigation Field 6-18"	Total/NA	Solid	Dry and Grind	

Eurofins Dallas

Job ID: 870-33098-1

Client: Environmental Monitoring Laboratory, LLC

Project/Site: City of Mclean

Job ID: 870-33098-1

General Chemistry

Lands	Dotob.	244602
Leacn	Daten.	211603

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
870-33098-1	Irrigation Field 0-6"	Total/NA	Solid	Dry and Grind	
870-33098-2	Irrigation Field 6-18"	Total/NA	Solid	Dry and Grind	
870-33098-3	Irrigation Field 18-30"	Total/NA	Solid	Dry and Grind	

Leach Batch: 211766

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
870-33098-1	Irrigation Field 0-6"	Total/NA	Solid	DI Leach	211603
870-33098-2	Irrigation Field 6-18"	Total/NA	Solid	Dì Leach	211603
870-33098-3	Irrigation Field 18-30"	Total/NA	Solid	DI Leach	211603

Leach Batch: 211772

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
870-33098-1	Irrigation Field 0-6"	Total/NA	Solid	DI Leach	211603
870-33098-2	Irrigation Field 6-18"	Total/NA	Solid	DI Leach	211603
870-33098-3	Irrigation Field 18-30"	Total/NA	Şolid	DI Leach	211603

Analysis Batch: 211869

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
870-33098-1	Irrigation Field 0-6"	Total/NA	Solid	9045D	211766
870-33098-2	Irrigation Field 6-18"	Total/NA	Solid	9045D	211766
870-33098-3	Irrigation Field 18-30"	Total/NA	Solid	9045D	211766

Analysis Batch: 211876

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
870-33098-1	Irrigation Field 0-6"	Total/NA	Solid	SM 2510B	211772
870-33098-2	Irrigation Field 6-18"	Total/NA	Solid	SM 2510B	211772
870-33098-3	Irrigation Field 18-30"	Total/NA	Solid	SM 2510B	211772
MB 860-211876/2	Method Blank	Total/NA	Solid	SM 2510B	
LCS 860-211876/3	Lab Control Sample	Total/NA	Solid	SM 2510B	
LCSD 860-211876/4	Lab Control Sample Dup	Total/NA	Solid	SM 2510B	

Leach Batch: 212289

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
870-33098-1	Irrigation Field 0-6"	Total/NA	Solid	Dry and Grind	
870-33098-2	Irrigation Field 6-18"	Total/NA	Solid	Dry and Grind	
870-33098-3	Irrigation Field 18-30"	Total/NA	Solid	Dry and Grind	
870-33098-1 MS	Irrigation Field 0-6"	Total/NA	Solid	Dry and Grind	
870-33098-1 MSD	Irrigation Field 0-6"	Total/NA	Solid	Dry and Grind	

Prep Batch: 212295

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
870-33098-1	Irrigation Field 0-6"	Total/NA	Solid	KCI Extract	212289
870-33098-2	Irrigation Field 6-18"	Total/NA	Solid	KCI Extract	212289
870-33098-3	Irrigation Field 18-30"	Total/NA	Solid	KCI Extract	212289
MB 860-212295/1-A	Method Blank	Total/NA	Solid	KCI Extract	
LCS 860-212295/2-A	Lab Control Sample	Total/NA	Solid	KCI Extract	
LCSD 860-212295/3-A	Lab Control Sample Dup	Total/NA	Solid	KCl Extract	
870-33098-1 MS	Irrigation Field 0-6"	Total/NA	Solid	KCI Extract	212289
870-33098-1 MSD	Irrigation Field 0-6"	Total/NA	Solid	KCI Extract	212289

Client: Environmental Monitoring Laboratory, LLC

Project/Site: City of Mclean

Job ID: 870-33098-1

General Chemistry

Analysis Batch: 212533

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
870-33098-1	Irrigation Field 0-6"	Total/NA	Solid	353,2	212295
870-33098-2	Irrigation Field 6-18"	Total/NA	Solid	353,2	212295
870-33098-3	Irrigation Field 18-30"	Total/NA	Solid	353.2	212295
MB 860-212295/1-A	Method Blank	Total/NA	Solid	353.2	212295
LCS 860-212295/2-A	Lab Control Sample	Total/NA	Solid	353.2	212295
LCSD 860-212295/3-A	Lab Control Sample Dup	Total/NA	Solid	353.2	212295
870-33098-1 MS	Irrigation Field 0-6"	Total/NA	Solid	353.2	212295
870-33098-1 MSD	Irrigation Field 0-6"	Total/NA	Solid	353,2	212295

Analysis Batch: 212554

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
870-33098-1	Irrigation Field 0-6"	Total/NA	Solid	Nitrate by calc	
870-33098-2	Irrigation Field 6-18"	Total/NA	Solid	Nitrate by calc	
870-33098-3	Irrigation Field 18-30"	Total/NA	Solid	Nitrate by calc	

Leach Batch: 212648

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
870-33098-1	Irrigation Field 0-6"	Total/NA	Solid	Dry and Grind	
870-33098-3	Iπigation Field 18-30"	Total/NA	Solid	Dry and Grind	

Prep Batch: 212651

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
870-33098-1	Irrigation Field 0-6"	Total/NA	Solid	351.2	212648
870-33098-3	Irrigation Field 18-30"	Total/NA	Solid	351.2	212648
MB 860-212651/4-A	Method Blank	Total/NA	Solid	351.2	
LCS 860-212651/6-A	Lab Control Sample	Total/NA	Solid	351.2	
LCSD 860-212651/7-A	Lab Control Sample Dup	Total/NA	Solid	351.2	
LLCS 860-212651/5-A	Lab Control Sample	Total/NA	Solid	351,2	

Analysis Batch: 212724

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
870-33098-1	Irrigation Field 0-6"	Total/NA	Solid	351.2	212651
870-33098-3	Irrigation Field 18-30"	Total/NA	Solid	351.2	212651
MB 860-212651/4-A	Method Blank	Total/NA	Solid	351.2	212651
LCS 860-212651/6-A	Lab Control Sample	Total/NA	Solid	351.2	212651
LCSD 860-212651/7-A	Lab Control Sample Dup	Total/NA	Solid	351.2	212651
LLCS 860-212651/5-A	Lab Control Sample	Total/NA	Solid	351.2	212651

Analysis Batch: 212726

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
870-33098-1	Irrigation Field 0-6"	Total/NA	Solid	353.2	212295
870-33098-2	Irrigation Field 6-18"	Total/NA	Solid	353.2	212295
870-33098-3	Irrigation Field 18-30"	Total/NA	Solid	353.2	212295
MB 860-212295/1-A	Method Blank	Total/NA	Solid	353.2	212295
LCS 860-212295/2-A	Lab Control Sample	Total/NA	Solid	353.2	212295
LCSD 860-212295/3-A	Lab Control Sample Dup	Total/NA	Solid	353.2	212295
870-33098-1 MS	Irrigation Field 0-6"	Total/NA	Solid	353.2	212295
870-33098-1 MSD	Irrigation Field 0-6"	Total/NA	Solid	353.2	212295

Client: Environmental Monitoring Laboratory, LLC

Project/Site: City of Mclean

Job ID: 870-33098-1

General Chemistry

Analysis Batch: 212822

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
870-33098-1	Irrigation Field 0-6"	Total/NA	Solid	Total Nitrogen	
870-33098-2	Irrigation Field 6-18"	Total/NA	Solid	Total Nitrogen	
870-33098-3	Irrigation Field 18-30"	Total/NA	Solid	Total Nitrogen	

Prep Batch: 213510

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
870-33098-2	Irrigation Field 6-18"	Total/NA	Solid	351.2	211478
MB 860-213510/26-A	Method Blank	Total/NA	Solid	351,2	
MB 860-213510/4-A	Method Blank	Total/NA	Solid	351.2	
LCS 860-213510/27-A	Lab Control Sample	Total/NA	Solid	351.2	
LCSD 860-213510/28-A	Lab Control Sample Dup	Total/NA	Solid	351.2	
LLCS 860-213510/5-A	Lab Control Sample	Total/NA	Solid	351.2	
870-33098-2 MS	Irrigation Field 6-18"	Total/NA	Solid	351.2	211478
870-33098-2 MSD	Irrigation Field 6-18"	Total/NA	Solid	351.2	211478

Analysis Batch: 214043

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
870-33098-2	Irrigation Field 6-18"	Total/NA	Solid	351.2	213510
MB 860-213510/26-A	Method Blank	Total/NA	Solid	351.2	213510
MB 860-213510/4-A	Method Blank	Total/NA	Solid	351.2	213510
LCS 860-213510/27-A	Lab Control Sample	Total/NA	Solid	351.2	213510
LCSD 860-213510/28-A	Lab Control Sample Dup	Total/NA	Solid	351.2	213510
LLCS 860-213510/5-A	Lab Control Sample	Total/NA	Solid	351.2	213510
870-33098-2 MS	Irrigation Field 6-18"	Total/NA	Solid	351.2	213510
870-33098-2 MSD	Irrigation Field 6-18"	Totat/NA	Solid	351.2	213510

Lab Chronicle

Client: Environmental Monitoring Laboratory, LLC

Project/Site: City of Mclean

Client Sample ID: Irrigation Field 0-6"

Date Collected: 01/07/25 13:20 Date Received: 01/13/25 11:00 Lab Sample ID: 870-33098-1

Matrix: Solid

Job ID: 870-33098-1

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	29B			41.52 g	36.35 g	211886	01/20/25 15:59	PB	EET HOU
Total/NA	Prep	29B			30 g	30 mL	211907	01/20/25 17:17	PB	EET HOU
Total/NA	Analysis	29B SAR		1			211981	01/20/25 20:11	JDM	EET HOU
Total/NA	Prep	29B			41.52 g	36.35 g	211886	01/20/25 15:59	PB	EET HOU
Total/NA	Prep	29B			30 g	30 mL	211907	01/20/25 17:17	PB	EET HOU
Total/NA	Analysis	29B SAR		1			212002	01/22/25 12:50	JDM	EET HOU
Total/NA	Prep	MEHL Prep			2,05 g	20 mL	211499	01/17/25 17:13	PB	EET HOU
Total/NA	Analysis	6010C		1			212136	01/22/25 14:29	JDM	EET HOU
Total/NA	Prep	MEHL Prep			2.05 g	20 mL	211499	01/17/25 17:13	РВ	EET HOU
Total/NA	Analysis	6010C		50			212136	01/22/25 14:38	JDM	EET HOU
Total/NA	Leach	Dry and Grind			1.0 g	1.0 g	212648	01/22/25 18:44	ALL	EET HOU
Total/NA	Prep	351.2			0.51 g	20 mL	212651	01/24/25 18:49	ALL	EET HOU
Total/NA	Analysis	351.2		1			212724	01/25/25 12:50	MLEI	EET HOU
Total/NA	Leach	Dry and Grind			1.0 g	1.0 g	212289	01/23/25 13:53	SA	EET HOU
Total/NA	Prep	KCI Extract			5.08 g	50 mL	212295	01/23/25 14:03	SA	EET HOU
Total/NA	Analysis	353.2		1	50 mL	50 mL	212533	01/24/25 11:32	MLE	EET HOU
Total/NA	Leach	Dry and Grind			1.0 g	1.0 g	212289	01/23/25 13:53	SA	EET HOU
Total/NA	Prep	KCI Extract			5.08 g	50 mL	212295	01/23/25 14:03	SA	EET HOU
Total/NA	Analysis	353.2		1	10 mL	10 mL	212726	01/25/25 13:19	MLEI	EET HOU
Total/NA	Leach	Dry and Grind			86.89 g	84.72 g	211603	01/19/25 12:28	CT	EET HOU
Total/NA	Leach	DI Leach			15 g	30 mL	211766	01/20/25 10:20	CT	EET HO
Total/NA	Analysis	9045D		1	15 g	30 mL	211869	01/20/25 14:42	CT	EET HO
Total/NA	Analysis	Nitrate by calc		1			212554	01/24/25 13:32	MC	EET HO
Total/NA	Leach	Dry and Grind			86.89 g	84.72 g	211603	01/19/25 12:28	СТ	EET HO
Total/NA	Leach	DI Leach			15 g	30 mL	211772	01/20/25 10:25	CT	EET HO
Total/NA	Analysis	SM 2510B		1			211876	01/20/25 14:56	CT	EET HO
Total/NA	Analysis	Total Nitrogen		1			212822	01/27/25 10:38	SC	EET HO

Client Sample ID: Irrigation Field 6-18"

Date Collected: 01/07/25 13:30 Date Received: 01/13/25 11:00 Lab Sample ID: 870-33098-2

Matrix: Solid

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	29B			44.63 g	37,02 g	211886	01/20/25 15:59	PB	EET HOU
Total/NA	Prep	29B			30 g	30 mL	211907	01/20/25 17:17	PB	EET HO
Total/NA	Analysis	29B SAR		-1			211981	01/20/25 20:13	JDM	EET HOU
Total/NA	Prep	29B			44.63 g	37.02 g	211886	01/20/25 15:59	PB	EET HO
Total/NA	Prep	29B			30 g	30 mL	211907	01/20/25 17:17	PB	EET HO
Total/NA	Analysis	29B SAR		1			212002	01/22/25 12:50	JDM	EET HO
Total/NA	Prep	MEHL Prep			2.01 g	20 mL	211499	01/17/25 17:13	PB	EET HO
Total/NA	Analysis	6010C		1			212136	01/22/25 14:31	JDM	EET HO
Total/NA	Prep	MEHL Prep			2.01 g	20 mL	211499	01/17/25 17:13	PB	EET HO
Total/NA	Analysis	6010C		50			212136	01/22/25 14:39	JDM	EET HO

Lab Chronicle

Client: Environmental Monitoring Laboratory, LLC

Project/Site: City of Mclean

Client Sample ID: Irrigation Field 6-18"

Date Collected: 01/07/25 13:30 Date Received: 01/13/25 11:00 Lab Sample ID: 870-33098-2

Matrix: Solid

Job ID: 870-33098-1

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Leach	Dry and Grind			1.0 g	1.0 g	211478	01/17/25 15:55	JC	EET HOU
Total/NA	Prep	351.2			0.52 g	20 mL	213510	01/29/25 16:36	CT	EET HOU
Total/NA	Analysis	351.2		10			214043	01/31/25 14:21	MLEI	EET HOU
Total/NA	Leach	Dry and Grind			1.0 g	1.0 g	212289	01/23/25 13:53	SA	EET HOU
Total/NA	Prep	KCI Extract			5.03 g	50 mL	212295	01/23/25 14:03	SA	EET HOU
Total/NA	Analysis	353.2		1	50 mL	50 mL	212533	01/24/25 11:52	MLEI	EET HOU
Total/NA	Leach	Dry and Grind			1.0 g	1.0 g	212289	01/23/25 13:53	SA	EET HOU
Total/NA	Prep	KCI Extract			5.03 g	50 mL	212295	01/23/25 14:03	SA	EET HOU
Total/NA	Analysis	353.2		1	10 mL	10 mL	212726	01/25/25 13:57	MLEI	EET HOU
Total/NA	Leach	Dry and Grind			88.39 g	86,51 g	211603	01/19/25 12:28	CT	EET HOU
Total/NA	Leach	DI Leach			15 g	30 mL	211766	01/20/25 10:20	CT	EET HOU
Total/NA	Analysis	9045D		1	15 g	30 mL	211869	01/20/25 14:42	CT	EET HOU
Total/NA	Analysis	Nitrate by calc		1			212554	01/24/25 13:32	MC	EET HOU
Total/NA	Leach	Dry and Grind			88.39 g	86.51 g	211603	01/19/25 12:28	CT	EET HOU
Total/NA	Leach	DI Leach			15 g	30 mL	211772	01/20/25 10:25	CT	EET HOU
Total/NA	Analysis	SM 2510B		1			211876	01/20/25 14:56	CT	EET HOU
Total/NA	Analysis	Total Nitrogen		1			212822	01/27/25 10:38	SC	EET HOU

Client Sample ID: Irrigation Field 18-30"

Date Collected: 01/07/25 13:40 Date Received: 01/13/25 11:00 Lab Sample ID: 870-33098-3

Matrix: Solid

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	29B			45.21 g	39.56 g	211886	01/20/25 15:59	PB	EET HOU
Total/NA	Prep	29B			30 g	30 mL	211907	01/20/25 17:17	PB	EET HOU
Total/NA	Analysis	29B SAR		1			211981	01/20/25 20:15	JDM	EET HOU
Total/NA	Prep	29B			45.21 g	39.56 g	211886	01/20/25 15:59	PB	EET HOU
Total/NA	Prep	29B			30 g	30 mL	211907	01/20/25 17:17	PB	EET HOU
Total/NA	Analysis	29B SAR		1			212002	01/22/25 12:50	JDM	EET HOU
Total/NA	Prep	MEHL Prep			2.01 g	20 mL	211499	01/17/25 17:13	PB	EET HOU
Total/NA	Analysis	6010C		1			212136	01/22/25 14:32	JDM	EET HOU
Total/NA	Prep	MEHL Prep			2.01 g	20 mL	211499	01/17/25 17:13	PB	EET HOU
Total/NA	Analysis	6010C		50			212136	01/22/25 14:41	JDM	EET HOU
Total/NA	Leach	Dry and Grind			1.0 g	1.0 g	212648	01/22/25 18:44	ALL	EET HOU
Total/NA	Prep	351.2			0.53 g	20 mL	212651	01/24/25 18:49	ALL	EET HOU
Total/NA	Analysis	351.2		1			212724	01/25/25 12:50	MLEI	EET HOU
Total/NA	Leach	Dry and Grind			1.0 g	1.0 g	212289	01/23/25 13:53	SA	EET HOU
Total/NA	Prep	KCI Extract			5.09 g	50 mL	212295	01/23/25 14:03	SA	EET HOU
Total/NA	Analysis	353.2		1	50 mL	50 mL	212533	01/24/25 11:35	MLEI	EET HOU
Total/NA	Leach	Dry and Grind			1.0 g	1.0 g	212289	01/23/25 13:53	SA	EET HOU
Total/NA	Prep	KCI Extract			5.09 g	50 mL	212295	01/23/25 14:03	SA	EET HOU
Total/NA	Analysis	353.2		1	10 mL	10 mL	212726	01/25/25 13:24	MLEI	EET HOU
Total/NA	Leach	Dry and Grind			97.20 g	94.96 g	211603	01/19/25 12:28	CT	EET HOU
Total/NA	Leach	DI Leach			15 g	30 mL	211766	01/20/25 10:20	CT	EET HOU
Total/NA	Analysis	9045D		1	15 g	30 mL	211869	01/20/25 14:42	CT	EET HOU

Lab Chronicle

Client: Environmental Monitoring Laboratory, LLC

Project/Site: City of Mclean

Client Sample ID: Irrigation Field 18-30"

Date Collected: 01/07/25 13:40

Date Received: 01/13/25 11:00

Lab Sample ID: 870-33098-3

Matter Call

Job ID: 870-33098-1

Matrix: Solid

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	Nitrate by calc		1			212554	01/24/25 13:32	MC	EET HOU
Total/NA	Leach	Dry and Grind			97.20 g	94.96 g	211603	01/19/25 12:28	CT	EET HOU
Total/NA	Leach	DI Leach			15 g	30 mL	211772	01/20/25 10:25	CT	EET HOU
Total/NA	Analysis	SM 2510B		1			211876	01/20/25 14:56	CT	EET HOU
Total/NA	Analysis	Total Nitrogen		1			212822	01/27/25 10:38	SC	EET HOU

Laboratory References:

EET HOU = Eurofins Houston, 4145 Greenbriar Dr, Stafford, TX 77477, TEL (281)240-4200

Accreditation/Certification Summary

Client: Environmental Monitoring Laboratory, LLC

Project/Site: City of Mclean

Job ID: 870-33098-1

Laboratory: Eurofins Houston

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Pro	gram	Identification Number	Expiration Date
· Fexas	NE	.AP	T104704215	07-01-26
	are included in this report, ses not offer certification.	but the laboratory is not certif	ied by the governing authority. This lis	t may include analytes
Analysis Method	Prep Method	Matrix	Analyte	
29B SAR	29B	Solid	Ca	
29B SAR	29B	Solid	K	
29B SAR	29B	Solid	Mg	
29B SAR	29B	Solid	Na	
29B SAR	29B	Solid	Sodium Adsorption Ratio	
351.2	351,2	Solid	Nitrogen, Kjeldahl	
6010C	MEHL Prep	Solid	Sulfur	
9045D		Solid	Temperature	
Nitrate by calc		Solid	Nitrate as N	
Total Nitrogen		Solid	Nitrogen, Total	

Method Summary

Client: Environmental Monitoring Laboratory, LLC

Project/Site: City of Mclean

Job ID: 870-33098-1

Method	Method Description	Protocol	Laboratory
29B SAR	Sodium Adsorption Ratio	LA	EET HOU
6010C	Metals (ICP)	SW846	EET HOU
351.2	Nitrogen, Total Kjeldahl	EPA	EET HOU
53.2	Nitrogen, Nitrate-Nitrite	EPA	EET HOU
53.2	Nitrogen, Nitrite	EPA	EET HOU
045D	pH	SW846	EET HOU
litrate by calc	Nitrogen, Nitrate-Nitrite	SM	EET HOU
M 2510B	Conductivity, Specific Conductance	SM	EET HOU
otal Nitrogen	Nitrogen, Total	EPA	EET HOU
9B	Preparation, Dry, Grind and Sieve	LA	EET HOU
9B	Preparation, Sodium Absorption Ratio	LA	EET HOU
51,2	Nitrogen, Total Kjeldahl	EPA	EET HOU
) Leach	Deionized Water Leaching Procedure	ASTM	EET HOU
ry and Grind	Preparation, Dry and Grind	None	EET HOU
CI Extract	Potassium chloride Extraction	EPA	EET HOU
CL Extraction	Potassium chloride Extraction - Auto Complete	EPA	EET HOU
MEHL Prep	Preparation, MEHL	None	EET HOU

Protocol References:

ASTM = ASTM International

EPA = US Environmental Protection Agency

LA = Statewide Order No. 29-B, State Of Louisianna

None = None

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET HOU = Eurofins Houston, 4145 Greenbriar Dr, Stafford, TX 77477, TEL (281)240-4200

Sample Summary

Client: Environmental Monitoring Laboratory, LLC

Project/Site: City of Mclean

Job ID: 870-33098-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
870-33098-1	Irrigation Field 0-6*	Solid	01/07/25 13:20	01/13/25 11:00
870-33098-2	Irrigation Field 6-18"	Solid	01/07/25 13:30	01/13/25 11:00
870-33098-3	Irrigation Field 18-30"	Solid	01/07/25 13:40	01/13/25 11:00



Chain of Custody

Houston, TX (261) 240-4200, Datas, TX (214) 902-0300 Midland, TX (432) 704-5440, San Antonio, TX (210) 609-3334 EL Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296 Hobbs, NM (575) 382-7550, Carisbad, NM (575) 888-3198

25010921

Work Order No: 201092-01-02-03

www xetrzo.com

Dark of Managara	CEDICCA BECK	*			Bill to: (if different)	(freent)								Wol	Work Order Comments	mments		
Project Managar.	פבעוספע פבי	4			-		H				dell'a	A	Program: UST/PST	C RP	Brownfields	RC	Destund	
Company Name:	Environmental Monitoring Laboratory	Monitorin	d Laborate	N.	Company Name	Name:	+					3	State of Project:)	3		i	
Address:	PO BOX 477				Address:		+					5 6	the Or Project.		Derinier	- LRRD	VI lave	
City, State ZiP:	HILLSBORO TX 76645	TX 76645			City, State ZIP:	ZIP:						2	reponing: Level if					
Phone:	254-582-2622			Email:	Email: HOMEOFFICE@YOURWATERLAB	FFICE	PYCUR	VATER	AB COM	M		8]	Deliverables: EDD		ADAPT L			
Dminet Name	Clive	City of Molean		Tur	Turn Around						ANALY	ANALYSIS REQUES	ST		-	Preserv	Preservative Codes	
Project Number:			the state of	Routine	Ž.		Pres. Code							1	No	None: NO	Dì Water: H ₂ O	O,
Project Location:		WWTP		Due Date:				(u						8	Cool: Cool	MaOH: Me	
Sampler's Name; PO #:	(A)	Jul 135		TAT starts the day received by the lab, if received by 4:30pm	he day received by 4:	ned by 30pm	£1	hoslem)	egoniik	(RA:	8 '8N '				E E	HCL: HC H ₂ SO ₄ : H ₂	HNOS: HN NBCH: NS	
SAMPLE RECEIPT	Н	Temp Blank:	Yes No	Wet los:	Yes	S.	etam	ww)	18307		Byy 'e				H ₃ H	H ₃ PO ₄ : HP		
Samples Received Intact:	۶	S.	Thermometer ID:	er ID:			Bira	tivity:	'ueßi	-	' K' C		_		Z	N82S2O ₃ : NASO ₃		
Cooler Custody Seals:	Xes X	No N/A	Conscion Factor: Temperature Reading:	ractor.			ı	onpu	oull.		9 eld				Zu	Zn Acetate+NaOH: Zn	£ £	
Total Containers:	3		Corrected	Corrected Temperature:		П	4.44	-	Uste						N N	NaOH+Ascorbic Acid: SAPC	Acid: SAPC	
Sample Identification	tiffcation	Matrix	Date Semoled	Time	Depth	Grab/	Cont Cont	r (2:1) Ho	HM 'NDL	Sodium Ca, Mg.	rA trial9 (Mehlici					Sample	Sample Comments	
initiation Field 0".8"	ald O"-6"	on	17/25	+	.9-u0	Grab	-	-	×	\vdash	×				Sa	Sample made up of 10 composite	Ip of 10 com	posite
imigation Field 6"-18"	ald 6"-18"	0	11/2	1330		Grab	-		×	×	×			1	Sai	samples for each depth. Please	ch depth. Ple	9989
infoation Field 18"-30"	Id 18"-30"	v.	HIR	1747)	18"-30"	Grab		×	×	×	×				20	report on a dry weight basis as	weight basis	88
a company	2			-				-						+	E B	mg/kg,		
					-					870-330	D98 Chair	870-33098 Chain of Custody		1 -				
Total 200.7 / 8010 200.8 / 6020:	3010 200.8 / 6020:	. 6020:	,	BRCRA 13PP		M Texas 11 A	1110 "	Sb As Ba	Be Be	වී රි වි රි	8 8	Ou Fe Pb I	As Ba Be Cd Ca Cr Co Cu Fe Pb Mg Mm Mo NI As Ba Be Cd Cr Co Cu Pb Mm Mo NI Se As TI U	X Se	Se Ag SiO ₂ Na Sr Ti Sn U V Z Hg: 1631/245.1/7470 / 7471	Sr Ti Sn U V Zn 45.1 / 7470 / 7471	V Zn 7471	
Fig. 19 Method (5) on twinden of the control of semples consisting a valid parchase order from offen company to Eurofins Xento, its affiliates and subcontractors. It assigns standard terms and conditions helde every to the cost of semples and shall not saturate any responsibility for any losses or expenses incurred by the client if such losses are due to clicumstances bryond the control of saturate any posteronal life for expenses incurred by the client if such losses are due to clicumstances bryond the control of saturated to the cost of saturated to set bronect and a charge of \$5 for sech sample submitted to Eurofins Xento, but not ensisted. These terms will be enforced unless previously negotiated.	document and reling	quishment of to for the cost o	semples come of samples are	thutes a valid principal astural project and a ob	prohise ords	r from cife matbility for r each ser	nt compan; ir any losse mie submit	s or expen	s Xenco, fi les incum fins Xenco	s affiliates of by the ci	and subcont fent if such k netyzed. The	ractors. It essign asses are due to to terms will be	order from chert company to Eurofins Xenco, its affiliators and subcontractors. It essigns standard terms and conditions seponshility for any losses or expenses incure by the cleart if such losses are due to circumstances beyond the contra \$5 for each semple submitted to Eurofins Xenco, but not ensived. These terms will be enforced unless previously negod	and condition yand the cont	ns trol Alatod,		199	
Relinquished by: (Signature)	y: (Signature)		Receive	Received by: (Signature)	sture)		Ö	Date/Time		Reling	ushed by.	Relinquished by: (Signature)	Rec	elved by: (Received by: (Signature)		E E	411
· Clint	1	30/1	1	B)		18/24	\bar{z}^{\sim}	20	20	9		(mark	23		7	1/22	300
) in									D						The state of the s	Rawbse	Ravised Date: 02/26/2020 Rev. 2020.2	Rev. 2020.2

Login Sample Receipt Checklist

Client: Environmental Monitoring Laboratory, LLC

Job Number: 870-33098-1

List Source: Eurofins Dallas

Login Number: 33098

List Number: 1

Creator: Sharp, Michael

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or ampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
s the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is 6mm (1/4").	N/A	

Login Sample Receipt Checklist

Client: Environmental Monitoring Laboratory, LLC

Job Number: 870-33098-1

Login Number: 33098 List Number: 2 List Source: Eurofins Houston List Creation: 01/16/25 08:45 AM

Creator: Baker, Jeremiah

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	

CITY OF MCLEAN WWTP PERMIT NO. WQ0010354001 APPLICATION FOR A RENEWAL

Please address the following items:

1. Administrative Report 1.0, Section 8, Item D: Please verify the address for the Public Viewing Location. The location could not be verified on USPS.

I contacted McLean City Hall to verify their address, and was told that it is 220 N Main Street. If this address is entered in Google Earth or any other Mapping service, this is the address for City Hall.

2. Core Data Form, Section II, Item 17: Please provide an email address.

The Core Data Form, Section II, Item 17 has been revised to provide the following email address: <u>cityofmcleantx@gmail.com</u>. Please see the attached revised Core Data Form Page 1

3. Plain Language Summary: Please provide a completed form to match the current permit. Please update the Plain Language Summary in English and Spanish.

McLean Elementary was contacted to verify if a bilingual program was required by the Texas Education Code. McLean Elementary is not required to have a bilingual program. Page 6 of TCEQ-10053 Administrative Report has been corrected. Please see attached.

4. Section III, question 25, on page 2 of the TCEQ Core Data Form: the information given does not match the permit. Please update the form to match the permit.

The Core Data Form, Section III, question 25, on page 2 has been updated to match the permit.

- 5. Please provide a revised USGS 7.5 minute topographic map, (8 ½ by 11 inch portions of the full size map may be provided, as long as they are photocopies of the most current USGS map, are of original quality and have a scale. Please submit just the areas in question. Do not scale down the map.) which shows and labels all of the following information included in the checklist below:
 - the applicant's property boundary
 - location of the treatment facility within the applicant's property boundaries
 - point of discharge (indicate it with a dot, X, or arrow)
 - a highlighted discharge route (please use a transparent highlighter) for three miles downstream from the point of discharge
 - and an area not less than one mile in all directions from the facility.

A revised USGS map has been provided.

6. The following is a portion of the NORI which contains information relevant to your application. Please read it carefully and indicate if it contains any errors or omissions. The complete notice will be sent to you once the application is declared administratively complete.

APPLICATION. City of McLean, P.O. Box 185, Hedley Texas 79237, has applied to the Texas Commission on Environmental Quality (TCEQ) to renew Texas Land Application Permit (TLAP) No. WQ0010354001 to authorize the disposal of treated wastewater at a volume not to exceed a daily average flow of 140,000 gallons per day via surface irrigation of 63.5 acres of non-public access agricultural land. The domestic wastewater treatment facility and disposal area are located at 12929 Farm-to-Market Road 3143, in the city of Hedley, in

Donley County, Texas 79237. TCEQ received this application October 13, 2025. The permit application will be available for viewing and copying at McLean City Hall, Front Desk, 220 North Main Street, McLean, in Gray County, Texas, prior to the date this notice is published in the newspaper. The application, including any updates, and associated notices are available electronically at the following webpage:

https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tlap-applications. This link to an electronic map of the site or facility's general location is provided as a public courtesy and not part of the application or notice. Fore the exact location, refer to application.

https://gisweb.tceq.texas.gov/LocationMapper/?marker=-100.5889,35.2217&level=18

Further information may also be obtained from City of McLean at the address stated above or by calling Toni Bohlar, City Secretary, at 806-779-2481.

Information provided in the previous Core Data Form that was submitted was incorrect and obtained information for the City of Hedley, therefore, the portion of the NORI is incorrect. Information in the attached Core Data Form will provide adequate data for the NORI.

7. The application indicates that public notices in Spanish are required. After confirming the portion of the NORI above does not contain any errors or omissions, please use the attached template to translate the NORI into Spanish. Only the first and last paragraphs are unique to this application and require translation. Please provide the translated Spanish NORI in a Microsoft Word document.

A bilingual program is not required, therefore a NORI translated into Spanish will not be needed.

Please submit the complete response, addressed to my attention by November 4, 2025. If you should have any question, please do not hesitate to contact me by phone at (512) 239-2441 or by email at <u>Francesca.Findlay@tceq.texas.gov</u>

TCEQ	Use	On	lv
	000	0	

Partnership: General Limited

Other:

13. Independently Owned and Operated?



TCEQ Core Data Form

For detailed instructions on completing this form, please read the Core Data Form Instructions or call 512-239-5175.

☐ Corporation

Government: ☐ City ☒ County ☐ Federal ☐ Local ☐ State ☐ Other

11. Type of Customer:

12. Number of Employees

SECTION I: General Inf	orma	<u>tion</u>					
1. Reason for Submission (If other is checked p	please descr	ibe in space provided.)					
New Permit, Registration or Authorization (Core Data Fo	orm should be submitted with t	he progi	ram application.)			
Renewal (Core Data Form should be submitt	ted with the	renewal form)		ther			
2. Customer Reference Number (if issued)		Follow this link to search		3. Regulated Entity Reference Number (if issued)			
CN 600638191	for CN or RN numbers in Central Registry**			RN 102080611			
SECTION II: Customer	Infor	<u>mation</u>					
4. General Customer Information	5. Effective	ve Date for Customer Inform	mation	Updates (mm/dd/yyyy)			
☐ New Customer ☐ Up☐ Change in Legal Name (Verifiable with the Text				ge in Regulated Entity Owne Accounts)	ership		
The Customer Name submitted here may b (SOS) or Texas Comptroller of Public Accoun		automatically based on w	hat is c	urrent and active with th	e Texas Secre	tary of State	
6. Customer Legal Name (If an individual, prin	nt last name	first: eg: Doe, John)		If new Customer, enter pre	evious Custome	<u>r below:</u>	
City of McLean							
7. TX SOS/CPA Filing Number	8. TX Stat	te Tax ID (11 digits)		9. Federal Tax ID (9 digits)	10. DUNS N applicable)	umber (if	

 \boxtimes 0-20 \square 21-100 \square 101-250 \square 251-500 \square 501 and higher Yes Yes ☐ No 14. Customer Role (Proposed or Actual) – as it relates to the Regulated Entity listed on this form. Please check one of the following Owner & Operator □ Operator Owner Other: Responsible Party Occupational Licensee P.O. Box 9 15. Mailing Address: ZIP + 4TX ZIP 79057 State City McLean 17. E-Mail Address (if applicable) 16. Country Mailing Information (if outside USA) cityofmcleantx@gmail.com

☐ Individual

☐ Sole Proprietorship

8. Telephone Number			19. Extension or	Code		20. Fa	x Number (if ap	plicable)	
806) 779-2481						(806	779-2226		
CTION III:	Regula	ted Ent	ity Inforn	<u>nation</u>					
1. General Regulated E					rmit applica	ation is al	lso required.)		
New Regulated Entity	Update to	Regulated Entity	Name 🔲 Update	to Regulated I	Entity Inforn	nation			
The Regulated Entity Na as Inc, LP, or LLC).	ıme submitted	d may be upda	ited, in order to me	et TCEQ Cor	e Data Sta	ndards ((removal of org	ganization	al endings such
22. Regulated Entity Na	me (Enter nam	e of the site whe	re the regulated actio	on is taking pla	ce.)				
City of McLean Wastewater	Treatement Pla	ant							
23. Street Address of		***************************************							
the Regulated Entity:									
(No PO Boxes)	City		State		ZIP			ZIP + 4	
24. County	Gray	LINE LINE	<u> </u>						
		If no Stre	eet Address is prov	ided, fields 2	.5-28 are r	equired	•		
25. Description to	Travel south	0.3 miles south	on FM 3143 to a gate	e located on th	e east side (of FM 314	43 for the entran	ce of the fa	cility,
Physical Location:									
26. Nearest City						State		Nea	rest ZIP Code
McLean						TX		790	57
Latitude/Longitude are	required and	may be added	d/updated to meet	TCEQ Core I	Data Stand	lards. (G	eocoding of th	e Physical	Address may b
used to supply coording	ites where no	ne have been	provided or to gair	n accuracy).					
27. Latitude (N) In Deci	mal:	35.221823°°		28. L	ongitude ((W) In D	ecimal:	-100.589	035°
Degrees	Minutes	<u> </u>	Seconds	Degre	ees		Minutes		Seconds
35		13	18		100		35		20
29. Primary SIC Code	30.	Secondary SIC	Code	31. Prima	ry NAICS (Code	32. Seco	ndary NAI	CS Code
(4 digits)	(4 c	ligits)		(5 or 6 dig	its)		(5 or 6 dig	gits)	
4952				221320					
	1			l .			ı		

ZIP

ΤX

State

37. Extension or Code

79057

(806)779-2226

38. Fax Number (if applicable)

ZIP + 4

(806) 779-2481

35. E-Mail Address:

36. Telephone Number

34. Mailing

Address:

P.O. Box 9

City

McLean

cityofmcleantx@gmail.com

		Edwards Aquifer			☐ Industrial Hazardous Waste		
Municipal Solid W	/aste	OSSF		Petroleum Storage Tank	☐ PWS		
☐ Sludge	Storm Water	☐ Title V Air] Tires	Used Oil		
☐ Voluntary Cleanu	D Wastewater	☐ Wastewater Agricu	lture] Water Rights	Other:		
	WQ0010354001						
CTION I	V: Preparer In	<u>formation</u>					
. Name: Clint	Green		41. Title:	Engineering Technician/E	Designer		
. Telephone Numb	per 43. Ext./Code	44. Fax Number	45. E-Mail	Address			
06) 352-7117		(806) 352-7188	clint.green@	clint.green@ojdengineering.com			
CTION V	: Authorized	Signature					
By my signature belo		nowledge, that the informati			e, and that I have signature authorit entified in field 39.		
mpany:	OJD Engineering, LLC		Job Title:	Engineering Technician	'Designer		
me (In Print):	Clint Green			Phone:	(806) 352- 7117		
nature:	223			Date:	10/23/25		

39. TCEQ Programs and ID Numbers Check all Programs and write in the permits/registration numbers that will be affected by the updates submitted on this

Organization Name: City of McLean Mailing Address: P.O. Box 9 City, State, Zip Code: McLean, Texas 79057 E-mail Address: cityofmcleantx@gmail.com Phone No.: 806.779.2481 **D. Public Viewing Information** If the facility or outfall is located in more than one county, a public viewing place for each county must be provided. Public building name: McLean City Hall Location within the building: Front Desk Physical Address of Building: 220 N Main Street City: McLean County: Grav Contact (Last Name, First Name): Bohlar, Toni Phone No.: 806.779.2481 Ext.: Click to enter text. E. Bilingual Notice Requirements This information is required for new, major amendment, minor amendment or minor modification, and renewal applications. This section of the application is only used to determine if alternative language notices will be needed. Complete instructions on publishing the alternative language notices will be in your public notice package. Please call the bilingual/ESL coordinator at the nearest elementary and middle schools and obtain the following information to determine whether an alternative language notices are required. 1. Is a bilingual education program required by the Texas Education Code at the elementary or middle school nearest to the facility or proposed facility? Yes \boxtimes No If **no**, publication of an alternative language notice is not required; **skip to** Section 9 below. a bilingual education program at that school?

2. Are the students who attend either the elementary school or the middle school enrolled in

Yes \boxtimes No

3. Do the students at these schools attend a bilingual education program at another location?

Yes No


4. Would the school be required to provide a bilingual education program but the school has waived out of this requirement under 19 TAC §89.1205(g)?

 \boxtimes No Yes

5. If the answer is **yes** to **question 1, 2, 3, or 4**, public notices in an alternative language are required. Which language is required by the bilingual program? Click to enter text.

F. Summary of Application in Plain Language Template

Complete the F. Summary of Application in Plain Language Template (TCEQ Form 20972), also known as the plain language summary or PLS, and include as an attachment.



Francesca Findlay

From: Clint Green <Clint.Green@ojdengineering.com>

Sent: Thursday, October 23, 2025 9:53 AM

To: Francesca Findlay
Cc: Toni Bohlar

Subject: WQ00110354001 City of Mclean - NOD Response

Attachments: NOD_Response.pdf

Good morning Ms. Findlay,

Attached is response to the NOD that was sent via email to Toni Bohlar with the City of McLean on Monday, October 20, 2025.

Please feel free to contact me if you have any questions.

Thank you,

Clint Green, Engineering Technician/Designer OJD Engineering, LLC 2420 Lakeview Drive Amarillo, Texas 79109

2420 Lakeview Drive Amarillo, Texas 79109 806.352.7117. ext. 105 806.352.7188 Fax 806.433.1138 Cell

TCEQ Use Only



TCEQ Core Data Form

For detailed instructions on completing this form, please read the Core Data Form Instructions or call 512-239-5175.

SECTION I: General Information

1. Reason for								h the prog	ram application.)			
			nould be submi			SUDITITE	eu witi		ther			
	•			The second secon								
2. Customer	Reference	e Numb	er (if issued)		Follow this li		12.3	3. Re	gulated Entity Re	ference	Number (if i	issued)
CN 6006381	191				Central R		7 10 10 10 10	RN 1	102080611			- e
SECTIO	N II:	Cus	tomer	Inforn	nation							
4. General Cu	ustomer I	nforma	tion	5. Effective	Date for Cu	istome	er Info	rmation	Updates (mm/dd/	′уууу)		
☐ New Custo ☐ Change in L		(Verifial	0.5	pdate to Custo xas Secretary o			ptrolle	0.000000000	nge in Regulated Ent Accounts)	tity Own	ership	
The Custome (SOS) or Texa			100		utomaticall	ly base	d on	what is c	urrent and active	with th	ne Texas Seci	retary of State
6. Customer Legal Name (If an individual, print last name first: eg: Doe, John)								If new Customer,	enter pre	evious Custom	er below:	
City of McLean	1											
7. TX SOS/CP	PA Filing N	lumber		8. TX State	Tax ID (11 di	igits)			9. Federal Tax I (9 digits)	D	10. DUNS applicable)	Number (if
11. Type of C	Customer:		Corporat	tion				☐ Individ	lual	Partne	ership: 🔲 Ger	neral 🗌 Limited
Government: [☐ City 🛛	County	Federal 🗌	Local 🔲 State	e 🔲 Other			Sole P	roprietorship			
12. Number	of Employ	/ees							13. Independently Owned and Operated?			
☑ 0-20 □	21-100	101-2	250 🗌 251-	500 🗌 501	and higher				☐ Yes	□ No		
14. Custome	r Role (Pro	posed o	or Actual) – <i>as i</i>	t relates to the	Regulated En	itity list	ed on	this form.	Please check one of	the follo	owing	
⊠Owner ☐Occupation	al Licensee	_	oerator Responsible Pa		vner & Opera VCP/BSA App				Other:			
15. Mailing	P.O. Box	9										
Address:		_						,				
	City	McLe	an		State	TX		ZIP	79057		ZIP + 4	
16. Country I	Mailing In	format	ion (if outside	USA)			17.	E-Mail Ad	ddress (if applicable	e)		
							cityo	fmcleantx	@gmail.com			

18. Telephone Number			19. Extension or	Code		20. Fax Number (if	applicable)	
(806) 779-2481						(806) 779-2226		
ECTION III:	Regula	ited Ent	ity Inforn	<u>nation</u>				
21. General Regulated En	ntity Informa	tion (If 'New Re	gulated Entity" is selec	cted, a new p	ermit applicat	ion is also required.)		
☐ New Regulated Entity	Update to	Regulated Entity	Name 🔲 Update	to Regulated	Entity Informa	ation		
The Regulated Entity Nar as Inc, LP, or LLC).	ne submitte	d may be upda	ted, in order to me	et TCEQ Cor	e Data Stan	dards (removal of a	organizatio	nal endings such
22. Regulated Entity Nan	n e (Enter nam	e of the site whe	re the regulated action	n is taking pla	ice.)			
City of McLean Wastewater	Treatement Pl	ant						
23. Street Address of the Regulated Entity:	12929 FM 3	143						
					1	1	T	T
(No PO Boxes)	City	McLean	State	TX	ZIP	79057	ZIP + 4	
24. County	Gray							
	1	If no Stre	et Address is provi	ded, fields 2	.5-28 are red	ąuired.		
25. Description to								
Physical Location:								
26. Nearest City						State	Nea	rest ZIP Code
Latitude/Longitude are rused to supply coordinate	•	-			ata Standa.	rds. (Geocoding of t	he Physical	Address may be
27. Latitude (N) In Decim	al:	35.221823°°		28. L	ongitude (W	/) In Decimal:	-100.589	035°
Degrees	Minutes		Seconds	Degre	ees	Minutes		Seconds
35		13	18		100	35		20
29. Primary SIC Code	30.	Secondary SIC	Code	31. Prima	ry NAICS Co	de 32. Seco	ondary NAI	CS Code
(4 digits)	(4 d	igits)		(5 or 6 digi	ts)	(5 or 6 di	igits)	
4952				221320				
33. What is the Primary E	Business of t	his entity? (D	o not repeat the SIC o	r NAICS descr	iption.)			

	P.O. Box 9							
34. Mailing								
Address:	City	McLean	State	тх	ZIP	79057	ZIP + 4	
	<u> </u>				Lif			
35. E-Mail Address:	citye	ofmcleantx@gm	ail.com					
36. Telephone Number			37. Extension or	Code	38. Fa	x Number (if applica	ble)	

(806)779-2481

(806)779-2226

☐ Dam Safety		Districts	Edwards Aquifer		Emissions Invento	ry Air	☐ Industrial Hazardous Waste	
Municipal Solid	d Waste	New Source Review Air	OSSF		Petroleum Storage	e Tank	□ PWS	
Sludge		Storm Water	☐ Title V Air		Tires		Used Oil	
☐ Voluntary Clea	nup	⊠ Wastewater	☐ Wastewater Agricul	ture	Water Rights	+	Other:	
		WQ0010354001						
ECTION	IV: Pr	eparer Inf	<u>formation</u>					
0. Name: CI	int Green			41. Title:	Engineering Tech	nnician/Designe	er	
2. Telephone Nu	mber	43. Ext./Code	44. Fax Number	45. E-Mail	Address			
806) 352-7117			(806) 352-7188	clint.green@	green@ojdengineering.com			
By my signature b	elow, I certif						I that I have signature authority ed in field 39.	
By my signature b	pelow, I certifn to behalf of th	y, to the best of my kno	owledge, that the information			mbers identifie	ed in field 39.	
By my signature but this form or	pelow, I certifn to behalf of th	y, to the best of my kno e entity specified in Se neering, LLC	owledge, that the information	quired for the up	Engineering Tec	mbers identifie	ed in field 39.	

39. TCEQ Programs and ID Numbers Check all Programs and write in the permits/registration numbers that will be affected by the updates submitted on this

TCEQ-10400 (11/22) Page 3 of 3

Francesca Findlay

From: Clint Green <Clint.Green@ojdengineering.com>

Sent: Thursday, October 30, 2025 11:21 AM

To: Francesca Findlay **Cc:** Toni Bohlar

Subject: Re: WQ0010354001 City of Mclean - NOD Response

Attachments: 10400 - Core Data Form_Revised 10-30-25.pdf; 20972_Plain Language

Summary_Revised 10-30-25.docx

Good morning Francesca,

Attached are the items that you requested.

Please feel free to contact me if you need any additional information.

Thank you,

Clint Green, Engineering Technician/Designer OJD Engineering, LLC

2420 Lakeview Drive Amarillo, Texas 79109 806.352.7117. ext. 105 806.352.7188 Fax 806.433.1138 Cell

From: Francesca Findlay < Francesca. Findlay@tceq.texas.gov>

Sent: Thursday, October 30, 2025 10:51 AM

To: Clint Green < Clint.Green@ojdengineering.com>

Cc: Toni Bohlar <cityofmcleantx@gmail.com>

Subject: RE: WQ0010354001 City of Mclean - NOD Response

Good morning,

As I was reviewing the current permit the facility address is 12929 Farm-to-Market Road 3143. The address does not match the facility location. Please resubmit the Core Data Form with the address instead of the location description.

Please provide an updated Plain Language Summary with the updated address.

Please let me know if you have any questions.

Thank you,

Francesca Findlay License & Permit Specialist ARP Team | Water Quality Division 512-239-2441

Texas Commission on Environmental Quality



Please consider whether it is necessary to print this e-mail

How is our customer service? Fill out our online customer satisfaction survey at http://www.tceq.texas.gov/customersurvey.

From: Clint Green <Clint.Green@ojdengineering.com>

Sent: Thursday, October 23, 2025 9:53 AM

To: Francesca Findlay < Francesca. Findlay@tceq.texas.gov>

Cc: Toni Bohlar <cityofmcleantx@gmail.com>

Subject: WQ00110354001 City of Mclean - NOD Response

Good morning Ms. Findlay,

Attached is response to the NOD that was sent via email to Toni Bohlar with the City of McLean on Monday, October 20, 2025.

Please feel free to contact me if you have any questions.

Thank you,

Clint Green, Engineering Technician/Designer OJD Engineering, LLC

2420 Lakeview Drive Amarillo, Texas 79109 806.352.7117. ext. 105 806.352.7188 Fax 806.433.1138 Cell