

# **Administrative Package Cover Page**

### This file contains the following documents:

- 1. Summary of application (in plain language)
- 2. First Notice (NORI-Notice of Receipt of Application and Intent to Obtain a Permit)
- 3. Application Materials



### TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

# SUMMARY OF APPLICATION IN PLAIN LANGUAGE FOR TPDES OR TLAP PERMIT APPLICATIONS

# Summary of Application (in plain language) Template and Instructions for Texas Pollutant Discharge Elimination System (TPDES) and Texas Land Application (TLAP) Permit Applications

Applicants should use this template to develop a plain language summary of your facility and application as required by Title 30, Texas Administrative Code (30 TAC), Chapter 39, Subchapter H. You may modify the template as necessary to accurately describe your facility as long as the summary includes the following information: (1) the function of the proposed plant or facility; (2) the expected output of the proposed plant or facility; (3) the expected pollutants that may be emitted or discharged by the proposed plant or facility; and (4) how you will control those pollutants, so that the proposed plant will not have an adverse impact on human health or the environment.

Fill in the highlighted areas below to describe your facility and application in plain language. Instructions and examples are provided below. Make any other edits necessary to improve readability or grammar and to comply with the rule requirements. After filling in the information for your facility delete these instructions.

If you are subject to the alternative language notice requirements in 30 TAC Section 39.426, <u>you must provide a translated copy of the completed plain language summary in the appropriate alternative language as part of your application package</u>. For your convenience, a Spanish template has been provided below.

### ENGLISH TEMPLATE FOR TPDES or TLAP NEW/RENEWAL/AMENDMENT APPLICATIONS Enter 'INDUSTRIAL' or 'DOMESTIC' here WASTEWATER/STORMWATER

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 TAC Chapter

39. The information provided in this summary may change during the technical review of the application and is not a federal enforceable representation of the permit application.

City of Quitaque (CN600643449) operates City of Quitaque WWTP (RN101918118), a domestic wastewater treatment plant. The facility is located at approximately 4,500 feet east-northeast of the intersection of State Highway 86 and Farm-to-Market Road 1065 and 1,200 feet north of State Highway 86, east of the city of Quitaque, near the city of Quitaque, in Briscoe County, Texas79255, in Quitaque, Briscoe County, Texas 79255. to renew Texas Land Application Permit (TLAP) No. WQ0010727001 to authorize the disposal of treated wastewater at a volume not to exceed a daily average flow of 60,000 gallons per day via irrigation of 80 acres of non-public access pasture land. This permit will not authorize a discharge of pollutants into water in the state.

Discharges from the facility are expected to contain CBOD<sub>5</sub>, TSS, Ammonia Nitrogen, Nitrate Nitrogen, Total Kjeldahl Nitorgen, Sulfate, Chloride, Total Phosphorus, pH, Dissolved Oxygen,

Chlorine Residual, E.coli, Electrical Conductivity, and Alkalinity. Domestic is treated by Texas Land Application (TLAP).				

### **TEXAS COMMISSION ON ENVIRONMENTAL QUALITY**



# NOTICE OF RECEIPT OF APPLICATION AND INTENT TO OBTAIN WATER QUALITY PERMIT RENEWAL.

### PERMIT NO. WQ0010727001

APPLICATION. City of Quitaque, P.O. Box 427, Quitaque, Texas 79255, has applied to the Texas Commission on Environmental Quality (TCEQ) to renew Texas Land Application Permit (TLAP) No. WQ0010727001 to authorize the disposal of treated wastewater at a volume not to exceed a daily average flow of 60,000 gallons per day via irrigation of 80 acres of non-public access pasture land. The domestic wastewater treatment facility and disposal area are located approximately 4,500 feet east-northeast of the intersection of Farm-to-Market Road 1065 State Highway 86, near the city of Quitaque, in Briscoe County, Texas 79255. TCEQ received this application on September 25, 2025. The permit application will be available for viewing and copying at Quitaque City Hall, front desk, 106 North 1st Street, Quitaque, Texas prior to the date this notice is published in the newspaper. The application, including any updates, and associated notices are available electronically at the following webpage: <a href="https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tlap-applications">https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tlap-applications</a>. This link to an electronic map of the site or facility's general location is provided as a public courtesy and not part of the application or notice. For the exact location, refer to the application.

https://gisweb.tceq.texas.gov/LocationMapper/?marker=-101.047222,34.369722&level=18

ADDITIONAL NOTICE. TCEQ's Executive Director has determined the application is administratively complete and will conduct a technical review of the application. After technical review of the application is complete, the Executive Director may prepare a draft permit and will issue a preliminary decision on the application. Notice of the Application and Preliminary Decision will be published and mailed to those who are on the countywide mailing list and to those who are on the mailing list for this application. That notice will contain the deadline for submitting public comments.

**PUBLIC COMMENT / PUBLIC MEETING. You may submit public comments or request a public meeting on this application.** The purpose of a public meeting is to provide the opportunity to submit comments or to ask questions about the application. TCEQ will hold a public meeting if the Executive Director determines that there is a significant degree of public interest in the application or if requested by a local legislator. A public meeting is not a contested case hearing.

**OPPORTUNITY FOR A CONTESTED CASE HEARING.** After the deadline for submitting public comments, the Executive Director will consider all timely comments and prepare a response to all relevant and material, or significant public comments. **Unless the application is directly referred for a contested case hearing, the response to comments, and the** 

Executive Director's decision on the application, will be mailed to everyone who submitted public comments and to those persons who are on the mailing list for this application. If comments are received, the mailing will also provide instructions for requesting reconsideration of the Executive Director's decision and for requesting a contested case hearing. A contested case hearing is a legal proceeding similar to a civil trial in state district court.

TO REQUEST A CONTESTED CASE HEARING, YOU MUST INCLUDE THE FOLLOWING ITEMS IN YOUR REQUEST: your name, address, phone number; applicant's name and proposed permit number; the location and distance of your property/activities relative to the proposed facility; a specific description of how you would be adversely affected by the facility in a way not common to the general public; a list of all disputed issues of fact that you submit during the comment period and, the statement "[I/we] request a contested case hearing." If the request for contested case hearing is filed on behalf of a group or association, the request must designate the group's representative for receiving future correspondence; identify by name and physical address an individual member of the group who would be adversely affected by the proposed facility or activity; provide the information discussed above regarding the affected member's location and distance from the facility or activity; explain how and why the member would be affected; and explain how the interests the group seeks to protect are relevant to the group's purpose.

Following the close of all applicable comment and request periods, the Executive Director will forward the application and any requests for reconsideration or for a contested case hearing to the TCEQ Commissioners for their consideration at a scheduled Commission meeting.

The Commission may only grant a request for a contested case hearing on issues the requestor submitted in their timely comments that were not subsequently withdrawn. If a hearing is granted, the subject of a hearing will be limited to disputed issues of fact or mixed questions of fact and law relating to relevant and material water quality concerns submitted during the comment period.

TCEQ may act on an application to renew a permit for discharge of wastewater without providing an opportunity for a contested case hearing if certain criteria are met.

MAILING LIST. If you submit public comments, a request for a contested case hearing or a reconsideration of the Executive Director's decision, you will be added to the mailing list for this specific application to receive future public notices mailed by the Office of the Chief Clerk. In addition, you may request to be placed on: (1) the permanent mailing list for a specific applicant name and permit number; and/or (2) the mailing list for a specific county. If you wish to be placed on the permanent and/or the county mailing list, clearly specify which list(s) and send your request to TCEQ Office of the Chief Clerk at the address below.

**INFORMATION AVAILABLE ONLINE.** For details about the status of the application, visit the Commissioners' Integrated Database at <a href="https://www.tceq.texas.gov/goto/cid">www.tceq.texas.gov/goto/cid</a>. Search the database using the permit number for this application, which is provided at the top of this notice.

**AGENCY CONTACTS AND INFORMATION.** All public comments and requests must be submitted either electronically at <a href="https://www14.tceq.texas.gov/epic/eComment/">https://www14.tceq.texas.gov/epic/eComment/</a>, or in writing to the Texas Commission on Environmental Quality, Office of the Chief Clerk, MC-105, P.O. Box 13087, Austin, Texas 78711-3087. Please be aware that any contact information you

provide, including your name, phone number, email address and physical address will become part of the agency's public record. For more information about this permit application or the permitting process, please call the TCEQ Public Education Program, Toll Free, at 1-800-687-4040 or visit their website at <a href="www.tceq.texas.gov/goto/pep">www.tceq.texas.gov/goto/pep</a>. Si desea información en Español, puede llamar al 1-800-687-4040.

Further information may also be obtained from City of Quitaque at the address stated above or by calling Mr. Randy Farley, City Manager, at 806-455-1456.

Issuance Date: October 15, 2025

# THE TONMENTAL OUR

### TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

# DOMESTIC WASTEWATER PERMIT APPLICATION CHECKLIST

### Complete and submit this checklist with the application.

APPLICANT	NAME:	City	of C	)uitac	1110
ALLICANI	I V/ XIVIL.	City	$OI \ \zeta$	Juitat	uc

PERMIT NUMBER (If new, leave blank): WQ0010727001

Indicate if each of the following items is included in your application.

	Y	N		Y	N
Administrative Report 1.0	$\boxtimes$		Original USGS Map		
Administrative Report 1.1		$\boxtimes$	Affected Landowners Map		$\boxtimes$
SPIF	$\boxtimes$		Landowner Disk or Labels		$\boxtimes$
Core Data Form	$\boxtimes$		Buffer Zone Map		$\boxtimes$
Summary of Application (PLS)		$\boxtimes$	Flow Diagram	$\boxtimes$	
Public Involvement Plan Form		$\boxtimes$	Site Drawing	$\boxtimes$	
Technical Report 1.0	$\boxtimes$		Original Photographs		$\boxtimes$
Technical Report 1.1		$\boxtimes$	Design Calculations		$\boxtimes$
Worksheet 2.0		$\boxtimes$	Solids Management Plan		$\boxtimes$
Worksheet 2.1		$\boxtimes$	Water Balance		$\boxtimes$
Worksheet 3.0	$\boxtimes$				
Worksheet 3.1		$\boxtimes$			
Worksheet 3.2		$\boxtimes$			
Worksheet 3.3		$\boxtimes$			
Worksheet 4.0		$\boxtimes$			
Worksheet 5.0		$\boxtimes$			
Worksheet 6.0	$\boxtimes$				
Worksheet 7.0		$\boxtimes$			

For TCEQ Use Only	
· · ·	_County _Region
Permit Number	

# PARTIE ON THE PROPERTY OF THE

### TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

## DOMESTIC WASTEWATER PERMIT APPLICATION ADMINISTRATIVE REPORT 1.0

For any questions about this form, please contact the Applications Review and Processing Team at 512-239-4671.

### **Section 1.** Application Fees (Instructions Page 26)

Indicate the amount submitted for the application fee (check only one).

Flow	New/Major Amendment	Renewal
<0.05 MGD	\$350.00 □	\$315.00
≥0.05 but <0.10 MGD	\$550.00 □	\$515.00 ⊠
≥0.10 but <0.25 MGD	\$850.00 □	\$815.00 □
≥0.25 but <0.50 MGD	\$1,250.00 □	\$1,215.00 □
≥0.50 but <1.0 MGD	\$1 <b>,</b> 650.00 □	\$1,615.00
≥1.0 MGD	\$2,050.00 <b>□</b>	\$2,015.00
	_	

Minor Amendment (for any flow) \$150.00 □

Payment Informatio
--------------------

Mailed Check/Money Order Number: 14408
Check/Money Order Amount: \$515.00
Name Printed on Check: City of Quitaque
EPAY Voucher Number: Click to enter text.
Copy of Payment Voucher enclosed? Yes

copy of rayment voucher enclosed:

### Section 2. Type of Application (Instructions Page 26)

a.	Che	ck the box next to the appropriate authorization type.
	$\boxtimes$	Publicly Owned Domestic Wastewater
		Privately-Owned Domestic Wastewater
		Conventional Water Treatment
b.	Che	ck the box next to the appropriate facility status.
	$\boxtimes$	Active   Inactive
c.	Che	ck the box next to the appropriate permit type.
		TPDES Permit
		TLAP
	$\boxtimes$	TPDES Permit with TLAP component

		Subsurface Area Drip Dispersal	System (SADDS	S)			
d.	Che	eck the box next to the appropria	te application t	ур	e		
		New		-			
		Major Amendment with Renewa	1		Minor Amendment with Renewal		
		Major Amendment without Rene	ewal [		Minor Amendment without Renewal		
	$\boxtimes$	Renewal without changes			Minor Modification of permit		
e.	For	amendments or modifications, d	lescribe the pro	po	sed changes: Click to enter text.		
f.	For	existing permits:					
		mit Number: WQ00 <u>10727001</u>					
		A I.D. (TPDES only): TX Click to en	ter text.				
	Exp	oiration Date: <u>12/1/2025</u>					
Se	cti			d	Co-Applicant Information		
		(Instructions Page	26)				
A.	The	e owner of the facility must app	ly for the perm	nit.			
	What is the Legal Name of the entity (applicant) applying for this permit?						
	City of Quitaque						
	(The legal name must be spelled exactly as filed with the Texas Secretary of State, County, or in the legal documents forming the entity.)						
	If the applicant is currently a customer with the TCEQ, what is the Customer Number (CN)? You may search for your CN on the TCEQ website at <a href="http://www15.tceq.texas.gov/crpub/">http://www15.tceq.texas.gov/crpub/</a>						
	CN: 600643449						
	What is the name and title of the person signing the application? The person must be an executive official meeting signatory requirements in 30 TAC § 305.44.						
		Prefix: Click to enter text.	Last Name, Fir	st	Name: <u>Payne, Darrel</u>		
		Title: <u>Mayor</u>	Credential: Cli	ick	to enter text.		
B.		applicant information. Complete apply as a co-permittee.	e this section or	aly	if another person or entity is required		
	_			_			

What is the Legal Name of the co-applicant applying for this permit?

Click to enter text.

(The legal name must be spelled exactly as filed with the TX SOS, with the County, or in the legal documents forming the entity.)

If the co-applicant is currently a customer with the TCEQ, what is the Customer Number (CN)? You may search for your CN on the TCEQ website at: <a href="http://www15.tceq.texas.gov/crpub/">http://www15.tceq.texas.gov/crpub/</a>

CN: Click to enter text.

What is the name and title of the person signing the application? The person must be an executive official meeting signatory requirements in 30 TAC § 305.44.

Prefix: Click to enter text. Last Name, First Name: Click to enter text.

Title: Click to enter text. Credential: Click to enter text.

Provide a brief description of the need for a co-permittee: Click to enter text.

### C. Core Data Form

Complete the Core Data Form for each customer and include as an attachment. If the customer type selected on the Core Data Form is **Individual**, complete **Attachment 1** of Administrative Report 1.0. <u>A-1</u>

### Section 4. Application Contact Information (Instructions Page 27)

This is the person(s) TCEQ will contact if additional information is needed about this application. Provide a contact for administrative questions and technical questions.

**A.** Prefix: Click to enter text. Last Name, First Name: <u>Farley, Randy</u>

Title: <u>City Manager</u> Credential: Click to enter text.

Organization Name: City of Quitaque

Mailing Address: P.O. Box 427 City, State, Zip Code: Quitaque, TX 79255

Phone No.: 806.455.1456 E-mail Address: city\_of\_quitaque@hotmail.com

Check one or both:  $\square$  Administrative Contact  $\square$  Technical Contact

B. Prefix: Click to enter text. Last Name, First Name: Green, Clint

Title: Engineering Technician/Designer Credential: Click to enter text.

Organization Name: OJD Engineering, LLC

Mailing Address: 2420 Lakeview Drive City, State, Zip Code: Amarillo, Texas 79109

Phone No.: 806.352.7117 E-mail Address: clint.green@ojdengineering.com

Check one or both: 

Administrative Contact

Technical Contact

### Section 5. Permit Contact Information (Instructions Page 27)

Provide the names and contact information for two individuals that can be contacted throughout the permit term.

**A.** Prefix: Click to enter text. Last Name, First Name: Farley, Randy

Title: <u>City Manager</u> Credential: Click to enter text.

Organization Name: City of Quitaque

Mailing Address: P.O. Box 427 City, State, Zip Code: Quitaque, Texas 79255

Phone No.: 806.455.1456 E-mail Address: city\_of\_quitaque@hotmail.com

**B.** Prefix: Click to enter text. Last Name, First Name: Green, Clint

Title: Engineering Technician/Designer Credential: Click to enter text.

Organization Name: OJD Engineering, LLC

Mailing Address: 2420 Lakeview Drive City, State, Zip Code: Amarillo, Texas 79109

Phone No.: 806.352.7117 E-mail Address: clint.green@ojdengineering.com

### Section 6. Billing Contact Information (Instructions Page 27)

The permittee is responsible for paying the annual fee. The annual fee will be assessed to permits in effect on September 1 of each year. The TCEQ will send a bill to the address provided in this section. The permittee is responsible for terminating the permit when it is no longer needed (using form TCEQ-20029).

Prefix: Click to enter text. Last Name, First Name: <u>Farley</u>, <u>Randy</u>

Title: <u>City Manager</u> Credential: Click to enter text.

Organization Name: City of Quitaque

Mailing Address: P.O. Box 427 City, State, Zip Code: Quitaque, Texas 79255

Phone No.: 806.455.1456 E-mail Address: city\_of\_quitaque@hotmail.com

### Section 7. DMR/MER Contact Information (Instructions Page 27)

Provide the name and complete mailing address of the person delegated to receive and submit Discharge Monitoring Reports (DMR) (EPA 3320-1) or maintain Monthly Effluent Reports (MER).

Prefix: Click to enter text. Last Name, First Name: <u>Farley, Randy</u>

Title: <u>City Manager</u> Credential: Click to enter text.

Organization Name: City of Quitaque

Mailing Address: P.O. Box 427 City, State, Zip Code: Quitaque, Texas 79255

Phone No.: 806.455.1456 E-mail Address: city\_of\_quitaque@hotmail.com

### Section 8. Public Notice Information (Instructions Page 27)

### A. Individual Publishing the Notices

Prefix: Click to enter text. Last Name, First Name: Farley, Randy

Title: <u>City Manager</u> Credential: Click to enter text.

Organization Name: City of Quitaque

Mailing Address: P.O. Box 427 City, State, Zip Code: Quitaque, Texas 79255

Phone No.: 806.455.1456 E-mail Address: city of quitaque@hotmail.com

### B. Method for Receiving Notice of Receipt and Intent to Obtain a Water Quality Permit Package

Indicate by a check mark the preferred method for receiving the first notice and instructions:

- □ E-mail Address
- □ Fax
- □ Regular Mail

### C. Contact permit to be listed in the Notices

Prefix: Click to enter text. Last Name, First Name: Farley, Randy

Title: City Manager Credential: Click to enter text.

Organization Name: City of Quitaque Mailing Address: P.O. Box 427 City, State, Zip Code: Quitaque, Texas 79255 Phone No.: 806.455.1456 E-mail Address: city of quitaque@hotmail.com **D. Public Viewing Information** If the facility or outfall is located in more than one county, a public viewing place for each county must be provided. Public building name: Quitaque City Hall Location within the building: Front Desk Physical Address of Building: 106 1st Street City: Quitaque County: Briscoe Contact (Last Name, First Name): Farley, Randy Phone No.: 806.455.1456 Ext.: Click to enter text. E. Bilingual Notice Requirements This information is required for new, major amendment, minor amendment or minor modification, and renewal applications. This section of the application is only used to determine if alternative language notices will be needed. Complete instructions on publishing the alternative language notices will be in your public notice package. Please call the bilingual/ESL coordinator at the nearest elementary and middle schools and obtain the following information to determine whether an alternative language notices are required. 1. Is a bilingual education program required by the Texas Education Code at the elementary or middle school nearest to the facility or proposed facility? Yes  $\boxtimes$ No If **no**, publication of an alternative language notice is not required; **skip to** Section 9 below. 2. Are the students who attend either the elementary school or the middle school enrolled in a bilingual education program at that school? Yes No 3. Do the students at these schools attend a bilingual education program at another location? Yes No 4. Would the school be required to provide a bilingual education program but the school has waived out of this requirement under 19 TAC §89.1205(g)? No Yes 5. If the answer is **yes** to **question 1, 2, 3, or 4**, public notices in an alternative language are required. Which language is required by the bilingual program? Click to enter text.

Complete the F. Summary of Application in Plain Language Template (TCEQ Form 20972),

also known as the plain language summary or PLS, and include as an attachment.

F. Summary of Application in Plain Language Template

Attachment: Click to enter text.

### G. Public Involvement Plan Form

Complete the Public Involvement Plan Form (TCEQ Form 20960) for each application for a **new permit or major amendment to a permit** and include as an attachment.

Attachment: Click to enter text.

## Section 9. Regulated Entity and Permitted Site Information (Instructions Page 29)

**A.** If the site is currently regulated by TCEQ, provide the Regulated Entity Number (RN) issued to this site. **RN** 101918118

Search the TCEQ's Central Registry at <a href="http://www15.tceq.texas.gov/crpub/">http://www15.tceq.texas.gov/crpub/</a> to determine if the site is currently regulated by TCEQ.

**B.** Name of project or site (the name known by the community where located):

City of Quitaque Wastewater Treatment Plant

C. Owner of treatment facility: City of Quitaque

	Ownership of Facility:	$\boxtimes$	Public		Private	Both	Federal
D.	Owner of land where to	eatn	nent facility i	is or	will be:		

Prefix: Click to enter text. Last Name, First Name: Merrell, Warren Lee

Title: Click to enter text. Credential: Click to enter text.

Organization Name: Click to enter text.

Mailing Address: P.O. Box 488 City, State, Zip Code: Quitaque, Texas 79255

Phone No.: 806.455.1466 E-mail Address: warren.merrell@merrellfood.com

If the landowner is not the same person as the facility owner or co-applicant, attach a lease agreement or deed recorded easement. See instructions.

Attachment: Click to enter text.

E. Owner of effluent disposal site:

Prefix: Click to enter text. Last Name, First Name: Merrell, Warren Lee

Title: Click to enter text. Credential: Click to enter text.

Organization Name: Click to enter text.

Mailing Address: P.O. Box 488 City, State, Zip Code: Quitaque, Texas 79255

Phone No.: 806.455.1466 E-mail Address: warren.merrell@merrellfood.com

If the landowner is not the same person as the facility owner or co-applicant, attach a lease agreement or deed recorded easement. See instructions.

**Attachment:** Click to enter text.

**F.** Owner sewage sludge disposal site (if authorization is requested for sludge disposal on property owned or controlled by the applicant)::

Prefix: Click to enter text. Last Name, First Name: Merrell, Warren Lee

Title: Click to enter text. Credential: Click to enter text.

Mailing Address: P.O. Box 488 City, State, Zip Code: Quitaque, Texas 79255 Phone No.: 806.455.1466 E-mail Address: warren.merrell@merrellfood.com If the landowner is not the same person as the facility owner or co-applicant, attach a lease agreement or deed recorded easement. See instructions. Attachment: Click to enter text. Section 10. TPDES Discharge Information (Instructions Page 31) **A.** Is the wastewater treatment facility location in the existing permit accurate? Yes If **no**, **or a new permit application**, please give an accurate description: Click to enter text. **B.** Are the point(s) of discharge and the discharge route(s) in the existing permit correct?  $\boxtimes$ Yes No If **no**, **or a new or amendment permit application**, provide an accurate description of the point of discharge and the discharge route to the nearest classified segment as defined in 30 TAC Chapter 307: Click to enter text. City nearest the outfall(s): Quitague County in which the outfalls(s) is/are located: Brisco C. Is or will the treated wastewater discharge to a city, county, or state highway right-of-way, or a flood control district drainage ditch?  $\boxtimes$ Yes No If **yes**, indicate by a check mark if: Authorization granted Authorization pending For **new and amendment** applications, provide copies of letters that show proof of contact and the approval letter upon receipt. **Attachment:** Click to enter text. **D.** For all applications involving an average daily discharge of 5 MGD or more, provide the names of all counties located within 100 statute miles downstream of the point(s) of discharge: Click to enter text. Section 11. TLAP Disposal Information (Instructions Page 32) **A.** For TLAPs, is the location of the effluent disposal site in the existing permit accurate? Yes If **no, or a new or amendment permit application**, provide an accurate description of the disposal site location:

Organization Name: Click to enter text.

	Click to enter text.
<b>.</b>	
	City nearest the disposal site: Quitaque
	County in which the disposal site is located: Briscoe
D.	For <b>TLAPs</b> , describe the routing of effluent from the treatment facility to the disposal site:
	E. The effluent will flow from the collection system into an imhoff tank. From the imhoff tank the effluent flows into an oxidation pond where the effluent is disposed of by evaporation and irrigation.
F.	For <b>TLAPs</b> , please identify the nearest watercourse to the disposal site to which rainfall runoff might flow if not contained: <u>Kent Creek</u>
Se	ection 12. Miscellaneous Information (Instructions Page 32)
A.	Is the facility located on or does the treated effluent cross American Indian Land?
	□ Yes ⊠ No
B.	If the existing permit contains an onsite sludge disposal authorization, is the location of the sewage sludge disposal site in the existing permit accurate?
	⊠ Yes □ No □ Not Applicable
	If No, or if a new onsite sludge disposal authorization is being requested in this permit application, provide an accurate location description of the sewage sludge disposal site.
	Click to enter text.
C.	Did any person formerly employed by the TCEQ represent your company and get paid for service regarding this application?
	□ Yes ⊠ No
	If yes, list each person formerly employed by the TCEQ who represented your company and was paid for service regarding the application: Click to enter text.
D.	Do you owe any fees to the TCEQ?
	□ Yes ⊠ No
	If <b>yes</b> , provide the following information:
	Account number: Click to enter text.
	Amount past due: Click to enter text.
E.	Do you owe any penalties to the TCEQ?
	□ Yes ⊠ No
	If <b>yes</b> , please provide the following information:
	Enforcement order number: Click to enter text.
	Amount past due: Click to enter text.

### Section 13. Attachments (Instructions Page 33)

Indicate which attachments are included with the Administrative Report. Check all that apply:

- Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant.
- ☐ Original full-size USGS Topographic Map with the following information:
  - Applicant's property boundary
  - Treatment facility boundary
  - Labeled point of discharge for each discharge point (TPDES only)
  - Highlighted discharge route for each discharge point (TPDES only)
  - Onsite sewage sludge disposal site (if applicable)
  - Effluent disposal site boundaries (TLAP only)
  - New and future construction (if applicable)
  - 1 mile radius information
  - 3 miles downstream information (TPDES only)
  - All ponds.
- ☐ Attachment 1 for Individuals as co-applicants
- □ Other Attachments. Please specify: Click to enter text.

### Section 14. Signature Page (Instructions Page 34)

If co-applicants are necessary, each entity must submit an original, separate signature page.

Permit Number: WQ0010727001

Applicant: City of Quitaque

Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

I further certify that I am authorized under 30 Texas Administrative Code § 305.44 to sign and submit this document, and can provide documentation in proof of such authorization upon request.

Signatory name	(typed	or	printed):	Margaret	Davis
----------------	--------	----	-----------	----------	-------


Signatory title: Mayor

Signature: Mayant Davis	Date: 9/25/2025
(Use blue ink)	
	0 -
Subscribed and Sworn to before me by the sa	id Margaret Vavis
on this $25+6$ day of $5$	eptember , 2025.
My commission expires on the $14^{+h}$ d	ay of $August$ , $2027$ .

Notary Public

Briscoe Texas

[SEAL]



## DOMESTIC WASTEWATER PERMIT APPLICATION ADMINISTRATIVE REPORT 1.0

The following information is required for new and amendment applications.

A.

B.

C.

D.

E.

### **Section 1.** Affected Landowner Information (Instructions Page 36)

	cate by a check mark that the landowners map or drawing, with scale, includes the owing information, as applicable:
	The applicant's property boundaries
	The facility site boundaries within the applicant's property boundaries
	The distance the buffer zone falls into adjacent properties and the property boundaries of the landowners located within the buffer zone
	The property boundaries of all landowners surrounding the applicant's property (Note: if the application is a major amendment for a lignite mine, the map must include the property boundaries of all landowners adjacent to the new facility (ponds).)
	The point(s) of discharge and highlighted discharge route(s) clearly shown for one mile downstream
	The property boundaries of the landowners located on both sides of the discharge route for one full stream mile downstream of the point of discharge
	The property boundaries of the landowners along the watercourse for a one-half mile radius from the point of discharge if the point of discharge is into a lake, bay, estuary, or affected by tides
	The boundaries of the effluent disposal site (for example, irrigation area or subsurface drainfield site) and all evaporation/holding ponds within the applicant's property
	The property boundaries of all landowners surrounding the effluent disposal site
	The boundaries of the sludge land application site (for land application of sewage sludge for beneficial use) and the property boundaries of landowners surrounding the applicant's property boundaries where the sewage sludge land application site is located
	The property boundaries of landowners within one-half mile in all directions from the applicant's property boundaries where the sewage sludge disposal site (for example, sludge surface disposal site or sludge monofill) is located
	Indicate by a check mark that a separate list with the landowners' names and mailing resses cross-referenced to the landowner's map has been provided.
	Indicate by a check mark that the landowners list has also been provided as mailing ls in electronic format (Avery 5160).
Prov	ride the source of the landowners' names and mailing addresses: Click to enter text.
	equired by Texas Water Code § 5.115, is any permanent school fund land affected by application?
	□ Yes □ No
If <b>y</b> e	es, provide the location and foreseeable impacts and effects this application has on the

	land(s):
	Click to enter text.
Co	ection 2 Oviginal Dhotographs (Instructions Dago 29)
	ection 2. Original Photographs (Instructions Page 38)
	ovide original ground level photographs. Indicate with checkmarks that the following formation is provided.
	☐ At least one original photograph of the new or expanded treatment unit location
	At least two photographs of the existing/proposed point of discharge and as much area downstream (photo 1) and upstream (photo 2) as can be captured. If the discharge is to an open water body (e.g., lake, bay), the point of discharge should be in the right or left edge of each photograph showing the open water and with as much area on each respective side of the discharge as can be captured.
	$\square$ At least one photograph of the existing/proposed effluent disposal site
	☐ A plot plan or map showing the location and direction of each photograph
0	
	ection 3. Buffer Zone Map (Instructions Page 38)
A.	Buffer zone map. Provide a buffer zone map on $8.5 \times 11$ -inch paper with all of the following information. The applicant's property line and the buffer zone line may be distinguished by using dashes or symbols and appropriate labels.
	<ul> <li>The applicant's property boundary;</li> <li>The required buffer zone; and</li> <li>Each treatment unit; and</li> <li>The distance from each treatment unit to the property boundaries.</li> </ul>
В.	Buffer zone compliance method. Indicate how the buffer zone requirements will be met. Check all that apply.
	□ Ownership
	☐ Restrictive easement
	□ Nuisance odor control
	□ Variance
C.	
	Unsuitable site characteristics. Does the facility comply with the requirements regarding unsuitable site characteristic found in 30 TAC § 309.13(a) through (d)?

# DOMESTIC WASTEWATER PERMIT APPLICATION SUPPLEMENTAL PERMIT INFORMATION FORM (SPIF)

This form applies to TPDES permit applications only. Complete and attach the Supplemental Permit information Form (SPIF) (TCEQ Form 20971).

Attachment: Click to enter text.

### WATER QUALITY PERMIT

### PAYMENT SUBMITTAL FORM

Use this form to submit the Application Fee, if the mailing the payment.

- Complete items 1 through 5 below.
- Staple the check or money order in the space provided at the bottom of this document.
- Do Not mail this form with the application form.
- Do not mail this form to the same address as the application.
- Do not submit a copy of the application with this form as it could cause duplicate permit entries.

### Mail this form and the check or money order to:

BY REGULAR U.S. MAIL

BY OVERNIGHT/EXPRESS MAIL

Texas Commission on Environmental Quality Texas Commission on Environmental Quality

Financial Administration Division Financial Administration Division

Cashier's Office, MC-214
P.O. Box 13088
12100 Park 35 Circle
Austin, Texas 78711-3088
Austin, Texas 78753

Fee Code: WQP Waste Permit No: WQoo10354001

1. Check or Money Order Number: 14408

2. Check or Money Order Amount: \$515.00

3. Date of Check or Money Order: 9/18/2025

4. Name on Check or Money Order: City of Quitaque

5. APPLICATION INFORMATION

Name of Project or Site: City of McLean Wastewater Treatment Plant

Physical Address of Project or Site: Click to enter text.

If the check is for more than one application, attach a list which includes the name of each Project or Site (RE) and Physical Address, exactly as provided on the application.

### Staple Check or Money Order in This Space

### **ATTACHMENT 1**

### INDIVIDUAL INFORMATION

### Section 1. Individual Information (Instructions Page 41)

Complete this attachment if the facility applicant or co-applicant is an individual. Make additional copies of this attachment if both are individuals.

Prefix (Mr., Ms., Miss): Click to enter text.

Full legal name (Last Name, First Name, Middle Initial): Click to enter text.

Driver's License or State Identification Number: Click to enter text.

Date of Birth: Click to enter text.

Mailing Address: Click to enter text.

City, State, and Zip Code: Click to enter text.

Phone Number: Click to enter text. Fax Number: Click to enter text.

E-mail Address: Click to enter text.

CN: Click to enter text.

### For Commission Use Only:

**Customer Number:** 

**Regulated Entity Number:** 

Permit Number:

## DOMESTIC WASTEWATER PERMIT APPLICATION CHECKLIST OF COMMON DEFICIENCIES

Below is a list of common deficiencies found during the administrative review of domestic wastewater permit applications. To ensure the timely processing of this application, please review the items below and indicate by checking Yes that each item is complete and in accordance applicable rules at 30 TAC Chapters 21, 281, and 305. If an item is not required this application, indicate by checking N/A where appropriate. Please do not submit the application until the items below have been addressed.

application until the items below have been addressed.				
Core Data Form (TCEQ Form No. 10400) (Required for all application types. Must be completed in its entirety a Note: Form may be signed by applicant representative.)		Yes		
Correct and Current Industrial Wastewater Permit Application Form (TCEQ Form Nos. 10053 and 10054. Version dated 6/25/2018 or late			$\boxtimes$	Yes
Water Quality Permit Payment Submittal Form (Page 19) (Original payment sent to TCEQ Revenue Section. See instructions for	mai	ling ad	⊠ dress	Yes .)
7.5 Minute USGS Quadrangle Topographic Map Attached (Full-size map if seeking "New" permit. 8 ½ x 11 acceptable for Renewals and Amendments)				Yes
Current/Non-Expired, Executed Lease Agreement or Easement	$\boxtimes$	N/A		Yes
Landowners Map (See instructions for landowner requirements)	$\boxtimes$	N/A		Yes
<ul> <li>Things to Know:</li> <li>All the items shown on the map must be labeled.</li> <li>The applicant's complete property boundaries must be de boundaries of contiguous property owned by the applicant.</li> <li>The applicant cannot be its own adjacent landowner. You landowners immediately adjacent to their property, regard from the actual facility.</li> <li>If the applicant's property is adjacent to a road, creek, or on the opposite side must be identified. Although the propaplicant's property boundary, they are considered potent if the adjacent road is a divided highway as identified on the map, the applicant does not have to identify the landowned the highway.</li> </ul>	t. mus dless strea perti tially the U	t identi s of how am, the les are i affecto JSGS to	fy the farth fande	e they are owners djacent to ndowners. aphic
Landowners Labels and Cross Reference List (See instructions for landowner requirements)	$\boxtimes$	N/A		Yes
Electronic Application Submittal (See application submittal requirements on page 23 of the instruction	ıs.)			Yes
Original signature per 30 TAC § 305.44 - Blue Ink Preferred (If signature page is not signed by an elected official or principle exec a copy of signature authority/delegation letter must be attached)	utive	e officei		Yes
a copy of signature authority/uclegation letter must be attached)			_	

Summary of Application (in Plain Language)

Yes

<b>TCEQ</b>	Use	Only
	000	~ ,



## **TCEQ Core Data Form**

For detailed instructions on completing this form, please read the Core Data Form Instructions or call 512-239-5175.

### **SECTION I: General Information**

1. Reason for Submission (If other is checked please describe in space provided.)

☐ New Perr	nit, Registra	ation or Authorization	(Core Data Form	should be s	submitte	ed with	the prog	ram application.)			
□ Renewal	Renewal (Core Data Form should be submitted with the renewal form)						Other				
2. Customer	Reference	Number (if issued)		Follow this li			3. Regulated Entity Reference Number (if issued)				
CN 6006434	CN 600643449 Central Regist						RN 1	101918118			
SECTIO	V II:	Customer	Inform	ation	1						
4. General Customer Information 5. Effective Date for Customer Cu					ıstome	r Infor	mation	Updates (mm/dd/	уууу)		
☐ New Custon	mer		I Ipdate to Custon	ner Informat	tion		Char	nge in Regulated Ent	ity Own	ership	
Change in L	egal Name	(Verifiable with the Te	xas Secretary of	State or Texa	as Com	ptroller	of Public	Accounts)			
The Custome	r Namo ci	ıbmitted here may i	ha undatad au	tomaticall	lu basa	donu	that is a	urrant and active		a Tayaa Caa	waterway of Charles
		oller of Public Accou	R.,	tomatican	iy base	a on w	vnat is c	urrent ana active	with tr	ie iexas sec	retary of State
(303) or lexu	s comput	oner of Public Accou	ints (CPA).								
6. Customer	Legal Nam	ne (If an individual, pri	nt last name firs	t: eg: Doe, J	ohn)			If new Customer,	enter pre	evious Custom	ner below:
City of Quitaqu	ie							*			
7. TX SOS/CP	A Filing N	umber	8. TX State T	ax ID (11 di	igits)			9. Federal Tax II	)	10. DUNS	Number (if
								applicable)			
								(9 digits)			
								600037339			
11. Type of C	ustomer:	☐ Corpora	tion				] Individ	lual	Partne	rship: 🔲 Ger	neral 🔲 Limited
Government: [	City 🛛 (	County 🔲 Federal 🔲	Local 🔲 State	Other			Sole P	roprietorship	Otl	her:	
12. Number	of Employ	ees						13. Independen	tly Ow	ned and Op	erated?
□ 0-20    □ 2	21-100	] 101-250   251-	500 🗌 501 a	nd higher				Yes [	☐ No		
14. Customer	Role (Pro	posed or Actual) – as i	t relates to the F	Regulated En	ntity list	ed on tl	his form.	L Please check one of	the follo	wing	
Owner		Operator	ПОМ	ner & Opera	tor						
Occupation	al Licensee	Responsible Pa		CP/BSA App				Other:			
15. Mailing	P.O. Box 427  15. Mailing										
Address:											
	City	Quitaque		State	TX		ZIP	79255		ZIP + 4	
16. Country I	Mailing Int	formation (if outside	USA)			17. E	-Mail Ad	ddress (if applicable	2)		discourse and the second

18. Telephone Number	19. Extension or Code	20. Fax Number (if applicable)
( 806 ) 455-1456		( 806 ) 455-1225

### **SECTION III: Regulated Entity Information**

21. General Regulated En	tity Informa	ation (If 'New Re	gulated Entity" is sel	ected, a new po	ermit appli	cation is a	also required.)		
New Regulated Entity	☐ New Regulated Entity ☐ Update to Regulated Entity Name ☐ Update to Regulated Entity Information								
The Regulated Entity Nan as Inc, LP, or LLC).	ne submitte	d may be upda	ted, in order to m	eet TCEQ Cor	e Data St	andards	(removal of or	ganization	nal endings such
22. Regulated Entity Nam	ie (Enter nam	e of the site wher	re the regulated acti	on is taking pla	ce.)				
City of Quitaque Wastewater	Treatement F	Plant							
23. Street Address of the Regulated Entity:									
(No PO Boxes)	City		State		ZIP			ZIP + 4	
24. County	Briscoe				1	1			
		If no Stre	et Address is prov	ided, fields 2	5-28 are I	equired			
25. Description to			cilities site is located						State Highway 86
Physical Location:	and FM 106	5 and 1200 feet r	north of State Highw	ay 86, east of t	he City of	Quitaque	, Briscoe County,	Texas.	
26. Nearest City	A		AA		100°100°7°110°100°110°110°110°110°110°11	State		Nea	rest ZIP Code
Quitaque TX 79255									
Latitude/Longitude are required and may be added/updated to meet TCEQ Core Data Standards. (Geocoding of the Physical Address may be used to supply coordinates where none have been provided or to gain accuracy).									
· · · · · · · · · · · · · · · · · · ·		-	· ·		ata Stano	l lards. (G	ieocoding of th	e Physical	Address may be
· · · · · · · · · · · · · · · · · · ·	es where no	-	· ·	accuracy).	ata Stand			-101.047	
used to supply coordinate	es where no	ne have been p	· ·	accuracy).	ongitude				
used to supply coordinate  27. Latitude (N) In Decima	al: Minutes	ne have been p	provided or to gain	accuracy).	ongitude		ecimal:		500°
used to supply coordinate  27. Latitude (N) In Decima  Degrees	es where not al: Minutes	ne have been p	Seconds	28. Lo Degre	es 101 y NAICS C	(W) In D	ecimal:  Minutes  02		Seconds 51
27. Latitude (N) In Decima  Degrees  34	es where not al: Minutes	34.369444°	Seconds	28. Lo	es 101 y NAICS C	(W) In D	ecimal:  Minutes  02	-101.047	Seconds 51
27. Latitude (N) In Decimal Degrees  34  29. Primary SIC Code	es where not al: Minutes	34.369444°  22  Secondary SIC	Seconds	28. Lo Degre	es 101 y NAICS C	(W) In D	ecimal: Minutes 02 32. Second	-101.047	Seconds 51
27. Latitude (N) In Decimal Degrees  34  29. Primary SIC Code (4 digits)	Minutes  30.	34.369444°  22  Secondary SIC (igits)	Seconds 10 Code	28. Lo Degre 31. Primar (5 or 6 digit	es 101 y NAICS (	(W) In D	ecimal: Minutes 02 32. Second	-101.047	Seconds 51
Degrees  34  29. Primary SIC Code (4 digits)	Minutes  30.	34.369444°  22  Secondary SIC (igits)	Seconds 10 Code	28. Lo Degre 31. Primar (5 or 6 digit	es 101 y NAICS (	(W) In D	ecimal: Minutes 02 32. Second	-101.047	Seconds 51
Degrees  34  29. Primary SIC Code (4 digits)	Minutes  30.	ne have been p  34.369444°  22  Secondary SIC igits)  his entity? (Da	Seconds 10 Code	28. Lo Degre 31. Primar (5 or 6 digit	es 101 y NAICS (	(W) In D	ecimal: Minutes 02 32. Second	-101.047	Seconds 51
Degrees  34  29. Primary SIC Code (4 digits)  4952  33. What is the Primary B	Minutes  30. (4 di	ne have been p  34.369444°  22  Secondary SIC igits)  his entity? (Da	Seconds 10 Code	28. Lo Degre 31. Primar (5 or 6 digit	es 101 y NAICS (	(W) In D	ecimal: Minutes 02 32. Second	-101.047	Seconds 51
Degrees  34  29. Primary SIC Code (4 digits)  4952  33. What is the Primary B	Minutes  30. (4 di	ne have been p  34.369444°  22  Secondary SIC igits)  his entity? (Da	Seconds 10 Code	28. Lo Degre 31. Primar (5 or 6 digit	es 101 y NAICS (	(W) In D	ecimal:  Minutes  02  32. Second  (5 or 6 digstance)	-101.047	Seconds 51
Degrees  34  29. Primary SIC Code (4 digits)  4952  33. What is the Primary B	Minutes  30. (4 di Business of t	ne have been p  34.369444°  22  Secondary SIC  igits)  his entity? (Da	Seconds  10  Code  State	28. Lo Degre 31. Primar (5 or 6 digit	es 101  y NAICS ( s)	(W) In D	ecimal:  Minutes  02  32. Second  (5 or 6 digstance)	ndary NAIG	Seconds 51
Degrees  34  29. Primary SIC Code (4 digits)  4952  33. What is the Primary B  34. Mailing Address:	Minutes  30. (4 di Business of t	ne have been p  34.369444°  22  Secondary SIC  igits)  his entity? (Date of the continuous of the cont	Seconds  10  Code  State	28. Lo Degre 31. Primar (5 or 6 digit) 221320 or NAICS descri	es 101 y NAICS ( s) ption.)	(W) In D	ecimal:  Minutes  02  32. Second  (5 or 6 digstance)	ndary NAIG	Seconds 51

☐ Dam Safety		Districts	Edwards Aquifer		Emissions Inventory Air		☐ Industrial Hazardous Waste	
☐ Municipal Solid Waste		New Source Review Air	OSSF		☐ Petroleum Storage Ta		☐ PWS	
Sludge		Storm Water	☐ Title V Air		] Tires		Used Oil	
☐ Voluntary Clea	nup		☐ Wastewater Agricul	ture	] Water Right	s	Other:	
	20-44-09 (2008   1) Society	WQ0010727001						
SECTION	IV: Pr	eparer Inf	<u>ormation</u>					
<b>40. Name:</b> C	lint Green			41. Title:	Engineerin	g Technician/D	Designer	
42. Telephone Nu	ımber	43. Ext./Code	44. Fax Number	45. E-Mail	Address			
( 806 ) 352-7117			(806) 352-7188	clint.green(	@ojdengineer	ing.com		
SECTION	V: Au	thorized S	<u>ignature</u>					
			wledge, that the information				te, and that I have signature authority lentified in field 39.	
Company:	OJD Engi	neering, LLC		Job Title:	Engineer	ing Technician,	'Designer	
Name (In Print):	Clint Gree	en	)			Phone:	(806) 352-7117	
Signature:						Date:	9/25/25	

39. TCEQ Programs and ID Numbers Check all Programs and write in the permits/registration numbers that will be affected by the updates submitted on this

TCEQ-10400 (11/22) Page 3 of 3

### AGREEMENT ON PURCHASE AND SALE OF LAND AND EASEMENT

THE STATE OF TEXAS	§
	§
COUNTY OF BRISCOE	§

### WITNESSETH

1. Agreement of Purchase and Sale.

A. Upon and in consideration of the terms, covenants, warranties and conditions hereinafter set forth, Seller agrees to sell and Buyer agrees to buy that certain track of land and all improvements situated thereon, including, but not limited to Seller's interest in any and all water lines, gas lines, and electric lines for use on the hereinafter described property, located in Briscoe County, Texas, and more specifically described as follows:

LEGAL DESCRIPTION of a 1.23 acre tract of land out of the North part of a 100 acre tract out of Section 28, Block 3, T.&P. Railway Company Survey, Briscoe County, Texas described by metes and bounds as follows:

BEGINNING at a 1/2 inch steel rod set for the Westernmost Northwest corner of this tract, the Northeast corner of Block 21, Original Town of Quitaque, Briscoe County, Texas bears N 01°35' E a distance of 192.00 feet and N 88°25' W a distance of 1,572.40 feet;

THEN S 88°25' E a distance of 411.40 feet to a 1/2 inch steel rod set for an inside corner of this tract.

THEN N 01°35' E a distance of 95.45 feet to a 1/2 inch steel rod set for the Northernmost Northwest corner of this tract;

THEN N 89°37' E a distance of 57.60 feet to a 1/2 inch steel rod set for the Northeast corner of this tract;

THEN S 02°37'51" W a distance of 204.24 feet to a 1/2 inch steel rod set for the Southeast corner of this tract.

THEN N 87°30'47" W a distance of 463.02 feet to a 1/2 inch steel rod set for the Southwest corner of this tract;

THEN N 0°14'43" E a distance of 99.50 feet to the POINT OF BEGINNING.

B. Seller also agrees to provide all necessary easements for connective pipelines to the 1.23 acre tract of land as described in section 1(A) above as well as permanent easements to access, maintain, construct, repair or reconstruct the pipelines, sewer ponds, pump station and/or other City property on or under the site and ensure the ability to install boundary monuments or fencing and their preservation and access to such. A detailed description of the 10 foot sewer line easement is as follows:

LEGAL DESCRIPTION of the centerline of a 10.00' sewer line easement out of a 100 acre tract of land out of Section 28, Block No. 3, Certificate No. 2/876, T.&P. Ry. Co. Survey, Briscoe County, Texas and being described as follows:

BEGINNING at a point that bears S 88°25' E, 1,575.60 feet and S 01°35' W 10.40 feet from the Southeast corner of Block 21 of the Original Town of Quitaque, Briscoe County, Texas;

THEN along and 5.00' feet either side of a line S 04°04'03" W, 341.47 feet to a point for a corner of this easement;

THEN along and 5.00 feet either side of a line S 03°51'21" W, 575.12 feet to a point that bears S 88°25' E, 1,027.33 feet and S 01°35' W, 7.60 feet from the Southeast corner of Lot 10, Block 1, Grundy Addition to the Town of Quitaque, Briscoe County, Texas.

- 2. Possession by Buyer. Buyer shall take possession of the lands upon the closing of this contract of sale.
- 3. Oil, Gas and Other Minerals. The property sold and conveyed includes, and the Seller agrees to convey, all of the oil, gas and/other minerals owned by Seller. It shall be the understanding of both parties that prior mineral reservations shall not be an objection to the title.
- 4. Consideration. The total consideration to be paid for the property shall be the sum of two thousand four hundred and sixty dollars (\$2,460) which amount shall be paid by Buyer to Seller at the time of closing.
- 5. Title Assurance. Seller agrees to furnish Buyer, in the manner described in this Agreement, and abstract of title, certified by a competent abstractor of Briscoe County, Texas.
- (a) Abstract of Title. Within ten (10) days from the date of this Agreement, Seller shall furnish to Buyer, or an attorney designated by Buyer, a complete abstract of title covering all land constituting, or including as part of the property, certified by a reputable abstractor from the sovereignty of the soil to a date not earlier than the date of this Agreement, showing Seller to be vested in good fee simple title to the land. Seller shall

additionally furnish tax certificates showing the payment of all ad valorem taxes assessed against the property, including the year of 2001. Buyer shall have twenty (20) days after the receipt of such abstract and tax certificates in which to have the same examined and to point out in writing objections to title which would render the title not good. If Buyer does submit valid written objections to title to Seller or his attorney, Seller shall have thirty (30) days after receipt thereof within to cure such objections to title to seller or his attorney, Seller shall have thirty (30) days after receipt thereof within to cure such valid objections and render title good within the aforesaid thirty (30) days, Buyer may either declare this Agreement terminated or waive the existence of such objections.

- (b) Owner's Title Policy. Within ten (10) days of the date of this agreement, Seller may furnish to Buyer, in lieu of an abstract of title, an Owner's Title Policy Commitment issued by a title insurance company licensed to do business in the State of Texas. Said policy shall be issued in the amount of the purchase price; with such policy containing no exceptions other than the standard printed exceptions common to owner's title insurance policies issued in the State of Texas, and to such other exceptions as may be expressly authorized by the terms of this Agreement.
- 6. Conveyance. Seller shall convey the herein described lands to Buyer by properly executed general Warranty Deed and Bill of Sale.
- 7. Closing. This Agreement shall close on or before \_\_\_\_\_\_, or sooner if all objections to title have been cured. The closing shall be in a time and place agreed upon by the parties.
- 8. Ad Valorem Taxes. All ad valorem taxes shall be paid by the Seller for 2001 and all years prior to 2001. All ad valorem taxes for the year 2002 and all subsequent years shall be paid by Buyer.
- 9. Notices. All notices, requests, demands and other communications required or permitted under this Agreement shall be in writing and shall be deemed to have been delivered in person to the party entitled thereto, against receipt, or if deposited in the United States Mail, postage prepaid, certified mail, return receipt requested, addressed to the party entitled thereto at the address shown below. In case of mailing, the time of receipt shall be deemed to be three days after deposited in the mail addressed as follows:
  - (a) In case of Seller to:

Mr. Jake Merrell or Mrs. Jo Mae Merrell P.O. Box 538 Quitaque, TX 79255-0538

(b) In case of Buyer to:

Mayor Roland Hamilton P.O. Box 427 Quitaque, TX 79255-0427

- 10. Law Governing. This Agreement is performable in the State of Texas, and the County of Briscoe, and shall be construed in accordance with the law of this State and venue shall lie in the courts of Briscoe County, Texas.
- 11. Costs and Fees. The Buyer and Seller shall each be responsible for their respective costs and fees incurred in this Agreement, listed specifically as follows:

The Buyer shall be responsible for:

- (a.) surveying costs
- (b.) the cost of examination of abstracts of title or the cost of issuance of mortgages title insurance policy;
- (c.) the cost of recording the warranty deed and instruments creating liens or allowing the assumption of liens;
- (d.) the cost of the warranty deed and any bill of sale or other title document for transfer of personal property to be conveyed under this agreement.
- (e.) closing costs

The Seller shall be responsible for:

- (a.) the cost of any curative instruments necessary to cure or make good the title to the property for improvements
- 12. Other Matters.
- (a.) Survey. Buyer has previously obtained a survey of the herein described lands and shall provide to Seller a copy of such survey.
- (b.) Warranty. The Seller has made no warranties of merchantability or fitness for a particular purpose concerning any of the property sold under this Agreement, and all of such property is sold "As Is" and "With All Faults", and further the Seller makes no express or implied warranties of any nature whatsoever. The Buyer acknowledges inspection of the property and agrees to accept the same "As Is" and "With All Faults", and the Buyer acknowledges and agrees that Seller has made no warranties, either express, implied or otherwise, or any warranties of merchantability or fitness for a particular purpose concerning the property sold hereunder.
- 13. Default. In the event of default of any of the terms of this agreement, the nondefaulting party shall be entitled to recover all costs, including reasonable attorney's fees incurred in the enforcement of any provision of this agreement.
- 14. Binding Effect. This agreement shall be binding upon and shall inure to the benefit of the parties and the respective heirs, successors, assigns and personal representatives.
- 15. Representations. The Seller represents that as of the closing date of this Agreement; there will be no unrecorded liens or assessments against any of the property which will not be satisfied out of the sales prices, unless the Buyer specifically agrees to assume said indebtedness.

- 16. Further Assurances. At the request of Buyer, from time to time after the Closing. Seller shall promptly execute and deliver to Buyer, such other instruments and documents and generally will do all acts and things necessary or appropriate to consummate the transactions contemplated by this Agreement.
- 17. No Waiver. No waiver of any of the provisions of this Agreement shall be deemed or shall constitute a waiver of any other provision hereof (whether or not similar), nor shall such waiver constitute a continuing waiver unless otherwise expressly provided.
- 18. Execution Counterparts. This Agreement may be executed in one or more counterparts, each of which shall be regarded as an original and all of which shall constitute but one and the same instrument.
- 19. Severability. If any provision of this Agreement is determined by a court to be invalid or unenforceable, such determination shall not affect any of the other provisions, each of which shall be construed and enforced as if such invalid or unenforceable provision were not contained herein.
- 20. Cooperation. Each party shall fully cooperate with the other and with each party's respective counsel and accountants in connection with any steps required to be taken under this Agreement, including the taking of whatever action and the obtaining of whatever additional corporate or other authority may be necessary in order to comply with this Agreement.
- 21. Entire Agreement. This Agreement constitutes the entire agreement between Seller and Buyer respecting the sale and purchase of the property and will supersede and replace any and all prior contemporary written agreements, oral agreements, promises, representations or conditions with respect thereto.

THIS IS INTENDED TO BE A LEGALLY BINDING CONTRACT. READ IT CAREFULLY, AND IF YOU DO NOT UNDERSTAND THE EFFECT OF ANY PART OF THIS CONTRACT, CONSULT AN ATTORNEY BEFORE SIGNING.

GENTH WITNESS WHEREOF, this Agreement is executed and effective as of the day of August, A. D. 2002.

THE CITY OF QUITAQUE P.O. BOX 427 QUITAQUE, TEXAS 79255-0427

JAKE & JO MAE MERRELL P.O. BOX 538 QUITAQUE, TEXAS 79255-0538

	By: Alamilton, Mayor	the By	Jake Merroll
		By:	Jo Mae Merrell Jo Mae Merrell
	THE STATE OF TEXAS	§	
	COUNTY OF BRISCOE	§	
	This instrument was acknown by Mr. Roland Hamilton, Mayor for		
	KAY CALVERT MY COMMISSION EXPIRES July 18, 2004		Notary Public, State of Texas
	THE STATE OF TEXAS	§	
	COUNTY OF BRISCOE	§	
	This instrument was ackno by Mr. Jake Merrell.	wledged befor	The me on $August 9$ , 2002
	KAY CALVERT MY COMMISSION EXPIRES July 18, 2004		Notary Public State of Texas
¥	THE STATE OF TEXAS	§	
	COUNTY OF BRISCOE	§	
	This instrument was acknown by Mrs. Jo Mae Merrell.	wledged befor	te me on $August 9$ , 2002
Time	KAY CALVERT MY COMMISSION EXPIRES July 18, 2004		Notary Public, State of Texas THE STATE OF TEXAS COUNTY OF BRISCOE THE FORGOING INSTR MENT WITH ITS CERTIFICATE OF AUTHENTICATION WAS DULY RECORDED BY ME ON THE
AUG	1 2 2002	Page 6 of 6	OF August 2003 IN Vol. 5 Page 797 of the Records of OPR of Brisco
Bena County & Dist. Cle	rk, Briscoe County, Texas	t - City of Quita 2002	que - Mr. & Mrs. Merreligiven under my hand and seal of officer this 2th Day of aug 3003  Bena Hester
	\$19.00		perce rester

# STATE OF THE PROPERTY OF THE P

### TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

### DOMESTIC WASTEWATER PERMIT APPLICATION TECHNICAL REPORT 1.0

For any questions about this form, please contact the Domestic Wastewater Permitting Team at 512-239-4671.

The following information is required for all renewal, new, and amendment applications.

### Section 1. Permitted or Proposed Flows (Instructions Page 42)

### A. Existing/Interim I Phase

Design Flow (MGD): <u>0.06</u> 2-Hr Peak Flow (MGD): <u>0.79</u>

Estimated construction start date: N/AEstimated waste disposal start date: N/A

### **B.** Interim II Phase

Design Flow (MGD): <u>N/A</u> 2-Hr Peak Flow (MGD): N/A

Estimated construction start date: <u>N/A</u>
Estimated waste disposal start date: <u>N/A</u>

### C. Final Phase

Design Flow (MGD): <u>0.14</u> 2-Hr Peak Flow (MGD): 0.42

Estimated construction start date: <u>N/A</u>
Estimated waste disposal start date: N/A

### D. Current Operating Phase

Provide the startup date of the facility: 1954

### Section 2. Treatment Process (Instructions Page 42)

### A. Current Operating Phase

Provide a detailed description of the treatment process. **Include the type of treatment plant, mode of operation, and all treatment units.** Start with the plant's head works and

finish with the point of discharge. Include all sludge processing and drying units. **If more than one phase exists or is proposed, a description of** each phase **must be provided**.

The City of Quitaque Wastewater Treatment Facility consists of a pond system. Treatment units include a facultative lagoon with a surface area of 0.67 acres and volume of 3.04 acre-feet. The facility includes one storage pond with a total surface area of 0.15 acres and total capacity 4.59 acre-feet for storage of treated effluent prior to irrigation. The permittee is authorized to dispose of treated domestic wastewater effluent at a daily average flow not to exceed 0.06 million gallons per day (MGD) via surface irrigation of 80 acres of non-public access pasture land. Application rates to the irrigated land shall not exceed 0.84 acre-feet per year per acre irrigated.

### **B.** Treatment Units

In Table 1.0(1), provide the treatment unit type, the number of units, and dimensions (length, width, depth) of each treatment unit, accounting for all phases of operation.

Table 1.0(1) - Treatment Units

Treatment Unit Type	Number of Units	Dimensions (L x W x D)
Grit Chamber	1	N/A
Bar Screen	1	N/A
Imhoff Tank	1	27' x 12' x 18'
Oxidation Pond	1	2' x 200' x 200'

### C. Process Flow Diagram

Provide flow diagrams for the existing facilities and **each** proposed phase of construction.

Attachment: T-1

### Section 3. Site Information and Drawing (Instructions Page 43)

Provide the TPDES discharge outfall latitude and longitude. Enter N/A if not applicable.

• Latitude: <u>Click to enter text.</u>

• Longitude: Click to enter text.

Provide the TLAP disposal site latitude and longitude. Enter N/A if not applicable.

• Latitude: <u>34° 22' 10"</u>

• Longitude: <u>-101° 02' 51"</u>

Provide a site drawing for the facility that shows the following:

- The boundaries of the treatment facility;
- The boundaries of the area served by the treatment facility;
- If land disposal of effluent, the boundaries of the disposal site and all storage/holding ponds; and
- If sludge disposal is authorized in the permit, the boundaries of the land application or disposal site.

Attachment: T-2

City of Quitaque, Texas			
Collection System Informati each <b>uniquely owned</b> collection systems. <b>examples.</b>	ction system, existi <b>Please see the ins</b>	ng and new, served by tl	his facility, including
Collection System Informatio  Collection System Name	n Owner Name	Owner Type	Population Serve
Conection system Name	Owner Name	Choose an item.	ropulation served
		Choose an item.	
		Choose an item.	
		Choose an item.	
		1	
☐ Yes ☐ No  If yes, provide a detailed dis  Failure to provide sufficier  recommending denial of the	it justification may	y result in the Executive	
Click to enter text.	<b>-</b>	-	
Section 5. Closure F	lane (Instructi	ions Paga 44)	
Have any treatment units be out of service in the next fiv			ll any units be taken
☐ Yes ☒ No	c , caro.		
	ibmitted to the TC		

	LI TES LI NO
If y	ves, provide a brief description of the closure and the date of plan approval.
	ction 6. Permit Specific Requirements (Instructions Page 44)
	r applicants with an existing permit, check the Other Requirements or Special ovisions of the permit.
	Summary transmittal
	Have plans and specifications been approved for the existing facilities and each proposed phase?
	⊠ Yes □ No
	If yes, provide the date(s) of approval for each phase: 1/1998
	Provide information, including dates, on any actions taken to meet a requirement or provision pertaining to the submission of a summary transmittal letter. <b>Provide a copy of an approval letter from the TCEQ, if applicable</b> .
	Click to enter text.
В.	Buffer zones
	Have the buffer zone requirements been met?
	⊠ Yes □ No
	Provide information below, including dates, on any actions taken to meet the conditions of the buffer zone. If available, provide any new documentation relevant to maintaining the buffer zones.
	Click to enter text.

C.	Ot	her actions required by the current permit
	su	bes the Other Requirements or Special Provisions section in the existing permit require bmission of any other information or other required actions? Examples include otification of Completion, progress reports, soil monitoring data, etc.
		□ Yes ⊠ No
		yes, provide information below on the status of any actions taken to meet the nditions of an Other Requirement or Special Provision.
	C	lick to enter text.
D.	Gr	it and grease treatment
	1.	Acceptance of grit and grease waste
		Does the facility have a grit and/or grease processing facility onsite that treats and decants or accepts transported loads of grit and grease waste that are discharged directly to the wastewater treatment plant prior to any treatment?
		□ Yes ⊠ No
		If No, stop here and continue with Subsection E. Stormwater Management.
	2.	Grit and grease processing
		Describe below how the grit and grease waste is treated at the facility. In your description, include how and where the grit and grease is introduced to the treatment works and how it is separated or processed. Provide a flow diagram showing how grit and grease is processed at the facility.
		Click to enter text.
	3.	Grit disposal
		Does the facility have a Municipal Solid Waste (MSW) registration or permit for grit disposal?
		□ Yes ⊠ No
		<b>If No</b> , contact the TCEQ Municipal Solid Waste team at 512-239-2335. Note: A registration or permit is required for grit disposal. Grit shall not be combined with treatment plant sludge. See the instruction booklet for additional information on grit disposal requirements and restrictions.

Describe the method of grit disposal.

		Click to enter text.
	1	Grease and decanted liquid disposal
	т.	Note: A registration or permit is required for grease disposal. Grease shall not be combined with treatment plant sludge. For more information, contact the TCEQ Municipal Solid Waste team at 512-239-2335.
		Describe how the decant and grease are treated and disposed of after grit separation.
		Click to enter text.
E.	Sto	ormwater management
	1.	Applicability
		Does the facility have a design flow of 1.0 MGD or greater in any phase?
		□ Yes ⊠ No
		Does the facility have an approved pretreatment program, under 40 CFR Part 403?
		□ Yes ⊠ No
		If no to both of the above, then skip to Subsection F, Other Wastes Received.
	2.	MSGP coverage
		Is the stormwater runoff from the WWTP and dedicated lands for sewage disposal currently permitted under the TPDES Multi-Sector General Permit (MSGP), TXR050000?
		□ Yes □ No
		<b>If yes</b> , please provide MSGP Authorization Number and skip to Subsection F, Other Wastes Received:
		TXR05 Click to enter text. or TXRNE Click to enter text.
		If no, do you intend to seek coverage under TXR050000?
		□ Yes □ No
	3.	Conditional exclusion
		Alternatively, do you intend to apply for a conditional exclusion from permitting based TXR050000 (Multi Sector General Permit) Part II B.2 or TXR050000 (Multi Sector General Permit) Part V, Sector T 3(b)?
		□ Yes □ No
		<b>If ves</b> . please explain below then proceed to Subsection F. Other Wastes Received:

	Click to enter text.
4.	Existing coverage in individual permit
	Is your stormwater discharge currently permitted through this individual TPDES or TLAP permit?
	□ Yes □ No
	<b>If yes</b> , provide a description of stormwater runoff management practices at the site that are authorized in the wastewater permit then skip to Subsection F, Other Wastes Received.
	Click to enter text.
5.	Zero stormwater discharge
	Do you intend to have no discharge of stormwater via use of evaporation or other means?
	□ Yes □ No
	If yes, explain below then skip to Subsection F. Other Wastes Received.
	Click to enter text.
	Note: If there is a potential to discharge any stormwater to surface water in the state as the result of any storm event, then permit coverage is required under the MSGP or an individual discharge permit. This requirement applies to all areas of facilities with treatment plants or systems that treat, store, recycle, or reclaim domestic sewage, wastewater or sewage sludge (including dedicated lands for sewage sludge disposal located within the onsite property boundaries) that meet the applicability criteria of above. You have the option of obtaining coverage under the MSGP for direct discharges, (recommended), or obtaining coverage under this individual permit.
<b>3.</b>	Request for coverage in individual permit
	Are you requesting coverage of stormwater discharges associated with your treatment plant under this individual permit?
	□ Yes □ No
	If yes, provide a description of stormwater runoff management practices at the site for which you are requesting authorization in this individual wastewater permit and describe whether you intend to comingle this discharge with your treated effluent or discharge it via a separate dedicated stormwater outfall. Please also indicate if you

		it to water in the state.
		Click to enter text.
		Note: Direct stormwater discharges to waters in the state authorized through this individual permit will require the development and implementation of a stormwater pollution prevention plan (SWPPP) and will be subject to additional monitoring and reporting requirements. Indirect discharges of stormwater via headworks recycling will require compliance with all individual permit requirements including 2-hour peak flow limitations. All stormwater discharge authorization requests will require additional information during the technical review of your application.
F.	Di	scharges to the Lake Houston Watershed
	Do	oes the facility discharge in the Lake Houston watershed?
		□ Yes ⊠ No
		yes, attach a Sewage Sludge Solids Management Plan. See Example 5 in the instructions. ick to enter text.
G.	Ot	her wastes received including sludge from other WWTPs and septic waste
	1.	Acceptance of sludge from other WWTPs
		Does or will the facility accept sludge from other treatment plants at the facility site?
		□ Yes ⊠ No
		If yes, attach sewage sludge solids management plan. See Example 5 of instructions.
		In addition, provide the date the plant started or is anticipated to start accepting sludge, an estimate of monthly sludge acceptance (gallons or millions of gallons), an
		estimate of the $BOD_5$ concentration of the sludge, and the design $BOD_5$ concentration of the influent from the collection system. Also note if this information has or has not changed since the last permit action.
		Click to enter text.
		Note: Permits that accept sludge from other wastewater treatment plants may be required to have influent flow and organic loading monitoring.
	2.	
	2.	required to have influent flow and organic loading monitoring.
	2.	required to have influent flow and organic loading monitoring.  Acceptance of septic waste
	2.	required to have influent flow and organic loading monitoring.  Acceptance of septic waste  Is the facility accepting or will it accept septic waste?
	2.	required to have influent flow and organic loading monitoring.  Acceptance of septic waste  Is the facility accepting or will it accept septic waste?  Yes No
	2.	required to have influent flow and organic loading monitoring.  Acceptance of septic waste  Is the facility accepting or will it accept septic waste?  ☐ Yes ☒ No  If yes, does the facility have a Type V processing unit?

intend to divert stormwater to the treatment plant headworks and indirectly discharge

If yes to any of the above, provide the date the plant started or is anticipated to start accepting septic waste, an estimate of monthly septic waste acceptance (gallons or millions of gallons), an estimate of the  $BOD_5$  concentration of the septic waste, and the design  $BOD_5$  concentration of the influent from the collection system. Also note if this information has or has not changed since the last permit action.

Click to enter text.	
N. D. L. J.	

Note: Permits that accept sludge from other wastewater treatment plants may be required to have influent flow and organic loading monitoring.

3. Acceptance of other wastes (not including septic, grease, grit, or RCRA, CERCLA or as discharged by IUs listed in Worksheet 6)

Is or will the facility accept wastes that are not domestic in nature excluding the categories listed above?

Yes	$\boxtimes$	No

If yes, provide the date that the plant started accepting the waste, an estimate how much waste is accepted on a monthly basis (gallons or millions of gallons), a description of the entities generating the waste, and any distinguishing chemical or other physical characteristic of the waste. Also note if this information has or has not changed since the last permit action.

Click to enter text.			

## Section 7. Pollutant Analysis of Treated Effluent (Instructions Page 49)

Is the facility in operation?

⊠ Yes □ No

**If no**, this section is not applicable. Proceed to Section 8.

**If yes**, provide effluent analysis data for the listed pollutants. Wastewater treatment facilities complete Table 1.0(2). Water treatment facilities discharging filter backwash water, complete Table 1.0(3). Provide copies of the laboratory results sheets. **These tables are not applicable for a minor amendment without renewal.** See the instructions for guidance.

Note: The sample date must be within 1 year of application submission.

Table 1.0(2) - Pollutant Analysis for Wastewater Treatment Facilities

Pollutant	Average Conc.	Max Conc.	No. of Samples	Sample Type	Sample Date/Time
CBOD <sub>5</sub> , mg/l	26.2		1	Grab	6/18/25 9:30
Total Suspended Solids, mg/l	73.3		1	Grab	6/18/25 9:30
Ammonia Nitrogen, mg/l	0.731		1	Grab	6/18/25 9:30
Nitrate Nitrogen, mg/l	<0.1		1	Grab	6/18/25 9:30
Total Kjeldahl Nitrogen, mg/l	10.4		1	Grab	6/18/25 9:30
Sulfate, mg/l	257		1	Grab	6/18/25 9:30
Chloride, mg/l	313		1	Grab	6/18/25 9:30
Total Phosphorus, mg/l	2.65		1	Grab	6/18/25 9:30
pH, standard units	9.2		1	Grab	6/18/25 9:30
Dissolved Oxygen*, mg/l	5.8		1	Grab	6/18/25 9:30
Chlorine Residual, mg/l	<0.10		1	Grab	6/18/25 9:30
E.coli (CFU/100ml) freshwater	129 npm/100ml		1	Grab	6/18/25 12:54
Entercocci (CFU/100ml) saltwater	N/A	N/A	N/A	N/A	N/A
Total Dissolved Solids, mg/l	N/A	N/A	N/A	N/A	N/A
Electrical Conductivity, µmohs/cm, †	1840		1	Grab	6/18/25 9:30
Oil & Grease, mg/l	N/A	N/A	N/A	N/A	N/A
Alkalinity (CaCO <sub>3</sub> )*, mg/l	307		1	Grab	6/18/25 9:30

<sup>\*</sup>TPDES permits only †TLAP permits only

Table1.0(3) – Pollutant Analysis for Water Treatment Facilities

Pollutant	Average Conc.	Max Conc.	No. of Samples	Sample Type	Sample Date/Time
Total Suspended Solids, mg/l	N/A	N/A	N/A	N/A	N/A
Total Dissolved Solids, mg/l	N/A	N/A	N/A	N/A	N/A
pH, standard units	N/A	N/A	N/A	N/A	N/A
Fluoride, mg/l	N/A	N/A	N/A	N/A	N/A
Aluminum, mg/l	N/A	N/A	N/A	N/A	N/A
Alkalinity (CaCO <sub>3</sub> ), mg/l	N/A	N/A	N/A	N/A	N/A

## Section 8. Facility Operator (Instructions Page 49)

Facility Operator Name: Merton Skinner

Facility Operator's License Classification and Level: Wastewater Treatment Operator C

Facility Operator's License Number: <u>WW0008963</u>

# Section 9. Sludge and Biosolids Management and Disposal (Instructions Page 50)

Α.	ww	1P's Sewage Sludge or Biosolids Management Facility Type
	Che	ck all that apply. See instructions for guidance
		Design flow>= 1 MGD
		Serves >= 10,000 people
		Class I Sludge Management Facility (per 40 CFR § 503.9)
		Biosolids generator
		Biosolids end user – land application (onsite)
		Biosolids end user – surface disposal (onsite)
		Biosolids end user – incinerator (onsite)
B.	ww	TP's Sewage Sludge or Biosolids Treatment Process
	Che	ck all that apply. See instructions for guidance.
		Aerobic Digestion
		Air Drying (or sludge drying beds)
		Lower Temperature Composting
		Lime Stabilization
		Higher Temperature Composting
		Heat Drying
		Thermophilic Aerobic Digestion
		Beta Ray Irradiation
		Gamma Ray Irradiation
		Pasteurization
		Preliminary Operation (e.g. grinding, de-gritting, blending)
		Thickening (e.g. gravity thickening, centrifugation, filter press, vacuum filter)
		Sludge Lagoon
		Temporary Storage (< 2 years)
		Long Term Storage (>= 2 years)
		Methane or Biogas Recovery
	⊠ reme	Other Treatment Process: <u>This system is designed to contain its sludge. There is no sludge</u> oval.

### C. Sewage Sludge or Biosolids Management

Provide information on the intended sewage sludge or biosolids management practice. Do not enter every management practice that you want authorized in the permit, as the

permit will authorize all sewage sludge or biosolids management practices listed in the instructions. Rather indicate the management practice the facility plans to use.

#### **Biosolids Management**

Management Practice	Handler or Preparer Type	Bulk or Bag Container	Amount (dry metric tons)	Pathogen Reduction Options	Vector Attraction Reduction Option
Choose an item.	Choose an item.	Choose an item.		Choose an item.	Choose an item.
Choose an item.	Choose an item.	Choose an item.		Choose an item.	Choose an item.
Choose an item.	Choose an item.	Choose an item.		Choose an item.	Choose an item.

If "Other" is selected for Management Practice, please explain (e.g. monofill or transport to another WWTP): <u>Click to enter text.</u>

D. Disposal site	e
------------------	---

Disposal site name: <u>Click to enter text.</u>
TCEQ permit or registration number: <u>Click to enter text.</u>

County where disposal site is located: Click to enter text.

### E. Transportation method

Method of transportation (truck, train, pipe, other): N/A

Name of the hauler: N/A

Hauler registration number: N/A

Sludge is transported as a:

Liquid 🗀 Selili-liquid 🗀 Selili-Solid 🗀 Solid [	Liquid □	semi-liquid □	semi-solid 🗆	solid ⊠
---	----------	---------------	--------------	---------

# Section 10. Permit Authorization for Sewage Sludge Disposal (Instructions Page 52)

#### A. Beneficial use authorization

Does the existing permit include authorization for land application of biosolids for beneficial use?
□ Yes ⊠ No
<b>If yes</b> , are you requesting to continue this authorization to land apply biosolids for beneficial use?
□ Yes □ No

If yes, is the completed Application for Permit for Beneficial Land Use of Sewage Sludge (TCEQ Form No. 10451) attached to this permit application (see the instructions for details)?

	Yes		No
--	-----	--	----

	the existing permit include authorization foge or disposal options?	r an	y of the	follow	ring sludge processing,
Slu	idge Composting		Yes	$\boxtimes$	No
Ma	arketing and Distribution of Biosolids		Yes		No
Slu	idge Surface Disposal or Sludge Monofill		Yes	$\boxtimes$	No
Te	mporary storage in sludge lagoons		Yes	$\boxtimes$	No
autho	to any of the above sludge options and the rization, is the completed <b>Domestic Waster nical Report (TCEQ Form No. 10056)</b> attach	wate	r Permi	t Appl	ication: Sewage Sludge
	Yes □ No				
Section	11. Sewage Sludge Lagoons (Ins	tru	ctions	Page	e 53)
Does this	facility include sewage sludge lagoons?				
□ Y	es 🗵 No				
If yes, con	mplete the remainder of this section. If no,	proc	eed to S	ection	12.
A. Locati	ion information				
	ollowing maps are required to be submitted de the Attachment Number.	as p	art of tl	he app	lication. For each map,
•	Original General Highway (County) Map:				
	Attachment: Click to enter text.				
•	USDA Natural Resources Conservation Ser	vice :	Soil Ma <sub>l</sub>	<b>)</b> :	
	Attachment: Click to enter text.				
•	Federal Emergency Management Map:				
	Attachment: Click to enter text.				
•	Site map:				
	Attachment: Click to enter text.				
Discus apply.	ss in a description if any of the following ex	xist v	vithin th	ie lago	on area. Check all that
	Overlap a designated 100-year frequency	floo	d plain		
	Soils with flooding classification				
	Overlap an unstable area				
	Wetlands				
	Located less than 60 meters from a fault				
	None of the above				
Λt	tachment: Click to enter text				

If a portion of the lagoon(s) is located within the 100-year frequency flood plain, provide the protective measures to be utilized including type and size of protective structures:

B. Sludge processing authorization

Click to enter text.
Temporary storage information
Provide the results for the pollutant screening of sludge lagoons. These results are in addition to pollutant results in Section 7 of Technical Report 1.0.
Nitrate Nitrogen, mg/kg: Click to enter text.
Total Kjeldahl Nitrogen, mg/kg: <u>Click to enter text.</u>
Total Nitrogen (=nitrate nitrogen + TKN), mg/kg: Click to enter text.
Phosphorus, mg/kg: Click to enter text.
Potassium, mg/kg: Click to enter text.
pH, standard units: <u>Click to enter text.</u>
Ammonia Nitrogen mg/kg: Click to enter text.
Arsenic: Click to enter text.
Cadmium: Click to enter text.
Chromium: Click to enter text.
Copper: Click to enter text.
Lead: Click to enter text.
Mercury: Click to enter text.
Molybdenum: Click to enter text.
Nickel: Click to enter text.
Selenium: Click to enter text.
Zinc: Click to enter text.
Total PCBs: Click to enter text.
Provide the following information:
Volume and frequency of sludge to the lagoon(s): Click to enter text.
Total dry tons stored in the lagoons(s) per 365-day period: Click to enter text.
Total dry tons stored in the lagoons(s) over the life of the unit: Click to enter text.
Liner information
Does the active/proposed sludge lagoon(s) have a liner with a maximum hydraulic conductivity of $1x10^{-7}$ cm/sec?
□ Yes □ No

B.

C.

	If yes	, describe the liner below. Please note that a liner is required.
	N/A	
D.	Site d	evelopment plan
٠.		de a detailed description of the methods used to deposit sludge in the lagoon(s):
	N/A	The second secon
	Attac	h the following documents to the application.
	•	Plan view and cross-section of the sludge lagoon(s)
		Attachment: Click to enter text.
	•	Copy of the closure plan
		Attachment: Click to enter text.
	•	Copy of deed recordation for the site
		Attachment: Click to enter text.
	•	Size of the sludge lagoon(s) in surface acres and capacity in cubic feet and gallons
		Attachment: Click to enter text.
	•	Description of the method of controlling infiltration of groundwater and surface water from entering the site
		Attachment: Click to enter text.
	•	Procedures to prevent the occurrence of nuisance conditions
		Attachment: Click to enter text.
E.	Groui	ndwater monitoring
	groun	undwater monitoring currently conducted at this site, or are any wells available for dwater monitoring, or are groundwater monitoring data otherwise available for the e lagoon(s)?
		Yes 🗵 No
	types	undwater monitoring data are available, provide a copy. Provide a profile of soil encountered down to the groundwater table and the depth to the shallowest dwater as a separate attachment.
	_	tachment: Click to enter text.

### **Page 54)**

A	. Additional authorizations	
	Does the permittee have additional authorizations for this facility, such as reuse authorization, sludge permit, etc?	
	□ Yes ⊠ No	
	If yes, provide the TCEQ authorization number and description of the authorization	:
	Click to enter text.	
В.	Permittee enforcement status	
	Is the permittee currently under enforcement for this facility?	
	□ Yes ⊠ No	
	Is the permittee required to meet an implementation schedule for compliance or enforcement?	
	□ Yes ⊠ No	
	<b>If yes</b> to either question, provide a brief summary of the enforcement, the implement schedule, and the current status:	ntation
(	Click to enter text.	

## Section 13. RCRA/CERCLA Wastes (Instructions Page 55)

### A. RCRA hazardous wastes

Has the facility received in the past three years, does it currently receive, or will it receive RCRA hazardous waste?

□ Yes ⊠ No

### B. Remediation activity wastewater

Has the facility received in the past three years, does it currently receive, or will it receive CERCLA wastewater, RCRA remediation/corrective action wastewater or other remediation activity wastewater?

Yes	$\square$	No

### C. Details about wastes received

**If yes** to either Subsection A or B above, provide detailed information concerning these wastes with the application.

Attachment: Click to enter text.

## Section 14. Laboratory Accreditation (Instructions Page 55)

All laboratory tests performed must meet the requirements of *30 TAC Chapter 25*, *Environmental Testing Laboratory Accreditation and Certification*, which includes the following general exemptions from National Environmental Laboratory Accreditation Program (NELAP) certification requirements:

- The laboratory is an in-house laboratory and is:
  - o periodically inspected by the TCEQ; or
  - o located in another state and is accredited or inspected by that state; or
  - o performing work for another company with a unit located in the same site; or
  - performing pro bono work for a governmental agency or charitable organization.
- The laboratory is accredited under federal law.
- The data are needed for emergency-response activities, and a laboratory accredited under the Texas Laboratory Accreditation Program is not available.
- The laboratory supplies data for which the TCEQ does not offer accreditation.

The applicant should review 30 TAC Chapter 25 for specific requirements.

The following certification statement shall be signed and submitted with every application. See the Signature Page section in the Instructions, for a list of designated representatives who may sign the certification.

#### **CERTIFICATION:**

I certify that all laboratory tests submitted with this application meet the requirements of 30 TAC Chapter 25, Environmental Testing Laboratory Accreditation and Certification.

Printed Name: Margaret Davis

Title: Mayor

Date: 9/25/2025

# DOMESTIC WASTEWATER PERMIT APPLICATION TECHNICAL REPORT 1.1

The following information is required for new and amendment major applications.

## Section 1. Justification for Permit (Instructions Page 56)

	TC'	·		
А	<b>Justification</b>	OΤ	nermit	neea
4 X.	Justification	O.	PCITIE	IICCu

B.

Provide a detailed discussion regarding the need for any phase(s) not currently permitted.
Failure to provide sufficient justification may result in the Executive Director
recommending denial of the proposed phase(s) or permit.

Click to enter text.
Regionalization of facilities
For additional guidance, please review <u>TCEO's Regionalization Policy for Wastewater Treatment</u> <sup>1</sup> .
Provide the following information concerning the potential for regionalization of domestic wastewater treatment facilities:
1. Municipally incorporated areas
If the applicant is a city, then Item $1$ is not applicable. Proceed to Item $2$ Utility CCN areas.
Is any portion of the proposed service area located in an incorporated city?
□ Yes □ No □ Not Applicable
If yes, within the city limits of: <u>Click to enter text.</u>
If yes, attach correspondence from the city.
Attachment: Click to enter text.
If consent to provide service is available from the city, attach a justification for the proposed facility and a cost analysis of expenditures that includes the cost of connecting to the city versus the cost of the proposed facility or expansion attached.
Attachment: Click to enter text.
2. Utility CCN areas
Is any portion of the proposed service area located inside another utility's CCN area?
□ Yes □ No

<sup>&</sup>lt;sup>1</sup> https://www.tceq.texas.gov/permitting/wastewater/tceq-regionalization-for-wastewater

If yes, attach a justification for the proposed facility and a cost analysis of expenditures that includes the cost of connecting to the CCN facilities versus the cost of the proposed facility or expansion.
Attachment: Click to enter text.
3. Nearby WWTPs or collection systems
Are there any domestic permitted wastewater treatment facilities or collection systems located within a three-mile radius of the proposed facility?
□ Yes □ No
If yes, attach a list of these facilities and collection systems that includes each permittee's name and permit number, and an area map showing the location of these facilities and collection systems.
Attachment: Click to enter text.
<b>If yes</b> , attach proof of mailing a request for service to each facility and collection system, the letters requesting service, and correspondence from each facility and collection system.
Attachment: Click to enter text.
If the facility or collection system agrees to provide service, attach a justification for the proposed facility and a cost analysis of expenditures that includes the cost of connecting to the facility or collection system versus the cost of the proposed facility or expansion.
Attachment: Click to enter text.
Section 2. Proposed Organic Loading (Instructions Page 58)
Section 2. Proposed Organic Loading (Instructions Page 58) Is this facility in operation?
Section 2. Proposed Organic Loading (Instructions Page 58)  Is this facility in operation?  Yes No
Section 2. Proposed Organic Loading (Instructions Page 58)  Is this facility in operation?  Yes No  If no, proceed to Item B, Proposed Organic Loading.
Section 2. Proposed Organic Loading (Instructions Page 58)  Is this facility in operation?  Yes No  If no, proceed to Item B, Proposed Organic Loading.  If yes, provide organic loading information in Item A, Current Organic Loading
Section 2. Proposed Organic Loading (Instructions Page 58)  Is this facility in operation?  Yes No  If no, proceed to Item B, Proposed Organic Loading.  If yes, provide organic loading information in Item A, Current Organic Loading  A. Current organic loading
Section 2. Proposed Organic Loading (Instructions Page 58)  Is this facility in operation?  Yes No  If no, proceed to Item B, Proposed Organic Loading.  If yes, provide organic loading information in Item A, Current Organic Loading
Section 2. Proposed Organic Loading (Instructions Page 58)  Is this facility in operation?  Yes No  If no, proceed to Item B, Proposed Organic Loading.  If yes, provide organic loading information in Item A, Current Organic Loading  A. Current organic loading
Section 2. Proposed Organic Loading (Instructions Page 58)  Is this facility in operation?  Yes No  If no, proceed to Item B, Proposed Organic Loading.  If yes, provide organic loading information in Item A, Current Organic Loading  A. Current organic loading  Facility Design Flow (flow being requested in application): Click to enter text.
Section 2. Proposed Organic Loading (Instructions Page 58)  Is this facility in operation?  Yes No  If no, proceed to Item B, Proposed Organic Loading.  If yes, provide organic loading information in Item A, Current Organic Loading  A. Current organic loading  Facility Design Flow (flow being requested in application): Click to enter text.  Average Influent Organic Strength or BOD <sub>5</sub> Concentration in mg/l: Click to enter text.  Average Influent Loading (lbs/day = total average flow X average BOD <sub>5</sub> conc. X 8.34): Click
Section 2. Proposed Organic Loading (Instructions Page 58)  Is this facility in operation?  Yes No  If no, proceed to Item B, Proposed Organic Loading.  If yes, provide organic loading information in Item A, Current Organic Loading  A. Current organic loading  Facility Design Flow (flow being requested in application): Click to enter text.  Average Influent Organic Strength or BOD <sub>5</sub> Concentration in mg/l: Click to enter text.  Average Influent Loading (lbs/day = total average flow X average BOD <sub>5</sub> conc. X 8.34): Click to enter text.
Section 2. Proposed Organic Loading (Instructions Page 58)  Is this facility in operation?  Yes No  If no, proceed to Item B, Proposed Organic Loading.  If yes, provide organic loading information in Item A, Current Organic Loading  A. Current organic loading  Facility Design Flow (flow being requested in application): Click to enter text.  Average Influent Organic Strength or BOD <sub>5</sub> Concentration in mg/l: Click to enter text.  Average Influent Loading (lbs/day = total average flow X average BOD <sub>5</sub> conc. X 8.34): Click to enter text.  Provide the source of the average organic strength or BOD <sub>5</sub> concentration.
Section 2. Proposed Organic Loading (Instructions Page 58)  Is this facility in operation?  Yes No  If no, proceed to Item B, Proposed Organic Loading.  If yes, provide organic loading information in Item A, Current Organic Loading  A. Current organic loading  Facility Design Flow (flow being requested in application): Click to enter text.  Average Influent Organic Strength or BOD <sub>5</sub> Concentration in mg/l: Click to enter text.  Average Influent Loading (lbs/day = total average flow X average BOD <sub>5</sub> conc. X 8.34): Click to enter text.  Provide the source of the average organic strength or BOD <sub>5</sub> concentration.

#### B. Proposed organic loading

This table must be completed if this application is for a facility that is not in operation or if this application is to request an increased flow that will impact organic loading.

Table 1.1(1) - Design Organic Loading

Source	Total Average Flow (MGD)	Influent BOD5 Concentration (mg/l)
Municipality		
Subdivision		
Trailer park - transient		
Mobile home park		
School with cafeteria and showers		
School with cafeteria, no showers		
Recreational park, overnight use		
Recreational park, day use		
Office building or factory		
Motel		
Restaurant		
Hospital		
Nursing home		
Other		
TOTAL FLOW from all sources		
AVERAGE BOD <sub>5</sub> from all sources		

# Section 3. Proposed Effluent Quality and Disinfection (Instructions Page 58)

### A. Existing/Interim I Phase Design Effluent Quality

Biochemical Oxygen Demand (5-day), mg/l: Click to enter text.

Total Suspended Solids, mg/l: Click to enter text.

Ammonia Nitrogen, mg/l: Click to enter text.

Total Phosphorus, mg/l: Click to enter text.

Dissolved Oxygen, mg/l: Click to enter text.

Other: Click to enter text.

### B. Interim II Phase Design Effluent Quality

Biochemical Oxygen Demand (5-day), mg/l: Click to enter text.

Total Suspended Solids, mg/l: Click to enter text.

	Ammonia Nitrogen, mg/l: <u>Click to enter text.</u>
	Total Phosphorus, mg/l: Click to enter text.
	Dissolved Oxygen, mg/l: <u>Click to enter text.</u>
	Other: Click to enter text.
C.	Final Phase Design Effluent Quality
	Biochemical Oxygen Demand (5-day), mg/l: <u>Click to enter text.</u>
	Total Suspended Solids, mg/l: <u>Click to enter text.</u>
	Ammonia Nitrogen, mg/l: <u>Click to enter text.</u>
	Total Phosphorus, mg/l: <u>Click to enter text.</u>
	Dissolved Oxygen, mg/l: <u>Click to enter text.</u>
	Other: <u>Click to enter text.</u>
D.	Disinfection Method
	Identify the proposed method of disinfection.
	Chlorine: Click to enter text. mg/l after Click to enter text. minutes detention time at peak flow
	Dechlorination process: Click to enter text.
	☐ Ultraviolet Light: Click to enter text. seconds contact time at peak flow
	□ Other: Click to enter text.
Se	ection 4. Design Calculations (Instructions Page 58)
	tach design calculations and plant features for each proposed phase. Example 4 of the structions includes sample design calculations and plant features.
	Attachment: Click to enter text.
Sa	ection 5. Facility Site (Instructions Page 59)
50	ection 5. Tacinty 51tc (instructions rage 55)
A.	100-year floodplain
	Will the proposed facilities be located <u>above</u> the 100-year frequency flood level?
	□ Yes □ No
	<b>If no</b> , describe measures used to protect the facility during a flood event. Include a site map showing the location of the treatment plant within the 100-year frequency flood level. If applicable, provide the size and types of protective structures.
	Click to enter text.
	Provide the source(s) used to determine 100-year frequency flood plain.
	Click to enter text.

For a new or expansion of a facility, will a wetland or part of a wetland be filled?
□ Yes □ No
If yes, has the applicant applied for a US Corps of Engineers 404 Dredge and Fill Permit?
□ Yes □ No
If yes, provide the permit number: Click to enter text.
<b>If no,</b> provide the approximate date you anticipate submitting your application to the Corps: Click to enter text.
Wind rose
Attach a wind rose: <u>Click to enter text.</u>
ection 6. Permit Authorization for Sewage Sludge Disposal
(Instructions Page 59)
Beneficial use authorization
Are you requesting to include authorization to land apply sewage sludge for beneficial use on property located adjacent to the wastewater treatment facility under the wastewater permit?
□ Yes □ No
If yes, attach the completed <b>Application for Permit for Beneficial Land Use of Sewage Sludge (TCEQ Form No. 10451)</b> : <u>Click to enter text.</u>
Sludge processing authorization
Identify the sludge processing, storage or disposal options that will be conducted at the wastewater treatment facility:
□ Sludge Composting
☐ Marketing and Distribution of sludge
□ Sludge Surface Disposal or Sludge Monofill
If any of the above, sludge options are selected, attach the completed Domestic Wastewater Permit Application: Sewage Sludge Technical Report (TCEQ Form No. 10056): Click to enter text.

## Section 7. Sewage Sludge Solids Management Plan (Instructions Page 60)

Attach a solids management plan to the application.

Attachment: Click to enter text.

B.

B.

The sewage sludge solids management plan must contain the following information:

- Treatment units and processes dimensions and capacities
- Solids generated at 100, 75, 50, and 25 percent of design flow
- Mixed liquor suspended solids operating range at design and projected actual flow
- Quantity of solids to be removed and a schedule for solids removal
- Identification and ownership of the ultimate sludge disposal site
- For facultative lagoons, design life calculations, monitoring well locations and depths, and the ultimate disposal method for the sludge from the facultative lagoon

An example of a sewage sludge solids management plan has been included as Example 5 of the instructions.	

# DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 2.0: RECEIVING WATERS

The following information is required for all TPDES permit applications.

Section 1. Domestic Drinking Water Supply (Instructions Page 63)
Is there a surface water intake for domestic drinking water supply located within 5 miles downstream from the point or proposed point of discharge?
□ Yes □ No
If <b>no</b> , proceed it Section 2. <b>If yes</b> , provide the following:
Owner of the drinking water supply: <u>Click to enter text.</u>
Distance and direction to the intake: <u>Click to enter text.</u>
Attach a USGS map that identifies the location of the intake.
Attachment: Click to enter text.
Section 2. Discharge into Tidally Affected Waters (Instructions Page 63)
Does the facility discharge into tidally affected waters?
□ Yes □ No
If <b>no</b> , proceed to Section 3. <b>If yes</b> , complete the remainder of this section. If no, proceed to Section 3.
A. Receiving water outfall
Width of the receiving water at the outfall, in feet: Click to enter text.
B. Oyster waters
Are there oyster waters in the vicinity of the discharge?
□ Yes □ No
If yes, provide the distance and direction from outfall(s).
Click to enter text.
C. Sea grasses
Are there any sea grasses within the vicinity of the point of discharge?
□ Yes □ No
If yes, provide the distance and direction from the outfall(s).
Click to enter text.

J	Cuon	5. Classifica segments (instructions rage 03)
Is	the disc	harge directly into (or within 300 feet of) a classified segment?
	□ Ye	es 🗆 No
If ·	<b>yes</b> , this	s Worksheet is complete.
If :	<b>no</b> , com	plete Sections 4 and 5 of this Worksheet.
Se	ection	4. Description of Immediate Receiving Waters (Instructions
	ction	Page 63)
Na	me of t	he immediate receiving waters: <u>Click to enter text.</u>
A.	Receiv	ing water type
	Identif	y the appropriate description of the receiving waters.
		Stream
		Freshwater Swamp or Marsh
		Lake or Pond
		Surface area, in acres: Click to enter text.
		Average depth of the entire water body, in feet: Click to enter text.
		Average depth of water body within a 500-foot radius of discharge point, in feet: Click to enter text.
		Man-made Channel or Ditch
		Open Bay
		Tidal Stream, Bayou, or Marsh
		Other, specify: <u>Click to enter text.</u>
B.	Flow c	haracteristics
	existin	eam, man-made channel or ditch was checked above, provide the following. For g discharges, check one of the following that best characterizes the area upstream discharge. For new discharges, characterize the area downstream of the discharge one).
		Intermittent - dry for at least one week during most years
	□ mai	Intermittent with Perennial Pools - enduring pools with sufficient habitat to intain significant aquatic life uses
		Perennial - normally flowing
	Check dischar	the method used to characterize the area upstream (or downstream for new rgers).
		USGS flow records
		Historical observation by adjacent landowners
		Personal observation
		Other, specify: Click to enter text.

		names of all perennial streams ream of the discharge point.	s that joii	n the receiving water within three miles		
	Click t	o enter text.				
D.	Downs	tream characteristics				
		receiving water characteristics ( ge (e.g., natural or man-made d		ithin three miles downstream of the ds, reservoirs, etc.)?		
		Yes □ No				
		discuss how.				
	Click t	o enter text.				
E.	Normal	dry weather characteristics				
	Provide general observations of the water body during normal dry weather conditions.					
	Click t	o enter text.				
	Date and time of observation: Click to enter text.					
	Was the	e water body influenced by stor	mwater r	runoff during observations?		
		Yes □ No				
Se	ction	5. General Characteris Page 65)	stics of	the Waterbody (Instructions		
A.	Upstrea	am influences				
		nmediate receiving water upstr ced by any of the following? Ch		ne discharge or proposed discharge site at apply.		
		Oil field activities		Urban runoff		
		Upstream discharges		Agricultural runoff		
		Septic tanks		Other(s), specify: Click to enter text.		

C. Downstream perennial confluences

B.	Waterb	oody uses		
	Observ	ed or evidences of the following use	es. Cl	neck all that apply.
		Livestock watering		Contact recreation
		Irrigation withdrawal		Non-contact recreation
		Fishing		Navigation
		Domestic water supply		Industrial water supply
		Park activities		Other(s), specify: <u>Click to enter text.</u>
C.	Waterb	oody aesthetics		
		one of the following that best descri rounding area.	ibes	the aesthetics of the receiving water and
		Wilderness: outstanding natural be clarity exceptional	auty	; usually wooded or unpastured area; water
		Natural Area: trees and/or native v fields, pastures, dwellings); water		ation; some development evident (from ty discolored
		Common Setting: not offensive; desor turbid	velop	bed but uncluttered; water may be colored
		Offensive: stream does not enhance dumping areas; water discolored	e aes	thetics; cluttered; highly developed;

# DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 2.1: STREAM PHYSICAL CHARACTERISTICS

Required for new applications, major facilities, and applications adding an outfall.

Worksheet 2.1 is not required for discharges to intermittent streams or discharges directly to (or within 300 feet of) a classified segment.

Section 1. General Information (Instructions Page 65)
Date of study: Click to enter text. Time of study: Click to enter text.
Stream name: Click to enter text.
Location: Click to enter text.
Type of stream upstream of existing discharge or downstream of proposed discharge (check one).
$\square$ Perennial $\square$ Intermittent with perennial pools
Section 2. Data Collection (Instructions Page 65)
Number of stream bends that are well defined: Click to enter text.
Number of stream bends that are moderately defined: Click to enter text.
Number of stream bends that are poorly defined: <u>Click to enter text.</u>
Number of riffles: Click to enter text.
Evidence of flow fluctuations (check one):
□ Minor □ moderate □ severe
Indicate the observed stream uses and if there is evidence of flow fluctuations or channel obstruction/modification.
Click to enter text.

#### Stream transects

In the table below, provide the following information for each transect downstream of the existing or proposed discharges. Use a separate row for each transect.

Table 2.1(1) - Stream Transect Records

Stream type at transect	Transect location	Water surface	Stream depths (ft) at 4 to 10 points along each
Select riffle, run, glide, or pool. See Instructions, Definitions section.		width (ft)	transect from the channel bed to the water surface. Separate the measurements with commas.
Choose an item.			

## Section 3. Summarize Measurements (Instructions Page 65)

Streambed slope of entire reach, from USGS map in feet/feet: Click to enter text.

Approximate drainage area above the most downstream transect (from USGS map or county highway map, in square miles): Click to enter text.

Length of stream evaluated, in feet: Click to enter text.

Number of lateral transects made: Click to enter text.

Average stream width, in feet: <u>Click to enter text.</u>

Average stream depth, in feet: <u>Click to enter text.</u>

Average stream velocity, in feet/second: Click to enter text.

Instantaneous stream flow, in cubic feet/second: Click to enter text.

Indicate flow measurement method (type of meter, floating chip timed over a fixed distance, etc.): <u>Click to enter text.</u>

Size of pools (large, small, moderate, none): Click to enter text.

Maximum pool depth, in feet: Click to enter text.

## DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 3.0: LAND DISPOSAL OF EFFLUENT

The following is required for renewal, new, and amendment permit applications.

## Section 1. Type of Disposal System (Instructions Page 67)

Iden	tif	y the method of land disposal:		
	]	Surface application		Subsurface application
		Irrigation		Subsurface soils absorption
	]	Drip irrigation system		Subsurface area drip dispersal system
	]	Evaporation		Evapotranspiration beds
	]	Other (describe in detail): <u>Click</u>	to er	nter text.
		All applicants without authoriza complete and submit Worksheet		or proposing new/amended subsurface disposal

For existing authorizations, provide Registration Number: Click to enter text.

## Section 2. Land Application Site(s) (Instructions Page 67)

In table 3.0(1), provide the requested information for the land application sites. Include the agricultural or cover crop type (wheat, cotton, alfalfa, bermuda grass, native grasses, etc.), land use (golf course, hayland, pastureland, park, row crop, etc.), irrigation area, amount of effluent applied, and whether or not the public has access to the area. Specify the amount of land area and the amount of effluent that will be allotted to each agricultural or cover crop, if more than one crop will be used.

### Table 3.0(1) - Land Application Site Crops

Crop Type & Land Use	Irrigation Area (acres)	Effluent Application (GPD)	Public Access? Y/N
Alfalfa & Oats - Agricultural Land	98	110,000	N

# Section 3. Storage and Evaporation Lagoons/Ponds (Instructions Page 67)

### Table 3.0(2) - Storage and Evaporation Ponds

Pond Number	Surface Area (acres)	Storage Volume (acre-feet)	Dimensions	Liner Type
1		4.59		

licensed profess	ional engineer f	or each pond.	red, signed, and seale	d by a Texas
Attachment:	Click to enter to	ext.		
Section 4.	Flood and R	unoff Protectio	n (Instructions P	age 67)
		n the 100-year freq		
□ Yes ⊠	No	_	•	
		be protected from	inundation.	
Click to enter to		•		
Provide the sour	ce used to deter	mine the 100-year	frequency flood level:	
		d for the facility site.		
Provide a descripapplication site.	ption of tailwate	er controls and rain	fall run-on controls us	sed for the land
Dikes are used to	direct rainfall fro	om entering site as we	ell as controlling tailwate	er from exiting the site.

## Section 5. Annual Cropping Plan (Instructions Page 67)

Attach an Annual Cropping Plan which includes a discussion of each of the following items. If not applicable, provide a detailed explanation indicating why. **Attachment**:

- Soils map with crops
- Cool and warm season plant species
- Crop yield goals
- Crop growing season
- Crop nutrient requirements
- Additional fertilizer requirements
- Minimum/maximum harvest height (for grass crops)
- Supplemental watering requirements
- Crop salt tolerances
- Harvesting method/number of harvests
- Justification for not removing existing vegetation to be irrigated

## Section 6. Well and Map Information (Instructions Page 68)

Attach a USGS map with the following information shown and labeled. If not applicable, provide a detailed explanation indicating why. **Attachment**: <u>Click to enter text.</u>

- The boundaries of the land application site(s)
- Waste disposal or treatment facility site(s)
- On-site buildings
- Buffer zones
- Effluent storage and tailwater control facilities
- All water wells within 1-mile radius of the disposal site or property boundaries
- All springs and seeps onsite and within 500 feet of the property boundaries
- All surface waters in the state onsite and within 500 feet of the property boundaries
- All faults and sinkholes onsite and within 500 feet of the property

List and cross reference all water wells located within a half-mile radius of the disposal site or property boundaries shown on the USGS map in the following table. Attach additional pages as necessary to include all of the wells.

#### Table 3.0(3) - Water Well Data

Well ID	Well Use	Producing? Y/N	Open, cased, capped, or plugged?	Proposed Best Management Practice

If water quality data or well log information is available please include the information in an attachment listed by Well ID.

Attachment: Click to enter text.

## Section 7. Groundwater Quality (Instructions Page 68)

Attach a Groundwater Quality Technical Report which assesses the impact of the wastewater disposal system on groundwater. This report shall include an evaluation of the water wells (including the information in the well table provided in Item 6. above), the wastewater application rate, and pond liners. Indicate by a check mark that this report is provided.

Attachment: Click to enter text.
Are groundwater monitoring wells available onsite? $\square$ Yes $\boxtimes$ No
Do you plan to install ground water monitoring wells or lysimeters around the land application site? $\square$ Yes $\boxtimes$ No
If yes, provide the proposed location of the monitoring wells or lysimeters on a site map.
Attachment: Click to enter text.

## Section 8. Soil Map and Soil Analyses (Instructions Page 69)

### A. Soil map

Attach a USDA Soil Survey map that shows the area to be used for effluent disposal.

Attachment: T-3

### B. Soil analyses

Attach the laboratory results sheets from the soil analyses. **Note**: for renewal applications, the current annual soil analyses required by the permit are acceptable as long as the test date is less than one year prior to the submission of the application.

#### Attachment:

List all USDA designated soil series on the proposed land application site. Attach additional pages as necessary.

#### Table 3.0(4) - Soil Data

Soil Series	Depth from Surface	Permeability	Available Water Capacity	Curve Number

## Section 9. Effluent Monitoring Data (Instructions Page 70)

Is the facility in operation?

⊠ Yes □ No

**If no**, this section is not applicable and the worksheet is complete.

**If yes**, provide the effluent monitoring data for the parameters regulated in the existing permit. If a parameter is not regulated in the existing permit, enter N/A.

Table 3.0(5) - Effluent Monitoring Data

Date	30 Day Avg Flow MGD	BOD5 mg/l	TSS mg/l	рН	Chlorine Residual mg/l	Acres irrigated
5/2025	0.24	30.9		8.7		80
4/2025	0.26	73.3		8.1		80
3/2025	0.026					80
2/2025	0.024	91.7		9.6		80
1/2025	0.027	30.1		8.5		80
12/2024	0.017	35.2		9.4		80
11/2024	0.023	43.6		8.8		80
10/2024	0.024	35.1		8.32		80
9/2024	0.025	76.1		8.8		80
8/2024	0.031	43.1		8.8		80
7/2024	0.0099	83.0		88		80
6/2024	0.027	66.1		8.9		80
5/2024	0.0228	56.7		8.4		80
4/2024	0.0148	45		8.1		80
3/2024	0.0311	50.4		8.5		80
2/2024	0.0214	35.6		8.0		80
1/2024	0.0317	30.3		9.6		80
12/2023	0.0152	35.1		8.9		80
11/2023	0.0172	28.9		8.4		80
10/2023	0.0185	31.7		8.6		80
9/2023	0.0175	42.9		8.6		80
8/2023	0.0158	48.9		9.0		80
7/2023	0.0129	47.3		8.9		80
6/2023	0.0142	26.2		8.6		80

lick to enter text.		

## DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 3.1: SURFACE LAND DISPOSAL OF EFFLUENT

The following is required for new and major amendment permit applications. Renewal and minor amendment permit applications may be asked for this worksheet on a case by case basis.

## Section 1. Surface Disposal (Instructions Page 71)

Complete the item that applies for the method of disposal being used.

### A. Irrigation

Area under irrigation, in acres: Click to enter text.

Design application frequency:

hours/day Click to enter text. And days/week Click to enter text.

Land grade (slope):

average percent (%): Click to enter text.

maximum percent (%): Click to enter text.

Design application rate in acre-feet/acre/year: Click to enter text.

Design total nitrogen loading rate, in lbs N/acre/year: Click to enter text.

Soil conductivity (mmhos/cm): Click to enter text.

Method of application: Click to enter text.

Attach a separate engineering report with the water balance and storage volume calculations, method of application, irrigation efficiency, and nitrogen balance.

**Attachment:** Click to enter text.

#### **B.** Evaporation ponds

Daily average effluent flow into ponds, in gallons per day: Click to enter text.

Attach a separate engineering report with the water balance and storage volume calculations.

Attachment: Click to enter text.

#### C. Evapotranspiration beds

Number of beds: Click to enter text.

Area of bed(s), in acres: <u>Click to enter text.</u> Depth of bed(s), in feet: <u>Click to enter text.</u>

Void ratio of soil in the beds: Click to enter text.

Storage volume within the beds, in acre-feet: Click to enter text.

Attach a separate engineering report with the water balance and storage volume calculations, and a description of the lining.

**Attachment:** Click to enter text.

#### D. Overland flow

Slopes for application area, percent (%): Click to enter text.
Design application rate, in gpm/foot of slope width: Click to enter text.
Slope length, in feet: <u>Click to enter text.</u>
Design BOD <sub>5</sub> loading rate, in lbs BOD <sub>5</sub> /acre/day: <u>Click to enter text.</u>
Design application frequency:
hours/day: Click to enter text. And days/week: Click to enter text.
Attach a separate engineering report with the method of application and design requirements according to 30 TAC Chapter 217.
Attachment: Click to enter text.
Section 2. Edwards Aquifer (Instructions Page 72)
Is the facility subject to 30 TAC Chapter 213, Edwards Aquifer Rules?
□ Yes □ No
If <b>yes</b> , is the facility located on the Edwards Aquifer Recharge Zone?
□ Yes □ No
If yes, attach a geological report addressing potential recharge features.
Attachment: Click to enter text.

Area used for application, in acres: Click to enter text.

## DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 3.2: SURFACE LAND DISPOSAL OF EFFLUENT

The following **is required** for **new and major amendment** permit applications. Renewal and minor amendments applicants may be asked for the worksheet on a case by case basis.

NOTE: All applicants proposing new/amended subsurface disposal MUST complete and submit Worksheet 7.0. This worksheet applies to any subsurface disposal system that **does not meet** the definition of a subsurface area drip dispersal system as defined in 30 TAC Chapter 222, Subsurface Area Drip Dispersal System.

## Section 1. Subsurface Application (Instructions Page 73)

Identify the type of system:
□ Conventional Gravity Drainfield, Beds, or Trenches (new systems must be less than 5,000 GPD)
□ Low Pressure Dosing
☐ Other, specify: <u>Click to enter text.</u>
Application area, in acres: Click to enter text.
Area of drainfield, in square feet: Click to enter text.
Application rate, in gal/square foot/day: Click to enter text.
Depth to groundwater, in feet: Click to enter text.
Area of trench, in square feet: Click to enter text.
Dosing duration per area, in hours: <u>Click to enter text.</u>
Number of beds: Click to enter text.
Dosing amount per area, in inches/day: Click to enter text.
Infiltration rate, in inches/hour: Click to enter text.
Storage volume, in gallons: Click to enter text.
Area of bed(s), in square feet: Click to enter text.
Soil Classification: Click to enter text.
Attach a separate engineering report with the information required in 30 TAC § 309.20, excluding the requirements of § 309.20 b(3)(A) and (B) design analysis which may be asked for on a case by case basis. Include a description of the schedule of dosing basin rotation.
Attachment: Click to enter text.
Section 2. Edwards Aquifer (Instructions Page 73)
Is the subsurface system over the Edwards Aquifer Recharge Zone as mapped by TCEQ?
□ Yes □ No
Is the subsurface system over the Edwards Aquifer Transition Zone as mapped by TCEQ?
□ Yes □ No
<b>If yes to either question</b> , the subsurface system may be prohibited by 30 TAC §213.8. Please call the Municipal Permits Team, at 512-239-4671, to schedule a pre-application meeting.

## DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 3.3: SUBSURFACE AREA DRIP DISPERSAL (SADDS) LAND DISPOSAL OF EFFLUENT

The following **is required** for **new and major amendment** subsurface area drip dispersal system permit applications. Renewal and minor amendments applicants may be asked for the worksheet on a case by case basis.

NOTE: All applicants proposing new/amended subsurface disposal MUST complete and submit Worksheet 7.0. This worksheet applies to any subsurface disposal system that **meets** the definition of a subsurface area drip dispersal system as defined in 30 TAC Chapter 222, Subsurface Area Drip Dispersal System.

Se	ction 1. Administrative Information (Instructions Page 74)
A.	Provide the legal name of all corporations or other business entities managed, owned, or otherwise closely related to the owner of the treatment facility:
В.	<u>Click to enter text.</u> Is the owner of the land where the treatment facility is located the same as the owner of the treatment facility?
	□ Yes □ No
	If <b>no</b> , provide the legal name of all corporations or other business entities managed, owned, or otherwise closely related to the owner of the land where the treatment facility is located.
	Click to enter text.
C.	Owner of the subsurface area drip dispersal system: Click to enter text.
D.	Is the owner of the subsurface area drip dispersal system the same as the owner of the wastewater treatment facility or the site where the wastewater treatment facility is located?
	□ Yes □ No
	If <b>no</b> , identify the names of all corporations or other business entities managed, owned, or otherwise closely related to the entity identified in Item 1.C.
	Click to enter text.
Е.	Owner of the land where the subsurface area drip dispersal system is located: <u>Click to enter text.</u>
F.	Is the owner of the land where the subsurface area drip dispersal system is located the same as owner of the wastewater treatment facility, the site where the wastewater treatment facility is located, or the owner of the subsurface area drip dispersal system?
	□ Yes □ No
	If <b>no</b> , identify the name of all corporations or other business entities managed, owned, or otherwise closely related to the entity identified in item 1.E.
	Click to enter text.

## Section 2. Subsurface Area Drip Dispersal System (Instructions Page

#### 74)

Α.	<b>Type</b>	of sy	ystem
	<b>-</b> , P -	O = O	,

☐ Subsurface Drip Irrigation

☐ Surface Drip Irrigation

□ Other, specify: <u>Click to enter text</u>.

#### **B.** Irrigation operations

Application area, in acres: Click to enter text.

Infiltration Rate, in inches/hour: Click to enter text.

Average slope of the application area, percent (%): Click to enter text.

Maximum slope of the application area, percent (%): Click to enter text.

Storage volume, in gallons: Click to enter text.

Major soil series: Click to enter text.

Depth to groundwater, in feet: Click to enter text.

#### C. Application rate

Is the facility located **west** of the boundary shown in 30 TAC § 222.83 **and** also using a vegetative cover of non-native grasses over seeded with cool season grasses during the winter months (October-March)?

□ Yes □ No

**If yes**, then the facility may propose a hydraulic application rate not to exceed 0.1 gal/square foot/day.

Is the facility located **east** of the boundary shown in 30 TAC § 222.83 **or** in any part of the state when the vegetative cover is any crop other than non-native grasses?

□ Yes □ No

If **yes**, the facility must use the formula in 30 TAC §222.83 to calculate the maximum hydraulic application rate.

Do you plan to submit an alternative method to calculate the hydraulic application rate for approval by the executive director?

□ Yes □ No

Hydraulic application rate, in gal/square foot/day: Click to enter text.

Nitrogen application rate, in lbs/gal/day: Click to enter text.

#### D. Dosing information

Number of doses per day: Click to enter text.

Dosing duration per area, in hours: Click to enter text.

Rest period between doses, in hours: Click to enter text.

Dosing amount per area, in inches/day: Click to enter text.

Number of zones: Click to enter text.

Does the proposed subsurface drip irrigation system use tree vegetative cover as a crop?

	☐ Yes ☐ No  If <b>yes</b> , provide a vegetation survey by a certified arborist. Please call the Water Quality Assessment Team at (512) 239-4671 to schedule a pre-application meeting.  Attachment: Click to enter text.
Se	ection 3. Required Plans (Instructions Page 74)
A.	Recharge feature plan  Attach a Recharge Feature Plan with all information required in 30 TAC §222.79.  Attachment: Click to enter text.
В.	Soil evaluation Attach a Soil Evaluation with all information required in 30 TAC §222.73.  Attachment: Click to enter text.
C.	Site preparation plan  Attach a Site Preparation Plan with all information required in 30 TAC §222.75.  Attachment: Click to enter text.
D.	Soil sampling/testing  Attach soil sampling and testing that includes all information required in 30 TAC §222.157.  Attachment: Click to enter text.
Se	ection 4. Floodway Designation (Instructions Page 75)
	Site location  Is the existing/proposed land application site within a designated floodway?  ☐ Yes ☐ No
В.	Flood map Attach either the FEMA flood map or alternate information used to determine the floodway.  Attachment: Click to enter text.
Se	ection 5. Surface Waters in the State (Instructions Page 75)
A.	Buffer Map
	Attach a map showing appropriate buffers on surface waters in the state, water wells, and springs/seeps.
P	Attachment: Click to enter text.
В.	Buffer variance request  Do you plan to request a buffer variance from water wells or waters in the state?  Yes No

If yes, then attach the additional information required in 30 TAC  $\S$  222.81(c).

Attachment: Click to enter text.

A.	Is the	SADD	S loca	ated over the Edwards Aquifer Recharge Zone as mapped by TCEQ?
		Yes		No
B.	Is the	SADD	S loca	ated over the Edwards Aquifer Transition Zone as mapped by TCEQ?
		Yes		No
				stion, then the SADDS may be prohibited by 30 TAC §213.8. Please call as Team at 512-239-4671 to schedule a pre-application meeting.

# DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 4.0: POLLUTANT ANALYSIS REQUIREMENTS

The following **is required** for facilities with a permitted or proposed flow of **1.0 MGD or greater**, facilities with an approved **pretreatment** program, or facilities classified as a **major** facility. See instructions for further details.

This worksheet is not required minor amendments without renewal.

## Section 1. Toxic Pollutants (Instructions Page 76)

For pollutan	ts identified in T	able 4.0(1), ii	ndicate the t	type of san	ıple.
Grab □	Composite □				

Date and time sample(s) collected: Click to enter text.

#### Table 4.0(1) - Toxics Analysis

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Acrylonitrile				50
Aldrin				0.01
Aluminum				2.5
Anthracene				10
Antimony				5
Arsenic				0.5
Barium				3
Benzene				10
Benzidine				50
Benzo(a)anthracene				5
Benzo(a)pyrene				5
Bis(2-chloroethyl)ether				10
Bis(2-ethylhexyl)phthalate				10
Bromodichloromethane				10
Bromoform				10
Cadmium				1
Carbon Tetrachloride				2
Carbaryl				5
Chlordane*				0.2
Chlorobenzene				10
Chlorodibromomethane				10

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (μg/l)	Number of Samples	MAL (μg/l)
Chloroform				10
Chlorpyrifos				0.05
Chromium (Total)				3
Chromium (Tri) (*1)				N/A
Chromium (Hex)				3
Copper				2
Chrysene				5
p-Chloro-m-Cresol				10
4,6-Dinitro-o-Cresol				50
p-Cresol				10
Cyanide (*2)				10
4,4'- DDD				0.1
4,4'- DDE				0.1
4,4'- DDT				0.02
2,4-D				0.7
Demeton (O and S)				0.20
Diazinon				0.5/0.1
1,2-Dibromoethane				10
m-Dichlorobenzene				10
o-Dichlorobenzene				10
p-Dichlorobenzene				10
3,3'-Dichlorobenzidine				5
1,2-Dichloroethane				10
1,1-Dichloroethylene				10
Dichloromethane				20
1,2-Dichloropropane				10
1,3-Dichloropropene				10
Dicofol				1
Dieldrin				0.02
2,4-Dimethylphenol				10
Di-n-Butyl Phthalate				10
Diuron				0.09
Endosulfan I (alpha)				0.01
Endosulfan II (beta)				0.02

Pollutant	AVG Effluent Conc. (μg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Endosulfan Sulfate				0.1
Endrin				0.02
Epichlorohydrin				
Ethylbenzene				10
Ethylene Glycol				
Fluoride				500
Guthion				0.1
Heptachlor				0.01
Heptachlor Epoxide				0.01
Hexachlorobenzene				5
Hexachlorobutadiene				10
Hexachlorocyclohexane (alpha)				0.05
Hexachlorocyclohexane (beta)				0.05
gamma-Hexachlorocyclohexane				0.05
(Lindane)				
Hexachlorocyclopentadiene				10
Hexachloroethane				20
Hexachlorophene				10
4,4'-Isopropylidenediphenol				1
Lead				0.5
Malathion				0.1
Mercury				0.005
Methoxychlor				2
Methyl Ethyl Ketone				50
Methyl tert-butyl ether				
Mirex				0.02
Nickel				2
Nitrate-Nitrogen				100
Nitrobenzene				10
N-Nitrosodiethylamine				20
N-Nitroso-di-n-Butylamine				20
Nonylphenol				333
Parathion (ethyl)				0.1
Pentachlorobenzene				20

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Pentachlorophenol				5
Phenanthrene				10
Polychlorinated Biphenyls (PCB's) (*3)				0.2
Pyridine				20
Selenium				5
Silver				0.5
1,2,4,5-Tetrachlorobenzene				20
1,1,2,2-Tetrachloroethane				10
Tetrachloroethylene				10
Thallium				0.5
Toluene				10
Toxaphene				0.3
2,4,5-TP (Silvex)				0.3
Tributyltin (see instructions for explanation)				0.01
1,1,1-Trichloroethane				10
1,1,2-Trichloroethane				10
Trichloroethylene				10
2,4,5-Trichlorophenol				50
TTHM (Total Trihalomethanes)				10
Vinyl Chloride				10
Zinc				5

<sup>(\*1)</sup> Determined by subtracting hexavalent Cr from total Cr.

<sup>(\*2)</sup> Cyanide, amenable to chlorination or weak-acid dissociable.

<sup>(\*3)</sup> The sum of seven PCB congeners 1242, 1254, 1221, 1232, 1248, 1260, and 1016.

# **Section 2.** Priority Pollutants

For pollutan	ts identified in Tables 4.0(2)A-E, indicate type of sample.
Grab □	Composite □
Date and tin	ne sample(s) collected: <u>Click to enter text.</u>

#### Table 4.0(2)A - Metals, Cyanide, and Phenols

Pollutant	AVG Effluent	MAX Effluent	Number of Samples	MAL (μg/l)
	Conc. (µg/l)	Conc. (µg/l)	Sumples	(F-8/ -/
Antimony				5
Arsenic				0.5
Beryllium				0.5
Cadmium				1
Chromium (Total)				3
Chromium (Hex)				3
Chromium (Tri) (*1)				N/A
Copper				2
Lead				0.5
Mercury				0.005
Nickel				2
Selenium				5
Silver				0.5
Thallium				0.5
Zinc				5
Cyanide (*2)				10
Phenols, Total				10

<sup>(\*1)</sup> Determined by subtracting hexavalent Cr from total Cr.

<sup>(\*2)</sup> Cyanide, amenable to chlorination or weak-acid dissociable

# Table 4.0(2)B - Volatile Compounds

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Acrolein				50
Acrylonitrile				50
Benzene				10
Bromoform				10
Carbon Tetrachloride				2
Chlorobenzene				10
Chlorodibromomethane				10
Chloroethane				50
2-Chloroethylvinyl Ether				10
Chloroform				10
Dichlorobromomethane [Bromodichloromethane]				10
1,1-Dichloroethane				10
1,2-Dichloroethane				10
1,1-Dichloroethylene				10
1,2-Dichloropropane				10
1,3-Dichloropropylene				10
[1,3-Dichloropropene]				
1,2-Trans-Dichloroethylene				10
Ethylbenzene				10
Methyl Bromide				50
Methyl Chloride				50
Methylene Chloride				20
1,1,2,2-Tetrachloroethane				10
Tetrachloroethylene				10
Toluene				10
1,1,1-Trichloroethane				10
1,1,2-Trichloroethane				10
Trichloroethylene				10
Vinyl Chloride				10

# Table 4.0(2)C - Acid Compounds

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
2-Chlorophenol				10
2,4-Dichlorophenol				10
2,4-Dimethylphenol				10
4,6-Dinitro-o-Cresol				50
2,4-Dinitrophenol				50
2-Nitrophenol				20
4-Nitrophenol				50
P-Chloro-m-Cresol				10
Pentalchlorophenol				5
Phenol				10
2,4,6-Trichlorophenol				10

# Table 4.0(2)D - Base/Neutral Compounds

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Acenaphthene				10
Acenaphthylene				10
Anthracene				10
Benzidine				50
Benzo(a)Anthracene				5
Benzo(a)Pyrene				5
3,4-Benzofluoranthene				10
Benzo(ghi)Perylene				20
Benzo(k)Fluoranthene				5
Bis(2-Chloroethoxy)Methane				10
Bis(2-Chloroethyl)Ether				10
Bis(2-Chloroisopropyl)Ether				10
Bis(2-Ethylhexyl)Phthalate				10
4-Bromophenyl Phenyl Ether				10
Butyl benzyl Phthalate				10
2-Chloronaphthalene				10
4-Chlorophenyl phenyl ether				10
Chrysene				5
Dibenzo(a,h)Anthracene				5
1,2-(o)Dichlorobenzene				10
1,3-(m)Dichlorobenzene				10
1,4-(p)Dichlorobenzene				10
3,3-Dichlorobenzidine				5
Diethyl Phthalate				10
Dimethyl Phthalate				10
Di-n-Butyl Phthalate				10
2,4-Dinitrotoluene				10
2,6-Dinitrotoluene				10
Di-n-Octyl Phthalate				10
1,2-Diphenylhydrazine (as Azobenzene)				20
Fluoranthene				10
Fluorene				10

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Hexachlorobenzene				5
Hexachlorobutadiene				10
Hexachlorocyclo-pentadiene				10
Hexachloroethane				20
Indeno(1,2,3-cd)pyrene				5
Isophorone				10
Naphthalene				10
Nitrobenzene				10
N-Nitrosodimethylamine				50
N-Nitrosodi-n-Propylamine				20
N-Nitrosodiphenylamine				20
Phenanthrene				10
Pyrene				10
1,2,4-Trichlorobenzene				10

# Table 4.0(2)E - Pesticides

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Aldrin				0.01
alpha-BHC (Hexachlorocyclohexane)				0.05
beta-BHC (Hexachlorocyclohexane)				0.05
gamma-BHC (Hexachlorocyclohexane)				0.05
delta-BHC (Hexachlorocyclohexane)				0.05
Chlordane				0.2
4,4-DDT				0.02
4,4-DDE				0.1
4,4,-DDD				0.1
Dieldrin				0.02
Endosulfan I (alpha)				0.01
Endosulfan II (beta)				0.02
Endosulfan Sulfate				0.1
Endrin				0.02
Endrin Aldehyde				0.1
Heptachlor				0.01
Heptachlor Epoxide				0.01
PCB-1242				0.2
PCB-1254				0.2
PCB-1221				0.2
PCB-1232				0.2
PCB-1248				0.2
PCB-1260				0.2
PCB-1016				0.2
Toxaphene				0.3

<sup>\*</sup> For PCBS, if all are non-detects, enter the highest non-detect preceded by a "<".

## Dioxin/Furan Compounds Section 3. A. Indicate which of the following compounds from may be present in the influent from a contributing industrial user or significant industrial user. Check all that apply. 2,4,5-trichlorophenoxy acetic acid Common Name 2,4,5-T, CASRN 93-76-5 2-(2,4,5-trichlorophenoxy) propanoic acid Common Name Silvex or 2,4,5-TP, CASRN 93-72-1 2-(2,4,5-trichlorophenoxy) ethyl 2,2-dichloropropionate Common Name Erbon, CASRN 136-25-4 0,0-dimethyl 0-(2,4,5-trichlorophenyl) phosphorothioate Common Name Ronnel, CASRN 299-84-3 2,4,5-trichlorophenol Common Name TCP, CASRN 95-95-4 hexachlorophene Common Name HCP, CASRN 70-30-4 For each compound identified, provide a brief description of the conditions of its/their presence at the facility.

	Click to enter text.
В.	Do you know or have any reason to believe that 2,3,7,8 Tetrachlorodibenzo-P-Dioxin (TCDD) or any congeners of TCDD may be present in your effluent?
	□ Yes □ No
	If <b>yes</b> , provide a brief description of the conditions for its presence.
	Click to enter text.

C.	If any of the compounds in Subsection A <b>or</b> B are present, complete Table 4.0(2)F.
	For pollutants identified in Table 4.0(2)F, indicate the type of sample.
	Grab □ Composite □
	Date and time sample(s) collected: <u>Click to enter text.</u>

#### Table 4.0(2)F - Dioxin/Furan Compounds

Compound	Toxic Equivalenc y Factors	Wastewater Concentration (ppq)	Wastewater Equivalents (ppq)	Sludge Concentration (ppt)	Sludge Equivalents (ppt)	MAL (ppq)
2,3,7,8 TCDD	1					10
1,2,3,7,8 PeCDD	0.5					50
2,3,7,8 HxCDDs	0.1					50
1,2,3,4,6,7,8 HpCDD	0.01					50
2,3,7,8 TCDF	0.1					10
1,2,3,7,8 PeCDF	0.05					50
2,3,4,7,8 PeCDF	0.5					50
2,3,7,8 HxCDFs	0.1					50
2,3,4,7,8 HpCDFs	0.01					50
OCDD	0.0003					100
OCDF	0.0003					100
PCB 77	0.0001					0.5
PCB 81	0.0003					0.5
PCB 126	0.1					0.5
PCB 169	0.03					0.5
Total						

# DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 5.0: TOXICITY TESTING REQUIREMENTS

The following **is required** for facilities with a current operating design flow of **1.0 MGD or greater**, with an EPA-approved **pretreatment** program (or those required to have one under 40 CFR Part 403), or are required to perform Whole Effluent Toxicity testing. See Page 86 of the instructions for further details.

This worksheet is not required minor amendments without renewal.

#### **Section 1. Required Tests**

Indicate the number of 7-day chronic or 48-hour acute Whole Effluent Toxicity (WET) tests performed in the four and one-half years prior to submission of the application.

7-day Chronic: <u>Click to enter text.</u> 48-hour Acute: <u>Click to enter text.</u>

To flour reduce. <u>ener to ener texts</u>	
Section 2. Toxicity Reduction Evaluations (TREs)	
Has this facility completed a TRE in the past four and a half years? Or is the facility curr performing a TRE?	ently
□ Yes □ No	
If yes, describe the progress to date, if applicable, in identifying and confirming the toxi	icant.
Click to enter text.	

# **Section 3.** Summary of WET Tests

If the required biomonitoring test information has not been previously submitted via both the Discharge Monitoring Reports (DMRs) and the Table 1 (as found in the permit), provide a summary of the testing results for all valid and invalid tests performed over the past four and one-half years. Make additional copies of this table as needed.

#### Table 5.0(1) Summary of WET Tests

Test Date	Test Species	NOEC Survival	NOEC Sub-lethal

# DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 6.0: INDUSTRIAL WASTE CONTRIBUTION

The following is required for all publicly owned treatment works.

## **Section 1.** All POTWs (Instructions Page 87)

#### A. Industrial users (IUs)

Provide the number of each of the following types of industrial users (IUs) that discharge to your POTW and the daily flows from each user. See the Instructions for definitions of Categorical IUs, Significant IUs – non-categorical, and Other IUs.

If there are no users, enter 0 (zero).
Categorical IUs:
Number of IUs: <u>o</u>
Average Daily Flows, in MGD: Click to enter text.
Significant IUs - non-categorical:
Number of IUs: <u>o</u>
Average Daily Flows, in MGD: Click to enter text.
Other IUs:
Number of IUs: o

Average Daily Flows, in MGD: Click to enter text.

#### B. Treatment plant interference

In the past three years,	has your POTW	experienced	treatment	plant interfere	nce (see
instructions)?	-	_		_	

□ Yes ⊠ No

**If yes**, identify the dates, duration, description of interference, and probable cause(s) and possible source(s) of each interference event. Include the names of the IUs that may have caused the interference.

Click to enter text.		

#### C. Treatment plant pass through

	□ Yes ⊠ No						
	If yes, identify the dates, duration, a description of the pollutants passing through the treatment plant, and probable cause(s) and possible source(s) of each pass through event. Include the names of the IUs that may have caused pass through.						
	Click to enter text.						
D.	Pretreatment program						
	Does your POTW have an approved pretreatment program?						
	□ Yes ⊠ No						
	If yes, complete Section 2 only of this Worksheet.						
	Is your POTW required to develop an approved pretreatment program?						
	□ Yes ⊠ No						
	If yes, complete Section 2.c. and 2.d. only, and skip Section 3.						
	<b>If no to either question above</b> , skip Section 2 and complete Section 3 for each significant industrial user and categorical industrial user.						
Se	ction 2. POTWs with Approved Programs or Those Required to Develop a Program (Instructions Page 87)						
A.	Substantial modifications						
	Have there been any <b>substantial modifications</b> to the approved pretreatment program that have not been submitted to the TCEQ for approval according to 40 CFR §403.18?						
	□ Yes □ No						
	<b>If yes</b> , identify the modifications that have not been submitted to TCEQ, including the purpose of the modification.						
	Click to enter text.						

In the past three years, has your POTW experienced pass through (see instructions)?

**B.** Non-substantial modifications

	n any <b>non-substantial</b> ave not been submitte			
□ Yes □	No			
	all non-substantial mo urpose of the modifica		ive not been s	submitted to TCEQ,
Click to enter t	text.			
C. Effluent param	eters above the MAL			
monitoring dur	list all parameters me ing the last three year meters Above the MAL			
Pollutant	Concentration	MAL	Units	Date
D. Industrial user	interruptions			
Has any SIU, CI	U, or other IU caused or pass throughs) at you			
□ Yes □	No			
	the industry, describe s, and probable polluta		uding dates,	duration, description
Click to enter t	text.			

# Categorical Industrial User (CIU) (Instructions Page 88)

A.	General information
	Company Name: <u>N/A</u>
	SIC Code: Click to enter text.
	Contact name: Click to enter text.
	Address: Click to enter text.
	City, State, and Zip Code: <u>Click to enter text.</u>
	Telephone number: <u>Click to enter text.</u>
	Email address: Click to enter text.
B.	Process information
	Describe the industrial processes or other activities that affect or contribute to the SIU(s) or CIU(s) discharge (i.e., process and non-process wastewater).
	N <u>/A</u>
C.	Product and service information
C.	Product and service information  Provide a description of the principal product(s) or services performed.
C.	
C.	Provide a description of the principal product(s) or services performed.
C.	Provide a description of the principal product(s) or services performed.
C.	Provide a description of the principal product(s) or services performed.
C.	Provide a description of the principal product(s) or services performed.
C.	Provide a description of the principal product(s) or services performed.
	Provide a description of the principal product(s) or services performed.  N/A
	Provide a description of the principal product(s) or services performed.  N/A  Flow rate information
	Provide a description of the principal product(s) or services performed.  N/A  Flow rate information  See the Instructions for definitions of "process" and "non-process wastewater."
	Provide a description of the principal product(s) or services performed.  N/A  Flow rate information  See the Instructions for definitions of "process" and "non-process wastewater."  Process Wastewater:
	Provide a description of the principal product(s) or services performed.  N/A  Flow rate information  See the Instructions for definitions of "process" and "non-process wastewater."  Process Wastewater:  Discharge, in gallons/day: N/A
	Provide a description of the principal product(s) or services performed.  N/A  Flow rate information  See the Instructions for definitions of "process" and "non-process wastewater."  Process Wastewater:  Discharge, in gallons/day: N/A  Discharge Type:  Continuous  Batch  Intermittent
	Provide a description of the principal product(s) or services performed.  N/A  Flow rate information  See the Instructions for definitions of "process" and "non-process wastewater."  Process Wastewater:  Discharge, in gallons/day: N/A  Discharge Type:  Continuous  Batch  Intermittent  Non-Process Wastewater:
	Provide a description of the principal product(s) or services performed.  N/A  Flow rate information  See the Instructions for definitions of "process" and "non-process wastewater."  Process Wastewater:  Discharge, in gallons/day: N/A  Discharge Type:  Continuous  Batch  Intermittent

E. Pretreatment standards

Is the SIU or CIU subject to technically based local limits as defined in the instructions?  Yes  No
Is the SIU or CIU subject to categorical pretreatment standards found in 40 CFR Parts 405-471?
□ Yes □ No
<b>If subject to categorical pretreatment standards</b> , indicate the applicable category and subcategory for each categorical process.
Category: Subcategories: Click to enter text.
Click or tap here to enter text. Click to enter text.
Category: Click to enter text.
Subcategories: Click to enter text.
Category: Click to enter text.
Subcategories: Click to enter text.
Category: Click to enter text.
Subcategories: Click to enter text.
Category: Click to enter text.
Subcategories: Click to enter text.
Industrial user interruptions
Has the SIU or CIU caused or contributed to any problems (e.g., interferences, pass through, odors, corrosion, blockages) at your POTW in the past three years?
□ Yes □ No
<b>If yes</b> , identify the SIU, describe each episode, including dates, duration, description of problems, and probable pollutants.
Click to enter text.

F.

# **WORKSHEET 7.0**

#### TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

#### CLASS V INJECTION WELL INVENTORY/AUTHORIZATION FORM

Submit the completed form to:

TCEQ IUC Permits Team Radioactive Materials Division MC-233 PO Box 13087 Austin, Texas 78711-3087 512-239-6466

For TCEQ Use Only
Reg. No
Date Received
Date Authorized

## Section 1. General Information (Instructions Page 90)

1.	TCEQ Prog	gram Area
----	-----------	-----------

Program Area (PST, VCP, IHW, etc.): Click to enter text.

Program ID: <u>Click to enter text.</u>

Contact Name: Click to enter text.

Phone Number: Click to enter text.

#### 2. Agent/Consultant Contact Information

Contact Name: Click to enter text.

Address: Click to enter text.

City, State, and Zip Code: Click to enter text.

Phone Number: Click to enter text.

#### 3. Owner/Operator Contact Information

□ Owner □ Operator

Owner/Operator Name: Click to enter text.

Contact Name: Click to enter text.

Address: Click to enter text.

City, State, and Zip Code: Click to enter text.

Phone Number: Click to enter text.

#### 4. Facility Contact Information

Facility Name: Click to enter text.

Address: Click to enter text.

City, State, and Zip Code: Click to enter text.

Location description (if no address is available): Click to enter text.

Facility Contact Person: Click to enter text.

Phone Number: Click to enter text.

#### 5. Latitude and Longitude, in degrees-minutes-seconds

Latitude: Click to enter text.

	Longitude: Click to enter text.
	Method of determination (GPS, TOPO, etc.): Click to enter text.
	Attach topographic quadrangle map as attachment A.
6.	Well Information
	Type of Well Construction, select one:
	□ Vertical Injection
	□ Subsurface Fluid Distribution System
	□ Infiltration Gallery
	☐ Temporary Injection Points
	□ Other, Specify: <u>Click to enter text.</u>
	Number of Injection Wells: Click to enter text.
7.	Purpose
	Detailed Description regarding purpose of Injection System:
	Click to enter text.
	Attach a Site Map as Attachment B (Attach the Approved Remediation Plan, if appropriate.)
8.	Water Well Driller/Installer
	Water Well Driller/Installer Name: Click to enter text.
	City, State, and Zip Code: Click to enter text.
	Phone Number: Click to enter text.
	License Number: Click to enter text.

# Section 2. Proposed Down Hole Design

Attach a diagram signed and sealed by a licensed engineer as Attachment C.

Table 7.0(1) - Down Hole Design Table

Name of String	Size	Setting Depth	Sacks Cement/Grout - Slurry Volume - Top of Cement	Hole Size	Weight (lbs/ft) PVC/Steel
Casing					
Tubing					
Screen					

# Section 3. Proposed Trench System, Subsurface Fluid Distribution

#### System, or Infiltration Gallery

Attach a diagram signed and sealed by a licensed engineer as Attachment D.

System(s) Dimensions: <u>Click to enter text.</u> System(s) Construction: Click to enter text.

Section 4.	Site Hydrogeo	logical and Ir	niection Zone	Data
	Dite II, di ogeo.	Concar arrestr	TICCITOTE FOIL	. Data

- 1. Name of Contaminated Aguifer: Click to enter text.
- 2. Receiving Formation Name of Injection Zone: Click to enter text.
- 3. Well/Trench Total Depth: Click to enter text.
- **4.** Surface Elevation: Click to enter text.
- **5.** Depth to Ground Water: <u>Click to enter text.</u>
- **6.** Injection Zone Depth: <u>Click to enter text.</u>
- 7. Injection Zone vertically isolated geologically? ☐ Yes ☐ No Impervious Strata between Injection Zone and nearest Underground Source of Drinking Water:

Name: Click to enter text.

Thickness: Click to enter text.

- **8.** Provide a list of contaminants and the levels (ppm) in contaminated aquifer Attach as Attachment E.
- **9.** Horizontal and Vertical extent of contamination and injection plume Attach as Attachment F.
- **10.** Formation (Injection Zone) Water Chemistry (Background levels) TDS, etc. Attach as Attachment G.
- **11.** Injection Fluid Chemistry in PPM at point of injection Attach as Attachment H.
- 12. Lowest Known Depth of Ground Water with < 10,000 PPM TDS: Click to enter text.
- **13.** Maximum injection Rate/Volume/Pressure: <u>Click to enter text.</u>
- 14. Water wells within 1/4 mile radius (attach map as Attachment I): Click to enter text.
- 15. Injection wells within 1/4 mile radius (attach map as Attachment J): <u>Click to enter text.</u>
- **16.** Monitor wells within 1/4 mile radius (attach drillers logs and map as Attachment K): Click to enter text.
- 17. Sampling frequency: Click to enter text.
- **18.** Known hazardous components in injection fluid: <u>Click to enter text.</u>


#### Section 5. Site History

- **1.** Type of Facility: <u>Click to enter text.</u>
- 2. Contamination Dates: <u>Click to enter text.</u>
- 3. Original Contamination (VOCs, TPH, BTEX, etc.) and Concentrations (attach as Attachment L): Click to enter text.
- **4.** Previous Remediation (attach results of any previous remediation as attachment M): Click to enter text.

NOTE: Authorization Form should be completed in detail and authorization given by the TCEQ before construction, operation, and/or conversion can begin. Attach additional pages as necessary.

#### Class V Injection Well Designations

- 5A07 Heat Pump/AC return (IW used for groundwater to heat and/or cool buildings)
- 5A19 Industrial Cooling Water Return Flow (IW used to cool industrial process equipment)
- 5B22 Salt Water Intrusion Barrier (IW used to inject fluids to prevent the intrusion of salt water into an aquifer)
- 5D02 Storm Water Drainage (IW designed for the disposal of rain water)
- 5D04 Industrial Stormwater Drainage Wells (IW designed for the disposal of rain water associated with industrial facilities)
- 5F01 Agricultural Drainage (IW that receive agricultural runoff)
- 5R21 Aquifer Recharge (IW used to inject fluids to recharge an aquifer)
- 5S23 Subsidence Control Wells (IW used to control land subsidence caused by ground water withdrawal)
- 5W09 Untreated Sewage
- 5W10 Large Capacity Cesspools (Cesspools that are designed for 5,000 gpd or greater)
- 5W11 Large Capacity Septic systems (Septic systems designed for 5,000 gpd or greater)
- 5W12 WTTP disposal
- 5W20 Industrial Process Waste Disposal Wells
- 5W31 Septic System (Well Disposal method)
- 5W32 Septic System Drainfield Disposal
- 5X13 Mine Backfill (IW used to control subsidence, dispose of mining byproducts, and/or fill sections of a mine)
- 5X25 Experimental Wells (Pilot Test) (IW used to test new technologies or tracer dye studies)
- 5X26 Aguifer Remediation (IW used to clean up, treat, or prevent contamination of a USDW)
- 5X27 Other Wells
- 5X28 Motor Vehicle Waste Disposal Wells (IW used to dispose of waste from a motor vehicle site These are currently banned)
- 5X29 Abandoned Drinking Water Wells (waste disposal)



# SITE DRAWING





#### MAP LEGEND

â

00

Δ

Water Features

Transportation

---

Background

Spoil Area

Stony Spot

Wet Spot

Other

Rails

**US Routes** 

Major Roads

Local Roads

Very Stony Spot

Special Line Features

Streams and Canals

Interstate Highways

Aerial Photography

#### Area of Interest (AOI)

Area of Interest (AOI)

#### Soils

Soil Map Unit Polygons



Soil Map Unit Points

#### Special Point Features

(o) Blowout

Borrow Pit

Clay Spot

Closed Depression

Gravel Pit

Gravelly Spot

Landfill

Lava Flow

Marsh or swamp

Mine or Quarry

Miscellaneous Water

Perennial Water

Rock Outcrop

+ Saline Spot

Sandy Spot

Severely Eroded Spot

Sinkhole

Slide or Slip

Sodic Spot

# MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20.000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Briscoe County, Texas Survey Area Data: Version 21, Aug 30, 2024


Soil map units are labeled (as space allows) for map scales 1:50.000 or larger.


Date(s) aerial images were photographed: Nov 23, 2021—Dec 5, 2021


The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

# **Map Unit Legend**

	,		
Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
BeC	Berda loam, moist, 3 to 5 percent slopes	0.0	0.1%
PaA	Paloduro loam, moist, 0 to 1 percent slopes	13.5	80.9%
РаВ	Paloduro loam, moist, 1 to 3 percent slopes	3.2	19.0%
Totals for Area of Interest		16.7	100.0%









October 1, 2025

Texas Commission on Environmental Quality Applications Review and Processing Team (MC148 Building F, Room 2101 12100 Park 35 Circle Austin, Texas 78753

Re: City of Quitague Wastewater Treatment Plant Permit No. WQ0010727001

Applicant Name: City of Quitaque (CN600643449) Site Name: City of Quitaque WWTP (RN101918118) Type of Application: Renewal without changes

Dear Ms. Ellis:

Enclosed are the reponses to the email that you sent on Septemer 30<sup>th,</sup> 2025 for the City of Quitaque's Wastewater Treatment Plant, Permit No. WQ0010727001.

Please feel free to contact me if you have any questions.

Thank you,

Clint Green, Engineering Technician/Designer OJD Engineering, LLC clint.green@ojdengineering.com



1. Paper copy of the complete application: Please provide a hard copy (via mailing address) of the complete application, including technical report and attachments.

Mailing address: P.O. Box 13087 Austin, TX 78711

A hard copy has been mailed to the provided address.

2. Please use the attached Plain Language Summary (PLS) Template to provide a plain language summary in English. Please provide the **PLS in a Microsoft Word document** complete with customer name, facility name, location, type of facility and flow consistent with the application.

A copy of the attached Plain Language Summary (PLS) Template has been provided. Please see attached.

3. Section 8, item D on page 6 of the Administration Report: Thank you for providing the public viewing information for the City of Quitaque. However, we researched the public viewing location and found the address to differ from the application. The address is listed as, Quitaque City Hall, 105 North 1st Street, Quitaque, Texas. While you have provided, Quitaque City Hall 106 1st Street, Quitaque, Texas. Please confirm the correct public viewing location with response to this email.

The City of Quitaque was contacted to verify the correct address. The City Hall has moved in recent years from its previous location across the street at 105 North 1<sup>st</sup> Street to the new location of 106 North 1<sup>St</sup> Street.

4. The following is a portion of the NORI which contains information relevant to your application.

Please read it carefully and indicate if it contains any errors or omissions. The complete notice will be sent to you once the application is declared administratively complete.

**APPLICATION**. City of Quitaque, P.O. Box 427, Quitaque, Texas 79255, has applied to the Texas Commission on Environmental Quality (TCEQ) to renew Texas Land Application Permit (TLAP) No. WQ0010727001 to authorize the disposal of treated wastewater at a volume not to exceed a daily average flow of 60,000 gallons per day via irrigation of 80 acres of non-public access pasture land. The domestic wastewater treatment facility and disposal area are located approximately 4,500 feet east-northeast of the intersection of State Highway 86 and Farm-to-Market Road 1065 and 1,200 feet north of State Highway 86, east of

Wolfforth | Amarillo

ph: 806 352.7117



the city of Quitaque, near the city of Quitaque, in Briscoe County, Texas 79255. TCEQ received this application on September 25, 2025. The permit application will be available for viewing and copying at Quitaque City Hall, front desk, 105 North 1st Street, Quitaque, in Briscoe County, Texas prior to the date this notice is published in the newspaper. The application, including any updates, and associated notices are available electronically at the following webpage: https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tlap-applications. This link to an electronic map of the site or facility's general location is provided as a public courtesy and not part of the application or notice. For the exact location, refer to the application.

https://gisweb.tceq.texas.gov/LocationMapper/?marker=-101.047222,34.369722&level=18

Further information may also be obtained from City of Quitaque at the address stated above or by calling Mr. Randy Farley, City Manager, at 806-455-1456.

Please submit the complete response addressed to my attention by October 15, 2025. If you should have any questions, please do not hesitate to contact me by phone at (512) 239-4658 or by email at rachel.ellis@tceq.texas.gov.

The NORI has been reviewed and the only change that needs to be made is to the address. The viewing and copying address needs to be changed from 105 North 1st Street, Quitaque, in Briscoe County, Texas to 106 North 1st Street, Quitaque, in Briscoe County, Texas.

fax: 806 352.7188



#### TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

# SUMMARY OF APPLICATION IN PLAIN LANGUAGE FOR TPDES OR TLAP PERMIT APPLICATIONS

# Summary of Application (in plain language) Template and Instructions for Texas Pollutant Discharge Elimination System (TPDES) and Texas Land Application (TLAP) Permit Applications

Applicants should use this template to develop a plain language summary of your facility and application as required by Title 30, Texas Administrative Code (30 TAC), Chapter 39, Subchapter H. You may modify the template as necessary to accurately describe your facility as long as the summary includes the following information: (1) the function of the proposed plant or facility; (2) the expected output of the proposed plant or facility; (3) the expected pollutants that may be emitted or discharged by the proposed plant or facility; and (4) how you will control those pollutants, so that the proposed plant will not have an adverse impact on human health or the environment.

Fill in the highlighted areas below to describe your facility and application in plain language. Instructions and examples are provided below. Make any other edits necessary to improve readability or grammar and to comply with the rule requirements. After filling in the information for your facility delete these instructions.

If you are subject to the alternative language notice requirements in 30 TAC Section 39.426, you must provide a translated copy of the completed plain language summary in the appropriate alternative language as part of your application package. For your convenience, a Spanish template has been provided below.

# ENGLISH TEMPLATE FOR TPDES or TLAP NEW/RENEWAL/AMENDMENT APPLICATIONS Enter 'INDUSTRIAL' or 'DOMESTIC' here WASTEWATER/STORMWATER

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 TAC Chapter 39. The information provided in this summary may change during the technical review of the application and is not a federal enforceable representation of the permit application.

City of Quitaque (CN600643449) operates City of Quitaque WWTP (RN101918118), a domestic wastewater treatment plant. The facility is located at approximately 4,500 feet east-northeast of the intersection of State Highway 86 and Farm-to-Market Road 1065 and 1,200 feet north of State Highway 86, east of the city of Quitaque, near the city of Quitaque, in Briscoe County, Texas 79255, in Quitaque, Briscoe County, Texas 79255. to renew Texas Land Application Permit (TLAP) No. WQ0010727001 to authorize the disposal of treated wastewater at a volume not to exceed a daily average flow of 60,000 gallons per day via irrigation of 80 acres of non-public access pasture land.. << For TLAP applications include the following sentence, otherwise delete:>> This permit will not authorize a discharge of pollutants into water in the state.

Discharges from the facility are expected to contain CBOD<sub>5</sub>, TSS, Ammonia Nitrogen, Nitrate Nitrogen, Total Kjeldahl Nitorgen, Sulfate, Chloride, Total Phosphorus, pH, Dissolved Oxygen,

Chlorine Residual, E.coli, Electrical Conductivity, and Alkalinity. Domestic is treated by Texas Land Application (TLAP).

# PLANTILLA EN ESPAÑOL PARA SOLICITUDES NUEVAS/RENOVACIONES/ENMIENDAS DE TPDES o TLAP

#### AGUAS RESIDUALES Introduzca 'INDUSTRIALES' o 'DOMÉSTICAS' aquí /AGUAS PLUVIALES

El siguiente resumen se proporciona para esta solicitud de permiso de calidad del agua pendiente que está siendo revisada por la Comisión de Calidad Ambiental de Texas según lo requerido por el Capítulo 39 del Código Administrativo de Texas 30. La información proporcionada en este resumen puede cambiar durante la revisión técnica de la solicitud y no es una representación ejecutiva fedérale de la solicitud de permiso.

1. Introduzca el nombre del solicitante aquí (2. Introduzca el número de cliente aquí (es decir, CN6########).) 3. Elija del menú desplegable 4. Introduzca el nombre de la instalación aquí 5. Introduzca el número de entidad regulada aquí (es decir, RN1######), 6. Elija del menú desplegable 7. Introduzca la descripción de la instalación aquí. La instalación 8. Elija del menú desplegable. ubicada en 9. Introduzca la ubicación aquí, en 10. Introduzca el nombre de la ciudad aquí, Condado de 11. Introduzca el nombre del condado aquí, Texas 12. Introduzca el código postal aquí. 13. Introduzca el resumen de la petición de solicitud aquí. << Para las solicitudes de TLAP incluya la siguiente oración, de lo contrario, elimine:>> Este permiso no autorizará una descarga de contaminantes en el agua en el estado.

Se espera que las descargas de la instalación contengan 14. Liste todos los contaminantes esperados aquí. 15. Introduzca los tipos de aguas residuales descargadas aquí. 16. Elija del menú desplegable tratado por 17. Introduzca una descripción del tratamiento de aguas residuales utilizado en la instalación aquí.

#### **INSTRUCTIONS**

- 1. Enter the name of applicant in this section. The applicant name should match the name associated with the customer number.
- 2. Enter the Customer Number in this section. Each Individual or Organization is issued a unique 11-digit identification number called a CN (e.g. CN123456789).
- 3. Choose "operates" in this section for existing facility applications or choose "proposes to operate" for new facility applications.
- 4. Enter the name of the facility in this section. The facility name should match the name associated with the regulated entity number.
- 5. Enter the Regulated Entity number in this section. Each site location is issued a unique 11-digit identification number called an RN (e.g. RN123456789).
- 6. Choose the appropriate article (a or an) to complete the sentence.
- 7. Enter a description of the facility in this section. For example: steam electric generating facility, nitrogenous fertilizer manufacturing facility, etc.
- 8. Choose "is" for an existing facility or "will be" for a new facility.
- 9. Enter the location of the facility in this section.
- 10. Enter the City nearest the facility in this section.
- 11. Enter the County nearest the facility in this section.
- 12. Enter the zip code for the facility address in this section.
- 13. Enter a summary of the application request in this section. For example: renewal to discharge 25,000 gallons per day of treated domestic wastewater, new application to discharge process wastewater and stormwater on an intermittent and flow-variable basis, or major amendment to reduce monitoring frequency for pH, etc. If more than one outfall is included in the application, provide applicable information for each individual outfall.
- 14. List all pollutants expected in the discharge from this facility in this section. If applicable, refer to the pollutants from any federal numeric effluent limitations that apply to your facility.
- 15. Enter the discharge types from your facility in this section (e.g., stormwater, process wastewater, once through cooling water, etc.)
- 16. Choose the appropriate verb tense to complete the sentence.
- 17. Enter a description of the wastewater treatment used at your facility. Include a description of each process, starting with initial treatment and finishing with the outfall/point of disposal. Use additional lines for individual discharge types if necessary.

Questions or comments concerning this form may be directed to the Water Quality Division's Application Review and Processing Team by email at <a href="https://www.wq-arthu.org/wq-arthu.or

#### Example 1: Industrial Wastewater TPDES Application (ENGLISH)

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 TAC Chapter 39. The information provided in this summary may change during the technical review of the application and are not federal enforceable representations of the permit application.

ABC Corporation (CN600000000) operates the Starr Power Station (RN10000000000), a two-unit gas-fired electric generating facility. Unit 1 has a generating capacity of 393 megawatts (MWs) and Unit 2 has a generating capacity of 528 MWs. The facility is located at 1356 Starr Street, near the City of Austin, Travis County, Texas 78753.

This application is for a renewal to discharge 870,000,000 gallons per day of once through cooling water, auxiliary cooling water, and also authorizes the following waste streams monitored inside the facility (internal outfalls) before it is mixed with the other wastewaters authorized for discharge via main Outfall 001, referred to as "previously monitored effluents" (low-volume wastewater, metal-cleaning waste, and stormwater (from diked oil storage area yards and storm drains)) via Outfall 001. Low-volume waste sources, metal-cleaning waste, and stormwater drains on a continuous and flow-variable basis via internal Outfall 101.

The discharge of once through cooling water via Outfall 001 and low-volume waste and metal-cleaning waste via Outfall 101 from this facility is subject to federal effluent limitation guidelines at 40 CFR Part 423. The pollutants expected from these discharges based on 40 CFR Part 423 are: free available chlorine, total residual chlorine, total suspended solids, oil and grease, total iron, total copper, and pH. Temperature is also expected from these discharges. Additional potential pollutants are included in the Industrial Wastewater Application Technical Report, Worksheet 2.0.

Cooling water and boiler make-up water are supplied by Lake Starr Reservoir. The City of Austin municipal water plant (CN600000000, PWS 00000) supplies the facility's potable water and serves as an alternate source of boiler make-up water. Water from the Lake Starr Reservoir is withdrawn at the intake structure and treated with sodium hypochlorite to prevent biofouling and sodium bromide as a chlorine enhancer to improve efficacy and then passed through condensers and auxiliary equipment on a once-through basis to cool equipment and condense exhaust steam.

Low-volume wastewater from blowdown of boiler Units 1 and 2 and metal-cleaning wastes receive no treatment prior to discharge via Outfall 101. Plant floor and equipment drains and stormwater runoff from diked oil storage areas, yards, and storm drains are routed through an oil and water separator prior to discharge via Outfall 101. Domestic wastewater, blowdown, and backwash water from the service water filter, clarifier, and sand filter are routed to the Starr Creek Domestic Sewage Treatment Plant, TPDES Permit No. WQ0010000001, for treatment and disposal. Metal-cleaning waste from equipment cleaning is generally disposed of off-site.

#### **Example 2: Domestic Wastewater TPDES Renewal application**

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 Texas Administrative Code Chapter 39. The information provided in this summary may change during the technical review of the application and are not federal enforceable representations of the permit application.

The City of Texas (CN000000000) operates the City of Texas wastewater treatment plant (RN00000000), an activated sludge process plant operated in the complete mix mode. The facility is located at 123 Texas Street, near the City of More Texas, Texas County, Texas 71234.

This application is for a renewal to discharge at an annual average flow of 1,200,000 gallons per day of treated domestic wastewater via Outfalls 001 and 002.

Discharges from the facility are expected to contain five-day carbonaceous biochemical oxygen demand ( $CBOD_5$ ), total suspended solids (TSS), ammonia nitrogen ( $NH_3$ -N), and *Escherichia coli*. Additional potential pollutants are included in the Domestic Technical Report 1.0, Section 7. Pollutant Analysis of Treated Effluent and Domestic Worksheet 4.0 in the permit application package. Domestic wastewater is treated by an activated sludge process plant and the treatment units include a bar screen, a grit chamber, aeration basins, final clarifiers, sludge digesters, a belt filter press, chlorine contact chambers and a dechlorination chamber.

#### **Example 3: Domestic Wastewater TPDES New Application**

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 Texas Administrative Code Chapter 39. The information provided in this summary may change during the technical review of the application and are not federal enforceable representations of the permit application.

The City of Texas (CN000000000) proposes to operate the City of Texas wastewater treatment plant (RN00000000), an activated sludge process plant operated in the extended aeration mode. The facility will be located at 123 Texas Street, in the City of More Texas, Texas County, Texas 71234.

This application is for a new application to discharge at a daily average flow of 200,000 gallons per day of treated domestic wastewater.

Discharges from the facility are expected to contain five-day carbonaceous biochemical oxygen demand (CBOD<sub>5</sub>), total suspended solids (TSS), ammonia nitrogen (NH<sub>3</sub>-N), and *Escherichia coli*. Additional potential pollutants are included in the Domestic Technical Report 1.0, Section 7. Pollutant Analysis of Treated Effluent in the permit application package. Domestic wastewater will be treated by an activated sludge process plant and the treatment units will include a bar screen, a grit chamber, aeration basins, final clarifiers, sludge digesters, a belt filter press, chlorine contact chambers and a dechlorination chamber.

#### Example 4: Domestic Wastewater TLAP Renewal application

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 Texas Administrative Code Chapter 39. The information provided in this summary may change during the technical review of the application and are not federal enforceable representations of the permit application.

The City of Texas (CN000000000) operates the City of Texas wastewater treatment plant (RN00000000), an activated sludge process plant operated in the complete mix mode. The facility is located at 123 Texas Street, near the City of More Texas, Texas County, Texas 71234.

This application is for a renewal to dispose a daily average flow not to exceed 76,500 gallons per day of treated domestic wastewater via public access subsurface drip irrigation system with a minimum area of 32 acres. This permit will not authorize a discharge of pollutants into water in the state.

Land application of domestic wastewater from the facility are expected to contain five-day biochemical oxygen demand ( $BOD_5$ ), total suspended solids (TSS), and *Escherichia coli*. Additional potential pollutants are included in the Domestic Technical Report 1.0, Section 7. Pollutant Analysis of Treated Effluent in the permit application package. Domestic wastewater is treated by an activated sludge process plant and the treatment units include a bar screen, an equalization basin, an aeration basin, a final clarifier, an aerobic sludge digester, tertiary filters, and a chlorine contact chamber. In addition, the facility includes a temporary storage that equals to at least three days of the daily average flow.