

Administrative Package Cover Page

This file contains the following documents:

- 1. Summary of application (in plain language)
- 2. First Notice (NORI-Notice of Receipt of Application and Intent to Obtain a Permit)
- 3. Application Materials

TCEQ

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

PLAIN LANGUAGE SUMMARY FOR TPDES OR TLAP PERMIT APPLICATIONS

Plain Language Summary Template and Instructions for Texas Pollutant Discharge Elimination System (TPDES) and Texas Land Application (TLAP) Permit Applications

Applicants should use this template to develop a plain language summary as required by Title 30, Texas Administrative Code (30 TAC), Chapter 39, Subchapter H. Applicants may modify the template as necessary to accurately describe their facility as long as the summary includes the following information: (1) the function of the proposed plant or facility; (2) the expected output of the proposed plant or facility; (3) the expected pollutants that may be emitted or discharged by the proposed plant or facility; and (4) how the applicant will control those pollutants, so that the proposed plant will not have an adverse impact on human health or the environment.

Fill in the highlighted areas below to describe your facility and application in plain language. Instructions and examples are provided below. Make any other edits necessary to improve readability or grammar and to comply with the rule requirements.

If you are subject to the alternative language notice requirements in 30 TAC Section 39.426, you must provide a translated copy of the completed plain language summary in the appropriate alternative language as part of your application package. For your convenience, a Spanish template has been provided below.

ENGLISH TEMPLATE FOR TPDES or TLAP NEW/RENEWAL/AMENDMENT APPLICATIONS DOMESTIC WASTEWATER/STORMWATER

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 TAC Chapter 39. The information provided in this summary may change during the technical review of the application and is not a federal enforceable representation of the permit application.

Resort Ranch Lake Travis, Inc (CN 601048036) operates Resort Ranch WWTP (RN 101919082), a no-discharge domestic wastewater treatment facility. The existing permit authorizes disposal of 0.017 million gallons per day via surface irritation of 19.7-acres of non-public access grassland. The facility is located at 1300 Pace Bend Rd. N., in Spicewood, Travis County, Texas 78669. The application is a request for a renewal of the permit without modifications. This permit will not authorize a discharge of pollutants into water in the state.

Discharges from the facility are expected to contain nothing, as this is a no-discharge facility. Domestic wastewater is treated by an activated sludge process plant using the extended aeration mode. Treatment units include a bar screen, an aeration basin, a final clarifier, an aerobic digester, and a chlorine contact chamber.

TCEQ WWTP Renewal

Permit #: WQ0012958001

Resort Ranch of Lake Travis, Inc.



THE TONMENTAL OUNTER

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

DOMESTIC WASTEWATER PERMIT APPLICATION CHECKLIST

APPLICANT NAME: <u>F</u>	Resort Ranch	of Lake 7	<u>Γravis, Inc.</u>
--------------------------	--------------	-----------	---------------------

PERMIT NUMBER (If new, leave blank): WQ00 WQ0012958001

Indicate if each of the following items is included in your application.

	Y	N		Y	N
Administrative Report 1.0	\boxtimes		Original USGS Map		
Administrative Report 1.1		\boxtimes	Affected Landowners Map		\boxtimes
SPIF		\boxtimes	Landowner Disk or Labels		\boxtimes
Core Data Form		\boxtimes	Buffer Zone Map	\boxtimes	
Public Involvement Plan Form			Flow Diagram		
Technical Report 1.0	\boxtimes		Site Drawing		
Technical Report 1.1		\boxtimes	Original Photographs		\boxtimes
Worksheet 2.0		\boxtimes	Design Calculations		\boxtimes
Worksheet 2.1		\boxtimes	Solids Management Plan		\boxtimes
Worksheet 3.0	\boxtimes		Water Balance		\boxtimes
Worksheet 3.1		\boxtimes			
Worksheet 3.2		\boxtimes			
Worksheet 3.3		\boxtimes			
Worksheet 4.0		\boxtimes			
Worksheet 5.0		\boxtimes			
Worksheet 6.0		\boxtimes			
Worksheet 7.0		\boxtimes			

For TCEQ Use Only	
Segment Number	County
Expiration Date	Region
Permit Number	·

THE TON MENTAL OUR

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

DOMESTIC WASTEWATER PERMIT APPLICATION ADMINISTRATIVE REPORT 1.0

For any questions about this form, please contact the Applications Review and Processing Team at 512-239-4671.

Section 1. Application Fees (Instructions Page 26)

Indicate the amount submitted for the application fee (check only one).

Flow	New/Major Amendment	Renewal
< 0.05 MGD	\$350.00 □	\$315.00
≥0.05 but <0.10 MGD	\$550.00 □	\$515.00 □
≥0.10 but <0.25 MGD	\$850.00 □	\$815.00 □
≥0.25 but <0.50 MGD	\$1,250.00 □	\$1,215.00 □
≥0.50 but <1.0 MGD	\$1,650.00 □	\$1,615.00 □
≥1.0 MGD	\$2,050.00 □	\$2,015.00 □

Minor Amendment (for any flow) \$150.00 □

Payment	Inform	ation
----------------	--------	-------

Mailed Check/Money Order Number: Click to enter text.

Check/Money Order Amount: Click to enter text.

Name Printed on Check: Click to enter text.

EPAY Voucher Number: 730440 & 730441

Copy of Payment Voucher enclosed? Yes \boxtimes

Section 2. Type of Application (Instructions Page 26)

a.	Che	ck the box next to the appropriate authorization type.
		Publicly-Owned Domestic Wastewater

- Privately-Owned Domestic Wastewater
- ☐ Conventional Wastewater Treatment
- **b.** Check the box next to the appropriate facility status.
 - \boxtimes Active \square Inactive

c.	Chec	ck the box next to the appropriate permit type	2.	
		TPDES Permit		
	\boxtimes	TLAP		
		TPDES Permit with TLAP component		
		Subsurface Area Drip Dispersal System (SAD)	DS)	
d.	Chec	ck the box next to the appropriate application	typ	e
		New		
		Major Amendment <u>with</u> Renewal		Minor Amendment <u>with</u> Renewal
		Major Amendment <u>without</u> Renewal		Minor Amendment <u>without</u> Renewal
	\boxtimes	Renewal without changes		Minor Modification of permit
e.	For a	amendments or modifications, describe the p	ropo	sed changes: Click to enter text.
f.	For	existing permits:		
	Pern	nit Number: WQ00 <u>12958001</u>		
	EPA	I.D. (TPDES only): TX Click to enter text.		
	Expi	ration Date: <u>May 14, 2025</u>		
Se	ectio	n 3. Facility Owner (Applicant) a	nd	Co-Applicant Information
		(Instructions Page 26)		
A.	The	owner of the facility must apply for the per	mit.	
	Wha	t is the Legal Name of the entity (applicant) a	pply	ing for this permit?
	Reso	rt Ranch of Lake Travis, Inc.		
		legal name must be spelled exactly as filed will legal documents forming the entity.)	ith tì	he Texas Secretary of State, County, or i
		e applicant is currently a customer with the T may search for your CN on the TCEQ website		

CN: 601048036

What is the name and title of the person signing the application? The person must be an executive official meeting signatory requirements in 30 TAC § 305.44.

Last Name, First Name: Baker, Gary Prefix: Mr.

Credential: Click to enter text. Title: President

B. Co-applicant information. Complete this section only if another person or entity is required to apply as a co-permittee.

What is the Legal Name of the co-applicant applying for this permit?

Click to enter text.

(The legal name must be spelled exactly as filed with the TX SOS, with the County, or in the *legal documents forming the entity.)*

If the co-applicant is currently a customer with the TCEQ, what is the Customer Number (CN)? You may search for your CN on the TCEQ website at: http://www15.tceq.texas.gov/crpub/

CN: Click to enter text.

What is the name and title of the person signing the application? The person must be an executive official meeting signatory requirements in *30 TAC § 305.44*.

Prefix: Click to enter text. Last Name, First Name: Click to enter text.

Title: Click to enter text. Credential: Click to enter text.

Provide a brief description of the need for a co-permittee: Click to enter text.

C. Core Data Form

Complete the Core Data Form for each customer and include as an attachment. If the customer type selected on the Core Data Form is **Individual**, complete **Attachment 1** of Administrative Report 1.0. Click to enter text.

Section 4. Application Contact Information (Instructions Page 27)

This is the person(s) TCEQ will contact if additional information is needed about this application. Provide a contact for administrative questions and technical questions.

A. Prefix: Mr. Last Name, First Name: Baker, Gary

Title: <u>President</u> Credential: Click to enter text.

Organization Name: Resort Ranch of Lake Travis, Inc.

Mailing Address: 1300 Pace Bend Rd N City, State, Zip Code: Spicewood, TX 78669

Phone No.: 5122642533 E-mail Address: ResortRanch@gmail.com

Check one or both:

☐ Administrative Contact
☐ Technical Contact

B. Prefix: Mr. Last Name, First Name: Wilburn, Randall

Title: Attorney Credential: J.D, P.E.

Organization Name: Barton Benson Jones, PLLC

Mailing Address: 7000 N. MoPac Expwy #200 City, State, Zip Code: Austin, TX 78731

Phone No.: 5124318442

E-mail Address: rwilburn@bartonbensonjones.com

Check one or both: extstyle exts

Section 5. Permit Contact Information (Instructions Page 27)

Provide the names and contact information for two individuals that can be contacted throughout the permit term.

A. Prefix: Mr. Last Name, First Name: <u>Baker, Gary</u>

Title: <u>President</u> Credential: Click to enter text.

Organization Name: Resort Ranch of Lake Travis, Inc.

Mailing Address: 1300 Pace Bend Rd N City, State, Zip Code: Spicewood, TX 78669

Phone No.: 5122642533 E-mail Address: ResortRanch@gmail.com

B. Prefix: Mr. Last Name, First Name: Wilburn, Randall

Title: Attorney Credential: J.D., P.E.

Organization Name: Barton Benson Jones, PLLC

Mailing Address: 7000 N. MoPac Expwy #200 City, State, Zip Code: Austin, TX 78731

Phone No.: 5124318442

E-mail Address: rwilburn@bartonbensonjones.com

Section 6. Billing Contact Information (Instructions Page 27)

The permittee is responsible for paying the annual fee. The annual fee will be assessed to permits *in effect on September 1 of each year*. The TCEQ will send a bill to the address provided in this section. The permittee is responsible for terminating the permit when it is no longer needed (using form TCEQ-20029).

Prefix: Mr. Last Name, First Name: Baker, Gary

Title: President Credential: Click to enter text.

Organization Name: Resort Ranch of Lake Travis, Inc.

Mailing Address: 1300 Pace Bend Rd N City, State, Zip Code: Spicewood, TX 78669

Phone No.: 5122642533 E-mail Address: ResortRanch@gmail.com

Section 7. DMR/MER Contact Information (Instructions Page 27)

Provide the name and complete mailing address of the person delegated to receive and submit Discharge Monitoring Reports (DMR) (EPA 3320-1) or maintain Monthly Effluent Reports (MER).

Prefix: Mr. Last Name, First Name: Baker, Gary

Title: <u>President</u> Credential: Click to enter text.

Organization Name: Resort Ranch of Lake Travis, Inc.

Mailing Address: 1300 Pace Bend Rd. N City, State, Zip Code: Spicewood, TX 78669

Phone No.: 5122642533 E-mail Address: ResortRanch@gmail.com

Section 8. Public Notice Information (Instructions Page 27)

A. Individual Publishing the Notices

Prefix: Mr. Last Name, First Name: Baker, Gary

Title: President Credential: Click to enter text.

Organization Name: Resort Ranch of Lake Travis, Inc.

Mailing Address: 1300 Pace Bend Rd. N City, State, Zip Code: Spicewood, TX 78669

Phone No.: <u>5122642533</u> E-mail Address: <u>ResortRanch@gmail.com</u>

В.	Method for Receiving Notice of Receipt and Intent to Obtain a Water Quality Permit Package								
	Indicat	Indicate by a check mark the preferred method for receiving the first notice and instructions:							
	⊠ E-	mail Address							
	□ Fa	X							
	□ Re	gular Mail							
C.	Contac	t permit to be	listed	in the Notice	s				
	Prefix:	<u>Mr.</u>		Last Naı	ne, First Name: <u>Baker, Gary</u>				
	Title: P	<u>resident</u>		Credent	ial: Click to enter text.				
	Organi	zation Name: <u>F</u>	Resort F	Ranch of Lake T	ravis, Inc.				
	Mailing	Address: <u>1300</u>) Pace E	Bend Rd. N	City, State, Zip Code: Spicewood, TX 78669				
	Phone	No.: <u>512264253</u>	<u>3</u>	E-mail	Address: ResortRanch@gmail.com				
D.	Public	Viewing Infor	matior	1					
		acility or outfa must be provi		ated in more t	han one county, a public viewing place for each				
	Public	building name	: <u>Lake 1</u>	<u> Fravis Commun</u>	ity Library				
	Locatio	n within the b	uilding	g: <u>Public Notice</u>	<u>Desk</u>				
	Physica	al Address of E	Building	g: <u>1938 Lohmar</u>	ns Crossing Rd				
	City: A	<u>ustin</u>		Cour	nty: <u>Travis</u>				
	Contac	t (Last Name, I	First Na	ame): Click to	enter text.				
	Phone	No.: <u>512263288</u>	8 <u>5</u> Ext.:	Click to enter	text.				
E.	Bilingu	al Notice Req	uireme	ents					
		formation is r e c ation, and re	_		jor amendment, minor amendment or minor				
	be need		instru		d to determine if alternative language notices will lishing the alternative language notices will be in				
	Please call the bilingual/ESL coordinator at the nearest elementary and middle schools and obtain the following information to determine whether an alternative language notices are required.								
					red by the Texas Education Code at the elementary or proposed facility?				
		□ Yes	\boxtimes	No					
	If n belo		of an a	lternative lan	guage notice is not required; skip to Section 9				
		the students v lingual educat			e elementary school or the middle school enrolled in school?				

No

Yes

	3.	Do the locatio		s at thes	e schools	attend a	a bilingu	al educa	ation prog	gram a	t another
			Yes	\boxtimes	No						
	4.				quired to prement u					gram l	out the school has
			Yes		No						
	5.										tive language are enter text.
F.	Pla	in Lang	guage Su	mmary '	Template						
	Co	mplete	the Plain	Langua	ge Summa	ry (TCE	Q Form	20972) a	and inclu	de as a	ın attachment.
	At	tachme	nt: Click	to enter	text.						
G.	Pu	blic Inv	olveme	nt Plan F	orm						
	Co	mplete	the Publ	ic Involv						_	plication for a t.
	At	tachme	nt: <u>8.G.</u>								
Se	cti	on 9.	Regu Page		Entity a	nd Pe	rmitte	d Site	Inform	ation	(Instructions
A.	If t	the site	is currer	ıtly regul	lated by T	CEQ, pr	ovide th	e Regula	ated Entit	y Num	ber (RN) issued to
			RN 101919		_				,		
			e TCEQ's rently reg			t <u>http:/</u>	<u>/www15</u>	.tceq.tex	<u>kas.gov/ci</u>	rpub/	to determine if th
R			,	_	e name kn	own by	the com	munity	where lo	rated):	
ъ.		-	ch of Lak			own by	the con	miamey	where io	cutcu).	
C					: <u>Resort Ra</u>	anch of I	ako Trav	vis Inc			
C.			of Facil		Public		Private	_	Both	П	Federal
D		_			nent facili				БОШ	_	rederal
υ.			ck to ent			-		ame: Clie	ck to ente	r text	
			k to ente				: Click to				
					Ranch of L						
		_			Bend Rd N			te, Zip C	ode: Spice	ewood,	TX 78669
	Ph	one No.	: <u>5122642</u>	<u> 2533</u>	E-:	mail Ad	dress: <u>R</u>	esortRan	ch@gmail	.com	
	If t	the land	lowner is	not the	same per	son as t	he facili	ty owner	r or co-ap	plican	t, attach a lease
	ag	reemen	t or deed	recorde	d easeme	nt. See i	nstructi	ons.			
		Attach	ment: Cl	ick to en	iter text.						

F.

E.	Owner of effluent disposal site:	
	Prefix: Click to enter text.	Last Name, First Name: Click to enter text.
	Title: Click to enter text.	Credential: Click to enter text.
	Organization Name: Resort Ranch	of Lake Travis Inc.
	Mailing Address: 1300 Pace Bend	Rd N City, State, Zip Code: Spicewood, TX 78669
	Phone No.: <u>5122642533</u>	E-mail Address: ResortRanch@gmail.com
	If the landowner is not the same	person as the facility owner or co-applicant, attach a lease
	agreement or deed recorded ease	ement. See instructions.
	Attachment: Click to enter te	xt.
F.	Owner sewage sludge disposal significant property owned or controlled by	te (if authorization is requested for sludge disposal on the applicant)::
	Prefix: Click to enter text.	Last Name, First Name: Click to enter text.
	Title: Click to enter text.	Credential: Click to enter text.
	Organization Name: Click to ente	er text.
	Mailing Address: Click to enter to	ext. City, State, Zip Code: Click to enter text.
	Phone No.: Click to enter text.	E-mail Address: Click to enter text.
	If the landowner is not the same agreement or deed recorded ease	person as the facility owner or co-applicant, attach a lease ement. See instructions.
	Attachment: Click to enter te	xt.
Se	ction 10. TPDES Dischar	ge Information (Instructions Page 31)
		3
	Is the wastewater treatment facil	lity location in the existing permit accurate?
	Is the wastewater treatment facil	
	☐ Yes ☐ No If no, or a new permit application	
	□ Yes □ No	lity location in the existing permit accurate?
	☐ Yes ☐ No If no, or a new permit application	lity location in the existing permit accurate?
A.	☐ Yes ☐ No If no, or a new permit application Click to enter text.	lity location in the existing permit accurate?
A.	☐ Yes ☐ No If no, or a new permit application Click to enter text.	ity location in the existing permit accurate? on, please give an accurate description:
A.	☐ Yes ☐ No If no, or a new permit application Click to enter text. Are the point(s) of discharge and ☐ Yes ☐ No If no, or a new or amendment p	ity location in the existing permit accurate? on, please give an accurate description:
A.	Yes No If no, or a new permit application Click to enter text. Are the point(s) of discharge and Yes No If no, or a new or amendment proport of discharge and the discharge and the discharge and the second seco	ity location in the existing permit accurate? on, please give an accurate description: I the discharge route(s) in the existing permit correct? ermit application, provide an accurate description of the
A.	☐ Yes ☐ No If no, or a new permit application of the content text. Are the point(s) of discharge and fine of the content text. ☐ Yes ☐ No If no, or a new or amendment proport of discharge and the discharge are discharged and the discharge are discharged and the discharged are discharged are discharged are discharged and the discharged are discharged are discharged are discharged and the discharged are discharged are discharged are discharged and discharged are discharged	ity location in the existing permit accurate? on, please give an accurate description: I the discharge route(s) in the existing permit correct? ermit application, provide an accurate description of the arge route to the nearest classified segment as defined in 30
A.	☐ Yes ☐ No If no, or a new permit application Click to enter text. Are the point(s) of discharge and ☐ Yes ☐ No If no, or a new or amendment proport of discharge and the disched TAC Chapter 307: Click to enter text.	on, please give an accurate description: I the discharge route(s) in the existing permit correct? ermit application, provide an accurate description of the arge route to the nearest classified segment as defined in 30 to enter text.
А.	☐ Yes ☐ No If no, or a new permit application Click to enter text. Are the point(s) of discharge and ☐ Yes ☐ No If no, or a new or amendment proport of discharge and the	ity location in the existing permit accurate? on, please give an accurate description: I the discharge route(s) in the existing permit correct? ermit application, provide an accurate description of the arge route to the nearest classified segment as defined in 30 to enter text. s/are located: Click to enter text. discharge to a city, county, or state highway right-of-way, or

	If yes, indicate by a check mark if:
	\square Authorization granted \square Authorization pending
	For new and amendment applications, provide copies of letters that show proof of contact and the approval letter upon receipt.
	Attachment: Click to enter text.
D.	For all applications involving an average daily discharge of 5 MGD or more, provide the names of all counties located within 100 statute miles downstream of the point(s) of discharge: Click to enter text.
Se	ction 11. TLAP Disposal Information (Instructions Page 32)
	For TLAPs, is the location of the effluent disposal site in the existing permit accurate?
Α.	
	If no, or a new or amendment permit application , provide an accurate description of the disposal site location:
	Click to enter text.
B.	City nearest the disposal site: <u>Spicewood, TX</u>
C.	County in which the disposal site is located: <u>Travis</u>
D.	For TLAPs , describe the routing of effluent from the treatment facility to the disposal site:
	Underground piping.
E.	For TLAPs , please identify the nearest watercourse to the disposal site to which rainfall
	runoff might flow if not contained: <u>Dry Creek Bed; thence to Lake Travis</u>
	ction 12. Miscellaneous Information (Instructions Page 32)
Α.	Is the facility located on or does the treated effluent cross American Indian Land?
	□ Yes ⊠ No
B.	If the existing permit contains an onsite sludge disposal authorization, is the location of the sewage sludge disposal site in the existing permit accurate?
	□ Yes □ No ⊠ Not Applicable
	If No, or if a new onsite sludge disposal authorization is being requested in this permit application, provide an accurate location description of the sewage sludge disposal site.
	Click to enter text.

C.	Did any person formerly employed by the TCEQ represent your company and get paid for service regarding this application?
	□ Yes ⊠ No
	If yes, list each person formerly employed by the TCEQ who represented your company and was paid for service regarding the application: Click to enter text.
D.	Do you owe any fees to the TCEQ?
	□ Yes ⊠ No
	If yes , provide the following information:
	Account number: Click to enter text.
	Amount past due: Click to enter text.
E.	Do you owe any penalties to the TCEQ?
	□ Yes ⊠ No
	If yes , please provide the following information:
	Enforcement order number: Click to enter text.
	Amount past due: Click to enter text.
Se	ection 13. Attachments (Instructions Page 33)
	ection 13. Attachments (Instructions Page 33) dicate which attachments are included with the Administrative Report. Check all that apply:
In	dicate which attachments are included with the Administrative Report. Check all that apply: Lease agreement or deed recorded easement, if the land where the treatment facility is
In	dicate which attachments are included with the Administrative Report. Check all that apply: Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant.
In	Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant. Original full-size USGS Topographic Map with the following information: • Applicant's property boundary • Treatment facility boundary • Labeled point of discharge for each discharge point (TPDES only) • Highlighted discharge route for each discharge point (TPDES only) • Onsite sewage sludge disposal site (if applicable) • Effluent disposal site boundaries (TLAP only) • New and future construction (if applicable) • 1 mile radius information • 3 miles downstream information (TPDES only)
Ind □	Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant. Original full-size USGS Topographic Map with the following information: • Applicant's property boundary • Treatment facility boundary • Labeled point of discharge for each discharge point (TPDES only) • Highlighted discharge route for each discharge point (TPDES only) • Onsite sewage sludge disposal site (if applicable) • Effluent disposal site boundaries (TLAP only) • New and future construction (if applicable) • 1 mile radius information • 3 miles downstream information (TPDES only) • All ponds.

Section 14. Signature Page (Instructions Page 34)

If co-applicants are necessary, each entity must submit an original, separate signature page.

Permit Number: WQ0012958001

Applicant: Resort Ranch of Lake Travis, Inc.

Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

I further certify that I am authorized under 30 Texas Administrative Code § 305.44 to sign and submit this document, and can provide documentation in proof of such authorization upon request.

Date: 1//13/24

MARY GEPHART Notary Public

ID# 13161893-5

My Comm. Expires 6/25/2026 [SEAL]

or printed):	Gary A. Banker
	or printed):

Signatory title: President

oignature: 🔀	00	4	1
		.)	112
	(Use	blue	ink)

Subscribed	and Sworn to befo	re me by the s	said Clary	A Baker	
on this	13th	day of	November		20 24.

My commission expires on the 25th day of Jone

County, Texas

DOMESTIC WASTEWATER PERMIT APPLICATION **ADMINISTRATIVE REPORT 1.0**

The following information is required for new and amendment applications.

Section 1. Affected Landowner Information (Instructions Page 36)

Α.		cate by a check mark that the landowners map or drawing, with scale, includes the owing information, as applicable:
		The applicant's property boundaries
		The facility site boundaries within the applicant's property boundaries
		The distance the buffer zone falls into adjacent properties and the property boundaries of the landowners located within the buffer zone
		The property boundaries of all landowners surrounding the applicant's property (Note: if the application is a major amendment for a lignite mine, the map must include the property boundaries of all landowners adjacent to the new facility (ponds).)
		The point(s) of discharge and highlighted discharge route(s) clearly shown for one mile downstream
		The property boundaries of the landowners located on both sides of the discharge route for one full stream mile downstream of the point of discharge
		The property boundaries of the landowners along the watercourse for a one-half mile radius from the point of discharge if the point of discharge is into a lake, bay, estuary, or affected by tides
		The boundaries of the effluent disposal site (for example, irrigation area or subsurface drainfield site) and all evaporation/holding ponds within the applicant's property
		The property boundaries of all landowners surrounding the effluent disposal site
		The boundaries of the sludge land application site (for land application of sewage sludge for beneficial use) and the property boundaries of landowners surrounding the applicant's property boundaries where the sewage sludge land application site is located
		The property boundaries of landowners within one-half mile in all directions from the applicant's property boundaries where the sewage sludge disposal site (for example, sludge surface disposal site or sludge monofill) is located
В.	□ add	Indicate by a check mark that a separate list with the landowners' names and mailing resses cross-referenced to the landowner's map has been provided.
C.	Indi	cate by a check mark in which format the landowners list is submitted:
		☐ USB Drive ☐ Four sets of labels
D.	Prov	vide the source of the landowners' names and mailing addresses: Click to enter text.
Е.		required by $Texas\ Water\ Code\ \S\ 5.115$, is any permanent school fund land affected by application?
	[□ Yes □ No

	If yes , land(s	provide the location and foreseeable impacts and effects this application has on the):
	Click	to enter text.
•		
	ction	<u> </u>
		riginal ground level photographs. Indicate with checkmarks that the following on is provided.
		t least one original photograph of the new or expanded treatment unit location
	d a e	t least two photographs of the existing/proposed point of discharge and as much area lownstream (photo 1) and upstream (photo 2) as can be captured. If the discharge is to n open water body (e.g., lake, bay), the point of discharge should be in the right or left dge of each photograph showing the open water and with as much area on each espective side of the discharge as can be captured.
		t least one photograph of the existing/proposed effluent disposal site
	□ A	plot plan or map showing the location and direction of each photograph
So	ction	3. Buffer Zone Map (Instructions Page 38)
	Buffer inforn	zone map. Provide a buffer zone map on 8.5 x 11-inch paper with all of the following nation. The applicant's property line and the buffer zone line may be distinguished by dashes or symbols and appropriate labels.
	•	The applicant's property boundary; The required buffer zone; and Each treatment unit; and The distance from each treatment unit to the property boundaries.
В.		zone compliance method. Indicate how the buffer zone requirements will be met. all that apply.
		Ownership
		Restrictive easement
		Nuisance odor control
		Variance
C.		table site characteristics. Does the facility comply with the requirements regarding table site characteristic found in 30 TAC § 309.13(a) through (d)?
		Yes

DOMESTIC WASTEWATER PERMIT APPLICATION SUPPLEMENTAL PERMIT INFORMATION FORM (SPIF)

This form applies to TPDES permit applications only. Complete and attach the Supplemental Permit information Form (SPIF) (TCEQ Form 20971).

Attachment: Click to enter text.

DOMESTIC WASTEWATER PERMIT APPLICATION CHECKLIST OF COMMON DEFICIENCIES

Below is a list of common deficiencies found during the administrative review of domestic wastewater permit applications. To ensure the timely processing of this application, please review the items below and indicate by checking Yes that each item is complete and in accordance applicable rules at 30 TAC Chapters 21, 281, and 305. If an item is not required this application, indicate by checking N/A where appropriate. Please do not submit the application until the items below have been addressed.

application with the items below have been addressed.				
Core Data Form (TCEQ Form No. 10400) (Required for all application types. Must be completed in its entirety and signed. Note: Form may be signed by applicant representative.)				Yes
Correct and Current Industrial Wastewater Permit Application Form (TCEQ Form Nos. 10053 and 10054. Version dated 6/25/2018 or late				Yes
Water Quality Permit Payment Submittal Form (Page 19) (Original payment sent to TCEQ Revenue Section. See instructions for	ma	iling ad	⊠ dress	Yes
7.5 Minute USGS Quadrangle Topographic Map Attached (Full-size map if seeking "New" permit. 8 ½ x 11 acceptable for Renewals and Amendments)				Yes
Current/Non-Expired, Executed Lease Agreement or Easement	\boxtimes	N/A		Yes
Landowners Map (See instructions for landowner requirements)	\boxtimes	N/A		Yes
 Things to Know: All the items shown on the map must be labeled. The applicant's complete property boundaries must be de boundaries of contiguous property owned by the applicant. The applicant cannot be its own adjacent landowner. You landowners immediately adjacent to their property, regard from the actual facility. If the applicant's property is adjacent to a road, creek, or on the opposite side must be identified. Although the proapplicant's property boundary, they are considered potent of the adjacent road is a divided highway as identified on map, the applicant does not have to identify the landowned the highway. 	it. mus dless strea perti tially the U	t identi s of how am, the ies are i affecto JSGS to	fy the value of the second sec	e they are owners djacent to ndowners. aphic
Landowners Cross Reference List (See instructions for landowner requirements)	\boxtimes	N/A		Yes
Landowners Labels or USB Drive attached (See instructions for landowner requirements)	\boxtimes	N/A		Yes
Original signature per 30 TAC § 305.44 – Blue Ink Preferred (If signature page is not signed by an elected official or principle execution)	cutiv	e officei		Yes

a copy of signature authority/delegation letter must be attached)

Plain Language Summary

Yes

THE TONMENTAL OUT

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

DOMESTIC WASTEWATER PERMIT APPLICATION TECHNICAL REPORT 1.0

For any questions about this form, please contact the Domestic Wastewater Permitting Team at 512-239-4671.

The following information is required for all renewal, new, and amendment applications.

Section 1. Permitted or Proposed Flows (Instructions Page 43)

A. Existing/Interim I Phase

Design Flow (MGD): 0.017 MGD

2-Hr Peak Flow (MGD): <u>0.068 MGD</u>

Estimated construction start date:

Estimated waste disposal start date: Click to enter text.

B. Interim II Phase

Design Flow (MGD): Click to enter text.

2-Hr Peak Flow (MGD): Click to enter text.

Estimated construction start date: Click to enter text.

Estimated waste disposal start date: Click to enter text.

C. Final Phase

Design Flow (MGD): Click to enter text.

2-Hr Peak Flow (MGD): <u>Click to enter text.</u>

Estimated construction start date: Click to enter text.

Estimated waste disposal start date: Click to enter text.

D. Current Operating Phase

Provide the startup date of the facility: Click to enter text.

Section 2. Treatment Process (Instructions Page 43)

A. Current Operating Phase

Provide a detailed description of the treatment process. **Include the type of treatment plant, mode of operation, and all treatment units.** Start with the plant's head works and

finish with the point of discharge. Include all sludge processing and drying units. **If more than one phase exists or is proposed, a description of** *each phase* **must be provided**.

Activated sludge, extended aeration: raw sewage enters plant thru a bar screen into a 19,000 gallon aeration basin. It then enters the 84' surface area clarifier. Next the supernatant enters a 1,400 gallon chlorine contact/pump chamber. Treated effluent is disposed of in a lpd field. _Sludge goes into a 2500 gallon digester.

B. Treatment Units

In Table 1.0(1), provide the treatment unit type, the number of units, and dimensions (length, width, depth) of each treatment unit, accounting for *all* phases of operation.

Table 1.0(1) - Treatment Units

Treatment Unit Type	Number of Units	Dimensions (L x W x D)
Aeration Tank	1	11.5 x 12.0 x 18.8 ft.
Clarifier	1	9.2 x 12 x 9.2 ft.
Digester	1	11.5 x 12 x 2.4 ft.
Chlorine Contact Chmbr	1	3.5 x 5.9 x 9.2 ft.

C. Process Flow Diagram

Provide flow diagrams for the existing facilities and **each** proposed phase of construction.

Attachment: Click to enter text.

Section 3. Site Information and Drawing (Instructions Page 44)

Provide the TPDES discharge outfall latitude and longitude. Enter N/A if not applicable.

• Latitude: 30 deg 25 min 40 sec

• Longitude: 98 deg 03 min 03 sec

Provide the TLAP disposal site latitude and longitude. Enter N/A if not applicable.

• Latitude: 30 deg 25 min 40 sec

• Longitude: 98 deg 03 min 03 sec

Provide a site drawing for the facility that shows the following:

- The boundaries of the treatment facility;
- The boundaries of the area served by the treatment facility;
- If land disposal of effluent, the boundaries of the disposal site and all storage/holding ponds; and
- If sludge disposal is authorized in the permit, the boundaries of the land application or disposal site.

Attachment: Click to enter text.

Provide the name and a des	scription of the area	a served by the treatmen	t facility.
2 <u>36 acres located at 1300 N. I</u> Ranch	Pace Bend Rd., Spice	wood, TX, more commonly	referred to as Resort
Collection System Informati each uniquely owned collect satellite collection systems. examples.	ction system, existi	ng and new, served by th	nis facility, including
Collection System Informatio	on		
Collection System Name	Owner Name	Owner Type	Population Served
		Choose an item.	
If yes, does the existing per years of being authorized b ☑ Yes ☑ No If yes, provide a detailed di Failure to provide sufficier recommending denial of the	oy the TCEQ? scussion regarding nt justification may	the continued need for tyresult in the Executive	the unbuilt phase.
Click to enter text.			
Section 5. Closure I	Plans (Instructi	ions Page 45)	
			l any unite ho takon
Have any treatment units be out of service in the next five		ivice permanently, of wh	ii any units de taken

TCEQ-10054 (04/02/2024) Domestic Wastewater Permit Application Technical Report

Yes ⊠

No

If yes, was a closure plan submitted to the TCEQ?

	□ Yes □ No
If y	ves, provide a brief description of the closure and the date of plan approval.
	ick to enter text.
Se	ction 6. Permit Specific Requirements (Instructions Page 45)
	r applicants with an existing permit, check the Other Requirements or Special ovisions of the permit.
Α.	Summary transmittal
	Have plans and specifications been approved for the existing facilities and each proposed phase?
	□ Yes □ No
	If yes, provide the date(s) of approval for each phase: Click to enter text.
	Provide information, including dates, on any actions taken to meet a <i>requirement or provision</i> pertaining to the submission of a summary transmittal letter. Provide a copy of an approval letter from the TCEQ, if applicable .
	Most recent approval letter of the existing facility is dated 2/2/12 and attached hereto.
В.	Buffer zones
	Have the buffer zone requirements been met?
	⊠ Yes □ No
	Provide information below, including dates, on any actions taken to meet the conditions of the buffer zone. If available, provide any new documentation relevant to maintaining the buffer zones.
	Click to enter text.

	su	es the <i>Other Requirements</i> or <i>Special Provisions</i> section in the existing permit require bmission of any other information or other required actions? Examples include tification of Completion, progress reports, soil monitoring data, etc. Yes No
		yes, provide information below on the status of any actions taken to meet the additions of an <i>Other Requirement</i> or <i>Special Provision</i> .
	С	lick to enter text.
D.	Gr	it and grease treatment
	1.	Acceptance of grit and grease waste
		Does the facility have a grit and/or grease processing facility onsite that treats and decants or accepts transported loads of grit and grease waste that are discharged directly to the wastewater treatment plant prior to any treatment?
		□ Yes ⊠ No
		If No, stop here and continue with Subsection E. Stormwater Management.
	2.	Grit and grease processing
		Describe below how the grit and grease waste is treated at the facility. In your description, include how and where the grit and grease is introduced to the treatment works and how it is separated or processed. Provide a flow diagram showing how grit and grease is processed at the facility.
		Click to enter text.
	3.	Grit disposal
		Does the facility have a Municipal Solid Waste (MSW) registration or permit for grit disposal?
		□ Yes □ No
		If No , contact the TCEQ Municipal Solid Waste team at 512-239-2335. Note: A registration or permit is required for grit disposal. Grit shall not be combined with treatment plant sludge. See the instruction booklet for additional information on grit disposal requirements and restrictions.

C. Other actions required by the current permit

		Describe the method of grit disposal.
		Click to enter text.
	4.	Grease and decanted liquid disposal
		Note: A registration or permit is required for grease disposal. Grease shall not be combined with treatment plant sludge. For more information, contact the TCEQ Municipal Solid Waste team at 512-239-2335.
		Describe how the decant and grease are treated and disposed of after grit separation.
		Click to enter text.
E.	Sto	ormwater management
	1.	Applicability
		Does the facility have a design flow of 1.0 MGD or greater in any phase?
		□ Yes ⊠ No
		Does the facility have an approved pretreatment program, under 40 CFR Part 403?
		□ Yes ⊠ No
		If no to both of the above, then skip to Subsection F, Other Wastes Received.
	<i>2.</i>	MSGP coverage
		Is the stormwater runoff from the WWTP and dedicated lands for sewage disposal currently permitted under the TPDES Multi-Sector General Permit (MSGP), TXR050000?
		□ Yes □ No
		If yes , please provide MSGP Authorization Number and skip to Subsection F, Other Wastes Received:
		TXR05 Click to enter text. or TXRNE Click to enter text.
		If no, do you intend to seek coverage under TXR050000?
		□ Yes □ No
	3.	Conditional exclusion
		Alternatively, do you intend to apply for a conditional exclusion from permitting based TXR050000 (Multi Sector General Permit) Part II B.2 or TXR050000 (Multi Sector General Permit) Part V, Sector T 3(b)?
		□ Yes □ No

	If yes, please explain below then proceed to Subsection F, Other Wastes Received:					
	Click to enter text.					
4.	Existing coverage in individual permit					
	Is your stormwater discharge currently permitted through this individual TPDES or TLAP permit?					
	□ Yes □ No					
	If yes , provide a description of stormwater runoff management practices at the site that are authorized in the wastewater permit then skip to Subsection F, Other Wastes Received.					
	Click to enter text.					
5.	Zero stormwater discharge					
	Do you intend to have no discharge of stormwater via use of evaporation or other means?					
	□ Yes □ No					
	If yes, explain below then skip to Subsection F. Other Wastes Received.					
	Click to enter text.					
	Note: If there is a potential to discharge any stormwater to surface water in the state as the result of any storm event, then permit coverage is required under the MSGP or an					
	individual discharge permit. This requirement applies to all areas of facilities with treatment plants or systems that treat, store, recycle, or reclaim domestic sewage, wastewater or sewage sludge (including dedicated lands for sewage sludge disposal located within the onsite property boundaries) that meet the applicability criteria of above. You have the option of obtaining coverage under the MSGP for direct discharges, (recommended), or obtaining coverage under this individual permit.					
6.	Request for coverage in individual permit					
	Are you requesting coverage of stormwater discharges associated with your treatment plant under this individual permit?					
	□ Yes □ No					
	If yes , provide a description of stormwater runoff management practices at the site for which you are requesting authorization in this individual wastewater permit and describe whether you intend to comingle this discharge with your treated effluent or discharge it via a separate dedicated stormwater outfall. Please also indicate if you					

		intend to divert stormwater to the treatment plant headworks and indirectly discharge it to water in the state.
		Click to enter text.
		Note: Direct stormwater discharges to waters in the state authorized through this individual permit will require the development and implementation of a stormwater pollution prevention plan (SWPPP) and will be subject to additional monitoring and reporting requirements. Indirect discharges of stormwater via headworks recycling will require compliance with all individual permit requirements including 2-hour peak flow limitations. All stormwater discharge authorization requests will require additional information during the technical review of your application.
F.	Dis	scharges to the Lake Houston Watershed
	Do	es the facility discharge in the Lake Houston watershed?
		□ Yes ⊠ No
		ves, attach a Sewage Sludge Solids Management Plan. See Example 5 in the instructions. ck to enter text.
G.	Ot	her wastes received including sludge from other WWTPs and septic waste
	1.	Acceptance of sludge from other WWTPs
		Does or will the facility accept sludge from other treatment plants at the facility site?
		□ Yes ⊠ No
		If yes, attach sewage sludge solids management plan. See Example 5 of instructions.
		In addition, provide the date the plant started or is anticipated to start accepting sludge, an estimate of monthly sludge acceptance (gallons or millions of gallons), an
		estimate of the BOD_5 concentration of the sludge, and the design BOD_5 concentration of the influent from the collection system. Also note if this information has or has not changed since the last permit action.
		Click to enter text.
		Note: Permits that accept sludge from other wastewater treatment plants may be
		required to have influent flow and organic loading monitoring.
	2.	Acceptance of septic waste
		Is the facility accepting or will it accept septic waste?
		□ Yes ⊠ No
		If yes, does the facility have a Type V processing unit?
		□ Yes □ No
		If yes, does the unit have a Municipal Solid Waste permit?
		□ Yes □ No

If yes to any of the above, provide the date the plant started or is anticipated to start accepting septic waste, an estimate of monthly septic waste acceptance (gallons or millions of gallons), an estimate of the BOD₅ concentration of the septic waste, and the design BOD₅ concentration of the influent from the collection system. Also note if this information has or has not changed since the last permit action. Click to enter text. Note: Permits that accept sludge from other wastewater treatment plants may be required to have influent flow and organic loading monitoring. 3. Acceptance of other wastes (not including septic, grease, grit, or RCRA, CERCLA or as discharged by IUs listed in Worksheet 6) Is or will the facility accept wastes that are not domestic in nature excluding the categories listed above? \boxtimes Yes No If yes, provide the date that the plant started accepting the waste, an estimate how much waste is accepted on a monthly basis (gallons or millions of gallons), a description of the entities generating the waste, and any distinguishing chemical or other physical characteristic of the waste. Also note if this information has or has not changed since the last permit action. Click to enter text. Pollutant Analysis of Treated Effluent (Instructions Page 50)

Section 7.

Is	the	faci	lity	in	ope	erat	ion?
----	-----	------	------	----	-----	------	------

Yes □ No

If no, this section is not applicable. Proceed to Section 8.

If yes, provide effluent analysis data for the listed pollutants. *Wastewater treatment facilities* complete Table 1.0(2). *Water treatment facilities* discharging filter backwash water, complete Table 1.0(3). Provide copies of the laboratory results sheets. **These tables are not applicable for a minor amendment without renewal.** See the instructions for guidance.

Note: The sample date must be within 1 year of application submission.

Table 1.0(2) - Pollutant Analysis for Wastewater Treatment Facilities

Pollutant	Average Conc.	Max Conc.	No. of Samples	Sample Type	Sample Date/Time
CBOD ₅ , mg/l					
Total Suspended Solids, mg/l					
Ammonia Nitrogen, mg/l					
Nitrate Nitrogen, mg/l					
Total Kjeldahl Nitrogen, mg/l					
Sulfate, mg/l					
Chloride, mg/l					
Total Phosphorus, mg/l					
pH, standard units					
Dissolved Oxygen*, mg/l					
Chlorine Residual, mg/l					
<i>E.coli</i> (CFU/100ml) freshwater					
Entercocci (CFU/100ml) saltwater					
Total Dissolved Solids, mg/l					
Electrical Conductivity, µmohs/cm, †					
Oil & Grease, mg/l					
Alkalinity (CaCO ₃)*, mg/l					

^{*}TPDES permits only †TLAP permits only

Table 1.0(3) – Pollutant Analysis for Water Treatment Facilities

Pollutant	Average Conc.	Max Conc.	No. of Samples	Sample Type	Sample Date/Time
Total Suspended Solids, mg/l					
Total Dissolved Solids, mg/l					
pH, standard units					
Fluoride, mg/l					
Aluminum, mg/l					
Alkalinity (CaCO ₃), mg/l					

Section 8. Facility Operator (Instructions Page 50)

Facility Operator Name: Click to enter text.

Facility Operator's License Classification and Level: Click to enter text.

Facility Operator's License Number: Click to enter text.

Section 9. Sludge and Biosolids Management and Disposal (Instructions Page 51)

A.	WWTP's Biosolids Management Facility Type							
	Check all that apply. See instructions for guidance							
	□ Design flow>= 1 MGD							
		Serves >= 10,000 people						
		Class I Sludge Management Facility (per 40 CFR § 503.9)						
		Biosolids generator						
		Biosolids end user – land application (onsite)						
		Biosolids end user – surface disposal (onsite)						
		Biosolids end user - incinerator (onsite)						
B.	ww	TP's Biosolids Treatment Process						
	Che	ck all that apply. See instructions for guidance.						
		Aerobic Digestion						
		Air Drying (or sludge drying beds)						
		Lower Temperature Composting						
		Lime Stabilization						
		Higher Temperature Composting						
		Heat Drying						
		Thermophilic Aerobic Digestion						
		Beta Ray Irradiation						
		Gamma Ray Irradiation						
		Pasteurization						
		Preliminary Operation (e.g. grinding, de-gritting, blending)						
		Thickening (e.g. gravity thickening, centrifugation, filter press, vacuum filter)						
		Sludge Lagoon						
		Temporary Storage (< 2 years)						
		Long Term Storage (>= 2 years)						
		Methane or Biogas Recovery						
		Other Treatment Process: Click to enter text.						

C. Biosolids Management

Provide information on the *intended* biosolids management practice. Do not enter every management practice that you want authorized in the permit, as the permit will authorize

all biosolids management practices listed in the instructions. Rather indicate the management practice the facility plans to use.

Biosolids Management

Management Practice	Handler or Preparer Type	Bulk or Bag Container	Amount (dry metric tons)	Pathogen Reduction Options	Vector Attraction Reduction Option
Choose an item.	Choose an item.	Choose an item.		Choose an item.	Choose an item.
Choose an item.	Choose an item.	Choose an item.		Choose an item.	Choose an item.
Choose an item.	Choose an item.	Choose an item.		Choose an item.	Choose an item.

If "Other" is selected for Management Practice, please explain (e.g. monofill or transport to another WWTP): Click to enter text.

D.	Disposal	site
----	----------	------

Disposal site name: Click to enter text.

TCEQ permit or registration number: Click to enter text.

County where disposal site is located: Click to enter text.

E. Transportation method

Method of transportation (truck, train, pipe, other): Click to enter text.

Name of the hauler: Click to enter text.

Hauler registration number: Click to enter text.

Sludge is transported as a:

Section 10. Permit Authorization for Sewage Sludge Disposal (Instructions Page 53)

A. Beneficial use authorization

Does the existing permit include authorization	for land application	of sewage sludge for
beneficial use?		_

□ Yes ⊠ No

If yes, are you requesting to continue this authorization to land apply sewage sludge for beneficial use?

□ Yes □ No

If yes, is the completed Application for Permit for Beneficial Land Use of Sewage Sludge (TCEQ Form No. 10451) attached to this permit application (see the instructions for details)?

□ Yes □ No

Does the existing permit include authorization for storage or disposal options?	or any	of the	follow	ving sludge processing,
Sludge Composting		Yes	\boxtimes	No
Marketing and Distribution of sludge		Yes	\boxtimes	No
Sludge Surface Disposal or Sludge Monofill		Yes	\boxtimes	No
Temporary storage in sludge lagoons		Yes	\boxtimes	No
If yes to any of the above sludge options and the authorization, is the completed Domestic Waste Technical Report (TCEQ Form No. 10056) attack	water	Permit	Appl	ication: Sewage Sludge
165 1 NO				
Section 11. Sewage Sludge Lagoons (Ins	struc	tions	Page	2 53)
Does this facility include sewage sludge lagoons?				
□ Yes ⊠ No				
If yes, complete the remainder of this section. If no,	proce	ed to S	ection	12.
A. Location information				
The following maps are required to be submitted provide the Attachment Number.	l as pa	art of th	е арр	lication. For each map,
 Original General Highway (County) Map: 				
Attachment: Click to enter text.				
 USDA Natural Resources Conservation Ser 	vice S	oil Map	:	
Attachment: Click to enter text.				
 Federal Emergency Management Map: 				
Attachment: Click to enter text.				
• Site map:				
Attachment: Click to enter text.				
Discuss in a description if any of the following exapply.	xist w	ithin th	e lago	on area. Check all that
☐ Overlap a designated 100-year frequency	flood	l plain		
\square Soils with flooding classification				
☐ Overlap an unstable area				
□ Wetlands				
☐ Located less than 60 meters from a fault				
☐ None of the above				
Attachment: Click to enter text.				

B. Sludge processing authorization

	Click to enter text.					
	Temporary storage information					
	Provide the results for the pollutant screening of sludge lagoons. These results are in addition to pollutant results in <i>Section 7 of Technical Report 1.0.</i>					
	Nitrate Nitrogen, mg/kg: Click to enter text.					
	Total Kjeldahl Nitrogen, mg/kg: <u>Click to enter text.</u>					
	Total Nitrogen (=nitrate nitrogen + TKN), mg/kg: Click to enter text.					
	Phosphorus, mg/kg: Click to enter text.					
Potassium, mg/kg: <u>Click to enter text.</u> pH, standard units: <u>Click to enter text.</u> Ammonia Nitrogen mg/kg: <u>Click to enter text.</u>						
						Arsenic: Click to enter text.
						Cadmium: Click to enter text.
	Chromium: Click to enter text.					
	Copper: Click to enter text.					
	Lead: Click to enter text.					
	Mercury: Click to enter text.					
	Molybdenum: Click to enter text.					
	Nickel: Click to enter text.					
	Selenium: Click to enter text.					
	Zinc: Click to enter text.					
	Total PCBs: Click to enter text.					
	Provide the following information:					
	Volume and frequency of sludge to the lagoon(s): Click to enter text.					
	Total dry tons stored in the lagoons(s) per 365-day period: Click to enter text.					
	Total dry tons stored in the lagoons(s) over the life of the unit: Click to enter text.					

Does the active/proposed sludge lagoon(s) have a liner with a maximum hydraulic conductivity of $1x10^{-7}$ cm/sec?

Yes	No

	Click	to enter text.			
D.	Site d	evelopment plan			
	Provide a detailed description of the methods used to deposit sludge in the lagoon(s):				
	Click to enter text.				
	Attac	h the following documents to the application.			
	•	Plan view and cross-section of the sludge lagoon(s)			
		Attachment: Click to enter text.			
	•	Copy of the closure plan			
		Attachment: Click to enter text.			
	•	Copy of deed recordation for the site			
		Attachment: Click to enter text.			
	•	Size of the sludge lagoon(s) in surface acres and capacity in cubic feet and gallons			
		Attachment: Click to enter text.			
	•	Description of the method of controlling infiltration of groundwater and surface water from entering the site			
		Attachment: Click to enter text.			
	•	Procedures to prevent the occurrence of nuisance conditions			
		Attachment: Click to enter text.			
E.	Groui	ndwater monitoring			
	groun	undwater monitoring currently conducted at this site, or are any wells available for dwater monitoring, or are groundwater monitoring data otherwise available for the e lagoon(s)?			
		Yes □ No			
	types	undwater monitoring data are available, provide a copy. Provide a profile of soil encountered down to the groundwater table and the depth to the shallowest dwater as a separate attachment.			
	At	tachment: Click to enter text.			

If yes, describe the liner below. Please note that a liner is required.

Section 12. Authorizations/Compliance/Enforcement (Instructions

Page 55)

A	Additional	anthoris	
Α.	Additional	aiiinoriz	anons

Does the permittee have additional authorizations for this facility, such as reuse authorization, sludge permit, etc?
□ Yes ⊠ No
If yes, provide the TCEQ authorization number and description of the authorization:
Click to enter text.
B. Permittee enforcement status
Is the permittee currently under enforcement for this facility?
□ Yes ⊠ No
Is the permittee required to meet an implementation schedule for compliance or enforcement?
□ Yes ⊠ No
If yes to either question, provide a brief summary of the enforcement, the implementation schedule, and the current status:
Click to enter text.
Section 13. RCRA/CERCLA Wastes (Instructions Page 55)
A. RCRA hazardous wastes
Has the facility received in the past three years, does it currently receive, or will it receive RCRA hazardous waste?
□ Yes ⊠ No

B. Remediation activity wastewater

Has the facility received in the past three years, does it currently receive, or will it receive CERCLA wastewater, RCRA remediation/corrective action wastewater or other remediation activity wastewater?

□ Yes ⊠ No

C. Details about wastes received

If yes to either Subsection A or B above, provide detailed information concerning these wastes with the application.

Attachment: Click to enter text.

Section 14. Laboratory Accreditation (Instructions Page 56)

All laboratory tests performed must meet the requirements of *30 TAC Chapter 25*, *Environmental Testing Laboratory Accreditation and Certification*, which includes the following general exemptions from National Environmental Laboratory Accreditation Program (NELAP) certification requirements:

- The laboratory is an in-house laboratory and is:
 - o periodically inspected by the TCEQ; or
 - o located in another state and is accredited or inspected by that state; or
 - o performing work for another company with a unit located in the same site; or
 - o performing pro bono work for a governmental agency or charitable organization.
- The laboratory is accredited under federal law.
- The data are needed for emergency-response activities, and a laboratory accredited under the Texas Laboratory Accreditation Program is not available.
- The laboratory supplies data for which the TCEQ does not offer accreditation.

The applicant should review 30 TAC Chapter 25 for specific requirements.

The following certification statement shall be signed and submitted with every application. See the Signature Page section in the Instructions, for a list of designated representatives who may sign the certification.

CERTIFICATION:

I certify that all laboratory tests submitted with this application meet the requirements of 30 TAC Chapter 25, Environmental Testing Laboratory Accreditation and Certification.

Printed Name: <u>Click to enter text.</u>
Title: Click to enter text.

Signature:
Date:

DOMESTIC WASTEWATER PERMIT APPLICATION TECHNICAL REPORT 1.1

The following information is required for new and amendment major applications.

Section 1. Justification for Permit (Instructions Page 57)

Α.	Justification	of	permit	need
----	---------------	----	--------	------

Provide a detailed discussion regarding the need for any phase(s) not currently permitted
Failure to provide sufficient justification may result in the Executive Director
recommending denial of the proposed phase(s) or permit.

		Click to enter text.
B.	Re	gionalization of facilities
		r additional guidance, please review <u>TCEO's Regionalization Policy for Wastewater</u> eatment¹.
		ovide the following information concerning the potential for regionalization of domesti stewater treatment facilities:
	1.	Municipally incorporated areas
		If the applicant is a city, then Item 1 is not applicable. Proceed to Item 2 Utility CCN areas.
		Is any portion of the proposed service area located in an incorporated city?
		□ Yes □ No □ Not Applicable
		If yes, within the city limits of: Click to enter text.
		If yes, attach correspondence from the city.
		Attachment: Click to enter text.
		If consent to provide service is available from the city, attach a justification for the proposed facility and a cost analysis of expenditures that includes the cost of connecting to the city versus the cost of the proposed facility or expansion attached.
		Attachment: Click to enter text.
	2.	Utility CCN areas
		Is any portion of the proposed service area located inside another utility's CCN area?
		□ Yes □ No

¹ https://www.tceq.texas.gov/permitting/wastewater/tceq-regionalization-for-wastewater

expenditures that includes the cost of connecting to the CCN facilities versus the cost of the proposed facility or expansion.
Attachment: Click to enter text.
3. Nearby WWTPs or collection systems
Are there any domestic permitted wastewater treatment facilities or collection systems located within a three-mile radius of the proposed facility?
□ Yes □ No
If yes, attach a list of these facilities and collection systems that includes each permittee's name and permit number, and an area map showing the location of these facilities and collection systems.
Attachment: Click to enter text.
If yes , attach proof of mailing a request for service to each facility and collection system, the letters requesting service, and correspondence from each facility and collection system.
Attachment: Click to enter text.
If the facility or collection system agrees to provide service, attach a justification for the proposed facility and a cost analysis of expenditures that includes the cost of connecting to the facility or collection system versus the cost of the proposed facility or expansion.
Attachment: Click to enter text.
Section 2. Proposed Organic Loading (Instructions Page 59)
Is this facility in operation?
□ Yes □ No
If no, proceed to Item B, Proposed Organic Loading.
If yes, provide organic loading information in Item A, Current Organic Loading
A. Current organic loading
A. Current organic loading Facility Design Flow (flow being requested in application): Click to enter text.
Facility Design Flow (flow being requested in application): Click to enter text.
Facility Design Flow (flow being requested in application): Click to enter text. Average Influent Organic Strength or BOD ₅ Concentration in mg/l: Click to enter text. Average Influent Loading (lbs/day = total average flow X average BOD ₅ conc. X 8.34): Click

B. Proposed organic loading

This table must be completed if this application is for a facility that is not in operation or if this application is to request an increased flow that will impact organic loading.

Table 1.1(1) – Design Organic Loading

Source	Total Average Flow (MGD)	Influent BOD5 Concentration (mg/l)
Municipality		
Subdivision		
Trailer park - transient		
Mobile home park		
School with cafeteria and showers		
School with cafeteria, no showers		
Recreational park, overnight use		
Recreational park, day use		
Office building or factory		
Motel		
Restaurant		
Hospital		
Nursing home		
Other		
TOTAL FLOW from all sources		
AVERAGE BOD ₅ from all sources		

Section 3. Proposed Effluent Quality and Disinfection (Instructions Page 59)

A. Existing/Interim I Phase Design Effluent Quality

Biochemical Oxygen Demand (5-day), mg/l: Click to enter text.

Total Suspended Solids, mg/l: Click to enter text.

Ammonia Nitrogen, mg/l: <u>Click to enter text.</u>
Total Phosphorus, mg/l: <u>Click to enter text.</u>
Dissolved Oxygen, mg/l: <u>Click to enter text.</u>

Other: Click to enter text.

В.	interim ii Phase Design Efficient Quanty
	Biochemical Oxygen Demand (5-day), mg/l: Click to enter text.
	Total Suspended Solids, mg/l: Click to enter text.
	Ammonia Nitrogen, mg/l: Click to enter text.
	Total Phosphorus, mg/l: Click to enter text.
	Dissolved Oxygen, mg/l: Click to enter text.
	Other: Click to enter text.
C.	Final Phase Design Effluent Quality
	Biochemical Oxygen Demand (5-day), mg/l: Click to enter text.
	Total Suspended Solids, mg/l: Click to enter text.
	Ammonia Nitrogen, mg/l: Click to enter text.
	Total Phosphorus, mg/l: Click to enter text.
	Dissolved Oxygen, mg/l: Click to enter text.
	Other: Click to enter text.
D.	Disinfection Method
	Identify the proposed method of disinfection.
	Chlorine: Click to enter text. mg/l after Click to enter text. minutes detention time at peak flow
	Dechlorination process: Click to enter text.
	☐ Ultraviolet Light: <u>Click to enter text.</u> seconds contact time at peak flow
	□ Other: Click to enter text.
C	
	ection 4. Design Calculations (Instructions Page 59)
	tach design calculations and plant features for each proposed phase. Example 4 of the structions includes sample design calculations and plant features.
1110	Attachment: Click to enter text.
	Attachment: chek to effer text.
Se	ection 5. Facility Site (Instructions Page 60)
A.	100-year floodplain
	Will the proposed facilities be located <u>above</u> the 100-year frequency flood level?
	□ Yes □ No
	If no, describe measures used to protect the facility during a flood event. Include a site map showing the location of the treatment plant within the 100-year frequency flood level. If applicable, provide the size and types of protective structures.
	Click to enter text.

	Provide the source(s) used to determine 100-year frequency flood plain.
	Click to enter text.
	For a new or expansion of a facility, will a wetland or part of a wetland be filled?
	□ Yes □ No
	If yes, has the applicant applied for a US Corps of Engineers 404 Dredge and Fill Permit?
	□ Yes □ No
	If yes, provide the permit number: <u>Click to enter text.</u>
	If no, provide the approximate date you anticipate submitting your application to the Corps: Click to enter text.
B.	Wind rose
	Attach a wind rose: Click to enter text.
Sa	ection 6. Permit Authorization for Sewage Sludge Disposal
50	(Instructions Page 60)
Α.	Beneficial use authorization
	Are you requesting to include authorization to land apply sewage sludge for beneficial use on property located adjacent to the wastewater treatment facility under the wastewater permit?
	□ Yes □ No
	If yes, attach the completed Application for Permit for Beneficial Land Use of Sewage Sludge (TCEQ Form No. 10451) : <u>Click to enter text.</u>
B.	Sludge processing authorization
	Identify the sludge processing, storage or disposal options that will be conducted at the wastewater treatment facility:
	□ Sludge Composting
	☐ Marketing and Distribution of sludge
	□ Sludge Surface Disposal or Sludge Monofill
	If any of the above, sludge options are selected, attach the completed Domestic Wastewater Permit Application: Sewage Sludge Technical Report (TCEQ Form No. 10056): Click to enter text.
Se	ection 7. Sewage Sludge Solids Management Plan (Instructions Page
J(61)
لكسر	

Attach a solids management plan to the application.

Attachment: Click to enter text.

The sewage sludge solids management plan must contain the following information:

Treatment units and processes dimensions and capacities

- Solids generated at 100, 75, 50, and 25 percent of design flow
- Mixed liquor suspended solids operating range at design and projected actual flow
- Quantity of solids to be removed and a schedule for solids removal
- Identification and ownership of the ultimate sludge disposal site
- For facultative lagoons, design life calculations, monitoring well locations and depths, and the ultimate disposal method for the sludge from the facultative lagoon

An example of a sewage sludge solids management plan has been included as Example 5 of the instructions.

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 2.0: RECEIVING WATERS

The following information is required for all TPDES permit applications.

Section 1. Domestic Drinking Water Supply (Instructions Page 64)
Is there a surface water intake for domestic drinking water supply located within 5 miles downstream from the point or proposed point of discharge?
□ Yes ⊠ No
If no , proceed it Section 2. If yes , provide the following:
Owner of the drinking water supply: Click to enter text.
Distance and direction to the intake: Click to enter text.
Attach a USGS map that identifies the location of the intake.
Attachment: Click to enter text.
Section 2. Discharge into Tidally Affected Waters (Instructions Page 64)
Does the facility discharge into tidally affected waters?
□ Yes ⊠ No
If no , proceed to Section 3. If yes , complete the remainder of this section. If no, proceed to Section 3.
A. Receiving water outfall
Width of the receiving water at the outfall, in feet: Click to enter text.
B. Oyster waters
Are there oyster waters in the vicinity of the discharge?
□ Yes □ No
If yes, provide the distance and direction from outfall(s).
Click to enter text.
C. Sea grasses
Are there any sea grasses within the vicinity of the point of discharge?
□ Yes □ No
If yes, provide the distance and direction from the outfall(s).
Click to enter text.

Section 3. **Classified Segments (Instructions Page 64)** Is the discharge directly into (or within 300 feet of) a classified segment? Yes □ No **If yes**, this Worksheet is complete. **If no**, complete Sections 4 and 5 of this Worksheet. Section 4. **Description of Immediate Receiving Waters (Instructions Page 65)** Name of the immediate receiving waters: Click to enter text. A. Receiving water type Identify the appropriate description of the receiving waters. Stream Freshwater Swamp or Marsh Lake or Pond Surface area, in acres: Click to enter text. Average depth of the entire water body, in feet: Click to enter text. Average depth of water body within a 500-foot radius of discharge point, in feet: Click to enter text. Man-made Channel or Ditch Open Bay Tidal Stream, Bayou, or Marsh Other, specify: Click to enter text. **B.** Flow characteristics If a stream, man-made channel or ditch was checked above, provide the following. For existing discharges, check one of the following that best characterizes the area *upstream* of the discharge. For new discharges, characterize the area *downstream* of the discharge (check one). Intermittent - dry for at least one week during most years Intermittent with Perennial Pools - enduring pools with sufficient habitat to maintain significant aquatic life uses Perennial - normally flowing Check the method used to characterize the area upstream (or downstream for new dischargers). USGS flow records Historical observation by adjacent landowners Personal observation Other, specify: Click to enter text.

	List the names of all perennial streams that join the receiving water within three miles downstream of the discharge point.					
	Click t	o enter text.				
D.	Downs	stream characteristics				
		receiving water characteristics charge (e.g., natural or man-made dan		rithin three miles downstream of the ads, reservoirs, etc.)?		
		Yes □ No				
	If yes,	discuss how.				
	Click t	o enter text.				
E.	E. Normal dry weather characteristics Provide general observations of the water body during normal dry weather conditions. Click to enter text.					
	Date and time of observation: <u>Click to enter text.</u>					
	Was th	e water body influenced by storm	water 1	runoff during observations?		
		Yes □ No				
Se	Section 5. General Characteristics of the Waterbody (Instructions Page 66)					
A.	Upstre	am influences				
		mmediate receiving water upstreated by any of the following? Chec		ne discharge or proposed discharge site nat apply.		
		Oil field activities		Urban runoff		
		Upstream discharges		Agricultural runoff		
		Septic tanks		Other(s), specify: Click to enter text.		

C. Downstream perennial confluences

B.	Waterbody uses				
	Observed or evidences of the following uses. Check all that apply.				
		Livestock watering		Contact recreation	
		Irrigation withdrawal		Non-contact recreation	
		Fishing		Navigation	
		Domestic water supply		Industrial water supply	
		Park activities		Other(s), specify: <u>Click to enter text.</u>	
C.	Waterk	oody aesthetics			
	Check one of the following that best describes the aesthetics of the receiving water and the surrounding area.				
	☐ Wilderness: outstanding natural beauty; usually wooded or unpastured area; was clarity exceptional				
	Natural Area: trees and/or native vegetation; some development evident (from fields, pastures, dwellings); water clarity discolored				
	☐ Common Setting: not offensive; developed but uncluttered; water may be colore or turbid			ped but uncluttered; water may be colored	
		Offensive: stream does not enhance aesthetics; cluttered; highly developed; dumping areas; water discolored			

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 2.1: STREAM PHYSICAL CHARACTERISTICS

Required for new applications, major facilities, and applications adding an outfall.

Worksheet 2.1 is not required for discharges to intermittent streams or discharges directly to (or within 300 feet of) a classified segment.

Section 1. General information (instructions Page 66)				
Date of study: Click to enter text. Time of study: Click to enter text.				
Stream name: Click to enter text.				
Location: Click to enter text.				
Type of stream upstream of existing discharge or downstream of proposed discharge (check one).				
\square Perennial \square Intermittent with perennial pools				
Section 2. Data Collection (Instructions Page 66)				
Number of stream bends that are well defined: Click to enter text.				
Number of stream bends that are moderately defined: Click to enter text.				
Number of stream bends that are poorly defined: <u>Click to enter text.</u>				
Number of riffles: Click to enter text.				
Evidence of flow fluctuations (check one):				
□ Minor □ moderate □ severe				
Indicate the observed stream uses and if there is evidence of flow fluctuations or channel obstruction/modification.				
Click to enter text.				

Stream transects

In the table below, provide the following information for each transect downstream of the existing or proposed discharges. Use a separate row for each transect.

Table 2.1(1) - Stream Transect Records

Stream type at transect	Transect location	Water surface	Stream depths (ft) at 4 to 10 points along each
Select riffle, run, glide, or pool. See Instructions, Definitions section.		width (ft)	transect from the channel bed to the water surface. Separate the measurements with commas.
Choose an item.			

Section 3. Summarize Measurements (Instructions Page 66)

Streambed slope of entire reach, from USGS map in feet/feet: Click to enter text.

Approximate drainage area above the most downstream transect (from USGS map or county highway map, in square miles): <u>Click to enter text.</u>

Length of stream evaluated, in feet: Click to enter text.

Number of lateral transects made: Click to enter text.

Average stream width, in feet: Click to enter text.

Average stream depth, in feet: Click to enter text.

Average stream velocity, in feet/second: Click to enter text.

Instantaneous stream flow, in cubic feet/second: Click to enter text.

Indicate flow measurement method (type of meter, floating chip timed over a fixed distance, etc.): <u>Click to enter text.</u>

Size of pools (large, small, moderate, none): Click to enter text.

Maximum pool depth, in feet: Click to enter text.

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 3.0: LAND DISPOSAL OF EFFLUENT

The following is required for renewal, new, and amendment permit applications.

Section 1. Type of Disposal System (Instructions Page 68)

Identif	y the method of land disposal:		
\boxtimes	Surface application		Subsurface application
	Irrigation		Subsurface soils absorption
	Drip irrigation system		Subsurface area drip dispersal system
	Evaporation		Evapotranspiration beds
	Other (describe in detail): Click	to er	nter text.
	All applicants without authorize complete and submit Worksheet		or proposing new/amended subsurface disposal

For existing authorizations, provide Registration Number: Click to enter text.

Section 2. Land Application Site(s) (Instructions Page 68)

In table 3.0(1), provide the requested information for the land application sites. Include the agricultural or cover crop type (wheat, cotton, alfalfa, bermuda grass, native grasses, etc.), land use (golf course, hayland, pastureland, park, row crop, etc.), irrigation area, amount of effluent applied, and whether or not the public has access to the area. Specify the amount of land area and the amount of effluent that will be allotted to each agricultural or cover crop, if more than one crop will be used.

Table 3.0(1) – Land Application Site Crops

Crop Type & Land Use	Irrigation Area (acres	Effluent Application (GPD)	Public Access? Y/N
Native Grasses	19.7	0.017	N

Section 3. Storage and Evaporation Lagoons/Ponds (Instructions Page 68)

Table 3.0(2) – Storage and Evaporation Ponds

Pond Number	Surface Area (acres)	Storage Volume (acre-feet)	Dimensions	Liner Type
1	0.5	1.72		

Attach a copy of licensed profess			red, signed, and se	aled by a Texas		
Attachment:	Click to enter to	ext.				
Section 4.	Flood and R	unoff Protectio	n (Instructions	s Page 68)		
Is the land appli	cation site <u>withi</u>	<u>n</u> the 100-year freq	uency flood level?			
□ Yes ⊠	No					
If yes, describe	how the site will	be protected from	inundation.			
Click to enter tex	ct.					
Provide the sour	ce used to deter	mine the 100-year	frequency flood lev	vel:		
Click to enter tex	xt.					
Provide a descripapplication site.	ption of tailwate	r controls and rain	fall run-on controls	s used for the land		
Click to enter text.						

Click to enter text.

Section 5. Annual Cropping Plan (Instructions Page 68)

Attach an Annual Cropping Plan which includes a discussion of each of the following items. If not applicable, provide a detailed explanation indicating why. **Attachment**: Click to enter text.

- Soils map with crops
- Cool and warm season plant species
- Crop yield goals
- Crop growing season
- Crop nutrient requirements
- Additional fertilizer requirements
- Minimum/maximum harvest height (for grass crops)
- Supplemental watering requirements
- Crop salt tolerances
- Harvesting method/number of harvests
- Justification for not removing existing vegetation to be irrigated

Section 6. Well and Map Information (Instructions Page 69)

Attach a USGS map with the following information shown and labeled. If not applicable, provide a detailed explanation indicating why. **Attachment**: Click to enter text.

- The boundaries of the land application site(s)
- Waste disposal or treatment facility site(s)
- On-site buildings
- Buffer zones
- Effluent storage and tailwater control facilities
- All water wells within 1-mile radius of the disposal site or property boundaries
- All springs and seeps onsite and within 500 feet of the property boundaries
- All surface waters in the state onsite and within 500 feet of the property boundaries
- All faults and sinkholes onsite and within 500 feet of the property

List and cross reference all water wells located within a half-mile radius of the disposal site or property boundaries shown on the USGS map in the following table. Attach additional pages as necessary to include all of the wells.

Table 3.0(3) - Water Well Data

Well ID	Well Use	Producing? Y/N	Open, cased, capped, or plugged?	Proposed Best Management Practice
1	Livestock	N	Cased	
1	Residential	Y	Cased	
			Choose an item.	
			Choose an item.	
			Choose an item.	

If water quality data or well log information is available please include the information in an attachment listed by Well ID.

Attachment: Click to enter text.

Section 7. Groundwater Quality (Instructions Page 69)

Attach a Groundwater Quality Technical Report which assesses the impact of the wastewater disposal system on groundwater. This report shall include an evaluation of the water wells (including the information in the well table provided in Item 6. above), the wastewater application rate, and pond liners. Indicate by a check mark that this report is provided.

Attachment: <u>Click to enter text.</u>
Are groundwater monitoring wells available onsite? \square Yes \boxtimes No
Do you plan to install ground water monitoring wells or lysimeters around the land application site? \square Yes \boxtimes No
If yes, provide the proposed location of the monitoring wells or lysimeters on a site map.
Attachment: Click to enter text.

Section 8. Soil Map and Soil Analyses (Instructions Page 70)

A. Soil map

Attach a USDA Soil Survey map that shows the area to be used for effluent disposal.

Attachment: Click to enter text.

B. Soil analyses

Attach the laboratory results sheets from the soil analyses. **Note**: for renewal applications, the current annual soil analyses required by the permit are acceptable as long as the test date is less than one year prior to the submission of the application.

Attachment: Click to enter text.

List all USDA designated soil series on the proposed land application site. Attach additional pages as necessary.

Table 3.0(4) - Soil Data

Soil Series	Depth from Surface	Permeability	Available Water Capacity	Curve Number

Section 9. Effluent Monitoring Data (Instructions Page 71) Is the facility in operation?

	Yes		No	
If no,	this se	ection	is not applicable and the worksheet is complete.	

If yes, provide the effluent monitoring data for the parameters regulated in the existing permit. If a parameter is not regulated in the existing permit, enter N/A.

Table 3.0(5) – Effluent Monitoring Data

Date	30 Day Avg Flow MGD	BOD5 mg/l	TSS mg/l	pН	Chlorine Residual mg/l	Acres irrigated

Click to enter text.					

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 3.1: SURFACE LAND DISPOSAL OF EFFLUENT

The following is required for new and major amendment permit applications. Renewal and minor amendment permit applications may be asked for this worksheet on a case by case basis.

Section 1. Surface Disposal (Instructions Page 72)

Complete the item that applies for the method of disposal being used.

A. Irrigation

Area under irrigation, in acres: 19.7 acres

Design application frequency:

hours/day <u>Click to enter text</u>. **And** days/week <u>Click to enter text</u>.

Land grade (slope):

average percent (%): Click to enter text.

maximum percent (%): Click to enter text.

Design application rate in acre-feet/acre/year: 0.97

Design total nitrogen loading rate, in lbs N/acre/year: Click to enter text.

Soil conductivity (mmhos/cm): Click to enter text.

Method of application: Click to enter text.

Attach a separate engineering report with the water balance and storage volume calculations, method of application, irrigation efficiency, and nitrogen balance.

Attachment: Click to enter text.

B. Evaporation ponds

Daily average effluent flow into ponds, in gallons per day: Click to enter text.

Attach a separate engineering report with the water balance and storage volume calculations.

Attachment: Click to enter text.

C. Evapotranspiration beds

Number of beds: Click to enter text.

Area of bed(s), in acres: <u>Click to enter text.</u>

Depth of bed(s), in feet: Click to enter text.

Void ratio of soil in the beds: Click to enter text.

Storage volume within the beds, in acre-feet: Click to enter text.

Attach a separate engineering report with the water balance and storage volume calculations, and a description of the lining.

Attachment: Click to enter text.

Area used for application, in acres: Click to enter text. Slopes for application area, percent (%): Click to enter text. Design application rate, in gpm/foot of slope width: Click to enter text. Slope length, in feet: Click to enter text. Design BOD5 loading rate, in lbs BOD5/acre/day: Click to enter text. Design application frequency: hours/day: Click to enter text. And days/week: Click to enter text. Attach a separate engineering report with the method of application and design requirements according to 30 TAC Chapter 217.

Attachment: Click to enter text.

Section 2. Edwards Aquifer (Instructions Page 73)

Is the f	acility	sub	ject to 30 TAC Chapter 213, Edwards Aquifer Rules?
	Yes	\boxtimes	No
If yes ,	is the	facil	ity located on the Edwards Aquifer Recharge Zone?
	Yes		No
If yes,	attach	a ge	cological report addressing potential recharge features.
Atta	achme	nt: (Click to enter text.

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 3.2: SURFACE LAND DISPOSAL OF EFFLUENT

The following **is required** for **new and major amendment** permit applications. Renewal and minor amendments applicants may be asked for the worksheet on a case by case basis.

NOTE: All applicants proposing new/amended subsurface disposal MUST complete and submit Worksheet 7.0. This worksheet applies to any subsurface disposal system that **does not meet** the definition of a subsurface area drip dispersal system as defined in *30 TAC Chapter 222, Subsurface Area Drip Dispersal System.*

Section 1. Subsurface Application (Instructions Page 74)
Identify the type of system:
□ Conventional Gravity Drainfield, Beds, or Trenches (new systems must be less than 5,000 GPD)
□ Low Pressure Dosing
☐ Other, specify: <u>Click to enter text.</u>
Application area, in acres: Click to enter text.
Area of drainfield, in square feet: Click to enter text.
Application rate, in gal/square foot/day: Click to enter text.
Depth to groundwater, in feet: Click to enter text.
Area of trench, in square feet: Click to enter text.
Dosing duration per area, in hours: <u>Click to enter text.</u>
Number of beds: <u>Click to enter text.</u>
Dosing amount per area, in inches/day: Click to enter text.
Infiltration rate, in inches/hour: Click to enter text.
Storage volume, in gallons: <u>Click to enter text.</u>
Area of bed(s), in square feet: <u>Click to enter text.</u>
Soil Classification: <u>Click to enter text.</u>
Attach a separate engineering report with the information required in $30\ TAC\ S\ 309.20$, excluding the requirements of $S\ 309.20\ b(3)(A)$ and (B) design analysis which may be asked for on a case by case basis. Include a description of the schedule of dosing basin rotation.
Attachment: Click to enter text.
Section 2. Edwards Aquifer (Instructions Page 74)
Is the subsurface system over the Edwards Aquifer Recharge Zone as mapped by TCEQ?
□ Yes □ No
Is the subsurface system over the Edwards Aquifer Transition Zone as mapped by TCEQ?
□ Yes □ No
If ves to either question, the subsurface system may be prohibited by 30 TAC §213.8. Please

call the Municipal Permits Team, at 512-239-4671, to schedule a pre-application meeting.

DOMESTIC WASTEWATER PERMIT APPLICATION **WORKSHEET 3.3: SUBSURFACE AREA DRIP DISPERSAL** (SADDS) LAND DISPOSAL OF EFFLUENT

The following **is required** for **new and major amendment** subsurface area drip dispersal system permit applications. Renewal and minor amendments applicants may be asked for the worksheet on a case by case basis.

NOTE: All applicants proposing new/amended subsurface disposal MUST complete and submit Worksheet 7.0. This worksheet applies to any subsurface disposal system that **meets** the definition of a subsurface area drip dispersal system as defined in 30 TAC Chapter 222, Subsurface Area Drip Dispersal System.

Se	ction 1. Administrative Information (Instructions Page 75)
Α.	Provide the legal name of all corporations or other business entities managed, owned, or otherwise closely related to the owner of the treatment facility:
В.	<u>Click to enter text.</u> Is the owner of the land where the treatment facility is located the same as the owner of the treatment facility?
	□ Yes □ No
	If no , provide the legal name of all corporations or other business entities managed, owned, or otherwise closely related to the owner of the land where the treatment facility is located.
	Click to enter text.
C.	Owner of the subsurface area drip dispersal system: <u>Click to enter text.</u>
D.	Is the owner of the subsurface area drip dispersal system the same as the owner of the wastewater treatment facility or the site where the wastewater treatment facility is located?
	□ Yes □ No
	If no , identify the names of all corporations or other business entities managed, owned, or otherwise closely related to the entity identified in Item 1.C.
	Click to enter text.
Е.	Owner of the land where the subsurface area drip dispersal system is located: <u>Click to enter text.</u>
F.	Is the owner of the land where the subsurface area drip dispersal system is located the same as owner of the wastewater treatment facility, the site where the wastewater treatment facility is located, or the owner of the subsurface area drip dispersal system? \[\textstyle \text{Yes} \textstyle \text{No} \]
	If no , identify the name of all corporations or other business entities managed, owned, or otherwise closely related to the entity identified in item 1.E.
	Click to enter text.

Section 2. Subsurface Area Drip Dispersal System (Instructions Page

A.	Type of system
	□ Subsurface Drip Irrigation
	☐ Surface Drip Irrigation
	□ Other, specify: <u>Click to enter text.</u>
В.	Irrigation operations
	Application area, in acres: Click to enter text.
	Infiltration Rate, in inches/hour: Click to enter text.
	Average slope of the application area, percent (%): Click to enter text.
	Maximum slope of the application area, percent (%): Click to enter text.
	Storage volume, in gallons: <u>Click to enter text.</u>
	Major soil series: <u>Click to enter text.</u>
	Depth to groundwater, in feet: Click to enter text.
C.	Application rate
	Is the facility located west of the boundary shown in <i>30 TAC § 222.83</i> and also using a vegetative cover of non-native grasses over seeded with cool season grasses during the winter months (October-March)?
	□ Yes □ No
	If yes, then the facility may propose a hydraulic application rate not to exceed 0.1 gal/square foot/day.
	Is the facility located east of the boundary shown in <i>30 TAC § 222.83</i> or in any part of the state when the vegetative cover is any crop other than non-native grasses?
	□ Yes □ No
	If yes , the facility must use the formula in <i>30 TAC §222.83</i> to calculate the maximum hydraulic application rate.
	Do you plan to submit an alternative method to calculate the hydraulic application rate for approval by the executive director?
	□ Yes □ No
	Hydraulic application rate, in gal/square foot/day: Click to enter text.
	Nitrogen application rate, in lbs/gal/day: Click to enter text.
D.	Dosing information
	Number of doses per day: Click to enter text.
	Dosing duration per area, in hours: <u>Click to enter text.</u>
	Rest period between doses, in hours: Click to enter text.

Dosing amount per area, in inches/day: Click to enter text.

	Number of zones: Click to enter text.
	Does the proposed subsurface drip irrigation system use tree vegetative cover as a crop?
	□ Yes □ No
	If yes , provide a vegetation survey by a certified arborist. Please call the Water Quality Assessment Team at (512) 239-4671 to schedule a pre-application meeting.
	Attachment: Click to enter text.
Se	ction 3. Required Plans (Instructions Page 75)
A.	Recharge feature plan
	Attach a Recharge Feature Plan with all information required in 30 TAC §222.79.
	Attachment: Click to enter text.
B.	Soil evaluation
	Attach a Soil Evaluation with all information required in 30 TAC §222.73.
	Attachment: Click to enter text.
C.	Site preparation plan
	Attach a Site Preparation Plan with all information required in 30 TAC §222.75.
	Attachment: Click to enter text.
D.	Soil sampling/testing
	Attach soil sampling and testing that includes all information required in <i>30 TAC §222.157</i> .
	Attachment: Click to enter text.
0	
Se	ction 4. Floodway Designation (Instructions Page 76)
A.	Site location
	Is the existing/proposed land application site within a designated floodway?
	□ Yes □ No
B.	Flood map
	Attach either the FEMA flood map or alternate information used to determine the floodway.
	Attachment: Click to enter text.
Ca	
5 e	ction 5. Surface Waters in the State (Instructions Page 76)

S

A. Buffer Map

Attach a map showing appropriate buffers on surface waters in the state, water wells, and springs/seeps.

Attachment: Click to enter text.

Do you plan to request a buffer variance from water wells or waters in the state?
□ Yes □ No
If yes, then attach the additional information required in 30 TAC § 222.81(c).
Attachment: Click to enter text.
Section 6. Edwards Aquifer (Instructions Page 76)
A. Is the SADDS located over the Edwards Aquifer Recharge Zone as mapped by TCEQ? Yes No
B. Is the SADDS located over the Edwards Aquifer Transition Zone as mapped by TCEQ?
□ Yes □ No
If yes to either question , then the SADDS may be prohibited by <i>30 TAC §213.8</i> . Please call the Municipal Permits Team at 512-239-4671 to schedule a pre-application meeting.

B. Buffer variance request

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 4.0: POLLUTANT ANALYSIS REQUIREMENTS

The following **is required** for facilities with a permitted or proposed flow of **1.0 MGD or greater**, facilities with an approved **pretreatment** program, or facilities classified as a **major** facility. See instructions for further details.

This worksheet is not required minor amendments without renewal.

Section 1. Toxic Pollutants (Instructions Page 78)

For p	oollutants	identified i	n Table	4.0(1),	indicate	the	type of	sample.
-------	------------	--------------	---------	---------	----------	-----	---------	---------

Grab □ Composite □

Date and time sample(s) collected: Click to enter text.

Table 4.0(1) - Toxics Analysis

Pollutant	AVG Effluent Conc. (μg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Acrylonitrile				50
Aldrin				0.01
Aluminum				2.5
Anthracene				10
Antimony				5
Arsenic				0.5
Barium				3
Benzene				10
Benzidine				50
Benzo(a)anthracene				5
Benzo(a)pyrene				5
Bis(2-chloroethyl)ether				10
Bis(2-ethylhexyl)phthalate				10
Bromodichloromethane				10
Bromoform				10
Cadmium				1
Carbon Tetrachloride				2
Carbaryl				5
Chlordane*				0.2
Chlorobenzene				10
Chlorodibromomethane				10

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (μg/l)	Number of Samples	MAL (μg/l)
Chloroform				10
Chlorpyrifos				0.05
Chromium (Total)				3
Chromium (Tri) (*1)				N/A
Chromium (Hex)				3
Copper				2
Chrysene				5
p-Chloro-m-Cresol				10
4,6-Dinitro-o-Cresol				50
p-Cresol				10
Cyanide (*2)				10
4,4'- DDD				0.1
4,4'- DDE				0.1
4,4'- DDT				0.02
2,4-D				0.7
Demeton (O and S)				0.20
Diazinon				0.5/0.1
1,2-Dibromoethane				10
m-Dichlorobenzene				10
o-Dichlorobenzene				10
p-Dichlorobenzene				10
3,3'-Dichlorobenzidine				5
1,2-Dichloroethane				10
1,1-Dichloroethylene				10
Dichloromethane				20
1,2-Dichloropropane				10
1,3-Dichloropropene				10
Dicofol				1
Dieldrin				0.02
2,4-Dimethylphenol				10
Di-n-Butyl Phthalate				10
Diuron				0.09
Endosulfan I (alpha)				0.01

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (μg/l)	Number of Samples	MAL (μg/l)
Endosulfan II (beta)				0.02
Endosulfan Sulfate				0.1
Endrin				0.02
Ethylbenzene				10
Fluoride				500
Guthion				0.1
Heptachlor				0.01
Heptachlor Epoxide				0.01
Hexachlorobenzene				5
Hexachlorobutadiene				10
Hexachlorocyclohexane (alpha)				0.05
Hexachlorocyclohexane (beta)				0.05
gamma-Hexachlorocyclohexane				0.05
(Lindane)				
Hexachlorocyclopentadiene				10
Hexachloroethane				20
Hexachlorophene				10
Lead				0.5
Malathion				0.1
Mercury				0.005
Methoxychlor				2
Methyl Ethyl Ketone				50
Mirex				0.02
Nickel				2
Nitrate-Nitrogen				100
Nitrobenzene				10
N-Nitrosodiethylamine				20
N-Nitroso-di-n-Butylamine				20
Nonylphenol				333
Parathion (ethyl)				0.1
Pentachlorobenzene				20
Pentachlorophenol				5
Phenanthrene				10

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Polychlorinated Biphenyls (PCB's) (*3)				0.2
Pyridine				20
Selenium				5
Silver				0.5
1,2,4,5-Tetrachlorobenzene				20
1,1,2,2-Tetrachloroethane				10
Tetrachloroethylene				10
Thallium				0.5
Toluene				10
Toxaphene				0.3
2,4,5-TP (Silvex)				0.3
Tributyltin (see instructions for explanation)				0.01
1,1,1-Trichloroethane				10
1,1,2-Trichloroethane				10
Trichloroethylene				10
2,4,5-Trichlorophenol				50
TTHM (Total Trihalomethanes)				10
Vinyl Chloride				10
Zinc				5

^(*1) Determined by subtracting hexavalent Cr from total Cr.

^(*2) Cyanide, amenable to chlorination or weak-acid dissociable.

^(*3) The sum of seven PCB congeners 1242, 1254, 1221, 1232, 1248, 1260, and 1016.

Section 2. Priority Pollutants

Composite □

Grab □

For pollutants identified in Tables 4.0(2)A-E, indicate type of sample
--

Date and time sample(s) collected: Click to enter text.

Table 4.0(2)A - Metals, Cyanide, and Phenols

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Antimony				5
Arsenic				0.5
Beryllium				0.5
Cadmium				1
Chromium (Total)				3
Chromium (Hex)				3
Chromium (Tri) (*1)				N/A
Copper				2
Lead				0.5
Mercury				0.005
Nickel				2
Selenium				5
Silver				0.5
Thallium				0.5
Zinc				5
Cyanide (*2)				10
Phenols, Total				10

^(*1) Determined by subtracting hexavalent Cr from total Cr.

^(*2) Cyanide, amenable to chlorination or weak-acid dissociable

Table 4.0(2)B – Volatile Compounds

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Acrolein				50
Acrylonitrile				50
Benzene				10
Bromoform				10
Carbon Tetrachloride				2
Chlorobenzene				10
Chlorodibromomethane				10
Chloroethane				50
2-Chloroethylvinyl Ether				10
Chloroform				10
Dichlorobromomethane [Bromodichloromethane]				10
1,1-Dichloroethane				10
1,2-Dichloroethane				10
1,1-Dichloroethylene				10
1,2-Dichloropropane				10
1,3-Dichloropropylene				10
[1,3-Dichloropropene]				
1,2-Trans-Dichloroethylene				10
Ethylbenzene				10
Methyl Bromide				50
Methyl Chloride				50
Methylene Chloride				20
1,1,2,2-Tetrachloroethane				10
Tetrachloroethylene				10
Toluene				10
1,1,1-Trichloroethane				10
1,1,2-Trichloroethane				10
Trichloroethylene				10
Vinyl Chloride				10

Table 4.0(2)C – Acid Compounds

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
2-Chlorophenol				10
2,4-Dichlorophenol				10
2,4-Dimethylphenol				10
4,6-Dinitro-o-Cresol				50
2,4-Dinitrophenol				50
2-Nitrophenol				20
4-Nitrophenol				50
P-Chloro-m-Cresol				10
Pentalchlorophenol				5
Phenol				10
2,4,6-Trichlorophenol				10

Table 4.0(2)D - Base/Neutral Compounds

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Acenaphthene				10
Acenaphthylene				10
Anthracene				10
Benzidine				50
Benzo(a)Anthracene				5
Benzo(a)Pyrene				5
3,4-Benzofluoranthene				10
Benzo(ghi)Perylene				20
Benzo(k)Fluoranthene				5
Bis(2-Chloroethoxy)Methane				10
Bis(2-Chloroethyl)Ether				10
Bis(2-Chloroisopropyl)Ether				10
Bis(2-Ethylhexyl)Phthalate				10
4-Bromophenyl Phenyl Ether				10
Butyl benzyl Phthalate				10
2-Chloronaphthalene				10
4-Chlorophenyl phenyl ether				10
Chrysene				5
Dibenzo(a,h)Anthracene				5
1,2-(o)Dichlorobenzene				10
1,3-(m)Dichlorobenzene				10
1,4-(p)Dichlorobenzene				10
3,3-Dichlorobenzidine				5
Diethyl Phthalate				10
Dimethyl Phthalate				10
Di-n-Butyl Phthalate				10
2,4-Dinitrotoluene				10
2,6-Dinitrotoluene				10
Di-n-Octyl Phthalate				10
1,2-Diphenylhydrazine (as Azobenzene)				20
Fluoranthene				10

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (µg/l)
Fluorene				10
Hexachlorobenzene				5
Hexachlorobutadiene				10
Hexachlorocyclo-pentadiene				10
Hexachloroethane				20
Indeno(1,2,3-cd)pyrene				5
Isophorone				10
Naphthalene				10
Nitrobenzene				10
N-Nitrosodimethylamine				50
N-Nitrosodi-n-Propylamine				20
N-Nitrosodiphenylamine				20
Phenanthrene				10
Pyrene				10
1,2,4-Trichlorobenzene				10

Table 4.0(2)E - Pesticides

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (µg/l)
Aldrin				0.01
alpha-BHC (Hexachlorocyclohexane)				0.05
beta-BHC (Hexachlorocyclohexane)				0.05
gamma-BHC (Hexachlorocyclohexane)				0.05
delta-BHC (Hexachlorocyclohexane)				0.05
Chlordane				0.2
4,4-DDT				0.02
4,4-DDE				0.1
4,4,-DDD				0.1
Dieldrin				0.02
Endosulfan I (alpha)				0.01
Endosulfan II (beta)				0.02
Endosulfan Sulfate				0.1
Endrin				0.02
Endrin Aldehyde				0.1
Heptachlor				0.01
Heptachlor Epoxide				0.01
PCB-1242				0.2
PCB-1254				0.2
PCB-1221				0.2
PCB-1232				0.2
PCB-1248				0.2
PCB-1260				0.2
PCB-1016				0.2
Toxaphene				0.3

^{*} For PCBS, if all are non-detects, enter the highest non-detect preceded by a "<".

Section 3. Dioxin/Furan Compounds A. Indicate which of the following compounds from may be present in the influent from a contributing industrial user or significant industrial user. Check all that apply. 2,4,5-trichlorophenoxy acetic acid Common Name 2,4,5-T, CASRN 93-76-5 2-(2,4,5-trichlorophenoxy) propanoic acid Common Name Silvex or 2,4,5-TP, CASRN 93-72-1 2-(2,4,5-trichlorophenoxy) ethyl 2,2-dichloropropionate Common Name Erbon, CASRN 136-25-4 0,0-dimethyl 0-(2,4,5-trichlorophenyl) phosphorothioate Common Name Ronnel, CASRN 299-84-3 2,4,5-trichlorophenol Common Name TCP, CASRN 95-95-4 hexachlorophene Common Name HCP, CASRN 70-30-4 For each compound identified, provide a brief description of the conditions of its/their presence at the facility. Click to enter text.

B.	Do you know or have any reason to believe that 2,3,7,8 Tetrachlorodibenzo-P-Dioxin
	(TCDD) or any congeners of TCDD may be present in your effluent?

Yes □ No

If **yes**, provide a brief description of the conditions for its presence.

Click to enter text.			

C. If any of the compounds in Subsection A **or** B are present, complete Table 4.0(2)F. For pollutants identified in Table 4.0(2)F, indicate the type of sample.

Grab □ Composite □

Date and time sample(s) collected: Click to enter text.

Table 4.0(2)F - Dioxin/Furan Compounds

Compound	Toxic Equivalenc y Factors	Wastewater Concentration (ppq)	Wastewater Equivalents (ppq)	Sludge Concentration (ppt)	Sludge Equivalents (ppt)	MAL (ppq)
2,3,7,8 TCDD	1					10
1,2,3,7,8 PeCDD	0.5					50
2,3,7,8 HxCDDs	0.1					50
1,2,3,4,6,7,8 HpCDD	0.01					50
2,3,7,8 TCDF	0.1					10
1,2,3,7,8 PeCDF	0.05					50
2,3,4,7,8 PeCDF	0.5					50
2,3,7,8 HxCDFs	0.1					50
2,3,4,7,8 HpCDFs	0.01					50
OCDD	0.0003					100
OCDF	0.0003					100
PCB 77	0.0001					0.5
PCB 81	0.0003					0.5
PCB 126	0.1					0.5
PCB 169	0.03					0.5
Total						

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 5.0: TOXICITY TESTING REQUIREMENTS

The following **is required** for facilities with a current operating design flow of **1.0 MGD or greater**, with an EPA-approved **pretreatment** program (or those required to have one under 40 CFR Part 403), or are required to perform Whole Effluent Toxicity testing. See instructions for further details.

This worksheet is not required minor amendments without renewal.

Section 1. Required Tests (Instructions Page 88)

Indicate the number of 7-day chronic or 48-hour acute Whole Effluent Toxicity (WET) tests performed in the four and one-half years prior to submission of the application.

7-day Chronic: <u>Click to enter text.</u>
48-hour Acute: <u>Click to enter text.</u>

Section 2.	Toxicity Reduction Evaluations (TREs)	
Has this facility performing a T	completed a TRE in the past four and a half years? Or is the facility currenter.	ntly
□ Yes □	No	
If yes, describe	the progress to date, if applicable, in identifying and confirming the toxic	ant.
Click to enter te	ext.	

Section 3. Summary of WET Tests

If the required biomonitoring test information has not been previously submitted via both the Discharge Monitoring Reports (DMRs) and the Table 1 (as found in the permit), provide a summary of the testing results for all valid and invalid tests performed over the past four and one-half years. Make additional copies of this table as needed.

Table 5.0(1) Summary of WET Tests

Test Date	Test Species	NOEC Survival	NOEC Sub-lethal

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 6.0: INDUSTRIAL WASTE CONTRIBUTION

The following is required for all publicly owned treatment works.

Section 1. All POTWs (Instructions Page 89)

	Α.	Industrial	users	(IUs)
--	----	------------	-------	-------

B.

Provide the number of each of the following types of industrial users (IUs) that discharge to your POTW and the daily flows from each user. See the Instructions for definitions of Categorical IUs, Significant IUs – non-categorical, and Other IUs.

If there are no users, enter 0 (zero).
Categorical IUs:
Number of IUs: Click to enter text.
Average Daily Flows, in MGD: Click to enter text.
Significant IUs - non-categorical:
Number of IUs: Click to enter text.
Average Daily Flows, in MGD: Click to enter text.
Other IUs:
Number of IUs: Click to enter text.
Average Daily Flows, in MGD: Click to enter text.
Treatment plant interference
In the past three years, has your POTW experienced treatment plant interference (see instructions)?
□ Yes □ No
If yes, identify the dates, duration, description of interference, and probable cause(s) and possible source(s) of each interference event. Include the names of the IUs that may have caused the interference.
Click to enter text.

	In the past three years, has your POTW experienced pass through (see instructions)?
	□ Yes □ No
	If yes, identify the dates, duration, a description of the pollutants passing through the treatment plant, and probable cause(s) and possible source(s) of each pass through event. Include the names of the IUs that may have caused pass through.
	Click to enter text.
Б	Post and the same of the same
D.	Pretreatment program Does your POTW have an approved pretreatment program?
	Does your POTW have an approved pretreatment program? Yes No
	If yes, complete Section 2 only of this Worksheet.
	Is your POTW required to develop an approved pretreatment program?
	☐ Yes ☐ No
	If yes, complete Section 2.c. and 2.d. only, and skip Section 3.
	If no to either question above, skip Section 2 and complete Section 3 for each significant
	industrial user and categorical industrial user.
Se	ction 2. POTWs with Approved Programs or Those Required to
	Develop a Program (Instructions Page 90)
A.	Substantial modifications
	Have there been any substantial modifications to the approved pretreatment program that have not been submitted to the TCEQ for approval according to <i>40 CFR §403.18</i> ?
	□ Yes □ No
	If yes , identify the modifications that have not been submitted to TCEQ, including the purpose of the modification.
	Click to enter text.

C. Treatment plant pass through

	n any non-substantial ave not been submitte			
□ Yes □			•	
	all non-substantial mo urpose of the modific		hat have not been s	submitted to TCEQ,
Click to enter to	ext.			
In Table 6.0(1), monitoring dur	list all parameters me ing the last three year	easured abov		
Pollutant	Concentration	MAL	Units	Date
Tonutant	Concentration	IVIAL	Omts	Date
		_		
		_		
D. Industrial user	interruptions			
	U, or other IU caused r pass throughs) at yo			
□ Yes □	No			
	the industry, describes, and probable pollut		le, including dates,	duration, description
Click to enter t	ext.			

B. Non-substantial modifications

Section 3. Significant Industrial User (SIU) Information and Categorical Industrial User (CIU) (Instructions Page 90)

A.	General information
	Company Name: Click to enter text.
	SIC Code: Click to enter text.
	Contact name: Click to enter text.
	Address: Click to enter text.
	City, State, and Zip Code: Click to enter text.
	Telephone number: Click to enter text.
	Email address: Click to enter text.
В.	Process information
	Describe the industrial processes or other activities that affect or contribute to the SIU(s) or CIU(s) discharge (i.e., process and non-process wastewater).
	Click to enter text.
C.	Product and service information
	Provide a description of the principal product(s) or services performed.
	Click to enter text.
D.	Flow rate information
	See the Instructions for definitions of "process" and "non-process wastewater."
	Process Wastewater:
	Discharge, in gallons/day: Click to enter text.
	Discharge Type: □ Continuous □ Batch □ Intermittent
	Non-Process Wastewater:
	Discharge, in gallons/day: Click to enter text.
	Discharge Type: □ Continuous □ Batch □ Intermittent

Pretreatment standards
Is the SIU or CIU subject to technically based local limits as defined in the <i>i</i> nstructions?
□ Yes □ No
Is the SIU or CIU subject to categorical pretreatment standards found in 40 CFR Parts 405 - 471 ?
□ Yes □ No
If subject to categorical pretreatment standards , indicate the applicable category and subcategory for each categorical process.
Category: Subcategories: Click to enter text.
Click or tap here to enter text. Click to enter text.
Category: Click to enter text.
Subcategories: <u>Click to enter text.</u>
Category: Click to enter text.
Subcategories: <u>Click to enter text.</u>
Category: Click to enter text.
Subcategories: <u>Click to enter text.</u>
Category: Click to enter text.
Subcategories: <u>Click to enter text.</u>
Industrial user interruptions
Has the SIU or CIU caused or contributed to any problems (e.g., interferences, pass through, odors, corrosion, blockages) at your POTW in the past three years?
□ Yes □ No
If yes , identify the SIU, describe each episode, including dates, duration, description of problems, and probable pollutants.
Click to enter text.

E.

F.

WORKSHEET 7.0

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

CLASS V INJECTION WELL INVENTORY/AUTHORIZATION FORM

Submit the completed form to:

TCEQ IUC Permits Team Radioactive Materials Division MC-233 PO Box 13087 Austin, Texas 78711-3087 512-239-6466

For TCEQ Use Only
Reg. No
Date Received
Date Authorized

Section 1. General Information (Instructions Page 92)

1.	TCEQ Program	Area
----	--------------	------

Program Area (PST, VCP, IHW, etc.): Click to enter text.

Program ID: Click to enter text.

Contact Name: <u>Click to enter text.</u> Phone Number: <u>Click to enter text.</u>

2. Agent/Consultant Contact Information

Contact Name: Click to enter text.

Address: Click to enter text.

City, State, and Zip Code: Click to enter text.

Phone Number: Click to enter text.

3. Owner/Operator Contact Information

□ Owner □ Operator

Owner/Operator Name: Click to enter text.

Contact Name: Click to enter text.

Address: Click to enter text.

City, State, and Zip Code: Click to enter text.

Phone Number: Click to enter text.

4. Facility Contact Information

Facility Name: Click to enter text.

Address: Click to enter text.

City, State, and Zip Code: Click to enter text.

Location description (if no address is available): Click to enter text.

Facility Contact Person: Click to enter text.

Phone Number: Click to enter text.

5.	Latitude and Longitude, in degrees-minutes-seconds
	Latitude: Click to enter text.
	Longitude: Click to enter text.
	Method of determination (GPS, TOPO, etc.): Click to enter text.
	Attach topographic quadrangle map as attachment A.
6.	Well Information
	Type of Well Construction, select one:
	□ Vertical Injection
	□ Subsurface Fluid Distribution System
	☐ Infiltration Gallery
	☐ Temporary Injection Points
	☐ Other, Specify: <u>Click to enter text.</u>
	Number of Injection Wells: Click to enter text.
7.	Purpose
	Detailed Description regarding purpose of Injection System:
	Click to enter text.
	Attach a Site Map as Attachment B (Attach the Approved Remediation Plan, if appropriate.)
8.	Water Well Driller/Installer
	Water Well Driller/Installer Name: <u>Click to enter text.</u>
	City, State, and Zip Code: Click to enter text.
	Phone Number: <u>Click to enter text.</u>
	License Number: <u>Click to enter text.</u>
ection	2. Proposed Down Hole Design
ttach a	diagram signed and sealed by a licensed engineer as Attachment C.
	(1) – Down Hole Design Table

Та

Name of String	Size	Setting Depth	Sacks Cement/Grout - Slurry Volume - Top of Cement	Hole Size	Weight (lbs/ft) PVC/Steel
Casing					
Tubing					
Screen					

Section 3. Proposed Trench System, Subsurface Fluid Distribution System, or Infiltration Gallery

Attach a diagram signed and sealed by a licensed engineer as Attachment D.

System(s) Dimensions: <u>Click to enter text.</u> System(s) Construction: <u>Click to enter text.</u>

Section 4.	Site Hydroge	ological and In	jection Zone Data
9 6 6 6 6 6			

- 1. Name of Contaminated Aguifer: Click to enter text.
- 2. Receiving Formation Name of Injection Zone: Click to enter text.
- 3. Well/Trench Total Depth: <u>Click to enter text.</u>
- **4.** Surface Elevation: Click to enter text.
- **5.** Depth to Ground Water: <u>Click to enter text.</u>
- **6.** Injection Zone Depth: <u>Click to enter text.</u>
- 7. Injection Zone vertically isolated geologically? ☐ Yes ☐ No Impervious Strata between Injection Zone and nearest Underground Source of Drinking Water:

Name: Click to enter text.

Thickness: Click to enter text.

- **8.** Provide a list of contaminants and the levels (ppm) in contaminated aquifer Attach as Attachment E.
- **9.** Horizontal and Vertical extent of contamination and injection plume Attach as Attachment F.
- **10.** Formation (Injection Zone) Water Chemistry (Background levels) TDS, etc. Attach as Attachment G.
- **11.** Injection Fluid Chemistry in PPM at point of injection Attach as Attachment H.
- **12.** Lowest Known Depth of Ground Water with < 10,000 PPM TDS: <u>Click to enter text.</u>
- 13. Maximum injection Rate/Volume/Pressure: Click to enter text.
- 14. Water wells within 1/4 mile radius (attach map as Attachment I): Click to enter text.
- **15.** Injection wells within 1/4 mile radius (attach map as Attachment J): Click to enter text.
- **16.** Monitor wells within 1/4 mile radius (attach drillers logs and map as Attachment K): <u>Click to enter text.</u>
- 17. Sampling frequency: Click to enter text.
- **18.** Known hazardous components in injection fluid: <u>Click to enter text.</u>

Section 5. Site History

- **1.** Type of Facility: <u>Click to enter text.</u>
- **2.** Contamination Dates: Click to enter text.
- 3. Original Contamination (VOCs, TPH, BTEX, etc.) and Concentrations (attach as Attachment L): <u>Click to enter text.</u>
- **4.** Previous Remediation (attach results of any previous remediation as attachment M): Click to enter text.

NOTE: Authorization Form should be completed in detail and authorization given by the TCEQ before construction, operation, and/or conversion can begin. Attach additional pages as necessary.

Class V Injection Well Designations

- 5A07 Heat Pump/AC return (IW used for groundwater to heat and/or cool buildings)
- 5A19 Industrial Cooling Water Return Flow (IW used to cool industrial process equipment)
- 5B22 Salt Water Intrusion Barrier (IW used to inject fluids to prevent the intrusion of salt water into an aquifer)
- 5D02 Storm Water Drainage (IW designed for the disposal of rain water)
- 5D04 Industrial Stormwater Drainage Wells (IW designed for the disposal of rain water associated with industrial facilities)
- 5F01 Agricultural Drainage (IW that receive agricultural runoff)
- 5R21 Aquifer Recharge (IW used to inject fluids to recharge an aquifer)
- 5S23 Subsidence Control Wells (IW used to control land subsidence caused by ground water withdrawal)
- 5W09 Untreated Sewage
- 5W10 Large Capacity Cesspools (Cesspools that are designed for 5,000 gpd or greater)
- 5W11 Large Capacity Septic systems (Septic systems designed for 5,000 gpd or greater)
- 5W12 WTTP disposal
- 5W20 Industrial Process Waste Disposal Wells
- 5W31 Septic System (Well Disposal method)
- 5W32 Septic System Drainfield Disposal
- 5X13 Mine Backfill (IW used to control subsidence, dispose of mining byproducts, and/or fill sections of a mine)
- 5X25 Experimental Wells (Pilot Test) (IW used to test new technologies or tracer dye studies)
- 5X26 Aguifer Remediation (IW used to clean up, treat, or prevent contamination of a USDW)
- 5X27 Other Wells
- 5X28 Motor Vehicle Waste Disposal Wells (IW used to dispose of waste from a motor vehicle site These are currently banned)
- 5X29 Abandoned Drinking Water Wells (waste disposal)



TCEQ Core Data Form


TCEQ Use Only	

For detailed instructions regarding completion of this form, please read the Core Data Form Instructions or call 512-239-5175.

ECTION	I: Gen	eral Inforn	<u>nation</u>									
		sion (If other is	•			•	•	,				
New Permit, Registration or Authorization (Core Data Form should be submitted with the program application.)												
⊠ Renewal (Core Data Form should be submitted with the renewal form) □ Other												
2. Customer Reference Number (if issued) Follow this link to search 3. Regulated Entity Reference Number (if issued)							(if issued)					
CN 6010	48036					I numbe Registry*		RN	1019	919082		
ECTION	II: Cu	stomer Info	rmation									
4. General C	4. General Customer Information 5. Effective					Date for Customer Information Updates (mm/dd/yyyy)						
☐ New Cust	□ New Customer □ Update to Customer Information □ Change in Regulated Entity Ownership								Entity Ownership			
										f Public Accounts)		
			_	•				•			rrent and	active with the
Texas Sec	retary o	f State (SOS)	or Texas C	omptr	oller	of Pu	ıblic A	ccou	nts (CPA).		
6. Customer	Legal Na	me (If an individua	l, print last name	e first: eg	g: Doe,	John)		<u>If ne</u>	ew Cu	stomer, enter previ	ous Custom	<u>er below:</u>
Resort Ra	nch of	Lake Travis,	Inc									
7. TX SOS/C			8. TX State	Tax ID	(11 diait	s)		9. F	eder	al Tax ID (9 digits)	10. DUN	S Number (if applicable)
00717833	_		17601206	, , ,						0632	10.20.0	a realisation (in application)
11. Type of (Customer	: Corporati	ion	☐ Individual				Partnership: General Limited				
		County Federal					ehin.					
12. Number					<u>U</u> ,	Sole FI	opnetor		Inder	pendently Owned	and Opera	ited?
⊠ 0-20 [21-100	101-250	251-500		501 ar	nd high	er		Yes	☐ No	ини орон	
14. Customer Role (Proposed or Actual) – as it relates to the Regulated Entity listed on this form. Please check one of the following:												
☑Owner ☐ Operator ☐ Owner & Operator												
Occupatio	nal Licens	see Respo	onsible Party		□ Vo	oluntary	y Cleanu	ір Арр	licant	Other:		
	1300 I	Pace Bend Ro	ad N									
15. Mailing												
Address:	City	spicewood		Sta	ate	TX	Z	IP.	78669		ZIP + 4	
16 Country		formation (if outs	ide (ISA)					Mail Address (if applicable)				
10. Oddinay	mannig n	normation (# oats	ide OSA/							gmail.com		
18. Telephor	ne Numbe	r		19. Extension or Code			20. Fax Number (if applicable)					
(512)26								()				
(312) 20	71 2333		1							1		
ECTION	III: R	egulated En	tity Infor	mati	<u>on</u>							
	_	-		-								a permit application)
☐ New Regu			to Regulated I						_	Entity Information		
The Regulated Entity Name submitted may be updated in order to meet TCEQ Agency Data Standards (removal of organizational endings such as Inc, LP, or LLC.)												
						od! '	io teleler	alo-s '				
		lame (Enter name		e tne reg	ulated	action i	is taking į	olace.)				
Resort Rai	nch of	Lake Travis, 1	inc.									


23. Street Address	of –	1300 Pa	ice Bend R	oad N	J.								
the Regulated Entity: (No PO Boxes)	· -	City	Cuisanna	1	04-4-	T	,	710	70	((0)	710.	4	
24. County		City	Spicewoo	oa	State	T>		ZIP	/8	669	ZIP+	4	
24. County		Travis	4 Dh 1 1 1		. Decembel	16	-4	addusas S		ta.a		_	
		En	ter Physical L	ocatio	n Descriptio	n ir no	Street a	aggress is	s prov	iaea.			
25. Description to Physical Location:													
26. Nearest City State Nearest ZIP Code													
Spicewood			I						Tx			78 6	69
27. Latitude (N) In	Decima	al:					28. Lor	ngitude (V	V) Ir	n Decimal:		191	
Degrees		Minutes		Secon			Degrees			Minutes		_	Seconds
30			25		40			98			03		03
29. Primary SIC Cod	de (4 digit	s) 30.	Secondary Si	C Cod	e (4 digits)		rimary digits)	NAICS C	ode 		Secondary 6 digits)	NAI	CS Code
4592						221	32						
33. What is the Prim	nary Bu	siness of	this entity?	(Do not	repeat the SIC o	r NAICS	descriptio	n.)					3
Resort													
24 Mailing		1300 Pace Bend Road N.											
34. Mailing Address:													
Audiess.		City	spicewo	od	State	1	X	ZIP		78669	ZIP +	4	
35. E-Mail Add	dress:				F	ResortF	Ranch@	gmail.co	m				
36. Te	elephon	e Number			37. Extensi	on or (Code_		3	88. Fax Nu	mber (if ap	olica	nble)
(5	512) 26	4-2533								() -		
89. TCEQ Programs and orm. See the Core Data F					rite in the perr	nits/regi	stration r	numbers tha	at will b	e affected b	y the updates	sub	mitted on this
☐ Dam Safety		Districts			Edwards Aquif	er		Emissions	Invent	ory Air	☐ Industria	al Ha	zardous Waste
☐ Municipal Solid Wa	aste [☐ New Sou	New Source Review Air OSSF				□ Petroleum St			e Tank	☑ PWS		
							0057153			2270243			
Sludge		Storm W	/ater		Title V Air		☐ Tires ☐ U				Used O	_ Used Oil	
□ Valuatas Classon	- 1,	⊠ Waste W	Motor		Mostowator A	~ = 1 ~ 1		Motor Dia	hto		Other:		
Voluntary Cleanup				-	Wastewater A	griculture	riculture Water Rights [Other.		
SECTION IV:		WQ00129											
	A. Ba		IOI MIACION	-			41. Tit	le: F	resid	lent			
42. Telephone Numb		43. Ext.	/Code	44. Fa	x Number			-Mail Add					
(512)264-2533				() -					gmail.co	m		
SECTION V:	Autho	orized S	Signature										
16. By my signature be signature authority to sidentified in field 39.													
Company: R	Resort Ra	anch of Lak	ke Travis, Inc.			Job 1	itle:	Presi	den	t			
	Sary A. B									one:	(512)264	-253	3
Signature:	16	1	16	20						te:	11/05/24		
	Date. 11100/24												

RESORT RANCH OF LAKE TRAVIS, INC APPLICATION TO RENEW WQ0012958001





RESORT RANCH OF LAKE TRAVIS, INC APPLICATION TO RENEW WQ0012958001



TCEQ

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

PLAIN LANGUAGE SUMMARY FOR TPDES OR TLAP PERMIT APPLICATIONS

Plain Language Summary Template and Instructions for Texas Pollutant Discharge Elimination System (TPDES) and Texas Land Application (TLAP) Permit Applications

Applicants should use this template to develop a plain language summary as required by <u>Title 30, Texas Administrative Code (30 TAC), Chapter 39, Subchapter H</u>. Applicants may modify the template as necessary to accurately describe their facility as long as the summary includes the following information: (1) the function of the proposed plant or facility; (2) the expected output of the proposed plant or facility; (3) the expected pollutants that may be emitted or discharged by the proposed plant or facility; and (4) how the applicant will control those pollutants, so that the proposed plant will not have an adverse impact on human health or the environment.

Fill in the highlighted areas below to describe your facility and application in plain language. Instructions and examples are provided below. Make any other edits necessary to improve readability or grammar and to comply with the rule requirements.

If you are subject to the alternative language notice requirements in 30 TAC Section 39.426, you must provide a translated copy of the completed plain language summary in the appropriate alternative language as part of your application package. For your convenience, a Spanish template has been provided below.

ENGLISH TEMPLATE FOR TPDES or TLAP NEW/RENEWAL/AMENDMENT APPLICATIONS DOMESTIC WASTEWATER/STORMWATER

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 TAC Chapter 39. The information provided in this summary may change during the technical review of the application and is not a federal enforceable representation of the permit application.

Resort Ranch of Lake Travis, Inc (CN 601048036) operates Resort Ranch WWTP (RN 101919082), a no-discharge domestic wastewater treatment facility. The facility is located at 1300 Pace Bend Rd. N., in Spicewood, Travis County, Texas 78669. The application is a request for a renewal of the permit without modifications. This permit will not authorize a discharge of pollutants into water in the state.

Discharges from the facility are expected to contain nothing, as this is a no-discharge facility. Domestic wastewater is treated by an activated sludge process plant using the extended aeration mode. Treatment units include a bar screen, an aeration basin, a final clarifier, an aerobic digester, and a chlorine contact chamber.

PLANTILLA EN ESPAÑOL PARA SOLICITUDES NUEVAS/RENOVACIONES/ENMIENDAS DE TPDES o TLAP

AGUAS RESIDUALES DOMESTICAS /**AGUAS PLUVIALES**

El siguiente resumen se proporciona para esta solicitud de permiso de calidad del agua pendiente que está siendo revisada por la Comisión de Calidad Ambiental de Texas según lo requerido por el Capítulo 39 del Código Administrativo de Texas 30. La información proporcionada en este resumen puede cambiar durante la revisión técnica de la solicitud y no es una representación ejecutiva fedérale de la solicitud de permiso.

Resort Ranch of Lake Travis Inc. (CN 601048036) opera Resort Ranch WWTP RN 101919082, un Planta de tratamiento de aguas residuales domésticas sin vertido. La instalación está ubicada en 1300 Pace Bend Rd. N., en Spicewood, Condado de Travis, Texas 78669. La solicitud es una solicitud de renovación del permiso sin modificaciones. Este permiso no autorizará una descarga de contaminantes en el agua en el estado.

Se espera que las descargas de la instalación contengan Nada, ya que se trata de una instalación sin vertido. Las aguas residuales domésticas son. está tratado por por una planta de procesamiento de lodos activados utilizando el modo de aireación extendida. Las unidades de tratamiento incluyen una criba de barra, una cuenca de aireación, un clarificador final, un digestor aeróbico y una cámara de contacto con el cloro.

INSTRUCTIONS

- 1. Enter the name of applicant in this section. The applicant name should match the name associated with the customer number.
- 2. Enter the Customer Number in this section. Each Individual or Organization is issued a unique 11-digit identification number called a CN (e.g. CN123456789).
- 3. Choose "operates" in this section for existing facility applications or choose "proposes to operate" for new facility applications.
- 4. Enter the name of the facility in this section. The facility name should match the name associated with the regulated entity number.
- 5. Enter the Regulated Entity number in this section. Each site location is issued a unique 11-digit identification number called an RN (e.g. RN123456789).
- 6. Choose the appropriate article (a or an) to complete the sentence.
- 7. Enter a description of the facility in this section. For example: steam electric generating facility, nitrogenous fertilizer manufacturing facility, etc.
- 8. Choose "is" for an existing facility or "will be" for a new facility.
- 9. Enter the location of the facility in this section.
- 10. Enter the City nearest the facility in this section.
- 11. Enter the County nearest the facility in this section.
- 12. Enter the zip code for the facility address in this section.
- 13. Enter a summary of the application request in this section. For example: renewal to discharge 25,000 gallons per day of treated domestic wastewater, new application to discharge process wastewater and stormwater on an intermittent and flow-variable basis, or major amendment to reduce monitoring frequency for pH, etc. If more than one outfall is included in the application, provide applicable information for each individual outfall.
- 14. List all pollutants expected in the discharge from this facility in this section. If applicable, refer to the pollutants from any federal numeric effluent limitations that apply to your facility.
- 15. Enter the discharge types from your facility in this section (e.g., stormwater, process wastewater, once through cooling water, etc.)
- 16. Choose the appropriate verb tense to complete the sentence.
- 17. Enter a description of the wastewater treatment used at your facility. Include a description of each process, starting with initial treatment and finishing with the outfall/point of disposal. Use additional lines for individual discharge types if necessary.

Questions or comments concerning this form may be directed to the Water Quality Division's Application Review and Processing Team by email at <a href="https://www.worder.com/wo

Example

Individual Industrial Wastewater Application

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 TAC Chapter 39. The information provided in this summary may change during the technical review of the application and are not federal enforceable representations of the permit application.

ABC Corporation (CN600000000) operates the Starr Power Station (RN100000000000), a twounit gas-fired electric generating facility. Unit 1 has a generating capacity of 393 megawatts (MWs) and Unit 2 has a generating capacity of 528 MWs. The facility is located at 1356 Starr Street, near the City of Austin, Travis County, Texas 78753.

This application is for a renewal to discharge 870,000,000 gallons per day of once through cooling water, auxiliary cooling water, and also authorizes the following waste streams monitored inside the facility (internal outfalls) before it is mixed with the other wastewaters authorized for discharge via main Outfall 001, referred to as "previously monitored effluents" (low-volume wastewater, metal-cleaning waste, and stormwater (from diked oil storage area yards and storm drains)) via Outfall 001. Low-volume waste sources, metal-cleaning waste, and stormwater drains on a continuous and flow-variable basis via internal Outfall 101.

The discharge of once through cooling water via Outfall 001 and low-volume waste and metal-cleaning waste via Outfall 101 from this facility is subject to federal effluent limitation guidelines at 40 CFR Part 423. The pollutants expected from these discharges based on 40 CFR Part 423 are: free available chlorine, total residual chlorine, total suspended solids, oil and grease, total iron, total copper, and pH. Temperature is also expected from these discharges. Additional potential pollutants are included in the Industrial Wastewater Application Technical Report, Worksheet 2.0.

Cooling water and boiler make-up water are supplied by Lake Starr Reservoir. The City of Austin municipal water plant (CN600000000, PWS 00000) supplies the facility's potable water and serves as an alternate source of boiler make-up water. Water from the Lake Starr Reservoir is withdrawn at the intake structure and treated with sodium hypochlorite to prevent biofouling and sodium bromide as a chlorine enhancer to improve efficacy and then passed through condensers and auxiliary equipment on a once-through basis to cool equipment and condense exhaust steam.

Low-volume wastewater from blowdown of boiler Units 1 and 2 and metal-cleaning wastes receive no treatment prior to discharge via Outfall 101. Plant floor and equipment drains and stormwater runoff from diked oil storage areas, yards, and storm drains are routed through an oil and water separator prior to discharge via Outfall 101. Domestic wastewater, blowdown, and backwash water from the service water filter, clarifier, and sand filter are routed to the Starr Creek Domestic Sewage Treatment Plant, TPDES Permit No. WQ0010000001, for treatment and disposal. Metal-cleaning waste from equipment cleaning is generally disposed of off-site.



TEXAS COMMISSION ON ENVIRONMENTAL QUALITY P.O. Box 13087 Austin, Texas 78711-3087

PERMIT TO DISCHARGE WASTES

This is a renewal of Permit No. WQ0012958001 issued on September 15, 2015.

under provisions of Chapter 26 of the Texas Water Code

Resort Ranch of Lake Travis, Inc.

whose mailing address is

1300 Pace Bend Road North Spicewood, Texas 78669

Nature of Business Producing Waste: Domestic wastewater treatment operation, SIC Code 4952.

General Description and Location of Waste Disposal System:

Description: The Resort Ranch of Lake Travis Wastewater Treatment Facility will consist of an activated sludge process plant using the extended aeration mode. Treatment units will include a bar screen, an aeration basin, a final clarifier, an aerobic digester, and a chlorine contact chamber. The permittee is authorized to dispose of treated domestic wastewater effluent at a daily average flow not to exceed 0.017 million gallons per day (MGD) via surface irrigation of 19.7 acres of non-public access grassland. The facility will include a storage pond with a total surface area of 0.5 acre and total capacity of 1.72 acre-feet for storage of treated effluent prior to irrigation. Application rates to the irrigated land shall not exceed 0.97 acre-feet per year per acre irrigated. The permittee will maintain native grasses on the disposal site.

Location: The wastewater treatment facility and disposal site are located at 1300 Pace Bend Road North, Spicewood, in Travis County, Texas 78669. (See Attachment A.)

Drainage Area: The wastewater treatment facility and disposal site are located in the drainage basin of Lake Travis in Segment No. 1404 of the Colorado River Basin. No discharge of pollutants into water in the state is authorized by this permit.

This permit and the authorization contained herein shall expire at midnight on five years from the date of issuance.

ISSUED DATE:

May 14, 2020

For the Commission

EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

Conditions of the Permit: No discharge of pollutants into water in the state is authorized.

A. Effluent Limitations

Character: Treated Domestic Sewage Effluent

Volume: Daily Average Flow – 0.017 MGD from the treatment system

Quality: The following effluent limitations are required:

	Effluent Concentrations							
	(Not to Exceed)							
<u>Parameter</u>	Daily <u>Average</u> mg/l	7-Day Average mg/l	Daily Maximum mg/	Single Grab mg/l				
Biochemical Oxygen Demand (5-day)	10	15	25	35				
Total Suspended Solids	15	25	40	60				

The pH shall not be less than 6.0 standard units nor greater than 9.0 standard units.

The effluent shall be chlorinated in a chlorine contact chamber to a residual of 1.0 mg/l with a minimum detention time of 20 minutes. If the effluent is to be transferred to a holding pond or tank, re-chlorination prior to the effluent being delivered into the irrigation system will be required. A trace chlorine residual shall be maintained in the effluent at the point of irrigation application.

B. Monitoring Requirements:

Parameter	Monitoring Frequency	Sample Type		
Flow	Continuous	Totalizing		
		Meter		
Biochemical Oxygen	One/week	Grab		
Demand (5-day)		77.75		
Total Suspended Solids	One/week	Grab		
pH	One/month	Grab		
Chlorine Residual	Five/week	Grab		

The monitoring shall be done after the final treatment unit and prior to storage of the treated effluent. If the effluent is land applied directly from the treatment system, monitoring shall be done after the final treatment unit and prior to land application. These records shall be maintained on a monthly basis and be available at the plant site for inspection by authorized representatives of the Commission for at least three years.

STANDARD PERMIT CONDITIONS

This permit is granted in accordance with the Texas Water Code and the rules and other Orders of the Commission and the laws of the State of Texas.

DEFINITIONS

All definitions in Section 26.001 of the Texas Water Code and 30 TAC Chapter 305 shall apply to this permit and are incorporated by reference. Some specific definitions of words or phrases used in this permit are as follows:

1. Flow Measurements

- a. Daily average flow the arithmetic average of all determinations of the daily flow within a period of one calendar month. The daily average flow determination shall consist of determinations made on at least four separate days. If instantaneous measurements are used to determine the daily flow, the determination shall be the arithmetic average of all instantaneous measurements taken during that month. Daily average flow determination for intermittent discharges shall consist of a minimum of three flow determinations on days of discharge.
- b. Annual average flow the arithmetic average of all daily flow determinations taken within the preceding 12 consecutive calendar months. The annual average flow determination shall consist of daily flow volume determinations made by a totalizing meter, charted on a chart recorder and limited to major domestic wastewater discharge facilities with a 1 million gallons per day or greater permitted flow.
- c. Instantaneous flow the measured flow during the minimum time required to interpret the flow measuring device.

2. Concentration Measurements

- a. Daily average concentration the arithmetic average of all effluent samples, composite or grab as required by this permit, within a period of one calendar month, consisting of at least four separate representative measurements.
 - For domestic wastewater treatment plants When four samples are not available in a
 calendar month, the arithmetic average (weighted by flow) of all values in the
 previous four consecutive month period consisting of at least four measurements shall
 be utilized as the daily average concentration.
 - ii. For all other wastewater treatment plants When four samples are not available in a calendar month, the arithmetic average (weighted by flow) of all values taken during the month shall be utilized as the daily average concentration.
- b. 7-day average concentration the arithmetic average of all effluent samples, composite or grab as required by this permit, within a period of one calendar week, Sunday through Saturday.
- c. Daily maximum concentration the maximum concentration measured on a single day, by the sample type specified in the permit, within a period of one calender month.

3. Sample Type

- a. Composite sample For domestic wastewater, a composite sample is a sample made up of a minimum of three effluent portions collected in a continuous 24-hour period or during the period of daily discharge if less than 24 hours, and combined in volumes proportional to flow, and collected at the intervals required by 30 TAC § 319.9 (a). For industrial wastewater, a composite sample is a sample made up of a minimum of three effluent portions collected in a continuous 24-hour period or during the period of daily discharge if less than 24 hours, and combined in volumes proportional to flow, and collected at the intervals required by 30 TAC § 319.9 (b).
- b. Grab sample an individual sample collected in less than 15 minutes.
- 4. Treatment Facility (facility) wastewater facilities used in the conveyance, storage, treatment, recycling, reclamation and/or disposal of domestic sewage, industrial wastes, agricultural wastes, recreational wastes, or other wastes including sludge handling or disposal facilities under the jurisdiction of the Commission.
- 5. The term "sewage sludge" is defined as solid, semi-solid, or liquid residue generated during the treatment of domestic sewage in 30 TAC Chapter 312. This includes the solids which have not been classified as hazardous waste separated from wastewater by unit processes.
- 6. Bypass the intentional diversion of a waste stream from any portion of a treatment facility.

MONITORING REQUIREMENTS

1. Monitoring Requirements

Monitoring results shall be collected at the intervals specified in the permit. Unless otherwise specified in this permit or otherwise ordered by the Commission, the permittee shall conduct effluent sampling in accordance with 30 TAC §§ 319.4 - 319.12.

As provided by state law, the permittee is subject to administrative, civil and criminal penalties, as applicable, for negligently or knowingly violating the Texas Water Code, Chapters 26, 27, and 28, and Texas Health and Safety Code, Chapter 361, including but not limited to knowingly making any false statement, representation, or certification on any report, record or other document submitted or required to be maintained under this permit, including monitoring reports, records or reports of compliance or noncompliance, or falsifying, tampering with or knowingly rendering inaccurate any monitoring device or method required by this permit or violating any other requirement imposed by state or federal regulations.

2. Test Procedures

- a. Unless otherwise specified in this permit, test procedures for the analysis of pollutants shall comply with procedures specified in 30 TAC §§ 319.11 - 319.12. Measurements, tests and calculations shall be accurately accomplished in a representative manner.
- All laboratory tests submitted to demonstrate compliance with this permit must meet the requirements of 30 TAC Chapter 25, Environmental Testing Laboratory Accreditation and Certification.

3. Records of Results

- a. Monitoring samples and measurements shall be taken at times and in a manner so as to be representative of the monitored activity.
- b. Except for records of monitoring information required by this permit related to the permittee's sewage sludge use and disposal activities, which shall be retained for a period of at least five years, monitoring and reporting records, including strip charts and records of calibration and maintenance, copies of all records required by this permit, and records of all data used to complete the application for this permit shall be retained at the facility site, or shall be readily available for review by a TCEQ representative for a period of three years from the date of the record or sample, measurement, report, or application. This period shall be extended at the request of the Executive Director.
- c. Records of monitoring activities shall include the following:
 - date, time and place of sample or measurement;
 - ii. identity of individual who collected the sample or made the measurement.
 - iii. date and time of analysis;
 - iv. identity of the individual and laboratory who performed the analysis;
 - v. the technique or method of analysis; and
 - the results of the analysis or measurement and quality assurance/quality control records.

The period during which records are required to be kept shall be automatically extended to the date of the final disposition of any administrative or judicial enforcement action that may be instituted against the permittee.

4. Additional Monitoring by Permittee

If the permittee monitors any pollutant at the location(s) designated herein more frequently than required by this permit using approved analytical methods as specified above, all results of such monitoring shall be included in determining compliance with permit requirements.

5. Calibration of Instruments

All automatic flow measuring or recording devices and all totalizing meters for measuring flows shall be accurately calibrated by a trained person at plant start-up and as often thereafter as necessary to ensure accuracy, but not less often than annually unless authorized by the Executive Director for a longer period. Such person shall verify in writing that the device is operating properly and giving accurate results. Copies of the verification shall be retained at the facility site and/or shall be readily available for review by a TCEQ representative for a period of three years.

6. Compliance Schedule Reports

Reports of compliance or noncompliance with, or any progress reports on, interim and final requirements contained in any compliance schedule of the permit shall be submitted no later than 14 days following each schedule date to the Regional Office and the Compliance Monitoring Team of the Enforcement Division (MC 224).

7. Noncompliance Notification

- a. In accordance with 30 TAC § 305.125(9), any noncompliance which may endanger human health or safety, or the environment shall be reported by the permittee to the TCEQ. Except as allowed by 30 TAC § 305.132, report of such information shall be provided orally or by facsimile transmission (FAX) to the Regional Office within 24 hours of becoming aware of the noncompliance. A written submission of such information shall also be provided by the permittee to the Regional Office and the Compliance Monitoring Team of the Enforcement Division (MC 224) within five working days of becoming aware of the noncompliance. The written submission shall contain a description of the noncompliance and its cause; the potential danger to human health or safety, or the environment; the period of noncompliance, including exact dates and times; if the noncompliance has not been corrected, the time it is expected to continue; and steps taken or planned to reduce, eliminate, and prevent recurrence of the noncompliance, and to mitigate its adverse effects.
- b. The following violations shall be reported under Monitoring and Reporting Requirement 7.a.:
 - Unauthorized discharges as defined in Permit Condition 2(g).
 - ii. Any unanticipated bypass which exceeds any effluent limitation in the permit.
- c. In addition to the above, any effluent violation which deviates from the permitted effluent limitation by more than 40% shall be reported by the permittee in writing to the Regional Office and the Compliance Monitoring Team of the Enforcement Division (MC 224) within 5 working days of becoming aware of the noncompliance.
- d. Any noncompliance other than that specified in this section, or any required information not submitted or submitted incorrectly, shall be reported to the Compliance Monitoring Team of the Enforcement Division (MC 224) as promptly as possible.
- In accordance with the procedures described in 30 TAC §§ 35.301 35.303 (relating to Water Quality Emergency and Temporary Orders) if the permittee knows in advance of the need for a bypass, it shall submit prior notice by applying for such authorization.
- Changes in Discharges of Toxic Substances

All existing manufacturing, commercial, mining, and silvicultural permittees shall notify the Regional Office, orally or by facsimile transmission within 24 hours, and both the Regional Office and the Compliance Monitoring Team of the Enforcement Division (MC 224) in writing within five (5) working days, after becoming aware of or having reason to believe:

- a. That any activity has occurred or will occur which would result in the discharge, on a routine or frequent basis, of any toxic pollutant listed at 40 CFR Part 122, Appendix D, Tables II and III (excluding Total Phenols) which is not limited in the permit, if that discharge will exceed the highest of the following "notification levels":
 - One hundred micrograms per liter (100 μg/L);
 - Two hundred micrograms per liter (200 μg/L) for acrolein and acrylonitrile; five hundred micrograms per liter (500 μg/L) for 2,4-dinitrophenol and for 2-methyl-

4.6-dinitrophenol; and one milligram per liter (1 mg/L) for antimony;

- Five (5) times the maximum concentration value reported for that pollutant in the permit application; or
- iv. The level established by the TCEQ.
- b. That any activity has occurred or will occur which would result in any discharge, on a nonroutine or infrequent basis, of a toxic pollutant which is not limited in the permit, if that discharge will exceed the highest of the following "notification levels":
 - Five hundred micrograms per liter (500 μg/L);

ii. One milligram per liter (1 mg/L) for antimony;

iii. Ten (10) times the maximum concentration value reported for that pollutant in the permit application; or

iv. The level established by the TCEQ.

10. Signatories to Reports

All reports and other information requested by the Executive Director shall be signed by the person and in the manner required by 30 TAC § 305.128 (relating to Signatories to Reports).

PERMIT CONDITIONS

1. General

- a. When the permittee becomes aware that it failed to submit any relevant facts in a permit application, or submitted incorrect information in an application or in any report to the Executive Director, it shall promptly submit such facts or information.
- b. This permit is granted on the basis of the information supplied and representations made by the permittee during action on an application, and relying upon the accuracy and completeness of that information and those representations. After notice and opportunity for a hearing, this permit may be modified, suspended, or revoked, in whole or in part, in accordance with 30 TAC Chapter 305, Subchapter D, during its term for good cause including, but not limited to, the following:
 - Violation of any terms or conditions of this permit;
 - Obtaining this permit by misrepresentation or failure to disclose fully all relevant facts; or
 - A change in any condition that requires either a temporary or permanent reduction or elimination of the authorized discharge.
- c. The permittee shall furnish to the Executive Director, upon request and within a reasonable time, any information to determine whether cause exists for amending, revoking, suspending or terminating the permit. The permittee shall also furnish to the Executive Director, upon request, copies of records required to be kept by the permit.

2. Compliance

- a. Acceptance of the permit by the person to whom it is issued constitutes acknowledgment and agreement that such person will comply with all the terms and conditions embodied in the permit, and the rules and other orders of the Commission.
- b. The permittee has a duty to comply with all conditions of the permit. Failure to comply with any permit condition constitutes a violation of the permit and the Texas Water Code or the Texas Health and Safety Code, and is grounds for enforcement action, for permit amendment, revocation or suspension, or for denial of a permit renewal application or an application for a permit for another facility.
- c. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit.
- d. The permittee shall take all reasonable steps to minimize or prevent any discharge or sludge use or disposal or other permit violation which has a reasonable likelihood of adversely affecting human health or the environment.
- e. Authorization from the Commission is required before beginning any change in the permitted facility or activity that may result in noncompliance with any permit requirements.
- f. A permit may be amended, suspended and reissued, or revoked for cause in accordance with 30 TAC §§ 305.62 and 305.66 and Texas Water Code Section 7.302. The filing of a request by the permittee for a permit amendment, suspension and reissuance, or termination, or a notification of planned changes or anticipated noncompliance, does not stay any permit condition.
- g. There shall be no unauthorized discharge of wastewater or any other waste. For the purpose of this permit, an unauthorized discharge is considered to be any discharge of wastewater into or adjacent to water in the state at any location not permitted as an outfall or otherwise defined in the Special Provisions section of this permit.
- h. The permittee is subject to administrative, civil, and criminal penalties, as applicable, under Texas Water Code §§ 7.051 7.075 (relating to Administrative Penalties), 7.101 7.111 (relating to Civil Penalties), and 7.141 7.202 (relating to Criminal Offenses and Penalties).

3. Inspections and Entry

- a. Inspection and entry shall be allowed as prescribed in the Texas Water Code Chapters 26, 27, and 28, and Texas Health and Safety Code Chapter 361.
- b. The members of the Commission and employees and agents of the Commission are entitled to enter any public or private property at any reasonable time for the purpose of inspecting and investigating conditions relating to the quality of water in the state or the compliance with any rule, regulation, permit or other order of the Commission. Members, employees, or agents of the Commission and Commission contractors are entitled to enter public or private property at any reasonable time to investigate or monitor or, if the responsible party is not responsive or there is an immediate danger to public health or the environment, to remove or remediate a condition related to the

quality of water in the state. Members, employees, Commission contractors, or agents acting under this authority who enter private property shall observe the establishment's rules and regulations concerning safety, internal security, and fire protection, and if the property has management in residence, shall notify management or the person then in charge of his presence and shall exhibit proper credentials. If any member, employee, Commission contractor, or agent is refused the right to enter in or on public or private property under this authority, the Executive Director may invoke the remedies authorized in Texas Water Code Section 7.002. The statement above, that Commission entry shall occur in accordance with an establishment's rules and regulations concerning safety, internal security, and fire protection, is not grounds for denial or restriction of entry to any part of the facility, but merely describes the Commission's duty to observe appropriate rules and regulations during an inspection.

4. Permit Amendment and/or Renewal

- a. The permittee shall give notice to the Executive Director as soon as possible of any planned physical alterations or additions to the permitted facility if such alterations or additions would require a permit amendment or result in a violation of permit requirements. Notice shall also be required under this paragraph when:
 - The alteration or addition could significantly change the nature or increase the quantity of pollutants discharged. This notification applies to pollutants which are subject neither to effluent limitations in the permit, nor to notification requirements in Monitoring and Reporting Requirements No. 9;
 - ii. The alteration or addition results in a significant change in the permittee's sludge use or disposal practices, and such alteration, addition, or change may justify the application of permit conditions that are different from or absent in the existing permit, including notification of additional use or disposal sites not reported during the permit application process or not reported pursuant to an approved land application plan.
- b. Prior to any facility modifications, additions, or expansions that will increase the plant capacity beyond the permitted flow, the permittee must apply for and obtain proper authorization from the Commission before commencing construction.
- c. The permittee must apply for an amendment or renewal at least 180 days prior to expiration of the existing permit in order to continue a permitted activity after the expiration date of the permit. If an application is submitted prior to the expiration date of the permit, the existing permit shall remain in effect until the application is approved, denied, or returned. If the application is returned or denied, authorization to continue such activity shall terminate upon the effective date of the action. If an application is not submitted prior to the expiration date of the permit, the permit shall expire and authorization to continue such activity shall terminate.
- d. Prior to accepting or generating wastes which are not described in the permit application or which would result in a significant change in the quantity or quality of the existing discharge, the permittee must report the proposed changes to the Commission. The permittee must apply for a permit amendment reflecting any necessary changes in permit conditions, including effluent limitations for pollutants not identified and limited by this permit.

e. In accordance with the Texas Water Code § 26.029(b), after a public hearing, notice of which shall be given to the permittee, the Commission may require the permittee, from time to time, for good cause, in accordance with applicable laws, to conform to new or additional conditions.

5. Permit Transfer

- a. Prior to any transfer of this permit, Commission approval must be obtained. The Commission shall be notified in writing of any change in control or ownership of facilities authorized by this permit. Such notification should be sent to the Applications Review and Processing Team (MC 148) of the Water Quality Division.
- b. A permit may be transferred only according to the provisions of 30 TAC § 305.64 (relating to Transfer of Permits) and 30 TAC § 50.133 (relating to Executive Director Action on Application or WQMP update).

6. Relationship to Hazardous Waste Activities

This permit does not authorize any activity of hazardous waste storage, processing, or disposal which requires a permit or other authorization pursuant to the Texas Health and Safety Code.

7. Property Rights

A permit does not convey any property rights of any sort, or any exclusive privilege.

8. Permit Enforceability

The conditions of this permit are severable, and if any provision of this permit, or the application of any provision of this permit to any circumstances, is held invalid, the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby.

9. Relationship to Permit Application

The application pursuant to which the permit has been issued is incorporated herein; provided, however, that in the event of a conflict between the provisions of this permit and the application, the provisions of the permit shall control.

10. Notice of Bankruptcy.

- a. Each permittee shall notify the Executive Director, in writing, immediately following the filing of a voluntary or involuntary petition for bankruptcy under any chapter of Title 11 (Bankruptcy) of the United States Code (11 USC) by or against:
 - i. the permittee;
 - ii. an entity (as that term is defined in 11 USC, § 101(14)) controlling the permittee or listing the permit or permittee as property of the estate; or
 - iii. an affiliate (as that term is defined in 11 USC, § 101(2)) of the permittee.

b. This notification must indicate:

- i. the name of the permittee;
- ii. the permit number(s);
- iii. the bankruptcy court in which the petition for bankruptcy was filed; and
- iv. the date of filing of the petition.

OPERATIONAL REQUIREMENTS

- 1. The permittee shall at all times ensure that the facility and all of its systems of collection, treatment, and disposal are properly operated and maintained. This includes, but is not limited to, the regular, periodic examination of wastewater solids within the treatment plant by the operator in order to maintain an appropriate quantity and quality of solids inventory as described in the various operator training manuals and according to accepted industry standards for process control. Process control, maintenance, and operations records shall be retained at the facility site, or shall be readily available for review by a TCEQ representative, for a period of three years.
- 2. Upon request by the Executive Director, the permittee shall take appropriate samples and provide proper analysis in order to demonstrate compliance with Commission rules. Unless otherwise specified in this permit or otherwise ordered by the Commission, the permittee shall comply with all applicable provisions of 30 TAC Chapter 312 concerning sewage sludge use and disposal and 30 TAC §§ 319.21 319.29 concerning the discharge of certain hazardous metals.
- 3. Domestic wastewater treatment facilities shall comply with the following provisions:
 - a. The permittee shall notify the Municipal Permits Team, Wastewater Permitting Section (MC 148) of the Water Quality Division, in writing, of any facility expansion at least 90 days prior to conducting such activity.
 - b. The permittee shall submit a closure plan for review and approval to the Municipal Permits Team, Wastewater Permitting Section (MC 148) of the Water Quality Division, for any closure activity at least 90 days prior to conducting such activity. Closure is the act of permanently taking a waste management unit or treatment facility out of service and includes the permanent removal from service of any pit, tank, pond, lagoon, surface impoundment and/or other treatment unit regulated by this permit.
- 4. The permittee is responsible for installing prior to plant start-up, and subsequently maintaining, adequate safeguards to prevent the discharge of untreated or inadequately treated wastes during electrical power failures by means of alternate power sources, standby generators, and/or retention of inadequately treated wastewater.
- Unless otherwise specified, the permittee shall provide a readily accessible sampling point and, where applicable, an effluent flow measuring device or other acceptable means by which effluent flow may be determined.
- The permittee shall remit an annual water quality fee to the Commission as required by 30
 TAC Chapter 21. Failure to pay the fee may result in revocation of this permit under Texas
 Water Code § 7.302(b)(6).
- Documentation

For all written notifications to the Commission required of the permittee by this permit, the permittee shall keep and make available a copy of each such notification under the same conditions as self-monitoring data are required to be kept and made available. Except for information specified as not confidential in 30 TAC § 1.5(d), any information submitted pursuant to this permit may be claimed as confidential by the submitter. Any such claim must be asserted in the manner prescribed in the application form or by stamping the words "confidential business information" on each page containing such information. If no claim is made at the time of submission, information may be made available to the public without further notice. If the Commission or Executive Director agrees with the designation of confidentiality, the TCEQ will not provide the information for public inspection unless required by the Texas Attorney General or a court pursuant to an open records request. If the Executive Director does not agree with the designation of confidentiality, the person submitting the information will be notified.

- Facilities which generate domestic wastewater shall comply with the following provisions; domestic wastewater treatment facilities at permitted industrial sites are excluded.
 - a. Whenever flow measurements for any domestic sewage treatment facility reach 75 percent of the permitted daily average or annual average flow for three consecutive months, the permittee must initiate engineering and financial planning for expansion and/or upgrading of the domestic wastewater treatment and/or collection facilities. Whenever the flow reaches 90 percent of the permitted daily average or annual average flow for three consecutive months, the permittee shall obtain necessary authorization from the Commission to commence construction of the necessary additional treatment and/or collection facilities. In the case of a domestic wastewater treatment facility which reaches 75 percent of the permitted daily average or annual average flow for three consecutive months, and the planned population to be served or the quantity of waste produced is not expected to exceed the design limitations of the treatment facility, the permittee shall submit an engineering report supporting this claim to the Executive Director of the Commission.

If in the judgement of the Executive Director the population to be served will not cause permit noncompliance, then the requirement of this section may be waived. To be effective, any waiver must be in writing and signed by the Director of the Enforcement Division (MC 219) of the Commission, and such waiver of these requirements will be reviewed upon expiration of the existing permit; however, any such waiver shall not be interpreted as condoning or excusing any violation of any permit parameter.

- b. The plans and specifications for domestic sewage collection and treatment works associated with any domestic permit must be approved by the Commission and failure to secure approval before commencing construction of such works or making a discharge is a violation of this permit and each day is an additional violation until approval has been secured.
- c. Permits for domestic wastewater treatment plants are granted subject to the policy of the Commission to encourage the development of area-wide waste collection, treatment and disposal systems. The Commission reserves the right to amend any domestic wastewater permit in accordance with applicable procedural requirements to require the system covered by this permit to be integrated into an area-wide system, should such be developed; to require the delivery of the wastes authorized to be collected in, treated by or discharged from said system, to such area-wide system; or to amend this permit in any other particular to effectuate the Commission's policy. Such amendments may be made

when the changes required are advisable for water quality control purposes and are feasible on the basis of waste treatment technology, engineering, financial, and related considerations existing at the time the changes are required, exclusive of the loss of investment in or revenues from any then existing or proposed waste collection, treatment or disposal system.

- Domestic wastewater treatment plants shall be operated and maintained by sewage plant operators holding a valid certificate of competency at the required level as defined in 30 TAC Chapter 30.
- 10. Facilities which generate industrial solid waste as defined in 30 TAC § 335.1 shall comply with these provisions:
 - a. Any solid waste, as defined in 30 TAC § 335.1 (including but not limited to such wastes as garbage, refuse, sludge from a waste treatment, water supply treatment plant or air pollution control facility, discarded materials, discarded materials to be recycled, whether the waste is solid, liquid, or semisolid), generated by the permittee during the management and treatment of wastewater, must be managed in accordance with all applicable provisions of 30 TAC Chapter 335, relating to Industrial Solid Waste Management.
 - b. Industrial wastewater that is being collected, accumulated, stored, or processed before discharge through any final discharge outfall, specified by this permit, is considered to be industrial solid waste until the wastewater passes through the actual point source discharge and must be managed in accordance with all applicable provisions of 30 TAC Chapter 335.
 - c. The permittee shall provide written notification, pursuant to the requirements of 30 TAC § 335.8(b)(1), to the Corrective Action Section (MC 221) of the Remediation Division informing the Commission of any closure activity involving an Industrial Solid Waste Management Unit, at least 90 days prior to conducting such an activity.
 - d. Construction of any industrial solid waste management unit requires the prior written notification of the proposed activity to the Registration and Reporting Section (MC 129) of the Permitting and Remediation Support Division. No person shall dispose of industrial solid waste, including sludge or other solids from wastewater treatment processes, prior to fulfilling the deed recordation requirements of 30 TAC § 335.5.
 - e. The term "industrial solid waste management unit" means a landfill, surface impoundment, waste-pile, industrial furnace, incinerator, cement kiln, injection well, container, drum, salt dome waste containment cavern, or any other structure vessel, appurtenance, or other improvement on land used to manage industrial solid waste.
 - f. The permittee shall keep management records for all sludge (or other waste) removed from any wastewater treatment process. These records shall fulfill all applicable requirements of 30 TAC Chapter 335 and must include the following, as it pertains to wastewater treatment and discharge:
 - Volume of waste and date(s) generated from treatment process;
 - ii. Volume of waste disposed of on-site or shipped off-site;
 - iii. Date(s) of disposal;
 - iv. Identity of hauler or transporter,

- v. Location of disposal site; and
- vi. Method of final disposal.

The above records shall be maintained on a monthly basis. The records shall be retained at the facility site, or shall be readily available for review by authorized representatives of the TCEQ for at least five years.

11. For industrial facilities to which the requirements of 30 TAC Chapter 335 do not apply, sludge and solid wastes, including tank cleaning and contaminated solids for disposal, shall be disposed of in accordance with Chapter 361 of the Texas Health and Safety Code.

TCEQ Revision 06/2008

SLUDGE PROVISIONS

The permittee is authorized to dispose of sludge only at a Texas Commission on Environmental Quality (TCEQ) authorized land application site, co-disposal landfill, wastewater treatment facility, or facility that further processes sludge. The disposal of sludge by land application on property owned, leased or under the direct control of the permittee is a violation of the permit unless the site is authorized with the TCEQ. This provision does not authorize Distribution and Marketing of Class A or Class AB Sewage Sludge. This provision does not authorize the permittee to land apply sludge on property owned, leased or under the direct control of the permittee.

SECTION I. REQUIREMENTS APPLYING TO ALL SEWAGE SLUDGE LAND APPLICATION

A. General Requirements

- The permittee shall handle and dispose of sewage sludge in accordance with 30 TAC §
 312 and all other applicable state and federal regulations in a manner that protects
 public health and the environment from any reasonably anticipated adverse effects due
 to any toxic pollutants that may be present in the sludge.
- 2. In all cases, if the person (permit holder) who prepares the sewage sludge supplies the sewage sludge to another person for land application use or to the owner or lease holder of the land, the permit holder shall provide necessary information to the parties who receive the sludge to assure compliance with these regulations.

B. Testing Requirements

1. Sewage sludge shall be tested once during the term of this permit in accordance with the method specified in both 40 CFR Part 261, Appendix II and 40 CFR Part 268, Appendix I [Toxicity Characteristic Leaching Procedure (TCLP)] or other method that receives the prior approval of the TCEQ for the contaminants listed in 40 CFR Part 261.24, Table 1. Sewage sludge failing this test shall be managed according to RCRA standards for generators of hazardous waste, and the waste's disposition must be in accordance with all applicable requirements for hazardous waste processing, storage, or disposal. Following failure of any TCLP test, the management or disposal of sewage sludge at a facility other than an authorized hazardous waste processing, storage, or disposal facility shall be prohibited until such time as the permittee can demonstrate the sewage sludge no longer exhibits the hazardous waste toxicity characteristics (as demonstrated by the results of the TCLP tests). A written report shall be provided to both the TCEQ Registration and Reporting Section (MC 129) of the Permitting and Registration Support Division and the Regional Director (MC Region 11) within seven (7) days after failing the TCLP Test.

The report shall contain test results, certification that unauthorized waste management has stopped and a summary of alternative disposal plans that comply with RCRA standards for the management of hazardous waste. The report shall be addressed to: Director, Permitting and Registration Support Division (MC 129), Texas Commission on Environmental Quality, P.O. Box 13087, Austin, Texas 78711-3087. In addition, the permittee shall prepare an annual report on the results of all sludge toxicity testing. This annual report shall be submitted to the TCEQ Regional Office (MC Region 11) and the Compliance Monitoring Team (MC 224) of the Enforcement Division by September 30th of each year.

Sewage sludge shall not be applied to the land if the concentration of the pollutants
exceeds the pollutant concentration criteria in Table 1. The frequency of testing for
pollutants in Table 1 is found in Section I.C. of this permit.

TABLE 1

Pollutant	Ceiling Concentration (Milligrams per kilogram)*				
Arsenic	75				
Cadmium	85				
Chromium	3000				
Copper	4300				
Lead	840				
Mercury	57				
Molybdenum	75				
Nickel	420				
PCBs	49				
Selenium	100				
Zine	7500				

^{*} Dry weight basis

3. Pathogen Control

All sewage sludge that is applied to agricultural land, forest, a public contact site, or a reclamation site must be treated by one of the following methods to ensure that the sludge meets either the Class A, Class AB or Class B pathogen requirements.

a. For sewage sludge to be classified as Class A with respect to pathogens, the density of fecal coliform in the sewage sludge must be less than 1,000 most probable number (MPN) per gram of total solids (dry weight basis), or the density of Salmonella sp. bacteria in the sewage sludge must be less than three MPN per four grams of total solids (dry weight basis) at the time the sewage sludge is used or disposed. In addition, one of the alternatives listed below must be met:

Alternative 1 - The temperature of the sewage sludge that is used or disposed shall be maintained at or above a specific value for a period of time. See 30 TAC § 312.82(a)(2)(A) for specific information;

Alternative 5 (PFRP) - Sewage sludge that is used or disposed of must be treated in one of the Processes to Further Reduce Pathogens (PFRP) described in 40 CFR Part 503, Appendix B. PFRP include composting, heat drying, heat treatment, and thermophilic aerobic digestion; or

Alternative 6 (PFRP Equivalent) - Sewage sludge that is used or disposed of must be treated in a process that has been approved by the U. S. Environmental Protection Agency as being equivalent to those in Alternative 5.

b. For sewage sludge to be classified as Class AB with respect to pathogens, the density of fecal coliform in the sewage sludge must be less than 1,000 MPN per gram of total solids (dry weight basis), or the density of Salmonella sp. bacteria in the sewage sludge be less than three MPN per four grams of total solids (dry weight basis) at the time the sewage sludge is used or disposed. In addition, one of the alternatives listed below must be met:

Alternative 2 - The pH of the sewage sludge that is used or disposed shall be raised to above 12 std. units and shall remain above 12 std. units for 72 hours.

The temperature of the sewage sludge shall be above 52° Celsius for 12 hours or longer during the period that the pH of the sewage sludge is above 12 std. units.

At the end of the 72-hour period during which the pH of the sewage sludge is above 12 std. units, the sewage sludge shall be air dried to achieve a percent solids in the sewage sludge greater than 50%; or

Alternative 3 - The sewage sludge shall be analyzed for enteric viruses prior to pathogen treatment. The limit for enteric viruses is less than one Plaque-forming Unit per four grams of total solids (dry weight basis) either before or following pathogen treatment. See 30 TAC § 312.82(a)(2)(C)(i-iii) for specific information. The sewage sludge shall be analyzed for viable helminth ova prior to pathogen treatment. The limit for viable helminth ova is less than one per four grams of total solids (dry weight basis) either before or following pathogen treatment. See 30 TAC § 312.82(a)(2)(C)(iv-vi) for specific information; or

Alternative 4 - The density of enteric viruses in the sewage sludge shall be less than one Plaque-forming Unit per four grams of total solids (dry weight basis) at the time the sewage sludge is used or disposed. The density of viable helminth ova in the sewage sludge shall be less than one per four grams of total solids (dry weight basis) at the time the sewage sludge is used or disposed.

- c. Sewage sludge that meets the requirements of Class AB sewage sludge may be classified a Class A sewage sludge if a variance request is submitted in writing that is supported by substantial documentation demonstrating equivalent methods for reducing odors and written approval is granted by the executive director. The executive director may deny the variance request or revoke that approved variance if it is determined that the variance may potentially endanger human health or the environment, or create nuisance odor conditions.
- d. Three alternatives are available to demonstrate compliance with Class B criteria for sewage sludge.

Alternative 1

- A minimum of seven random samples of the sewage sludge shall be collected within 48 hours of the time the sewage sludge is used or disposed of during each monitoring episode for the sewage sludge.
- The geometric mean of the density of fecal coliform in the samples collected shall be less than either 2,000,000 MPN per gram of total solids (dry weight basis) or 2,000,000 Colony Forming Units per gram of total solids (dry weight basis).

Alternative 2 - Sewage sludge that is used or disposed of shall be treated in one of the Processes to Significantly Reduce Pathogens (PSRP) described in 40 CFR Part 503, Appendix B, so long as all of the following requirements are met by the generator of the sewage sludge.

- Prior to use or disposal, all the sewage sludge must have been generated from a single location, except as provided in paragraph v. below;
- ii. An independent Texas Licensed Professional Engineer must make a certification to the generator of a sewage sludge that the wastewater treatment facility generating the sewage sludge is designed to achieve one of the PSRP at the permitted design loading of the facility. The certification need only be repeated if the design loading of the facility is increased. The certification shall include a statement indicating the design meets all the applicable standards specified in Appendix B of 40 CFR Part 503;
- iii. Prior to any off-site transportation or on-site use or disposal of any sewage sludge generated at a wastewater treatment facility, the chief certified operator of the wastewater treatment facility or other responsible official who manages the processes to significantly reduce pathogens at the wastewater treatment facility for the permittee, shall certify that the sewage sludge underwent at least the minimum operational requirements necessary in order to meet one of the PSRP. The acceptable processes and the minimum operational and record keeping requirements shall be in accordance with established U.S. Environmental Protection Agency final guidance;
- iv. All certification records and operational records describing how the requirements of this paragraph were met shall be kept by the generator for a minimum of three years and be available for inspection by commission staff for review; and
- v. If the sewage sludge is generated from a mixture of sources, resulting from a person who prepares sewage sludge from more than one wastewater treatment facility, the resulting derived product shall meet one of the PSRP, and shall meet the certification, operation, and record keeping requirements of this paragraph.

Alternative 3 - Sewage sludge shall be treated in an equivalent process that has been approved by the U.S. Environmental Protection Agency, so long as all of the following requirements are met by the generator of the sewage sludge.

 Prior to use or disposal, all the sewage sludge must have been generated from a single location, except as provided in paragraph v. below;

- ii. Prior to any off-site transportation or on-site use or disposal of any sewage sludge generated at a wastewater treatment facility, the chief certified operator of the wastewater treatment facility or other responsible official who manages the processes to significantly reduce pathogens at the wastewater treatment facility for the permittee, shall certify that the sewage sludge underwent at least the minimum operational requirements necessary in order to meet one of the PSRP. The acceptable processes and the minimum operational and record keeping requirements shall be in accordance with established U.S. Environmental Protection Agency final guidance;
- All certification records and operational records describing how the requirements
 of this paragraph were met shall be kept by the generator for a minimum of three
 years and be available for inspection by commission staff for review;
- The Executive Director will accept from the U.S. Environmental Protection Agency a finding of equivalency to the defined PSRP; and
- v. If the sewage sludge is generated from a mixture of sources resulting from a person who prepares sewage sludge from more than one wastewater treatment facility, the resulting derived product shall meet one of the Processes to Significantly Reduce Pathogens, and shall meet the certification, operation, and record keeping requirements of this paragraph.

In addition to the Alternatives 1-3, the following site restrictions must be met if Class B sludge is land applied:

- Food crops with harvested parts that touch the sewage sludge/soil mixture and are totally above the land surface shall not be harvested for 14 months after application of sewage sludge.
- Food crops with harvested parts below the surface of the land shall not be harvested for 20 months after application of sewage sludge when the sewage sludge remains on the land surface for 4 months or longer prior to incorporation into the soil.
- iii. Food crops with harvested parts below the surface of the land shall not be harvested for 38 months after application of sewage sludge when the sewage sludge remains on the land surface for less than 4 months prior to incorporation into the soil.
- Food crops, feed crops, and fiber crops shall not be harvested for 30 days after application of sewage sludge.
- Animals shall not be allowed to graze on the land for 30 days after application of sewage sludge.
- vi. Turf grown on land where sewage sludge is applied shall not be harvested for 1 year after application of the sewage sludge when the harvested turf is placed on either land with a high potential for public exposure or a lawn.
- Public access to land with a high potential for public exposure shall be restricted for 1 year after application of sewage sludge.

- viii. Public access to land with a low potential for public exposure shall be restricted for 30 days after application of sewage sludge.
- ix. Land application of sludge shall be in accordance with the buffer zone requirements found in 30 TAC § 312.44.

4. Vector Attraction Reduction Requirements

All bulk sewage sludge that is applied to agricultural land, forest, a public contact site, or a reclamation site shall be treated by one of the following Alternatives 1 through 10 for vector attraction reduction.

- Alternative 1 The mass of volatile solids in the sewage sludge shall be reduced by a minimum of 38%.
- Alternative 2 If Alternative 1 cannot be met for an anaerobically digested sludge, demonstration can be made by digesting a portion of the previously digested sludge anaerobically in the laboratory in a bench-scale unit for 40 additional days at a temperature between 30° and 37° Celsius. Volatile solids must be reduced by less than 17% to demonstrate compliance.
- Alternative 3 If Alternative 1 cannot be met for an aerobically digested sludge, demonstration can be made by digesting a portion of the previously digested sludge with percent solids of two percent or less aerobically in the laboratory in a bench-scale unit for 30 additional days at 20° Celsius. Volatile solids must be reduced by less than 15% to demonstrate compliance.
- Alternative 4 The specific oxygen uptake rate (SOUR) for sewage sludge treated in an aerobic process shall be equal to or less than 1.5 milligrams of oxygen per hour per gram of total solids (dry weight basis) at a temperature of 20° Celsius.
- Alternative 5 Sewage sludge shall be treated in an aerobic process for 14 days or longer. During that time, the temperature of the sewage sludge shall be higher than 40° Celsius and the average temperature of the sewage sludge shall be higher than 45° Celsius.
- Alternative 6 The pH of sewage sludge shall be raised to 12 or higher by alkali addition and, without the addition of more alkali shall remain at 12 or higher for two hours and then remain at a pH of 11.5 or higher for an additional 22 hours at the time the sewage sludge is prepared for sale or given away in a bag or other container.
- Alternative 7 The percent solids of sewage sludge that does not contain unstabilized solids generated in a primary wastewater treatment process shall be equal to or greater than 75% based on the moisture content and total solids prior to mixing with other materials. Unstabilized solids are defined as organic materials in sewage sludge that have not been treated in either an aerobic or anaerobic treatment process.

Alternative 8 -

The percent solids of sewage sludge that contains unstabilized solids generated in a primary wastewater treatment process shall be equal to or greater than 90% based on the moisture content and total solids prior to mixing with other materials at the time the sludge is used. Unstabilized solids are defined as organic materials in sewage sludge that have not been treated in either an aerobic or anaerobic treatment process.

Alternative 9 -

- . Sewage sludge shall be injected below the surface of the land.
- No significant amount of the sewage sludge shall be present on the land surface within one hour after the sewage sludge is injected.
- iii. When sewage sludge that is injected below the surface of the land is Class A or Class AB with respect to pathogens, the sewage sludge shall be injected below the land surface within eight hours after being discharged from the pathogen treatment process.

Alternative 10-

- Sewage sludge applied to the land surface or placed on a surface disposal site shall be incorporated into the soil within six hours after application to or placement on the land.
- When sewage sludge that is incorporated into the soil is Class A
 or Class AB with respect to pathogens, the sewage sludge shall be
 applied to or placed on the land within eight hours after being
 discharged from the pathogen treatment process.

C. Monitoring Requirements

Toxicity Characteristic Leaching Procedure
(TCLP) Test
PCBs
- once during the term of this permit

All metal constituents and fecal coliform or Salmonella sp. bacteria shall be monitored at the appropriate frequency shown below, pursuant to 30 TAC § 312.46(a)(1):

Amount of sewage sludge (*) metric tons per 365-day period	Monitoring Frequency
o to less than 290	Once/Year
290 to less than 1,500	Once/Quarter
1,500 to less than 15,000	Once/Two Months
15,000 or greater	Once/Month

(*) The amount of bulk sewage sludge applied to the land (dry wt. basis).

Representative samples of sewage sludge shall be collected and analyzed in accordance with

the methods referenced in 30 TAC § 312.7

Identify each of the analytic methods used by the facility to analyze enteric viruses, fecal coliforms, helminth ova, Salmonella sp., and other regulated parameters.

Identify in the following categories (as applicable) the sewage sludge treatment process or processes at the facility: preliminary operations (e.g., sludge grinding and degritting), thickening (concentration), stabilization, anaerobic digestion, aerobic digestion, composting, conditioning, disinfection (e.g., beta ray irradiation, gamma ray irradiation, pasteurization), dewatering (e.g., centrifugation, sludge drying beds, sludge lagoons), heat drying, thermal reduction, and methane or biogas capture and recovery.

Identify the nature of material generated by the facility (such as a biosolid for beneficial use or land-farming, or sewage sludge for disposal at a monofill) and whether the material is ultimately conveyed off-site in bulk or in bags.

SECTION II.

REQUIREMENTS SPECIFIC TO BULK SEWAGE SLUDGE FOR APPLICATION TO THE LAND MEETING CLASS A, CLASS AB or B PATHOGEN REDUCTION AND THE CUMULATIVE LOADING RATES IN TABLE 2, OR CLASS B PATHOGEN REDUCTION AND THE POLLUTANT CONCENTRATIONS IN TABLE 3

For those permittees meeting Class A, Class AB or B pathogen reduction requirements and that meet the cumulative loading rates in Table 2 below, or the Class B pathogen reduction requirements and contain concentrations of pollutants below listed in Table 3, the following conditions apply:

A. Pollutant Limits

Table 2

	Cumulative Pollutant Loading Rate
Pollutant	(pounds per acre)*
Arsenic	36
Cadmium	35
Chromium	2677
Copper	1339
Lead	268
Mercury	15
Molybdenum	Report Only
Nickel	375
Selenium	89
Zinc	2500

Table 3

Pollutant	Monthly Average Concentration (milligrams per kilogram)*
Arsenic	41
Cadmium	39
Chromium	1200
Copper	1500
Lead	300
Mercury	17
Molybdenum	Report Only
Nickel	420
Selenium	36
Zinc	2800
	*Dry weight basis

B. Pathogen Control

All bulk sewage sludge that is applied to agricultural land, forest, a public contact site, a reclamation site, shall be treated by either Class A, Class AB or Class B pathogen reduction requirements as defined above in Section I.B.3.

C. Management Practices

- Bulk sewage sludge shall not be applied to agricultural land, forest, a public contact site, or a reclamation site that is flooded, frozen, or snow-covered so that the bulk sewage sludge enters a wetland or other waters in the State.
- Bulk sewage sludge not meeting Class A requirements shall be land applied in a manner which complies with Applicability in accordance with 30 TAC §312.41 and the Management Requirements in accordance with 30 TAC § 312.44.
- 3. Bulk sewage sludge shall be applied at or below the agronomic rate of the cover crop.
- 4. An information sheet shall be provided to the person who receives bulk sewage sludge sold or given away. The information sheet shall contain the following information:
 - a. The name and address of the person who prepared the sewage sludge that is sold or given away in a bag or other container for application to the land.
 - b. A statement that application of the sewage sludge to the land is prohibited except in accordance with the instruction on the label or information sheet.
 - c. The annual whole sludge application rate for the sewage sludge application rate for the sewage sludge that does not cause any of the cumulative pollutant loading rates in Table 2 above to be exceeded, unless the pollutant concentrations in Table 3 found in Section II above are met.

D. Notification Requirements

- If bulk sewage sludge is applied to land in a State other than Texas, written notice shall be provided prior to the initial land application to the permitting authority for the State in which the bulk sewage sludge is proposed to be applied. The notice shall include:
 - The location, by street address, and specific latitude and longitude, of each land application site.
 - b. The approximate time period bulk sewage sludge will be applied to the site.
 - c. The name, address, telephone number, and National Pollutant Discharge Elimination System permit number (if appropriate) for the person who will apply the bulk sewage sludge.
- The permittee shall give 180 days prior notice to the Executive Director in care of the Wastewater Permitting Section (MC 148) of the Water Quality Division of any change planned in the sewage sludge disposal practice.

E. Record keeping Requirements

The sludge documents will be retained at the facility site and/or shall be readily available for review by a TCEQ representative. The person who prepares bulk sewage sludge or a sewage sludge material shall develop the following information and shall retain the information at

the facility site and/or shall be readily available for review by a TCEQ representative for a period of <u>five years</u>. If the permittee supplies the sludge to another person who land applies the sludge, the permittee shall notify the land applier of the requirements for record keeping found in 30 TAC § 312.47 for persons who land apply.

- The concentration (mg/kg) in the sludge of each pollutant listed in Table 3 above and the
 applicable pollutant concentration criteria (mg/kg), or the applicable cumulative
 pollutant loading rate and the applicable cumulative pollutant loading rate limit (lbs/ac)
 listed in Table 2 above.
- A description of how the pathogen reduction requirements are met (including site restrictions for Class AB and Class B sludge, if applicable).
- A description of how the vector attraction reduction requirements are met.
- A description of how the management practices listed above in Section II.C are being met.
- 5. The following certification statement:

"I certify, under penalty of law, that the applicable pathogen requirements in 30 TAC § 312.82(a) or (b) and the vector attraction reduction requirements in 30 TAC § 312.83(b) have been met for each site on which bulk sewage sludge is applied. This determination has been made under my direction and supervision in accordance with the system designed to ensure that qualified personnel properly gather and evaluate the information used to determine that the management practices have been met. I am aware that there are significant penalties for false certification including fine and imprisonment."

- 6. The recommended agronomic loading rate from the references listed in Section II.C.3. above, as well as the actual agronomic loading rate shall be retained. The person who applies bulk sewage sludge or a sewage sludge material shall develop the following information and shall retain the information at the facility site and/or shall be readily available for review by a TCEQ representative indefinitely. If the permittee supplies the sludge to another person who land applies the sludge, the permittee shall notify the land applier of the requirements for record keeping found in 30 TAC § 312.47 for persons who land apply:
 - a. A certification statement that all applicable requirements (specifically listed) have been met, and that the permittee understands that there are significant penalties for false certification including fine and imprisonment. See 30 TAC § 312.47(a)(4)(A)(ii) or 30 TAC § 312.47(a)(5)(A)(ii), as applicable, and to the permittee's specific sludge treatment activities.
 - The location, by street address, and specific latitude and longitude, of each site on which sludge is applied.
 - c. The number of acres in each site on which bulk sludge is applied.
 - d. The date and time sludge is applied to each site.

- The cumulative amount of each pollutant in pounds/acre listed in Table 2 applied to each site.
- f. The total amount of sludge applied to each site in dry tons.

The above records shall be maintained on-site on a monthly basis and shall be made available to the Texas Commission on Environmental Quality upon request.

F. Reporting Requirements

The permittee shall report annually to the TCEQ Regional Office (MC Region 11) and Compliance Monitoring Team (MC 224) of the Enforcement Division, by September 30th of each year the following information.

- Identify in the following categories (as applicable) the sewage sludge treatment process
 or processes at the facility: preliminary operations (e.g., sludge grinding and degritting),
 thickening (concentration), stabilization, anaerobic digestion, aerobic digestion,
 composting, conditioning, disinfection (e.g., beta ray irradiation, gamma ray irradiation,
 pasteurization), dewatering (e.g., centrifugation, sludge drying beds, sludge lagoons),
 heat drying, thermal reduction, and methane or biogas capture and recovery.
- Identify the nature of material generated by the facility (such as a biosolid for beneficial use or land-farming, or sewage sludge for disposal at a monofill) and whether the material is ultimately conveyed off-site in bulk or in bags.
- Results of tests performed for pollutants found in either Table 2 or 3 as appropriate for the permittee's land application practices.
- 4. The frequency of monitoring listed in Section I.C. that applies to the permittee.
- 5. Toxicity Characteristic Leaching Procedure (TCLP) results.
- PCB concentration in sludge in mg/kg.
- 7. Identity of hauler(s) and TCEQ transporter number.
- 8. Date(s) of transport.
- 9. Texas Commission on Environmental Quality registration number, if applicable.
- 10. Amount of sludge disposal dry weight (lbs/acre) at each disposal site.
- 11. The concentration (mg/kg) in the sludge of each pollutant listed in Table 1 (defined as a monthly average) as well as the applicable pollutant concentration criteria (mg/kg) listed in Table 3 above, or the applicable pollutant loading rate limit (lbs/acre) listed in Table 2 above if it exceeds 90% of the limit.
- 12. Level of pathogen reduction achieved (Class A, Class AB or Class B).
- 13. Alternative used as listed in Section LB.3.(a. or b.). Alternatives describe how the pathogen reduction requirements are met. If Class B sludge, include information on how site restrictions were met.
- 14. Identify each of the analytic methods used by the facility to analyze enteric viruses, fecal coliforms, helminth ova, Sabnonella sp., and other regulated parameters.

- 15. Vector attraction reduction alternative used as listed in Section I.B.4.
- 16. Amount of sludge transported in dry tons/year.
- 17. The certification statement listed in either 30 TAC § 312.47(a)(4)(A)(ii) or 30 TAC § 312.47(a)(5)(A)(ii) as applicable to the permittee's sludge treatment activities, shall be attached to the annual reporting form.
- 18. When the amount of any pollutant applied to the land exceeds 90% of the cumulative pollutant loading rate for that pollutant, as described in Table 2, the permittee shall report the following information as an attachment to the annual reporting form.
 - The location, by street address, and specific latitude and longitude.
 - The number of acres in each site on which bulk sewage sludge is applied.
 - c. The date and time bulk sewage sludge is applied to each site.
 - d. The cumulative amount of each pollutant (i.e., pounds/acre) listed in Table 2 in the bulk sewage sludge applied to each site.
 - e. The amount of sewage sludge (i.e., dry tons) applied to each site.

The above records shall be maintained on a monthly basis and shall be made available to the Texas Commission on Environmental Quality upon request.

SECTION III. REQUIREMENTS APPLYING TO ALL SEWAGE SLUDGE DISPOSED IN A MUNICIPAL SOLID WASTE LANDFILL

- A. The permittee shall handle and dispose of sewage sludge in accordance with 30 TAC § 330 and all other applicable state and federal regulations to protect public health and the environment from any reasonably anticipated adverse effects due to any toxic pollutants that may be present. The permittee shall ensure that the sewage sludge meets the requirements in 30 TAC § 330 concerning the quality of the sludge disposed in a municipal solid waste landfill.
- B. If the permittee generates sewage sludge and supplies that sewage sludge to the owner or operator of a municipal solid waste landfill (MSWLF) for disposal, the permittee shall provide to the owner or operator of the MSWLF appropriate information needed to be in compliance with the provisions of this permit.
- C. The permittee shall give 180 days prior notice to the Executive Director in care of the Wastewater Permitting Section (MC 148) of the Water Quality Division of any change planned in the sewage sludge disposal practice.
- D. Sewage sludge shall be tested once during the term of this permit in accordance with the method specified in both 40 CFR Part 261, Appendix II and 40 CFR Part 268, Appendix I (Toxicity Characteristic Leaching Procedure) or other method, which receives the prior approval of the TCEQ for contaminants listed in Table 1 of 40 CFR § 261.24. Sewage sludge failing this test shall be managed according to RCRA standards for generators of hazardous waste, and the waste's disposition must be in accordance with all applicable requirements for hazardous waste processing, storage, or disposal.

Following failure of any TCLP test, the management or disposal of sewage sludge at a facility other than an authorized hazardous waste processing, storage, or disposal facility shall be prohibited until such time as the permittee can demonstrate the sewage sludge no longer exhibits the hazardous waste toxicity characteristics (as demonstrated by the results of the TCLP tests). A written report shall be provided to both the TCEQ Registration and Reporting Section (MC 129) of the Permitting and Registration Support Division and the Regional Director (MC Region 11) of the appropriate TCEQ field office within 7 days after failing the TCLP Test.

The report shall contain test results, certification that unauthorized waste management has stopped and a summary of alternative disposal plans that comply with RCRA standards for the management of hazardous waste. The report shall be addressed to: Director, Permitting and Registration Support Division (MC 129), Texas Commission on Environmental Quality, P. O. Box 13087, Austin, Texas 78711-3087. In addition, the permittee shall prepare an annual report on the results of all sludge toxicity testing. This annual report shall be submitted to the TCEQ Regional Office (MC Region 11) and the Compliance Monitoring Team (MC 224) of the Enforcement Division by September 30 of each year.

- E. Sewage sludge shall be tested as needed, in accordance with the requirements of 30 TAC Chapter 330.
- F. Record keeping Requirements

The permittee shall develop the following information and shall retain the information for five years.

- The description (including procedures followed and the results) of all liquid Paint Filter Tests performed.
- 2. The description (including procedures followed and results) of all TCLP tests performed.

The above records shall be maintained on-site on a monthly basis and shall be made available to the Texas Commission on Environmental Quality upon request.

G. Reporting Requirements

The permittee shall report annually to the TCEQ Regional Office (MC Region 11) and Compliance Monitoring Team (MC 224) of the Enforcement Division by September 30th of each year the following information.

- Identify in the following categories (as applicable) the sewage sludge treatment process
 or processes at the facility: preliminary operations (e.g., sludge grinding and degritting),
 thickening (concentration), stabilization, anaerobic digestion, aerobic digestion,
 composting, conditioning, disinfection (e.g., beta ray irradiation, gamma ray irradiation,
 pasteurization), dewatering (e.g., centrifugation, sludge drying beds, sludge lagoons),
 heat drying, thermal reduction, and methane or biogas capture and recovery.
- 2. Toxicity Characteristic Leaching Procedure (TCLP) results.
- 3. Annual sludge production in dry tons/year.
- 4. Amount of sludge disposed in a municipal solid waste landfill in dry tons/year-
- 5. Amount of sludge transported interstate in dry tons/year.
- A certification that the sewage sludge meets the requirements of 30 TAC § 330
 concerning the quality of the sludge disposed in a municipal solid waste landfill.
- Identity of hauler(s) and transporter registration number.
- Owner of disposal site(s).
- Location of disposal site(s).
- 10. Date(s) of disposal.

The above records shall be maintained on-site on a monthly basis and shall be made available to the Texas Commission on Environmental Quality upon request.

SECTION IV. REQUIREMENTS APPLYING TO SLUDGE TRANSPORTED TO ANOTHER FACILITY FOR FURTHER PROCESSING

These provisions apply to sludge that is transported to another wastewater treatment facility or facility that further processes sludge. These provisions are intended to allow transport of sludge to facilities that have been authorized to accept sludge. These provisions do not limit the ability of the receiving facility to determine whether to accept the sludge, nor do they limit the ability of the receiving facility to request additional testing or documentation.

A. General Requirements

- The permittee shall handle and dispose of sewage sludge in accordance with 30 TAC Chapter 312 and all other applicable state and federal regulations in a manner that protects public health and the environment from any reasonably anticipated adverse effects due to any toxic pollutants that may be present in the sludge.
- Sludge may only be transported using a registered transporter or using an approved pipeline.

B. Record Keeping Requirements

- For sludge transported by an approved pipeline, the permittee must maintain records of the following:
 - a. the amount of sludge transported;
 - the date of transport;
 - the name and TCEQ permit number of the receiving facility or facilities;
 - d. the location of the receiving facility or facilities;
 - e. the name and TCEQ permit number of the facility that generated the waste; and
- copy of the written agreement between the permittee and the receiving facility to accept sludge.
- For sludge transported by a registered transporter, the permittee must maintain records
 of the completed trip tickets in accordance with 30 TAC § 312.145(a)(1)-(7) and amount
 of sludge transported.
- The above records shall be maintained on-site on a monthly basis and shall be made available to the TCEQ upon request. These records shall be retained for at least five years.

C. Reporting Requirements

The permittee shall report the following information annually to the TCEQ Regional Office (MC Region 11) and Compliance Monitoring Team (MC 224) of the Enforcement Division, by September 30th of each year.

- Identify in the following categories (as applicable) the sewage sludge treatment process
 or processes at the facility: preliminary operations (e.g., sludge grinding and degritting),
 thickening (concentration), stabilization, anaerobic digestion, aerobic digestion,
 composting, conditioning, disinfection (e.g., beta ray irradiation, gamma ray irradiation,
 pasteurization), dewatering (e.g., centrifugation, sludge drying beds, sludge lagoons),
 heat drying, thermal reduction, and methane or biogas capture and recovery.
- 2. the annual sludge production;
- the amount of sludge transported;
- 4. the owner of each receiving facility;
- 5. the location of each receiving facility; and
- 6. the date(s) of disposal at each receiving facility.

TCEQ Revision 10/2019

SPECIAL PROVISIONS:

- 1. This permit is granted subject to the policy of the Commission to encourage the development of area-wide waste collection, treatment, and disposal systems. The Commission reserves the right to amend this permit in accordance with applicable procedural requirements to require the system covered by this permit to be integrated into an area-wide system, if an area-wide system is developed; to require the delivery of the wastes authorized to be collected in, treated by, or discharged from the system, to an area-wide system; or to amend this permit in any other particular to effectuate the Commission's policy. Such amendments may be made when the changes required are advisable for water quality control purposes and are feasible on the basis of waste treatment technology, engineering, financial, and related considerations existing at the time the changes are required, exclusive of the loss of investment in or revenues from any then existing or proposed waste collection, treatment, or disposal system.
- 2. The permittee shall employ or contract with one or more licensed wastewater treatment facility operators or wastewater system operations companies holding a valid license or registration according to the requirements of 30 TAC Chapter 30, Occupational Licenses and Registrations, and in particular 30 TAC Chapter 30, Subchapter J, Wastewater Operators and Operations Companies.
 - This Category D * facility must be operated by a chief operator or an operator holding a Category D * license or higher. The facility must be operated a minimum of five days per week by the licensed chief operator or an operator holding the required level of license or higher. The licensed chief operator or operator holding the required level of license or higher must be available by telephone or pager seven days per week. Where shift operation of the wastewater treatment facility is necessary, each shift which does not have the on-site supervision of the licensed chief operator must be supervised by an operator in charge who is licensed not less than one level below the category for the facility.
 - *A Class D Wastewater Treatment Operator license is not renewable for operators of a facility listed in 30 TAC Section 30.342(c) and must be upgraded to a Class C Wastewater Treatment Operator license or higher prior to the expiration date of the Class D license.
- The permittee shall maintain and operate the treatment facility in order to achieve optimum efficiency of treatment capability. This shall include required monitoring of effluent flow and quality as well as appropriate grounds and building maintenance.
- The permittee shall provide facilities for the protection of its wastewater treatment facility from a 100-year flood.
- 5. The permittee will maintain native grasses on the disposal site. Application rates to the irrigated land shall not exceed 0.97 acre-feet per year per acre irrigated. The permittee is responsible for providing equipment to determine application rates and maintaining accurate records of the volume of effluent applied. These records shall be made available for review by the TCEQ and shall be maintained for at least three years.
- 6. Irrigation practices shall be designed and managed so as to prevent ponding of effluent or contamination of ground and surface waters and to prevent the occurrence of nuisance conditions in the area. Native grasses shall be established and well maintained in the irrigation area throughout the year for effluent and nutrient uptake by the crop and to

- prevent pathways for effluent surfacing. Tailwater control facilities shall be provided as necessary to prevent the discharge of any effluent from the irrigated land.
- Effluent shall not be applied for irrigation during rainfall events or when the ground is frozen or saturated.
- 8. The permittee shall erect adequate signs stating that the irrigation water is from a non-potable water supply for any area where treated effluent is stored or where there exist hose bibs or faucets. Signs shall consist of a red slash superimposed over the international symbol for drinking water accompanied by the message "DO NOT DRINK THE WATER" in both English and Spanish. All piping transporting the effluent shall be clearly marked with these same signs.
- Spray fixtures for the irrigation system shall be of such design that they cannot be operated by unauthorized personnel.
- 10. Irrigation with effluent shall be accomplished only when the area specified is not in use.
- 11. Holding or storage ponds shall conform to the design criteria for stabilization ponds with regard to construction and levee design and shall maintain a minimum freeboard of two feet according to 30 TAC Chapter 217, Design Criteria for Domestic Wastewater Systems.
- Permanent transmission lines shall be installed from the treatment system to each drainfield area.
- 13. The permittee shall obtain representative soil samples from the root zones of the land application area receiving wastewater. Composite sampling techniques shall be used. Each composite sample shall represent no more than 19.7 acres with no less than 10 to 15 subsamples representing each composite sample. Subsamples shall be composited by like sampling depth and soil type for analysis and reporting. Soil types are soils that have like topsoil or plow layer textures. These soils shall be sampled individually from 0 to 6 inches, 6 inches to 18 inches, and 18 inches to 30 inches below ground level. The permittee shall sample soils in December to February of each year. Soil samples shall be analyzed within 30 days of sample collection.

The permittee shall provide annual soil analyses of the land application area according to the following table:

Parameter	Method	Minimum Analytical Level (MAL)	Reporting units
pН	2:1 (v/v) water to soil mixture		Reported to 0.1 pH units after calibration of pH meter
Electrical Conductivity	2:1 (v/v) water to soil mixture	0.01	dS/m (same as mmho/cm)

Nitrate- nitrogen	From a 1 N KCl soil extract	1	mg/kg (dry weight basis)
Total Kjeldahl Nitrogen (TKN)	For determination of Organic plus Ammonium Nitrogen. Procedures that use Mercury (Hg) are not acceptable.	20	mg/kg (dry weight basis)
Total Nîtrogen	= TKN + nitrate-nitrogen (same as, organic-nitrogen + ammonium-nitrogen + nitrate-nitrogen)		mg/kg (dry weight basis)
Plant-available: Phosphorus (P)	Mehlich III with inductively coupled plasma	1 (P)	mg/kg (dry weight basis)
Plant-available: Potassium (K)	May be determined in the same Mehlich III extract with inductively coupled plasma	5 (K)	mg/kg (dry weight basis)
Amendment addition, e.g., gypsum			Report in short tons/acre in the year effected


The permittee shall provide a copy of this plan to the analytical laboratory prior to sample analysis. The permittee shall submit the results of the annual soil sample analyses with copies of the laboratory reports and a map depicting the areas that have received wastewater within the permanent land application fields to the TCEQ Regional Office (MC Region 11) and the Enforcement Division (MC 224) no later than end of September following the sampling date of each year. If wastewater is not applied in a particular year, the permittee shall notify the same TCEQ offices and indicate that wastewater has not been applied on the approved land disposal sites during that year.

- 14. Prior to construction of the wastewater treatment facilities, the permittee shall submit to the TCEQ Wastewater Permitting Section (MC 148) of the Water Quality Division, a summary transmittal letter according to the requirements in 30 TAC § 217.6(d). If requested by the Wastewater Permitting Section, the permittee shall submit plans, specifications and a final engineering design report which comply with the requirements of 30 TAC Chapter 217, Design Criteria for Domestic Wastewater Systems. The permittee shall clearly show how the treatment system will meet the permitted effluent limitations required on Page 2 of the permit. A copy of the summary transmittal letter shall be available at the plant site for inspection by authorized representatives of the TCEQ.
- 15. Reporting requirements according to 30 TAC § 319.1-319.11 and any additional effluent reporting requirements contained in this permit are suspended from the effective date of the permit until plant startup or discharge, whichever occurs first, from the facility described by this permit. The permittee shall provide written notice to the TCEQ Regional Office (MC Region 11) and the Applications Review and Processing Team (MC 148) of the Water Quality Division at least forty-five (45) days prior to plant startup or anticipated discharge, whichever occurs first, on Notification of Completion Form 20007.
- 16. Monitoring requirements contained in the permit are suspended from the effective date of the permit until plant startup. The permittee shall provide written notice to the TCEO

Regional Office (MC Region 11) and the Applications Review and Processing Team (MC 148) of the Water Quality Division at least forty-five (45) days prior to plant startup.

- 17. The permittee shall comply with the requirements of 30 TAC § 309.13(a) through (d). In addition, by ownership of the required buffer zone area, the permittee shall comply with the requirements of 30 TAC § 309.13(e).
- 18. Facilities for the retention or storage of treated or untreated wastewater, such as constructed wetlands, ponds, and lagoons, shall be adequately lined to control seepage. The liner shall meet the requirements in 30 TAC § 217.203, Design Criteria for Natural Treatment Facilities and 30 TAC § 309.13(d), related to unsuitable site characteristics.

The permittee shall furnish certification by a Texas-Licensed Professional Engineer that the completed pond lining meets the appropriate criteria above prior to use of the facilities. The certification shall be submitted to the TCEQ Regional Office (MC Region 11), Compliance Monitoring Team (MC 224) of the Enforcement Division, Water Quality Assessment Team (MC 150) and Wastewater Permitting Section (MC 148) of the Water Quality Division. A copy of the pond liner certification shall be available at the plant site for inspection by authorized representatives of the TCEQ.



11/12/24, 11:30 AM TCEQ ePay

Questions or Comments >>

Shopping Cart Select Fee Se

Search Transactions

Sign Out

Your transaction is complete. Thank you for using TCEQ ePay.

Note: It may take up to 3 working days for this electronic payment to be processed and be reflected in the TCEQ ePay system. Print this receipt and the vouchers for your records. An email receipt has also been sent.

Transaction Information

Trace Number: 582EA000633894

Date: 11/12/2024 11:29 AM

Payment Method: CC - Authorization 0000244113

ePay Actor: GARY BAKER

Actor Email: resortranch@gmail.com

IP: 104.7.216.45

TCEQ Amount: \$315.00 Texas.gov Price: \$322.34*

* This service is provided by Texas.gov, the official website of Texas. The price of this service includes funds that support the ongoing operations and enhancements of Texas.gov, which is provided by a third party in partnership with the State.

Payment Contact Information

Name: GARY BAKER

Company: RESORT RANCH OF LAKE TRAVIS INC

Address: 1300 PACE BEND RD N, SPICEWOOD, TX 78669

Phone: 512-775-3982

Cart Items

Click on the voucher number to see the voucher details.

Voucher	Fee Description	AR Number	Amount
730440	WW PERMIT - FACILITY WITH FLOW < .05 MGD - RENEWAL		\$300.00
730441	30 TAC 305.53B WQ RENEWAL NOTIFICATION FEE		\$15.00
	TCE	Q Amount:	\$315.00





Note: It may take up to 3 working days for this electronic payment to be processed and be reflected in the TCEQ ePay system. Print this receipt for your records.

Site Help | Disclaimer | Web Policies | Accessibility | Our Compact with Texans | TCEQ Homeland Security | Contact Us Statewide Links: Texas.gov | Texas Homeland Security | TRAIL Statewide Archive | Texas Veterans Portal

© 2002-2024 Texas Commission on Environmental Quality

Rainee Trevino


From:

Sent:	Monday, January 6, 2025 1:03 PM
To:	Rainee Trevino
Subject:	Re: Resort Ranch of Lake Travis, Inc.
Attachments:	Resort Ranch of Lake Travis Map Outline for TCEQ_123124.pdf
Good afternoon Raine	ee!
	sistance! The attached map now has the below 4 items requested. When possible, me know if anything should be added.
Thank you, Johnathan (214)893-5551	
On Tue, Dec 31, 2024	at 9:05 AM Rainee Trevino < Rainee. Trevino@tceq.texas.gov > wrote:
I apologize, I didn't n	nention the attached map I previously received on 12/3/2024.
The map received from must clearly label the	m Mr. Randall Wilburn states "proposed" plant site and land application site. The map following items:
 Applicant's pro Wastewater tre One-mile radiu Land application 	atment facility boundary s
Regards,	
Rainee Trevino	
Water Quality Division	on ARP Team

Johnathan Paul Wojtewicz <johnathanpaulw@gmail.com>

Texas Commission on Environmental Quality

512-239-4324





Sent: Monday, December 23, 2024 5:04 PM To: Rainee Trevino Rainee.Trevino@teeq.texas.gov ; Andrew Gorton Andrew.Gorton@Teeq.Texas.Gov > Cc: Gary A. Baker ResortRanch@gmail.com ; Johnathan Paul Wojtewicz Johnathanpaulw@gmail.com ; Deba Dutta Deba.Dutta@teeq.texas.gov ; Randall Wilburn Rwilburn@bartonbensonjones.com > Subject: Resort Ranch of Lake Travis, Inc. Rainee and Andy, I will be representing Resort Ranch on their TPDES permit renewal going forward. Attached please find our request for additional time in light of this transition and my client's engagement of a geologist to address Andy's technical NOD. Please do not hesitate to contact me if you have any questions or need additional information relative to our extension request. Thanks and Happy Holidays,	
I will be representing Resort Ranch on their TPDES permit renewal going forward. Attached please find our request for additional time in light of this transition and my client's engagement of a geologist to address Andy's technical NOD. Please do not hesitate to contact me if you have any questions or need additional information relative to our extension request. Thanks and Happy Holidays,	From: Helen Gilbert < HGilbert@bartonbensonjones.com > Sent: Monday, December 23, 2024 5:04 PM To: Rainee Trevino < Rainee.Trevino@tceq.texas.gov >; Andrew Gorton < Andrew.Gorton@Tceq.Texas.Gov > Cc: Gary A. Baker < ResortRanch@gmail.com >; Johnathan Paul Wojtewicz < johnathanpaulw@gmail.com >; Deba Dutta < Deba.Dutta@tceq.texas.gov >; Randall Wilburn < RWilburn@bartonbensonjones.com > Subject: Resort Ranch of Lake Travis, Inc.
Attached please find our request for additional time in light of this transition and my client's engagement of a geologist to address Andy's technical NOD. Please do not hesitate to contact me if you have any questions or need additional information relative to our extension request. Thanks and Happy Holidays,	Rainee and Andy,
a geologist to address Andy's technical NOD. Please do not hesitate to contact me if you have any questions or need additional information relative to our extension request. Thanks and Happy Holidays,	I will be representing Resort Ranch on their TPDES permit renewal going forward.
extension request. Thanks and Happy Holidays,	Attached please find our request for additional time in light of this transition and my client's engagement of a geologist to address Andy's technical NOD.
	Please do not hesitate to contact me if you have any questions or need additional information relative to our extension request.
Helen	Thanks and Happy Holidays,
	Helen



HELEN GILBERT

Partner | Barton Benson Jones PLLC

Office: (210) 610-5335 Direct: (210) 640-9174

Cell: (512) 565-4995 bartonbensonjones.com

7000 N. Mopac Expy, Suite 200 | Austin, Texas 78731



HELEN S. GILBERT, Member | Barton Benson Jones PLLC

O | 210.610.5335 hgilbert@bartonbensonjones.com D | 210.640.9174 bartonbensonjones.com

C | 512.565.4995

F | 210.600.9796

December 23, 2024

Via Electronic Mail Only

Rainee Trevino Applications Review and Processing Team (MC148), Water Quality Division Texas Commission on Environmental Quality P.O. Box 13087 Austin, Texas 78711-3087

Application to Renew Permit No. WQ0012958001; Resort Ranch of Lake Re: Travis ("Resort Ranch"); Response to Notices of Deficiency

Dear Ms. Trevino:

This is in response to Erika Crespo's letter of December 5, 2024 to Gary Baker, president of Resort Ranch of Lake Travis, Inc. and Applicant for the above-referenced TPDES permit renewal. Please note that Randy Wilburn replied to the November 19, 2024 Notice of Deficiency ("NOD") on December 3, 2024, a copy of which is attached hereto.

Mr. Baker also received a direct email request for additional information on November 25, 2024 from Andy Gorton (also styled as a "deficiency"). Resort Ranch understands that the first NOD was administrative in nature and the second was technical, primarily relating to geologic and agronomic information.

Please be aware that as of January 1, 2025, undersigned counsel will represent Applicant in this matter. Please further note that Applicant has retained a geologist to assist them compiling the information requested by Mr. Gorton.

In light of the holiday, retaining new legal counsel and technical expert, Resort Ranch needs additional time for response. Accordingly, Applicant requests a 60-day extension to provide the information requested.

If you have any questions, please do not hesitate to call me on my mobile number: 512-565-4995.

Sincerely,

Barton Benson Jones PLLC

Helen S. Gilbert

Jelm S. Gilbut

Rainee Trevino

From: Rainee Trevino

Sent: Wednesday, December 4, 2024 2:58 PM

To: Randall Wilburn

Cc: Helen Gilbert; Johnathan Paul Wojtewicz

Subject: RE: Response to NOD - Resort Ranch of Lake Travis Permit Renewal

Good afternoon,

Thank you for your response. The revised PLS is sufficient.

The USGS Map and page 3 of the Technical Report 1.0 regarding Unbuilt Phases still require more information. The USGS Map must clearly show the applicants property boundary, the wastewater treatment facility boundary, effluent disposal site boundaries, 1-mile radius, and any ponds if applicable. The revised map currently shows the applicants property boundary only. The plant site and effluent disposal site show as "proposed". Please provide a revised map including all the items listed above. Also, please provide page 3 revised of the Technical Report 1.0, Section 4 and only choose either "yes" or "no" regarding the any unbuilt phases. If the answer is "yes" to the first question, please ensure to complete the entire section.

Since the deadline for a complete response has passed and more information is needed, a 30-day notice will be issued by my Team Lead, Mr. Erwin Madrid.

Please let me know if you have any questions.

Regards,

Rainee Trevino

Water Quality Division | ARP Team Texas Commission on Environmental Quality 512-239-4324



From: Randall Wilburn < RWilburn@bartonbensonjones.com>

Sent: Tuesday, December 3, 2024 12:42 PM

To: Rainee Trevino < Rainee. Trevino@tceq.texas.gov>

Cc: Helen Gilbert <HGilbert@bartonbensonjones.com>; Johnathan Paul Wojtewicz <johnathanpaulw@gmail.com>

Subject: Response to NOD - Resort Ranch of Lake Travis Permit Renewal

Ms. Trevino,

I have attached a response to your notice of deficiency. Please call me on my mobile with any questions.

Thanks,

Randy



Randall B. Wilburn

Member | Barton Benson Jones PLLC

Office: (210) 610-5335 Direct: (210) 640-9168 Mobile: (512) 431-8442 bartonbensonjones.com

7000 N. Mopac Blvd., Suite 200 | Austin, Texas 78731



RANDALL B. WILBURN, Member | Barton Benson Jones PLLC

D | 210.640.9168 bartonbensonjones.com

O | 210.610.5335 rwilburn@bartonbensonjones.com

C | 512.431.8442

F | 210.600.9796

December 3, 2024

Via Electronic Mail Only

Rainee Trevino Applications Review and Processing Team (MC148) Water Quality Division Texas Commission on Environmental Quality PO Box 13087 Austin, Texas 78711-3087

> Application to Renew Permit No. WQ0012958001; Resort Ranch of Lake Travis Re: ("Resort Ranch"); Respond to November 19, 2024 Letter

Dear Ms. Trevino:

I am writing in response to your letter of November 19, 2024. Response to your inquiries are below.

- 1. Technical Report 1.0, Section 4. You are correct, the phase in the existing permit is unbuilt due to complications and delays caused by the Coronavirus Pandemic. Due to those delays, Resort Ranch expects to proceed with construction in late 2025 or early 2026.
- 2. A legible USGS map is attached.
- 3. A PLS, revised as you requested, is attached.
- 4. The portion of the NORI appears correct.

If you have any questions, please do not hesitate to call me on my mobile number: 512-431-8442.

Sincerely,

Barton Benson Jones PLLC

By:

Randall B. Wilburn, Member

Enclosures