

This file contains the following documents:

- 1. Summary of application (in plain language)
- 2. First notice (NORI-Notice of Receipt of Application and Intent to Obtain a Permit)
- 3. Second notice (NAPD-Notice of Preliminary Decision)
- 4. Application materials
- 5. Draft permit
- 6. Technical summary or fact sheet

LAIN LANGUAGE SUMMARY (PLS) For TLAP Permit Application – Renewal

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality (TCEQ) as required by 30 TAC Chapter 39. The information provided in this summary may change during the technical review of the application and is not a federally enforceable representation of the permit application.

Individual Care of Texas (CN601214281) operates the Individual Care of Texas Wastewater Treatment Plant (RN102287463), a privately-owned domestic wastewater treatment facility. The facility is an onsite treatment plant serving an assisted living center, located at 105 Wingo Way, near the city of Quinlan, in Hunt County, Texas, 75474.

This application is for a renewal of a Texas Land Application Permit (TLAP) to continue to treat and dispose of up to 10,000 gallons per day (0.010 MGD) of treated domestic wastewater via subsurface irrigation. This permit does not authorize a discharge of pollutants into water in the state.

Discharges from the facility are expected to contain carbonaceous biochemical oxygen demand (CBOD₅), total suspended solids (TSS), ammonia nitrogen, nitrate nitrogen, total Kjeldahl nitrogen (TKN), sulfate, chloride, total phosphorus, oil and grease, and E. coli. Domestic wastewater is treated using a biological fixed-film process, including a lift station, equalization basin, two trickling filters, two clarifiers, and two effluent filters, followed by storage in a 1,500-gallon tank before subsurface land application.

This treatment process and land disposal method are designed to minimize environmental impact and protect human health by ensuring that no wastewater is discharged to surface waters.

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



NOTICE OF RECEIPT OF APPLICATION AND INTENT TO OBTAIN WATER QUALITY PERMIT RENEWAL.

PERMIT NO. WQ0014236001

APPLICATION. Individual Care of Texas, Inc., P.O. Box 3395, Abilene, Texas 79604, has applied to the Texas Commission on Environmental Quality (TCEQ) to renew Texas Land Application Permit (TLAP) No. WQ0014236001 to authorize the disposal of wastewater at a volume not to exceed a daily average flow of 10,000 gallons per day via: non-public access subsurface drip irrigation system with a minimum area of 204,732 square feet. The domestic wastewater treatment facility and disposal area are located at 1655 Private Road 2530, near the city of Quinlan, in Hunt County, Texas 75474. TCEQ received this application on May 27, 2025. The permit application will be available for viewing and copying at Quinlan City Hall, 105 West Main Street, Quinlan, in Hunt County, Texas, prior to the date this notice is published in the newspaper. The application, including any updates, and associated notices are available electronically at the following webpage:

https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tlap-applications. This link to an electronic map of the site or facility's general location is provided as a public courtesy and not part of the application or notice. For the exact location, refer to the application.

https://gisweb.tceq.texas.gov/LocationMapper/?marker=-96.166611,32.940325&level=18

ADDITIONAL NOTICE. TCEQ's Executive Director has determined the application is administratively complete and will conduct a technical review of the application. After technical review of the application is complete, the Executive Director may prepare a draft permit and will issue a preliminary decision on the application. Notice of the Application and Preliminary Decision will be published and mailed to those who are on the countywide mailing list and to those who are on the mailing list for this application. That notice will contain the deadline for submitting public comments.

PUBLIC COMMENT / PUBLIC MEETING. You may submit public comments or request a public meeting on this application. The purpose of a public meeting is to provide the opportunity to submit comments or to ask questions about the application. TCEQ will hold a public meeting if the Executive Director determines that there is a significant degree of public interest in the application or if requested by a local legislator. A public meeting is not a contested case hearing.

OPPORTUNITY FOR A CONTESTED CASE HEARING. After the deadline for submitting public comments, the Executive Director will consider all timely comments and prepare a response to all relevant and material, or significant public comments. **Unless the application**

is directly referred for a contested case hearing, the response to comments, and the Executive Director's decision on the application, will be mailed to everyone who submitted public comments and to those persons who are on the mailing list for this application. If comments are received, the mailing will also provide instructions for requesting reconsideration of the Executive Director's decision and for requesting a contested case hearing. A contested case hearing is a legal proceeding similar to a civil trial in state district court.

TO REQUEST A CONTESTED CASE HEARING, YOU MUST INCLUDE THE FOLLOWING ITEMS IN YOUR REQUEST: your name, address, phone number; applicant's name and proposed permit number; the location and distance of your property/activities relative to the proposed facility; a specific description of how you would be adversely affected by the facility in a way not common to the general public; a list of all disputed issues of fact that you submit during the comment period and, the statement "[I/we] request a contested case hearing." If the request for contested case hearing is filed on behalf of a group or association, the request must designate the group's representative for receiving future correspondence; identify by name and physical address an individual member of the group who would be adversely affected by the proposed facility or activity; provide the information discussed above regarding the affected member's location and distance from the facility or activity; explain how and why the member would be affected; and explain how the interests the group seeks to protect are relevant to the group's purpose.

Following the close of all applicable comment and request periods, the Executive Director will forward the application and any requests for reconsideration or for a contested case hearing to the TCEQ Commissioners for their consideration at a scheduled Commission meeting.

The Commission may only grant a request for a contested case hearing on issues the requestor submitted in their timely comments that were not subsequently withdrawn. If a hearing is granted, the subject of a hearing will be limited to disputed issues of fact or mixed questions of fact and law relating to relevant and material water quality concerns submitted during the comment period.

TCEQ may act on an application to renew a permit for discharge of wastewater without providing an opportunity for a contested case hearing if certain criteria are met.

MAILING LIST. If you submit public comments, a request for a contested case hearing or a reconsideration of the Executive Director's decision, you will be added to the mailing list for this specific application to receive future public notices mailed by the Office of the Chief Clerk. In addition, you may request to be placed on: (1) the permanent mailing list for a specific applicant name and permit number; and/or (2) the mailing list for a specific county. If you wish to be placed on the permanent and/or the county mailing list, clearly specify which list(s) and send your request to TCEQ Office of the Chief Clerk at the address below.

INFORMATION AVAILABLE ONLINE. For details about the status of the application, visit the Commissioners' Integrated Database at www.tceq.texas.gov/goto/cid. Search the database using the permit number for this application, which is provided at the top of this notice.

AGENCY CONTACTS AND INFORMATION. All public comments and requests must be submitted either electronically at https://www14.tceq.texas.gov/epic/eComment/, or in writing to the Texas Commission on Environmental Quality, Office of the Chief Clerk, MC-105,

P.O. Box 13087, Austin, Texas 78711-3087. Please be aware that any contact information you provide, including your name, phone number, email address and physical address will become part of the agency's public record. For more information about this permit application or the permitting process, please call the TCEQ Public Education Program, Toll Free, at 1-800-687-4040 or visit their website at www.tceq.texas.gov/goto/pep. Si desea información en Español, puede llamar al 1-800-687-4040.

Further information may also be obtained from Individual Care of Texas, Inc. at the address stated above or by calling Ms. Natalia Rodriguez, ECG, LLC, at 832-776-5393.

Issuance Date: June 11, 2025

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



NOTICE OF APPLICATION AND PRELIMINARY DECISION FOR WATER QUALITY LAND APPLICATION PERMIT FOR MUNICIPAL WASTEWATER

RENEWAL

PERMIT NO. WQ0014236001

APPLICATION AND PRELIMINARY DECISION. Individual Care of Texas, Inc., P.O. Box 3395, Abilene, Texas 79605, has applied to the Texas Commission on Environmental Quality (TCEQ) for a renewal of TCEQ Permit No. WQ0014236001 which authorizes the disposal of treated domestic wastewater at a daily average flow not to exceed 10,000 gallons per day via non-public access subsurface drip irrigation system with a minimum area of 204,732 square feet. This permit will not authorize a discharge of pollutants into water in the state. TCEQ received this application on May 27, 2025.

The wastewater treatment facility and disposal site are located at 1655 Private Road 2530, in Hunt County, Texas 75474. The wastewater treatment facility and disposal site are located in the drainage basin of Lake Tawakoni in Segment No. 0507 of the Sabine River Basin. This link to an electronic map of the site or facility's general location is provided as a public courtesy and is not part of the application or notice. For the exact location, refer to the application. https://gisweb.tceq.texas.gov/LocationMapper/?marker=-96.531944,31.695&level=18

The TCEQ Executive Director has completed the technical review of the application and prepared a draft permit. The draft permit, if approved, would establish the conditions under which the facility must operate. The Executive Director has made a preliminary decision that this permit, if issued, meets all statutory and regulatory requirements. The permit application, Executive Director's preliminary decision, and draft permit are available for viewing and copying at Quinlan City Hall, 105 West Main Street, Quinlan, Hunt County, Texas. The application, including any updates, and associated notices are available electronically at the following webpage: https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tlap-applications.

PUBLIC COMMENT / PUBLIC MEETING. You may submit public comments or request a public meeting about this application. The purpose of a public meeting is to provide the opportunity to submit comments or to ask questions about the application. TCEQ holds a public meeting if the Executive Director determines that there is a significant degree of public interest in the application or if requested by a local legislator. A public meeting is not a contested case hearing.

OPPORTUNITY FOR A CONTESTED CASE HEARING. After the deadline for submitting public comments, the Executive Director will consider all timely comments and prepare a response to all relevant and material, or significant public comments. Unless the application is directly referred for a contested case hearing, the response to comments will be mailed to everyone who submitted public comments and to those persons who are on the mailing list for this application. If comments are received, the mailing will also provide instructions for requesting a contested case hearing or reconsideration of the Executive Director's decision. A contested case hearing is a legal proceeding similar to a civil trial in a state district court.

TO REQUEST A CONTESTED CASE HEARING, YOU MUST INCLUDE THE FOLLOWING ITEMS IN YOUR REQUEST: your name, address, phone number; applicant's name and proposed permit number; the location and distance of your property/activities relative to the proposed facility; a specific description of how you would be adversely affected by the facility in a way not common to the general public; a list of all disputed issues of fact that you submit during the comment period; and the statement "[I/we] request a contested case hearing." If the request for contested case hearing is filed on behalf of a group or association, the request must designate the group's representative for receiving future correspondence; identify by name and physical address an individual member of the group who would be adversely affected by the proposed facility or activity; provide the information discussed above regarding the affected member's location and distance from the facility or activity; explain how and why the member would be affected; and explain how the interests the group seeks to protect are relevant to the group's purpose.

Following the close of all applicable comment and request periods, the Executive Director will forward the application and any requests for reconsideration or for a contested case hearing to the TCEQ Commissioners for their consideration at a scheduled Commission meeting.

The Commission may only grant a request for a contested case hearing on issues the requestor submitted in their timely comments that were not subsequently withdrawn. If a hearing is granted, the subject of a hearing will be limited to disputed issues of fact or mixed questions of fact and law relating to relevant and material water quality concerns submitted during the comment period. TCEQ may act on an application to renew a permit for discharge of wastewater without providing an opportunity for a contested case hearing if certain criteria are met.

EXECUTIVE DIRECTOR ACTION. The Executive Director may issue final approval of the application unless a timely contested case hearing request or request for reconsideration is filed. If a timely hearing request or request for reconsideration is filed, the Executive Director will not issue final approval of the permit and will forward the application and request to the TCEQ Commissioners for their consideration at a scheduled Commission meeting.

MAILING LIST. If you submit public comments, a request for a contested case hearing or a reconsideration of the Executive Director's decision, you will be added to the mailing list for this specific application to receive future public notices mailed by the Office of the Chief Clerk. In addition, you may request to be placed on: (1) the permanent mailing list for a specific applicant name and permit number; and/or (2) the mailing list for a specific county. If you wish to be placed on the permanent and/or the county mailing list, clearly specify which list(s) and send your request to TCEQ Office of the Chief Clerk at the address below.

All written public comments and public meeting requests must be submitted to the

Office of the Chief Clerk, MC 105, Texas Commission on Environmental Quality, P.O. Box 13087, Austin, TX 78711-3087 or electronically at www.tceq.texas.gov/goto/comment within 30 days from the date of newspaper publication of this notice.

INFORMATION AVAILABLE ONLINE. For details about the status of the application, visit the Commissioners' Integrated Database at www.tceq.texas.gov/goto/cid. Search the database using the permit number for this application, which is provided at the top of this notice.

AGENCY CONTACTS AND INFORMATION. Public comments and requests must be submitted either electronically at www.tceq.texas.gov/goto/comment, or in writing to the Texas Commission on Environmental Quality, Office of the Chief Clerk, MC 105, P.O. Box 13087, Austin, Texas 78711-3087. Any personal information you submit to the TCEQ will become part of the agency's record; this includes email addresses. For more information about this permit application or the permitting process, please call the TCEQ Public Education Program, Toll Free, at 1-800-687-4040 or visit their website at www.tceq.texas.gov/goto/pep. Si desea información en Español, puede llamar al 1-800-687-4040.

Further information may also be obtained from Individual Care of Texas, Inc. at the address stated above or by calling Ms. Natalia Rodriguez, ECG, LLC, at 832-776-5393.

Issuance Date: September 17, 2025

From: Natalia Rodriguez Pinilla
To: Sara Holmes; Hannah Zellner
Cc: sep4243@sbcglobal.net

Subject: Re: Pretech comments for WQ0014236001 - Individual Care of Texas

Date: Monday, June 30, 2025 2:59:42 PM

Attachments: Zone Moisture Sensors.pdf

Hi sara and Hannah,

I received new information from the operator in related to the last item in your request, the map of the moisture monitoring devices in the irrigation fields.

I believe this completes your request. I would appreciate if you could let me know if there is anything else needed.

Natalia Rodriguez

Principal ECG, LLC +1 832-776-5393

natalia@environmentalcgroup.com www.environmentalcgroup.com

From: Natalia Rodriguez Pinilla <natalia@environmentalcgroup.com>

Date: Monday, June 16, 2025 at 5:35 PM

To: Sara Holmes <Sara.Holmes@tceq.texas.gov>, Hannah Zellner

<Hannah.Zellner@Tceq.Texas.Gov>

Cc: sep4243@sbcglobal.net < sep4243@sbcglobal.net >

Subject: Re: Pretech comments for WQ0014236001 - Individual Care of Texas

Hi Sara and Hannah,

Please see our answer to your request attached. Let me know if you have any additional questions.

Thank you

Natalia Rodriguez

Principal ECG, LLC +1 832-776-5393

natalia@environmentalcgroup.com www.environmentalcgroup.com

From: Sara Holmes <Sara.Holmes@tceq.texas.gov>

Date: Tuesday, June 10, 2025 at 3:04 PM

To: Natalia Rodriguez Pinilla <natalia@environmentalcgroup.com>

Cc: Hannah Zellner < Hannah. Zellner @Tceq. Texas. Gov>, sep4243 @sbcglobal.net

<sep4243@sbcglobal.net>

Subject: Pretech comments for WQ0014236001 - Individual Care of Texas

Good afternoon,

The Water Quality Assessment (WQA) Team of the Texas Commission on Environmental Quality has completed a preliminary review of the permit application information and identified deficiencies (attached) that must be addressed before the WQA Team can continue with the technical review. The deficient item(s) will require your response in a timely, complete, and accurate manner.

An accurate and complete revised permit application is essential for making recommendations to the commission regarding whether this permit should be issued. Based on the information provided in the application, the executive director does not have sufficient information to make a recommendation. Therefore, you must send updated technically complete and accurate information within **14 days** (June 24, 2025) of the date of this email.


Any revisions can be sent electronically to me. If you have any questions, please feel free to contact me.

Thank you,

Sara Holmes
Natural Resource Specialist III
Water Quality Assessment Team
12100 Park 35 Circle
Austin, TX 78753
512-239-4534

Zone Moisture Sensors

Our moisture sensors are installed approximately 6 to 8 inches below the surface, with one sensor placed in each of the nine zones. Each sensor is connected to an automatic valve that communicates with the control system to regulate water flow based on soil moisture levels. The locations of the sensors are indicated on the attached map.



June 16, 2025

Hannah Zellner, P.G Texas Commission on Environmental Quality Water Quality Division P.O. Box 13087 Austin, TX 78711-3087

Re: Technical Completeness Review Permit No. WQ0014236001 – Application for Renewal

In response to the Technical Completeness Review dated [insert date of TCEQ letter/email] regarding the above-referenced permit application, please find our responses and the requested information below:

2. Domestic Worksheet 3.0, Section 2 – Land Application Site(s):

We have updated Column 1 to include the land use for each application site. The revised worksheet is enclosed with this response.

3. Domestic Worksheet 3.0, Section 4 – Flood and Runoff Protection:

The final box in this section has now been completed to reflect current site conditions and protective measures. Please see the updated worksheet attached.

4. Special Provision 16 – Soil Moisture Monitoring Devices:

The site does not have any data available; they will check later this week with the visit of the maintenance person to check. We will submit any data if available.

Should you have any additional questions or require clarification, please do not hesitate to contact me directly at 832-776-5393.

Thank you for your attention to this matter.

Sincerely,

Natalia Rodriguez Main Consultant ECG

Section 3. Storage and Evaporation Lagoons/Ponds (Instructions Page 67)

Table 3.0(2) - Storage and Evaporation Ponds

Pond Number	Surface Area (acres)	Storage Volume (acre-feet)	Dimensions	Liner Type
Storage Tank 1		6,000 gal		Concrete

Attach a copy of a liner certification that was prepared, signed, and sealed by a Texas licensed professional engineer for each pond.

Attachment: Click to enter text.

Section 4. Flood and Runoff Protection (Instructions Page 67
--

Is the land application site <u>within</u> the 100-year frequency flood level? \square Yes \boxtimes No
If yes, describe how the site will be protected from inundation.
Click to enter text.
Provide the source used to determine the 100-year frequency flood level:
FEMA Flood Map Service Center

Provide a description of tailwater controls and rainfall run-on controls used for the land application site.

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 3.0: LAND DISPOSAL OF EFFLUENT

The following is required for renewal, new, and amendment permit applications.

Section 1. Type of Disposal System (Instructions Page 67)

Identify the method of land disposal:							
	Surface application	\boxtimes	Subsurface application				
	Irrigation		Subsurface soils absorption				
	Drip irrigation system		Subsurface area drip dispersal system				
	Evaporation		Evapotranspiration beds				
	Other (describe in detail): <u>Click</u>	to er	nter text.				
NOTE: All applicants without authorization or proposing new/amended subsurface disposal MUST complete and submit Worksheet 7.0.							

For existing authorizations, provide Registration Number: Click to enter text.

Section 2. Land Application Site(s) (Instructions Page 67)

In table 3.0(1), provide the requested information for the land application sites. Include the agricultural or cover crop type (wheat, cotton, alfalfa, bermuda grass, native grasses, etc.), land use (golf course, hayland, pastureland, park, row crop, etc.), irrigation area, amount of effluent applied, and whether or not the public has access to the area. Specify the amount of land area and the amount of effluent that will be allotted to each agricultural or cover crop, if more than one crop will be used.

Table 3.0(1) - Land Application Site Crops

Crop Type & Land Use	Irrigation Area (acres)	Effluent Application (GPD)	Public Access? Y/N
Bermuda Grass & Irrigation	4.7	10,000	N

Municipal Wastewater Permit

Application

Facility

Individual Care of Texas

Wastewater Permit No:

WQ0014236001



PALIFIC ONMISSION OF THE PROPERTY OF THE PROPE

Permit Number __

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

DOMESTIC WASTEWATER PERMIT APPLICATION CHECKLIST

Complete and submit this checklist with the application.

APPLICANT NAME: <u>Individual Care of Tex</u>

PERMIT NUMBER (If new, leave blank): WQ00<u>WQ0014236-001</u>

Indicate if each of the following items is included in your application.

	Y	N		\mathbf{Y}	N
Administrative Report 1.0	\boxtimes		Original USGS Map	\boxtimes	
Administrative Report 1.1		\boxtimes	Affected Landowners Map		\boxtimes
SPIF	\boxtimes		Landowner Disk or Labels		\boxtimes
Core Data Form	\boxtimes		Buffer Zone Map		\boxtimes
Summary of Application (PLS)	\boxtimes		Flow Diagram	\boxtimes	
Public Involvement Plan Form			Site Drawing	\boxtimes	
Technical Report 1.0	\boxtimes		Original Photographs		\boxtimes
Technical Report 1.1			Design Calculations		\boxtimes
Worksheet 2.0			Solids Management Plan		\boxtimes
Worksheet 2.1			Water Balance		\boxtimes
Worksheet 3.0	\boxtimes				
Worksheet 3.1					
Worksheet 3.2					
Worksheet 3.3					
Worksheet 4.0					
Worksheet 5.0					
Worksheet 6.0					
Worksheet 7.0		\boxtimes			
For TCEQ Use Only					
Segment NumberExpiration Date			Dogion		
TYPH GUOH DAIC			Kegion		

THE TONMANTAL OUT IN THE TONE THE TONE

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

DOMESTIC WASTEWATER PERMIT APPLICATION ADMINISTRATIVE REPORT 1.0

For any questions about this form, please contact the Applications Review and Processing Team at 512-239-4671.

Section 1. Application Fees (Instructions Page 26)

Indicate the amount submitted for the application fee (check only one).

Flow	New/Major Amendment	Renewal
<0.05 MGD	\$350.00 □	\$315.00 ⊠
≥0.05 but <0.10 MGD	\$550.00 □	\$515.00 □
≥0.10 but <0.25 MGD	\$850.00 □	\$815.00 □
≥0.25 but <0.50 MGD	\$1,250.00 □	\$1,215.00 □
≥0.50 but <1.0 MGD	\$1,650.00 □	\$1,615.00 □
≥1.0 MGD	\$2 , 050.00 □	\$2,015.00
	_	

Minor Amendment (for any flow) \$150.00 □

D .	TC	
Payment	Inform	าลทาดท

Mailed Check/Money Order Number: Click to enter text.

Check/Money Order Amount: Click to enter text.

Name Printed on Check: Click to enter text.

EPAY Voucher Number: Click to enter text.

Copy of Payment Voucher enclosed? Yes □

Section 2. Type of Application (Instructions Page 26)

a.	Check the box next to the appropriate authorization type.						
		☐ Publicly Owned Domestic Wastewater					
	\boxtimes	☑ Privately-Owned Domestic Wastewater					
		Conventional Water Treatment					
b.	Che	ck the box next to the appropriate facility status.					
	\boxtimes	Active Inactive					

c.	Che	eck the box next to the appropriate permit typ	e.	
		TPDES Permit		
	\boxtimes	TLAP		
		TPDES Permit with TLAP component		
		Subsurface Area Drip Dispersal System (SAD	DS)	
d.	Che	eck the box next to the appropriate application	ı typ	e
		New		
		Major Amendment <u>with</u> Renewal		Minor Amendment <u>with</u> Renewal
		Major Amendment <u>without</u> Renewal		Minor Amendment <u>without</u> Renewal
	\boxtimes	Renewal without changes		Minor Modification of permit
e.	For	amendments or modifications, describe the p	ropo	osed changes: Click to enter text.
f.	For	existing permits:		
	Per	mit Number: WQ00 <u>14236-001</u>		
	EPA	I.D. (TPDES only): TX Click to enter text.		
	Exp	iration Date: <u>March 1, 2026</u>		
Se	ctio	on 3. Facility Owner (Applicant) a (Instructions Page 26)	nd	Co-Applicant Information
A.	The	e owner of the facility must apply for the per	rmit.	
		at is the Legal Name of the entity (applicant) a		
	Indi	ividual Care of Texas		

(The legal name must be spelled exactly as filed with the Texas Secretary of State, County, or in the legal documents forming the entity.)

If the applicant is currently a customer with the TCEQ, what is the Customer Number (CN)? You may search for your CN on the TCEQ website at http://www15.tceq.texas.gov/crpub/

CN: 601214281

What is the name and title of the person signing the application? The person must be an executive official meeting signatory requirements in *30 TAC § 305.44*.

Prefix: Mrs. Last Name, First Name: Petersen, Sandra

Title: Owner Credential: N/A

B. Co-applicant information. Complete this section only if another person or entity is required to apply as a co-permittee.

What is the Legal Name of the co-applicant applying for this permit?

N/A

(The legal name must be spelled exactly as filed with the TX SOS, with the County, or in the legal documents forming the entity.)

If the co-applicant is currently a customer with the TCEQ, what is the Customer Number (CN)? You may search for your CN on the TCEQ website at: http://www15.tceq.texas.gov/crpub/

CN: <u>N/A</u>

What is the name and title of the person signing the application? The person must be an executive official meeting signatory requirements in *30 TAC § 305.44*.

Prefix: N/A Last Name, First Name: N/A

Title: N/A Credential: N/A

Provide a brief description of the need for a co-permittee: N/A

C. Core Data Form

Complete the Core Data Form for each customer and include as an attachment. If the customer type selected on the Core Data Form is **Individual**, complete **Attachment 1** of Administrative Report 1.0. <u>Attachment 2</u>

Section 4. Application Contact Information (Instructions Page 27)

This is the person(s) TCEQ will contact if additional information is needed about this application. Provide a contact for administrative questions and technical questions.

A. Prefix: Miss. Last Name, First Name: Rodriguez, Natalia

Title: Consultant Credential: N/A

Organization Name: ECG, LLC

Mailing Address: 4015 Cherrywood Rd City, State, Zip Code: Austin, TX 78722

Phone No.: 832-776-5393 E-mail Address: natalia@environmentalcgroup.com

Check one or both:

Administrative Contact

Technical Contact

B. Prefix: Mrs. Last Name, First Name: Petersen, Sandra

Title: Owner Credential: N/A

Organization Name: Individual Care of Texas

Mailing Address: PO Box 3395 City, State, Zip Code: Abilene, TX 79605

Phone No.: <u>214-356-7412</u> E-mail Address: <u>sep4243@sbcglobal.net</u>

Check one or both:

Section 5. Permit Contact Information (Instructions Page 27)

Provide the names and contact information for two individuals that can be contacted throughout the permit term.

A. Prefix: Mrs. Last Name, First Name: Petersen, Sandra

Title: Owner Credential: n/a

Organization Name: Individual Care of Texas

Mailing Address: PO BOX 3395 City, State, Zip Code: Abilene, TX 79605

Phone No.: <u>214-356-7412</u> E-mail Address: <u>sep4243@sbcglobal.net</u>

B. Prefix: Mrs. Last Name, First Name: Yarbrough, Sami

Title: Admin & Owner Credential: Click to enter text.

Organization Name: <u>Individual Care of Texas</u>

Mailing Address: **PO Box 3395** City, State, Zip Code: **Abilene, TX 79605**

Phone No.: **214-356-7412** E-mail Address: Click to enter text.

Section 6. Billing Contact Information (Instructions Page 27)

The permittee is responsible for paying the annual fee. The annual fee will be assessed to permits *in effect on September 1 of each year*. The TCEQ will send a bill to the address provided in this section. The permittee is responsible for terminating the permit when it is no longer needed (using form TCEQ-20029).

Prefix: Mrs. Last Name, First Name: Petersen, Sandra

Title: Owner Credential: N/A

Organization Name: Individual Care of Texas

Mailing Address: PO Box 3395 City, State, Zip Code: Abilene, TX 79605

Phone No.: <u>214-356-7412</u> E-mail Address: <u>sep4243@sbcglobal.net</u>

Section 7. DMR/MER Contact Information (Instructions Page 27)

Provide the name and complete mailing address of the person delegated to receive and submit Discharge Monitoring Reports (DMR) (EPA 3320-1) or maintain Monthly Effluent Reports (MER).

Prefix: Mr. Last Name, First Name: Phillips, Rick

Title: Maintenance Credential: Click to enter text.

Organization Name: Individual Care of Texas

Mailing Address: PO Box 1810 City, State, Zip Code: Quinlan, TX 75474

Phone No.: 903-214-7640 E-mail Address: rose@individuacareoftx.com

Section 8. Public Notice Information (Instructions Page 27)

A. Individual Publishing the Notices

Prefix: Miss. Last Name, First Name: Rodriguez, Natalia

Title: <u>Consultant</u> Credential: <u>n/a</u>

Organization Name: ECG, LLC

Mailing Address: <u>4515 Cherrywood rd</u> City, State, Zip Code: <u>Austin, TX 78722</u> Phone No.: 832-776-5393 E-mail Address: natalia@environmentalCgroup.com

B.	3. Method for Receiving Notice of Receipt and Intent to Obtain a Water Quality Permit Package Indicate by a check mark the preferred method for receiving the first notice and instruction					
	\boxtimes					
		□ Fax				
		□ Regular Mail				
C.	Co	Contact permit to be listed in the Notices				
	Pre	Prefix: Miss. Last Name, First Name: Rodriguez, Natalia				
	Tit	Title: <u>Consultant</u> Credential: <u>N/A</u>				
	Org	Organization Name: <u>ECG,LLC</u>				
	Ma	Mailing Address: <u>4015 Cherrywood Rd</u> City, State, Zip Code: <u>Austin, TX 78</u>	<u>722</u>			
	Pho	Phone No.: 832-776-5393 E-mail Address: natalia@environmentalCgrou	p.com			
D.	Pul	Public Viewing Information				
	-	If the facility or outfall is located in more than one county, a public viewing pla county must be provided.	ice for each			
	Pul	Public building name: <u>City Hall</u>				
	Loc	Location within the building: Quinlan				
	Physical Address of Building: <u>105 E Main St</u>					
	Cit	City: Quinlan County: Hunt				
Contact (Last Name, First Name): Click to enter text.						
	Pho	Phone No.: <u>903-356-3306</u> Ext.: Click to enter text.				
E.	E. Bilingual Notice Requirements This information is required for new, major amendment, minor amendment or minor modification, and renewal applications.					
This section of the application is only used to determine if alternative language notices will be needed. Complete instructions on publishing the alternative language notices will be in your public notice package.						
	Please call the bilingual/ESL coordinator at the nearest elementary and middle schools and obtain the following information to determine whether an alternative language notices are required.					
	1.	1. Is a bilingual education program required by the Texas Education Code at or middle school nearest to the facility or proposed facility?	the elementary			
		□ Yes ⊠ No				
		If no , publication of an alternative language notice is not required; skip to below.	Section 9			
	2.	2. Are the students who attend either the elementary school or the middle so a bilingual education program at that school?	chool enrolled in			

No

Yes

	3.	Do the locatio		these	schools attend a bilingua	l educ	ation prog	gram a	t another
			Yes	\boxtimes	No				
	4.				ired to provide a bilingua ment under 19 TAC §89			gram l	out the school has
			Yes	\boxtimes	lo				
	5.		,	-	estion 1, 2, 3, or 4, publi is required by the biling				
F.	Su	mmary	of Applicati	ion iı	Plain Language Templat	e			
		_		-	Application in Plain Lan page summary or PLS, an		_		
	At	tachme	nt: <u>Attachme</u>	<u>nt 3</u>					
G.	Pu	blic Inv	olvement P	lan F	m				
					nent Plan Form (TCEQ Fo ment to a permit and inc				
	At	tachme	nt: <u>N/A</u>						
Se	cti	ion 9.	Regulat Page 29		ntity and Permitted	Site	Inform	ation	(Instructions
Α.			is currently: RN <u>10228746</u> 5		ed by TCEQ, provide the	Regul	ated Entit	y Num	ber (RN) issued to
			TCEQ's Cencer		gistry at <u>http://www15.t</u> l by TCEQ.	ceq.te	xas.gov/c	rpub/	to determine if
B.	Na	me of p	oroject or site	e (the	ame known by the comm	nunity	where lo	cated):	
	Inc	dividual (Care of Texas	WW					
C.	Ov	vner of	treatment fa	cility	ndividual Care of Texas, In	<u>c.</u>			
	Ov	vnership	of Facility:		ublic 🗵 Private		Both		Federal
D.	Ov	vner of l	land where t	reatn	nt facility is or will be:				
	Pre	efix: <u>N/</u>	<u>A</u>		Last Name, First Na	ne: <u>N/</u>	<u>A</u>		
	Tit	tle: <u>N/A</u>			Credential: <u>N/A</u>				
	Or	ganizati	ion Name: <u>In</u>	divid	l Care of Texas Inc.				
	Ma	ailing Ac	ddress: <u>PO B</u>	OX 339	City, State	e, Zip (Code: <u>Abil</u>	<u>ene, TX</u>	79605
	Ph	one No.	: <u>(903) 356-4</u>	526	E-mail Address: <u>inf</u>	o@ind	<u>ividualcaı</u>	eoftx.c	<u>com</u>
					me person as the facility easement. See instruction		r or co-ap	plican	t, attach a lease
		Attach	ment: <u>n/a</u>						

E.	Owner of effluent disposal site:					
	Prefix: <u>n/a</u>	Last Name, First Name: <u>n/a</u>				
	Title: <u>n/a</u>	Credential: <u>n/a</u>				
	Organization Name: <u>Individual Care of Texas, Inc.</u>					
	Mailing Address: PO Box 3395	City, State, Zip Code: Abilene, TX 79605				
	Phone No.: <u>(903)</u> 356-4526	E-mail Address: info@individualcareoftx.com				
	If the landowner is not the same agreement or deed recorded eas	e person as the facility owner or co-applicant, attach a lease sement. See instructions.				
	Attachment: <u>N/A</u>					
F.	Owner sewage sludge disposal s property owned or controlled by	site (if authorization is requested for sludge disposal on y the applicant)::				
	Prefix: <u>N/A</u>	Last Name, First Name: <u>N/A</u>				
	Title: <u>N/A</u>	Credential: <u>N/A</u>				
	Organization Name: <u>N/A</u>					
	Mailing Address: <u>N/A</u>	City, State, Zip Code: <u>N/A</u>				
	Phone No.: <u>N/A</u>	E-mail Address: <u>N/A</u>				
	If the landowner is not the same agreement or deed recorded eas	e person as the facility owner or co-applicant, attach a lease sement. See instructions.				
	Attachment: <u>N/A</u>					
Se	ction 10. TPDES Dischar	ge Information (Instructions Page 31)				
	Is the wastewater treatment faci	ility location in the existing permit accurate?				
	Is the wastewater treatment factor Yes No					
	☐ Yes ☐ No If no, or a new permit application					
	□ Yes □ No	ility location in the existing permit accurate?				
	☐ Yes ☐ No If no, or a new permit application	ility location in the existing permit accurate?				
A.	☐ Yes ☐ No If no, or a new permit applicati Click to enter text.	ility location in the existing permit accurate?				
A.	☐ Yes ☐ No If no, or a new permit applicati Click to enter text.	ility location in the existing permit accurate? ion, please give an accurate description:				
A.	☐ Yes ☐ No If no, or a new permit application of the content text. Are the point(s) of discharge and ☐ Yes ☐ No If no, or a new or amendment permits of the content of	ility location in the existing permit accurate? ion, please give an accurate description:				
A.	☐ Yes ☐ No If no, or a new permit application of the point of discharge and the di	ility location in the existing permit accurate? ion, please give an accurate description: d the discharge route(s) in the existing permit correct? permit application, provide an accurate description of the				
A.	☐ Yes ☐ No If no, or a new permit application of the point of discharge and the di	ion, please give an accurate description: d the discharge route(s) in the existing permit correct? permit application, provide an accurate description of the narge route to the nearest classified segment as defined in 30				
A.	☐ Yes ☐ No If no, or a new permit application of the content of the point of the content of th	ility location in the existing permit accurate? ion, please give an accurate description: d the discharge route(s) in the existing permit correct? permit application, provide an accurate description of the narge route to the nearest classified segment as defined in 30 to enter text.				
А.	☐ Yes ☐ No If no, or a new permit application of the content text. Are the point(s) of discharge and ☐ Yes ☐ No If no, or a new or amendment point of discharge and the di	ility location in the existing permit accurate? ion, please give an accurate description: d the discharge route(s) in the existing permit correct? permit application, provide an accurate description of the narge route to the nearest classified segment as defined in 30 to enter text. is/are located: Click to enter text.				
А.	☐ Yes ☐ No If no, or a new permit application of the content text. Are the point(s) of discharge and ☐ Yes ☐ No If no, or a new or amendment point of discharge and the di	ility location in the existing permit accurate? ion, please give an accurate description: d the discharge route(s) in the existing permit correct? permit application, provide an accurate description of the narge route to the nearest classified segment as defined in 30 to enter text. is/are located: Click to enter text. r discharge to a city, county, or state highway right-of-way, or				

	If yes , indicate by a check mark if:
	\square Authorization granted \square Authorization pending
	For new and amendment applications, provide copies of letters that show proof of contact and the approval letter upon receipt.
	Attachment: Click to enter text.
D.	For all applications involving an average daily discharge of 5 MGD or more, provide the names of all counties located within 100 statute miles downstream of the point(s) of discharge: Click to enter text.
Se	ection 11. TLAP Disposal Information (Instructions Page 32)
	<u>-</u>
Α.	For TLAPs, is the location of the effluent disposal site in the existing permit accurate?
	Yes No
	If no, or a new or amendment permit application , provide an accurate description of the disposal site location:
	Click to enter text.
B.	City nearest the disposal site: Quinlan
	County in which the disposal site is located: Hunt
	For TLAPs , describe the routing of effluent from the treatment facility to the disposal site:
	The secondary effluent flows by gravity to the effluent screen. Final Effluent is discharge into a
	subsurface field on intermittent basis.
E.	For TLAPs , please identify the nearest watercourse to the disposal site to which rainfall runoff might flow if not contained: <u>Basin of Lake Tawakoni – Segment 0507</u>
So	ection 12 Miccollangous Information (Instructions Dago 22)
	ection 12. Miscellaneous Information (Instructions Page 32)
Α.	Is the facility located on or does the treated effluent cross American Indian Land?
_	☐ Yes ☒ No
В.	If the existing permit contains an onsite sludge disposal authorization, is the location of the sewage sludge disposal site in the existing permit accurate?
	□ Yes □ No ⊠ Not Applicable
	If No, or if a new onsite sludge disposal authorization is being requested in this permit application, provide an accurate location description of the sewage sludge disposal site.
	Click to enter text.

C.	Did any person formerly employed by the TCEQ represent your company and get paid for service regarding this application?
	□ Yes ⊠ No
	If yes, list each person formerly employed by the TCEQ who represented your company and was paid for service regarding the application: Click to enter text.
D.	Do you owe any fees to the TCEQ?
	□ Yes ⊠ No
	If yes , provide the following information:
	Account number: Click to enter text.
	Amount past due: Click to enter text.
E.	Do you owe any penalties to the TCEQ?
	□ Yes ⊠ No
	If yes , please provide the following information:
	Enforcement order number: Click to enter text.
	Amount past due: Click to enter text.
Se	ection 13. Attachments (Instructions Page 33)
	ection 13. Attachments (Instructions Page 33) dicate which attachments are included with the Administrative Report. Check all that apply:
In	dicate which attachments are included with the Administrative Report. Check all that apply: Lease agreement or deed recorded easement, if the land where the treatment facility is
In	dicate which attachments are included with the Administrative Report. Check all that apply: Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant.
In	dicate which attachments are included with the Administrative Report. Check all that apply: Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant. Original full-size USGS Topographic Map with the following information: Applicant's property boundary Treatment facility boundary Labeled point of discharge for each discharge point (TPDES only) Highlighted discharge route for each discharge point (TPDES only) Onsite sewage sludge disposal site (if applicable) Effluent disposal site boundaries (TLAP only) New and future construction (if applicable) 1 mile radius information 3 miles downstream information (TPDES only)
Inc	Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant. Original full-size USGS Topographic Map with the following information: • Applicant's property boundary • Treatment facility boundary • Labeled point of discharge for each discharge point (TPDES only) • Highlighted discharge route for each discharge point (TPDES only) • Onsite sewage sludge disposal site (if applicable) • Effluent disposal site boundaries (TLAP only) • New and future construction (if applicable) • 1 mile radius information • 3 miles downstream information (TPDES only) • All ponds.

Section 14. Signature Page (Instructions Page 34)

If co-applicants are necessary, each entity must submit an original, separate signature page.

Permit Number: WQ0014236-001

Applicant: Individual Care of Texas, Inc.

Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

I further certify that I am authorized under 30 Texas Administrative Code § 305.44 to sign and submit this document, and can provide documentation in proof of such authorization upon request.

Signatory name (typed or printed): <u>Sandra Petersen</u>
Signatory title: Owner
Signature: Dandes fotus Date: 5-1-2025 (Use blue ink)
Subscribed and Sworn to before me by the said Sponga Petersen
on this 18th day of 10cs , 2025. My commission expires on the 23Rd day of 10cy , 2028.
My commission expires on the 23100 day of 1000 , 2028 .
Sugary Public [SEAL]
TRACEY L. LEMASTER Notary Public, State of Texas County, Texas Notary ID 134914654

THE COMMISSION OF THE PROPERTY OF THE PROPERTY

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

DOMESTIC WASTEWATER PERMIT APPLICATION TECHNICAL REPORT 1.0

For any questions about this form, please contact the Domestic Wastewater Permitting Team at 512-239-4671.

The following information is required for all renewal, new, and amendment applications.

Section 1. Permitted or Proposed Flows (Instructions Page 42)

A. Existing/Interim I Phase

Design Flow (MGD): Click to enter text.

2-Hr Peak Flow (MGD): Click to enter text.

Estimated construction start date: Click to enter text.

Estimated waste disposal start date: Click to enter text.

B. Interim II Phase

Design Flow (MGD):

2-Hr Peak Flow (MGD): Click to enter text.

Estimated construction start date: <u>Click to enter text.</u>

Estimated waste disposal start date: Click to enter text.

C. Final Phase

Design Flow (MGD): <u>0.010</u>

2-Hr Peak Flow (MGD): <u>0.015</u>

Estimated construction start date: <u>06/01/2004</u>

Estimated waste disposal start date: <u>o6/o1/2004</u>

D. Current Operating Phase

Provide the startup date of the facility: Final

Section 2. Treatment Process (Instructions Page 42)

A. Current Operating Phase

Provide a detailed description of the treatment process. **Include the type of treatment plant, mode of operation, and all treatment units.** Start with the plant's head works and

finish with the point of discharge. Include all sludge processing and drying units. **If more than one phase exists or is proposed, a description of** *each phase* **must be provided**.

It is a biological fixed film process. Treatment units include a lift station, equalization basin, 2 trickling filters (plastic media), 2 final clarifier + 2 effluent dual media filters. It includes a effluent storage tank with capacity of 1500 gal for storage of treated effluent prior to subsurface irrigation.

B. Treatment Units

In Table 1.0(1), provide the treatment unit type, the number of units, and dimensions (length, width, depth) of each treatment unit, accounting for *all* phases of operation.

Table 1.0(1) - Treatment Units

Treatment Unit Type	Number of Units	Dimensions (L x W x D)
Bioraptor Towers	1	24'6"x18'x8'5"
Computer control shed	1	10'x8'

C. Process Flow Diagram

Provide flow diagrams for the existing facilities and **each** proposed phase of construction.

Attachment: Attachment 5

Section 3. Site Information and Drawing (Instructions Page 43)

Provide the TPDES discharge outfall latitude and longitude. Enter N/A if not applicable.

Latitude: N/ALongitude: N/A

Provide the TLAP disposal site latitude and longitude. Enter N/A if not applicable.

• Latitude: <u>32°56'25.4"N</u>

Longitude: 96°10'04.1"W

Provide a site drawing for the facility that shows the following:

- The boundaries of the treatment facility;
- The boundaries of the area served by the treatment facility;
- If land disposal of effluent, the boundaries of the disposal site and all storage/holding ponds; and
- If sludge disposal is authorized in the permit, the boundaries of the land application or disposal site.

Attachment: Attachment 6

Provide the name and a des	cription of the area	a served by the treatment	t facility.
Individual Care of Texas is	an assisted living	facility	
Collection System Informati			
each uniquely owned collection systems.			
examples.	riease see the ms	tructions for a detailed t	explanation and
Collection System Informatio	n		
Collection System Name	Owner Name	Owner Type	Population Serve
,		Choose an item.	
Section 4. Unbuilt P	hases (Instruc	tions Page 44)	
		<u> </u>	
Is the application for a rene	wai of a permit tha	it contains an unbuilt ph	ase or pnases?
□ Yes ⊠ No			
If yes, does the existing per years of being authorized b		e that has not been cons	tructed within five
,	y the TCEQ!		
☐ Yes ☐ No	. 1.	.1 1 10	
If yes, provide a detailed di Failure to provide sufficier			
recommending denial of th			Bucces
Click to enter text.			
Costion C. Cleanne I	None (Instructi	long Dogo 44)	
	Plans (Instructi		
Have any treatment units be		rvice permanently, or wil	l any units be taken
out of service in the next fiv	e years!		
□ Yes ⊠ No			
1 100 2 110			

If y	ves, was a closure plan submitted to the TCEQ?
	□ Yes □ No
If y	ves, provide a brief description of the closure and the date of plan approval.
Se	ction 6. Permit Specific Requirements (Instructions Page 44) r applicants with an existing permit, check the Other Requirements or Special
	ovisions of the permit.
Α.	Summary transmittal
	Have plans and specifications been approved for the existing facilities and each proposed phase?
	⊠ Yes □ No
	If yes, provide the date(s) of approval for each phase: <u>05/01/2004</u>
	Provide information, including dates, on any actions taken to meet a <i>requirement or provision</i> pertaining to the submission of a summary transmittal letter. Provide a copy of an approval letter from the TCEQ, if applicable .
	Click to enter text.
В.	Buffer zones
	Have the buffer zone requirements been met?
	⊠ Yes □ No
	Provide information below, including dates, on any actions taken to meet the conditions of the buffer zone. If available, provide any new documentation relevant to maintaining the buffer zones.
	Click to enter text.

	su	bes the Other Requirements or Special Provisions section in the existing permit require bimission of any other information or other required actions? Examples include stification of Completion, progress reports, soil monitoring data, etc.
	110	☐ Yes ⊠ No
	If v	yes, provide information below on the status of any actions taken to meet the
		nditions of an Other Requirement or Special Provision.
	C	lick to enter text.
D.	Gr	it and grease treatment
	1.	Acceptance of grit and grease waste
		Does the facility have a grit and/or grease processing facility onsite that treats and decants or accepts transported loads of grit and grease waste that are discharged directly to the wastewater treatment plant prior to any treatment?
		□ Yes ⊠ No
		If No, stop here and continue with Subsection E. Stormwater Management.
	<i>2.</i>	Grit and grease processing
		Describe below how the grit and grease waste is treated at the facility. In your description, include how and where the grit and grease is introduced to the treatment works and how it is separated or processed. Provide a flow diagram showing how grit and grease is processed at the facility.
		Click to enter text.
	3.	Grit disposal
		Does the facility have a Municipal Solid Waste (MSW) registration or permit for grit disposal?
		□ Yes □ No
		If No , contact the TCEQ Municipal Solid Waste team at 512-239-2335. Note: A registration or permit is required for grit disposal. Grit shall not be combined with treatment plant sludge. See the instruction booklet for additional information on grit disposal requirements and restrictions.

C. Other actions required by the current permit

		Describe the method of grit disposal.
		Click to enter text.
	4.	Grease and decanted liquid disposal
		Note: A registration or permit is required for grease disposal. Grease shall not be combined with treatment plant sludge. For more information, contact the TCEQ Municipal Solid Waste team at 512-239-2335.
		Describe how the decant and grease are treated and disposed of after grit separation.
		Click to enter text.
E.	Sto	ormwater management
	1.	Applicability
		Does the facility have a design flow of 1.0 MGD or greater in any phase?
		□ Yes ⊠ No
		Does the facility have an approved pretreatment program, under 40 CFR Part 403?
		□ Yes ⊠ No
		If no to both of the above, then skip to Subsection F, Other Wastes Received.
	2.	MSGP coverage
		Is the stormwater runoff from the WWTP and dedicated lands for sewage disposal currently permitted under the TPDES Multi-Sector General Permit (MSGP), TXR050000?
		□ Yes □ No
		If yes , please provide MSGP Authorization Number and skip to Subsection F, Other Wastes Received:
		TXR05 Click to enter text. or TXRNE Click to enter text.
		If no, do you intend to seek coverage under TXR050000?
		□ Yes □ No
	3.	Conditional exclusion
		Alternatively, do you intend to apply for a conditional exclusion from permitting based TXR050000 (Multi Sector General Permit) Part II B.2 or TXR050000 (Multi Sector General Permit) Part V, Sector T 3(b)?
		□ Yes □ No

	If yes, please explain below then proceed to Subsection F, Other Wastes Received:
	Click to enter text.
4.	Existing coverage in individual permit
	Is your stormwater discharge currently permitted through this individual TPDES or TLAP permit?
	□ Yes □ No
	If yes , provide a description of stormwater runoff management practices at the site that are authorized in the wastewater permit then skip to Subsection F, Other Wastes Received.
	Click to enter text.
5.	Zero stormwater discharge
	Do you intend to have no discharge of stormwater via use of evaporation or other means?
	□ Yes □ No
	If yes, explain below then skip to Subsection F. Other Wastes Received.
	Click to enter text.
	Note: If there is a potential to discharge any stormwater to surface water in the state as the result of any storm event, then permit coverage is required under the MSGP or an individual discharge permit. This requirement applies to all areas of facilities with treatment plants or systems that treat, store, recycle, or reclaim domestic sewage, wastewater or sewage sludge (including dedicated lands for sewage sludge disposal located within the onsite property boundaries) that meet the applicability criteria of above. You have the option of obtaining coverage under the MSGP for direct discharges, (recommended), or obtaining coverage under this individual permit.
6.	Request for coverage in individual permit
	Are you requesting coverage of stormwater discharges associated with your treatment plant under this individual permit?
	□ Yes □ No
	If yes , provide a description of stormwater runoff management practices at the site for which you are requesting authorization in this individual wastewater permit and describe whether you intend to comingle this discharge with your treated effluent or discharge it via a separate dedicated stormwater outfall. Please also indicate if you

		it to water in the state.
		Click to enter text.
		Note: Direct stormwater discharges to waters in the state authorized through this individual permit will require the development and implementation of a stormwater pollution prevention plan (SWPPP) and will be subject to additional monitoring and reporting requirements. Indirect discharges of stormwater via headworks recycling will require compliance with all individual permit requirements including 2-hour peak flow limitations. All stormwater discharge authorization requests will require additional information during the technical review of your application.
F.	Di	scharges to the Lake Houston Watershed
	Do	es the facility discharge in the Lake Houston watershed?
		□ Yes ⊠ No
		yes, attach a Sewage Sludge Solids Management Plan. See Example 5 in the instructions. ck to enter text.
G.	Ot	her wastes received including sludge from other WWTPs and septic waste
	1.	Acceptance of sludge from other WWTPs
		Does or will the facility accept sludge from other treatment plants at the facility site?
		□ Yes ⊠ No
		If yes, attach sewage sludge solids management plan. See Example 5 of instructions.
		In addition, provide the date the plant started or is anticipated to start accepting sludge, an estimate of monthly sludge acceptance (gallons or millions of gallons), an
		estimate of the BOD_5 concentration of the sludge, and the design BOD_5 concentration of the influent from the collection system. Also note if this information has or has not changed since the last permit action.
		Click to enter text.
		Note: Permits that accept sludge from other wastewater treatment plants may be required to have influent flow and organic loading monitoring.
	2.	Acceptance of septic waste
		Is the facility accepting or will it accept septic waste?
		□ Yes ⊠ No
		If yes, does the facility have a Type V processing unit?
		□ Yes □ No
		If yes, does the unit have a Municipal Solid Waste permit?
		□ Yes □ No

intend to divert stormwater to the treatment plant headworks and indirectly discharge

If yes to any of the above, provide the date the plant started or is anticipated to start accepting septic waste, an estimate of monthly septic waste acceptance (gallons or millions of gallons), an estimate of the BOD₅ concentration of the septic waste, and the design BOD₅ concentration of the influent from the collection system. Also note if this information has or has not changed since the last permit action.

Click to enter text.

Note: Permits that accept sludge from other wastewater treatment plants may be required to have influent flow and organic loading monitoring.

3. Acceptance of other wastes (not including septic, grease, grit, or RCRA, CERCLA or as discharged by IUs listed in Worksheet 6)

Is or will the facility accept wastes that are not domestic in nature excluding the categories listed above?

□ Yes □ No

If yes, provide the date that the plant started accepting the waste, an estimate how much waste is accepted on a monthly basis (gallons or millions of gallons), a description of the entities generating the waste, and any distinguishing chemical or other physical characteristic of the waste. Also note if this information has or has not changed since the last permit action.

Click to enter text.			

Section 7. Pollutant Analysis of Treated Effluent (Instructions Page 49)

Is the facility in operation?

⊠ Yes □ No

If no, this section is not applicable. Proceed to Section 8.

If yes, provide effluent analysis data for the listed pollutants. *Wastewater treatment facilities* complete Table 1.0(2). *Water treatment facilities* discharging filter backwash water, complete Table 1.0(3). Provide copies of the laboratory results sheets. **These tables are not applicable for a minor amendment without renewal.** See the instructions for guidance.

Note: The sample date must be within 1 year of application submission.

Table1.0(2) - Pollutant Analysis for Wastewater Treatment Facilities

Pollutant	Average Conc.	Max Conc.	No. of Samples	Sample Type	Sample Date/Time
CBOD ₅ , mg/l	19.6	19.6	1	Grab	04/15/2025 10:55
Total Suspended Solids, mg/l	16.2	16.2	1	Grab	04/15/2025 10:55
Ammonia Nitrogen, mg/l	5.27	5.27	1	Grab	04/15/2025 10:55
Nitrate Nitrogen, mg/l	1.62	1.62	1	Grab	04/15/2025 10:55
Total Kjeldahl Nitrogen, mg/l	29.1	29.1	1	Grab	04/15/2025 10:55
Sulfate, mg/l	103	103	1	Grab	04/15/2025 10:55
Chloride, mg/l	63.9	63.9	1	Grab	04/15/2025 10:55
Total Phosphorus, mg/l	4.96	4.96	1	Grab	04/15/2025 10:55
pH, standard units	7.5	7.5	1	Grab	04/15/2025 10:55
Dissolved Oxygen*, mg/l	1.9	1.9	1	Grab	04/15/2025 10:55
Chlorine Residual, mg/l	0.04	0.04	1	Grab	04/15/2025 10:55
E.coli (CFU/100ml) freshwater	> 2419.6	> 2419.6	1	Grab	04/15/2025 10:55
Entercocci (CFU/100ml) saltwater	N/A	N/A	N/A	N/A	N/A
Total Dissolved Solids, mg/l	470	470	1	Grab	04/15/2025 10:55
Electrical Conductivity, µmohs/cm, †	858	858	1	Grab	04/15/2025 10:55
Oil & Grease, mg/l	5.23	5.23	1	Grab	04/15/2025 10:55
Alkalinity (CaCO ₃)*, mg/l	211	211	1	Grab	04/15/2025 10:55

^{*}TPDES permits only †TLAP permits only

Table1.0(3) - Pollutant Analysis for Water Treatment Facilities

Pollutant	Average Conc.	Max Conc.	No. of Samples	Sample Type	Sample Date/Time
Total Suspended Solids, mg/l					
Total Dissolved Solids, mg/l					
pH, standard units					
Fluoride, mg/l					
Aluminum, mg/l					
Alkalinity (CaCO ₃), mg/l					

Section 8. Facility Operator (Instructions Page 49)

Facility Operator Name: Rick Phillips

A.

B.

Facility Operator's License Classification and Level: Click to enter text.

Facility Operator's License Number: Click to enter text.

Section 9. Sludge and Biosolids Management and Disposal (Instructions Page 50)

ww	TP's Sewage Sludge or Biosolids Management Facility Type
Che	ck all that apply. See instructions for guidance
	Design flow>= 1 MGD
	Serves >= 10,000 people
	Class I Sludge Management Facility (per 40 CFR § 503.9)
	Biosolids generator
	Biosolids end user – land application (onsite)
	Biosolids end user – surface disposal (onsite)
	Biosolids end user – incinerator (onsite)
ww	TP's Sewage Sludge or Biosolids Treatment Process
Che	ck all that apply. See instructions for guidance.
\boxtimes	Aerobic Digestion
	Air Drying (or sludge drying beds)
	Lower Temperature Composting
	Lime Stabilization
	Higher Temperature Composting
	Heat Drying
	Thermophilic Aerobic Digestion
	Beta Ray Irradiation
	Gamma Ray Irradiation
	Pasteurization
	Preliminary Operation (e.g. grinding, de-gritting, blending)
	Thickening (e.g. gravity thickening, centrifugation, filter press, vacuum filter)
	Sludge Lagoon
	Temporary Storage (< 2 years)
	Long Term Storage (>= 2 years)
	Methane or Biogas Recovery

☐ Other Treatment Process:	Click to	enter text.
----------------------------	----------	-------------

C. Sewage Sludge or Biosolids Management

Provide information on the *intended* sewage sludge or biosolids management practice. Do not enter every management practice that you want authorized in the permit, as the permit will authorize all sewage sludge or biosolids management practices listed in the instructions. Rather indicate the management practice the facility plans to use.

Biosolids Management

Management Practice	Handler or Preparer Type	Bulk or Bag Container	Amount (dry metric tons)	Pathogen Reduction Options	Vector Attraction Reduction Option
Other	Off-site Third-Party Handler or Preparer	Bulk		Choose an item.	Choose an item.
Choose an item.	Choose an item.	Choose an item.		Choose an item.	Choose an item.
Choose an item.	Choose an item.	Choose an item.		Choose an item.	Choose an item.

If "Other" is selected for Management Practice, please explain (e.g. monofill or transport to another WWTP): transport to another plant

D. Disposal site

Disposal site name: Greenville Wastewater Reclamation Center

TCEQ permit or registration number: <u>22480</u> County where disposal site is located: Hunt

E. Transportation method

Method of transportation (truck, train, pipe, other): Truck

Name of the hauler: McGee Septic Service

Hauler registration number: 22480

Sludge is transported as a:

Liquid oximes semi-liquid oximes semi-solid oximes solid oximes

Section 10. Permit Authorization for Sewage Sludge Disposal (Instructions Page 52)

A. Beneficial use authorization

Does the existing permit include authorization for land application of biosolids for beneficial use?

□ Yes ⊠ No

	If yes , are you requesting to continue this authorize beneficial use?	zati	on to land	d ap	ply biosolids for
	□ Yes □ No				
	If yes, is the completed Application for Permit for (TCEQ Form No. 10451) attached to this permit application?				
	□ Yes □ No				
B.	. Sludge processing authorization				
	Does the existing permit include authorization for storage or disposal options?	an	y of the fo	ollov	ving sludge processing,
	Sludge Composting		Yes		No
	Marketing and Distribution of Biosolids		Yes		No
	Sludge Surface Disposal or Sludge Monofill		Yes		No
	Temporary storage in sludge lagoons		Yes		No
	If yes to any of the above sludge options and the a authorization, is the completed Domestic Wastew . Technical Report (TCEQ Form No. 10056) attache. ☐ Yes ☐ No	ate	r Permit A	۱ppl	lication: Sewage Sludge
Se	ection 11. Sewage Sludge Lagoons (Inst	ruc	ctions F	age	e 53)
	oes this facility include sewage sludge lagoons?			0	,
	□ Yes ⊠ No				
If y	yes, complete the remainder of this section. If no, p	roc	eed to Sec	tion	12.
A.	. Location information				
	The following maps are required to be submitted a provide the Attachment Number.	ıs p	art of the	app	lication. For each map,
	 Original General Highway (County) Map: 				
	Attachment: Click to enter text.				
	 USDA Natural Resources Conservation Servi 	ce :	Soil Map:		
	Attachment: Click to enter text.				
	 Federal Emergency Management Map: 				
	Attachment: Click to enter text.				
	• Site map:				
	Attachment: Click to enter text.				
	Discuss in a description if any of the following exist apply.	st v	vithin the	lago	oon area. Check all that
	Overlap a designated 100-year frequency f	loo	d plain		
	☐ Soils with flooding classification				

	Overlap an unstable area
	Wetlands
	Located less than 60 meters from a fault
	None of the above
Att	tachment: Click to enter text.
-	rtion of the lagoon(s) is located within the 100-year frequency flood plain, provide otective measures to be utilized including type and size of protective structures:
Click	to enter text.

B. Temporary storage information

Provide the results for the pollutant screening of sludge lagoons. These results are in addition to pollutant results in *Section 7 of Technical Report 1.0.*

Nitrate Nitrogen, mg/kg: Click to enter text.

Total Kjeldahl Nitrogen, mg/kg: <u>Click to enter text.</u>

Total Nitrogen (=nitrate nitrogen + TKN), mg/kg: Click to enter text.

Phosphorus, mg/kg: Click to enter text.

Potassium, mg/kg: <u>Click to enter text.</u>

pH, standard units: <u>Click to enter text.</u>

Ammonia Nitrogen mg/kg: Click to enter text.

Arsenic: Click to enter text.

Cadmium: Click to enter text.

Chromium: Click to enter text.

Copper: Click to enter text.

Lead: Click to enter text.

Mercury: Click to enter text.

Molybdenum: Click to enter text.

Nickel: Click to enter text.

Selenium: Click to enter text.

Zinc: Click to enter text.

Total PCBs: <u>Click to enter text.</u> Provide the following information:

Volume and frequency of sludge to the lagoon(s): Click to enter text.

Total dry tons stored in the lagoons(s) per 365-day period: Click to enter text.

Total dry tons stored in the lagoons(s) over the life of the unit: Click to enter text.

C.	Liner information
	Does the active/proposed sludge lagoon(s) have a liner with a maximum hydraulic conductivity of $1x10^{-7}$ cm/sec?
	□ Yes □ No
	If yes, describe the liner below. Please note that a liner is required.
	Click to enter text.
D.	Site development plan
	Provide a detailed description of the methods used to deposit sludge in the lagoon(s):
	Click to enter text.
	Attach the following documents to the application.
	 Plan view and cross-section of the sludge lagoon(s)
	Attachment: Click to enter text.
	 Copy of the closure plan
	Attachment: Click to enter text.
	 Copy of deed recordation for the site
	Attachment: Click to enter text.
	• Size of the sludge lagoon(s) in surface acres and capacity in cubic feet and gallons
	Attachment: Click to enter text.
	 Description of the method of controlling infiltration of groundwater and surface water from entering the site
	Attachment: Click to enter text.
	 Procedures to prevent the occurrence of nuisance conditions
	Attachment: Click to enter text.
E.	Groundwater monitoring
	Is groundwater monitoring currently conducted at this site, or are any wells available for groundwater monitoring, or are groundwater monitoring data otherwise available for the sludge lagoon(s)?
	□ Yes □ No

If groundwater monitoring data are available, provide a copy. Provide a profile of soil types encountered down to the groundwater table and the depth to the shallowest groundwater as a separate attachment.

Attachment: Click to enter text.

Section 12. Authorizations/Compliance/Enforcement (Instructions Page 54)

Page 54)
A. Additional authorizations
Does the permittee have additional authorizations for this facility, such as reuse authorization, sludge permit, etc?
□ Yes ⊠ No
If yes, provide the TCEQ authorization number and description of the authorization:
Click to enter text.
B. Permittee enforcement status
Is the permittee currently under enforcement for this facility?
□ Yes ⊠ No
Is the permittee required to meet an implementation schedule for compliance or enforcement?
□ Yes ⊠ No
If yes to either question, provide a brief summary of the enforcement, the implementation schedule, and the current status:
Click to enter text.

Section 13. RCRA/CERCLA Wastes (Instructions Page 55)

A. RCRA hazardous wastes

Has the fac RCRA haza	•	received in the past three years, does it currently receive, or will it receive s waste?
□ Yes	_	

B. Remediation activity wastewater

Has the facility received in the past three years, does it currently receive, or will it receive CERCLA wastewater, RCRA remediation/corrective action wastewater or other remediation activity wastewater?

□ Yes ⊠ No

C. Details about wastes received

If yes to either Subsection A or B above, provide detailed information concerning these wastes with the application.

Attachment: Click to enter text.

Section 14. Laboratory Accreditation (Instructions Page 55)

All laboratory tests performed must meet the requirements of *30 TAC Chapter 25*, *Environmental Testing Laboratory Accreditation and Certification*, which includes the following general exemptions from National Environmental Laboratory Accreditation Program (NELAP) certification requirements:

- The laboratory is an in-house laboratory and is:
 - o periodically inspected by the TCEQ; or
 - o located in another state and is accredited or inspected by that state; or
 - o performing work for another company with a unit located in the same site; or
 - performing pro bono work for a governmental agency or charitable organization.
- The laboratory is accredited under federal law.
- The data are needed for emergency-response activities, and a laboratory accredited under the Texas Laboratory Accreditation Program is not available.
- The laboratory supplies data for which the TCEQ does not offer accreditation.

The applicant should review 30 TAC Chapter 25 for specific requirements.

The following certification statement shall be signed and submitted with every application. See the Signature Page section in the Instructions, for a list of designated representatives who may sign the certification.

CERTIFICATION:

I certify that all laboratory tests submitted with this application meet the requirements of 30 TAC Chapter 25, Environmental Testing Laboratory Accreditation and Certification.

Printed Name: <u>Natalia Rodriguez</u>
Title: <u>Consultant</u>

Date: _____

Signature: _

DOMESTIC WASTEWATER PERMIT APPLICATION TECHNICAL REPORT 1.1

The following information is required for new and amendment major applications.

Section 1. Justification for Permit (Instructions Page 56)

A. Justification of permit	Α.	stific	ation	of	permit	need
----------------------------	----	--------	-------	----	--------	------

B.

Provide a detailed discussion regarding the need for any phase(s) not currently permitted. Failure to provide sufficient justification may result in the Executive Director recommending denial of the proposed phase(s) or permit.

	Click to enter text.
Re	gionalization of facilities
	r additional guidance, please review <u>TCEQ's Regionalization Policy for Wastewater</u> <u>eatment</u> ¹ .
	ovide the following information concerning the potential for regionalization of domestic astewater treatment facilities:
1.	Municipally incorporated areas
	If the applicant is a city, then Item 1 is not applicable. Proceed to Item 2 Utility CCN areas.
	Is any portion of the proposed service area located in an incorporated city?
	□ Yes □ No □ Not Applicable
	If yes, within the city limits of: <u>Click to enter text.</u>
	If yes, attach correspondence from the city.
	Attachment: Click to enter text.
	If consent to provide service is available from the city, attach a justification for the proposed facility and a cost analysis of expenditures that includes the cost of connecting to the city versus the cost of the proposed facility or expansion attached.
	Attachment: Click to enter text.
2.	Utility CCN areas
	Is any portion of the proposed service area located inside another utility's CCN area?
	□ Yes □ No

¹ https://www.tceq.texas.gov/permitting/wastewater/tceq-regionalization-for-wastewater

expenditures that includes the cost of connecting to the CCN facilities versus the cost of the proposed facility or expansion.
Attachment: Click to enter text.
3. Nearby WWTPs or collection systems
Are there any domestic permitted wastewater treatment facilities or collection systems located within a three-mile radius of the proposed facility?
□ Yes □ No
If yes , attach a list of these facilities and collection systems that includes each permittee's name and permit number, and an area map showing the location of these facilities and collection systems.
Attachment: Click to enter text.
If yes , attach proof of mailing a request for service to each facility and collection system, the letters requesting service, and correspondence from each facility and collection system.
Attachment: Click to enter text.
If the facility or collection system agrees to provide service, attach a justification for the proposed facility and a cost analysis of expenditures that includes the cost of connecting to the facility or collection system versus the cost of the proposed facility or expansion.
Attachment: Click to enter text.
Attachment. Chek to effect text.
Section 2. Proposed Organic Loading (Instructions Page 58)
Section 2. Proposed Organic Loading (Instructions Page 58)
Section 2. Proposed Organic Loading (Instructions Page 58) Is this facility in operation?
Section 2. Proposed Organic Loading (Instructions Page 58) Is this facility in operation? Yes No
Section 2. Proposed Organic Loading (Instructions Page 58) Is this facility in operation? Yes No If no, proceed to Item B, Proposed Organic Loading.
Section 2. Proposed Organic Loading (Instructions Page 58) Is this facility in operation? Yes No If no, proceed to Item B, Proposed Organic Loading. If yes, provide organic loading information in Item A, Current Organic Loading
Section 2. Proposed Organic Loading (Instructions Page 58) Is this facility in operation? Yes No If no, proceed to Item B, Proposed Organic Loading. If yes, provide organic loading information in Item A, Current Organic Loading A. Current organic loading
Section 2. Proposed Organic Loading (Instructions Page 58) Is this facility in operation? Yes No If no, proceed to Item B, Proposed Organic Loading. If yes, provide organic loading information in Item A, Current Organic Loading A. Current organic loading Facility Design Flow (flow being requested in application): Click to enter text.
Section 2. Proposed Organic Loading (Instructions Page 58) Is this facility in operation? Yes No If no, proceed to Item B, Proposed Organic Loading. If yes, provide organic loading information in Item A, Current Organic Loading A. Current organic loading Facility Design Flow (flow being requested in application): Click to enter text. Average Influent Organic Strength or BOD5 Concentration in mg/l: Click to enter text. Average Influent Loading (lbs/day = total average flow X average BOD5 conc. X 8.34): Click

B. Proposed organic loading

This table must be completed if this application is for a facility that is not in operation or if this application is to request an increased flow that will impact organic loading.

Table 1.1(1) - Design Organic Loading

Source	Total Average Flow (MGD)	Influent BOD5 Concentration (mg/l)	
Municipality			
Subdivision			
Trailer park - transient			
Mobile home park			
School with cafeteria and showers			
School with cafeteria, no showers			
Recreational park, overnight use			
Recreational park, day use			
Office building or factory			
Motel			
Restaurant			
Hospital			
Nursing home			
Other			
TOTAL FLOW from all sources			
AVERAGE BOD₅ from all sources			

Section 3. Proposed Effluent Quality and Disinfection (Instructions Page 58)

A. Existing/Interim I Phase Design Effluent Quality

Biochemical Oxygen Demand (5-day), mg/l: Click to enter text.

Total Suspended Solids, mg/l: Click to enter text.

Ammonia Nitrogen, mg/l: <u>Click to enter text.</u>
Total Phosphorus, mg/l: <u>Click to enter text.</u>
Dissolved Oxygen, mg/l: <u>Click to enter text.</u>

Other: Click to enter text.

B.	Interim II Phase Design Effluent Quality
	Biochemical Oxygen Demand (5-day), mg/l: Click to enter text.
	Total Suspended Solids, mg/l: Click to enter text.
	Ammonia Nitrogen, mg/l: Click to enter text.
	Total Phosphorus, mg/l: Click to enter text.
	Dissolved Oxygen, mg/l: Click to enter text.
	Other: Click to enter text.
C.	Final Phase Design Effluent Quality
	Biochemical Oxygen Demand (5-day), mg/l: Click to enter text.
	Total Suspended Solids, mg/l: Click to enter text.
	Ammonia Nitrogen, mg/l: Click to enter text.
	Total Phosphorus, mg/l: Click to enter text.
	Dissolved Oxygen, mg/l: Click to enter text.
	Other: Click to enter text.
D.	Disinfection Method
	Identify the proposed method of disinfection.
	☐ Chlorine: Click to enter text. mg/l after Click to enter text. minutes detention time
	at peak flow
	Dechlorination process: <u>Click to enter text.</u>
	☐ Ultraviolet Light: <u>Click to enter text.</u> seconds contact time at peak flow
	□ Other: <u>Click to enter text.</u>
Se	ction 4. Design Calculations (Instructions Page 58)
	each design calculations and plant features for each proposed phase. Example 4 of the
	tructions includes sample design calculations and plant features.
	Attachment: Click to enter text.
So	ction 5. Facility Site (Instructions Page 59)
36	ction 3. Facility site (instructions rage 39)
A.	100-year floodplain
	Will the proposed facilities be located <u>above</u> the 100-year frequency flood level?
	□ Yes □ No
	If no , describe measures used to protect the facility during a flood event. Include a site map showing the location of the treatment plant within the 100-year frequency flood level. If applicable, provide the size and types of protective structures.
	Click to enter text.

	Provide the source(s) used to determine 100-year frequency flood plain.
	Click to enter text.
	For a new or expansion of a facility, will a wetland or part of a wetland be filled?
	□ Yes □ No
	If yes, has the applicant applied for a US Corps of Engineers 404 Dredge and Fill Permit?
	□ Yes □ No
	If yes, provide the permit number: <u>Click to enter text.</u>
	If no, provide the approximate date you anticipate submitting your application to the Corps: Click to enter text.
B.	Wind rose
	Attach a wind rose: <u>Click to enter text.</u>
Se	ction 6. Permit Authorization for Sewage Sludge Disposal (Instructions Page 59)
	<u> </u>
Α.	Beneficial use authorization
	Are you requesting to include authorization to land apply sewage sludge for beneficial use on property located adjacent to the wastewater treatment facility under the wastewater permit?
	□ Yes □ No
	If yes, attach the completed Application for Permit for Beneficial Land Use of Sewage Sludge (TCEQ Form No. 10451) : Click to enter text.
B.	Sludge processing authorization
	Identify the sludge processing, storage or disposal options that will be conducted at the wastewater treatment facility:
	□ Sludge Composting
	□ Marketing and Distribution of sludge
	□ Sludge Surface Disposal or Sludge Monofill
	If any of the above, sludge options are selected, attach the completed Domestic Wastewater Permit Application: Sewage Sludge Technical Report (TCEQ Form No. 10056): Click to enter text.
Se	ction 7. Sewage Sludge Solids Management Plan (Instructions Page 60)

Attach a solids management plan to the application.

Attachment: Click to enter text.

The sewage sludge solids management plan must contain the following information:

Treatment units and processes dimensions and capacities

- Solids generated at 100, 75, 50, and 25 percent of design flow
- Mixed liquor suspended solids operating range at design and projected actual flow
- Quantity of solids to be removed and a schedule for solids removal
- Identification and ownership of the ultimate sludge disposal site
- For facultative lagoons, design life calculations, monitoring well locations and depths, and the ultimate disposal method for the sludge from the facultative lagoon

An example of a sewage sludge solids management plan has been included as Example 5 of the instructions.

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 2.0: RECEIVING WATERS

The following information is required for all TPDES permit applications.

Section 1. Domestic Drinking Water Supply (Instructions Page 63)	
Is there a surface water intake for domestic drinking water supply located within 5 miles downstream from the point or proposed point of discharge?	
□ Yes □ No	
If no , proceed it Section 2. If yes , provide the following:	
Owner of the drinking water supply: Click to enter text.	
Distance and direction to the intake: <u>Click to enter text.</u>	
Attach a USGS map that identifies the location of the intake.	
Attachment: Click to enter text.	
Section 2. Discharge into Tidally Affected Waters (Instructions Page 63)	e
Does the facility discharge into tidally affected waters?	
□ Yes □ No	
If no , proceed to Section 3. If yes , complete the remainder of this section. If no, proceed to Section 3.)
A. Receiving water outfall	
Width of the receiving water at the outfall, in feet: Click to enter text.	
B. Oyster waters	
Are there oyster waters in the vicinity of the discharge?	
□ Yes □ No	
If yes, provide the distance and direction from outfall(s).	
Click to enter text.	
C. Sea grasses	
Are there any sea grasses within the vicinity of the point of discharge?	
□ Yes □ No	
If yes, provide the distance and direction from the outfall(s).	
Click to enter text.	

36	ection	5. Classified Segments (instructions Page 65)
Is	the disc	harge directly into (or within 300 feet of) a classified segment?
	□ Ye	es 🗆 No
If ·	yes , this	s Worksheet is complete.
If:	no , com	plete Sections 4 and 5 of this Worksheet.
Se	ection	4. Description of Immediate Receiving Waters (Instructions
	ction	Page 63)
Na	me of t	he immediate receiving waters: <u>Click to enter text.</u>
A.	Receiv	ing water type
	Identif	y the appropriate description of the receiving waters.
		Stream
		Freshwater Swamp or Marsh
		Lake or Pond
		Surface area, in acres: Click to enter text.
		Average depth of the entire water body, in feet: Click to enter text.
		Average depth of water body within a 500-foot radius of discharge point, in feet: Click to enter text.
		Man-made Channel or Ditch
		Open Bay
		Tidal Stream, Bayou, or Marsh
		Other, specify: <u>Click to enter text.</u>
B.	Flow c	haracteristics
	existin	eam, man-made channel or ditch was checked above, provide the following. For g discharges, check one of the following that best characterizes the area <i>upstream</i> discharge. For new discharges, characterize the area <i>downstream</i> of the discharge one).
		Intermittent - dry for at least one week during most years
	□ ma	Intermittent with Perennial Pools - enduring pools with sufficient habitat to intain significant aquatic life uses
		Perennial - normally flowing
	Check discha	the method used to characterize the area upstream (or downstream for new rgers).
		USGS flow records
		Historical observation by adjacent landowners
		Personal observation
		Other, specify: Click to enter text.

		e names of all perennial stream tream of the discharge point.	s that joir	n the receiving water within three miles
	Click	to enter text.		
D.	Downs	stream characteristics		
		receiving water characteristics rge (e.g., natural or man-made o		ithin three miles downstream of the ds, reservoirs, etc.)?
		Yes □ No		
	If yes,	discuss how.		
	Click	to enter text.		
E.	Provide	l dry weather characteristics e general observations of the w to enter text.	ater body	during normal dry weather conditions.
	Date a	nd time of observation: Click to	enter tex	t.
	Was th	e water body influenced by sto	rmwater r	runoff during observations?
		Yes □ No		
Se	ection	5. General Characteris Page 65)	stics of	the Waterbody (Instructions
A.	Upstre	am influences		
		mmediate receiving water upst aced by any of the following? Cl		ne discharge or proposed discharge site at apply.
		Oil field activities		Urban runoff
		Upstream discharges		Agricultural runoff
		Septic tanks		Other(s), specify: <u>Click to enter text.</u>

C. Downstream perennial confluences

B.	Waterb	Waterbody uses					
	Observ	ed or evidences of the following use	s. Cl	heck all that apply.			
	☐ Livestock watering ☐ Contact recreation						
		Irrigation withdrawal		Non-contact recreation			
		Fishing		Navigation			
		Domestic water supply		Industrial water supply			
		Park activities		Other(s), specify: <u>Click to enter text.</u>			
C.	Waterb	oody aesthetics					
		one of the following that best descri rounding area.	bes	the aesthetics of the receiving water and			
		Wilderness: outstanding natural be clarity exceptional	auty	; usually wooded or unpastured area; water			
		Natural Area: trees and/or native v fields, pastures, dwellings); water	_	ation; some development evident (from ty discolored			
		Common Setting: not offensive; devor turbid	velop	oed but uncluttered; water may be colored			
		Offensive: stream does not enhance dumping areas: water discolored	e aes	sthetics; cluttered; highly developed;			

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 2.1: STREAM PHYSICAL CHARACTERISTICS

Required for new applications, major facilities, and applications adding an outfall.

Worksheet 2.1 is not required for discharges to intermittent streams or discharges directly to (or within 300 feet of) a classified segment.

Section 1. General Information (Instructions Page 65)			
Date of study: Click to enter text. Time of study: Click to enter text.			
Stream name: <u>Click to enter text.</u>			
Location: Click to enter text.			
Type of stream upstream of existing discharge or downstream of proposed discharge (check one).			
\square Perennial \square Intermittent with perennial pools			
Section 2. Data Collection (Instructions Page 65)			
Number of stream bends that are well defined: Click to enter text.			
Number of stream bends that are moderately defined: Click to enter text.			
Number of stream bends that are poorly defined: <u>Click to enter text.</u>			
Number of riffles: Click to enter text.			
Evidence of flow fluctuations (check one):			
□ Minor □ moderate □ severe			
Indicate the observed stream uses and if there is evidence of flow fluctuations or channel obstruction/modification.			
Click to enter text.			

Stream transects

In the table below, provide the following information for each transect downstream of the existing or proposed discharges. Use a separate row for each transect.

Table 2.1(1) - Stream Transect Records

Stream type at transect	Transect location	Water surface	Stream depths (ft) at 4 to 10 points along each
Select riffle, run, glide, or pool. See Instructions,		width (ft)	transect from the channel bed to the water surface. Separate the measurements
Definitions section. Choose an item.			with commas.
Choose an item.			

Section 3. Summarize Measurements (Instructions Page 65)

Streambed slope of entire reach, from USGS map in feet/feet: Click to enter text.

Approximate drainage area above the most downstream transect (from USGS map or county highway map, in square miles): <u>Click to enter text.</u>

Length of stream evaluated, in feet: <u>Click to enter text.</u>

Number of lateral transects made: Click to enter text.

Average stream width, in feet: Click to enter text.

Average stream depth, in feet: Click to enter text.

Average stream velocity, in feet/second: Click to enter text.

Instantaneous stream flow, in cubic feet/second: Click to enter text.

Indicate flow measurement method (type of meter, floating chip timed over a fixed distance, etc.): <u>Click to enter text.</u>

Size of pools (large, small, moderate, none): Click to enter text.

Maximum pool depth, in feet: Click to enter text.

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 3.0: LAND DISPOSAL OF EFFLUENT

The following is required for renewal, new, and amendment permit applications.

Section 1. Type of Disposal System (Instructions Page 67)

Identif	fy the method of land disposal:		
	Surface application	\boxtimes	Subsurface application
	Irrigation		Subsurface soils absorption
	Drip irrigation system		Subsurface area drip dispersal system
	Evaporation		Evapotranspiration beds
	Other (describe in detail): <u>Click</u>	to er	nter text.
	All applicants without authorize complete and submit Worksheet		or proposing new/amended subsurface disposal

Section 2. Land Application Site(s) (Instructions Page 67)

For existing authorizations, provide Registration Number: Click to enter text.

In table 3.0(1), provide the requested information for the land application sites. Include the agricultural or cover crop type (wheat, cotton, alfalfa, bermuda grass, native grasses, etc.), land use (golf course, hayland, pastureland, park, row crop, etc.), irrigation area, amount of effluent applied, and whether or not the public has access to the area. Specify the amount of land area and the amount of effluent that will be allotted to each agricultural or cover crop, if more than one crop will be used.

Table 3.0(1) - Land Application Site Crops

Crop Type & Land Use	Irrigation Area (acres)	Effluent Application (GPD)	Public Access? Y/N
Bermuda Grass	4.7	10,000	N

Section 3. Storage and Evaporation Lagoons/Ponds (Instructions Page 67)

Table 3.0(2) - Storage and Evaporation Ponds

Pond Number	Surface Area (acres)	Storage Volume (acre-feet)	Dimensions	Liner Type
Storage Tank 1		6,000 gal		Concrete

Attach a copy of a liner certification that was prepared, signed, and sealed by a Texas licensed professional engineer for each pond.

Attachment: Click to enter text.
Section 4. Flood and Runoff Protection (Instructions Page 67)
Is the land application site within the 100-year frequency flood level?
□ Yes ⊠ No
If yes, describe how the site will be protected from inundation.
Click to enter text.
Provide the source used to determine the 100-year frequency flood level:
Click to enter text.

Provide a description of tailwater controls and rainfall run-on controls used for the land application site.

Click to enter text.		

Section 5. Annual Cropping Plan (Instructions Page 67)

Attach an Annual Cropping Plan which includes a discussion of each of the following items. If not applicable, provide a detailed explanation indicating why. **Attachment**: Attachment 7

- Soils map with crops
- Cool and warm season plant species
- Crop yield goals
- Crop growing season
- Crop nutrient requirements
- Additional fertilizer requirements
- Minimum/maximum harvest height (for grass crops)
- Supplemental watering requirements
- Crop salt tolerances
- Harvesting method/number of harvests
- Justification for not removing existing vegetation to be irrigated

Section 6. Well and Map Information (Instructions Page 68)

Attach a USGS map with the following information shown and labeled. If not applicable, provide a detailed explanation indicating why. **Attachment**: <u>Attachment 8</u>

- The boundaries of the land application site(s)
- Waste disposal or treatment facility site(s)
- On-site buildings
- Buffer zones
- Effluent storage and tailwater control facilities
- All water wells within 1-mile radius of the disposal site or property boundaries
- All springs and seeps onsite and within 500 feet of the property boundaries
- All surface waters in the state onsite and within 500 feet of the property boundaries
- All faults and sinkholes onsite and within 500 feet of the property

List and cross reference all water wells located within a half-mile radius of the disposal site or property boundaries shown on the USGS map in the following table. Attach additional pages as necessary to include all of the wells.

Table 3.0(3) - Water Well Data

Well ID	Well Use	Producing? Y/N	Open, cased, capped, or plugged?	Proposed Best Management Practice
			Choose an item.	

Well ID	Well Use	Producing? Y/N	Open, cased, capped, or plugged?	Proposed Best Management Practice
			Choose an item.	
			Choose an item.	
			Choose an item.	
			Choose an item.	

If water quality data or well log information is available please include the information in an attachment listed by Well ID.

Attachment: Attachment 9

Section 7. Groundwater Quality (Instructions Page 68)

Attach a Groundwater Quality Technical Report which assesses the impact of the wastewater disposal system on groundwater. This report shall include an evaluation of the water wells (including the information in the well table provided in Item 6. above), the wastewater application rate, and pond liners. Indicate by a check mark that this report is provided.

Attachment: Attachment 10
re groundwater monitoring wells available onsite? \square Yes \boxtimes No
o you plan to install ground water monitoring wells or lysimeters around the land pplication site? \square Yes \boxtimes No
Eyes, provide the proposed location of the monitoring wells or lysimeters on a site map
Attachment: Click to enter text.

Section 8. Soil Map and Soil Analyses (Instructions Page 69)

A. Soil map

Attach a USDA Soil Survey map that shows the area to be used for effluent disposal.

Attachment: Attachment 11

B. Soil analyses

Attach the laboratory results sheets from the soil analyses. **Note**: for renewal applications, the current annual soil analyses required by the permit are acceptable as long as the test date is less than one year prior to the submission of the application.

Attachment:

List all USDA designated soil series on the proposed land application site. Attach additional pages as necessary.

Table 3.0(4) - Soil Data

Soil Series	Depth from Surface	Permeability	Available Water Capacity	Curve Number
Leson Clay	72 in	Low to Moderate	0-0.06 in/hr	

Section 9. Effluent Monitoring Data (Instructions Page 70)

Is the facility in operation?

⊠ Yes □ No

If no, this section is not applicable and the worksheet is complete.

If yes, provide the effluent monitoring data for the parameters regulated in the existing permit. If a parameter is not regulated in the existing permit, enter N/A.

Table 3.0(5) – Effluent Monitoring Data

Date	30 Day Avg Flow MGD	BOD5 mg/l	TSS mg/l	pН	Chlorine Residual mg/l	Acres irrigated
12/31/24	10,428 gal	129	27.6	7.1	N/A	
11/26/24	12,255 gal	97.6	31	6.9		
10/29/24	10,889 gal	87.7	27.3	7.29		
9/24/24	10,555 gal	48.4	18.4	7.2		
8/27/24	10,981 gal	110	25.5	7.1		
7/30/24	13,029 gal	17.4	14.6	7.0		
6/25/24	12,631 gal	9.58	7.80	6.8		
5/28/24	13,224 gal	15.3	3.70	7.3		
4/30/24	12,981 gal	36.1	34	7.6		
3/26/24	12,732 gal	47.7	16.5	7.4		
2/27/24	9731 gal	24.6	22	7.3		
1/30/24	8596 gal	37.4	38.5	7.3		
12/5/23	8688 gal	31.8	8.4	7.1		

Date	30 Day Avg Flow MGD	BOD5 mg/l	TSS mg/l	pН	Chlorine Residual mg/l	Acres irrigated
1/3/23	n/a	140	32	7.0		
2/7/23	n/a	165	34.7	7.0		
3/7/23	9372 gal	181	42.7	6.9		
4/4/23	9335 gal	29.6	29	7.2		
5/23/23	8819 gal	18.1	10.5	6.2		
6/6/23	8409 gal	55	48.7	7.3		
7/25/23	8744 gal	70.3	13.8	7		
8/15/23	9113 gal	15.4	12.7	7		
9/12/23	9039 gal	40.5	20.8	6.9		
10/3/23	9217 gal	59	20.3	6.9		
11/28/23	8750 gal	21	23.2	7.2		

Provide a discussion of all persistent excursions above the permitted limits and any corrective actions taken.

Click to enter text.		

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 3.1: SURFACE LAND DISPOSAL OF EFFLUENT

The following is required for new and major amendment permit applications. Renewal and minor amendment permit applications may be asked for this worksheet on a case by case basis.

Section 1. Surface Disposal (Instructions Page 71)

Complete the item that applies for the method of disposal being used.

A. Irrigation

Area under irrigation, in acres: Click to enter text.

Design application frequency:

hours/day Click to enter text. And days/week Click to enter text.

Land grade (slope):

average percent (%): Click to enter text.

maximum percent (%): Click to enter text.

Design application rate in acre-feet/acre/year: Click to enter text.

Design total nitrogen loading rate, in lbs N/acre/year: Click to enter text.

Soil conductivity (mmhos/cm): Click to enter text.

Method of application: Click to enter text.

Attach a separate engineering report with the water balance and storage volume calculations, method of application, irrigation efficiency, and nitrogen balance.

Attachment: Click to enter text.

B. Evaporation ponds

Daily average effluent flow into ponds, in gallons per day: Click to enter text.

Attach a separate engineering report with the water balance and storage volume calculations.

Attachment: Click to enter text.

C. Evapotranspiration beds

Number of beds: Click to enter text.

Area of bed(s), in acres: <u>Click to enter text.</u>

Depth of bed(s), in feet: Click to enter text.

Void ratio of soil in the beds: Click to enter text.

Storage volume within the beds, in acre-feet: Click to enter text.

Attach a separate engineering report with the water balance and storage volume calculations, and a description of the lining.

Attachment: Click to enter text.

Area used for application, in acres: Click to enter text. Slopes for application area, percent (%): Click to enter text. Design application rate, in gpm/foot of slope width: Click to enter text. Slope length, in feet: Click to enter text. Design BOD5 loading rate, in lbs BOD5/acre/day: Click to enter text. Design application frequency: hours/day: Click to enter text. And days/week: Click to enter text. Attach a separate engineering report with the method of application and design requirements according to 30 TAC Chapter 217.

Attachment: Click to enter text.

Section 2. Edwards Aquifer (Instructions Page 72)

Is the f	acility	sub	ject to 30 TAC Chapter 213, Edwards Aquifer Rules?
	Yes		No
If yes ,	is the	facil	ity located on the Edwards Aquifer Recharge Zone?
	Yes		No
If yes,	attach	a ge	eological report addressing potential recharge features.
Att	achme	nt: (Click to enter text.

DOMESTIC WASTEWATER PERMIT APPLICATION **WORKSHEET 3.2: SURFACE LAND DISPOSAL OF EFFLUENT**

The following is required for new and major amendment permit applications. Renewal and minor amendments applicants may be asked for the worksheet on a case by case basis.

NOTE: All applicants proposing new/amended subsurface disposal MUST complete and submit Worksheet 7.0. This worksheet applies to any subsurface disposal system that does **not meet** the definition of a subsurface area drip dispersal system as defined in 30 TAC Chapter 222, Subsurface Area Drip Dispersal System.

Section 1. Subsurface Application (Instructions Page 73)
Identify the type of system:
□ Conventional Gravity Drainfield, Beds, or Trenches (new systems must be less than 5,000 GPD)
□ Low Pressure Dosing
☐ Other, specify: <u>Click to enter text.</u>
Application area, in acres: Click to enter text.
Area of drainfield, in square feet: Click to enter text.
Application rate, in gal/square foot/day: Click to enter text.
Depth to groundwater, in feet: Click to enter text.
Area of trench, in square feet: Click to enter text.
Dosing duration per area, in hours: <u>Click to enter text.</u>
Number of beds: Click to enter text.
Dosing amount per area, in inches/day: Click to enter text.
Infiltration rate, in inches/hour: Click to enter text.
Storage volume, in gallons: <u>Click to enter text.</u>
Area of bed(s), in square feet: Click to enter text.
Soil Classification: <u>Click to enter text.</u>
Attach a separate engineering report with the information required in $30\ TAC\ \S\ 309.20$, excluding the requirements of § 309.20 b(3)(A) and (B) design analysis which may be asked for on a case by case basis. Include a description of the schedule of dosing basin rotation.
Attachment: Click to enter text.
Section 2. Edwards Aquifer (Instructions Page 73)
Is the subsurface system over the Edwards Aquifer Recharge Zone as mapped by TCEQ?
□ Yes □ No
Is the subsurface system over the Edwards Aquifer Transition Zone as mapped by TCEQ?
□ Yes □ No
If yes to either question , the subsurface system may be prohibited by <i>30 TAC §213.8</i> . Please

call the Municipal Permits Team, at 512-239-4671, to schedule a pre-application meeting.

DOMESTIC WASTEWATER PERMIT APPLICATION **WORKSHEET 3.3: SUBSURFACE AREA DRIP DISPERSAL** (SADDS) LAND DISPOSAL OF EFFLUENT

The following **is required** for **new and major amendment** subsurface area drip dispersal system permit applications. Renewal and minor amendments applicants may be asked for the worksheet on a case by case basis.

NOTE: All applicants proposing new/amended subsurface disposal MUST complete and submit Worksheet 7.0. This worksheet applies to any subsurface disposal system that **meets** the definition of a subsurface area drip dispersal system as defined in 30 TAC Chapter 222, Subsurface Area Drip Dispersal System.

Se	ection 1. Administrative Information (Instructions Page 74)
A.	Provide the legal name of all corporations or other business entities managed, owned, or otherwise closely related to the owner of the treatment facility:
В.	<u>Click to enter text.</u> Is the owner of the land where the treatment facility is located the same as the owner of the treatment facility?
	□ Yes □ No
	If no , provide the legal name of all corporations or other business entities managed, owned, or otherwise closely related to the owner of the land where the treatment facility is located.
	Click to enter text.
C.	Owner of the subsurface area drip dispersal system: Click to enter text.
D.	Is the owner of the subsurface area drip dispersal system the same as the owner of the wastewater treatment facility or the site where the wastewater treatment facility is located?
	□ Yes □ No
	If no , identify the names of all corporations or other business entities managed, owned, or otherwise closely related to the entity identified in Item 1.C.
	Click to enter text.
Е.	Owner of the land where the subsurface area drip dispersal system is located: <u>Click to enter text.</u>
F.	Is the owner of the land where the subsurface area drip dispersal system is located the same as owner of the wastewater treatment facility, the site where the wastewater treatment facility is located, or the owner of the subsurface area drip dispersal system? Yes No
	If no , identify the name of all corporations or other business entities managed, owned, or otherwise closely related to the entity identified in item 1.E.
	Click to enter text.

Section 2. Subsurface Area Drip Dispersal System (Instructions Page 74)

A.	a. Type of system				
	□ Subsurface Drip Irrigation				
	□ Surface Drip Irrigation				
	□ Other, specify: <u>Click to enter text.</u>				
B.	Irrigation operations				
	Application area, in acres: Click to enter text.				
	Infiltration Rate, in inches/hour: Click to enter text.				
	Average slope of the application area, percent (%): Click to enter text.				
	Maximum slope of the application area, percent (%): Click to enter text.				
Storage volume, in gallons: Click to enter text.					
	Major soil series: <u>Click to enter text.</u>				
	Depth to groundwater, in feet: <u>Click to enter text.</u>				
C.	Application rate				
	Is the facility located west of the boundary shown in <i>30 TAC § 222.83</i> and also using a vegetative cover of non-native grasses over seeded with cool season grasses during the winter months (October-March)?				
	□ Yes □ No				
	If yes, then the facility may propose a hydraulic application rate not to exceed 0.1 gal/square foot/day.				
	Is the facility located east of the boundary shown in <i>30 TAC § 222.83</i> or in any part of the state when the vegetative cover is any crop other than non-native grasses?				
	□ Yes □ No				
	If yes , the facility must use the formula in <i>30 TAC §222.83</i> to calculate the maximum hydraulic application rate.				
	Do you plan to submit an alternative method to calculate the hydraulic application rate for approval by the executive director?				
	□ Yes □ No				
	Hydraulic application rate, in gal/square foot/day: Click to enter text.				
	Nitrogen application rate, in lbs/gal/day: Click to enter text.				
D.	Dosing information				
	Number of doses per day: <u>Click to enter text.</u>				
	Dosing duration per area, in hours: <u>Click to enter text.</u>				

Rest period between doses, in hours: Click to enter text.

Dosing amount per area, in inches/day: Click to enter text.

	Number of zones: Click to enter text. Does the proposed subsurface drip irrigation system use tree vegetative cover as a crop? Yes No If yes, provide a vegetation survey by a certified arborist. Please call the Water Quality Assessment Team at (512) 239-4671 to schedule a pre-application meeting. Attachment: Click to enter text.
Se	ection 3. Required Plans (Instructions Page 74)
A.	Recharge feature plan Attach a Recharge Feature Plan with all information required in 30 TAC §222.79. Attachment: Click to enter text.
В.	Soil evaluation Attach a Soil Evaluation with all information required in 30 TAC §222.73. Attachment: Click to enter text.
C.	Site preparation plan Attach a Site Preparation Plan with all information required in 30 TAC §222.75. Attachment: Click to enter text.
D.	Soil sampling/testing Attach soil sampling and testing that includes all information required in <i>30 TAC §222.157</i> . Attachment: Click to enter text.
Se	ction 4. Floodway Designation (Instructions Page 75)
	Site location Is the existing/proposed land application site within a designated floodway? Proposed Industrial No
	Flood map Attach either the FEMA flood map or alternate information used to determine the floodway. Attachment: Click to enter text.
Se	ction 5. Surface Waters in the State (Instructions Page 75)

S

A. Buffer Map

Attach a map showing appropriate buffers on surface waters in the state, water wells, and springs/seeps.

Attachment: Click to enter text.

B.	Buffer variance request
	Do you plan to request a buffer variance from water wells or waters in the state?
	□ Yes □ No
	If yes, then attach the additional information required in 30 TAC § 222.81(c).
	Attachment: Click to enter text.
Se	ction 6. Edwards Aquifer (Instructions Page 75)
Α.	Is the SADDS located over the Edwards Aquifer Recharge Zone as mapped by TCEQ? $\hfill\Box$ Yes $\hfill\Box$ No
В.	Is the SADDS located over the Edwards Aquifer Transition Zone as mapped by TCEQ? \Box Yes \Box No
	yes to either question, then the SADDS may be prohibited by 30 TAC §213.8. Please call e Municipal Permits Team at 512-239-4671 to schedule a pre-application meeting.

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 4.0: POLLUTANT ANALYSIS REQUIREMENTS

The following **is required** for facilities with a permitted or proposed flow of **1.0 MGD or greater**, facilities with an approved **pretreatment** program, or facilities classified as a **major** facility. See instructions for further details.

This worksheet is not required minor amendments without renewal.

Section 1. Toxic Pollutants (Instructions Page 76)

For pollutants	s identified in	Table $4.0(1)$,	indicate	the type of	sample.
----------------	-----------------	------------------	----------	-------------	---------

Grab □ Composite □

Date and time sample(s) collected: Click to enter text.

Table 4.0(1) - Toxics Analysis

Pollutant	AVG Effluent Conc. (μg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Acrylonitrile				50
Aldrin				0.01
Aluminum				2.5
Anthracene				10
Antimony				5
Arsenic				0.5
Barium				3
Benzene				10
Benzidine				50
Benzo(a)anthracene				5
Benzo(a)pyrene				5
Bis(2-chloroethyl)ether				10
Bis(2-ethylhexyl)phthalate				10
Bromodichloromethane				10
Bromoform				10
Cadmium				1
Carbon Tetrachloride				2
Carbaryl				5
Chlordane*				0.2
Chlorobenzene				10
Chlorodibromomethane				10

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Chloroform				10
Chlorpyrifos				0.05
Chromium (Total)				3
Chromium (Tri) (*1)				N/A
Chromium (Hex)				3
Copper				2
Chrysene				5
p-Chloro-m-Cresol				10
4,6-Dinitro-o-Cresol				50
p-Cresol				10
Cyanide (*2)				10
4,4'- DDD				0.1
4,4'- DDE				0.1
4,4'- DDT				0.02
2,4-D				0.7
Demeton (O and S)				0.20
Diazinon				0.5/0.1
1,2-Dibromoethane				10
m-Dichlorobenzene				10
o-Dichlorobenzene				10
p-Dichlorobenzene				10
3,3'-Dichlorobenzidine				5
1,2-Dichloroethane				10
1,1-Dichloroethylene				10
Dichloromethane				20
1,2-Dichloropropane				10
1,3-Dichloropropene				10
Dicofol				1
Dieldrin				0.02
2,4-Dimethylphenol				10
Di-n-Butyl Phthalate				10
Diuron				0.09
Endosulfan I (alpha)				0.01

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (μg/l)	Number of Samples	MAL (μg/l)
Endosulfan II (beta)				0.02
Endosulfan Sulfate				0.1
Endrin				0.02
Epichlorohydrin				
Ethylbenzene				10
Ethylene Glycol				
Fluoride				500
Guthion				0.1
Heptachlor				0.01
Heptachlor Epoxide				0.01
Hexachlorobenzene				5
Hexachlorobutadiene				10
Hexachlorocyclohexane (alpha)				0.05
Hexachlorocyclohexane (beta)				0.05
gamma-Hexachlorocyclohexane				0.05
(Lindane)				
Hexachlorocyclopentadiene				10
Hexachloroethane				20
Hexachlorophene				10
4,4'-Isopropylidenediphenol				1
Lead				0.5
Malathion				0.1
Mercury				0.005
Methoxychlor				2
Methyl Ethyl Ketone				50
Methyl tert-butyl ether				
Mirex				0.02
Nickel				2
Nitrate-Nitrogen				100
Nitrobenzene				10
N-Nitrosodiethylamine				20
N-Nitroso-di-n-Butylamine				20
Nonylphenol				333

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Parathion (ethyl)				0.1
Pentachlorobenzene				20
Pentachlorophenol				5
Phenanthrene				10
Polychlorinated Biphenyls (PCB's) (*3)				0.2
Pyridine				20
Selenium				5
Silver				0.5
1,2,4,5-Tetrachlorobenzene				20
1,1,2,2-Tetrachloroethane				10
Tetrachloroethylene				10
Thallium				0.5
Toluene				10
Toxaphene				0.3
2,4,5-TP (Silvex)				0.3
Tributyltin (see instructions for explanation)				0.01
1,1,1-Trichloroethane				10
1,1,2-Trichloroethane				10
Trichloroethylene				10
2,4,5-Trichlorophenol				50
TTHM (Total Trihalomethanes)				10
Vinyl Chloride				10
Zinc				5

^(*1) Determined by subtracting hexavalent Cr from total Cr.

^(*2) Cyanide, amenable to chlorination or weak-acid dissociable.

^(*3) The sum of seven PCB congeners 1242, 1254, 1221, 1232, 1248, 1260, and 1016.

Section 2. Priority Pollutants

For pollutants identified in	Tables 4.0(2)A-E,	indicate type of	sample.
------------------------------	-------------------	------------------	---------

Grab □ Composite □

Date and time sample(s) collected: Click to enter text.

Table 4.0(2)A - Metals, Cyanide, and Phenols

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Antimony				5
Arsenic				0.5
Beryllium				0.5
Cadmium				1
Chromium (Total)				3
Chromium (Hex)				3
Chromium (Tri) (*1)				N/A
Copper				2
Lead				0.5
Mercury				0.005
Nickel				2
Selenium				5
Silver				0.5
Thallium				0.5
Zinc				5
Cyanide (*2)				10
Phenols, Total				10

^(*1) Determined by subtracting hexavalent Cr from total Cr.

^(*2) Cyanide, amenable to chlorination or weak-acid dissociable

Table 4.0(2)B - Volatile Compounds

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Acrolein				50
Acrylonitrile				50
Benzene				10
Bromoform				10
Carbon Tetrachloride				2
Chlorobenzene				10
Chlorodibromomethane				10
Chloroethane				50
2-Chloroethylvinyl Ether				10
Chloroform				10
Dichlorobromomethane [Bromodichloromethane]				10
1,1-Dichloroethane				10
1,2-Dichloroethane				10
1,1-Dichloroethylene				10
1,2-Dichloropropane				10
1,3-Dichloropropylene				10
[1,3-Dichloropropene]				
1,2-Trans-Dichloroethylene				10
Ethylbenzene				10
Methyl Bromide				50
Methyl Chloride				50
Methylene Chloride				20
1,1,2,2-Tetrachloroethane				10
Tetrachloroethylene				10
Toluene				10
1,1,1-Trichloroethane				10
1,1,2-Trichloroethane				10
Trichloroethylene				10
Vinyl Chloride				10

Table 4.0(2)C - Acid Compounds

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
2-Chlorophenol				10
2,4-Dichlorophenol				10
2,4-Dimethylphenol				10
4,6-Dinitro-o-Cresol				50
2,4-Dinitrophenol				50
2-Nitrophenol				20
4-Nitrophenol				50
P-Chloro-m-Cresol				10
Pentalchlorophenol				5
Phenol				10
2,4,6-Trichlorophenol				10

Table 4.0(2)D - Base/Neutral Compounds

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Acenaphthene				10
Acenaphthylene				10
Anthracene				10
Benzidine				50
Benzo(a)Anthracene				5
Benzo(a)Pyrene				5
3,4-Benzofluoranthene				10
Benzo(ghi)Perylene				20
Benzo(k)Fluoranthene				5
Bis(2-Chloroethoxy)Methane				10
Bis(2-Chloroethyl)Ether				10
Bis(2-Chloroisopropyl)Ether				10
Bis(2-Ethylhexyl)Phthalate				10
4-Bromophenyl Phenyl Ether				10
Butyl benzyl Phthalate				10
2-Chloronaphthalene				10
4-Chlorophenyl phenyl ether				10
Chrysene				5
Dibenzo(a,h)Anthracene				5
1,2-(o)Dichlorobenzene				10
1,3-(m)Dichlorobenzene				10
1,4-(p)Dichlorobenzene				10
3,3-Dichlorobenzidine				5
Diethyl Phthalate				10
Dimethyl Phthalate				10
Di-n-Butyl Phthalate				10
2,4-Dinitrotoluene				10
2,6-Dinitrotoluene				10
Di-n-Octyl Phthalate				10
1,2-Diphenylhydrazine (as Azobenzene)				20
Fluoranthene				10

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Fluorene				10
Hexachlorobenzene				5
Hexachlorobutadiene				10
Hexachlorocyclo-pentadiene				10
Hexachloroethane				20
Indeno(1,2,3-cd)pyrene				5
Isophorone				10
Naphthalene				10
Nitrobenzene				10
N-Nitrosodimethylamine				50
N-Nitrosodi-n-Propylamine				20
N-Nitrosodiphenylamine				20
Phenanthrene				10
Pyrene				10
1,2,4-Trichlorobenzene				10

Table 4.0(2)E - Pesticides

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Aldrin				0.01
alpha-BHC (Hexachlorocyclohexane)				0.05
beta-BHC (Hexachlorocyclohexane)				0.05
gamma-BHC (Hexachlorocyclohexane)				0.05
delta-BHC (Hexachlorocyclohexane)				0.05
Chlordane				0.2
4,4-DDT				0.02
4,4-DDE				0.1
4,4,-DDD				0.1
Dieldrin				0.02
Endosulfan I (alpha)				0.01
Endosulfan II (beta)				0.02
Endosulfan Sulfate				0.1
Endrin				0.02
Endrin Aldehyde				0.1
Heptachlor				0.01
Heptachlor Epoxide				0.01
PCB-1242				0.2
PCB-1254				0.2
PCB-1221				0.2
PCB-1232				0.2
PCB-1248				0.2
PCB-1260				0.2
PCB-1016				0.2
Toxaphene				0.3

^{*} For PCBS, if all are non-detects, enter the highest non-detect preceded by a "<".

Section 3. Dioxin/Furan Compounds A. Indicate which of the following compounds from may be present in the influent from a contributing industrial user or significant industrial user. Check all that apply. 2,4,5-trichlorophenoxy acetic acid Common Name 2,4,5-T, CASRN 93-76-5 2-(2,4,5-trichlorophenoxy) propanoic acid Common Name Silvex or 2,4,5-TP, CASRN 93-72-1 2-(2,4,5-trichlorophenoxy) ethyl 2,2-dichloropropionate Common Name Erbon, CASRN 136-25-4 0,0-dimethyl 0-(2,4,5-trichlorophenyl) phosphorothioate Common Name Ronnel, CASRN 299-84-3 2,4,5-trichlorophenol Common Name TCP, CASRN 95-95-4 hexachlorophene Common Name HCP, CASRN 70-30-4 For each compound identified, provide a brief description of the conditions of its/their presence at the facility. Click to enter text.

B.	Do you know or have any reason to believe that 2,3,7,8 Tetrachlorodibenzo-P-Dioxin
	(TCDD) or any congeners of TCDD may be present in your effluent?

Yes □ No

If **yes**, provide a brief description of the conditions for its presence.

Click to enter text.			

C.	If any of the compounds in Subsection A ${f or}$ B are present, complete Table 4.0(2)F.
	For pollutants identified in Table 4.0(2)F, indicate the type of sample.

Grab □ Composite □

Date and time sample(s) collected: Click to enter text.

Table 4.0(2)F - Dioxin/Furan Compounds

Compound	Toxic Equivalenc y Factors	Wastewater Concentration (ppq)	Wastewater Equivalents (ppq)	Sludge Concentration (ppt)	Sludge Equivalents (ppt)	MAL (ppq)
2,3,7,8 TCDD	1					10
1,2,3,7,8 PeCDD	0.5					50
2,3,7,8 HxCDDs	0.1					50
1,2,3,4,6,7,8 HpCDD	0.01					50
2,3,7,8 TCDF	0.1					10
1,2,3,7,8 PeCDF	0.05					50
2,3,4,7,8 PeCDF	0.5					50
2,3,7,8 HxCDFs	0.1					50
2,3,4,7,8 HpCDFs	0.01					50
OCDD	0.0003					100
OCDF	0.0003					100
PCB 77	0.0001					0.5
PCB 81	0.0003					0.5
PCB 126	0.1					0.5
PCB 169	0.03					0.5
Total						

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 5.0: TOXICITY TESTING REQUIREMENTS

The following **is required** for facilities with a current operating design flow of **1.0 MGD or greater**, with an EPA-approved **pretreatment** program (or those required to have one under 40 CFR Part 403), or are required to perform Whole Effluent Toxicity testing. See Page 86 of the instructions for further details.

This worksheet is not required minor amendments without renewal.

Section 1. Required Tests

Indicate the number of 7-day chronic or 48-hour acute Whole Effluent Toxicity (WET) tests performed in the four and one-half years prior to submission of the application.

7-day Chronic: <u>Click to enter text.</u>
48-hour Acute: <u>Click to enter text.</u>

Section 2. Toxicity Redu	ction Evaluations (TREs)
Has this facility completed a TRE in performing a TRE?	n the past four and a half years? Or is the facility currently
□ Yes □ No	
If yes, describe the progress to dat	te, if applicable, in identifying and confirming the toxicant.
Click to enter text.	

Section 3. Summary of WET Tests

If the required biomonitoring test information has not been previously submitted via both the Discharge Monitoring Reports (DMRs) and the Table 1 (as found in the permit), provide a summary of the testing results for all valid and invalid tests performed over the past four and one-half years. Make additional copies of this table as needed.

Table 5.0(1) Summary of WET Tests

Test Date	Test Species	NOEC Survival	NOEC Sub-lethal

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 6.0: INDUSTRIAL WASTE CONTRIBUTION

The following is required for all publicly owned treatment works.

Section 1. All POTWs (Instructions Page 87)

Α.	Industria	l users ((IUs)
		I CLUCIO	(=,

B.

Provide the number of each of the following types of industrial users (IUs) that discharge to your POTW and the daily flows from each user. See the Instructions for definitions of Categorical IUs, Significant IUs – non-categorical, and Other IUs.

If there are no users, enter 0 (zero).
Categorical IUs:
Number of IUs: Click to enter text.
Average Daily Flows, in MGD: Click to enter text.
Significant IUs - non-categorical:
Number of IUs: <u>Click to enter text.</u>
Average Daily Flows, in MGD: Click to enter text.
Other IUs:
Number of IUs: Click to enter text.
Average Daily Flows, in MGD: Click to enter text.
Treatment plant interference
In the past three years, has your POTW experienced treatment plant interference (see instructions)?
□ Yes □ No
If yes, identify the dates, duration, description of interference, and probable cause(s) and possible source(s) of each interference event. Include the names of the IUs that may have caused the interference.
Click to enter text.

	In the past three years, has your POTW experienced pass through (see instructions)?
	□ Yes □ No
	If yes , identify the dates, duration, a description of the pollutants passing through the treatment plant, and probable cause(s) and possible source(s) of each pass through event. Include the names of the IUs that may have caused pass through.
	Click to enter text.
D.	Pretreatment program
	Does your POTW have an approved pretreatment program?
	□ Yes □ No
	If yes, complete Section 2 only of this Worksheet.
	Is your POTW required to develop an approved pretreatment program?
	□ Yes □ No
	If yes, complete Section 2.c. and 2.d. only, and skip Section 3.
	If no to either question above , skip Section 2 and complete Section 3 for each significant industrial user and categorical industrial user.
Se	ction 2. POTWs with Approved Programs or Those Required to Develop a Program (Instructions Page 87)
Α.	Substantial modifications
	Have there been any substantial modifications to the approved pretreatment program that have not been submitted to the TCEQ for approval according to <i>40 CFR §403.18</i> ?
	□ Yes □ No
	If yes , identify the modifications that have not been submitted to TCEQ, including the purpose of the modification.
	Click to enter text.

C. Treatment plant pass through

		ny non-substantial e not been submitte			
	□ Yes □	No			
If yes, identify all non-substantial modifications that have not been submitted to TC including the purpose of the modification.					submitted to TCEQ,
	Click to enter tex	t.			
C.	Effluent paramete	ers above the MAL			
	In Table 6.0(1), list	t all parameters me t the last three year			
P	ollutant	Concentration	MAL	Units	Date
D.	Industrial user in	terruptions			
		or other IU caused (ass throughs) at yo			
	□ Yes □	No			
	If yes, identify the industry, describe each episode, including dates, duration, description of the problems, and probable pollutants.				duration, description
	Click to enter tex	t.			

B. Non-substantial modifications

Significant Industrial User (SIU) Information and Categorical Industrial User (CIU) (Instructions Page 88) Section 3.

A.	General information
	Company Name: Click to enter text.
	SIC Code: Click to enter text.
	Contact name: Click to enter text.
	Address: Click to enter text.
	City, State, and Zip Code: Click to enter text.
	Telephone number: Click to enter text.
	Email address: Click to enter text.
B.	Process information
	Describe the industrial processes or other activities that affect or contribute to the SIU(s) or CIU(s) discharge (i.e., process and non-process wastewater).
	Click to enter text.
C.	Product and service information
	Provide a description of the principal product(s) or services performed.
	Click to enter text.
D.	Flow rate information
D.	Flow rate information See the Instructions for definitions of "process" and "non-process wastewater."
D.	
D.	See the Instructions for definitions of "process" and "non-process wastewater."
D.	See the Instructions for definitions of "process" and "non-process wastewater." Process Wastewater:
D.	See the Instructions for definitions of "process" and "non-process wastewater." Process Wastewater: Discharge, in gallons/day: Click to enter text.
D.	See the Instructions for definitions of "process" and "non-process wastewater." Process Wastewater: Discharge, in gallons/day: Click to enter text. Discharge Type: Continuous Batch Intermittent

Pretreatment standards
Is the SIU or CIU subject to technically based local limits as defined in the <i>i</i> nstructions?
□ Yes □ No
Is the SIU or CIU subject to categorical pretreatment standards found in 40 CFR Parts 405 - 471 ?
□ Yes □ No
If subject to categorical pretreatment standards , indicate the applicable category and subcategory for each categorical process.
Category: Subcategories: Click to enter text.
Click or tap here to enter text. Click to enter text.
Category: Click to enter text.
Subcategories: <u>Click to enter text.</u>
Category: Click to enter text.
Subcategories: <u>Click to enter text.</u>
Category: <u>Click to enter text.</u>
Subcategories: <u>Click to enter text.</u>
Category: Click to enter text.
Subcategories: <u>Click to enter text.</u>
Industrial user interruptions
Has the SIU or CIU caused or contributed to any problems (e.g., interferences, pass through, odors, corrosion, blockages) at your POTW in the past three years?
□ Yes □ No
If yes , identify the SIU, describe each episode, including dates, duration, description of problems, and probable pollutants.
Click to enter text.

E.

F.

WORKSHEET 7.0

TEXAS COMMISSION ON ENVIRONMENTAL OUALITY

CLASS V INJECTION WELL INVENTORY/AUTHORIZATION FORM

Submit the completed form to:

TCEQ IUC Permits Team Radioactive Materials Division MC-233 PO Box 13087 Austin, Texas 78711-3087 512-239-6466

For TCEQ Use Only
Reg. No
Date Received
Date Authorized

Section 1. General Information (Instructions Page 90)

1.	TCEO	Program	A
	ICFU	Program	Area
	ICLU	LIUSIUII	1 M Cu

Program Area (PST, VCP, IHW, etc.): Click to enter text.

Program ID: Click to enter text.

Contact Name: <u>Click to enter text.</u>
Phone Number: <u>Click to enter text.</u>

2. Agent/Consultant Contact Information

Contact Name: Click to enter text.

Address: Click to enter text.

City, State, and Zip Code: Click to enter text.

Phone Number: Click to enter text.

3. Owner/Operator Contact Information

□ Owner □ Operator

Owner/Operator Name: Click to enter text.

Contact Name: Click to enter text.

Address: Click to enter text.

City, State, and Zip Code: Click to enter text.

Phone Number: Click to enter text.

4. Facility Contact Information

Facility Name: Click to enter text.

Address: Click to enter text.

City, State, and Zip Code: Click to enter text.

Location description (if no address is available): Click to enter text.

Facility Contact Person: Click to enter text.

Phone Number: Click to enter text.

5.	Latitude and Longitude, in degrees-minutes-seconds
	Latitude: Click to enter text.
	Longitude: Click to enter text.
	Method of determination (GPS, TOPO, etc.): Click to enter text.
	Attach topographic quadrangle map as attachment A.
6.	Well Information
	Type of Well Construction, select one:
	□ Vertical Injection
	□ Subsurface Fluid Distribution System
	□ Infiltration Gallery
	☐ Temporary Injection Points
	□ Other, Specify: <u>Click to enter text.</u>
	Number of Injection Wells: <u>Click to enter text.</u>
7.	Purpose
	Detailed Description regarding purpose of Injection System:
	Click to enter text.
	Attach a Site Map as Attachment B (Attach the Approved Remediation Plan, if appropriate.)
8.	Water Well Driller/Installer
	Water Well Driller/Installer Name: <u>Click to enter text.</u>
	City, State, and Zip Code: Click to enter text.
	Phone Number: Click to enter text.
	License Number: <u>Click to enter text.</u>
Section	2. Proposed Down Hole Design
	diagram signed and sealed by a licensed engineer as Attachment C.
	(1) - Down Hole Design Table Size Size Setting Seeks Coment / Crout Hole Weight
Name of	f Size Setting Sacks Cement/Grout - Hole Weight

Name of String	Size	Setting Depth	Sacks Cement/Grout – Slurry Volume – Top of Cement	Hole Size	Weight (lbs/ft) PVC/Steel
Casing					
Tubing					

Screen

Section 3. Proposed Trench System, Subsurface Fluid Distribution System, or Infiltration Gallery

Attach a diagram signed and sealed by a licensed engineer as Attachment D.

System(s) Dimensions: <u>Click to enter text.</u> System(s) Construction: <u>Click to enter text.</u>

Section 4.	Site Hydroge	ological and In	jection Zone Data

- 1. Name of Contaminated Aquifer: Click to enter text.
- 2. Receiving Formation Name of Injection Zone: Click to enter text.
- 3. Well/Trench Total Depth: Click to enter text.
- 4. Surface Elevation: Click to enter text.
- 5. Depth to Ground Water: Click to enter text.
- **6.** Injection Zone Depth: <u>Click to enter text.</u>
- 7. Injection Zone vertically isolated geologically? \square Yes \square No Impervious Strata between Injection Zone and nearest Underground Source of Drinking Water:

Name: Click to enter text.

Thickness: Click to enter text.

- **8.** Provide a list of contaminants and the levels (ppm) in contaminated aquifer Attach as Attachment E.
- **9.** Horizontal and Vertical extent of contamination and injection plume Attach as Attachment F.
- **10.** Formation (Injection Zone) Water Chemistry (Background levels) TDS, etc. Attach as Attachment G.
- **11.** Injection Fluid Chemistry in PPM at point of injection Attach as Attachment H.
- 12. Lowest Known Depth of Ground Water with < 10,000 PPM TDS: Click to enter text.
- **13.** Maximum injection Rate/Volume/Pressure: Click to enter text.
- 14. Water wells within 1/4 mile radius (attach map as Attachment I): Click to enter text.
- **15.** Injection wells within 1/4 mile radius (attach map as Attachment J): Click to enter text.
- **16.** Monitor wells within 1/4 mile radius (attach drillers logs and map as Attachment K): Click to enter text.
- 17. Sampling frequency: Click to enter text.
- **18.** Known hazardous components in injection fluid: <u>Click to enter text.</u>

Section 5. Site History

- **1.** Type of Facility: Click to enter text.
- **2.** Contamination Dates: Click to enter text.
- 3. Original Contamination (VOCs, TPH, BTEX, etc.) and Concentrations (attach as Attachment L): Click to enter text.
- **4.** Previous Remediation (attach results of any previous remediation as attachment M): Click to enter text.

NOTE: Authorization Form should be completed in detail and authorization given by the TCEQ before construction, operation, and/or conversion can begin. Attach additional pages as necessary.

Class V Injection Well Designations

- 5A07 Heat Pump/AC return (IW used for groundwater to heat and/or cool buildings)
- 5A19 Industrial Cooling Water Return Flow (IW used to cool industrial process equipment)
- 5B22 Salt Water Intrusion Barrier (IW used to inject fluids to prevent the intrusion of salt water into an aquifer)
- 5D02 Storm Water Drainage (IW designed for the disposal of rain water)
- 5D04 Industrial Stormwater Drainage Wells (IW designed for the disposal of rain water associated with industrial facilities)
- 5F01 Agricultural Drainage (IW that receive agricultural runoff)
- 5R21 Aguifer Recharge (IW used to inject fluids to recharge an aguifer)
- 5S23 Subsidence Control Wells (IW used to control land subsidence caused by ground water withdrawal)
- 5W09 Untreated Sewage
- 5W10 Large Capacity Cesspools (Cesspools that are designed for 5,000 gpd or greater)
- 5W11 Large Capacity Septic systems (Septic systems designed for 5,000 gpd or greater)
- 5W12 WTTP disposal
- 5W20 Industrial Process Waste Disposal Wells
- 5W31 Septic System (Well Disposal method)
- 5W32 Septic System Drainfield Disposal
- 5X13 Mine Backfill (IW used to control subsidence, dispose of mining byproducts, and/or fill sections of a mine)
- 5X25 Experimental Wells (Pilot Test) (IW used to test new technologies or tracer dye studies)
- 5X26 Aguifer Remediation (IW used to clean up, treat, or prevent contamination of a USDW)
- 5X27 Other Wells
- 5X28 Motor Vehicle Waste Disposal Wells (IW used to dispose of waste from a motor vehicle site These are currently banned)
- 5X29 Abandoned Drinking Water Wells (waste disposal)



Attachments

- 1. Check
- 2. Core Data Form TCEQ 10400
- 3.PLS
- 4.USGS Map
- 5. Flow Diagram
- 6. Facility Map
- 7. Annual Cropping Plan
- 8. Wells Information
- 9. Wells log info
- 10.Groundwater Quality Technical Report
 - 11.USDA Soil survey map
- 12.Lab Analysis

WATER QUALITY PERMIT

PAYMENT SUBMITTAL FORM

Use this form to submit the Application Fee, if the mailing the payment.

- Complete items 1 through 5 below.
- · Staple the check or money order in the space provided at the bottom of this document.
- Do Not mail this form with the application form.
- Do not mail this form to the same address as the application.
- Do not submit a copy of the application with this form as it could cause duplicate permit
 entries.

Mail this form and the check or money order to:

BY REGULAR U.S. MAIL

Texas Commission on Environmental Quality Financial Administration Division Cashier's Office, MC-214 P.O. Box 13088 Austin, Texas 78711-3088 BY OVERNIGHT/EXPRESS MAIL

Texas Commission on Environmental Quality Financial Administration Division Cashier's Office, MC-214 12100 Park 35 Circle Austin, Texas 78753

Fee Code: WQP Waste Permit No: WQ0014236-001

- 1. Check or Money Order Number: <u>Ck # 5033</u>
- 2. Check or Money Order Amount: \$315.00
- 3. Date of Check or Money Order: May 1, 2025
- 4. Name on Check or Money Order: TO: TCEQ FROM: Individual Care of TX
- 5. APPLICATION INFORMATION

Name of Project or Site: Individual Care of Texas

Physical Address of Project or Site: 1655 Private Road 2530, in Hunt County, Texas 75474.

If the check is for more than one application, attach a list which includes the name of each Project or Site (RE) and Physical Address, exactly as provided on the application.



TCEQ Core Data Form

For detailed instructions on completing this form, please read the Core Data Form Instructions or call 512-239-5175.

SECTION I: General Information

1. Reason for Submission (If other is checked please describe in space provided.)

Renewal ((Core Data	Form should be submi	tted with the ren	ewal form)			0	ther				
2. Customer CN 6012142		Number (if issued)		ollow this li or CN or RN Central Re	number	s in	3. Regulated Entity Reference Number (if issued) RN 102287463					
. General Cu		Customer				Informat	tion	Updates (mm/dd/	,,,,,,,)			
- Ceneral co												
New Customer												
Change in Le	egal Name	(Verifiable with the le	xas Secretary of S	tate or Texa	as Compt	troller of P	ublic	: Accounts)				
(SOS) or Texa	s Comptro	ibmitted here may oller of Public Account	ınts (CPA).			on what	is c	urrent and active				
, customer	Legal Itali	ic (i) an marriada, pri	ne last name just	. eg. 50c, st	Jiiii,			ij new customer,	enter pre	vious custon	iei bei	
ndividual Care	of Texas, Ir	nc										
7. TX SOS/CP	A Filing N	umber	8. TX State Ta	ax ID (11 di	gits)			9. Federal Tax II	D		UNS Number (if	
0076425300			15-2051482					(9 digits)				
l1. Type of C	ustomer:	☐ Corpora	tion			□In	ndivid	dual	Partne	rship: 🗌 Ge	neral	Limited
		County Federal		Other				roprietorship	Otl	•		
2. Number o							-	13. Independer	<u></u>		erate	d?
										u op		
⊠ 0-20	21-100	101-250 251-	-500 🗌 501 ar	nd higher				⊠ Yes	No			
l4. Customer	Role (Pro	posed or Actual) – as i	it relates to the R	egulated En	itity listed	d on this fo	orm.	ı Please check one of	the follo	wing		
Owner Occupations	al Licensee	Operator Responsible Pa	_	er & Opera				Other:				
L5. Mailing	PO Box 3	395										
Address:			· · · · · · · · · · · · · · · · · · ·	·					·			
-uui E35;	City	Abilene		State	TX	ZIF	P	79605		ZIP + 4		
						47 7 4		11 00 000				
.6. Country N	Viailing In	formation (if outside	USA)			17. E-Ma	ail Ac	ddress (if applicable	e)			
						info@indi	@individualcareoftx.com					

TCEQ-10400 (11/22) Page 1 of 3

18. Telephone Number			19. E	Extension or (Code		20. F	ax Number (if	applicable)	
903) 356-4544							() -		
ECTION III:	Regula	ted Ent	itv	Inform	ation					
21. General Regulated Er						rmit applica	ıtion is d	ılso required.)		
New Regulated Entity	Update to	Regulated Entity	Name	Update to	Regulated E	ntity Inform	nation			
The Regulated Entity Nai	me submitte	d may be updat	ted, in	order to mee	t TCEQ Core	Data Sta	ndards	(removal of o	organization	al endings such
22. Regulated Entity Nan	ne (Enter nam	e of the site wher	e the re	gulated action	is taking pla	ce.)				
ndividual Care of Texas WW	TP									
3. Street Address of he Regulated Entity:	1655 Private	⊵ Rd 2530								
No PO Boxes	City	Quinlan		State	ТХ	ZIP	7547	/4	ZIP + 4	
24. County	Hunt	1							1	
		If no Stree	et Addr	ress is provide	ed, fields 2	5-28 are re	quired	-		
5. Description to	N/A									
Physical Location:										
6. Nearest City							State		Nea	rest ZIP Code
atitude/Longitude are r	-	_	-			ata Stando	ards. (G	eocoding of t	he Physical	Address may be
7. Latitude (N) In Decim		32°56'25.42"N	, or ide	a or to gam a		ngitude (\	W) In D	ecimal:	96°10'4.0	7"W
)egrees	Minutes		Seconds Degrees				Minutes		Seconds	
9. Primary SIC Code		Secondary SIC (Code		31. Primar (5 or 6 digit		ode	32. Sec	ondary NAIC	S Code
361	<u> </u>			Τ	623312				- ·	
3. What is the Primary I	Business of t	his entity? (Do	o not rep	peat the SIC or	NAICS descri	ption.)				
ssited Living										
	PO Box 33	95								
4. Mailing										

TCEQ-10400 (11/22) Page 2 of 3

TX

ZIP

79605

(903) 356-4544

38. Fax Number (if applicable)

ZIP + 4

State

37. Extension or Code

Address:

35. E-Mail Address:

(903) 356-4526

36. Telephone Number

City

Abilene

info@individualcareoftx.com

☐ Dam Safety ☐ Districts		Edwards Aquifer		Emissions Inv	entory Air	☐ Industrial Hazardous Wast
☐ Municipal Solid Waste	New Source Review Air	OSSF		Petroleum St	orage Tank	□ pws
Sludge	Storm Water	☐ Title V Air		Tires		Used Oil
☐ Voluntary Cleanup	Wastewater	☐ Wastewater Agriculture		Water Rights		Other:
	WQ0014236-001					
0. Name: Natalia Rodu		41. Ti		Consultant Address		discharge route
O. Name: Natalia Rodi 2. Telephone Number 832) 776-5393	riguez	41. Ti	E-Mail			discharge route
O. Name: Natalia Rodi 2. Telephone Number 832) 776-5393 ECTION V: A By my signature below, I ce submit this form on behalf of the submit this form on the submit this form on the submit the submit this form on the submit the s	43. Ext./Code 43. Ext./Code Authorized Sertify, to the best of my kn if the entity specified in Se	41. Ti 44. Fax Number 45. I () - nata	E-Mail I lia@env ded in t	Address ironmentalcg	group.com	e, and that I have signature auth
O. Name: Natalia Rodi O. Natalia	43. Ext./Code 43. Ext./Code Authorized Sertify, to the best of my kn if the entity specified in Se	44. Fax Number 45. I () - nata Signature owledge, that the information proviection II, Field 6 and/or as required f	E-Mail I lia@env ded in t	Address ironmentalcg	group.com	e, and that I have signature auth

TCEQ-10400 (11/22) Page 3 of 3

LAIN LANGUAGE SUMMARY (PLS) For TLAP Permit Application – Renewal


The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality (TCEQ) as required by 30 TAC Chapter 39. The information provided in this summary may change during the technical review of the application and is not a federally enforceable representation of the permit application.

Individual Care of Texas (CN601214281) operates the Individual Care of Texas Wastewater Treatment Plant (RN102287463), a privately-owned domestic wastewater treatment facility. The facility is an onsite treatment plant serving an assisted living center, located at 105 Wingo Way, near the city of Quinlan, in Hunt County, Texas, 75474.

This application is for a renewal of a Texas Land Application Permit (TLAP) to continue to treat and dispose of up to 10,000 gallons per day (0.010 MGD) of treated domestic wastewater via subsurface irrigation. This permit does not authorize a discharge of pollutants into water in the state.

Discharges from the facility are expected to contain carbonaceous biochemical oxygen demand (CBODs), total suspended solids (TSS), ammonia nitrogen, nitrate nitrogen, total Kjeldahl nitrogen (TKN), sulfate, chloride, total phosphorus, oil and grease, and E. coli. Domestic wastewater is treated using a biological fixed-film process, including a lift station, equalization basin, two trickling filters, two clarifiers, and two effluent filters, followed by storage in a 1,500-gallon tank before subsurface land application.

This treatment process and land disposal method are designed to minimize environmental impact and protect human health by ensuring that no wastewater is discharged to surface waters.



Individual Care Of Texas Wastewaster Permit Renewal WQ0014236-001

Operating Description

Flow enters the pump station wet well where wastewater (influent) is pumped into the treatment plant. At this point a small amount of chlorine is pumped into the treatment plant. At this point a small amount of chlorine is added to reduce facility odors and to prevent Bio-Raptor corrosion. In the treatment process, wastewater undergoes secondary treatment by the trickling filter process. In the treatment plant wastewater first flows through the Bio towers where dissolved and suspended solids are converted to settleable solids. This water then flows into the secondary clarifier. In the clarifier, sedimentation takes place and the sludge settles leaving clear water on top (effluent). This water is discharged into the pond is called secondary effluent. Settled sludge on the bottom of the clarifier is removed by a centrifugal pump to the aerated sludge holding tank/ aerobic digester. In the aerobic digester the liquid is called aerobic sludge. After digestion, sludge can be separated and disposed of properly. Here the sludge settles leaving clear water on top. When this water is removed it is termed decant. Removal of the sludge that has settled in the digester is by sludge removal trucks. This sludge is called digested sludge. From the Raptor clarifier secondary effluent flows by gravity to the effluent screen Final Effluent. Final Effluent is discharged into the subsurface field on intermittent basis.

In Summary:

Wastewater into the facility is termed INFLUENT.

Treated clear water on top of the clarifier leaving the facility is called EFFLUENT.

Sludge Wasted into digester is called WS (waste sludge).

Clear water removed from the aerobic digesters is called DECANT.

Settled sludge removed from the aerobic digesters is called DIGESTED SLUDGE.

Treated wastewater discharged from the plant is called SECONDARY EFFLUENT.

Polished secondary effluent is called FINAL EFFLUENT.



Individual Care of Texas Wastewaster Permit Renewal WQ0014236-001

Attachment F: Annual Cropping Plan

a. Type of Grass:

The cropping plan involves with effluent land application on vegetated are with Bermuda grass and alfalfa.

b. Crop Growing Season:

Grass will be grown all year round with peak growing period to be expected from February through November.

c. Harvesting Method:

The crop will be harvested every 3-5 weeks depends on weather condition. It should be cut when it reaches 12"- 15" tall.

d. Nitrogen Requirement of Crop:

Crop	Nitrogen-N
	(lbs/ac-harvest)
Bermuda Grass	350 - 600
Ryegrass	200 - 480

e. Additional Fertilizer Requirements:

None is anticipated at this moment. Soil data such as pH, N, P, K and macronutrients will be collected and analyzed during wet and dry growing season. Additional fertilization will be performed based on the soil testing result.

f. Supplemental Watering Requirements:

None is required


g. Crop Salt Tolerances:

9.5 mmmho/cm with no anticipated reduction yield.

12.0 mmmho/cm with up to 25% reduction in yield.

(Source: 30 TAC 309.20 Table 3. Decrease in yield to be expected for forage and field crops resulting from high electrical conductivity in irrigation water)

Groundwater Data, Texas





Well Reports

TWDB Groundwater

April 3, 2025



0 0.3 0.6 1.2 mi 0 0.47 0.95 1.9 km 1:36,112

USGS The National Map: National Boundaries Dataset, 3DEP Elevation Program, Geographic Names Information System, National Hydrography

6° 10' 1" W


32° 56' 28" N

32° 56' 28



32° 56' 21" N

32° 56' 21" N





Natural Resources Conservation Service 96° 10′ 1″ W


MAP LEGEND

Area of Interest (AOI)

Area of Interest (AOI)

Soils

Soil Map Unit Polygons



Soil Map Unit Points

Special Point Features

Blowout

☑ Borrow Pit

Clay Spot

Closed Depression

Gravel Pit

Gravelly Spot

Landfill

Marsh or swamp

Mine or Quarry

Miscellaneous Water

Perennial Water

Rock Outcrop

Saline Spot

Sandy Spot

Severely Eroded Spot

Sinkhole

Slide or Slip

Sodic Spot

Spoil Area

Stony Spot

Wery Stony Spot

Wet Spot

△ Other

Special Line Features

Water Features

Streams and Canals

Transportation

++ Rails

Interstate Highways

US Routes

Major Roads

Local Roads

Background

Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:24,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL: http://websoilsurvey.nrcs.usda.gov
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Hunt County, Texas Survey Area Data: Version 11, Sep 30, 2014

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Dec 13, 2010—Feb 28, 2011

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Hunt County, Texas (TX231)										
Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI							
21	Leson clay, 1 to 3 percent slopes	10.8	100.0%							
Totals for Area of Interest		10.8	100.0%							

Well Summary Table – Individual Care of Texas

The following table lists known wells near the Individual Care of Texas facility. It includes the well ID, current use, production status, casing information, and proposed best management practices (BMPs) in compliance with TCEQ guidelines and 30 TAC §309.13.

Well ID	Well Use	Producing? Y/N	Open, cased, capped, or plugged?	Proposed Best Management Practice
3307501	Domestic	Y	Cased (PVC 0– 120 ft)	Verify casing integrity; maintain sanitary seal; monitor drawdown.
3307502	Public Supply	Y	Cased (PVC 0– 275 ft, screened at 235–275 ft)	Ensure casing and pump remain sealed; protect from surface runoff.
152597	Domestic	Y	Cased (PVC 0- 224 ft)	Check seal/grout; inspect wellhead protection; maintain setback.
190873	Domestic	Y	Cased (PVC 0– 255 ft)	Confirm screen integrity; avoid chemical use nearby; record inspections.
221864	Domestic	Y	Cased (PVC 0- 265 ft)	Maintain buffer from irrigation zones; monitor for leaks; label well clearly.
221907	Domestic	Y	Cased (PVC 0- 255 ft)	Maintain casing and seals; ensure distance from aerobic system.
221922	Domestic	Y	Cased (PVC 0– 192 ft)	Maintain buffer zone; inspect for leaks; confirm proper grouting.
224451	Domestic	Y	Cased (PVC 0-	Monitor

			240 ft)	drawdown; maintain distance from septic field.
461750	Domestic	Y	Cased (PVC 0– 150 ft)	Inspect screen integrity; record water levels; label well.
492321	Domestic	Y	Cased (PVC 0– 197 ft)	Ensure protection from runoff; confirm annual inspection.
651877	Domestic	Y	Cased (PVC 0- 386 ft)	Monitor for pressure drop; verify distance from contamination sources.

Groundwater Quality Technical Report

Facility Name: Individual Care of Texas Permit Number: WQ0014236-001

TCEQ Regulated Entity Number: RN102287463 Site Coordinates: 32°56'25.4"N, 96°10'04.1"W

1. Purpose of the Report

This report evaluates the potential impact of the wastewater treatment and disposal system on groundwater resources at the Individual Care of Texas facility. It considers existing water wells, the wastewater application rate, and pond liner information, as required under 30 TAC §309.13.

2. Well Evaluation

A total of 11 wells were identified in proximity to the facility (see attached **Well Summary Table** and **Wells Map 1**). All wells are cased and currently in production. Their use includes domestic and public supply. Below is a summary of recommended Best Management Practices (BMPs) for protection:

Well ID Use	Status	Depth (ft)	BMP Summary
3307501 Domestic	Producing	120 (PVC)	Verify casing integrity, monitor drawdown
3307502 Public Supply	Producing	275 (PVC)	Protect from surface runoff
152597 Domestic	Producing	224 (PVC)	Inspect wellhead protection
190873 Domestic	Producing	255 (PVC)	Avoid chemical use nearby
221864 Domestic	Producing	265 (PVC)	Maintain buffer from irrigation
221907 Domestic	Producing	255 (PVC)	Ensure aerobic system setback
221922 Domestic	Producing	192 (PVC)	Confirm proper grouting
224451 Domestic	Producing	240 (PVC)	Maintain distance from septic field
461750 Domestic	Producing	150 (PVC)	Record water levels
492321 Domestic	Producing	197 (PVC)	Annual inspections recommended
651877 Domestic	Producing	386 (PVC)	Monitor for pressure drop, label well

3. Wastewater Application Rate

As stated in Technical Report 1.0, the final permitted design flow is **0.010 MGD** (10,000 gallons/day), with a **2-hour peak of 0.015 MGD**. Wastewater is treated using a fixed film

process and is disposed of via **subsurface irrigation**. The low volume and disposal method reduce the likelihood of groundwater infiltration.

4. Pond Liners and Storage

The treatment system includes a **1,500-gallon effluent storage tank** prior to irrigation, not open ponds. There are **no sludge lagoons** in operation, and sludge is managed off-site via aerobic digestion and transport to the Greenville Wastewater Reclamation Center.

5. Groundwater Protection Measures

- All identified wells are cased and located at varying distances from the facility, with BMPs in place to minimize risk.
- Subsurface irrigation reduces potential vertical migration to groundwater.
- No unlined ponds or sludge lagoons are used.
- Annual inspections and seal integrity checks are recommended for all wells.
- The treatment plant has no direct discharge to surface water and no known history of groundwater contamination.

6. Conclusion

Based on the proximity and condition of surrounding wells, controlled application rate, subsurface irrigation method, and lack of unlined holding ponds or lagoons, the current wastewater treatment and disposal system does **not present a significant threat to groundwater quality** at this time.

.



Pace Analytical® ANALYTICAL REPORT

Ana-Lab Corp

Sample Delivery Group:

L1710719

Samples Received:

03/01/2024

Project Number:

Description:

ICT1-A 104

Report To:

Ana-Lab Corp

PO Box 9000

Kilgore, TX 75663

Entire Report Reviewed By: Ragan Janu

Reagan Johnson Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling donducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.



ACCOUNT: Ana-Lab Corp PROJECT:

SDG: L1710719

DATE/TIME: 03/05/24 14:43

PAGE: 1 of 16 Cn

TABLE OF CONTENTS

Ss: Sample Summary	3
Cn: Case Narrative	4
Sr: Sample Results	5
2274462 L1710719-01	5
2274463 L1710719-02	6
2274464 L1710719-03	7
2276775 BLANK L1710719-04	8
Oc: Quality Control Summary	9
Wet Chemistry by Method 353.2	9
GI: Glossary of Terms	10
Al: Accreditations & Locations	11
Sc: Sample Chain of Custody	12

















SAMPLE SUMMARY

2274462 L1710719-01 WW			Collected by Client	Collected date/time 02/20/24 10:00	Received date 03/01/24 09:4	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 353.2	WG2238970	1	03/04/24 13:32	03/04/24 13:32	EIG	Allen, TX
2274463 L1710719-02 WW			Collected by	Collected date/time 02/20/24 10:15	Received date 03/01/24 09:4	
Method	8atch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 353.2	WG2238970	1	03/04/24 13:34	03/04/24 13:34	EIG	Allen, TX
2274464 L1710719-03 WW			Collected by Client	Collected date/time 02/20/24 10:30	Received date 03/01/24 09:4	
Method	Batch	Dilution	Preparation	Analysis date/time	Analyst	Location
Wet Chemistry by Method 353.2	WG2238970	1	03/04/24 13:35	03/04/24 13:35	EIG	Allen, TX
2276775 BLANK L1710719-04 WW			Collected by Client	Collected date/time 02/20/24 00:00	Received date 03/01/24 09:4	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location

WG2238970















Wet Chemistry by Method 353.2

03/04/24 13:35

03/04/24 13:35

EIG

Allen, TX

CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

[®]Ss











Reagan Johnson Project Manager

Margan John

2274462 Collected date/time: 02/20/24 10:00

SAMPLE RESULTS - 01

Wet Chemistry by Method 353.2

, ,						
	Result	Qualifier	RDL	Dilution	Analysis	Batch
Analyte	mg/l		mg/l		date / time]
Nitrate-Nitrite	<0.0500	<u>T8</u>	0.0500	1	03/04/2024 13:32	WG2238970
Nitrate	<0.0500	<u>T8</u>	0.0500	1	03/04/2024 13:32	WG2238970
Nitrite	< 0.0500	18	0.0500	1	03/04/2024 13:32	WG2238970



AND THE PROPERTY OF THE PROPE













2274463

Collected date/time: 02/20/24 10:15

SAMPLE RESULTS - 02

,但是是我们的人们就会被握住的人,在我们自己的一定一定了了,但是一个人们的人们的,我们也不知道,他就是不是一个人的人们的,他们就是一个人们的人们的人们,他们就

Wet Chemistry by Method 353.2

	Result	Qualifier	RDL	Dilution	Analysis	Batch
Analyte	mg/l		mg/l		date / time	
Nitrate-Nitrite	<0.0500	<u>T8</u>	0.0500	1	03/04/2024 13:34	¹ WG2238970
Nitrate	<0.0500	<u>T8</u>	0.0500	1	03/04/2024 13:34	WG2238970
Nitrite	<0.0500	T8	0.0500	1	03/04/2024 13:34	WG2238970















2274464

SAMPLE RESULTS - 03

Wet Chemistry by Method 353.2

Collected date/time: 02/20/24 10:30

* *						
	Result	Qualifier	RDL	Dilution	Analysis	Batch
Analyte	mg/l		mg/l		date / time	
Nitrate-Nitrite	<0.0500	<u>T8</u>	0.0500	1	03/04/2024 13:35	WG2238970
Nitrate	<0.0500	<u>T8</u>	0.0500	1	03/04/2024 13:35	WG2238970
Nitrite	<0.0500	<u>T8</u>	0.0500	1	03/04/2024 13:35	WG2238970













2276775 BLANK Collected date/time: 02/20/24 00:00

SAMPLE RESULTS - 04

Wet Chemistry by Method 353.2

	Result	Qualifier	RDL	Dilution	Analysis	Batch
Analyte	mg/i		mg/l		date / time	
Nitrate-Nitrite	<0.0500	<u>T8</u>	0.0500	1	03/04/2024 13:35	WG2238970
Nitrate	<0.0500	<u>8T</u>	0.0500	1	03/04/2024 13:35	WG2238970
Nitrite	<0.0500	18	0.0500	1	03/04/2024 13:35	WG2238970















QUALITY CONTROL SUMMARY

11710719-01,02,03,04

WG2238970

Wet Chemistry by Method 353.2

	MB Result	MB Qualifier	MB MDL	MB RDL	
Analyte	ľ/gm		l/gm	l/gm	
Nitrate-Nitrite	<0.0300		0.0300	0.0500	
Nitrite	<0.0300		0.0300	0.0500	

Caboratory Court of Samor, ECS)

LCS Qualifier			
Rec. Limits	%	90.0-110	90.0-110
LCS Rec.	%	105	106
LCS Result	шд⁄I	2.63	2.64
Spike Amount	∥gm	2.50	2.50
	Analyte	Nitrate-Nitrite	Nitrite
	LCS Rec. Rec. Limits	Spike Amount LCS Result LCS Rec. Rec. Limits in mg/l % % %	5 Result LCS Rec. Rec. Limits 1 11 % % % 13 105 90.0-110

ć

Ō

<1.

Sc

ڻ ٽ

ઌૼ

Ss

112(A)te 02 O to not Somble (OS) - Mainx Spilic, (AS) - Mottry Spike Dubloate (MSD)

(OS) L1710416-02 03	(OS) L1710416-02 03/04/24 13:18 • (MS) R4041149-3 03/04/24 13:36 • (MSD) R4041149 4 03/04/24 13:37	4041149-3 03/C	4/24 13:36 •	(MSD) R404114	9-4 03/04/24	13:37						
	Spike Amount	Spike Amount Original Result MS Result	MS Result	MSD Result MS Rec.	MS Rec.	MSD Rec.	Dilution	Dilution Rec. Limits	MS Qualifier	MSD Qualifier RPD	RPD	RPO Limits
Analyte	ηgη	шду	∥g/l	√gm	3°	85		96			96	96
Nitrate-Nitrite	2.50	<0.0500	2.68	2.70	107	108	-	90.0-110			0.743	20
Nitrite	2.50	<0.0500	2.74	2.70	110	108	-	90.0-110			1.47	20

1252/21 02 Original Sample (OS) • Matrix Sizke, 1751 • Metrix Spike Duplicate, (45D)

3:38 · (MSD) R404149-6 03/04/24 13:38 ult MSD Result MS Rec. MSD Rec. Dilution Rec. Limits MS Qualifier MSD Qualifier RPD RPD Limits mg/l % 91.6 92.0 1 90.0-110 0.209 20	0
Rec. Dilution Rec. Limits MS Qualifier MSD Qualifier 84	2
Rec. Dilution Rec. Limits MS Qualifier # 90.0-110	1.49
Rec. Dilu	
Rec. Dilu	
Rec. Dilu	90.0-110
Rec.	-
24 13:38 MSD Rec. 92.0	105
49-6 03/04/2 MS Rec. %	104
(MSD) R4041149-6 03/C MSD Result MS Rec. mg/4 % 91.6	2.71
33/04/24 13:38 • (h ilt MS Result mg4 4.78	2.67
13:20 • (MS) R4041149-5 03/04/24 13:3 Spike Amount Original Result MS Result mg/l mg/l mg/l 250 2.49 4.78	0.0742
04/24 13:20 • (MS) R40411 Spike Amount Origin mg/l mg/l 250 2.49	2.50
(OS) L1710431-02 03/04/24 13:20 • (MS) R4041149-5 03/04/24 13:38 • (MSD) R4041149-6 03/04/24 13:38 Spike Amount Original Result MS Result MSD Result MS Rec. MSD Amalyte mg/l mg/l mg/l % % % MSD Nitrate-Nitrite 2.50 2.49 4.78 4.79 91.6 92.0	Nitrite

PROJECT:

03/05/24 14:43 DATE/TIME:

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Bite Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

ACCOUNT: Ana-Lab Corp

Qualifier

Τ8

Description



Sample(s) received past/too close to holding time expiration.



ACCREDITATIONS & LOCATIONS

Parle Analytical Services, LLC -Dallas 400 W. Bethany Drive Suite 196 Allen, TX 75013

	The state of the s		
Arkansas	88-0647	Kansas	E10388
Florida	E871118	Texas	T104704232-23-39
Iowa	408	Oklahoma	8727
Louisiana	30686		

- ¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable
- * Not all certifications held by the laboratory are applicable to the results reported in the attached report.
- * Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.















2600 Dudies Rd. Kilyore, Texas "5662 24 Winerway Avenue, Suite 375 The Woodlands, IX 27380 Office: 003-984-0551 * Fay: 003-084, 5014

SUBCONTRACT CHAIN OF CUSTODY

02 29 2024

Page 1 of 2

Pace Analytical Dallas 400 West Bethany Drive Suite 190 Allen, TX 75013 ICT1-A 104

Риове

214.356-7412

PACE

PO Number,

TAT 5+0

Soil Monitoring 0-6"

			L1910719
Matrix, Solid & Ch	emical Materials		
Sampler Printed Name	Clien I		
Sampler Affiliation			
Sampler Signature			
Campan areas was assessed to the second second second	Samples Radioactive? Samples Contains Dioxin?	\$amples Biological Hazar-F'	mandon old to only one or comments to the knowledge on
Album Fack - Programmy are an analysis of the State of th	1 Glass 8 oz w/Teflon lined lid V//3+ Subcontract IN3K Nitrate-nitrogen SUB(KCTP(ep)	FPA 353 3 CAS.PACU 128,0 days;	
	Pottler Date	I Timo Notes	W

Ana-Lab#	Sample ID	Bottles	Date 🕛	Time	Notes
	2-274462	(7/20/24	1000	O(
	1 463			1015	02
	464		1	1030	B
	2276775 Blank				04

Ambient Conditions/Comments



Corporate, 2600 Dudley Road Kilgore 1X, 75562.



2000 Dudley Rd. Kilyote, Texas 75662 24 Waterway Avenue, State 375 The Woodlands, TV 77380 070ce; 903-984-0551 * Eax. 903-084-5914

Constitution and the second

SUBCONTRACT CHAIN OF CUSTODY

02/29/2024 Page 2 of 2

Pace Analytical Dallas 400 West Bethany Drive Suite 190 Allen, TX 75013 ICT1-A 104

Phone

214 386/7412 PACE

Soil Monitoring 0-6"

Application	Date	Time	Relinquished		Received
3/1/24 3/40 Provide Hadis Affiliation Provide Hadis	2/ ,			Pratod Naise	Appention
3/1/24 240 Fund Italia UPS Hyardin ballogs IACE Signature Dignal US Sample Recieved on Ice! 1/8 No. Method of Shipment: 1/8	124	1500	Surator		
Sample Recieved on Ice! 1/8 No. Method of Shipment: 1/8 1/8 Fed. Towns. Towns		2011	Praesteri Neutrio Afrilactico UPS		Galloges PACE
Sample Recieved on Ice? 1/28 No. Method of Shipment: 1/18	2/1/29	040	Sign plans	respective Al	ynaguls
Sample Recieved on Ice? 1/8 No. Method of Shipment: 1/8 1/8 I and c 1/8 1/			A STATE OF THE STA	Province of April 1980	44. 447
Sample Recieved on Ice? PS			1		Acres 4
Sample Recieved on Ice? [378] No. Method of Shipment: [378] [48] [49] [49] [49] [49] [49] [49] [49] [49			over Physic Africation	Applied Wether	
Cooler/Sample Secure? [168] No. 11 Shipped Tracking Number & Temp. See Mached. Hand Delivered to Region [17] The accreemed column design uses accordination by A - A21 A, N - NELAC, or z - not listed under scope of accordination. Unless effectives especified [17] AN VEXIBILITY provide these ordered so receive masurant to our Standard Terms & Conditions Agreement (as a labely tot door be of from the well only an improvement that come in An i-1 dispersonnel collect samples as specified by Anastrals SOP 200 [423]. Comments Please send acknowledgements and reports to projectmanager a ana-lab.com.			S gouttom	Suproture	
	Comments Please se	and acknow	ledgements and reports to projectmanager a	ana-lab.com.	
					į
					:
					,



Corporate, 2600 Dudley Road Kilgore EX, 7566

MAL is minamin analytical lumi and sell esclected traget heaf

THE STATE OF THE S Branch Basker Francisco Service Services

Lead to the stage of Sittle Co.

COC REPORTING LIMITS

COC REPORTING LIMITS (ug kg)			Printed (02.29.202-	Page For i
Test Name	ANIAMAN TO STATE OF THE STATE O	et MAL		Method
ICT1 104 Soil Monitoring	0-6" So	id & Chemical Ma	iterials	the state of the s
PPP GOV & Soils of Romono of the Son Governing				
Nitrate-nitrogen SUB(KCl Prep) Achievable reporting limits may vary v	vith dilutions in accord with	the sample mate		REPORT PACE
MQ) as the Method Quantitation Fourt and corresponds to SDE is 8 might Detection Finite and is the news of MDE.	a low statalatil		COCastia. SMg ad Detailor Loon (CCP)	popularion la popularion

23 LBS 1 OF 1

DW1 17 17 17

FROM: MIKE GRIBBLE

LNAULAE ia journares RELIGIORE TX 75852-3730

SHIP TO:

SAMPLES SUBCONTRACTS (972) 727-1123 PACE ANALYTICAL DALLAS SUITE 190 400 WEST BETHANY DRIVE **ALLEN TX 75013**



TX 753 5-77

UPS NEXT DAY AIR TRACKING # 1Z C41 445 01 4048 8056

A provided to the second



BILLING P/P

Talane a anagaine in cheliputari

		And the second s
The state of the s	Document Name.	Document Fox Leg 7 27 44
Section 18 Section 1	Sample Condition Upon Recent	Page 1 of 1
	(Very content typ)	this or plA attracts
	: POAL-C Gul-rev I⊄	econolistia (Quality) in h

tion Upon Receipt
□Corpus Christi □Austin
t Work order (place lab e !):
· · · · · · · · · · · · · · · · · · ·
$\mathbf{p} \circ \mathbf{C} \colon 3.4$ (Recorded) $40.2 (Correction Factor) \ \mathbf{3-6}$ (Actual) $\mathbf{p} \circ \mathbf{C} \colon (Recorded) = (Correction Factor)$ (Actual)
ame day as receipt in which evidence of cooling is acceptable
Yes of No .1
Yes n No g
Yes / No C
Yes / No ri
Yes / No D
Yes / No !!
Yes II No D NA
Yes m No a NA y
Yes No NA 🖈
S Yes : No :: NA
Yes C. No D. HA
Yes □ No □ NA ✓
Yes E No LI NA Z
Yes = No Z



Page 1 of 1



ICT1-A

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604 Printed 04/02/2025 10:24

TABLE OF CONTENTS

This report consists of this Table of Contents and the following pages:

Report Name	Description	<u>Pages</u>
1092475_r02_01_ProjectSamples	SPL Kilgore Project P:1092475 C:ICT1 Project Sample Cross Reference t:304	3
1092475_r03_03_ProjectResults	SPL Kilgore Project P:1092475 C:ICT1 Project Results t:304	12
1092475_r10_05_ProjectQC	SPL Kilgore Project P:1092475 C:ICT1 Project Quality Control Groups	4
1092475_r99_09_CoC1_of_1	SPL Kilgore CoC ICT1 1092475_1_of_1	10
	Total Pages:	29

Email: Kilgore.ProjectManagement@spllabs.com





SAMPLE CROSS REFERENCE



Printed

4/2/2025

Page 1 of 3

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604

Sample	Sample ID	Taken	Time	Received
2274462	Soil Monitoring 0-6"	02/20/2024	10:00:00	02/20/2024

Bottle 01 Glass Qt w/Teflon lined lid

Bottle 02 Glass 8 oz w/Teflon lined lid

Bottle 03 Prepared Bottle: Special Preparation (Batch 1105344) Volume: 100.00000 mL <= Derived from 01 (10.1 grams)

Bottle 04 Prepared Bottle: MPe Extraction (Batch 1105477) Volume: 15.00000 mL <== Derived from 01 (1.6 grams)

Bottle 05 Prepared Bottle: TKN TRAACS Autosampler Vial (Batch 1105573) Volume: 20.00000 mL <== Derived from 01 (1.0 grams)

Bottle 06 Prepared Bottle: TKN TRAACS Autosampler Vial (Batch 1105573) Volume: 20.00000 mL <== Derived from 01 (1.0 grams)

Bottle 07 Prepared Bottle: TKN TRAACS Autosampler Vial (Batch 1105573) Volume: 20.00000 mL <== Derived from 01 (1.0 grams)

Bottle 08 Prepared Bottle: 2 mL Glass vial (Batch 1105743) Volume: 50.00000 mL <= Derived from 02 (5 grams) Bottle 09 Prepared Bottle: 2 mL Glass vial (Batch 1105743) Volume: 50.00000 mL <= Derived from 02 (5 grams)

Bottle 10 Prepared Bottle: 2 mL Glass vial (Batch 1105743) Volume: 50.00000 mL <= Derived from 02 (5 grams)

	Method	Bottle	PrepSet	Preparation	QcGroup	Analytical
	EPA 353.3			03/04/2024		03/04/2024
	EPA 9056	08	1105743	02/22/2024	1105924	02/22/2024
	EPA 6010B	04	1105477	02/21/2024	1105828	02/22/2024
	EPA 6010B	04	1105477	02/21/2024	1105623	02/22/2024
	EPA 9050	01	1106310	02/23/2024	1106310	02/23/2024
	EPA 9056			03/06/2024		03/06/2024
	EPA 351.2 2	05	1105573	02/22/2024	1105763	02/22/2024
	Calculation	05	1105573	02/22/2024	1105763	03/04/2024
	SM2540 G-1997 /MOD	01	1105836	02/22/2024	1105836	02/22/2024
	EPA 9045D 4	01	1106311	02/23/2024	1106311	02/23/2024
Sample	Sample ID	Taken	Time		Received	
2274463	Soil Monitoring 6-18"	02/20/2024	10:15:00		02/20/2024	

Bottle 01 Glass Qt w/Teflon lined lid

Bottle 02 Glass 8 oz w/Teflon lined lid

Bottle 03 Prepared Bottle: Special Preparation (Batch 1105344) Volume: 100.00000 mL <= Derived from 01 (10.0 grams)

Bottle~04~Prepared~Bottle:~MPe~Extraction~(Batch~1105477)~Volume:~15.00000~mL <== Derived~from~01~(~1.5~grams~)

Bottle 05 Prepared Bottle: TKN TRAACS Autosampler Vial (Batch 1105573) Volume: 20.00000 mL <== Derived from 01 (1.0 grams)

Bottle 06 Prepared Bottle: 2 mL Glass vial (Batch 1105743) Volume: 50.00000 mL <= Derived from 02 (5 grams)

Method	Bottle	PrepSet	Preparation	QcGroup	Analytical
EPA 353.3			03/04/2024		03/04/2024
EPA 9056	06	1105743	02/22/2024	1105924	02/22/2024
EPA 6010B	04	1105477	02/21/2024	1105828	02/22/2024
EPA 6010B	04	1105477	02/21/2024	1105623	02/22/2024

Email: Kilgore.ProjectManagement@spllabs.com

Report Page 2 of 30



SAMPLE CROSS REFERENCE



Printed

4/2/2025

Page 2 of 3

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604

Sample	Sample ID	Taken	Time	Received
2274463	Soil Monitoring 6-18"	02/20/2024	10:15:00	02/20/2024

Bottle 01 Glass Qt w/Teflon lined lid

Bottle 02 Glass 8 oz w/Teflon lined lid

Bottle 03 Prepared Bottle: Special Preparation (Batch 1105344) Volume: 100.00000 mL <= Derived from 01 (10.0 grams)

Bottle 04 Prepared Bottle: MPe Extraction (Batch 1105477) Volume: 15.00000 mL <== Derived from 01 (1.5 grams)

Bottle 05 Prepared Bottle: TKN TRAACS Autosampler Vial (Batch 1105573) Volume: 20.00000 mL <== Derived from 01 (1.0 grams)

Bottle 06 Prepared Bottle: 2 mL Glass vial (Batch 1105743) Volume: 50.00000 mL <= Derived from 02 (5 grams)

	Method	Bottle	PrepSet	Preparation	QcGroup	Analytical	
	EPA 9050	01	1106310	02/23/2024	1106310	02/23/2024	
	EPA 9056			03/06/2024		03/06/2024	
	EPA 351.2 2	05	1105573	02/22/2024	1106215	02/26/2024	
	Calculation	05	1105573	02/22/2024	1106215	03/04/2024	
	SM2540 G-1997 /MOD	01	1105836	02/22/2024	1105836	02/22/2024	
	EPA 9045D 4	01	1106311	02/23/2024	1106311	02/23/2024	
Sample	Sample ID	Taken	Time		Received		
2274464	Soil Monitoring 18-30"	02/20/2024	10:30:00	02/20/2024			

Bottle 01 Glass Qt w/Teflon lined lid

Bottle 02 Glass 8 oz w/Teflon lined lid

Bottle 03 Prepared Bottle: Special Preparation (Batch 1105344) Volume: 100.00000 mL <== Derived from 01 (10 grams)

Bottle 04 Prepared Bottle: MPe Extraction (Batch 1105477) Volume: 15.00000 mL <== Derived from 01 (1.6 grams)

Bottle~05~Prepared~Bottle:~TKN~TRAACS~Autosampler~Vial~(Batch~1105573)~Volume:~20.00000~mL <== Derived~from~01~(~1.0~grams~)~10.00000~mL~(See Equation 1.000000)~mL~(See Equation 1.0000000)~mL~(See Equation 1.000000)~mL~(See Equation 1.000000)~mL~(See Equation 1.000000)~mL~(See Equation 1.000000)~mL~(See Equation 1.000000)~mL~(See Equation 1.000000)~mL~(See Equation 1.0000000)~mL~(See Equation 1.000000)~mL~(See Equation 1

Bottle 06 Prepared Bottle: 2 mL Glass vial (Batch 1105743) Volume: 50.00000 mL <= Derived from 02 (5 grams)

	Method EPA 353.3	Bottle	PrepSet	Preparation 03/04/2024	QcGroup	Analytical 03/04/2024
	EPA 9056	06	1105743	02/22/2024	1105924	02/22/2024
	EPA 6010B	04	1105477	02/21/2024	1105828	02/22/2024
	EPA 6010B	04	1105477	02/21/2024	1105623	02/22/2024
	EPA 9050	01	1106310	02/23/2024	1106310	02/23/2024
	EPA 9056			03/06/2024		03/06/2024
	EPA 351.2 2	05	1105573	02/22/2024	1106215	02/26/2024
	Calculation	05	1105573	02/22/2024	1106215	03/04/2024
	SM2540 G-1997 /MOD	01	1105836	02/22/2024	1105836	02/22/2024
	EPA 9045D 4	01	1106311	02/23/2024	1106311	02/23/2024
Sample	Sample ID	Taken	Time		Received	

Email: Kilgore.ProjectManagement@spllabs.com

Report Page 3 of 30



SAMPLE CROSS REFERENCE

Project 1092475

Printed

4/2/2025

Page 3 of 3

Individual Care of Texas Sandy Peterson P.O. Box 3395

Abilene, TX 79604

2276775

KCl Extract Blank

02/20/2024

10:00:00

02/20/2024

Bottle 01 KCl Extract BLANK

Method EPA 353.3 Bottle

PrepSet

Preparation 03/04/2024

QcGroup

Analytical 03/04/2024

Email: Kilgore.ProjectManagement@spllabs.com

2600 Dudley Rd. Kilgore, Texas 75662

24 Waterway Avenue, Suite 375 The Woodlands, TX 77380

Office: 903-984-0551 * Fax: 903-984-5914



ICT1-A

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604



Report Date: 03/06/2024 Printed: 04/02/2025

RESULTS

					Sample	Res	ults						
	2274462	Soil Monitoring ()-6"								Received:	02/20)/2024
5	Solid & Chemical	l Materials	Collect	ed by: ABW	SPL Kilg	ore				PO:			
			Taken:	02/20/2024	1	0:00	:00						
		Outlet Type:	null					Floor:	nul	l			
		Room/Location	null		Last U	Jsed	l:	12/31/1899)				
				Prepared:		02/2	21/2024	10:40:07	Calculated		02/21/2024	10:40:07	CAL
	Parameter			Results	Un	its	RL		Flags		CAS		Bottle
<u> </u>	SUB Shipped	[Verified									
(Calculation			Prepared:	1105573	02/2	22/2024	09:14:09	Calculated 110.	5763	03/04/2024	17:07:40	CAL
	Parameter			Results	Un	its	RL		Flags		CAS		Bottle
VELAC	•	n (as N) Dry Weight Basis		1940.667 *	mg	/kg	13.8		E				05
	EPA 351.2 2			Prepared:	1105573	02/2	22/2024	09:14:09	Analyzed 110.	5763	02/22/2024	15:57:00	AM
	Parameter			Results	Un	its	RL		Flags		CAS		Bottle
VELAC	•	l Nitrogen Dry Weight Basis		1940 *	mg	/kg	13.8		P		7727-37-9		05
	EPA 353.3			Prepared:		03/0	04/2024	13:32:00	Analyzed		03/04/2024	13:32:00	SUB
	Parameter			Results	Un	its	RL		Flags		CAS		Bottle
VELAC	Nitrate-nitrog	en SUB(KCl Prep)		0.05	mg	/1	0.05				PACU		
i	EPA 6010B			Prepared:	1105477	02/2	21/2024	14:00:00	Analyzed 110.	5828	02/22/2024	10:52:00	KB1
	Parameter			Results	Un	its	RL		Flags		CAS		Bottle
7	Potassium, M	ehlich-3 extract		811 *	mg	/kg	33.3				7440-09-7		04
i	EPA 6010B			Prepared:	1105477	02/2	21/2024	14:00:00	Analyzed 110.	5623	02/22/2024	11:05:00	KB1
	Parameter			Results	Un	its	RL		Flags		CAS		Bottle



Report Page 5 of 30

Office: 903-984-0551 * Fax: 903-984-5914



ICT1-A

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604

Page 2 of 12 Project 1092475

Report Date: Printed:

PO:

03/06/2024 04/02/2025

2274462 Soil Monitoring 0-6" 02/20/2024 Received:

Solid & Chemical Materials

Collected by: ABW

02/20/2024

SPL Kilgore

Outlet Type:

null

Taken:

10:00:00

Floor: null

	Outlet Type.	Hull					11001.	Hull			
	Room/Location:	null		Last	Used	:	12/31/1899				
EPA	A 6010B		Prepared:	1105477	02/2	1/2024	14:00:00	Analyzed 1105623	02/22/2024	11:05:00	KB1
	Parameter		Results	Uı	nits	RL		Flags	CAS		Bottle
	Phosphorus, Mehlich-3 extract * Dry Weight Basis		<33.3 *	mį	g/kg	33.3					04
EPA	1 9045D 4		Prepared:	1106311	02/2	3/2024	10:20:00	Analyzed 1106311	02/23/2024	10:20:00	ALH
	Parameter		Results	Uı	nits	RL		Flags	CAS		Bottle
ELAC 1	pH Measured in Water/2:1 water:s		6.4@20C	SU	J				12408-02-5		01
EPA	1 9050		Prepared:	1106310	02/2	3/2024	10:20:00	Analyzed 1106310	02/23/2024	10:20:00	ALH
	Parameter		Results	Uı	nits	RL		Flags	CAS		Bottle
IELAC (Conductivity (soluble) (2:1)		26.6	un m	nhos/c				CONDSOL	2:1	01
EPA	1 9056		Prepared:		03/0	06/2024	15:36:36	Calculated	03/06/2024	15:36:36	CAL
	Parameter		Results	Uı	its	RL		Flags	CAS		Bottle
IELAC 1	Nitrate-Nitrogen (KCl Extract)		<1.41 *	mį	g/kg	1.41			14797-55-8		
EPA	1 9056		Prepared:	1105743	02/2	2/2024	15:42:09	Analyzed 1105924	02/22/2024	17:58:00	NAZ
	Parameter		Results	Uı	nits	RL		Flags	CAS		Bottle
IELAC 1	Nitrate-Nitrogen * Dry Weight Basis		0.667 *	mį	g/kg	0.319		P	14797-55-8		08
SM2	2540 G-1997 /MOD		Prepared:	1105836	02/2	2/2024	08:00:00	Analyzed 1105836	02/22/2024	08:00:00	JK1
	Parameter		Results	Uı	nits	RL		Flags	CAS		Bottle
NELAC	Total Solids for Dry Wt Conversi		70.8	%		0.010					01



Report Page 6 of 30

2600 Dudley Rd. Kilgore, Texas 75662

24 Waterway Avenue, Suite 375 The Woodlands, TX 77380

Office: 903-984-0551 * Fax: 903-984-5914



ICT1-A

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604

Page 3 of 12 Project 1092475

Report Date: Printed:

03/06/2024 04/02/2025

2274463 Soil Monitoring 6-18" 02/20/2024 Received:

10:15:00

Solid & Chemical Materials

Collected by: ABW

02/20/2024

SPL Kilgore

PO:

Outlet Type:

null

Taken:

null

Room/Location: null

Last Used:

Floor: 12/31/1899

		Prepared:		02/21/2	2024	10:40:09	Calculated	02/21/2024	10:40:09	CA
	Parameter	Results	Un	its	RL		Flags	CAS		Bottl
	SUB Shipped	Verified								
C	alculation	Prepared:	1105573	02/22/2	2024	09:14:09	Calculated 1106215	03/04/2024	17:07:40	CA
	Parameter	Results	Un	its	RL		Flags	CAS		Bottle
LAC	Total Nitrogen (as N)	1550 *	mg	/kg	27.3					05
	* Dry Weight Basis									
E	PA 351.2 2	Prepared:	1105573	02/22/	2024	09:14:09	Analyzed 1106215	02/26/2024	09:17:00	AN
	Parameter	Results	Un	its	RL		Flags	CAS		Bottl
LAC	Total Kjeldahl Nitrogen	1550 *	mg	/kg	27.3			7727-37-9		05
	* Dry Weight Basis									
E	PA 353.3	Prepared:		03/04/	2024	13:34:00	Analyzed	03/04/2024	13:34:00	SU
	Parameter	Results	Un	its	RL		Flags	CAS		Bottl
LAC	Nitrate-nitrogen SUB(KCl Prep)	0.05	mg	/1	0.05			PACU		
E	PA 6010B	Prepared:	1105477	02/21/2	2024	14:00:00	Analyzed 1105828	02/22/2024	11:05:00	KB
	Parameter	Results	Un	its	RL		Flags	CAS		Bottl
	Potassium, Mehlich-3 extract	693 *	mg	/kg	33.9			7440-09-7		04
E	PA 6010B	Prepared:	1105477	02/21/2	2024	14:00:00	Analyzed 1105623	02/22/2024	11:08:00	KE
,	Parameter	Results	Un	its	RL		Flags	CAS		Bottl
	Phosphorus, Mehlich-3 extract	<33.9 *	mg	/kg	33.9					04
	* Dry Weight Basis									



Report Page 7 of 30

The Science of Sure

ICT1-A

24 Waterway Avenue, Suite 375 The Woodlands, TX 77380

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604

Page 4 of 12 Project 1092475

Report Date: Printed:

03/06/2024 04/02/2025

2274463 Soil Monitoring 6-18" 02/20/2024 Received:

Solid & Chemical Materials

2600 Dudley Rd. Kilgore, Texas 75662

Office: 903-984-0551 * Fax: 903-984-5914

Collected by: ABW

SPL Kilgore

PO:

Outlet Type:

null

Taken:

Floor:

12/31/1899

10:15:00

null

Room/Location: Last Used: null

02/20/2024

EF	PA 9045D 4	Prepared:	1106311	02/2	3/2024	10:20:00	Analyzed 1106311	02/23/2024	10:20:00	ALI
-	Parameter	Results	Ui	nits	RL		Flags	CAS		Bottle
NELAC	pH Measured in Water/2:1 water:s	6.6@20C	SU	J				12408-02-	-5	01
EF	PA 9050	Prepared:	1106310	02/2	3/2024	10:20:00	Analyzed 1106310	02/23/2024	10:20:00	ALI
	Parameter	Results	Ui	nits	RL		Flags	CAS		Bottle
NELAC	Conductivity (soluble) (2:1)	36.8	un m	nhos/c				CONDSO	L2:1	01
EI	PA 9056	Prepared:		03/0	6/2024	15:36:36	Calculated	03/06/2024	15:36:36	CAL
	Parameter	Results	Ui	nits	RL		Flags	CAS		Bottle
NELAC	Nitrate-Nitrogen (KCl Extract)	<1.37 *	m	g/kg	1.37			14797-55-	-8	
EF	PA 9056	Prepared:	1105743	02/2	2/2024	15:42:09	Analyzed 1105924	02/22/2024	19:09:00	NAZ
	Parameter	Results	Ui	nits	RL		Flags	CAS		Bottle
NELAC	Nitrate-Nitrogen * Dry Weight Basis	<0.310 *	m	g/kg	0.310			14797-55-	-8	06
SA	M2540 G-1997 /MOD	Prepared:	1105836	02/2	2/2024	08:00:00	Analyzed 1105836	02/22/2024	08:00:00	JK1
-	Parameter	Results	Ui	nits	RL		Flags	CAS		Bottle
NELAC	Total Solids for Dry Wt Conversi	72.9	%		0.010					01

2274464 Soil Monitoring 18-30" Received: 02/20/2024

Solid & Chemical Materials

Collected by: ABW Taken: 02/20/2024 SPL Kilgore 10:30:00 PO:

Outlet Type: null

null

Room/Location: null Last Used:

Floor: 12/31/1899



Report Page 8 of 30

2600 Dudley Rd. Kilgore, Texas 75662 24 Waterway Avenue, Suite 375 The Woodlands, TX 77380

Office: 903-984-0551 * Fax: 903-984-5914



Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604



Page 5 of 12 Project 1092475

Report Date: Printed:

PO:

03/06/2024 04/02/2025

2274464 Soil Monitoring 18-30" 02/20/2024 Received:

Solid & Chemical Materials

Collected by: ABW

02/20/2024

SPL Kilgore

Outlet Type:

null

Taken:

10:30:00

null

Floor: 12/31/1899

	Room/Location: null		Last U	Jsed:		12/31/189	9			
		Prepared:		02/21/	2024	10:40:10	Calculated	02/21/2024	10:40:10	CA.
	Parameter	Results	Un	nits	RL		Flags	CAS		Bottle
: 	SUB Shipped	Verified								
C	alculation	Prepared:	1105573	02/22/	2024	09:14:09	Calculated 1106215	03/04/2024	17:07:40	CAI
	Parameter	Results	Un	its	RL		Flags	CAS		Bottle
IELAC	Total Nitrogen (as N) * Dry Weight Basis	1270 *	mg	/kg	26.7					05
E	PA 351.2 2	Prepared:	1105573	02/22/	/2024	09:14:09	Analyzed 1106215	02/26/2024	09:17:00	AM
	Parameter	Results	Un	its	RL		Flags	CAS		Bottle
IELAC	Total Kjeldahl Nitrogen * Dry Weight Basis	1270 *	mg	/kg	26.7			7727-37-9		05
E	PA 353.3	Prepared:		03/04/	2024	13:35:00	Analyzed	03/04/2024	13:35:00	SUE
	Parameter	Results	Un	nits	RL		Flags	CAS		Bottle
IELAC	Nitrate-nitrogen SUB(KCl Prep)	0.05	mg	₂ /I	0.05			PACU		
E	PA 6010B	Prepared:	1105477	02/21/	2024	14:00:00	Analyzed 1105828	02/22/2024	11:08:00	KB1
	Parameter	Results	Un	its	RL		Flags	CAS		Bottle
	Potassium, Mehlich-3 extract	594 *	mg	/kg	33.0			7440-09-7		04
E	PA 6010B	Prepared:	1105477	02/21/	2024	14:00:00	Analyzed 1105623	02/22/2024	11:11:00	KBI
,	Parameter	Results	Un	its	RL		Flags	CAS		Bottle
	Phosphorus, Mehlich-3 extract	<33.0 *	mg	/kg	33.0					04
	* Dry Weight Basis									



Report Page 9 of 30

2600 Dudley Rd. Kilgore, Texas 75662 24 Waterway Avenue, Suite 375 The Woodlands, TX 77380

Office: 903-984-0551 * Fax: 903-984-5914



ICT1-A

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604

Page 6 of 12 Project 1092475

Report Date: Printed:

03/06/2024 04/02/2025

2274464 Soil Monitoring 18-30" 02/20/2024 Received:

10:30:00

Solid & Chemical Materials

Collected by: ABW

02/20/2024

SPL Kilgore

Outlet Type: Room/Location: null

null

Taken:

null

PO:

Last Used:

Floor: 12/31/1899

EF	PA 9045D 4	Prepared:	1106311	02/2.	3/2024	10:20:00	Analyzed 1106311	02/23/2024	10:20:00	AL
-	Parameter	Results	Uı	nits	RL		Flags	CAS		Bottle
VELAC	pH Measured in Water/2:1 water:s	7.0@20C	SU	J				12408-02-	-5	01
EF	PA 9050	Prepared:	1106310	02/2.	3/2024	10:20:00	Analyzed 1106310	02/23/2024	10:20:00	AL
-	Parameter	Results	Uı	nits	RL		Flags	CAS		Bottle
NELAC	Conductivity (soluble) (2:1)	66.4	un m	nhos/c				CONDSO	L2:1	01
	PA 9056	Prepared:		03/0	6/2024	15:36:36	Calculated	03/06/2024	15:36:36	CA
	Parameter	Results	I II	nits	RL		Flags	CAS		Bottle
VELAC	Nitrate-Nitrogen (KCl Extract)	<1.36 *		g/kg	1.36			14797-55-	-8	
EF	PA 9056	Prepared:	1105743	02/2.	2/2024	15:42:09	Analyzed 1105924	02/22/2024	19:33:00	NA
-	Parameter	Results	Uı	nits	RL		Flags	CAS		Bottle
NELAC	Nitrate-Nitrogen * Dry Weight Basis	<0.308 *	mį	g/kg	0.308			14797-55-	-8	06
SA	M2540 G-1997 /MOD	Prepared:	1105836	02/2.	2/2024	08:00:00	Analyzed 1105836	02/22/2024	08:00:00	JK
-	Parameter	Results	Uı	nits	RL		Flags	CAS		Bottle
VELAC	Total Solids for Dry Wt Conversi	73.4	%		0.010					01

2276775 KCl Extract Blank Received: 02/20/2024

Solid & Chemical Materials

Collected by: ABW Taken: 02/20/2024 SPL Kilgore 10:00:00 PO:

Outlet Type: null

Floor:

null

Room/Location: null Last Used:

12/31/1899

Report Page 10 of 30

2600 Dudley Rd. Kilgore, Texas 75662

24 Waterway Avenue, Suite 375 The Woodlands, TX 77380 Office: 903-984-0551 * Fax: 903-984-5914

ICT1-A

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604



Page 7 of 12 Project 1092475

Report Date: Printed:

03/06/2024 04/02/2025

2276775 KCl Extract Blank Received: 02/20/2024

10:00:00

Solid & Chemical Materials

Collected by: ABW

02/20/2024

SPL Kilgore

PO:

Outlet Type:

null null

Taken:

Floor:

null

Room/Location:

Last Used:

12/31/1899

13:35:00

03/04/2024 13:35:00 SUB

Parameter NELAC

Results 0.05

Prepared:

Units

03/04/2024

RL

Analyzed

Bottle

Nitrate-nitrogen SUB(KCl Prep) * Dry Weight Basis

mg/l

0.05

Flags

CAS **PACU**

Sample Preparation

2274462

EPA 353.3

Soil Monitoring 0-6"

Received:

02/20/2024

02/20/2024

Outlet Type: null Floor:

null

Room/Location:

null

Last Used:

12/31/1899

10:40:07

15:35:21

10:40:07 CAL

Enviro Fee (per Sampling Group)

Verified

Prepared:

03/06/2024

03/06/2024

Calculated

03/06/2024

KCl Extraction

Prepared: 1105344 02/21/2024

09:06:28

Analyzed 1105344 02/21/2024

09:06:28 MEG

01

CAI

Black 84.2

Calculation

100/10.06

grams

Calculated

03/06/2024

15:35:21

As Received to Dry Weight Basis

Calculated

Prepared:



Report Page 11 of 30

2600 Dudley Rd. Kilgore, Texas 75662

24 Waterway Avenue, Suite 375 The Woodlands, TX 77380

Office: 903-984-0551 * Fax: 903-984-5914



Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604



Page 8 of 12 Project 1092475

Report Date:

03/06/2024 04/02/2025

Printed:

2274462 Soil Monitoring 0-6"

02/20/2024

Outlet Type: null

Room/Location:

Floor: 12/31/1899

null

Received:

09:14:09

SRJ

PEV

02

TES

01

JK1

02/20/2024

TKN Block Digestion NELAC

20/1.0248

null

grams

Last Used:

Prepared: 1105573 02/22/2024

Prepared: 1105743 02/22/2024

15:42:09

09:14:09

Analyzed 1105573 02/22/2024

01

EPA 9056

EPA 351.22

Water Extract-Ion Chromatography

50/5.0

Prepared: 1105477

grams

grams

Analyzed 1105743 02/22/2024

15:42:09

Mehlich-3 Extraction

Mehlich-3 Extraction

SM 2540 G-1997

15/1.59

Prepared: 1105300 02/22/2024

02/21/2024

08:00:00

14:00:00

Analyzed 1105300 02/22/2024

Analyzed 1105477 02/21/2024

08:00:00

14:00:00

Total Solids Start Code

Started

2274463

Soil Monitoring 6-18"

Received:

02/20/2024

02/20/2024

Outlet Type:

null

Last Used:

Floor:

09:06:28

null

Room/Location:

null

Prepared: 1105344 02/21/2024

12/31/1899

09:06:28

Report Page 12 of 30

MEG

100/10.03

Analyzed 1105344 02/21/2024

01

KCl Extraction

Black 84.2

grams





ICT1-A

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604

Soil Monitoring 6-18"



Page 9 of 12 Project 1092475

Report Date: 03/06/2024 Printed: 04/02/2025

Received:

02/20/2024

Outlet Type: null

null

Room/Location:

Floor:

null

12/31/1899

15:35:21

03/06/2024

15:35:21 CAL

02/20/2024

As Received to Dry Weight Basis

Calculated

Prepared:

Last Used:

03/06/2024

09:14:09

Analyzed 1105573 02/22/2024

Calculated

09:14:09

SRJ

01

PEV

02

TES

01

JK1

EPA 351.22

Calculation

2274463

TKN Block Digestion 20/1.0060

Prepared: 1105573 02/22/2024

grams

NELAC

EPA 9056

50/5.0

Prepared: 1105743

02/22/2024

15:42:09

14:00:00

08:00:00

Analyzed 1105743 02/22/2024

15:42:09

Water Extract-Ion Chromatography

Mehlich-3 Extraction

Mehlich-3 Extraction

15/1.52

grams

Prepared: 1105477 02/21/2024

Prepared: 1105300 02/22/2024

grams

Analyzed 1105477 02/21/2024

Analyzed 1105300 02/22/2024

14:00:00

08:00:00

Total Solids Start Code

Started

2274464

SM 2540 G-1997

Soil Monitoring 18-30"

Received:

02/20/2024

02/20/2024

Outlet Type:

null

Last Used:

Floor:

null

Room/Location: null

12/31/1899



Report Page 13 of 30

2600 Dudley Rd. Kilgore, Texas 75662

2274464

24 Waterway Avenue, Suite 375 The Woodlands, TX 77380

Office: 903-984-0551 * Fax: 903-984-5914



ICT1-A

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604

Soil Monitoring 18-30"

Page 10 of 12 Project 1092475

Report Date:

03/06/2024 04/02/2025

Printed:

null

02/20/2024 Received:

02/20/2024

Outlet Type: null

null

Room/Location:

Floor:

Last Used:

12/31/1899

	Black 84.2	Prepared:	1105344	02/21/2024	09:06:28	Analyzed	1105344	02/21/2024	09:06:28	MEG
Z	KCl Extraction	100/10.00	gra	ams						01
_	Calculation	Prepared:		03/06/2024	15:35:21	Calculated		03/06/2024	15:35:21	CAL
	As Received to Dry Weight Basis	Calculated								
_	EPA 351.2 2	Prepared:	1105573	02/22/2024	09:14:09	Analyzed	1105573	02/22/2024	09:14:09	SRJ
NELA	TKN Block Digestion 20/1.0220		0/1.0220 grams							01
_	EPA 9056	Prepared:	1105743	02/22/2024	15:42:09	Analyzed	1105743	02/22/2024	15:42:09	PEV
	Water Extract-Ion Chromatography	50/5.0	gra	ams						02
_	Mehlich-3 Extraction	Prepared:	1105477	02/21/2024	14:00:00	Analyzed	1105477	02/21/2024	14:00:00	TES
z	Mehlich-3 Extraction	15/1.55	gra	ams						01
-	SM 2540 G-1997	Prepared:	1105300	02/22/2024	08:00:00	Analyzed	1105300	02/22/2024	08:00:00	JK1

Total Solids Start Code Started NELAC



Report Page 14 of 30



ICT1-A

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604

The Science of Sure

Page 11 of 12 Project 1092475

Report Date: 03/06/2024 Printed: 04/02/2025

2274465 Soil sample/transport 02/20/2024 Received:

02/20/2024

Outlet Type: Floor: null null

Room/Location: Last Used: null 12/31/1899

Prepared: 02/21/2024 10:40:11 Calculated 02/21/2024 10:40:11 CAL

Technician Hourly Rate/\$75 Verified

3.25.3.21

2276775 KCl Extract Blank 02/20/2024 Received:

02/20/2024

Outlet Type: Floor: null null

Room/Location: Last Used: 12/31/1899 null

Black 84.2 Prepared: 1105344 02/21/2024 09:06:28 Analyzed 1105344 02/21/2024 09:06:28 MEG

100/10.06 KCl Extraction 01 grams



Page 12 of 12

Project 1092475

Report Date: 03/06/2024 Printed: 04/02/2025



Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604

Qualifiers:

E - Estimated Value P - Spike recovery outside control limits due to matrix effects.


We report results on an As Received (or Wet) basis unless marked Dry Weight.

Unless otherwise noted, testing was performed at SPL, Inc.- Kilgore laboratory which holds International, Federal, and state accreditations. Please see our Websites for details.

(N)ELAC - Covered in our NELAC scope of accreditation z -- Not covered by our NELAC scope of accreditation

These analytical results relate to the sample tested. This report may NOT be reproduced EXCEPT in FULL without written approval of SPL Kilgore. Unless otherwise specified, these test results meet the requirements of NELAC.

RL is the Reporting Limit (sample specific quantitation limit) and is at or above the Method Detection Limit (MDL). CAS is Chemical Abstract Service number. RL is our Reporting Limit, or Minimum Quantitation Level. The RL takes into account the Instrument Detection Limit (IDL), Method Detection Limit (MDL), and Practical Quantitation Limit (PQL), and any dilutions and/or concentrations performed during sample preparation (EQL). Our analytical result must be above this RL before we report a value in the 'Results' column of our report (without a 'J' flag). Otherwise, we report ND (Not Detected above RL), because the result is "<" (less than) the number in the RL column. MAL is Minimum Analytical Level and is typically from regulatory agencies. Unless we report a result in the result column, or interferences prevent it, we work to have our RL at or below the MAL.



Bill Peery, MS, VP Technical Services



Report Page 16 of 30

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604



Printed 04/02/2025

Analytical Set	1105763									EP	A 351.2 2
				В	lank						
Parameter Parame	PrepSet	Reading	MDL	MQL	Units			File			
Total Kjeldahl Nitrogen	1105573	ND	0.378	1.00	mg/kg			126019974			
				C	CCV						
Parameter		Reading	Known	Units	Recover%	Limits%		File			
Total Kjeldahl Nitrogen		5.38	5.00	mg/kg	108	90.0 - 110		126019973			
Total Kjeldahl Nitrogen		5.46	5.00	mg/kg	109	90.0 - 110		126019981			
Total Kjeldahl Nitrogen		5.46	5.00	mg/kg	109	90.0 - 110		126019982			
				Dup	olicate						
Parameter Parameter	Sample		Result	Unknown	1		Unit		RPD		Limit%
Total Kjeldahl Nitrogen	2274462		1300	1370			mg/kg		5.24		20.0
				ı	CV						
Parameter_		Reading	Known	Units	Recover%	Limits%		File			
Total Kjeldahl Nitrogen		5.35	5.00	mg/kg	107	90.0 - 110		126019972			
				LCS	5 Dup						
Parameter_	PrepSet	LCS	LCSD		Known	Limits%	LCS%	LCSD%	Units	RPD	Limit%
Total Kjeldahl Nitrogen	1105573	98.8	94.1		100	90.0 - 110	98.8	94.1	mg/kg	4.87	20.0
				Mat	. Spike						
Parameter	Sample	Spike	Unknown	Known	Units	Recovery %	Limits %	File			
Total Kjeldahl Nitrogen	2274462	1460	1370	965	mg/kg	9.33	80.0 - 120	126019979		*	
Analytical Set	1106215									EP	A 351.2 2
7 mary dear Sec				В	lank						
Parameter	PrepSet	Reading	MDL	MQL	Units			File			
Total Kjeldahl Nitrogen	1105573	ND	0.378	1.00	mg/kg			126034322			
				(CCV						
Parameter		Reading	Known	Units	Recover%	Limits%		File			
Total Kjeldahl Nitrogen		5.38	5.00	mg/kg	108	90.0 - 110		126034321			
Total Kjeldahl Nitrogen		5.39	5.00	mg/kg	108	90.0 - 110		126034325			
Total Kjeldahl Nitrogen		5.37	5.00	mg/kg	107	90.0 - 110		126034327			
				mg/kg	108	90.0 - 110		126034331			
Total Kjeldahl Nitrogen		5.42	5.00								
		5.42 5.39	5.00		108	90.0 - 110		126034332			
Total Kjeldahl Nitrogen				mg/kg mg/kg		90.0 - 110 90.0 - 110		126034332 126034335			
Total Kjeldahl Nitrogen Total Kjeldahl Nitrogen		5.39	5.00	mg/kg mg/kg	108						
Total Kjeldahl Nitrogen Total Kjeldahl Nitrogen Total Kjeldahl Nitrogen		5.39 5.36	5.00 5.00	mg/kg	108 107	90.0 - 110		126034335			
Total Kjeldahl Nitrogen Total Kjeldahl Nitrogen Total Kjeldahl Nitrogen Total Kjeldahl Nitrogen		5.39 5.36 5.37	5.00 5.00 5.00	mg/kg mg/kg mg/kg	108 107 107	90.0 - 110 90.0 - 110		126034335 126034336			
Total Kjeldahl Nitrogen Total Kjeldahl Nitrogen Total Kjeldahl Nitrogen Total Kjeldahl Nitrogen Total Kjeldahl Nitrogen		5.39 5.36 5.37 5.36	5.00 5.00 5.00 5.00	mg/kg mg/kg mg/kg mg/kg	108 107 107 107	90.0 - 110 90.0 - 110 90.0 - 110		126034335 126034336 126034338			
Total Kjeldahl Nitrogen Total Kjeldahl Nitrogen Total Kjeldahl Nitrogen Total Kjeldahl Nitrogen Total Kjeldahl Nitrogen Total Kjeldahl Nitrogen		5.39 5.36 5.37 5.36 5.36	5.00 5.00 5.00 5.00 5.00	mg/kg mg/kg mg/kg mg/kg mg/kg	108 107 107 107 107	90.0 - 110 90.0 - 110 90.0 - 110 90.0 - 110		126034335 126034336 126034338 126034349			
Total Kjeldahl Nitrogen Total Kjeldahl Nitrogen Total Kjeldahl Nitrogen Total Kjeldahl Nitrogen Total Kjeldahl Nitrogen Total Kjeldahl Nitrogen Total Kjeldahl Nitrogen		5.39 5.36 5.37 5.36 5.36 5.37	5.00 5.00 5.00 5.00 5.00 5.00	mg/kg mg/kg mg/kg mg/kg mg/kg	108 107 107 107 107	90.0 - 110 90.0 - 110 90.0 - 110 90.0 - 110 90.0 - 110		126034335 126034336 126034338 126034349 126034357			
Total Kjeldahl Nitrogen		5.39 5.36 5.37 5.36 5.36 5.37 5.35	5.00 5.00 5.00 5.00 5.00 5.00 5.00	mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg	108 107 107 107 107 107	90.0 - 110 90.0 - 110 90.0 - 110 90.0 - 110 90.0 - 110 90.0 - 110		126034335 126034336 126034338 126034349 126034357 126034365			

Email: Kilgore.ProjectManagement@spllabs.com



Report Page 17 of 30

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604



Printed 04/02/2025

				Dup	licate						
<u>Parameter</u>	Sample		Result	Unknown			Unit		RPD		Limit%
Total Kjeldahl Nitrogen	2274462		1450	1490			mg/kg		2.72		20.0
				I	CV						
<u>Parameter</u>		Reading	Known	Units	Recover%	Limits%		File			
Total Kjeldahl Nitrogen		5.20	5.00	mg/kg	104	90.0 - 110		126034320			
				LCS	Dup						
<u>Parameter</u>	PrepSet	LCS	LCSD		Known	Limits%	LCS%	LCSD%	Units	RPD	Limit%
Total Kjeldahl Nitrogen	1105573	107	109		100	90.0 - 110	107	109	mg/kg	1.85	20.0
				Mat.	Spike						
<u>Parameter</u>	Sample	Spike	Unknown		Units	Recovery %		File			
Total Kjeldahl Nitrogen	2274462	1590	1490	1930	mg/kg	5.18	80.0 - 120	126034340		*	
Analytical Set	1105836								SM254	0 G-19	97 /MOD
				Cont	rolBlk						
<u>Parameter</u>	PrepSet	Reading	MDL	MQL	Units			File			
Total Solids for Dry Wt Conversi	1105836	0.0001			grams			126021760			
				Dup	licate						
<u>Parameter</u>	Sample		Result	Unknown			Unit		RPD		Limit%
Total Solids for Dry Wt Conversi	2273495		81.2	80.5			%		0.866		20.0
Total Solids for Dry Wt Conversi	2273867 2274930		81.8 84.0	82.6 83.9			% %		0.973		20.0
Total Solids for Dry Wt Conversi			04.0	63.9			70		0.119		20.0
Analytical Set	1105924									Е	PA 9056
				Bl	ank						
Parameter											
	PrepSet	Reading	MDL	MQL	Units			File			
Nitrate-Nitrogen	PrepSet 1105743	Reading ND	<i>MDL</i> 0.00185	0.0226	mg/kg			File 126024458			
' 	•			0.0226							
Nitrate-Nitrogen Parameter	•	ND Reading	0.00185 <i>Known</i>	0.0226 <i>Units</i>	mg/kg CV Recover%	Limits%		126024458 File			
Nitrate-Nitrogen Parameter Nitrate-Nitrogen	•	ND Reading 2.29	0.00185 Known 2.26	0.0226 Units mg/kg	mg/kg CV <i>Recover%</i> 101	90.0 - 110		126024458 File 126024457			
Nitrate-Nitrogen Parameter Nitrate-Nitrogen Nitrate-Nitrogen	•	ND Reading 2.29 2.29	0.00185 Known 2.26 2.26	0.0226 Units mg/kg mg/kg	mg/kg CCV Recover% 101 101	90.0 - 110 90.0 - 110		126024458 File 126024457 126024474			
Nitrate-Nitrogen Parameter Nitrate-Nitrogen	•	ND Reading 2.29	0.00185 Known 2.26	0.0226 Units mg/kg mg/kg mg/kg	mg/kg CCV Recover% 101 101	90.0 - 110		126024458 File 126024457			
Nitrate-Nitrogen Parameter Nitrate-Nitrogen Nitrate-Nitrogen Nitrate-Nitrogen	1105743	ND Reading 2.29 2.29 2.28	0.00185 Known 2.26 2.26 2.26	0.0226 Units mg/kg mg/kg mg/kg	mg/kg CCV Recover% 101 101 101 5 Dup	90.0 - 110 90.0 - 110 90.0 - 110	1.00%	File 126024457 126024474 126024483	Unite	<i>pp</i> n	Limit0/
Nitrate-Nitrogen Parameter Nitrate-Nitrogen Nitrate-Nitrogen Nitrate-Nitrogen	1105743 PrepSet	ND Reading 2.29 2.29 2.28 LCS	0.00185 Known 2.26 2.26 2.26 LCSD	0.0226 Units mg/kg mg/kg mg/kg	mg/kg CCV Recover% 101 101 101 5 Dup Known	90.0 - 110 90.0 - 110 90.0 - 110 <i>Limits</i> %	<i>LCS%</i> 101	126024458 File 126024457 126024474 126024483 LCSD%	<i>Units</i> mg/kg	<i>RPD</i> 1.77	<i>Limit%</i> 20.0
Nitrate-Nitrogen Parameter Nitrate-Nitrogen Nitrate-Nitrogen Nitrate-Nitrogen	1105743	ND Reading 2.29 2.29 2.28	0.00185 Known 2.26 2.26 2.26	0.0226 Units mg/kg mg/kg mg/kg	mg/kg CCV Recover% 101 101 101 5 Dup Known 1.13	90.0 - 110 90.0 - 110 90.0 - 110	<i>LCS%</i> 101	File 126024457 126024474 126024483	<i>Units</i> mg/kg	<i>RPD</i> 1.77	<i>Limit%</i> 20.0
Nitrate-Nitrogen Parameter Nitrate-Nitrogen Nitrate-Nitrogen Nitrate-Nitrogen Parameter Nitrate-Nitrogen	PrepSet 1105743	ND Reading 2.29 2.29 2.28 LCS 1.14	0.00185 Known 2.26 2.26 2.26 1.12	0.0226 Units mg/kg mg/kg mg/kg M	mg/kg CCV Recover% 101 101 101 5 Dup Known 1.13	90.0 - 110 90.0 - 110 90.0 - 110 <i>Limits</i> % 75.0 - 120	101	126024458 File 126024457 126024474 126024483 LCSD% 99.1	mg/kg	1.77	20.0
Nitrate-Nitrogen Parameter Nitrate-Nitrogen Nitrate-Nitrogen Nitrate-Nitrogen	1105743 PrepSet	ND Reading 2.29 2.29 2.28 LCS	0.00185 Known 2.26 2.26 2.26 LCSD	0.0226 Units mg/kg mg/kg mg/kg	mg/kg CCV Recover% 101 101 101 5 Dup Known 1.13	90.0 - 110 90.0 - 110 90.0 - 110 <i>Limits</i> %		126024458 File 126024457 126024474 126024483 LCSD%			
Parameter Nitrate-Nitrogen Nitrate-Nitrogen Nitrate-Nitrogen Nitrate-Nitrogen Parameter Nitrate-Nitrogen Parameter Nitrate-Nitrogen	PrepSet 1105743 Sample 2274462	ND Reading 2.29 2.29 2.28 LCS 1.14 MS	0.00185 Known 2.26 2.26 2.26 1.12 MSD	0.0226 Units mg/kg mg/kg mg/kg LCS	mg/kg CCV Recover% 101 101 101 5 Dup Known 1.13 ISD Known	90.0 - 110 90.0 - 110 90.0 - 110 <i>Limits%</i> 75.0 - 120	101 MS%	126024458 File 126024457 126024474 126024483 LCSD% 99.1	mg/kg <i>Units</i>	1.77 <i>RPD</i> 3.84	20.0 <i>Limit%</i> 20.0
Parameter Nitrate-Nitrogen Nitrate-Nitrogen Nitrate-Nitrogen Nitrate-Nitrogen Parameter Nitrate-Nitrogen	PrepSet 1105743 Sample	ND Reading 2.29 2.29 2.28 LCS 1.14 MS	0.00185 Known 2.26 2.26 2.26 1.12 MSD	0.0226 Units mg/kg mg/kg LCS M UNK 0.472	mg/kg CCV Recover% 101 101 101 5 Dup Known 1.13 ISD Known 2.26	90.0 - 110 90.0 - 110 90.0 - 110 <i>Limits%</i> 75.0 - 120	101 MS%	126024458 File 126024457 126024474 126024483 LCSD% 99.1	mg/kg <i>Units</i>	1.77 <i>RPD</i> 3.84	20.0 <i>Limit</i> %
Parameter Nitrate-Nitrogen Nitrate-Nitrogen Nitrate-Nitrogen Nitrate-Nitrogen Parameter Nitrate-Nitrogen Parameter Nitrate-Nitrogen	PrepSet 1105743 Sample 2274462	ND Reading 2.29 2.29 2.28 LCS 1.14 MS	0.00185 Known 2.26 2.26 2.26 1.12 MSD	0.0226 Units mg/kg mg/kg LCS M UNK 0.472	mg/kg CCV Recover% 101 101 101 5 Dup Known 1.13 ISD Known	90.0 - 110 90.0 - 110 90.0 - 110 <i>Limits%</i> 75.0 - 120	101 MS%	126024458 File 126024457 126024474 126024483 LCSD% 99.1	mg/kg <i>Units</i>	1.77 <i>RPD</i> 3.84	20.0 <i>Limit%</i> 20.0

Email: Kilgore.ProjectManagement@spllabs.com



Report Page 18 of 30

QUALITY CONTROL



3

ICT1-A

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604



Printed 04/02/2025

				В	lank					
Parameter	PrepSet	Reading	MDL	MQL	Units			File		
Phosphorus, Mehlich-3 extract	1105477	ND	0.100	0.100	mg/kg			126018040		
				(CCV					
<u>Parameter</u>		Reading	Known	Units	Recover%	Limits%		File		
Phosphorus, Mehlich-3 extract		0.989	1.00	mg/kg	98.9	90.0 - 110		126018021		
Phosphorus, Mehlich-3 extract		0.992	1.00	mg/kg	99.2	90.0 - 110		126018039		
Phosphorus, Mehlich-3 extract		1.01	1.00	mg/kg	101	90.0 - 110		126018044		
Phosphorus, Mehlich-3 extract		1.09	1.00	mg/kg	109	90.0 - 110		126018051		
Duplicate										
<u>Parameter</u>	Sample		Result	Unknow	1		Unit		RPD	Limit%
Phosphorus, Mehlich-3 extract	2272067		15.9	15.3			mg/kg		3.85	20.0
					ICL					
<u>Parameter</u>		Reading	Known	Units	Recover%	Limits%		File		
Phosphorus, Mehlich-3 extract		25.1	25.0	mg/kg	100	95.0 - 105		126018019		
				I	ICV					
<u>Parameter</u>		Reading	Known	Units	Recover%	Limits%		File		
Phosphorus, Mehlich-3 extract		1.03	1.00	mg/kg	103	90.0 - 110		126018020		
Analytical Set	1105828									EPA 6010C
				В	lank					
<u>Parameter</u>	PrepSet	Reading	MDL	MQL	Units			File		
Potassium, Mehlich-3 extract	1105477	ND	0.284	0.500	mg/kg			126021038		
				(CCV					
<u>Parameter</u>		Reading	Known	Units	Recover%	Limits%		File		
Potassium, Mehlich-3 extract		24.6	25.0	mg/kg	98.4	90.0 - 110		126021019		
Potassium, Mehlich-3 extract		23.6	25.0	mg/kg	94.4	90.0 - 110		126021037		
Potassium, Mehlich-3 extract		23.4	25.0	mg/kg	93.6	90.0 - 110		126021046		
Potassium, Mehlich-3 extract		24.3	25.0	mg/kg	97.2	90.0 - 110		126021049		
				Dup	olicate					
<u>Parameter</u>	Sample		Result	Unknow	1		Unit		RPD	Limit%
Potassium, Mehlich-3 extract	2272067		621	579			mg/kg		7.00	20.0
					ICL					
<u>Parameter</u>		Reading	Known	Units	Recover%	Limits%		File		
Potassium, Mehlich-3 extract		48.1	50.0	mg/kg	96.2	95.0 - 105		126021013		
				I	ICV					
<u>Parameter</u>		Reading	Known	Units	Recover%	Limits%		File		
Potassium, Mehlich-3 extract		24.6	25.0	mg/kg	98.4	90.0 - 110		126021017		

Analytical Set 1106310 EPA 9050

Email: Kilgore. Project Management@spllabs.com



Report Page 19 of 30

QUALITY CONTROL



Page 4 of 4



Printed 04/02/2025

ICT1-A

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604

AWRL/LOQ C

				, <u>-</u> ,						
<u>Parameter</u>		Reading	Known	Units	Recover%	Limits%		File		
Conductivity (soluble) (2:1)		1.06	1.03	umhos/cm	103	70.0 - 130		126036465		
				Bla	ınk					
Parameter Parameter	PrepSet	Reading	MDL	MQL	Units			File		
Conductivity (soluble) (2:1)	1106310	0.798			umhos/cm			126036461		
				Dupl	icate					
<u>Parameter</u>	Sample		Result	Unknown			Unit		RPD	Limit%
Conductivity (soluble) (2:1)	2273527		165	165			umhos/cm		0	20.0
				IC	.V					
Parameter_		Reading	Known	Units	Recover%	Limits%		File		
Conductivity (soluble) (2:1)		13600	12900	umhos/cm	105	90.0 - 110		126036464		
				Stan	dard					
Parameter Parame	Sample	Reading	Known	Units	Recover%	Limits%		File		
Conductivity (soluble) (2:1)	1106310	1420	1410	umhos/cm	101	90.0 - 110		126036462		
Conductivity (soluble) (2:1)	1106310	100	100	umhos/cm	100	90.0 - 110		126036463		
Conductivity (soluble) (2:1)	1106310	1410	1410	umhos/cm	100	90.0 - 110		126036477		
Analytical Set	1106311									EPA 9045D 4
,				Dupl	icate					
Parameter	Sample		Result	Unknown			Unit		RPD	Limit%
pH Measured in Water/2:1 water:s	2273527		5.00	5.00			SU		0	20.0
				Stan	dard					
Parameter Parame	Sample	Reading	Known	Units	Recover%	Limits%		File		
pH Measured in Water/2:1 water:s	1106311	7.01	7.00	SU	100	90.0 - 110		126036478		
pH Measured in Water/2:1 water:s	1106311	4.00	4.00	SU	100	90.0 - 110		126036479		
pH Measured in Water/2:1 water:s	1106311	9.99	10.0	SU	99.9	90.0 - 110		126036480		
pH Measured in Water/2:1 water:s	1106311	5.97	6.00	SU	99.5	90.0 - 110		126036481		
pH Measured in Water/2:1 water:s	1106311	7.95	8.00	SU	99.4	90.0 - 110		126036482		
pH Measured in Water/2:1 water:s	1106311	5.99	6.00	SU	99.8	90.0 - 110		126036494		
pH Measured in Water/2:1 water:s	1106311	7.95	8.00	SU	99.4	90.0 - 110		126036495		

^{*} Out RPD is Relative Percent Difference: abs(r1-r2) / mean(r1,r2) * 100%

Recover% is Recovery Percent: result / known * 100%

Blank - Method Blank (reagent water or other blank matrices that contains all reagents except standard(s) and is processed simultaneously with and under the same conditions as samples; carried through preparation and analytical procedures exactly like a sample; monitors); CCV - Continuing Calibration Verification (same standard conditions).

used to prepare the curve; typically a mid-range concentration; verifies the continued validity of the calibration curve); ICV - Initial Calibration Verification; LCS Dup Laboratory Control Sample Duplicate (replicate LCS; analyzed when there is insufficient sample for duplicate or MSD; quantifies accuracy and precision.); MSD - Matrix
Spike Duplicate (replicate of the matrix spike; same solution and amount of target analyte added to the MS is added to a third aliquot of sample; quantifies matrix bias and
precision.); AWRL/LOQ C - Ambient Water Reporting Limit/LOQ Check Std

Email: Kilgore.ProjectManagement@spllabs.com



Report Page 20 of 30

Page 1 of 2

2600 Dudley Rd. Kilgore, Texas 75662 24 Waterway Avenue, Suite 375 The Woodlands, TX 77380 Office: 903-984-0551 * Fax: 903-984-5914



SUBCONTRACT CHAIN OF CUSTODY

Pace Analytical Dallas 400 West Bethany Drive Suite 190 Allen, TX 75013

ICT1-A 104

214/356-7412 Phone **PACU** PO Number TAT

02/29/2024

Soil Monitoring 0-6"

Sampler Printed Name Cien			:	
Sampler Affiliation			:	
Sampler Signature				
· U	es Contains Dioxin	? Samples	Biological Hazard?	
1 Glass 8 oz w/Teflon lined NELAC Subcontract !N3K Nitrate-nitr	l lid rogen SUB(KCl Pre	p) El	PA 353.3 CAS:PACU (28.0 da	ys)
Ana-Lab # Sample ID	* Bottles *		* * * Notes * * * * * *	******
2274462	(2/20/24 100	0	
1 463		10		
1 464		1 103	30	
2276775 Blank				

Ambient Conditions/Comments



Corporate: 2600 Dudley Road Kilgore TX 75662



2600 Dudley Rd. Kilgore, Texas 75662 24 Waterway Avenue, Suite 375 The Woodlands, TX 77380 Office: 903-984-0551 * Fax: 903-984-5914

SUBCONTRACT CHAIN OF CUSTODY

SPL The Science of Sure

02/29/2024

Page 2 of 2

Pace Analytical Dallas 400 West Bethany Drive Suite 190 Allen, TX 75013

ICT1-A 104

Phone

214/356-7412

PACU

Soil Monitoring 0-6"

				<u> </u>	
Date	Time	Relinquis	shed	Receive	1
2/		Printed Name Ka l	Affiliation thy Tarver SPL, Inc.	Printed Name	Affiliation
124	1500	Signature		Signature	
		Printed Name	Affiliation	Printed Name	Affiliation
		Signature		Signature	
		Printed Name	Affiliation	Printed Name	Affiliation
		Signature		Signature	
		Printed Name	Affiliation	Printed Name	Affiliation
		Signature		Signature	

Sample Recieved on Ice?	Yes	No	Method of Shipment:	UPS	Bus	FedEx	Lone Star	Hand Delivered	Other
Cooler/Sample Secure?	Yes	No	If Shipped: Tracking Number	& Temp - 5	See Attache	ed	Hand Deliv	vered to Region []	

The accredited column designates accreditation by A - A2LA, N - NELAC, or z - not listed under scope of accreditation. Unless otherwise specified, ANA-LAB shall provide these ordered services pursuant to our Standard Terms & Conditions Agreement (available for download from the welcome page at http://www.ana-lab.com). Ana-Lab personnel collect samples as specified by Ana-Lab SOP #000323.

Comments

Please send acknowledgements and reports to projectmanager@ana-lab.com. Please send invoices to projectmanager@ana-lab.com & ar@ana-lab.com



Corporate: 2600 Dudley Road Kilgore TX 75662



1092475 CoC Print Group 001 of 001

2600 Dudley Rd. Kilgore, Texas 75662 24 Waterway Avenue, Suite 375 The Woodlands, TX 77380 Office: 903-984-0551 * Fax: 903-984-5914



COC REPORTING LIMITS

Page 1 of 1

			(ug/kg)			
<u>Test</u> <u>Name</u>		MDL MQL	Target/MAL			Method
104 Soil M	onitoring 0-6"		Solid & Chemical Materia	ls		
TRRP GW & Soil (ing) - Residential 0.5 Ac	re 03-04-16					
!N3K Nitrate-nitrogen SUB(KCl	Prep)				EPA 353	3.3 CAS:PACU

Achievable reporting limits may vary with dilutions in accord with the sample matrix and listed method requirements

MQL is the Method Quantitation Limit and corresponds to a low standard SDL is Sample Detection Limit and is the adjusted MDL (sample specific dilutions, dry weight) MAL is minimum analytical limit and is the selected target limit


COC is Chain of Custody
MDL is Method Detection Limit (40 CFR 136 Appendix B)
ug/L is micrograms per liter

Corporate: 2600 Dudley Road Kilgore TX 75662 Page 23 of 30

Form rptCOCLimitsN Created 12/16/2019 v1.0

1092475 CoC Print Group 001 of 001

2600 Dudley Rd. Kilgore, Tesms 35662 34 Waterway Avenne, Suite 335 The Woodhards, 1X 77380 Office: 903-984-0551 * Fax: 903-984-5914



CHAIN OF CUSTODY

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604 ICT1-A 104

Printed	01/30/2024	Page 1 of 2
Lab Number _	227446	:2
PO Number		
Phone		214/356/7413

Hand Delivered by Client to Region or LAH

Soil Monitoring 0-6"

atrix: Solid & Chemi	.cal Ma	aterials			
Sample Collection Start					
Date: 1:20-24 T	imc: <u>10</u>	00			
Sampler Printed Name:	عمصه	han			
Sampler Affiliation: SPL					
Sampler Signature:	- 4 -				
Sample	s Radioact	ive? Samples Contains Dio	oxin?	Samples Biological Hazard?	
1 Gla	ss Qt w	Teflon lined lid			
	*Kn	Porassium, Mohlich-3 extract		EPA 6010B CAS:?440-09-7 (180 days)	
	*Mi³e	Mehlich-3 Extraction		Mehlich-3 Extraction (180 days)	
	*Pm	Phosphorus, Mehlich-3 extract	1	EPA 6010B (180 days)	
l Gla	ss 8 oz	w/Teflon lined lid			
MFAC Subcontract	!N3K	Nitrate-nitrogen SUB(KCI Prep)		EPA 353.3 CAS:PACU (28.0 days)	
1 Gla	ss 4 oz	w/Teflon lined lid			
	*KCL	KCl Extraction	1	Black 84.2 (180 days)	
NiLAt	CONZ	Conductivity (soluble) (2:1)	I	EPA 9050 CAS:CONDSOL2:1 (180 days)	
M/Admin	N3KS	Nitrate-Nitrogen (KCI Extract)		EPA 9056 CAS:14797-55-8 (28.0 days)	
V// fc'	pHLZ	pH Measured in Water/2:1 water:s	ı	EPA 9045D 4 CAS:12408-02-5 (180 days)	
N244C	TKN	Total Kjeldahl Nitrogen	ļ	EPA 351.2.2 CAS:7727-37-9 (28.0 days)	
N/X4t+	TS%	Total Solids for Dry Wt Conversi	1	SM2540 G-1997 /MOD	
0 Z	No bo	ttle required			
	ARDW	As Received to Dry Weight Basis	•	Calculation	
Subcontract	S50	SUB Shipped			

Page 2 of 2

1092475 CoC Print Group 001 of 001

2600 Dudley Rd. Kilgore, Texas 75662

24 Waterway Avenue, Suite 375 The Woodlands, TX 77580

Office: 903-984-0551 * Fax: 903-984-5914



Printed 01/30/2024

CHAIN OF CUSTODY

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604 ICT1-A 104

SKL

Sub Hold: PM Attn

MEAR

TNit

Total Nitrogen (as N)

Calculation (28.0 days)

Ambient Conditions Comments

Date	Time	Relinquished		Received				
		Printed Name Ben Worsham - SPL, Inc.	ilbadoo Printed Name	Athlistica McCabe Wheeler SPL, Inc.				
7. 20-th	(¢ 00	Signature	Signature MC(2)	Sumano MCCABEW				
		Printed Name .16	Ristion Printed Nance	Millation				
		Signature	Signance					
		Princed Vanic Al.	illation Princed Name	4 Minitari				
		Signatur	Signature					
		Printed Name A7	Histon Printed Name	A Pillution				
		Signature	Signature	· · · · · · · · · · · · · · · · · · ·				


Sample Received on Ice? Cooler/Sample Secure?

Yes	Π	A
Yes	П	À,

If Shipped: Tracking Number & Temp - See Attached

The accredited column designates accreditation by A = A2LA, N = NFLAC, or 2 - not based ander scope of accreditation. Unless otherwise specified, ANA-LAB shall pure she these othered services pursuant to our Stangard Terms & Conditions Agreement Aveilable for download from the welcome page at 8-http? www.axa-lab com 92 Anti-Lab personnel collect samples as specified by Ana-Lab SOP 4000223.

Comments



02/20/2024 1759 MMV

Temp: 2.2 / 2.2 C

Therm#: 6205 Corr Fact: 0.0 C



Corporate: 2600 Dudley Road Kilgord Report Page 25 of 30

1092475 CoC Print Group 001 of 001

2600 Dudky Rd. Kilgore, Tevas 75662 24 Waterway Avenue, Suite 375 The Woodlands, TX 77580 Office: 903-984-0551 * Fax: 903-984-5914



CHAIN OF CUSTODY

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604 ICT1-A 105

	Thy Sek	may of Soft
Printed	01/30/2024	Page 1 of 2
Lab Number _	22741	163
PO Number		
Phone		214/356-7412

Hand Delivered by Client to Region or LAB

Soil Monitoring 6-18"

Sample Collection Start				
Date: 2 - 20 - 24	Time:	N. C.		
Sampler Printed Name:	u war	sha		
Sampler Affiliation: 5PC	·	-		
Sampler Signature:	. 4		_	
Samı	oles Radioaci	ive?	Samples Contains Dioxin?	Samples Biological Hazard?
1 G	lass Qt w	/Teflon lin	ed lid	
	*Kn	Potassium, Mo	ehlich-3 extract	EPA 6010B CAS-7440-09-7 (180 days)
	*MPe	Mehlich-3 Ext	raction	Mehlich-3 Extraction (180 days)
	*Pm	Phosphonis, N	Mehlich-3 extract	EPA 6010B (180 days)
T G	lass 8 oz	w/Teflon l	ined lid	
MAC Subcontract	!N3K		en SUB(KCl Prep)	EPA 353.3 CAS:PACU (28.0 days)
	lass 4 nz	w/Teflon l	ined lid	
	•KCL	KCl Extraction		Black 84,2 (180 days)
NELAC*	CONZ		 (saluble) (2:1)	EPA 9050 CAS:CONDSOL2:1 (180 days)
VHAC	N3KS	•	, ,,	•
Wat			en (KC) Extract)	EPA 9056 CAS-14797-55-8 (28.0 days)
	pHLZ	•	in Water/2:1 water:s	EPA 9045D 4 CAS: 12408-02-5 (180 days)
MIAC	TKN	Total Kjeldab	-	EPA 351.2.2 CAS:7727-37-9 (28.0 days)
MPLAC	TS%	Total Solids f	or Dry Wt Conversi	SM2540 G-1997 /MOD
0 Z	No bo	ttle require	d	
	ARDW	As Received t	o Dry Weight Basis	Calculation
Subcontract	850	SUB Shipped		

Page 2 of 2

1092475 CoC Print Group 001 of 001

2600 Dudley Rd., Kilgore, Texas, 75662

24 Waterway Avenue, Suite 375 The Woodlands, TX 77380

Office: 903-984-0551 * Fax: 903-984-5914



Printed 01/30/2024

CHAIN OF CUSTODY

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604 ICT1-A 105

SKL Sub Hold: PM Attn

N/LAC Total Nitrogen (as N)

Calculation (28.0 days)

Ambient Conditions Comments

7. 20 - 24	Time	Rel	inquished	Rec	eived	
			Printed Name Ben Wore	Affiliation hem - SPL, Inc.	Printed Name McCal	Attiliation be Wheeler SPL, Inc.
	[60	Signature 3		Signature MCC960		
	1	Printed Name	Athhanop	Printed Name	Altiliation	
		Signature		Signature		
	 	Printed Nume	4 Hillation	Printed Name	4/Ediation	
		Signature		Signature		
	<u> </u>	Printed Name	Allikation	Printed Name	Aftiliation	
		Signmore		Signature		

Sample Received on Ice?	II Pes	[] No	
Cooler/Sample Secure?	Triv	10	If Shipped: Trucking Number & Temp - See Attached

The accredited column designates are reduction by A = ACLA, N = NLLAC, are - nor list of trader scope affected with the sentence between the specified. ANA LAB shall provide these endered services pursuant to our Standard Terms & Conditions Agreement (available for described from the welcome page at ~ http://www.ann.lab.com^s.tandard.personnel collect samples as specified by Ann-Lab SOP #000221.

Comments

02/20/2024 1759 MMV

Temp: 2.2 / 2.2 C

Therm#: 6205 Corr Fact: 0.0 C

1092475 CoC Print Group 001 of 001

2600 Dudley Rd. Kilgore, Tevss 75662 24 Waterway Avenue, Suite 375 The Woodlands, TX 77380 Office: 903-984-0551 * Fax: 903-984-5914



CHAIN OF CUSTODY

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604 ICT1-A 106

	01.30/2024	Page 1 of 2
Lab Number _	22746	164
PO Number _	<u> </u>	
Phone		214:356-7412

Hand Delivered by Client to Region or LAB

Soil Monitoring 18-30"

Sample Collection Start				
Date: 2 - 20 - 24	Time;	030		
Sampler Printed Name:	Ben War	<u>, L.</u>		
Sampler Affiliation: S _f	pc			
Sampler Signature;	<u>_ w</u>			
S	amples Radioact	ive? Sample	s Contains Dioxin?	Samples Biological Hazard?
	Glass Qt w	Teflon lined lid		
	*Kn	Potassium, Mehlich-3 ex	lraci	EPA 6010B CAS:7440-09-7 (180 days)
	*MPe	Mehlich-3 Extraction		Mehlich-3 Extraction (180 days)
	*Pm	Phosphorus, Mehlich-3 e	xtract	EPA 6010B (180 days)
1	Glass 8 oz	w/Teflon lined lid	<u> </u>	
M/ 4C Subcontract	!N3K	Nitrate-nitrogen SUB(K)	Il Prepi	EPA 353.3 CAS:PACU (28.0 days)
1	Glass 4 oz	w/Teflon lined lic	1	
	*KCL	KCl Extraction		Black 84.2 (180 days)
		Conductivity (soluble) (2	61)	THE PROPERTY CONTROL TO LAND Asset
NETAC:	CONZ	considering (mount)	,	EPA 9050 CAS:CONDSOL2:1 (180 days)
NELAC MELAC	CONZ N3K8	Nitrate-Nitrogen (KCLE	•	EPA 9056 CAS:14797-55-8 (28.0 days)
		•	ktract)	· ·
MF 4C	N3K8	Nitrate-Nitrogen (KCTE	ktract)	EPA 9056 CAS:14797-55-8 (28.0 days)
METAC NETAC	N3KS pHL2	Nitrate-Nitrogen (KCI E pH Measured in Water/2	stract)	EPA 9056 CAS:14797-55-8 (28.0 days) EPA 9045D 4 CAS:12408-02-5 (180 days)
MEAC NEAC MEAC MEAC	N3KS pHLZ TKN TS%	Nitrate-Nitrogen (KCI E pH Measured in Water/2 Total Kjeldahl Nitrogen	stract)	EPA 9056 CAS:14797-55-8 (28.0 days) EPA 9045D 4 CAS:12408-02-5 (180 days) EPA 351.2 2 CAS:7727-37-9 (28.0 days)
MEAC NEAC MEAC MEAC	N3KS pHLZ TKN TS%	Nitrate-Nitrogen (KCI E pH Measured in Water/2 Total Kjeldahl Nitrogen Total Solids for Dry Wi	ktract) :1 wateris Conversi	EPA 9056 CAS:14797-55-8 (28.0 days) EPA 9045D 4 CAS:12408-02-5 (180 days) EPA 351.2 2 CAS:7727-37-9 (28.0 days)

Page 2 of 2

1092475 CoC Print Group 001 of 001

2600 Dudley Rd. Kilgore, Texas 75662

24 Waterway Avenue, Suite 375 The Woodlands, TV 77380

Office, 903-984-0551 * Fax: 903-984-5914



Printed 01/30/2024

CHAIN OF CUSTODY

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604 ICT1-A 106

SKI. Sub Hold: PM Attn.

VELAC TNit Total Nitrogen (as N)

Calculation (28.0 days)

Ambient Conditions Comments

Date 2 · 30 · 24	Time Refinguished		Received		
		Printed Name Ron Weesha	Alfillation eo SPL toc.	Printed Name Mo	Athitianos Çabe Wheeler SPL, Inc.
	[640	Signature		Signamo ~ Clafo	
		Printed Name	Altilation	Pented Name	Affiliation
		Signature		Signature	
		Printed Name	4 (triatus;	Printed Name	4/Olistion
		Signature		Signature	
		Printed Name	A Dilinsion	Primed Same	A Philiainn
		Signature		Signature	

Sample Received on Ice
Cooler/Sample Secure?

1)	(o	П	١,
,	c×.	Н	V

If Shipped: Tracking Number & Temp - See Attached

The accredited column designates accreditation by A × A21 A, N × NT M × or x × not listed under scope of accreditation. Unless otherwise specified: ANA-LAB shall provide these independence vices pursuant to our Sundard Terms & Conditions Agreement (available for download from the welcome page at shifted www.una-lab com* > Ana-Lab personnel collect samples as specified by Ana-Lab SOP #000323.

Comments


02/20/2024 1759 MMV

Temp: 2.2 / 2.2 C

Therm#: 6205 Corr Fact: 0.0 C

1092475 CoC Print Group 001 of 001

2600 Dudley Rd. Kilgore, Texas 75662 24 Waterway Avenue, Suite 375 The Woodlands, 2X 77380 Office: 903-984-0551 * Fax: 903-984-5914



CHAIN OF CUSTODY

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604

ICT1-A 110

Printed	01/30/2024	Page 1 of 1
Lah Number	22744	69
PO Number _		
Phone		314-356-7412

Hand Delivered by Client to Region or LAB

Soil sample/transport

ample Collection Start		
Date: 2 - 20 - 64 Time: 103		
ampler Printed Name: Bea as	o rola	
ampler Affiliation: SPC		
ampler Signature:		
Samples Radioacti	ve? Samples Contains Dioxin?	Samples Biological Hazard?

TR75 Technician Hourly Rate/\$75 Ambient Conditions/Comments

Date	Time	Reli	nquished	Rec	eived
		Printed Name Bon Woo	sham - SPL, inc.	Printed Nume	Affiliation
7,20.24	1650	Signature 3	tea Je-	Signifun	
		Printed Name	Aftiliation	Primed Name	Attibusian
ŀ		Signature		Signature	
		Panted Name	Atidiation	Princed Name	Affibation
		Signature		Signature	
		Printed Name	Athington	Printed Name	Affiliation
		Signature		Signature	

Sample Received on Ice?			
Cooler/Sample Secure?] Yes	$\prod No$	If Shipped: Trucking Number & Temp - See Attached

The necretited calamit designates accreditation by A + 82LA, N + NETAC , or z + not disect under scope of accreditation. Unless otherwise specified, ANA+LAB shall provide these ordered services paissant to our Standard Terms & Condition Agreement (available for download from the welcome page at +-http://www.snu-lab.com/+). Ana-Lab personnel collect samples as specified by Ana-Lab SOP #00023.

Comments

LDSC/feat v.2.34 3.30





SAMPLE CROSS REFERENCE



Printed

4/25/2025

Page 1 of 1

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604

Sample	Sample ID	Taken	Time	Received
2399569	WW Permit	04/15/2025	10:55:00	04/15/2025

Bottle 01 Na2S2O3 (0.008%) Polystyrene-100 mL Sterilized

Bottle 02 Na2S2O3 (0.008%) Polystyrene-100 mL Sterilized

Bottle 03 Polyethylene 1/2 gal (White)

Bottle 04 Polyethylene Quart

Bottle 05 16 oz HNO3 Metals Plastic

Bottle 06 8 oz Plastic H2SO4 pH < 2

Bottle 07 H2SO4 to pH <2 Glass Qt w/Teflon lined lid

Bottle 08 H2SO4 to pH <2 Glass Qt w/Teflon lined lid

Bottle 09 BOD Titration Beaker A (Batch 1170507) Volume: 100.00000 mL <== Derived from 03 (100 ml)

Bottle~10~BOD~Analytical~Beaker~B~(Batch~1170507)~Volume:~100.00000~mL <== Derived~from~03~(~100~ml~)

Bottle 11 BOD Titration Beaker A (Batch 1170507) Volume: 100.00000 mL \leq Derived from 03 (100 ml)

Bottle 12 BOD Analytical Beaker B (Batch 1170507) Volume: 100.00000 mL <= Derived from 03 (100 ml)

Bottle 13 Prepared Bottle: ICP Preparation for Metals (Batch 1170528) Volume: 50.00000 mL <= Derived from 05 (50 ml) Bottle 14 Prepared Bottle: TKN TRAACS Autosampler Vial (Batch 1170588) Volume: 20.00000 mL <= Derived from 06 (20 ml)

Bottle 15 Prepared Bottle: NH3N TRAACS Autosampler Vial (Batch 1170631) Volume: 6.00000 mL <== Derived from 06 (6 ml)

Method	Bottle	PrepSet	Preparation	QcGroup	Analytical
EPA 300.0 2.1	04	1170902	04/16/2025	1170902	04/16/2025
EPA 200.8 5.4	13	1170528	04/16/2025	1170836	04/16/2025
SM 2320 B-2011	03	1171334	04/21/2025	1171334	04/21/2025
SM 5210 B-2016 (TCMP Inhibitor)	03	1170507	04/21/2025	1170507	04/21/2025
SM 2510 B-2011	04	1170817	04/16/2025	1170817	04/16/2025
SM 4500-Cl G-2011		1170461	04/15/2025	1170461	04/15/2025
SM 4500-O G-2016		1170462	04/15/2025	1170462	04/15/2025
EPA 1664B (HEM)	08	1171453	04/22/2025	1171453	04/22/2025
SM 9223 B (Colilert-18 QT)-2016	01	1170481	04/16/2025	1170481	04/16/2025
SM 9223 B (Colilert-18 QT)-2016	01	1170480	04/16/2025	1170480	04/16/2025
EPA 350.1 2	15	1170631	04/16/2025	1170923	04/17/2025
SM 2540 C-2015	04	1171899	04/22/2025	1171899	04/22/2025
EPA 351.2 2	14	1170588	04/16/2025	1171872	04/24/2025
SM 4500-P E-2011	06	1171113	04/21/2025	1171113	04/21/2025
SM 2540 D-2015	03	1171127	04/17/2025	1171127	04/17/2025
SM 4500-H+ B-2011		1170463	04/15/2025	1170463	04/15/2025

Email: Kilgore.ProjectManagement@spllabs.com

Report Page 1 of 19



Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604



Printed: 04/25/2025

RESULTS

				Sample R	esults						
N	2399569 Ion-Potable Wat	WW Permit	Collected by: RRF Taken: 04/15/2025	SPL Kilgor 10:	re 55:00			PO:	Received:	04/15	5/2025
	EPA 1664B (HE	M)	Prepared:	1171453 0	04/22/2025	07:26:00	Analyzed	1171453	04/22/2025	07:26:00	
NELAC	Parameter Oil and Great	se (HEM)	Results 5.23	Units mg/L			Flags		CAS		Bottle 08
Е	EPA 200.8 5.4		Prepared:	1170528 0)4/16/2025	06:00:00	Analyzed I	1170836	04/16/2025	14:59:00	ESG
NELAC	Parameter Aluminum, T	Total	Results 0.0437	Units mg/L			Flags		CAS 7429-90-5		Bottle 13
Е	EPA 300.0 2.1		Prepared:	1170902 0	04/16/2025	13:40:00	Analyzed I	1170902	04/16/2025	13:40:00	KRA
NELAC NELAC NELAC NELAC	Parameter Chloride Fluoride Nitrate-Nitro Sulfate	gen Total	Results 63.9 0.54 1.62 103	Units mg/L mg/L mg/L	3.00 0.5 0.226		Flags		CAS 14797-55-8		94 04 04 04 04
Е	EPA 350.1 2		Prepared:	1170631 0	04/16/2025	12:15:26	Analyzed I	1170923	04/17/2025	12:49:00	AMI
NELAC	Parameter Ammonia Ni	trogen	Results 5.27	Units mg/L			Flags		CAS		Bottle 15
Е	EPA 351.2 2		Prepared:	1170588 0	04/16/2025	10:18:41	Analyzed I	1171872	04/24/2025	15:04:00	AME
NELAC	Parameter Total Kjeldal	nl Nitrogen	Results 29.1	Units mg/L			Flags		CAS 7727-37-9		Bottle 14
S	M 2320 B-2011	,	Prepared:	1171334 0)4/21/2025	13:36:00	Analyzed I	1171334	04/21/2025	13:36:00	TRC
NELAC	Parameter Total Alkalin	uity (as CaCO3)	Results 211	Units mg/L			Flags		CAS		Bottle 03



Report Page 2 of 19



Individual Care of Texas **Sandy Peterson** P.O. Box 3395 Abilene, TX 79604



Printed: 04/25/2025

2399569 WW Permit 04/15/2025 Received:

Non-Potable Water	Collecte	ed by: RRF	SPL Kil	gore				PO:			
	Taken:	04/15/2025		10:55	5:00						
SM 2510 B-2011		Prepared:	1170817	04/	/16/2025	05:30:00	Analyzed	1170817	04/16/2025	05:30:00	JMJ
		Results	U	nits	RL		Flag	S	CAS		Bottle
NELAC Lab Spec. Conductance at 25 C		858	ur m	nhos/	'c						04
SM 2540 C-2015		Prepared:	1171899	04/	/22/2025	07:15:00	Analyzed	1171899	04/22/2025	07:15:00	JMB
		Results	U	nits	RL		Flags	S	CAS		Bottle
NELAC Total Dissolved Solids		470	m	g/L	50.0						04
SM 2540 D-2015		Prepared:	1171127	04/	/17/2025	06:43:00	Analyzed	1171127	04/17/2025	06:43:00	LSM
Parameter		Results	U	nits	RL		Flag	S	CAS		Bottle
NELAC Total Suspended Solids		16.2	m	g/L	4.00						03
SM 4500-Cl G-2011		Prepared:	1170461	04/	/15/2025	11:00:00	Analyzed	1170461	04/15/2025	11:00:00	RRF
Parameter		Results	U.	nits	RL		Flag	S	CAS		Bottle
NELAC Cl2 Res.,Total(Onsite)Spec Mid [RL mg/L]	0.05	0.04	m	g/L	0.05						
SM 4500-H+ B-2011		Prepared:	1170463	04/	/15/2025	11:00:00	Analyzed	1170463	04/15/2025	11:00:00	RRF
		Results	U	nits	RL		Flags	S	CAS		Bottle
NELAC pH (Onsite)		7.5	SI	IJ							
SM 4500-O G-2016		Prepared:	1170462	04/	/15/2025	11:00:00	Analyzed	1170462	04/15/2025	11:00:00	RRF
		Results	U	nits	RL		Flags	S	CAS		Bottle
NELAC Dissolved Oxygen Onsite		1.9	m	g/L	1.0						
SM 4500-P E-2011		Prepared:	1171113	04/	/21/2025	07:45:00	Analyzed	1171113	04/21/2025	07:45:00	ANC
Parameter		Results	U	nits	RL		Flag	S	CAS		Bottle
NELAC Phosphorus (as P), total		4.96	m	g/L	0.600				7723-14-0		06



Report Page 3 of 19



Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604



Printed: 04/25/2025

							Printed:	04/2	25/2025	
N	2399569 Son-Potable Wa	WW Permit	Collected by: RRF Taken: 04/15/2025	SPL Kilş	gore 10:55:00		PO:	Received:	04/15	5/2025
S	M 5210 B-201	6 (TCMP Inhibitor)	Prepared:	1170507	04/16/2025		Analyzed 1170507	04/21/2025	13:17:17	JW1
NELAC	Parameter BOD Carbon	naceous	Results 19.6	Ui mį	nits RL 2/L 2.00		Flags	CAS		Bottle 03
S	M 9223 B (Co	lilert-18 QT)-2016	Prepared:	1170480	04/16/2025	11:24:00	Analyzed 1170480	04/16/2025	11:24:00	MDN
NELAC	Parameter MPN, Total	Coliform, Non-Pot	<i>Results</i> >2419.6		nits RL PN/10 1.00 nL		Flags	CAS		Bottle 01
S	М 9223 В (Сол	lilert-18 QT)-2016	Prepared:	1170481	04/16/2025	11:24:00	Analyzed 1170481	04/16/2025	11:24:00	MDN
NELAC	Parameter MPN, E.coli	i, Col18 - Non-Pot	Results >2419.6		nits RL PN/10 1.00 nL		Flags	CAS		Bottle 01
			S	Sample Pr	reparation					
	2399569	WW Permit						Received:	04/15	5/2025
			04/15/2025							
			Prepared:		04/15/2025	16:47:40	Calculated	04/15/2025	16:47:40	CAL
z	Enviro Fee ((per Sampling Group)	Verified							
Е	PA 1664B (HE	EM)	Prepared:	1171220	04/22/2025	07:26:00	Analyzed 1171220	04/22/2025	07:26:00	MA)
NELAC	O&G HEM	Started	Started							
Е	PA 200.2 2.8		Prepared:	1170528	04/16/2025	06:00:00	Analyzed 1170528	04/16/2025	06:00:00	HLT



Report Page 4 of 19



Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604



Printed:

04/25/2025

2399569 WW Permit

Received:

04/15/2025

04/15/2025

i	EPA 200.2 2.8	Prepared:	1170528	04/16/2025	06:00:00	Analyzed	1170528	04/16/2025	06:00:00	HLT
Z	Liquid Metals Digestion	50/50	m	l						05
1	EPA 350.1, Rev. 2.0	Prepared:	1170631	04/16/2025	12:15:26	Analyzed	1170631	04/16/2025	12:15:26	MEG
NELAC	Ammonia Distillation	6/6	m	l						06
ı	EPA 351.2, Rev 2.0	Prepared:	1170588	04/16/2025	10:18:41	Analyzed	1170588	04/16/2025	10:18:41	MEG
NELAC	TKN Block Digestion	20/20	m	l						06
A	SM 2540 C-2015	Prepared:	1171188	04/22/2025	07:15:00	Analyzed	1171188	04/22/2025	07:15:00	JMB
NELAC	Total Dissolved Solids Started	Started								
	SM 2540 D-2011	Prepared:	1170641	04/17/2025	06:43:00	Analyzed	1170641	04/17/2025	06:43:00	LSM
NELAC	TSS Set Started	Started								
	SM 5210 B-2016 (TCMP Inhibitor)	Prepared:	1170507	04/16/2025		Analyzed	1170507	04/16/2025	06:18:32	JW1
NELAC	BODc Set Started	Started								
	SM 9223 B (Colilert-18 QT)-2016	Prepared:	1170478	04/15/2025	16:31:00	Analyzed	1170478	04/15/2025	16:31:00	MDM
NELAC	MPN (Colilert-18) Start Non-Pot	STARTED								01



Report Page 5 of 19

Office: 903-984-0551 * Fax: 903-984-5914



Page 5 of 5



Printed: 04/25/2025

ICT1-A

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604

Qualifiers:


We report results on an As Received (or Wet) basis unless marked Dry Weight.

Unless otherwise noted, testing was performed at SPL, Inc.- Kilgore laboratory which holds International, Federal, and state accreditations. Please see our Websites for details.

(N)ELAC - Covered in our NELAC scope of accreditation z -- Not covered by our NELAC scope of accreditation

These analytical results relate to the sample tested. This report may NOT be reproduced EXCEPT in FULL without written approval of SPL Kilgore. Unless otherwise specified, these test results meet the requirements of NELAC.

RL is the Reporting Limit (sample specific quantitation limit) and is at or above the Method Detection Limit (MDL). CAS is Chemical Abstract Service number. RL is our Reporting Limit, or Minimum Quantitation Level. The RL takes into account the Instrument Detection Limit (IDL), Method Detection Limit (MDL), and Practical Quantitation Limit (PQL), and any dilutions and/or concentrations performed during sample preparation (EQL). Our analytical result must be above this RL before we report a value in the 'Results' column of our report (without a 'J' flag). Otherwise, we report ND (Not Detected above RL), because the result is "<" (less than) the number in the RL column. MAL is Minimum Analytical Level and is typically from regulatory agencies. Unless we report a result in the result column, or interferences prevent it, we work to have our RL at or below the MAL.



Bill Peery, MS, VP Technical Services



Report Page 6 of 19

Page 1 of 9

Project 1143884

Printed 04/25/2025

ICT1-A

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604

								Printed	04/25/2025	
Analytical Set	1170480							SM 922	23 B (Colilert-	18 QT)-2016
				В	lank					
<u>Parameter</u>	PrepSet	Reading	MDL	MQL	Units			File		
MPN, Total Coliform, Non-Pot	1170480	<1.0	1.00	1.00	MPN/100m	L		127509060		
				Mic	ro Dup					
<u>Parameter</u>	Sample	Туре	Result	Unknowi	1		Unit		Range	Criterion
MPN, Total Coliform, Non-Pot	2399607	Duplicate	52.9	79.8			MPN/100mL		0.179	0.7825
				Sta	ndard					
<u>Parameter</u>	Sample	Reading	Known	Units	Recover%	Limits%		File		
P. aeruginosa	1170478	<1.0	<1.0	MPN/100) m]	-		127509057		
Standard E. coli	1170478	>2419.6	>2419.6	MPN/100)ml	-		127509059		
Standard K.varicola	1170478	>2419.6	>2419.6	MPN/100)m]	-		127509058		
Analytical Set	1170481							SM 922	3 B (Colilert-	18 QT)-2016
,				В	lank					
Parameter	PrepSet	Reading	MDL	MQL	Units			File		
MPN, E.coli, Col18 - Non-Pot	1170481	<1.0	1.00	1.00	MPN/100m	L		127509078		
				Mic	o Dup					
Parameter	Sample	Туре	Result	Unknowi	1		Unit		Range	Criterion
MPN, E.coli, Col18 - Non-Pot	2399607	Duplicate	1.0	4.1			MPN/100mL		0.613	0.7825
				Sta	ndard					
Parameter	Sample	Reading	Known	Units	Recover%	Limits%		File		
P. aeruginosa	1170478	<1.0	<1.0	MPN/100)m]	-		127509075		
Standard E. coli	1170478	>2419.6	>2419.6	MPN/100)mi	-		127509077		
Standard K.varicola	1170478	<1.0	<1.0	MPN/100)m i	-		127509076		
Analytical Set	1170507							SM 5210	B-2016 (TCN	MP Inhibitor)
,				В	lank					
Parameter	PrepSet	Reading	MDL	MQL	Units			File		
BOD Carbonaceous	1170507	0.2	0.200	0.500	mg/L			127509484		
BOD Carbonaceous	1170507	0.2	0.200	0.500	mg/L			127509538		
				Dup	olicate					
Parameter_	Sample		Result	Unknowi	1		Unit		RPD	Limit%
BOD Carbonaceous	2399258		4.44	3.40			mg/L		26.5	30.0
BOD Carbonaceous	2399569		19.8	19.6			mg/L		1.02	30.0
BOD Carbonaceous	2399733		150	148			mg/L		1.34	30.0
				See	d Drop					
<u>Parameter</u>	PrepSet	Reading	MDL	MQL	Units			File		
BOD Carbonaceous	1170507	0.530	0.200	0.500	mg/L			127509486		
					mg D			12/303 100		

Email: Kilgore.ProjectManagement@spllabs.com



Report Page 7 of 19

Page 2 of 9

Project 1143884

Printed 04/25/2025

ICT1-A

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604

Standard

<u>Parameter</u>	Sample	Reading	Known	Units	Recover%	Limits%		File			
BOD Carbonaceous		213	198	mg/L	108	83.7 - 116		127509487			
BOD Carbonaceous		196	198	mg/L	99.0	83.7 - 116		127509541			
Analytical Set	1170923									EPA	A 350.1 2
,				В	lank						
<u>Parameter</u>	PrepSet	Reading	MDL	MQL	Units			File			
Ammonia Nitrogen	1170631	ND	0.00336	0.020	mg/L			127518507			
				C	CCV						
<u>Parameter</u>		Reading	Known	Units	Recover%	Limits%		File			
Ammonia Nitrogen		2.13	2.00	mg/L	106	90.0 - 110		127518505			
Ammonia Nitrogen		2.20	2.00	mg/L	110	90.0 - 110		127518506			
Ammonia Nitrogen		2.16	2.00	mg/L	108	90.0 - 110		127518516			
Ammonia Nitrogen		2.18	2.00	mg/L	109	90.0 - 110		127518523			
Ammonia Nitrogen		2.17	2.00	mg/L	108	90.0 - 110		127518532			
Ammonia Nitrogen		2.19	2.00	mg/L	110	90.0 - 110		127518539			
Ammonia Nitrogen		2.19	2.00	mg/L	110	90.0 - 110		127518548			
Ammonia Nitrogen		2.16	2.00	mg/L	108	90.0 - 110		127518559			
Ammonia Nitrogen		2.08	2.00	mg/L	104	90.0 - 110		127518567			
Ammonia Nitrogen		2.08	2.00	mg/L	104	90.0 - 110		127518577			
Ammonia Nitrogen		2.05	2.00	mg/L	102	90.0 - 110		127518583			
Ammonia Nitrogen		2.03	2.00	mg/L	102	90.0 - 110		127518590			
Ammonia Nitrogen		2.06	2.00	mg/L	103	90.0 - 110		127518597			
Ammonia Nitrogen		2.06	2.00	mg/L	103	90.0 - 110		127518608			
Ammonia Nitrogen		2.10	2.00	mg/L	105	90.0 - 110		127518616			
				Dup	olicate						
<u>Parameter</u>	Sample		Result	Unknown	1		Unit		RPD		Limit%
Ammonia Nitrogen	2399437		ND	ND			mg/L				20.0
Ammonia Nitrogen	2399484		ND	ND			mg/L				20.0
				ı	CV						
Parameter Parame		Reading	Known	Units	Recover%	Limits%		File			
Ammonia Nitrogen		2.12	2.00	mg/L	106	90.0 - 110		127518504			
				LC	S Dup						
Parameter Parame	PrepSet	LCS	LCSD		Known	Limits%	LCS%	LCSD%	Units	RPD	Limit%
Ammonia Nitrogen	1170631	2.20	2.19		2.00	90.0 - 110	110	110	mg/L	0.456	20.0
				Mat	. Spike						
<u>Parameter</u>	Sample	Spike	Unknown	Known	Units	Recovery %	Limits %	File			
Ammonia Nitrogen	2399437	2.11	ND	2.00	mg/L	106	80.0 - 120	127518512			
Ammonia Nitrogen	2399484	2.13	ND	2.00	mg/L	106	80.0 - 120	127518515			

Analytical Set 1171872 EPA 351.2 2

Email: Kilgore.ProjectManagement@spllabs.com



Report Page 8 of 19

Page 3 of 9

Project 1143884

Printed 04/25/2025

ICT1-A

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604

AWRL/LOQ C

				AWRL	L/LOQ C						
<u>Parameter</u>		Reading	Known	Units	Recover%	Limits%		File			
Total Kjeldahl Nitrogen		0.054	0.050	mg/L	108	75.0 - 125		127536028			
				ы	ank						
<u>Parameter</u>	PrepSet	Reading	MDL	MQL	Units			File			
Total Kjeldahl Nitrogen	1170588	ND	0.00712	0.050	mg/L			127535955			
Total Kjeldahl Nitrogen	1170588	ND	0.00712	0.050	mg/L			127535956			
Total Kjeldahl Nitrogen	1170588	ND	0.00712	0.050	mg/L			127535957			
				c	CV						
<u>Parameter</u>		Reading	Known	Units	Recover%	Limits%		File			
Total Kjeldahl Nitrogen		5.26	5.00	mg/L	105	90.0 - 110		127535954			
Total Kjeldahl Nitrogen		5.45	5.00	mg/L	109	90.0 - 110		127535965			
Total Kjeldahl Nitrogen		5.41	5.00	mg/L	108	90.0 - 110		127535976			
Total Kjeldahl Nitrogen		5.47	5.00	mg/L	109	90.0 - 110		127535987			
Total Kjeldahl Nitrogen		5.45	5.00	mg/L	109	90.0 - 110		127535998			
Total Kjeldahl Nitrogen		5.39	5.00	mg/L	108	90.0 - 110		127536009			
Total Kjeldahl Nitrogen		5.50	5.00	mg/L	110	90.0 - 110		127536020			
Total Kjeldahl Nitrogen		5.48	5.00	mg/L	110	90.0 - 110		127536024			
Total Kjeldahl Nitrogen		5.19	5.00	mg/L	104	90.0 - 110		127536029			
Total Kjeldahl Nitrogen		5.30	5.00	mg/L	106	90.0 - 110		127536039			
Total Kjeldahl Nitrogen		5.24	5.00	mg/L	105	90.0 - 110		127536048			
Total Kjeldahl Nitrogen		5.13	5.00	mg/L	103	90.0 - 110		127536055			
				Dup	licate						
<u>Parameter</u>	Sample		Result	Unknown	!		Unit		RPD		Limit%
Total Kjeldahl Nitrogen	2399728		ND	ND			mg/L				20.0
				I	CV						
Parameter		Reading	Known	Units	Recover%	Limits%		File			
Total Kjeldahl Nitrogen		5.19	5.00	mg/L	104	90.0 - 110		127535953			
				_	5 Dup						
Parameter	PrepSet	LCS	LCSD		Known	Limits%	LCS%	LCSD%	Units	RPD	Limit%
Total Kjeldahl Nitrogen	1170588	5.42	5.34		5.00	90.0 - 110	108	107	mg/L	1.49	20.0
3				Mat.	Spike				, ,		
Parameter	Sample	Spike	Unknown	Known	Units	Recovery %	Limits %	File			
Total Kjeldahl Nitrogen	2399728	5.88	ND	5.00	mg/L	118	80.0 - 120	127535962			
	1170461								GD./	1.4500.0	71.0.2011
Analytical Set	1170461			Dun	licate				SIM	l 4300-C	Cl G-2011
<u>Parameter</u>	Sample		Result	Unknown	!		Unit -		RPD		Limit%
Cl2 Res.,Total(Onsite)Spec Mid [RL 0.05 mg/L]	2399569		0.040	0.040			mg/L				20
111 g / 12]				Sta	ndard						
<u>Parameter</u>	Sample	Reading	Known	Units	Recover%	Limits%		File			

Email: Kilgore.ProjectManagement@spllabs.com



Report Page 9 of 19

QUALITY CONTROL



ICT1-A

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604



Printed 04/25/2025

				Sta	andard					
<u>Parameter</u>	Sample	Reading	Known	Units	Recover%	Limits%		File		
Cl2 Res.,Total(Onsite)Spec Mid [RL 0.05 mg/L]	1170461	0.240	0.220	mg/L	109.1	90 - 110				
Cl2 Res.,Total(Onsite)Spec Mid [RL 0.05	1170461	1.62	1.59	mg/L	101.9	90 - 110				
mg/L] Cl2 Res.,Total(Onsite)Spec Mid [RL 0.05 mg/L]	1170461	2.51	2.73	mg/L	91.9	90 - 110				
Analytical Set	1170462								SM 450	00-O G-2016
				Du	plicate					
<u>Parameter</u> Dissolved Oxygen Onsite	Sample 2399605		Result 8.9	Unknow. 8.9	n e e e e e e e e e e e e e e e e e e e		<i>Unit</i> mg/L		RPD	Limit% 20
Analytical Set	1170463								SM 4500	0-H+ B-2011
				(ccv					
<u>Parameter</u>		Reading	Known	Units	Recover%	Limits%		File		
pH (Onsite) pH (Onsite)		6.0 6.0	6.0 6.0	SU SU	100 100	90 - 110 90 - 110				
pri (Onsic)		0.0	0.0		plicate	30 - 110				
Parameter	Sample		Result	Unknow	-		Unit		RPD	Limit%
pH (Onsite)	2399608		7.2	7.2			SU			20
				Sta	andard					
<u>Parameter</u>	Sample	Reading	Known	Units	Recover%	Limits%		File		
pH (Onsite) pH (Onsite)	1170463 1170463	7.9 8.0	8.0 8.0	SU SU	98.8 100	90 - 110 90 - 110				
* ` '		0.0	0.0	50	100	70 - 110			C) (2540 D 2015
Analytical Set	1171127			В	Blank				SM 2	2540 D-2015
Parameter	PrepSet	Reading	MDL	MQL	Units			File		
Total Suspended Solids	1171127	ND	2	2	mg/L			127522202		
				Con	ntrolBlk					
<u>Parameter</u>	PrepSet	Reading	MDL	MQL	Units			File		
Total Suspended Solids	1171127	-0.0001			grams			127522201		
				Du	plicate					
Parameter	Sample		Result	Unknow	n		Unit		RPD	Limit%
Total Suspended Solids Total Suspended Solids	2399640 2399641		4440 70.7	4540 68.7			mg/L mg/L		2.23 2.87	20.0 20.0
Total Suspended Solids	2399714		1330	1230			mg/L		7.81	20.0
				I	LCS					
<u>Parameter</u>	PrepSet	Reading		Known	Units	Recover%	Limits	File		
Total Suspended Solids	1171127	47.0		50.0	mg/L	94.0	90.0 - 110	127522235		
					andard					
<u>Parameter</u>	Sample	Reading	Known	Units	Recover%	Limits%		File		

Email: Kilgore.ProjectManagement@spllabs.com



Report Page 10 of 19

Page 5 of 9

Project 1143884

Printed 04/25/2025

ICT1-A

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604

Standard

<u>Parameter</u> Total Suspended Solids	Sample	Reading 90.0	Known 100	Units mg/L	Recover% 90.0	<i>Limits%</i> 90.0 - 110		<i>File</i> 127522234		
Analytical Set	1171453								EPA 1	664B (HEM)
				В	lank					
<u>Parameter</u>	PrepSet	Reading	MDL	MQL	Units			File		
Oil and Grease (HEM)	1171453	ND	0.804	4.00	mg/L			127527630		
				Con	trolBlk					
<u>Parameter</u>	PrepSet	Reading	MDL	MQL	Units			File		
Oil and Grease (HEM)	1171453	0			grams			127527629		
Oil and Grease (HEM)	1171453	0			grams			127527654		
				ı	LCS					
<u>Parameter</u>	PrepSet	Reading		Known	Units	Recover%	Limits	File		
Oil and Grease (HEM)	1171453	34.3		40.0	mg/L	85.8	78.0 - 114	127527631		
					MS					
Parameter Parame	Sample	MS	MSD	UNK	Known	Limits	MS%	MSD%	Units RF	PD Limit%
Oil and Grease (HEM)	2399273	37.3	0	ND	40.0	78.0 - 114	93.2		mg/L	20.0
Analytical Set	1171899								SM	2540 C-2015
,				В	lank					
Parameter	PrepSet	Reading	MDL	MQL	Units			File		
Total Dissolved Solids	1171899	ND	5.00	5.00	mg/L			127536333		
				Con	trolBlk					
Parameter	PrepSet	Reading	MDL	MQL	Units			File		
Total Dissolved Solids	1171899	0.0003			grams			127536320		
				Duj	olicate					
Parameter	Sample		Result	Unknow	7		Unit		RPD	Limit%
Total Dissolved Solids	2399569		420	470			mg/L		11.2	20.0
				ı	LCS					
Parameter	PrepSet	Reading		Known	Units	Recover%	Limits	File		
Total Dissolved Solids	1171899	204		200	mg/L	102	85.0 - 115	127536321		
Analytical Set	1170902								E	PA 300.0 2.1
7 mary crear Sec				AWR	L/LOQ C					
Parameter		Reading	Known	Units	Recover%	Limits%		File		
Fluoride		0.104	0.100	mg/L	104	70.0 - 130		127518034		
					lank	-				
Parameter	PrepSet	Reading	MDL	MQL	Units			File		
Chloride	1170902	ND	0.0593	0.300	mg/L			127518035		
Fluoride	1170902	ND	0.0112	0.100	mg/L			127518035		
Nitrate-Nitrogen Total	1170902	ND	0.00331	0.0226	mg/L			127518035		

Email: Kilgore.ProjectManagement@spllabs.com



Report Page 11 of 19

Page 6 of 9

Project 1143884

Printed 04/25/2025

ICT1-A

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604

				В	lank						
Parameter Parameter	PrepSet	Reading	MDL	MQL	Units			File			
Sulfate	1170902	ND	0.0605	0.300	mg/L			127518035			
				C	СВ						
Parameter	PrepSet	Reading	MDL	MQL	Units			File			
Chloride	1170902	0.017	0.0593	0.300	mg/L			127518031			
Chloride	1170902	0.019	0.0593	0.300	mg/L			127518051			
Chloride	1170902	0.020	0.0593	0.300	mg/L			127518063			
Fluoride	1170902	0	0.0112	0.100	mg/L			127518031			
Fluoride	1170902	0	0.0112	0.100	mg/L			127518051			
Fluoride	1170902	0	0.0112	0.100	mg/L			127518063			
Nitrate-Nitrogen Total	1170902	0	0.00331	0.0226	mg/L			127518031			
Nitrate-Nitrogen Total	1170902	0	0.00331	0.0226	mg/L			127518051			
Nitrate-Nitrogen Total	1170902	0	0.00331	0.0226	mg/L			127518063			
Sulfate	1170902	-0.162	0.0605	0.300	mg/L			127518031			
Sulfate	1170902	-0.165	0.0605	0.300	mg/L			127518051			
Sulfate	1170902	-0.157	0.0605	0.300	mg/L			127518063			
				C	CCV						
<u>Parameter</u>		Reading	Known	Units	Recover%	Limits%		File			
Chloride		9.84	10.0	mg/L	98.4	90.0 - 110		127518030			
Chloride		10.2	10.0	mg/L	102	90.0 - 110		127518050			
Chloride		10.1	10.0	mg/L	101	90.0 - 110		127518062			
Fluoride		10.4	10.0	mg/L	104	90.0 - 110		127518030			
Fluoride		10.7	10.0	mg/L	107	90.0 - 110		127518050			
Fluoride		10.7	10.0	mg/L	107	90.0 - 110		127518062			
Nitrate-Nitrogen Total		2.31	2.26	mg/L	102	90.0 - 110		127518030			
Nitrate-Nitrogen Total		2.45	2.26	mg/L	108	90.0 - 110		127518050			
Nitrate-Nitrogen Total		2.45	2.26	mg/L	108	90.0 - 110		127518062			
Sulfate Sulfate		9.79 10.1	10.0 10.0	mg/L mg/L	97.9 101	90.0 - 110 90.0 - 110		127518030 127518050			
Sulfate		10.1	10.0	mg/L mg/L	101	90.0 - 110		127518062			
Surface		10.1	10.0	-	5 Dup	90.0 - 110		12/310002			
Parameter	PrepSet	LCS	LCSD		Known	Limits%	LCS%	LCSD%	Units	RPD	Limit%
Chloride	1170902	4.95	4.84		5.00	85.0 - 115	99.0	96.8	mg/L	2.25	20.0
Fluoride	1170902	5.36	5.24		5.00	88.0 - 118	107	105	mg/L	2.26	20.0
Nitrate-Nitrogen Total	1170902	1.11	1.08		1.13	86.3 - 117	98.2	95.6	mg/L	2.74	20.0
Sulfate	1170902	5.68	5.62		5.00	85.4 - 124	114	112	mg/L	1.06	20.0
				N	1SD				8		
<u>Parameter</u>	Sample	MS	MSD	UNK	Known	Limits	MS%	MSD%	Units	RPD	Limit%
Chloride	2398309	129	130	110	20.0	80.0 - 120	95.0	100	mg/L	5.13	20.0
Fluoride	2398309	21.0	20.7	1.28	20.0	80.0 - 120	98.6	97.1	mg/L	1.53	20.0
Nitrate-Nitrogen Total	2398309	3.21	3.22	0.470	4.52	80.0 - 120	60.6 *	60.8 *	mg/L	0.364	20.0
Sulfate	2398309	101	102	84.1	20.0	80.0 - 120	84.5	89.5	mg/L	5.75	20.0
Chloride	2398315	104	105	84.7	20.0	80.0 - 120	96.5	102	mg/L	5.05	20.0

Email: Kilgore.ProjectManagement@spllabs.com



Report Page 12 of 19

QUALITY CONTROL



ICT1-A

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604 Page 7 of 9

Project

1143884

Printed 04/25/2025

				ľ	MSD						
Parameter Fluoride Nitrate-Nitrogen Total Sulfate	Sample 2398315 2398315 2398315	MS 20.3 3.28 134	MSD 20.3 3.22 135	UNK ND 0.208 118	Known 20.0 4.52 20.0	Limits 80.0 - 120 80.0 - 120 80.0 - 120	MS% 102 68.0 * 80.0	MSD% 102 66.6 * 85.0	Units mg/L mg/L mg/L	RPD 0 1.97 6.06	Limit% 20.0 20.0 20.0
Analytical Set	1170836									EPA	200.8 5.4
				В	Blank						
<u>Parameter</u>	PrepSet	Reading	MDL	MQL	Units			File			
Aluminum, Total	1170528	ND	0.0039	0.005	mg/L			127516464			
Aluminum, Total	1170528	ND	0.0039	0.005	mg/L			127516478			
				(CCV						
<u>Parameter</u>		Reading	Known	Units	Recover%	Limits%		File			
Aluminum, Total		0.0508	0.05	mg/L	102	90.0 - 110		127516477			
Aluminum, Total		0.0504	0.05	mg/L	101	90.0 - 110		127516487			
Aluminum, Total Aluminum, Total		0.0509 0.0508	0.05 0.05	mg/L mg/L	102 102	90.0 - 110 90.0 - 110		127516498 127516524			
Aluminum, Total		0.0504	0.05	mg/L mg/L	101	90.0 - 110		127516524			
Aluminum, Total		0.051	0.05	mg/L mg/L	102	90.0 - 110		127516576			
Aluminum, Total		0.0519	0.05	mg/L	104	90.0 - 110		127516584			
Aluminum, Total		0.0531	0.05	mg/L	106	90.0 - 110		127516585			
					ICV						
Parameter Parameter		Reading	Known	Units	Recover%	Limits%		File			
Aluminum, Total		0.0516	0.05	mg/L	103	90.0 - 110		127516472			
				LC	S Dup						
<u>Parameter</u>	PrepSet	LCS	LCSD		Known	Limits%	LCS%	LCSD%	Units	RPD	Limit%
Aluminum, Total	1170528	0.501	0.498		0.500	85.0 - 115	100	99.6	mg/L	0.601	20.0
				I	LDR						
<u>Parameter</u>		Reading	Known	Units	Recover%	Limits%		File			
Aluminum, Total		4.53	5	mg/L	90.6	90.0 - 110		127516475			
				ľ	MSD						
<u>Parameter</u>	Sample	MS	MSD	UNK	Known	Limits	MS%	MSD%	Units	RPD	Limit%
Aluminum, Total	2399413	0.484	0.487	ND	0.500	70.0 - 130	96.8	97.4	mg/L	0.618	20.0
Aluminum, Total	2399697	0.633	0.631	0.172	0.500	70.0 - 130	92.2	91.8	mg/L	0.435	20.0
Analytical Set	1170817									SM 251	0 B-2011
,				В	llank						
<u>Parameter</u>	PrepSet	Reading	MDL	MQL	Units			File			
Lab Spec. Conductance at 25 C	1170817	0.642			umhos/cm			127515845			
				Du	plicate						
<u>Parameter</u>	Sample		Result	Unknow	n		Unit		RPD		Limit%
Lab Spec. Conductance at 25 C	2399569		858	858			umhos/cm		0		20.0

Email: Kilgore.ProjectManagement@spllabs.com



Report Page 13 of 19

Printed 04/25/2025

ICT1-A

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604

ICV Recover% Reading Known Units Limits% File Parameter 13100 12900 umhos/cm 102 90.0 - 110 127515848 Lab Spec. Conductance at 25 C Standard Parameter 1 4 1 Sample Reading Known Units Recover% Limits% File 1420 Lab Spec. Conductance at 25 C 1170817 1410 umhos/cm 101 90.0 - 110 127515846 Lab Spec. Conductance at 25 C 1170817 101 100 umhos/cm 101 90.0 - 110 127515847 Lab Spec. Conductance at 25 C 1170817 1420 1410 umhos/cm 101 90.0 - 110 127515857 1171113 SM 4500-P E-2011 **Analytical Set** AWRL/LOQ C Parameter Reading Known Units Recover% Limits% File mg/L Phosphorus (as P), total 0.0753 0.060 126 70.0 - 130 127521686 Blank MQL MDL PrepSet Units File Parameter Reading 1171113 0.00359 0.00311 0.030 127521685 Phosphorus (as P), total mg/L CCV Parameter Reading Known Units Recover% Limits% File 0.295 98.3 90.0 - 110 127521687 Phosphorus (as P), total 0.300 mg/L Phosphorus (as P), total 0.318 0.300 106 90.0 - 110 127521702 mg/L 90.0 - 110 0.286 0.300 95.3 127521715 Phosphorus (as P), total mg/L LCS Dup PrepSet LCS LCSDKnown Limits% LCS% LCSD% Units RPDLimit% 1171113 0.302 0.306 0.300 80.0 - 120 101 102 20.0 Phosphorus (as P), total mg/L 1.32 MSD Sample MS MSDUNK Known Limits MS% MSD% Units RPDLimit% Parameter 70.0 - 130 Phosphorus (as P), total 2400615 0.273 0.484 0.155 0.150 78.7 219 * 94.4 * 20.0 mg/L Phosphorus (as P), total 2400617 0.119 0.150 70.0 - 130 184 * 67.3 * 92.8 * 20.0 0.395 0.220 mg/L **Analytical Set** 1171334 SM 2320 B-2011 Blank Units MDL MQL File Parameter PrepSet Reading Total Alkalinity (as CaCO3) 1171334 ND 1.00 1.00 mg/L 127526565 Total Alkalinity (as CaCO3) 1171334 ND 1.00 1.00 mg/L 127526592 CCV Units Recover% Limits% File Reading Known Parameter 90.0 - 110 Total Alkalinity (as CaCO3) 26.9 25.0 mg/L 108 127526564 Total Alkalinity (as CaCO3) 24.4 25.0 mg/L 97.6 90.0 - 110 127526578 90.0 - 110 127526591 Total Alkalinity (as CaCO3) 26.9 25.0 mg/L 108 mg/L 90.0 - 110 Total Alkalinity (as CaCO3) 26.9 25.0 108 127526605

Email: Kilgore.ProjectManagement@spllabs.com

24.4

25.0

mg/L



97.6

90.0 - 110

Report Page 14 of 19

127526609

Total Alkalinity (as CaCO3)

Page 9 of 9



Printed 04/25/2025

ICT1-A

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604

Total Alkalinity (as CaCO3)

Total Alkalinity (as CaCO3)

Total Alkalinity (as CaCO3)

Total Alkalinity (as CaCO3)

				Dup	licate					
<u>Parameter</u>	Sample		Result	Unknown			Unit		RPD	Limit%
Total Alkalinity (as CaCO3)	2398652		120	118			mg/L		1.68	20.0
Total Alkalinity (as CaCO3)	2399631		79.2	91.9			mg/L		14.8	20.0
Total Alkalinity (as CaCO3)	2399899		650	632			mg/L		2.81	20.0
Total Alkalinity (as CaCO3)	2400191		84.6	98.7			mg/L		15.4	20.0
				10	CV					
<u>Parameter</u>		Reading	Known	Units	Recover%	Limits%		File		
Total Alkalinity (as CaCO3)		26.9	25.0	mg/L	108	90.0 - 110		127526563		
				Mat.	Spike					
<u>Parameter</u>	Sample	Spike	Unknown	Known	Units	Recovery %	Limits %	File		

mg/L

mg/L

mg/L

mg/L

112

64.4

41.2

0

70.0 - 130

70.0 - 130

70.0 - 130

70.0 - 130

* Out RPD is Relative Percent Difference: abs(r1-r2) / mean(r1,r2) * 100%

2398652

2399631

2399899

2400191

146

623

109

118

91.9

632

98.7

25.0

25.0

25.0

Recover% is Recovery Percent: result / known * 100%

127526568

127526581

127526595

127526608

CCV - Continuing Calibration Verification (same standard used to prepare the curve; typically a mid-range concentration; verifies the continued validity of the calibration curve); Blank - Method Blank (reagent water or other blank matrices that contains all reagents except standard(s) and is processed simultaneously with and under the same conditions as samples; carried through preparation and analytical procedures exactly like a sample; monitors); ICV - Initial Calibration Verification; MSD - Matrix Spike Duplicate (replicate of the matrix spike; same solution and amount of target analyte added to the MS is added to a third aliquot of sample; quantifies matrix bias and precision.); LCS Dup - Laboratory Control Sample Duplicate (replicate LCS; analyzed when there is insufficient sample for duplicate or MSD; quantifies accuracy and

precision.); LDR - Linear Dynamic Range Standard; CCB - Continuing Calibration Blank; AWRL/LOQ C - Ambient Water Reporting Limit/LOQ Check Std; LCS - Laboratory

Control Sample (reagent water or other blank matrices that is spiked with a known quantity of target analyte(s) and carried through preparation and analytical procedures

exactly like a sample; typically a mid-range concentration; verifies that bias and precision of the analytical process are within control limits; determines usability of the

data.); MS - Matrix Spike (same solution and amount of target analyte added to the LCS is added to a second aliquot of sample; quantifies matrix bias.)

Email: Kilgore.ProjectManagement@spllabs.com



Report Page 15 of 19

2600 Dudley Rd. Kilgore, Texas 75662 Office: 903-984-0551 * Fax: 903-984-5914

CHAIN OF CUSTODY

Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604 ICT1-A 112



Printed 04/08/2025

Page 1 of 3

Lab Number 339956 9	*****
PO Number	

Phone

214/356-7412

W	W	Per	mit
,,	,,		$uu\iota$

Hand Delivered by Client to Region or LAB
Matrix: Non-Potable Water
Sample Collection Start
Date: 4-15-25 Time: 105-5
Sampler Printed Name: ROBERT FOSTER
Sampler Affiliation: SP
Sampler Signature: VCh Z
Samples Radioactive? Samples Contains Dioxin? Samples Biological Hazard?
0 On Site Testing
NELAC Cl2O Cl2 Res., Total(Onsite)Spec Mid [RL 0.05 mg/L] SM 4500-Cl G-2011
Cl2 Res., Total(Onsite)Spec Mid [RL 0.05 mg/L]
Collected By RAF Date 4.15-25 Time 1055 Analyzed By MILE Date 4.15-25 Time 1100
Confected by No. 7 Date 777 55 Time 705 5 Analyzed By 777 Date 475 55 Time 1700
Results 0.04 Units m5/L Temp. C Duplicate 0.09 Units m3/L Temp. C
RI 0-11 R2 0.07 QCRI 0.14 QCR2 0.10
NELAC Short Hold DO Dissolved Oxygen Onsite SM 4500-O G-2016 (0.0104 days)
bissolved Oxygen Onsite
Collected By RAF Date 4.15-25 Time 1055 Analyzed By RAF Date 4.15-25 Time 1180
Collected By Live Date 473 of Time 10 3 Analyzed By 1007 Date 113 Of Time 1100
sults 1.91 Units Mg/L Temp. 19.4 C Duplicate Units Temp. C
sults Units Temp. Temp. C Duplicate Units Temp. C
NELAC Short Hold pH pH (Onsite) SM 4500-H+ B-2011 (0.0104 days)

1143884 CoC Print Group 001 of 001

2600 Dudley Rd. Kilgore, Texas 75662 Office: 903-984-0551 * Fax: 903-984-5914

CHAIN OF CUSTODY



Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604

ICT1-A 112

pH (Onsite)

ollected By ARF Da	te <u>4-15-25</u> T	ime_1055 Analyzed By NAF	Date <u>4-15-25 Time 1100</u>
esults 7.52 Uni	ts_DU_Ter	mp. 19·(C Duplicate	Units Temp C
1] Na2S2O3	(0.008%) Polystyrene-100 m	L Sterilized
NELAC Short HoldS		E.Coli WW MPN Panhandle (SUB)	SUB Lab CAS:EMLC (0.333 days)
2	H2SO4 to	pH <2 GlQt w/Tef-lined lid	
NELAC	HEM	Oil and Grease (HEM)	EPA 1664B (HEM) (28.0 days)
1	Polyethyle	ne 1/2 gal (White)	
NELAC Short Hold	BODc	BOD Carbonaceous	SM 5210 B-2016 (TCMP Inhibitor) (2.04 days)
NELAC	TSS	Total Suspended Solids	SM 2540 D-2015 (7.00 days)
0	Z No bo	ttle required	
Subcontract	100S	SUB Shipped	
	SKL	Sub Hold: PM Attn	
1	HNO3 to p	H <2 Polyethylene 500 mL	for Metals
NELAC	*AIM	Aluminum, Total	EPA 200.8 5.4 CAS:7429-90-5 (180 days)
	301L	Liquid Metals Digestion	EPA 200.2 2.8 (180 days)
1	H2SO4 to	pH <2 250 ml Polyethylene	
NELAC	NHaN	Ammonia Nitrogen	EPA 350.1 2 (28.0 days)
NELAC	TKN	Total Kjeldahl Nitrogen	EPA 351.2 2 CAS:7727-37-9 (28.0 days)
NELAC	TPWB	Phosphorus (as P), total	SM 4500-P E-2011 CAS:7723-14-0 (28.0 days)
1	Polyethyle	ne Quart	
NELAC	!ClL	Chloride	EPA 300.0 2.1 (28.0 days)
NELAC	!FIL	Fluoride	EPA 300.0 2.1 (28.0 days)
AFL/M.	1		

Corporate - Kilgore: 2600 Dudley Road Kilgore TX 75662

1143884 CoC Print Group 001 of 001

2600 Dudley Rd. Kilgore, Texas 75662 Office: 903-984-0551 * Fax: 903-984-5914

CHAIN OF CUSTODY



Individual Care of Texas Sandy Peterson P.O. Box 3395 Abilene, TX 79604 ICT1-A 112

NELAC Short Hold

!N3L Ni

Nitrate-Nitrogen Total

EPA 300.0 2.1 CAS:14797-55-8 (2.00 days)

NELAC

!S4L Sulfate

EPA 300.0 2.1 (28.0 days) SM 2320 B-2011 (14.0 days)

NELAC NELAC

AlkT CONL

Total Alkalinity (as CaCO3)

Lab Spec. Conductance at 25 C

SM 2510 B-2011 (28.0 days)

NELAC TDS Total Dissolved Solids

SM 2540 C-2015 (7.00 days)

Ambient Conditions/Comments

Date	Time	Relinquished		Received	
4/15/	•	Printed Name ROBERT	FISTEN ER	Printed Name Dorls Stoker - SPJ., Inc.	Affiliation
15/25	1530	Signature M Za		Signature Style	
		Printed Name	Affiliation	Printed Name	Affiliation .
		Signature		Signature	
		Printed Name	Affiliation	Printed Name	Affiliation
		Signature		Signature	
		Printed Name	Affiliation	Printed Name	Allihation
		Signature		Signature	

Sample Received on Ice?
Cooler/Sample Secure?



If Shipped: Tracking Number & Temp - See Attached

"he accredited column designates accreditation by A - A2LA, N - NELAC, or z - not listed under scope of accreditation. Unless otherwise specified, SPL shall provide hese ordered services pursuant to our Standard Terms & Conditions Agreement. SPL personnel collect samples as specified by SPL SOP #000323.

Comments





COOLER CHECKIN

Region/Driver/Client

Date / Time:

Cooler:

Shipping Company:

Temp Label:

Therm#: 7242 Corr Fact: -0.3 C



Texas Water Development Board (TWDB) Groundwater Database (GWDB) Well Information Report for State Well Number 33-07-501



GWDB Reports and Downloads

Well Basic Details

Scanned Documents

State Well Number	3307501
County	Hunt
River Basin	Sabine
Groundwater Management Area	8
Regional Water Planning Area	D - North East Texas
Groundwater Conservation District	GCD Does Not Exist
Latitude (decimal degrees)	32.935556
Latitude (degrees minutes seconds)	32° 56' 08" N
Longitude (decimal degrees)	-96.186111
Longitude (degrees minutes seconds)	096° 11' 10" W
Coordinate Source	+/- 1 Second
Aquifer Code	211NCTC - Nacatoch Sand
Aquifer	Nacatoch
Aquifer Pick Method	
Land Surface Elevation (feet above sea level)	542
Land Surface Elevation Method	Interpolated From Topo Map
Well Depth (feet below land surface)	120
Well Depth Source	Driller's Log
Drilling Start Date	
Drilling End Date	7/9/1979
Drilling Method	Mud (Hydraulic) Rotary
Borehole Completion	Perforated or Slotted

Well Type	Withdrawal of Water
Well Use	Domestic
Water Level Observation	Miscellaneous Measurements
Water Quality Available	Yes
Pump	Jet
Pump Depth (feet below land surface)	
Power Type	Electric Motor
Annular Seal Method	
Surface Completion	
Owner	Larry Roberts
Driller	Ford's Well Drilling
Other Data Available	Drillers Log; Specific Capacity
Well Report Tracking Number	
Plugging Report Tracking Number	
U.S. Geological Survey Site Number	
Texas Commission on Environmental Quality Source Id	
Groundwater Conservation District Well Number	
Owner Well Number	
Other Well Number	
Previous State Well Number	
Reporting Agency	Texas Water Development Board
Created Date	8/16/1982
Last Update Date	3/4/2020

Remarks Reported yield 10 GPM with 70 feet drawdown after bailing 1 hour in 1979. Specific capacity 0.14 GPM/- ft.

Casing

_						
Diameter (in.)	Casing Type	Casing Material	Schedule	Gauge	Top Depth (ft.)	Bottom Depth (ft.)
4	Blank	Plastic (PVC)			0	110
4	Screen	Plastic (PVC)			110	120

Well Tests - No Data

Lithology - No Data

Annular Seal Range - No Data


Borehole - No Data Plugged Back - No Data

Filter Pack - No Data Packers - No Data



Texas Water Development Board (TWDB) Groundwater Database (GWDB) Well Information Report for State Well Number 33-07-501





Status Code	Date	Time	Water Level (ft. below land surface)	Change value in () indicates rise in level	Water Elevation (ft. above sea level)		Measuring Agency	Method	Remark ID	Comments
Р	7/29/1982		28.8		513.2	1	Other or Source of Measurement Unknown	Unknown		
Р	12/8/1982		32	3.20	510	1	Other or Source of Measurement Unknown	Unknown		

Code Descriptions

Status Code	Status Description
Р	Publishable



Texas Water Development Board (TWDB) Groundwater Database (GWDB) Well Information Report for State Well Number 33-07-501



Water Quality Analysis

Sample Date: 7/29/1982 Sample Time: 0000 Sample Number: 1 Collection Entity: Texas Water Development Board

Sampled Aquifer: Nacatoch Sand

Analyzed Lab: Texas Department of Health Reliability: Collected from pumped well, but not filtered or preserved

Collection Remarks: No Data

Parameter Code	Parameter Description	Flag	Value*	Units	Plus/Minus
00415	ALKALINITY, PHENOLPHTHALEIN (MG/L)		0	mg/L	
00410	ALKALINITY, TOTAL (MG/L AS CACO3)		78	mg/L as CACO 3	
00440	BICARBONATE ION, CALCULATED (MG/L AS HCO3)		95.19	mg/L	
00910	CALCIUM (MG/L)		323	mg/L	
00445	CARBONATE ION, CALCULATED (MG/L AS CO3)		0	mg/L	
00940	CHLORIDE, TOTAL (MG/L AS CL)		82	mg/L	
00950	FLUORIDE, DISSOLVED (MG/L AS F)		0.1	mg/L	
00900	HARDNESS, TOTAL, CALCULATED (MG/L AS CACO3)		962	mg/L as CACO 3	
00920	MAGNESIUM (MG/L)		38	mg/L	
71851	NITRATE NITROGEN, DISSOLVED, CALCULATED (MG/L AS NO3)		3.54	mg/L as NO3	
00400	PH (STANDARD UNITS), FIELD		8	SU	
71860	RESIDUAL SODIUM CARBONATE, CALCULATED		0		
00955	SILICA, DISSOLVED (MG/L AS SI02)		28	mg/L as SIO2	
00931	SODIUM ADSORPTION RATIO, CALCULATED (SAR)		4.68		
00932	SODIUM, CALCULATED, PERCENT		43	PCT	
00929	SODIUM, TOTAL (MG/L AS NA)		334	mg/L	
00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM AT 25C)		4200	MICR	
00945	SULFATE, TOTAL (MG/L AS SO4)		1422	mg/L as SO4	
00010	TEMPERATURE, WATER (CELSIUS)		25	С	
70301	TOTAL DISSOLVED SOLIDS , SUM OF CONSTITUENTS (MG/L)		2277	mg/L	

^{*} Value may not display all significant digits for parameter in results, check Scanned Documents for laboratory paperwork..

GWDB DISCLAIMER: Except where noted, all of the information provided in the Texas Water Development Board (TWDB) Groundwater Database (https://www.twdb.texas.gov/groundwater/data/gwdbrpt.asp) is believed to be accurate and reliable; however, the TWDB assumes no responsibility for any errors appearing in rules or otherwise. Further, TWDB assumes no responsibility for the use of the information provided. PLEASE NOTE that users of these data are responsible for checking the accuracy, completeness, currency and/or suitability of all information themselves. TWDB makes no guarantees or warranties as to the accuracy, completeness, currency, or suitability of the information provided via the Groundwater Database (GWDB). TWDB specifically disclaims any and all liability for any claims or damages that may result from providing GWDB data or the information it contains. For additional information or answers to questions concerning the TWDB GWDB, contact the Groundwater Data Team at GroundwaterData@twdb.texas.gov.



Texas Water Development Board (TWDB) Groundwater Database (GWDB) Well Information Report for State Well Number 33-07-502



GWDB Reports and Downloads

Well Basic Details

Scanned Documents

State Well Number	3307502
County	Hunt
River Basin	Sabine
Groundwater Management Area	8
Regional Water Planning Area	D - North East Texas
Groundwater Conservation District	GCD Does Not Exist
Latitude (decimal degrees)	32.928333
Latitude (degrees minutes seconds)	32° 55' 42" N
Longitude (decimal degrees)	-96.18
Longitude (degrees minutes seconds)	096° 10' 48" W
Coordinate Source	+/- 1 Second
Aquifer Code	211NCTC - Nacatoch Sand
Aquifer	Nacatoch
Aquifer Pick Method	
Land Surface Elevation (feet above sea level)	530
Land Surface Elevation Method	Interpolated From Topo Map
Well Depth (feet below land surface)	275
Well Depth Source	Driller's Log
Drilling Start Date	
Drilling End Date	4/18/1984
Drilling Method	Mud (Hydraulic) Rotary
Borehole Completion	Gravel Pack w/Perforations

Well Type	Withdrawal of Water
Well Use	Public Supply
Water Level Observation	Miscellaneous Measurements
Water Quality Available	No
Pump	Submersible
Pump Depth (feet below land surface)	
Power Type	Electric Motor
Annular Seal Method	
Surface Completion	
Owner	Country Wood
Driller	Wades Well Service
Other Data Available	Drillers Log
Well Report Tracking Number	
Plugging Report Tracking Number	
U.S. Geological Survey Site Number	
Texas Commission on Environmental Quality Source Id	G1160093D
Groundwater Conservation District Well Number	
Owner Well Number	
Other Well Number	
Previous State Well Number	
Reporting Agency	Texas Water Development Board
Created Date	8/5/1992
Last Update Date	3/4/2020

Remarks Owners well #1. Gravel packed from 228 to 275 feet.

Casing

_						
Diameter (in.)	Casing Type	Casing Material	Schedule	Gauge	Top Depth (ft.)	Bottom Depth (ft.)
4	Blank	Plastic (PVC)			0	235
4	Screen	Plastic (PVC)			235	275

Well Tests - No Data

Lithology - No Data

Annular Seal Range - No Data


Borehole - No Data Plugged Back - No Data

Filter Pack - No Data Packers - No Data



Texas Water Development Board (TWDB) Groundwater Database (GWDB) Well Information Report for State Well Number 33-07-502





Status Code	Date	Time	Water Level (ft. below land surface)	Change value in () indicates rise in level	Water Elevation (ft. above sea level)	#	Measuring Agency	Method	Remark ID	Comments
Р	4/20/1984		120		410	1	Registered Water Well Driller	Logging Sonde		

Code Descriptions

Status Code	Status Description
Р	Publishable



Texas Water Development Board (TWDB) Groundwater Database (GWDB) Well Information Report for State Well Number 33-07-502



Water Quality Analysis - No Data Available

GWDB DISCLAIMER: Except where noted, all of the information provided in the Texas Water Development Board (TWDB) Groundwater Database (https://www.twdb.texas.gov/groundwater/data/gwdbrpt.asp) is believed to be accurate and reliable; however, the TWDB assumes no responsibility for any errors appearing in rules or otherwise. Further, TWDB assumes no responsibility for the use of the information provided. PLEASE NOTE that users of these data are responsible for checking the accuracy, completeness, currency and/or suitability of all information themselves. TWDB makes no guarantees or warranties as to the accuracy, completeness, currency, or suitability of the information provided via the Groundwater Database (GWDB). TWDB specifically disclaims any and all liability for any claims or damages that may result from providing GWDB data or the information it contains. For additional information or answers to questions concerning the TWDB GWDB, contact the Groundwater Data Team at GroundwaterData@twdb.texas.gov.

Owner: Sidney Stone Owner Well #: No Data

Address: 7011 County Road 2294 Grid #: 33-07-6

Quinlan, TX 75474

Well Location: 7011 County Road 2294 Latitude: 32° 56' 47" N

Quinlan, TX 75474 Longitude: 096° 09' 47" W

Well County: Hunt Elevation: No Data

Type of Work: New Well Proposed Use: Domestic

Drilling Start Date: 7/1/2005 Drilling End Date: 7/2/2005

 Diameter (in.)
 Top Depth (ft.)
 Bottom Depth (ft.)

 Borehole:
 8
 0
 224

Drilling Method: Mud (Hydraulic) Rotary

Borehole Completion: Filter Packed

Top Depth (ft.) Bottom Depth (ft.) Filter Material Size

Filter Pack Intervals: 180 224 Gravel

Annular Seal Data:

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

1 Cement

10 180 5 Cement

Seal Method: **Portland Grout** Distance to Property Line (ft.): **25**

Sealed By: **J. Landrith**Distance to Septic Field or other concentrated contamination (ft.): **150**

Distance to Septic Tank (ft.): No Data

Method of Verification: No Data

Surface Completion: Surface Sleeve Installed

Water Level: 35 ft. below land surface on 2005-07-06 Measurement Method: Unknown

Packers: No Data

Type of Pump: Submersible

Well Tests: Pump Yield: 15 GPM

Water Quality:

Strata Depth (ft.)	Water Type
No Data	No Data

Chemical Analysis Made: No

Did the driller knowingly penetrate any strata which

contained injurious constituents?: No

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: Wades Water Well Co LLC

3437 County Road 2176 Greenville, TX 75402

Driller Name: M. T. Wade License Number: 2892

Comments: \$mew

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

Top (ft.)	Bottom (ft.)	Description
0	1	Soil
1	7	Black Clay
7	39	Yellow Clay
39	96	Shale
96	106	Sand
106	196	Shale
196	224	Sand

Dia. (in.) New/Used	Type	Setting From/To (ft.)
4 New SCH #40 P	VC 0 2	04
4 New SCH #40 V	Vell Sc	reen 204 224 20

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Owner: Joe Miller Owner Well #: No Data

Address: **7055 Brandy Ln** Grid #: **33-07-6**

Quinlan, TX 75474

Well Location: 7055 Brandy Ln

Quinlan, TX 75474 Longitude: 096° 09' 40" W

Well County: Hunt Elevation: No Data

Type of Work: New Well Proposed Use: Domestic

Drilling Start Date: 2/11/2006 Drilling End Date: 2/12/2006

 Diameter (in.)
 Top Depth (ft.)
 Bottom Depth (ft.)

 Borehole:
 8
 0
 255

Drilling Method: Mud (Hydraulic) Rotary

Borehole Completion: Filter Packed

Top Depth (ft.) Bottom Depth (ft.) Filter Material Size

Filter Pack Intervals: 200 255 Gravel

Annular Seal Data:

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

1 Portland

100

200

4 Portland

Seal Method: **Pressure Cement**Distance to Property Line (ft.): **125**

Sealed By: **M. Wade**Distance to Septic Field or other concentrated contamination (ft.): **200**

Distance to Septic Tank (ft.): No Data

(1)

Method of Verification: No Data

Surface Completion: Surface Sleeve Installed

Water Level: 40 ft. below land surface on 2006-02-12 Measurement Method: Unknown

Packers: No Data

Type of Pump: Submersible

Well Tests: Pump Yield: 21 GPM

Water Quality:

Strata Depth (ft.)	Water Type
No Data	No Data

Chemical Analysis Made: No

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: Wades Water Well Co, LLC

3437 CR 2176

Greenville, TX 75402

Driller Name: M.T. Wade License Number: 2892

Comments: \$mew

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

Top (ft.)	Bottom (ft.)	Description
0	1	Soil
1	5	Brown Clay
5	28	Yellow Clay
28	58	Shale
58	68	Sand
68	216	S. Shale
216	255	Sand Streaks

Dia. (in.) New/Used	Type	Setting From/To (ft.)	
4 New Sch #40 P	VC 0 - 2	235	
4 New Sch 40 Well Screen 235 - 255 18#			

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Owner: Ralph Green Owner Well #: 1

Address: Stone Creek Dr. Grid #: 33-07-6

Quinlan, TX 75474 Latitude: 32° 57' 10" N

Well Location: Stone Creek Dr.

Quinlan, TX 75474

Longitude: 096° 09' 47" M

Quinlan, 1X 75474 Longitude: 096° 09' 47" W

Well County: Hunt Elevation: No Data

Type of Work: New Well Proposed Use: Domestic

Drilling Start Date: 3/9/2007 Drilling End Date: 3/10/2007

 Diameter (in.)
 Top Depth (ft.)
 Bottom Depth (ft.)

 Borehole:
 8
 0
 265

Drilling Method: Mud (Hydraulic) Rotary

Borehole Completion: Filter Packed

Top Depth (ft.) Bottom Depth (ft.) Filter Material Size

Filter Pack Intervals: 200 265 Gravel

Annular Seal Data:

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

1 Portland

100

200

3 Portland

Seal Method: **Unknown** Distance to Property Line (ft.): **na**

Sealed By: **Unknown**Distance to Septic Field or other concentrated contamination (ft.): **160**

District Contamination (ii.). 199

Distance to Septic Tank (ft.): No Data

Method of Verification: No Data

Surface Completion: Surface Sleeve Installed

Water Level: 35 ft. below land surface on 2007-03-10 Measurement Method: Unknown

Packers: No Data

Type of Pump: Submersible

Well Tests: Pump Yield: 16 GPM

Water Quality:

Strata Depth (ft.)	Water Type
No Data	No Data

Chemical Analysis Made: Unknown

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: Wades Water Well Co LLC

3437 CR 2176

Greenville, TX 75402

Driller Name: M.T. Wade License Number: 2892

Comments: \$mew

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

Top (ft.)	Bottom (ft.)	Description
0	1	Sand
1	4	Brown Clay
4	29	Yellow
29	72	Shale
72	95	Sand
95	220	Shale
220	265	Sand Streaks

Dia. (in.)	New/Used	Type	Setting From/To (ft.)	
4 New Sch #40 PVC 0 - 245				
4 New Sch 40 Screen 245 - 265				

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Longitude:

Owner Well #: Owner: **Royce Davis**

Address: 6841 Deer Trail Grid #: 33-07-6

Latitude: 32° 57' 07" N

Well Location: 6841 Deer Trail Quinlan, TX 75474

Well County: Hunt Elevation: No Data

Type of Work: **New Well** Proposed Use: **Domestic**

Drilling Start Date: 9/24/2007 Drilling End Date: 9/25/2007

Quinlan, TX 75474

Diameter (in.) Top Depth (ft.) Bottom Depth (ft.) Borehole: 8 255 0

Mud (Hydraulic) Rotary **Drilling Method:**

Borehole Completion: **Filter Packed**

Filter Material Size Top Depth (ft.) Bottom Depth (ft.) Filter Pack Intervals: 200 255 Gravel

Top Depth (ft.) Bottom Depth (ft.) Description (number of sacks & material) Annular Seal Data: 0 10 1 Portland 100 3 Portland 200

Seal Method: Pouring Distance to Property Line (ft.): 60

Sealed By: MT Wade Distance to Septic Field or other concentrated contamination (ft.): 60

Distance to Septic Tank (ft.): No Data

Method of Verification: aerobic system

096° 09' 50" W

Surface Sleeve Installed Surface Completion:

Water Level: 35 ft. below land surface on 2007-09-25 Measurement Method: Unknown

Packers: No Data

Type of Pump: **Submersible**

Well Tests: **Pump** Yield: 19 GPM Water Quality:

Strata Depth (ft.)	Water Type
No Data	No Data

Chemical Analysis Made: Unknown

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: Wades Water Well Co LLC

3437 CR 2176

Greenville, TX 75402

Driller Name: M.T. Wade License Number: 2892

Comments: \$mew

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

Top (ft.)	Bottom (ft.)	Description
0	1	Sand
1	6	Red Clay
6	36	Yellow
36	126	S. Shale
126	150	Sand
150	225	Shale
225	255	Sand Streaks

Dia. (in.) New/Used	Type	Setting From/To (ft.)	
4 New Sch #40 P	VC 0 - 2	235	
4 New Sch 40 Sci	reen 23	35 - 255 14#	

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Owner: D. Garrett Owner Well #: 1

Address: 1699 CR 2278 Grid #: 33-07-6

Quinlan, TX 75474

Latitude: 32° 55' 33" N

Well Location: 1699 CR 2278

Quinlan, TX 75474 Longitude: 096° 09' 46" W

Well County: Hunt Elevation: No Data

Type of Work: New Well Proposed Use: Domestic

Drilling Start Date: 4/23/2008 Drilling End Date: 4/24/2008

 Diameter (in.)
 Top Depth (ft.)
 Bottom Depth (ft.)

 Borehole:
 8
 0
 192

Drilling Method: Mud (Hydraulic) Rotary

Borehole Completion: Filter Packed

Top Depth (ft.) Bottom Depth (ft.) Filter Material Size

Filter Pack Intervals: 100 192 Gravel

Annular Seal Data:

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

1 Portland

50

100

3 Portland

Seal Method: **Pouring** Distance to Property Line (ft.): **60**

Sealed By: **M. Wade**Distance to Septic Field or other concentrated contamination (ft.): **180**

Distance to Septic Tank (ft.): No Data

Method of Verification: No Data

Surface Completion: Surface Sleeve Installed

Water Level: 45 ft. below land surface on 2008-04-24 Measurement Method: Unknown

Packers: No Data

Type of Pump: Submersible

Well Tests: Pump Yield: 18 GPM

Water Quality:

No Data

Water Type

No Data

Chemical Analysis Made: Unknown

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: Wades Water Well Co LLC

3437 CR 2176

Greenville, TX 75402

Driller Name: M.T. Wade License Number: 2892

Apprentice Name: Joe Landrith Apprentice Number: 56281

Comments: \$mew

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Top (ft.)	Bottom (ft.)	Description	
0	1	Soil	
1	5	Black Clay	
5	42	Yellow Clay	
42	97	Shale	
97	120	Sand	
120	140	S. Streaks	
140	192	Sand	

Casing: BLANK PIPE & WELL SCREEN DATA

Dia. (in.) New/Used	Type	Setting From/To (ft.)	
4 New Sch #40 PVC 0 - 172			
4 New Sch 40 Screen 172 - 192 18#			

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Owner: Bobby McGill Owner Well #: 1

Address: 7064 Pr.2513 Grid #: 33-07-5

Quinlan, TX 75474

Latitude: 32° 56' 08" N

Well Location: 7064 Pr.2513

Quinlan, TX 75474 Longitude: 096° 10' 50" W

Well County: Hunt Elevation: 524 ft. above sea level

Type of Work: New Well Proposed Use: Domestic

Drilling Start Date: 6/14/2010 Drilling End Date: 6/15/2010

 Diameter (in.)
 Top Depth (ft.)
 Bottom Depth (ft.)

 Borehole:
 8
 0
 240

Drilling Method: Mud (Hydraulic) Rotary

Borehole Completion: Filter Packed

Top Depth (ft.) Bottom Depth (ft.) Filter Material Size

Filter Pack Intervals: 180 240 Gravel

Annular Seal Data:

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

1 cement

10 180 3 cement

Seal Method: pump Distance to Property Line (ft.): 60

Sealed By: **Joe Landrith**Distance to Septic Field or other concentrated contamination (ft.): **200**

Distance to Septic Tank (ft.): No Data

Method of Verification: driller

Surface Completion: Surface Sleeve Installed

Water Level: 60 ft. below land surface on 2010-06-15 Measurement Method: Unknown

Packers: No Data

Type of Pump: Submersible Pump Depth (ft.): 180

Well Tests: Unknown Yield: 20 GPM with 100 ft. drawdown after 2 hours

Strata Depth (ft.)
Water Quality:
48

Water Type pottable

Chemical Analysis Made: No

Did the driller knowingly penetrate any strata which

contained injurious constituents?: No

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: Wades water well

3437 cr. 2176

Greenville, TX 75402

Driller Name: MT Wade License Number: 2892

Apprentice Name: Joe Landrith Apprentice Number: 56281

Comments: No Data

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

Top (ft.)	Bottom (ft.)	Description
0	1	sand soil
1	7	blk clay
7	44	yellow
44	88	shale
88	104	sand
104	192	shale
192	240	sand

Dia. (in.)	New/Used	Type	Setting From/To (ft.)
4 new s	sch #40 pv	c 0-220	
4 new sch 40 pvc screen 220-240 #14			

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Owner: Brandon Kirby Owner Well #: No Data

Address: 1880 Chappel rd Grid #: 33-07-5

Quinlan, TX 75474

Latitude: 32° 56' 10" N

Well Location: 1880 Chappel rd
Quinlan, TX 75474
Longitude: 096° 10' 54" W

Well County: Hunt Elevation: 500 ft. above sea level

Type of Work: New Well Proposed Use: Domestic

Drilling Start Date: 8/10/2017 Drilling End Date: 8/11/2017

 Diameter (in.)
 Top Depth (ft.)
 Bottom Depth (ft.)

 Borehole:
 8
 0
 150

Drilling Method: Mud (Hydraulic) Rotary

Borehole Completion: Screened

Annular Seal Data:

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

Cement 1 Bags/Sacks

10

70

Cement 3 Bags/Sacks

Seal Method: **Poured** Distance to Property Line (ft.): **300**

Sealed By: **Driller**Distance to Septic Field or other concentrated contamination (ft.): **200**

Distance to Septic Tank (ft.): 100

Method of Verification: steel tape

Surface Completion: Surface Sleeve Installed Surface Completion by Driller

Water Level: 50 ft. below land surface on 2017-08-14 Measurement Method: Steel Tape

Packers: No Data

Type of Pump: Submersible Pump Depth (ft.): 140

Well Tests: Yield: 10 GPM with 60 ft. drawdown after unspecified hours

Water Type
Water Quality:

No Data

No Data

Chemical Analysis Made: No

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: Wades water well

3437 cr 2176

Greenville, TX 75402

Driller Name: MT Wade License Number: 2892

Comments: No Data

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

Top (ft.)	Bottom (ft.)	Description
0	1	soil
1	11	brown clay
11	21	brown sand
21	32	brown clay
32	72	gray shale
72	90	sand
90	150	sand streaks

DIa (in.)	Туре	Material	Sch./Gage	Top (ft.)	Bottom (ft.)
4	Blank	New Plastic (PVC)	40	0	130
4	Screen	New Plastic (PVC)	40 0.18	130	150

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Owner: Chad Cook Owner Well #: No Data

Address: 7376 County Road 2532 Grid #: 33-07-5

Quinlan, TX 75474

Well Location: **7376 County Road 2532**Latitude: **32° 56' 09.04" N**

Quinlan, TX 75474 Longitude: 096° 10' 32.48" W

Well County: Hunt Elevation: No Data

Type of Work: New Well Proposed Use: Domestic

Drilling Start Date: 8/20/2018 Drilling End Date: 8/21/2018

 Diameter (in.)
 Top Depth (ft.)
 Bottom Depth (ft.)

 Borehole:
 8
 0
 197

Drilling Method: Mud (Hydraulic) Rotary

Borehole Completion: Screened

Annular Seal Data:

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

Cement 1 Bags/Sacks

100

150

Cement 3 Bags/Sacks

Seal Method: **Poured** Distance to Property Line (ft.): **200**

Sealed By: **Driller**Distance to Septic Field or other concentrated contamination (ft.): **300**

concentrated contamination (ft.): 300

Distance to Septic Tank (ft.): 200

Method of Verification: No Data

Surface Completion: Surface Sleeve Installed Surface Completion by Driller

Water Level: No Data on 2018-08-21

Packers: No Data

Type of Pump: Submersible Pump Depth (ft.): 180

Well Tests: Pump Yield: 18 GPM after 2 hours, no drawdown specified

Water Quality: Strata Depth (ft.) Water Type

No Data

Chemical Analysis Made: No

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: Wades water well

3437 cr 2176

Greenville, TX 75402

Driller Name: MT Wade License Number: 2892

Comments: No Data

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Top (ft.)	Bottom (ft.)	Description
0	2	sandy soil
2	8	brown clay
8	45	yellow clay
45	64	gray shale
64	78	sand
78	104	gray shale
104	107	rock
107	164	gray shale
164	167	rock
167	197	sand

Casing: BLANK PIPE & WELL SCREEN DATA

DIa (in.)	Туре	Material	Sch./Gage	Top (ft.)	Bottom (ft.)
4	Blank	New Plastic (PVC)	40	0	177
4	Screen	New Plastic (PVC)	40 0.18	177	197

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Owner: Kayly Fain Owner Well #: 1

Address: **1668 county road 2540** Grid #: **33-07-5**

Quinlan, TX 75474

Well Location: 1668 county road 2540

Quinlan, TX 75474

Latitude:

32° 55' 53.76" N

Longitude: (

096° 10' 55.38" W

Well County: Hunt Elevation: No Data

Type of Work: New Well Proposed Use: Domestic

Drilling Start Date: 9/7/2023 Drilling End Date: 9/11/2023

 Diameter (in.)
 Top Depth (ft.)
 Bottom Depth (ft.)

 Borehole:
 8
 0
 386

Drilling Method: Mud (Hydraulic) Rotary

Borehole Completion: Screened

Annular Seal Data:

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

Cement 1 Bags/Sacks

200

240

Cement 4 Bags/Sacks

Seal Method: **Poured** Distance to Property Line (ft.): **60**

Sealed By: **Driller**Distance to Septic Field or other

concentrated contamination (ft.): none

Distance to Septic Tank (ft.): none

Method of Verification: wheel

Surface Completion: Surface Sleeve Installed Surface Completion by Driller

Water Level: 90 ft. below land surface on 2023-09-13 Measurement Method: Air Line

Packers: No Data

Type of Pump: Submersible Pump Depth (ft.): 280

Well Tests: Pump Yield: 12 GPM after 4 hours, no drawdown specified

Water Quality: Strata Depth (ft.) Water Type

No Data

Chemical Analysis Made: No

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: Wades water well

3437 cr 2176

Greenville, TX 75402

Driller Name: M.T. Wade License Number: 2892

Apprentice Name: Joe Landrith Apprentice Number: 56281

Comments: No Data

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Top (ft.)	Bottom (ft.)	Description
0	1	sandy soil
1	41	brownclay
41	140	gray shale
140	165	sand streaks
165	248	sandy shale
248	262	sand
262	356	sandy shale
356	360	rock
360	386	sand

Casing: BLANK PIPE & WELL SCREEN DATA

Dla (in.)	Туре	Material	Sch./Gage	Top (ft.)	Bottom (ft.)
4.5	Blank	New Plastic (PVC)	40	0	366
4	Screen	New Plastic (PVC)	40	366	386

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Brandon Maldonado

From: Brandon Maldonado

Sent:Friday, June 6, 2025 4:07 PMTo:Natalia Rodriguez PinillaCc:sep4243@sbcglobal.net

Subject: RE: Application to Renew Permit No. WQ0014236001 - Notice of Deficiency Letter

Good afternoon,

Your response to all items of the NOD are sufficient. I will now work to admin complete your application.

Please let me know if you have any questions.

Regards,



Brandon Maldonado

Texas Commission on Environmental Quality Water Quality Division 512-239-4331

Brandon.Maldonado@tceq.texas.gov

How is our customer service? Fill out our online customer satisfaction survey at www.tceq.texas.gov/customersurvey

From: Natalia Rodriguez Pinilla <natalia@environmentalcgroup.com>

Sent: Friday, June 6, 2025 1:45 PM

To: Brandon Maldonado <Brandon.Maldonado@tceq.texas.gov>

Cc: sep4243@sbcglobal.net

Subject: Re: Application to Renew Permit No. WQ0014236001 - Notice of Deficiency Letter

Hi Brandon,

Thank you for sending this. Yes, the portion of the NORI is correct, please move forward with next steps.

Let me know if you need me to send a letter approving it, or if this email is enough

Have a great weekend.

Get Outlook for Mac

From: Brandon Maldonado < Brandon. Maldonado @tceq.texas.gov >

Date: Friday, June 6, 2025 at 9:13 AM

To: sep4243@sbcglobal.net <sep4243@sbcglobal.net>

Cc: Natalia Rodriguez Pinilla < natalia@environmentalcgroup.com >

Subject: Application to Renew Permit No. WQ0014236001 - Notice of Deficiency Letter

Dear Ms. Sandra Petersen

The attached Notice of Deficiency (NOD) letter sent on <u>June 6, 2025</u>, requests additional information needed to declare the application administratively complete. Please send complete response to my attention by <u>June 20, 2025</u>.

Please let me know if you have any questions.

Regards,



Brandon Maldonado

Texas Commission on Environmental Quality Water Quality Division 512-239-4331 Brandon.Maldonado@tceq.texas.gov

How is our customer service? Fill out our online customer satisfaction survey at www.tceq.texas.gov/customersurvey



TEXAS COMMISSION ON ENVIRONMENTAL QUALITY P.O. Box 13087 Austin, Texas 78711-3087

This is a renewal of Permit No. WQ0014236001 issued on April 11, 2016.

PERMIT TO DISCHARGE WASTES

under provisions of Chapter 26 of the Texas Water Code

Individual Care of Texas, Inc.

whose mailing address is

P.O. Box 3395 Abilene, Texas, 79605

Nature of Business Producing Waste: Domestic wastewater treatment operation, SIC Code 8361.

General Description and Location of Waste Disposal System:

Description: The Individual Care of Texas Wastewater Treatment Plant consists of a biological fixed film process. Treatment units include a lift station, an equalization basin, two trickling filters (plastic media), two final clarifiers, two effluent dual media filters, and an effluent storage tank. The permittee is authorized to dispose of treated domestic wastewater effluent at a daily average flow not to exceed 0.010 million gallons per day (MGD) via non-public access subsurface drip irrigation system with a minimum area of 204,732 square feet. The facility includes a storage tank with a total capacity of 6,000 gallons for storage of treated effluent prior to irrigation. Application rates shall not exceed 0.05 gallons per square foot per day. The permittee will maintain Burmuda grass on the disposal site and ryegrass in the cool season.

Location: The wastewater treatment facility and disposal site are located at 1655 Private Road 2530, Hunt County, Texas 75474. (See Attachment A.)

Drainage Area: The wastewater treatment facility and disposal site are located in the drainage basin of Lake Tawakoni in Segment No. 0507 of the Sabine River Basin. No discharge of pollutants into water in the state is authorized by this permit.

This permit and the authorization contained herein shall expire at midnight, **ten years from the date of issuance**.

ISSUED DATE:	
	For the Commission

EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

Conditions of the Permit: No discharge of pollutants into water in the state is authorized.

A. <u>Effluent Limitations</u>

Character: Treated Domestic Sewage Effluent

<u>Volume</u>: Daily Average Flow – 0.010 MGD from the treatment system

Quality: The following effluent limitations are required:

	Effluent Concentrations			
	(Not to Exceed)			
	Daily	7-Day	Daily	Single
<u>Parameter</u>	<u>Average</u>	<u>Average</u>	<u>Maximum</u>	<u>Grab</u>
	mg/l	mg/l	mg/	mg/l
Biochemical Oxygen Demand (5-day)	50	N/A	N/A	100
Total Suspended Solids	50	N/A	N/A	N/A

The pH shall not be less than 6.0 standard units nor greater than 9.0 standard units.

B. <u>Monitoring Requirements</u>:

<u>Parameter</u>	Monitoring Frequency	<u>Sample Type</u>
Flow	Five/week	Instantaneous
Biochemical Oxygen	One/week	Grab
Demand (5-day)		
Total Suspended Solids	One/week	Grab
pН	One/month	Grab

The monitoring shall be done after the final treatment unit and prior to storage of the treated effluent. If the effluent is land applied directly from the treatment system, monitoring shall be done after the final treatment unit and prior to land application. These records shall be maintained on a monthly basis and be available at the plant site for inspection by authorized representatives of the Commission for at least three years.

STANDARD PERMIT CONDITIONS

This permit is granted in accordance with the Texas Water Code and the rules and other Orders of the Commission and the laws of the State of Texas.

DEFINITIONS

All definitions in Section 26.001 of the Texas Water Code and 30 TAC Chapter 305 shall apply to this permit and are incorporated by reference. Some specific definitions of words or phrases used in this permit are as follows:

1. Flow Measurements

- a. Daily average flow the arithmetic average of all determinations of the daily flow within a period of one calendar month. The daily average flow determination shall consist of determinations made on at least four separate days. If instantaneous measurements are used to determine the daily flow, the determination shall be the arithmetic average of all instantaneous measurements taken during that month. Daily average flow determination for intermittent discharges shall consist of a minimum of three flow determinations on days of discharge.
- b. Annual average flow the arithmetic average of all daily flow determinations taken within the preceding 12 consecutive calendar months. The annual average flow determination shall consist of daily flow volume determinations made by a totalizing meter, charted on a chart recorder and limited to major domestic wastewater discharge facilities with a 1 million gallons per day or greater permitted flow.
- c. Instantaneous flow the measured flow during the minimum time required to interpret the flow measuring device.

2. Concentration Measurements

- a. Daily average concentration the arithmetic average of all effluent samples, composite or grab as required by this permit, within a period of one calendar month, consisting of at least four separate representative measurements.
 - i. For domestic wastewater treatment plants When four samples are not available in a calendar month, the arithmetic average (weighted by flow) of all values in the previous four consecutive month period consisting of at least four measurements shall be utilized as the daily average concentration.
 - ii. For all other wastewater treatment plants When four samples are not available in a calendar month, the arithmetic average (weighted by flow) of all values taken during the month shall be utilized as the daily average concentration.
- b. 7-day average concentration the arithmetic average of all effluent samples, composite or grab as required by this permit, within a period of one calendar week, Sunday through Saturday.
- c. Daily maximum concentration the maximum concentration measured on a single day, by the sample type specified in the permit, within a period of one calendar month.

3. Sample Type

- a. Composite sample For domestic wastewater, a composite sample is a sample made up of a minimum of three effluent portions collected in a continuous 24-hour period or during the period of daily discharge if less than 24 hours, and combined in volumes proportional to flow, and collected at the intervals required by 30 TAC § 319.9 (a). For industrial wastewater, a composite sample is a sample made up of a minimum of three effluent portions collected in a continuous 24-hour period or during the period of daily discharge if less than 24 hours, and combined in volumes proportional to flow, and collected at the intervals required by 30 TAC § 319.9 (b).
- b. Grab sample an individual sample collected in less than 15 minutes.
- 4. Treatment Facility (facility) wastewater facilities used in the conveyance, storage, treatment, recycling, reclamation and/or disposal of domestic sewage, industrial wastes, agricultural wastes, recreational wastes, or other wastes including sludge handling or disposal facilities under the jurisdiction of the Commission.
- 5. The term "sewage sludge" is defined as solid, semi-solid, or liquid residue generated during the treatment of domestic sewage in 30 TAC Chapter 312. This includes the solids which have not been classified as hazardous waste separated from wastewater by unit processes.
- 6. The term "biosolids" is defined as sewage sludge that has been tested or processed to meet Class A, Class AB, or Class B pathogen standards in 30 TAC Chapter 312 for beneficial use.
- 7. Bypass the intentional diversion of a waste stream from any portion of a treatment facility.

MONITORING REQUIREMENTS

1. Monitoring Requirements

Monitoring results shall be collected at the intervals specified in the permit. Unless otherwise specified in this permit or otherwise ordered by the Commission, the permittee shall conduct effluent sampling in accordance with 30 TAC §§ 319.4 - 319.12.

As provided by state law, the permittee is subject to administrative, civil and criminal penalties, as applicable, for negligently or knowingly violating the Texas Water Code, Chapters 26, 27, and 28, and Texas Health and Safety Code, Chapter 361, including but not limited to knowingly making any false statement, representation, or certification on any report, record or other document submitted or required to be maintained under this permit, including monitoring reports, records or reports of compliance or noncompliance, or falsifying, tampering with or knowingly rendering inaccurate any monitoring device or method required by this permit or violating any other requirement imposed by state or federal regulations.

2. Test Procedures

a. Unless otherwise specified in this permit, test procedures for the analysis of pollutants shall comply with procedures specified in 30 TAC §§ 319.11 - 319.12. Measurements, tests and calculations shall be accurately accomplished in a representative manner.

b. All laboratory tests submitted to demonstrate compliance with this permit must meet the requirements of 30 TAC Chapter 25, Environmental Testing Laboratory Accreditation and Certification.

3. Records of Results

- a. Monitoring samples and measurements shall be taken at times and in a manner so as to be representative of the monitored activity.
- b. Except for records of monitoring information required by this permit related to the permittee's sewage sludge or biosolids use and disposal activities, which shall be retained for a period of at least five years, monitoring and reporting records, including strip charts and records of calibration and maintenance, copies of all records required by this permit, and records of all data used to complete the application for this permit shall be retained at the facility site, or shall be readily available for review by a TCEQ representative for a period of three years from the date of the record or sample, measurement, report, or application. This period shall be extended at the request of the Executive Director.
- c. Records of monitoring activities shall include the following:
 - i. date, time and place of sample or measurement;
 - ii. identity of individual who collected the sample or made the measurement.
 - iii. date and time of analysis;
 - iv. identity of the individual and laboratory who performed the analysis;
 - v. the technique or method of analysis; and
 - vi. the results of the analysis or measurement and quality assurance/quality control records.

The period during which records are required to be kept shall be automatically extended to the date of the final disposition of any administrative or judicial enforcement action that may be instituted against the permittee.

4. Additional Monitoring by Permittee

If the permittee monitors any pollutant at the location(s) designated herein more frequently than required by this permit using approved analytical methods as specified above, all results of such monitoring shall be included in determining compliance with permit requirements.

5. Calibration of Instruments

All automatic flow measuring or recording devices and all totalizing meters for measuring flows shall be accurately calibrated by a trained person at plant start-up and as often thereafter as necessary to ensure accuracy, but not less often than annually unless authorized by the Executive Director for a longer period. Such person shall verify in writing that the device is operating properly and giving accurate results. Copies of the verification shall be retained at the facility site and/or shall be readily available for review by a TCEQ representative for a period of three years.

6. Compliance Schedule Reports

Reports of compliance or noncompliance with, or any progress reports on, interim and final requirements contained in any compliance schedule of the permit shall be submitted no later than 14 days following each schedule date to the Regional Office and the Enforcement Division (MC 224).

7. Noncompliance Notification

- a. In accordance with 30 TAC § 305.125(9), any noncompliance which may endanger human health or safety, or the environment shall be reported by the permittee to the TCEQ. Except as allowed by 30 TAC § 305.132, report of such information shall be provided orally or by facsimile transmission (FAX) to the Regional Office within 24 hours of becoming aware of the noncompliance. A written submission of such information shall also be provided by the permittee to the Regional Office and the Enforcement Division (MC 224) within five working days of becoming aware of the noncompliance. The written submission shall contain a description of the noncompliance and its cause; the potential danger to human health or safety, or the environment; the period of noncompliance, including exact dates and times; if the noncompliance has not been corrected, the time it is expected to continue; and steps taken or planned to reduce, eliminate, and prevent recurrence of the noncompliance, and to mitigate its adverse effects.
- b. The following violations shall be reported under Monitoring and Reporting Requirement 7.a.:
 - i. Unauthorized discharges as defined in Permit Condition 2(g).
 - ii. Any unanticipated bypass which exceeds any effluent limitation in the permit.
- c. In addition to the above, any effluent violation which deviates from the permitted effluent limitation by more than 40% shall be reported by the permittee in writing to the Regional Office and the Enforcement Division (MC 224) within 5 working days of becoming aware of the noncompliance.
- d. Any noncompliance other than that specified in this section, or any required information not submitted or submitted incorrectly, shall be reported to the Enforcement Division (MC 224) as promptly as possible.
- 8. In accordance with the procedures described in 30 TAC §§ 35.301 35.303 (relating to Water Quality Emergency and Temporary Orders) if the permittee knows in advance of the need for a bypass, it shall submit prior notice by applying for such authorization.
- 9. Changes in Discharges of Toxic Substances

All existing manufacturing, commercial, mining, and silvicultural permittees shall notify the Regional Office, orally or by facsimile transmission within 24 hours, and both the Regional Office and the Enforcement Division (MC 224) in writing within five (5) working days, after becoming aware of or having reason to believe:

a. That any activity has occurred or will occur which would result in the discharge, on a routine or frequent basis, of any toxic pollutant listed at 40 CFR Part 122, Appendix D, Tables II and III (excluding Total Phenols) which is not limited in the permit, if that discharge will exceed the highest of the following "notification levels":

- i. One hundred micrograms per liter (100 μ g/L);
- ii. Two hundred micrograms per liter (200 μ g/L) for acrolein and acrylonitrile; five hundred micrograms per liter (500 μ g/L) for 2,4-dinitrophenol and for 2-methyl-4,6-dinitrophenol; and one milligram per liter (1 mg/L) for antimony;
- iii. Five (5) times the maximum concentration value reported for that pollutant in the permit application; or
- iv. The level established by the TCEQ.
- b. That any activity has occurred or will occur which would result in any discharge, on a nonroutine or infrequent basis, of a toxic pollutant which is not limited in the permit, if that discharge will exceed the highest of the following "notification levels":
 - i. Five hundred micrograms per liter (500 μ g/L);
 - ii. One milligram per liter (1 mg/L) for antimony;
 - iii. Ten (10) times the maximum concentration value reported for that pollutant in the permit application; or
 - iv. The level established by the TCEQ.

10. Signatories to Reports

All reports and other information requested by the Executive Director shall be signed by the person and in the manner required by 30 TAC § 305.128 (relating to Signatories to Reports).

PERMIT CONDITIONS

1. General

- a. When the permittee becomes aware that it failed to submit any relevant facts in a permit application, or submitted incorrect information in an application or in any report to the Executive Director, it shall promptly submit such facts or information.
- b. This permit is granted on the basis of the information supplied and representations made by the permittee during action on an application, and relying upon the accuracy and completeness of that information and those representations. After notice and opportunity for a hearing, this permit may be modified, suspended, or revoked, in whole or in part, in accordance with 30 TAC Chapter 305, Subchapter D, during its term for good cause including, but not limited to, the following:
 - i. Violation of any terms or conditions of this permit;
 - ii. Obtaining this permit by misrepresentation or failure to disclose fully all relevant facts; or
 - iii. A change in any condition that requires either a temporary or permanent reduction or elimination of the authorized discharge.
- c. The permittee shall furnish to the Executive Director, upon request and within a reasonable time, any information to determine whether cause exists for amending, revoking, suspending or terminating the permit. The permittee shall also furnish to the Executive Director, upon request, copies of records required to be kept by the permit.

2. Compliance

- a. Acceptance of the permit by the person to whom it is issued constitutes acknowledgment and agreement that such person will comply with all the terms and conditions embodied in the permit, and the rules and other orders of the Commission.
- b. The permittee has a duty to comply with all conditions of the permit. Failure to comply with any permit condition constitutes a violation of the permit and the Texas Water Code or the Texas Health and Safety Code, and is grounds for enforcement action, for permit amendment, revocation or suspension, or for denial of a permit renewal application or an application for a permit for another facility.
- c. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit.
- d. The permittee shall take all reasonable steps to minimize or prevent any discharge or sludge use or disposal or other permit violation which has a reasonable likelihood of adversely affecting human health or the environment.
- e. Authorization from the Commission is required before beginning any change in the permitted facility or activity that may result in noncompliance with any permit requirements.
- f. A permit may be amended, suspended and reissued, or revoked for cause in accordance with 30 TAC §§ 305.62 and 305.66 and Texas Water Code Section 7.302. The filing of a request by the permittee for a permit amendment, suspension and reissuance, or termination, or a notification of planned changes or anticipated noncompliance, does not stay any permit condition.
- g. There shall be no unauthorized discharge of wastewater or any other waste. For the purpose of this permit, an unauthorized discharge is considered to be any discharge of wastewater into or adjacent to water in the state at any location not permitted as an outfall or otherwise defined in the Special Provisions section of this permit.
- h. The permittee is subject to administrative, civil, and criminal penalties, as applicable, under Texas Water Code §§ 7.051 7.075 (relating to Administrative Penalties), 7.101 7.111 (relating to Civil Penalties), and 7.141 7.202 (relating to Criminal Offenses and Penalties).

3. Inspections and Entry

- a. Inspection and entry shall be allowed as prescribed in the Texas Water Code Chapters 26, 27, and 28, and Texas Health and Safety Code Chapter 361.
- b. The members of the Commission and employees and agents of the Commission are entitled to enter any public or private property at any reasonable time for the purpose of inspecting and investigating conditions relating to the quality of water in the state or the compliance with any rule, regulation, permit or other order of the Commission.

 Members, employees, or agents of the Commission and Commission contractors are entitled to enter public or private property at any reasonable time to investigate or monitor or, if the responsible party is not responsive or there is an immediate danger to

public health or the environment, to remove or remediate a condition related to the quality of water in the state. Members, employees, Commission contractors, or agents acting under this authority who enter private property shall observe the establishment's rules and regulations concerning safety, internal security, and fire protection, and if the property has management in residence, shall notify management or the person then in charge of his presence and shall exhibit proper credentials. If any member, employee, Commission contractor, or agent is refused the right to enter in or on public or private property under this authority, the Executive Director may invoke the remedies authorized in Texas Water Code Section 7.002. The statement above, that Commission entry shall occur in accordance with an establishment's rules and regulations concerning safety, internal security, and fire protection, is not grounds for denial or restriction of entry to any part of the facility, but merely describes the Commission's duty to observe appropriate rules and regulations during an inspection.

4. Permit Amendment and/or Renewal

- a. The permittee shall give notice to the Executive Director as soon as possible of any planned physical alterations or additions to the permitted facility if such alterations or additions would require a permit amendment or result in a violation of permit requirements. Notice shall also be required under this paragraph when:
 - i. The alteration or addition could significantly change the nature or increase the quantity of pollutants discharged. This notification applies to pollutants which are subject neither to effluent limitations in the permit, nor to notification requirements in Monitoring and Reporting Requirements No. 9;
 - ii. The alteration or addition results in a significant change in the permittee's sludge use or disposal practices, and such alteration, addition, or change may justify the application of permit conditions that are different from or absent in the existing permit, including notification of additional use or disposal sites not reported during the permit application process or not reported pursuant to an approved land application plan.
- b. Prior to any facility modifications, additions, or expansions that will increase the plant capacity beyond the permitted flow, the permittee must apply for and obtain proper authorization from the Commission before commencing construction.
- c. The permittee must apply for an amendment or renewal at least 180 days prior to expiration of the existing permit in order to continue a permitted activity after the expiration date of the permit. If an application is submitted prior to the expiration date of the permit, the existing permit shall remain in effect until the application is approved, denied, or returned. If the application is returned or denied, authorization to continue such activity shall terminate upon the effective date of the action. If an application is not submitted prior to the expiration date of the permit, the permit shall expire and authorization to continue such activity shall terminate.
- d. Prior to accepting or generating wastes which are not described in the permit application or which would result in a significant change in the quantity or quality of the existing discharge, the permittee must report the proposed changes to the Commission. The permittee must apply for a permit amendment reflecting any necessary changes in permit conditions, including effluent limitations for pollutants not identified and limited by this permit.

e. In accordance with the Texas Water Code § 26.029(b), after a public hearing, notice of which shall be given to the permittee, the Commission may require the permittee, from time to time, for good cause, in accordance with applicable laws, to conform to new or additional conditions.

5. Permit Transfer

- a. Prior to any transfer of this permit, Commission approval must be obtained. The Commission shall be notified in writing of any change in control or ownership of facilities authorized by this permit. Such notification should be sent to the Applications Review and Processing Team (MC 148) of the Water Quality Division.
- b. A permit may be transferred only according to the provisions of 30 TAC § 305.64 (relating to Transfer of Permits) and 30 TAC § 50.133 (relating to Executive Director Action on Application or WQMP update).

6. Relationship to Hazardous Waste Activities

This permit does not authorize any activity of hazardous waste storage, processing, or disposal which requires a permit or other authorization pursuant to the Texas Health and Safety Code.

7. Property Rights

A permit does not convey any property rights of any sort, or any exclusive privilege.

8. Permit Enforceability

The conditions of this permit are severable, and if any provision of this permit, or the application of any provision of this permit to any circumstances, is held invalid, the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby.

9. Relationship to Permit Application

The application pursuant to which the permit has been issued is incorporated herein; provided, however, that in the event of a conflict between the provisions of this permit and the application, the provisions of the permit shall control.

10. Notice of Bankruptcy.

- a. Each permittee shall notify the Executive Director, in writing, immediately following the filing of a voluntary or involuntary petition for bankruptcy under any chapter of Title 11 (Bankruptcy) of the United States Code (11 USC) by or against:
 - i. the permittee;
 - ii. an entity (as that term is defined in 11 USC, § 101(14)) controlling the permittee or listing the permit or permittee as property of the estate; or
 - iii. an affiliate (as that term is defined in 11 USC, § 101(2)) of the permittee.

- b. This notification must indicate:
 - i. the name of the permittee;
 - ii. the permit number(s);
 - iii. the bankruptcy court in which the petition for bankruptcy was filed; and
 - iv. the date of filing of the petition.

OPERATIONAL REQUIREMENTS

- 1. The permittee shall at all times ensure that the facility and all of its systems of collection, treatment, and disposal are properly operated and maintained. This includes, but is not limited to, the regular, periodic examination of wastewater solids within the treatment plant by the operator in order to maintain an appropriate quantity and quality of solids inventory as described in the various operator training manuals and according to accepted industry standards for process control. Process control, maintenance, and operations records shall be retained at the facility site, or shall be readily available for review by a TCEQ representative, for a period of three years.
- 2. Upon request by the Executive Director, the permittee shall take appropriate samples and provide proper analysis in order to demonstrate compliance with Commission rules. Unless otherwise specified in this permit or otherwise ordered by the Commission, the permittee shall comply with all applicable provisions of 30 TAC Chapter 312 concerning sewage sludge or biosolids use and disposal and 30 TAC §§ 319.21 319.29 concerning the discharge of certain hazardous metals.
- 3. Domestic wastewater treatment facilities shall comply with the following provisions:
 - a. The permittee shall notify the Municipal Permits Team, Wastewater Permitting Section (MC 148) of the Water Quality Division, in writing, of any facility expansion at least 90 days prior to conducting such activity.
 - b. The permittee shall submit a closure plan for review and approval to the Municipal Permits Team, Wastewater Permitting Section (MC 148) of the Water Quality Division, for any closure activity at least 90 days prior to conducting such activity. Closure is the act of permanently taking a waste management unit or treatment facility out of service and includes the permanent removal from service of any pit, tank, pond, lagoon, surface impoundment and/or other treatment unit regulated by this permit.
- 4. The permittee is responsible for installing prior to plant start-up, and subsequently maintaining, adequate safeguards to prevent the discharge of untreated or inadequately treated wastes during electrical power failures by means of alternate power sources, standby generators, and/or retention of inadequately treated wastewater.
- 5. Unless otherwise specified, the permittee shall provide a readily accessible sampling point and, where applicable, an effluent flow measuring device or other acceptable means by which effluent flow may be determined.
- 6. The permittee shall remit an annual water quality fee to the Commission as required by 30 TAC Chapter 21. Failure to pay the fee may result in revocation of this permit under Texas Water Code § 7.302(b)(6).
- 7. Documentation

For all written notifications to the Commission required of the permittee by this permit, the permittee shall keep and make available a copy of each such notification under the same conditions as self-monitoring data are required to be kept and made available. Except for information specified as not confidential in 30 TAC § 1.5(d), any information submitted pursuant to this permit may be claimed as confidential by the submitter. Any such claim must be asserted in the manner prescribed in the application form or by stamping the words "confidential business information" on each page containing such information. If no claim is made at the time of submission, information may be made available to the public without further notice. If the Commission or Executive Director agrees with the designation of confidentiality, the TCEQ will not provide the information for public inspection unless required by the Texas Attorney General or a court pursuant to an open records request. If the Executive Director does not agree with the designation of confidentiality, the person submitting the information will be notified.

- 8. Facilities which generate domestic wastewater shall comply with the following provisions; domestic wastewater treatment facilities at permitted industrial sites are excluded.
 - a. Whenever flow measurements for any domestic sewage treatment facility reach 75 percent of the permitted daily average or annual average flow for three consecutive months, the permittee must initiate engineering and financial planning for expansion and/or upgrading of the domestic wastewater treatment and/or collection facilities. Whenever the flow reaches 90 percent of the permitted daily average or annual average flow for three consecutive months, the permittee shall obtain necessary authorization from the Commission to commence construction of the necessary additional treatment and/or collection facilities. In the case of a domestic wastewater treatment facility which reaches 75 percent of the permitted daily average or annual average flow for three consecutive months, and the planned population to be served or the quantity of waste produced is not expected to exceed the design limitations of the treatment facility, the permittee shall submit an engineering report supporting this claim to the Executive Director of the Commission.

If in the judgement of the Executive Director the population to be served will not cause permit noncompliance, then the requirement of this section may be waived. To be effective, any waiver must be in writing and signed by the Director of the Enforcement Division (MC 219) of the Commission, and such waiver of these requirements will be reviewed upon expiration of the existing permit; however, any such waiver shall not be interpreted as condoning or excusing any violation of any permit parameter.

- b. The plans and specifications for domestic sewage collection and treatment works associated with any domestic permit must be approved by the Commission and failure to secure approval before commencing construction of such works or making a discharge is a violation of this permit and each day is an additional violation until approval has been secured.
- c. Permits for domestic wastewater treatment plants are granted subject to the policy of the Commission to encourage the development of area-wide waste collection, treatment and disposal systems. The Commission reserves the right to amend any domestic wastewater permit in accordance with applicable procedural requirements to require the system covered by this permit to be integrated into an area-wide system, should such be developed; to require the delivery of the wastes authorized to be collected in, treated by or discharged from said system, to such area-wide system; or to amend this permit in any

other particular to effectuate the Commission's policy. Such amendments may be made when the changes required are advisable for water quality control purposes and are feasible on the basis of waste treatment technology, engineering, financial, and related considerations existing at the time the changes are required, exclusive of the loss of investment in or revenues from any then existing or proposed waste collection, treatment or disposal system.

- 9. Domestic wastewater treatment plants shall be operated and maintained by sewage plant operators holding a valid certificate of competency at the required level as defined in 30 TAC Chapter 30.
- 10. Facilities which generate industrial solid waste as defined in 30 TAC § 335.1 shall comply with these provisions:
 - a. Any solid waste, as defined in 30 TAC § 335.1 (including but not limited to such wastes as garbage, refuse, sludge from a waste treatment, water supply treatment plant or air pollution control facility, discarded materials, discarded materials to be recycled, whether the waste is solid, liquid, or semisolid), generated by the permittee during the management and treatment of wastewater, must be managed in accordance with all applicable provisions of 30 TAC Chapter 335, relating to Industrial Solid Waste Management.
 - b. Industrial wastewater that is being collected, accumulated, stored, or processed before discharge through any final discharge outfall, specified by this permit, is considered to be industrial solid waste until the wastewater passes through the actual point source discharge and must be managed in accordance with all applicable provisions of 30 TAC Chapter 335.
 - c. The permittee shall provide written notification, pursuant to the requirements of 30 TAC § 335.8(b)(1), to the Corrective Action Section (MC 127) of the Remediation Division informing the Commission of any closure activity involving an Industrial Solid Waste Management Unit, at least 90 days prior to conducting such an activity.
 - d. Construction of any industrial solid waste management unit requires the prior written notification of the proposed activity to the Registration and Reporting Section (MC 129) of the Permitting and Remediation Support Division. No person shall dispose of industrial solid waste, including sludge or other solids from wastewater treatment processes, prior to fulfilling the deed recordation requirements of 30 TAC § 335.5.
 - e. The term "industrial solid waste management unit" means a landfill, surface impoundment, waste-pile, industrial furnace, incinerator, cement kiln, injection well, container, drum, salt dome waste containment cavern, or any other structure vessel, appurtenance, or other improvement on land used to manage industrial solid waste.
 - f. The permittee shall keep management records for all sludge (or other waste) removed from any wastewater treatment process. These records shall fulfill all applicable requirements of 30 TAC Chapter 335 and must include the following, as it pertains to wastewater treatment and discharge:
 - i. Volume of waste and date(s) generated from treatment process;
 - ii. Volume of waste disposed of on-site or shipped off-site;
 - iii. Date(s) of disposal;

- iv. Identity of hauler or transporter;
- v. Location of disposal site; and
- vi. Method of final disposal.

The above records shall be maintained on a monthly basis. The records shall be retained at the facility site, or shall be readily available for review by authorized representatives of the TCEQ for at least five years.

11. For industrial facilities to which the requirements of 30 TAC Chapter 335 do not apply, sludge and solid wastes, including tank cleaning and contaminated solids for disposal, shall be disposed of in accordance with Chapter 361 of the Texas Health and Safety Code.

TCEQ Revision 06/2020

SLUDGE PROVISIONS

The permittee is authorized to dispose of sludge or biosolids only at a Texas Commission on Environmental Quality (TCEQ) authorized land application site, co-disposal landfill, wastewater treatment facility, or facility that further processes sludge. The disposal of sludge or biosolids by land application on property owned, leased or under the direct control of the permittee is a violation of the permit unless the site is authorized with the TCEQ. This provision does not authorize Distribution and Marketing of Class A or Class AB Biosolids. This provision does not authorize the permittee to land apply biosolids on property owned, leased or under the direct control of the permittee.

SECTION I. REQUIREMENTS APPLYING TO ALL SEWAGE SLUDGE OR BIOSOLIDS LAND APPLICATION

A. General Requirements

- 1. The permittee shall handle and dispose of sewage sludge or biosolids in accordance with 30 TAC § 312 and all other applicable state and federal regulations in a manner that protects public health and the environment from any reasonably anticipated adverse effects due to any toxic pollutants that may be present in the sludge or biosolids.
- 2. In all cases, if the person (permit holder) who prepares the sewage sludge or biosolids supplies the sewage sludge or biosolids to another person for land application use or to the owner or lease holder of the land, the permit holder shall provide necessary information to the parties who receive the sludge or biosolids to assure compliance with these regulations.
- 3. The land application of processed or unprocessed chemical toilet waste, grease trap waste, grit trap waste, milk solids, or similar non-hazardous municipal or industrial solid wastes, or any of the wastes listed in this provision combined with biosolids, WTP residuals or domestic septage is prohibited unless the grease trap waste is added at a fats, oil and grease (FOG) receiving facility as part of an anaerobic digestion process.

B. Testing Requirements

1. Sewage sludge or biosolids shall be tested once during the term of this permit in accordance with the method specified in both 40 CFR Part 261, Appendix II and 40 CFR Part 268, Appendix I [Toxicity Characteristic Leaching Procedure (TCLP)] or other method that receives the prior approval of the TCEQ for the contaminants listed in 40 CFR Part 261.24, Table 1. Sewage sludge or biosolids failing this test shall be managed according to RCRA standards for generators of hazardous waste, and the waste's disposition must be in accordance with all applicable requirements for hazardous waste processing, storage, or disposal. Following failure of any TCLP test, the management or disposal of sewage sludge or biosolids at a facility other than an authorized hazardous waste processing, storage, or disposal facility shall be prohibited until such time as the permittee can demonstrate the sewage sludge or biosolids no longer exhibits the hazardous waste toxicity characteristics (as demonstrated by the results of the TCLP tests). A written report shall be provided to both the TCEQ Registration and Reporting Section (MC 129) of the Permitting and Registration Support Division and the Regional Director (MC Region 04) within seven (7) days after failing the TCLP Test.

The report shall contain test results, certification that unauthorized waste management has stopped, and a summary of alternative disposal plans that comply with RCRA standards for the management of hazardous waste. The report shall be addressed to: Director, Permitting and Registration Support Division (MC 129), Texas Commission on Environmental Quality, P.O. Box 13087, Austin, Texas 78711-3087. In addition, the permittee shall prepare an annual report on the results of all sludge toxicity testing. The permittee shall submit the following information in an annual report to the TCEQ by September 30th of each year. The permittee must submit this annual report using the online electronic reporting system available through TCEQ's website. If the permittee requests and obtains an electronic reporting waiver, the annual report can be submitted in hard copy to the TCEQ Regional Office (MC Region 04) and the Enforcement Division (MC 224).

2. Biosolids shall not be applied to the land if the concentration of the pollutants exceeds the pollutant concentration criteria in Table 1. The frequency of testing for pollutants in Table 1 is found in Section I.C. of this permit.

TABLE 1

<u>Pollutant</u>	<u>Ceiling Concentration</u>
	(Milligrams per kilogram)*
Arsenic	75
Cadmium	85
Chromium	3000
Copper	4300
Lead	840
Mercury	57
Molybdenum	75
Nickel	420
PCBs	49
Selenium	100
Zinc	7500

^{*} Dry weight basis

3. Pathogen Control

All sewage sludge that is applied to agricultural land, forest, a public contact site, or a reclamation site must be treated by one of the following methods to ensure that the sludge meets either the Class A, Class AB or Class B biosolids pathogen requirements.

a. For sewage sludge to be classified as Class A biosolids with respect to pathogens, the density of fecal coliform in the sewage sludge must be less than 1,000 most probable number (MPN) per gram of total solids (dry weight basis), or the density of Salmonella sp. bacteria in the sewage sludge must be less than three MPN per four grams of total solids (dry weight basis) at the time the sewage sludge is used or disposed. In addition, one of the alternatives listed below must be met:

<u>Alternative 1</u> - The temperature of the sewage sludge that is used or disposed shall be maintained at or above a specific value for a period of time. See 30 TAC § 312.82(a)(3)(A) for specific information;

Alternative 5 (PFRP) - Sewage sludge that is used or disposed of must be treated in one of the Processes to Further Reduce Pathogens (PFRP) described in 40 CFR Part 503, Appendix B. PFRP include composting, heat drying, heat treatment, and thermophilic aerobic digestion; or

Alternative 6 (PFRP Equivalent) - Sewage sludge that is used or disposed of must be treated in a process that has been approved by the U. S. Environmental Protection Agency as being equivalent to those in Alternative 5.

b. For sewage sludge to be classified as Class AB biosolids with respect to pathogens, the density of fecal coliform in the sewage sludge must be less than 1,000 MPN per gram of total solids (dry weight basis), or the density of *Salmonella* sp. bacteria in the sewage sludge be less than three MPN per four grams of total solids (dry weight basis) at the time the sewage sludge is used or disposed. In addition, one of the alternatives listed below must be met:

<u>Alternative 2</u> - The pH of the sewage sludge that is used or disposed shall be raised to above 12 std. units and shall remain above 12 std. units for 72 hours.

The temperature of the sewage sludge shall be above 52° Celsius for 12 hours or longer during the period that the pH of the sewage sludge is above 12 std. units.

At the end of the 72-hour period during which the pH of the sewage sludge is above 12 std. units, the sewage sludge shall be air dried to achieve a percent solids in the sewage sludge greater than 50%; or

Alternative 3 - The sewage sludge shall be analyzed for enteric viruses prior to pathogen treatment. The limit for enteric viruses is less than one Plaque-forming Unit per four grams of total solids (dry weight basis) either before or following pathogen treatment. See 30 TAC \S 312.82(a)(2)(C)(i-iii) for specific information. The sewage sludge shall be analyzed for viable helminth ova prior to pathogen treatment. The limit for viable helminth ova is less than one per four grams of total solids (dry weight basis) either before or following pathogen treatment. See 30 TAC \S 312.82(a)(2)(C)(iv-vi) for specific information; or

<u>Alternative 4</u> - The density of enteric viruses in the sewage sludge shall be less than one Plaque-forming Unit per four grams of total solids (dry weight basis) at the time the sewage sludge is used or disposed. The density of viable helminth ova in the sewage sludge shall be less than one per four grams of total solids (dry weight basis) at the time the sewage sludge is used or disposed.

- c. Sewage sludge that meets the requirements of Class AB biosolids may be classified a Class A biosolids if a variance request is submitted in writing that is supported by substantial documentation demonstrating equivalent methods for reducing odors and written approval is granted by the executive director. The executive director may deny the variance request or revoke that approved variance if it is determined that the variance may potentially endanger human health or the environment, or create nuisance odor conditions.
- d. Three alternatives are available to demonstrate compliance with Class B biosolids

criteria.

Alternative 1

- i. A minimum of seven random samples of the sewage sludge shall be collected within 48 hours of the time the sewage sludge is used or disposed of during each monitoring episode for the sewage sludge.
- ii. The geometric mean of the density of fecal coliform in the samples collected shall be less than either 2,000,000 MPN per gram of total solids (dry weight basis) or 2,000,000 Colony Forming Units per gram of total solids (dry weight basis).

<u>Alternative 2</u> - Sewage sludge that is used or disposed of shall be treated in one of the Processes to Significantly Reduce Pathogens (PSRP) described in 40 CFR Part 503, Appendix B, so long as all of the following requirements are met by the generator of the sewage sludge.

- i. Prior to use or disposal, all the sewage sludge must have been generated from a single location, except as provided in paragraph v. below;
- ii. An independent Texas Licensed Professional Engineer must make a certification to the generator of a sewage sludge that the wastewater treatment facility generating the sewage sludge is designed to achieve one of the PSRP at the permitted design loading of the facility. The certification need only be repeated if the design loading of the facility is increased. The certification shall include a statement indicating the design meets all the applicable standards specified in Appendix B of 40 CFR Part 503;
- iii. Prior to any off-site transportation or on-site use or disposal of any sewage sludge generated at a wastewater treatment facility, the chief certified operator of the wastewater treatment facility or other responsible official who manages the processes to significantly reduce pathogens at the wastewater treatment facility for the permittee, shall certify that the sewage sludge underwent at least the minimum operational requirements necessary in order to meet one of the PSRP. The acceptable processes and the minimum operational and record keeping requirements shall be in accordance with established U.S. Environmental Protection Agency final guidance;
- iv. All certification records and operational records describing how the requirements of this paragraph were met shall be kept by the generator for a minimum of three years and be available for inspection by commission staff for review; and
- v. If the sewage sludge is generated from a mixture of sources, resulting from a person who prepares sewage sludge from more than one wastewater treatment facility, the resulting derived product shall meet one of the PSRP, and shall meet the certification, operation, and record keeping requirements of this paragraph.

<u>Alternative 3</u> - Sewage sludge shall be treated in an equivalent process that has been approved by the U.S. Environmental Protection Agency, so long as all of the following requirements are met by the generator of the sewage sludge.

i. Prior to use or disposal, all the sewage sludge must have been generated from a

- single location, except as provided in paragraph v. below;
- ii. Prior to any off-site transportation or on-site use or disposal of any sewage sludge generated at a wastewater treatment facility, the chief certified operator of the wastewater treatment facility or other responsible official who manages the processes to significantly reduce pathogens at the wastewater treatment facility for the permittee, shall certify that the sewage sludge underwent at least the minimum operational requirements necessary in order to meet one of the PSRP. The acceptable processes and the minimum operational and record keeping requirements shall be in accordance with established U.S. Environmental Protection Agency final guidance;
- iii. All certification records and operational records describing how the requirements of this paragraph were met shall be kept by the generator for a minimum of three years and be available for inspection by commission staff for review;
- iv. The Executive Director will accept from the U.S. Environmental Protection Agency a finding of equivalency to the defined PSRP; and
- v. If the sewage sludge is generated from a mixture of sources resulting from a person who prepares sewage sludge from more than one wastewater treatment facility, the resulting derived product shall meet one of the Processes to Significantly Reduce Pathogens, and shall meet the certification, operation, and record keeping requirements of this paragraph.

In addition to the Alternatives 1 - 3, the following site restrictions must be met if Class B biosolids are land applied:

- i. Food crops with harvested parts that touch the biosolids /soil mixture and are totally above the land surface shall not be harvested for 14 months after application of biosolids.
- ii. Food crops with harvested parts below the surface of the land shall not be harvested for 20 months after application of biosolids when the biosolids remain the land surface for 4 months or longer prior to incorporation into the soil.
- iii. Food crops with harvested parts below the surface of the land shall not be harvested for 38 months after application of biosolids when the biosolids remain on the land surface for less than 4 months prior to incorporation into the soil.
- iv. Food crops, feed crops, and fiber crops shall not be harvested for 30 days after application of biosolids.
- v. Domestic livestock shall not be allowed to graze on the land for 30 days after application of biosolids.
- vi. Turf grown on land where biosolids are applied shall not be harvested for 1 year after application of the biosolids when the harvested turf is placed on either land with a high potential for public exposure or a lawn.
- vii. Public access to land with a high potential for public exposure shall be restricted for 1 year after application of biosolids.

- viii. Public access to land with a low potential for public exposure shall be restricted for 30 days after application of biosolids.
- ix. Land application of biosolids shall be in accordance with the buffer zone requirements found in 30 TAC § 312.44.

4. Vector Attraction Reduction Requirements

All bulk sewage sludge that is applied to agricultural land, forest, a public contact site, or a reclamation site shall be treated by one of the following Alternatives 1 through 10 for vector attraction reduction.

- Alternative 1 The mass of volatile solids in the sewage sludge shall be reduced by a minimum of 38%.
- Alternative 2 If Alternative 1 cannot be met for an anaerobically digested sludge, demonstration can be made by digesting a portion of the previously digested sludge anaerobically in the laboratory in a bench-scale unit for 40 additional days at a temperature between 30° and 37° Celsius. Volatile solids must be reduced by less than 17% to demonstrate compliance.
- Alternative 3 If Alternative 1 cannot be met for an aerobically digested sludge, demonstration can be made by digesting a portion of the previously digested sludge with percent solids of two percent or less aerobically in the laboratory in a bench-scale unit for 30 additional days at 20° Celsius. Volatile solids must be reduced by less than 15% to demonstrate compliance.
- Alternative 4 The specific oxygen uptake rate (SOUR) for sewage sludge treated in an aerobic process shall be equal to or less than 1.5 milligrams of oxygen per hour per gram of total solids (dry weight basis) at a temperature of 20° Celsius.
- Alternative 5 Sewage sludge shall be treated in an aerobic process for 14 days or longer. During that time, the temperature of the sewage sludge shall be higher than 40° Celsius and the average temperature of the sewage sludge shall be higher than 45° Celsius.
- Alternative 6 The pH of sewage sludge shall be raised to 12 or higher by alkali addition and, without the addition of more alkali shall remain at 12 or higher for two hours and then remain at a pH of 11.5 or higher for an additional 22 hours at the time the sewage sludge is prepared for sale or given away in a bag or other container.
- Alternative 7 The percent solids of sewage sludge that does not contain unstabilized solids generated in a primary wastewater treatment process shall be equal to or greater than 75% based on the moisture content and total solids prior to mixing with other materials. Unstabilized solids are defined as organic materials in sewage sludge that have not been treated in either an aerobic or anaerobic treatment process.

Alternative 8 -

The percent solids of sewage sludge that contains unstabilized solids generated in a primary wastewater treatment process shall be equal to or greater than 90% based on the moisture content and total solids prior to mixing with other materials at the time the sludge is used. Unstabilized solids are defined as organic materials in sewage sludge that have not been treated in either an aerobic or anaerobic treatment process.

Alternative 9 -

- i. Sewage sludge shall be injected below the surface of the land.
- ii. No significant amount of the sewage sludge shall be present on the land surface within one hour after the sewage sludge is injected.
- iii. When sewage sludge that is injected below the surface of the land is Class A or Class AB with respect to pathogens, the biosolids shall be injected below the land surface within eight hours after being discharged from the pathogen treatment process.

Alternative 10-

- i. Biosolids applied to the land surface or placed on a surface disposal site shall be incorporated into the soil within six hours after application to or placement on the land.
- ii. When biosolids that are incorporated into the soil is Class A or Class AB with respect to pathogens, the sewage sludge shall be applied to or placed on the land within eight hours after being discharged from the pathogen treatment process.

C. Monitoring Requirements

Toxicity Characteristic Leaching Procedure - once during the term of this permit (TCLP) Test
PCBs - once during the term of this permit

All metal constituents and fecal coliform or *Salmonella* sp. bacteria shall be monitored at the appropriate frequency shown below, pursuant to 30 TAC § 312.46(a)(1):

Amount of biosolids (*)

metric tons per 365-day period Monitoring Frequency

o to less than 290 Once/Year

290 to less than 1,500 Once/Quarter

1,500 to less than 15,000 Once/Two Months

15,000 or greater Once/Month

(*) The amount of bulk biosolids applied to the land (dry wt. basis).

Representative samples of sewage sludge shall be collected and analyzed in accordance with

the methods referenced in 30 TAC § 312.7

Identify each of the analytic methods used by the facility to analyze enteric viruses, fecal coliforms, helminth ova, *Salmonella* sp., and other regulated parameters.

Identify in the following categories (as applicable) the sewage sludge or biosolids treatment process or processes at the facility: preliminary operations (e.g., sludge or biosolids grinding and degritting), thickening (concentration), stabilization, anaerobic digestion, aerobic digestion, composting, conditioning, disinfection (e.g., beta ray irradiation, gamma ray irradiation, pasteurization), dewatering (e.g., centrifugation, sludge drying beds, sludge lagoons), heat drying, thermal reduction, and methane or biogas capture and recovery.

Identify the nature of material generated by the facility (such as a biosolid for beneficial use or land-farming, sewage sludge or biosolids for disposal at a monofill) and whether the material is ultimately conveyed off-site in bulk or in bags.

SECTION II. REQUIREMENTS SPECIFIC TO BULK SEWAGE SLUDGE FOR APPLICATION TO THE LAND MEETING CLASS A, CLASS AB or B BIOSOLIDS PATHOGEN REDUCTION AND THE CUMULATIVE LOADING RATES IN TABLE 2, OR CLASS B PATHOGEN REDUCTION AND THE POLLUTANT CONCENTRATIONS IN TABLE 3

For those permittees meeting Class A, Class AB or B pathogen reduction requirements and that meet the cumulative loading rates in Table 2 below, or the Class B pathogen reduction requirements and contain concentrations of pollutants below listed in Table 3, the following conditions apply:

A. Pollutant Limits

Table 2

	Cumulative Pollutant Loading Rate
<u>Pollutant</u>	(pounds per acre)*
Arsenic	36
Cadmium	35
Chromium	2677
Copper	1339
Lead	268
Mercury	15
Molybdenum	Report Only
Nickel	375
Selenium	89
Zinc	2500

Table 3

Monthly Average
Concentration
(milligrams per kilogram)*
41
39
1200
1500
300
17
Report Only
420
36
2800

*Dry weight basis

B. Pathogen Control

All bulk sewage sludge that is applied to agricultural land, forest, a public contact site, a reclamation site, shall be treated by either Class A, Class AB or Class B biosolids pathogen reduction requirements as defined above in Section I.B.3.

C. Management Practices

- 1. Bulk biosolids shall not be applied to agricultural land, forest, a public contact site, or a reclamation site that is flooded, frozen, or snow-covered so that the bulk sewage sludge or biosolids enters a wetland or other waters in the State.
- 2. Bulk sewage sludge not meeting Class A biosolids requirements shall be land applied in a manner which complies with Applicability in accordance with 30 TAC §312.41 and the Management Requirements in accordance with 30 TAC § 312.44.
- 3. Bulk biosolids shall be applied at or below the agronomic rate of the cover crop.
- 4. An information sheet shall be provided to the person who receives bulk Class A or AB biosolids sold or given away. The information sheet shall contain the following information:
 - a. The name and address of the person who prepared the Class A or AB biosolids that are sold or given away in a bag or other container for application to the land.
 - b. A statement that application of the Class A or AB biosolids to the land is prohibited except in accordance with the instruction on the label or information sheet.
 - c. The annual whole sludge application rate for the sewage sludge application rate for the biosolids that does not cause any of the cumulative pollutant loading rates in Table 2 above to be exceeded, unless the pollutant concentrations in Table 3 found in Section II above are met.

D. Notification Requirements

- 1. If bulk biosolids are applied to land in a State other than Texas, written notice shall be provided prior to the initial land application to the permitting authority for the State in which the bulk biosolids are proposed to be applied. The notice shall include:
 - a. The location, by street address, and specific latitude and longitude, of each land application site.
 - b. The approximate time period bulk biosolids will be applied to the site.
 - c. The name, address, telephone number, and National Pollutant Discharge Elimination System permit number (if appropriate) for the person who will apply the bulk biosolids.

E. Record Keeping Requirements

The documents will be retained at the facility site and/or shall be readily available for review by a TCEQ representative. The person who prepares bulk sewage sludge or a biosolids material shall develop the following information and shall retain the information at the facility site and/or shall be readily available for review by a TCEQ representative for a period of <u>five years</u>. If the permittee supplies the sludge to another person who land applies the sludge, the permittee shall notify the land applier of the requirements for record keeping found in 30 TAC § 312.47 for persons who land apply.

- 1. The concentration (mg/kg) in the sludge of each pollutant listed in Table 3 above and the applicable pollutant concentration criteria (mg/kg), or the applicable cumulative pollutant loading rate and the applicable cumulative pollutant loading rate limit (lbs/ac) listed in Table 2 above.
- 2. A description of how the pathogen reduction requirements are met (including site restrictions for Class AB and Class B biosolids, if applicable).
- 3. A description of how the vector attraction reduction requirements are met.
- 4. A description of how the management practices listed above in Section II.C are being met.
- 5. The following certification statement:
 - "I certify, under penalty of law, that the applicable pathogen requirements in 30 TAC § 312.82(a) or (b) and the vector attraction reduction requirements in 30 TAC § 312.83(b) have been met for each site on which bulk biosolids are applied. This determination has been made under my direction and supervision in accordance with the system designed to ensure that qualified personnel properly gather and evaluate the information used to determine that the management practices have been met. I am aware that there are significant penalties for false certification including fine and imprisonment."
- 6. The recommended agronomic loading rate from the references listed in Section II.C.3. above, as well as the actual agronomic loading rate shall be retained. The person who applies bulk biosolids shall develop the following information and shall retain the information at the facility site and/or shall be readily available for review by a TCEQ representative <u>indefinitely</u>. If the permittee supplies the sludge to another person who land applies the sludge, the permittee shall notify the land applier of the requirements for record keeping found in 30 TAC § 312.47 for persons who land apply:
 - a. A certification statement that all applicable requirements (specifically listed) have been met, and that the permittee understands that there are significant penalties for false certification including fine and imprisonment. See 30 TAC § 312.47(a)(4)(A)(ii) or 30 TAC § 312.47(a)(5)(A)(ii), as applicable, and to the permittee's specific sludge or biosolids treatment activities.
 - b. The location, by street address, and specific latitude and longitude, of each site on which sludge or biosolids are applied.
 - c. The number of acres in each site on which bulk sludge or biosolids are applied.
 - d. The date and time sludge or biosolids are applied to each site.
 - e. The cumulative amount of each pollutant in pounds/acre listed in Table 2 applied to each site.
 - f. The total amount of sludge applied to each site in dry tons.

The above records shall be maintained on-site on a monthly basis and shall be made available to the Texas Commission on Environmental Quality upon request.

F. Reporting Requirements

The permittee shall submit the following information in an annual report to the TCEQ by September 30th of each year. The permittee must submit this annual report using the online electronic reporting system available through TCEQ's website. If the permittee requests and obtains an electronic reporting waiver, the annual report can be submitted in hard copy to the TCEQ Regional Office (MC Region 04) and the Enforcement Division (MC 224).

- 1. Identify in the following categories (as applicable) the sewage sludge or biosolids treatment process or processes at the facility: preliminary operations (e.g., sludge or biosolids grinding and degritting), thickening (concentration), stabilization, anaerobic digestion, aerobic digestion, composting, conditioning, disinfection (e.g., beta ray irradiation, gamma ray irradiation, pasteurization), dewatering (e.g., centrifugation, sludge drying beds, sludge lagoons), heat drying, thermal reduction, and methane or biogas capture and recovery.
- 2. Identify the nature of material generated by the facility (such as a biosolid for beneficial use or land-farming, or sewage sludge for disposal at a monofill) and whether the material is ultimately conveyed off-site in bulk or in bags.
- 3. Results of tests performed for pollutants found in either Table 2 or 3 as appropriate for the permittee's land application practices.
- 4. The frequency of monitoring listed in Section I.C. that applies to the permittee.
- 5. Toxicity Characteristic Leaching Procedure (TCLP) results.
- 6. PCB concentration in sludge or biosolids in mg/kg.
- 7. Identity of hauler(s) and TCEQ transporter number.
- 8. Date(s) of transport.
- 9. Texas Commission on Environmental Quality registration number, if applicable.
- 10. Amount of sludge or biosolids disposal dry weight (lbs/acre) at each disposal site.
- 11. The concentration (mg/kg) in the sludge or biosolids of each pollutant listed in Table 1 (defined as a monthly average) as well as the applicable pollutant concentration criteria (mg/kg) listed in Table 3 above, or the applicable pollutant loading rate limit (lbs/acre) listed in Table 2 above if it exceeds 90% of the limit.
- 12. Level of pathogen reduction achieved (Class A, Class AB or Class B).
- 13. Alternative used as listed in Section I.B.3.(a. or b.). Alternatives describe how the pathogen reduction requirements are met. If Class B biosolids, include information on how site restrictions were met.
- 14. Identify each of the analytic methods used by the facility to analyze enteric viruses, fecal coliforms, helminth ova, *Salmonella* sp., and other regulated parameters.
- 15. Vector attraction reduction alternative used as listed in Section I.B.4.
- 16. Amount of sludge or biosolids transported in dry tons/year.
- 17. The certification statement listed in either 30 TAC § 312.47(a)(4)(A)(ii) or 30 TAC §

- 312.47(a)(5)(A)(ii) as applicable to the permittee's sludge or biosolids treatment activities, shall be attached to the annual reporting form.
- 18. When the amount of any pollutant applied to the land exceeds 90% of the cumulative pollutant loading rate for that pollutant, as described in Table 2, the permittee shall report the following information as an attachment to the annual reporting form.
 - a. The location, by street address, and specific latitude and longitude.
 - b. The number of acres in each site on which bulk biosolids are applied.
 - c. The date and time bulk biosolids are applied to each site.
 - d. The cumulative amount of each pollutant (i.e., pounds/acre) listed in Table 2 in the bulk biosolids applied to each site.
 - e. The amount of biosolids (i.e., dry tons) applied to each site.

The above records shall be maintained on a monthly basis and shall be made available to the Texas Commission on Environmental Quality upon request.

SECTION III. REQUIREMENTS APPLYING TO ALL SEWAGE SLUDGE OR BIOSOLIDS DISPOSED IN A MUNICIPAL SOLID WASTE LANDFILL

- A. The permittee shall handle and dispose of sewage sludge or biosolids in accordance with 30 TAC § 330 and all other applicable state and federal regulations to protect public health and the environment from any reasonably anticipated adverse effects due to any toxic pollutants that may be present. The permittee shall ensure that the sewage sludge or biosolids meet the requirements in 30 TAC § 330 concerning the quality of the sludge disposed in a municipal solid waste landfill.
- B. If the permittee generates sewage sludge or biosolids and supplies that sewage sludge or biosolids to the owner or operator of a municipal solid waste landfill (MSWLF) for disposal, the permittee shall provide to the owner or operator of the MSWLF appropriate information needed to be in compliance with the provisions of this permit.
- C. Sewage sludge or biosolids shall be tested once during the term of this permit in accordance with the method specified in both 40 CFR Part 261, Appendix II and 40 CFR Part 268, Appendix I (Toxicity Characteristic Leaching Procedure) or other method, which receives the prior approval of the TCEQ for contaminants listed in Table 1 of 40 CFR § 261.24. Sewage sludge or biosolids failing this test shall be managed according to RCRA standards for generators of hazardous waste, and the waste's disposition must be in accordance with all applicable requirements for hazardous waste processing, storage, or disposal.

Following failure of any TCLP test, the management or disposal of sewage sludge or biosolids at a facility other than an authorized hazardous waste processing, storage, or disposal facility shall be prohibited until such time as the permittee can demonstrate the sewage sludge or biosolids no longer exhibits the hazardous waste toxicity characteristics (as demonstrated by the results of the TCLP tests). A written report shall be provided to both the TCEQ Registration and Reporting Section (MC 129) of the Permitting and Registration Support Division and the Regional Director (MC Region 04) of the appropriate TCEQ field office within 7 days after failing the TCLP Test.

The report shall contain test results, certification that unauthorized waste management has stopped, and a summary of alternative disposal plans that comply with RCRA standards for the management of hazardous waste. The report shall be addressed to: Director, Permitting and Registration Support Division (MC 129), Texas Commission on Environmental Quality, P. O. Box 13087, Austin, Texas 78711-3087. In addition, the permittee shall prepare an annual report on the results of all sludge toxicity testing. This annual report shall be submitted to the TCEQ Regional Office (MC Region 04) and the Enforcement Division (MC 224), by September 30_{th} of each year.

- D. Sewage sludge or biosolids shall be tested as needed, in accordance with the requirements of 30 TAC Chapter 330.
- E. Record Keeping Requirements

The permittee shall develop the following information and shall retain the information for five years.

- 1. The description (including procedures followed and the results) of all liquid Paint Filter Tests performed.
- 2. The description (including procedures followed and results) of all TCLP tests performed.

The above records shall be maintained on-site on a monthly basis and shall be made available to the Texas Commission on Environmental Quality upon request.

F. Reporting Requirements

The permittee shall submit the following information in an annual report to the TCEQ by September 30th of each year. The permittee must submit this annual report using the online electronic reporting system available through TCEQ's website. If the permittee requests and obtains an electronic reporting waiver, the annual report can be submitted in hard copy to the TCEQ Regional Office (MC Region 04) and the Enforcement Division (MC224).

- 1. Identify in the following categories (as applicable) the sewage sludge or biosolids treatment process or processes at the facility: preliminary operations (e.g., sludge or biosolids grinding and degritting), thickening (concentration), stabilization, anaerobic digestion, aerobic digestion, composting, conditioning, disinfection (e.g., beta ray irradiation, gamma ray irradiation, pasteurization), dewatering (e.g., centrifugation, sludge drying beds, sludge lagoons), heat drying, thermal reduction, and methane or biogas capture and recovery.
- 2. Toxicity Characteristic Leaching Procedure (TCLP) results.
- 3. Annual sludge or biosolids production in dry tons/year.
- 4. Amount of sludge or biosolids disposed in a municipal solid waste landfill in dry tons/year.
- 5. Amount of sludge or biosolids transported interstate in dry tons/year.
- 6. A certification that the sewage sludge or biosolids meets the requirements of 30 TAC § 330 concerning the quality of the sludge disposed in a municipal solid waste landfill.
- 7. Identity of hauler(s) and transporter registration number.
- 8. Owner of disposal site(s).
- 9. Location of disposal site(s).
- 10. Date(s) of disposal.

The above records shall be maintained on-site on a monthly basis and shall be made available to the Texas Commission on Environmental Quality upon request.

SECTION IV. REQUIREMENTS APPLYING TO SLUDGE OR BIOSOLIDS TRANSPORTED TO ANOTHER FACILITY FOR FURTHER PROCESSING

These provisions apply to sludge or biosolids that is transported to another wastewater treatment facility or facility that further processes sludge or biosolids. These provisions are intended to allow transport of sludge or biosolids to facilities that have been authorized to accept sludge or biosolids. These provisions do not limit the ability of the receiving facility to determine whether to accept the sludge or biosolids, nor do they limit the ability of the receiving facility to request additional testing or documentation.

A. General Requirements

- 1. The permittee shall handle and dispose of sewage sludge or biosolids in accordance with 30 TAC Chapter 312 and all other applicable state and federal regulations in a manner that protects public health and the environment from any reasonably anticipated adverse effects due to any toxic pollutants that may be present in the sludge.
- 2. Sludge or biosolids may only be transported using a registered transporter or using an approved pipeline.

B. Record Keeping Requirements

- 1. For sludge or biosolids transported by an approved pipeline, the permittee must maintain records of the following:
 - a. the amount of sludge or biosolids transported;
 - b. the date of transport;
 - c. the name and TCEQ permit number of the receiving facility or facilities;
 - d. the location of the receiving facility or facilities;
 - e. the name and TCEQ permit number of the facility that generated the waste; and
 - f. copy of the written agreement between the permittee and the receiving facility to accept sludge or biosolids.
- 2. For sludge or biosolids transported by a registered transporter, the permittee must maintain records of the completed trip tickets in accordance with 30 TAC § 312.145(a)(1)-(7) and amount of sludge or biosolids transported.
- 3. The above records shall be maintained on-site on a monthly basis and shall be made available to the TCEQ upon request. These records shall be retained for at least five years.

C. Reporting Requirements

The permittee shall submit the following information in an annual report to the TCEQ by September 30th of each year. The permittee must submit this annual report using the online electronic reporting system available through TCEQ's website. If the permittee requests and obtains an electronic reporting waiver, the annual report can be submitted in hard copy to the TCEQ Regional Office (MC Region 04) and the Enforcement Division (MC 224).

- 1. Identify in the following categories (as applicable) the sewage sludge or biosolids treatment process or processes at the facility: preliminary operations (e.g., sludge or biosolids grinding and degritting), thickening (concentration), stabilization, anaerobic digestion, aerobic digestion, composting, conditioning, disinfection (e.g., beta ray irradiation, gamma ray irradiation, pasteurization), dewatering (e.g., centrifugation, sludge drying beds, sludge lagoons), heat drying, thermal reduction, and methane or biogas capture and recovery.
- 2. the annual sludge or biosolids production;
- 3. the amount of sludge or biosolids transported;
- 4. the owner of each receiving facility;
- 5. the location of each receiving facility; and
- 6. the date(s) of disposal at each receiving facility.

TCEQ Revision 06/2020

SPECIAL PROVISIONS:

- 1. This permit is granted subject to the policy of the Commission to encourage the development of area-wide waste collection, treatment, and disposal systems. The Commission reserves the right to amend this permit in accordance with applicable procedural requirements to require the system covered by this permit to be integrated into an area-wide system, if an area-wide system is developed; to require the delivery of the wastes authorized to be collected in, treated by, or discharged from the system, to an area-wide system; or to amend this permit in any other particular to effectuate the Commission's policy. Such amendments may be made when the changes required are advisable for water quality control purposes and are feasible on the basis of waste treatment technology, engineering, financial, and related considerations existing at the time the changes are required, exclusive of the loss of investment in or revenues from any then existing or proposed waste collection, treatment, or disposal system.
- 2. The permittee shall employ or contract with one or more licensed wastewater treatment facility operators or wastewater system operations companies holding a valid license or registration according to the requirements of 30 TAC § 30, Occupational Licenses and Registrations, and in particular 30 TAC § 30, Subchapter J, Wastewater Operators and Operations Companies.
 - This Category D* facility must be operated by a chief operator or an operator holding a Category D* license or higher. The facility must be operated a minimum of five days per week by the licensed chief operator or an operator holding the required level of license or higher. The licensed chief operator or operator holding the required level of license or higher must be available by telephone or pager seven days per week. Where shift operation of the wastewater treatment facility is necessary, each shift which does not have the on-site supervision of the licensed chief operator must be supervised by an operator in charge who is licensed not less than one level below the category for the facility.
 - *A Class D Wastewater Treatment Operator license is not renewable for operators of a facility listed in 30 TAC Section 30.342(c) and must be upgraded to a Class C Wastewater Treatment Operator license or higher prior to the expiration date of the Class D license.
- 3. The permittee shall maintain and operate the treatment facility in order to achieve optimum efficiency of treatment capability. This shall include required monitoring of effluent flow and quality as well as appropriate grounds and building maintenance.
- 4. Effluent shall not be applied for irrigation during rainfall events or when the ground is frozen or saturated.
- 5. Application rates shall not exceed 0.05 gallons per square foot per day. The permittee is responsible for providing equipment to determine application rates and maintaining accurate records of the volume of effluent applied. These records shall be made available for review by the TCEQ and shall be maintained for at least three years.
- 6. The subsurface drip irrigation system shall be designed and managed so as to prevent ponding or surfacing of effluent or contamination of ground and surface waters and to prevent the occurrence of nuisance conditions in the area. Bermudagrass (warm season) and ryegrass, oats or other cool season small grains shall be established and well maintained in

the irrigation area throughout the year for wastewater and nutrient uptake by the crops and to prevent pathways for wastewater surfacing. Tailwater control facilities shall be provided as necessary to prevent the discharge of any wastewater from the irrigated land.

- 7. The permittee shall provide facilities for the protection of its wastewater treatment facilities from a 100-year floodplain.
- 8. The permittee shall obtain representative soil samples from the root zones of the land application area. Composite sampling techniques shall be used. Each composite sample shall represent no more than 4.7 acres with no less than 10 subsamples representing each composite sample. Subsamples shall be composited by like sampling depth, type of crop and soil type for analysis and reporting. Soil types are soils that have like topsoil or plow layer textures. These soils shall be sampled individually 0 to 6 inches, 6 to 18 inches, and 18 to 30 inches below ground level. The permittee shall sample soils in December to February of each year. Soil samples shall be analyzed within 30 days of sample collection.

The permittee shall provide annual soil analyses of the land application area according to the following table:

Parameter	Method	Minimum Analytical Level (MAL)	Reporting units
рН	2:1 (v/v) water to soil mixture		Reported to 0.1 pH units after calibration of pH meter
Electrical Conductivity	2:1 (v/v) water to soil mixture	0.01	dS/m (same as mmho/cm)
Nitrate-nitrogen	From a 1 <u>N</u> KCl soil extract	1	mg/kg (dry weight basis)
Total Kjeldahl Nitrogen (TKN)	For determination of Organic plus Ammonium Nitrogen. Procedures that use Mercury (Hg) are not acceptable.	20	mg/kg (dry weight basis)
Total Nitrogen	= TKN + nitrate-nitrogen (same as, organic-nitrogen + ammonium-nitrogen + nitrate-nitrogen)		mg/kg (dry weight basis)
Plant-available: Phosphorus (P)	Mehlich III with inductively coupled plasma	1 (P)	mg/kg (dry weight basis)


Plant-available: Potassium (K)	May be determined in the same Mehlich III extract with inductively coupled plasma	mg/kg (dry weight basis)
Amendment addition, e.g., gypsum		Report in <i>short</i> tons/acre in the year effected

The permittee shall provide a copy of this soil testing plan to the analytical laboratory prior to sample analysis. The permittee shall submit the results of the annual soil sample analyses with copies of the laboratory reports and a map depicting the areas that have received wastewater within the permanent land application fields to the TCEQ Regional Office (MC Region 4) and the Enforcement Division (MC 224) no later than the end of September of each sampling year. If wastewater and/or sludge is not applied in a particular year, the permittee shall notify the same TCEQ offices and indicate that wastewater and/or sludge has not been applied on the approved land disposal sites during that year.

- 9. Permanent transmission lines shall be installed from the treatment system to each drip irrigation zone of the subsurface drip irrigation system.
- 10. Irrigation with effluent shall be accomplished only when the area specified is not in use.
- 11. For any area where treated effluent is stored or where there exist hose bibs or faucets, the permittee shall erect adequate signs stating that the irrigation water is from a non-potable water supply. Signs shall consist of a red slash superimposed over the international symbol for drinking water accompanied by the message "DO NOT DRINK THE WATER" in both English and Spanish. All piping transporting the effluent shall be clearly marked with these same signs.
- 12. Any new or modified wastewater pond shall be adequately lined to control seepage in accordance with 30 TAC §217.203 and 30 TAC 309.13(d) since the facility overlies the recharge zone of an aquifer. The Permittee shall submit the liner certification for a newly-constructed or modified wastewater pond to the Water Quality Assessment Team (MC-150), the TCEQ Regional Office (MC Region 4), and the TCEQ Enforcement Division (MC-224) within 30 days of completion and prior to use. The certification shall be signed and sealed by a Texas-licensed professional engineer and include a description of how the liner meets the requirements of 30 TAC §217.203 and 30 TAC §309.13(d) since the facility is located on the recharge zone of an aquifer.
- 13. Pond liner certifications and all liner construction and repair documentation shall be maintained by the Permittee for the life of the facility and be made available for TCEQ personnel for inspection and review.
- 14. The permittee shall comply with buffer zone requirements of 30 TAC §309.13(c). A wastewater treatment plant unit, defined by 30 TAC Section §309.11(9), must be located a minimum horizontal distance of 250 feet from a private well and a minimum horizontal distance of 500 feet from a public water well site, spring, or other similar sources of public drinking water, as provided by §290.41(c)(1)(C) of this title.

- 15. The permittee shall comply with the buffer zone requirements of 30 TAC §309.13(c), specifically regarding water wells and waters in the state. The permittee must locate the wastewater irrigation fields a minimum horizontal distance of 500 feet from public water wells, springs, or other similar sources of public drinking water; and 150 feet from private water wells.
- 16. The permittee shall monitor the accumulation of solids in the septic tank once every six months. Solids shall be removed once every two years or more frequently if necessary based upon accumulation of solids. The permittee shall maintain records of the dates of inspection and the dates on which solids were removed. These records shall be maintained on-site for a minimum of three years.
- 17. The permittee shall use cultural practices to promote and maintain the health and propagation of the Bermudagrass (warm season) and winter wheat or ryegrass, oats or other cool season small grains (cool season) crops and avoid plant lodging. The permittee shall harvest the crops (cut and remove it from the field) at least one time during the year. Harvesting and mowing dates shall be recorded in a log book kept on site to be made available to TCEQ personnel upon request.
- 18. The subsurface drip irrigation system in the 4.7-acre site shall consist of several dispersal zones. The drip lines shall be covered with a minimum of six (6) to eight (8) inches of soil. The minimum soil depth below the drip lines shall consist of at least twelve (12) inches of usable soil.
- 19. The permittee shall submit a map depicting the location of the moisture monitoring devices in each drip irrigation zone. The moisture monitoring devices shall be computer controlled so that effluent flow to a zone will stop once saturated conditions are detected. The map with depictions of the different drip irrigation zones, the location of the soil monitoring devices and a detailed description of the depth of placement of the moisture sensors and how they are instrumented to detect saturated soil conditions shall be submitted to the Water Quality Assessment Team (MC 150) for review/revision and approval within 60 days of permit issuance. Copies of this report will also be submitted to the TCEQ Regional Office (MC Region 4) and to the Enforcement Division (MC 224). Pump and Haul to dispose of wastewater shall be used until the requested information has been approved. The permittee shall obtain the necessary authorization from the TCEQ Regional Office (MC Region 4) before undertaking the pump and haul activity.
- 20. Each drainfield (zone) shall have at least four moisture sensing devices placed no more than 12 inches below the drip lines (with two of the sensors located in the zone's topographic low) that will automatically shut off treated effluent to the drainfield when the soil becomes saturated.
- 21. The physical condition of the land application fields will be monitored on a weekly basis when the fields are being utilized for the purpose of wastewater irrigation. Any areas with problems such as surface runoff, surficial erosion, stressed or damaged vegetation will be recorded in the field log kept onsite and corrective measures will be initiated within 24 hours of discovery.

Attachment A – Site Map TCEQ Permit No. WQ0014236001 City of Quinlan



TECHNICAL SUMMARY AND EXECUTIVE DIRECTOR'S PRELIMINARY DECISION

DESCRIPTION OF APPLICATION

Applicant: Individual Care of Texas, Inc.

TCEQ Permit No. WQ0014236001

Regulated Activity: Domestic Wastewater Permit

Type of Application: Renewal

Request: Renewal with no changes

Authority: Texas Water Code (TWC) § 26.027; 30 Texas Administrative

Code (TAC) Chapters 305, 309, 312, 319, and 30; and

Commission policies.

EXECUTIVE DIRECTOR RECOMMENDATION

The Executive Director has made a preliminary decision that this permit, if issued, meets all statutory and regulatory requirements. The draft permit includes an expiration date of **ten years from the date of issuance**, according to 30 TAC Section 305.127(1)(C)(ii)(III), Conditions to be Determined for Individual Permits.

REASON FOR PROJECT PROPOSED

Individual Care of Texas, Inc. has applied to the Texas Commission on Environmental Quality (TCEQ) for a renewal of Permit No. WQoo14236001 to authorize the disposal of treated domestic wastewater at a daily average flow not to exceed 0.010 million gallons per day (MGD) via non-public access subsurface drip irrigation system with a minimum area of 204,732 square feet. The facility includes a storage tank with a total capacity of 6,000 gallons for storage of treated effluent prior to irrigation. The existing wastewater treatment facility serves Individual Care of Texas assisted living facility.

PROJECT DESCRIPTION AND LOCATION

The Individual Care of Texas Wastewater Treatment Plant consists of a biological fixed film process. Treatment units include a lift station, an equalization basin, two trickling filters (plastic media), two final clarifiers, two effluent dual media filters, and an effluent storage tank. The facility is in operation.

Sludge generated from the treatment facility is hauled by a registered transporter to Greenville Wastewater Reclamation Center, Permit No. WQ0010485002 to be digested, dewatered, and then disposed of with the bulk of the sludge from the plant accepting the sludge. The draft permit also authorizes the disposal of sludge at a TCEQ-authorized land application site, co-disposal landfill, wastewater treatment facility, or facility that further processes sludge.

The wastewater treatment facility and disposal site are located at 1655 Private Road 2530, in Hunt County, Texas 75474.

Individual Care of Texas, Inc.
Permit No. WQ0014236001
Statement of Basis/Technical Summary and Executive Director's Preliminary Decision

The wastewater treatment facility and disposal site are located in the drainage basin of Lake Tawakoni in Segment No. 0507 of the Sabine River Basin. No discharge of pollutants into water in the state is authorized by this permit.

SUMMARY OF EFFLUENT DATA

The following is a summary of the applicant's effluent monitoring data for the period of November 2023 through December 2024. The average of the Daily Average value is computed by averaging of all 30-day average values for the reporting period for each parameter: flow, five-day biochemical oxygen demand (BOD₅), and total suspended solids (TSS).

<u>Parameter</u>	Average of Daily Average
Flow, MGD	0.0103*
BOD ₅ , mg/l	62
TSS, mg/l	23

*The applicant had some issues with the flow meter not operating correctly and the plant being improperly run during 2023 and part of 2024.

DRAFT PERMIT CONDITIONS

The draft permit authorizes the disposal of treated domestic wastewater effluent at a daily average flow not to exceed 0.010 MGD via non-public access subsurface drip irrigation system with a minimum area of 204,732 square feet. The facility includes a storage tank with a total capacity of 6,000 gallons for storage of treated effluent prior to irrigation. Application rates shall not exceed 0.05 gallons per square foot per day. The permittee will maintain Bermuda grass on the disposal site.

The effluent limitations in the draft permit, based on a daily average, are 50 mg/l biochemical oxygen demand (BOD_5) and 50 mg/l total suspended solids (TSS). The effluent limitation in the draft permit, based on a single grab, is 100 mg/l biochemical oxygen demand (BOD_5).

The draft permit includes Sludge Provisions according to the requirements of 30 TAC Chapter 312, Sludge Use, Disposal, and Transportation. Sludge generated from the treatment facility is hauled by a registered transporter to Greenville Wastewater Reclamation Center, Permit No. WQ0010485002 to be digested, dewatered, and then disposed of with the bulk of the sludge from the plant accepting the sludge. The draft permit also authorizes the disposal of sludge at a TCEQ-authorized land application site, co-disposal landfill, wastewater treatment facility, or facility that further processes sludge.

SUMMARY OF CHANGES FROM APPLICATION

None.

SUMMARY OF CHANGES FROM EXISTING PERMIT

Effluent limitations and monitoring requirements in the draft permit remain the same as the existing permit effluent limitations and monitoring requirements. The Sludge Provisions,

Individual Care of Texas, Inc.

Permit No. WQ0014236001

Statement of Basis/Technical Summary and Executive Director's Preliminary Decision

Special Provisions, and Standard Provisions have been revised in the draft permit.

Special Provision No. 2 in the existing permit has been updated to reflect the requirements of 30 TAC § 30.342, which does not allow renewal of a Class D operator's license for mechanical treatment plants.

The draft permit includes all updates based on the 30 TAC 312 rule change effective April 23, 2020.

Special Provision Nos. 2, 4, 8, 11, and 12 have been updated from the existing permit.

Special Provision Nos. 13, 14, 15, and 21 have been added to the draft permit.

The groundcover crop has been updated in the draft permit from native turf grass to Bermuda grass.

BASIS FOR DRAFT PERMIT

The following items were considered in developing the draft permit:

- 1. Application received on May 27, 2025, and additional information received on June 6, 2025.
- 2. Existing TCEQ permit: Permit No. WQ0014236001 issued on April 11, 2016.
- 3. Interoffice Memorandum from the Water Quality Assessment Team, Water Quality Assessment & Standards Section, Water Quality Division.

PROCEDURES FOR FINAL DECISION

When an application is declared administratively complete, the Chief Clerk sends a letter to the applicant advising the applicant to publish the Notice of Receipt of Application and Intent to Obtain Permit in the newspaper. In addition, the Chief Clerk instructs the applicant to place a copy of the application in a public place for review and copying in the county where the facility is or will be located. This application will be in a public place throughout the comment period. The Chief Clerk also mails this notice to any interested persons and, if required, to landowners identified in the permit application. This notice informs the public about the application and provides that an interested person may file comments on the application or request a contested case hearing or a public meeting.

Once a draft permit is completed, it is sent, along with the Executive Director's preliminary decision, as contained in the technical summary or fact sheet, to the Chief Clerk. At that time, the Notice of Application and Preliminary Decision will be mailed to the same people and published in the same newspaper as the prior notice. This notice sets a deadline for making public comments. The applicant must place a copy of the Executive Director's preliminary decision and draft permit in the public place with the application.

Any interested person may request a public meeting on the application until the deadline for filing public comments. A public meeting is intended for the taking of public comment and is not a contested case proceeding.

Individual Care of Texas, Inc.
Permit No. WQ0014236001
Statement of Basis/Technical Summary and Executive Director's Preliminary Decision

After the public comment deadline, the Executive Director prepares a response to all significant public comments on the application or the draft permit raised during the public comment period. The Chief Clerk then mails the Executive Director's response to comments and final decision to people who have filed comments, requested a contested case hearing, or requested to be on the mailing list. This notice provides that if a person is not satisfied with the Executive Director's response and decision, they can request a contested case hearing or file a request to reconsider the Executive Director's decision within 30 days after the notice is mailed.

The Executive Director will issue the permit unless a written hearing request or request for reconsideration is filed within 30 days after the Executive Director's response to comments and final decision is mailed. If a hearing request or request for reconsideration is filed, the Executive Director will not issue the permit and will forward the application and request to the TCEQ Commissioners for their consideration at a scheduled Commission meeting. If a contested case hearing is held, it will be a legal proceeding similar to a civil trial in state district court.

If the Executive Director calls a public meeting or the Commission grants a contested case hearing as described above, the Commission will give notice of the date, time, and place of the meeting or hearing. If a hearing request or request for reconsideration is made, the Commission will consider all public comments in making its decision and shall either adopt the Executive Director's response to public comments or prepare its own response.

For additional information about this application, contact Garrison Layne at (512) 239-0849.	
Garrison Layne	Date
Municipal Permits Team	
Wastewater Permitting Section (MC 148)	