

This file contains the following documents:

- 1. Summary of application (in plain language)
 - English
 - Alternative Language (Spanish)
- 2. First Notice (NORI-Notice of Receipt of Application and Intent to Obtain a Permit)
 - English
 - Alternative Language (Spanish)
- 3. Application materials



Este archivo contiene los siguientes documentos:

- 1. Resumen en lenguaje sencillo (PLS, por sus siglas en inglés) de la actividad propuesta
 - Inglés
 - Idioma alternativo (español)
- 2. Primer aviso (NORI, por sus siglas en inglés)
 - Inglés
 - Idioma alternativo (español)
- 3. Solicitud original

Domestic Wastewater / Stormwater

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 TAC Chapter 39. The information provided in this summary may change during the technical review of the application and is not a federal enforceable representation of the permit application.

Zapata County (Formerly known as San Ygnacio Municipal Utility District) (CN 600660781) operates San Ygnacio MUD Wastewater Treatment Facility (RN 102080041), a facility that serves the community of San Ygnacio, Texas that consists of a facultative lagoon with a surface area of 2.16 acres and a volume of 6.91 acre-feet. The facility is located at approximately 2.3 miles north-east of the intersection of U.S. Highway 83 and Farm-to-Market Road 3619 in San Ygnacio, Zapata County, Texas 78067. The purpose of this application is to apply for a renewal of the existing permit. This permit will not authorize the discharge of pollutants into water in the state.

Land application of domestic wastewater from the facility are expected to contain five-day biochemical oxygen demand (BODs), total suspended solids (TSS), and Escherichia coli. Additional potential pollutants are included in the Domestic Technical Report 1.0, Section 7. Domestic wastewaters are currently being treated by an existing pond system and the treatment units include a facultative lagoon with sludge catchment.

Aguas Residuales Domesticas / Aguas Pluviales

El siguiente resumen se proporciona para esta solicitud de permiso de calidad del agua pendiente que está siendo revisada por la Comisión de Calidad Ambiental de Texas según lo requerido por el Capítulo 39 del Código Administrativo de Texas 30. La información proporcionada en este resumen puede cambiar durante la revisión técnica de la solicitud y no es una representación ejecutiva fedérale de la solicitud de permiso.

Zapata County (Formalmente conocido como San Ygnacio Municipal Utility District) (CM 600660781) opera San Ygnacio Planta de Tratamiento de Aguas Residuales del Distrito Municipal de Servicios Publicos RN 102080041, una Instalación que presta servicio a la comunidad de San Ygnacio, Texas, y que consta de una laguna facultativa con una superficie de 2.16 acres y un volumen de 6.91 acres-pie.. La instalación está ubicada en aproximadamente a 2.3 millas al noreste de la intersección de la U.S. Highway 83 y la carretera Farm-to-Market 3619 (FM 3619) en San Ygnacio, Condado de Zapata, Texas 78076. El propósito de esta solicitud es solicitar la renovación del permiso vigente. Este permiso no autorizará una descarga de contaminantes en el agua en el estado.

La aplicación en terrenos de aguas residuales domésticas provenientes de la instalación se espera que contenga demanda bioquímica de oxígeno a cinco días (DBO₅), sólidos

suspendidos totales (SST) y Escherichia coli. Se incluyen contaminantes potenciales adicionales en el Informe Técnico Doméstico 1.0, Sección 7. Las aguas residuales domésticas actualmente se están tratando mediante un sistema de estanques existente, y las unidades de tratamiento incluyen una laguna facultativa con trampa de lodos.

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



NOTICE OF RECEIPT OF APPLICATION AND INTENT TO OBTAIN WATER QUALITY PERMIT AMENDMENT

PERMIT NO. WQ0004306000

APPLICATION. Nalco Production LLC, 3130 Farm-to-Market 521 Road, Fresno, Texas 77545, which owns an organic chemical manufacturing facility, has applied to the Texas Commission on Environmental Quality (TCEQ) to amend Texas Pollutant Discharge Elimination System (TPDES) Permit No. WO0004306000 (EPA I.D. No. TX0112461) to increase the daily average flow from 15,000 gallons per day to 16,000 gallons per day via Outfall 001; to increase the daily average flow from 20,000 to 21,000 gallons per day via Outfall 002; to add jacket water to the authorized discharge list via Outfall 001; to add reverse osmosis water to the authorized discharge list via Outfall 002; and to remove effluent limitations for biochemical oxygen demand, 5-day and Escherichia coli from Outfalls 001 and 002. The facility is located at 3130 Farm-to-Market Road 521, in the city of Fresno, in Fort Bend County, Texas 77545. The discharge route is from the plant site via Outfall 001 to a county drainage ditch along Farm-to-Market Road 521, and via Outfall 002 to a county drainage ditch along Kentucky Road, thence to a county drainage ditch along West Dallas Road, thence to a county drainage ditch along Farm-to-Market Road 521, thence all flows to a county ditch adjacent to the American Canal, thence south to a county ditch, thence to Mustang Bayou, thence to Persimmon Bayou, thence New Bayou, thence Chocolate Bay. TCEQ received this application on September 5, 2025. The permit application will be available for viewing and copying at Fort Bend County Library-Sienna Branch, lobby, 8411 Sienna Springs Boulevard, Missouri City, Texas prior to the date this notice is published in the newspaper. The application, including any updates, and associated notices are available electronically at the following webpage: https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications. This link to an electronic map of the site or facility's general location is provided as a public courtesy and not part of the application or notice. For the exact location, refer to the application.

https://gisweb.tceq.texas.gov/LocationMapper/?marker=-95.448611,29.542222&level=18

ALTERNATIVE LANGUAGE NOTICE. Alternative language notice in Spanish is available at: https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications. El aviso de idioma alternativo en español está disponible en https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications.

ADDITIONAL NOTICE. TCEQ's Executive Director has determined the application is administratively complete and will conduct a technical review of the application. After technical review of the application is complete, the Executive Director may prepare a draft

permit and will issue a preliminary decision on the application. Notice of the Application and Preliminary Decision will be published and mailed to those who are on the county-wide mailing list and to those who are on the mailing list for this application. That notice will contain the deadline for submitting public comments.

PUBLIC COMMENT / PUBLIC MEETING. You may submit public comments or request a public meeting on this application. The purpose of a public meeting is to provide the opportunity to submit comments or to ask questions about the application. TCEQ will hold a public meeting if the Executive Director determines that there is a significant degree of public interest in the application or if requested by a local legislator. A public meeting is not a contested case hearing.

OPPORTUNITY FOR A CONTESTED CASE HEARING. After the deadline for submitting public comments, the Executive Director will consider all timely comments and prepare a response to all relevant and material, or significant public comments. Unless the application is directly referred for a contested case hearing, the response to comments, and the Executive Director's decision on the application, will be mailed to everyone who submitted public comments and to those persons who are on the mailing list for this application. If comments are received, the mailing will also provide instructions for requesting reconsideration of the Executive Director's decision and for requesting a contested case hearing. A contested case hearing is a legal proceeding similar to a civil trial in state district court.

TO REQUEST A CONTESTED CASE HEARING, YOU MUST INCLUDE THE FOLLOWING ITEMS IN YOUR REQUEST: your name, address, phone number; applicant's name and proposed permit number; the location and distance of your property/activities relative to the proposed facility; a specific description of how you would be adversely affected by the facility in a way not common to the general public; a list of all disputed issues of fact that you submit during the comment period and, the statement "[I/we] request a contested case hearing." If the request for contested case hearing is filed on behalf of a group or association, the request must designate the group's representative for receiving future correspondence; identify by name and physical address an individual member of the group who would be adversely affected by the proposed facility or activity; provide the information discussed above regarding the affected member's location and distance from the facility or activity; explain how and why the member would be affected; and explain how the interests the group seeks to protect are relevant to the group's purpose.

Following the close of all applicable comment and request periods, the Executive Director will forward the application and any requests for reconsideration or for a contested case hearing to the TCEQ Commissioners for their consideration at a scheduled Commission meeting.

The Commission may only grant a request for a contested case hearing on issues the requestor submitted in their timely comments that were not subsequently withdrawn. If a hearing is granted, the subject of a hearing will be limited to disputed issues of fact or mixed questions of fact and law relating to relevant and material water quality concerns submitted during the comment period.

MAILING LIST. If you submit public comments, a request for a contested case hearing or a reconsideration of the Executive Director's decision, you will be added to the mailing list for this specific application to receive future public notices mailed by the Office of the Chief

Clerk. In addition, you may request to be placed on: (1) the permanent mailing list for a specific applicant name and permit number; and/or (2) the mailing list for a specific county. If you wish to be placed on the permanent and/or the county mailing list, clearly specify which list(s) and send your request to TCEQ Office of the Chief Clerk at the address below.

INFORMATION AVAILABLE ONLINE. For details about the status of the application, visit the Commissioners' Integrated Database at www.tceq.texas.gov/goto/cid. Search the database using the permit number for this application, which is provided at the top of this notice.

AGENCY CONTACTS AND INFORMATION. All public comments and requests must be submitted either electronically at https://www14.tceq.texas.gov/epic/eComment/, or in writing to the Texas Commission on Environmental Quality, Office of the Chief Clerk, MC-105, P.O. Box 13087, Austin, Texas 78711-3087. Please be aware that any contact information you provide, including your name, phone number, email address and physical address will become part of the agency's public record. For more information about this permit application or the permitting process, please call the TCEQ Public Education Program, Toll Free, at 1-800-687-4040 or visit their website at www.tceq.texas.gov/goto/pep. Si desea información en Español, puede llamar al 1-800-687-4040.

Further information may also be obtained from Nalco Production LLC at the address stated above or by calling Mrs. Whitney Brieden, Environmental Engineer, at 281-710-9323.

Issuance Date: October 24, 2025

Comisión de Calidad Ambiental del Estado de Texas



AVISO DE RECIBO DE LA SOLICITUD Y EL INTENTO DE OBTENER PERMISO PARA LA CALIDAD DEL AGUA PERMISO MODIFICACION

PERMISO NO. WQ0004306000

SOLICITUD. Nalco Production LLC, 3130 Farm-to-Market Road 521, Fresno, Texas, 77545, la planta de fabricación de productos químicos orgánicos, ha solicitado a la Comisión de Calidad Ambiental de Texas (TCEQ) para modificar el Permiso No. WQ004306000 (EPA I.D. No. TX0112461) del Sistema de Eliminación de Descargas de Contaminantes de Texas (TPDES) para autorizar el flujo promedio diario de 15,000 galones por día a 16,000 galones por día a través a Outfall 001; para aumentar el flujo promedio diario de 20,000 a 21,000 galones por día a Oufall 002; para agregar chaqueta de agua a la lista de descargas autorizadas a Outfall 001; para agregar de osmosis inversa a la lista de descargas autorizada a Outfall 002; y para eliminar las limitaciones de efluentas para la demanda bioquímica de oxigeno, 5 dias y Escherichia coli de los desagües 001 y 002. La planta está ubicada 3130 Farm-to-Market Road 521, Fresno en el Condado de Fort Bend, Texas 77545. La ruta de descarga es del sitio de la planta a Outfall 001 A la sanja de drenaje del condado a lado de Farm-to-Market Road 521; y Outfall 002 A la sania de drenaie del condado a lado de Kentucky Road: de allí A la sania de drenaje del condado a lado de West Dallas Road; de allí A la sanja de drenaje del condado a lado de Farm-to-Market Road 521; las dos Outfalls de allí A la sanja de drenaje del condado a lado de American Canal; de allí a Mustang Bayou; de allí de Persimmon Bayou; de allí a New Bayou; de allí a Chocolate Bay. La TCEQ recibió esta solicitud el 05 de septiembre 2025. La solicitud para el permiso estará disponible para leerla y copiarla en la biblioteca del Condado de Fort Bend-Sienna Branch, 8411 Sienna Springs Boulevard, Missouri City, Texas antes de la fecha de publicación de este aviso en el periódico. La solicitud (cualquier actualización y aviso inclusive) está disponible electrónicamente en la siguiente página web:

https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications
Este enlace a un mapa electrónico de la ubicación general del sitio o de la instalación es
proporcionado como una cortesía y no es parte de la solicitud o del aviso. Para la ubicación
exacta, consulte la solicitud.

https://gisweb.tceq.texas.gov/LocationMapper/?marker=-95.448611,29.542222&level=18

AVISO DE IDIOMA ALTERNATIVO. El aviso de idioma alternativo en español está disponible en https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications.

AVISO ADICIONAL. El Director Ejecutivo de la TCEQ ha determinado que la solicitud es administrativamente completa y conducirá una revisión técnica de la solicitud. Después de completar la revisión técnica, el Director Ejecutivo puede preparar un borrador del permiso y emitirá una Decisión Preliminar sobre la solicitud. **El aviso de la solicitud y la decisión**

preliminar serán publicados y enviado a los que están en la lista de correo de las personas a lo largo del condado que desean recibir los avisos y los que están en la lista de correo que desean recibir avisos de esta solicitud. El aviso dará la fecha límite para someter comentarios públicos.

COMENTARIO PUBLICO / REUNION PUBLICA. Usted puede presentar comentarios públicos o pedir una reunión pública sobre esta solicitud. El propósito de una reunión pública es dar la oportunidad de presentar comentarios o hacer preguntas acerca de la solicitud. La TCEQ realiza una reunión pública si el Director Ejecutivo determina que hay un grado de interés público suficiente en la solicitud o si un legislador local lo pide. Una reunión pública no es una audiencia administrativa de lo contencioso.

OPORTUNIDAD DE UNA AUDIENCIA ADMINISTRATIVA DE LO CONTENCIOSO. Después del plazo para presentar comentarios públicos, el Director Ejecutivo considerará todos los comentarios apropiados y preparará una respuesta a todo los comentarios públicos esenciales, pertinentes, o significativos. A menos que la solicitud haya sido referida directamente a una audiencia administrativa de lo contencioso, la respuesta a los comentarios y la decisión del Director Ejecutivo sobre la solicitud serán enviados por correo a todos los que presentaron un comentario público y a las personas que están en la lista para recibir avisos sobre esta solicitud. Si se reciben comentarios, el aviso también proveerá instrucciones para pedir una reconsideración de la decisión del Director Ejecutivo y para pedir una audiencia administrativa de lo contencioso. Una audiencia administrativa de lo contencioso es un procedimiento legal similar a un procedimiento legal civil en un tribunal de distrito del estado.

PARA SOLICITAR UNA AUDIENCIA DE CASO IMPUGNADO, USTED DEBE INCLUIR EN SU SOLICITUD LOS SIGUIENTES DATOS: su nombre, dirección, y número de teléfono; el nombre del solicitante y número del permiso; la ubicación y distancia de su propiedad/actividad con respecto a la instalación; una descripción específica de la forma cómo usted sería afectado adversamente por el sitio de una manera no común al público en general; una lista de todas las cuestiones de hecho en disputa que usted presente durante el período de comentarios; y la declaración "[Yo/nosotros] solicito/solicitamos una audiencia de caso impugnado". Si presenta la petición para una audiencia de caso impugnado de parte de un grupo o asociación, debe identificar una persona que representa al grupo para recibir correspondencia en el futuro; identificar el nombre y la dirección de un miembro del grupo que sería afectado adversamente por la planta o la actividad propuesta; proveer la información indicada anteriormente con respecto a la ubicación del miembro afectado y su distancia de la planta o actividad propuesta; explicar cómo y porqué el miembro sería afectado; y explicar cómo los intereses que el grupo desea proteger son pertinentes al propósito del grupo.

Después del cierre de todos los períodos de comentarios y de petición que aplican, el Director Ejecutivo enviará la solicitud y cualquier petición para reconsideración o para una audiencia de caso impugnado a los Comisionados de la TCEQ para su consideración durante una reunión programada de la Comisión.

La Comisión sólo puede conceder una solicitud de una audiencia de caso impugnado sobre los temas que el solicitante haya presentado en sus comentarios oportunos que no fueron retirados posteriormente. Si se concede una audiencia, el tema de la audiencia estará

limitado a cuestiones de hecho en disputa o cuestiones mixtas de hecho y de derecho relacionadas a intereses pertinentes y materiales de calidad del agua que se hayan presentado durante el período de comentarios.

LISTA DE CORREO. Si somete comentarios públicos, un pedido para una audiencia administrativa de lo contencioso o una reconsideración de la decisión del Director Ejecutivo, la Oficina del Secretario Principal enviará por correo los avisos públicos en relación con la solicitud. Además, puede pedir que la TCEQ ponga su nombre en una o más de las listas correos siguientes (1) la lista de correo permanente para recibir los avisos del solicitante indicado por nombre y número del permiso específico y/o (2) la lista de correo de todas las solicitudes en un condado específico. Si desea que se agrega su nombre en una de las listas designe cual lista(s) y envía por correo su pedido a la Oficina del Secretario Principal de la TCEQ.

INFORMACIÓN DISPONIBLE EN LÍNEA. Para detalles sobre el estado de la solicitud, favor de visitar la Base de Datos Integrada de los Comisionados en www.tceq.texas.gov/goto/cid. Para buscar en la base de datos, utilizar el número de permiso para esta solicitud que aparece en la parte superior de este aviso.

CONTACTOS E INFORMACIÓN A LA AGENCIA. Todos los comentarios públicos y solicitudes deben ser presentadas electrónicamente vía http://www14.tceq.texas.gov/epic/eComment/ o por escrito dirigidos a la Comisión de Texas de Calidad Ambiental, Oficial de la Secretaría (Office of Chief Clerk), MC-105, P.O. Box 13087, Austin, Texas 78711-3087. Tenga en cuenta que cualquier información personal que usted proporcione, incluyendo su nombre, número de teléfono, dirección de correo electrónico y dirección física pasarán a formar parte del registro público de la Agencia. Para obtener más información acerca de esta solicitud de permiso o el proceso de permisos, llame al programa de educación pública de la TCEQ, gratis, al 1-800-687-4040. Si desea información en español, puede llamar al 1-800-687-4040.

También se puede obtener información adicional del Nalco Production LLC a la dirección indicada arriba o llamando a Whitney Brieden al 281-710-9323.

Fecha de emisión: 24 de octubre de 2025

Table of Contents

Application for Renewal of Amendment of Permit No. WQ0004306000

Nalco Fresno Plant

- 1. Cover Letter
- 2. Administrative Report 1.0 (AR)
- 3. Supplemental Permit Information Form (SPIF)
- 4. Technical Report 1.0 (TR)
 - Worksheet 2.0: Pollutant Analyses Requirements Outfall 001
 - O Worksheet 2.0: Pollutant Analyses Requirements Outfall 002
 - Worksheet 4.0: Receiving Waters
 - Worksheet 7.0: Stormwater Discharges Associated with Industrial Activities
- 4.1 ePay Voucher
- 4.2 Core Data Form
- 4.3 Contract Lab Information
- 4.4 USGS Topographic Map
- 4.5 Public Involvement Plan Form for Permit and Registration Applications
- 5.0 Landowners Map
- 5.1 Landowner Labels
- 5.2 Landowner Cross Reference List
- 6. Original Photographs
- 7. Water Balance and Flow Diagram
- 8. Facility Map
- 8.1 Water Treatment Chemicals List
- 8.2 Safety Data Sheets



Public Involvement Plan Form for Permit and Registration Applications

The Public Involvement Plan is intended to provide applicants and the agency with information about how public outreach will be accomplished for certain types of applications in certain geographical areas of the state. It is intended to apply to new activities; major changes at existing plants, facilities, and processes; and to activities which are likely to have significant interest from the public. This preliminary screening is designed to identify applications that will benefit from an initial assessment of the need for enhanced public outreach.

All applicable sections of this form should be completed and submitted with the permit or registration application. For instructions on how to complete this form, see TCEQ-20960-inst.

Section 1. Preliminary Screening

New Permit or Registration Application

New Activity - modification, registration, amendment, facility, etc. (see instructions)

If neither of the above boxes are checked, completion of the form is not required and does not need to be submitted.

Section 2. Secondary Screening

Requires public notice,

Considered to have significant public interest, and

Located within any of the following geographical locations:

- Austin
- Dallas
- Fort Worth
- Houston
- San Antonio
- West Texas
- Texas Panhandle
- Along the Texas/Mexico Border
- Other geographical locations should be decided on a case-by-case basis

If all the above boxes are not checked, a Public Involvement Plan is not necessary. Stop after Section 2 and submit the form.

Public Involvement Plan not applicable to this application. Provide **brief** explanation.

TCEQ-20960 (02-09-2023)

Section 3. Application Information

Type of Application (check all that apply):

Air Initial Federal Amendment Standard Permit Title V

Waste Municipal Solid Waste Industrial and Hazardous Waste Scrap Tire

Radioactive Material Licensing Underground Injection Control

Water Quality

Texas Pollutant Discharge Elimination System (TPDES)

Texas Land Application Permit (TLAP)

State Only Concentrated Animal Feeding Operation (CAFO)

Water Treatment Plant Residuals Disposal Permit

Class B Biosolids Land Application Permit

Domestic Septage Land Application Registration

Water Rights New Permit

New Appropriation of Water

New or existing reservoir

Amendment to an Existing Water Right

Add a New Appropriation of Water

Add a New or Existing Reservoir

Major Amendment that could affect other water rights or the environment

Section 4. Plain Language Summary

| D ' 1 | 1 1 | | C 1 1 | |
|-------------|---------|------------|------------|-------------|
| Provide 3 | hrigt d | accrintion | of planned | activation |
| I I OVIUE a | титет и | CSCLIDIOL | от планиси | activities. |

Section 5. Community and Demographic Information

Community information can be found using EPA's EJ Screen, U.S. Census Bureau information, or generally available demographic tools.

Information gathered in this section can assist with the determination of whether alternative language notice is necessary. Please provide the following information.

| language notice is n | ecessary. Please pro | ovide the following info | ormation. | |
|---|---------------------------------|---|----------------------------|----------|
| (City) | | | | |
| (County) | | | | |
| (Census Tract) Please indicate which City | of these three is the County | e level used for gatherin Census Tract | ng the following informat | tion. |
| (a) Percent of people | over 25 years of age | e who at least graduated | from high school | |
| - - | | the specified location | race within the specified | location |
| (d) Percent of Linguis | stically Isolated Hous | seholds by language wit | hin the specified locatior | 1 |
| (e) Languages commo | only spoken in area l | by percentage | | |
| (f) Community and/o | or Stakeholder Group | os | | |
| (g) Historic public int | terest or involvemen | t | | |
| | | | | |

Section 6. Planned Public Outreach Activities

(a) Is this application subject to the public participation requirements of Title 30 Texas Administrative Code (30 TAC) Chapter 39?

Yes No

(b) If yes, do you intend at this time to provide public outreach other than what is required by rule?

Yes No

If Yes, please describe.

If you answered "yes" that this application is subject to 30 TAC Chapter 39, answering the remaining questions in Section 6 is not required.

(c) Will you provide notice of this application in alternative languages?

Yes No

Please refer to Section 5. If more than 5% of the population potentially affected by your application is Limited English Proficient, then you are required to provide notice in the alternative language.

If yes, how will you provide notice in alternative languages?

Publish in alternative language newspaper

Posted on Commissioner's Integrated Database Website

Mailed by TCEQ's Office of the Chief Clerk

Other (specify)

(d) Is there an opportunity for some type of public meeting, including after notice?

Yes No

(e) If a public meeting is held, will a translator be provided if requested?

Yes No

(f) Hard copies of the application will be available at the following (check all that apply):

TCEQ Regional Office

TCEQ Central Office

Public Place (specify)

Section 7. Voluntary Submittal

For applicants voluntarily providing this Public Involvement Plan, who are not subject to formal public participation requirements.

Will you provide notice of this application, including notice in alternative languages?

Yes No

What types of notice will be provided?

Publish in alternative language newspaper

Posted on Commissioner's Integrated Database Website

Mailed by TCEQ's Office of the Chief Clerk

Other (specify)

NALCO Water

SAFETY DATA SHEET

NALCO® 2581

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : NALCO® 2581

Other means of identification : Not applicable.

Recommended use : ALKALINITY CONTROL

Restrictions on use : Refer to available product literature or ask your local Sales Representative for

restrictions on use and dose limits.

Company : Nalco Company

1601 W. Diehl Road

Naperville, Illinois 60563-1198

USA

TEL: (630)305-1000

Emergency telephone

number

(800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 03/13/2019

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Corrosive to metals : Category 1
Skin corrosion : Category 1A
Serious eye damage : Category 1

GHS Label element

Hazard pictograms



Signal Word : Danger

Hazard Statements : May be corrosive to metals.

Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:**

Keep only in original container. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse. Absorb spillage to prevent material

damage. Storage:

NALCO® 2581

Store in corrosive resistant stainless steel container with a resistant inner liner.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name CAS-No. Concentration: (%)

Sodium Hydroxide 1310-73-2 10 - 30

Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild

soap if available. Wash clothing before reuse. Thoroughly clean shoes before

reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by

mouth to an unconscious person. Get medical attention immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms

occur.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put

yourself at risk of injury. If in doubt, contact emergency responders. Use

personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing

media

None known.

Specific hazards during

firefighting

Not flammable or combustible.

Hazardous combustion

products

Decomposition products may include the following materials: Carbon oxides

Special protective equipment:

for firefighters

Use personal protective equipment.

NALCO® 2581

Specific extinguishing methods

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions :

Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Flush away traces with water.

Section: 7. HANDLING AND STORAGE

Advice on safe handling : Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in

eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only

with adequate ventilation.

Conditions for safe storage : Do not store near acids. Keep out of reach of children. Keep container tightly

closed. Store in suitable labelled containers.

Suitable material : The following compatibility data is suggested based on similar product data

and/or industry experience: Shipping and long term storage compatibility with construction materials can vary; we therefore recommend that compatibility is

tested prior to use.

Unsuitable material : not determined

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Form of exposure | Permissible concentration | Basis |
|------------------|-----------|------------------|---------------------------|-----------|
| Sodium Hydroxide | 1310-73-2 | Ceiling | 2 mg/m3 | ACGIH |
| | | Ceiling | 2 mg/m3 | NIOSH REL |
| | | TWA | 2 mg/m3 | OSHA Z1 |

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below

occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles

Face-shield

NALCO® 2581

Hand protection Wear protective gloves.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection Personal protective equipment comprising: suitable protective gloves, safety

goggles and protective clothing

When workers are facing concentrations above the exposure limit they must use Respiratory protection

appropriate certified respirators.

Handle in accordance with good industrial hygiene and safety practice. Remove Hygiene measures

> and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Liquid **Appearance** Colour clear

Odour odourless

Flash point Not applicable. рΗ 14.0,(7.5 %)

Odour Threshold no data available

Melting point/freezing point Freezing Point: -10 °C Initial boiling point and boiling:

range

143 °C, (760 mm Hg)

Evaporation rate similar to water Flammability (solid, gas) no data available Upper explosion limit no data available no data available Lower explosion limit Vapour pressure 13 mm Hg, (60 °C), Relative vapour density no data available

1.19. Relative density

Density 9.91 lb/gal

Water solubility completely soluble Solubility in other solvents no data available Partition coefficient: nno data available

octanol/water

Auto-ignition temperature : no data available Thermal decomposition no data available Viscosity, dynamic no data available

Viscosity, kinematic no data available

NALCO® 2581

Molecular weight no data available

VOC 0 g/l, EPA Method 24

Section: 10. STABILITY AND REACTIVITY

Chemical stability Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid None known.

Incompatible materials Strong acids

Hazardous decomposition

products

Decomposition products may include the following materials:

Carbon oxides

Section: 11. TOXICOLOGICAL INFORMATION

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes Causes serious eye damage.

Skin Causes severe skin burns.

Ingestion Causes digestive tract burns.

Inhalation May cause nose, throat, and lung irritation.

Chronic Exposure Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact Redness, Pain, Corrosion

Skin contact Redness, Pain, Corrosion

Ingestion Corrosion, Abdominal pain

Inhalation Respiratory irritation, Cough

Toxicity

Product

Acute oral toxicity no data available Acute inhalation toxicity no data available Acute dermal toxicity no data available

NALCO® 2581

Skin corrosion/irritation : no data available
Serious eye damage/eye : no data available

irritation

Respiratory or skin : no data available

sensitization

Carcinogenicity : no data available
Reproductive effects : no data available
Germ cell mutagenicity : no data available
Teratogenicity : no data available
STOT - single exposure : no data available
STOT - repeated exposure : no data available

Aspiration toxicity : no data available

Section: 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : LC50 Pimephales promelas (fathead minnow): 351 mg/l

Exposure time: 96 h
Test substance: Product

LC50 Pimephales promelas (fathead minnow): > 7,000 mg/l

Exposure time: 96 h

Test substance: pH Adjusted Product

Toxicity to daphnia and other

aquatic invertebrates

: LC50 Ceriodaphnia dubia: 334 mg/l

Exposure time: 48 h Test substance: Product

LC50 Ceriodaphnia dubia: > 7,000 mg/l

Exposure time: 48 h

Test substance: pH Adjusted Product

Persistence and degradability

Greater than 95% of this product consists of inorganic substances for which a biodegradation value is not applicable.

Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

NALCO® 2581

Air : <5% Water : 30 - 50% Soil : 50 - 70%

Bioaccumulative potential

no data available

Other information

no data available

Section: 13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it could meet the criteria of a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Before disposal, it should be determined if the waste meets the criteria of a hazardous waste.

Hazardous Waste: : D002

Disposal methods : Where possible recycling is preferred to disposal or

incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an

approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

The presence of an RQ component (Reportable Quantity for U.S. DOT) in this product causes it to be regulated with an additional description of RQ for road, or as Environmentally hazardous for road and air, ONLY when the net weight in the package exceeds the calculated RQ for the product.

Land transport (DOT)

Proper shipping name : SODIUM HYDROXIDE SOLUTION

Technical name(s)

UN/ID No. : UN 1824

Transport hazard class(es) : 8
Packing group : II

Reportable Quantity (per : 4,000 lbs

package)

RQ Component : SODIUM HYDROXIDE

Air transport (IATA)

Proper shipping name : SODIUM HYDROXIDE SOLUTION

Technical name(s)

UN/ID No. : UN 1824

Transport hazard class(es) : 8
Packing group : II

NALCO® 2581

Reportable Quantity (per : 4,000 lbs

package)

RQ Component : SODIUM HYDROXIDE

Sea transport (IMDG/IMO)

Proper shipping name : SODIUM HYDROXIDE SOLUTION

Technical name(s)

UN/ID No. : UN 1824

Transport hazard class(es) : 8
Packing group : II

Section: 15. REGULATORY INFORMATION

TSCA list : Not relevant

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|------------------|-----------|--------------------|-----------------------------|
| Sodium Hydroxide | 1310-73-2 | 1000 | 4000 |

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Corrosive to metals

Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 302 : No chemicals in this material are subject to the reporting requirements

of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

INTERNATIONAL CHEMICAL CONTROL LAWS:

United States TSCA Inventory

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)


Canadian Domestic Substances List (DSL)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

Section: 16. OTHER INFORMATION

NALCO® 2581

NFPA:



Special hazard.

HMIS III:

| HEALTH | 3 |
|-----------------|---|
| FLAMMABILITY | 0 |
| PHYSICAL HAZARD | 0 |

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Revision Date : 03/13/2019

Version Number : 1.4

Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.nalco.com and request access.



TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

INDUSTRIAL WASTEWATER PERMIT APPLICATION CHECKLIST

Complete and submit this checklist with the industrial wastewater permit application.

| APPLICANT NAME: | Nalco | Fresno | Plant |
|-----------------|-------|----------|---------|
| ALLICANI NAME. | raico | 11 (3110 | 1 Idiit |

PERMIT NUMBER (If new, leave blank): WQ00<u>04306000</u>

Indicate if each of the following items is included in your application.

| | Y | N | | Y | N |
|------------------------------|-------------|-------------|--------------------------|-------------|-------------|
| Administrative Report 1.0 | | | Worksheet 8.0 | | \boxtimes |
| Administrative Report 1.1 | \boxtimes | | Worksheet 9.0 | | \boxtimes |
| SPIF | \boxtimes | | Worksheet 10.0 | | \boxtimes |
| Core Data Form | \boxtimes | | Worksheet 11.0 | | \boxtimes |
| Summary of Application (PLS) | | | Worksheet 11.1 | | \boxtimes |
| Public Involvement Plan Form | | | Worksheet 11.2 | | \boxtimes |
| Technical Report 1.0 | | | Worksheet 11.3 | | \boxtimes |
| Worksheet 1.0 | | \boxtimes | Original USGS Map | \boxtimes | |
| Worksheet 2.0 | | | Affected Landowners Map | \boxtimes | |
| Worksheet 3.0 | | \boxtimes | Landowner Disk or Labels | \boxtimes | |
| Worksheet 3.1 | | \boxtimes | Flow Diagram | \boxtimes | |
| Worksheet 3.2 | | \boxtimes | Site Drawing | \boxtimes | |
| Worksheet 3.3 | | \boxtimes | Original Photographs | \boxtimes | |
| Worksheet 4.0 | \boxtimes | | Design Calculations | | \boxtimes |
| Worksheet 4.1 | | \boxtimes | Solids Management Plan | | \boxtimes |
| Worksheet 5.0 | | \boxtimes | Water Balance | \boxtimes | |
| Worksheet 6.0 | | \boxtimes | | | |
| Worksheet 7.0 | \boxtimes | | | | |

| For TCEQ Use Only | | |
|-------------------|--------|--|
| Segment Number | County | |
| Expiration Date | Region | |

| Permit Number |
|---------------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

INDUSTRIAL WASTEWATER PERMIT APPLICATION **ADMINISTRATIVE REPORT 1.0**

This report is required for all applications for TPDES permits and TLAPs, except applications for oil and gas extraction operations subject to 40 CFR Part 435. Contact the Applications Review and Processing Team at 512-239-4671 with any questions about completing this report.

Applications for all and gas extraction operations subject to 40 CED Part 435

| _ | s Exploration and Production Administrative Report (<u>TCEO Form-20893 and 20893-inst</u> ¹). | | | | |
|-----|--|--|--|--|--|
| Ite | em 1. Application Information and Fees (Instructions, Page 26) | | | | |
| a. | Complete each field with the requested information, if applicable. | | | | |
| | Applicant Name: <u>Nalco Fresno Plant</u> | | | | |
| | Permit No.: <u>WQ0004306000</u> | | | | |
| | EPA ID No.: <u>TX00112461</u> | | | | |
| | Expiration Date: April 8, 2026 | | | | |
| b. | Check the box next to the appropriate authorization type. | | | | |
| | ☑ Industrial Wastewater (wastewater and stormwater) | | | | |
| | ☐ Industrial Stormwater (stormwater only) | | | | |
| | ☐ Reverse Osmosis Water Treatment (reverse osmosis water treatment wastewaters only) | | | | |
| c. | Check the box next to the appropriate facility status. | | | | |
| | □ Inactive | | | | |
| d. | Check the box next to the appropriate permit type. | | | | |
| | $oxed{oxed}$ TPDES Permit $oxed{\Box}$ TLAP $oxed{\Box}$ TPDES with TLAP component | | | | |
| e. | Check the box next to the appropriate application type. | | | | |
| | □ New | | | | |
| | ☐ Renewal with changes ☐ Renewal without changes | | | | |
| | | | | | |
| | ☐ Minor amendment without renewal | | | | |
| | ☐ Minor modification without renewal | | | | |
| f. | If applying for an amendment or modification, describe the request: Request the addition of reverse osmosis and jacket water in addition to previously authorized wastewater | | | | |
| | streams. | | | | |
| For | TCEQ Use Only | | | | |
| Seg | gment NumberCounty | | | | |

¹ https://www.tceq.texas.gov/publications/search_forms.html

| Expiration Date | _Region |
|-----------------|---------|
| Permit Number | |

g. Application Fee

| EPA Classification | New | Major Amend. (with or without renewal) | Renewal (with or without changes) | Minor Amend. / Minor Mod. (without renewal) |
|--|------------------|---|--|--|
| Minor facility not subject to EPA categorical effluent guidelines (40 CFR Parts 400-471) | □ \$350 | ⊠ \$350 | □ \$315 | □ \$150 |
| Minor facility subject to EPA categorical effluent guidelines (40 CFR Parts 400-471) | \$1,250 | \$1,250 | □ \$1,215 | □ \$150 |
| Major facility | N/A ² | □ \$2,050 | □ \$2,015 | □ \$450 |

h. Payment Information

Mailed

Check or money order No.: Click to enter text.

Check or money order amt.: Click to enter text.

Named printed on check or money order: Click to enter text.

Epay

Voucher number: 582EA000683431

Copy of voucher attachment: Attachment 4.1

Item 2. Applicant Information (Instructions, Pages 26)

a. Customer Number, if applicant is an existing customer: <u>CN605749316</u>

Note: Locate the customer number using the <u>TCEQ's Central Registry Customer Search</u>³.

b. Legal name of the entity (applicant) applying for this permit: Nalco Company, LLC

Note: The owner of the facility must apply for the permit. The legal name must be spelled exactly as filed with the TX SOS, Texas Comptroller of Public Accounts, County, or in the legal documents forming the entity.

c. Name and title of the person signing the application. (**Note:** The person must be an executive official that meets signatory requirements in 30 TAC § 305.44.)

Prefix: Mr. Full Name (Last/First Name): Alvin Sirju

Title: <u>Plant Manager, Fresno Plant</u> Credential: <u>N/A</u>

d. Will the applicant have overall financial responsibility for the facility?

| Yes | \square | No |
|-----|-----------|-----|
| 103 | | INO |

_

² All facilities are designated as minors until formally classified as a major by EPA.

https://www15.tceq.texas.gov/crpub/index.cfm?fuseaction=cust.CustSearch

Note: The entity with overall financial responsibility for the facility must apply as a coapplicant, if not the facility owner.

Item 3. Co-applicant Information (Instructions, Page 27)

- ☐ Check this box if there is no co-applicant.; otherwise, complete the below questions.
- a. Legal name of the entity (co-applicant) applying for this permit: Click to enter text.

Note: The legal name must be spelled exactly as filed with the TX SOS, Texas Comptroller of Public Accounts, County, or in the legal documents forming the entity.

b. Customer Number (if applicant is an existing customer): CNClick to enter text.

Note: Locate the customer number using the TCEQ's Central Registry Customer Search.

c. Name and title of the person signing the application. (**Note:** The person must be an executive official that meets signatory requirements in 30 TAC § 305.44.)

Prefix: Click to enter text. Full Name (Last/First Name): Click to enter text.

Title: Click to enter text. Credential: Click to enter text.

d. Will the co-applicant have overall financial responsibility for the facility?

☐ Yes ☐ No

Note: The entity with overall financial responsibility for the facility must apply as a coapplicant, if not the facility owner.

Item 4. Core Data Form (Instructions, Pages 27)

a. Complete and attach one Core Data Form (TCEQ Form 10400) for each customer (applicant and co-applicant(s)). If the customer type selected on the Core Data Form is Individual, complete Attachment 1 of the Administrative Report. Attachment: Click to enter text.

Item 5. Application Contact Information (Instructions, Page 27)

Provide names of two individuals who can be contacted about this application. Indicate if the individual can be contacted about administrative or technical information, or both.

a. oxtimes Administrative Contact . oxtimes Technical Contact

Prefix: Mr. Full Name (Last/First Name): Jake Reaves

Title: <u>EHS Manager</u> Credential: <u>N/A</u>

Organization Name: Nalco Water, An Ecolab Company

Mailing Address: 3130 FM 521 Rd. City/State/Zip: Fresno, TX 77545

Phone No: <u>281-710-9358</u> Email: <u>jake.reaves@ecolab.com</u>

b. \boxtimes Administrative Contact \boxtimes Technical Contact

Prefix: Mrs. Full Name (Last/First Name): Whitney Brieden

Title: Environmental Engineer Credential: N/A

Organization Name: Nalco Water, An Ecolab Company

Mailing Address: 3130 FM 521 Rd. City/State/Zip: Fresno, TX 77545

Phone No: <u>281-710-9323</u> Email: <u>whitney.brieden@ecolab.com</u>

Attachment: N/A

Item 6. Permit Contact Information (Instructions, Page 28)

Provide two names of individuals that can be contacted throughout the permit term.

a. Prefix: Mr. Full Name (Last/First Name): Alvin Sirju

Title: Plant Manager Credential: N/A

Organization Name: Nalco Fresno Plant

Mailing Address: 3130 FM 521 Rd. City/State/Zip: Fresno, TX 77545

Phone No: 281-710-9575 Email: alvin.sirju@ecolab.com

b. Prefix: Mr. Full Name (Last/First Name): Jake Reaves

Title: EHS Manager Credential: N/A

Organization Name: Nalco Fresno Plant

Mailing Address: 3130 FM 521 Rd. City/State/Zip: Fresno, TX 77545

Phone No: 281-710-9358 Email: jake.reaves@ecolab.com

Attachment: N/A

Item 7. Billing Contact Information (Instructions, Page 28)

The permittee is responsible for paying the annual fee. The annual fee will be assessed for permits **in effect on September 1 of each year**. The TCEQ will send a bill to the address provided in this section. The permittee is responsible for terminating the permit when it is no longer needed (form TCEQ-20029).

Provide the complete mailing address where the annual fee invoice should be mailed and the name and phone number of the permittee's representative responsible for payment of the invoice.

Prefix: Mr. Full Name (Last/First Name): Jake Reaves

Title: EHS Manager Credential: N/A

Organization Name: Nalco Fresno Plant

Mailing Address: 3130 FM 521 Rd. City/State/Zip: Fresno, TX 77545

Phone No: <u>281-710-9358</u> Email: <u>jake.reaves@ecolab.com</u>

Item 8. DMR/MER Contact Information (Instructions, Page 28)

Provide the name and mailing address of the person delegated to receive and submit DMRs or MERs. **Note:** DMR data must be submitted through the NetDMR system. An electronic reporting account can be established once the facility has obtained the permit number.

Prefix: Mrs. Full Name (Last/First Name): Whitney Brieden

Title: Environmental Engineer Credential: N/A

Organization Name: Nalco Fresno Plant

Mailing Address: 3130 FM 521 Rd. City/State/Zip: Fresno, TX 77545

Phone No: <u>281-710-9323</u> Email: <u>whitney.brieden@ecolab.com</u>

Item 9. Notice Information (Instructions, Pages 28)

a. Individual Publishing the Notices

Prefix: Mrs. Full Name (Last/First Name): Whitney Brieden

Title: Environmental Engineer Credential: N/A

Organization Name: Nalco Fresno Plant

Mailing Address: 3130 FM 521 Rd. City/State/Zip: Fresno, TX 77545

Phone No: 281-710-9323 Email: whitney.brieden@ecolab.com

- b. Method for Receiving Notice of Receipt and Intent to Obtain a Water Quality Permit Package (only for NORI, NAPD will be sent via regular mail)
 - ☐ E-mail: Click to enter text.
 - \square Fax: Click to enter text.
 - ⊠ Regular Mail (USPS)

Mailing Address: 3130 FM 521 Rd.

City/State/Zip Code: Fresno, TX 77545

c. Contact in the Notice

Prefix: Mrs. Full Name (Last/First Name): Whitney Brieden

Title: Environmental Engineer Credential: N/A

Organization Name: Nalco Fresno Plant

Phone No: 281-710-9323 Email: whitney.brieden@ecolab.com

d. Public Viewing Location Information

Note: If the facility or outfall is located in more than one county, provide a public viewing place for each county.

Public building name: Fort Bend County Library-Sienna Branch Location within the

building: Lobby

Physical Address of Building: 8411 Sienna Springs Way

City: Missouri City County: Fort Bend

e. Bilingual Notice Requirements

This information is required for new, major amendment, minor amendment or minor modification, and renewal applications.

This section of the application is only used to determine if alternative language notices will be needed. Complete instructions on publishing the alternative language notices will be in your public notice package.

Call the bilingual/ESL coordinator at the nearest elementary and middle schools and obtain the following information to determine if an alternative language notice(s) is required.

1. Is a bilingual education program required by the Texas Education Code at the elementary or middle school nearest to the facility or proposed facility?

| | | ⊠ Yes □ No |
|-----|-------------|---|
| | | If no, publication of an alternative language notice is not required; skip to Item 8 (Regulated Entity and Permitted Site Information.) |
| | 2. | Are the students who attend either the elementary school or the middle school enrolled in a bilingual education program at that school? |
| | | ⊠ Yes □ No |
| | 3. | Do the students at these schools attend a bilingual education program at another location? |
| | | □ Yes ☒ No |
| | 4. | Would the school be required to provide a bilingual education program, but the school has waived out of this requirement under 19 TAC §89.1205(g)? |
| | | □ Yes ⊠ No □ N/A |
| | 5. | If the answer is yes to question 1, 2, 3, or 4, public notices in an alternative language are required. Which language is required by the bilingual program? <u>Spanish</u> |
| f. | Ap | mmary of Application in Plain Language Template – Complete and attach the Summary of Oplication in Plain Language Template (TCEQ Form 20972), also known as the plain Inguage summary or PLS. Attachment: Click to enter text. |
| g. | | mplete and attach one Public Involvement Plan (PIP) Form (TCEQ Form 20960) for each plication for a new permit or major amendment. Attachment: Click to enter text. |
| Ite | em | 10. Regulated Entity and Permitted Site Information (Instructions |
| | | Page 29) |
| a. | TC | EQ issued Regulated Entity Number (RN), if available: RN101618882 |
| | ma the | ote: If your business site is part of a larger business site, a Regulated Entity Number (RN) ay already be assigned for the larger site. Use the RN assigned for the larger site. Search e TCEQ's Central Registry to determine the RN or to see if the larger site may already be gistered as a Regulated Entity. If the site is found, provide the assigned RN. |
| b. | Na | me of project or site (name known by the community where located): Nalco Fresno Plant |
| c. | | the location address of the facility in the existing permit the same? |
| | \boxtimes | Yes □ No □ N/A (new permit) |
| | Wi | ote: If the facility is located in Bexar, Comal, Hays, Kinney, Medina, Travis, Uvalde, or lliamson County, additional information concerning protection of the Edwards Aquifer by be required. |
| d. | Ow | vner of treatment facility: |
| | Pre | efix: Click to enter text. Full Name (Last/First Name): Click to enter text. |
| | or | Organization Name: <u>Nalco Production, LLC</u> |
| | Ma | niling Address: <u>N/A</u> City/State/Zip: <u>N/A</u> |
| | Ph | one No: <u>Click to enter text.</u> Email: <u>Click to enter text.</u> |
| e. | Ow | vnership of facility: \square Public \boxtimes Private \square Both \square Federal |

f.

| f. | f. Owner of land where treatment facility is or wi | ll be: <u>Nalco Production, LLC</u> | | | |
|-----|---|--|--|--|--|
| | Prefix: Click to enter text. Full Name (Last/First Name): Click to enter text. | | | | |
| | or Organization Name: Click to enter text. | | | | |
| | Mailing Address: <u>N/A</u> | City/State/Zip: <u>N/A</u> | | | |
| | Phone No: Click to enter text. Email: Click to en | nter text. | | | |
| | Note: If not the same as the facility owner, atta at least six years (In some cases, a lease may no Click to enter text. | | | | |
| g. | g. Owner of effluent TLAP disposal site (if applica | able): <u>N/A</u> | | | |
| | Prefix: Click to enter text. Full Name (Last/ | First Name): <u>Click to enter text.</u> | | | |
| | or Organization Name: <u>N/A</u> | or Organization Name: <u>N/A</u> | | | |
| | Mailing Address: Click to enter text. | City/State/Zip: Click to enter text. | | | |
| | Phone No: Click to enter text. Email: Click to en | nter text. | | | |
| | Note: If not the same as the facility owner, atta at least six years. Attachment: Click to enter te | | | | |
| h. | h. Owner of sewage sludge disposal site (if applic | able): | | | |
| | Prefix: Click to enter text. Full Name (Last/ | First Name): <u>Click to enter text.</u> | | | |
| | or Organization Name: N/A | | | | |
| | Mailing Address: Click to enter text. | City/State/Zip: Click to enter text. | | | |
| | Phone No: Click to enter text. Email: Click to en | ter text. | | | |
| | Note: If not the same as the facility owner, atta at least six years. Attachment: Click to enter te | | | | |
| Ito | Item 11. TDPES Discharge/TLAP Disp Page 31) | osal Information (Instructions, | | | |
| a. | a. Is the facility located on or does the treated eff | fluent cross Native American Land? | | | |
| | □ Yes ⊠ No | | | | |
| b. | b. Attach an original full size USGS Topographic renewal or amendment applications) with all reeach item below to confirm it has been include | equired information. Check the box next to | | | |
| | ☑ One-mile radius ☐ | Three-miles downstream information | | | |
| | $oxed{\boxtimes}$ Applicant's property boundaries $oxed{\Box}$ | Treatment facility boundaries | | | |
| | ☐ Labeled point(s) of discharge | Highlighted discharge route(s) | | | |
| | \square Effluent disposal site boundaries \square | All wastewater ponds | | | |
| | ☐ Sewage sludge disposal site ☐ | New and future construction | | | |
| | Attachment: Click to enter text. | | | | |

| c. | Is the location of the sewage sludge disposal site in the existing permit accurate? |
|----|--|
| | ☐ Yes ☐ No or New Permit |
| | If no, or a new application, provide an accurate location description: <u>Click to enter text.</u> |
| d. | Are the point(s) of discharge in the existing permit correct? |
| | ⊠ Yes □ No or New Permit |
| | If no, or a new application, provide an accurate location description: <u>Click to enter text.</u> |
| e. | Are the discharge route(s) in the existing permit correct? |
| | ☑ Yes ☐ No or New Permit |
| | If no, or a new permit, provide an accurate description of the discharge route: <u>Click to enter text.</u> |
| f. | City nearest the outfall(s): <u>Fresno</u> |
| g. | County in which the outfalls(s) is/are located: Fort Bend |
| h. | Is or will the treated wastewater discharge to a city, county, or state highway right-of-way, or a flood control district drainage ditch? |
| | □ Yes ⊠ No |
| | If yes, indicate by a check mark if: \square Authorization granted \square Authorization pending |
| | For new and amendment applications, attach copies of letters that show proof of contact and provide the approval letter upon receipt. Attachment: Click to enter text. |
| | For all applications involving an average daily discharge of 5 MGD or more, provide the names of all counties located within 100 statute miles downstream of the point(s) of discharge: Click to enter text. |
| i. | For TLAPs, is the location of the effluent disposal site in the existing permit accurate? |
| | \square Yes No or New Permit \boxtimes $\underline{N/A}$ |
| | If no, or a new application, provide an accurate location description: <u>Click to enter text.</u> |
| j. | City nearest the disposal site: $\underline{N/A}$ |
| k. | County in which the disposal site is located: $\underline{N/A}$ |
| l. | For TLAPs, describe how effluent is/will be routed from the treatment facility to the disposal site: $\underline{\text{N/A}}$ |
| m. | For TLAPs, identify the nearest watercourse to the disposal site to which rainfall runoff might flow if not contained: N/A |

Item 12. Miscellaneous Information (Instructions, Page 33)

| a. | Did any person formerly employed by the TCEQ represent your company and get paid for service regarding this application? |
|----|--|
| | □ Yes ⊠ No |
| | If yes, list each person: <u>Click to enter text.</u> |
| b. | Do you owe any fees to the TCEQ? |
| | □ Yes ⊠ No |
| | If yes, provide the following information: |
| | Account no.: Click to enter text. |
| | Total amount due: <u>Click to enter text.</u> |
| c. | Do you owe any penalties to the TCEQ? |
| | □ Yes ⊠ No |
| | If yes, provide the following information: |
| | Enforcement order no.: Click to enter text. |
| | Amount due: Click to enter text. |
| | |

Item 13. Signature Page (Instructions, Page 33)

Permit No: WQ0004306000

Applicant Name: Nalco Fresno Plant

Certification: I, <u>Alvin Sirju</u>, certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

I further certify that I am authorized under 30 Texas Administrative Code §305.44 to sign and submit this document and can provide documentation in proof of such authorization upon request.

| Signatory name (typed or printed): <u>Alvin Sirju</u> | | | |
|--|--------------------------|--------------------------------|---|
| Signatory title: <u>Plant Manager, Fresno</u> | | | |
| Signature:(Use blue ink) Subscribed and Sworn to before me by the said | | Date: | |
| on this | | | |
| My commission expires on the | - | | |
| Notary Public | | [SEAL] | |
| County, Texas | | | |
| Note: If co-applicants are necessary, each entity page. | [,] must submit | an original, separate signatur | e |

INDUSTRIAL WASTEWATER PERMIT APPLICATION ADMINISTRATIVE REPORT 1.1

The following information is required for new and amendment applications.

Item 1. Affected Landowner Information (Instructions, Page 35)

| a. | Attach a landowner map or drawing, with scale, as applicable. Check the box next to each item to confirm it has been provided. |
|----|--|
| | ☐ The applicant's property boundaries. |
| | ☐ The facility site boundaries within the applicant's property boundaries. |
| | ☐ The distance the buffer zone falls into adjacent properties and the property boundaries of the landowners located within the buffer zone. |
| | ☑ The property boundaries of all landowners surrounding the applicant's property. (Note: if the application is a major amendment for a lignite mine, the map must include the property boundaries of all landowners adjacent to the new facility (ponds).) |
| | ☐ The point(s) of discharge and highlighted discharge route(s) clearly shown for one mile downstream. |
| | ☐ The property boundaries of the landowners located on both sides of the discharge route for one full stream mile downstream of the point of discharge. |
| | ☐ The property boundaries of the landowners along the watercourse for a one-half mile radius from the point of discharge if the point of discharge is into a lake, bay, estuary, or affected by tides. |
| | ☐ The boundaries of the effluent disposal site (e.g., irrigation area or subsurface drainfield site) and all evaporation/holding ponds within the applicant's property. |
| | ☐ The property boundaries of all landowners surrounding the applicant's property boundaries where the effluent disposal site is located. |
| | ☐ The boundaries of the sludge land application site (for land application of sewage sludge for beneficial use) and the property boundaries of landowners within one-quarter mile of the applicant's property boundaries where the sewage sludge land application site is located. |
| | ☐ The property boundaries of landowners within one-half mile in all directions from the applicant's property boundaries where the sewage sludge disposal site (e.g., sludge surface disposal site or sludge monofil) is located. |
| | Attachment: Click to enter text. |
| b. | ☑ that the landowners list has also been provided as mailing labels in electronic format |

addresses cross-referenced to the landowner's map has been provided. Provide the source of the landowners' names and mailing addresses: <u>Attachment 5.2</u>

c. Check this box to confirm a separate list with the landowners' names and mailing

(Avery 5160).

- e. As required by Texas Water Code § 5.115, is any permanent school fund land affected by this application?
 - □ Yes ⊠ No

If yes, provide the location and foreseeable impacts and effects this application has on the land(s): <u>Click to enter text.</u>

Item 2. Original Photographs (Instructions, Page 37)

Provide original ground level photographs. Check the box next to each of the following items to indicate it is included.

- 🛮 At least one original photograph of the new or expanded treatment unit location.
- At least two photographs of the existing/proposed point of discharge and as much area downstream (photo 1) and upstream (photo 2) as can be captured. If the discharge is to an open water body (e.g., lake, bay), the point of discharge should be in the right or left edge of each photograph showing the open water and with as much area on each respective side of the discharge as can be captured.
- ☐ At least one photograph of the existing/proposed effluent disposal site.
- 🛮 A plot plan or map showing the location and direction of each photograph.

Attachment: Attachments 6 and 8

INDUSTRIAL WASTEWATER PERMIT APPLICATION SUPPLEMENTAL PERMIT INFORMATION FORM (SPIF)

This form applies to TPDES permit applications only. Complete and attach the Supplemental Permit information Form (SPIF) (TCEQ Form 20971).

Attachment: <u>Attachment 3</u>

WATER QUALITY PERMIT

PAYMENT SUBMITTAL FORM

Use this form to submit the Application Fee, if mailing the payment. (Instructions, Page 36-37)

- Complete items 1 through 5 below.
- Staple the check or money order in the space provided at the bottom of this document.
- Do not mail this form with the application form.
- Do not mail this form to the same address as the application.
- Do not submit a copy of the application with this form as it could cause duplicate permit entries.

Mail this form and the check or money order to:

BY REGULAR U.S. MAIL BY OVERNIGHT/EXPRESS MAIL

Texas Commission on Environmental Quality Texas Commission on Environmental Quality

Financial Administration Division Financial Administration Division

Cashier's Office, MC-214 Cashier's Office, MC-214 P.O. Box 13088 12100 Park 35 Circle Austin, Texas 78711-3088 Austin, Texas 78753

Fee Code: WQP **Permit No:** WQ0004306000

1. Check or Money Order Number: Click to enter text.

2. Check or Money Order Amount: Click to enter text.

3. Date of Check or Money Order: Click to enter text.

4. Name on Check or Money Order: Click to enter text.

5. APPLICATION INFORMATION

Name of Project or Site: Click to enter text.

Physical Address of Project or Site: Click to enter text.

If the check is for more than one application, attach a list which includes the name of each Project or Site (RE) and Physical Address, exactly as provided on the application.

Attachment: Click to enter text.

Staple Check or Money Order in This Space

ATTACHMENT 1

INDIVIDUAL INFORMATION

Item 1. Individual information (Instructions, Page 38)

Complete this attachment if the facility applicant or co-applicant is an individual. Make additional copies of this attachment if both are individuals.

Prefix (Mr., Ms., or Miss): Click to enter text.

Full legal name (first, middle, and last): Click to enter text.

Driver's License or State Identification Number: Click to enter text.

Date of Birth: Click to enter text.

Mailing Address: Click to enter text.

City, State, and Zip Code: Click to enter text.

Phone No.: Click to enter text.

Fax No.: Click to enter text.

E-mail Address: Click to enter text.

CN: Click to enter text.

INDUSTRIAL WASTEWATER PERMIT APPLICATION CHECKLIST OF COMMON DEFICIENCIES

Below is a list of common deficiencies found during the administrative review of industrial wastewater permit applications. To ensure the timely processing of this application, please review the items below and indicate each item is complete and in accordance applicable rules at 30 TAC Chapters 21, 281, and 305 by checking the box next to the item. If an item is not required this application, indicate by checking N/A where appropriate. Please do not submit the application until all items below are addressed.

| ☐ Core Data Form (TCEQ Form No. 10400) (Required for all applications types. Must be completed in its entirety and signed. Note: Form may be signed by applicant representative.) |
|---|
| □ Correct and Current Industrial Wastewater Permit Application Forms (TCEQ Form Nos. 10055 and 10411. Version dated 5/10/2019 or later.) |
| ☐ Water Quality Permit Payment Submittal Form (Page 14) (Original payment sent to TCEQ Revenue Section. See instructions for mailing address.) |
| 7.5 Minute USGS Quadrangle Topographic Map Attached (Full-size map if seeking "New" permit. 8½ x 11 acceptable for Renewals and Amendments.) |
| □ N/A □ Current/Non-Expired, Executed Lease Agreement or Easement Attached |
| □ N/A □ Landowners Map (See instructions for landowner requirements.) |
| Things to Know: All the items shown on the map must be labeled. The applicant's complete property boundaries must be delineated which includes boundaries of contiguous property owned by the applicant. The applicant cannot be its own adjacent landowner. You must identify the landowners immediately adjacent to their property, regardless of how far the are from the actual facility. If the applicant's property is adjacent to a road, creek, or stream, the landowners on the opposite side must be identified. Although the properties are not adjacent to applicant's property boundary, they are considered potentially affected landowners. If the adjacent road is a divided highway as identified on the USGS topographic map, the applicant does not have to identify the landowners on the opposite side of the highway. |
| □ N/A □ Landowners Labels and Cross Reference List (See instructions for landowner requirements.) |
| ☐ Electronic Application Submittal (See application submittal requirements on page 23 of the instructions.) |
| ☐ Original signature per 30 TAC § 305.44 – Blue Ink Preferred (If signature page is not signed by an elected official or principle executive officer, |

a copy of signature authority/delegation letter must be attached.)

| □ Summary of Application (in Plain L | .anguage) | |
|--------------------------------------|-----------|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |



Sodium Hypochlorite 12.5 wt% Bacticide

Version 4.0

Revision Date: 06-14-2021

SDS Number: 10000001223

Date of last issue: 03-06-2020 Date of first issue: 06-14-2021

Olin Chlorine 7, LLC encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

SECTION 1. IDENTIFICATION

Product name

Sodium Hypochlorite 12.5 wt% Bacticide

Product code

00000001000000407

Manufacturer or supplier's details

Company name of supplier

: Olin Chlorine 7, LLC

Address

190 CARONDELET PLAZA, SUITE 1530

CLAYTON MO 63105-3467

Telephone

(844) 238-3445

E-mail address

INFO@OLIN.COM

Emergency telephone

+1 800 424 9300

Local Emergency Contact

1-800-424-9300

Identified uses

Disinfectant.

Paper bleaching agent Water treatment chemicals

Biocidal product

Bleaching agents, Activators and Stabilizers

Textile bleaching agent

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Corrosive to Metals

: Category 1

Skin corrosion

Category 1B

Serious eye damage

: Category 1

GHS label elements

Hazard pictograms

Signal Word

Danger



Sodium Hypochlorite 12.5 wt% Bacticide

Version 4.0

Revision Date: 06-14-2021

SDS Number: 10000001223 Date of last issue: 03-06-2020 Date of first issue: 06-14-2021

Hazard Statements

May be corrosive to metals.

Causes severe skin burns and eye damage.

Precautionary Statements

Prevention:

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT

induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately

all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON

CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER/ doctor.

P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage.

Storage:

P405 Store locked up.

P406 Store in corrosive resistant container with a resistant inner

liner.

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Substance

Substance name

Sodium Hypochlorite, 5 - 17%

CAS-No.

7681-52-9

Components

| Components | | 101 3 (0) |
|---------------------|-----------|-----------------------|
| Chemical name | CAS-No. | Concentration (% w/w) |
| | 7681-52-9 | >= 5 - <= 17 |
| Sodium hypochlorite | 7732-18-5 | >= 83 - <= 95 |
| Water | | >= 0.1 - <= 4.5 |
| Sodium hydroxide | 1310-73-2 | |

Actual concentration is withheld as a trade secret



Sodium Hypochlorite 12.5 wt% Bacticide

Version 4.0

Revision Date: 06-14-2021

SDS Number: 10000001223 Date of last issue: 03-06-2020 Date of first issue: 06-14-2021

If inhaled

Move person to fresh air; if effects occur, consult a physician.

In case of skin contact

Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing. Seek medical attention if symptoms occur or irritation persists. Wash

clothing before reuse.

Suitable emergency safety shower facility should be immedia-

tely available.

In case of eye contact

- Wash eyes with plenty of water for 15 minutes at least. Do

not forget to remove contact lenses. Suitable emergency eye wash facility should be immediately

available.

If swallowed

Do not induce vomiting. Give one cup (8 ounces or 240 ml) of water or milk if available and transport to a medical facility. Do not give anything by mouth unless the person is fully cons-

Most important symptoms and effects, both acute and delayed

Aside from the information found under Description of first aid measures(above)any additional important symptoms and effects are described in Section 11: Toxicology Information.

Protection of first-aiders

First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical re-

sistant gloves, splash protection).

If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

Notes to physician

May cause asthma-like (reactive airways) symptoms. Bronchodilators, expectorants, antitussives and corticosteroids

may be of help.

Maintain adequate ventilation and oxygenation of the patient. Chemical eye burns may require extended irrigation. Obtain prompt consultation, preferably from an ophthalmologist. If burn is present, treat as any thermal burn, after decontami-

nation.

Due to irritant properties, swallowing may result in

burns/ulceration of mouth, stomach and lower gastrointestinal tract with subsequent stricture. Aspiration of vomitus may cause lung injury. Suggest endotracheal/esophageal control if

lavage is done. No specific antidote.

Treatment of exposure should be directed at the control of

symptoms and the clinical condition of the patient.

Repeated excessive exposure may aggravate preexisting lung

disease.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media :

In case of fire, use water fog, foam, dry powder, carbon dioxi-

Unsuitable extinguishing

media

Do NOT use water jet. May spread fire.



Sodium Hypochlorite 12.5 wt% Bacticide

Version 4.0

Revision Date: 06-14-2021

SDS Number: 10000001223 Date of last issue: 03-06-2020 Date of first issue: 06-14-2021

Dry chemical extinguishing agents may react with product;

use with caution.

Hazardous combustion prod- :

ucts

During a fire, smoke may contain the original material in addition to combustion products of varying composition which may

be toxic and/or irritating.

Further information

For safety reasons in case of fire, containers should be stored

separately in closed containments.

Do not breathe fumes.

Special protective equipment :

for fire-fighters

Wear full protective clothing and self-contained breathing ap-

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer-

gency procedures

Evacuate area.

Only trained and properly protected personnel must be invol-

ved in clean-up operations.

Wear suitable protective equipment.

Keep upwind of spill. Avoid breathing vapor. Ventilate area of leak or spill.

Avoid all contact.

Keep people away from and upwind of spill/leak.

Wear suitable protective clothing.

Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental precautions

Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

Do not discharge directly to a water source.

See Section 13, Disposal Considerations, for additional infor-

mation.

Methods and materials for containment and cleaning up Contain spilled material if possible.

Absorb with materials such as:

Vermiculite.

Cover with absorbent or contain. Collect and dispose. Dike and transfer to suitable and properly labeled containers. This material is corrosive. See SECTION 8, Exposure Cont-

rols/Personal Protection, prior to handling.

Soak up with inert absorbent material (e.g. sand, silica gel,

polypropylene absorbent).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling

Keep container closed.

Do not get in eyes, on skin, or on clothing.

Avoid prolonged contact with eyes, skin and clothing.

Wear personal protective equipment. Use with adequate ventilation.

Protect from direct exposure to sunlight.



Sodium Hypochlorite 12.5 wt% Bacticide

Version 4.0

Revision Date: 06-14-2021

SDS Number: 10000001223 Date of last issue: 03-06-2020 Date of first issue: 06-14-2021

Use good general industrial hygiene practices for handling.

Wash thoroughly after handling.

Conditions for safe storage

Keep container tightly closed.

Store away from incompatible materials. See STABILITY AND

REACTIVITY section.

Store under cover in a dry, clean, cool, well ventilated place

away from sunlight.

Store away from oxidizing materials. Store in original vented container.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|---------------------|-----------|-------------------------------------|--|----------|
| O II b shlarita | 7681-52-9 | STEL | 2 mg/m3 | US WEEL |
| Sodium hypochlorite | 1310-73-2 | C | 2 mg/m3 | ACGIH |
| Sodium hydroxide | 1310-13-2 | 10 | 2 mg/m3 | OSHA P0 |
| | | TWA | 2 mg/m3 | OSHA Z-1 |

Engineering measures

: Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations.

Local exhaust ventilation may be necessary for some opera-

tions.

Personal protective equipment

Respiratory protection

Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved

air-purifying respirator.

Filter type

The following should be effective types of air-purifying respi-

rators: Particulate filter.

Hand protection

Remarks

: Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Natural rubber ('latex'). Neoprene. Nitrile/butadiene rubber ('nitrile' or 'NBR'). Polyethylene. Ethyl vinyl alcohol laminate ('EVAL'). Polyvinyl chloride ('PVC' or 'vinyl'). Avoid gloves made of: Polyvinyl alcohol ('PVA'). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace



Sodium Hypochlorite 12.5 wt% Bacticide

Version 4.0

Revision Date: 06-14-2021

SDS Number: 10000001223

Date of last issue: 03-06-2020 Date of first issue: 06-14-2021

should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Eye protection

Use chemical goggles.

Skin and body protection

Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

Reports indicate that sodium hypochlorite can react with various fabrics usually increasing with concentration. Reactions vary significantly depending on strength of chemical, material, fabric treatment and color of dyes. Fire resistant clothing treated cotton has a stronger response than plain cotton. Poly blend fabrics and meta aramid fabric have a weaker response than natural fibers. Contact the Personal Protective Equipment manufacturer for specific information about

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

liguid

Color

No data available

their products.

Odor

pungent

Odor Threshold

No data available

рΗ

12 - 14 (77 °F / 25 °C)

Freezing point

-4 °F / -20 °C Method: Literature

Melting point/range

-4 °F / -20 °C Method: Literature

Pour point

Softening point

Boiling point/boiling range

No data available

Flash point

Not applicable

Evaporation rate

No data available

Flammability (solid, gas)

Not expected to form explosive dust-air mixtures.



Sodium Hypochlorite 12.5 wt% Bacticide

Version 4.0

Revision Date: 06-14-2021

SDS Number: 10000001223

Date of last issue: 03-06-2020 Date of first issue: 06-14-2021

Flammability (liquids)

: Not expected to be a static-accumulating flammable liquid.

Self-ignition

The substance or mixture is not classified as pyrophoric.

Upper explosion limit / Upper

flammability limit

: Not applicable

Lower explosion limit / Lower

flammability limit

: Not applicable

Vapor pressure

12 mmHg

Relative vapor density

: Not available

Relative density

1.082 - 1.275 (68 °F / 20 °C)

Solubility(ies)

Water solubility

: completely miscible

Partition coefficient: n-

octanol/water

No data available.

Autoignition temperature

Not applicable

Decomposition temperature

No data available

Viscosity

Viscosity, dynamic

: No data available

Viscosity, kinematic

: No data available

Explosive properties

Not applicable

Oxidizing properties

Not applicable

Molecular weight

74.5 g/mol

Metal corrosion rate

Corrosive to metals

Note: These are the Reference Points for these Physical Properties listed above, unless otherwise noted in their respective Physical Property value information: Boiling Point at 760 mmHg; Evaporation Rate Butyl Acetate = 1; Relative Vapor Density Air = 1; and Relative Density Water = 1. NOTE: The physical data presented above are typical values and should not be construed as a specification.

SECTION 10. STABILITY AND REACTIVITY

Reactivity

: No data available

Chemical stability

: Stable under recommended storage conditions. See Storage,

Section 7.

Possibility of hazardous reac- :

tions

Polymerization will not occur.

Stable under recommended storage conditions.



Sodium Hypochlorite 12.5 wt% Bacticide

Version 4.0

Revision Date: 06-14-2021

SDS Number: 10000001223

Date of last issue: 03-06-2020 Date of first issue: 06-14-2021

Conditions to avoid

contact with incompatible materials

Avoid direct sunlight or ultraviolet sources.

Excessive heat.

contact between acids and chlorates, a component of this product mixture, can cause the generation of chlorine gas.

Hazardous decomposition

Oxygen.

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Eye contact Skin contact Inhalation Ingestion

Acute toxicity

Swallowing may result in burns of the mouth, throat, and gastrointestinal tract.

Components:

Sodium hypochlorite:

Acute oral toxicity

LD50 (Rat): 805 mg/kg

Method: Estimated.

Acute inhalation toxicity

: LC50 (Rat): > 10.5 mg/l Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity

:: LD50 (Rat): > 1,000 mg/kg

Sodium hydroxide:

Acute oral toxicity

LD50 (Rabbit): 336 mg/kg

Method: Estimated.

Acute inhalation toxicity

: Remarks: The LC50 has not been determined.

Acute dermal toxicity

: Remarks: The dermal LD50 has not been determined.

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Components:

Sodium hypochlorite:

Result

Causes burns.

Remarks

Brief contact may cause skin burns. Symptoms may include

pain, severe local redness and tissue damage.

Prolonged contact may cause severe skin burns. Symptoms may include pain, severe local redness, swelling, and tissue

damage.



Sodium Hypochlorite 12.5 wt% Bacticide

Version 4.0

Revision Date: 06-14-2021

SDS Number: 10000001223 Date of last issue: 03-06-2020 Date of first issue: 06-14-2021

Sodium hydroxide:

Result Remarks : Causes severe burns.

Brief contact may cause severe skin burns. Symptoms may include pain, severe local redness and tissue damage.

Serious eye damage/eye irritation

Causes severe skin burns and eye damage.

Components:

Sodium hypochlorite:

Remarks

Corrosive

May cause severe irritation with corneal injury which may result in permanent impairment of vision, even blindness. Chem-

ical burns may occur.

Sodium hydroxide:

Result

Remarks

May cause severe irritation with corneal injury which may re-

sult in permanent impairment of vision, even blindness. Chem-

ical burns may occur. Dust may irritate eyes.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Sodium hypochlorite:

Assessment

: Does not cause skin sensitization.

Remarks

: Did not cause allergic skin reactions when tested in guinea

Remarks

: For respiratory sensitization:

No relevant data found.

Sodium hydroxide:

Assessment

: Does not cause skin sensitization.

Remarks

Did not cause allergic skin reactions when tested in humans.

Remarks

For respiratory sensitization:

No relevant data found.

Germ cell mutagenicity

Not classified based on available information.



Sodium Hypochlorite 12.5 wt% Bacticide

Version 4.0

Revision Date:

06-14-2021

SDS Number: 10000001223 Date of last issue: 03-06-2020 Date of first issue: 06-14-2021

Components:

Sodium hypochlorite:

Genotoxicity in vitro

: Remarks: In vitro genetic toxicity studies were negative in

some cases and positive in other cases.

Animal genetic toxicity studies were predominantly negative.

Sodium hydroxide:

Genotoxicity in vitro

Remarks: In vitro genetic toxicity studies were negative.

Carcinogenicity

Not classified based on available information.

Components:

Sodium hypochlorite:

Remarks

Did not cause cancer in laboratory animals.

Sodium hydroxide:

Remarks

No relevant data found.

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

Sodium hypochlorite:

Effects on fertility

: Remarks: For similar material(s):

In animal studies, did not interfere with reproduction.

In animal studies, did not interfere with fertility.

Effects on fetal development

Remarks: Did not cause birth defects or any other fetal effects

in laboratory animals.

Sodium hydroxide:

Effects on fertility

Remarks: No relevant data found.

Effects on fetal development : Remarks: No relevant data found.

STOT-single exposure

Not classified based on available information.



Sodium Hypochlorite 12.5 wt% Bacticide

Version 4.0

Revision Date: 06-14-2021

SDS Number: 10000001223

Date of last issue: 03-06-2020 Date of first issue: 06-14-2021

Components:

Sodium hypochlorite:

Assessment

 Material is corrosive. Material is not classified as a respiratory irritant; however, upper respiratory tract irritation or corrosivity

may be expected.

Sodium hydroxide:

Assessment

Available data are inadequate to determine single exposure

specific target organ toxicity.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Sodium hypochlorite:

Remarks

: Repeated exposures to dusts of this material are not anticipated to result in systemic toxicity or permanent lung

injury; however, excessive exposures may cause less severe

respiratory effects.

Sodium hydroxide:

Remarks

Based on available data, repeated exposures are not

anticipated to cause additional significant adverse effects.

Aspiration toxicity

Not classified based on available information.

Components:

Sodium hypochlorite:

Aspiration into the lungs may occur during ingestion or vomiting, causing tissue damage or lung

injury.

Sodium hydroxide:

Aspiration into the lungs may occur during ingestion or vomiting, causing tissue damage or lung injury.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Sodium hypochlorite:

Toxicity to fish

Remarks: Material is very highly toxic to aquatic organisms on

an acute basis (LC50/EC50 <0.1 mg/L in the most sensitive

species).



Sodium Hypochlorite 12.5 wt% Bacticide

Version 4.0

Revision Date: 06-14-2021

SDS Number: 10000001223 Date of last issue: 03-06-2020 Date of first issue: 06-14-2021

LC50 (Pimephales promelas (fathead minnow)): 0.22 - 0.62

mg/l

Exposure time: 96 h

Method: Method Not Specified.

Toxicity to daphnia and other : aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.035 mg/l

Exposure time: 48 h

Test Type: flow-through test Method: OECD Test Guideline 202

M-Factor (Acute aquatic tox-

10

icity)

Toxicity to fish (Chronic tox-

icity)

NOEC (Menidia peninsulae (tidewater silverside)): 0.04 mg/l

Exposure time: 28 d

Test Type: flow-through test Method: Other guidelines

M-Factor (Chronic aquatic

toxicity)

: 1

Toxicity to microorganisms

: EC50 (activated sludge): 28.7 mg/l

Sodium hydroxide:

Toxicity to fish

Remarks: May increase pH of aquatic systems to > pH 10

which may be toxic to aquatic organisms.

Persistence and degradability

Components:

Sodium hypochlorite:

Biodegradability

: Remarks: Biodegradability is not applicable to inorganic sub-

stances.

Sodium hydroxide:

Biodegradability

: Remarks: Biodegradability is not applicable to inorganic sub-

stances.

Bioaccumulative potential

Components:

Sodium hypochlorite:

Partition coefficient: noctanol/water

Remarks: Bioconcentration potential is low (BCF < 100 or Log

Pow < 3).

Partitioning from water to n-octanol is not applicable.

Sodium hydroxide:

Partition coefficient: noctanol/water

Remarks: No bioconcentration is expected because of the

relatively high water solubility.



Sodium Hypochlorite 12.5 wt% Bacticide

Version 4.0

Revision Date: 06-14-2021

SDS Number: 10000001223 Date of last issue: 03-06-2020 Date of first issue: 06-14-2021

Mobility in soil

Components:

Sodium hypochlorite:

Distribution among environmental compartments

: Remarks: No relevant data found.

Sodium hydroxide:

Distribution among environmental compartments

: Koc: 14

Method: Estimated.

Remarks: Potential for mobility in soil is very high (Koc bet-

ween 0 and 50).

Other adverse effects

Components:

Sodium hypochlorite:

Results of PBT and vPvB assessment

: This substance has not been assessed for persistence, bioac-

cumulation and toxicity (PBT).

Sodium hydroxide:

Results of PBT and vPvB

assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues

AS YOUR SUPPLIER, WE HAVE NO CONTROL OVER THE MANAGEMENT PRACTICES OR MANUFACTURING PROCESSES OF PARTIES HANDLING OR USING THIS

MATERIAL.

THE INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTENDED

CONDITION AS DESCRIBED IN MSDS SECTION: Composi-

tion Information.

All disposal practices must be in compliance with all Federal,

State/Provincial and local laws and regulations. Regulations may vary in different locations.

Waste characterizations and compliance with applicable laws

are the responsibility solely of the waste generator.

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND,

OR INTO ANY BODY OF WATER.

SECTION 14. TRANSPORT INFORMATION

International Regulations



Sodium Hypochlorite 12.5 wt% Bacticide

Version 4.0

Revision Date: 06-14-2021

SDS Number: 10000001223 Date of last issue: 03-06-2020 Date of first issue: 06-14-2021

UNRTDG

UN number

: UN 1791

Proper shipping name

: HYPOCHLORITE SOLUTION

Class Packing group Labels

: 1 : 8

IATA-DGR

UN/ID No.

: UN 1791

Proper shipping name

: Hypochlorite solution

Class Packing group ; 8 \$ II

Labels Packing instruction (cargo Corrosive

: 855

aircraft)

Packing instruction (passen- : 851

ger aircraft)

IMDG-Code

UN number

; UN 1791

Proper shipping name

: HYPOCHLORITE SOLUTION

(sodium hypochlorite)

Class : 11 Packing group : 8 Labels ; F-A, S-B EmS Code

Marine pollutant

Remarks

Stowage category BHypochlorites

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number

: UN 1791

Proper shipping name

: Hypochlorite solutions

Class

8

Packing group

11

Labels

CORROSIVE

ERG Code

154

Marine pollutant

yes(sodium hypochlorite)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.



Sodium Hypochlorite 12.5 wt% Bacticide

Version 4.0

Revision Date: 06-14-2021

SDS Number: 10000001223

Date of last issue: 03-06-2020 Date of first issue: 06-14-2021

SARA 311/312 Hazards

Corrosive to Metals

Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Sodium hypochlorite Sodium hydroxide 7681-52-9 1310-73-2

California Prop. 65

This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.

International Regulations

Montreal Protocol

: Not applicable

Rotterdam Convention (Prior Informed Consent)

Not applicable

Stockholm Convention (Persistent Organic Pollutants)

Not applicable

The ingredients of this product are reported in the following inventories:

TCSI

: All intentional components are listed on the inventory, are

exempt, or are supplier certified.

TSCA

: All substances listed as active on the TSCA Inventory or are

not required to be listed.

AICS

: All intentional components are listed on the inventory, are

exempt, or are supplier certified.

DSL

: All substances contained in this product are listed on the

Canadian Domestic Substances List (DSL) or are not required

to be listed.

ENCS

: All intentional components are listed on the inventory, are

exempt, or are supplier certified.

ISHL

All intentional components are listed on the inventory, are

exempt, or are supplier certified.

KECI

All intentional components are listed on the inventory, are

exempt, or are supplier certified.

PICCS

All intentional components are listed on the inventory, are

exempt, or are supplier certified.

IECSC

All intentional components are listed on the inventory, are

exempt, or are supplier certified.



Sodium Hypochlorite 12.5 wt% Bacticide

Version 4.0

Revision Date: 06-14-2021

SDS Number: 10000001223 Date of last issue: 03-06-2020 Date of first issue: 06-14-2021

NZIoC

All intentional components are listed on the inventory, are

exempt, or are supplier certified.

CH INV

All intentional components are listed on the inventory, are

exempt, or are supplier certified.

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:

Flammability



Special hazard

Full text of other abbreviations

ACGIH

USA. ACGIH Threshold Limit Values (TLV)

OSHA P0

USA, OSHA - TABLE Z-1 Limits for Air Contaminants -

1910.1000

OSHA Z-1

USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

US WEEL

USA. Workplace Environmental Exposure Levels (WEEL)

ACGIH / C OSHA P0 / C Ceiling limit

OSHA Z-1 / TWA

Ceiling limit

8-hour time weighted average

US WEEL / STEL

Short-Term TWA

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act, CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Haz-



Sodium Hypochlorite 12.5 wt% Bacticide

Version 4.0

Revision Date: 06-14-2021

SDS Number: 10000001223

Date of last issue: 03-06-2020 Date of first issue: 06-14-2021

ardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date

06-14-2021

Olin Chlorine 7, LLC urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given.Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.

US/Z8



TCEQ Core Data Form

For detailed instructions on completing this form, please read the Core Data Form Instructions or call 512-239-5175.

SECTION I: General Information

1. Reason for Submission (If other is checked please describe in space provided.)

| Renewal (| (Core Data F | orm sho | ould be submit | ted with the re | newal form) | | | Other | | | |
|-----------------------------------|---------------------|-----------|--|-----------------------------------|-----------------------------|-------------------|---------------|---------------------|--------------|--------------|-----------------|
| 2. Customer I | r (if issued) | | Follow this I for CN or RN Central F | | <u>in</u> | gulated Entity Re | eference | Number (if | issued) | | |
| . General Cu | | | | Inform 5. Effective | | | nformation | Updates (mm/dd | //yyyy) | | |
| 7 No. 10 No. | | | N | | | | | | | | |
| ☐ New Custor ☐ Change in Le | | Verifiabl | | pdate to Custo as Secretary of | | | _ | nge in Regulated Er | ntity Own | ership | |
| SOS) or Texa | s Comptro | ller of I | Public Accou | - | | | on what is o | urrent and activ | | | |
| lalco Productio | on LLC | | | | | | | | | | |
| . TX SOS/CP | A Filing Nu | ımber | | 8. TX State | Tax ID (11 d | ligits) | | 9. Federal Tax | ID | 10. DUNS | Number (if |
| | | | | 13615204800 | 5204800 | | | (9 digits) | | applicable, |) |
| | | | | | | | | 750867664 | | | |
| 1. Type of C | ustomer: | | | ion | | | ☐ Indivi | dual | Partne | ership: 🔲 Ge | neral 🔲 Limited |
| | | ounty [| Federal | Local 🗌 State | Other | | ☐ Sole P | roprietorship | Ot | her: | |
| 2. Number o | of Employe | ees | | | | | | 13. Independe | ntly Ow | ned and Op | erated? |
| 0-20 2 | 21-100 🗵 | 101-25 | 50 🗌 251- | 500 🗌 501 | and higher | | | ⊠ Yes | ☐ No | | |
| 4. Customer | r Role (Prop | osed or | Actual) – as is | relates to the | Regulated E | ntity listed | on this form. | Please check one o | of the follo | owing | |
| Owner Occupationa | al Licensee | | erator esponsible Par | | vner & Opera VCP/BSA App | | | ☐ Other | : : | | |
| 3130 FM 521 15. Mailing | | | | | | | | | | | |
| .5. Iviailing | 1 | | | | | | | | | | |
| address: | City | Fresno | 1 | | State | TX | ZIP | 77545 | | ZIP + 4 | |

TCEQ-10400 (11/22) Page 1 of 3

| (281) 710-2708 | | | | | | | () | - | | |
|--|--------------|---------------------|-------------------------|-----------|-----------------------|------------|--------------|-----------------------------|-------------|-----------------|
| SECTION III: I | Regul | ated Ent | ity Inforn | nati | <u>on</u> | | | | | |
| 21. General Regulated En | | | | | | it applica | tion is also | required.) | | |
| ☐ New Regulated Entity | Update to | Regulated Entity | Name 🛮 Update | to Regu | lated Entit | ty Inform | ation | | | |
| The Regulated Entity Nan as Inc, LP, or LLC). | ne submitte | ed may be upda | ted, in order to me | et TCE(| Q Core D | ata Star | ndards (re | moval of o | rganization | al endings such |
| 22. Regulated Entity Nam | e (Enter nan | ne of the site wher | re the regulated action | n is taki | ng place.) | | | | | |
| Nalco Fresno Plant | | | | | | | | | | |
| 23. Street Address of the Regulated Entity: | 3130 FM 5 | 21 | | | | | | | | |
| | | | | | | | | | | 1 |
| (No PO Boxes) | City | Fresno | State | TX | ZI | IP | 77545 | | ZIP + 4 | |
| 24. County | Fort Bend | 1 | 1 | • | , | | 1 | ' | | 1 |
| | | If no Stre | et Address is provid | ded, fie | elds 25-2 | 8 are re | quired. | | | |
| 25. Description to | | | | | | | | | | |
| Physical Location: | | | | | | | | | | |
| 26. Nearest City | | | | | | | State | | Nea | rest ZIP Code |
| Latitude/Longitude are re used to supply coordinate 27. Latitude (N) In Decima | es where no | - | - | accura | cy). | | rds. (Geod | | ne Physical | Address may be |
| Degrees | Minutes | | Seconds | | Degrees | , , | | linutes | | Seconds |
| Degrees | Williates | | Jeconus | | Degrees | | | | | Seconds |
| 29. Primary SIC Code (4 digits) | | . Secondary SIC | Code | | rimary N 6 digits) | AICS Co | de | 32. Seco (5 or 6 dig | ndary NAIG | CS Code |
| 2869 | | | | 32519 | 19 | | | | | |
| 33. What is the Primary B | Susiness of | this entity? (D | o not repeat the SIC o | r NAICS | descriptio | on.) | | _1 | | |
| chemical manufacturing | | | | | | | | | | |
| 24 Mailine | Nalco Fre | sno Plant | | | | | | | | |
| 34. Mailing Address: | 3130 FM | 521 | | | | | | | | |
| Addicas. | City | Fresno | State | тх | | ZIP | 77545 | | ZIP + 4 | |
| 35. E-Mail Address: | jak | e.reaves@ecolab | .com | | | | | | | 1 |
| 36. Telephone Number | | | 37. Extension or | Code | | 38. Fa | ax Numbe | r (if applicat | ole) | |
| (281) 710-9358 | | | | | | (|) - | | | |

19. Extension or Code

20. Fax Number (if applicable)

18. Telephone Number

TCEQ-10400 (11/22) Page 2 of 3

| | | | guidance. | | | | |
|-----------------------|-----------------|--------------------------|---------------------|---------------|---------------|-----------------|--|
| ☐ Dam Safety | | Districts | Edwards Aquifer | | Emissions Inv | entory Air | Industrial Hazardous Wast |
| ☐ Municipal Solid \ | Waste | New Source Review Air | OSSF | | Petroleum St | orage Tank | ☐ PWS |
| ☐ Sludge ☐ St | | Storm Water | ☐ Title V Air | | Tires | | Used Oil |
| ☐ Voluntary Cleanup | | | ☐ Wastewater Agricu | lture | Water Rights | | Other: |
| | | WQ0004306000 | | | | | |
| ECTION I | V: Pre | eparer Inf | <u>iormation</u> | | | | |
| 0. Name: Whi | itney Brieder | 1 | | 41. Title: | Environmer | ntal Engineer | |
| 2. Telephone Num | nber | 43. Ext./Code | 44. Fax Number | 45. E-Mail A | Address | | |
| 281) 710-9323 | | | () - | whitney.bried | den@ecolab. | com | |
| . By my signature be | low, I certify, | | _ | | | | and that I have signature author ntified in field 39. |
| Company: | Nalco Proc | luction, LLC | | Job Title: | Plant Mar | ager-Fresno Pla | nt |
| Name (In Print): | Alvin Sirju | | | | | Phone: | (281) 710- 9575 |
| | | | | | | Date: | |

TCEQ-10400 (11/22) Page 3 of 3



September 3, 2025

Water Quality Division
Wastewater Permitting, Industrial Permits
Texas Commission on Environmental Quality
12100 Park 35 Circle, Bldg. F, Room 2101
Austin, Texas 78753

Subject: TPDES Wastewater Permit Renewal and Amendment and Renewal Application

TPDES Permit No. WQ0004306000

Nalco Fresno Plant

Enclosed is an application to renew and amend the Texas Pollutant Discharge Elimination System (TPDES) Permit Number WQ0004306000. The primary purpose of this application is to update the renewal of this permit and to include a major amendment to the existing permit. This major amendment addresses adding two additional non-process wastewater streams which include jacket water to Outfall 001 and reverse osmosis water to Outfall 002.

The permit application is submitted in the form of a bound original copy. It consists of a table of contents, the Administrative Section, The Technical Report Section, the Worksheet Sections and associated attachments. The required amendment permit application fee of \$350 has been via the TCEQ ePay System. A copy of the ePay Voucher receipt is included with the application. This fee is applicable to a minor facility not subject to EPA categorical standards.

If you have any questions about this permit package please contact Whitney Brieden at 832-835-8474 or whitney.brieden@ecolab.com.

Sincerely,

Alvin Sirju Plant Manager-Fresno

Enclosures





| N/A |
|-----|
| |
| |
| |

Item 14. Laboratory Accreditation (Instructions, Page 49)

All laboratory tests performed must meet the requirements of 30 TAC Chapter 25, Environmental Testing Laboratory Accreditation and Certification, which includes the following general exemptions from National Environmental Laboratory Accreditation Program (NELAP) certification requirements:

- The laboratory is an in-house laboratory and is:
 - periodically inspected by the TCEQ; or
 - o located in another state and is accredited or inspected by that state; or
 - o performing work for another company with a unit located in the same site; or
 - performing pro bono work for a governmental agency or charitable organization.
- The laboratory is accredited under federal law.
- The data are needed for emergency-response activities, and a laboratory accredited under the Texas Laboratory Accreditation Program is not available.
- The laboratory supplies data for which the TCEQ does not offer accreditation.

The applicant should review 30 TAC Chapter 25 for specific requirements.

The following certification statement shall be signed and submitted with every application. See the *Signature Page* section in the Instructions, for a list of designated representatives who may sign the certification.

CERTIFICATION:

I certify that all laboratory tests submitted with this application meet the requirements of 30 TAC Chapter 25, Environmental Testing Laboratory Accreditation and Certification.

Printed Name: Alvin Sirju

Title: Plant Manager

| Municipal Solid Waste | Safety | Districts | Edwards Aquifer | ☐ Edwards Aquifer ☐ Emission | | | ☐ Industrial Hazardous Was |
|--|---------------------|--------------------------------|------------------------------|------------------------------|-------------|-----------------|----------------------------|
| □ Voluntary Cleanup ☑ Wastewater ☐ Wastewater Agriculture ☐ Water Rights ☐ Other: □ Voluntary Cleanup ☑ Wastewater ☐ Wastewater Agriculture ☐ Water Rights ☐ Other: □ Voluntary Cleanup ☑ Wastewater Agriculture ☐ Water Rights ☐ Other: □ Voluntary Cleanup ☑ Wastewater Agriculture ☐ Water Rights ☐ Other: □ Vianup ☑ Vianup ☑ Vianup ☐ Environmental Engineer ☑ Vianup ☑ Via | icipal Solid Waste | | OSSF | Е | Petroleum : | Storage Tank | □ PWS |
| WQ0004306000 ECTION IV: Preparer Information 10. Name: Whitney Brieden 41. Title: Environmental Engineer 42. Telephone Number 43. Ext./Code 44. Fax Number 45. E-Mail Address 281) 710-9323 () - whitney.brieden@ecolab.com ECTION V: Authorized Signature By mry signature below, I certify, to the best of mry knowledge, that the information provided in this form is true and complete, and that I have signal | je | Storm Water | ☐ Title V Air | | Tires | | Used Oil |
| Section IV: Preparer Information | ntary Cleanup | ⊠ Wastewater | ☐ Wastewater Agricu | lture 🗀 | Water Right | 15 | Other: |
| 41. Title: Environmental Engineer 42. Telephone Number 43. Ext./Code 44. Fax Number 45. E-Mail Address 43. Ext./Code 44. Fax Number 45. E-Mail Address 45. E-Mail Address 46. E-Mail Address 47. Environmental Engineer 48. Environmental Engineer 48. E-Mail Address 48. Environmental Engineer 49. Environmental Engineer | | WQ0004306000 | | | | | |
| 12. Telephone Number 43. Ext./Code 44. Fax Number 45. E-Mail Address 281) 710-9323 () - whitney.brieden@ecolab.com ECTION V: Authorized Signature By my signature below, I certify, to the best of my knowledge, that the information provided in this form is true and complete, and that I have signal. | ION IV: | Preparer Inf | ormation | | | | |
| 281) 710-9323 () - whitney.brieden@ecolab.com ECTION V: Authorized Signature By my signature below, I certify, to the best of my knowledge, that the information provided in this form is true and complete, and that I have signal. | e: Whitney B | irieden | | 41. Title: | Environme | ental Engineer | |
| ECTION V: Authorized Signature By my signature below, I certify, to the best of my knowledge, that the information provided in this form is true and complete, and that I have signa | hone Number | 43. Ext./Code | 44. Fax Number | 45. E-Mail | Address | | |
| By my signature below, I certify, to the best of my knowledge, that the information provided in this form is true and complete, and that I have signa |)-9323 | | () - | whitney.brie | den@ecolat | .com | |
| By my signature below, I certify, to the best of my knowledge, that the information provided in this form is true and complete, and that I have signa | ION V: / | Authorized S | ianature | | | | |
| | ignature below, I c | ertify, to the best of my know | wledge, that the information | | | | |
| Company: Nalco Production, LLC Job Title: Plant Manager-Fresno Plant | y: Nalco | o Production, LLC | | Job Title: | Plant Ma | nager-Fresno Pi | ant |
| lame (in Print): Alvin Sirju Phone: (281) 710-9575 | Print): Alvin | ı Sirju | | | 1. | Phone: | (281) 710- 9575 |
| ilgnature: Date: 09/05/200 | | | ` | | | Date: | 09/05/2025 |
| | | Ohn St | | | | | |

39. TCEQ Programs and ID Numbers Check all Programs and write in the permits/registration numbers that will be affected by the updates submitted on this

Item 13. Signature Page (Instructions, Page 33)

Permit No: WQ0004306000

Applicant Name: Nalco Fresno Plant

Certification: I, <u>Alvin Sirju</u>, certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

I further certify that I am authorized under 30 Texas Administrative Code §305.44 to sign and submit this document and can provide documentation in proof of such authorization upon request.

Signatory name (typed or printed): Alvin Sirju

Signatory title: Plant Manager, Fresno

Signature: (Use blue ink)

Date: 09/03/2025

Subscribed and Sworn to before me by the said

on this

day of Sontamber

. 20<u> බජ</u> .

My commission expires on the

16+0

day of

, 20 2L

lotary Public

Fort Bend

County, Texas

JOSIAH ALVARADO Notary ID #131556056 My Commission Expires May 16, 2026

[SEAL]

Note: If co-applicants are necessary, each entity must submit an original, separate signature page.

Lab Information

A&B Labs

10100 East Freeway, Suite 100

Houston, Texas 77029

Telephone: 713-453-6060

Fax: 713-453-6091

Laboratory is NELAP (T104704213-23-31) accredited. Effective: 04/01/2025; Expires:

03/31/2026

All pollutants in Worksheet 2.0 were analyzed by this lab.

Landowner Cross Reference

Dolmar Legacy LP
 1306 E. Anderson Road
 Houston, TX 77047-5299

2. John Rober Swindell

2823 Naill Road

Fresno, TX 77545-7759

3. Texian Development

3200 Southwest Freeway, Ste. 2700

Houston, TX 77027-7562

4. Jean Swindell

2807 Kentucky Street

Fresno, Texas 77545

5. Meldi Properties

P.O. Box 84465

Pearland, Texas 77584-0011

6. Guard Box Storage

c/o Advantage Storage Property Management

2221 Lakeside Boulevard, Suite 1260

Richardson, Texas 75082-4379

7. Meldi Properties

P.O. Box 84465

Pearland, Texas 77584-0011

8. F&F Properties LLC

6141 Griggs Road

Houston, Texas 77023-6400

9. Joe Andy Delgado

110 Willow Street

Fresno, TX 77545-9476

10. James R. and Ophelia E. Houts

3823 Darlinghurst Drive

Houston, TX 77045-5523

11. Eusebio M. Estrada Sr.

P.O. Box 45713

Houston, TX 77245-5713

12. Curtis and Lori Renfrow

P.O. Box 163

Fresno, Texas 77545-0163

13. Movimiento Pentacostes El Cordero De Dios Inc.

12930 Waterloo Drive

Houston, Texas 77045-3807

14. Fort Bend County

301 Jacson Street RM 101

Richmond, Texas 77469-3108

15. Francisca Rocha
303 W. Dallas Street
Fresno, Texas 77545-7939
16. A. Shirley Edrington (right next to 303)
5505 Great Divide Drive
Bee Cave, Texas 78738-6122
b. James and Justis Hill
7714 Dayhill Drive
Spring, Texas 77379-8297
17. Leon Escobar

17.Leon Escobar 401 W Dallas Street Fresno, TX 77545-4020


Data Source: USGS QUADRANGLE MAP: ALMEDA, TX, (2019).



Attachment AR 1.1 - 1a

Landowner Map

Wastewater Permit Amendment WQ0004306000





Attachment TR 1.0 - 1d
Facility Map
Wastewater Permit Amendment WQ0004306000

Project No. 11205511

NALCO Water

SAFETY DATA SHEET

PermaTreat® PC-391T

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : PermaTreat® PC-391T

Other means of identification : Not applicable

Recommended use : REVERSE OSMOSIS ANTISCALANT

Restrictions on use : Refer to available product literature or ask your local Sales Representative for

restrictions on use and dose limits.

Company : Nalco Company

1601 W. Diehl Road

Naperville, Illinois 60563-1198

USA

TEL: (630)305-1000

Emergency telephone

number

: (800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 02/13/2017

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

Precautionary statements : **Prevention:**

Wash hands thoroughly after handling.

Response:

Get medical advice/ attention if you feel unwell.

Storage:

Store in accordance with local regulations.

Other hazards : None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

In case of eye contact : Rinse with plenty of water. Get medical attention if symptoms occur.

In case of skin contact : Wash off with soap and plenty of water. Get medical attention if symptoms

occur.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put

PermaTreat® PC-391T

yourself at risk of injury. If in doubt, contact emergency responders. Use

personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing

media

None known.

Specific hazards during

firefighting

Not flammable or combustible.

Hazardous combustion

products

Decomposition products may include the following materials: Carbon oxides

nitrogen oxides (NOx) Oxides of phosphorus

Special protective equipment:

for firefighters

Use personal protective equipment.

Specific extinguishing

methods

Fire residues and contaminated fire extinguishing water must be disposed of in

accordance with local regulations.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Refer to protective measures listed in sections 7 and 8.

Environmental precautions : No special environmental precautions required.

Methods and materials for containment and cleaning up

Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Flush away traces

with water.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : For personal protection see section 8. Wash hands after handling.

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable

labelled containers.

Suitable material : Keep in properly labelled containers.

PermaTreat® PC-391T

Unsuitable material The following compatibility data is suggested based on similar product data

> and/or industry experience: Shipping and long term storage compatibility with construction materials can vary; we therefore recommend that compatibility is

tested prior to use.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures Good general ventilation should be sufficient to control worker exposure to

airborne contaminants.

Personal protective equipment

Eye protection Safety glasses

Hand protection Wear protective gloves.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection Wear suitable protective clothing.

No personal respiratory protective equipment normally required. Respiratory protection

Wash hands before breaks and immediately after handling the product. Hygiene measures

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Liquid

Colour Clear, yellow to amber

Odour amine-like

Flash point No data available

Ha 10.8. 100 %

Odour Threshold No data available Melting point/freezing point No data available Initial boiling point and boiling: No data available

range

Evaporation rate No data available Flammability (solid, gas) No data available Upper explosion limit No data available Lower explosion limit No data available Vapour pressure No data available Relative vapour density No data available Relative density 1.11, (15.6 °C),

Density 9.2 lb/gal

PermaTreat® PC-391T

Water solubility : completely soluble
Solubility in other solvents : No data available
Partition coefficient: n- : No data available

octanol/water

Auto-ignition temperature : No data available
Thermal decomposition : No data available

temperature

Viscosity, dynamic : No data available
Viscosity, kinematic : No data available
Molecular weight : No data available
VOC : No data available

SECTION 10. STABILITY AND REACTIVITY

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : Extremes of temperature

Incompatible materials : Strong acids

Contact with strong acids (e.g. sulfuric, phosphoric, nitric, hydrochloric, chromic,

sulfonic) may generate heat, splattering or boiling and toxic vapors.

Hazardous decomposition

products

Decomposition products may include the following materials:

Carbon oxides

nitrogen oxides (NOx) Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

Potential Health Effects

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : No symptoms known or expected.

PermaTreat® PC-391T

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

Toxicity

Product

Acute oral toxicity : No data available
Acute inhalation toxicity : No data available
Acute dermal toxicity : No data available
Skin corrosion/irritation : No data available
Serious eye damage/eye : No data available

irritation

Respiratory or skin

sensitisation

No data available

Carcinogenicity : No data available
Reproductive effects : No data available
Germ cell mutagenicity : No data available
Teratogenicity : No data available
STOT - single exposure : No data available
STOT - repeated exposure : No data available
Aspiration toxicity : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : LC50 Oncorhynchus mykiss (rainbow trout): 160 mg/l

Exposure time: 96 hrs

Test substance: Active Substance

LC50 Ictalurus punctatus (channel catfish): 1,212 mg/l

Exposure time: 96 hrs

Test substance: Active Substance

LC50 Cyprinodon variegatus (sheepshead minnow): > 5,000

mg/l

Exposure time: 96 hrs

Test substance: Active Substance

LC50 Lepomis macrochirus (Bluegill sunfish): > 330 mg/l

Exposure time: 96 hrs

PermaTreat® PC-391T

Test substance: Active Substance

LC50 Fathead Minnow: > 10,000 mg/l

Exposure time: 96 hrs Test substance: Product

NOEC Fathead Minnow: 10,000 mg/l

Exposure time: 96 hrs Test substance: Product

Toxicity to daphnia and other aquatic invertebrates

: LC50 Grass Shrimp: > 5,000 mg/l

Exposure time: 96 hrs

Test substance: Active Substance

EC50 Daphnia magna (Water flea): 297 mg/l

Exposure time: 48 hrs

Test substance: Active Substance

EC50 Ceriodaphnia dubia: 4,648 mg/l

Exposure time: 48 hrs Test substance: Product Test Type: Immobilization

LC50 Ceriodaphnia dubia: 4,648 mg/l

Exposure time: 48 hrs Test substance: Product

NOEC Ceriodaphnia dubia: 3,600 mg/l

Exposure time: 48 hrs
Test substance: Product

Persistence and degradability

No data available

Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air : <5% Water : 30 - 50% Soil : 50 - 70%

The portion in water is expected to be soluble or dispersible.

Bioaccumulative potential

This preparation or material is not expected to bioaccumulate.

PermaTreat® PC-391T

Other information

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it is not a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261, since it does not have the characteristics of Subpart C, nor is it listed under Subpart D.

Disposal methods : Where possible recycling is preferred to disposal or

incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an

approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

Air transport (IATA)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

Sea transport (IMDG/IMO)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 302 : No chemicals in this material are subject to the reporting requirements

of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

California Prop 65

PermaTreat® PC-391T

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

INTERNATIONAL CHEMICAL CONTROL LAWS:

United States TSCA Inventory

The substances in this preparation are included on or exempted from the TSCA 8(b) Inventory (40 CFR 710)

Australia. Industrial Chemical (Notification and Assessment) Act

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

Canadian Domestic Substances List (DSL)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

Japan. ENCS - Existing and New Chemical Substances Inventory

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

Korea. Korean Existing Chemicals Inventory (KECI)

All substances in this product comply with the Chemical Control Act (CCA) and are listed on the Existing Chemicals List (ECL)

Philippines Inventory of Chemicals and Chemical Substances (PICCS)

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

China Inventory of Existing Chemical Substances

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand

All substances in this product comply with the Hazardous Substances and New Organisms (HSNO) Act 1996, and are listed on or are exempt from the New Zealand Inventory of Chemicals.


Taiwan Chemical Substance Inventory

All substances in this product comply with the Taiwan Existing Chemical Substances Inventory (ECSI).

SECTION 16. OTHER INFORMATION

PermaTreat® PC-391T

NFPA:



Special hazard.

HMIS III:

| HEALTH | 0 |
|-----------------|---|
| FLAMMABILITY | 0 |
| PHYSICAL HAZARD | 0 |

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Revision Date : 02/13/2017

Version Number : 2.1

Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.nalco.com and request access.



PERMACARE™ PC-7408

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : PERMACARE™ PC-7408

Other means of identification : Not applicable.

Restrictions on use : Refer to available product literature or ask your local Sales Representative for

restrictions on use and dose limits.

Company : Nalco Company

1601 W. Diehl Road

Naperville, Illinois 60563-1198

USA

TEL: (630)305-1000

Emergency telephone

number

: (800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 02/14/2019

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Corrosive to metals : Category 1 Acute toxicity (Oral) : Category 4

GHS Label element

Hazard pictograms :





Signal Word : Warning

Hazard Statements : May be corrosive to metals.

Harmful if swallowed.

Contact with acids liberates toxic gas.

Precautionary Statements : Prevention:

Keep only in original container. Wash skin thoroughly after handling. Do not eat,

drink or smoke when using this product.

Response:

IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel

unwell. Rinse mouth.

Storage:

Store in corrosive resistant container with a resistant inner liner. Protect product

from freezing. **Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : The head space of containing this product may accumulate Sulphur

Dioxide (SO2). SO2 is a toxic and irritating gas that can be hazardous if inhaled.

PERMACARE™ PC-7408

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name CAS-No. Concentration: (%)

Sodium Bisulfite 7631-90-5 30 - 60

Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse with plenty of water. Get medical attention if symptoms occur.

In case of skin contact : Wash off with soap and plenty of water. Get medical attention if symptoms

occur.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put

yourself at risk of injury. If in doubt, contact emergency responders. Use

personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing

media

None known.

Specific hazards during

firefighting

Heating or fire can release toxic gas.

May evolve oxides of sulfur (SOx) under fire conditions.

Hazardous combustion

products

Decomposition products may include the following materials: Sulphur oxides

metal oxides

Special protective equipment :

for firefighters

Use personal protective equipment.

Specific extinguishing

methods

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not

breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Ensure clean-up is conducted by trained personnel only. Refer to protective

measures listed in sections 7 and 8.

PERMACARE™ PC-7408

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Flush away traces with water.

Section: 7. HANDLING AND STORAGE

Advice on safe handling : Do not ingest. Wash hands thoroughly after handling. Use only with adequate

ventilation. Containers should be opened cautiously and only in well ventilated

areas.

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in a well-

ventilated place. Store in suitable labelled containers. Do not store at elevated

temperature.

Suitable material : Keep in properly labelled containers.

Unsuitable material : not determined

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Exposure limits are listed for sulfur dioxide (SO2) since this product evolves SO2 when open to the atmosphere.

| Components | CAS-No. | Form of exposure | Permissible concentration | Basis |
|------------------|-----------|------------------|---------------------------|-----------|
| Sodium Bisulfite | 7631-90-5 | TWA | 5 mg/m3 | ACGIH |
| | | TWA | 5 mg/m3 | NIOSH REL |
| Sulfur Dioxide | 7446-09-5 | STEL | 0.25 ppm | ACGIH |
| | | TWA | 2 ppm 5 mg/m3 | NIOSH REL |
| | | STEL | 5 ppm 13 mg/m3 | NIOSH REL |
| | | TWA | 5 ppm 13 mg/m3 | OSHA Z1 |

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below

occupational exposure standards.

Personal protective equipment

Eye protection : Safety glasses

Hand protection : Wear protective gloves.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Wear suitable protective clothing.

PERMACARE™ PC-7408

Respiratory protection : When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove

and wash contaminated clothing before re-use. Wash face, hands and any

exposed skin thoroughly after handling.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid
Colour : clear
Odour : Pungent

Flash point : does not flash

pH : 4.1,(1 %), Method: ASTM E 70

Odour Threshold : no data available

Melting point/freezing point : Freezing Point: 1.1 °C

Initial boiling point and boiling:

range

104 °C

Evaporation rate : no data available
Flammability (solid, gas) : no data available
Upper explosion limit : no data available
Lower explosion limit : no data available

Vapour pressure : 32 mm Hg, (25 °C), ASTM D 323,

Relative vapour density : 2.2(Air = 1)

Relative density : 1.37, (25 °C), ASTM D-1298

Density : 11.4 lb/gal

Water solubility : completely soluble
Solubility in other solvents : no data available
Partition coefficient: n- : no data available

octanol/water

Auto-ignition temperature : no data available
Thermal decomposition : no data available
Viscosity, dynamic : 2.8 mPa.s (25 °C)
Viscosity, kinematic : no data available
Molecular weight : no data available
VOC : no data available

Section: 10. STABILITY AND REACTIVITY

Chemical stability : Evolves SO2 when open to atmosphere. The rate of SO2 evolution increases

with temperature and/or transfer of product.

PERMACARE™ PC-7408

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat and sources of ignition.

Incompatible materials Contact with strong oxidizers (e.g. chlorine, peroxides, chromates, nitric acid,

perchlorate, concentrated oxygen, permanganate) may generate heat, fires,

explosions and/or toxic vapors.

Contact with strong acids (e.g. sulfuric, phosphoric, nitric, hydrochloric, chromic,

sulfonic) may generate heat, splattering or boiling and toxic vapors.

SO2 may react with vapors from neutralizing amines and may produce a visible

cloud of amine salt particles.

Mild steel Aluminium

Hazardous decomposition

products

Decomposition products may include the following materials:

Sulphur oxides metal oxides

Section: 11. TOXICOLOGICAL INFORMATION

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes : Health injuries are not known or expected under normal use.

Skin Health injuries are not known or expected under normal use.

Ingestion Harmful if swallowed.

Inhalation May release toxic, irritating and/or corrosive gases.

Chronic Exposure Health injuries are not known or expected under normal use.

Experience with human exposure

Eve contact : No symptoms known or expected.

Skin contact No symptoms known or expected.

No information available. Ingestion

Inhalation No symptoms known or expected.

Toxicity

Product

Acute toxicity estimate: 1,250 mg/kg Acute oral toxicity

Acute inhalation toxicity no data available Acute dermal toxicity no data available

PERMACARE™ PC-7408

Skin corrosion/irritation : no data available
Serious eye damage/eye : no data available

irritation

sensitization

Respiratory or skin : Result: Contains an ingredient that can cause asthmatic-like reactions in sulfite-

sensitive individuals.

Carcinogenicity : no data available
Reproductive effects : no data available
Germ cell mutagenicity : no data available
Teratogenicity : no data available
STOT - single exposure : no data available
STOT - repeated exposure : no data available
Aspiration toxicity : no data available

Section: 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : LC50 Oncorhynchus mykiss (rainbow trout): > 100 mg/l

Exposure time: 96 hrs Test substance: Product

LC50 Pimephales promelas (fathead minnow): 382 mg/l

Exposure time: 96 hrs

Test substance: Similar Product

LC50 Gambusia affinis (Mosquito fish): 240 mg/l

Exposure time: 96 hrs

Test substance: Active Substance

NOEC Pimephales promelas (fathead minnow): 250 mg/l

Exposure time: 96 hrs

Test substance: Similar Product

Toxicity to daphnia and other

aquatic invertebrates

: LC50 Daphnia magna (Water flea): 728 mg/l

Exposure time: 48 hrs

Test substance: Similar Product

LC50 Daphnia magna (Water flea): 275 mg/l

Exposure time: 48 hrs Test substance: Product

LC50 Daphnia magna (Water flea): 119 mg/l

Exposure time: 48 hrs

Test substance: Active Substance

NOEC Daphnia magna (Water flea): 250 mg/l

Exposure time: 48 hrs

PERMACARE™ PC-7408

Test substance: Similar Product

Toxicity to fish (Chronic

toxicity)

: EC25 / IC25: 382 mg/l Exposure time: 7 Days Species: Fathead Minnow Test substance: Product

LOEC: 500 mg/l Exposure time: 7 Days Species: Fathead Minnow Test substance: Product

NOEC: 250 mg/l Exposure time: 7 Days Species: Fathead Minnow Test substance: Product

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

LOEC: 500 mg/l
 Exposure time: 7 Days
 Species: Ceriodaphnia dubia
 Test substance: Product
 Test Type: 3 Brood

EC25 / IC25: 277 mg/l Exposure time: 7 Days Species: Ceriodaphnia dubia Test substance: Product Test Type: 3 Brood

NOEC: 250 mg/l Exposure time: 7 Days Species: Ceriodaphnia dubia Test substance: Product Test Type: 3 Brood

Persistence and degradability

Greater than 95% of this product consists of inorganic substances for which a biodegradation value is not applicable.

Chemical Oxygen Demand (COD): 85,000 mg/l

Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air : <5% Water : 30 - 50% Soil : 50 - 70%

PERMACARE™ PC-7408

The portion in water is expected to be soluble or dispersible.

Bioaccumulative potential

This preparation or material is not expected to bioaccumulate.

Other information

no data available

Section: 13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it is not a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261, since it does not have the characteristics of Subpart C, nor is it listed under Subpart D.

Disposal methods : Where possible recycling is preferred to disposal or

incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an

approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

The presence of an RQ component (Reportable Quantity for U.S. DOT) in this product causes it to be regulated with an additional description of RQ for road, or as Environmentally hazardous for road and air, ONLY when the net weight in the package exceeds the calculated RQ for the product.

Land transport (DOT)

Proper shipping name : BISULPHITES, AQUEOUS SOLUTION, N.O.S.

Technical name(s) : SODIUM BISULPHITE

UN/ID No. : UN 2693

Transport hazard class(es) : 8
Packing group : III

Reportable Quantity (per : 12,500 lbs

package)

RQ Component : SODIUM BISULFITE

Air transport (IATA)

Proper shipping name : BISULPHITES, AQUEOUS SOLUTION, N.O.S.

Technical name(s) : SODIUM BISULFITE

UN/ID No. : UN 2693

Transport hazard class(es) : 8
Packing group : III

Reportable Quantity (per

package)

: 12,500 lbs

RQ Component : SODIUM BISULFITE

Sea transport (IMDG/IMO)

PERMACARE™ PC-7408

Proper shipping name : BISULPHITES, AQUEOUS SOLUTION, N.O.S.

Technical name(s) : SODIUM BISULPHITE

UN/ID No. : UN 2693

Transport hazard class(es) : 8
Packing group : III

Section: 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification

requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|------------------|-----------|--------------------|-----------------------------|
| Sodium Bisulfite | 7631-90-5 | 5000 | 12500 |

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Corrosive to metals

Acute toxicity (any route of exposure)

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

INTERNATIONAL CHEMICAL CONTROL LAWS:

United States TSCA Inventory

On the inventory, or in compliance with the inventory

Australia. Industrial Chemical (Notification and Assessment) Act

All substances in this product comply with the National Industrial Chemicals Notification & Assessment Scheme (NICNAS).

Canadian Domestic Substances List (DSL)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

Japan. ENCS - Existing and New Chemical Substances Inventory

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

PERMACARE™ PC-7408

Korea. Korean Existing Chemicals Inventory (KECI)

All substances in this product comply with the Chemical Control Act (CCA) and are listed on the Existing Chemicals List (ECL)

Philippines Inventory of Chemicals and Chemical Substances (PICCS)

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

China Inventory of Existing Chemical Substances

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand


All substances in this product comply with the Hazardous Substances and New Organisms (HSNO) Act 1996, and are listed on or are exempt from the New Zealand Inventory of Chemicals.

Taiwan Chemical Substance Inventory

All substances in this product comply with the Taiwan Existing Chemical Substances Inventory (ECSI).

Section: 16. OTHER INFORMATION

NFPA:



Special hazard.

HMIS III:



0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Revision Date : 02/14/2019

Version Number : 2.2

Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.nalco.com and request access.




Outfall 001 Inside Facility Gate





Outfall 001 Facing North






South of Outfall 001






Outfall 002 Discharge Point





Outfall 002 facing North






Outfall 002 facing South




Cooling Tower and Jacket Water Flowchart-Water Flow Balance





Boiler Blowdown and Reverse Osmosis Water





TEXAS COMMISSION ON ENVIRONMENTAL QUALITY SUPPLEMENTAL PERMIT INFORMATION FORM (SPIF)

FOR AGENCIES REVIEWING DOMESTIC OR INDUSTRIAL TPDES WASTEWATER PERMIT APPLICATIONS

| TOPO LICE ONLY. | |
|--|---|
| TCEQ USE ONLY: Application type: Panewal Maio | or AmendmentNew |
| | Segment Number: |
| Admin Complete Date: | |
| Agency Receiving SPIF: | |
| , , | U.S. Fish and Wildlife |
| Texas Historical Commission | ent U.S. Army Corps of Engineers |
| rexas raiks and whome Departin | ent 0.3. Army corps of Engineers |
| This form applies to TPDES permit applic | rations only (Instructions Page 53) |
| our agreement with EPA. If any of the items | at. TCEQ will mail a copy to each agency as required by s are not completely addressed or further information he information before issuing the permit. Address |
| attachment for this form separately from t application will not be declared administra completed in its entirety including all attac | n in the permit application form. Provide each he Administrative Report of the application. The atively complete without this SPIF form being chments. Questions or comments concerning this form ion's Application Review and Processing Team by by phone at (512) 239-4671. |
| The following applies to all applications: | |
| 1. Permittee: <u>Nalco Fresno Plant</u> | |
| Permit No. WQ00 <u>04306000</u> | EPA ID No. TX <u>000112461</u> |
| Address of the project (or a location de and county): | scription that includes street/highway, city/vicinity, |
| 3130 FM 521 Rd., Fresno, TX 77545 | |
| | |
| | |
| | |
| | |
| | |
| | |

| answer specific questions about the property. |
|---|
| Prefix (Mr., Ms., Miss): Mr. |
| First and Last Name: <u>Alvin Sirju</u> |
| Credential (P.E, P.G., Ph.D., etc.): |
| Title: <u>Plant Manager</u> |
| Mailing Address: 3130 FM 521 Rd. |
| City, State, Zip Code: <u>Fresno, TX 77545</u> |
| Phone No.: <u>281-710-9575</u> Ext.: Fax No.: |
| E-mail Address: <u>alvin.sirju@ecolab.com</u> |
| List the county in which the facility is located: Fort Bend |
| If the property is publicly owned and the owner is different than the permittee/applicant, please list the owner of the property. |
| N/A |
| Provide a description of the effluent discharge route. The discharge route must follow the flow of effluent from the point of discharge to the nearest major watercourse (from the point of discharge to a classified segment as defined in 30 TAC Chapter 307). If known, please identify the classified segment number. |
| Wastewater is discharged from the facility via Outfall 001 and Outfall 002. Outfall 001 is located on the east side of the facility and discharges into a county drainage ditch adjacent to the Union Pacific Railway that parallels Farm-to-Market Road 521 and flows in a southerly direction. Outfall 002 is located on the west side of the facility and discharges into a county drainage ditch adjacent to Kentucky Road. The discharge flows in a southerly direction thence into a county drainage ditch adjacent to West Dallas Road. The discharge then flows in an easterly direction and combines with discharges from 001 at Farm-to-Market Road 521 thence all flows to a county ditch adjacent to the American Canal; thence to Mustang Bayou; thence to Persimmon Bayou; thence New Bayou; thence Chocolate Bay in Segment Number 2432 of the Bays and Estuaries. |
| Please provide a separate 7.5-minute USGS quadrangle map with the project boundaries plotted and a general location map showing the project area. Please highlight the discharge route from the point of discharge for a distance of one mile downstream. (This map is required in addition to the map in the administrative report). |
| Provide original photographs of any structures 50 years or older on the property. |
| Does your project involve any of the following? Check all that apply. |
| ☐ Proposed access roads, utility lines, construction easements |
| |

Provide the name, address, phone and fax number of an individual that can be contacted to

2.3.

4.

5.

| | | Visual effects that could damage or detract from a historic property's integrity |
|----|---------|---|
| | | Vibration effects during construction or as a result of project design |
| | | Additional phases of development that are planned for the future |
| | | Sealing caves, fractures, sinkholes, other karst features |
| | | Disturbance of vegetation or wetlands |
| 1. | of cave | oposed construction impact (surface acres to be impacted, depth of excavation, sealing es, or other karst features): |
| | N/A | |
| | | |
| 0 | D " | |
| 2. | | oe existing disturbances, vegetation, and land use: trial facility for chemical manufacturing |
| | | |
| | | |
| | | OWING ITEMS APPLY ONLY TO APPLICATIONS FOR NEW TPDES PERMITS AND MAJOR ENTS TO TPDES PERMITS |
| 3. | | nstruction dates of all buildings and structures on the property: |
| | Manu | facturing facility started operations in 1976. |
| | | |
| 4. | Provid | a a brief history of the property, and name of the architect/builder, if known |
| 4. | | e a brief history of the property, and name of the architect/builder, if known. acility was designed by SIP Engineering and used for chemical manufacturing. |
| | | |
| | | |
| | _ | |

SKYHAWK

SAFETY DATA SHEET

1. Identification

Product identifier Sulfuric Acid (77 to 100%)

Other means of identification

SDS number 150000002271

Recommended use Raw material. Manufacture of inorganic base chemicals. Catalyst for oil refining industry.

Manufacturing of pharmaceutical products. Textile products (incl. nonwoven fabric processing) - Bleaching agents, discharging agents. Paper and board products - Bleaching agents, stabilizers

for bleaching bath. Chemical plating of metals.

Recommended restrictions Not to be used as a biocidal product. Not to be used as a drain cleaner. Not to be used as a direct

component of a cleaning product. Not to be used for cleaning sludge out of oil tanks.

Manufacturer/Importer/Supplier/Distributor information

Distributor

Company Name Skyhawk Chemicals, Inc.

Address 701 N. Post Oak Rd., Ste. 540

Houston, TX 77024 United States of America

Telephone/Fax Ph: 713-957-2200 or 800-535-2847, Fax: 713-957-0345

Email order@skyhawkchemicals.com

Emergency phone number CHEMTREC: 1-800-424-9300 (ACCT #CCN721839)

2. Hazard(s) identification

 Physical hazards
 Corrosive to metals
 Category 1

 Health hazards
 Acute toxicity, dermal
 Category 4

Skin corrosion/irritation Category 1A
Serious eye damage/eye irritation Category 1

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment,

long-term hazard

Category 3

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement May be corrosive to metals. Harmful in contact with skin. Causes severe skin burns and eye

damage. May cause respiratory irritation. Harmful to aquatic life with long lasting effects.

Precautionary statement

Prevention Keep only in original container. Do not breathe mist or vapor. Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective

gloves/protective clothing/eye protection/face protection.

Response If swallowed: Rinse mouth. Do NOT induce vomiting. If inhaled: Remove person to fresh air and

keep comfortable for breathing. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Absorb spillage to prevent material

damage.

Sulfuric Acid (77 to 100%)
SDS US

937342 Version #: 03 Revision date: 11-July-2018 Issue date: 09-May-2017

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in corrosive **Storage**

resistant container with a resistant inner liner.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

Reacts violently with water.

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

Ingestion

| Chemical name | CAS number % | |
|---------------|--------------|----------|
| Sulfuric acid | 7664-93-9 | 77 - 100 |
| Water | 7732-18-5 | 0 - 23 |

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON

CENTER or doctor/physician if you feel unwell.

Skin contact Take off immediately all contaminated clothing. Flush thoroughly with water for at least 15 minutes.

Call a physician or poison control center immediately. Apply compresses of ice water while patient is being transported to medical facilities. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eve contact

present and easy to do. Continue rinsing. Call a physician or poison control center immediately. Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

General information

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

The product itself does not burn. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Reaction with water and surrounding materials will generate heat.

Unsuitable extinguishing media

None known.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed. Combustion products include: Sulfur oxides.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions Specific methods

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. In the event of fire, cool tanks with water spray. Do not get water inside container.

Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Sulfuric Acid (77 to 100%) SDS US

Methods and materials for containment and cleaning up

This product is miscible in water. Should not be released into the environment. Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Remove product with clean and dry vacuum truck or pump to storage/salvage vessel. Following product recovery, flush area with water. Neutralize with lime, soda ash or other alkali material.

Small Spills: Neutralize with lime, soda ash or other alkali material. Flush with plenty of water. Clean surface thoroughly to remove residual contamination.

Retain all contaminated water for removal and treatment. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in a cool, dry place out of direct sunlight. Store in corrosive resistant container with a resistant inner liner. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

| Components | Type | Value | |
|----------------------------------|------------------|-----------|--------------------|
| Sulfuric acid (CAS 7664-93-9) | PEL | 1 mg/m3 | |
| US. ACGIH Threshold Limit Va | alues | | |
| Components | Туре | Value | Form |
| Sulfuric acid (CAS 7664-93-9) | TWA | 0.2 mg/m3 | Thoracic fraction. |
| US. NIOSH: Pocket Guide to C | Chemical Hazards | | |
| Components | Туре | Value | |
| Sulfuric acid (CAS 7664-93-9) | TWA | 1 mg/m3 | |

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Wear chemical splash googles in combination with a full-length face shield or an acid bood

Individual protection measures, such as personal protective equipment

| Lychacc protection | Wear offermed opiden gogglee in combination with a fair length face chiefa of an acid nood. |
|--------------------|--|
| Skin protection | |
| Hand protection | Wear appropriate chemical resistant gloves. Be aware that the liquid may penetrate the gloves. |
| | Frequent change is advisable |

Skin protection

Eve/face protection

Other Wear appropriate chemical resistant clothing. Full body chemical protective clothing. Chemical

resistant gloves. Chemical resistant boots.

Respiratory protection Wear a NIOSH-approved (or equivalent) respirator as needed. **Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Sulfuric Acid (77 to 100%)
SDS US

937342 Version #: 03 Revision date: 11-July-2018 Issue date: 09-May-2017

9. Physical and chemical properties

Appearance

Physical state Liquid. **Form** Liquid.

Color Colorless to light grey.

Odor Acrid.

Odor threshold Not available.

< 1 pН

Melting point/freezing point -31 - 51.8 °F (-35 - 11 °C)

379.4 - 620.6 °F (193 - 327 °C) (@ 760 mmHg) Initial boiling point and boiling

range

Flash point Not available.

Evaporation rate < 1 (Butyl Acetate = 1.0)

Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available.

< 0.3 mmHg (77°F/25°C) Vapor pressure

< 0.6 mmHg (100 °F/38 °C)

Vapor density 3.4 (Air = 1)Relative density 1.706 - 1.844 Relative density temperature 60.08 °F (15.6 °C)

Solubility(ies)

Completely soluble. Reacts violently with water liberating sulfuric acid mist cloud. Solubility (water)

Not available. Partition coefficient

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature** Not available. **Viscosity**

Other information

Not explosive. **Explosive properties Oxidizing properties** Not oxidizing.

10. Stability and reactivity

Reacts violently with water. Reacts violently with strong alkaline substances. This product may Reactivity

react with reducing agents.

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Excessive heat. Contact with incompatible materials. Do not mix with other chemicals.

Water. Organic material. Nitrates. Chlorates. Perchlorates. Carbides. Picrates. Cyanides. Sulfides. Incompatible materials

Bases. Strong oxidizing agents. Reducing agents. Metals.

Hazardous decomposition

products

Sulfur oxides.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contact Causes severe skin burns. Harmful in contact with skin.

Eye contact Causes serious eye damage.

Ingestion Causes digestive tract burns. May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result. May cause respiratory irritation.

Information on toxicological effects

Acute toxicity Harmful in contact with skin. May be harmful if swallowed.

Components Species Test Results

Sulfuric acid (CAS 7664-93-9)

Acute Dermal

LD50 Rabbit 2000 mg/kg

Oral

LD50 Rat 2140 mg/kg

Skin corrosion/irritation Serious eye damage/eye Causes severe skin burns. Causes serious eye damage.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity The International Agency for Research on Cancer (IARC) has classified "strong inorganic acid

mists containing sulfuric acid" as a known human carcinogen, (IARC category 1). This

classification applies only to mists containing sulfuric acid and not to sulfuric acid or sulfuric acid

solutions.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

May cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not an aspiration hazard.

Chronic effects

Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects. Because of the low pH of this product, it would be

expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic

systems.

Components Species Test Results
Sulfuric acid (CAS 7664-93-9)

Aquatic

Crustacea EC50 Daphnia magna 29 mg/l, 24 Hours
Fish LC50 Lepomis macrochirus 16 - 28 mg/l, 96 Hours

Chronic

Acute

Crustacea NOEC Invertebrates (Invertebrates) 0.15 mg/l
Fish NOEC Brook trout (Salvelinus fontinalis) 0.13 mg/l

Persistence and degradability The product is not expected to be biodegradable.

Bioaccumulative potential The product is not expected to bioaccumulate.

Mobility in soil This product is miscible in water.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code D002: Waste Corrosive material [pH <= 2 or => 12.5, or corrosive to steel]

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

UN number UN1830 UN proper shipping name Sulfuric acid

Transport hazard class(es)

Class 8
Subsidiary risk Label(s) 8
Packing group |||
Environmental hazards

Marine pollutant No

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions A3, A7, B3, B83, B84, IB2, N34, T8, TP2

Packaging exceptions 154
Packaging non bulk 202
Packaging bulk 242

IATA

UN number UN1830 UN proper shipping name Sulphuric acid

Transport hazard class(es)

Class 8
Subsidiary risk Packing group II
Environmental hazards No
ERG Code 8L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN1830

UN proper shipping name SULPHURIC ACID

Transport hazard class(es)

Class 8
Subsidiary risk Packing group ||
Environmental hazards

Marine pollutant No EmS F-A. S-B

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and MARPOL 73/78, Annex I. Mark II of Mark

the IBC Code

15. Regulatory information

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication **US federal regulations**

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Sulfuric acid (CAS 7664-93-9) Listed.

SARA 304 Emergency release notification

Sulfuric acid (CAS 7664-93-9) 1000 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Chemical name Threshold Threshold Threshold CAS number Reportable quantity planning quantity planning quantity, planning quantity, (pounds) (pounds) lower value upper value (pounds) (pounds)

Sulfuric acid 7664-93-9 1000 1000

SARA 311/312 Hazardous

Yes

chemical

Classified hazard Corrosive to metal

Acute toxicity (any route of exposure) categories

Skin corrosion or irritation

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Chemical name **CAS** number % by wt. Sulfuric acid 77 - 100 7664-93-9

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Sulfuric acid (CAS 7664-93-9)

Safe Drinking Water Act Not regulated.

(SDWA)

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and **Chemical Code Number**

Sulfuric acid (CAS 7664-93-9) 6552

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Sulfuric acid (CAS 7664-93-9) 20 %WV

DEA Exempt Chemical Mixtures Code Number

6552 Sulfuric acid (CAS 7664-93-9)

WARNING: This product contains a chemical known to the State of California to cause cancer. **US** state regulations

US. Massachusetts RTK - Substance List

Sulfuric acid (CAS 7664-93-9)

US. New Jersey Worker and Community Right-to-Know Act

Sulfuric acid (CAS 7664-93-9)

US. Pennsylvania Worker and Community Right-to-Know Law

Sulfuric acid (CAS 7664-93-9)

US. Rhode Island RTK

Sulfuric acid (CAS 7664-93-9)

California Proposition 65

WARNING: This product can expose you to Sulfuric acid, which is known to the State of California to cause cancer.

Sulfuric Acid (77 to 100%) SDS US

937342 Version #: 03 Revision date: 11-July-2018 Issue date: 09-May-2017

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Sulfuric acid (CAS 7664-93-9) Listed: March 14, 2003

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Sulfuric acid (CAS 7664-93-9)

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| Taiwan | Taiwan Chemical Substance Inventory (TCSI) | Yes |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

16. Other information, including date of preparation or last revision

09-May-2017 Issue date **Revision date** 11-July-2018

Version # 03

NFPA ratings



937342 Version #: 03 Revision date: 11-July-2018 Issue date: 09-May-2017

Disclaimer

Skyhawk Chemicals, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

8/8

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



INDUSTRIAL WASTEWATER PERMIT APPLICATION TECHNICAL REPORT 1.0

The following information **is required** for all applications for a TLAP or an individual TPDES discharge permit.

For **additional information** or clarification on the requested information, please refer to the <u>Instructions for Completing the Industrial Wastewater Permit Application</u>¹ available on the TCEQ website. Please contact the Industrial Permits Team at 512-239-4671 with any questions about this form.

If more than one outfall is included in the application, provide applicable information for each individual outfall. **If an item does not apply to the facility, enter N/A** to indicate that the item has been considered. Include separate reports or additional sheets as **clearly cross-referenced attachments** and provide the attachment number in the space provided for the item the attachment addresses.

NOTE: This application is for an industrial wastewater permit only. Additional authorizations from the TCEQ Waste Permits Division or the TCEQ Air Permits Division may be needed.

Item 1. Facility/Site Information (Instructions, Page 39)

| Describe the general nature of the business and type(s) of industrial and commercial activities. Include all applicable SIC codes (up to 4). |
|--|
| The Nalco Fresno Plant is a specialty chemical manufacturing plant producing chemicals used in the oil and gas industry and other market sectors. SIC Code: 2869; NAICS Code: 325199 |
| Describe all wastewater-generating processes at the facility. |
| Outfall 001 is made up of non-contact cooling tower blowdown water. Outfall 002 is made up of boiler blowdown water. The purpose of the amendment is to add jacket water to Outfall 001 and reverse osmosis water to Outfall 002. No process wastewater is discharged at the outfalls. |
| |

https://www.tceq.texas.gov/permitting/wastewater/industrial/TPDES_industrial_wastewater_steps.html

c. Provide a list of raw materials, major intermediates, and final products handled at the facility. **Materials List Raw Materials Intermediate Products Final Products** Attachment: Attachment 8.1 d. Attach a facility map (drawn to scale) with the following information: Production areas, maintenance areas, materials-handling areas, waste-disposal areas, and water intake structures. The location of each unit of the WWTP including the location of wastewater collection sumps, impoundments, outfalls, and sampling points, if significantly different from outfall locations. **Attachment:** Attachment 8 Is this a new normit application for an existing facility?

| е. | 18 11118 | a new p | erimi | application for an existing facility! |
|----|-------------------|----------|-------------|--|
| | | Yes | \boxtimes | No |
| | If y | es, prov | vide ba | ackground discussion: Click to enter text. |
| f. | Is/will level. | the trea | atment | facility/disposal site be located above the 100-year frequency flood |
| | \boxtimes | Yes | | No |

List source(s) used to determine 100-year frequency flood plain: Fort Bend County Floodplain $\underline{\text{Map}}$

If **no**, provide the elevation of the 100-year frequency flood plain and describe what protective measures are used/proposed to prevent flooding (including tail water and rainfall run-on controls) of the treatment facility and disposal area: Click to enter text.

Attachment: n/a

g. For **new** or **major amendment** permit applications, will any construction operations result in a discharge of fill material into a water in the state?

| | \square Yes \boxtimes No \square N/A (renewal only) |
|-----|---|
| h. | If yes to Item 1.g, has the applicant applied for a USACE CWA Chapter 404 Dredge and Fill permit? |
| | □ Yes □ No |
| | If yes , provide the permit number: N/A |
| | If no , provide an approximate date of application submittal to the USACE: N/A |
| It | em 2. Treatment System (Instructions, Page 40) |
| a. | List any physical, chemical, or biological treatment process(es) used/proposed to treat wastewater at this facility. Include a description of each treatment process, starting with initial treatment and finishing with the outfall/point of disposal. |
| | Outfall 001, non-contact cooling tower blowdown water and jacket water, is treated via pH adjustment by feeding sulfuric acid into the cooling tower basin, prior to the discharge point. Outfall 002, boiler blowdown water, is treated via pH adjustment by feeding sulfuric acid into the boiler blowdown tank, prior to being discharged. Reverse Osmosis water is treated with alkalinity control and antiscalant. |
| b. | Attach a flow schematic with a water balance showing all sources of water and wastewater flow into the facility, wastewater flow into and from each treatment unit, and wastewater flow to each outfall/point of disposal. |
| | Attachment: Attachment 7 |
| It | em 3. Impoundments (Instructions, Page 40) |
| Do | es the facility use or plan to use any wastewater impoundments (e.g., lagoons or ponds?) |
| | □ Yes ⊠ No |
| 3.6 | no, proceed to Item 4. If yes, complete Item 3.a for existing impoundments and Items 3.a - e for new or proposed impoundments. NOTE: See instructions, Pages 40-42, for additional formation on the attachments required by Items 3.a - 3.e. |
| a. | Complete the table with the following information for each existing, new, or proposed impoundment. Attach additional copies of the Impoundment Information table, if needed. |

Use Designation: Indicate the use designation for each impoundment as Treatment (T),

Disposal (**D**), Containment (**C**), or Evaporation (**E**).

Associated Outfall Number: Provide an outfall number if a discharge occurs or will occur.

Liner Type: Indicate the liner type as Compacted clay liner (**C**), In-situ clay liner (**I**), Synthetic/plastic/rubber liner (**S**), or Alternate liner (**A**). **NOTE:** See instructions for further detail on liner specifications. If an alternate liner (A) is selected, include an attachment that provides a description of the alternate liner and any additional technical information necessary for an evaluation.

Leak Detection System: If any leak detection systems are in place/planned, enter **Y** for yes. Otherwise, enter **N** for no.

Groundwater Monitoring Wells and Data: If groundwater monitoring wells are in place/planned, enter **Y** for yes. Otherwise, enter **N** for no. Attach any existing groundwater monitoring data.

Dimensions: Provide the dimensions, freeboard, surface area, storage capacity of the impoundments, and the maximum depth (not including freeboard). For impoundments with irregular shapes, submit surface area instead of length and width.

Compliance with 40 CFR Part 257, Subpart D: If the impoundment is required to be in compliance with 40 CFR Part 257, Subpart D, enter Y for yes. Otherwise, enter N for no.

Date of Construction: Enter the date construction of the impoundment commenced (mm/dd/yy).

Impoundment Information

| Parameter | Pond # | Pond # | Pond # | Pond # |
|---|--------|--------|--------|--------|
| Use Designation: (T) (D) (C) or (E) | | | | |
| Associated Outfall Number | | | | |
| Liner Type (C) (I) (S) or (A) | | | | |
| Alt. Liner Attachment Reference | | | | |
| Leak Detection System, Y/N | | | | |
| Groundwater Monitoring Wells, Y/N | | | | |
| Groundwater Monitoring Data Attachment | | | | |
| Pond Bottom Located Above The Seasonal High-Water Table, Y/N | | | | |
| Length (ft) | | | | |
| Width (ft) | | | | |
| Max Depth From Water Surface (ft), Not Including Freeboard | | | | |
| Freeboard (ft) | | | | |
| Surface Area (acres) | | | | |
| Storage Capacity (gallons) | | | | |
| 40 CFR Part 257, Subpart D, Y/N | | | | |
| Date of Construction | | | | |

Attachment: Click to enter text.

The following information (**Items 3.b – 3.e**) is required only for **new or proposed** impoundments.

| items. If designe | | ed, cl | neck yes | in th | e appropriate box. Otherwise, check no or not yet |
|-----------------------------|-----------|--------|-----------------|-------|--|
| 1. Line | r data | | | | |
| | Yes | | No | | Not yet designed |
| 2. Leak | detection | on sy | stem or | grou | ndwater monitoring data |
| | Yes | | No | | Not yet designed |
| 3. Grou | ındwate | r imj | pacts | | |
| | Yes | | No | | Not yet designed |
| | | | _ | | he bottom of the pond is not above the seasonal high- vater-bearing zone. |

b. For new or proposed impoundments, attach any available information on the following

Attachment: Click to enter text.

For TLAP applications: Items 3.c - 3.e are not required, continue to Item 4.

c. Attach a USGS map or a color copy of original quality and scale which accurately locates and identifies all known water supply wells and monitor wells within ½-mile of the impoundments.

Attachment: Click to enter text.

d. Attach copies of State Water Well Reports (e.g., driller's logs, completion data, etc.), and data on depths to groundwater for all known water supply wells including a description of how the depths to groundwater were obtained.

Attachment: Click to enter text.

e. Attach information pertaining to the groundwater, soils, geology, pond liner, etc. used to assess the potential for migration of wastes from the impoundments or the potential for contamination of groundwater or surface water.

Attachment: Click to enter text.

Item 4. Outfall/Disposal Method Information (Instructions, Page 42)

Complete the following tables to describe the location and wastewater discharge or disposal operations for each outfall for discharge, and for each point of disposal for TLAP operations.

If there are more outfalls/points of disposal at the facility than the spaces provided, copies of pages 6 and/0r numbered accordingly (i.e., page 6a, 6b, etc.) may be used to provide information on the additional outfalls.

For TLAP applications: Indicate the disposal method and each individual irrigation area **I**, evaporation pond **E**, or subsurface drainage system **S** by providing the appropriate letter designation for the disposal method followed by a numerical designation for each disposal area in the space provided for **Outfall** number (e.g. **E1** for evaporation pond 1, **I2** for irrigation area No. 2, etc.).

Outfall Longitude and Latitude

| Outfall No. | utfall No. Latitude (Decimal Degrees) Longitude (Decimal Degre | | |
|-------------|--|------------|--|
| 001 | 29.542365 | -95.44780 | |
| 002 | 29.542433 | -95.450256 | |
| | | | |

Outfall Location Description

| Outfall No. | Location Description |
|-------------|--|
| 001 | External outfall located northeast of the plant, in a ditch adjacent to the rail line along FM 521 Road. |
| 002 | External outfall located near fence line on the west boundary of the plant, adjacent to Kentucky Road. |
| | |

Description of Sampling Point(s) (if different from Outfall location)

| Outfall No. | Description of sampling point |
|-------------|---|
| 001 | The combined non-contact cooling tower discharge taken from cooling tower basin |
| 002 | Valve on discharge pipe of Tank 9004. |
| | |

Outfall Flow Information - Permitted and Proposed

| Outfall No. | Permitted Daily Avg Flow (MGD) | Permitted Daily Max Flow (MGD) | Proposed Daily Avg Flow (MGD) | Proposed Daily Max Flow (MGD) | Anticipated Discharge Date (mm/dd/yy) |
|-------------|--------------------------------------|--------------------------------------|-------------------------------------|-------------------------------------|---------------------------------------|
| 001 | 0.015 | 0.025 | 0.016 | 0.026 | |
| 002 | 0.02 | 0.025 | 0.021 | 0.026 | |
| | | | | | |

Outfall Discharge - Method and Measurement

| Outfall No. | Pumped Discharge? Y/N | Gravity Discharge? Y/N | Type of Flow Measurement Device Used |
|-------------|--------------------------|---------------------------|---|
| 001 | Y | N | Flowmeter |
| 002 | N | Y | Flowmeter |
| | | | |

Outfall Discharge - Flow Characteristics

| Outfall No. | Intermittent Discharge? Y/N | Continuous Discharge? Y/N | Seasonal Discharge? Y/N | Discharge Duration (hrs/day) | Discharge Duration (days/mo) | Discharge Duration (mo/yr) |
|-------------|-----------------------------------|---------------------------------|-------------------------------|------------------------------------|------------------------------------|----------------------------------|
| 001 | Y | N | N | 8 | 30 | 12 |
| 002 | Y | N | N | 8 | 30 | 12 |
| | | | | | | |

Outfall Wastestream Contributions

Outfall No. **001**

| Contributing Wastestream | Volume (MGD) | Percent (%) of Total Flow |
|--------------------------|--------------|---------------------------|
| Cooling Tower Blowdown | 0.015 | 93.75 |
| Jacket Water | 0.001 | 6.25 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Outfall No. 002

| Contributing Wastestream | Volume (MGD) | Percent (%) of Total Flow |
|--------------------------|--------------|---------------------------|
| Boiler Blowdown | 0.020 | 95.24 |
| Reverse Osmosis Water | 0.001 | 4.76 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Outfall No. Click to enter text.

| Contributing Wastestream | Volume (MGD) | Percent (%) of Total Flow |
|--------------------------|--------------|---------------------------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Attachment: Click to enter text.

Item 5. Blowdown and Once-Through Cooling Water Discharges (Instructions, Page 43)

a. Indicate if the facility currently or proposes to:

oxdot Yes oxdot No Use cooling towers that discharge blowdown or other wastestreams

oxtimes Yes oxtimes No Use boilers that discharge blowdown or other wastestreams

□ Yes ⊠ No Discharge once-through cooling water

NOTE: If the facility uses or plans to use cooling towers or once-through cooling water, Item 12 **is required**.

- b. If **yes** to any of the above, attach an SDS with the following information for each chemical additive.
 - Manufacturers Product Identification Number
 - Product use (e.g., biocide, fungicide, corrosion inhibitor, etc.)
 - Chemical composition including CASRN for each ingredient
 - Classify product as non-persistent, persistent, or bioaccumulative
 - Product or active ingredient half-life
 - Frequency of product use (e.g., 2 hours/day once every two weeks)
 - Product toxicity data specific to fish and aquatic invertebrate organisms
 - Concentration of whole product or active ingredient, as appropriate, in wastestream.

In addition to each SDS, attach a summary of the above information for each specific wastestream and the associated chemical additives. Specify which outfalls are affected.

Attachment: Attachment 8.1 and 8.2

c. Cooling Towers and Boilers

If the facility currently or proposes to use cooling towers or boilers that discharge blowdown or other wastestreams to the outfall(s), complete the following table.

Cooling Towers and Boilers

| Type of Unit | Number of Units | Daily Avg Blowdown (gallons/day) | Daily Max Blowdown (gallons/day) |
|----------------|--------------------|-------------------------------------|-------------------------------------|
| Cooling Towers | 3 | 15,000 | 25,000 |
| Boilers | 2 | 20,000 | 25,000 |

Item 6. Stormwater Management (Instructions, Page 44)

Will any existing/proposed outfalls discharge stormwater associated with industrial activities, as defined at $40 \ CFR \ \S \ 122.26(b)(14)$, commingled with any other wastestream?

□ Yes ⊠ No

If **yes**, briefly describe the industrial processes and activities that occur outdoors or in a manner which may result in exposure of the activities or materials to stormwater: Click to enter text.

Item 7. Domestic Sewage, Sewage Sludge, and Septage Management and Disposal (Instructions, Page 44)

Domestic Sewage - Waste and wastewater from humans or household operations that is discharged to a wastewater collection system or otherwise enters a treatment works.

| | Check the box next to the appropriate method of domestic sewage and domestic sewage sludge treatment or disposal. Complete Worksheet 5.0 or Item 7.b if directed to do so. | | | | |
|---|---|---|--|--|--|
| Domestic sewage is routed (i.e., connected to or transported to) to a WWTP per receive domestic sewage for treatment, disposal, or both. Complete Item 7.b. | | | | | |
| | ☐ Domestic sewage disposed of by an on-site septic to Item 7.b. | • | | | |
| | ☐ Domestic and industrial treatment sludge ARE com | mingled prior to use or disposal. | | | |
| | ☐ Industrial wastewater and domestic sewage are treasludge IS NOT commingled prior to sludge use or d | <u> </u> | | | |
| | ☐ Facility is a POTW. Complete Worksheet 5.0. | | | | |
| | ☐ Domestic sewage is not generated on-site. | | | | |
| | ☑ Other (e.g., portable toilets), specify and Complete | Item 7.b: On-Site Sewage treatment | | | |
| b. | o. Provide the name and TCEQ, NPDES, or TPDES Permit No. of the waste-disposal facility which receives the domestic sewage/septage. If hauled by motorized vehicle, provide the name and TCEQ Registration No. of the hauler. | | | | |
| Do | omestic Sewage Plant/Hauler Name | | | | |
| P | lant/Hauler Name | Permit/Registration No. | | | |
| 5 | ,000-gallon on-site sewage treatment unit permitted | 2000-4569 | | | |
| | y Fort Bend County. | 2000 1505 | | | |
| | y Fort Bend County. | 2000 1000 | | | |
| b | , , , , , , , , , , , , , , , , , , , | | | | |
| b | em 8. Improvements or Compliance, Requirements (Instructions, Pa | /Enforcement | | | |
| It | em 8. Improvements or Compliance, | /Enforcement age 45) | | | |
| It | em 8. Improvements or Compliance, Requirements (Instructions, Pa | /Enforcement age 45) | | | |
| It a. | em 8. Improvements or Compliance, Requirements (Instructions, Pa Is the permittee currently required to meet any imple enforcement? | /Enforcement age 45) mentation schedule for compliance or | | | |

| Have any biological tests for acute or chronic toxicity been made on any of the discharges or on a receiving water in relation to the discharge within the last three years? |
|---|
| □ Yes ⊠ No |
| If yes , identify the tests and describe their purposes: Click to enter text. |
| Additionally, attach a copy of all tests performed which have not been submitted to the TCEO or EPA. Attachment: Click to enter text. |
| Item 10. Off-Site/Third Party Wastes (Instructions, Page 45) |
| a. Does or will the facility receive wastes from off-site sources for treatment at the facility, disposal on-site via land application, or discharge via a permitted outfall? |
| □ Yes ⊠ No |
| If yes , provide responses to Items 10.b through 10.d below. |
| If no , proceed to Item 11. |
| b. Attach the following information to the application: |
| List of wastes received (including volumes, characterization, and capability with on-site wastes). |
| • Identify the sources of wastes received (including the legal name and addresses of the generators). |
| • Description of the relationship of waste source(s) with the facility's activities. |
| Attachment: Click to enter text. |
| c. Is or will wastewater from another TCEQ, NPDES, or TPDES permitted facility commingled with this facility's wastewater after final treatment and prior to discharge via the final outfall/point of disposal? |
| □ Yes □ No |
| If yes , provide the name, address, and TCEQ, NPDES, or TPDES permit number of the contributing facility and a copy of any agreements or contracts relating to this activity. |
| Attachment: Click to enter text. |
| d. Is this facility a POTW that accepts/will accept process wastewater from any SIU and has/i required to have an approved pretreatment program under the NPDES/TPDES program? |
| □ Yes □ No |
| If yes, Worksheet 6.0 of this application is required. |
| Item 11. Radioactive Materials (Instructions, Page 46) |
| a. Are will redicactive materials be mined used stored or processed at this facility? |
| a. Are/will radioactive materials be mined, used, stored, or processed at this facility?☐ Yes ☒ No |
| If yes , use the following table to provide the results of one analysis of the effluent for all |
| radioactive materials that may be present. Provide results in pCi/L. |

Item 9. Toxicity Testing (Instructions, Page 45)

| Radioactive Materials Mined, Used, Stored, or Processed | |
|---|----------------------------------|
| Radioactive Material Name | Concentration (pCi/L) |
| | |
| | |
| | |
| | |
| b. Does the applicant or anyone at the facility have any radioactive materials may be present in the discharge radioactive materials in the source waters or on the following the source waters or other waters or o | e, including naturally occurring |
| If yes , use the following table to provide the results radioactive materials that may be present. Provide reinformation provided in response to Item 11.a. | • |
| Radioactive Materials Present in the Discharge | |
| Radioactive Material Name | Concentration (pCi/L) |
| | |
| | |
| | |
| | |
| Item 12. Cooling Water (Instructions, | Page 46) |
| a. Does the facility use or propose to use water for coo | ling purposes? |
| ⊠ Yes | |
| □ No | |
| ☐ Decommissioned: Click to enter text. | |
| ☐ To Be Decommissioned: Click to enter text. | |
| If yes , complete Items 12.b thru 12.f. If no , stop here | . |
| If decommissioned , provide the date operation cease | |
| If to be decommissioned , provide the date operation | - |
| | |
| b. Cooling water is/will be obtained from a groundwate✓ Yes✓ No | er source (e.g., on-site well). |
| If yes , stop here. If no , continue. | |
| | |

- c. Cooling Water Supplier
 - 1. Provide the name of the owner(s) and operator(s) for the CWIS that supplies or will supply water for cooling purposes to the facility.

| Cooling Water Intake Stru | cture(s) Owner(s) |) and Operator(s) |
|----------------------------------|-------------------|-------------------|
|----------------------------------|-------------------|-------------------|

| C | WIS | SID | | | | | |
|-------|-----|-----------------------|---------------------|-----------|---|----------------------|--------------------|
| Owner | | er | | | | | |
| О | pei | ator | | | | | |
| | 2. | Cooling wate | er is/will b | e obtaine | ed from a Public Wa | iter Supplier (PWS) | |
| | | | No 🗆 | Yes; PV | WS No.: Click to ente | er text. | |
| | | If no , contin | ue. If yes , | provide | the PWS Registratio | n No. and stop here | <u>.</u> |
| | 3. | Cooling water | er is/will b | e obtaine | ed from a reclaimed | l water source? | |
| | | | No 🗆 | Yes; Aı | uth No.: Click to ent | ter text. | |
| | | If no , contin | ue. If yes , | provide | the Reuse Authoriza | ation No. and stop l | nere. |
| | 4. | Cooling water | er is/will b | e obtaine | ed from an Indepen | dent Supplier | |
| | | | No 🗆 | Yes; Al | F:_Click to enter tex | xt. | |
| | | | | | es , provide the actuated to provide wat | | |
| d. | 31 | 6(b) General (| Criteria | | | | |
| | 1. | | | | iter for cooling purp of 2 MGD or greater | | has or will have a |
| | | □ Y | ∕es □ | No | | | |
| | 2. | | | | withdrawn by the C s on an annual aver | | ed at the facility |
| | | \square Y | ∕es □ | No | | | |
| | 3. | | | | se(s) to withdraw w efinition of Waters o | | |
| | | | ∕es □ | No. Ex | planation:_Click to e | enter text. | |
| | | | | | f how the waterbody 40 CFR § 122.2. | y does not meet the | definition of |

If **yes** to all three questions in Item 12.d, the facility **meets** the minimum criteria to be subject to the full requirements of Section 316(b) of the CWA. Proceed to **Item 12.f**.

If **no** to any of the questions in Item 12.d, the facility **does not meet** the minimum criteria to be subject to the full requirements of Section 316(b) of the CWA; however, a determination is required based upon BPJ. Proceed to **Item 12.e**.

| e. | the facility does not meet the minimum requirements to be subject to the fill requirement of Section 316(b) and uses/proposes to use cooling towers. | ıts |
|----|---|-----|
| | l Yes □ No | |
| | Yes, stop here. If no , complete Worksheet 11.0, Items 1.a, 1.b.1-3 and 6, 2.b.1, and 3.a to llow for a determination based upon BPJ. | 0 |
| f. | oil and Gas Exploration and Production | |
| | . The facility is subject to requirements at 40 CFR Part 435, Subparts A or D. ☐ Yes ☐ No | |
| | If yes , continue. If no , skip to Item 12.g. | |
| | . The facility is an existing facility as defined at 40 CFR \S 125.92(k) or a new unit at an existing facility as defined at 40 CFR \S 125.92(u). | |
| | □ Yes □ No | |
| | If yes , complete Worksheet 11.0, Items 1.a, 1.b.1-3 and 6, 2.b.1, and 3.a to allow for a determination based upon BPJ. If no , skip to Item 12.g.3. | |
| g. | ompliance Phase and Track Selection | |
| | . Phase I – New facility subject to 40 CFR Part 125, Subpart I | |
| | □ Yes □ No | |
| | If yes , check the box next to the compliance track selection, attach the requested information, and complete Worksheet 11.0, Items 2 and 3, and Worksheet 11.2. | |
| | \square Track I – AIF greater than 2 MGD, but less than 10 MGD | |
| | • Attach information required by 40 CFR §§ 125.86(b)(2)-(4). | |
| | □ Track I - AIF greater than 10 MGD | |
| | • Attach information required by 40 CFR § 125.86(b). | |
| | □ Track II | |
| | • Attach information required by 40 CFR § 125.86(c). | |
| | Attachment: Click to enter text. | |
| | . Phase II - Existing facility subject to 40 CFR Part 125, Subpart J | |
| | □ Yes □ No | |
| | If yes , complete Worksheets 11.0 through 11.3, as applicable. | |
| | . Phase III - New facility subject to 40 CFR Part 125, Subpart N | |
| | □ Yes □ No | |
| | If yes , check the box next to the compliance track selection and provide the requested information. | l |
| | □ Track I – Fixed facility | |
| | Attach information required by 40 CFR \$ 125 136(b) and complete Worksheet | |

11.0, Items 2 and 3, and Worksheet 11.2.

| | | Track I – Not a fixed facility |
|----|-----------------|---|
| | | • Attach information required by 40 CFR § 125.136(b) and complete Worksheet 11.0, Item 2 (except CWIS latitude/longitude under Item 2.a). |
| | | Track II - Fixed facility |
| | | • Attach information required by 40 CFR § 125.136(c) and complete Worksheet 11.0, Items 2 and 3. |
| | Att | achment: Click to enter text. |
| It | em 13 | 3. Permit Change Requests (Instructions, Page 48) |
| Th | nis item | is only applicable to existing permitted facilities. |
| a. | Is the f | facility requesting a major amendment of an existing permit? |
| | \boxtimes | Yes No |
| | inform | list each request individually and provide the following information: 1) detailed attion regarding the scope of each request and 2) a justification for each request. any supplemental information or additional data to support each request. |
| | discha | alco Fresno Plant is requesting a major amendment to include two additional sources of urge: reverse osmosis water and jacket water. The site also requests the removal of the E. Coli OD testing requirements for Outfall 001 and Outfall 002. |
| b. | Is the f | facility requesting any minor amendments to the permit? |
| | | Yes 🗵 No |
| | If yes , | list and describe each change individually. |
| | N/A | |
| c. | | facility requesting any minor modifications to the permit? Yes No list and describe each change individually. |

| N <u>/A</u> | |
|-------------|--|
| | |
| | |
| | |

Item 14. Laboratory Accreditation (Instructions, Page 49)

All laboratory tests performed must meet the requirements of *30 TAC Chapter 25*, *Environmental Testing Laboratory Accreditation and Certification*, which includes the following general exemptions from National Environmental Laboratory Accreditation Program (NELAP) certification requirements:

- The laboratory is an in-house laboratory and is:
 - o periodically inspected by the TCEQ; or
 - o located in another state and is accredited or inspected by that state; or
 - o performing work for another company with a unit located in the same site; or
 - performing pro bono work for a governmental agency or charitable organization.
- The laboratory is accredited under federal law.
- The data are needed for emergency-response activities, and a laboratory accredited under the Texas Laboratory Accreditation Program is not available.
- The laboratory supplies data for which the TCEQ does not offer accreditation.

The applicant should review 30 TAC Chapter 25 for specific requirements.

The following certification statement shall be signed and submitted with every application. See the *Signature Page* section in the Instructions, for a list of designated representatives who may sign the certification.

CERTIFICATION:

I certify that all laboratory tests submitted with this application meet the requirements of 30 TAC Chapter 25, Environmental Testing Laboratory Accreditation and Certification.

Printed Name: <u>Alvin Sirju</u>
Title: <u>Plant Manager</u>
Signature: ______
Date: _____

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 1.0: EPA CATEGORICAL EFFLUENT GUIDELINES

This worksheet **is required** for all applications for TPDES permits for discharges of wastewaters subject to EPA categorical effluent limitation guidelines (ELGs).

| Item 1. Catego | rical Industries | (Instructions, Pa | ige 53) |
|---|--|---|--|
| Is this facility subject | to any 40 CFR categorica | al ELGs outlined on pag | e 53 of the instructions? |
| □ Yes ⊠ No | | | |
| If no , this worksheet i | s not required. If yes , pr | ovide the appropriate i | nformation below. |
| 40 CFR Effluent Guideli | ine | | |
| Industry | | 40 |) CFR Part |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| Item 2. Produc | ction/Process Da | ta (Instructions | . Page 54) |
| NOTE: For all TPDES pof oil and gas explora | permit applications requ tion and production was r the Oil and Gas Extract | esting individual permi tewater (discharges into | t coverage for discharges o or adjacent to water in |
| a. Production Data | | | |
| Provide appropriate d | ata for effluent guideline | es with production-base | ed effluent limitations. |
| Production Data | | | |
| Subcategory | Actual Quantity/Day | Design Quantity/Day | Units |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | 1 |

Provide each applicable subpart and the percent of total production. Provide data for metalbearing and cyanide-bearing wastestreams, as required by 40 CFR Part 414, Appendices A and В. **Percentage of Total Production** Appendix A and B -Percent of Total Appendix A -**Subcategory Production** Metals **Cyanide** c. Refineries (40 CFR Part 419) Provide the applicable subcategory and a brief justification. Click to enter text. Item 3. Process/Non-Process Wastewater Flows (Instructions, **Page 54)** Provide a breakdown of wastewater flow(s) generated by the facility, including both process and non-process wastewater flow(s). Specify which wastewater flows are to be authorized for discharge under this permit and the disposal practices for wastewater flows, excluding domestic, which are not to be authorized for discharge under this permit. Click to enter text.

b. Organic Chemicals, Plastics, and Synthetic Fibers Manufacturing Data (40 CFR Part 414)

Item 4. New Source Determination (Instructions, Page 54)

Provide a list of all wastewater-generating processes subject to EPA categorical ELGs, identify the appropriate guideline Part and Subpart, and provide the date the process/construction commenced.

Wastewater Generating Processes Subject to Effluent Guidelines

| Process | EPA Guideline Part | EPA Guideline Subpart | Date Process/ Construction Commenced |
|---------|--------------------|--------------------------|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 2.0: POLILUTANT ANALYSIS

Worksheet 2.0 **is required** for all applications submitted for a TPDES permit. Worksheet 2.0 is not required for applications for a permit to dispose of all wastewater by land disposal or for discharges solely of stormwater associated with industrial activities.

Item 1. General Testing Requirements (Instructions, Page 55)

- a. Provide the date range of all sampling events conducted to obtain the analytical data submitted with this application (e.g., 05/01/2018-05/30/2018): <u>July 16, 2025-August 8, 2025</u>
- b. \square Check the box to confirm all samples were collected no more than 12 months prior to the date of application submittal.
- c. Read the general testing requirements in the instructions for important information about sampling, test methods, and MALs. If a contact laboratory was used, attach a list which includes the name, contact information, and pollutants analyzed for each laboratory/firm. Attachment: Click to enter text.

Item 2. Specific Testing Requirements (Instructions, Page 56)

Attach correspondence from TCEQ approving submittal of less than the required number of samples, if applicable. **Attachment:** <u>Click to enter text.</u>

TABLE 1 and TABLE 2 (Instructions, Page 58)

Completion of Tables 1 and 2 is required for all external outfalls for all TPDES permit applications.

| Table 1 for Outfall No.: Outfall 001 | Samples are (check one): ⊠ | Composite | | Grab |
|--------------------------------------|----------------------------|-----------|--|------|
|--------------------------------------|----------------------------|-----------|--|------|

| Pollutant | Sample 1 (mg/L) | Sample 2 (mg/L) | Sample 3 (mg/L) | Sample 4 (mg/L) |
|-------------------------|--------------------|--------------------|-----------------|--------------------|
| BOD (5-day) | <2 | 3.07 | <2 | <2 |
| CBOD (5-day) | <2 | 2.68 | <2 | <2 |
| Chemical oxygen demand | 29.0 | 70.0 | 13.0 | 47.0 |
| Total organic carbon | 9.91 | 13.3 | 5.24 | 8.91 |
| Dissolved oxygen | 6.3 | 6.9 | 6.8 | 6.7 |
| Ammonia nitrogen | < 0.014 | < 0.014 | 0.091 | <0.014 |
| Total suspended solids | 7.40 | 196 | 0.8 | 11.6 |
| Nitrate nitrogen | 0.911 | 14.3 | 15.4 | 1.19 |
| Total organic nitrogen | 0.911 | 3.45 | 0.604 | 1.17 |
| Total phosphorus | 2.72 | 8.02 | 0.682 | 3.01 |
| Oil and grease | <1.53 | <1.72 | <1.75 | <1.55 |
| Total residual chlorine | 0.05 | 0.07 | <0.02 | 0.06 |

| Pollutant | Sample 1 (mg/L) | Sample 2 (mg/L) | Sample 3 (mg/L) | Sample 4 (mg/L) |
|----------------------------------|--------------------|--------------------|-----------------|--------------------|
| Total dissolved solids | 2990 | 2460 | 2820 | 3360 |
| Sulfate | 1820 | 1690 | 1520 | 1630 |
| Chloride | 376 | 328 | 268 | 387 |
| Fluoride | 6.83 | 5.04 | 4.86 | 7.04 |
| Total alkalinity (mg/L as CaCO3) | 106 | 30.0 | 16.0 | 274 |
| Temperature (°F) | 77.72 | 78.8 | 78.44 | 73.58 |
| pH (standard units) | 8.41 | 7.92 | 7.98 | 8.02 |

Table 2 for Outfall No.: <u>oo1</u> Samples are (check one): ⊠ Composite □ Grab

| Table 2 for Outlan No <u>OOT</u> | Samples are (check one). Composite Grab | | | | |
|----------------------------------|---|--------------------|-----------------|--------------------|--------------|
| Pollutant | Sample 1 (µg/L) | Sample 2 (µg/L) | Sample 3 (µg/L) | Sample 4 (µg/L) | MAL (μg/L) |
| Aluminum, total | 76.9 | 38.4 | 24.6 | 31.4 | 2.5 |
| Antimony, total | 1.73 | 1.58 | 0.52 | 1.9 | 5 |
| Arsenic, total | 49.1 | 49.7 | 0.98 | 57 | 0.5 |
| Barium, total | 309 | 202 | 78.5 | 250 | 3 |
| Beryllium, total | 0.06 | 0.06 | 0.06 | 0.06 | 0.5 |
| Cadmium, total | 0.06 | 0.03 | 0.07 | 0.03 | 1 |
| Chromium, total | 7.89 | 12.7 | 0.84 | 12.7 | 3 |
| Chromium, hexavalent | 0.8 | 0.5 | 0.5 | 0.6 | 3 |
| Chromium, trivalent | 7 | 12.7 | 0.8 | 12.1 | N/A |
| Copper, total | 16 | 18.4 | 3.96 | 16.6 | 2 |
| Cyanide, available | 0.69 | 0.69 | 0.69 | 0.69 | 2/10 |
| Lead, total | 0.13 | 0.25 | 0.14 | 0.2 | 0.5 |
| Mercury, total | 0.000042 | 0.000042 | 0.000042 | 0.000042 | 0.005/0.0005 |
| Nickel, total | 11.7 | 1.7 | 2.1 | 2.62 | 2 |
| Selenium, total | 0.36 | 0.96 | 0.31 | 1.07 | 5 |
| Silver, total | 0.13 | 0.13 | 0.13 | 0.13 | 0.5 |
| Thallium, total | 0.06 | 0.06 | 0.06 | 0.06 | 0.5 |
| Zinc, total | 29.7 | 36.9 | 54.9 | 33 | 5.0 |

TABLE 3 (Instructions, Page 58)

Completion of Table 3 **is required** for all **external outfalls** which discharge process wastewater.

Partial completion of Table 3 **is required** for all **external outfalls** which discharge non-process wastewater and stormwater associated with industrial activities commingled with other wastestreams (see instructions for additional guidance).

| Pollutant | Sample 1 (µg/L)* | Sample 2 (µg/L)* | Sample 3 (µg/L)* | Sample 4 (µg/L)* | MAL (μg/L)* |
|--|---------------------|---------------------|------------------|---------------------|----------------|
| Acrylonitrile | (F-8/ -/ | (F-8// | (F-8// | (F-8) =) | 50 |
| Anthracene | | | | | 10 |
| Benzene | | | | | 10 |
| Benzidine | | | | | 50 |
| Benzo(a)anthracene | | | | | 5 |
| Benzo(a)pyrene | | | | | 5 |
| Bis(2-chloroethyl)ether | | | | | 10 |
| Bis(2-ethylhexyl)phthalate | | | | | 10 |
| Bromodichloromethane [Dichlorobromomethane] | | | | | 10 |
| Bromoform | | | | | 10 |
| Carbon tetrachloride | | | | | 2 |
| Chlorobenzene | | | | | 10 |
| Chlorodibromomethane [Dibromochloromethane] | | | | | 10 |
| Chloroform | | | | | 10 |
| Chrysene | | | | | 5 |
| m-Cresol [3-Methylphenol] | | | | | 10 |
| o-Cresol [2-Methylphenol] | | | | | 10 |
| p-Cresol [4-Methylphenol] | | | | | 10 |
| 1,2-Dibromoethane | | | | | 10 |
| m-Dichlorobenzene [1,3-Dichlorobenzene] | | | | | 10 |
| o-Dichlorobenzene [1,2-Dichlorobenzene] | | | | | 10 |
| p-Dichlorobenzene [1,4-Dichlorobenzene] | | | | | 10 |
| 3,3'-Dichlorobenzidine | | | | | 5 |
| 1,2-Dichloroethane | | | | | 10 |

| Pollutant | Sample 1 (µg/L)* | Sample 2 (µg/L)* | Sample 3 (µg/L)* | Sample 4 (µg/L)* | MAL (μg/L)* |
|--|---------------------|---------------------|------------------|---------------------|----------------|
| 1,1-Dichloroethene [1,1-Dichloroethylene] | | | | | 10 |
| Dichloromethane [Methylene chloride] | | | | | 20 |
| 1,2-Dichloropropane | | | | | 10 |
| 1,3-Dichloropropene [1,3-Dichloropropylene] | | | | | 10 |
| 2,4-Dimethylphenol | | | | | 10 |
| Di-n-Butyl phthalate | | | | | 10 |
| Epichlorohydrin (1-Chloro-2,3-epoxypropane) | | | | | |
| Ethylbenzene | | | | | 10 |
| Ethylene Glycol | | | | | |
| Fluoride | | | | | 500 |
| Hexachlorobenzene | | | | | 5 |
| Hexachlorobutadiene | | | | | 10 |
| Hexachlorocyclopentadiene | | | | | 10 |
| Hexachloroethane | | | | | 20 |
| 4,4'-Isopropylidenediphenol (bisphenol A) | | | | | 1 |
| Methyl ethyl ketone | | | | | 50 |
| Methyl tert-butyl ether (MTBE) | | | | | |
| Nitrobenzene | | | | | 10 |
| N-Nitrosodiethylamine | | | | | 20 |
| N-Nitroso-di-n-butylamine | | | | | 20 |
| Nonylphenol | | | | | 333 |
| Pentachlorobenzene | | | | | 20 |
| Pentachlorophenol | | | | | 5 |
| Phenanthrene | | | | | 10 |
| Polychlorinated biphenyls (PCBs) (**) | | | | | 0.2 |
| Pyridine | | | | | 20 |
| 1,2,4,5-Tetrachlorobenzene | | | | | 20 |
| 1,1,2,2-Tetrachloroethane | | | | | 10 |
| Tetrachloroethene [Tetrachloroethylene] | | | | | 10 |

| Pollutant | Sample 1 (µg/L)* | Sample 2 (µg/L)* | Sample 3 (µg/L)* | Sample 4 (µg/L)* | MAL (μg/L)* |
|--|---------------------|---------------------|---------------------|---------------------|----------------|
| Toluene | | | | | 10 |
| 1,1,1-Trichloroethane | | | | | 10 |
| 1,1,2-Trichloroethane | | | | | 10 |
| Trichloroethene [Trichloroethylene] | | | | | 10 |
| 2,4,5-Trichlorophenol | | | | | 50 |
| TTHM (Total trihalomethanes) | | | | | 10 |
| Vinyl chloride | (7 | | | | 10 |

^(*) Indicate units if different from µg/L.

TABLE 4 (Instructions, Pages 58-59)

Partial completion of Table 4 **is required** for each **external outfall** based on the conditions below.

a. Tributyltin

□ Yes

Is this facility an industrial/commercial facility which currently or proposes to directly dispose of wastewater from the types of operations listed below or a domestic facility which currently or proposes to receive wastewater from the types of industrial/commercial operations listed below?

| If yes , check the box next to each of the following criteria which apply and provicappropriate testing results in Table 4 below (check all that apply). | | | | | |
|---|--|--|--|--|--|
| | | Manufacturers and formulators of tributyltin or related compounds. | | | |
| | | Painting of ships, boats and marine structures. | | | |
| | | Ship and boat building and repairing. | | | |
| | | Ship and boat cleaning, salvage, wrecking and scaling. | | | |

- ☐ Operation and maintenance of marine cargo handling facilities and marinas.
- ☐ Facilities engaged in wood preserving.

No

Any other industrial/commercial facility for which tributyltin is known to be present, or for which there is any reason to believe that tributyltin may be present in the effluent.

b. Enterococci (discharge to saltwater)

This facility discharges/proposes to discharge directly into saltwater receiving waters **and** Enterococci bacteria are expected to be present in the discharge based on facility processes.

| No |
|----|
| |

the

^(**) Total of detects for PCB-1242, PCB-1254, PCB-1221, PCB-1232, PCB-1248, PCB-1260, and PCB-1016. If all non-detects, enter the highest non-detect preceded by a "<".

| Domestic wastewater is | /will be disch | arged. | | | | | | |
|--|--|---|--|----------------------------------|-----------------|---------------------------------|--------------------|-----------------|
| □ Yes ⊠ No | 0 | | | | | | | |
| If yes to either question | n, provide the | appropr | iate testing r | esults i | n Tab | le 4 bel | ow. | |
| c. E. coli (discharge to fre | eshwater) | | | | | | | |
| This facility discharges, <i>E. coli</i> bacteria are expe | | | | | | | | |
| □ Yes ⊠ No | 0 | | | | | | | |
| Domestic wastewater is | /will be disch | arged. | | | | | | |
| □ Yes ⊠ No | 0 | | | | | | | |
| If yes to either question | n, provide the | appropr | iate testing r | esults i | n Tab | le 4 bel | ow. | |
| Table 4 for Outfall No.: Click | to enter text. | Sampl | es are (check | one): □ | Coı | nposite | | Grab |
| Pollutant | Sa | mple 1 | Sample 2 | Sampl | e 3 | Sampl | e 4 | MAL |
| Tributyltin (µg/L) | | | | | | | | 0.010 |
| Enterococci (cfu or MPN/1 | .00 mL) | | | | | | | N/A |
| E. coli (cfu or MPN/100 mL) | | | | | | | N/A | |
| Completion of Table 5 is rewastewater from a facility wastewaters which may confirm this facility does not/will not/will not discharge other. N/A | which manufa ntain pesticid I not manufac er wastewater | actures or es or her cture or fo s that ma | formulates bicides. ormulate pes y contain pe | pesticid sticides sticides | les or or he | herbici rbicides erbicide | ides of and s, cho | does eck N/A |
| Table 5 for Outfall No.: Click Pollutant | Sample 1 | Sample | es are (check 2 Samp | | | nposite ple 4 | □ MAl | Grab |
| Tonutant | (μg/L)* | (μg/L)* | | | (μg/ | | μg/ | |
| Aldrin | | | | | | | 0.01 | L |
| Carbaryl | | | | | | | 5 | - |
| Chlordane | | | | | | | 0.2 | |
| Chlorpyrifos | | | | | | | 0.05 |) |
| 4,4'-DDD | | | | | | | 0.1 | - |
| 4,4'-DDE | | | | | | | 0.1 | |
| 4,4'-DDT | | | | | | | 0.02 |) |
| 2,4-D | | | | | | | 0.7 | |
| Danitol [Fenpropathrin] | | | | | | | | |

Demeton

Diazinon

0.20

0.5/0.1

| Pollutant | Sample 1 (µg/L)* | Sample 2 (µg/L)* | Sample 3 (µg/L)* | Sample 4 (µg/L)* | MAL (μg/L)* |
|---|---------------------|---------------------|---------------------|---------------------|----------------|
| Dicofol [Kelthane] | | | | | 1 |
| Dieldrin | | | | | 0.02 |
| Diuron | | | | | 0.090 |
| Endosulfan I (<i>alpha</i>) | | | | | 0.01 |
| Endosulfan II (<i>beta</i>) | | | | | 0.02 |
| Endosulfan sulfate | | | | | 0.1 |
| Endrin | | | | | 0.02 |
| Guthion [Azinphos methyl] | | | | | 0.1 |
| Heptachlor | | | | | 0.01 |
| Heptachlor epoxide | | | | | 0.01 |
| Hexachlorocyclohexane (alpha) | | | | | 0.05 |
| Hexachlorocyclohexane (beta) | | | | | 0.05 |
| Hexachlorocyclohexane (gamma) [Lindane] | | | | | 0.05 |
| Hexachlorophene | | | | | 10 |
| Malathion | | | | | 0.1 |
| Methoxychlor | | | | | 2.0 |
| Mirex | | | | | 0.02 |
| Parathion (ethyl) | | | | | 0.1 |
| Toxaphene | | | | | 0.3 |
| 2,4,5-TP [Silvex] | | | | | 0.3 |

^{*} Indicate units if different from µg/L.

TABLE 6 (Instructions, Page 59)

Completion of Table 6 is required for all external outfalls.

Table 6 for Outfall No.: **oo1 and oo2** Samples are (check one): ☐ Composite ☐ Grab

| Pollutants | Believed Present | Believed Absent | Sample 1 (mg/L) | Sample 2 (mg/L) | Sample 3 (mg/L) | Sample 4 (mg/L) | MAL (μg/L)* |
|------------------------|---------------------|--------------------|-----------------|-----------------|-----------------|-----------------|----------------|
| Bromide | | \boxtimes | | | | | 400 |
| Color (PCU) | | \boxtimes | | | | | _ |
| Nitrate-Nitrite (as N) | | \boxtimes | | | | | _ |
| Sulfide (as S) | | | | | | | _ |
| Sulfite (as SO3) | | \boxtimes | | | | | _ |
| Surfactants | | \boxtimes | | | | | _ |
| Boron, total | | \boxtimes | | | | | 20 |
| Cobalt, total | | \boxtimes | | | | | 0.3 |
| Iron, total | | \boxtimes | | | | | 7 |
| Magnesium, total | | \boxtimes | | | | | 20 |
| Manganese, total | | \boxtimes | | | | | 0.5 |
| Molybdenum, total | | \boxtimes | | | | | 1 |
| Tin, total | | \boxtimes | | | | | 5 |
| Titanium, total | | | | | | | 30 |

TABLE 7 (Instructions, Page 60)

Check the box next to any of the industrial categories applicable to this facility. If no categories are applicable, check N/A. If GC/MS testing is required, check the box provided to confirm the testing results for the appropriate parameters are provided with the application.

⊠ N/A

Table 7 for Applicable Industrial Categories

| Ind | ustrial Category | 40 CFR Part | Volatiles Table 8 | Acids Table 9 | Bases/ Neutrals Table 10 | Pesticides Table 11 |
|-----|--|----------------|----------------------|------------------|--------------------------------|------------------------|
| | Adhesives and Sealants | | □ Yes | □ Yes | □ Yes | No |
| | Aluminum Forming | 467 | □ Yes | □ Yes | □ Yes | No |
| | Auto and Other Laundries | | □ Yes | □ Yes | □ Yes | □ Yes |
| | Battery Manufacturing | 461 | □ Yes | No | □ Yes | No |
| | Coal Mining | 434 | No | No | No | No |
| | Coil Coating | 465 | □ Yes | □ Yes | □ Yes | No |
| | Copper Forming | 468 | □ Yes | □ Yes | □ Yes | No |
| | Electric and Electronic Components | 469 | □ Yes | □ Yes | □ Yes | □ Yes |
| | Electroplating | 413 | □ Yes | □ Yes | □ Yes | No |
| | Explosives Manufacturing | 457 | No | □ Yes | □ Yes | No |
| | Foundries | | □ Yes | □ Yes | □ Yes | No |
| | Gum and Wood Chemicals - Subparts A,B,C,E | 454 | □ Yes | □ Yes | No | No |
| | Gum and Wood Chemicals - Subparts D,F | 454 | □ Yes | □ Yes | □ Yes | No |
| | Inorganic Chemicals Manufacturing | 415 | □ Yes | □ Yes | □ Yes | No |
| | Iron and Steel Manufacturing | 420 | □ Yes | □ Yes | □ Yes | No |
| | Leather Tanning and Finishing | 425 | □ Yes | □ Yes | □ Yes | No |
| | Mechanical Products Manufacturing | | □ Yes | □ Yes | □ Yes | No |
| | Nonferrous Metals Manufacturing | 421,471 | □ Yes | □ Yes | □ Yes | □ Yes |
| | Oil and Gas Extraction - Subparts A, D, E, F, G, H | 435 | □ Yes | □ Yes | □ Yes | No |
| | Ore Mining - Subpart B | 440 | No | □ Yes | No | No |
| | Organic Chemicals Manufacturing | 414 | □ Yes | □ Yes | □ Yes | □ Yes |
| | Paint and Ink Formulation | 446,447 | □ Yes | □ Yes | □ Yes | No |
| | Pesticides | 455 | □ Yes | □ Yes | □ Yes | □ Yes |
| | Petroleum Refining | 419 | □ Yes | No | No | No |
| | Pharmaceutical Preparations | 439 | □ Yes | □ Yes | □ Yes | No |
| | Photographic Equipment and Supplies | 459 | □ Yes | □ Yes | □ Yes | No |
| | Plastic and Synthetic Materials Manufacturing | 414 | □ Yes | □ Yes | □ Yes | □ Yes |
| | Plastic Processing | 463 | □ Yes | No | No | No |
| | Porcelain Enameling | 466 | No | No | No | No |
| | Printing and Publishing | | □ Yes | □ Yes | □ Yes | □ Yes |
| | Pulp and Paperboard Mills - Subpart C | 430 | * | □ Yes | * | □ Yes |
| | Pulp and Paperboard Mills - Subparts F, K | 430 | * | □ Yes | * | * |
| | Pulp and Paperboard Mills - Subparts A, B, D, G, H | 430 | □ Yes | □ Yes | * | * |
| | Pulp and Paperboard Mills - Subparts I, J, L | 430 | □ Yes | □ Yes | * | □ Yes |
| | Pulp and Paperboard Mills - Subpart E | 430 | □ Yes | □ Yes | □ Yes | * |
| | Rubber Processing | 428 | □ Yes | □ Yes | □ Yes | No |
| | Soap and Detergent Manufacturing | 417 | □ Yes | □ Yes | □ Yes | No |
| | Steam Electric Power Plants | 423 | □ Yes | □ Yes | No | No |
| | Textile Mills (Not Subpart C) | 410 | □ Yes | □ Yes | □ Yes | No |
| | Timber Products Processing | 429 | □ Yes | □ Yes | □ Yes | □ Yes |

^{*} Test if believed present.

TABLES 8, 9, 10, and 11 (Instructions, Page 60)

Completion of Tables 8, 9, 10, and 11 **is required** as specified in Table 7 for all **external outfalls** that contain process wastewater.

Completion of Tables 8, 9, 10, and 11 **may be required** for types of industry not specified in Table 7 for specific parameters that are believed to be present in the wastewater.

Table 8 for Outfall No.: $\underline{N/A}$ Samples are (check one): \square Composite \square Grab

| Table 8 for Outlan No.: N/A | Samples are (check one): Composite Grab | | | | | | |
|--|--|------------------|------------------|---------------------|---------------|--|--|
| Pollutant | Sample 1 (µg/L)* | Sample 2 (µg/L)* | Sample 3 (µg/L)* | Sample 4 (µg/L)* | MAL (µg/L) | | |
| Acrolein | | | | | 50 | | |
| Acrylonitrile | | | | | 50 | | |
| Benzene | | | | | 10 | | |
| Bromoform | | | | | 10 | | |
| Carbon tetrachloride | | | | | 2 | | |
| Chlorobenzene | | | | | 10 | | |
| Chlorodibromomethane | | | | | 10 | | |
| Chloroethane | | | | | 50 | | |
| 2-Chloroethylvinyl ether | | | | | 10 | | |
| Chloroform | | | | | 10 | | |
| Dichlorobromomethane [Bromodichloromethane] | | | | | 10 | | |
| 1,1-Dichloroethane | | | | | 10 | | |
| 1,2-Dichloroethane | | | | | 10 | | |
| 1,1-Dichloroethylene [1,1-Dichloroethene] | | | | | 10 | | |
| 1,2-Dichloropropane | | | | | 10 | | |
| 1,3-Dichloropropylene [1,3-Dichloropropene] | | | | | 10 | | |
| Ethylbenzene | | | | | 10 | | |
| Methyl bromide [Bromomethane] | | | | | 50 | | |
| Methyl chloride [Chloromethane] | | | | | 50 | | |
| Methylene chloride [Dichloromethane] | | | | | 20 | | |
| 1,1,2,2-Tetrachloroethane | | | | | 10 | | |
| Tetrachloroethylene [Tetrachloroethene] | | | | | 10 | | |
| Toluene | | | | | 10 | | |
| 1,2-Trans-dichloroethylene [1,2-Trans-dichloroethene] | | | | | 10 | | |

| Pollutant | Sample 1 (µg/L)* | Sample 2 (µg/L)* | Sample 3 (µg/L)* | Sample 4 (µg/L)* | MAL (μg/L) |
|--|---------------------|---------------------|------------------|---------------------|---------------|
| 1,1,1-Trichloroethane | | | | | 10 |
| 1,1,2-Trichloroethane | | | | | 10 |
| Trichloroethylene [Trichloroethene] | | | | | 10 |
| Vinyl chloride | | | | | 10 |

^{*} Indicate units if different from µg/L.

Table 9 for Outfall No.: <u>N/A</u>

| Samples are (check | one): 🗆 🔾 | Composite | Grab |
|--------------------|-----------|-----------|------|
| | | | |

| Pollutant | Sample 1 (µg/L)* | Sample 2 (µg/L)* | Sample 3 (µg/L)* | Sample 4 (µg/L)* | MAL (μg/L) |
|-----------------------|------------------|---------------------|------------------|---------------------|---------------|
| 2-Chlorophenol | | | | | 10 |
| 2,4-Dichlorophenol | | | | | 10 |
| 2,4-Dimethylphenol | | | | | 10 |
| 4,6-Dinitro-o-cresol | | | | | 50 |
| 2,4-Dinitrophenol | | | | | 50 |
| 2-Nitrophenol | | | | | 20 |
| 4-Nitrophenol | | | | | 50 |
| p-Chloro-m-cresol | | | | | 10 |
| Pentachlorophenol | | | | | 5 |
| Phenol | | | | | 10 |
| 2,4,6-Trichlorophenol | | | | | 10 |

^{*} Indicate units if different from µg/L.

Table 10 for Outfall No.: N/A

| Samples are (check one): \square | Composite | | Grab |
|------------------------------------|-----------|--|------|
|------------------------------------|-----------|--|------|

| Pollutant | Sample 1 (µg/L)* | Sample 2 (µg/L)* | Sample 3 (µg/L)* | Sample 4 (µg/L)* | MAL (μg/L) |
|---|---------------------|---------------------|------------------|---------------------|---------------|
| Acenaphthene | | | | | 10 |
| Acenaphthylene | | | | | 10 |
| Anthracene | | | | | 10 |
| Benzidine | | | | | 50 |
| Benzo(a)anthracene | | | | | 5 |
| Benzo(a)pyrene | | | | | 5 |
| 3,4-Benzofluoranthene [Benzo(b)fluoranthene] | | | | | 10 |
| Benzo(ghi)perylene | | | | | 20 |
| Benzo(k)fluoranthene | | | | | 5 |
| Bis(2-chloroethoxy)methane | | | | | 10 |

| Pollutant | Sample 1 (µg/L)* | Sample 2 (µg/L)* | Sample 3 (µg/L)* | Sample 4 (µg/L)* | MAL (μg/L) |
|--|---------------------|---------------------|------------------|------------------|---------------|
| Bis(2-chloroethyl)ether | | | | | 10 |
| Bis(2-chloroisopropyl)ether | | | | | 10 |
| Bis(2-ethylhexyl)phthalate | | | | | 10 |
| 4-Bromophenyl phenyl ether | | | | | 10 |
| Butylbenzyl phthalate | | | | | 10 |
| 2-Chloronaphthalene | | | | | 10 |
| 4-Chlorophenyl phenyl ether | | | | | 10 |
| Chrysene | | | | | 5 |
| Dibenzo(a,h)anthracene | | | | | 5 |
| 1,2-Dichlorobenzene [o-Dichlorobenzene] | | | | | 10 |
| 1,3-Dichlorobenzene [m-Dichlorobenzene] | | | | | 10 |
| 1,4-Dichlorobenzene [p-Dichlorobenzene] | | | | | 10 |
| 3,3'-Dichlorobenzidine | | | | | 5 |
| Diethyl phthalate | | | | | 10 |
| Dimethyl phthalate | | | | | 10 |
| Di-n-butyl phthalate | | | | | 10 |
| 2,4-Dinitrotoluene | | | | | 10 |
| 2,6-Dinitrotoluene | | | | | 10 |
| Di-n-octyl phthalate | | | | | 10 |
| 1,2-Diphenylhydrazine (as Azobenzene) | | | | | 20 |
| Fluoranthene | | | | | 10 |
| Fluorene | | | | | 10 |
| Hexachlorobenzene | | | | | 5 |
| Hexachlorobutadiene | | | | | 10 |
| Hexachlorocyclopentadiene | | | | | 10 |
| Hexachloroethane | | | | | 20 |
| Indeno(1,2,3-cd)pyrene | | | | | 5 |
| Isophorone | | | | | 10 |
| Naphthalene | | | | | 10 |
| Nitrobenzene | | | | | 10 |
| N-Nitrosodimethylamine | | | | | 50 |

| Pollutant | Sample 1 (µg/L)* | Sample 2 (µg/L)* | Sample 3 (µg/L)* | Sample 4 (µg/L)* | MAL (μg/L) |
|---------------------------|---------------------|------------------|------------------|---------------------|---------------|
| N-Nitrosodi-n-propylamine | | | | | 20 |
| N-Nitrosodiphenylamine | | | | | 20 |
| Phenanthrene | | | | | 10 |
| Pyrene | | | | | 10 |
| 1,2,4-Trichlorobenzene | | | | | 10 |

^{*} Indicate units if different from µg/L.

Table 11 for Outfall No.: N/A Samples are (check one): \square Composite \square Grab

| Pollutant | Sample 1 (µg/L)* | Sample 2 (µg/L)* | Sample 3 (µg/L)* | Sample 4 (µg/L)* | MAL (μg/L) |
|--|----------------------|---------------------|------------------|---------------------|---------------|
| | (μg/L) ^{**} | (µg/L) | (μg/L)" | (μg/L)" | _ |
| Aldrin | | | | | 0.01 |
| alpha-BHC [alpha-Hexachlorocyclohexane] | | | | | 0.05 |
| beta-BHC [beta-Hexachlorocyclohexane] | | | | | 0.05 |
| gamma-BHC [gamma-Hexachlorocyclohexane] | | | | | 0.05 |
| delta-BHC [delta-Hexachlorocyclohexane] | | | | | 0.05 |
| Chlordane | | | | | 0.2 |
| 4,4'-DDT | | | | | 0.02 |
| 4,4'-DDE | | | | | 0.1 |
| 4,4'-DDD | | | | | 0.1 |
| Dieldrin | | | | | 0.02 |
| Endosulfan I (alpha) | | | | | 0.01 |
| Endosulfan II (beta) | | | | | 0.02 |
| Endosulfan sulfate | | | | | 0.1 |
| Endrin | | | | | 0.02 |
| Endrin aldehyde | | | | | 0.1 |
| Heptachlor | | | | | 0.01 |
| Heptachlor epoxide | | | | | 0.01 |
| PCB 1242 | | | | | 0.2 |
| PCB 1254 | | | | | 0.2 |
| PCB 1221 | | | | | 0.2 |
| PCB 1232 | | | | | 0.2 |
| PCB 1248 | | | | | 0.2 |
| | | | 1 | 1 | 1 |

| Pollutant | Sample 1 (µg/L)* | Sample 2 (µg/L)* | Sample 3 (µg/L)* | Sample 4 (µg/L)* | MAL (μg/L) |
|-----------|---------------------|---------------------|------------------|---------------------|---------------|
| PCB 1260 | | | | | 0.2 |
| PCB 1016 | | | | | 0.2 |
| Toxaphene | | | | | 0.3 |

^{*} Indicate units if different from µg/L.

Attachment: Click to enter text.

TABLE 12 (DIOXINS/FURAN COMPOUNDS)

Complete of Table 12 **is required** for **external outfalls**, as directed below. (Instructions, Pages 59-60)

Indicate which compound(s) are manufactured or used at the facility and provide a brief description of the conditions of its/their presence at the facility (check all that apply).

- □ 2,4,5-trichlorophenoxy acetic acid (2,4,5-T) CASRN 93-76-5
- □ 2-(2,4,5-trichlorophenoxy) propanoic acid (Silvex, 2,4,5-TP) CASRN 93-72-1
- 2-(2,4,5-trichlorophenoxy) ethyl 2,2-dichloropropionate (Erbon) CASRN 136-25-4
- □ 0,0-dimethyl 0-(2,4,5-trichlorophenyl) phosphorothioate (Ronnel) CASRN 299-84-3
- □ 2,4,5-trichlorophenol (TCP) CASRN 95-95-4
- □ hexachlorophene (HCP) CASRN 70-30-4
- None of the above

Description: Click to enter text.

Does the applicant or anyone at the facility know or have any reason to believe that 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) or any congeners of TCDD may be present in the effluent proposed for discharge?

□ Yes ⊠ No

Description: Click to enter text.

If **yes** to either Items a **or** b, complete Table 12 as instructed.

Table 12 for Outfall No.: N/A Samples are (check one): ☐ Composite ☐ Grab

| Compound | Toxicity Equivalent Factors | Wastewater Concentration (ppq) | Wastewater Toxicity Equivalents (ppq) | Sludge Concentration (ppt) | Sludge Toxicity Equivalents (ppt) | MAL (ppq) |
|-------------------------|-----------------------------------|--------------------------------------|--|----------------------------------|--|--------------|
| 2,3,7,8-TCDD | 1 | | | | | 10 |
| 1,2,3,7,8- PeCDD | 1.0 | | | | | 50 |
| 2,3,7,8- HxCDDs | 0.1 | | | | | 50 |
| 1,2,3,4,6,7,8- HpCDD | 0.01 | | | | | 50 |

| Compound | Toxicity Equivalent Factors | Wastewater Concentration (ppq) | Wastewater Toxicity Equivalents (ppq) | Sludge Concentration (ppt) | Sludge Toxicity Equivalents (ppt) | MAL (ppq) |
|----------------------|-----------------------------------|--------------------------------------|--|----------------------------------|--|--------------|
| 2,3,7,8-TCDF | 0.1 | | | | | 10 |
| 1,2,3,7,8- PeCDF | 0.03 | | | | | 50 |
| 2,3,4,7,8- PeCDF | 0.3 | | | | | 50 |
| 2,3,7,8- HxCDFs | 0.1 | | | | | 50 |
| 2,3,4,7,8- HpCDFs | 0.01 | | | | | 50 |
| OCDD | 0.0003 | | | | | 100 |
| OCDF | 0.0003 | | | | | 100 |
| PCB 77 | 0.0001 | | | | | 500 |
| PCB 81 | 0.0003 | | | | | 500 |
| PCB 126 | 0.1 | | | | | 500 |
| PCB 169 | 0.03 | | | | | 500 |
| Total | | | | | | |

TABLE 13 (HAZARDOUS SUBSTANCES)

Complete Table 13 **is required** for all **external outfalls** as directed below. (Instructions, Pages 60-61)

Are there any pollutants listed in the instructions (pages 55-62) believed present in the discharge?

□ Yes ⊠ No

Are there pollutants listed in Item 1.c. of Technical Report 1.0 which are believed present in the discharge and have not been analytically quantified elsewhere in this application?

□ Yes ⊠ No

If **yes** to either Items a **or** b, complete Table 13 as instructed.

| Table 13 for Outfall No.: Click to enter text. Samples are (check one): ☐ Composite ☐ Grab | | | | | | | | |
|--|-------|--------------------|--------------------|-----------------|--------------------|----------------------|--|--|
| Pollutant | CASRN | Sample 1 (µg/L) | Sample 2 (µg/L) | Sample 3 (µg/L) | Sample 4 (µg/L) | Analytical Method | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 3.0: LAND APPLICATION OF EFFLUENT

This worksheet **is required** for all applications for a permit to disposal of wastewater by land application (i.e., TLAP)).

Item 1. Type of Disposal System (Instructions, Page 69)

Check the box next to the type of land disposal requested by this application:

| | Irrigation | | | Subsurface application | | | | | |
|-----|---|----------------------------|--|---|-------------------------|--|--|--|--|
| | Evaporation | | | Subsurface soils absorp | otion | | | | |
| | Evapotranspiration | beds | | Surface application | | | | | |
| | Drip irrigation syst | em | | Other, specify: <u>Click to</u> | enter text. | | | | |
| Ite | Item 2. Land Application Area (Instructions, Page 69) | | | | | | | | |
| Lar | nd Application Area In | formation | | | | | | | |
| | fluent Application allons/day) | Irrigation Acreage (acres) | | cribe land use & icate type(s) of crop(s) | Public Access? (Y/N) | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | · | | | · | | | | | |
| | | | | | | | | | |

Item 3. Annual Cropping Plan (Instructions, Page 69)

Attach the required cropping plan that includes each of the following:

- Cool and warm season plant species
- Breakdown of acreage and percent of total acreage for each crop
- Crop growing season
- Harvesting method/number of harvests
- Minimum/maximum harvest height
- Crop yield goals
- Soils map
- Nitrogen requirements per crop
- Additional fertilizer requirements
- Supplemental watering requirements
- Crop salt tolerances
- Justification for not removing existing vegetation to be irrigated

Attachment:

Item 4. Well and Map Information (Instructions, Page 70)

| a. | | eck each box to confirm the required information is shown and labeled on the attached GS map: | | | | | | | | | |
|----|--------------|--|--|---------------------|---|--------------------------------------|--|--|--|--|--|
| | | The ex | xact boundaries of the | land applicati | on area | | | | | | |
| | | On-sit | te buildings | | | | | | | | |
| | | Waste | -disposal or treatmen | t facilities | | | | | | | |
| | | Efflue | nt storage and tailwat | er control facil | lities | | | | | | |
| | | Buffer zones | | | | | | | | | |
| | | All su | rface waters in the sta | ate onsite and v | within 500 feet of the pr | operty boundaries | | | | | |
| | □ bou | All water wells within ½-mile of the disposal site, wastewater ponds, or property undaries | | | | | | | | | |
| | | All springs and seeps onsite and within 500 feet of the property boundaries | | | | | | | | | |
| | Atta | tachment: Click to enter text. | | | | | | | | | |
| | was nec | stewate essary | | ooundaries in t | on or within 500 feet of he following table. Attac | | | | | | |
| W | /ell I | D | Well Use | Producing? Y/N/U | Open, cased, capped, or plugged? | Proposed Best Management Practice | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| At | tach | ment: | Click to enter text. | | | | | | | | |
| c. | | | ter monitoring wells on site or wastewater p | - | re/will be installed arou | nd the land | | | | | |
| | I | □ Yes □ No | | | | | | | | | |
| | site lysi | yes, provide the existing/proposed location of the monitoring wells or lysimeters on the e map attached for Item 4.a. Additionally, attach information on the depth of the wells or imeters, sampling schedule, and monitoring parameters for TCEQ review, possible odification, and approval. | | | | | | | | | |
| | Atta | achme | nt: Click to enter text. | | | | | | | | |
| d. | | ach a si | • | nnical report us | sing 30 TAC § 309.20(a |)(4) as guidance. | | | | | |

Item 5. Soil Map and Soil Information (Instructions, Page 71)

Check each box to confirm that the following information is attached:

- a. USDA NRCS Soil Survey Map depicting the area to be used for land application with the locations identified by fields and crops.
- b. \square Breakdown of acreage and percent of total acreage for each soil type.
- **c.** □ Copies of laboratory soil analyses. **Attachment**: Click to enter text.

Item 6. Effluent Monitoring Data (Instructions, Page 72)

a. Completion of Table 14 **is required** for all **renewal** and **major amendment** applications. Complete the table with monitoring data for the previous two years for all parameters regulated in the current permit. An additional table has been provided with blank headers for parameters regulated in the current permit which are not listed in Table 14.

| Table 14 fo | or Outfall No.: (| Click to en | ter text. | Samples ar | e (check one): 🗆 | Composite | □ Grab |
|-----------------|-------------------------|----------------|---------------|--------------------|----------------------------|-----------------------------|--|
| Date (mo/yr) | Daily Avg Flow (gpd) | BOD5 (mg/L) | TSS (mg/L) | Nitrogen (mg/L) | Conductivity (mmhos/cm) | Total acres irrigated | Hydraulic Application rate (acre-feet/month) |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

| Date (mo/yr) | Daily Avg Flow (gpd) | BOD5 (mg/L) | TSS (mg/L) | Nitrogen (mg/L) | Conductivity (mmhos/cm) | Total acres irrigated | Hydraulic Application rate (acre-feet/month) |
|-----------------|-------------------------|----------------|---------------|--------------------|----------------------------|-----------------------------|--|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

b. Use this table to provide effluent analysis for parameters regulated in the current permit which are not listed in Table 14.

Additional Parameter Effluent Analysis

| Date (mo/yr) | | | |
|--------------|--|--|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

c. Attach an explanation of all persistent excursions to permitted parameters and corrective actions taken. **Attachment:** Click to enter text.

Item 7. Pollutant Analysis (Instructions, Page 72)

- a. Provide the date range of all sampling events conducted to obtain the analytical data submitted with this application (e.g., 05/01/2018-05/30/2018): Click to enter text.
- b. \square Check the box to confirm all samples were collected no more than 12 months prior to the date of application submittal.
- c. Complete Tables 15 and 16.

Table 15 for Outfall No.: Click to enter text. Samples are (check one): ☐ Composite ☐ Grab

| Pollutant | Sample 1 (mg/L) | Sample 2 (mg/L) | Sample 3 (mg/L) | Sample 4 (mg/L) |
|----------------------------------|--------------------|--------------------|--------------------|--------------------|
| BOD (5-day) | | | | |
| CBOD (5-day) | | | | |
| Chemical oxygen demand | | | | |
| Total organic carbon | | | | |
| Dissolved oxygen | | | | |
| Ammonia nitrogen | | | | |
| Total suspended solids | | | | |
| Nitrate nitrogen | | | | |
| Total organic nitrogen | | | | |
| Total phosphorus | | | | |
| Oil and grease | | | | |
| Total residual chlorine | | | | |
| Total dissolved solids | | | | |
| Sulfate | | | | |
| Chloride | | | | |
| Fluoride | | | | |
| Total alkalinity (mg/L as CaCO3) | | | | |
| Temperature (°F) | | | | |
| pH (standard units) | | | | |

Table 16 for Outfall No.: Click to enter text. Samples are (check one): ☐ Composite ☐ Grab

| Pollutant | Sample 1 (µg/L) | Sample 2 (µg/L) | Sample 3 (µg/L) | Sample 4 (µg/L) | MAL (μg/L) |
|-----------------|--------------------|--------------------|-----------------|--------------------|------------|
| Aluminum, total | | | | | 2.5 |
| Antimony, total | | | | | 5 |
| Arsenic, total | | | | | 0.5 |
| Barium, total | | | | | 3 |

| Pollutant | Sample 1 (µg/L) | Sample 2 (µg/L) | Sample 3 (µg/L) | Sample 4 (µg/L) | MAL (μg/L) |
|----------------------|--------------------|--------------------|-----------------|--------------------|--------------|
| Beryllium, total | | | | | 0.5 |
| Cadmium, total | | | | | 1 |
| Chromium, total | | | | | 3 |
| Chromium, hexavalent | | | | | 3 |
| Chromium, trivalent | | | | | N/A |
| Copper, total | | | | | 2 |
| Cyanide, available | | | | | 2/10 |
| Lead, total | | | | | 0.5 |
| Mercury, total | | | | | 0.005/0.0005 |
| Nickel, total | | | | | 2 |
| Selenium, total | | | | | 5 |
| Silver, total | | | | | 0.5 |
| Thallium, total | | | | | 0.5 |
| Zinc, total | | | | | 5.0 |

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 3.1: SURFACE LAND APPLICATION AND APPLICATION

This worksheet **is required** for all applications for a permit to disposal of wastewater by surface land application or evaporation.

c. If *30 TAC Chapter 213, Subchapter A* applies, attach **either**: 1) a Geologic Assessment (if conducted in accordance with *30 TAC § 213.5*) **or** 2) a report that contains the following:

Item 1. Edwards Aquifer (Instructions, Page 73)

If **no**, proceed to Item 2. If **yes**, complete Items 1.b **and** 1.c.

b. Check the box next to the subchapter applicable to the facility.

30 TAC Chapter 213, Subchapter A

30 TAC Chapter 213, Subchapter B

No

Yes

a. Is the facility subject to 30 TAC Chapter 213, Edwards Aquifer Rules?

| A description of the surface geological units within the proposed land applicati and wastewater pond area. | on site |
|--|---------|
| • The location and extent of any sensitive recharge features in the land application and wastewater pond area | n site |
| A list of any proposed BMPs to protect the recharge features. | |
| Attachment: Click to enter text. | |
| Item 2. Surface Spray/Irrigation (Instructions, Page 73) | |
| a. Provide the following information on the irrigation operations: | |
| Area under irrigation (acres): Click to enter text. | |
| Design application rate (acre-ft/acre/yr): Click to enter text. | |
| Design application frequency (hours/day): Click to enter text. | |
| Design application frequency (days/week): Click to enter text. | |
| Design total nitrogen loading rate (lbs nitrogen/acre/year): Click to enter text. | |
| Average slope of the application area (percent): Click to enter text. | |
| Maximum slope of the application area (percent): Click to enter text. | |
| Irrigation efficiency (percent): Click to enter text. | |
| Effluent conductivity (mmhos/cm): Click to enter text. | |
| Soil conductivity (mmhos/cm): Click to enter text. | |
| Curve number: Click to enter text. | |

Describe the application method and equipment: Click to enter text.

b. Attach a detailed engineering report which includes a water balance, storage volume calculations, and a nitrogen balance. **Attachment:** Click to enter text.

Item 3. Evaporation Ponds (Instructions, Page 74)

- a. Daily average effluent flow into ponds: Click to enter text. gallons per day
- b. Attach a separate engineering report of evaporation calculations for average long-term and worst-case critical conditions. **Attachment:** Click to enter text.

Item 4. Evapotranspiration Beds (Instructions, Page 74)

a. Provide the following information on the evapotranspiration beds:

Number of beds: Click to enter text.

Area of bed(s) (acres): Click to enter text.

Depth of bed(s) (feet): Click to enter text.

Void ratio of soil in the beds: Click to enter text.

Storage volume within the beds (include units): Click to enter text.

Description of any lining to protect groundwater: Click to enter text.

- b. Attach a certification by a licensed Texas professional engineer that the liner meets TCEQ requirements. **Attachment:** Click to enter text.
- c. Attach a separate engineering report with water balance, storage volume calculations, and description of the liner. **Attachment:** <u>Click to enter text.</u>

Item 5. Overland Flow (Instructions, Page 74)

a. Provide the following information on the overland flow:

Area used for application (acres): Click to enter text.

Slopes for application area (percent): Click to enter text.

Design application rate (gpm/foot of slope width): Click to enter text.

Slope length (feet): Click to enter text.

Design BOD5 loading rate (lbs BOD5/acre/day): Click to enter text.

Design application frequency (hours/day): Click to enter text.

Design application frequency (days/week): Click to enter text.

b. Attach a separate engineering report with the method of application and design requirements according to *30 TAC § 217.212*. **Attachment:** Click to enter text.

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 3.2: SUBSURFACE IRRIGATION (NON-DRIP)

This worksheet **is required** for all applications for a permit to disposal of wastewater by subsurface land application.

Check the box to confirm the Class V Injection Well Inventory/Authorization Form (Worksheet 9.0) has been submitted to the TCEQ UIC Permits Team as directed.

Item 1. Edwards Aquifer (Instructions, Page 75)

a. The subsurface system is/will be located on the Edwards Aquifer Recharge Zone, as mapped by TCEQ?

□ Yes □ No

b. The subsurface system is/will be located on the Edwards Aquifer Transition Zone, as mapped by TCEQ?

□ Yes □ No

If **yes** to Item 1.a **or** 1.b, the subsurface system may be prohibited by *30 TAC § 213.8*. Contact the Water Quality Assessment Section at (512) 239-4671 for a preapplication meeting.

Item 2. Subsurface Application (Instructions, Page 75)

- a. Check the box next to the type of subsurface land disposal system requested:
 - ☐ Conventional drainfield, beds, or trenches
 - ☐ Low pressure dosing
 - □ Other: <u>Click to enter text.</u>
- b. Provide the following information on the irrigation operations:

Application area (acres): Click to enter text.

Area of drainfield (square feet): Click to enter text.

Application rate (gal/square ft/day): Click to enter text.

Depth to groundwater (feet): Click to enter text.

Area of trench (square feet): Click to enter text.

Dosing duration per area (hours): Click to enter text.

Number of beds: Click to enter text.

Dosing amount per area (inches/day): Click to enter text.

Soil infiltration rate (inches/hour): Click to enter text.

Storage volume (gallons): <u>Click to enter text.</u>

Area of bed(s) (square feet): Click to enter text.

Soil classification: <u>Click to enter text.</u>

c. Attach a separate engineering report using *30 TAC § 309.20, Subchapter C, Land Disposal of Sewage Effluent* as guidance, excluding items b(3)(A) and b(3)(B). Include a description of the schedule of dosing basin rotation. **Attachment:** Click to enter text.

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 3.3: SUBSURFACE AREA DRIP DISPERSAL SYSTEMS

| | his worksheet is required for all applications for a permit to dispose of wastewater using a bsurface area drip dispersal system (SADDS). |
|----|---|
| | Check the box to confirm the Class V Injection Well Inventory/Authorization Form (Worksheet 9.0) has been submitted to the TCEQ UIC Permits Team as directed. |
| It | em 1. Edwards Aquifer (Instructions, Page 76) |
| a. | The subsurface system is/will be located on the Edwards Aquifer Recharge Zone, as mapped by TCEQ? |
| | □ Yes □ No |
| b. | The subsurface system is/will be located on the Edwards Aquifer Transition Zone, as mapped by TCEQ? |
| | □ Yes □ No |
| | yes to Item 1.a or 1.b, the subsurface system may be prohibited by 30 TAC § 213.8. Contact e Water Quality Assessment Section at (512) 239-4671 for a preapplication meeting. |
| It | em 2. Administrative Information (Instructions, Page 76) |
| a. | Provide the legal name of all corporations or other business entities managed, owned, or otherwise closely related to the owner of the treatment facility: Click to enter text. |
| b. | The owner of the land where the WWTF is/will be located is the same as the owner of the WWTF. |
| | □ Yes □ No |
| | If no , provide the legal name of all corporations or other business entities managed, owned, or otherwise closely related to the owner of the land where the WWTF is/will be located: <u>Click to enter text.</u> |
| c. | Provide the legal name of the owner of the SADDS: <u>Click to enter text.</u> |
| d. | The owner of the SADDS is the same as the owner of the WWTF or the site where the WWTF is/will be located. |
| | □ Yes □ No |
| | If no , identify the legal name of all corporations or other business entities managed, owned, or otherwise closely related to the entity identified in Item 1.c: <u>Click to enter text.</u> |

e. Provide the legal name of the owner of the land where the SADDS is located: Click to enter

text.

| I. | WWTF, the site where the WWTF is located, or the owner of the SADDS. |
|----|--|
| | □ Yes □ No |
| | If no , provide the legal name of all corporations or other business entities managed, owned or otherwise closely related to the entity identified in item 1.e: <u>Click to enter text.</u> |
| It | em 3. SADDS (Instructions, Page 77) |
| a. | Check the box next to the type SADDS requested by this application: |
| | □ Subsurface drip/trickle irrigation |
| | □ Surface drip irrigation |
| | □ Other: <u>Click to enter text.</u> |
| b. | Attach a description of the SADDS proposed/used by the facility (see instructions for guidance). Attachment: Click to enter text. |
| c. | Provide the following information on the SADDS: |
| | Application area (acres): Click to enter text. |
| | Soil infiltration rate (inches/hour): Click to enter text. |
| | Average slope of the application area: <u>Click to enter text.</u> |
| | Maximum slope of the application area: <u>Click to enter text.</u> |
| | Storage volume (gallons): <u>Click to enter text.</u> |
| | Major soil series: <u>Click to enter text.</u> |
| | Depth to groundwater (feet): <u>Click to enter text.</u> |
| | Effluent conductivity (mmhos/cm): <u>Click to enter text.</u> |
| d. | The facility is/will be located west of the boundary shown in 30 TAC § 222.83 and using a vegetative cover of non-native grasses over seeded with cool-season grasses. |
| | □ Yes □ No |
| | If yes , the facility may propose a hydraulic application rate up to, but not to exceed, 0.1 gal/ft ² /day. |
| e. | The facility is/will be located east of the boundary shown in <i>30 TAC § 222.83</i> or is the facility proposing any crop other than non-native grasses. |
| | □ Yes □ No |
| | If yes , the facility must use the formula in <i>30 TAC § 222.83</i> to calculate the maximum hydraulic application rate. |
| f. | The facility has or plans to submit an alternative method to calculate the hydraulic application rate for approval by the ED. |
| | □ Yes □ No |

| | Hydraulic application rate (gal/square foot/day): <u>Click to enter text.</u> Nitrogen application rate (gal/square foot/day): <u>Click to enter text.</u> |
|----|--|
| σ | Provide the following dosing information: |
| g. | Number of doses per day: <u>Click to enter text.</u> |
| | Dosing duration per area (hours): <u>Click to enter text.</u> |
| | |
| | Rest period between doses (hours): <u>Click to enter text.</u> |
| | Dosing amount per area (inches/day): <u>Click to enter text.</u> |
| | Number of zones: <u>Click to enter text.</u> |
| h. | The system is/will be a surface drip irrigation system using existing native vegetation as a crop? |
| | □ Yes □ No |
| | If yes , attach the following information: |
| | • A vegetation survey by a certified arborist describing the percent canopy cover and relative percentage of major overstory and understory plant species. |
| | Attachment: Click to enter text. |
| | • Attach a separate engineering report using 30 TAC § 309.20, Subchapter C, Land Disposal of Sewage Effluent as guidance, excluding items b(3)(A) and b(3)(B). Include a description of the schedule of dosing basin rotation. |
| | Attachment: Click to enter text. |
| It | em 4. Required Plans (Instructions, Page 78) |
| a. | Attach a Soil Evaluation with all information required in <i>30 TAC § 222.73</i> . Attachment: Click to enter text. |
| b. | Attach a Site Preparation Plan with all information required in <i>30 TAC § 222.75</i> . Attachment: Click to enter text. |
| c. | Attach a Recharge Feature Plan with all information required in <i>30 TAC § 222.79</i> . Attachment: Click to enter text. |
| d. | Provide soil sampling and testing with all information required in <i>30 TAC § 222.157</i> . Attachment: Click to enter text. |
| It | em 5. Flood and Run-On Protection (Instructions, Page 79) |
| a. | Is the existing/proposed SADDS located within the 100-year frequency flood level? ☐ Yes ☐ No Source: Click to enter text. If yes, describe how the site will be protected from inundation: Click to enter text. |
| | |

If **yes**, provide the following information on the hydraulic application rates:

| b. | Is the existing/proposed SADDS within a designated floodway? |
|----|---|
| | □ Yes □ No |
| | If yes , attach either the FEMA flood map or alternate information used to make this determination. Attachment: Click to enter text. |
| It | em 6. Surface Waters in The State (Instructions, Page 79) |
| a. | Attach a buffer map which shows the appropriate buffers on surface waters in the state, water wells, and springs/seeps. Attachment: Click to enter text. |
| b. | The facility has or plans to request a buffer variance from water wells or waters in the state? |
| | □ Yes □ No |
| | yes, attach the additional information required in 30 TAC § 222.81(c). Attachment: Click to ter text. |

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 4.0: RECEIVING WATERS

This worksheet is required for all TPDES permit applications.

Item 1. Domestic Drinking Water Supply (Instructions, Page 80)

| a. | There is a surface water intake for domestic drinking water supply located within 5 (five) miles downstream from the point/proposed point of discharge. Yes No |
|------|--|
| | If no , stop here and proceed to Item 2. If yes , provide the following information: |
| | 1. The legal name of the owner of the drinking water supply intake: <u>Click to enter text.</u> |
| | 2. The distance and direction from the outfall to the drinking water supply intake: Click to enter text. |
| b. | Locate and identify the intake on the USGS 7.5-minute topographic map provided for Administrative Report 1.0. |
| | \square Check this box to confirm the above requested information is provided. |
| It | em 2. Discharge Into Tidally Influenced Waters (Instructions, Page 80) |
| | the discharge is to tidally influenced waters, complete this section. Otherwise, proceed to em 3. |
| a. | Width of the receiving water at the outfall: $\underline{N/A}$ feet |
| b. | Are there oyster reefs in the vicinity of the discharge? |
| | □ Yes ⊠ No |
| | If yes , provide the distance and direction from the outfall(s) to the oyster reefs: N/A |
| c. | Are there sea grasses within the vicinity of the point of discharge? ☐ Yes ☑ No |
| | If yes , provide the distance and direction from the outfall(s) to the grasses: N/A |
| It | em 3. Classified Segment (Instructions, Page 80) |
| | ne discharge is/will be directly into (or within 300 feet of) a classified segment. □ Yes ☑ No |
| If v | yes , stop here and do not complete Items 4 and 5 of this worksheet or Worksheet 4.1. |
| | no , complete Items 4 and 5 and Worksheet 4.1 may be required. |

Item 4. Description of Immediate Receiving Waters (Instructions, Page 80)

| | | (Instructions, Page 80) |
|----|-------------|--|
| a. | Name | e of the immediate receiving waters: <u>Unnamed ditch parallel to FM 521 Road</u> |
| b. | Chec | k the appropriate description of the immediate receiving waters: |
| | | ake or Pond |
| | • | Surface area (acres): Click to enter text. |
| | • | Average depth of the entire water body (feet): Click to enter text. |
| | • | Average depth of water body within a 500-foot radius of the discharge point (feet): Click to enter text. |
| | | Man-Made Channel or Ditch |
| | | Stream or Creek |
| | | Freshwater Swamp or Marsh |
| | | Tidal Stream, Bayou, or Marsh |
| | | Open Bay |
| | | Other, specify: |
| | | Tade Channel or Ditch or Stream or Creek were selected above, provide responses to 2 – 4.g below: |
| c. | | xisting discharges, check the description below that best characterizes the area ream of the discharge. |
| | | ew discharges , check the description below that best characterizes the area astream of the discharge. |
| | \boxtimes | Intermittent (dry for at least one week during most years) |
| | | Intermittent with Perennial Pools (enduring pools containing habitat to maintain aquatic life uses) |
| | | Perennial (normally flowing) |
| | | k the source(s) of the information used to characterize the area upstream (existing arge) or downstream (new discharge): |
| | | USGS flow records |
| | \boxtimes | personal observation |
| | | historical observation by adjacent landowner(s) |
| | | other, specify: Click to enter text. |
| d. | | he names of all perennial streams that join the receiving water within three miles stream of the discharge point: <u>Mustang Bayou</u> |
| e. | | eceiving water characteristics change within three miles downstream of the discharge natural or man-made dams, ponds, reservoirs, etc.). Yes \square No |

| | If y | es, describe how: Click to enter text. | | | | | |
|----|-------------|---|-------------|---|--|--|--|
| f. | | eneral observations of the water body during normal dry weather conditions: Clear and dry ate and time of observation: $8/26/2025$ 11:05 AM | | | | | |
| g. | į | The water body was influenced by stormwater runoff during observations. ☐ Yes ☐ No If yes , describe how: Click to enter text. | | | | | |
| It | em | 5. General Characteristics of Page 81) | Wa | ater Body (Instructions, | | | |
| a. | | ne receiving water upstream of the existing ouenced by any of the following (check all tha | | | | | |
| | | oil field activities | \boxtimes | urban runoff | | | |
| | | agricultural runoff | | septic tanks | | | |
| | | upstream discharges | | other, specify: <u>Click to enter text.</u> | | | |
| b. | Use | s of water body observed or evidence of suc | h us | es (check all that apply): | | | |
| | | livestock watering | \boxtimes | industrial water supply | | | |
| | | non-contact recreation | | irrigation withdrawal | | | |
| | | domestic water supply | | navigation | | | |
| | | contact recreation | | picnic/park activities | | | |
| | | fishing | | other, specify: <u>Click to enter text.</u> | | | |
| c. | | cription which best describes the aesthetics a (check only one): | of t | ne receiving water and the surrounding | | | |
| | | Wilderness: outstanding natural beauty; us clarity exceptional | ually | wooded or un-pastured area: water | | | |
| | | Natural Area: trees or native vegetation confields, pastures, dwellings); water clarity d | | | | | |
| | | Common Setting: not offensive, developed turbid | but | uncluttered; water may be colored or | | | |
| | | Offensive: stream does not enhance aesthe areas; water discolored | etics; | cluttered; highly developed; dumping | | | |
| | | | | | | | |

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 4.1: WATERBODY PHYSICAL CHARACTERISTICS

The following information **is required** for new applications, EPA-designated Major facilities, and major amendment applications requesting to add an outfall if the receiving waters are perennial or intermittent with perennial pools (including impoundments) for a TDPES permit.

Complete the transects downstream of the existing or proposed discharges.

Item 1. Data Collection (Instructions, Page 82)

| a. | Date of study: <u>Click to enter text.</u> Time of study: <u>Click to enter text.</u> |
|----|--|
| | Waterbody name: Click to enter text. |
| | General location: Click to enter text. |
| b. | Type of stream upstream of an existing discharge or downstream of a proposed discharge (check only one): |
| | \square perennial \square intermittent with perennial pools \square impoundment |
| c. | No. of defined stream bends: |
| | Well: <u>Click to enter text.</u> Moderately: <u>Click to enter text.</u> Poorly: <u>Click to enter text.</u> |
| d. | No. of riffles: <u>Click to enter text.</u> |
| e. | Evidence of flow fluctuations (check one): |
| | □ Minor □ Moderate □ Severe |
| f. | Provide the observed stream uses and where there is evidence of channel obstructions/modifications: Click to enter text. |

g. Complete the following table with information regarding the transect measurements.

Stream Transect Data

| Transect Location | Habitat Type* | Water Surface Width (ft) | Stream Depths (ft)** | | | | |
|----------------------|------------------|--------------------------------|----------------------------|--|--|--|--|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

^{*} riffle, run, glide, or pool

^{**} channel bed to water surface

Item 2. Summarize Measurements (Instructions, Page 83)

Provide the following information regarding the transect measurements:

Streambed slope of entire reach (from USGS map in ft. /ft.): Click to enter text.

Approximate drainage area above the most downstream transect from USGS map or county highway map (square miles): <u>Click to enter text.</u>

Length of stream evaluated (ft): Click to enter text.

Number of lateral transects made: Click to enter text.

Average stream width (ft): Click to enter text.

Average stream depth (ft): Click to enter text.

Average stream velocity (ft/sec): Click to enter text.

Instantaneous stream flow (ft³/sec): Click to enter text.

Indicate flow measurement method (VERY IMPORTANT - type of meter, floating chip timed

over a fixed distance, etc.): Click to enter text.

Flow fluctuations (i.e., minor, moderate, or severe): Click to enter text.

Size of pools (i.e., large, small, moderate, or none): Click to enter text.

Maximum pool depth (ft): Click to enter text.

Total number of stream bends: Click to enter text.

Number well defined: Click to enter text.

Number moderately defined: Click to enter text.

Number poorly defined: Click to enter text.

Total number of riffles: Click to enter text.

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 5.0: SEWAGE SLUDGE MANAGEMENT AND DISPOSAL

The following information **is required** for all TPDES permit applications that meet the conditions as outlined in Technical Report 1.0, Item 7.

Item 1. Sewage Sludge Solids Management Plan (Instructions, Page 84)

| a. | Is | this | a new pe | rmit | application or an amendment permit application? |
|------|-----|-------|-----------------------|--------|---|
| | | | Yes | | No |
| b. | Do | es o | r will the | facil | ity discharge in the Lake Houston watershed? |
| | | | Yes | | No |
| If y | | to e | ither Iten | n 1.a | or 1.b, attach a solids management plan. Attachment: Click to enter |
| It | en | ı 2. | Sewa Page | _ | Sludge Management and Disposal (Instructions |
| a. | | | the box r (check a | | to the sludge disposal method(s) authorized under the facility's existin apply). |
| | | Pe | rmitted l | andf | ill |
| | | Ma | arketing a | and c | listribution by the permittee, attach Form TCEQ-00551 |
| | | Re | gistered | land | application site, attach Form TCEQ-00565 |
| | | Pro | ocessed l | y th | e permittee, attach Form TCEQ-00744 |
| | | Su | rface dis | posa | l site (sludge monofill), attach Form TCEQ-00744 |
| | | Tr | ansporte | d to | another WWTP |
| | | Be | neficial la | and a | application, attach Form TCEQ-10451 |
| | | Inc | cineratio | n, att | ach Form TCEQ-00744 |
| | dir | ecte | | | on(s) made above, complete and attach the required TCEQ forms as ubmit the required TCEQ form will result in delays in processing the |
| | At | tach | ment: <u>Cl</u> | ick to | enter text. |
| b. | Pro | ovide | e the follo | owin | g information for each disposal site: |
| | Dis | spos | al site na | me: | Click to enter text. |
| | TC | EQ F | Permit/Re | egisti | ration Number: Click to enter text. |
| | Co | unty | where d | lispo | sal site is located: Click to enter text. |

| C. | Method of sewage sludge transportation: □ truck □ train □ pipe □ other: Click to enter text. TCEQ Hauler Registration Number: Click to enter text. |
|------------------|---|
| d. | Sludge is transported as a: □ liquid □ semi-liquid □ semi-solid □ solid |
| e. | Purpose of land application: \square reclamation \square soil conditioning \square N/A |
| f. | If sewage sludge is transported to another WWTP for treatment, attach a written statement or copy of contractual agreements confirming that the WWTP identified above will accept and be responsible for the sludge from this facility for the life of the permit (at least 5 years). |
| | Attachment: Click to enter text. |
| Ito | em 3. Authorization for Sewage Sludge Disposal (Instructions, Page 85) |
| slu | this is a new or major amendment application which requests authorization of a new sewage disposal method, check the new sewage disposal method(s) requested for authorization leck all that apply): |
| | ☐ Marketing and distribution by the permittee, attach Form TCEQ-00551 |
| | □ Processed by the permittee, attach Form TCEQ-00744 |
| | □ Surface disposal site (sludge monofill), attach Form TCEQ-00744 |
| | ☐ Beneficial land application, attach Form TCEQ-10451 |
| | ☐ Incineration, attach Form TCEQ-00744 |
| dir | sed on the selection(s) made above, complete and attach any required TCEQ forms, as ected. Failure to submit the required TCEQ form will result in delays in processing the plication. |
| | Attachment: Click to enter text. |
| in for det | OTE: New authorization for beneficial land application, incineration, processing, or disposal the TPDES permit or TLAP requires a major amendment to the permit . New authorization composting may require a major amendment to the permit. See the instructions to termine if a major amendment is required or if authorization for composting can be added rough the renewal process. |

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 6.0: INDUSTRIAL WASTE CONTRIBUTION

The following information **is required** for all applications for publicly-owned treatment works (POTWs).

For an explanation of the terms used in this worksheet, refer to the General Definitions on pages 4-12 and the Definitions Relating to Pretreatment on pages 13-14 of the Instructions.

Item 1. All POTWs (Instructions, Page 86)

a. Complete the following table with the number of each type of industrial users (IUs) that discharge to the POTW and the daily average flows from each.

Industrial User Information

| Type of Industrial User | Number of Industrial Users | Daily Average Flow (gallons per da |
|--|----------------------------------|--|
| CIU | | |
| SIU - Non-categorical | | |
| Other IU | | |
| □ Yes □ No | nas the POTW experienced treat | - |
| possible source(s) of eac caused the interference: | | ne names of the IU(s) that may have |
| ☐ Yes ☐ No | ias the 101W experienced pass | tinough: |
| probable cause(s) and po | | through the treatment plant, and arough event. Include the names of to enter text. |
| d. Does the POTW have, or Yes No | is it required to develop, an ap | proved pretreatment program? |
| If yes , answer all question | ons in Item 2 and skip Item 3. | |
| If no , skip Item 2 and an | swer all questions in Item 3 for | r each SIU and CIU. |

Item 2. POTWs With Approved Pretreatment Programs or Those Required To Develop A Pretreatment Program (Instructions, Page 86)

| a. | Have there been any substantial modifications to the POTW's approved pretreatment |
|----|--|
| | program that have not been submitted to the Approval Authority (TCEQ) for approval |
| | according to 40 CFR § 403.18? |
| | □ Yes □ No |

| | If yes , include an attachment which identifies all substantial modifications that have not been submitted to the TCEQ and the purpose of the modifications. | | | | | | |
|----|---|-----------------------|---------------|-------------------|-----------------------|--|--|
| | Attachment: Click to enter | r text. | | | | | |
| b. | Have there been any non-sprogram that have not been | | | | _ | | |
| | □ Yes □ No | | | | | | |
| | If yes , include an attachm not been submitted to the | | | | cations that have | | |
| | Attachment: Click to ente | r text. | | | | | |
| c. | List all parameters measur last three years: | red above the MAL i | n the POTW | 's effluent mor | nitoring during the | | |
| | fluent Parameters Measured A | | T | | 1= | | |
| P | ollutant | Concentration | MAL | Units | Date | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | Attachment: Click to ente | r text. | | | 1 | | |
| d. | Has any SIU, CIU, or other | IU caused or contri | | | ns (excluding | | |
| | interference or pass-throu | gn) at the POTW in | the past thi | ee years? | | | |
| | ☐ Yes ☐ No | | | | | | |
| | If yes , provide a description problems, and probable per may have caused or contributions. | ollutants. Include th | ie name(s) o | f the SIU(s)/CIU | J(s)/other IU(s) that | | |
| It | tem 3. Significant Industrial User and Categorical Industrial User Information (Instructions, Pages 88-87) | | | | | | |
| DC | OTWs that do not have an a | · | - | | | | |
| | llowing information for eac | | int program | are required (| o provide the | | |
| a. | Mr. or Ms.: Click to enter t | ext. First/Last Name | e: Click to e | nter text. | | | |
| | Organization Name: Click | to enter text. SI | C Code: Clic | ck to enter text | _ | | |
| | Phone number: Click to en | ter text. Er | nail address | s: Click to enter | text. | | |
| | Physical Address: Click to | enter text. | ity/State/ZI | P Code: Click to | enter text. | | |
| | Attachment: Click to ente | r text. | | | | | |
| b. | Describe the industrial pro CIU(s) discharge (e.g., prod | | | | | | |

| Effluent Type | | scharge Day allons per day) | Discharge F (Continuous | requency s, batch, or intermitte |
|------------------------------|-------------------------------------|---|----------------------------|--|
| Process Wastew | ater | | | |
| Non-process Wa | stewater | | | |
| Pretreatment | Standards | | | |
| 1. Is the SIU of instruction | | o technology-based lo | ocal limits as defin | ed in the application |
| □ Yes | □ No | | | |
| 2. Is the SIU | subject to categ | orical pretreatment s | tandards? | |
| □ Yes | □ No | | | |
| | e the category a etreatment Star | nd subcategory or su ndards table. | bcategories in the | SIUs Subject To |
| Us Subject to Ca | tegorical Pretrea | | | |
| Category in 10 CFR | Subcategory in 40 CFR | Subcategory in 40 CFR | Subcategory in 40 CFR | Subcategory in 40 CFR |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | contributed to any prockages) at the POTW | | |
| □ Yes | □ No | | | |
| If was provide | | of each episode, inclu | | on, description of U(s)/CIU(s) that may |

c. Provide a description of the principal products(s) or service(s) performed: Click to enter

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 7.0: STORMWATER DISCHARGES ASSOCIATED WITH INDUSTRIAL ACTIVITIES

This worksheet **is required** for all TPDES permit applications requesting individual permit coverage for discharges consisting of **either**: 1) solely of stormwater discharges associated with industrial activities, as defined in 40 CFR § 122.26(b)(14)(i-xi), **or** 2) stormwater discharges associated with industrial activities and any of the listed allowable non-stormwater discharges, as defined in the MSGP (TXR05000), Part II, Section A, Item 6.

Discharges of stormwater as defined in 40 CFR § 122.26 (b)(13) are not required to obtain authorization under a TPDES permit (see exceptions at 40 CFR §§ 122.26(a)(1) and (9)). Authorization for discharge may be required from a local municipal separate storm sewer system.

Item 1. Applicability (Instructions, Page 89)

Do discharges from any of the existing/proposed outfalls consist either 1) solely of stormwater discharges associated with industrial activities **or** 2) stormwater discharges associated with industrial activities and any of the allowable non-stormwater discharges?

□ Yes ⊠ No

If **no**, stop here. If **yes**, proceed as directed.

Item 2. Stormwater Coverage (Instructions, Page 89)

List each existing/proposed stormwater outfall at the facility and indicate which type of authorization covers or is proposed to cover discharges.

Authorization Coverage

| Outfall | Authorization under MSGP | Authorized Under Individual Permit |
|---------|--------------------------|------------------------------------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

If **all** existing/proposed outfalls which discharge stormwater associated with industrial activities (and any of the allowable non-stormwater discharges) are **authorized under the MSGP**, **stop** here.

If **seeking authorization** for any outfalls which discharge stormwater associated with industrial activities (and any of the allowable non-stormwater discharges) **under an individual permit, proceed**.

NOTE: The following information is required for each existing/proposed stormwater outfall for which the facility is seeking individual permit authorization under this application

Item 3. Site Map (Instructions, Page 90)

Attach a site map or maps (drawn to scale) of the entire facility with the following information.

- the location of each stormwater outfall to be covered by the permit
- an outline of the drainage area that is within the facility's boundary and that contributes stormwater to each outfall to be covered by the permit
- connections or discharge points to municipal separate storm sewer systems
- locations of all structures (e.g. buildings, garages, storage tanks)
- structural control devices that are designed to reduce pollution in discharges of stormwater associated with industrial activities
- process wastewater treatment units (including ponds)
- bag house and other air treatment units exposed to stormwater (stormwater runoff, snow melt runoff, and surface runoff and drainage)
- landfills; scrapyards; surface water bodies (including wetlands)
- vehicle and equipment maintenance areas
- physical features of the site that may influence discharges of stormwater associated with industrial activities or contribute a dry weather flow
- locations where spills or leaks of reportable quality (as defined in 30 TAC § 327.4) have occurred during the three years before this application was submitted to obtain coverage under an individual permit
- processing areas, storage areas, material loading/unloading areas, and other locations where significant materials are exposed to stormwater (stormwater runoff, snow melt runoff, and surface runoff and drainage)

| Check the b | ox to confirm | all above | e information | was prov | ided on t | the facility | site map(s) |
|-------------|---------------|-----------|---------------|----------|-----------|--------------|-------------|
| | 01. 1 | | | | | | |

Attachment: Click to enter text.

Item 4. Facility/Site Information (Instructions, Page 90)

a. Provide the area of impervious surface and the total area drained by each stormwater outfall requested for authorization by this permit application.

Impervious Surfaces

| Outfall | Area of Impervious Surface (include units) | Total Area Drained (include units) |
|---------|--|------------------------------------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

b. Provide the following local area rainfall information and the source of the information.

Wettest month: Click to enter text.

Average rainfall for wettest month (total inches): Click to enter text.

25-year, 24-hour rainfall (inches): Click to enter text.

Source: Click to enter text.

- c. Attach an inventory, or list, of materials currently handled at the facility that may be exposed to precipitation. **Attachment:** <u>Click to enter text.</u>
- d. Attach narrative descriptions of the industrial processes and activities involving the materials in the above-listed inventory that occur outdoors or in some manner that may result in exposure of the materials to precipitation or runoff (see instructions for guidance). **Attachment:** Click to enter text.
- e. Describe any BMPs and controls the facility uses/proposes to prevent or effectively reduce pollution in stormwater discharges from the facility: <u>Click to enter text.</u>

Item 5. Pollutant Analysis (Instructions, Page 91)

- a. Provide the date range of all sampling events conducted to obtain the analytical data submitted with this application (e.g., 05/01/2018-05/30/2018): Click to enter text.
- b. \square Check the box to confirm all samples were collected no more than 12 months prior to the date of application submittal.
- c. Complete Table 17 as directed on page 92 of the Instructions.

Table 17 for Outfall No.: Click to enter text.

| Pollutant | Grab Sample* Maximum (mg/L) | Composite Sample** Maximum (mg/L) | Grab Sample* Average (mg/L) | Composite Sample** Average (mg/L) | Number of Storm Events Sampled | MAL (mg/L) |
|------------------------|--------------------------------------|--|--------------------------------------|--|---|---------------|
| pH (standard units) | (max) | _ | (min) | _ | | _ |
| Total suspended solids | | | | | | _ |
| Chemical oxygen demand | | | | | | _ |
| Total organic carbon | | | | | | _ |
| Oil and grease | | | | | | _ |
| Arsenic, total | | | | | | 0.0005 |
| Barium, total | | | | | | 0.003 |
| Cadmium, total | | | | | | 0.001 |
| Chromium, total | | | | | | 0.003 |
| Chromium, trivalent | | | | | | _ |
| Chromium, hexavalent | | | | | | 0.003 |
| Copper, total | | | | | | 0.002 |

| Pollutant | Grab Sample* Maximum (mg/L) | Composite Sample** Maximum (mg/L) | Grab Sample* Average (mg/L) | Composite Sample** Average (mg/L) | Number of Storm Events Sampled | MAL (mg/L) |
|-----------------|--------------------------------------|--|--------------------------------------|--|---|---------------|
| Lead, total | | | | | | 0.0005 |
| Mercury, total | | | | | | 0.000005 |
| Nickel, total | | | | | | 0.002 |
| Selenium, total | | | | | | 0.005 |
| Silver, total | | | | | | 0.0005 |
| Zinc, total | | | | | | 0.005 |

^{*} Taken during first 30 minutes of storm event

d. Complete Table 18 as directed on pages 92-94 of the Instructions.

Table 18 for Outfall No.: Click to enter text.

| Pollutant | Grab Sample* Maximum (mg/L) | Composite Sample** Maximum (mg/L) | Grab Sample* Average (mg/L) | Composite Sample** Average (mg/L) | Number of Storm Events Sampled |
|-----------|--------------------------------------|--|--------------------------------------|--|---|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

^{*} Taken during first 30 minutes of storm event

Attachment: Click to enter text.

^{**} Flow-weighted composite sample

^{**} Flow-weighted composite sample

Item 6. Storm Event Data (Instructions, Page 93)

Provide the following data for the storm event(s) which resulted in the maximum values for the analytical data submitted:

Date of storm event: Click to enter text.

Duration of storm event (minutes): Click to enter text.

Total rainfall during storm event (inches): Click to enter text.

Number of hours the between beginning of the storm measured and the end of the previous measurable storm event (hours): Click to enter text.

Maximum flow rate during rain event (gallons/minute): Click to enter text.

Total stormwater flow from rain event (gallons): Click to enter text.

Provide a description of the method of flow measurement or estimate:

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 8.0: AQUACULTURE

This worksheet **is required** for all TPDES permit applications requesting individual permit coverage for discharges of aquaculture wastewater.

Item 1. Facility/Site Information (Instructions, Page 94)

a. Complete the following table with information regarding production ponds, raceways, and fabricated tanks at the facility.

Production Pond Descriptions

| Number of Ponds | Dimensions (include units) | Area of Each Pond (include units) | Number of Ponds x Area of Ponds (include Units) |
|--------------------|-------------------------------|-----------------------------------|---|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Total surface area of all ponds: Click to enter text.

Raceway Descriptions

| Number of Raceways | Dimensions (include units) |
|--------------------|----------------------------|
| | |
| | |
| | |
| | |
| | |
| | |

Fabricated Tank Descriptions

| Number of Tanks | Dimensions (include units) |
|-----------------|----------------------------|
| | |
| | |
| | |
| | |
| | |
| | |

| Yes | b. | Does the facility have a | TPWD-approved e | mergency plan? | | |
|--|----------|--|---------------------------|--------------------|----------------|----------------|
| Attachment: Click to enter text. Does the facility have an aquatic plant transplant authorization? Yes No If yes, attach a copy of the authorization letter. Attachment: Click to enter text. Provide the number of aquaculture facilities located within 25-miles of this facility: Click to enter text. Item 2. Species Identification (Instructions, Page 95) Complete the following table regarding each species raised, source, origin, and disease status of the stock. Identify and attach copies of any current relevant authorizations or permits that authorize the species. Stock Species Information Species Source of Stock Origin of Stock Disease Status Authorizations Attachment: Click to enter text. Item 3. Stock Management Plan (Instructions, Page 95) | | □ Yes □ No | 0 | | | |
| C. Does the facility have an aquatic plant transplant authorization? ☐ Yes ☐ No If yes, attach a copy of the authorization letter. Attachment: Click to enter text. d. Provide the number of aquaculture facilities located within 25-miles of this facility: Click to enter text. Item 2. Species Identification (Instructions, Page 95) Complete the following table regarding each species raised, source, origin, and disease status of the stock. Identify and attach copies of any current relevant authorizations or permits that authorize the species. Stock Species Information Species Source of Stock Origin of Stock Disease Status Authorizations Attachment: Click to enter text. Item 3. Stock Management Plan (Instructions, Page 95) | | If yes , attach a copy of | the approved plan | | | |
| If yes, attach a copy of the authorization letter. Attachment: Click to enter text. d. Provide the number of aquaculture facilities located within 25-miles of this facility: Click to enter text. Item 2. Species Identification (Instructions, Page 95) Complete the following table regarding each species raised, source, origin, and disease status of the stock. Identify and attach copies of any current relevant authorizations or permits that authorize the species. Stock Species Information Species Source of Stock Origin of Stock Disease Status Authorizations Attachment: Click to enter text. Item 3. Stock Management Plan (Instructions, Page 95) | | Attachment: Click to en | nter text. | | | |
| If yes, attach a copy of the authorization letter. Attachment: Click to enter text. d. Provide the number of aquaculture facilities located within 25-miles of this facility: Click to enter text. Item 2. Species Identification (Instructions, Page 95) Complete the following table regarding each species raised, source, origin, and disease status of the stock. Identify and attach copies of any current relevant authorizations or permits that authorize the species. Stock Species Information Species Source of Stock Origin of Stock Disease Status Authorizations Attachment: Click to enter text. Item 3. Stock Management Plan (Instructions, Page 95) | c. | Does the facility have a | n aquatic plant tra | nsplant authorizat | ion? | |
| Attachment: Click to enter text. d. Provide the number of aquaculture facilities located within 25-miles of this facility: Click to enter text. Item 2. Species Identification (Instructions, Page 95) Complete the following table regarding each species raised, source, origin, and disease status of the stock. Identify and attach copies of any current relevant authorizations or permits that authorize the species. Stock Species Information Species Source of Stock Origin of Stock Disease Status Authorizations Attachment: Click to enter text. Item 3. Stock Management Plan (Instructions, Page 95) | | □ Yes □ No | 0 | | | |
| d. Provide the number of aquaculture facilities located within 25-miles of this facility: Click to enter text. Item 2. Species Identification (Instructions, Page 95) Complete the following table regarding each species raised, source, origin, and disease status of the stock. Identify and attach copies of any current relevant authorizations or permits that authorize the species. Stock Species Information Species Source of Stock Origin of Stock Disease Status Authorizations Attachment: Click to enter text. Item 3. Stock Management Plan (Instructions, Page 95) | | If yes , attach a copy of | the authorization | letter. | | |
| Item 2. Species Identification (Instructions, Page 95) Complete the following table regarding each species raised, source, origin, and disease status of the stock. Identify and attach copies of any current relevant authorizations or permits that authorize the species. Stock Species Information Species Source of Stock Origin of Stock Disease Status Authorizations Attachment: Click to enter text. Item 3. Stock Management Plan (Instructions, Page 95) | | Attachment: Click to en | nter text. | | | |
| Complete the following table regarding each species raised, source, origin, and disease status of the stock. Identify and attach copies of any current relevant authorizations or permits that authorize the species. Stock Species Information Species Source of Stock Origin of Stock Disease Status Authorizations Attachment: Click to enter text. Item 3. Stock Management Plan (Instructions, Page 95) | d. | • | | | | |
| of the stock. Identify and attach copies of any current relevant authorizations or permits that authorize the species. Stock Species Information Species Source of Stock Origin of Stock Disease Status Authorizations Attachment: Click to enter text. Item 3. Stock Management Plan (Instructions, Page 95) | It | em 2. Species Id | entification | (Instructions | s, Page 95) | |
| Attachment: Click to enter text. Item 3. Stock Management Plan (Instructions, Page 95) | of au | the stock. Identify and a thorize the species. | | | | |
| Item 3. Stock Management Plan (Instructions, Page 95) | S | pecies | Source of Stock | Origin of Stock | Disease Status | Authorizations |
| Item 3. Stock Management Plan (Instructions, Page 95) | | | | | | |
| Item 3. Stock Management Plan (Instructions, Page 95) | | | | | | |
| Item 3. Stock Management Plan (Instructions, Page 95) | | | | | | |
| Item 3. Stock Management Plan (Instructions, Page 95) | | | | | | |
| Item 3. Stock Management Plan (Instructions, Page 95) | | | | | | |
| | | Attachment: Click to en | nter text. | , | , | , |
| Attach a datailed stack management plan. Click to enter text | It | em 3. Stock Man | agement Pla | n (Instructio | ns, Page 95) | |
| Attach a detailed stock management plan: <u>Click to enter text.</u> | At | tach a detailed stock ma | nagement plan: <u>Cli</u> | ick to enter text. | | |

Item 4. Water Treatment and Discharge Description (Instructions, Page 96)

Attach a detailed description of the discharge practices and water treatment process(es): <u>Click</u> to enter text.

Item 5. Solid Waste Management (Instructions, Page 96)

Attach a description of the solid waste-disposal practices: Click to enter text.

Item 6. Site Assessment Report (Instructions, Page 96)

All new and expanding commercial shrimp facilities located/to be located within the coastal zone must attach a detailed site assessment report which identifies sensitive aquatic habitats within the coastal zone: Click to enter text.

WORKSHEET 9.0

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

CLASS V INJECTION WELL INVENTORY/AUTHORIZATION FORM

Submit the completed form to:

TCEQ IUC Permits Team Radioactive Materials Division MC-233 PO Box 13087 Austin, Texas 78711-3087 512-239-6466

| For TCEQ Use Only | |
|-------------------|--|
| Reg. No | |
| Date Received | |
| Date Authorized | |

Item 1. General Information (Instructions Page 99)

| 1. | TCFO | Program | Area |
|----|-------------|----------------|--------|
| | LCLQ | I I USI UIII | 7 M Cu |

Program Area (PST, VCP, IHW, etc.): Click to enter text.

Program ID: Click to enter text.

Contact Name: <u>Click to enter text.</u>
Phone Number: Click to enter text.

2. Agent/Consultant Contact Information

Contact Name: Click to enter text.

Address: Click to enter text.

City, State, and Zip Code: Click to enter text.

Phone Number: Click to enter text.

3. Owner/Operator Contact Information

□ Owner □ Operator

Owner/Operator Name: Click to enter text.

Contact Name: Click to enter text.

Address: Click to enter text.

City, State, and Zip Code: Click to enter text.

Phone Number: Click to enter text.

4. Facility Contact Information

Facility Name: Click to enter text.

Address: Click to enter text.

City, State, and Zip Code: Click to enter text.

Location description (if no address is available): Click to enter text.

Facility Contact Person: Click to enter text.

Phone Number: <u>Click to enter text.</u>

| | Latitu | de: Click | to enter tex | <u>t.</u> | | |
|-------|--------|-------------------|-----------------------|-------------------------------------|------------|-----------------|
| | Longi | tude: <u>Clic</u> | k to enter te | ext. | | |
| | Metho | od of dete | ermination (0 | GPS, TOPO, etc.): Click to enter te | ext. | |
| | Attac | h topogra | phic quadra | ngle map as attachment A. | | |
| 6. | Well I | nformati | on | | | |
| | Type | of Well Co | onstruction, | select one: | | |
| | | □ Ver | tical Injectio | n | | |
| | | □ Sub | surface Flui | d Distribution System | | |
| | | □ Infil | ltration Gall | ery | | |
| | | □ Ten | nporary Inje | ction Points | | |
| | | Oth | er, Specify: | Click to enter text. | | |
| | Numb | er of Inje | ection Wells: | Click to enter text. | | |
| 7. | Purpo | se | | | | |
| | Detail | ed Descri | iption regard | ding purpose of Injection System | : | |
| | | n a Site M | ap as Attach | nment B (Attach the Approved Re | emediation | n Plan, if |
| 0 | | _ | llow/Imatella | _ | | |
| 0. | | | ller/Installe | Name: Click to enter text. | | |
| | | | | Click to enter text. | | |
| | _ | | : Click to en | | | |
| | Licens | se Numbe | er: <u>Click to e</u> | nter text. | | |
| Itom | 12 1 | Dronos | ad Dow | n Hole Design | | |
| | | _ | | ed by a licensed engineer as Atta | chmont C | |
| | | | | eu by a neemseu engineer as Atta | CIIIIEII C | • |
| Nam | | esign Tab Size | Setting | Sacks Cement/Grout - Slurry | Hole | Weight (lbs/ft) |
| Strin | | 2.2.0 | Depth | Volume - Top of Center | Size | PVC/Steel |
| Casir | ng | | | | | |
| Tubi | ng | | | | | |

Screen

5. Latitude and Longitude, in degrees-minutes-seconds

Item 3. Proposed Trench System, Subsurface Fluid Distribution **System, or Infiltration Gallery**

Attach a diagram signed and sealed by a licensed engineer as Attachment D.

System(s) Dimensions: Click to enter text. System(s) Construction: Click to enter text.

Ite

| en | 1 4. Site Hydrogeological and Injection Zone Data |
|----|---|
| 1. | Name of Contaminated Aquifer: <u>Click to enter text.</u> |
| 2. | Receiving Formation Name of Injection Zone: Click to enter text. |
| 3. | Well/Trench Total Depth: Click to enter text. |
| 4. | Surface Elevation: Click to enter text. |
| 5. | Depth to Ground Water: <u>Click to enter text.</u> |
| 6. | Injection Zone Depth: Click to enter text. |
| 7. | Injection Zone vertically isolated geologically? ☐ Yes ☐ No Impervious Strata between Injection Zone and nearest Underground Source of Drinking Water: Name: Click to enter text. Thickness: Click to enter text. |
| 8. | Attach a list of contaminants and the levels (ppm) in contaminated aquifer as Attachment E. |
| 9. | Attach the Horizontal and Vertical extent of contamination and injection plume as Attachment F. |
| 10 | . Attach Formation (Injection Zone) Water Chemistry (Background levels) TDS, etc., as Attachment G. |
| 11 | Injection Fluid Chemistry in PPM at point of injection. Attach as Attachment H. |
| 12 | Lowest Known Depth of Ground Water with < 10,000 PPM TDS: Click to enter text. |
| 13 | .Maximum injection Rate/Volume/Pressure: Click to enter text. |
| 14 | . Water wells within 1/4 mile radius (attach map as Attachment I): Click to enter text. |
| 15 | . Injection wells within 1/4 mile radius (attach map as Attachment J): Click to enter text. |
| 16 | . Monitor wells within 1/4 mile radius (attach drillers logs and map as Attachment K): Click to enter text. |
| 17 | . Sampling frequency: Click to enter text. |

18. Known hazardous components in injection fluid: Click to enter text.

Item 5. Site History

- 1. Type of Facility: Click to enter text.
- 2. Contamination Dates: Click to enter text.
- 3. Original Contamination (VOCs, TPH, BTEX, etc.) and Concentrations. Attach as Attachment L.
- 4. Previous Remediation. Attach results of any previous remediation as Attachment M.

NOTE: Authorization Form should be completed in detail and authorization given by the TCEQ before construction, operation, and/or conversion can begin. Attach additional pages as necessary.

Item 6. CLASS V INJECTION WELL DESIGNATIONS

- 5A07 Heat Pump/AC return (IW used for groundwater to heat or cool buildings)
- 5A19 Industrial Cooling Water Return Flow (IW used to cool industrial process equipment)
- 5B22 Salt Water Intrusion Barrier (IW used to inject fluids to prevent the intrusion of salt water into an aquifer)
- 5D02 Stormwater Drainage (IW designed for the disposal of rain water)
- 5D04 Industrial Stormwater Drainage Wells (IW designed for the disposal of rain water associated with industrial facilities)
- 5F01 Agricultural Drainage (IW that receive agricultural runoff)
- 5R21 Aquifer Recharge (IW used to inject fluids to recharge an aquifer)
- 5S23 Subsidence Control Wells (IW used to control land subsidence caused by groundwater withdrawal)
- 5W09 Untreated Sewage
- 5W10 Large Capacity Cesspools (Cesspools that are designed for 5,000 gpd or greater)
- 5W11 Large Capacity Septic systems (Septic systems designed for 5,000 gpd or greater)
- 5W12 WTTP disposal
- 5W20 Industrial Process Waste-disposal Wells
- 5W31 Septic System (Well Disposal method)
- 5W32 Septic System Drainfield Disposal
- 5X13 Mine Backfill (IW used to control subsidence, dispose of mining byproducts, or fill sections of a mine)
- 5X25 Experimental Wells (Pilot Test) (IW used to test new technologies or tracer dye studies)
- 5X26 Aguifer Remediation (IW used to clean up, treat, or prevent contamination of a USDW)
- 5X27 Other Wells
- 5X28 Motor Vehicle Waste-disposal Wells (IW used to dispose of waste from a motor vehicle site These are currently banned)
- 5X29 Abandoned Drinking Water Wells (waste disposal)

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 10.0: QUARRIES IN THE JOHN GRAVES SCENIC RIVERWAY

This worksheet **is required** for all applications for individual permits for a municipal solid waste facility or mining facility located within a Water Quality Protection Area in the John Graves Scenic Riverway. **Note: Review 30 TAC §§ 311.71-311.82 thoroughly prior to completing any portion of this worksheet.**

| CO | mpie | eung a | any p | ortion | or this | works | neet. | | | | | | | | | | |
|-----|--------|-------------|--------|----------|-----------|-----------|-------------------------------|-------|--------|-------|----------|--------|--------|-------------|--------|---------|----|
| Ite | em | 1. | Exc | clusi | ons (| Instr | uctio | ns, | Pag | ge 1 | (00) | | | | | | |
| a. | Is th | nis a r | nunic | cipal so | olid was | te facil | ity? | | | | | | | | | | |
| | | Yes | | No | | | | | | | | | | | | | |
| b. | | | | | | | ince Jan l under t | | | | | | satior | n of | opera | ation f | or |
| | | Yes | | No | | | | | | | | | | | | | |
| c. | Is th | nis a c | coal n | nine? | | | | | | | | | | | | | |
| | | Yes | | No | | | | | | | | | | | | | |
| d. | Is th | nis fac | cility | mining | g clay ar | ıd/or s | hale for | use i | in ma | anufa | cturii | ng str | uctur | ral c | lay pr | oduct | s? |
| | | Yes | | No | | | | | | | | | | | | | |
| | | | | | | | e . The fa facility | | | | | | | | ument | tation, | as |
| Ite | em | 2. I | Loca | ation | of th | ıe Qı | ıarry | (In | strı | ucti | ons | , Pa | ge] | 10 | 1) | | |
| Ch | eck t | he bo | x nex | kt to th | ne dista | ace bet | ween th | e qua | arry a | and t | he nea | arest | navig | gable | e wate | r body | y: |
| | | < 200 | 0 feet | | 200 fee | et - 1,50 | 00 feet | | 1,50 | 0 fee | et - 1 i | mile | | > | 1 mile | e | |
| pre | ohibi | ited w | vithin | 200 fe | | ny wate | of any ner body l | | | | | | | | | | |
| Ite | em | 3. A | Add | itior | nal Re | quir | emen | its (| Ins | tru | ctio | ns, | Pag | je 1 | 101) | | |
| the | e faci | lity b | ased | | tance be | | ermine the qua | | | | | | | | | | 0 |

a. Attach a Restoration Plan: Click to enter text.

b. Amount of Financial Assurance for Restoration: \$\(\frac{\text{Click to enter text.}}{\text{Click to enter text.}} \)

Mechanism: Click to enter text.

c. Attach a Technical Demonstration: <u>Click to enter text.</u>

d. Attach a Reclamation Plan: Click to enter text.

e. Amount of Financial Assurance for Reclamation: \$ Click to enter text.

Mechanism: Click to enter text.

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 11.0: COOLING WATER SYSTEM INFORMATION

This worksheet is required for all TPDES permit applications that meet the conditions outlined in Technical Report 1.0, Item 12.

Item 1. Cooling Water System Data (Instructions, Page 104)

a. Complete the following table with information regarding the cooling water system.

Cooling Water System Data

| Parameter | Volume (include units) |
|------------------------|------------------------|
| Total DIF | |
| Total AIF | |
| Intake Flow Use(s) (%) | |
| Contact cooling | |
| Non-contact cooling | |
| Process Wastewater | |
| Other | |

b. Attach the following information:

- 1. A narrative description of the design and annual operation of the facility's cooling water system and its relationship to the CWIS(s).
- 2. A scaled map depicting the location of each CWIS, impoundment, intake pipe, and canals, pipes, or waterways used to convey cooling water to, or within, the cooling water system. Provide the latitude and longitude for each CWIS and any intake pipe(s) on the map. Indicate the position of the intake pipe within the water column.
- 3. A description of water reuse activities, if applicable, reductions in total water withdrawals, if applicable, and the proportion of the source waterbody withdrawn (on a monthly basis).
- 4. Design and engineering calculations prepared by a qualified professional and data to support the information provided in above item a.
- 5. Previous year (a minimum of 12 months) of AIF data.
- 6. A narrative description of existing or proposed impingement and entrainment technologies or operation measures and a summary of their performance, including, but not limited to, reductions in impingement mortality and entrainment due to intake location and reductions in total water withdrawals and usage.

Attachment: Click to enter text.

Item 2. Cooling Water Intake Structure(s) Data (Instructions, Page 105)

a. Complete the following table with information regarding each cooling water intake structure (this includes primary and make-up CWIS(s)).

Cooling Water Intake Structure(s) Data

| CWIS ID | | |
|-----------------------------|--|--|
| DIF (include units) | | |
| AIF (include units) | | |
| Intake Flow Use(s) (%) | | |
| Contact cooling | | |
| Non-contact cooling | | |
| Process Wastewater | | |
| Other | | |
| Latitude (decimal degrees) | | |
| Longitude (decimal degrees) | | |

- b. Attach the following information regarding the CWIS(s):
 - 1. A narrative description of the configuration of each CWIS, annual and daily operation, including any seasonal changes, and where it is located in the water body and in the water column.
 - 2. Engineering calculations for each CWIS.

Attachment: Click to enter text.

Item 3. Source Water Physical Data (Instructions, Page 105)

a. Complete the following table with information regarding the CWIS(s) source waterbody (this includes primary and make-up CWIS(s)).

Source Waterbody Data

| CWIS ID | | |
|------------------|--|--|
| Source Waterbody | | |
| Mean Annual Flow | | |
| Source | | |

- b. Attach the following information regarding the source waterbody.
 - 1. A narrative description of the source water for each CWIS, including areal dimensions, depths, salinity and temperature regimes, and other documentation that supports this determination of the water body type where each cooling water intake structure is located.

- 2. A narrative description of the source waterbody's hydrological and geomorphological features.
- 3. Scaled drawings showing the physical configuration of all source water bodies used by the facility, including the source waterbody's hydrological and geomorphological features. **NOTE:** The source waterbody's hydrological and geomorphological features may be included on the map submitted for item 1.b.ii of this worksheet.
- 4. A description of the methods used to conduct any physical studies to determine the intake's area of influence within the waterbody and the results of such studies.

Attachment: Click to enter text.

a.

b.

Item 4. Operational Status (Instructions, Page 106)

| | in operational status (motivications, ruge roo) |
|------|--|
| Is | this application for a power production or steam generation facility? |
| | □ Yes □ No |
| If 1 | no , proceed to Item 4.b. If yes , provide the following information as an attachment: |
| 1. | Describe the operating status of each individual unit, including age, capacity utilization rate (or equivalent) for the previous five years (a minimum of 60 months), and any seasonal changes in operation. |
| 2. | Describe any extended or unusual outages or other factors which significantly affect current data for flow, impingement, entrainment. |
| 3. | Identify any operating unit with a capacity utilization rate of less than 8 percent averaged over a contiguous period of two years (a minimum of 24 months). |
| 4. | Describe any major upgrades completed within the last 15 years, including but not limited to boiler replacement, condenser replacement, turbine replacement, or changes of fuel type. |
| At | tachment: Click to enter text. |
| Pro | ocess Units |
| 1. | Is this application for a facility which has process units that use cooling water (other than for power production or steam generation)? |
| | □ Yes □ No |
| | If no , proceed to Item 4.c. If yes , continue. |
| 2. | Does the facility use or intend to use reductions in flow or changes in operations to meet the requirements of $40\ CFR\ \S\ 125.94(c)$? |
| | □ Yes □ No |
| | If no , proceed to Item 4.c. If yes , attach descriptions of the following information: |
| | Individual production processes and product lines |
| | The operating status, including age of each line and seasonal operation |
| | Any extended or unusual outages that significantly affect current data for flow, impingement, entrainment, or other factors |
| | |

| | Any major upgrades completed within the last 15 years and plans or schedules for decommissioning or replacement of process units or production processes and product lines. |
|----|--|
| | Attachment: Click to enter text. |
| c. | Is this an application for a nuclear power production facility? |
| | □ Yes □ No |
| | If no , proceed to Item 4.d. If yes , attach a description of completed, approved, or scheduled upgrades and the Nuclear Regulatory Commission relicensing status for each unit at the facility. |
| | Attachment: Click to enter text. |
| d. | Is this an application for a manufacturing facility? |
| | □ Yes □ No |
| | If no , proceed to Worksheet 11.1. If yes , attach descriptions of current and future production schedules and any plans or schedules for any new units planned within the next five years (a minimum of 60 mos) |
| | Attachment: Click to enter text |

INDUSTRIAL WASTEWATER PERMIT APPLICATION **WORKSHEET 11.1: IMPINGEMENT MORTALITY**

This worksheet is required for all TPDES permit applications that meet the conditions outlined in Technical Report 1.0, Item 12. Complete one copy of this worksheet for each individual CWIS the facility uses or proposes to use.

CWIS ID: Click to enter text.

Item 1. Impingement Compliance Technology Selection (Instructions, Page 107)

Check the box next to the method of compliance for the Impingement Mortality Standard

selected by the facility. Closed-cycle recirculating system(CCRS) [40 CFR § 125.94(c)(1)] 0.5 ft/s Through-Screen Design Velocity [40 CFR § 125.94(c)(2)] - Proceed to Worksheet 11.2 0.5 ft/s Through Screen Actual Velocity [40 CFR § 125.94(c)(3)] Existing offshore velocity cap [40 CFR § 125.94(c)(4)] - Proceed to Worksheet 11.2 Modified traveling screens [40 CFR § 125.94(c)(5)] System of technologies [$40 \ CFR \ \S \ 125.94(c)(6)$] Impingement mortality performance standard [40 CFR § 125.94(c)(7)] De minimis rate of impingement [40 CFR § 125.94(c)(11)] Low capacity utilization power-generation facilities [40 CFR § 125.94(c)(12)] If 0.5 ft/s Through-Screen Design Velocity [40 CFR § 125.94(c)(2)] or existing offshore velocity cap [40 CFR § 125.94(c)(4)] was selected, proceed to Worksheet 11.2. Otherwise, continue to Item 2.

Item 2. Impingement Compliance Technology Information (Instructions, Page 107)

Complete the following sections based on the selection made for item 1 above.

| | - |
|----|---|
| a. | CCRS [40 CFR § 125.94(c)(1)] |
| | Check this box to confirm the CWS meets the definition of CCRS located at 40 CFR § $125.91(c)$ and provide a response to the following questions. |
| | 1. Does the facility use or propose to use a CWIS to replenish water losses to the CWS? |
| | □ Yes □ No |
| | If no , proceed to item a.2. If yes , provide the following information as an attachment and continue. |
| | • CWIS ID |

- CWIS ID
- 12 months of intake flow data for any CWIS used for make-up intake flows to replenish cooling water losses, excluding intakes for losses due to blowdown, drift, or evaporation.

| • A narrative description of any physical or operational measures taken to minimize make-up withdraws. |
|--|
| Attachment: Click to enter text. |
| NOTE: Do not complete a separate Worksheet 11.1 for a make-up CWIS. |

2. Does the facility use or propose to use cooling towers?

□ Yes □ No

If **no**, proceed to Worksheet 11.2. If **yes**, provide the following information and proceed to Worksheet 11.2.

• Average number of cycles of concentration (COCs) prior to blowdown:

Average COCs Prior to Blowdown

| Cooling Tower ID | | |
|------------------|--|--|
| COCs | | |

- Attach COC monitoring data for each cooling tower from the previous year (a minimum of 12 months): <u>Click to enter text.</u>
- Maximum number of COCs each cooling tower can accomplish based on design of the system.

Calculated COCs Prior to Blowdown

| Cooling Tower ID | | |
|------------------|--|--|
| COCs | | |

- Describe conditions that may limit the number of COCs prior to blowdown, if any, including but not limited to permit conditions: <u>Click to enter text.</u>
- b. 0.5 ft/s Through Screen Actual Velocity [40 CFR § 125.94(c)(3)]

Provide daily intake flow measurement monitoring data from the previous year (a minimum of 12 months) as an attachment and proceed to Worksheet 11.2.

Attachment: Click to enter text.

c. Modified traveling screens [40 CFR § 125.94(c)(5)]

Provide the following information as an attachment and proceed to Worksheet 11.2.

- 1. A description of the modified traveling screens and associated equipment.
- 2. A site-specific impingement technology performance optimization study that includes a narrative description of the biological data collection methods
- 3. Biological sampling data from the previous two years (a minimum of 24 months).

Attachment: Click to enter text.

d. System of technologies [$40 \ CFR \ \S \ 125.94(c)(6)$] or impingement mortality performance standard [$40 \ CFR \ \S \ 125.94(c)(7)$]

Provide the following information as an attachment and proceed to Worksheet 11.2.

1. A description of the system of technologies used or proposed for use by the facility to

achieve compliance with the impingement mortality standard.

- 2. A site-specific impingement technology performance optimization study that includes a narrative description of the biological data collection methods.
- 3. Biological sampling data from the previous two years (a minimum of 24 months).

Attachment: Click to enter text.

e. De minimis rate of impingement [40 CFR § 125.94(c)(11)]

Provide the following information and proceed to Worksheet 11.2.

1. Attach monitoring data from the previous year (a minimum of 12 months) of intake flow measured at a frequency of 1/day on days of operation.

Attachment: Click to enter text.

2. If the rate of impingement caused by the CWIS is extremely low (at an organism or ageone equivalent count), attach supplemental information to Worksheet 11.0, item 1.b.6. to support this determination.

Attachment: Click to enter text.

f. Low capacity utilization power-generation facilities [40 CFR § 125.94(c)(12)]

Attach monthly utilization data from the previous 2 years (a minimum of 24 months) for each operating unit and proceed to Worksheet 11.2.

Attachment: Click to enter text.

INDUSTRIAL WASTEWATER PERMIT APPLICATION **WORKSHEET 11.2: SOURCE WATER BIOLOGICAL DATA**

This worksheet is required for all TPDES permit applications that meet the conditions outlined in Technical Report 1.0, Item 12. Complete one copy of this worksheet for each source waterbody of a CWIS for which a facility has selected an Impingement Mortality Technology Option described at 40 CFR §§ 125.94(c)(1)-(7).

Name of source waterbody: Click to enter text.

| Item 1. | Species | Management | (Instructions, | Page | 109) |
|---------|---------|-------------------|----------------|-------------|------|
| | | | | | |

| a. | The facility has obtained an incidental take permit for its cooling water intake structure(s) from the USFWS or the NMFS. |
|----|---|
| | □ Yes □ No |
| | If yes, attach any information submitted in order to obtain that permit, which may be used to supplement the permit application information requirements of paragraph $40\ CFR\ S$ $125.95(f)$. |
| | Attachment: Click to enter text. |
| b. | Is the facility requesting a waiver from application requirements at 40 CFR § $122.21(r)(4)$ in accordance with 40 CFR § 125.95 for any CWIS(s) that withdraw from a man-made reservoir that is stocked and managed by a state or federal natural resources agency or the equivalent? |
| | □ Yes □ No |
| | If yes , attach a copy of the most recent managed fisheries report to TPWD, or equivalent. |
| | Attachment: Click to enter text. |
| c. | There are no federally listed threatened or endangered species or critical habitat designations within the source water body. |
| | □ True □ False |
| It | em 2. Source Water Biological Data (Instructions, Page 109) |
| Ne | ew Facilities (Phase I. Track I and II) |

New Facilities (Phase I, Track I and II)

• Provide responses to all items in this section and stop.

Existing Facilities (Phase II)

- If the answer to 1.b. above was **no**, provide responses to all items in this section and proceed to Worksheet 11.3.
- If the answer to **1.b.** was **yes** and **1.c.** was **true**, do not complete any items in this section and proceed to Worksheet 11.3.
- If the answer to **1.b.** was **yes** and **1.c.** was **false**, attach a response for any item in this section that is not contained within the most recent TPWD, or equivalent and proceed to Worksheet 11.3.

Attachment: Click to enter text.

- a. A list of the data requested at *40 CFR § 122.21(r)(4)(ii)* through *(vi)* that are not available, and efforts made to identify sources of the data.
- b. Provide a list of species (or relevant taxa) in the vicinity of the CWIS and identify the following information regarding each species listed.
 - all life stages and their relative abundance,
 - identification of all species and life stages that would be most susceptible to impingement and entrainment,
 - forage base,
 - significance to commercial fisheries,
 - significance to recreational fisheries,
 - primary period of reproduction,
 - larval recruitment, and
 - period of peak abundance for relevant taxa.
- c. Data representative of the seasonal and daily activities (e.g., feeding and water column migration) of biological organisms in the vicinity of the CWIS(s).
- d. Identify all threatened, endangered, and other protected species that might be susceptible to impingement and entrainment at the CWIS(s).
- e. Documentation of any public participation or consultation with federal or state agencies undertaken.

The following is required for existing facilities only. Include the following information with the above listed attachment.

- f. Identify any protective measures and stabilization activities that have been implemented and provide a description of how these measures and activities affected the baseline water condition in the vicinity of the intake.
- g. A list of fragile species, as defined at *40 CFR § 125.92(m)*, at the facility. The applicant need only identify those species not already identified as fragile at *40 CFR § 125.92(m)*.

NOTE: New units at an existing facility are not required to resubmit this information if the cooling water withdrawals for the operation of the new unit are from an existing intake.

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 11.3: ENTRAINMENT

This worksheet **is required** for all TPDES permit applications that **meet the conditions outlined in Technical Report 1.0, Item 12**. Complete one copy of this worksheet for **each** individual CWIS the facility uses or proposes to use.

CWIS ID: Click to enter text.

Item 1. Applicability (Instructions, Page 111)

Is the AIF of the CWIS identified above greater than, or equal to, 125 MGD?

- □ Yes □ No
- If **no** or the facility has selected **CCRS** [40 CFR § 125.94(c)(1)] for the impingement mortality compliance method, complete Item 2 and stop here.
- If **yes** and the facility is **seeking a waiver** from application requirements in accordance with *40 CFR § 125.95* for any CWIS(s) that withdraw from a man-made reservoir that is stocked and managed by a state or federal natural resources agency or the equivalent, complete item 2 and stop.
- If **yes** and the facility is **not seeking a waiver** from application requirements in accordance *with 40 CFR § 125.95*, complete item 2 and provide any required and completed studies listed in item 3. For any required studies in item 3 that are not complete, provide a detailed explanation for the delay and an anticipated schedule for completion and submittal.

Item 2. Existing Entrainment Performance Studies (Instructions, Page 111)

Attach any previously conducted studies or studies obtained from other facilities addressing technology efficacy, through-facility entrainment survival, and other entrainment studies.

Attachment: Click to enter text.

Item 3. Facility Entrainment Performance Studies (Instructions, Page 111)

- a. Attach an entrainment characterization study, as described at 40 CFR § 122.21(r)(9): Click to enter text.
- b. Attach a comprehensive feasibility study, as described as 40 CFR § 122.21(r)(10): Click to enter text.
- c. Attach a benefits valuation study, as described as 40 CFR § 122.21(r)(11): Click to enter text.
- d. Attach a non-water quality environmental and other impacts study, as described as *40 CFR* § 122.21(r)(12): Click to enter text.
- e. Attach a peer review analysis, as described as 40 CFR § 122.21(r)(13): Click to enter text.

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 12.0: OIL AND GAS EXPLORATION, DEVELOPMENT, AND PRODUCTION WASTEWATER DISCHARGES

This worksheet **is required** for all TPDES permit applications that are subject to Effluent Limitation Guidelines in 40 CFR Part 435.

Item 1. Operational Information (Instructions, Page 112)

| a. | Is the wastewater from an oil and gas exploration, development, or production facility located west of the 98th meridian? |
|-----|---|
| | □ Yes □ No |
| | If yes, continue to the next question. If no, skip to Item 2 relating to Production/Process Data. |
| b. | Provide justification for how the wastewater is/will be used for agriculture or wildlife propagation. |
| | Click to enter text. |
| | |
| Ite | em 2. Production/Process Data (Instructions, Page 112) |
| | em 2. Production/Process Data (Instructions, Page 112) Provide the applicable 40 CFR Part 435 Subpart(s). |
| | |
| a. | Provide the applicable 40 CFR Part 435 Subpart(s). |

| astestreams Generated | D (1 .3 1 1 | T7 1 | 0, 6 |
|--|---|-----------------|-----------------------|
| Wastestream | Requesting authorization to discharge? (Yes/No) | Volume (MGD) | % of Total Flow |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| not being sought. Click to enter text. | manage wastestreams for which d | ischarge auti | 10112a(101 |
| | | | |
| Attachment: Click to enter tex | | | |
| Attachment: Click to enter text. Attachment: Click to enter text. | | | |

f. List of chemicals that are in use, or will be used, downhole. Provide the category, concentration used/to be used, and purpose of using the chemical. Attach a safety data sheet for each chemical listed.

Chemicals List

| Category | Chemical Name | Concentration (include units) | Purpose |
|----------|---------------|-------------------------------|---------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Attachment: Click to enter text.

g. List of chemicals that are in use, or will be used, to treat the wastewater to be discharged under this authorization. Provide the concentration used/to be used and purpose of using the chemical. Attach a safety data sheet for each chemical listed.

Water Treatment Chemicals List

| Category | Chemical Name | Concentration (include units) | Purpose |
|----------|---------------|-------------------------------|---------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Attachment: Click to enter text.

Item 3. Pollutant Analysis (Instructions, Page 113)

Tables 1, 2, 6, and 7 located in Worksheet 2.0 are required. In addition, Table 19 below is required and must be completed for each outfall and submitted with this application. The remaining tables in Worksheet 2.0, are required as applicable.

- a. Provide the date range of all sampling events conducted to obtain the analytical data submitted with this application (e.g., 05/01/2018-05/30/2018): Click to enter text.
- b. \square Check the box to confirm all samples were collected no more than 12 months prior to the date of application submittal.
- c. Read the general testing requirements in the instructions for important information about sampling, test methods, and MALs. If a contact laboratory was used, attach a list which includes the name, contact information, and pollutants analyzed for each laboratory/firm. Attachment: Click to enter text.
- d. Attach correspondence from TCEQ approving submittal of less than the required number of samples, if applicable. **Attachment:** Click to enter text.

Table 19 for Outfall No.: Click to enter text. Samples are (check one): ☐ Composite ☐ Grab

| Pollutant | Sample 1 (mg/L)* | Sample 2 (mg/L)* | Sample 3 (mg/L)* | Sample 4 (mg/L)* |
|-----------|---------------------|---------------------|---------------------|---------------------|
| Calcium | | | | |
| Potassium | | | | |
| Sodium | | | | |

^{*}Indicate units if different from mg/L.



NALCO® 1720

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : NALCO® 1720

Other means of identification : Not applicable.

Recommended use : OXYGEN SCAVENGER

Restrictions on use : Refer to available product literature or ask your local Sales Representative for

restrictions on use and dose limits.

Company : Nalco Company

1601 W. Diehl Road

Naperville, Illinois 60563-1198

USA

TEL: (630) 305-1000

Emergency telephone

number

(800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 10/15/2024

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Corrosive to metals : Category 1
Acute toxicity (Oral) : Category 4
Serious eye damage : Category 1

GHS Label element

Hazard pictograms





Signal Word : Danger

Hazard Statements : May be corrosive to metals.

Harmful if swallowed.

Causes serious eye damage.

Precautionary Statements : Prevention:

Keep only in original container. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Wear eye protection/face protection.

Response:

IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Absorb spillage to

prevent material damage.

Storage:

Store in corrosive resistant container with a resistant inner liner.

Disposal:

NALCO® 1720

Dispose of contents/ container to an approved waste disposal plant.

Other hazards The head space of containers containing this product may accumulate Sulphur

Dioxide (SO2). SO2 is a toxic and irritating gas that can be hazardous if inhaled.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture Mixture

Chemical Name CAS-No. Concentration: (%)

Sodium Bisulfite 7631-90-5 10 - 30 Potassium Bisulfite 7773-03-7 1 - 5

Section: 4. FIRST AID MEASURES

Rinse immediately with plenty of water, also under the eyelids, for at least 15 In case of eye contact

minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Get medical attention immediately.

In case of skin contact : Wash off with soap and plenty of water. Get medical attention if symptoms

occur.

If swallowed Rinse mouth. Get medical attention if symptoms occur.

If inhaled Remove to fresh air. Treat symptomatically. Get medical attention if symptoms

occur.

Protection of first-aiders In event of emergency assess the danger before taking action. Do not put

yourself at risk of injury. If in doubt, contact emergency responders. Use

personal protective equipment as required.

Notes to physician Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing

media

None known.

Specific hazards during

firefighting

Heating or fire can release toxic gas.

May evolve oxides of sulfur (SOx) under fire conditions.

Hazardous combustion

products

Decomposition products may include the following materials: Carbon oxides

for firefighters

Special protective equipment: Use personal protective equipment.

NALCO® 1720

Specific extinguishing methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Flush away traces with water.

Section: 7. HANDLING AND STORAGE

Advice on safe handling

Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only with adequate ventilation. Containers should be opened cautiously and only in well ventilated areas.

Conditions for safe storage

Keep out of reach of children. Keep container tightly closed. Store in a well-ventilated place. Store in suitable labelled containers. Do not store at elevated temperature. Protect product from freezing.

Suitable material

The following compatibility data is suggested based on similar product data and/or industry experience: Compatibility with Plastic Materials can vary; we therefore recommend that compatibility is tested prior to use., HDPE (high density polyethylene), LLDPE, Nylon 11, Polypropylene, PTFE, PVC, UHMWPE, Nitrile, EPDM

Unsuitable material

The following compatibility data is suggested based on similar product data and/or industry experience: Unwelded Stainless Steel 316, Welded Stainless Steel 316, Brass, Mild steel, Stainless Steel 304, Kalrez, Fluoroelastomer, Neoprene, Epoxy phenolic resin, Shipping and long term storage compatibility with construction materials can vary; we therefore recommend that compatibility is tested prior to use.

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Exposure limits are listed for sulfur dioxide (SO2) since this product evolves SO2 when open to the atmosphere.

| Components | CAS-No. | | Permissible concentration | Basis |
|------------------|-----------|-----|---------------------------|-------|
| Sodium Bisulfite | 7631-90-5 | TWA | 5 mg/m3 | ACGIH |

NALCO® 1720

| | | TWA | 5 mg/m3 | NIOSH REL |
|----------------|-----------|------|-------------------|-----------|
| Sulfur Dioxide | 7446-09-5 | STEL | 0.25 ppm | ACGIH |
| | | TWA | 2 ppm 5 mg/m3 | NIOSH REL |
| | | STEL | 5 ppm 13 mg/m3 | NIOSH REL |
| | | TWA | 5 ppm 13 mg/m3 | OSHA Z1 |

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below

occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles

Face-shield

Hand protection : Wear impervious chemical-resistant gloves when handling this product.

The following glove types are recommended based on our review of glove

manufacturer information and/or other available sources. Nitrile-rubber, Butyl-Rubber and Neoprene gloves.

Other glove types may be used for short term, incidental contact if determined

by testing to provide adequate worker protection.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Wear suitable protective clothing.

Respiratory protection : Use local exhaust ventilation or other engineering controls as necessary to

control airborne vapour and mist.

Where concentrations in air may exceed the limits given in this section or when significant vapours are generated, use an approved air purifying respirator fitted

with a gas and vapour cartridge.

Use a particulate pre-filter where operations generate significant mists or

aerosols.

Recommended gas and vapour cartridge:

Multi-purpose combination filter

In event of emergency or planned entry into unknown concentrations, a positive pressure, full-facepiece SCBA or supplied-air respirator should be used.

If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove

and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

The Personal Protective Equipment (PPE) recommendations provided above have been made in good faith based on typical expected conditions of use. PPE selection should always be completed in conjunction with a proper risk assessment and in accordance with a PPE management program.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid

NALCO® 1720

Colour : clear

Odour : Pungent

Flash point : does not flash

pH : 3.5 - 4.1,(100 %), Method: ASTM E 70

Odour Threshold : no data available

Melting point/freezing point : Freezing Point: -11 °C, ASTM D-1177

Initial boiling point and boiling : 96 °C, (760 mm Hg), Method: ASTM D 86

range

Evaporation rate : no data available
Flammability (solid, gas) : Not applicable.
Upper explosion limit : no data available
Lower explosion limit : no data available
Vapour pressure : no data available

Relative vapour density : no data available

Relative density : 1.22 - 1.28, (15.6 °C),

Density : 10.1 - 10.7 lb/gal
Water solubility : completely soluble
Solubility in other solvents : no data available
Partition coefficient: n- : no data available

octanol/water

Auto-ignition temperature

: no data available

Thermal decomposition : no data available

Viscosity, dynamic : 5 mPa.s (15 °C), Method: ASTM D 2983

Viscosity, kinematic : no data available

Molecular weight : no data available

VOC : 0 %, EPA Method 24

Section: 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Evolves SO2 when open to atmosphere. The rate of SO2 evolution increases

with temperature and/or transfer of product.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : Keep away from heat and sources of ignition.

Freezing temperatures.

Incompatible materials : SO2 may react with vapors from neutralizing amines and may produce a visible

NALCO® 1720

cloud of amine salt particles.

Hazardous decomposition

products

Carbon oxides

In case of fire, hazardous decomposition products may be produced such as:

Carbon oxides

Section: 11. TOXICOLOGICAL INFORMATION

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes Causes serious eye damage.

Skin Health injuries are not known or expected under normal use.

Ingestion Harmful if swallowed.

Inhalation May release toxic, irritating and/or corrosive gases.

Chronic Exposure Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact Redness, Pain, Corrosion

Skin contact No symptoms known or expected.

Ingestion No information available.

Inhalation No symptoms known or expected.

Toxicity

Product

Acute toxicity estimate: 1,783 mg/kg Acute oral toxicity

no data available Acute inhalation toxicity

Acute dermal toxicity rabbit: > 3,000 mg/kg

Test substance: Similar Product

Acute toxicity estimate: > 5,000 mg/kg

Skin corrosion/irritation no data available Serious eye damage/eye

irritation

no data available

Respiratory or skin

sensitization

Result: Contains an ingredient that can cause asthmatic-like reactions in sulfite-

sensitive individuals.

Carcinogenicity no data available Reproductive effects no data available Germ cell mutagenicity no data available

NALCO® 1720

Teratogenicity : no data available
STOT - single exposure : no data available
STOT - repeated exposure : no data available
Aspiration toxicity : no data available

Section: 12. ECOLOGICAL INFORMATION

Toxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : LC50 Pimephales promelas (fathead minnow): 382 mg/l

Exposure time: 96 hrs Test substance: Product

LC50 Inland Silverside: > 5,000 mg/l

Exposure time: 96 hrs Test substance: Product

NOEC Pimephales promelas (fathead minnow): 250 mg/l

Exposure time: 96 hrs Test substance: Product

NOEC Inland Silverside: 5,000 mg/l

Exposure time: 96 hrs Test substance: Product

Toxicity to daphnia and other

aquatic invertebrates

: LC50 Daphnia magna (Water flea): 728 mg/l

Exposure time: 48 hrs Test substance: Product

LC50 Mysid Shrimp (Mysidopsis bahia): > 5,000 mg/l

Exposure time: 96 hrs Test substance: Product

NOEC Daphnia magna (Water flea): 250 mg/l

Exposure time: 48 hrs Test substance: Product

NOEC Mysid Shrimp (Mysidopsis bahia): 5,000 mg/l

Exposure time: 96 hrs Test substance: Product

EC50 Ceriodaphnia dubia: 491 mg/l

Exposure time: 48 hrs Test substance: Product

LC50 Ceriodaphnia dubia: 508 mg/l

Exposure time: 48 hrs
Test substance: Product

NALCO® 1720

NOEC Ceriodaphnia dubia: 313 mg/l

Exposure time: 48 hrs Test substance: Product

Persistence and degradability

Biodegradability : Result: Not applicable - inorganic

Greater than 95% of this product consists of inorganic substances for which a biodegradation value is not applicable.

Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air : <5% Water : 30 - 50% Soil : 50 - 70%

The portion in water is expected to be soluble or dispersible.

Bioaccumulative potential

The product will not bioaccumulate.

Other information

no data available

Section: 13. DISPOSAL CONSIDERATIONS

The information presented only applies to the material as supplied. The classification or waste code may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated at the time of disposal to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Disposal methods : Where possible recycling is preferred to disposal or

incineration. If recycling is not practicable, dispose of contents/container in accordance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

NALCO® 1720

The presence of an RQ component (Reportable Quantity for U.S. DOT) in this product causes it to be regulated with an additional description of RQ for road, or as Environmentally hazardous for road and air, ONLY when the net weight in the package exceeds the calculated RQ for the product.

Land transport (DOT)

Proper shipping name : BISULPHITES, AQUEOUS SOLUTION, N.O.S.

Technical name(s) : Sodium Bisulfite

UN/ID No. : UN 2693

Transport hazard class(es) : 8
Packing group : III

Reportable Quantity (per : 18,347 lbs

package)

RQ Component : Sodium Bisulfite

Air transport (IATA)

Proper shipping name : BISULPHITES, AQUEOUS SOLUTION, N.O.S.

Technical name(s) : Sodium Bisulfite

UN/ID No. : UN 2693

Transport hazard class(es) : 8
Packing group : III

Reportable Quantity (per : 18,347 lbs

package)

RQ Component : Sodium Bisulfite

Sea transport (IMDG/IMO)

Proper shipping name : BISULPHITES, AQUEOUS SOLUTION, N.O.S.

Technical name(s) : Sodium Bisulfite

UN/ID No. : UN 2693

Transport hazard class(es) : 8
Packing group : III

Section: 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification

requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|------------------|-----------|--------------------|-----------------------------|
| Sodium Bisulfite | 7631-90-5 | 5000 | 18347 |

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Corrosive to metals

Acute toxicity (any route of exposure) Serious eye damage or eye irritation

NALCO® 1720

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

California Prop. 65

This product may contain trace levels of substance(s) listed under the State of California Proposition 65 regulation.

INTERNATIONAL CHEMICAL CONTROL LAWS:

United States TSCA Inventory

On or in compliance with the active portion of the TSCA inventory

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS)

All substances in this product comply with the Australian Industrial Chemicals Introduction Scheme (AICIS)

Canadian Domestic Substances List (DSL)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

Japan. ENCS - Existing and New Chemical Substances Inventory

not determined

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand

All substances in this product comply with the Hazardous Substances and New Organisms (HSNO) Act 1996, and are listed on or are exempt from the New Zealand Inventory of Chemicals.

Korea. Korean Existing Chemicals Inventory (KECI)

On the inventory, or in compliance with the inventory.

Philippines Inventory of Chemicals and Chemical Substances (PICCS)

On the inventory, or in compliance with the inventory.

China Inventory of Existing Chemical Substances

On the inventory, or in compliance with the inventory.


Taiwan Chemical Substance Inventory

not determined

Section: 16. OTHER INFORMATION

NALCO® 1720

NFPA:



HMIS III:

| HEALTH | 3 |
|-----------------|---|
| FLAMMABILITY | 0 |
| PHYSICAL HAZARD | 0 |

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Revision Date : 10/15/2024

Version Number : 1.14

Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.ecolab.com/sds and request access.

NALCO Water

SAFETY DATA SHEET

Tri-ACT™ 1801

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Tri-ACT™ 1801

Other means of identification : Not applicable.

Recommended use : CORROSION INHIBITOR

Restrictions on use : Refer to available product literature or ask your local Sales Representative for

restrictions on use and dose limits.

Company : Nalco Company

1601 W. Diehl Road

Naperville, Illinois 60563-1198

USA

TEL: (630) 305-1000

Emergency telephone

number

(800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 02/22/2021

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids Category 4 Acute toxicity (Oral) Category 4 Acute toxicity (Dermal) : Category 4 Skin corrosion : Category 1 Serious eye damage : Category 1 Skin sensitization Category 1 Carcinogenicity Category 2 Reproductive toxicity Category 2

Specific target organ toxicity : Category 3 (Respiratory system)

- single exposure

GHS Label element

Hazard pictograms :







Signal Word : Danger

Hazard Statements : Combustible liquid

Harmful if swallowed or in contact with skin. Causes severe skin burns and eye damage.

May cause an allergic skin reaction. May cause respiratory irritation. Suspected of causing cancer.

Suspected of damaging fertility or the unborn child.

Precautionary Statements : Prevention:

Tri-ACT™ 1801

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

Storage:

Store in a well-ventilated place.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

| Chemical Name | CAS-No. | Concentration: (%) |
|-------------------------|-------------|--------------------|
| Monoethanolamine | 141-43-5 | 10 - 30 |
| Methoxypropylamine | 5332-73-0 | 10 - 30 |
| Cyclohexylamine | 108-91-8 | 5 - 10 |
| Modified amino compound | Proprietary | 1 - 5 |
| Hydrazine | 302-01-2 | 0.1 - 1 |

Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Wash clothing

before reuse. Thoroughly clean shoes before reuse. Get medical attention

immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by

mouth to an unconscious person. Get medical attention immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms

occur.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put

yourself at risk of injury. If in doubt, contact emergency responders. Use

personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and symptoms.

Tri-ACT™ 1801

Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media Foam

> Carbon dioxide Dry powder

Other extinguishing agent suitable for Class B fires

For large fires, use water spray or fog, thoroughly drenching the burning

material.

Unsuitable extinguishing

media

None known.

Specific hazards during

firefighting

Fire Hazard

Keep away from heat and sources of ignition. Flash back possible over considerable distance.

Hazardous combustion

products

Decomposition products may include the following materials: Carbon oxides

nitrogen oxides (NOx)

Special protective equipment:

for firefighters

Use personal protective equipment.

Specific extinguishing

methods

Use water spray to cool unopened containers. Fire residues and contaminated

fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a

waterway. Flush away traces with water.

Section: 7. HANDLING AND STORAGE

Advice on safe handling Take necessary action to avoid static electricity discharge (which might cause

> ignition of organic vapours). Do not ingest. Keep away from fire, sparks and heated surfaces. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only

with adequate ventilation.

Keep away from heat and sources of ignition. Keep in a cool, well-ventilated Conditions for safe storage

Tri-ACT™ 1801

place. Do not store near acids. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labelled

containers.

Suitable material : The following compatibility data is suggested based on similar product data

and/or industry experience: Stainless Steel 304, Stainless Steel 316L, Buna-N, EPDM, HDPE (high density polyethylene), Polypropylene (rigid), Polyethylene

(rigid)

The following compatibility data is suggested based on similar product data

and/or industry experience:

Unsuitable material : The following compatibility data is suggested based on similar product data

and/or industry experience: Brass, Neoprene, Polyurethane, Plasite 7122, Plasite 4300, CPVC (rigid), coated steel, Fluoroelastomer, Chlorosulfonated polyethylene rubberThe following compatibility data is suggested based on similar product data and/or industry experience: Compatibility with Plastic Materials can vary; we therefore recommend that compatibility is tested prior to

use.

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Form of exposure | Permissible concentration | Basis |
|--------------------|-----------|------------------|---------------------------|-----------|
| Monoethanolamine | 141-43-5 | TWA | 3 ppm | ACGIH |
| | | STEL | 6 ppm | ACGIH |
| | | TWA | 3 ppm 8 mg/m3 | NIOSH REL |
| | | STEL | 6 ppm 15 mg/m3 | NIOSH REL |
| | | TWA | 3 ppm 6 mg/m3 | OSHA Z1 |
| Methoxypropylamine | 5332-73-0 | TWA | 5 ppm | AIHA WEEL |
| | | STEL | 15 ppm | AIHA WEEL |
| Cyclohexylamine | 108-91-8 | TWA | 10 ppm | ACGIH |
| | | TWA | 10 ppm 40 mg/m3 | NIOSH REL |
| Hydrazine | 302-01-2 | TWA | 0.01 ppm | ACGIH |
| | | Ceiling | 0.03 ppm 0.04 mg/m3 | NIOSH REL |
| | | TWA | 1 ppm 1.3 mg/m3 | OSHA Z1 |

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below

occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles

Face-shield

Hand protection : Wear the following personal protective equipment:

Tri-ACT™ 1801

butyl-rubber

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety

goggles and protective clothing

Respiratory protection : Use local exhaust ventilation or other engineering controls as necessary to

control airborne mist and vapor.

Where concentrations in air may exceed the limits given in this section or when

significant mists, vapors, aerosols are generated, an approved air purifying

respirator equipped with suitable filter cartridges is recommended. Combined particulates, ammonia/amines and organic vapour type

If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove

and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

The Personal Protective Equipment (PPE) recommendations provided above have been made in good faith based on typical expected conditions of use. PPE selection should always be completed in conjunction with a proper risk assessment and in accordance with a PPE management program.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid

Colour : Pink Light yellow

Odour : amine-like

Flash point : 85 °C, Method: ASTM D 93, Pensky-Martens closed cup

pH : 11.9 - 12.9,(100 %), Method: ASTM E 70

Odour Threshold : no data available

Melting point/freezing point : Freezing Point: -22 °C, ASTM D-1177

Initial boiling point and boiling:

range

> 100 °C

Evaporation rate : no data available
Flammability (solid, gas) : Not applicable.
Upper explosion limit : no data available
Lower explosion limit : no data available

Vapour pressure : 12 mm Hg, (20 °C), ASTM D 2879-86,

29 mm Hg, (37.8 °C), ASTM D 2879-86,

Relative vapour density : no data available

Relative density : 0.99 - 1.01, (25 °C), ASTM D-1298

Density : 0.99 - 1.01 g/cm3 , 8.25 - 8.33 lb/gal

Water solubility : completely soluble

Tri-ACT™ 1801

Solubility in other solvents

no data available

Partition coefficient: n-

octanol/water

no data available

no data available Auto-ignition temperature Thermal decomposition no data available

5 mPa.s (25 °C), Method: ASTM D 2983 Viscosity, dynamic

Viscosity, kinematic no data available Molecular weight no data available VOC no data available

Section: 10. STABILITY AND REACTIVITY

Reactivity No dangerous reaction known under conditions of normal use.

Chemical stability Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Heat, flames and sparks.

Incompatible materials Strong oxidizing agents

Strong acids

Hazardous decomposition

products

In case of fire, hazardous decomposition products may be produced such as:

Carbon oxides

nitrogen oxides (NOx)

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

Potential Health Effects

Eyes : Causes serious eye damage.

Skin Harmful in contact with skin. Causes severe skin burns. May cause allergic skin

reaction.

Harmful if swallowed. Causes digestive tract burns. Ingestion

Inhalation May cause respiratory tract irritation. May cause nose, throat, and lung irritation.

Chronic Exposure Suspected of damaging fertility or the unborn child. Suspected of causing

cancer.

Experience with human exposure

Eye contact Redness, Pain, Corrosion

Tri-ACT™ 1801

Skin contact : Redness, Pain, Irritation, Corrosion, Allergic reactions

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

Toxicity

Product

Acute oral toxicity : Acute toxicity estimate: 1,642 mg/kg
Acute inhalation toxicity : Acute toxicity estimate: 10.13 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : Acute toxicity estimate: 1,946 mg/kg

Skin corrosion/irritation : no data available
Serious eye damage/eye : no data available

irritation

Respiratory or skin

sensitization

no data available

Carcinogenicity

IARC Group 2A: Probably carcinogenic to humans

Hydrazine 302-01-2

OSHA No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP Reasonably anticipated to be a human carcinogen

Hydrazine 302-01-2

Reproductive effects : no data available

Germ cell mutagenicity : A mutagenicity test battery on cyclohexylamine was inconclusive. In a short-

term test, cyclohexylamine caused mutation in human white blood cells. A

bacterial mutagenicity (Ames) bioassay was negative for methoxypropylamine.

Teratogenicity : no data available STOT - single exposure : no data available

STOT - repeated exposure : no data available

Aspiration toxicity : no data available

Section: 12. ECOLOGICAL INFORMATION

Toxicity

Environmental Effects : Toxic to aquatic life with long lasting effects.

Product

Toxicity to fish : LC50 Pimephales promelas (fathead minnow): 194 mg/l

Exposure time: 96 hrs

Tri-ACT™ 1801

Test substance: Product

LC50 Oncorhynchus mykiss (rainbow trout): 176 mg/l

Exposure time: 96 hrs Test substance: Product

NOEC Pimephales promelas (fathead minnow): 150 mg/l

Exposure time: 96 hrs Test substance: Product

NOEC Oncorhynchus mykiss (rainbow trout): 150 mg/l

Exposure time: 96 hrs Test substance: Product

Toxicity to daphnia and other

aquatic invertebrates

: LC50 Daphnia magna (Water flea): 205 mg/l

Exposure time: 48 hrs Test substance: Product

NOEC Daphnia magna (Water flea): 150 mg/l

Exposure time: 48 hrs Test substance: Product

Components

Toxicity to algae : Methoxypropylamine

EC50: 31 mg/l Exposure time: 72 h

Modified amino compound

EC50: 1.5 mg/l Exposure time: 72 h

Components

Toxicity to bacteria : Modified amino compound

230 mg/l

Components

Toxicity to daphnia and other aquatic invertebrates

(Chronic toxicity)

: Monoethanolamine NOEC: 0.85 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Modified amino compound

NOEC: 0.98 mg/l Exposure time: 7 d

Persistence and degradability

The product is biodegradable.

Chemical Oxygen Demand (COD): 524,000 mg/l

Biochemical Oxygen Demand (BOD):

Incubation Period Value Test Descriptor

5 d 6,400 mg/l Product

Tri-ACT™ 1801

Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air : <5% Water : 30 - 50% Soil : 50 - 70%

The portion in water is expected to be soluble or dispersible.

Bioaccumulative potential

This preparation or material is not expected to bioaccumulate.

Other information

no data available

Section: 13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it could meet the criteria of a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Before disposal, it should be determined if the waste meets the criteria of a hazardous waste.

Disposal methods : The product should not be allowed to enter drains, water

courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in

an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

The presence of an RQ component (Reportable Quantity for U.S. DOT) in this product causes it to be regulated with an additional description of RQ for road, or as Environmentally hazardous for road and air, ONLY when the net weight in the package exceeds the calculated RQ for the product.

Land transport (DOT)

Proper shipping name : AMINES, LIQUID, CORROSIVE, N.O.S. Technical name(s) : Cyclohexylamine, Methoxypropylamine

UN/ID No. : UN 2735

Transport hazard class(es) : 8

Tri-ACT™ 1801

Packing group : II

Reportable Quantity (per : 400 lbs

package)

RQ Component : HYDRAZINE

Air transport (IATA)

Proper shipping name : AMINES, LIQUID, CORROSIVE, N.O.S. Technical name(s) : Cyclohexylamine, Methoxypropylamine

UN/ID No. : UN 2735

Transport hazard class(es) : 8
Packing group : II
Reportable Quantity (per : 400 lbs

package)

RQ Component : HYDRAZINE

Sea transport (IMDG/IMO)

Proper shipping name : AMINES, LIQUID, CORROSIVE, N.O.S. Technical name(s) : Cyclohexylamine, Methoxypropylamine

UN/ID No. : UN 2735

Transport hazard class(es) : 8 Packing group : II

Section: 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification

requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|------------|----------|--------------------|-----------------------------|
| Hydrazine | 302-01-2 | 1 | 400 |

SARA 304 Extremely Hazardous Substances Reportable Quantity

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|------------|----------|--------------------|-----------------------------|
| Hydrazine | 302-01-2 | 1 | 400 |

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

Acute toxicity (any route of exposure) Respiratory or skin sensitisation

Carcinogenicity
Reproductive toxicity
Skin corrosion or irritation

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

Tri-ACT™ 1801

SARA 302 : The following components are subject to reporting levels established

by SARA Title III, Section 302:

Cyclohexylamine 108-91-8

SARA 313 : The following components are subject to reporting levels established

by SARA Title III, Section 313:

Hydrazine 302-01-2 0.1 - 1 %

California Prop. 65

MARNING: Cancer - www.P65Warnings.ca.gov

Hydrazine 302-01-2

INTERNATIONAL CHEMICAL CONTROL LAWS:

United States TSCA Inventory

On or in compliance with the active portion of the TSCA inventory

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS)

All substances in this product comply with the Australian Industrial Chemicals Introduction Scheme (AICIS)

Canadian Domestic Substances List (DSL)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

Japan. ENCS - Existing and New Chemical Substances Inventory

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

Korea. Korean Existing Chemicals Inventory (KECI)

All substances in this product comply with the Chemical Control Act (CCA) and are listed on the Existing Chemicals List (ECL)

Philippines Inventory of Chemicals and Chemical Substances (PICCS)

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

China Inventory of Existing Chemical Substances

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand

All substances in this product comply with the Hazardous Substances and New Organisms (HSNO) Act 1996, and are listed on or are exempt from the New Zealand Inventory of Chemicals.


Taiwan Chemical Substance Inventory

All substances in this product comply with the Taiwan Existing Chemical Substances Inventory (ECSI).

Section: 16. OTHER INFORMATION

Tri-ACT™ 1801

NFPA:



HMIS III:

| HEALTH | 3* |
|-----------------|----|
| FLAMMABILITY | 2 |
| PHYSICAL HAZARD | 0 |

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Revision Date : 02/22/2021

Version Number : 1.6

Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.nalco.com and request access.



NexGuard™ 22310

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : NexGuard™ 22310

Other means of identification : Not applicable.

Recommended use : BOILER WATER INTERNAL TREATMENT

Restrictions on use : Refer to available product literature or ask your local Sales Representative for

restrictions on use and dose limits.

Company : Nalco Company

1601 W. Diehl Road

Naperville, Illinois 60563-1198

USA

TEL: (630) 305-1000

Emergency telephone

number

: (800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 08/28/2024

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS Label element

Precautionary Statements : Prevention:

Wash hands thoroughly after handling.

Response:

Get medical advice/ attention if you feel unwell.

Storage:

Store in accordance with local regulations.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

No hazardous ingredients

Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse with plenty of water. Get medical attention if symptoms occur.

In case of skin contact : Wash off with soap and plenty of water. Get medical attention if symptoms

occur.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

NexGuard™ 22310

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put

yourself at risk of injury. If in doubt, contact emergency responders. Use

personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing

media

None known.

Specific hazards during

firefighting

Not flammable or combustible.

Hazardous combustion

products

Decomposition products may include the following materials: Carbon oxides

nitrogen oxides (NOx) Sulphur oxides

Special protective equipment:

for firefighters

Use personal protective equipment.

Specific extinguishing

methods

Fire residues and contaminated fire extinguishing water must be disposed of in

accordance with local regulations.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Refer to protective measures listed in sections 7 and 8.

Environmental precautions : No special environmental precautions required.

Methods and materials for containment and cleaning up

Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Flush away traces

with water.

Section: 7. HANDLING AND STORAGE

Advice on safe handling : For personal protection see section 8. Wash hands after handling.

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable

labelled containers. Protect product from freezing.

NexGuard™ 22310

Keep out of reach of children. Keep container tightly closed. Store in suitable

labelled containers.

Suitable material : The following compatibility data is suggested based on similar product data

and/or industry experience: PVC, Stainless Steel 304, EPDM, Buna-N, HDPE

(high density polyethylene), Polyurethane, Neoprene, Polypropylene,

Polyethylene, Stainless Steel 316L, 100% phenolic resin liner, Chlorosulfonated polyethylene rubber, Fluoroelastomer, Compatibility with Plastic Materials can

vary; we therefore recommend that compatibility is tested prior to use.

Unsuitable material : The following compatibility data is suggested based on similar product data

and/or industry experience: Brass, Mild steel, Epoxy phenolic resin

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Good general ventilation should be sufficient to control worker exposure to

airborne contaminants.

Personal protective equipment

Eye protection : Safety glasses

Hand protection : Wear protective gloves.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Wear suitable protective clothing.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Wash hands before breaks and immediately after handling the product.

The Personal Protective Equipment (PPE) recommendations provided above have been made in good faith based on typical expected conditions of use. PPE selection should always be completed in conjunction with a proper risk assessment and in accordance with a PPE management program.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid

Colour : yellow-orange fluorescent

Odour : ammoniacal

Flash point : does not flash

pH : 8.5 - 12.5, (25 °C)

Odour Threshold : no data available

Melting point/freezing point : Freezing Point: -6 °C, ASTM D-1177

Initial boiling point and boiling : no data available

range

NexGuard™ 22310

Evaporation rate : no data available

Flammability (solid, gas) : Not applicable.

Upper explosion limit : no data available

Lower explosion limit : no data available

Vapour pressure : similar to water

Relative vapour density : no data available

Relative density : 1.17 - 1.22, (25 °C),

Density : 9.9 lb/gal

Water solubility : completely soluble
Solubility in other solvents : no data available
Partition coefficient: n- : no data available

octanol/water

. 10 data avaliable

Auto-ignition temperature : no data available
Thermal decomposition : no data available
Viscosity, dynamic : no data available
Viscosity, kinematic : no data available
Molecular weight : no data available
VOC : no data available

Section: 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : Freezing temperatures.

None known.

Incompatible materials : Contact with strong oxidizers (e.g. chlorine, peroxides, chromates, nitric acid,

perchlorate, concentrated oxygen, permanganate) may generate heat, fires,

explosions and/or toxic vapors.

Hazardous decomposition

products

In case of fire, hazardous decomposition products may be produced such as:

Carbon oxides

nitrogen oxides (NOx)

Sulphur oxides

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation, Eye contact, Skin contact, Ingestion

exposure

NexGuard™ 22310

Potential Health Effects

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

Toxicity

Product

Acute oral toxicity : no data available
Acute inhalation toxicity : no data available
Acute dermal toxicity : no data available
Skin corrosion/irritation : no data available
Serious eye damage/eye : no data available
irritation

Respiratory or skin

sensitization

: no data available

Carcinogenicity : no data available
Reproductive effects : no data available
Germ cell mutagenicity : no data available
Teratogenicity : no data available
STOT - single exposure : no data available

STOT - repeated exposure : no data available
Aspiration toxicity : no data available

Section: 12. ECOLOGICAL INFORMATION

Toxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

NexGuard™ 22310

Toxicity to fish : LC50 Oncorhynchus mykiss (rainbow trout): 7,070 mg/l

Exposure time: 96 hrs Test substance: Product

LC50 Inland Silverside: > 5,000 mg/l

Exposure time: 96 hrs Test substance: Product

NOEC Inland Silverside: 5,000 mg/l

Exposure time: 96 hrs Test substance: Product

LC50 Fathead Minnow: 2,935 mg/l

Exposure time: 48 hrs Test substance: Product

LC50 Fathead Minnow: 2,861 mg/l

Exposure time: 96 hrs Test substance: Product

NOEC Fathead Minnow: 2,160 mg/l

Exposure time: 96 hrs Test substance: Product

Toxicity to daphnia and other

aquatic invertebrates

: LC50 Daphnia magna (Water flea): 1,650 mg/l

Exposure time: 48 hrs Test substance: Product

LC50 Mysid Shrimp (Mysidopsis bahia): > 5,000 mg/l

Exposure time: 96 hrs Test substance: Product

NOEC Mysid Shrimp (Mysidopsis bahia): 5,000 mg/l

Exposure time: 96 hrs Test substance: Product

LC50 Ceriodaphnia dubia: 1,473 mg/l

Exposure time: 48 hrs Test substance: Product

NOEC Ceriodaphnia dubia: 778 mg/l

Exposure time: 48 hrs Test substance: Product

Persistence and degradability

Biodegradability : Result: Biodegradable/Eliminated from aquatic environment

The organic portion of this preparation is expected to be poorly biodegradable.

Total Organic Carbon (TOC): 87,000 mg/l

Chemical Oxygen Demand (COD): 240,000 mg/l

Biochemical Oxygen Demand (BOD):

NexGuard™ 22310

Incubation Period Value Test Descriptor

5 d 6,200 mg/l Product

Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air : <5% Water : 10 - 30% Soil : 50 - 70%

The portion in water is expected to be soluble or dispersible.

Bioaccumulative potential

This preparation or material is not expected to bioaccumulate.

Other information

no data available

Section: 13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it is not a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261, since it does not have the characteristics of Subpart C, nor is it listed under Subpart D.

Disposal methods : Where possible recycling is preferred to disposal or

incineration. If recycling is not practicable, dispose of contents/container in accordance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

Air transport (IATA)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

Sea transport (IMDG/IMO)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

NexGuard™ 22310

Section: 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification

requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This product does not contain a RQ substance, or this product contains a substance with a RQ, however the calculated RQ exceeds the reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

INTERNATIONAL CHEMICAL CONTROL LAWS:

United States TSCA Inventory

On or in compliance with the active portion of the TSCA inventory

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS)

All substances in this product comply with the Australian Industrial Chemicals Introduction Scheme (AICIS)

Canadian Domestic Substances List (DSL)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

Japan. ENCS - Existing and New Chemical Substances Inventory

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

Korea. Korean Existing Chemicals Inventory (KECI)

This product and/or component(s) are exempt or excluded from the Korean Existing Chemicals List (KECL) under the Toxic Chemicals Control Law (TCCL).

Philippines Inventory of Chemicals and Chemical Substances (PICCS)

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

NexGuard™ 22310

China Inventory of Existing Chemical Substances

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand

All substances in this product comply with the Hazardous Substances and New Organisms (HSNO) Act 1996, and are listed on or are exempt from the New Zealand Inventory of Chemicals.

Taiwan Chemical Substance Inventory

All substances in this product comply with the Taiwan Existing Chemical Substances Inventory (ECSI).

Section: 16. OTHER INFORMATION

NFPA: Flammability 0 0 Instability

Special hazard.

HMIS III:

| HEALTH | 0 |
|-----------------|---|
| FLAMMABILITY | 0 |
| PHYSICAL HAZARD | 0 |

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Revision Date : 08/28/2024

Version Number : 1.4

Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.ecolab.com/sds and request access.



3D TRASAR™ 3DT178

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : 3D TRASAR™ 3DT178

Other means of identification : Not applicable.

Recommended use : CORROSION INHIBITOR

Restrictions on use : Refer to available product literature or ask your local Sales Representative for

restrictions on use and dose limits.

Company : Nalco Company

1601 W. Diehl Road

Naperville, Illinois 60563-1198

USA

TEL: (630) 305-1000

Emergency telephone

number

(800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 09/16/2024

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Eye irritation : Category 2A

GHS Label element

Hazard pictograms

(!)

Signal Word : Warning

Hazard Statements : Causes serious eye irritation.

Precautionary Statements : **Prevention:**

Wash skin thoroughly after handling. Wear eye protection/face protection.

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name CAS-No. Concentration: (%)

Tetrapotassium Pyrophosphate 7320-34-5 10 - 30 Potassium Phosphate 16068-46-5 10 - 30

3D TRASAR™ 3DT178

Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Get medical attention.

In case of skin contact : Wash off with soap and plenty of water. Get medical attention if symptoms

occur.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put

yourself at risk of injury. If in doubt, contact emergency responders. Use

personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing

media

None known.

Specific hazards during

firefighting

Not flammable or combustible.

Hazardous combustion

products

Decomposition products may include the following materials: Carbon oxides

nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus

Special protective equipment:

for firefighters

Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in

accordance with local regulations. In the event of fire and/or explosion do not

breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Ensure clean-up is conducted by trained personnel only. Refer to protective

measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for : Stop leak if safe to do so. Contain spillage, and then collect with non-

3D TRASAR™ 3DT178

containment and cleaning up combustible absorbent material, (e.g. sand, earth, diatomaceous earth,

vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Flush away traces

with water.

Section: 7. HANDLING AND STORAGE

Advice on safe handling : Avoid contact with skin and eyes. Wash hands thoroughly after handling. Use

only with adequate ventilation.

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable

labelled containers.

Suitable material : Keep in properly labelled containers.

Unsuitable material : not determined

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Good general ventilation should be sufficient to control worker exposure to

airborne contaminants.

Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection : Wear protective gloves.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Wear suitable protective clothing.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove

and wash contaminated clothing before re-use. Wash face, hands and any

exposed skin thoroughly after handling.

The Personal Protective Equipment (PPE) recommendations provided above have been made in good faith based on typical expected conditions of use. PPE selection should always be completed in conjunction with a proper risk assessment and in accordance with a PPE management program.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid
Colour : clear
Odour : mild

Flash point : > 93.3 °C

3D TRASAR™ 3DT178

рΗ 10.9

Odour Threshold no data available

Melting point/freezing point Freezing Point: -12 °C

Initial boiling point and boiling:

range

no data available

no data available Evaporation rate Flammability (solid, gas) Not applicable. Upper explosion limit no data available Lower explosion limit no data available no data available Vapour pressure no data available Relative vapour density

Relative density 1.330 - 1.375, (16 °C), Density 1.4 g/cm3, 11.69 lb/gal

Water solubility Complete

Solubility in other solvents no data available Partition coefficient: nno data available

octanol/water

Auto-ignition temperature no data available Thermal decomposition no data available no data available Viscosity, dynamic Viscosity, kinematic no data available Molecular weight no data available

VOC 0 %, Calculation method

Section: 10. STABILITY AND REACTIVITY

No dangerous reaction known under conditions of normal use. Reactivity

Stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid None known.

Incompatible materials None known.

Hazardous decomposition

products

In case of fire, hazardous decomposition products may be produced such as:

Carbon oxides

nitrogen oxides (NOx) Sulphur oxides

Oxides of phosphorus

Section: 11. TOXICOLOGICAL INFORMATION

3D TRASAR™ 3DT178

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

Potential Health Effects

Eyes Causes serious eye irritation.

Skin Health injuries are not known or expected under normal use.

Ingestion Health injuries are not known or expected under normal use.

Inhalation Health injuries are not known or expected under normal use.

Chronic Exposure Health injuries are not known or expected under normal use.

Experience with human exposure

Redness, Pain, Irritation Eye contact

Skin contact No symptoms known or expected.

Ingestion No symptoms known or expected.

Inhalation No symptoms known or expected.

Toxicity

Product

no data available Acute oral toxicity Acute inhalation toxicity no data available Acute dermal toxicity no data available Skin corrosion/irritation no data available no data available Serious eye damage/eye

irritation

no data available Respiratory or skin

sensitization

Carcinogenicity no data available

Reproductive effects no data available Germ cell mutagenicity no data available Teratogenicity no data available

STOT - single exposure no data available STOT - repeated exposure no data available

no data available Aspiration toxicity

Components

Acute oral toxicity Tetrapotassium Pyrophosphate

LD50 rat: > 2,000 mg/kg

3D TRASAR™ 3DT178

Potassium Phosphate LD50 rat: > 2,000 mg/kg

Components

Acute dermal toxicity : Potassium Phosphate

LD50 rat: > 2,000 mg/kg

Section: 12. ECOLOGICAL INFORMATION

Toxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : LC50 Fathead Minnow: 1,875 mg/l

Exposure time: 96 hrs

Test substance: Similar Product

LC50 Rainbow Trout: 2,265 mg/l

Exposure time: 96 hrs Test substance: Product

NOEC Fathead Minnow: 1,250 mg/l

Exposure time: 96 hrs

Test substance: Similar Product

NOEC Rainbow Trout: 1,800 mg/l

Exposure time: 96 hrs Test substance: Product

Toxicity to daphnia and other

aquatic invertebrates

: EC50 Daphnia magna: 2,265 mg/l

Exposure time: 48 hrs

Test substance: Similar Product

LC50 Daphnia magna: 2,265 mg/l

Exposure time: 48 hrs

Test substance: Similar Product

NOEC Daphnia magna: 1,800 mg/l

Exposure time: 48 hrs

Test substance: Similar Product

EC50 Ceriodaphnia dubia: 1,875 mg/l

Exposure time: 48 hrs Test substance: Product

LC50 Ceriodaphnia dubia: 1,875 mg/l

Exposure time: 48 hrs Test substance: Product

NOEC Ceriodaphnia dubia: 1,250 mg/l

Exposure time: 48 hrs Test substance: Product

3D TRASAR™ 3DT178

Persistence and degradability

Biodegradability : Result: Biodegradable

Total Organic Carbon (TOC): 34,000 mg/l

Chemical Oxygen Demand (COD): 56,000 mg/l

Biochemical Oxygen Demand (BOD):

Incubation Period Value Test Descriptor

5 d 550 mg/l Product

Mobility

no data available

Bioaccumulative potential

no data available

Other information

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Disposal methods : Where possible recycling is preferred to disposal or

incineration. If recycling is not practicable, dispose of contents/container in accordance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

Air transport (IATA)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

Sea transport (IMDG/IMO)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

Section: 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

3D TRASAR™ 3DT178

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This product does not contain a RQ substance, or this product contains a substance with a RQ, however the calculated RQ exceeds the reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

INTERNATIONAL CHEMICAL CONTROL LAWS:

Canadian Domestic Substances List (DSL)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

United States TSCA Inventory

On or in compliance with the active portion of the TSCA inventory

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS)

not determined

Japan. ENCS - Existing and New Chemical Substances Inventory

On the inventory, or in compliance with the inventory.

Korea. Korean Existing Chemicals Inventory (KECI)

On the inventory, or in compliance with the inventory.

Philippines Inventory of Chemicals and Chemical Substances (PICCS)

not determined

China Inventory of Existing Chemical Substances

not determined


Taiwan Chemical Substance Inventory

On the inventory, or in compliance with the inventory.

Section: 16. OTHER INFORMATION

3D TRASAR™ 3DT178

NFPA:



HMIS III:

| HEALTH | 2 |
|-----------------|---|
| FLAMMABILITY | 1 |
| PHYSICAL HAZARD | 0 |

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Revision Date : 09/16/2024

Version Number : 1.7

Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.ecolab.com/sds and request access.



3D TRASAR™ 3DT304

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : 3D TRASAR™ 3DT304

Other means of identification : Not applicable.

Recommended use : COOLING WATER TREATMENT

Restrictions on use : Refer to available product literature or ask your local Sales Representative for

restrictions on use and dose limits.

Company : Nalco Company

1601 W. Diehl Road

Naperville, Illinois 60563-1198

USA

TEL: (630) 305-1000

Emergency telephone

number

(800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 08/13/2024

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Skin corrosion : Category 1 Serious eye damage : Category 1

GHS Label element

Hazard pictograms :

Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : Prevention:

Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/

eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

Wash contaminated clothing before reuse.

Storage: Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

3D TRASAR™ 3DT304

Other hazards None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name CAS-No. Concentration: (%)

Sodium Benzotriazole 15217-42-2 5 - 10

Section: 4. FIRST AID MEASURES

In case of eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Get medical attention immediately.

Wash off immediately with plenty of water for at least 15 minutes. Wash clothing In case of skin contact

before reuse. Thoroughly clean shoes before reuse. Get medical attention

immediately.

If swallowed Rinse mouth with water. Do NOT induce vomiting. Never give anything by

mouth to an unconscious person. Get medical attention immediately.

If inhaled Remove to fresh air. Treat symptomatically. Get medical attention if symptoms

occur.

Protection of first-aiders In event of emergency assess the danger before taking action. Do not put

yourself at risk of injury. If in doubt, contact emergency responders. Use

personal protective equipment as required.

Notes to physician Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing

media

None known.

Specific hazards during

firefighting

Not flammable or combustible.

Hazardous combustion

products

Decomposition products may include the following materials: Carbon oxides

nitrogen oxides (NOx) Sulphur oxides

Special protective equipment:

for firefighters

Use personal protective equipment.

Specific extinguishing

methods

Fire residues and contaminated fire extinguishing water must be disposed of in

accordance with local regulations. In the event of fire and/or explosion do not

3D TRASAR™ 3DT304

breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only.

Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Flush away traces

with water.

Section: 7. HANDLING AND STORAGE

Advice on safe handling : Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in

eyes, on skin, or on clothing. Wash hands thoroughly after handling. Use only

with adequate ventilation.

Conditions for safe storage : Do not store near acids. Keep out of reach of children. Keep container tightly

closed. Store in suitable labelled containers.

Suitable material : Keep in properly labelled containers.

Unsuitable material : not determined

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below

occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles

Face-shield

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety

goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they must use

3D TRASAR™ 3DT304

appropriate certified respirators. Filter type: P, Particulates type

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove

and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

The Personal Protective Equipment (PPE) recommendations provided above have been made in good faith based on typical expected conditions of use. PPE selection should always be completed in conjunction with a proper risk assessment and in accordance with a PPE management program.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : Yellow to Orange clear

Odour : slight

Flash point : does not flash

pH : 11.8 - 13

Odour Threshold : no data available

Melting point/freezing point : Freezing Point: -8.2 °C

Initial boiling point and boiling:

range

approximately 97.8 °C, estimated

Evaporation rate : no data available
Flammability (solid, gas) : Not applicable.
Upper explosion limit : no data available
Lower explosion limit : no data available

Vapour pressure : 3.73 hPa, (0 °C),

18.7 hPa, (20 °C), 49.3 hPa, (37.8 °C), 200 hPa, (65.6 °C), 637 hPa, (93.3 °C), 1,010 hPa, (121 °C),

Relative vapour density : no data available

Relative density : 1.1772 - 1.2112, (25 °C),

1.1677 - 1.2017, (50 °C),

Density : no data available

Water solubility : Complete

Solubility in other solvents : no data available

Partition coefficient: n-

octanol/water

no data available

Auto-ignition temperature : Not applicable

3D TRASAR™ 3DT304

Thermal decomposition : no data available
Viscosity, dynamic : no data available
Viscosity, kinematic : < 100 mm2/s
Molecular weight : no data available

VOC :

0 %, EPA Method 24

Section: 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : Strong acids

Hazardous decomposition

products

In case of fire, hazardous decomposition products may be produced such as:

Carbon oxides

nitrogen oxides (NOx)

Sulphur oxides

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation, Eye contact, Skin contact, Ingestion

exposure

Potential Health Effects

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

3D TRASAR™ 3DT304

Toxicity

Product

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Acute inhalation toxicity : no data available
Acute dermal toxicity : no data available
Skin corrosion/irritation : no data available
Serious eye damage/eye : no data available

irritation

Respiratory or skin

sensitization

no data available

Carcinogenicity : no data available
Reproductive effects : no data available
Germ cell mutagenicity : no data available
Teratogenicity : no data available
STOT - single exposure : no data available
STOT - repeated exposure : no data available
Aspiration toxicity : no data available

Components

Acute dermal toxicity : Sodium Benzotriazole

LD50 rabbit: > 2,000 mg/kg

Test substance: Information given is based on data obtained from similar

substances.

Section: 12. ECOLOGICAL INFORMATION

Toxicity

Environmental Effects : Harmful to aquatic life with long lasting effects.

Product

Toxicity to fish : NOEC Rainbow Trout: 216 mg/l

Exposure time: 96 h

Test substance: Similar Product

LC50 Rainbow Trout: 309 mg/l

Exposure time: 96 h

Test substance: Similar Product

NOEC Fathead Minnow: 648 mg/l

Exposure time: 96 h

Test substance: Similar Product

LC50 Fathead Minnow: 1,108 mg/l

Exposure time: 96 h

Test substance: Similar Product

3D TRASAR™ 3DT304

Toxicity to daphnia and other

aquatic invertebrates

: NOEC Ceriodaphnia dubia: 1,080 mg/l

Exposure time: 48 h

Test substance: Similar Product

LC50 Ceriodaphnia dubia: 1,700 mg/l

Exposure time: 48 h

Test substance: Similar Product

Toxicity to daphnia and other : NOEC: 75 mg/l

aquatic invertebrates (Chronic toxicity)

Exposure time: 7 d

Species: Ceriodaphnia dubia Test substance: Similar Product

EC25 / IC25: 122 mg/l Exposure time: 7 d

Species: Ceriodaphnia dubia Test substance: Similar Product

Components

Toxicity to algae : Sodium Benzotriazole

EC50 Aquatic Plant: 75 mg/l

Exposure time: 72 h

Persistence and degradability

Biodegradability : Result: Poorly biodegradable

Total Organic Carbon (TOC): 120,000 mg/l

Chemical Oxygen Demand (COD): 290,000 mg/l

Biochemical Oxygen Demand (BOD):

Incubation Period Value Test Descriptor

5 d 191 mg/l Product

Mobility

no data available

Bioaccumulative potential

no data available

Other information

no data available

Section: 13. DISPOSAL CONSIDERATIONS

The information presented only applies to the material as supplied. The classification or waste code may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine

3D TRASAR™ 3DT304

the toxicity and physical properties of the material generated at the time of disposal to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Disposal methods : Do not contaminate storm water drains, natural waterways or

soil with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of contents/container in accordance with local regulations. Dispose of wastes in an approved waste

disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

Proper shipping name : CAUSTIC ALKALI LIQUID, N.O.S. Technical name(s) : Substituted Aromatic Amine Salt

UN/ID No. : UN 1719

Transport hazard class(es) : 8
Packing group : III

Air transport (IATA)

Proper shipping name : CAUSTIC ALKALI LIQUID, N.O.S. Technical name(s) : Substituted Aromatic Amine Salt

UN/ID No. : UN 1719

Transport hazard class(es) : 8
Packing group : III

Sea transport (IMDG/IMO)

Proper shipping name : CAUSTIC ALKALI LIQUID, N.O.S. Technical name(s) : Substituted Aromatic Amine Salt

UN/ID No. : UN 1719

Transport hazard class(es) : 8
Packing group : III

Section: 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification

requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This product does not contain a RQ substance, or this product contains a substance with a RQ, however the calculated RQ exceeds the reasonably attainable upper limit.

3D TRASAR™ 3DT304

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

INTERNATIONAL CHEMICAL CONTROL LAWS:

Canadian Domestic Substances List (DSL)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

United States TSCA Inventory

On or in compliance with the active portion of the TSCA inventory

Japan. ENCS - Existing and New Chemical Substances Inventory

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

Korea. Korean Existing Chemicals Inventory (KECI)

On the Korea Existing Chemicals Inventory.

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS)

All substances in this product comply with the Australian Industrial Chemicals Introduction Scheme (AICIS)

Philippines Inventory of Chemicals and Chemical Substances (PICCS)

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

China Inventory of Existing Chemical Substances

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).


Taiwan Chemical Substance Inventory

not determined

Section: 16. OTHER INFORMATION

3D TRASAR™ 3DT304

NFPA:



HMIS III:

| HEALTH | 3 |
|-----------------|---|
| FLAMMABILITY | 0 |
| PHYSICAL HAZARD | 0 |

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Revision Date : 08/13/2024

Version Number : 1.14

Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.ecolab.com/sds and request access.



ControlBrom® CB70

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ControlBrom® CB70

Other means of identification : Not applicable.

Restrictions on use : Refer to available product literature or ask your local Sales Representative for

restrictions on use and dose limits.

Company : Nalco Company

1601 W. Diehl Road

Naperville, Illinois 60563-1198

USA

TEL: (630) 305-1000

Emergency telephone

number

(800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 07/29/2024

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Reproductive toxicity : Category 2

Specific target organ toxicity

- single exposure

Specific target organ toxicity

- repeated exposure (Oral)

Cotogory 2

Category 3 (Respiratory system, Central Nervous System)

Category 2 (Central Nervous System)

GHS Label element

Hazard pictograms :





Signal Word : Warning

Hazard Statements : May cause respiratory irritation.

May cause drowsiness or dizziness.

Suspected of damaging fertility or the unborn child.

May cause damage to organs (Central Nervous System) through prolonged or

repeated exposure.

Precautionary Statements : Prevention:

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapours. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/

eye protection/ face protection.

Response:

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. Rinse mouth.IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or doctor/

ControlBrom® CB70

physician if you feel unwell.

IF exposed or concerned: Get medical advice/attention.

Storage:

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name CAS-No. Concentration: (%)

Sodium Bromide 7647-15-6 30

Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Get medical attention.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild

soap if available. Wash clothing before reuse. Thoroughly clean shoes before

reuse. Get medical attention if irritation develops and persists.

If swallowed : Do NOT induce vomiting. Get medical attention if symptoms occur. Do not give

anything to drink.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms

occur.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put

yourself at risk of injury. If in doubt, contact emergency responders. Use

personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing

media

None known.

Specific hazards during

firefighting

: Not flammable or combustible.

ControlBrom® CB70

Hazardous combustion

products

Decomposition products may include the following materials: Carbon oxides

nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus

Special protective equipment:

for firefighters

Use personal protective equipment.

Specific extinguishing

methods

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not

breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Ensure clean-up is conducted by trained personnel

only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Flush away traces

with water.

Section: 7. HANDLING AND STORAGE

Advice on safe handling : Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Use

only with adequate ventilation.

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable

labelled containers.

Suitable material : The following compatibility data is suggested based on similar product data

and/or industry experience: Stainless Steel 304, Neoprene, Buna-N,

Polyurethane, EPDM, Polypropylene (rigid), Polyethylene (rigid), CPVC (rigid), Plasite 4300, Plasite 7122, 100% phenolic resin liner, Epoxy phenolic resin, Chlorosulfonated polyethylene rubber, Fluoroelastomer, Compatibility with Plastic Materials can vary; we therefore recommend that compatibility is tested

prior to use.

Unsuitable material : The following compatibility data is suggested based on similar product data

and/or industry experience: Brass

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below

occupational exposure standards.

Personal protective equipment

ControlBrom® CB70

Eye protection : Safety glasses with side-shields

Hand protection : Wear protective gloves.

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Wear suitable protective clothing.

Respiratory protection : When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove

and wash contaminated clothing before re-use. Wash face, hands and any

exposed skin thoroughly after handling.

The Personal Protective Equipment (PPE) recommendations provided above have been made in good faith based on typical expected conditions of use. PPE selection should always be completed in conjunction with a proper risk assessment and in accordance with a PPE management program.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid

Colour : colourless
Odour : odourless

Flash point : does not flash

pH : 10.2 - 12.4,(100 %), (25 °C)

Odour Threshold : no data available

Melting point/freezing point : Freezing Point: -29 °C

Initial boiling point and boiling:

range

no data available

no data available

Evaporation rate : no data available

Flammability (solid, gas) : Not applicable.

Upper explosion limit : no data available

Vapour pressure : 11.5 mm Hg, (20 °C),

Relative vapour density : no data available

Relative density : 1.38 - 1.42, (20 °C),

Density : 11.6 lb/gal

Water solubility : completely soluble Solubility in other solvents : no data available

Partition coefficient: n-

Lower explosion limit

octanol/water

no data available

Auto-ignition temperature : no data available

ControlBrom® CB70

Thermal decomposition no data available 1 mPa.s (20 °C) Viscosity, dynamic Viscosity, kinematic no data available Molecular weight no data available VOC no data available

Section: 10. STABILITY AND REACTIVITY

Reactivity No dangerous reaction known under conditions of normal use.

Chemical stability Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Extremes of temperature

Incompatible materials Reducing agents

Oxidizing agents

Acids

Contact with strong acids (e.g. sulfuric, phosphoric, nitric, hydrochloric, chromic,

sulfonic) may generate heat, splattering or boiling and toxic vapors.

Hazardous decomposition

products

In case of fire, hazardous decomposition products may be produced such as:

Carbon oxides

nitrogen oxides (NOx) Sulphur oxides

Oxides of phosphorus

Section: 11. TOXICOLOGICAL INFORMATION

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact, Ingestion

Potential Health Effects

Eyes : Causes serious eye irritation.

Skin Harmful in contact with skin.

Harmful if swallowed. Ingestion

Inhalation May cause respiratory tract irritation. May cause nose, throat, and lung irritation.

Inhalation may cause central nervous system effects.

Suspected of damaging fertility or the unborn child. May cause damage to Chronic Exposure

organs through prolonged or repeated exposure.

Experience with human exposure

Eye contact Redness, Pain, Irritation

ControlBrom® CB70

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : Respiratory irritation, Cough, Dizziness, Drowsiness

Toxicity

Product

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Acute inhalation toxicity : no data available
Acute dermal toxicity : no data available
Skin corrosion/irritation : Species: Rabbit

Result: 0.0

Method: Draize Test Test substance: Product

Serious eye damage/eye

irritation

Species: rabbit Result: 7.0

Method: Draize Test Test substance: Product

Species: rabbit

Result: Essentially non-irritating

Test substance: Product

Respiratory or skin

sensitization

Test Method: Buehler Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

Test substance: Product

Carcinogenicity : no data available

Reproductive effects : Suspected human reproductive toxicant

Germ cell mutagenicity : no data available
Teratogenicity : no data available
STOT - single exposure : no data available
STOT - repeated exposure : no data available
Aspiration toxicity : no data available

Components

Acute dermal toxicity : Sodium Bromide

LD50 rat: > 2,000 mg/kg

Section: 12. ECOLOGICAL INFORMATION

Toxicity

Environmental Effects : Harmful to aquatic life.

Product

Toxicity to fish : LC50 Pimephales promelas (fathead minnow): > 5,000 mg/l

ControlBrom® CB70

Exposure time: 96 hrs Test substance: Product

NOEC Pimephales promelas (fathead minnow): > 5,000 mg/l

Exposure time: 96 hrs Test substance: Product

Toxicity to daphnia and other

aquatic invertebrates

: LC50 Ceriodaphnia dubia: > 5,000 mg/l

Exposure time: 48 hrs Test substance: Product

NOEC Ceriodaphnia dubia: > 5,000 mg/l

Exposure time: 48 hrs Test substance: Product

Components

Toxicity to daphnia and other : Sodium Bromide aquatic invertebrates (Chronic toxicity)

NOEC: 7.5 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Persistence and degradability

Biodegradability Result: Not applicable - inorganic

Greater than 95% of this product consists of inorganic substances for which a biodegradation value is not applicable.

Chemical Oxygen Demand (COD): 92,000 mg/l

Mobility

The environmental fate was estimated using a level III fugacity model embedded in the EPI (estimation program interface) Suite TM, provided by the US EPA. The model assumes a steady state condition between the total input and output. The level III model does not require equilibrium between the defined media. The information provided is intended to give the user a general estimate of the environmental fate of this product under the defined conditions of the models.

If released into the environment this material is expected to distribute to the air, water and soil/sediment in the approximate respective percentages;

Air : <5% Water : 30 - 50% Soil : 50 - 70%

The portion in water is expected to be soluble or dispersible.

Bioaccumulative potential

This preparation or material is not expected to bioaccumulate.

Other information

no data available

Section: 13. DISPOSAL CONSIDERATIONS

ControlBrom® CB70

If this product becomes a waste, it is not a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261, since it does not have the characteristics of Subpart C, nor is it listed under Subpart D.

Disposal methods : Do not contaminate storm water drains, natural waterways or

soil with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of contents/container in accordance with local regulations. Dispose of wastes in an approved waste

disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

Air transport (IATA)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

Sea transport (IMDG/IMO)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

Section: 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification

requirements.

EPA Reg. No. : 1706-235

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This product does not contain a RQ substance, or this product contains a substance with a RQ, however the calculated RQ exceeds the reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Specific target organ toxicity (single or repeated exposure)

Acute toxicity (any route of exposure)

Reproductive toxicity

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

ControlBrom® CB70

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

INTERNATIONAL CHEMICAL CONTROL LAWS:

United States TSCA Inventory

This product is exempted under TSCA and regulated under FIFRA. The inerts are on the Inventory List.

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS)

All substances in this product comply with the Australian Industrial Chemicals Introduction Scheme (AICIS)

Canadian Domestic Substances List (DSL)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

Japan. ENCS - Existing and New Chemical Substances Inventory

All substances in this product comply with the Law Regulating the Manufacture and Importation Of Chemical Substances and are listed on the Existing and New Chemical Substances list (ENCS).

Korea. Korean Existing Chemicals Inventory (KECI)

On the Korea Existing Chemicals Inventory.

Philippines Inventory of Chemicals and Chemical Substances (PICCS)

All substances in this product comply with the Republic Act 6969 (RA 6969) and are listed on the Philippines Inventory of Chemicals & Chemical Substances (PICCS).

China Inventory of Existing Chemical Substances

All substances in this product comply with the Provisions on the Environmental Administration of New Chemical Substances and are listed on or exempt from the Inventory of Existing Chemical Substances China (IECSC).

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand

All substances in this product comply with the Hazardous Substances and New Organisms (HSNO) Act 1996, and are listed on or are exempt from the New Zealand Inventory of Chemicals.


Taiwan Chemical Substance Inventory

All substances in this product comply with the Taiwan Existing Chemical Substances Inventory (ECSI).

Section: 16. OTHER INFORMATION

ControlBrom® CB70

NFPA:



HMIS III:

| HEALTH | 2* |
|-----------------|----|
| FLAMMABILITY | 0 |
| PHYSICAL HAZARD | 0 |

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Revision Date : 07/29/2024

Version Number : 2.1

Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.ecolab.com/sds and request access.

Raw Material, Intermediates and Products

Nalco Fresno Plant does not discharge process wastewater through the outfalls authorized in this permit. Process wastewater is contained in tanks or totes and sent off-site for treatment. Therefore, it is not reasonable to expect any raw materials, intermediates or products to be present in the outfall discharge.

Outfall 001 currently discharges non-contact cooling tower water and Outfall 002 discharges boiler blowdown water. It is proposed in this amendment request, that non-contact jacket water be added to Outfall 001 and reverse osmosis water to Outfall 002. The list of chemicals that can reasonably be expected to be in the outfall discharge are the treatment chemicals listed below:

Reverse Osmosis Water

- NALCO 2581 (Alkalinity Control)
- PermaTreat PC-391T (Reverse Osmosis Antiscalant)
- PERMACARE PC-7408 (Sodium Bisulfite)

Cooling Tower and Jacket Water Chemicals

- Sodium Hypochlorite wt 12.5% Bacticide
- Sulfuric Acid (77 to 100%)
- Nalco Control Brom CB70
- 3D Trasar 3DT178
- 3D Trasar 3DT304

Boiler Blowdown Chemicals

- Nalco 1720
- Next Guard 22310
- Tri Act 1801
- Sulfuric Acid (77 to 100%)

Safety Data Sheets for the water treatment chemicals above are included with this permit application submittal package.

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 2.0: POLLUTANT ANALYSIS

Worksheet 2.0 **is required** for all applications submitted for a TPDES permit. Worksheet 2.0 is not required for applications for a permit to dispose of all wastewater by land disposal or for discharges solely of stormwater associated with industrial activities.

General Testing Requirements (Instructions, Page 55)

- a. Provide the date range of all sampling events conducted to obtain the analytical data submitted with this application (e.g., 05/01/2018-05/30/2018): 07/17/2025-08/14/2025
- Check the box to confirm all samples were collected no more than 12 months prior to the date of application submittal.

Read the general testing requirements in the instructions for important information about sampling, test methods, and MALs. If a contact laboratory was used, attach a list which includes the name, contact information, and pollutants analyzed for each laboratory/firm. **Attachment:** 4.3

Specific Testing Requirements (Instructions, Page 56)

Attach correspondence from TCEQ approving submittal of less than the required number of samples, if applicable. Attachment: N/A

TABLE 1 and TABLE 2 (Instructions, Page 58)

Completion of Tables 1 and 2 **is required** for **all external outfalls** for all TPDES permit applications.

| Table 1 for Outfall No.: Outfall 002 | Samples are (check one): | \boxtimes | Composite | | Grab |
|--------------------------------------|--------------------------|-------------|-----------|--|------|
|--------------------------------------|--------------------------|-------------|-----------|--|------|

| Pollutant | Sample 1 (mg/L) | Sample 2 (mg/L) | Sample 3 (mg/L) | Sample 4 (mg/L) |
|-------------------------|--------------------|--------------------|--------------------|--------------------|
| BOD (5-day) | 3.17 | <2 | <2 | 2.67 |
| CBOD (5-day) | <2 | <2 | <2 | 2.25 |
| Chemical oxygen demand | 17 | 8 | 16.0 | 6.0 |
| Total organic carbon | 5.34 | 0.83 | 70.8 | 1.36 |
| Dissolved oxygen | 6.5 | 6.91 | 6.8 | 6.7 |
| Ammonia nitrogen | 0.384 | < 0.014 | < 0.014 | 0.344 |
| Total suspended solids | 0.8 | 1.2 | 1.8 | 0.8 |
| Nitrate nitrogen | 0.04 | <0.01 | 4.4 | 0.07 |
| Total organic nitrogen | 1.55 | <0.02 | <0.02 | 0.20 |
| Total phosphorus | 0.115 | 0.103 | 0.187 | 0.075 |
| Oil and grease | <1.75 | <1.51 | <1.65 | <1.67 |
| Total residual chlorine | <0.02 | <0.02 | 0.02 | <0.02 |
| Total dissolved solids | 38.5 | 58.0 | 182 | 1050 |
| Sulfate | 2.42 | 1.94 | 94.2 | 100 |

| Pollutant | Sample 1 (mg/L) | Sample 2 (mg/L) | Sample 3 (mg/L) | Sample 4 (mg/L) |
|----------------------------------|--------------------|--------------------|--------------------|--------------------|
| Chloride | 1.19 | 1.05 | 1.19 | 122 |
| Fluoride | 0.04 | <0.02 | 4.53 | 2.23 |
| Total alkalinity (mg/L as CaCO3) | 8.00 | <3.36 | 709 | 603 |
| Temperature (°F) | 77.54 | 78.44 | 78.98 | 79.34 |
| pH (standard units) | 7.55 | 7.98 | 8.34 | 8.78 |

Table 2 for Outfall No.:Outfall oo2Samples are (check one): \boxtimes Composite \square

| Pollutant | Sample 1 (µg/L) | Sample 2 (µg/L) | Sample 3 (µg/L) | Sample 4 (µg/L) | MAL (μg/L) |
|----------------------|--------------------|--------------------|-----------------|--------------------|--------------|
| Aluminum, total | 6.28 | 3.99 | 17.2 | 10.8 | 2.5 |
| Antimony, total | 0.13 | 0.13 | 0.13 | 0.00015 | 5 |
| Arsenic, total | 0.5 | 0.57 | 0.23 | 0.00275 | 0.5 |
| Barium, total | 3.34 | 1.3 | 6.46 | 105 | 3 |
| Beryllium, total | 0.06 | 0.06 | 0.06 | 0.06 | 0.5 |
| Cadmium, total | 0.03 | 0.03 | 0.03 | 0.03 | 1 |
| Chromium, total | 0.38 | 0.41 | 0.54 | 1 | 3 |
| Chromium, hexavalent | 0.5 | 0.5 | 0.5 | 0.5 | 3 |
| Chromium, trivalent | 0.5 | 0.5 | 0.5 | 1 | N/A |
| Copper, total | 3.12 | 0.95 | 7 | 4.97 | 2 |
| Cyanide, available | 0.69 | 0.69 | 0.69 | 0.69 | 2/10 |
| Lead, total | 0.22 | 0.04 | 0.09 | 0.1 | 0.5 |
| Mercury, total | 0.00136 | 0.00136 | 0.000353 | 0.000225 | 0.005/0.0005 |
| Nickel, total | 1.1 | 1.1 | 1.81 | 0.75 | 2 |
| Selenium, total | 0.31 | 0.31 | 0.31 | 0.31 | 5 |
| Silver, total | 0.13 | 0.13 | 0.14 | 0.13 | 0.5 |
| Thallium, total | 0.06 | 0.06 | 0.06 | 0.06 | 0.5 |
| Zinc, total | 23.2 | 10.2 | 21.3 | 86.3 | 5.0 |



September 23, 2025

DELIVERED VIA EMAIL

Rachel Ellis
Water Quality Division
Application Review and Processing Team
Texas Commission on Environmental Quality
12100 Park 35 Circle, Bldg. F, Room 2101
Austin, Texas 78753

Subject:

Notice of Deficiency Response
TPDES Wastewater Permit Renewal and Amendment and Renewal Application
TPDES Permit No. WQ0004306000
Nalco Fresno Plant

Dear Ms. Ellis:

Please consider this the response to the Notice of Deficiency (NOD), dated September 15, 2025, and delivered via email. A copy of this letter is attached. To satisfy the requirements of the NOD please review the following attachments included in this response: Landowner Labels, amended page 6 of the Administrative Report, Amended Section I-Item 7 of the Core Data Form, and the Spanish NORI.

Regarding item 4 in the NOD, we are requesting the following edits to the English NORI. A change of language from "to authorize the addition of reverse osmosis and jacket water in addition to previously authorized waste waterstreams" to "to authorize the addition of reverse osmosis and jacket water in addition to previously authorized wastewater streams." A change of language from "The wastewater treatment facility is located at 3130 Farm-to Market Road" to "The facility is located at 3130 Farm-to Market Road."

If you have any questions regarding this NOD response, please contact Whitney Brieden at 832-835-8474 or whitney.brieden@ecolab.com.

Sincerely,

Whitney Brieden

Environmental Engineer-Fresno

Enclosures



TCEQ Core Data Form

For detailed instructions on completing this form, please read the Core Data Form Instructions or call 512-239-5175.

SECTION I: General Information

1. Reason for Submission (If other is checked please describe in space provided.)

| Renewal (Co | wal (Core Data Form should be submitted with the renewal form) | | | | | | Other | | | | |
|----------------------|---|-------------------|-------------------|---------------------|-----------------|-------------|--|----------------------------|---------------|---------------------|--|
| 2. Customer Re | tomer Reference Number (if issued) Follow this link for CN or RN n | | | | numbers in | | 3. Regulated Entity Reference Number (if issued) | | | | |
| CN 605749316 | 5 | | | Central Registry** | | | 101618882 | | | | |
| ECTION | II: Custo | mer | Inform | <u>ation</u> | | | | | | | |
| I. General Cust | omer Information | | 5. Effective D | ate for Cu | stomer Inf | ormation | Updates (mm/dd | /уууу) | | | |
| New Custome | | | date to Custom | | | | nge in Regulated En | itity Own | ership | | |
| Change in Lega | al Name (Verifiable w | rith the Tex | as Secretary of S | State or Texa | as Comptrol | er of Publi | c Accounts) | | | | |
| | Name submitted ho Comptroller of Pub | - | - | tomaticall | y based or | what is o | current and active | e with th | ne Texas Sec | retary of State | |
| . Customer Le | gal Name (If an indi | vidual, prin | t last name first | t: eg: Doe, Jo | ohn) | | <u>If new Customer,</u> | enter pre | evious Custom | ner below: | |
| lalco Production | LLC | | | | | | | | | | |
| . TX SOS/CPA | Filing Number | | 8. TX State Ta | ax ID (11 di | gits) | | | | | 10. DUNS Number (if | |
| 000943806 | | | 32073075361 | 1 | | | (9 digits) | | applicable) | | |
| | | | | | | | 750867664 | | | | |
| 1. Type of Cus | tomer: | Corporati | ion | | | ☐ Indivi | dual | Partnership: General Limit | | | |
| iovernment: 🗌 | City County F | ederal 🔲 L | Local State Other | | | ☐ Sole P | Proprietorship | | | | |
| 2. Number of | Employees | | | | | | 13. Independe | ntly Ow | ned and Op | erated? | |
| 0-20 21 | -100 🛮 101-250 | 251-5 | 00 🔲 501 a | nd higher | | | ⊠ Yes □ No | | | | |
| 4. Customer R | ole (Proposed or Act | tual) – as it | relates to the R | egulated En | ntity listed or | this form. | Please check one o | f the follo | wing | | |
| Owner Occupational I | Operat | or onsible Par | | er & Opera | | Other: | | | | | |
| 5. Mailing | 3130 FM 521 | | | | | | | | | | |
| Address: | City Fresno | | | State | тх | ZIP | 77545 | | ZIP + 4 | | |
| | city Fresho | | | State | 17 | ZIP | //3 4 3 | | ZIP + 4 | | |
| | iling Information | | | | | | ddress (if applicab | | | | |

TCEQ-10400 (11/22) Page 1 of 3

Note: The entity with overall financial responsibility for the facility must apply as a coapplicant, if not the facility owner.

Item 3. Co-applicant Information (Instructions, Page 27)

☑ Check this box if there is no co-applicant.; otherwise, complete the below questions.

a. Legal name of the entity (co-applicant) applying for this permit: Click to enter text.

Note: The legal name must be spelled exactly as filed with the TX SOS, Texas Comptroller of Public Accounts, County, or in the legal documents forming the entity.

b. Customer Number (if applicant is an existing customer): <u>CNClick to enter text.</u>

Note: Locate the customer number using the TCEQ's Central Registry Customer Search.

c. Name and title of the person signing the application. (**Note:** The person must be an executive official that meets signatory requirements in 30 TAC § 305.44.)

Prefix: Click to enter text. Full Name (Last/First Name): Click to enter text.

Title: Click to enter text. Credential: Click to enter text.

d. Will the co-applicant have overall financial responsibility for the facility?

☐ Yes ☐ No

Note: The entity with overall financial responsibility for the facility must apply as a coapplicant, if not the facility owner.

Item 4. Core Data Form (Instructions, Pages 27)

a. Complete and attach one Core Data Form (TCEQ Form 10400) for each customer (applicant and co-applicant(s)). If the customer type selected on the Core Data Form is Individual, complete Attachment 1 of the Administrative Report. Attachment: Click to enter text.

Item 5. Application Contact Information (Instructions, Page 27)

Provide names of two individuals who can be contacted about this application. Indicate if the individual can be contacted about administrative or technical information, or both.

a. \boxtimes Administrative Contact . \boxtimes Technical Contact

Prefix: Mr. Full Name (Last/First Name): Jake Reaves

Title: <u>EHS Manager</u> Credential: <u>N/A</u>

Organization Name: Nalco Water, An Ecolab Company

Mailing Address: 3130 FM 521 Rd. City/State/Zip: Fresno, TX 77545

Phone No: <u>281-710-9358</u> Email: <u>jake.reaves@ecolab.com</u>

b. \boxtimes Administrative Contact \boxtimes Technical Contact

Prefix: Mrs. Full Name (Last/First Name): Whitney Brieden

Title: Environmental Engineer Credential: N/A

Organization Name: Nalco Water, An Ecolab Company

Mailing Address: 3130 FM 521 Rd. City/State/Zip: Fresno, TX 77545

Comisión de Calidad Ambiental del Estado de Texas



AVISO DE RECIBO DE LA SOLICITUD Y EL INTENTO DE OBTENER PERMISO PARA LA CALIDAD DEL AGUA PERMISO MODIFICACION

PERMISO NO. WQ000_____

SOLICITUD. Nalco Production, 3130 Farm-to-Market Road 521, Fresno, Texas, 77545, la planta de fabricación de productos químicos orgánicos, ha solicitado a la Comisión de Calidad Ambiental de Texas (TCEQ) para modificar el Permiso No. WQ004306000 (EPA I.D. No. TX0112461) del Sistema de Eliminación de Descargas de Contaminantes de Texas (TPDES) para autorizar la adición de osmosis inversa y chaqueta de aqua además de las corrientes de aquas residuales previamente autorizadas. La planta está ubicada 3130 Farm-to-Market Road 521, Fresno en el Condado de Fort Bend, Texas 77545. La ruta de descarga es del sitio de la planta a Outfall 001 A la sanja de drenaje del condado a lado de Farm-to-Market Road 521; y Outfall 002 A la sanja de drenaje del condado a lado de Kentucky Road; de allí A la sanja de drenaje del condado a lado de West Dallas Road; de allí A la sanja de drenaje del condado a lado de Farm-to-Market Road 521; las dos Outfalls de allí A la sanja de drenaje del condado a lado de American Canal; de allí a Mustang Bayou; de allí de Persimmon Bayou; de allí a New Bayou; de allí a Chocolate Bayou. La TCEO recibió esta solicitud el 05 de Septiembre 2025. La solicitud para el permiso estará disponible para leerla y copiarla en *la biblioteca del Condado* de Fort Bend-Sienna Branch, 8411 Sienna Springs Way, Missouri City, Texas antes de la fecha de publicación de este aviso en el periódico. La solicitud (cualquier actualización y aviso inclusive) está disponible electrónicamente en la siguiente página web: https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications. Este enlace a un mapa electrónico de la ubicación general del sitio o de la instalación es proporcionado como una cortesía y no es parte de la solicitud o del aviso. Para la ubicación exacta, consulte la solicitud.

https://gisweb.tceq.texas.gov/LocationMapper/?marker=-95.448611,29.542222&level=18

Include the following non-italicized sentence if the facility is located in the Coastal Management Program boundary and is an application for a major amendment which will increase the pollutant loads to coastal waters or would result in relocation of an outfall to a critical area, or a renewal with such a major amendment. The Coastal Management Program boundary is the area along the Texas Coast of the Gulf of México as depicted on the map in 31 TAC §503.1 and includes part or all of the following counties: Cameron, Willacy, Kenedy, Kleberg, Nueces, San Patricio, Aransas, Refugio, Calhoun, Victoria, Jackson, Matagorda, Brazoria, Galveston, Harris, Chambers, Jefferson y Orange. If the application is for amendment that does not meet the above description or a renewal without such a major amendment, do not include the sentence: El Director Ejecutivo de la TCEQ ha revisado esta medida para ver si está de acuerdo con los

objetivos y las regulaciones del Programa de Administración Costero de Texas (CMP) de acuerdo con las regulaciones del Consejo Coordinador de la Costa (CCC) y ha determinado que la acción es conforme con las metas y regulaciones pertinentes del CMP.

AVISO DE IDIOMA ALTERNATIVO. El aviso de idioma alternativo en español está disponible en https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications.

AVISO ADICIONAL. El Director Ejecutivo de la TCEQ ha determinado que la solicitud es administrativamente completa y conducirá una revisión técnica de la solicitud. Después de completar la revisión técnica, el Director Ejecutivo puede preparar un borrador del permiso y emitirá una Decisión Preliminar sobre la solicitud. El aviso de la solicitud y la decisión preliminar serán publicados y enviado a los que están en la lista de correo de las personas a lo largo del condado que desean recibir los avisos y los que están en la lista de correo que desean recibir avisos de esta solicitud. El aviso dará la fecha límite para someter comentarios públicos.

COMENTARIO PUBLICO / REUNION PUBLICA. Usted puede presentar comentarios públicos o pedir una reunión pública sobre esta solicitud. El propósito de una reunión pública es dar la oportunidad de presentar comentarios o hacer preguntas acerca de la solicitud. La TCEQ realiza una reunión pública si el Director Ejecutivo determina que hay un grado de interés público suficiente en la solicitud o si un legislador local lo pide. Una reunión pública no es una audiencia administrativa de lo contencioso.

OPORTUNIDAD DE UNA AUDIENCIA ADMINISTRATIVA DE LO CONTENCIOSO. Después del plazo para presentar comentarios públicos, el Director Ejecutivo considerará todos los comentarios apropiados y preparará una respuesta a todo los comentarios públicos esenciales, pertinentes, o significativos. A menos que la solicitud haya sido referida directamente a una audiencia administrativa de lo contencioso, la respuesta a los comentarios y la decisión del Director Ejecutivo sobre la solicitud serán enviados por correo a todos los que presentaron un comentario público y a las personas que están en la lista para recibir avisos sobre esta solicitud. Si se reciben comentarios, el aviso también proveerá instrucciones para pedir una reconsideración de la decisión del Director Ejecutivo y para pedir una audiencia administrativa de lo contencioso. Una audiencia administrativa de lo contencioso es un procedimiento legal similar a un procedimiento legal civil en un tribunal de distrito del estado.

PARA SOLICITAR UNA AUDIENCIA DE CASO IMPUGNADO, USTED DEBE INCLUIR EN SU SOLICITUD LOS SIGUIENTES DATOS: su nombre, dirección, y número de teléfono; el nombre del solicitante y número del permiso; la ubicación y distancia de su propiedad/actividad con respecto a la instalación; una descripción específica de la forma cómo usted sería afectado adversamente por el sitio de una manera no común al público en general; una lista de todas las cuestiones de hecho en disputa que usted presente durante el período de comentarios; y la declaración "[Yo/nosotros] solicito/solicitamos una audiencia de caso impugnado". Si presenta la petición para una audiencia de caso impugnado de parte de un grupo o asociación, debe identificar una persona que representa al grupo para recibir correspondencia en el futuro; identificar el nombre y la dirección de un miembro del grupo que sería afectado adversamente por la planta o la actividad propuesta; proveer la información indicada anteriormente con respecto a la ubicación del miembro afectado y su distancia de la planta o actividad propuesta; explicar

cómo y porqué el miembro sería afectado; y explicar cómo los intereses que el grupo desea proteger son pertinentes al propósito del grupo.

Después del cierre de todos los períodos de comentarios y de petición que aplican, el Director Ejecutivo enviará la solicitud y cualquier petición para reconsideración o para una audiencia de caso impugnado a los Comisionados de la TCEQ para su consideración durante una reunión programada de la Comisión.

La Comisión sólo puede conceder una solicitud de una audiencia de caso impugnado sobre los temas que el solicitante haya presentado en sus comentarios oportunos que no fueron retirados posteriormente. Si se concede una audiencia, el tema de la audiencia estará limitado a cuestiones de hecho en disputa o cuestiones mixtas de hecho y de derecho relacionadas a intereses pertinentes y materiales de calidad del agua que se hayan presentado durante el período de comentarios.

LISTA DE CORREO. Si somete comentarios públicos, un pedido para una audiencia administrativa de lo contencioso o una reconsideración de la decisión del Director Ejecutivo, la Oficina del Secretario Principal enviará por correo los avisos públicos en relación con la solicitud. Además, puede pedir que la TCEQ ponga su nombre en una o más de las listas correos siguientes (1) la lista de correo permanente para recibir los avisos del solicitante indicado por nombre y número del permiso específico y/o (2) la lista de correo de todas las solicitudes en un condado específico. Si desea que se agrega su nombre en una de las listas designe cual lista(s) y envía por correo su pedido a la Oficina del Secretario Principal de la TCEQ.

INFORMACIÓN DISPONIBLE EN LÍNEA. Para detalles sobre el estado de la solicitud, favor de visitar la Base de Datos Integrada de los Comisionados en www.tceq.texas.gov/goto/cid. Para buscar en la base de datos, utilizar el número de permiso para esta solicitud que aparece en la parte superior de este aviso.

CONTACTOS E INFORMACIÓN A LA AGENCIA. Todos los comentarios públicos y solicitudes deben ser presentadas electrónicamente vía http://www14.tceq.texas.gov/epic/eComment/ o por escrito dirigidos a la Comisión de Texas de Calidad Ambiental, Oficial de la Secretaría (Office of Chief Clerk), MC-105, P.O. Box 13087, Austin, Texas 78711-3087. Tenga en cuenta que cualquier información personal que usted proporcione, incluyendo su nombre, número de teléfono, dirección de correo electrónico y dirección física pasarán a formar parte del registro público de la Agencia. Para obtener más información acerca de esta solicitud de permiso o el proceso de permisos, llame al programa de educación pública de la TCEQ, gratis, al 1-800-687-4040. Si desea información en español, puede llamar al 1-800-687-4040.

También se puede obtener información adicional del *Nalco Production* Company-Fresno facility a la dirección indicada arriba o llamando a *Whitney Brieden* al *281-710-9323*.

Fecha de emisión: [Date notice issued]

Rachel Ellis

From: Brieden, Whitney <whitney.brieden@ecolab.com>

Sent: Tuesday, September 16, 2025 10:51 AM

To: Rachel Ellis
Cc: Reaves, Jake

Subject: RE: Application for Renewal Permit No. WQ0004306000-Nalco Production LLC -Notice

of Deficiency Letter

Follow Up Flag: Follow up Flag Status: Flagged

Hi Rachel,

We are requesting a slight flow increase for both Outfalls 001 and 002. Please do not hesitate to contact me if you have any other questions.

Regards,

Whitney

From: Rachel Ellis <Rachel.Ellis@tceq.texas.gov> Sent: Tuesday, September 16, 2025 10:12 AM

To: Brieden, Whitney <whitney.brieden@ecolab.com>

Cc: Reaves, Jake <jake.reaves@ecolab.com>

Subject: RE: Application for Renewal Permit No. WQ0004306000-Nalco Production LLC -Notice of Deficiency Letter

This Message Is From an External Sender

This message came from outside your organization.

Good morning,

I have a question for clarity reasons. The amendment request in Item 13 of the Technical Report does not include a flow increase at Outfalls 001 and 002, but Item 4 of the application has proposed flows for both outfalls. I am wanting to know if you are asking for a flow increase for both outfalls. Please let me know.

Thank you,

License & Permit Specialist

Rachel Ellie

Texas Commission on Environmental Quality

Water Quality Division/Application Review & Processing Team Rachel.Ellis@tceq.texas.gov



From: Brieden, Whitney < whitney.brieden@ecolab.com >

Sent: Tuesday, September 16, 2025 8:11 AM **To:** Rachel Ellis < Reaves, Jake < jake.reaves@ecolab.com>

Subject: RE: Application for Renewal Permit No. WQ0004306000-Nalco Production LLC -Notice of Deficiency Letter

Good Morning,

This NOD has been received and will be responded to accordingly.

Thank you,

Whitney Brieden

Environmental Engineer– ES SC (Fresno, TX)

Nalco Water, An Ecolab Company
3130 FM-521 Fresno, TX 77545

E: whitney.brieden@ecolab.com

C: 832-835-8474

From: Rachel Ellis < Rachel. Ellis@tceq.texas.gov > Sent: Monday, September 15, 2025 3:15 PM

To: Brieden, Whitney <whitney.brieden@ecolab.com>

Cc: Reaves, Jake < jake.reaves@ecolab.com>

Subject: Application for Renewal Permit No. WQ0004306000-Nalco Production LLC -Notice of Deficiency Letter

This Message Is From an External Sender

This message came from outside your organization.

Dear Mrs. Brieden,

The attached Notice of Deficiency letter sent on September 15, 2025, requests additional information needed to declare the application administratively complete. Please send the complete response to my attention by **September 29, 2025**.

Thank you,



Texas Commission on Environmental Quality Water Quality Division Application Review & Processing Team Rachel.Ellis@tceq.texas.gov



CONFIDENTIALITY NOTICE: This e-mail communication and any attachments may contain proprietary and privileged information for the use of the designated recipients named above. Any unauthorized review, use, disclosure or distribution is prohibited. If you are not the intended recipient, please contact the sender by reply e-mail and destroy all copies of the original message.

| □ Track I – Not a fixed facility |
|---|
| Attach information required by 40 CFR § 125.136(b) and complete Worksheet 11.0, Item 2 (except CWIS latitude/longitude under Item 2.a). |
| □ Track II – Fixed facility |
| • Attach information required by 40 CFR § 125.136(c) and complete Worksheet 11.0, Items 2 and 3. |
| Attachment: Click to enter text. |
| Item 13. Permit Change Requests (Instructions, Page 48) |
| This item is only applicable to existing permitted facilities. |
| a. Is the facility requesting a major amendment of an existing permit? |
| ⊠ Yes □ No |
| If yes , list each request individually and provide the following information: 1) detailed information regarding the scope of each request and 2) a justification for each request. Attach any supplemental information or additional data to support each request. |
| The Nalco Fresno Plant is requesting a major amendment to include two additional sources of discharge: reverse osmosis water and jacket water. The additions of the reverse osmosis water and jacket water will cause a flow increase for both Outfalls 001 and Outfalls 002. The proposed increase is from a daily average flow of 15,000 gallons per day to 16,000 gallons per day via Outfall 001; and to increase the daily average flow from 20,000 to 21,000 gallons per day via Outfall 002. The proposed increase for the daily max daily flow is 25,000 gallons to 26,000 gallons for both Outfall 001 and Outfall 002 respectively. The site also requests the removal of the E. Coli and BOD testing requirements for Outfall 001 and Outfall 002. E. Coli and BOD are not expected to be present for the wastewater discharged to Outfalls 001 and 002. |
| b. Is the facility requesting any minor amendments to the permit? |
| \square Yes \boxtimes No If yes , list and describe each change individually. |
| N/A |
| |
| c. Is the facility requesting any minor modifications to the permit? |
| □ Yes ⊠ No |
| If yes , list and describe each change individually. |

Comisión de Calidad Ambiental del Estado de Texas



AVISO DE RECIBO DE LA SOLICITUD Y EL INTENTO DE OBTENER PERMISO PARA LA CALIDAD DEL AGUA PERMISO MODIFICACION

PERMISO NO. WQ0004306000

SOLICITUD. Nalco Production, 3130 Farm-to-Market Road 521, Fresno, Texas, 77545, la planta de fabricación de productos químicos orgánicos, ha solicitado a la Comisión de Calidad Ambiental de Texas (TCEO) para modificar el Permiso No. WO004306000 (EPA I.D. No. TX0112461) del Sistema de Eliminación de Descargas de Contaminantes de Texas (TPDES) para autorizar el flujo promedio diario de 15,000 galones por día a 16,000 galones por día a través a Outfall 001; para aumentar el flujo promedio diario de 20,000 a 21,000 galones por día a Oufall 002; para agregar chaqueta de agua a la lista de descargas autorizadas a Outfall 001; para agregar de osmosis inversa a la lista de descargas autorizada a Outfall 002; y para eliminar las limitaciones de efluentas para la demanda bioquímica de oxigeno, 5 dias y Escherichia coli de los desagües 001 y 002. La planta está ubicada 3130 Farm-to-Market Road 521, Fresno en el Condado de Fort Bend, Texas 77545. La ruta de descarga es del sitio de la planta a Outfall 001 A la sanja de drenaje del condado a lado de Farm-to-Market Road 521; v Outfall 002 A la sanja de drenaje del condado a lado de Kentucky Road; de allí A la sanja de drenaje del condado a lado de West Dallas Road; de allí A la sanja de drenaje del condado a lado de Farm-to-Market Road 521; las dos Outfalls de allí A la sanja de drenaje del condado a lado de American Canal; de allí a Mustang Bayou; de allí de Persimmon Bayou; de allí a New Bayou; de allí a Chocolate Bayou. La TCEQ recibió esta solicitud el 05 de septiembre 2025. La solicitud para el permiso estará disponible para leerla y copiarla en la biblioteca del Condado de Fort Bend-Sienna Branch, 8411 Sienna Springs Way, Missouri City, Texas antes de la fecha de publicación de este aviso en el periódico. La solicitud (cualquier actualización y aviso inclusive) está disponible electrónicamente en la siguiente página web:

https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications
Este enlace a un mapa electrónico de la ubicación general del sitio o de la instalación es
proporcionado como una cortesía y no es parte de la solicitud o del aviso. Para la ubicación
exacta, consulte la solicitud.

https://gisweb.tceq.texas.gov/LocationMapper/?marker=-95.448611,29.542222&level=18

AVISO DE IDIOMA ALTERNATIVO. El aviso de idioma alternativo en español está disponible en https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications.

AVISO ADICIONAL. El Director Ejecutivo de la TCEQ ha determinado que la solicitud es administrativamente completa y conducirá una revisión técnica de la solicitud. Después de completar la revisión técnica, el Director Ejecutivo puede preparar un borrador del permiso y emitirá una Decisión Preliminar sobre la solicitud. **El aviso de la solicitud y la decisión**

preliminar serán publicados y enviado a los que están en la lista de correo de las personas a lo largo del condado que desean recibir los avisos y los que están en la lista de correo que desean recibir avisos de esta solicitud. El aviso dará la fecha límite para someter comentarios públicos.

COMENTARIO PUBLICO / REUNION PUBLICA. Usted puede presentar comentarios públicos o pedir una reunión pública sobre esta solicitud. El propósito de una reunión pública es dar la oportunidad de presentar comentarios o hacer preguntas acerca de la solicitud. La TCEQ realiza una reunión pública si el Director Ejecutivo determina que hay un grado de interés público suficiente en la solicitud o si un legislador local lo pide. Una reunión pública no es una audiencia administrativa de lo contencioso.

OPORTUNIDAD DE UNA AUDIENCIA ADMINISTRATIVA DE LO CONTENCIOSO. Después del plazo para presentar comentarios públicos, el Director Ejecutivo considerará todos los comentarios apropiados y preparará una respuesta a todo los comentarios públicos esenciales, pertinentes, o significativos. A menos que la solicitud haya sido referida directamente a una audiencia administrativa de lo contencioso, la respuesta a los comentarios y la decisión del Director Ejecutivo sobre la solicitud serán enviados por correo a todos los que presentaron un comentario público y a las personas que están en la lista para recibir avisos sobre esta solicitud. Si se reciben comentarios, el aviso también proveerá instrucciones para pedir una reconsideración de la decisión del Director Ejecutivo y para pedir una audiencia administrativa de lo contencioso. Una audiencia administrativa de lo contencioso es un procedimiento legal similar a un procedimiento legal civil en un tribunal de distrito del estado.

PARA SOLICITAR UNA AUDIENCIA DE CASO IMPUGNADO, USTED DEBE INCLUIR EN SU SOLICITUD LOS SIGUIENTES DATOS: su nombre, dirección, y número de teléfono; el nombre del solicitante y número del permiso; la ubicación y distancia de su propiedad/actividad con respecto a la instalación; una descripción específica de la forma cómo usted sería afectado adversamente por el sitio de una manera no común al público en general; una lista de todas las cuestiones de hecho en disputa que usted presente durante el período de comentarios; y la declaración "[Yo/nosotros] solicito/solicitamos una audiencia de caso impugnado". Si presenta la petición para una audiencia de caso impugnado de parte de un grupo o asociación, debe identificar una persona que representa al grupo para recibir correspondencia en el futuro; identificar el nombre y la dirección de un miembro del grupo que sería afectado adversamente por la planta o la actividad propuesta; proveer la información indicada anteriormente con respecto a la ubicación del miembro afectado y su distancia de la planta o actividad propuesta; explicar cómo y porqué el miembro sería afectado; y explicar cómo los intereses que el grupo desea proteger son pertinentes al propósito del grupo.

Después del cierre de todos los períodos de comentarios y de petición que aplican, el Director Ejecutivo enviará la solicitud y cualquier petición para reconsideración o para una audiencia de caso impugnado a los Comisionados de la TCEQ para su consideración durante una reunión programada de la Comisión.

La Comisión sólo puede conceder una solicitud de una audiencia de caso impugnado sobre los temas que el solicitante haya presentado en sus comentarios oportunos que no fueron retirados posteriormente. Si se concede una audiencia, el tema de la audiencia estará

limitado a cuestiones de hecho en disputa o cuestiones mixtas de hecho y de derecho relacionadas a intereses pertinentes y materiales de calidad del agua que se hayan presentado durante el período de comentarios.

LISTA DE CORREO. Si somete comentarios públicos, un pedido para una audiencia administrativa de lo contencioso o una reconsideración de la decisión del Director Ejecutivo, la Oficina del Secretario Principal enviará por correo los avisos públicos en relación con la solicitud. Además, puede pedir que la TCEQ ponga su nombre en una o más de las listas correos siguientes (1) la lista de correo permanente para recibir los avisos del solicitante indicado por nombre y número del permiso específico y/o (2) la lista de correo de todas las solicitudes en un condado específico. Si desea que se agrega su nombre en una de las listas designe cual lista(s) y envía por correo su pedido a la Oficina del Secretario Principal de la TCEO.

INFORMACIÓN DISPONIBLE EN LÍNEA. Para detalles sobre el estado de la solicitud, favor de visitar la Base de Datos Integrada de los Comisionados en www.tceq.texas.gov/goto/cid. Para buscar en la base de datos, utilizar el número de permiso para esta solicitud que aparece en la parte superior de este aviso.

CONTACTOS E INFORMACIÓN A LA AGENCIA. Todos los comentarios públicos y solicitudes deben ser presentadas electrónicamente vía http://www14.tceq.texas.gov/epic/eComment/ o por escrito dirigidos a la Comisión de Texas de Calidad Ambiental, Oficial de la Secretaría (Office of Chief Clerk), MC-105, P.O. Box 13087, Austin, Texas 78711-3087. Tenga en cuenta que cualquier información personal que usted proporcione, incluyendo su nombre, número de teléfono, dirección de correo electrónico y dirección física pasarán a formar parte del registro público de la Agencia. Para obtener más información acerca de esta solicitud de permiso o el proceso de permisos, llame al programa de educación pública de la TCEQ, gratis, al 1-800-687-4040. Si desea información en español, puede llamar al 1-800-687-4040.

También se puede obtener información adicional del Nalco Production Company-Fresno facility a la dirección indicada arriba o llamando a Whitney Brieden al 281-710-9323.

Fecha de emisión: [Date notice issued]