

Administrative Package Cover Page

This file contains the following documents:

- 1. Summary of application (in plain language)
- 2. First Notice (NORI-Notice of Receipt of Application and Intent to Obtain a Permit)
- 3. Application Materials



TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

SUMMARY OF APPLICATION IN PLAIN LANGUAGE FOR TPDES OR TLAP PERMIT APPLICATIONS

Summary of Application (in plain language) Template and Instructions for Texas Pollutant Discharge Elimination System (TPDES) and Texas Land Application (TLAP) Permit Applications

Applicants should use this template to develop a plain language summary of your facility and application as required by Title 30, Texas Administrative Code (30 TAC), Chapter 39, Subchapter H. You may modify the template as necessary to accurately describe your facility as long as the summary includes the following information: (1) the function of the proposed plant or facility; (2) the expected output of the proposed plant or facility; (3) the expected pollutants that may be emitted or discharged by the proposed plant or facility; and (4) how you will control those pollutants, so that the proposed plant will not have an adverse impact on human health or the environment.

Fill in the highlighted areas below to describe your facility and application in plain language. Instructions and examples are provided below. Make any other edits necessary to improve readability or grammar and to comply with the rule requirements. After filling in the information for your facility delete these instructions.

If you are subject to the alternative language notice requirements in 30 TAC Section 39.426, you must provide a translated copy of the completed plain language summary in the appropriate alternative language as part of your application package. For your convenience, a Spanish template has been provided below.

ENGLISH TEMPLATE FOR TPDES or TLAP NEW/RENEWAL/AMENDMENT APPLICATIONS INDUSTRIAL WASTEWATER/STORMWATER

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 TAC Chapter 39. The information provided in this summary may change during the technical review of the application and is not a federal enforceable representation of the permit application.

City of Vernon (CN600248264) operates the City of Vernon Ion Exchange Plant (RN105640460), an ion exchange water treatment plant. The facility is located at 2801 Sullivan Street, in Vernon, Wilbarger County, Texas 76384. This application is for a renewal to discharge at a daily average flow not to exceed 65,000 gallons per day. The daily maximum flow shall not exceed 108,000 gallons per day.

Discharges from the facility are expected to contain The expected pollutants in the Outfall 001 discharge include chemical oxygen demand (COD), nitrate-nitrogen, chloride, total dissolved solids (TDS), sulfate, and total selenium, with pH also monitored to ensure it remains within the permitted range. Additional potential pollutants are included in the Domestic Technical Report 1.0, Section 7. Pollutant Analysis of Treated Effluent in the permit application package. Raw water from public drinking water wells containing nitrate will be treated by a nitrate ion exchange wastewater treatment process which removes nitrates from

groundwater using ion exchange resins. Raw water passes through a series of nitrate exchange vessels where nitrate ions (NO_3^-) in the water are exchanged for chloride ions (Cl^-) from the resin. Once the resin becomes saturated with nitrates, it is regenerated using a brine solution prepared in a brine saturator and conditioned in a softener. During regeneration, the brine flushes the nitrate ions off the resin, restoring its capacity for further treatment. The resulting nitrate-rich waste brine is collected in a nitrate waste holding tank, where muriatic acid may be added to control pH and prevent scaling. Finally, the waste brine is discharged through Outfall 001 under regulated effluent limitations..

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



NOTICE OF RECEIPT OF APPLICATION AND INTENT TO OBTAIN WATER QUALITY PERMIT RENEWAL.

PERMIT NO. WQ0004868000

APPLICATION. City of Vernon, 1725 Wilbarger Street, Vernon, Texas 76384, which owns an ion exchange water treatment plant, has applied to the Texas Commission on Environmental Quality (TCEQ) to renew Texas Pollutant Discharge Elimination System (TPDES) Permit No. WQ0004868000 (EPA I.D. No. TX0131792) to authorize the discharge of treated wastewater at a volume not to exceed a daily average flow of 65,000 gallons per day. The water treatment facility is located at 2801 Sullivan Street, in the city of Vernon, in Wilbarger County, Texas 76834. The discharge route is from the plant site directly to Pease River. TCEQ received this application on October 30, 2025. The permit application will be available for viewing and copying at Vernon City Hall, 1725 Wilbarger Street, Vernon, in Wilbarger County, Texas prior to the date this notice is published in the newspaper. The application is available for viewing and copying at the following webpage:

https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications. This link to an electronic map of the site or facility's general location is provided as a public courtesy and not part of the application or notice. For the exact location, refer to the application.

https://gisweb.tceq.texas.gov/LocationMapper/?marker=-99.296944,34.163333&level=18

ADDITIONAL NOTICE. TCEQ's Executive Director has determined the application is administratively complete and will conduct a technical review of the application. After technical review of the application is complete, the Executive Director may prepare a draft permit and will issue a preliminary decision on the application. Notice of the Application and Preliminary Decision will be published and mailed to those who are on the countywide mailing list and to those who are on the mailing list for this application. That notice will contain the deadline for submitting public comments.

PUBLIC COMMENT / PUBLIC MEETING. You may submit public comments or request a public meeting on this application. The purpose of a public meeting is to provide the opportunity to submit comments or to ask questions about the application. TCEQ will hold a public meeting if the Executive Director determines that there is a significant degree of public interest in the application or if requested by a local legislator. A public meeting is not a contested case hearing.

OPPORTUNITY FOR A CONTESTED CASE HEARING. After the deadline for submitting public comments, the Executive Director will consider all timely comments and prepare a response to all relevant and material, or significant public comments. **Unless the application**

is directly referred for a contested case hearing, the response to comments, and the Executive Director's decision on the application, will be mailed to everyone who submitted public comments and to those persons who are on the mailing list for this application. If comments are received, the mailing will also provide instructions for requesting reconsideration of the Executive Director's decision and for requesting a contested case hearing. A contested case hearing is a legal proceeding similar to a civil trial in state district court.

TO REQUEST A CONTESTED CASE HEARING, YOU MUST INCLUDE THE FOLLOWING ITEMS IN YOUR REQUEST: your name, address, phone number; applicant's name and proposed permit number; the location and distance of your property/activities relative to the proposed facility; a specific description of how you would be adversely affected by the facility in a way not common to the general public; a list of all disputed issues of fact that you submit during the comment period and, the statement "[I/we] request a contested case hearing." If the request for contested case hearing is filed on behalf of a group or association, the request must designate the group's representative for receiving future correspondence; identify by name and physical address an individual member of the group who would be adversely affected by the proposed facility or activity; provide the information discussed above regarding the affected member's location and distance from the facility or activity; explain how and why the member would be affected; and explain how the interests the group seeks to protect are relevant to the group's purpose.

Following the close of all applicable comment and request periods, the Executive Director will forward the application and any requests for reconsideration or for a contested case hearing to the TCEQ Commissioners for their consideration at a scheduled Commission meeting.

The Commission may only grant a request for a contested case hearing on issues the requestor submitted in their timely comments that were not subsequently withdrawn. If a hearing is granted, the subject of a hearing will be limited to disputed issues of fact or mixed questions of fact and law relating to relevant and material water quality concerns submitted during the comment period.

TCEQ may act on an application to renew a permit for discharge of wastewater without providing an opportunity for a contested case hearing if certain criteria are met.

MAILING LIST. If you submit public comments, a request for a contested case hearing or a reconsideration of the Executive Director's decision, you will be added to the mailing list for this specific application to receive future public notices mailed by the Office of the Chief Clerk. In addition, you may request to be placed on: (1) the permanent mailing list for a specific applicant name and permit number; and/or (2) the mailing list for a specific county. If you wish to be placed on the permanent and/or the county mailing list, clearly specify which list(s) and send your request to TCEQ Office of the Chief Clerk at the address below.

INFORMATION AVAILABLE ONLINE. For details about the status of the application, visit the Commissioners' Integrated Database at www.tceq.texas.gov/goto/cid. Search the database using the permit number for this application, which is provided at the top of this notice.

AGENCY CONTACTS AND INFORMATION. All public comments and requests must be submitted either electronically at https://www14.tceq.texas.gov/epic/eComment/, or in writing to the Texas Commission on Environmental Quality, Office of the Chief Clerk, MC-105,

P.O. Box 13087, Austin, Texas 78711-3087. Please be aware that any contact information you provide, including your name, phone number, email address and physical address will become part of the agency's public record. For more information about this permit application or the permitting process, please call the TCEQ Public Education Program, Toll Free, at 1-800-687-4040 or visit their website at www.tceq.texas.gov/goto/pep. Si desea información en Español, puede llamar al 1-800-687-4040.

Further information may also be obtained from City of Vernon at the address stated above or by calling Mr. Chase Craighead, Public Works Director, at 940-552-2581.

Issuance Date: November 19, 2025



INTEGRITY **EXCELLENCE TRUST**

October 29, 2025

Executive Director Applications Review and Processing Team (MC148) Texas Commission on Environmental Quality 12100 Park 35 Circle Austin, Texas 78753



RE: Application to Renew Permit No.: WQ0004868000 (EPA I.D. No. TX0131792)

Applicant Name: City of Vernon (CN600248264)

Site Name: Vernon Nitrate Treatment Plant (RN105640460)

Type of Application: Renewal without changes

Dear TCEQ,

Enclosed are one original and one copy of the application, along with supporting documents, for the renewal of Permit No. WQ0004868000 for the City of Vernon Nitrate Treatment Plant.

Please note that the original check in the amount of \$315.00, for the permit application renewal fee has been mailed to the Cashier's Office. A copy of the check is included with this submittal for your reference.

If you have any questions or require additional information, please feel free to contact me at our Abilene office at (325) 695-1070 or via email at mlawrence@jacobmartin.com.

Thank you for your assistance.

Sincerely,

Mark Lawrence JACOB | MARTIN

Mad Lan





3465 Curry Lane

Abilene, TX 79606

325.695.1070



TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

INDUSTRIAL WASTEWATER PERMIT APPLICATION CHECKLIST

Complete and submit this checklist with the industrial wastewater permit application.

APPLICANT NAME: City of Verno	<u>on</u>			ABIR	MARA	
PERMIT NUMBER (If new, leave b	ORIG	INA				
Indicate if each of the following	0000	00 00 0				
	Y	N		Y	N	
Administrative Report 1.0	\boxtimes		Worksheet 8.0		\boxtimes	
Administrative Report 1.1			Worksheet 9.0		\boxtimes	
SPIF	\boxtimes		Worksheet 10.0	Electrical Electrical States	\boxtimes	
Core Data Form	\boxtimes		Worksheet 11.0		\boxtimes	
Summary of Application (PLS)	\boxtimes		Worksheet 11.1		\boxtimes	
Public Involvement Plan Form			Worksheet 11.2		\boxtimes	
Technical Report 1.0	\boxtimes		Worksheet 11.3		\boxtimes	
Worksheet 1.0	\boxtimes		Original USGS Map		\boxtimes	
Worksheet 2.0	\boxtimes		Affected Landowners Maj	p 🔲	\boxtimes	
Worksheet 3.0		\boxtimes	Landowner Disk or Labels	S 🔲		
Worksheet 3.1		\boxtimes	Flow Diagram			
Worksheet 3.2		\boxtimes	Site Drawing			
Worksheet 3.3		\boxtimes	Original Photographs		\boxtimes	
Worksheet 4.0	\boxtimes		Design Calculations		\boxtimes	
Worksheet 4.1		\boxtimes	Solids Management Plan		\boxtimes	
Worksheet 5.0		\boxtimes	Water Balance		\boxtimes	
Worksheet 6.0		\boxtimes				
Worksheet 7.0		\boxtimes				

For TCEQ Use Only		
Segment Number	County	
Expiration Date	Region	

	· ·		

Permit Number ____



TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

INDUSTRIAL WASTEWATER PERMIT APPLICATION **ADMINISTRATIVE REPORT 1.0**

This report is required for all applications for TPDES permits and TLAPs, except applications for oil and gas extraction operations subject to 40 CFR Part 435. Contact the Applications Review and Processing Team at 512-239-4671 with any questions about completing this report.

Applications for oil and gas extraction operations subject to 40 CFR Part 435 must use Oil and

Ga	as Exploratio	n and Prod	uction Adm	inistrati	ve Report (<u>TCEQ Form-20893</u>	and 20893-inst1).
It	em 1. A	pplication	on Inform	ation	and Fees (Instructions,	, Page 26)
a.	Complete e	ach field w	ith the requ	ested in	formation, if applicable.	
	Applicant N					ORIGINAL
	Permit No.: EPA ID No.:					6 1 1 1 6 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0
	Expiration l					
b.		•		riate aut	horization type.	
					stormwater)	
	☐ Industria	l Stormwat	er (stormw	ater only	7)	
	☐ Reverse (Osmosis W	ater Treatm	ent (reve	erse osmosis water treatment	wastewaters only)
c.	Check the b	ox next to	the appropi	riate fac	ility status.	
			☐ Inactive			
d.	Check the b	ox next to	the appropi	iate per	mit type.	
	☑ TPDES Pe	rmit	☐ TLAP	☐ TP	DES with TLAP component	
e.	Check the b	ox next to	the appropi	iate app	lication type.	
	□ New					
	☐ Renewal				☑ Renewal without changes	
	☐ Major am				☐ Major amendment withou	it renewal
 ☐ Minor amendment without renewal ☐ Minor modification without renewal 						
_	and the same of th					
			ndment or n	nodifica	tion, describe the request: <u>Clic</u>	ck to enter text.
	TCEQ Use On			C		
Exp	iration Date _		F	legion		
Per	mit Number _					

¹ https://www.tceq.texas.gov/publications/search_forms.html TCEQ-10411 (09/13/2024) Industrial Wastewater Application Administrative Report

g. Application Fee

EPA Classification	New	Major Amend. (with or without renewal)	Renewal (with or without changes)	Minor Amend. / Minor Mod. (without renewal)
Minor facility not subject to EPA categorical effluent guidelines (40 CFR Parts 400-471)	□ \$350	□ \$350	⊠ \$315	□ \$150
Minor facility subject to EPA categorical effluent guidelines (40 CFR Parts 400-471)	□ \$1,250	□ \$1,250	□ \$1,215	□ \$150
Major facility	N/A ²	□ \$2,050	□ \$2,015	□ \$450

h. Payment Information

Mailed

Check or money order No.: <u>986041</u> Check or money order amt.: <u>315.00</u>

Named printed on check or money order: City of Vernon

Epay

Voucher number: Click to enter text.

Copy of voucher attachment: Click to enter text.

Item 2. Applicant Information (Instructions, Pages 26)

a. Customer Number, if applicant is an existing customer: <u>CN600248264</u>

Note: Locate the customer number using the <u>TCEO's Central Registry Customer Search</u>³.

b. Legal name of the entity (applicant) applying for this permit: City of Vernon

Note: The owner of the facility must apply for the permit. The legal name must be spelled exactly as filed with the TX SOS, Texas Comptroller of Public Accounts, County, or in the legal documents forming the entity.

c. Name and title of the person signing the application. (**Note:** The person must be an executive official that meets signatory requirements in 30 TAC § 305.44.)

Prefix: Ms. Full Name (Last/First Name): Gosline, Pam

Title: Mayor Credential: Click to enter text.

d. Will the applicant have overall financial responsibility for the facility?

No

² All facilities are designated as minors until formally classified as a major by EPA.

³ https://www15.tceq.texas.gov/crpub/index.cfm?fuseaction=cust.CustSearch

Note: The entity with overall financial responsibility for the facility must apply as a coapplicant, if not the facility owner.

Item 3.	Co-applicant	Information	(Instructions,	Page 27)
ACCASE DI	CO or la lawrence			Annalization (a) Descriptions of the latest

☑ Check this box if there is no co-applicant.; otherwise, complete the below questions.

a. Legal name of the entity (co-applicant) applying for this permit: Click to enter text.

Note: The legal name must be spelled exactly as filed with the TX SOS, Texas Comptroller of Public Accounts. County, or in the legal documents forming the entity.

- b. Customer Number (if applicant is an existing customer): <u>CNClick to enter text.</u>

 Note: Locate the customer number using the TCEO's Central Registry Customer Search.
- c. Name and title of the person signing the application. (**Note:** The person must be an executive official that meets signatory requirements in 30 TAC § 305.44.)

Prefix: Click to enter text. Full Name (Last/First Name): Click to enter text.

Title: Click to enter text. Credential: Click to enter text.

d. Will the co-applicant have overall financial responsibility for the facility?

☐ Yes ☐ No

Note: The entity with overall financial responsibility for the facility must apply as a coapplicant, if not the facility owner.

Item 4. Core Data Form (Instructions, Pages 27)

a. Complete and attach one Core Data Form (TCEQ Form 10400) for each customer (applicant and co-applicant(s)). If the customer type selected on the Core Data Form is Individual, complete Attachment 1 of the Administrative Report. Attachment: 1

Item 5. Application Contact Information (Instructions, Page 27)

Provide names of two individuals who can be contacted about this application. Indicate if the individual can be contacted about administrative or technical information, or both.

a. ⊠ Administrative Contact . □ Technical Contact

Prefix: Mr. Full Name (Last/First Name): Craighead, Chase

Title: Public Works Director Credential: Click to enter text.

Organization Name: City of Vernon

Mailing Address: <u>1725 Wilbarger ST</u> City/State/Zip: <u>Vernon, TX 76384-471</u>

Phone No: <u>940-552-2581</u> Email: <u>scraighead@vernontx.gov</u>

b. ☐ Administrative Contact ☐ Technical Contact

Prefix: Mr. Full Name (Last/First Name): Lawrence, Mark

Title: Environmental GeologistCredential: Click to enter text.

Organization Name: Jacob Martin, LLC

Mailing Address: 3465 Curry Lane City/State/Zip: Abilene, TX 79606

Phone No: <u>325-695-1070</u> Email: <u>mlawrence@jacobmartin.com</u>

Attachment: Click to enter text.

Item 6. Permit Contact Information (Instructions, Page 28)

Provide two names of individuals that can be contacted throughout the permit term.

a. Prefix: Mr. Full Name (Last/First Name): Craighead, Chase

Title: Public Works Director Credential: Click to enter text.

Organization Name: City of Vernon

Mailing Address: 1725 Wilbarger St City/State/Zip: Vernon, TX 76384-4741

Phone No: <u>940-552-2581</u> Email: <u>scraighead@vernontx.gov</u>

b. Prefix: Mr. Full Name (Last/First Name): Kennon, Darell

Title: City Manager Credential: Click to enter text.

Organization Name: City of Vernon

Mailing Address: 1725 Wilbarger St City/State/Zip: Vernon, TX 76384-4741

Phone No: 940-552-2581 Email: citymanager@vernontx.gov

Attachment: Click to enter text.

Item 7. Billing Contact Information (Instructions, Page 28)

The permittee is responsible for paying the annual fee. The annual fee will be assessed for permits **in effect on September 1 of each year**. The TCEQ will send a bill to the address provided in this section. The permittee is responsible for terminating the permit when it is no longer needed (form TCEQ-20029).

Provide the complete mailing address where the annual fee invoice should be mailed and the name and phone number of the permittee's representative responsible for payment of the invoice.

Prefix: Mr. Full Name (Last/First Name): Craighead, Chase

Title: <u>Public Works Director</u> Credential: <u>Click to enter text.</u>

Organization Name: City of Vernon

Mailing Address: 1725 Wilbarger St City/State/Zip: Vernon, TX 76384-4741

Phone No: <u>940-552-2581</u> Email: <u>scraighead@vernontx.gov</u>

Item 8. DMR/MER Contact Information (Instructions, Page 28)

Provide the name and mailing address of the person delegated to receive and submit DMRs or MERs. **Note:** DMR data must be submitted through the NetDMR system. An electronic reporting account can be established once the facility has obtained the permit number.

Prefix: Mr. Full Name (Last/First Name): Craighead, Chase

Title: <u>Public Works Director</u> Credential: <u>Click to enter text.</u>

Organization Name: City of Vernon

Mailing Address: 1725 Wilbarger St City/State/Zip: Vernon, TX 76384-4741

Phone No: <u>940-552-2581</u> Email: <u>scraighead@vernontx.gov</u>

Item 9. Notice Information (Instructions, Pages 28)

a. Individual Publishing the Notices

Prefix: Mr. Full Name (Last/First Name): Lawrence, Mark

Title: Environmental GeologistCredential: Click to enter text.

Organization Name: Jacob Martin, LLC

Mailing Address: 3465 Curry Lane City/State/Zip: Abilene, TX 79606

Phone No: <u>325-695-1070</u> Email: <u>mlawrence@jacobmartin.com</u>

- b. Method for Receiving Notice of Receipt and Intent to Obtain a Water Quality Permit Package (only for NORI, NAPD will be sent via regular mail)
 - ⋈ E-mail: mlawrence@jacobmartin.com
 - ☐ Fax: Click to enter text.
 - ☐ Regular Mail (USPS)

Mailing Address: Click to enter text.

City/State/Zip Code: Click to enter text.

c. Contact in the Notice

Prefix: Mr. Full Name (Last/First Name): Craighead, Chase

Title: Public Works Director Credential: Click to enter text.

Organization Name: City of Vernon

Phone No: 940-552-2581 Email: scraighead@vernontx.gov

d. Public Viewing Location Information

Note: If the facility or outfall is located in more than one county, provide a public viewing

place for each county.

Public building name: <u>City Hall</u> Location within the building: <u>Table in the Lobby</u>

Physical Address of Building: 1725 Wilbarger St.

City: Vernon County: Wilbarger

e. Bilingual Notice Requirements

This information is required for new, major amendment, minor amendment or minor modification, and renewal applications.

This section of the application is only used to determine if alternative language notices will be needed. Complete instructions on publishing the alternative language notices will be in your public notice package.

Call the bilingual/ESL coordinator at the nearest elementary and middle schools and obtain the following information to determine if an alternative language notice(s) is required.

1. Is a bilingual education program required by the Texas Education Code at the elementary or middle school nearest to the facility or proposed facility?

		□ Yes ⋈ No					
		If no, publication of an alternative language notice is not required; skip to Item 8 (Regulated Entity and Permitted Site Information.)					
	2.	Are the students who attend either the elementary school or the middle school enrolled in a bilingual education program at that school?					
		□ Yes □ No					
	3.	Do the students at these schools attend a bilingual education program at another location?					
		□ Yes □ No					
	4.	Would the school be required to provide a bilingual education program, but the school has waived out of this requirement under 19 TAC §89.1205(g)?					
		□ Yes □ No □ N/A					
	5.	If the answer is yes to question 1, 2, 3, or 4, public notices in an alternative language are required. Which language is required by the bilingual program? <u>Click to enter text.</u>					
f.	Summary of Application in Plain Language Template – Complete and attach the Summary of Application in Plain Language Template (TCEQ Form 20972), also known as the plain language summary or PLS. Attachment: $\underline{2}$						
g.		mplete and attach one Public Involvement Plan (PIP) Form (TCEQ Form 20960) for each plication for a new permit or major amendment. Attachment: Click to enter text.					
It	em	10. Regulated Entity and Permitted Site Information (Instructions Page 29)					
	20000000	1480 20)					
a.	TC						
a.	No ma the	EQ issued Regulated Entity Number (RN), if available: RN1056405460 te: If your business site is part of a larger business site, a Regulated Entity Number (RN) y already be assigned for the larger site. Use the RN assigned for the larger site. Search TCEQ's Central Registry to determine the RN or to see if the larger site may already be istered as a Regulated Entity. If the site is found, provide the assigned RN.					
	No ma the reg	EQ issued Regulated Entity Number (RN), if available: RN1056405460 te: If your business site is part of a larger business site, a Regulated Entity Number (RN) y already be assigned for the larger site. Use the RN assigned for the larger site. Search TCEQ's Central Registry to determine the RN or to see if the larger site may already be					
b.	No ma the reg Nai Exc	EQ issued Regulated Entity Number (RN), if available: RN1056405460 te: If your business site is part of a larger business site, a Regulated Entity Number (RN) y already be assigned for the larger site. Use the RN assigned for the larger site. Search TCEQ's Central Registry to determine the RN or to see if the larger site may already be istered as a Regulated Entity. If the site is found, provide the assigned RN. The of project or site (name known by the community where located): City of Vernon Ion thange Plant					
b.	No ma the reg Nau Exc	EQ issued Regulated Entity Number (RN), if available: RN1056405460 te: If your business site is part of a larger business site, a Regulated Entity Number (RN) y already be assigned for the larger site. Use the RN assigned for the larger site. Search TCEQ's Central Registry to determine the RN or to see if the larger site may already be istered as a Regulated Entity. If the site is found, provide the assigned RN. me of project or site (name known by the community where located): City of Vernon Ion					
b.	No mathe reg	EQ issued Regulated Entity Number (RN), if available: RN1056405460 te: If your business site is part of a larger business site, a Regulated Entity Number (RN) y already be assigned for the larger site. Use the RN assigned for the larger site. Search TCEQ's Central Registry to determine the RN or to see if the larger site may already be istered as a Regulated Entity. If the site is found, provide the assigned RN. The of project or site (name known by the community where located): City of Vernon Ion thange Plant The location address of the facility in the existing permit the same?					
b. с.	No ma the reg	te: If your business site is part of a larger business site, a Regulated Entity Number (RN) y already be assigned for the larger site. Use the RN assigned for the larger site. Search TCEQ's Central Registry to determine the RN or to see if the larger site may already be istered as a Regulated Entity. If the site is found, provide the assigned RN. The of project or site (name known by the community where located): City of Vernon Ion change Plant The location address of the facility in the existing permit the same? The image Plant is located in Bexar, Comal, Hays, Kinney, Medina, Travis, Uvalde, or liamson County, additional information concerning protection of the Edwards Aquifer					
b. с.	Not will may	EQ issued Regulated Entity Number (RN), if available: RN1056405460 te: If your business site is part of a larger business site, a Regulated Entity Number (RN) y already be assigned for the larger site. Use the RN assigned for the larger site. Search TCEQ's Central Registry to determine the RN or to see if the larger site may already be istered as a Regulated Entity. If the site is found, provide the assigned RN. me of project or site (name known by the community where located): City of Vernon Ion change Plant the location address of the facility in the existing permit the same? Yes No N/A (new permit) te: If the facility is located in Bexar, Comal, Hays, Kinney, Medina, Travis, Uvalde, or liamson County, additional information concerning protection of the Edwards Aquifer y be required.					
b. с.	Not will may Own	EQ issued Regulated Entity Number (RN), if available: RN1056405460 te: If your business site is part of a larger business site, a Regulated Entity Number (RN) y already be assigned for the larger site. Use the RN assigned for the larger site. Search TCEQ's Central Registry to determine the RN or to see if the larger site may already be istered as a Regulated Entity. If the site is found, provide the assigned RN. The of project or site (name known by the community where located): City of Vernon Ion thange Plant The location address of the facility in the existing permit the same? The image Plant Is located in Bexar, Comal, Hays, Kinney, Medina, Travis, Uvalde, or liamson County, additional information concerning protection of the Edwards Aquifer by be required.					
b. с.	No mathe reg	EQ issued Regulated Entity Number (RN), if available: RN1056405460 te: If your business site is part of a larger business site, a Regulated Entity Number (RN) y already be assigned for the larger site. Use the RN assigned for the larger site. Search TCEQ's Central Registry to determine the RN or to see if the larger site may already be istered as a Regulated Entity. If the site is found, provide the assigned RN. me of project or site (name known by the community where located): City of Vernon Ion change Plant the location address of the facility in the existing permit the same? Yes \(\subseteq \text{NO} \subseteq \text{N/A} \) (new permit) te: If the facility is located in Bexar, Comal, Hays, Kinney, Medina, Travis, Uvalde, or liamson County, additional information concerning protection of the Edwards Aquifer y be required. The facility: The facility: Full Name (Last/First Name): Click to enter text.					

e.	e. Ownership of facility: \square Public \square Pr	rivate	□ Both	□ Federal				
f.	f. Owner of land where treatment facility is or will be: <u>City of Vernon</u> Prefix: <u>Click to enter text.</u> Full Name (Last/First Name): <u>Click to enter text.</u>							
	or Organization Name: <u>City of Vernon</u>							
	Mailing Address: 1725 Wilbarger St City/State/Zip: Vernon, TX 76384							
	Phone No: <u>940-552-2581</u> Email: <u>cityman</u>	ager@verno	ntx.gov					
	Note: If not the same as the facility owner, at at least six years (In some cases, a lease may <u>Click to enter text.</u>	tach a long- not suffice	term lease ag - see instructi	reement in effect for ions). Attachment:				
g.	g. Owner of effluent TLAP disposal site (if appli	cable): <u>N/A</u>						
	Prefix: Click to enter text. Full Name (Las	t/First Nam	e): <u>Click to en</u>	ter text.				
	or Organization Name: Click to enter text.							
	Mailing Address: Click to enter text.	City/S	tate/Zip: <u>Clic</u>	k to enter text.				
	Phone No: Click to enter text. Email: Click to	enter text.						
	Note: If not the same as the facility owner, at at least six years. Attachment: <u>Click to enter t</u>		term lease ag	reement in effect for				
h.	h. Owner of sewage sludge disposal site (if appli	icable):						
	Prefix: <u>N/A</u> Full Name (Last/First Nam	ne): <u>Click to</u>	enter text.					
	or Organization Name: Click to enter text.							
	Mailing Address: Click to enter text.	City/S	tate/Zip: <u>Clicl</u>	k to enter text.				
	Phone No: Click to enter text. Email: Click to e	nter text.						
	Note: If not the same as the facility owner, att at least six years. Attachment: <u>Click to enter t</u>		term lease ag	reement in effect for				
Ite	tem 11. TDPES Discharge/TLAP Dis	posal Inf	ormation (Instructions,				
	Page 31)							
a.	a. Is the facility located on or does the treated e	ffluent cros	s Native Ame	rican Land?				
	□ Yes ⊠ No							
b.	Attach an original full size USGS Topographic Map (or an 8.5"×11" reproduced portion for renewal or amendment applications) with all required information. Check the box next to each item below to confirm it has been included on the map.							
	☑ One-mile radius ☑	Three-mile	s downstream	information				
	☑ Applicant's property boundaries	Treatment	facility bound	laries				
	□ Labeled point(s) of discharge □	Highlighted	l discharge ro	oute(s)				
	☑ Effluent disposal site boundaries □	All wastewa	ater ponds					
	☐ Sewage sludge disposal site ☐	New and fu	ture construc	tion				
	Attachment: 3							

c.	Is the location of the sewage sludge disposal site in the existing permit accurate? \Box Yes \Box No or New Permit					
	If no, or a new application, provide an accurate location description: N/A					
d.	Are the point(s) of discharge in the existing permit correct? ☑ Yes □ No or New Permit					
	If no, or a new application, provide an accurate location description: Click to enter text.					
e.	Are the discharge route(s) in the existing permit correct? ☑ Yes □ No or New Permit					
	If no, or a new permit, provide an accurate description of the discharge route: $\frac{\text{Click to enter}}{\text{text.}}$					
f.	City nearest the outfall(s): <u>Vernon</u>					
g.	County in which the outfalls(s) is/are located: Wilbarger					
h.	Is or will the treated wastewater discharge to a city, county, or state highway right-of-way, or a flood control district drainage ditch?					
	□ Yes ⊠ No					
	If yes, indicate by a check mark if: \square Authorization granted \square Authorization pending					
	For new and amendment applications, attach copies of letters that show proof of contact and provide the approval letter upon receipt. Attachment: <u>Click to enter text.</u>					
	For all applications involving an average daily discharge of 5 MGD or more, provide the names of all counties located within 100 statute miles downstream of the point(s) of discharge: Click to enter text.					
i.	For TLAPs, is the location of the effluent disposal site in the existing permit accurate?					
	\square Yes No or New Permit \square Click to enter text.					
	If no, or a new application, provide an accurate location description: $\underline{N/A}$					
j.	City nearest the disposal site: N/A					
k.	County in which the disposal site is located: N/A					
1.	For TLAPs, describe how effluent is/will be routed from the treatment facility to the disposal site: $\underline{\text{N/A}}$					
m.	For TLAPs, identify the nearest watercourse to the disposal site to which rainfall runoff might flow if not contained: N/A					

Item 12. Miscellaneous Information (Instructions, Page 33)

a.	Did any person formerly employed by the TCEQ represent your company and get paid for service regarding this application?
	⊠ Yes □ No
	If yes, list each person: <u>Charles Keith, David Hudson</u>
b.	Do you owe any fees to the TCEQ?
	□ Yes ⊠ No
	If yes, provide the following information:
	Account no.: Click to enter text.
	Total amount due: Click to enter text.
c.	Do you owe any penalties to the TCEQ?
	□ Yes ⊠ No
	If yes, provide the following information:
	Enforcement order no.: Click to enter text.
	Amount due: Click to enter text.

Item 13. Signature Page (Instructions, Page 33)

Permit No: WQ0004868000

Applicant Name: City of Vernon

Certification: I, <u>Pam Gosline</u>, certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

I further certify that I am authorized under 30 Texas Administrative Code §305.44 to sign and submit this document and can provide documentation in proof of such authorization upon request.

Signatory name (typed or printed): Pam Gosline

2210		010000000000000000000000000000000000000	
Ciann	+AMT	title	Mayor
JUNIO	IIIIV	THE.	VICTOR

Signature: _	Tam (\mathcal{H}	1)osline	Date:	10.15.25	
	/		olue ink)			

Subscribed and Sworn to before me by the said Pam Gosline

on this _______ day of <u>October</u> , 20 <u>a5</u>

My commission expires on the 3nd day of September, 20 38

March & Stone
Notary Public

Wilhager County, Texas MARSHA JO STONE
NOTANL PUBLIC
STATE OF TEXAS
ID # 3827960
My Comm. Expires 09-03-2028

Note: If co-applicants are necessary, each entity must submit an original, separate signature page.

INDUSTRIAL WASTEWATER PERMIT APPLICATION ADMINISTRATIVE REPORT 1.1

The following information is required for new and amendment applications.

a.

b.

c.

Item 1. Affected Landowner Information (Instructions, Page 35)

	Attach a landowner map or drawing, with scale, as applicable. Check the box next to each item to confirm it has been provided.
	☐ The applicant's property boundaries.
	\square The facility site boundaries within the applicant's property boundaries.
	☐ The distance the buffer zone falls into adjacent properties and the property boundaries of the landowners located within the buffer zone.
	☐ The property boundaries of all landowners surrounding the applicant's property. (Note: if the application is a major amendment for a lignite mine, the map must include the property boundaries of all landowners adjacent to the new facility (ponds).)
	☐ The point(s) of discharge and highlighted discharge route(s) clearly shown for one mile downstream.
	☐ The property boundaries of the landowners located on both sides of the discharge route for one full stream mile downstream of the point of discharge.
	☐ The property boundaries of the landowners along the watercourse for a one-half mile radius from the point of discharge if the point of discharge is into a lake, bay, estuary, or affected by tides.
	☐ The boundaries of the effluent disposal site (e.g., irrigation area or subsurface drainfield site) and all evaporation/holding ponds within the applicant's property.
	☐ The property boundaries of all landowners surrounding the applicant's property boundaries where the effluent disposal site is located.
	☐ The boundaries of the sludge land application site (for land application of sewage sludge for beneficial use) and the property boundaries of landowners within one-quarter mile of the applicant's property boundaries where the sewage sludge land application site is located.
	☐ The property boundaries of landowners within one-half mile in all directions from the applicant's property boundaries where the sewage sludge disposal site (e.g., sludge surface disposal site or sludge monofil) is located.
9	Attachment: Click to enter text.
	\square that the landowners list has also been provided as mailing labels in electronic format (Avery 5160).
i	Check this box to confirm a separate list with the landowners' names and mailing addresses cross-referenced to the landowner's map has been provided. Provide the source of the landowners' names and mailing addresses: Click to enter text.

e. As required by Texas Water Code § 5.115, is any permanent school fund land affected by this application?
□ Yes □ No
If yes, provide the location and foreseeable impacts and effects this application has on the land(s): <u>Click to enter text.</u>
Item 2. Original Photographs (Instructions, Page 37)
Provide original ground level photographs. Check the box next to each of the following items to indicate it is included.
\square At least one original photograph of the new or expanded treatment unit location.
☐ At least two photographs of the existing/proposed point of discharge and as much area downstream (photo 1) and upstream (photo 2) as can be captured. If the discharge is to an open water body (e.g., lake, bay), the point of discharge should be in the right or left edge o each photograph showing the open water and with as much area on each respective side of the discharge as can be captured.
☐ At least one photograph of the existing/proposed effluent disposal site.
☐ A plot plan or map showing the location and direction of each photograph.
Attachment: Click to enter text.

TCEQ-10411 (09/13/2024) Industrial Wastewater Application Administrative Report

INDUSTRIAL WASTEWATER PERMIT APPLICATION SUPPLEMENTAL PERMIT INFORMATION FORM (SPIF)

This form applies to TPDES permit applications only. Complete and attach the Supplemental Permit information Form (SPIF) (TCEQ Form 20971).

Attachment: 3

ATTACHMENT 1

INDIVIDUAL INFORMATION

Item 1. Individual information (Instructions, Page 38)

Complete this attachment if the facility applicant or co-applicant is an individual. Make additional copies of this attachment if both are individuals.

Prefix (Mr., Ms., or Miss): Click to enter text.

Full legal name (first, middle, and last): Click to enter text.

Driver's License or State Identification Number: Click to enter text.

Date of Birth: Click to enter text.

Mailing Address: Click to enter text.

City, State, and Zip Code: Click to enter text.

Phone No.: Click to enter text.

Fax No.: Click to enter text.

E-mail Address: Click to enter text.

CN: Click to enter text.

INDUSTRIAL WASTEWATER PERMIT APPLICATION CHECKLIST OF COMMON DEFICIENCIES

Below is a list of common deficiencies found during the administrative review of industrial wastewater permit applications. To ensure the timely processing of this application, please review the items below and indicate each item is complete and in accordance applicable rules at 30 TAC Chapters 21, 281, and 305 by checking the box next to the item. If an item is not required this application, indicate by checking N/A where appropriate. Please do not submit the application until all items below are addressed.

- □ Core Data Form (TCEQ Form No. 10400)
 (Required for all applications types. Must be completed in its entirety and signed. Note: Form may be signed by applicant representative.)
- ☑ Correct and Current Industrial Wastewater Permit Application Forms (TCEQ Form Nos. 10055 and 10411. Version dated 5/10/2019 or later.)
- Water Quality Permit Payment Submittal Form (Page 14)
 (Original payment sent to TCEQ Revenue Section. See instructions for mailing address.)
- ∑ 7.5 Minute USGS Quadrangle Topographic Map Attached (Full-size map if seeking "New" permit. 8 ½ x 11 acceptable for Renewals and Amendments.)
- ☑ N/A ☐ Current/Non-Expired, Executed Lease Agreement or Easement Attached

Things to Know:

- All the items shown on the map must be labeled.
- The applicant's complete property boundaries must be delineated which includes boundaries of contiguous property owned by the applicant.
- The applicant cannot be its own adjacent landowner. You must identify the landowners immediately adjacent to their property, regardless of how far they are from the actual facility.
- If the applicant's property is adjacent to a road, creek, or stream, the
 landowners on the opposite side must be identified. Although the properties
 are not adjacent to applicant's property boundary, they are considered
 potentially affected landowners. If the adjacent road is a divided highway as
 identified on the USGS topographic map, the applicant does not have to
 identify the landowners on the opposite side of the highway.
- ☑ Electronic Application Submittal (See application submittal requirements on page 23 of the instructions.)
- ☑ Original signature per 30 TAC § 305.44 Blue Ink Preferred (If signature page is not signed by an elected official or principle executive officer, a copy of signature authority/delegation letter must be attached.)

☑ Summary of Application (in Plain Language)

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



INDUSTRIAL WASTEWATER PERMIT APPLICATION TECHNICAL REPORT 1.0

The following information **is required** for all applications for a TLAP or an individual TPDES discharge permit.

For **additional information** or clarification on the requested information, please refer to the <u>Instructions for Completing the Industrial Wastewater Permit Application</u>¹ available on the TCEQ website. Please contact the Industrial Permits Team at 512-239-4671 with any questions about this form.

If more than one outfall is included in the application, provide applicable information for each individual outfall. **If an item does not apply to the facility, enter N/A** to indicate that the item has been considered. Include separate reports or additional sheets as **clearly cross-referenced attachments** and provide the attachment number in the space provided for the item the attachment addresses.

NOTE: This application is for an industrial wastewater permit only. Additional authorizations from the TCEQ Waste Permits Division or the TCEQ Air Permits Division may be needed.

Item 1. Facility/Site Information (Instructions, Page 39)

a.	Describe the general nature of the business and type(s) of industrial and commercial
	activities. Include all applicable SIC codes (up to 4).

Ion Exchange plant designed to remove nitrates from drinking water. The TPDES is required due to the wastewater generated during regeneration of the ion exchange resin. SIC code 4941

b. Describe all wastewater-generating processes at the facility.

The ion exchange facility is designed to remove nitrates from drinking water using counter current regeneration of active resin. Wastewater from the ion exchange tanks is discharged to the receiving waters.

 $\underline{https://www.tceq.texas.gov/permitting/wastewater/industrial/TPDES_industrial_wastewater_st\\ \underline{eps.html}$

c. Provide a list of raw materials, major intermediates, and final products handled at the facility. **Materials List Raw Materials** Intermediate Products **Final Products** Groundwater Potable Water Ion Exchange Resin Wastewater Salt Attachment: Click to enter text. d. Attach a facility map (drawn to scale) with the following information: Production areas, maintenance areas, materials-handling areas, waste-disposal areas, and water intake structures. The location of each unit of the WWTP including the location of wastewater collection sumps, impoundments, outfalls, and sampling points, if significantly different from outfall locations. Attachment: Click to enter text. e. Is this a new permit application for an existing facility? Yes No If yes, provide background discussion: Click to enter text. f. Is/will the treatment facility/disposal site be located above the 100-year frequency flood level. \boxtimes Yes No List source(s) used to determine 100-year frequency flood plain: FEMA Flood Plain map If **no**, provide the elevation of the 100-year frequency flood plain and describe what protective measures are used/proposed to prevent flooding (including tail water and rainfall run-on controls) of the treatment facility and disposal area: Click to enter text. Attachment: 5 g. For **new** or **major amendment** permit applications, will any construction operations result in a discharge of fill material into a water in the state? Yes N/A (renewal only) No

n.	If yes to Item 1.g, has the applicant applied for a USACE CWA Chapter 404 Dredge and Fill permit?
	□ Yes □ No
	If yes, provide the permit number: Click to enter text.
	If no , provide an approximate date of application submittal to the USACE: Click to enter text.
It	em 2. Treatment System (Instructions, Page 40)
a.	List any physical, chemical, or biological treatment process(es) used/proposed to treat wastewater at this facility. Include a description of each treatment process, starting with initial treatment and finishing with the outfall/point of disposal.
	Groundwater is pumped to nitrate ion exchangers. The treated water is pumped to ground storage tanks for distribution. The ion resins are regenerated with salt from a brin saturator. The flushed nitrate solution is stored in nitrate waste tanks. Muriatic Acid is added to lower the pH and keep wastewater in solution as it enters the discharge lines on its way to Outfall 001
b.	Attach a flow schematic with a water balance showing all sources of water and wastewater flow into the facility, wastewater flow into and from each treatment unit, and wastewater flow to each outfall/point of disposal. Attachment: 4
Ito	em 3. Impoundments (Instructions, Page 40)
Do	es the facility use or plan to use any wastewater impoundments (e.g., lagoons or ponds?)
	□ Yes ⊠ No
3.e	no, proceed to Item 4. If yes, complete Item 3.a for existing impoundments and Items 3.a for new or proposed impoundments. NOTE: See instructions, Pages 40-42, for additional ormation on the attachments required by Items 3.a – 3.e.
	Complete the table with the following information for each existing, new, or proposed impoundment. Attach additional copies of the Impoundment Information table, if needed. Use Designation: Indicate the use designation for each impoundment as Treatment (T), Disposal (D), Containment (C), or Evaporation (E).

Associated Outfall Number: Provide an outfall number if a discharge occurs or will occur.

Liner Type: Indicate the liner type as Compacted clay liner (C), In-situ clay liner (I), Synthetic/plastic/rubber liner (S), or Alternate liner (A). **NOTE:** See instructions for further detail on liner specifications. If an alternate liner (A) is selected, include an attachment that provides a description of the alternate liner and any additional technical information necessary for an evaluation.

Leak Detection System: If any leak detection systems are in place/planned, enter **Y** for yes. Otherwise, enter **N** for no.

Groundwater Monitoring Wells and Data: If groundwater monitoring wells are in place/planned, enter **Y** for yes. Otherwise, enter **N** for no. Attach any existing groundwater monitoring data.

Dimensions: Provide the dimensions, freeboard, surface area, storage capacity of the impoundments, and the maximum depth (not including freeboard). For impoundments with irregular shapes, submit surface area instead of length and width.

Compliance with 40 CFR Part 257, Subpart D: If the impoundment is required to be in compliance with 40 CFR Part 257, Subpart D, enter Y for yes. Otherwise, enter N for no.

Date of Construction: Enter the date construction of the impoundment commenced (mm/dd/yy).

Impoundment Information

Parameter	Pond #	Pond #	Pond #	Pond #
Use Designation: (T) (D) (C) or (E)				ii
Associated Outfall Number				
Liner Type (C) (I) (S) or (A)				
Alt. Liner Attachment Reference				
Leak Detection System, Y/N				
Groundwater Monitoring Wells, Y/N		1		
Groundwater Monitoring Data Attachment				
Pond Bottom Located Above The Seasonal High-Water Table, Y/N				
Length (ft)				80
Width (ft)				W Comment
Max Depth From Water Surface (ft), Not Including Freeboard				
Freeboard (ft)				
Surface Area (acres)				
Storage Capacity (gallons)				No. of the last
40 CFR Part 257, Subpart D, Y/N				
Date of Construction				

Attachment: Click to enter text.

The following information (**Items 3.b - 3.e**) is required only for **new or proposed** impoundments.

b.	ite		If attache				nts, attach any available information on the following the appropriate box. Otherwise, check no or not yet
	1.	Line	er data				
			Yes		No		Not yet designed
	2.	Lea	k detecti	on sy	stem or	grou	ndwater monitoring data
			Yes		No		Not yet designed
	3.	Gro	undwate	r imp	oacts		
			Yes		No		Not yet designed
							he bottom of the pond is not above the seasonal high- rater-bearing zone.
	Att	tachi	ment: Cli	ick to	enter te	xt.	
Fo	r TI	AP	applicati	ons:	Items 3.	c - 3.	e are not required , continue to Item 4.
c.	and	d ide					y of original quality and scale which accurately locates oply wells and monitor wells within ½-mile of the
	Atı	achi	ment: Cli	ck to	enter te	xt.	
d.	. Attach copies of State Water Well Reports (e.g., driller's logs, completion data, etc.), and data on depths to groundwater for all known water supply wells including a description o how the depths to groundwater were obtained.						
	Att	achi	nent: Cli	ck to	enter te	xt.	
e.	ass cor	ess t itam	the poten ination o	itial i	for migra oundwate	tion r or	the groundwater, soils, geology, pond liner, etc. used to of wastes from the impoundments or the potential for surface water.
	Att	achr	nent: Cli	ck to	enter te	xt.	

Item 4. Outfall/Disposal Method Information (Instructions, Page 42)

Complete the following tables to describe the location and wastewater discharge or disposal operations for each outfall for discharge, and for each point of disposal for TLAP operations.

If there are more outfalls/points of disposal at the facility than the spaces provided, copies of pages 6 and/0r numbered accordingly (i.e., page 6a, 6b, etc.) may be used to provide information on the additional outfalls.

For TLAP applications: Indicate the disposal method and each individual irrigation area I, evaporation pond E, or subsurface drainage system S by providing the appropriate letter designation for the disposal method followed by a numerical designation for each disposal area in the space provided for **Outfall** number (e.g. **E1** for evaporation pond 1, **I2** for irrigation area No. 2, etc.).

Outfall Longitude and Latitude

Outfall No.	Latitude (Decimal Degrees)	Longitude (Decimal Degrees)
001	34° 09' 48.34"	-99° 17' 48.92"

Outfall Location Description

Outfall No.	Location Description
001	From the treatment plant through two three-inch lines to outfall 00`; thence to Pease River (Segment No. 0230 of Red River Basin)

Description of Sampling Point(s) (if different from Outfall location)

Outfall No.	Description of sampling point
001	Effluent monitoring samples are taken at Outfall 001, at the discharge pipeline immediately downstream of the discharge flow meter at the Nitrate Treatment Plant, prior to enter the Pease River

Outfall Flow Information - Permitted and Proposed

Outfall No.	Permitted Daily Avg Flow (MGD)	Permitted Daily Max Flow (MGD)	Proposed Daily Avg Flow (MGD)	Proposed Daily Max Flow (MGD)	Anticipated Discharge Date (mm/dd/yy)
001	0.065	0.108	0.065	0.108	Permitted at this rate until 05/11/2026

Outfall Discharge - Method and Measurement

Outfall No.	Pumped Discharge? Y/N	Gravity Discharge? Y/N	Type of Flow Measurement Device Used	
001	Y	N	Magnetic Meters	

Outfall Discharge - Flow Characteristics

Outfall No.	Intermittent Discharge? Y/N	Continuous Discharge? Y/N	Seasonal Discharge? Y/N	Discharge Duration (hrs/day)	Discharge Duration (days/mo)	Discharge Duration (mo/yr)
001	Y	N	N	4	25	12

Outfall Wastestream Contributions

Outfall No. 001

Contributing Wastestream	Volume (MGD)	Percent (%) of Total Flow
Wastewater	0.069	100%

Outfall No. N/A

Contributing Wastestream	Volume (MGD)	Percent (%) of Total Flow

Outfall No. N/A

Contributing Wastestream	Volume (MGD)	Percent (%) of Total Flow		
	(

Contributing Wastestream	Volume (MGD)	Percent (%) of Total Flow
,		

Attachment: Click to enter text.

Item 5. Blowdown and Once-Through Cooling Water Discharges (Instructions, Page 43)

a. In	dicate if	f the	facility	currently	or	pro	poses	to:
-------	-----------	-------	----------	-----------	----	-----	-------	-----

- □ Yes ☑ No Use cooling towers that discharge blowdown or other wastestreams
- ☐ Yes ☒ No Use boilers that discharge blowdown or other wastestreams
- ☐ Yes ☒ No Discharge once-through cooling water

NOTE: If the facility uses or plans to use cooling towers or once-through cooling water, Item 12 **is required**.

- b. If **yes** to any of the above, attach an SDS with the following information for each chemical additive.
 - Manufacturers Product Identification Number
 - Product use (e.g., biocide, fungicide, corrosion inhibitor, etc.)
 - Chemical composition including CASRN for each ingredient
 - · Classify product as non-persistent, persistent, or bioaccumulative
 - Product or active ingredient half-life
 - Frequency of product use (e.g., 2 hours/day once every two weeks)
 - Product toxicity data specific to fish and aquatic invertebrate organisms
 - Concentration of whole product or active ingredient, as appropriate, in wastestream.

In addition to each SDS, attach a summary of the above information for each specific wastestream and the associated chemical additives. Specify which outfalls are affected.

Attachment: Click to enter text.

c. Cooling Towers and Boilers

If the facility currently or proposes to use cooling towers or boilers that discharge blowdown or other wastestreams to the outfall(s), complete the following table.

Cooling Towers and Boilers

Type of Unit	Number of	Daily Avg Blowdown	Daily Max Blowdown
	Units	(gallons/day)	(gallons/day)
Cooling Towers	N/A		

Type of Unit	Number of Units	Daily Avg Blowdown (gallons/day)	Daily Max Blowdown (gallons/day)
Boilers	N/A		
Item 6. Storm	ıwater Mana	gement (Instruction	ns, Page 44)
		charge stormwater associat commingled with any other	ed with industrial activities, wastestream?
□ Yes ⊠ N	0		
하는 사람이 사이 아이들이 다른 아이들이 되었다면 하는데 하는데 아이들이 되었다.		rocesses and activities that of the activities or materials	
		Sewage Sludge, an Disposal (Instruction	
		vater from humans or house ystem or otherwise enters a	and the southern and the contract the contract and the contract of the contrac
		ate method of domestic sew lete Worksheet 5.0 or Item	
account.		onnected to or transported ment, disposal, or both. Co	
	ge disposed of by	an on-site septic tank and d	rainfield system. Complete
Item 7.b.	ige dioposed of by	-	Juliania of Storm Complete
		t sludge ARE commingled p	•
□ Domestic and i	industrial treatmen	it sludge ARE commingled p tic sewage are treated separ to sludge use or disposal. C	orior to use or disposal. ately, and the respective
□ Domestic and i □ Industrial wast sludge IS NOT	industrial treatmen	tic sewage are treated separ to sludge use or disposal. C	orior to use or disposal. ately, and the respective
□ Domestic and i□ Industrial wast sludge IS NOT□ Facility is a PO	industrial treatment ewater and domes commingled prior	tic sewage are treated separ to sludge use or disposal. C ksheet 5.0.	orior to use or disposal. ately, and the respective
 □ Domestic and it □ Industrial wast sludge IS NOT □ Facility is a PO ⋈ Domestic sewa 	industrial treatment ewater and domes commingled prior TW. Complete Work age is not generated	tic sewage are treated separ to sludge use or disposal. C ksheet 5.0.	orior to use or disposal. ately, and the respective omplete Worksheet 5.0.

Domestic Sewage Plant/Hauler Name

Plant/Hauler Name	Permit/Registration No.
N/A	

Item 8. Improvements or Compliance/Enforcement Requirements (Instructions, Page 45)

a.	Is the p		ee currently required to meet any implementation schedule for compliance or
	□ Yes		No
b.	Has the	perm	ittee completed or planned for any improvements or construction projects?
	□ Yes		No
c.			er 8.a or 8.b, provide a brief summary of the requirements and a status to enter text.
It	em 9.	Tox	cicity Testing (Instructions, Page 45)
Ha on	a receiv	iologi ing wa	cal tests for acute or chronic toxicity been made on any of the discharges or iter in relation to the discharge within the last three years?
If [,]		2000000	ne tests and describe their purposes: Click to enter text.
Ad	lditionall	y, atta	ach a copy of all tests performed which have not been submitted to the TCEQ ent: Click to enter text.
It	em 10	. Of	f-Site/Third Party Wastes (Instructions, Page 45)
a.	Does or disposa	will t	he facility receive wastes from off-site sources for treatment at the facility, te via land application, or discharge via a permitted outfall?
		Yes	⊠ No
	If yes, p	rovid	e responses to Items 10.b through 10.d below.
	If no , pr	oceed	to Item 11.
b.	Attach 1	he fol	lowing information to the application:
	 List wast 		stes received (including volumes, characterization, and capability with on-site
		tify th	e sources of wastes received (including the legal name and addresses of the s).
	• Desc	riptio	n of the relationship of waste source(s) with the facility's activities.
	Attachr	nent:	Click to enter text.
c.	with thi	s facil	ewater from another TCEQ, NPDES, or TPDES permitted facility commingled ity's wastewater after final treatment and prior to discharge via the final of disposal?
	Istmal	Yes	□ No
	contribu	iting f	e the name, address, and TCEQ, NPDES, or TPDES permit number of the acility and a copy of any agreements or contracts relating to this activity.
	Attachn	ient: (Click to enter text.

required to have an approved pretreatment program	
□ Yes □ No	
If yes , Worksheet 6.0 of this application is required .	
Item 11. Radioactive Materials (Instru	ctions, Page 46)
a. Are/will radioactive materials be mined, used, stored. □ Yes ☑ No	
If yes , use the following table to provide the results or radioactive materials that may be present. Provide res	
Radioactive Materials Mined, Used, Stored, or Processed	
Radioactive Material Name	Concentration (pCi/L)
 b. Does the applicant or anyone at the facility have any laradioactive materials may be present in the discharge radioactive materials in the source waters or on the fa □ Yes 図 No If yes, use the following table to provide the results o radioactive materials that may be present. Provide resinformation provided in response to Item 11.a. Radioactive Materials Present in the Discharge 	, including naturally occurring acility property? of one analysis of the effluent for all
Radioactive Material Name	Concentration (pCi/L)
Item 12. Cooling Water (Instructions, I	Page 46)
 a. Does the facility use or propose to use water for cooling Yes 	ng purposes?
□ No	
☐ Decommissioned: Click to enter text.	
☐ To Be Decommissioned: Click to enter text.	
If yes , complete Items 12.b thru 12.f. If no , stop here.	


	If decommissioned, provide the date operation ceased and stop here.							
	If	to be deco ı	nmissio	ned,	provide	the date operation	is anticipated to ce	ase and stop here.
b.	C	ooling water	is/will	be ob	otained f	rom a groundwater	source (e.g., on-site	e well).
		□ Yes		No				
	If	yes , stop h	ere. If n o	, cor	ntinue.			
c.	Co	ooling Water	r Supplie	er				
	1.					(s) and operator(s) f ses to the facility.	for the CWIS that su	pplies or will
Co	olir	ng Water Inta	ıke Struc	ture(s) Owner	(s) and Operator(s)		
C	WI	S ID						
C)wr	er						
C)pe	rator						
	2.	Cooling wa	ater is/w	ill be	e obtaine	ed from a Public Wa	ater Supplier (PWS)	
			No		Yes; PV	WS No.: Click to ent	er text.	
		If no , cont	inue. If y	es, p	provide t	the PWS Registratio	n No. and stop here	
	3.	Cooling wa	ater is/w	ill be	obtaine	ed from a reclaimed	l water source?	
			No		Yes; Aı	ath No.: Click to ent	ter text.	
		If no , cont	inue. If y	es, p	orovide t	the Reuse Authoriz	ation No. and stop l	iere.
	4.	Cooling wa	iter is/w	ill be	obtaine	ed from an Indepen	dent Supplier	
			No		Yes; AI	F:_Click to enter tex	ct.	
							al intake flow of the er for cooling purp	
d.	31	6(b) Genera	l Criteria	ı				
	1.					ter for cooling purp f 2 MGD or greater	ooses to the facility	has or will have a
			Yes		No			
	2.					vithdrawn by the C s on an annual aver	WIS(s) is/will be use age basis.	d at the facility
			Yes		No			
	3.						ater for cooling pur f the United States	
			Yes		No. Exp	lanation:_Click to e	nter text.	
						how the waterbody	does not meet the	definition of

If **no** to any of the questions in Item 12.d, the facility **does not meet** the minimum criteria to be subject to the full requirements of Section 316(b) of the CWA; however, a determination is required based upon BPJ. Proceed to Item 12.e. e. The facility does not meet the minimum requirements to be subject to the fill requirements of Section 316(b) and uses/proposes to use cooling towers. Yes □ No If yes, stop here. If no, complete Worksheet 11.0, Items 1.a, 1.b.1-3 and 6, 2.b.1, and 3.a to allow for a determination based upon BPJ. f. Oil and Gas Exploration and Production 1. The facility is subject to requirements at 40 CFR Part 435, Subparts A or D. Yes No If **ves**, continue. If **no**, skip to Item 12.g. 2. The facility is an existing facility as defined at 40 CFR § 125.92(k) or a new unit at an existing facility as defined at 40 CFR § 125.92(u). Yes No If yes, complete Worksheet 11.0, Items 1.a, 1.b.1-3 and 6, 2.b.1, and 3.a to allow for a determination based upon BPJ. If **no**, skip to Item 12.g.3. g. Compliance Phase and Track Selection 1. Phase I - New facility subject to 40 CFR Part 125, Subpart I Yes No If **yes**, check the box next to the compliance track selection, attach the requested information, and complete Worksheet 11.0, Items 2 and 3, and Worksheet 11.2. Track I - AIF greater than 2 MGD, but less than 10 MGD • Attach information required by 40 CFR §§ 125.86(b)(2)-(4). Track I - AIF greater than 10 MGD • Attach information required by 40 CFR § 125.86(b). Track II Attach information required by 40 CFR § 125.86(c). Attachment: Click to enter text. 2. Phase II - Existing facility subject to 40 CFR Part 125, Subpart J Yes No If **yes**, complete Worksheets 11.0 through 11.3, as applicable. 3. Phase III - New facility subject to 40 CFR Part 125, Subpart N No Yes

If yes to all three questions in Item 12.d, the facility meets the minimum criteria to be subject

to the full requirements of Section 316(b) of the CWA. Proceed to Item 12.f.

	If yes , inform	check the box next to the compliance track selection and provide the requested lation.
	□ Tr	rack I – Fixed facility
	•	Attach information required by 40 CFR § 125.136(b) and complete Worksheet 11.0, Items 2 and 3, and Worksheet 11.2.
	□ Tr	ack I – Not a fixed facility
	•	Attach information required by 40 CFR § 125.136(b) and complete Worksheet 11.0, Item 2 (except CWIS latitude/longitude under Item 2.a).
	□ Tr	ack II – Fixed facility
	•	Attach information required by 40 CFR \S 125.136(c) and complete Worksheet 11.0, Items 2 and 3.
	Attach	ment: Click to enter text.
Item	13.	Permit Change Requests (Instructions, Page 48)
This ite	m is o	nly applicable to existing permitted facilities.
a. Is th	ne facil	lity requesting a major amendment of an existing permit?
Ī	□ Ye	s 🛛 No
info	rmatic	each request individually and provide the following information: 1) detailed on regarding the scope of each request and 2) a justification for each request. supplemental information or additional data to support each request.
Cli	ck to e	nter text.
b. Is th	e facil	ity requesting any minor amendments to the permit?
	☐ Ye	
If ye		and describe each change individually.
Clic	ck to ex	nter text.
c. Is the	e facili 1 Yes	ty requesting any minor modifications to the permit?



Item 14. Laboratory Accreditation (Instructions, Page 49)

All laboratory tests performed must meet the requirements of *30 TAC Chapter 25, Environmental Testing Laboratory Accreditation and Certification*, which includes the following general exemptions from National Environmental Laboratory Accreditation Program (NELAP) certification requirements:

- The laboratory is an in-house laboratory and is:
 - periodically inspected by the TCEQ; or
 - o located in another state and is accredited or inspected by that state; or
 - o performing work for another company with a unit located in the same site; or
 - performing pro bono work for a governmental agency or charitable organization.
- The laboratory is accredited under federal law.
- The data are needed for emergency-response activities, and a laboratory accredited under the Texas Laboratory Accreditation Program is not available.
- The laboratory supplies data for which the TCEQ does not offer accreditation.

The applicant should review 30 TAC Chapter 25 for specific requirements.

The following certification statement shall be signed and submitted with every application. See the *Signature Page* section in the Instructions, for a list of designated representatives who may sign the certification.

CERTIFICATION:

I certify that all laboratory tests submitted with this application meet the requirements of 30 TAC Chapter 25, Environmental Testing Laboratory Accreditation and Certification.

Printed Name: Chase Craighead

Title: Director of Public Works

-

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 1.0: EPA CATEGORICAL EFFLUENT GUIDELINES

This worksheet **is required** for all applications for TPDES permits for discharges of wastewaters subject to EPA categorical effluent limitation guidelines (ELGs).

		J	
Item 1. Catego	orical Industries	(Instructions, Pa	ge 53)
Is this facility subject	to any 40 CFR categoric	al ELGs outlined on pag	e 53 of the instructions?
□ Yes ⊠ No			
If no , this worksheet	is not required. If yes , p	rovide the appropriate in	nformation below.
40 CFR Effluent Guidel	line		
Industry		40	CFR Part
(X			

	II		
Item 2. Produc	ction/Process Da	ta (Instructions,	Page 54)
of oil and gas explora	permit applications requation and production was er the Oil and Gas Extract 2 instead.	tewater (discharges into	or adjacent to water in
a. Production Data			
	lata for effluent guidelin	es with production-base	d effluent limitations.
Production Data			
Subcategory	Actual Quantity/Day	Design Quantity/Day	Units
			V Section 1

		rcent of total production. as required by 40 CFR Pa	
Percentage of Total I Subcategory	Percent of Total	Appendix A and B -	Appendix A
buseategory	Production	Metals	Cyanide
			U U
c. Refineries (40 C			
Provide the applical	ole subcategory and a br	ief justification.	
Click to enter text.			
			1 1 - 1 - 1 - 1 - 1
			/ -
		Wastewater Flow	s (Instructions,
Page	54)		
Provide a breakdow	n of wastewater flow(s)	generated by the facility, i	ncluding both process
and non-process wa	stewater flow(s). Specify	which wastewater flows a al practices for wastewater	re to be authorized for
domestic, which are	not to be authorized for	r discharge under this per	mit.
		The state of the s	
Click to enter text.			

b. Organic Chemicals, Plastics, and Synthetic Fibers Manufacturing Data (40 CFR Part 414)

Item 4. New Source Determination (Instructions, Page 54)

Provide a list of all wastewater-generating processes subject to EPA categorical ELGs, identify the appropriate guideline Part and Subpart, and provide the date the process/construction commenced.

Wastewater Generating Processes Subject to Effluent Guidelines

Process	EPA Guideline Part	EPA Guideline Subpart	Date Process/ Construction Commenced
	¥		
,	,		
	707		

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 2.0: POLLUTANT ANALYSIS

Worksheet 2.0 **is required** for all applications submitted for a TPDES permit. Worksheet 2.0 is not required for applications for a permit to dispose of all wastewater by land disposal or for discharges solely of stormwater associated with industrial activities.

Item 1. General Testing Requirements (Instructions, Page 55)

- a. Provide the date range of all sampling events conducted to obtain the analytical data submitted with this application (e.g., 05/01/2018-05/30/2018): Click to enter text.
- b. \boxtimes Check the box to confirm all samples were collected no more than 12 months prior to the date of application submittal.
- c. Read the general testing requirements in the instructions for important information about sampling, test methods, and MALs. If a contact laboratory was used, attach a list which includes the name, contact information, and pollutants analyzed for each laboratory/firm. Attachment: 7

Item 2. Specific Testing Requirements (Instructions, Page 56)

Attach correspondence from TCEQ approving submittal of less than the required number of samples, if applicable. Attachment: <u>Click to enter text.</u>

TABLE 1 and TABLE 2 (Instructions, Page 58)

Completion of Tables 1 and 2 is required for all external outfalls for all TPDES permit applications.

Table 1 for Outfall No.: <u>001</u>	Samples are (check one): \Box	Composite	\boxtimes	Grab	

Pollutant	Sample 1 (mg/L)	Sample 2 (mg/L)	Sample 3 (mg/L)	Sample 4 (mg/L)
BOD (5-day)			+=====	
CBOD (5-day)				
Chemical oxygen demand				
Total organic carbon				
Dissolved oxygen				
Ammonia nitrogen				
Total suspended solids				
Nitrate nitrogen			N 1	
Total organic nitrogen				
Total phosphorus				
Oil and grease				
Total residual chlorine				

Pollutant	Sample 1 (mg/L)	Sample 2 (mg/L)	Sample 3 (mg/L)	Sample 4 (mg/L)
Total dissolved solids	5			
Sulfate				
Chloride				
Fluoride				
Total alkalinity (mg/L as CaCO3)				
Temperature (°F)				
pH (standard units)				

Table 2 for Outfall No.: <u>001</u>		Samples are (check one): ☐ Composite ☒ Grab				
Pollutant	Sample 1 (µg/L)	Sample 2 (µg/L)	Sample 3 (µg/L)	Sample 4 (µg/L)	MAL (μg/L)	
Aluminum, total					2.5	
Antimony, total					5	
Arsenic, total					0.5	
Barium, total					3	
Beryllium, total					0.5	
Cadmium, total					1	
Chromium, total	1				3	
Chromium, hexavalent					3	
Chromium, trivalent					N/A	
Copper, total					2	
Cyanide, available					2/10	
Lead, total					0.5	
Mercury, total					0.005/0.0005	
Nickel, total				4	2	
Selenium, total			P. D. L.		5	
Silver, total					0.5	
Thallium, total					0.5	
Zinc, total					5.0	

TABLE 3 (Instructions, Page 58)

Completion of Table 3 **is required** for all **external outfalls** which discharge process wastewater.

Partial completion of Table 3 **is required** for all **external outfalls** which discharge non-process wastewater and stormwater associated with industrial activities commingled with other wastestreams (see instructions for additional guidance).

Table 3 for Outfall No.: N/A Samples are (check one): ☐ Composite ☐ Grab

Pollutant	Sample 1 (µg/L)*	Sample 2 (µg/L)*	Sample 3 (µg/L)*	Sample 4 (µg/L)*	MAL (μg/L)*
Acrylonitrile		340 (3-3)			50
Anthracene					10
Benzene					10
Benzidine					50
Benzo(a)anthracene					5
Benzo(a)pyrene					5
Bis(2-chloroethyl)ether					10
Bis(2-ethylhexyl)phthalate					10
Bromodichloromethane [Dichlorobromomethane]		~			10
Bromoform					10
Carbon tetrachloride					2
Chlorobenzene					10
Chlorodibromomethane [Dibromochloromethane]					10
Chloroform					10
Chrysene					5
m-Cresol [3-Methylphenol]					10
o-Cresol [2-Methylphenol]		TITLE IV		Tic Time	10
p-Cresol [4-Methylphenol]					10
1,2-Dibromoethane			133		10
m-Dichlorobenzene [1,3-Dichlorobenzene]					10
o-Dichlorobenzene [1,2-Dichlorobenzene]					10
p-Dichlorobenzene [1,4-Dichlorobenzene]					10
3,3'-Dichlorobenzidine					5
1,2-Dichloroethane					10

Pollutant	Sample 1 (µg/L)*	Sample 2 (µg/L)*	Sample 3 (µg/L)*	Sample 4 (µg/L)*	MAL (μg/L)*
1,1-Dichloroethene [1,1-Dichloroethylene]					10
Dichloromethane [Methylene chloride]					20
1,2-Dichloropropane			=		10
1,3-Dichloropropene [1,3-Dichloropropylene]					10
2,4-Dimethylphenol					10
Di-n-Butyl phthalate					10
Epichlorohydrin (1-Chloro-2,3-epoxypropane)					
Ethylbenzene					10
Ethylene Glycol					
Fluoride					500
Hexachlorobenzene			200		5
Hexachlorobutadiene					10
Hexachlorocyclopentadiene					10
Hexachloroethane					20
4,4'-Isopropylidenediphenol (bisphenol A)					1
Methyl ethyl ketone					50
Methyl tert-butyl ether (MTBE)					
Nitrobenzene					10
N-Nitrosodiethylamine					20
N-Nitroso-di-n-butylamine					20
Nonylphenol					333
Pentachlorobenzene					20
Pentachlorophenol					5
Phenanthrene		12			10
Polychlorinated biphenyls (PCBs) (**)					0.2
Pyridine					20
1,2,4,5-Tetrachlorobenzene					20
1,1,2,2-Tetrachloroethane			1-5-7		10
Tetrachloroethene [Tetrachloroethylene]					10

Pollutant	Sample 1 (µg/L)*	Sample 2 (µg/L)*	Sample 3 (µg/L)*	Sample 4 (µg/L)*	MAL (μg/L)*
Toluene					10
1,1,1-Trichloroethane					10
1,1,2-Trichloroethane					10
Trichloroethene [Trichloroethylene]					10
2,4,5-Trichlorophenol					50
TTHM (Total trihalomethanes)					10
Vinyl chloride					10

^(*) Indicate units if different from μg/L.

TABLE 4 (Instructions, Pages 58-59)

Partial completion of Table 4 is required for each external outfall based on the conditions below.

a. Tributyltin

Yes

Is this facility an industrial/commercial facility which currently or proposes to directly dispose of wastewater from the types of operations listed below or a domestic facility which currently or proposes to receive wastewater from the types of industrial/commercial operations listed below?

check the box next to each of the following criteria which apply and provide oriate testing results in Table 4 below (check all that apply).
Manufacturers and formulators of tributyltin or related compounds.
Painting of ships, boats and marine structures.
Ship and boat building and repairing.

Ship and boat cleaning, salvage, wrecking and scaling.Operation and maintenance of marine cargo handling facilities and marinas.

☐ Facilities engaged in wood preserving.

No

Any other industrial/commercial facility for which tributyltin is known to be present, or for which there is any reason to believe that tributyltin may be present in the effluent.

b. Enterococci (discharge to saltwater)

This facility discharges/proposes to discharge directly into saltwater receiving waters **and** Enterococci bacteria are expected to be present in the discharge based on facility processes.

	Yes	\boxtimes	No
200	1 0		110

^(**) Total of detects for PCB-1242, PCB-1254, PCB-1221, PCB-1232, PCB-1248, PCB-1260, and PCB-1016. If all non-detects, enter the highest non-detect preceded by a "<".

Domestic wastewater	is/will be di	scharged.				
□ Yes ⊠	No					
If yes to either questi	on, provide	the appropr	iate testing r	esults in Ta	ble 4 belo	w.
c. E. coli (discharge to f	reshwater)					
This facility discharge E. coli bacteria are exp						
□ Yes ⊠ 1	No					
Domestic wastewater	is/will be di	scharged.				
□ Yes ⊠ 1	No					
If yes to either questi	on, provide	the appropr	iate testing r	esults in Tal	ble 4 belo	w.
Table 4 for Outfall No.: Clic	k to enter te	xt. Sampl	es are (check	one): 🗆 Co	mposite	□ Grab
Pollutant		Sample 1	Sample 2	Sample 3	Sample	4 MAL
Tributyltin (µg/L)						0.010
Enterococci (cfu or MPN/	′100 mL)					N/A
E. coli (cfu or MPN/100 n	nL)					N/A
wastewater from a facility wastewaters which may confirm this facility does not/winot/will not discharge oth N/A Table 5 for Outfall No.: Click	ontain pestio ill not manu ier wastewat	cides or herl facture or fo ters that ma	oicides. ormulate pes	ticides or he sticides or h	erbicides a	and does
Pollutant	Sample 1 (µg/L)*	Sample (µg/L)*	2 Sampl (μg/L)			/IAL μg/L)*
Aldrin					0	0.01
Carbaryl		Water N			5	
Chlordane	F				0	0.2
Chlorpyrifos					0	.05
4,4'-DDD					0	0.1
4,4'-DDE					0	.1
4,4'-DDT					0	.02
2,4-D			0.000		0	.7
Danitol [Fenpropathrin]						
Demeton					0	.20

Diazinon

0.5/0.1

Pollutant	Sample 1 (µg/L)*	Sample 2 (µg/L)*	Sample 3 (µg/L)*	Sample 4 (µg/L)*	MAL (μg/L)*
Dicofol [Kelthane]		11			1
Dieldrin					0.02
Diuron					0.090
Endosulfan I (<i>alpha</i>)					0.01
Endosulfan II (<i>beta</i>)					0.02
Endosulfan sulfate					0.1
Endrin					0.02
Guthion [Azinphos methyl]					0.1
Heptachlor					0.01
Heptachlor epoxide					0.01
Hexachlorocyclohexane (alpha)					0.05
Hexachlorocyclohexane (beta)					0.05
Hexachlorocyclohexane (<i>gamma</i>) [Lindane]					0.05
Hexachlorophene					10
Malathion					0.1
Methoxychlor					2.0
Mirex					0.02
Parathion (ethyl)					0.1
Toxaphene					0.3
2,4,5-TP [Silvex]					0.3

^{*} Indicate units if different from µg/L.

TABLE 6 (Instructions, Page 59)

Completion of Table 6 is required for all external outfalls.

Table 6 for Outfall No.: <u>oo1</u> Samples are (check one): ☐ Composite ☒ Grab

Pollutants	Believed Present	Believed Absent	Sample 1 (mg/L)	Sample 2 (mg/L)	Sample 3 (mg/L)	Sample 4 (mg/L)	MAL (μg/L)*
Bromide		\boxtimes					400
Color (PCU)		\boxtimes					-
Nitrate-Nitrite (as N)							_
Sulfide (as S)		\boxtimes					_
Sulfite (as SO3)		\boxtimes	=			*	_
Surfactants		\boxtimes					_
Boron, total		\boxtimes				0	20
Cobalt, total		\boxtimes					0.3
Iron, total		\boxtimes					7
Magnesium, total	\boxtimes						20
Manganese, total		\boxtimes					0.5
Molybdenum, total		\boxtimes					1
Tin, total		\boxtimes					5
Titanium, total		\bowtie					30

TABLE 7 (Instructions, Page 60)

Check the box next to any of the industrial categories applicable to this facility. If no categories are applicable, check N/A. If GC/MS testing is required, check the box provided to confirm the testing results for the appropriate parameters are provided with the application.

⊠ N/A

Table 7 for Applicable Industrial Categories

In	dustrial Category	40 CFR Part		latiles ble 8		ids ble 9	Ne	ses/ utrals ble 10		sticide: ble 11
	Adhesives and Sealants			Yes		Yes		Yes	No	1
	Aluminum Forming	467		Yes		Yes		Yes	No	
	Auto and Other Laundries			Yes		Yes		Yes		Yes
	Battery Manufacturing	461		Yes	No	Ü.		Yes	No	
	Coal Mining	434	No		No	13	No		No	
	Coil Coating	465		Yes		Yes		Yes	No	
	Copper Forming	468		Yes		Yes		Yes	No	
	Electric and Electronic Components	469		Yes		Yes		Yes		Yes
	Electroplating	413		Yes	(3)	Yes		Yes	No	
	Explosives Manufacturing	457	No			Yes		Yes	No	
	Foundries			Yes		Yes		Yes	No	
	Gum and Wood Chemicals - Subparts A,B,C,E	454		Yes		Yes	No		No	
	Gum and Wood Chemicals - Subparts D,F	454		Yes		Yes		Yes	No	
	Inorganic Chemicals Manufacturing	415		Yes		Yes		Yes	No	
	Iron and Steel Manufacturing	420	187	Yes		Yes		Yes	No	
	Leather Tanning and Finishing	425		Yes		Yes		Yes	No	
	Mechanical Products Manufacturing			Yes		Yes		Yes	No	
	Nonferrous Metals Manufacturing	421,471		Yes		Yes		Yes		Yes
	Oil and Gas Extraction - Subparts A, D, E, F, G, H	435		Yes		Yes		Yes	No	
	Ore Mining - Subpart B	440	No			Yes	No		No	
	Organic Chemicals Manufacturing	414		Yes		Yes		Yes		Yes
	Paint and Ink Formulation	446,447		Yes		Yes		Yes	No	
	Pesticides	455		Yes		Yes		Yes		Yes
	Petroleum Refining	419		Yes	No		No		No	
	Pharmaceutical Preparations	439		Yes		Yes		Yes	No	
	Photographic Equipment and Supplies	459		Yes		Yes		Yes	No	
	Plastic and Synthetic Materials Manufacturing	414		Yes		Yes		Yes		Yes
	Plastic Processing	463		Yes	No		No		No	
1	Porcelain Enameling	466	No		No		No	291	No	
	Printing and Publishing	S MALE		Yes		Yes		Yes		Yes
	Pulp and Paperboard Mills - Subpart C	430		*		Yes		*		Yes
]	Pulp and Paperboard Mills - Subparts F, K	430		*		Yes		*		*
	Pulp and Paperboard Mills - Subparts A, B, D, G, H	430		Yes		Yes		*		*
	Pulp and Paperboard Mills - Subparts I, J, L	430		Yes		Yes		*		Yes
	Pulp and Paperboard Mills - Subpart E	430		Yes		Yes		Yes		*
	Rubber Processing	428		Yes		Yes		Yes	No	
	Soap and Detergent Manufacturing	417		Yes		Yes		Yes	No	
]	Steam Electric Power Plants	423		Yes		Yes	No		No	
]	Textile Mills (Not Subpart C)	410		Yes		Yes		Yes	No	· 1/2
	Timber Products Processing	429		Yes		Yes		Yes		Yes

^{*} Test if believed present.

TABLES 8, 9, 10, and 11 (Instructions, Page 60)

Completion of Tables 8, 9, 10, and 11 **is required** as specified in Table 7 for all **external outfalls** that contain process wastewater.

Completion of Tables 8, 9, 10, and 11 **may be required** for types of industry not specified in Table 7 for specific parameters that are believed to be present in the wastewater.

Table 8 for Outfall No.: $\underline{\mathbf{N/A}}$ Samples are (check one): \square Composite \square Grab

Pollutant	Sample 1 (µg/L)*	Sample 2 (µg/L)*	Sample 3 (µg/L)*	Sample 4 (µg/L)*	MAL (µg/L)
Acrolein					50
Acrylonitrile					50
Benzene					10
Bromoform					10
Carbon tetrachloride					2
Chlorobenzene					10
Chlorodibromomethane	5				10
Chloroethane					50
2-Chloroethylvinyl ether					10
Chloroform					10
Dichlorobromomethane [Bromodichloromethane]	-				10
1,1-Dichloroethane					10
1,2-Dichloroethane					10
1,1-Dichloroethylene [1,1-Dichloroethene]					10
1,2-Dichloropropane					10
1,3-Dichloropropylene [1,3-Dichloropropene]					10
Ethylbenzene					10
Methyl bromide [Bromomethane]					50
Methyl chloride [Chloromethane]					50
Methylene chloride [Dichloromethane]					20
1,1,2,2-Tetrachloroethane					10
Tetrachloroethylene [Tetrachloroethene]					10
Toluene					10
1,2-Trans-dichloroethylene [1,2-Trans-dichloroethene]					10

Pollutant	Sample 1 (µg/L)*	Sample 2 (µg/L)*	Sample 3 (µg/L)*	Sample 4 (µg/L)*	MAL (μg/L)
1,1,1-Trichloroethane					10
1,1,2-Trichloroethane					10
Trichloroethylene [Trichloroethene]					10
Vinyl chloride		0			10

^{*} Indicate units if different from µg/L.

Table 9 for Outfall No.: N/A

Samples are (check one): \Box	Composite		Grab
---------------------------------	-----------	--	------

Pollutant	Sample 1 (µg/L)*	Sample 2 (µg/L)*	Sample 3 (µg/L)*	Sample 4 (µg/L)*	MAL (μg/L)
2-Chlorophenol					10
2,4-Dichlorophenol					10
2,4-Dimethylphenol					10
4,6-Dinitro-o-cresol					50
2,4-Dinitrophenol					50
2-Nitrophenol					20
4-Nitrophenol					50
p-Chloro-m-cresol					10
Pentachlorophenol					5
Phenol					10
2,4,6-Trichlorophenol					10

^{*} Indicate units if different from µg/L.

Table 10 for Outfall No.: <u>N/A</u>	Sam	ples are (chec	k one): 🔲 🔾	mposite 🗆	Grab
Pollutant	Sample 1 (µg/L)*	Sample 2 (µg/L)*	Sample 3 (µg/L)*	Sample 4 (µg/L)*	MAL (μg/L)
Acenaphthene					10
Acenaphthylene					10
Anthracene					10
Benzidine		20 C 3 Sy			50
Benzo(a)anthracene					5
Benzo(a)pyrene			23		5
3,4-Benzofluoranthene [Benzo(b)fluoranthene]					10
Benzo(ghi)perylene					20
Benzo(k)fluoranthene				/ 4	5
Bis(2-chloroethoxy)methane					10

Pollutant	Sample 1 (µg/L)*	Sample 2 (µg/L)*	Sample 3 (µg/L)*	Sample 4 (µg/L)*	MAL (μg/L)
Bis(2-chloroethyl)ether					10
Bis(2-chloroisopropyl)ether					10
Bis(2-ethylhexyl)phthalate					10
4-Bromophenyl phenyl ether					10
Butylbenzyl phthalate					10
2-Chloronaphthalene					10
4-Chlorophenyl phenyl ether					10
Chrysene					5
Dibenzo(a,h)anthracene					5
1,2-Dichlorobenzene [o-Dichlorobenzene]					10
1,3-Dichlorobenzene [m-Dichlorobenzene]	9				10
1,4-Dichlorobenzene [p-Dichlorobenzene]					10
3,3'-Dichlorobenzidine				W1	5
Diethyl phthalate					10
Dimethyl phthalate					10
Di-n-butyl phthalate					10
2,4-Dinitrotoluene				¥	10
2,6-Dinitrotoluene					10
Di-n-octyl phthalate					10
1,2-Diphenylhydrazine (as Azobenzene)					20
Fluoranthene					10
Fluorene					10
Hexachlorobenzene					5
Hexachlorobutadiene					10
Hexachlorocyclopentadiene					10
Hexachloroethane					20
Indeno(1,2,3-cd)pyrene					5
Isophorone					10
Naphthalene					10
Nitrobenzene					10
N-Nitrosodimethylamine					50

Pollutant	Sample 1 (µg/L)*	Sample 2 (µg/L)*	Sample 3 (µg/L)*	Sample 4 (µg/L)*	MAL (μg/L)
N-Nitrosodi-n-propylamine					20
N-Nitrosodiphenylamine					20
Phenanthrene					10
Pyrene					10
1,2,4-Trichlorobenzene					10

^{*} Indicate units if different from µg/L.

Table 11 for Outfall No.: <u>N/A</u> Pollutant	Sample 1	Sample 2	Sample 3	Sample 4	MAL
ronutant	(μg/L)*	(μg/L)*	(μg/L)*	(μg/L)*	(μg/L)
Aldrin					0.01
alpha-BHC [alpha-Hexachlorocyclohexane]					0.05
beta-BHC [beta-Hexachlorocyclohexane]					0.05
gamma-BHC [gamma-Hexachlorocyclohexane]					0.05
delta-BHC [delta-Hexachlorocyclohexane]					0.05
Chlordane					0.2
4,4'-DDT					0.02
4,4'-DDE					0.1
4,4'-DDD					0.1
Dieldrin					0.02
Endosulfan I (alpha)					0.01
Endosulfan II (beta)					0.02
Endosulfan sulfate					0.1
Endrin					0.02
Endrin aldehyde					0.1
Heptachlor					0.01
Heptachlor epoxide					0.01
PCB 1242					0.2
PCB 1254					0.2
PCB 1221	10				0.2
PCB 1232					0.2
PCB 1248					0.2

Pollutant	Sample 1 (µg/L)*	Sample 2 (µg/L)*	Sample 3 (µg/L)*	Sample 4 (µg/L)*	MAL (μg/L)
PCB 1260					0.2
PCB 1016					0.2
Toxaphene					0.3

^{*} Indicate units if different from µg/L.

Attachment: Click to enter text.

TABLE 12 (DIOXINS/FURAN COMPOUNDS)

Complete of Table 12 **is required** for **external outfalls**, as directed below. (Instructions, Pages 59-60)

Indicate which compound(s) are manufactured or used at the facility and provide a brief description of the conditions of its/their presence at the facility (check all that apply).

- □ 2,4,5-trichlorophenoxy acetic acid (2,4,5-T) CASRN 93-76-5
- 2-(2,4,5-trichlorophenoxy) propanoic acid (Silvex, 2,4,5-TP) CASRN 93-72-1
- 2-(2,4,5-trichlorophenoxy) ethyl 2,2-dichloropropionate (Erbon) CASRN 136-25-4
- □ 0,0-dimethyl 0-(2,4,5-trichlorophenyl) phosphorothioate (Ronnel) CASRN 299-84-3
- ☐ 2,4,5-trichlorophenol (TCP) CASRN 95-95-4
- □ hexachlorophene (HCP) CASRN 70-30-4
- None of the above

Description: N/A

Does the applicant or anyone at the facility know or have any reason to believe that 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) or any congeners of TCDD may be present in the effluent proposed for discharge?

☐ Yes ☒ No Description: N/A

If **yes** to either Items a **or** b, complete Table 12 as instructed.

Table 12 for Outfall No.: N/A Samples are (check one): ☐ Composite ☐ Grab

Compound	Toxicity Equivalent Factors	Wastewater Concentration (ppq)	Wastewater Toxicity Equivalents (ppq)	Sludge Concentration (ppt)	Sludge Toxicity Equivalents (ppt)	MAL (ppq)
2,3,7,8-TCDD	1					10
1,2,3,7,8- PeCDD	1.0					50
2,3,7,8- HxCDDs	0.1					50
1,2,3,4,6,7,8- HpCDD	0.01					50

Compound	Toxicity Equivalent Factors	Wastewater Concentration (ppq)	Wastewater Toxicity Equivalents (ppq)	Sludge Concentration (ppt)	Sludge Toxicity Equivalents (ppt)	MAL (ppq)
2,3,7,8-TCDF	0.1					10
1,2,3,7,8- PeCDF	0.03					50
2,3,4,7,8- PeCDF	0.3					50
2,3,7,8- HxCDFs	0.1					50
2,3,4,7,8- HpCDFs	0.01					50
OCDD	0.0003					100
OCDF	0.0003					100
PCB 77	0.0001					500
PCB 81	0.0003					500
PCB 126	0.1					500
PCB 169	0.03	ü				500
Total						

TABLE 13 (HAZARDOUS SUBSTANCES)

Complete Table 13 is required for all external outfalls as directed below. (Instructions, Pages 60-61)

Are there any pollutants listed in the instructions (pages 55-62) believed present in the discharge?

□ Yes ⊠ No

Are there pollutants listed in Item 1.c. of Technical Report 1.0 which are believed present in the discharge and have not been analytically quantified elsewhere in this application?

□ Yes ⊠ No

If yes to either Items a or b, complete Table 13 as instructed.

Pollutant	CASRN	Sample 1 (µg/L)	Sample 2 (µg/L)	Sample 3 (µg/L)	Sample 4 (µg/L)	Analytical Method
N/A		and the state of				
			2 -			
	E 140					

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 3.0: LAND APPLICATION OF EFFLUENT

This worksheet **is required** for all applications for a permit to disposal of wastewater by land application (i.e., TLAP)).

Item 1. Type of Disposal System (Instructions, Page 69)

Check the box next to the type of land disposal requested by this application:

Irrigation	Subsurface application
Evaporation	Subsurface soils absorption
Evapotranspiration beds	Surface application
Drip irrigation system	Other, specify: Click to enter text.

Item 2. Land Application Area (Instructions, Page 69)

Land Application Area Information

Effluent Application (gallons/day)	Irrigation Acreage (acres)	Describe land use & indicate type(s) of crop(s)	Public Access? (Y/N)
		и	

Item 3. Annual Cropping Plan (Instructions, Page 69)

Attach the required cropping plan that includes each of the following:

- Cool and warm season plant species
- Breakdown of acreage and percent of total acreage for each crop
- Crop growing season
- Harvesting method/number of harvests
- Minimum/maximum harvest height
- Crop yield goals
- Soils map
- Nitrogen requirements per crop
- Additional fertilizer requirements
- Supplemental watering requirements
- Crop salt tolerances
- Justification for not removing existing vegetation to be irrigated

Attachment:

Item 4. Well and Map Information (Instructions, Page 70)

a.		ck eac S map		equired inforn	nation is shown and lab	eled on the attached					
		The e	xact boundaries of the	land applicati	ion area						
		On-si	te buildings								
		Waste	e-disposal or treatment	facilities							
		Efflue	ent storage and tailwate	er control faci	lities						
		Buffer zones									
		All surface waters in the state onsite and within 500 feet of the property boundaries									
	□ bou	☐ All water wells within ½-mile of the disposal site, wastewater ponds, or property boundaries									
		All springs and seeps onsite and within 500 feet of the property boundaries									
	Atta	tachment: Click to enter text.									
	was nec	and cross reference all water wells located on or within 500 feet of the disposal site, tewater ponds, or property boundaries in the following table. Attach additional pages as essary to include all of the wells. d Map Information Table									
_	/ell I		Well Use	Producing?	Open, cased, capped, or plugged?	Proposed Best Management Practice					
	11 1 20			Y/N/U	or pluggeu:	Management Fractice					
	-										
At	tachı	nent: (Click to enter text.	4 4							
c.		oundwater monitoring wells or lysimeters are/will be installed around the land dication site or wastewater ponds.									
	0	□ Ye	s 🛘 No								
	site lysir	es, provide the existing/proposed location of the monitoring wells or lysimeters on the map attached for Item 4.a. Additionally, attach information on the depth of the wells or neters, sampling schedule, and monitoring parameters for TCEQ review, possible lification, and approval.									
	Atta	chmer	nt: Click to enter text.								
d.		Attach a short groundwater technical report using 30 TAC § 309.20(a)(4) as guidance.									

Item 5. Soil Map and Soil Information (Instructions, Page 71) Check each box to confirm that the following information is attached: a. □ USDA NRCS Soil Survey Map depicting the area to be used for land application with the

locations identified by fields and crops.

b. \square Breakdown of acreage and percent of total acreage for each soil type.

c.

Copies of laboratory soil analyses. Attachment: Click to enter text.

Item 6. Effluent Monitoring Data (Instructions, Page 72)

a. Completion of Table 14 is required for all renewal and major amendment applications. Complete the table with monitoring data for the previous two years for all parameters regulated in the current permit. An additional table has been provided with blank headers for parameters regulated in the current permit which are not listed in Table 14.

	or Outfall No.: (ch are not listed e (check one): □	Composite	□ Grab
Date (mo/yr)	Daily Avg Flow (gpd)	BOD5 (mg/L)	TSS (mg/L)	Nitrogen (mg/L)	Conductivity (mmhos/cm)	Total acres irrigated	Hydraulic Application rate (acre-feet/month)
n n							
						No.	
					1.121.20		

Date (mo/yr)	Daily Avg Flow (gpd)	BOD5 (mg/L)	TSS (mg/L)	Nitrogen (mg/L)	Conductivity (mmhos/cm)	Total acres irrigated	Hydraulic Application rate (acre-feet/month)
						migateu	(acre-reet/month)

b. Use this table to provide effluent analysis for parameters regulated in the current permit which are not listed in Table 14.

Additional Parameter Effluent Analysis

Date (mo/yr)					
				71	
		Area I a			
	5-1-1				

c. Attach an explanation of all persistent excursions to permitted parameters and corrective actions taken. Attachment: <u>Click to enter text.</u>

Item 7. Pollutant Analysis (Instructions, Page 72)

- a. Provide the date range of all sampling events conducted to obtain the analytical data submitted with this application (e.g., 05/01/2018-05/30/2018): Click to enter text.
- b. \square Check the box to confirm all samples were collected no more than 12 months prior to the date of application submittal.
- c. Complete Tables 15 and 16.

Table 15 for Outfall No.: Click to enter text. Samples are (check one): ☐ Composite ☐ Grab

Pollutant	Sample 1 (mg/L)	Sample 2 (mg/L)	Sample 3 (mg/L)	Sample 4 (mg/L)
BOD (5-day)				
CBOD (5-day)				
Chemical oxygen demand				
Total organic carbon		-		
Dissolved oxygen				
Ammonia nitrogen				
Total suspended solids				
Nitrate nitrogen				
Total organic nitrogen				
Total phosphorus				
Oil and grease				
Total residual chlorine				
Total dissolved solids				
Sulfate				
Chloride				
Fluoride				
Total alkalinity (mg/L as CaCO3)				
Temperature (°F)		Company of the Compan		
pH (standard units)				

Table 16 for Outfall No.: Click to enter text. Samples are (check one): ☐ Composite ☐ Grab

Pollutant	Sample 1 (µg/L)	Sample 2 (µg/L)	Sample 3 (µg/L)	Sample 4 (µg/L)	MAL (μg/L)
Aluminum, total					2.5
Antimony, total					5
Arsenic, total					0.5
Barium, total					3

Pollutant	Sample 1 (µg/L)	Sample 2 (µg/L)	Sample 3 (µg/L)	Sample 4 (µg/L)	MAL (μg/L)
Beryllium, total					0.5
Cadmium, total	10				1
Chromium, total					3
Chromium, hexavalent					3
Chromium, trivalent					N/A
Copper, total					2
Cyanide, available					2/10
Lead, total					0.5
Mercury, total					0.005/0.0005
Nickel, total					2
Selenium, total					5
Silver, total					0.5
Thallium, total					0.5
Zinc, total					5.0

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 3.1: SURFACE LAND APPLICATION AND APPLICATION

This worksheet **is required** for all applications for a permit to disposal of wastewater by surface land application or evaporation.

Item 1. Edwards Aquifer (Instructions, Page 73)

a. Is the facility subject to 30 TAC Chapter 213, Edwards Aguifer Rules?

- □ Yes □ No
 If no, proceed to Item 2. If yes, complete Items 1.b and 1.c.
 b. Check the box next to the subchapter applicable to the facility.
 □ 30 TAC Chapter 213, Subchapter A
 □ 30 TAC Chapter 213, Subchapter B
 c. If 30 TAC Chapter 213, Subchapter A applies, attach either: 1) a Geologic Assessment (if conducted in accordance with 30 TAC § 213.5) or 2) a report that contains the following:
 A description of the surface geological units within the proposed land application site and wastewater pond area.
 The location and extent of any sensitive recharge features in the land application site and wastewater pond area
 - A list of any proposed BMPs to protect the recharge features.

Attachment: Click to enter text.

Item 2. Surface Spray/Irrigation (Instructions, Page 73)

a. Provide the following information on the irrigation operations:

Area under irrigation (acres): Click to enter text.

Design application rate (acre-ft/acre/yr): Click to enter text.

Design application frequency (hours/day): Click to enter text.

Design application frequency (days/week): <u>Click to enter text.</u>

Design total nitrogen loading rate (lbs nitrogen/acre/year): Click to enter text.

Average slope of the application area (percent): Click to enter text.

Maximum slope of the application area (percent): Click to enter text.

Irrigation efficiency (percent): Click to enter text.

Effluent conductivity (mmhos/cm): Click to enter text.

Soil conductivity (mmhos/cm): Click to enter text.

Curve number: Click to enter text.

Describe the application method and equipment: Click to enter text.

b. Attach a detailed engineering report which includes a water balance, storage volume calculations, and a nitrogen balance. **Attachment**: <u>Click to enter text.</u>

Item 3. Evaporation Ponds (Instructions, Page 74)

- a. Daily average effluent flow into ponds: Click to enter text. gallons per day
- b. Attach a separate engineering report of evaporation calculations for average long-term and worst-case critical conditions. **Attachment:** Click to enter text.

Item 4. Evapotranspiration Beds (Instructions, Page 74)

a. Provide the following information on the evapotranspiration beds:

Number of beds: Click to enter text.

Area of bed(s) (acres): <u>Click to enter text.</u> Depth of bed(s) (feet): <u>Click to enter text.</u>

Void ratio of soil in the beds: Click to enter text.

Storage volume within the beds (include units): Click to enter text.

Description of any lining to protect groundwater: Click to enter text.

- b. Attach a certification by a licensed Texas professional engineer that the liner meets TCEQ requirements. Attachment: Click to enter text.
- c. Attach a separate engineering report with water balance, storage volume calculations, and description of the liner. **Attachment:** <u>Click to enter text.</u>

Item 5. Overland Flow (Instructions, Page 74)

a. Provide the following information on the overland flow:

Area used for application (acres): Click to enter text.

Slopes for application area (percent): Click to enter text.

Design application rate (gpm/foot of slope width): Click to enter text.

Slope length (feet): Click to enter text.

Design BOD5 loading rate (lbs BOD5/acre/day): Click to enter text.

Design application frequency (hours/day): Click to enter text.

Design application frequency (days/week): Click to enter text.

b. Attach a separate engineering report with the method of application and design requirements according to *30 TAC § 217.212*. **Attachment:** Click to enter text.

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 3.2: SUBSURFACE IRRIGATION (NON-DRIP)

This worksheet **is required** for all applications for a permit to disposal of wastewater by subsurface land application.

Check the box to confirm the Class V Injection Well Inventory/Authorization Form (Worksheet 9.0) has been submitted to the TCEQ UIC Permits Team as directed.

Item 1. Edwards Aquifer (Instructions, Page 75)

a. The subsurface system is/will be located on the Edwards Aquifer Recharge Zone, as mapped by TCEQ?

□ Yes □ No

b. The subsurface system is/will be located on the Edwards Aquifer Transition Zone, as mapped by TCEQ?

□ Yes □ No

If **yes** to Item 1.a **or** 1.b, the subsurface system may be prohibited by *30 TAC § 213.8*. Contact the Water Quality Assessment Section at (512) 239-4671 for a preapplication meeting.

Item 2. Subsurface Application (Instructions, Page 75)

- a. Check the box next to the type of subsurface land disposal system requested:
 - ☐ Conventional drainfield, beds, or trenches
 - □ Low pressure dosing
 - □ Other: Click to enter text.
- b. Provide the following information on the irrigation operations:

Application area (acres): Click to enter text.

Area of drainfield (square feet): Click to enter text.

Application rate (gal/square ft/day): Click to enter text.

Depth to groundwater (feet): Click to enter text.

Area of trench (square feet): Click to enter text.

Dosing duration per area (hours): Click to enter text.

Number of beds: Click to enter text.

Dosing amount per area (inches/day): Click to enter text.

Soil infiltration rate (inches/hour): Click to enter text.

Storage volume (gallons): <u>Click to enter text.</u>

Area of bed(s) (square feet): Click to enter text.

Soil classification: <u>Click to enter text.</u>

c. Attach a separate engineering report using 30 TAC § 309.20, Subchapter C, Land Disposal of Sewage Effluent as guidance, excluding items b(3)(A) and b(3)(B). Include a description of the schedule of dosing basin rotation. Attachment: Click to enter text.

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 3.3: SUBSURFACE AREA DRIP DISPERSAL SYSTEMS

	his worksheet is required for all applications for a permit to dispose of wastewater using a ibsurface area drip dispersal system (SADDS).
	Check the box to confirm the Class V Injection Well Inventory/Authorization Form (Worksheet 9.0) has been submitted to the TCEQ UIC Permits Team as directed.
It	em 1. Edwards Aquifer (Instructions, Page 76)
a.	The subsurface system is/will be located on the Edwards Aquifer Recharge Zone, as mapped by TCEQ?
	□ Yes □ No
b.	The subsurface system is/will be located on the Edwards Aquifer Transition Zone, as mapped by TCEQ?
	□ Yes □ No
	yes to Item 1.a or 1.b, the subsurface system may be prohibited by $30 \ TAC \ \S \ 213.8$. Contact e Water Quality Assessment Section at (512) 239-4671 for a preapplication meeting.
It	em 2. Administrative Information (Instructions, Page 76)
a.	Provide the legal name of all corporations or other business entities managed, owned, or otherwise closely related to the owner of the treatment facility: <u>Click to enter text.</u>
b.	The owner of the land where the WWTF is/will be located is the same as the owner of the WWTF.
	□ Yes □ No
	If no , provide the legal name of all corporations or other business entities managed, owned, or otherwise closely related to the owner of the land where the WWTF is/will be located: <u>Click to enter text.</u>
:	Provide the legal name of the owner of the SADDS: Click to enter text.
d.	The owner of the SADDS is the same as the owner of the WWTF or the site where the WWTF is/will be located.
	□ Yes □ No
	If no , identify the legal name of all corporations or other business entities managed, owned, or otherwise closely related to the entity identified in Item 1.c: <u>Click to enter text.</u>
.	Provide the legal name of the owner of the land where the SADDS is located: <u>Click to enter text.</u>

f.	The owner of the land where the SADDS is/will be located is the same as owner of the WWTF, the site where the WWTF is located, or the owner of the SADDS.
	□ Yes □ No
	If no , provide the legal name of all corporations or other business entities managed, owned or otherwise closely related to the entity identified in item 1.e: Click to enter text.
I	tem 3. SADDS (Instructions, Page 77)
a.	Check the box next to the type SADDS requested by this application:
	☐ Subsurface drip/trickle irrigation
	□ Surface drip irrigation
	□ Other: Click to enter text.
b.	Attach a description of the SADDS proposed/used by the facility (see instructions for guidance). Attachment: <u>Click to enter text.</u>
c.	Provide the following information on the SADDS:
	Application area (acres): Click to enter text.
	Soil infiltration rate (inches/hour): Click to enter text.
	Average slope of the application area: Click to enter text.
	Maximum slope of the application area: Click to enter text.
	Storage volume (gallons): Click to enter text.
	Major soil series: Click to enter text.
	Depth to groundwater (feet): Click to enter text.
	Effluent conductivity (mmhos/cm): Click to enter text.
d.	The facility is/will be located west of the boundary shown in 30 TAC § 222.83 and using a vegetative cover of non-native grasses over seeded with cool-season grasses.
	□ Yes □ No
	If yes , the facility may propose a hydraulic application rate up to, but not to exceed, 0.1 gal/ft ² /day.
e.	The facility is/will be located east of the boundary shown in <i>30 TAC § 222.83</i> or is the facility proposing any crop other than non-native grasses.
	□ Yes □ No
	If yes , the facility must use the formula in $30\ TAC\ \S\ 222.83$ to calculate the maximum hydraulic application rate.
f.	The facility has or plans to submit an alternative method to calculate the hydraulic application rate for approval by the ED.
	□ Yes □ No

	 Hydraulic application rate (gal/square foot/day): <u>Click to enter text.</u>
	 Nitrogen application rate (gal/square foot/day): <u>Click to enter text.</u>
g.	Provide the following dosing information:
	Number of doses per day: Click to enter text.
	Dosing duration per area (hours): Click to enter text.
	Rest period between doses (hours): Click to enter text.
	Dosing amount per area (inches/day): Click to enter text.
	Number of zones: Click to enter text.
h.	The system is/will be a surface drip irrigation system using existing native vegetation as a crop?
	□ Yes □ No
	If yes , attach the following information:
	 A vegetation survey by a certified arborist describing the percent canopy cover and relative percentage of major overstory and understory plant species.
	Attachment: Click to enter text.
	 Attach a separate engineering report using 30 TAC § 309.20, Subchapter C, Land Disposal of Sewage Effluent as guidance, excluding items b(3)(A) and b(3)(B). Include a description of the schedule of dosing basin rotation.
	Attachment: Click to enter text.
It	Attachment: Click to enter text. em 4. Required Plans (Instructions, Page 78)
tale of the latest of the late	em 4. Required Plans (Instructions, Page 78)
tale of the latest of the late	
a.	em 4. Required Plans (Instructions, Page 78) Attach a Soil Evaluation with all information required in 30 TAC § 222.73. Attachment: Click to enter text.
a.	em 4. Required Plans (Instructions, Page 78) Attach a Soil Evaluation with all information required in 30 TAC § 222.73.
a. b.	em 4. Required Plans (Instructions, Page 78) Attach a Soil Evaluation with all information required in 30 TAC § 222.73. Attachment: Click to enter text. Attach a Site Preparation Plan with all information required in 30 TAC § 222.75. Attachment: Click to enter text.
a. b.	em 4. Required Plans (Instructions, Page 78) Attach a Soil Evaluation with all information required in 30 TAC § 222.73. Attachment: Click to enter text. Attach a Site Preparation Plan with all information required in 30 TAC § 222.75.
a. b.	em 4. Required Plans (Instructions, Page 78) Attach a Soil Evaluation with all information required in 30 TAC § 222.73. Attachment: Click to enter text. Attach a Site Preparation Plan with all information required in 30 TAC § 222.75. Attachment: Click to enter text. Attach a Recharge Feature Plan with all information required in 30 TAC § 222.79.
a. b.	em 4. Required Plans (Instructions, Page 78) Attach a Soil Evaluation with all information required in 30 TAC § 222.73. Attachment: Click to enter text. Attach a Site Preparation Plan with all information required in 30 TAC § 222.75. Attachment: Click to enter text. Attach a Recharge Feature Plan with all information required in 30 TAC § 222.79. Attachment: Click to enter text.
a. b. c.	em 4. Required Plans (Instructions, Page 78) Attach a Soil Evaluation with all information required in 30 TAC § 222.73. Attachment: Click to enter text. Attach a Site Preparation Plan with all information required in 30 TAC § 222.75. Attachment: Click to enter text. Attach a Recharge Feature Plan with all information required in 30 TAC § 222.79. Attachment: Click to enter text. Provide soil sampling and testing with all information required in 30 TAC § 222.157.
a. b. c. d.	Attach a Soil Evaluation with all information required in 30 TAC § 222.73. Attachment: Click to enter text. Provide soil sampling and testing with all information required in 30 TAC § 222.79. Attachment: Click to enter text. Provide soil sampling and testing with all information required in 30 TAC § 222.157. Attachment: Click to enter text. Provide soil sampling and Run-On Protection (Instructions, Page 79)
a. b. c. d.	Attach a Soil Evaluation with all information required in 30 TAC § 222.73. Attachment: Click to enter text. Attach a Site Preparation Plan with all information required in 30 TAC § 222.75. Attachment: Click to enter text. Attach a Recharge Feature Plan with all information required in 30 TAC § 222.79. Attachment: Click to enter text. Provide soil sampling and testing with all information required in 30 TAC § 222.157. Attachment: Click to enter text. Provide soil sampling and testing with all information required in 30 TAC § 222.157. Attachment: Click to enter text. Em 5. Flood and Run-On Protection (Instructions, Page 79) Is the existing/proposed SADDS located within the 100-year frequency flood level?
a. b. c.	Attach a Soil Evaluation with all information required in 30 TAC § 222.73. Attachment: Click to enter text. Attach a Site Preparation Plan with all information required in 30 TAC § 222.75. Attachment: Click to enter text. Attach a Recharge Feature Plan with all information required in 30 TAC § 222.79. Attachment: Click to enter text. Provide soil sampling and testing with all information required in 30 TAC § 222.157. Attachment: Click to enter text. Provide soil sampling and testing with all information required in 30 TAC § 222.157. Attachment: Click to enter text. Provide soil sampling and testing with all information required in 30 TAC § 222.157. Attachment: Click to enter text. Provide soil sampling and testing with all information required in 30 TAC § 222.157. Attachment: Click to enter text. Provide soil sampling and testing with all information required in 30 TAC § 222.157. Attachment: Click to enter text.
a. b. c. It(Attach a Soil Evaluation with all information required in 30 TAC § 222.73. Attachment: Click to enter text. Attach a Site Preparation Plan with all information required in 30 TAC § 222.75. Attachment: Click to enter text. Attach a Recharge Feature Plan with all information required in 30 TAC § 222.79. Attachment: Click to enter text. Provide soil sampling and testing with all information required in 30 TAC § 222.157. Attachment: Click to enter text. Provide soil sampling and testing with all information required in 30 TAC § 222.157. Attachment: Click to enter text. Em 5. Flood and Run-On Protection (Instructions, Page 79) Is the existing/proposed SADDS located within the 100-year frequency flood level?

If **yes**, provide the following information on the hydraulic application rates:

b.	Is the existing/proposed SADDS within a designated floodway?
	□ Yes □ No
	If yes , attach either the FEMA flood map or alternate information used to make this determination. Attachment: <u>Click to enter text.</u>
It	tem 6. Surface Waters in The State (Instructions, Page 79)
a.	Attach a buffer map which shows the appropriate buffers on surface waters in the state, water wells, and springs/seeps. Attachment : Click to enter text.
b.	The facility has or plans to request a buffer variance from water wells or waters in the state?
	□ Yes □ No
DOMESTIC	yes , attach the additional information required in 30 TAC § 222.81(c). Attachment: Click to the text.

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 4.0: RECEIVING WATERS

This worksheet is required for all TPDES permit applications.

Item 1. Domestic Drinking Water Supply (Instructions, Page 80)

a. There is a surface water intake for domestic drinking water supply located within 5 (five) miles downstream from the point/proposed point of discharge.
□ Yes ⊠ No
If no , stop here and proceed to Item 2. If yes , provide the following information:
1. The legal name of the owner of the drinking water supply intake: Click to enter text.
2. The distance and direction from the outfall to the drinking water supply intake: <u>Click to enter text.</u>
b. Locate and identify the intake on the USGS 7.5-minute topographic map provided for Administrative Report 1.0.
☐ Check this box to confirm the above requested information is provided.
Item 2. Discharge Into Tidally Influenced Waters (Instructions, Page 80)
If the discharge is to tidally influenced waters, complete this section. Otherwise, proceed to Item 3.
a. Width of the receiving water at the outfall: Click to enter text. feet
b. Are there oyster reefs in the vicinity of the discharge?
□ Yes □ No
If yes , provide the distance and direction from the outfall(s) to the oyster reefs: <u>Click to enter text.</u>
c. Are there sea grasses within the vicinity of the point of discharge?
□ Yes □ No
If yes , provide the distance and direction from the outfall(s) to the grasses: $\frac{\text{Click to enter}}{\text{text.}}$
Item 3. Classified Segment (Instructions, Page 80)
The discharge is/will be directly into (or within 300 feet of) a classified segment.
⊠ Yes □ No
If yes, stop here and do not complete Items 4 and 5 of this worksheet or Worksheet 4.1.
If no , complete Items 4 and 5 and Worksheet 4.1 may be required.

Item 4. Description of Immediate Receiving Waters (Instructions, Page 80)

a.	Name	e of the immediate receiving waters: <u>Click to enter text.</u>
b.	Chec	k the appropriate description of the immediate receiving waters:
		ake or Pond
	•	Surface area (acres): Click to enter text.
	•	Average depth of the entire water body (feet): <u>Click to enter text.</u>
	•	Average depth of water body within a 500-foot radius of the discharge point (feet): <u>Click to enter text.</u>
		Man-Made Channel or Ditch
		tream or Creek
	□ F	reshwater Swamp or Marsh
		'idal Stream, Bayou, or Marsh
		Open Bay
		Other, specify:
		ade Channel or Ditch or Stream or Creek were selected above, provide responses to - 4.g below:
c.		xisting discharges , check the description below that best characterizes the area eam of the discharge.
		ew discharges, check the description below that best characterizes the area stream of the discharge.
		Intermittent (dry for at least one week during most years)
		Intermittent with Perennial Pools (enduring pools containing habitat to maintain aquatic life uses)
		Perennial (normally flowing)
		the source(s) of the information used to characterize the area upstream (existing arge) or downstream (new discharge):
		USGS flow records
		personal observation
		historical observation by adjacent landowner(s)
		other, specify: <u>Click to enter text.</u>
d.		ne names of all perennial streams that join the receiving water within three miles stream of the discharge point: Click to enter text.
e.		eceiving water characteristics change within three miles downstream of the discharge natural or man-made dams, ponds, reservoirs, etc.). Yes \square No

f.		General observations of the water body during normal dry weather conditions: <u>Click to enter text.</u>								
	Date and time of observation: <u>Click to enter text.</u>									
g.		The water body was influenced by stormwater runoff during observations. \square Yes \square No								
	If y	res, describe how: <u>Click to enter text.</u>								
It	em	5. General Characteristics of Page 81)	W	ater Body (Instructions,						
a.		he receiving water upstream of the existing uenced by any of the following (check all th								
		oil field activities		urban runoff						
		agricultural runoff		septic tanks						
		upstream discharges		other, specify: Click to enter text.						
э.	Use	s of water body observed or evidence of suc	h us	es (check all that apply):						
		livestock watering		industrial water supply						
		non-contact recreation		irrigation withdrawal						
		domestic water supply		navigation						
		contact recreation		picnic/park activities						
		fishing		other, specify: Click to enter text.						
2.		cription which best describes the aesthetics a (check only one):	of the	ne receiving water and the surrounding						
	☐ Wilderness: outstanding natural beauty; usually wooded or un-pastured area: water clarity exceptional									
	Natural Area: trees or native vegetation common; some development evident (from fields, pastures, dwellings); water clarity discolored									
		Common Setting: not offensive, developed turbid	but	uncluttered; water may be colored or						
		Offensive: stream does not enhance aesthe areas; water discolored	tics;	cluttered; highly developed; dumping						

If yes, describe how: Click to enter text.

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 4.1: WATERBODY PHYSICAL CHARACTERISTICS

The following information **is required** for new applications, EPA-designated Major facilities, and major amendment applications requesting to add an outfall if the receiving waters are perennial or intermittent with perennial pools (including impoundments) for a TDPES permit.

Complete the transects downstream of the existing or proposed discharges.

Item 1. Data Collection (Instructions, Page 82)

a.	Date of study: Click to enter text. Time of study: Click to enter text.					
	Waterbody name: Click to enter text.					
	General location: <u>Click to enter text.</u>					
b.	Type of stream upstream of an existing discharge or downstream of a proposed discharge (check only one):					
	\square perennial \square intermittent with perennial pools \square impoundment					
c.	No. of defined stream bends: Well: <u>Click to enter text.</u> Moderately: <u>Click to enter text.</u> Poorly: <u>Click to enter text.</u>					
d.	No. of riffles: Click to enter text.					
e.	Evidence of flow fluctuations (check one): □ Minor □ Moderate □ Severe					
f.	Provide the observed stream uses and where there is evidence of channel obstructions/modifications: <u>Click to enter text.</u>					
g.	Complete the following table with information regarding the transect measurements.					

Stream Transect Data

Transect Location	Habitat Type*	Water Surface Width (ft)	Stream Depths (ft)**					
100	- N	Fr.	154 - 5					
The said								
					- 14	操业 的		
1 15 1	13.0		3					
		100						
	£		77312 - 51		green.		Part of	Y B
			<u> </u>					
	777		T. 12					

^{*} riffle, run, glide, or pool

^{**} channel bed to water surface

Item 2. Summarize Measurements (Instructions, Page 83)

Provide the following information regarding the transect measurements:

Streambed slope of entire reach (from USGS map in ft. /ft.): Click to enter text.

Approximate drainage area above the most downstream transect from USGS map or county highway map (square miles): <u>Click to enter text.</u>

Length of stream evaluated (ft): Click to enter text.

Number of lateral transects made: Click to enter text.

Average stream width (ft): Click to enter text.

Average stream depth (ft): Click to enter text.

Average stream velocity (ft/sec): Click to enter text.

Instantaneous stream flow (ft³/sec): Click to enter text.

Indicate flow measurement method (VERY IMPORTANT – type of meter, floating chip timed over a fixed distance, etc.): Click to enter text.

Flow fluctuations (i.e., minor, moderate, or severe): Click to enter text.

Size of pools (i.e., large, small, moderate, or none): Click to enter text.

Maximum pool depth (ft): Click to enter text.

Total number of stream bends: Click to enter text.

Number well defined: Click to enter text.

Number moderately defined: Click to enter text.

Number poorly defined: Click to enter text.

Total number of riffles: Click to enter text.

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 5.0: SEWAGE SLUDGE MANAGEMENT AND DISPOSAL

The following information **is required** for all TPDES permit applications that meet the conditions as outlined in Technical Report 1.0, Item 7.

Item 1. Sewage Sludge Solids Management Plan (Instructions, Page 84)

a.	Is th	is a n	iew pei	rmit	application or an amendment permit application?
	E	□ Ye	es		No
b.	Doe	s or w	vill the	faci	lity discharge in the Lake Houston watershed?
		□ Ye	es		No
	yes to xt.	o eith	er Iten	1 1.a	or 1.b, attach a solids management plan. Attachment: Click to enter
It	em		ewa Page	State No.	Sludge Management and Disposal (Instructions)
a.					to the sludge disposal method(s) authorized under the facility's existing at apply).
		Perm	itted la	andf	ill
		Marke	eting a	nd c	listribution by the permittee, attach Form TCEQ-00551
		Regis	tered l	and	application site, attach Form TCEQ-00565
		Proce	ssed b	y th	e permittee, attach Form TCEQ-00744
		Surfa	ce disp	osa	l site (sludge monofill), attach Form TCEQ-00744
		Trans	portec	l to	another WWTP
		Benef	icial la	nd a	application, attach Form TCEQ-10451
		Incine	eration	, att	ach Form TCEQ-00744
	direc		ailure		on(s) made above, complete and attach the required TCEQ forms as ubmit the required TCEQ form will result in delays in processing the
	Atta	chme	nt: Clic	ck to	enter text.
) .	Provi	ide th	e follo	wing	g information for each disposal site:
	Disp	osal s	ite nar	ne: (Click to enter text.
	TCEC) Pern	nit/Re	gistr	ation Number: Click to enter text.
	Cour	tv wh	ere di	snos	al site is located: Click to enter text.

c.	Method of sewage sludge transportation:							
	\square truck \square train \square pipe \square other: Click to enter text.							
	TCEQ Hauler Registration Number: <u>Click to enter text.</u>							
d.	Sludge is transported as a:							
	\square liquid \square semi-liquid \square semi-solid \square solid							
e.	Purpose of land application: \square reclamation \square soil conditioning \square N/A							
f.	If sewage sludge is transported to another WWTP for treatment, attach a written statement or copy of contractual agreements confirming that the WWTP identified above will accept and be responsible for the sludge from this facility for the life of the permit (at least 5 years).							
	Attachment: Click to enter text.							
It	em 3. Authorization for Sewage Sludge Disposal (Instructions, Page 85)							
TC 4								
slu	this is a new or major amendment application which requests authorization of a new sewage adge disposal method, check the new sewage disposal method(s) requested for authorization neck all that apply):							
	☐ Marketing and distribution by the permittee, attach Form TCEQ-00551							
	□ Processed by the permittee, attach Form TCEQ-00744							
	□ Surface disposal site (sludge monofill), attach Form TCEQ-00744							
	☐ Beneficial land application, attach Form TCEQ-10451							
	☐ Incineration, attach Form TCEQ-00744							
dir	sed on the selection(s) made above, complete and attach any required TCEQ forms, as rected. Failure to submit the required TCEQ form will result in delays in processing the plication.							
	Attachment: Click to enter text.							
in t for det	OTE: New authorization for beneficial land application, incineration, processing, or disposal the TPDES permit or TLAP requires a major amendment to the permit. New authorization composting may require a major amendment to the permit. See the instructions to termine if a major amendment is required or if authorization for composting can be added tough the renewal process.							

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 6.0: INDUSTRIAL WASTE CONTRIBUTION

The following information **is required** for all applications for publicly-owned treatment works (POTWs).

For an explanation of the terms used in this worksheet, refer to the General Definitions on pages 4-12 and the Definitions Relating to Pretreatment on pages 13-14 of the Instructions.

Item 1. All POTWs (Instructions, Page 86)

a. Complete the following table with the number of each type of industrial users (IUs) that discharge to the POTW and the daily average flows from each.

		- 0	
Inductrial	COM	Intorn	notion
Industrial	USCI	IIII OI II	nauvn

1	Type of Industrial User	Number of Industrial Users	Daily Average Flow (gallons per da					
	CIU							
S	IU - Non-categorical							
C	ther IU							
b.	In the past three years, h □ Yes □ No	nas the POTW experienced treat	ment plant interference?					
	If yes , identify the date(s		nce, and probable cause(s) and te names of the IU(s) that may have					
c.	In the past three years, h	In the past three years, has the POTW experienced pass-through?						
	□ Yes □ No							
	probable cause(s) and po		through the treatment plant, and crough event. Include the names of contentext.					
d.	Does the POTW have, or Yes No	is it required to develop, an app	proved pretreatment program?					
	If yes , answer all questions in Item 2 and skip Item 3.							
	If no , skip Item 2 and an	swer all questions in Item 3 for	each SIU and CIU.					

Item 2. POTWs With Approved Pretreatment Programs or Those Required To Develop A Pretreatment Program (Instructions, Page 86)

a.	progra	am that	have r	substantial modifications to the POTW's approved pretreatment not been submitted to the Approval Authority (TCEQ) for approval $R \ \S \ 403.18$?
		Yes		No

	If yes , include an attachment which identifies all substantial modifications that have not been submitted to the TCEQ and the purpose of the modifications.									
	Attachment: Click to enter text.									
b.	b. Have there been any non-substantial modifications to the POTW's approved pretreatment program that have not been submitted to the Approval Authority (TCEQ)?									
	□ Yes □ No									
	If yes , include an attachment been submitted to the				ications that have					
	Attachment: Click to ent	er text.								
c.	List all parameters measurable three years:	ared above the MAL i	n the POTW	<i>l</i> 's effluent mor	nitoring during the					
	fluent Parameters Measured	PART - RECORD OF SEC. THE CONTRACT OF SEC. CO.								
P	ollutant	Concentration	MAL	Units	Date					
	2									
	Attachment: Click to enter	er text.	***							
d.	Has any SIU, CIU, or other interference or pass-through Yes No	r IU caused or contri			ns (excluding					
	If yes , provide a descript problems, and probable problems may have caused or contract.	ollutants. Include th	e name(s) o	f the SIU(s)/CIU	J(s)/other $IU(s)$ that					
Ite	em 3. Significant User Inforn	Industrial Use nation (Instrue								
	TWs that do not have an a lowing information for each		nt program	are required to	provide the					
a.	Mr. or Ms.: Click to enter	text. First/Last Name	: Click to en	nter text.						
	Organization Name: Click	to enter text.	C Code: Clic	k to enter text.						
	Phone number: Click to en	nter text. En	nail address	: Click to enter	text.					
	Physical Address: Click to	enter text.	ty/State/ZII	Code: Click to	enter text.					
	Attachment: Click to ente	er text.								
	Describe the industrial pr									

text. d. Flow rate information Flow Rate Information **Discharge Day Discharge Frequency Effluent Type** (Continuous, batch, or intermittent) (gallons per day) **Process Wastewater** Non-process Wastewater e. Pretreatment Standards 1. Is the SIU or CIU subject to technology-based local limits as defined in the application instructions? No Yes 2. Is the SIU subject to categorical pretreatment standards? Yes No If yes, provide the category and subcategory or subcategories in the SIUs Subject To Categorical Pretreatment Standards table. SIUs Subject to Categorical Pretreatment Standards Category in Subcategory in Subcategory in Subcategory in Subcategory in 40 CFR **40 CFR** 40 CFR **40 CFR 40 CFR** f. Has the SIU or CIU caused or contributed to any problem(s) (e.g., interferences, pass through, odors, corrosion, blockages) at the POTW in the past three years? Yes No If yes, provide a description of each episode, including dates, duration, description of problems, and probable pollutants, and include the name(s) of the SIU(s)/CIU(s) that may have caused or contributed to the problem(s): Click to enter text.

c. Provide a description of the principal products(s) or service(s) performed: Click to enter

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 7.0: STORMWATER DISCHARGES ASSOCIATED WITH INDUSTRIAL ACTIVITIES

This worksheet **is required** for all TPDES permit applications requesting individual permit coverage for discharges consisting of **either**: 1) solely of stormwater discharges associated with industrial activities, as defined in 40 CFR § 122.26(b)(14)(i-xi), **or** 2) stormwater discharges associated with industrial activities and any of the listed allowable non-stormwater discharges, as defined in the MSGP (TXR05000), Part II, Section A, Item 6.

Discharges of stormwater as defined in 40 CFR § 122.26 (b)(13) are not required to obtain authorization under a TPDES permit (see exceptions at 40 CFR §§ 122.26(a)(1) and (9)). Authorization for discharge may be required from a local municipal separate storm sewer system.

Item 1. Applicability (Instructions, Page 89)

Do discharges from any of the existing/proposed outfalls consist either 1) solely of stormwater
discharges associated with industrial activities or 2) stormwater discharges associated with
industrial activities and any of the allowable non-stormwater discharges?

□ Yes □ No

If **no**, stop here. If **yes**, proceed as directed.

Item 2. Stormwater Coverage (Instructions, Page 89)

List each existing/proposed stormwater outfall at the facility and indicate which type of authorization covers or is proposed to cover discharges.

Authorization Coverage

Outfall	Authorization under MSGP	Authorized Under Individual Permit
	Energy Control of the	

If **all** existing/proposed outfalls which discharge stormwater associated with industrial activities (and any of the allowable non-stormwater discharges) are **authorized under the MSGP**, **stop** here.

If **seeking authorization** for any outfalls which discharge stormwater associated with industrial activities (and any of the allowable non-stormwater discharges) **under an individual permit**, **proceed**.

NOTE: The following information is required for each existing/proposed stormwater outfall for which the facility is seeking individual permit authorization under this application

Item 3. Site Map (Instructions, Page 90)

Attach a site map or maps (drawn to scale) of the entire facility with the following information.

- the location of each stormwater outfall to be covered by the permit
- an outline of the drainage area that is within the facility's boundary and that contributes stormwater to each outfall to be covered by the permit
- connections or discharge points to municipal separate storm sewer systems
- locations of all structures (e.g. buildings, garages, storage tanks)
- structural control devices that are designed to reduce pollution in discharges of stormwater associated with industrial activities
- process wastewater treatment units (including ponds)
- bag house and other air treatment units exposed to stormwater (stormwater runoff, snow melt runoff, and surface runoff and drainage)
- landfills; scrapyards; surface water bodies (including wetlands)
- vehicle and equipment maintenance areas
- physical features of the site that may influence discharges of stormwater associated with industrial activities or contribute a dry weather flow
- locations where spills or leaks of reportable quality (as defined in 30 TAC § 327.4) have occurred during the three years before this application was submitted to obtain coverage under an individual permit
- processing areas, storage areas, material loading/unloading areas, and other locations where significant materials are exposed to stormwater (stormwater runoff, snow melt runoff, and surface runoff and drainage)

Check the box to confirm all above information was provided on the facility site map(s).
Attachment: Click to enter text.

Item 4. Facility/Site Information (Instructions, Page 90)

a. Provide the area of impervious surface and the total area drained by each stormwater outfall requested for authorization by this permit application.

Impervious Surfaces

Outfall	Area of Impervious Surface (include units)	Total Area Drained (include units)		

b. Provide the following local area rainfall information and the source of the information.

Wettest month: Click to enter text.

Average rainfall for wettest month (total inches): Click to enter text.

25-year, 24-hour rainfall (inches): Click to enter text.

Source: Click to enter text.

- c. Attach an inventory, or list, of materials currently handled at the facility that may be exposed to precipitation. **Attachment:** <u>Click to enter text.</u>
- d. Attach narrative descriptions of the industrial processes and activities involving the materials in the above-listed inventory that occur outdoors or in some manner that may result in exposure of the materials to precipitation or runoff (see instructions for guidance). **Attachment:** Click to enter text.
- e. Describe any BMPs and controls the facility uses/proposes to prevent or effectively reduce pollution in stormwater discharges from the facility: <u>Click to enter text.</u>

Item 5. Pollutant Analysis (Instructions, Page 91)

- a. Provide the date range of all sampling events conducted to obtain the analytical data submitted with this application (e.g., 05/01/2018-05/30/2018): Click to enter text.
- b. \square Check the box to confirm all samples were collected no more than 12 months prior to the date of application submittal.
- c. Complete Table 17 as directed on page 92 of the Instructions.

Table 17 for Outfall No.: Click to enter text.

Pollutant	Grab Sample* Maximum (mg/L)	Composite Sample** Maximum (mg/L)	Grab Sample* Average (mg/L)	Composite Sample** Average (mg/L)	Number of Storm Events Sampled	MAL (mg/L)
pH (standard units)	(max)	_	(min)	-		_
Total suspended solids						_
Chemical oxygen demand						-
Total organic carbon						
Oil and grease						-
Arsenic, total						0.0005
Barium, total						0.003
Cadmium, total						0.001
Chromium, total						0.003
Chromium, trivalent						-
Chromium, hexavalent						0.003
Copper, total	7 × 2					0.002

Pollutant	Grab Sample* Maximum (mg/L)	Composite Sample** Maximum (mg/L)	Grab Sample* Average (mg/L)	Composite Sample** Average (mg/L)	Number of Storm Events Sampled	MAL (mg/L)
Lead, total						0.0005
Mercury, total						0.000005
Nickel, total						0.002
Selenium, total						0.005
Silver, total	*					0.0005
Zinc, total						0.005

^{*} Taken during first 30 minutes of storm event

d. Complete Table 18 as directed on pages 92-94 of the Instructions.

Table 18 for Outfall No.: Click to enter text.

Grab Sample* Maximum (mg/L)	Composite Sample** Maximum (mg/L)	Grab Sample* Average (mg/L)	Composite Sample** Average (mg/L)	Number of Storm Events Sampled
	1607			
			Controller and	
				No. of the last
	Sample* Maximum	Maximum Maximum	Grab Sample* Maximum (mg/L) Maximum (mg/L)	Grab Sample* Maximum (mg/L) M

^{*} Taken during first 30 minutes of storm event

Attachment: Click to enter text.

^{**} Flow-weighted composite sample

^{**} Flow-weighted composite sample

Item 6. Storm Event Data (Instructions, Page 93)

Provide the following data for the storm event(s) which resulted in the maximum values for the analytical data submitted:

Date of storm event: Click to enter text.

Duration of storm event (minutes): Click to enter text.

Total rainfall during storm event (inches): Click to enter text.

Number of hours the between beginning of the storm measured and the end of the previous measurable storm event (hours): <u>Click to enter text.</u>

Maximum flow rate during rain event (gallons/minute): Click to enter text.

Total stormwater flow from rain event (gallons): Click to enter text.

Provide a description of the method of flow measurement or estimate:

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 8.0: AQUACULTURE

This worksheet **is required** for all TPDES permit applications requesting individual permit coverage for discharges of aquaculture wastewater.

Item 1. Facility/Site Information (Instructions, Page 94)

a. Complete the following table with information regarding production ponds, raceways, and fabricated tanks at the facility.

Production Pond Descriptions

Number of Ponds	Dimensions (include units)	Area of Each Pond (include units)	Number of Ponds x Area of Ponds (include Units)
			,
)

Total surface area of all ponds: Click to enter text.

Raceway Descriptions

Number of Raceways	Dimensions (include units)		
	and the state of t		

Fabricated Tank Descriptions

Number of Tanks	Dimensions (include units)

b. Does the facility have a Yes N If yes, attach a copy of Attachment: Click to experience of the control of	the approved plan			
c. Does the facility have a Yes No If yes, attach a copy of	o the authorization	_	tion?	
d. Provide the number of enter text.		ies located within 2	25-miles of this fa	cility: <u>Click to</u>
Item 2. Species Id	entification	(Instructions	s, Page 95)	
Complete the following take of the stock. Identify and a authorize the species.				
Stock Species Information Species	Source of Stock	Origin of Stock	Disease Status	Authorization
species	Domet of otoest	origin or ottock	Distance Status	
				*
Attachment: Click to en	iter text.			
Item 3. Stock Man	agamont Dla	n (Instructio	ne Dago Q5)	
			ns, rage 93	
Attach a detailed stock man	nagement plan. <u>Ch</u>	ck to enter text.		
Item 4. Water Trea (Instructio	atment and I ns, Page 96)	Discharge De	escription	
Attach a detailed description to enter text.	on of the discharge	practices and wate	er treatment proc	ess(es): <u>Click</u>
Item 5. Solid Wast	e Manageme	nt (Instruction	ons, Page 96	5)
Attach a description of the	Control of the second			
Item 6. Site Assess	sment Repor	t (Instruction	ns, Page 96)	
All new and expanding comzone must attach a detailed within the coastal zone: Clic	mercial shrimp fac I site assessment re	cilities located/to b	e located within t	the coastal

WORKSHEET 9.0

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

CLASS V INJECTION WELL INVENTORY/AUTHORIZATION FORM

Submit the completed form to:

TCEQ IUC Permits Team Radioactive Materials Division MC-233 PO Box 13087 Austin, Texas 78711-3087 512-239-6466

For TCEQ Use Only	
Reg. No Date Received	
Date Authorized	

Item 1. General Information (Instructions Page 99)

1. TCEQ Program Area

Program Area (PST, VCP, IHW, etc.): Click to enter text.

Program ID: Click to enter text.

Contact Name: <u>Click to enter text.</u>
Phone Number: Click to enter text.

2. Agent/Consultant Contact Information

Contact Name: Click to enter text.

Address: Click to enter text.

City, State, and Zip Code: Click to enter text.

Phone Number: Click to enter text.

3. Owner/Operator Contact Information

□ Owner □ Operator

Owner/Operator Name: Click to enter text.

Contact Name: Click to enter text.

Address: Click to enter text.

City, State, and Zip Code: Click to enter text.

Phone Number: Click to enter text.

4. Facility Contact Information

Facility Name: Click to enter text.

Address: Click to enter text.

City, State, and Zip Code: Click to enter text.

Location description (if no address is available): Click to enter text.

Facility Contact Person: Click to enter text.

Phone Number: Click to enter text.

Julia			Depth	volume Top of Center	SIZC	I VC/Steel
Name String	10-10-10-10-10-10-10-10-10-10-10-10-10-1	ze	Setting Depth	Sacks Cement/Grout - Slurry Volume - Top of Center	Hole Size	Weight (lbs/ft) PVC/Steel
le.	Iole Desi					
Attach	a diagra	m sign	ned and seal	ed by a licensed engineer as Atta	chment (C.
Item	2. Pr	opos	sed Dow	n Hole Design		
	License	Numbe	er: <u>Click to e</u>	nter text.		
			: Click to en			
	City, Sta	te, and	l Zip Code: 🤇	Click to enter text.		
	Water W	ell Dri	ller/Installer	Name: Click to enter text.		
8.	Water V	ell Dr	iller/Installe	er		
	Attach a		fap as Attac	hment B (Attach the Approved R	emediati	on Plan, if
	Click	to ente	r text.			
	_		ription regar	ding purpose of Injection Systen	n:	
7.	Purpos	2				
	Number	-	5000	Click to enter text.		
	-	tion.		Click to enter text.		
		10		ection Points		
	Ī		iltration Gal	.		
	ŗ			id Distribution System		
			rtical Injection			
6.	Well In		n on Construction	coloct one		
- 20				angle map as attachment A.		
				(GPS, TOPO, etc.): <u>Click to enter t</u> angle map as attachment A.	text.	
			ck to enter t			
			k to enter tex			
5.	Latituu	e anu	Longitude, i	n degrees-minutes-seconds		

Name of String	Size	Setting Depth	Sacks Cement/Grout - Slurry Volume - Top of Center	Hole Size	Weight (lbs/ft) PVC/Steel
Casing	7.1				
Tubing					
Screen					

Item 3. Proposed Trench System, Subsurface Fluid Distribution System, or Infiltration Gallery

Attach a diagram signed and sealed by a licensed engineer as Attachment D.

System(s) Dimensions: <u>Click to enter text.</u> System(s) Construction: <u>Click to enter text.</u>

Item 4. Site Hydrogeological and Injection Zone Data

- 1. Name of Contaminated Aquifer: Click to enter text.
- 2. Receiving Formation Name of Injection Zone: Click to enter text.
- 3. Well/Trench Total Depth: Click to enter text.
- 4. Surface Elevation: Click to enter text.
- 5. Depth to Ground Water: Click to enter text.
- 6. Injection Zone Depth: Click to enter text.
- 7. Injection Zone vertically isolated geologically? ☐ Yes ☐ No Impervious Strata between Injection Zone and nearest Underground Source of Drinking Water:

Name: Click to enter text.

Thickness: Click to enter text.

- 8. Attach a list of contaminants and the levels (ppm) in contaminated aquifer as Attachment E.
- 9. Attach the Horizontal and Vertical extent of contamination and injection plume as Attachment F.
- 10. Attach Formation (Injection Zone) Water Chemistry (Background levels) TDS, etc., as Attachment G.
- 11. Injection Fluid Chemistry in PPM at point of injection. Attach as Attachment H.
- 12. Lowest Known Depth of Ground Water with < 10,000 PPM TDS: Click to enter text.
- 13. Maximum injection Rate/Volume/Pressure: Click to enter text.
- 14. Water wells within 1/4 mile radius (attach map as Attachment I): Click to enter text.
- 15. Injection wells within 1/4 mile radius (attach map as Attachment J): Click to enter text.
- 16. Monitor wells within 1/4 mile radius (attach drillers logs and map as Attachment K): Click to enter text.
- 17. Sampling frequency: Click to enter text.
- 18. Known hazardous components in injection fluid: Click to enter text.

Item 5. Site History

- 1. Type of Facility: Click to enter text.
- 2. Contamination Dates: Click to enter text.
- 3. Original Contamination (VOCs, TPH, BTEX, etc.) and Concentrations. Attach as Attachment L.
- 4. Previous Remediation. Attach results of any previous remediation as Attachment M.

NOTE: Authorization Form should be completed in detail and authorization given by the TCEQ before construction, operation, and/or conversion can begin. Attach additional pages as necessary.

Item 6. CLASS V INJECTION WELL DESIGNATIONS

- 5A07 Heat Pump/AC return (IW used for groundwater to heat or cool buildings)
- 5A19 Industrial Cooling Water Return Flow (IW used to cool industrial process equipment)
- 5B22 Salt Water Intrusion Barrier (IW used to inject fluids to prevent the intrusion of salt water into an aquifer)
- 5D02 Stormwater Drainage (IW designed for the disposal of rain water)
- 5D04 Industrial Stormwater Drainage Wells (IW designed for the disposal of rain water associated with industrial facilities)
- 5F01 Agricultural Drainage (IW that receive agricultural runoff)
- 5R21 Aquifer Recharge (IW used to inject fluids to recharge an aquifer)
- 5S23 Subsidence Control Wells (IW used to control land subsidence caused by groundwater withdrawal)
- 5W09 Untreated Sewage
- 5W10 Large Capacity Cesspools (Cesspools that are designed for 5,000 gpd or greater)
- 5W11 Large Capacity Septic systems (Septic systems designed for 5,000 gpd or greater)
- 5W12 WTTP disposal
- 5W20 Industrial Process Waste-disposal Wells
- 5W31 Septic System (Well Disposal method)
- 5W32 Septic System Drainfield Disposal
- 5X13 Mine Backfill (IW used to control subsidence, dispose of mining byproducts, or fill sections of a mine)
- 5X25 Experimental Wells (Pilot Test) (IW used to test new technologies or tracer dye studies)
- 5X26 Aquifer Remediation (IW used to clean up, treat, or prevent contamination of a USDW)
- 5X27 Other Wells
- 5X28 Motor Vehicle Waste-disposal Wells (IW used to dispose of waste from a motor vehicle site These are currently banned)
- 5X29 Abandoned Drinking Water Wells (waste disposal)

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 10.0: QUARRIES IN THE JOHN GRAVES SCENIC RIVERWAY

This worksheet **is required** for all applications for individual permits for a municipal solid waste facility or mining facility located within a Water Quality Protection Area in the John Graves Scenic Riverway. **Note: Review 30 TAC §§ 311.71-311.82 thoroughly prior to completing any portion of this worksheet.**

It	em	1.	Ex	clus	ion	s (Ir	ıstr	ucti	ons	, P	Pag	e 1	00)						
a.	Is t	his a 1	muni	cipal s	solid	waste	facil	ity?												
		Yes		No																
b.				ry beer conse											essa	ation	of	oper	atior	ı for
		Yes		No																
c.	Is t	his a o	coal 1	mine?																
		Yes		No																
d.	Is t	his fa	cility	minin	ıg cla	y and,	or sl	ale fo	or use	in	n mai	nufa	ctur	ing s	stru	ctura	al c	lay p	rodu	cts?
		Yes		No																
				ve que AC§3														ımen	tatio	n, as
It	em	2. 1	Loc	atio	n of	the	Qu	iarry	y (Ir	15	tru	cti	ons	s, P	ag	e 1	01	1)		
Ch	eck	the bo	x ne	xt to t	he di	stance	e betv	ween t	he qu	ıarı	ry ar	nd th	ie ne	eares	st na	aviga	able	wate	er bo	dy:
		< 200	0 fee	t 🔲	200	feet -	- 1,50	00 feet		1	,500	feet	- 1	mile	e		>	1 mil	le	
pr	ohib	ited w	vithir	ruction 1 200 f Scenic	feet o	f any	ion o wate	f any i r body	new c	qua ted	arry (or ex hin a	rpan 1 Wa	sion ter (of a	any (lity F	exis Prot	sting tectio	quar on Ar	ry is ea in
It	em	3. /	Add	litio	nal	Req	uir	eme	nts	(I	nst	ruc	ctic	ns	, P	age	e 1	.01))	
the	faci	ility b	ased	he Inst on dis ter N/	stance	ons to e betw	dete veen t	ermine the qu	e if ad arry a	ldit	tiona d the	al ap nea	plic rest	atior wat	n red erw	quire ay. A	eme Atta	ents a ich as	apply s	to
a.	Atta	ich a l	Resto	oration	ı Plan	: Clicl	c to e	nter t	ext.											
э.	Amo	ount o	of Fir	iancial	Assu	ırance	for l	Restor	ration	ı: \$ _.	Clic	k to	ente	er te	xt.					
	Mec	hanis	m: <u>C</u>	lick to	enter	r text.														
2.	Atta	ich a	Гесh	nical D)emo	nstrat	ion: (Click t	o ente	er t	text.									
l.	Atta	ich a l	Recla	matio	n Plai	n: <u>Clic</u>	k to	enter t	text.											
2.	Amo	ount o	of Fin	ancial	Assu	ırance	for l	Reclan	natio	n: \$	\$ Clie	ck to	ent	er te	ext.					
	Mec	hanis	m: C	lick to	enter	r text.														

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 11.0: COOLING WATER SYSTEM INFORMATION

This worksheet is required for all TPDES permit applications that meet the conditions outlined in Technical Report 1.0, Item 12.

Item 1. Cooling Water System Data (Instructions, Page 104)

a. Complete the following table with information regarding the cooling water system.

Cooling Water System Data

Parameter	Volume (include units)
Total DIF	
Total AIF	
Intake Flow Use(s) (%)	
Contact cooling	1
Non-contact cooling	
Process Wastewater	
Other	

b. Attach the following information:

- 1. A narrative description of the design and annual operation of the facility's cooling water system and its relationship to the CWIS(s).
- 2. A scaled map depicting the location of each CWIS, impoundment, intake pipe, and canals, pipes, or waterways used to convey cooling water to, or within, the cooling water system. Provide the latitude and longitude for each CWIS and any intake pipe(s) on the map. Indicate the position of the intake pipe within the water column.
- 3. A description of water reuse activities, if applicable, reductions in total water withdrawals, if applicable, and the proportion of the source waterbody withdrawn (on a monthly basis).
- 4. Design and engineering calculations prepared by a qualified professional and data to support the information provided in above item a.
- 5. Previous year (a minimum of 12 months) of AIF data.
- 6. A narrative description of existing or proposed impingement and entrainment technologies or operation measures and a summary of their performance, including, but not limited to, reductions in impingement mortality and entrainment due to intake location and reductions in total water withdrawals and usage.

Attachment: Click to enter text.

Item 2. Cooling Water Intake Structure(s) Data (Instructions, Page 105)

a. Complete the following table with information regarding each cooling water intake structure (this includes primary and make-up CWIS(s)).

Cooling Water Intake Structure(s) Data

CWIS ID		
DIF (include units)		
AIF (include units)		
Intake Flow Use(s) (%)		
Contact cooling		
Non-contact cooling		
Process Wastewater	*	
Other		
Latitude (decimal degrees)		
Longitude (decimal degrees)		

- b. Attach the following information regarding the CWIS(s):
 - 1. A narrative description of the configuration of each CWIS, annual and daily operation, including any seasonal changes, and where it is located in the water body and in the water column.
 - 2. Engineering calculations for each CWIS.

Attachment: Click to enter text.

Item 3. Source Water Physical Data (Instructions, Page 105)

a. Complete the following table with information regarding the CWIS(s) source waterbody (this includes primary and make-up CWIS(s)).

Source Waterbody Data

CWIS ID		
Source Waterbody		
Mean Annual Flow		
Source		

- b. Attach the following information regarding the source waterbody.
 - A narrative description of the source water for each CWIS, including areal dimensions, depths, salinity and temperature regimes, and other documentation that supports this determination of the water body type where each cooling water intake structure is located.

- 2. A narrative description of the source waterbody's hydrological and geomorphological features.
- 3. Scaled drawings showing the physical configuration of all source water bodies used by the facility, including the source waterbody's hydrological and geomorphological features. **NOTE:** The source waterbody's hydrological and geomorphological features may be included on the map submitted for item 1.b.ii of this worksheet.
- 4. A description of the methods used to conduct any physical studies to determine the intake's area of influence within the waterbody and the results of such studies.

Attachment: Click to enter text.

Item 4. Operational Status (Instructions, Page 106)

	A 10 mm	
a.	Is	this application for a power production or steam generation facility?
		□ Yes □ No
	If	no , proceed to Item 4.b. If yes , provide the following information as an attachment:
	1.	Describe the operating status of each individual unit, including age, capacity utilization rate (or equivalent) for the previous five years (a minimum of 60 months), and any seasonal changes in operation.
	2.	Describe any extended or unusual outages or other factors which significantly affect current data for flow, impingement, entrainment.
	3.	Identify any operating unit with a capacity utilization rate of less than 8 percent averaged over a contiguous period of two years (a minimum of 24 months).
	4.	Describe any major upgrades completed within the last 15 years, including but not limited to boiler replacement, condenser replacement, turbine replacement, or changes of fuel type.
	At	tachment: Click to enter text.
b.	Pro	ocess Units
	1.	Is this application for a facility which has process units that use cooling water (other than for power production or steam generation)?
		□ Yes □ No
		If no , proceed to Item 4.c. If yes , continue.
	2.	Does the facility use or intend to use reductions in flow or changes in operations to meet the requirements of $40\ CFR\ \S\ 125.94(c)$?
		□ Yes □ No
		If no, proceed to Item 4.c. If yes, attach descriptions of the following information:
		Individual production processes and product lines
		 The operating status, including age of each line and seasonal operation Any extended or unusual outages that significantly affect current data for flow, impingement, entrainment, or other factors

	 Any major upgrades completed within the last 15 years and plans or schedules for decommissioning or replacement of process units or production processes and product lines.
	Attachment: Click to enter text.
c.	Is this an application for a nuclear power production facility?
	□ Yes □ No
	If no , proceed to Item 4.d. If yes , attach a description of completed, approved, or scheduled upgrades and the Nuclear Regulatory Commission relicensing status for each unit at the facility. Attachment: Click to enter text.
d.	Is this an application for a manufacturing facility? ☐ Yes ☐ No
	If no , proceed to Worksheet 11.1. If yes , attach descriptions of current and future production schedules and any plans or schedules for any new units planned within the next five years (a minimum of 60 mos)
	Attachment: Click to enter text.

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 11.1: IMPINGEMENT MORTALITY

This worksheet **is required** for all TPDES permit applications **that meet the conditions outlined in Technical Report 1.0, Item 12.** Complete one copy of this worksheet for **each** individual CWIS the facility uses or proposes to use.

CWIS ID: Click to enter text.

Item 1. Impingement Compliance Technology Selection (Instructions, Page 107)

Check the box next to the method of compliance for the Impingement Mortality Standard

Sei	lected by the facility.
	Closed-cycle recirculating system(CCRS) [40 CFR § 125.94(c)(1)] 0.5 ft/s Through-Screen Design Velocity [40 CFR § 125.94(c)(2)] – Proceed to Worksheet
econo.	11.2
	0.5 ft/s Through Screen Actual Velocity [40 CFR § 125.94(c)(3)]
	Existing offshore velocity cap [40 CFR § 125.94(c)(4)] - Proceed to Worksheet 11.2
	Modified traveling screens [40 CFR § 125.94(c)(5)]
	System of technologies [40 CFR § 125.94(c)(6)]
	Impingement mortality performance standard [40 CFR § 125.94(c)(7)]
	De minimis rate of impingement [40 CFR § 125.94(c)(11)]
cap	Low capacity utilization power-generation facilities [$40\ CFR\ \S\ 125.94(c)(12)$] 0.5 ft/s Through-Screen Design Velocity [$40\ CFR\ \S\ 125.94(c)(2)$] or existing offshore velocity [$40\ CFR\ \S\ 125.94(c)(4)$] was selected, proceed to Worksheet 11.2. Otherwise, continue to m 2.
Ite	em 2. Impingement Compliance Technology Information (Instructions, Page 107)
Cor	mplete the following sections based on the selection made for item 1 above.
a.	CCRS [40 CFR § 125.94(c)(1)]
	Check this box to confirm the CWS meets the definition of CCRS located at 40 CFR § $125.91(c)$ and provide a response to the following questions.
	1. Does the facility use or propose to use a CWIS to replenish water losses to the CWS?
	□ Yes □ No
	If no , proceed to item a.2. If yes , provide the following information as an attachment and continue.
	CWIS ID
	 12 months of intake flow data for any CWIS used for make-up intake flows to replenish cooling water losses, excluding intakes for losses due to blowdown, drift, or evaporation.

•	A narrative description of any physical or operational measures taken to minimize make-up withdraws.

Attachment: Click to enter text.

NOTE: Do not complete a separate Worksheet 11.1 for a make-up CWIS.

- 2. Does the facility use or propose to use cooling towers?
 - □ Yes □ No

If **no**, proceed to Worksheet 11.2. If **yes**, provide the following information and proceed to Worksheet 11.2.

• Average number of cycles of concentration (COCs) prior to blowdown:

Average COCs Prior to Blowdown

Cooling Tower ID		
COCs		

- Attach COC monitoring data for each cooling tower from the previous year (a minimum of 12 months): <u>Click to enter text.</u>
- Maximum number of COCs each cooling tower can accomplish based on design of the system.

Calculated COCs Prior to Blowdown

Cooling Tower ID		
COCs		

- Describe conditions that may limit the number of COCs prior to blowdown, if any, including but not limited to permit conditions: <u>Click to enter text.</u>
- b. 0.5 ft/s Through Screen Actual Velocity [40 CFR § 125.94(c)(3)]

Provide daily intake flow measurement monitoring data from the previous year (a minimum of 12 months) as an attachment and proceed to Worksheet 11.2.

Attachment: Click to enter text.

c. Modified traveling screens [40 CFR § 125.94(c)(5)]

Provide the following information as an attachment and proceed to Worksheet 11.2.

- 1. A description of the modified traveling screens and associated equipment.
- 2. A site-specific impingement technology performance optimization study that includes a narrative description of the biological data collection methods
- 3. Biological sampling data from the previous two years (a minimum of 24 months).

Attachment: Click to enter text.

d. System of technologies [$40 \ CFR \ \S \ 125.94(c)(6)$] or impingement mortality performance standard [$40 \ CFR \ \S \ 125.94(c)(7)$]

Provide the following information as an attachment and proceed to Worksheet 11.2.

1. A description of the system of technologies used or proposed for use by the facility to

Page 74 of 82

achieve compliance with the impingement mortality standard.

- 2. A site-specific impingement technology performance optimization study that includes a narrative description of the biological data collection methods.
- 3. Biological sampling data from the previous two years (a minimum of 24 months).

Attachment: Click to enter text.

e. De minimis rate of impingement [40 CFR § 125.94(c)(11)]

Provide the following information and proceed to Worksheet 11.2.

1. Attach monitoring data from the previous year (a minimum of 12 months) of intake flow measured at a frequency of 1/day on days of operation.

Attachment: Click to enter text.

2. If the rate of impingement caused by the CWIS is extremely low (at an organism or ageone equivalent count), attach supplemental information to Worksheet 11.0, item 1.b.6. to support this determination.

Attachment: Click to enter text.

f. Low capacity utilization power-generation facilities [40 CFR § 125.94(c)(12)]

Attach monthly utilization data from the previous 2 years (a minimum of 24 months) for each operating unit and proceed to Worksheet 11.2.

Attachment: Click to enter text.

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 11.2: SOURCE WATER BIOLOGICAL DATA

This worksheet **is required** for all TPDES permit applications that **meet the conditions outlined in Technical Report 1.0, Item 12**. Complete one copy of this worksheet for **each** source waterbody of a CWIS for which a facility has selected an Impingement Mortality Technology Option described at $40 \ CFR \ \S S \ 125.94(c)(1)-(7)$.

Name of source waterbody: Click to enter text.

Item 1. Species Management (Instructions, Page 109)

a.	from the USI			entai take permi	t for its cooli	ng water intak	e structure(s)
	□ Yes		No				
				mitted in order ion information			
	Attachment:	Click t	o enter text.				
b.	in accordanc	e with 4	40 CFR § 125.	From application 95 for any CWIS aged by a state o	(s) that with	draw from a m	an-made
	□ Yes		No				
	If yes , attach	а сору	of the most re	ecent managed	isheries repo	ort to TPWD, or	equivalent.
	Attachment:	Click to	o enter text.				
c.			ly listed threat the source wat	tened or endang ter body.	ered species	or critical hab	itat
	□ True □	False					
Ite	tem 2. Sou	irce V	Water Biol	ogical Dat	a (Instru	ctions, Pag	ge 109)

Existing Facilities (Phase II)

New Facilities (Phase I, Track I and II)

- If the answer to **1.b.** above was **no**, provide responses to all items in this section and proceed to Worksheet 11.3.
- If the answer to **1.b.** was **yes** and **1.c.** was **true**, do not complete any items in this section and proceed to Worksheet 11.3.
- If the answer to **1.b.** was **yes** and **1.c.** was **false**, attach a response for any item in this section that is not contained within the most recent TPWD, or equivalent and proceed to Worksheet 11.3.

Attachment: Click to enter text.

• Provide responses to all items in this section and stop.

- a. A list of the data requested at 40 CFR § 122.21(r)(4)(ii) through (vi) that are not available, and efforts made to identify sources of the data.
- b. Provide a list of species (or relevant taxa) in the vicinity of the CWIS and identify the following information regarding each species listed.
 - all life stages and their relative abundance,
 - identification of all species and life stages that would be most susceptible to impingement and entrainment,
 - forage base,
 - · significance to commercial fisheries,
 - significance to recreational fisheries,
 - · primary period of reproduction,
 - larval recruitment, and
 - period of peak abundance for relevant taxa.
- c. Data representative of the seasonal and daily activities (e.g., feeding and water column migration) of biological organisms in the vicinity of the CWIS(s).
- d. Identify all threatened, endangered, and other protected species that might be susceptible to impingement and entrainment at the CWIS(s).
- e. Documentation of any public participation or consultation with federal or state agencies undertaken.

The following is required for existing facilities only. Include the following information with the above listed attachment.

- f. Identify any protective measures and stabilization activities that have been implemented and provide a description of how these measures and activities affected the baseline water condition in the vicinity of the intake.
- g. A list of fragile species, as defined at 40 CFR § 125.92(m), at the facility. The applicant need only identify those species not already identified as fragile at 40 CFR § 125.92(m).

NOTE: New units at an existing facility are not required to resubmit this information if the cooling water withdrawals for the operation of the new unit are from an existing intake.

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 11.3: ENTRAINMENT

This worksheet **is required** for all TPDES permit applications that **meet the conditions outlined in Technical Report 1.0, Item 12.** Complete one copy of this worksheet for **each** individual CWIS the facility uses or proposes to use.

CWIS ID: Click to enter text.

Item 1. Applicability (Instructions, Page 111)

Is the AIF of the CWIS identified above greater than, or equal to, 125 MGD?

- □ Yes □ No
- If **no** or the facility has selected **CCRS** [40 CFR § 125.94(c)(1)] for the impingement mortality compliance method, complete Item 2 and stop here.
- If **yes** and the facility is **seeking a waiver** from application requirements in accordance with 40 CFR § 125.95 for any CWIS(s) that withdraw from a man-made reservoir that is stocked and managed by a state or federal natural resources agency or the equivalent, complete item 2 and stop.
- If **yes** and the facility is **not seeking a waiver** from application requirements in accordance *with 40 CFR § 125.95*, complete item 2 and provide any required and completed studies listed in item 3. For any required studies in item 3 that are not complete, provide a detailed explanation for the delay and an anticipated schedule for completion and submittal.

Item 2. Existing Entrainment Performance Studies (Instructions, Page 111)

Attach any previously conducted studies or studies obtained from other facilities addressing technology efficacy, through-facility entrainment survival, and other entrainment studies.

Attachment: Click to enter text.

Item 3. Facility Entrainment Performance Studies (Instructions, Page 111)

- a. Attach an entrainment characterization study, as described at 40 CFR § 122.21(r)(9): Click to enter text.
- b. Attach a comprehensive feasibility study, as described as 40 CFR § 122.21(r)(10): Click to enter text.
- c. Attach a benefits valuation study, as described as 40 CFR § 122.21(r)(11): Click to enter text.
- d. Attach a non-water quality environmental and other impacts study, as described as 40 CFR § 122.21(r)(12): Click to enter text.
- e. Attach a peer review analysis, as described as 40 CFR § 122.21(r)(13): Click to enter text.

INDUSTRIAL WASTEWATER PERMIT APPLICATION WORKSHEET 12.0: OIL AND GAS EXPLORATION, DEVELOPMENT, AND PRODUCTION WASTEWATER DISCHARGES

This worksheet **is required** for all TPDES permit applications that are subject to Effluent Limitation Guidelines in 40 CFR Part 435.

Item 1. Operational Information (Instructions, Page 112)

a.	Is the wastewater from an oil and gas exploration, development, or production facility located west of the 98th meridian?
	□ Yes □ No
	If yes, continue to the next question. If no, skip to Item 2 relating to Production/Process Data.
b.	Provide justification for how the wastewater is/will be used for agriculture or wildlife propagation.
	Click to enter text.
Ite	em 2. Production/Process Data (Instructions, Page 112)
a.	Provide the applicable 40 CFR Part 435 Subpart(s).
	Click to enter text.
	Describe if the permit being sought is for discharges from exploration, development, production, or for a combination of more than one of those activities.
	Click to enter text.

stestreams Generated Vastestream	Requesting authorization	Volume	% of
vastesti cam	to discharge? (Yes/No)	(MGD)	Total Flow
	0.00		
Attachment: Click to enter te	xt.		
Attachment: Click to enter te			
Attachment: Click to enter te Provide information on misce Click to enter text.			

f. List of chemicals that are in use, or will be used, downhole. Provide the category, concentration used/to be used, and purpose of using the chemical. Attach a safety data sheet for each chemical listed.

Chemicals List

Category	Chemical Name	Concentration (include units)	Purpose
		0	

Attachment: Click to enter text.

g. List of chemicals that are in use, or will be used, to treat the wastewater to be discharged under this authorization. Provide the concentration used/to be used and purpose of using the chemical. Attach a safety data sheet for each chemical listed.

Water Treatment Chemicals List

Category	Chemical Name	Concentration (include units)	Purpose
115			

Attachment: Click to enter text.

Item 3. Pollutant Analysis (Instructions, Page 113)

Tables 1, 2, 6, and 7 located in Worksheet 2.0 are required. In addition, Table 19 below is required and must be completed for each outfall and submitted with this application. The remaining tables in Worksheet 2.0, are required as applicable.

a.	Provide the date range of all sampling events conducted to obtain the analytical data
	submitted with this application (e.g., 05/01/2018-05/30/2018): Click to enter text.

- b. \square Check the box to confirm all samples were collected no more than 12 months prior to the date of application submittal.
- c. Read the general testing requirements in the instructions for important information about sampling, test methods, and MALs. If a contact laboratory was used, attach a list which includes the name, contact information, and pollutants analyzed for each laboratory/firm. Attachment: Click to enter text.
- d. Attach correspondence from TCEQ approving submittal of less than the required number of samples, if applicable. **Attachment:** Click to enter text.

Table 19 for Outfall No.: Click to enter text. Samples are (check one): ☐ Composite ☐ Grab

Pollutant	Sample 1 (mg/L)*	Sample 2 (mg/L)*	Sample 3 (mg/L)*	Sample 4 (mg/L)*
Calcium				
Potassium				
Sodium				

^{*}Indicate units if different from mg/L.



ATTACHMENT #1

TCEQ Core Data Form & Payment Submittal Form

Prepared By:



info@jacobmartin.com

www.jacobmartin.com









TCEQ	I Ico	Only
LCEU	USE !	UIIIV



TCEQ Core Data Form

For detailed instructions on completing this form, please read the Core Data Form Instructions or call 512-239-5175.

SECTION I: General Information

1. Reason for Submission (If other is checked please describe in space provided.)

✓ Renewa	Renewal (Core Data Form should be submitted with the renewal form)						Other				
2. Custome	mer Reference Number (if issued)			Follow this link to search		 >	3. Regulated Entity Reference Number (if issued)				
CN 600248	264			A	Registry**	_	RN 105640460				
ECTIO	N II:	Customer	Inforn	natio	<u>n</u>						
1. General C	Customer	Information	5. Effective	Date for 0	Customer Ir	formatio	n Updates (mm/d	d/yyyy)		10/1/2025	
New Custo	omer		Jpdate to Custo	mer Inform	ation	☐ Ch	ange in Regulated E	Entity Ownersh	ip		
☐Change in	Legal Name	e (Verifiable with the Te	exas Secretary o	f State or Te	exas Comptro	ller of Pub	lic Accounts)				
The Custom	ar Nama	submitted here may	ha undatad a	utomatico	ally based s	n what is	current and activ	uo with the T	over Co	eratary of State	
		roller of Public Acco	526	исотаска	illy buseu o	ii wiiat is	carrent and activ	ve with the h	exus se	retury of State	
233) UI 16A	as compt	oner of rubile Acco									
. Customer	Legal Na	me (If an individual, pr	int last name fir	st: eg: Doe,	John)		If new Custome	r, enter previou	us Custoi	ner below:	
City of Vernor	ľ										
7. TX SOS/C	PA Filing I	Number	8. TX State	Tax ID (11	digits)		9. Federal Tax ID 10. DU			NS Number (if	
			/========	or involute ran is (11 digita)			(9 digits) 756000702		applicable) 056356249		
			17560007027								
11. Type of Customer: Corporation						Indiv	ridual	Partnership	p: 🗌 Ge	neral 🔲 Limited	
overnment:	City 🗌	County 🔲 Federal 🔲	Local State	Other		Sole	Proprietorship	Other:			
2. Number	of Emplo	/ees					13. Independe	ently Owned	and Op	erated?	
☐ 0-20 ☐ 21-100 ☐ 101-250 ☐ 251-500 ☐ 501 and higher							⊠ Yes	□ No			
4. Custome	r Role (Pro	pposed or Actual) – as i	t relates to the i	Regulated E	ntity listed o	n this form	. Please check one o	of the following	9		
Owner		☐ Operator	M ow	ner & Opera	ator						
Occupation	al Licensee			CP/BSA App			Other	r			
	1725 Wi	barger St			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						
5. Mailing						7 7 7 7					
ddress:			f Augge								
	City	Vernon		State	TX	ZIP	76384	ZIF	9+4	4741	
				100 / To T	4					(2) U(c)	
5. Country I	Mailing In	formation (if outside	USA)		17	E-Mail A	ddress (if applicab	ole)			

TCEQ-10400 (11/22) Page 1 of 3

18. Telephone Number		1	19. Extension or Code			20. Fax Number (if applicable)			
(904) 552-2581						()	-		
SECTION III:	Regula	ated Entit	y Infor	matio	<u>n</u>				
21. General Regulated Entity Information (If 'New Regulated Entity" is selected, a new permit application is also required.)									
☐ New Regulated Entity ☐ Update to Regulated Entity Name ☑ Update to Regulated Entity Information									
The Regulated Entity Na as Inc, LP, or LLC).	me submitte	d may be updated	, in order to m	eet TCEQ C	ore Data Sta	ndards (r	emoval of o	rganizatio	nal endings such
22. Regulated Entity Nar	ne (Enter nam	e of the site where th	ne regulated actio	on is taking p	olace.)				
Vernon Nitrate Treatment Pl	ant								
23. Street Address of	2801 Sulliva	n St		4 400					
the Regulated Entity:									
(No PO Boxes)	City	Vernon	State	TX	ZIP	76384		ZIP + 4	3316
24. County	Wilbarger					•			
-		If no Street A	ddress is prov	ided, fields	25-28 are re	quired.			
25. Description to									
Physical Location:									
26. Nearest City					n	State		Nea	rest ZIP Code
Latitude/Longitude are re used to supply coordinate	030	(80) 150				ırds. (Geo	coding of th	e Physical	Address may be
27. Latitude (N) In Decim	al:			28.	Longitude (V	V) In Deci	mal:		
Degrees	Minutes	Sec	onds Degrees		Minutes			Seconds	
29. Primary SIC Code	30. 9	Secondary SIC Cod	е		nry NAICS Co	de	32. Seco	ndary NAI	CS Code
(4 digits) (4 digits)				(5 or 6 dig	its)		(5 or 6 dig	its)	
4952				221320					
33. What is the Primary B	usiness of th	is entity? (Do not	repeat the SIC o	r NAICS desc	ription.)				
Water treatment									
34. Mailing	1725 Wilbar	rger St							
Address:	City	Vernon	State	TX	ZIP	76384		ZIP + 4	4741
35. E-Mail Address:	citym	anager@vernontx.g	ov						
36. Telephone Number		37	. Extension or	Code	38. Fa	x Numbe	r (if applicabl	le)	

(940) 552-2581

() -

Пъ с с					7				
□ Dam Safety □ Districts		Edwards Aquifer		Emissions Inventory Air	Industrial Hazardous Was				
Municipal Solid Waste Review Air			OSSF]	Petroleum Storage Tank	☐ PWS			
Sludge	dge Storm Water		☐ Title V Air		Tires	Used Oil			
☐ Voluntary Cleanup			☐ Wastewater Agri	culture [Water Rights	Other:			
S21 165	IV: Pr	eparer Inf	<u>ormation</u>	41. Title:	Environmental Geologis	t			
2. Telephone N	lumber	43. Ext./Code	44. Fax Number	45. E-Mai	45. E-Mail Address				
(325)695-1070 () -				mlawrence	@jacobmartin.com				
		thorized S		·					
					this form is true and comple updates to the ID numbers i	te, and that I have signature authorit dentified in field 39.			
ompany:	City of Ve	rnon		Job Title:	City Manager				
ame (In Print):	Darell Ken	inon		Phone:	(940) 552- 258 1				
ante (m. r. m.y.	Darell Kennon								

39. TCEQ Programs and ID Numbers Check all Programs and write in the permits/registration numbers that will be affected by the updates submitted on this

ATTACHMENT #2

Plain Language Summary

Prepared By:



Project #: 17390



325.695.1070 806.368.6375



info@jacobmartin.com www.jacobmartin.com



3465 Curry Lane Abilene, TX 76906 4920 S. Loop 289, Suite 106 Lubbock, TX 79414



TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

SUMMARY OF APPLICATION IN PLAIN LANGUAGE FOR TPDES OR TLAP PERMIT APPLICATIONS

Summary of Application (in plain language) Template and Instructions for Texas Pollutant Discharge Elimination System (TPDES) and Texas Land Application (TLAP) Permit Applications

Applicants should use this template to develop a plain language summary of your facility and application as required by Title 30, Texas Administrative Code (30 TAC), Chapter 39, Subchapter H. You may modify the template as necessary to accurately describe your facility as long as the summary includes the following information: (1) the function of the proposed plant or facility; (2) the expected output of the proposed plant or facility; (3) the expected pollutants that may be emitted or discharged by the proposed plant or facility; and (4) how you will control those pollutants, so that the proposed plant will not have an adverse impact on human health or the environment.

Fill in the highlighted areas below to describe your facility and application in plain language. Instructions and examples are provided below. Make any other edits necessary to improve readability or grammar and to comply with the rule requirements. After filling in the information for your facility delete these instructions.

If you are subject to the alternative language notice requirements in 30 TAC Section 39.426, you must provide a translated copy of the completed plain language summary in the appropriate alternative language as part of your application package. For your convenience, a Spanish template has been provided below.

ENGLISH TEMPLATE FOR TPDES or TLAP NEW/RENEWAL/AMENDMENT APPLICATIONS INDUSTRIAL WASTEWATER/STORMWATER

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 TAC Chapter 39. The information provided in this summary may change during the technical review of the application and is not a federal enforceable representation of the permit application.

City of Vernon (CN600248264) operates the Vernon Nitrate Treatment Plant (RN105640460), an industrial water treatment plant. The facility is located at 2801 Sullivan Street, in Vernon, Wilbarger County, Texas 76384. This application is for a renewal to discharge at an annual average flow not to exceed 65,000 gallons per day. The daily maximum flow shall not exceed 108,000 gallons per day.

Discharges from the facility are expected to contain The expected pollutants in the Outfall 001 discharge include chemical oxygen demand (COD), nitrate-nitrogen, chloride, total dissolved solids (TDS), sulfate, and total selenium, with pH also monitored to ensure it remains within the permitted range. Additional potential pollutants are included in the Domestic Technical Report 1.0, Section 7. Pollutant Analysis of Treated Effluent in the permit application package. Raw water from public drinking water wells containing nitrate will be treated by a nitrate ion exchange wastewater treatment process which removes nitrates from

groundwater using ion exchange resins. Raw water passes through a series of nitrate exchange vessels where nitrate ions (NO_3^-) in the water are exchanged for chloride ions (Cl^-) from the resin. Once the resin becomes saturated with nitrates, it is regenerated using a brine solution prepared in a brine saturator and conditioned in a softener. During regeneration, the brine flushes the nitrate ions off the resin, restoring its capacity for further treatment. The resulting nitrate-rich waste brine is collected in a nitrate waste holding tank, where muriatic acid may be added to control pH and prevent scaling. Finally, the waste brine is discharged through Outfall 001 under regulated effluent limitations..

ATTACHMENT #3

USGS Topographic Map / SPIF

Prepared By:




Project #: 17390











TEXAS COMMISSION ON ENVIRONMENTAL QUALITY SUPPLEMENTAL PERMIT INFORMATION FORM (SPIF)

FOR AGENCIES REVIEWING DOMESTIC OR INDUSTRIAL TPDES WASTEWATER PERMIT APPLICATIONS

ed by ation s
form
ity,
3


	answ	er specific questions about the property.								
	Prefix	x (Mr., Ms., Miss): <u>Mr.</u>								
	First a	and Last Name: <u>Chase Craighead</u>								
	Crede	ential (P.E, P.G., Ph.D., etc.):								
	Title:	Public Works Director								
	Mailir	ng Address: <u>1725 Wilbarger St</u>								
	City, S	State, Zip Code: <u>Vernon, TX 76384-4741</u>								
	Phone	e No.: <u>940-552-2581</u> Ext.: Fax No.:								
	E-mai	l Address: <u>scraighead@vernontx.gov</u>								
2.	List th	ne county in which the facility is located:								
3.		property is publicly owned and the owner is different than the permittee/applicant, e list the owner of the property.								
	1									
1	Provid	le a description of the effluent discharge route. The discharge route must follow the flow								
т.	of efflu	uent from the point of discharge to the nearest major watercourse (from the point of								
		discharge to a classified segment as defined in 30 TAC Chapter 307). If known, please identify the classified segment number.								
		the plant piped to outfall 001; It is discharged directly to Pease River in Segment No.								
		of the Red River Basin.								
	20-200									
5.		provide a separate 7.5-minute USGS quadrangle map with the project boundaries d and a general location map showing the project area. Please highlight the discharge								
	route i	from the point of discharge for a distance of one mile downstream. (This map is								
	requir	ed in addition to the map in the administrative report).								
	Provid	e original photographs of any structures 50 years or older on the property.								
	Does y	our project involve any of the following? Check all that apply.								
		Proposed access roads, utility lines, construction easements								
		Visual effects that could damage or detract from a historic property's integrity								
		Vibration effects during construction or as a result of project design								
		Additional phases of development that are planned for the future								
		Sealing caves, fractures, sinkholes, other karst features								
		(08/31/2023) Page 2 of 3 ndividual Permit Application, Supplemental Permit Information Form (SPIF)								

Provide the name, address, phone and fax number of an individual that can be contacted to

	☐ Disturbance of vegetation or wetlands	
1.	List proposed construction impact (surface acres to be impacted, depth of excavation, sealing of caves, or other karst features):	ng
	N/A	
2.	Describe existing disturbances, vegetation, and land use:	
	N/A	
	E FOLLOWING ITEMS APPLY ONLY TO APPLICATIONS FOR NEW TPDES PERMITS AND MAJOR ENDMENTS TO TPDES PERMITS	Ł
3.	List construction dates of all buildings and structures on the property:	
	<u>N/A</u>	
4.	Provide a brief history of the property, and name of the architect/builder, if known.	
	<u>N/A</u>	
		$\overline{}$











ATTACHMENT #4

Process Flow Diagram

Prepared By:




Project #: 17390












Vernon Nitrate Ion Exchange WTP Flow Diagram



ATTACHMENT #5 FEMA FIRM Map

Prepared By:




Firm #2448 Project #: 17390














SEPTEMBER 21, 21 COMMUNITY-PANEL NUMBER 481652 0005 8 EFFECTIVE DATE: SEPTEMBER 21, 2001

THE STATE OF THE PARTY OF THE P

VERNON, TEXAS
WILBARGER COUNTY

ONLY PANEL PRINTED

FIRM

NATIONAL FLOOD INSURANCE PROGRAM

FLOOD INSURANCE RATE MAP

THE PROOF PROFESSION AND AND PROPERTY OF THE P

The two may employed agreements boundaries of Council burns. Resigner Severe treat and he Observed Protected Joses associational modes the Council Server Improvement Act of Chief Te 19300. Conjects mess afrom an extend as all has dear of this map. The pass should increase appropriate community officials to informing a composition forth, from chargest indeedpart for the immunity of their maps. Burkers, if the hashaps were complete in these sections and despitited before most section. The findings were trained or without consentations with supply to beginnings of the deposi-tions of the property agency. e widths to potter areas may be that number to solve to scan. Natur than their taken where thousand width a whose at 175 men.

NOTES

It was a recovered to behavioral research hyperical feet and recovered to behavioral research from the feet and research from the feet and of the feet and fee

If Special Proof House Intelligence Novid entonide Zorma A. A.S., Adv. v. A.S., Adv. v. V.S. and V. V.S. and V. V.S., and

Transit Invest
Transi

SED CONTA BARRES

Olisia Allaha 2006 I Ann depresend to be comb 100-year exchange to comb form of the comb person of the comb

FOR ANY IN COMMAND AND ANY IN CO

PROVIDED THE PROPERTY OF THE P

ATTACHMENT #6

Site Drawings


Prepared By:



Firm #2448 Project #: 17390




























ATTACHMENT #7

Effluent Lab Data

Prepared By:









Attachment Index

Attachment #1 TCEQ Core Data Form, Check

Attachment #2 PLS

Attachment #3 SPIF, USGS Map

Attachment #4 Process Flow Diagram

Attachment #5 FEMA FIRM Map

Attachment #6 Site Drawing

Attachment #7 Effluent Lab Data

Prepared By:




Firm #2448 Project #: 17390











Candice Calhoun

From: Mark Lawrence <mlawrence@jacobmartin.com>
Sent: Wednesday, November 5, 2025 11:03 AM
To: Candice Calhoun; scraighead@vernontx.gov

Subject: RE: Application to Renew Permit No. WQ0004868000 (City of Vernon) - Notice of

Deficiency

Attachments: wq0004868000 Response to NOD.pdf

Good morning, Mrs. Courville,

Thank you for reviewing the permit application, please see the attached response to the Notice of Deficiency Letter.

Regards,

MARK LAWRENCE

JACOB | MARTIN

3465 Curry Lane Abilene, TX 79606 Ofc) 325.695.1070 jacobmartin.com

From: Candice Calhoun < Candice. Calhoun@tceq.texas.gov>

Sent: Tuesday, November 4, 2025 2:56 PM

To: scraighead@vernontx.gov

Cc: Mark Lawrence <mlawrence@jacobmartin.com>

Subject: Application to Renew Permit No. WQ0004868000 (City of Vernon) - Notice of Deficiency

Importance: High

Good afternoon, Mr. Craighead,

The attached Notice of Deficiency (NOD) letter dated <u>November 4, 2025</u>, requests additional information needed to declare the application administratively complete. Please send complete response no later than <u>November 18, 2025</u>.

If you have any questions, please let me know.

Regards,

Candice Courville



License & Permit Specialist ARP Team | Water Quality Division Texas Commission on Environmental Quality 512-239-4312

candice.calhoun@tceq.texas.gov

How is our customer service? Fill out our online customer satisfaction survey at www.tceq.texas.gov/customersurvey

Candice Calhoun

From: Mark Lawrence <mlawrence@jacobmartin.com>

Sent: Wednesday, November 5, 2025 3:12 PM **To:** Candice Calhoun; scraighead@vernontx.gov

Subject: RE: Application to Renew Permit No. WQ0004868000 (City of Vernon) - Notice of

Deficiency

Attachments: USGS Map Vernon IX Plant_Final.pdf

Candice,

Thank you for catching that. Please see the revised map labeling the property boundary.

Best,

MARK LAWRENCE

JACOB | MARTIN

3465 Curry Lane Abilene, TX 79606 Ofc) 325.695.1070 jacobmartin.com

From: Candice Calhoun < Candice. Calhoun@tceq.texas.gov>

Sent: Wednesday, November 5, 2025 2:43 PM

To: Mark Lawrence <mlawrence@jacobmartin.com>; scraighead@vernontx.gov

Subject: RE: Application to Renew Permit No. WQ0004868000 (City of Vernon) - Notice of Deficiency

Good afternoon, Mark,

Thank you for your response. I only have one note, other than that, everything else looks great.

For the USGS map - I did not see the applicant's property boundary labeled. If this is one in the same with the site boundaries, please label it as such.

If you have any additional questions, please let me know.

Regards,



Candice Courville

License & Permit Specialist
ARP Team | Water Quality Division
Texas Commission on Environmental
Quality
512-239-4312

candice.calhoun@tceq.texas.gov



INTEGRITY **EXCELLENCE TRUST**

November 5, 2025

Candice Courville Application Review and Processing Team (MC148) Water Quality Division Texas Commission on Environmental Quality 12100 Park 35 Circle Austin, Texas 78753

RE: Application to Renew Permit No.: WQ0004868000 (EPA I.D. No. TX0131792)

Applicant Name: City of Vernon (CN600248264)

Site Name: City of Vernon Ion Exchange Plant (RN105640460)

Type of Application: Renewal without changes

Dear Mrs. Courville,

I am writing in response to the Notice of Deficiency (NOD) letter dated November 4, 2025. Please see the following responses:

- 1. Your records are correct. The authorization type should be Reverse Osmosis Water Treatment Plant.
- 2. Please see the attached updated PLS reflecting the correct facility name.
- 3. Please see the attached USGS map. The file has been corrected and should now be legible but please let me know if otherwise.
- 4. The portion of the NORI provided appears accurate and contains no errors or omissions.

We appreciate your review of the application and your assistance in processing this renewal. If you have any questions or need additional information, please feel free to contact me at our Abilene office at (325) 695-1070 or via email at mlawrence@jacobmartin.com

Sincerely,

Mark Lawrence **Environmental Geologist** 3465 Curry Lane Abilene, TX 79606 JACOB | MARTIN







INTEGRITY EXCELLENCE TRUST

Attachments:

Attachment 1 – Plain Language Summary Attachment 2 – USGS Topographic Map



1508 Santa Fe, Suite 203

Weatherford, TX 76086

817.594.9880



TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

SUMMARY OF APPLICATION IN PLAIN LANGUAGE FOR TPDES OR TLAP PERMIT APPLICATIONS

Summary of Application (in plain language) Template and Instructions for Texas Pollutant Discharge Elimination System (TPDES) and Texas Land Application (TLAP) Permit Applications

Applicants should use this template to develop a plain language summary of your facility and application as required by Title 30, Texas Administrative Code (30 TAC), Chapter 39, Subchapter H. You may modify the template as necessary to accurately describe your facility as long as the summary includes the following information: (1) the function of the proposed plant or facility; (2) the expected output of the proposed plant or facility; (3) the expected pollutants that may be emitted or discharged by the proposed plant or facility; and (4) how you will control those pollutants, so that the proposed plant will not have an adverse impact on human health or the environment.

Fill in the highlighted areas below to describe your facility and application in plain language. Instructions and examples are provided below. Make any other edits necessary to improve readability or grammar and to comply with the rule requirements. After filling in the information for your facility delete these instructions.

If you are subject to the alternative language notice requirements in 30 TAC Section 39.426, you must provide a translated copy of the completed plain language summary in the appropriate alternative language as part of your application package. For your convenience, a Spanish template has been provided below.

ENGLISH TEMPLATE FOR TPDES or TLAP NEW/RENEWAL/AMENDMENT APPLICATIONS INDUSTRIAL WASTEWATER/STORMWATER

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 TAC Chapter 39. The information provided in this summary may change during the technical review of the application and is not a federal enforceable representation of the permit application.

City of Vernon (CN600248264) operates the City of Vernon Ion Exchange Plant (RN105640460), an ion exchange water treatment plant. The facility is located at 2801 Sullivan Street, in Vernon, Wilbarger County, Texas 76384. This application is for a renewal to discharge at a daily average flow not to exceed 65,000 gallons per day. The daily maximum flow shall not exceed 108,000 gallons per day.

Discharges from the facility are expected to contain The expected pollutants in the Outfall 001 discharge include chemical oxygen demand (COD), nitrate-nitrogen, chloride, total dissolved solids (TDS), sulfate, and total selenium, with pH also monitored to ensure it remains within the permitted range. Additional potential pollutants are included in the Domestic Technical Report 1.0, Section 7. Pollutant Analysis of Treated Effluent in the permit application package. Raw water from public drinking water wells containing nitrate will be treated by a nitrate ion exchange wastewater treatment process which removes nitrates from

groundwater using ion exchange resins. Raw water passes through a series of nitrate exchange vessels where nitrate ions (NO_3^-) in the water are exchanged for chloride ions (Cl^-) from the resin. Once the resin becomes saturated with nitrates, it is regenerated using a brine solution prepared in a brine saturator and conditioned in a softener. During regeneration, the brine flushes the nitrate ions off the resin, restoring its capacity for further treatment. The resulting nitrate-rich waste brine is collected in a nitrate waste holding tank, where muriatic acid may be added to control pH and prevent scaling. Finally, the waste brine is discharged through Outfall 001 under regulated effluent limitations..



Produced by the United States Geological Survey

generalized for this map scale. Private lands within government reservations may not be shown. Obtain permission before

..FWS National Wetlands Inventory Not Available

MC

Grid Zone Designation 14S

North American Datum of 1983 (NAD83) World Geodetic System of 1984 (WGS84). Projection and 1 000-meter grid:Universal Transverse Mercator, Zone 14S

This map is not a legal document. Boundaries may be


entering private lands.

Hydrography...... Contours....

Imagery.... Roads..... Names.....

Boundaries....

Wetlands...



7 Lockett

ADJOINING QUADRANGLES

8 Boggy Creek

VERNON, TX

2022



TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

SUMMARY OF APPLICATION IN PLAIN LANGUAGE FOR TPDES OR TLAP PERMIT APPLICATIONS

Summary of Application (in plain language) Template and Instructions for Texas Pollutant Discharge Elimination System (TPDES) and Texas Land Application (TLAP) Permit Applications

Applicants should use this template to develop a plain language summary of your facility and application as required by Title 30, Texas Administrative Code (30 TAC), Chapter 39, Subchapter H. You may modify the template as necessary to accurately describe your facility as long as the summary includes the following information: (1) the function of the proposed plant or facility; (2) the expected output of the proposed plant or facility; (3) the expected pollutants that may be emitted or discharged by the proposed plant or facility; and (4) how you will control those pollutants, so that the proposed plant will not have an adverse impact on human health or the environment.

Fill in the highlighted areas below to describe your facility and application in plain language. Instructions and examples are provided below. Make any other edits necessary to improve readability or grammar and to comply with the rule requirements. After filling in the information for your facility delete these instructions.

If you are subject to the alternative language notice requirements in 30 TAC Section 39.426, you must provide a translated copy of the completed plain language summary in the appropriate alternative language as part of your application package. For your convenience, a Spanish template has been provided below.

ENGLISH TEMPLATE FOR TPDES or TLAP NEW/RENEWAL/AMENDMENT APPLICATIONS INDUSTRIAL WASTEWATER/STORMWATER

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 TAC Chapter 39. The information provided in this summary may change during the technical review of the application and is not a federal enforceable representation of the permit application.

City of Vernon (CN600248264) operates the City of Vernon Ion Exchange Plant (RN105640460), an ion exchange water treatment plant. The facility is located at 2801 Sullivan Street, in Vernon, Wilbarger County, Texas 76384. This application is for a renewal to discharge at a daily average flow not to exceed 65,000 gallons per day. The daily maximum flow shall not exceed 108,000 gallons per day.


Discharges from the facility are expected to contain The expected pollutants in the Outfall 001 discharge include chemical oxygen demand (COD), nitrate-nitrogen, chloride, total dissolved solids (TDS), sulfate, and total selenium, with pH also monitored to ensure it remains within the permitted range. Additional potential pollutants are included in the Domestic Technical Report 1.0, Section 7. Pollutant Analysis of Treated Effluent in the permit application package. Raw water from public drinking water wells containing nitrate will be treated by a nitrate ion exchange wastewater treatment process which removes nitrates from


groundwater using ion exchange resins. Raw water passes through a series of nitrate exchange vessels where nitrate ions (NO_3^-) in the water are exchanged for chloride ions (Cl^-) from the resin. Once the resin becomes saturated with nitrates, it is regenerated using a brine solution prepared in a brine saturator and conditioned in a softener. During regeneration, the brine flushes the nitrate ions off the resin, restoring its capacity for further treatment. The resulting nitrate-rich waste brine is collected in a nitrate waste holding tank, where muriatic acid may be added to control pH and prevent scaling. Finally, the waste brine is discharged through Outfall 001 under regulated effluent limitations..












MC

Grid Zone Designation 14S



CONTOUR INTERVAL 10 FEET NORTH AMERICAN VERTICAL DATUM OF 1988 This map was produced to conform with the National Geospatial Program US Topo Product Standard. QUADRANGLE LOCATION

ADJOINING QUADRANGLES

2 Northside