

## **Administrative Package Cover Page**

## This file contains the following documents:

- 1. Summary of application (in plain language)
- 2. First Notice (NORI-Notice of Receipt of Application and Intent to Obtain a Permit)
- 3. Application Materials



## TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

## SUMMARY OF APPLICATION IN PLAIN LANGUAGE FOR TPDES OR TLAP PERMIT APPLICATIONS

# Summary of Application (in plain language) Template and Instructions for Texas Pollutant Discharge Elimination System (TPDES) and Texas Land Application (TLAP) Permit Applications

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 TAC Chapter 39. The information provided in this summary may change during the technical review of the application and is not a federal enforceable representation of the permit application.

The City of Pittsburg (CN600687958) operates the Dry Creek wastewater treatment plant (RN101612992), a complete mix aeration basin without sludge recycling followed by two stabilization ponds. The facility is located at approximately 1.3 miles southeast of the intersection of Arch Davis Road and Lafayette Street, in Pittsburg, Camp County, Texas 75686. This application is for a renewal to discharge at an annual average flow of 200,000 gallons per day of treated domestic wastewater via Outfall 001.

Discharges from the facility are expected to contain five-day carbonaceous biochemical oxygen demand (CBOD5), total suspended solids (TSS), ammonia nitrogen (NH3-N), and Escherichia coli. Additional pollutants are included in the Domestic Technical Report 1.0, Section 7 Pollutant Analysis of Treated Effluent in the permit application package. Domestic Wastewater is treated by a complete mix aeration basin and the treatment units include two stabilization ponds and a wet weather holding basin.

## **TEXAS COMMISSION ON ENVIRONMENTAL QUALITY**



## NOTICE OF RECEIPT OF APPLICATION AND INTENT TO OBTAIN WATER QUALITY PERMIT RENEWAL.

### PERMIT NO. WQ0010250002

APPLICATION. City of Pittsburg, 200 Rusk Street, Pittsburg, Texas 75686, has applied to the Texas Commission on Environmental Quality (TCEQ) to renew Texas Pollutant Discharge Elimination System (TPDES) Permit No. WQ0010250002 (EPA I.D. No. TX0025445) to authorize the discharge of treated wastewater at a volume not to exceed a daily average flow of 200,000 gallons per day. The domestic wastewater treatment facility is located approximately 1.3 miles southeast of the intersection of Arch Davis Road and Lafayette Street, near the city of Pittsburg, in Camp County, Texas 75686. The discharge route is from the plant site to Dry Creek, thence to Big Cypress Creek Below Lake Bob Sandlin. TCEQ received this application on September 18, 2025. The permit application will be available for viewing and copying at Pittsburg City Hall, 200 Rusk Street, Pittsburg, in Camp County, Texas prior to the date this notice is published in the newspaper. The application, including any updates, and associated notices are available electronically at the following webpage:

https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications. This link to an electronic map of the site or facility's general location is provided as a public courtesy and not part of the application or notice. For the exact location, refer to the application.

https://gisweb.tceq.texas.gov/LocationMapper/?marker=-94.9436,32.9743&level=18

ADDITIONAL NOTICE. TCEQ's Executive Director has determined the application is administratively complete and will conduct a technical review of the application. After technical review of the application is complete, the Executive Director may prepare a draft permit and will issue a preliminary decision on the application. Notice of the Application and Preliminary Decision will be published and mailed to those who are on the countywide mailing list and to those who are on the mailing list for this application. That notice will contain the deadline for submitting public comments.

**PUBLIC COMMENT / PUBLIC MEETING. You may submit public comments or request a public meeting on this application.** The purpose of a public meeting is to provide the opportunity to submit comments or to ask questions about the application. TCEQ will hold a public meeting if the Executive Director determines that there is a significant degree of public interest in the application or if requested by a local legislator. A public meeting is not a contested case hearing.

**OPPORTUNITY FOR A CONTESTED CASE HEARING.** After the deadline for submitting public comments, the Executive Director will consider all timely comments and prepare a

response to all relevant and material, or significant public comments. Unless the application is directly referred for a contested case hearing, the response to comments, and the Executive Director's decision on the application, will be mailed to everyone who submitted public comments and to those persons who are on the mailing list for this application. If comments are received, the mailing will also provide instructions for requesting reconsideration of the Executive Director's decision and for requesting a contested case hearing. A contested case hearing is a legal proceeding similar to a civil trial in state district court.

TO REQUEST A CONTESTED CASE HEARING, YOU MUST INCLUDE THE FOLLOWING ITEMS IN YOUR REQUEST: your name, address, phone number; applicant's name and proposed permit number; the location and distance of your property/activities relative to the proposed facility; a specific description of how you would be adversely affected by the facility in a way not common to the general public; a list of all disputed issues of fact that you submit during the comment period and, the statement "[I/we] request a contested case hearing." If the request for contested case hearing is filed on behalf of a group or association, the request must designate the group's representative for receiving future correspondence; identify by name and physical address an individual member of the group who would be adversely affected by the proposed facility or activity; provide the information discussed above regarding the affected member's location and distance from the facility or activity; explain how and why the member would be affected; and explain how the interests the group seeks to protect are relevant to the group's purpose.

Following the close of all applicable comment and request periods, the Executive Director will forward the application and any requests for reconsideration or for a contested case hearing to the TCEQ Commissioners for their consideration at a scheduled Commission meeting.

The Commission may only grant a request for a contested case hearing on issues the requestor submitted in their timely comments that were not subsequently withdrawn. If a hearing is granted, the subject of a hearing will be limited to disputed issues of fact or mixed questions of fact and law relating to relevant and material water quality concerns submitted during the comment period.

TCEQ may act on an application to renew a permit for discharge of wastewater without providing an opportunity for a contested case hearing if certain criteria are met.

MAILING LIST. If you submit public comments, a request for a contested case hearing or a reconsideration of the Executive Director's decision, you will be added to the mailing list for this specific application to receive future public notices mailed by the Office of the Chief Clerk. In addition, you may request to be placed on: (1) the permanent mailing list for a specific applicant name and permit number; and/or (2) the mailing list for a specific county. If you wish to be placed on the permanent and/or the county mailing list, clearly specify which list(s) and send your request to TCEQ Office of the Chief Clerk at the address below.

**INFORMATION AVAILABLE ONLINE.** For details about the status of the application, visit the Commissioners' Integrated Database at <a href="https://www.tceq.texas.gov/goto/cid">www.tceq.texas.gov/goto/cid</a>. Search the database using the permit number for this application, which is provided at the top of this notice.

**AGENCY CONTACTS AND INFORMATION.** All public comments and requests must be submitted either electronically at <a href="https://www14.tceq.texas.gov/epic/eComment/">https://www14.tceq.texas.gov/epic/eComment/</a>, or in

writing to the Texas Commission on Environmental Quality, Office of the Chief Clerk, MC-105, P.O. Box 13087, Austin, Texas 78711-3087. Please be aware that any contact information you provide, including your name, phone number, email address and physical address will become part of the agency's public record. For more information about this permit application or the permitting process, please call the TCEQ Public Education Program, Toll Free, at 1-800-687-4040 or visit their website at <a href="www.tceq.texas.gov/goto/pep">www.tceq.texas.gov/goto/pep</a>. Si desea información en Español, puede llamar al 1-800-687-4040.

Further information may also be obtained from City of Pittsburg at the address stated above or by calling Ms. Maricela Fuentes, City of Pittsburg, at (903) 856-3621.

Issuance Date: October 16, 2025

# THE COMMISSION OF THE PROPERTY OF THE PROPERTY

## TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

## DOMESTIC WASTEWATER PERMIT APPLICATION CHECKLIST

Complete and submit this checklist with the application.

APPLICANT	NAME:	City o	f Pittsburg

PERMIT NUMBER (If new, leave blank): WQ00 10250002

Indicate if each of the following items is included in your application.

	1	11		Y	IN
Administrative Report 1.0			Original USGS Map	$\boxtimes$	
Administrative Report 1.1		$\boxtimes$	Affected Landowners Map		$\boxtimes$
SPIF			Landowner Disk or Labels		$\boxtimes$
Core Data Form			Buffer Zone Map		$\boxtimes$
Public Involvement Plan Form		$\boxtimes$	Flow Diagram	$\boxtimes$	
Technical Report 1.0			Site Drawing	$\boxtimes$	
Technical Report 1.1		$\boxtimes$	Original Photographs		$\boxtimes$
Worksheet 2.0			Design Calculations		$\boxtimes$
Worksheet 2.1		$\boxtimes$	Solids Management Plan		$\boxtimes$
Worksheet 3.0		$\boxtimes$	Water Balance		$\boxtimes$
Worksheet 3.1		$\boxtimes$			
Worksheet 3.2		$\boxtimes$			
Worksheet 3.3		$\boxtimes$			
Worksheet 4.0		$\boxtimes$			
Worksheet 5.0		$\boxtimes$			
Worksheet 6.0	$\boxtimes$				
Worksheet 7.0		$\boxtimes$			

For TCEQ Use Only	
	County
Expiration Date	Region
Permit Number	

# THE COMMISSION OF THE PROPERTY OF THE PROPERTY

## TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

## DOMESTIC WASTEWATER PERMIT APPLICATION ADMINISTRATIVE REPORT 1.0

For any questions about this form, please contact the Applications Review and Processing Team at 512–239–4671.

## Section 1. Application Fees (Instructions Page 26)

Indicate the amount submitted for the application fee (check only one).

Flow	New/Major Amendment	Renewal
<0.05 MGD	\$350.00 □	\$315.00 □
≥0.05 but <0.10 MGD	\$550.00 □	\$515.00 □
≥0.10 but <0.25 MGD	\$850.00 □	\$815.00 ⊠
≥0.25 but <0.50 MGD	\$1,250.00 □	\$1,215.00
≥0.50 but <1.0 MGD	\$1,650.00 □	\$1,615.00
≥1.0 MGD	\$2,050.00	\$2,015.00

Minor Amendment (for any flow) \$150.00 □

Payment In	ıformation
------------	------------

Mailed Check/Money Order Number: Click to enter text.

Check/Money Order Amount: Click to enter text.

Name Printed on Check: Click to enter text.

EPAY Voucher Number: Click to enter text.

Copy of Payment Voucher enclosed? Yes □

## Section 2. Type of Application (Instructions Page 26)

a.	Che	ck the box next to the appropriate authorization type.
	$\boxtimes$	Publicly-Owned Domestic Wastewater
		Privately-Owned Domestic Wastewater
		Conventional Wastewater Treatment
b.	Che	ck the box next to the appropriate facility status.
	$\boxtimes$	Active   Inactive

c.	Che	eck the box next to the appropriate permit typ	e.	
	$\boxtimes$	TPDES Permit		
		TLAP		
		TPDES Permit with TLAP component		
		Subsurface Area Drip Dispersal System (SAD	DS)	
d.	Che	eck the box next to the appropriate application	ı tvp	e
		New	- °/ P	
		Major Amendment <i>with</i> Renewal		Minor Amendment <u>with</u> Renewal
		Major Amendment <i>without</i> Renewal		Minor Amendment <u>without</u> Renewal
	$\boxtimes$	Renewal without changes		Minor Modification of permit
_		<u> </u>		
e.	101	amendments or modifications, describe the p	ropc	osed changes: Click to enter text.
f.	For	existing permits:		
	Peri	mit Number: WQ00 <u>10250002</u>		
	EPA	A I.D. (TPDES only): TX <u>0025445</u>		
	Exp	oiration Date: <u>03/30/26</u>		
Se	ctio	on 3. Facility Owner (Applicant) a	nd	Co-Applicant Information
		(Instructions Page 26)		
A.	The	e owner of the facility must apply for the per	rmit	
	Wha	at is the Legal Name of the entity (applicant) a	pply	ing for this permit?
	City	of Pittsburg		
		e legal name must be spelled exactly as filed w legal documents forming the entity.)	ith ti	he Texas Secretary of State, County, or in
		ne applicant is currently a customer with the T n may search for your CN on the TCEQ website		
	(	CN: <u>600687958</u>		
	Wha	at is the name and title of the person signing t	he a	pplication? The person must be an

What is the name and title of the person signing the application? The person must be an executive official meeting signatory requirements in 30 TAC § 305.44.

Prefix: Mr. Last Name, First Name: Abernathy, David

Title: Mayor Credential: Click to enter text.

**B.** Co–applicant information. Complete this section only if another person or entity is required to apply as a co-permittee.

What is the Legal Name of the co-applicant applying for this permit?

### Click to enter text.

(The legal name must be spelled exactly as filed with the TX SOS, with the County, or in the legal documents forming the entity.)

If the co-applicant is currently a customer with the TCEQ, what is the Customer Number (CN)? You may search for your CN on the TCEQ website at: <a href="http://www15.tceq.texas.gov/crpub/">http://www15.tceq.texas.gov/crpub/</a>

CN: Click to enter text.

What is the name and title of the person signing the application? The person must be an executive official meeting signatory requirements in *30 TAC § 305.44*.

Prefix: Click to enter text. Last Name, First Name: Click to enter text.

Title: Click to enter text. Credential: Click to enter text.

Provide a brief description of the need for a co-permittee: Click to enter text.

### C. Core Data Form

Complete the Core Data Form for each customer and include as an attachment. If the customer type selected on the Core Data Form is **Individual**, complete **Attachment 1** of Administrative Report  $1.0.\ \underline{1}$ 

## Section 4. Application Contact Information (Instructions Page 27)

This is the person(s) TCEQ will contact if additional information is needed about this application. Provide a contact for administrative questions and technical questions.

A. Prefix: Mrs. Last Name, First Name: Crafton, Erin

Title: <u>Vice President</u> Credential: Click to enter text.

Organization Name: AWWS, Inc.

Mailing Address: <u>695 Shady Ln.</u> City, State, Zip Code: <u>Hallsville, TX, 75650</u>

Phone No.: 903-668-4133 E-mail Address: awwsinc@gmail.com

Check one or both: oxdot Administrative Contact oxdot Technical Contact

**B.** Prefix: Mr. Last Name, First Name: Crafton, Travis

Title: <u>Preparer</u> Credential: Click to enter text.

Organization Name: AWWS, Inc.

Mailing Address: 695 Shady Ln. City, State, Zip Code: Hallsville, TX, 75650

Phone No.: <u>903-668-4133</u> E-mail Address: <u>awws@gmail.com</u>

Check one or both: oxdot Administrative Contact oxdot Technical Contact

## Section 5. Permit Contact Information (Instructions Page 27)

Provide the names and contact information for two individuals that can be contacted throughout the permit term.

A. Prefix: Mr. Last Name, First Name: Pearson, Chad

Title: <u>Utilities Director</u> Credential: Click to enter text.

Organization Name: City of Pittsburg

Mailing Address: 200 Rusk St. City, State, Zip Code: Pittsburg, TX, 75686

Phone No.: 903-856-3621 E-mail Address: cpearson@pittsburgtx.gov

**B.** Prefix: Mr. Last Name, First Name: Reynolds, Tim

Title: Click to enter text. Credential: Click to enter text.

Organization Name: City of Pittsburg

Mailing Address: 200 Rusk St. City, State, Zip Code: Pittsburg, TX, 75686

Phone No.: <u>903-856-3621</u> E-mail Address: <u>treynolds@pittsburgtx.gov</u>

## Section 6. Billing Contact Information (Instructions Page 27)

The permittee is responsible for paying the annual fee. The annual fee will be assessed to permits *in effect on September 1 of each year*. The TCEQ will send a bill to the address provided in this section. The permittee is responsible for terminating the permit when it is no longer needed (using form TCEQ-20029).

Prefix: Mr. Last Name, First Name: Hardeman, Clint

Title: City Manager Credential: Click to enter text.

Organization Name: City of Pittsburg

Mailing Address: 200 Rusk St. City, State, Zip Code: Pittsburg, TX, 75686

Phone No.: <u>903-856-3621</u> E-mail Address: <u>chardeman@pittsburgtx.gov</u>

## Section 7. DMR/MER Contact Information (Instructions Page 27)

Provide the name and complete mailing address of the person delegated to receive and submit Discharge Monitoring Reports (DMR) (EPA 3320-1) or maintain Monthly Effluent Reports (MER).

Prefix: Mr. Last Name, First Name: Pearson, Chad

Title: Utilities Director Credential: Click to enter text.

Organization Name: City of Pittsburg

Mailing Address: 200 Rusk St. City, State, Zip Code: Pittsburg, TX, 75686

Phone No.: 903-856-3621 E-mail Address: cpearson@pittsburgtx.gov

## Section 8. Public Notice Information (Instructions Page 27)

### A. Individual Publishing the Notices

Prefix: Ms. Last Name, First Name: Fuentes, Maricela

Title: City Secretary Credential: Click to enter text.

Organization Name: City of Pittsburg

Mailing Address: 200 Rusk St. City, State, Zip Code: Pittsburg, TX, 75686

Phone No.: <u>903-856-3621</u> E-mail Address: <u>city.secretary@pittsburgtx.gov</u>

В.		thod fo ckage	r Receivi	ng Noti	ce of Receipt and Intent to Obtain a Water Quality Permit
	Ind	licate by	a check	mark th	e preferred method for receiving the first notice and instructions:
	$\boxtimes$	E-mail	l Address		
		Fax			
		Regula	ar Mail		
C.		•		e listed	in the Notices
		efix: <u>Ms.</u>			Last Name, First Name: <u>Fuentes, Maricela</u>
	Tit	le: <u>City S</u>	Secretary		Credential: Click to enter text.
	Org	ganizati	on Name:	City of I	ittsburg
	Ma	- iling Ad	dress: <u>20</u>	o Rusk S	city, State, Zip Code: <u>Pittsburg, TX, 75686</u>
	Pho	one No.:	903-856-	<u>3621</u>	E-mail Address: city.secretary@pittsburgtx.gov
D.	Pul	blic Vie	wing Info	rmatio	1
			ity or outf st be prov		ated in more than one county, a public viewing place for each
	Pul	olic buil	ding nam	e: <u>Pittsb</u>	<u>ırg City Hall</u>
	Loc	cation w	ithin the	building	: <u>Front of Building near entry</u>
	Phy	ysical A	ddress of	Buildin	g: <u>200 Rusk St.</u>
	Cit	y: <u>Pittsb</u>	urg		County: <u>Camp</u>
	Coı	ntact (La	ast Name,	First Na	me): <u>Fuentes, Maricela</u>
	Pho	one No.:	903-856-	<u>3621</u> Ext	: Click to enter text.
E.	Bili	ingual N	Notice Re	quireme	ents
					d for <b>new, major amendment, minor amendment or minor</b> applications.
	be	needed.		e instru	on is only used to determine if alternative language notices will ctions on publishing the alternative language notices will be in
	obt				coordinator at the nearest elementary and middle schools and ation to determine whether an alternative language notices are
	1.		•		program required by the Texas Education Code at the elementary to the facility or proposed facility?
			Yes	$\boxtimes$	No
		If <b>no</b> , p below.	ublicatio	n of an a	lternative language notice is not required; <b>skip to</b> Section 9
	2.				end either the elementary school or the middle school enrolled in ogram at that school?

No

Yes

	3.	Do the locatio	students at n?	these	schools a	attend a	a bilingua	ıl educa	tion prog	gram at	another
			Yes	$\boxtimes$	No						
	4.		the school l out of this							gram b	out the school has
			Yes	$\boxtimes$	No						
	5.		nswer is <b>ye</b> ed. Which la	_							tive language are
F.	Pla	ain Lang	guage Sumn	nary T	Template						
	Co	mplete	the Plain La	nguag	ge Summa	ry (TCF	Q Form 2	20972) a	ınd inclu	de as a	n attachment.
	At	tachme	nt: <u>2</u>								
G.	Pu	blic Inv	olvement P	lan F	orm						
											plication for a
		-	iit or major	amen	dment to	a pern	<b>nit</b> and in	clude a	s an attac	chment	t.
	At	tachme	nt: <u>N/A</u>								
Se	ct	on 9.	Regulat	ted I	Entity a	nd Pe	rmitted	l Site	Inform	ation	(Instructions
50	.Ct	on J.	Page 29		intity a	na i c	mucc	i Sitt i		ation	(mistractions
Α.				regul	ated by T	CEQ, pr	ovide the	Regula	ted Entit	y Num	ber (RN) issued to
			TCEQ's Cer currently re				/www15.	tceq.tex	as.gov/cı	<u>rpub/</u> t	to determine if
B.	Na	me of p	roject or sit	e (the	name kn	own by	the com	munity	where loo	cated):	
	<u>Dr</u>	<u>y Creek V</u>	Wastewater T	<u>`reatm</u>	<u>ent Plan</u>						
C.	Ov	vner of	treatment fa	acility	City of Pit	tsburg					
	Ov	vnership	of Facility:	$\boxtimes$	Public		Private		Both		Federal
D.	Ov	vner of l	land where t	treatn	nent facili	ty is or	will be:				
	Pre	efix: Clic	ck to enter t	ext.	Las	t Name	, First Na	me: Clic	ck to ente	er text.	
	Tit	le: Click	k to enter te	xt.	Cre	dential	: Click to	enter te	ext.		
	Or	ganizati	ion Name: <u>C</u>	ity of 1	Pittsburg						
	Ma	iling Ac	ddress: <u>200 l</u>	Rusk S	<u>t.</u>	1	City, State	e, Zip C	ode: <u>Pitts</u>	<u>burg, T</u>	<u>X, 75686</u>
	Ph	one No.	: <u>903-856-36</u>	21	E-1	nail Ad	dress: <u>cit</u>	<u>y.secreta</u>	ıry@pittsb	ourgtx.g	<u>gov</u>
			lowner is no t or deed red						or co-ap	plicant	t, attach a lease
		Attach	ment: Click	to en	ter text.						

	Prefix: <u>N/A</u>	Last Name, First Name: Click to enter text.
	Title: Click to enter text.	Credential: Click to enter text.
	Organization Name: Click to ent	er text.
	Mailing Address: Click to enter t	ext. City, State, Zip Code: Click to enter text.
	Phone No.: Click to enter text.	E-mail Address: Click to enter text.
	If the landowner is not the same agreement or deed recorded eas	e person as the facility owner or co-applicant, attach a lease ement. See instructions.
	Attachment: Click to enter to	ext.
F.	Owner sewage sludge disposal s property owned or controlled by	ite (if authorization is requested for sludge disposal on the applicant)::
	Prefix: <u>N/A</u>	Last Name, First Name: Click to enter text.
	Title: Click to enter text.	Credential: Click to enter text.
	Organization Name: Click to ent	er text.
	Mailing Address: Click to enter t	ext. City, State, Zip Code: Click to enter text.
	Phone No.: Click to enter text.	E-mail Address: Click to enter text.
	If the landowner is not the same agreement or deed recorded eas	e person as the facility owner or co-applicant, attach a lease ement. See instructions.
	Attachment: Click to enter to	ext.
_	1 10 EDDECDI I	
Se	ection 10. TPDES Dischar	ge Information (Instructions Page 31)
		ge Information (Instructions Page 31) lity location in the existing permit accurate?
		<u> </u>
	Is the wastewater treatment faci	<u> </u>
	Is the wastewater treatment faci   ✓ Yes   ✓ No	lity location in the existing permit accurate?
A.	Is the wastewater treatment facions in the wastewater treatment facions in the second	lity location in the existing permit accurate?  on, please give an accurate description:
A.	Is the wastewater treatment facing Yes  No  No  If no, or a new permit application Click to enter text.	lity location in the existing permit accurate?
A.	Is the wastewater treatment facions in the wastewater treatment facions in the second	lity location in the existing permit accurate?  on, please give an accurate description:
A.	Is the wastewater treatment facing  ✓ Yes ☐ No  If no, or a new permit application  Click to enter text.  Are the point(s) of discharge and  ✓ Yes ☐ No  If no, or a new or amendment permit application	lity location in the existing permit accurate?  on, please give an accurate description:
A.	Is the wastewater treatment facing  ✓ Yes □ No  If no, or a new permit application of the point (s) of discharge and waste of the point (s) of discharge and the discharge an	on, please give an accurate description:  d the discharge route(s) in the existing permit correct?  permit application, provide an accurate description of the
A.	Is the wastewater treatment facing  ✓ Yes ☐ No  If no, or a new permit application of discharge and the discharge and t	on, please give an accurate description:  d the discharge route(s) in the existing permit correct?  permit application, provide an accurate description of the
A.	Is the wastewater treatment facing  ✓ Yes ☐ No  If no, or a new permit application of discharge and the discharge and t	on, please give an accurate description:  d the discharge route(s) in the existing permit correct?  permit application, provide an accurate description of the earge route to the nearest classified segment as defined in 30
A.	Is the wastewater treatment facion Yes □ No  If no, or a new permit application Click to enter text.  Are the point(s) of discharge and Yes □ No  If no, or a new or amendment property point of discharge and the discharge TAC Chapter 307:  Click to enter text.	on, please give an accurate description:  d the discharge route(s) in the existing permit correct?  permit application, provide an accurate description of the large route to the nearest classified segment as defined in 30 arguments.
A.	Is the wastewater treatment facing  Yes □ No  If no, or a new permit application of the content text.  Are the point(s) of discharge and the point of discharge and the disch	lity location in the existing permit accurate?  on, please give an accurate description:  d the discharge route(s) in the existing permit correct?  permit application, provide an accurate description of the large route to the nearest classified segment as defined in 30 arguments are located: Camp  discharge to a city, county, or state highway right-of-way, or

**E.** Owner of effluent disposal site:

	If <b>yes</b> , indicate by a check mark if:
	$\square$ Authorization granted $\square$ Authorization pending
	For <b>new and amendment</b> applications, provide copies of letters that show proof of contact and the approval letter upon receipt.
	Attachment: N/A
D.	For all applications involving an average daily discharge of 5 MGD or more, provide the names of all counties located within 100 statute miles downstream of the point(s) of discharge: $N/A$
Se	ection 11. TLAP Disposal Information (Instructions Page 32)
Α.	For TLAPs, is the location of the effluent disposal site in the existing permit accurate?
	□ Yes □ No
	If <b>no, or a new or amendment permit application</b> , provide an accurate description of the disposal site location:
	Click to enter text.
B.	City nearest the disposal site: Click to enter text.
C.	County in which the disposal site is located: Click to enter text.
D.	For <b>TLAPs</b> , describe the routing of effluent from the treatment facility to the disposal site:
	Click to enter text.
E.	For <b>TLAPs</b> , please identify the nearest watercourse to the disposal site to which rainfall
	runoff might flow if not contained: Click to enter text.
So	ection 12 Miscellaneous Information (Instructions Page 22)
	ection 12. Miscellaneous Information (Instructions Page 32)
Α.	Is the facility located on or does the treated effluent cross American Indian Land?
	□ Yes ⊠ No
В.	If the existing permit contains an onsite sludge disposal authorization, is the location of the sewage sludge disposal site in the existing permit accurate?
	□ Yes ⊠ No □ Not Applicable
	If No, or if a new onsite sludge disposal authorization is being requested in this permit application, provide an accurate location description of the sewage sludge disposal site.
	Click to enter text.

C.	Did any person formerly employed by the TCEQ represent your company and get paid for service regarding this application?
	□ Yes ⊠ No
	If yes, list each person formerly employed by the TCEQ who represented your company and was paid for service regarding the application: Click to enter text.
D.	Do you owe any fees to the TCEQ?
	□ Yes ⊠ No
	If <b>yes</b> , provide the following information:
	Account number: Click to enter text.
	Amount past due: Click to enter text.
E.	Do you owe any penalties to the TCEQ?
	□ Yes ⊠ No
	If <b>yes</b> , please provide the following information:
	Enforcement order number: Click to enter text.
	Amount past due: Click to enter text.
Se	ection 13. Attachments (Instructions Page 33)
Inc	dicate which attachments are included with the Administrative Report. Check all that apply:
Ind	dicate which attachments are included with the Administrative Report. Check all that apply:  Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant.
	Lease agreement or deed recorded easement, if the land where the treatment facility is
	Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant.  Original full-size USGS Topographic Map with the following information:  • Applicant's property boundary
	Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant.  Original full-size USGS Topographic Map with the following information:  • Applicant's property boundary  • Treatment facility boundary  • Labeled point of discharge for each discharge point (TPDES only)
	Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant.  Original full-size USGS Topographic Map with the following information:  • Applicant's property boundary  • Treatment facility boundary  • Labeled point of discharge for each discharge point (TPDES only)  • Highlighted discharge route for each discharge point (TPDES only)
	Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant.  Original full-size USGS Topographic Map with the following information:  • Applicant's property boundary  • Treatment facility boundary  • Labeled point of discharge for each discharge point (TPDES only)
	Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant.  Original full-size USGS Topographic Map with the following information:  • Applicant's property boundary  • Treatment facility boundary  • Labeled point of discharge for each discharge point (TPDES only)  • Highlighted discharge route for each discharge point (TPDES only)  • Onsite sewage sludge disposal site (if applicable)  • Effluent disposal site boundaries (TLAP only)  • New and future construction (if applicable)
	Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant.  Original full-size USGS Topographic Map with the following information:  • Applicant's property boundary  • Treatment facility boundary  • Labeled point of discharge for each discharge point (TPDES only)  • Highlighted discharge route for each discharge point (TPDES only)  • Onsite sewage sludge disposal site (if applicable)  • Effluent disposal site boundaries (TLAP only)  • New and future construction (if applicable)  • 1 mile radius information
	Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant.  Original full-size USGS Topographic Map with the following information:  • Applicant's property boundary  • Treatment facility boundary  • Labeled point of discharge for each discharge point (TPDES only)  • Highlighted discharge route for each discharge point (TPDES only)  • Onsite sewage sludge disposal site (if applicable)  • Effluent disposal site boundaries (TLAP only)  • New and future construction (if applicable)  • 1 mile radius information
	Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant.  Original full-size USGS Topographic Map with the following information:  • Applicant's property boundary  • Treatment facility boundary  • Labeled point of discharge for each discharge point (TPDES only)  • Highlighted discharge route for each discharge point (TPDES only)  • Onsite sewage sludge disposal site (if applicable)  • Effluent disposal site boundaries (TLAP only)  • New and future construction (if applicable)  • 1 mile radius information  • 3 miles downstream information (TPDES only)
	Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant.  Original full-size USGS Topographic Map with the following information:  • Applicant's property boundary  • Treatment facility boundary  • Labeled point of discharge for each discharge point (TPDES only)  • Highlighted discharge route for each discharge point (TPDES only)  • Onsite sewage sludge disposal site (if applicable)  • Effluent disposal site boundaries (TLAP only)  • New and future construction (if applicable)  • 1 mile radius information  • 3 miles downstream information (TPDES only)  • All ponds.
	Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant.  Original full-size USGS Topographic Map with the following information:  • Applicant's property boundary  • Treatment facility boundary  • Labeled point of discharge for each discharge point (TPDES only)  • Highlighted discharge route for each discharge point (TPDES only)  • Onsite sewage sludge disposal site (if applicable)  • Effluent disposal site boundaries (TLAP only)  • New and future construction (if applicable)  • 1 mile radius information  • 3 miles downstream information (TPDES only)  • All ponds.  Attachment 1 for Individuals as co-applicants

## Section 14. Signature Page (Instructions Page 34)

If co-applicants are necessary, each entity must submit an original, separate signature page.

Permit Number: WQ0010250002

Applicant: <u>City of Pittsburg</u>

Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

I further certify that I am authorized under 30 Texas Administrative Code  $\S$  305.44 to sign and submit this document, and can provide documentation in proof of such authorization upon request.

Signatory name (typed or printed): <u>David Abernathy</u>
Signatory title: Mayor
Signature: David Outly Date: 08/29/2025  (Use blue ink)
Subscribed and Sworn to before me by the said David Abern athy
on this 29 day of lugust , 20 25.
My commission expires on the $3$ day of $Max = 10$ , $20 29$ .
MARICELA FUENTES NOTARY PUBLIC STATE OF TEXAS ID #129058133 MY COMM. EXP. MAY 3, 2029  [SEAL]
County, Texas

## DOMESTIC WASTEWATER PERMIT APPLICATION SUPPLEMENTAL PERMIT INFORMATION FORM (SPIF)

This form applies to TPDES permit applications only. Complete and attach the Supplemental Permit information Form (SPIF) (TCEQ Form 20971).

Attachment: 3



## **TCEQ Core Data Form**

For detailed instructions on completing this form, please read the Core Data Form Instructions or call 512-239-5175.

## **SECTION I: General Information**

**1. Reason for Submission** (If other is checked please describe in space provided.)

_											
☐ New Pern	nit, Registra	tion or Authorization	n (Core Data Form	should be s	submitte	ed witi	h the prog	ram application.)			
Renewal	Renewal (Core Data Form should be submitted with the renewal form)							☐ Other			
2. Customer	Reference	Number (if issued)	_	Follow this li			3. Re	gulated Entity F	Reference	Number (if	issued)
CN 6006879	58			Central R	Registry*	**	RN 1	101612992			
ECTIO	N II: (	Customer	<u>Inform</u>	ation	<u>1</u>						
4. General Cu	istomer In	formation	5. Effective D	Date for Cu	ustome	r Info	rmation	<b>Updates</b> (mm/d	d/yyyy)		8/17/2025
☐ New Custor	mer		Update to Custon	ner Informa	tion		Char	nge in Regulated E	ntity Own	ership	
Change in L	egal Name (	Verifiable with the Te	=			ptrolle	_		•	•	
The Customo	r Namo cu	bmitted here may	he undated an	tometical	ly hasa	d on	what is s	urrent and acti	uo with t	he Tevas Sas	retary of State
		oller of Public Acco	-	tomatican	iy buse	u on	what is c	urrent una acti	ve with ti	ie iekus seci	retury of State
6. Customer	Legal Nam	e (If an individual, pr	rint last name firs	t: eg: Doe, J	lohn)			If new Custome	er, enter pr	evious Custom	ner below:
City of Pittsbur	g										
7. TX SOS/CPA Filing Number 8. TX Sta			8. TX State T	te Tax ID (11 digits)			9. Federal Tax ID (9 digits)		10. DUNS applicable)	Number (if	
11. Type of C	ustomer:	☐ Corpora	ation				Individ	dual	Partne	ership: 🔲 Ger	neral  Limited
Government:	☑ City ☐ C	County 🔲 Federal 🗀	Local State	Other			☐ Sole Proprietorship ☐ Other:				
12. Number o	of Employe	ees						13. Independ	ently Ow	ned and Op	erated?
□ 0-20 🖂 2	21-100	] 101-250   251	l-500 🔲 501 a	nd higher				☐ Yes	⊠ No		
14. Customer	Role (Prop	posed or Actual) – as	it relates to the R	Regulated Er	ntity list	ed on	this form.	Please check one	of the follo	owing	
Owner Occupation	al Licensee	Operator Responsible Pa		ner & Opera CP/BSA App				☐ Othe	er:		
15. Mailing	200 Rusk	St.									
Address:		I		T	1		T =	T =====		T	T
	City	Pittsburg		State	TX		ZIP	75686		ZIP + 4	
16. Country I	Mailing Inf	ormation (if outside	USA)			17.	E-Mail A	ddress (if applica	ıble)		
						city.	secretary(	pittsburgtx.gov			

TCEQ-10400 (11/22) Page 1 of 3

18. Telephone Number	19. Extension or Code	20. Fax Number (if applicable)
( 903 ) 856-3621		( 903 ) 856-0544

## **SECTION III: Regulated Entity Information**

**21. General Regulated Entity Information** (If 'New Regulated Entity" is selected, a new permit application is also required.)

☐ New Regulated Entity	☐ New Regulated Entity ☐ Update to Regulated Entity Name ☐ Update to Regulated Entity Information								
The Regulated Entity Nan as Inc, LP, or LLC).	ne submitte	d may be updat	ted, in order to me	et TCEQ Cor	e Data Stan	dards (re	moval of or	ganization	al endings such
22. Regulated Entity Nam	<b>e</b> (Enter nan	ne of the site wher	e the regulated action	n is taking pla	rce.)				
Dry Creek Wastewater Treatr	nent Plant								
23. Street Address of the Regulated Entity:									
(No PO Boxes)	City		State		ZIP			ZIP + 4	
24. County	Camp Cour	ty	-	'	1	'	'		
		If no Stree	et Address is provid	ded, fields 2	5-28 are red	quired.			
25. Description to	located app	roximately 1.3 mil	les southeast of the ir	ntersection of	Arch Davis R	oad and La	afavette Stree	t in the sout	heast section of the
Physical Location:		burg, Camp Count					,,		
26. Nearest City						State		Nea	rest ZIP Code
Pittsburg						TX		7568	66
Latitude/Longitude are re	equired and	may be added/	/updated to meet 1	TCEQ Core D	ata Standa	rds. (Geo	coding of th	e Physical	Address may be
used to supply coordinate	es where no	ne have been p	rovided or to gain	accuracy).					
27. Latitude (N) In Decima	al:	32.9743		28. L	ongitude (W	/) In Decii	mal:	-94.9436	
Degrees	Minutes		Seconds	Degre	es	N	linutes		Seconds
29. Primary SIC Code	30.	Secondary SIC	Code	31. Primai	y NAICS Co	de	32. Seco	ndary NAIC	CS Code
(4 digits)	(4 c	ligits)		(5 or 6 digi	(5 or 6 digits) (5 or 6 digits)				
4952				22132					
33. What is the Primary B	susiness of	this entity? (Do	o not repeat the SIC o	r NAICS descr	iption.)				
Municipal Wastewater Treatr	nent Facility								
24 84 110 -	200 Rusk	St.							
34. Mailing									
Address:		T		1					
	City	Pittsburg	State	TX	ZIP	75686		ZIP + 4	
	City								
35. E-Mail Address:		.secretary@pittsb	ourgtx.gov						
35. E-Mail Address:  36. Telephone Number		secretary@pittsb	ourgtx.gov  37. Extension or	Code	38. Fa	ax Numbe	e <b>r</b> (if applicab	ole)	
		secretary@pittsb		Code	T	9x Numbe	er (if applicab	ole)	

TCEQ-10400 (11/22) Page 2 of 3

_		mbers Check all Progr ructions for additional		its/registration	numb	ers that will be affected l	by the updates submitted on this
☐ Dam Safety		Districts	Edwards Aquifer		Em	issions Inventory Air	☐ Industrial Hazardous Waste
		☐ New Source					
☐ Municipal Sc	olid Waste	Review Air	OSSF		☐ Pet	roleum Storage Tank	PWS
Sludge		Storm Water	☐ Title V Air		☐ Tire	es	Used Oil
☐ Voluntary Cl	eanup		☐ Wastewater Agric	ulture	☐ Wa	ter Rights	Other:
SECTION	I IV: Pı	reparer In	<u>formation</u>				
40. Name:	Erin Crafton			41. Title:	Vi	ice President	
42. Telephone Number 43. Ext./Code			44. Fax Number 45. E-Mail Address			Iress	
( 903 ) 668-4133			( 903 ) 668-1095	awwsinc@gmail.com		.com	
<b>6.</b> By my signature	e below, I certi			· ·		· ·	e, and that I have signature authoritentified in field 39.
Company:	City of P	ittsburg		Job Title:		Preparer	
Name (In Print):	Erin Craf	fton		•	'	Phone:	( 903 ) 668- <b>4133</b>
Signature: Gir all			5NO				9/5/2025

TCEQ-10400 (11/22) Page 3 of 3



## TEXAS COMMISSION ON ENVIRONMENTAL QUALITY


## SUMMARY OF APPLICATION IN PLAIN LANGUAGE FOR TPDES OR TLAP PERMIT APPLICATIONS

# Summary of Application (in plain language) Template and Instructions for Texas Pollutant Discharge Elimination System (TPDES) and Texas Land Application (TLAP) Permit Applications

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 TAC Chapter 39. The information provided in this summary may change during the technical review of the application and is not a federal enforceable representation of the permit application.

The City of Pittsburg (CN600687958) operates the Dry Creek wastewater treatment plant (RN101612992), a complete mix aeration basin without sludge recycling followed by two stabilization ponds. The facility is located at approximately 1.3 miles southeast of the intersection of Arch Davis Road and Lafayette Street, in Pittsburg, Camp County, Texas 75686. This application is for a renewal to discharge at an annual average flow of 200,000 gallons per day of treated domestic wastewater via Outfall 001.

Discharges from the facility are expected to contain five-day carbonaceous biochemical oxygen demand (CBOD5), total suspended solids (TSS), ammonia nitrogen (NH3-N), and Escherichia coli. Additional pollutants are included in the Domestic Technical Report 1.0, Section 7 Pollutant Analysis of Treated Effluent in the permit application package. Domestic Wastewater is treated by a complete mix aeration basin and the treatment units include two stabilization ponds and a wet weather holding basin.



## TEXAS COMMISSION ON ENVIRONMENTAL QUALITY SUPPLEMENTAL PERMIT INFORMATION FORM (SPIF)

## FOR AGENCIES REVIEWING DOMESTIC OR INDUSTRIAL TPDES WASTEWATER PERMIT APPLICATIONS

T	CEQ USE ONLY:
A	pplication type:RenewalMajor AmendmentMinor AmendmentNew
Co	ounty: Segment Number:
	dmin Complete Date:
A	gency Receiving SPIF:
	Texas Historical Commission U.S. Fish and Wildlife
	Texas Parks and Wildlife Department U.S. Army Corps of Engineers
Thi	is form applies to TPDES permit applications only. (Instructions, Page 53)
our is n	mplete this form as a separate document. TCEQ will mail a copy to each agency as required by agreement with EPA. If any of the items are not completely addressed or further information needed, we will contact you to provide the information before issuing the permit. Address the item completely.
atta app con ma	not refer to your response to any item in the permit application form. Provide each achment for this form separately from the Administrative Report of the application. The olication will not be declared administratively complete without this SPIF form being applicated in its entirety including all attachments. Questions or comments concerning this form y be directed to the Water Quality Division's Application Review and Processing Team by ail at <a href="https://www.wc.ac.no.ingline.com/wc-ac.ed/">WQ-ARPTeam@tceq.texas.gov</a> or by phone at (512) 239-4671.
The	e following applies to all applications:
1.	Permittee: <u>City of Pittsburg</u>
	Permit No. WQ00 <u>10250002</u> EPA ID No. TX <u>0025445</u>
	Address of the project (or a location description that includes street/highway, city/vicinity, and county):
	Located approximately 1.3 miles southeast of the intersection of Arch Davis Road and Lafayette Street in the southeast section of the City of Pittsburg, Camp County.

	e the name, address, phone and fax number of an individual that can be contacted to a specific questions about the property.
Prefix (	(Mr., Ms., Miss): <u>Ms.</u>
First ar	nd Last Name: <u>Maricela Fuentes</u>
Creden	ntial (P.E, P.G., Ph.D., etc.):
Title: C	City Secretary
Mailing	g Address: <u>200 Rusk St.</u>
City, St	tate, Zip Code: <u>Pittsburg, TX 75686</u>
Phone	No.: <u>903-856-3621</u> Ext.: Fax No.: <u>903-856-0544</u>
E-mail	Address: <u>city.secretary@pittsburgtx.gov</u>
List the	e county in which the facility is located: <u>Camp</u>
	property is publicly owned and the owner is different than the permittee/applicant,
	list the owner of the property.  The owner is the same as the permittee/applicant.
	e a description of the effluent discharge route. The discharge route must follow the flow
	ent from the point of discharge to the nearest major watercourse (from the point of rge to a classified segment as defined in 30 TAC Chapter 307). If known, please identify
	ssified segment number.
	y Creek; thence to Big Cypress Creek Below Lake Bob Sandlin in Segment No. 0404 of
the Cy	ypress Creek Basin.
plotted route f	provide a separate 7.5-minute USGS quadrangle map with the project boundaries and a general location map showing the project area. Please highlight the discharge from the point of discharge for a distance of one mile downstream. (This map is ed in addition to the map in the administrative report).
Provide	e original photographs of any structures 50 years or older on the property.
Does y	our project involve any of the following? Check all that apply.
	Proposed access roads, utility lines, construction easements
	Visual effects that could damage or detract from a historic property's integrity
	Vibration effects during construction or as a result of project design
	Additional phases of development that are planned for the future
	Sealing caves, fractures, sinkholes, other karst features


2.3.


4.

5.

1.	List proposed construction impact (surface acres to be impacted, depth of excavation, sealing of caves, or other karst features):
	N/A
2.	Describe existing disturbances, vegetation, and land use:
	$\frac{N/A}{}$
тц	E FOLLOWING ITEMS APPLY ONLY TO APPLICATIONS FOR NEW TPDES PERMITS AND MAJOR
	ENDMENTS TO TPDES PERMITS
3.	List construction dates of all buildings and structures on the property:
	N/A
4.	Provide a brief history of the property, and name of the architect/builder, if known.
	N/A

Disturbance of vegetation or wetlands





# THI THOMMENTAL OUT IN

## TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

## DOMESTIC WASTEWATER PERMIT APPLICATION TECHNICAL REPORT 1.0

For any questions about this form, please contact the Domestic Wastewater Permitting Team at 512-239-4671.

The following information is required for all renewal, new, and amendment applications.

## Section 1. Permitted or Proposed Flows (Instructions Page 43)

### A. Existing/Interim I Phase

Design Flow (MGD): <u>0.20</u>

2-Hr Peak Flow (MGD): <u>0.50</u>

Estimated construction start date: Click to enter text.

Estimated waste disposal start date: 1/1/1971

### B. Interim II Phase

Design Flow (MGD): Click to enter text.

2-Hr Peak Flow (MGD): Click to enter text.

Estimated construction start date: <u>Click to enter text.</u>

Estimated waste disposal start date: Click to enter text.

#### C. Final Phase

Design Flow (MGD): <u>0.20</u>

2-Hr Peak Flow (MGD): <u>0.50</u>

Estimated construction start date: Click to enter text.

Estimated waste disposal start date: 1/1/1971

### D. Current Operating Phase

Provide the startup date of the facility: 1/1/1971

## Section 2. Treatment Process (Instructions Page 43)

### A. Current Operating Phase

Provide a detailed description of the treatment process. **Include the type of treatment plant, mode of operation, and all treatment units.** Start with the plant's head works and

finish with the point of discharge. Include all sludge processing and drying units. **If more than one phase exists or is proposed, a description of** *each phase* **must be provided**.

Influent lift station, bar screening, wet weather holding basin, complete mix aeration basin without sludge recycling, followed by two stabilization ponds. Sludge solids are retained in the ponds for long term stabilization.

#### **B.** Treatment Units

In Table 1.0(1), provide the treatment unit type, the number of units, and dimensions (length, width, depth) of each treatment unit, accounting for *all* phases of operation.

#### Table 1.0(1) - Treatment Units

Treatment Unit Type	Number of Units	Dimensions (L x W x D)
Influent lift station	1	350 gpm capacity
Aeration Basin	1	0.265 million gallons
Stabilization Pond 1	1	3 acres
Stabilization Pond 2	1	3 acres
Wet Weather Holding Basin	1	1.4 million gallons

### C. Process Flow Diagram

Provide flow diagrams for the existing facilities and **each** proposed phase of construction.

**Attachment**: Attachment 3

## Section 3. Site Information and Drawing (Instructions Page 44)

Provide the TPDES discharge outfall latitude and longitude. Enter N/A if not applicable.

• Latitude: <u>32.9743</u>

• Longitude: -94.9436

Provide the TLAP disposal site latitude and longitude. Enter N/A if not applicable.

• Latitude: <u>Click to enter text.</u>

• Longitude: <u>Click to enter text.</u>

Provide a site drawing for the facility that shows the following:

- The boundaries of the treatment facility;
- The boundaries of the area served by the treatment facility;
- If land disposal of effluent, the boundaries of the disposal site and all storage/holding ponds; and
- If sludge disposal is authorized in the permit, the boundaries of the land application or disposal site.

Attachment: Attachment 4

City of Pittsburg		served by the treatmen	it racinty.
Collection System Information each <b>uniquely owned</b> collection systems. <b>examples.</b>	tion system, existi	ng and new, served by t	his facility, including
Collection System Information			
Collection System Name	Owner Name	Owner Type	Population Served
		Choose an item.	
years of being authorized by  Yes No  If yes, provide a detailed dis Failure to provide sufficien recommending denial of th	scussion regarding	y result in the Executiv	
n/a	P		
Section 5. Closure P	Plans (Instruct	ons Page 45)	
Have any treatment units be out of service in the next fiv	en taken out of se		ill any units be taken

If yes, was a closure plan submitted to the TCEQ?

Yes 🗵 No

	$\square$ Yes $\square$ No res, provide a brief description of the closure and the date of plan approval.
n/s	
Sec	ction 6. Permit Specific Requirements (Instructions Page 45)
For	applicants with an existing permit, check the Other Requirements or Special visions of the permit.
A.	Summary transmittal
	Have plans and specifications been approved for the existing facilities and each proposed phase?
	⊠ Yes □ No
	If yes, provide the date(s) of approval for each phase: unknown
	Provide information, including dates, on any actions taken to meet a <i>requirement or provision</i> pertaining to the submission of a summary transmittal letter. <b>Provide a copy of</b> an approval letter from the TCEQ, if applicable.
	n/a
В.	Buffer zones
	Have the buffer zone requirements been met?
	□ Yes ⊠ No
	Provide information below, including dates, on any actions taken to meet the conditions of the buffer zone. If available, provide any new documentation relevant to maintaining the buffer zones.
	Click to enter text.

	su	bes the <i>Other Requirements</i> or <i>Special Provisions</i> section in the existing permit require bmission of any other information or other required actions? Examples include tification of Completion, progress reports, soil monitoring data, etc.
		□ Yes ⊠ No
		yes, provide information below on the status of any actions taken to meet the nditions of an <i>Other Requirement</i> or <i>Special Provision</i> .
	n,	/a
D	Cr	it and greace treatment
υ.		it and grease treatment  Acceptance of grit and grease waste
		Does the facility have a grit and/or grease processing facility onsite that treats and decants or accepts transported loads of grit and grease waste that are discharged directly to the wastewater treatment plant prior to any treatment?
		□ Yes ⊠ No
		If No, stop here and continue with Subsection E. Stormwater Management.
	<i>2.</i>	Grit and grease processing
		Describe below how the grit and grease waste is treated at the facility. In your description, include how and where the grit and grease is introduced to the treatment works and how it is separated or processed. Provide a flow diagram showing how grit and grease is processed at the facility.
		Click to enter text.
	<i>3.</i>	Grit disposal
		Does the facility have a Municipal Solid Waste (MSW) registration or permit for grit disposal?
		□ Yes □ No
		<b>If No</b> , contact the TCEQ Municipal Solid Waste team at 512-239-2335. Note: A registration or permit is required for grit disposal. Grit shall not be combined with treatment plant sludge. See the instruction booklet for additional information on grit disposal requirements and restrictions.

C. Other actions required by the current permit

		Describe the method of grit disposal.
		Click to enter text.
	4.	Grease and decanted liquid disposal
		Note: A registration or permit is required for grease disposal. Grease shall not be combined with treatment plant sludge. For more information, contact the TCEQ Municipal Solid Waste team at 512-239-2335.
		Describe how the decant and grease are treated and disposed of after grit separation.
		Click to enter text.
E.	Sto	ormwater management
	1.	Applicability
		Does the facility have a design flow of 1.0 MGD or greater in any phase?
		□ Yes ⊠ No
		Does the facility have an approved pretreatment program, under 40 CFR Part 403?
		□ Yes ⊠ No
		If no to both of the above, then skip to Subsection F, Other Wastes Received.
	2.	MSGP coverage
		Is the stormwater runoff from the WWTP and dedicated lands for sewage disposal currently permitted under the TPDES Multi-Sector General Permit (MSGP), TXR050000?
		□ Yes □ No
		<b>If yes</b> , please provide MSGP Authorization Number and skip to Subsection F, Other Wastes Received:
		TXR05 Click to enter text. or TXRNE Click to enter text.
		If no, do you intend to seek coverage under TXR050000?
		□ Yes □ No
	3.	Conditional exclusion
		Alternatively, do you intend to apply for a conditional exclusion from permitting based TXR050000 (Multi Sector General Permit) Part II B.2 or TXR050000 (Multi Sector General Permit) Part V, Sector T 3(b)?
		□ Yes □ No

	If yes, please explain below then proceed to Subsection F, Other Wastes Received:			
	Click to enter text.			
1	Existing coverage in individual permit			
7.	Is your stormwater discharge currently permitted through this individual TPDES or TLAP permit?			
	□ Yes □ No			
	<b>If yes</b> , provide a description of stormwater runoff management practices at the site that are authorized in the wastewater permit then skip to Subsection F, Other Wastes Received.			
	Click to enter text.			
5 <b>.</b>	Zero stormwater discharge			
	Do you intend to have no discharge of stormwater via use of evaporation or other means?			
	□ Yes □ No			
	If yes, explain below then skip to Subsection F. Other Wastes Received.			
	Click to enter text.			
	Note: If there is a potential to discharge any stormwater to surface water in the state as the result of any storm event, then permit coverage is required under the MSGP or an individual discharge permit. This requirement applies to all areas of facilities with treatment plants or systems that treat, store, recycle, or reclaim domestic sewage, wastewater or sewage sludge (including dedicated lands for sewage sludge disposal located within the onsite property boundaries) that meet the applicability criteria of above. You have the option of obtaining coverage under the MSGP for direct discharges, (recommended), or obtaining coverage under this individual permit.			
6.	Request for coverage in individual permit			
	Are you requesting coverage of stormwater discharges associated with your treatment plant under this individual permit?			
	□ Yes □ No			
	If yes, provide a description of stormwater runoff management practices at the site for which you are requesting authorization in this individual wastewater permit and describe whether you intend to comingle this discharge with your treated effluent or discharge it via a separate dedicated stormwater outfall. Please also indicate if you			

		it to water in the state.
		Click to enter text.
		Note: Direct stormwater discharges to waters in the state authorized through this individual permit will require the development and implementation of a stormwater pollution prevention plan (SWPPP) and will be subject to additional monitoring and reporting requirements. Indirect discharges of stormwater via headworks recycling will require compliance with all individual permit requirements including 2-hour peak flow limitations. All stormwater discharge authorization requests will require additional information during the technical review of your application.
F.	Di	scharges to the Lake Houston Watershed
	Do	es the facility discharge in the Lake Houston watershed?
		□ Yes ⊠ No
	- 1	yes, attach a Sewage Sludge Solids Management Plan. See Example 5 in the instructions. ick to enter text.
G.	Ot	her wastes received including sludge from other WWTPs and septic waste
	1.	Acceptance of sludge from other WWTPs
		Does or will the facility accept sludge from other treatment plants at the facility site?
		□ Yes ⊠ No
		If yes, attach sewage sludge solids management plan. See Example 5 of instructions.
		In addition, provide the date the plant started or is anticipated to start accepting sludge, an estimate of monthly sludge acceptance (gallons or millions of gallons), an
		estimate of the $BOD_5$ concentration of the sludge, and the design $BOD_5$ concentration of the influent from the collection system. Also note if this information has or has not changed since the last permit action.
		Click to enter text.
		Note: Permits that accept sludge from other wastewater treatment plants may be
		required to have influent flow and organic loading monitoring.
	<i>2.</i>	Acceptance of septic waste
		Is the facility accepting or will it accept septic waste?
		□ Yes ⊠ No
		If yes, does the facility have a Type V processing unit?
		□ Yes ⊠ No
		If yes, does the unit have a Municipal Solid Waste permit?
		□ Yes ⊠ No

If yes to any of the above, provide the date the plant started or is anticipated to start accepting septic waste, an estimate of monthly septic waste acceptance (gallons or millions of gallons), an estimate of the BOD<sub>5</sub> concentration of the septic waste, and the design BOD<sub>5</sub> concentration of the influent from the collection system. Also note if this information has or has not changed since the last permit action. Click to enter text. Note: Permits that accept sludge from other wastewater treatment plants may be required to have influent flow and organic loading monitoring. 3. Acceptance of other wastes (not including septic, grease, grit, or RCRA, CERCLA or as discharged by IUs listed in Worksheet 6) Is or will the facility accept wastes that are not domestic in nature excluding the categories listed above?  $\boxtimes$ Yes No If yes, provide the date that the plant started accepting the waste, an estimate how much waste is accepted on a monthly basis (gallons or millions of gallons), a description of the entities generating the waste, and any distinguishing chemical or other physical characteristic of the waste. Also note if this information has or has not changed since the last permit action. Click to enter text. Pollutant Analysis of Treated Effluent (Instructions Page 50)

## Section 7.

Is the facility in operation?

 $\boxtimes$ Yes No

**If no**, this section is not applicable. Proceed to Section 8.

If ves, provide effluent analysis data for the listed pollutants. Wastewater treatment *facilities* complete Table 1.0(2). *Water treatment facilities* discharging filter backwash water, complete Table 1.0(3). Provide copies of the laboratory results sheets. **These tables are not applicable for a minor amendment without renewal.** See the instructions for guidance.

Note: The sample date must be within 1 year of application submission.

Table1.0(2) - Pollutant Analysis for Wastewater Treatment Facilities

Pollutant	Average Conc.	Max Conc.	No. of Samples	Sample Type	Sample Date/Time
CBOD <sub>5</sub> , mg/l	3.80		1	G	6/2/25 @ 9:00 am
Total Suspended Solids, mg/l	21.3		1	G	6/2/25 @ 9:00 am
Ammonia Nitrogen, mg/l	0.439		1	G	6/2/25 @ 9:00 am
Nitrate Nitrogen, mg/l	<0.1		1	G	6/24/25 @ 9:00 am
Total Kjeldahl Nitrogen, mg/l	3.82		1	G	6/24/25 @ 9:00 am
Sulfate, mg/l	11.5		1	G	6/24/25 @ 9:00 am
Chloride, mg/l	25.0		1	G	6/2/25 @ 9:00 am
Total Phosphorus, mg/l	0.700		1	G	6/2/25 @ 9:00 am
pH, standard units	8.10		1	G	6/2/25 @ 9:00 am
Dissolved Oxygen*, mg/l	7.2		1	G	6/2/25 @ 9:00 am
Chlorine Residual, mg/l	<0.01		1	G	6/2/25 @ 9:00 am
<i>E.coli</i> (CFU/100ml) freshwater	25.7		1	G	6/2/25 @ 9:00 am
Entercocci (CFU/100ml) saltwater	N/A				
Total Dissolved Solids, mg/l	232		1	G	6/2/25 @ 9:00 am
Electrical Conductivity, µmohs/cm, †	N/A				
Oil & Grease, mg/l	N/A				
Alkalinity (CaCO <sub>3</sub> )*, mg/l	N/A				

<sup>\*</sup>TPDES permits only

Table1.0(3) - Pollutant Analysis for Water Treatment Facilities

Pollutant	Average Conc.	Max Conc.	No. of Samples	Sample Type	Sample Date/Time
Total Suspended Solids, mg/l	N/A				
Total Dissolved Solids, mg/l	N/A				
pH, standard units	N/A				
Fluoride, mg/l	N/A				

<sup>†</sup>TLAP permits only

Pollutant	Average Conc.	No. of Samples	Sample Type	Sample Date/Time
Aluminum, mg/l	N/A			
Alkalinity (CaCO <sub>3</sub> ), mg/l	N/A			

## Section 8. Facility Operator (Instructions Page 50)

Facility Operator Name: William K Griffis

Facility Operator's License Classification and Level: Wastewater Class C

Facility Operator's License Number: WW0064163

# Section 9. Sludge and Biosolids Management and Disposal (Instructions Page 51)

#### A. WWTP's Biosolids Management Facility Type Check all that apply. See instructions for guidance Design flow>= 1 MGD Serves $\geq$ 10,000 people Class I Sludge Management Facility (per 40 CFR § 503.9) Biosolids generator Biosolids end user – land application (onsite) Biosolids end user - surface disposal (onsite) Biosolids end user - incinerator (onsite) B. WWTP's Biosolids Treatment Process Check all that apply. See instructions for guidance. Aerobic Digestion Air Drying (or sludge drying beds) **Lower Temperature Composting** Lime Stabilization **Higher Temperature Composting Heat Drying** Thermophilic Aerobic Digestion Beta Ray Irradiation Gamma Ray Irradiation **Pasteurization** Preliminary Operation (e.g. grinding, de-gritting, blending) Thickening (e.g. gravity thickening, centrifugation, filter press, vacuum filter)

	Sludge Lagoon
	Temporary Storage (< 2 years)
	Long Term Storage (>= 2 years)
	Methane or Biogas Recovery
$\boxtimes$	Other Treatment Process: Sludge is held and stabilized in the stabilization ponds.

#### C. Biosolids Management

Provide information on the *intended* biosolids management practice. Do not enter every management practice that you want authorized in the permit, as the permit will authorize all biosolids management practices listed in the instructions. Rather indicate the management practice the facility plans to use.

#### **Biosolids Management**

Management Practice	Handler or Preparer Type	Bulk or Bag Container	Amount (dry metric tons)	Pathogen Reduction Options	Vector Attraction Reduction Option
Choose an item.	Choose an item.	Choose an item.		Choose an item.	Choose an item.
Choose an item.	Choose an item.	Choose an item.		Choose an item.	Choose an item.
Choose an item.	Choose an item.	Choose an item.		Choose an item.	Choose an item.

If "Other" is selected for Management Practice, please explain (e.g. monofill or transport to another WWTP): Click to enter text.

#### D. Disposal site

Disposal site name: n/a

TCEQ permit or registration number: <u>Click to enter text.</u>
County where disposal site is located: <u>Click to enter text.</u>

#### E. Transportation method

Method of transportation (truck, train, pipe, other): <u>Click to enter text.</u>

Name of the hauler: Click to enter text.

Hauler registration number: <u>Click to enter text.</u>

Sludge is transported as a:

Liquid  $\square$  semi-liquid  $\square$  semi-solid  $\square$  solid  $\square$ 

# Section 10. Permit Authorization for Sewage Sludge Disposal (Instructions Page 53)

#### A. Beneficial use authorization

		the exi icial us	_	permit include authorization f	for lan	ıd appli	cation	of sewage sludge for		
		Yes	$\boxtimes$	No						
	<b>If yes</b> , are you requesting to continue this authorization to land apply sewage sludge for beneficial use?									
		Yes	$\boxtimes$	No						
		<b>)</b> Form		pleted <b>Application for Permit 10451)</b> attached to this permit						
		Yes	$\boxtimes$	No						
В.	Sludg	e proc	essin	g authorization						
			_	permit include authorization fal options?	for any	y of the	follow	ring sludge processing,		
	Slu	ıdge C	ompo	osting		Yes	$\boxtimes$	No		
	Ma	ırketin	g and	l Distribution of sludge		Yes	$\boxtimes$	No		
	Slu	ıdge Sı	ırfac	e Disposal or Sludge Monofill		Yes	$\boxtimes$	No		
	Te	mpora	ry sto	orage in sludge lagoons		Yes	$\boxtimes$	No		
	autho	rizatio	n, is	ne above sludge options and the completed <b>Domestic Wast</b> e t (TCEQ Form No. 10056) attac	ewate	r Permi	t Appl	ication: Sewage Sludge		
		Yes		No						
Se	ction	11.	Sew	vage Sludge Lagoons (In	stru	ctions	Page	e 53)		
				lude sewage sludge lagoons?						
	□ Y	es 🗵	No	)						
If y	yes, co	mplete	the 1	remainder of this section. If no	, proc	eed to S	Section	12.		
A.	Locati	ion inf	orma	ation						
			_	ps are required to be submitte hment Number.	d as p	art of t	he app	lication. For each map,		
	•	Origin	nal G	eneral Highway (County) Map:						
		Attac	hmei	nt: Click to enter text.						
	•	USDA	Natu	ıral Resources Conservation Se	rvice S	Soil Ma <sub>l</sub>	p:			
		Attac	hmei	nt: Click to enter text.						
	•	Feder	al Em	nergency Management Map:						
		Attac	hmei	nt: Click to enter text.						
	•	Site n	nap:							
		Attac	hmei	nt: Click to enter text.						

	Discusapply.	s in a description if any of the following exist within the lagoon area. Check all that
		Overlap a designated 100-year frequency flood plain
		Soils with flooding classification
		Overlap an unstable area
		Wetlands
		Located less than 60 meters from a fault
		None of the above
	Att	achment: Click to enter text.
	If a poi	rtion of the lagoon(s) is located within the 100-year frequency flood plain, provide otective measures to be utilized including type and size of protective structures:
	Click	to enter text.
B.	Tempo	orary storage information
		e the results for the pollutant screening of sludge lagoons. These results are in to pollutant results in <i>Section 7 of Technical Report 1.0.</i>
	Nitı	rate Nitrogen, mg/kg: <u>Click to enter text.</u>
	Tot	al Kjeldahl Nitrogen, mg/kg: <u>Click to enter text.</u>
	Tot	al Nitrogen (=nitrate nitrogen + TKN), mg/kg: Click to enter text.
	Pho	sphorus, mg/kg: Click to enter text.
	Pot	assium, mg/kg: <u>Click to enter text.</u>
	pН,	standard units: Click to enter text.
	Am	monia Nitrogen mg/kg: <u>Click to enter text.</u>
	Ars	enic: <u>Click to enter text.</u>
	Cad	lmium: <u>Click to enter text.</u>
	Chr	omium: Click to enter text.
	Cop	oper: <u>Click to enter text.</u>
	Lea	d: <u>Click to enter text.</u>
	Mer	cury: <u>Click to enter text.</u>
	Mol	ybdenum: Click to enter text.

Total PCBs: <u>Click to enter text.</u>
Provide the following information:

Nickel: Click to enter text.

Zinc: Click to enter text.

Selenium: Click to enter text.

Volume and frequency of sludge to the lagoon(s): Click to enter text. Total dry tons stored in the lagoons(s) per 365-day period: Click to enter text. Total dry tons stored in the lagoons(s) over the life of the unit: Click to enter text. C. Liner information Does the active/proposed sludge lagoon(s) have a liner with a maximum hydraulic conductivity of 1x10<sup>-7</sup> cm/sec? Yes □ No If ves. describe the liner below. Please note that a liner is required. Click to enter text. D. Site development plan Provide a detailed description of the methods used to deposit sludge in the lagoon(s): Click to enter text. Attach the following documents to the application. • Plan view and cross-section of the sludge lagoon(s) **Attachment**: Click to enter text. • Copy of the closure plan Attachment: Click to enter text. • Copy of deed recordation for the site Attachment: Click to enter text. Size of the sludge lagoon(s) in surface acres and capacity in cubic feet and gallons Attachment: Click to enter text.

 Description of the method of controlling infiltration of groundwater and surface water from entering the site

Attachment: Click to enter text.

Procedures to prevent the occurrence of nuisance conditions

Attachment: Click to enter text.

#### E. Groundwater monitoring

	groundwater monitoring currently conducted at this site, of are any wens available for the sludge lagoon(s)?	
	□ Yes □ No	
	If groundwater monitoring data are available, provide a copy. Provide a profile of soil types encountered down to the groundwater table and the depth to the shallowest groundwater as a separate attachment.	
	Attachment: Click to enter text.	
Se	ection 12. Authorizations/Compliance/Enforcement (Instructions Page 55)	
Α.	. Additional authorizations	
	Does the permittee have additional authorizations for this facility, such as reuse authorization, sludge permit, etc?	
	□ Yes ⊠ No	
	If yes, provide the TCEQ authorization number and description of the authorization:	
(	Click to enter text.	
B.	Permittee enforcement status	
	Is the permittee currently under enforcement for this facility?	
	□ Yes ⊠ No	
	Is the permittee required to meet an implementation schedule for compliance or enforcement?	
	□ Yes ⊠ No	
	<b>If yes</b> to either question, provide a brief summary of the enforcement, the implementate schedule, and the current status:	ion
C	Click to enter text.	

# Section 13. RCRA/CERCLA Wastes (Instructions Page 55)

#### A. RCRA hazardous wastes

Has the facility received in the past three years, does it currently receive, or will it receive RCRA hazardous waste?

□ Yes ⊠ No

#### B. Remediation activity wastewater

Has the facility received in the past three years, does it currently receive, or will it receive CERCLA wastewater, RCRA remediation/corrective action wastewater or other remediation activity wastewater?

□ Yes ⊠ No

#### C. Details about wastes received

**If yes** to either Subsection A or B above, provide detailed information concerning these wastes with the application.

Attachment: Click to enter text.

# Section 14. Laboratory Accreditation (Instructions Page 56)

All laboratory tests performed must meet the requirements of 30 TAC Chapter 25, Environmental Testing Laboratory Accreditation and Certification, which includes the following general exemptions from National Environmental Laboratory Accreditation Program (NELAP) certification requirements:

- The laboratory is an in-house laboratory and is:
  - o periodically inspected by the TCEQ; or
  - o located in another state and is accredited or inspected by that state; or
  - o performing work for another company with a unit located in the same site; or
  - o performing pro bono work for a governmental agency or charitable organization.
- The laboratory is accredited under federal law.
- The data are needed for emergency-response activities, and a laboratory accredited under the Texas Laboratory Accreditation Program is not available.
- The laboratory supplies data for which the TCEQ does not offer accreditation.

The applicant should review 30 TAC Chapter 25 for specific requirements.

The following certification statement shall be signed and submitted with every application. See the Signature Page section in the Instructions, for a list of designated representatives who may sign the certification.

#### **CERTIFICATION:**

I certify that all laboratory tests submitted with this application meet the requirements of 30 TAC Chapter 25, Environmental Testing Laboratory Accreditation and Certification.

Printed Name: David Abernathy

Title: Mayor

Signature: \_\_\_

TCEQ-10054 (04/02/2024) Domestic Wastewater Permit Application Technical Report Page 18 of 66

# DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 2.0: RECEIVING WATERS

The following information is required for all TPDES permit applications.

The following information is required for an 11020 permit applications.
Section 1. Domestic Drinking Water Supply (Instructions Page 64)
Is there a surface water intake for domestic drinking water supply located within 5 miles downstream from the point or proposed point of discharge?
□ Yes ⊠ No
If <b>no</b> , proceed it Section 2. <b>If yes</b> , provide the following:
Owner of the drinking water supply: <u>Click to enter text.</u>
Distance and direction to the intake: <u>Click to enter text.</u>
Attach a USGS map that identifies the location of the intake.
Attachment: Click to enter text.
Section 2. Discharge into Tidally Affected Waters (Instructions Page 64)
Does the facility discharge into tidally affected waters?
□ Yes ⊠ No
If <b>no</b> , proceed to Section 3. <b>If yes</b> , complete the remainder of this section. If no, proceed to Section 3.
A. Receiving water outfall
Width of the receiving water at the outfall, in feet: Click to enter text.
B. Oyster waters
Are there oyster waters in the vicinity of the discharge?
□ Yes □ No
If yes, provide the distance and direction from outfall(s).
Click to enter text.
C. Sea grasses
Are there any sea grasses within the vicinity of the point of discharge?
□ Yes □ No
If yes, provide the distance and direction from the outfall(s).
Click to enter text.

## Is the discharge directly into (or within 300 feet of) a classified segment? Yes ⊠ No If yes, this Worksheet is complete. **If no**, complete Sections 4 and 5 of this Worksheet. Section 4. **Description of Immediate Receiving Waters (Instructions Page 65)** Name of the immediate receiving waters: A. Receiving water type Identify the appropriate description of the receiving waters. $\boxtimes$ Stream Freshwater Swamp or Marsh Lake or Pond Surface area, in acres: Click to enter text. Average depth of the entire water body, in feet: Click to enter text. Average depth of water body within a 500-foot radius of discharge point, in feet: Click to enter text. Man-made Channel or Ditch Open Bay Tidal Stream, Bayou, or Marsh Other, specify: Click to enter text. **B.** Flow characteristics If a stream, man-made channel or ditch was checked above, provide the following. For existing discharges, check one of the following that best characterizes the area *upstream* of the discharge. For new discharges, characterize the area *downstream* of the discharge (check one). Intermittent - dry for at least one week during most years Intermittent with Perennial Pools - enduring pools with sufficient habitat to maintain significant aquatic life uses Perennial - normally flowing Check the method used to characterize the area upstream (or downstream for new dischargers). USGS flow records Historical observation by adjacent landowners $\boxtimes$ Personal observation Other, specify: Click to enter text.

**Classified Segments (Instructions Page 64)** 

Section 3.

C.	. Downstream perennial confluences							
	List the names of all perennial streams that join the receiving water within three mile downstream of the discharge point.							
none								
D.	Downs	stream characteristics						
		receiving water characteristics change (e.g., natural or man-made dams  Yes  No	_	rithin three miles downstream of the ads, reservoirs, etc.)?				
	If yes,	discuss how.						
	Dry Cr	reek flows into Big Cypress Creek						
Ε.	Norma	l dry weather characteristics						
	Provide	e general observations of the water l	oody	during normal dry weather conditions.				
	Very lo	ow flow (only discharge); water clear wit	h soı	ne color caused by algae				
	Date a	nd time of observation: <u>6/24/2025</u> 8	:30 a	<u>m</u>				
	Was th	e water body influenced by stormwa	ıter 1	runoff during observations?				
		Yes ⊠ No						
Se	ection	5. General Characteristics Page 66)	of	the Waterbody (Instructions				
		rage 00)						
A.	Upstre	am influences						
		mmediate receiving water upstream uced by any of the following? Check		he discharge or proposed discharge site nat apply.				
		Oil field activities		Urban runoff				
		Upstream discharges	$\boxtimes$	Agricultural runoff				
		Septic tanks		Other(s), specify: Click to enter text.				

#### **B.** Waterbody uses Observed or evidences of the following uses. Check all that apply. Livestock watering Contact recreation Irrigation withdrawal Non-contact recreation Fishing **Navigation** Domestic water supply Industrial water supply Park activities Other(s), specify: C. Waterbody aesthetics Check one of the following that best describes the aesthetics of the receiving water and the surrounding area. Wilderness: outstanding natural beauty; usually wooded or unpastured area; water clarity exceptional Natural Area: trees and/or native vegetation; some development evident (from $\boxtimes$ fields, pastures, dwellings); water clarity discolored Common Setting: not offensive; developed but uncluttered; water may be colored

Offensive: stream does not enhance aesthetics; cluttered; highly developed;

or turbid

dumping areas; water discolored

# DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 6.0: INDUSTRIAL WASTE CONTRIBUTION

The following is required for all publicly owned treatment works.

## Section 1. All POTWs (Instructions Page 89)

#### A. Industrial users (IUs)

Provide the number of each of the following types of industrial users (IUs) that discharge to your POTW and the daily flows from each user. See the Instructions for definitions of Categorical IUs, Significant IUs – non-categorical, and Other IUs.

If there are no users, enter 0 (zero).
Categorical IUs:
Number of IUs: <u>o</u>
Average Daily Flows, in MGD: Click to enter text.
Significant IUs - non-categorical:
Number of IUs: <u>o</u>
Average Daily Flows, in MGD: Click to enter text.
Other IUs:
Number of IUs: <u>o</u>
Average Daily Flows, in MGD: Click to enter text.

#### B. Treatment plant interference

In the past three years,	has your POTW	experienced	treatment	plant interfer	ence (see
instructions)?					

□ Yes ⊠ No

**If yes**, identify the dates, duration, description of interference, and probable cause(s) and possible source(s) of each interference event. Include the names of the IUs that may have caused the interference.

Click t	o enter text.			

	□ Yes ⊠ No
	If yes, identify the dates, duration, a description of the pollutants passing through the treatment plant, and probable cause(s) and possible source(s) of each pass through event. Include the names of the IUs that may have caused pass through.
	Click to enter text.
D.	Pretreatment program
	Does your POTW have an approved pretreatment program?
	□ Yes ⊠ No
	If yes, complete Section 2 only of this Worksheet.
	Is your POTW required to develop an approved pretreatment program?
	□ Yes ⊠ No
	If yes, complete Section 2.c. and 2.d. only, and skip Section 3.
	If no to either question above, skip Section 2 and complete Section 3 for each significant industrial user and categorical industrial user.
Se	ction 2. POTWs with Approved Programs or Those Required to Develop a Program (Instructions Page 90)
A.	Substantial modifications
	Have there been any <b>substantial modifications</b> to the approved pretreatment program that have not been submitted to the TCEQ for approval according to <i>40 CFR §403.18</i> ?
	□ Yes □ No
	<b>If yes</b> , identify the modifications that have not been submitted to TCEQ, including the purpose of the modification.
	Click to enter text.

In the past three years, has your POTW experienced pass through (see instructions)?

C. Treatment plant pass through

		ny <b>non-substantial</b> e not been submitted							
	□ Yes □ No								
	If yes, identify all non-substantial modifications that have not been submitted to TCEQ, including the purpose of the modification.								
	Click to enter text.								
C.	Effluent paramete	ers above the MAL							
Tal		t all parameters mea the last three years ters Above the MAL							
Pe	ollutant	Concentration	MAL	Units	Date				
D.	Industrial user in	terruptions							
		or other IU caused o ass throughs) at you							
	□ Yes □ □	No							
		e industry, describe and probable polluta		luding dates, d	luration, description				
	Click to enter text.								

**B.** Non-substantial modifications


# Section 3. Significant Industrial User (SIU) Information and Categorical Industrial User (CIU) (Instructions Page 90)

Company Name: n/a  SIC Code: Click to enter text.  Contact name: Click to enter text.  Address: Click to enter text.  City, State, and Zip Code: Click to enter text.  Telephone number: Click to enter text.  Email address: Click to enter text.  B. Process information	
Contact name: Click to enter text.  Address: Click to enter text.  City, State, and Zip Code: Click to enter text.  Telephone number: Click to enter text.	
Address: Click to enter text.  City, State, and Zip Code: Click to enter text.  Telephone number: Click to enter text.  Email address: Click to enter text.	
City, State, and Zip Code: Click to enter text.  Telephone number: Click to enter text.  Email address: Click to enter text.	
Telephone number: <u>Click to enter text.</u> Email address: <u>Click to enter text.</u>	
Email address: Click to enter text.	
B. Process information	
Describe the industrial processes or other activities that affect or contribute to the or CIU(s) discharge (i.e., process and non-process wastewater).	SIU(s)
Click to enter text.	
C. Product and service information	
Provide a description of the principal product(s) or services performed.	
Click to enter text.	
D. Flow rate information	
See the Instructions for definitions of "process" and "non-process wastewater."	
Process Wastewater:	
Discharge, in gallons/day: Click to enter text.	
Discharge Type: □ Continuous □ Batch □ Intermittent	
Non-Process Wastewater:	
Discharge, in gallons/day: <u>Click to enter text.</u>	
Discharge Type: ☐ Continuous ☐ Batch ☐ Intermittent	


Pretreatment standards
Is the SIU or CIU subject to technically based local limits as defined in the <i>i</i> nstructions?
□ Yes □ No
Is the SIU or CIU subject to categorical pretreatment standards found in $40$ CFR Parts $405$ – $471$ ?
□ Yes □ No
<b>If subject to categorical pretreatment standards</b> , indicate the applicable category and subcategory for each categorical process.
Category: Subcategories: Click to enter text.
Click or tap here to enter text. Click to enter text.
Category: Click to enter text.
Subcategories: Click to enter text.
Category: Click to enter text.
Subcategories: <u>Click to enter text.</u>
Category: Click to enter text.
Subcategories: <u>Click to enter text.</u>
Category: Click to enter text.
Subcategories: <u>Click to enter text.</u>
Industrial user interruptions
Has the SIU or CIU caused or contributed to any problems (e.g., interferences, pass through, odors, corrosion, blockages) at your POTW in the past three years?
□ Yes □ No
<b>If yes</b> , identify the SIU, describe each episode, including dates, duration, description of problems, and probable pollutants.
Click to enter text.

E.

F.



### **ERIOR**





City of Pittsburg 200 Rusk St. Pittsburg Texas, 75686 Project: Monthly Report - Dry Creek

Project Number: [none]

**Reported:** 06-Sep-25 19:41

Project Manager: City of Pittsburg

#### ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled
Pittsburg Dry Creek	A506445-01	Water	02-Jun-25 09:00





City of Pittsburg

Pittsburg Texas, 75686

Project: Monthly Report - Dry Creek 200 Rusk St. Project Number: [none]

Project Manager: City of Pittsburg

Reported:

06-Sep-25 19:41

A506445-01 (Water) **Pittsburg Dry Creek** 6/2/25 9:00

Analyte	Result	Rpt Lmt	Units	Batch	Analyzed	Method	Notes
Chloride	25.0	5.00	mg/L	2534010	6/27/25 14:30	SM 4500CL G	
Chlorine Residual	ND	0.0100	mg/L	2533051	6/2/25 9:00	SM 4500CL G	CP
Field pH	8.10		pH Units	2533051	6/2/25 9:00	EPA 150.1	CP
Phosphorus	0.700	0.0192	mg/L	2523060	6/6/25 18:57	EPA 200.7	
Carbonaceous BOD	3.80	2.00	mg/L	2523007	6/3/25 14:05	SM 5210B	
<b>Total Suspended Solids</b>	21.3	1.00	mg/L	2524001	6/7/25 16:00	SM 2540 D	
Ammonia as N	0.439	0.100	mg/L	2523067	6/7/25 13:40	4500NH3D	
Field Dissolved Oxygen	7.2		mg/L	2533051	6/2/25 9:00	SM4500O G	CP
<b>Total Dissolved Solids</b>	232	10.0	mg/L	2523006	6/3/25 10:25	EPA 160.1	
E. Coli	25.7	1.00	MPN/100 mL	2523025	6/2/25 12:00	M9223BColile	



City of Pittsburg 200 Rusk St. Project: Monthly Report - Dry Creek

**Reported:** 06-Sep-25 19:41

Pittsburg Texas, 75686

Project Number: [none]

Project Manager: City of Pittsburg

#### **Total Metals by EPA 200 Series Methods - Quality Control**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 2523060 - EPA 200.7										
Blank (2523060-BLK1)	Prepared: 05-Jun-25 Analyzed: 06-Jun-25									
Phosphorus	ND	0.0192	mg/L							
Blank (2523060-BLK2)				Prepared: (	)5-Jun-25 A	nalyzed: 06	5-Jun-25			
Phosphorus	ND	0.0192	mg/L							



Pittsburg Texas, 75686

City of Pittsburg Project: Monthly Report - Dry Creek Reported:

200 Rusk St. Project Number: [none]

oject Number: [none] 06-Sep-25 19:41

Project Manager: City of Pittsburg

#### **Wet Chemistry - Quality Control**

		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 2523006 - No Prep - WetChem										
Blank (2523006-BLK1)				Prepared &	Analyzed:	03-Jun-25				
Total Dissolved Solids	ND	10.0	mg/L							
LCS (2523006-BS1)				Prepared &	Analyzed:	03-Jun-25				
Total Dissolved Solids	731	10.0	mg/L	734		99.6	85-115			
Duplicate (2523006-DUP1)	Source	e: A505419-	01	Prepared &	Analyzed:	03-Jun-25				
Total Dissolved Solids	497	10.0	mg/L		500			0.602	25	
Batch 2523007 - No Prep - WetChem										
Blank (2523007-BLK1)				Prepared &	Analyzed:	03-Jun-25				
Carbonaceous BOD	ND	2.00	mg/L							
Blank (2523007-BLK2)				Prepared &	Analyzed:	03-Jun-25				
Carbonaceous BOD	ND	2.00	mg/L	*	•					
LCS (2523007-BS1)				Prepared &	Analyzed:	03-Jun-25				
Carbonaceous BOD	188	2.00	mg/L				4.5959-115.4			
Duplicate (2523007-DUP1)	Sourc	e: A506001-	01	Prepared &	Analyzed:	03-Jun-25				
Carbonaceous BOD	ND	2.00	mg/L		ND				25	
Duplicate (2523007-DUP2)	Sourc	e: A506003-	01	Prepared &	Analyzed:	03-Jun-25				
Carbonaceous BOD	ND	2.00	mg/L		ND				25	
Batch 2523067 - No Prep - WetChem										
Blank (2523067-BLK1)				Prepared &	Analyzed:	07-Jun-25				
Ammonia as N	ND	0.100	mg/L							
LCS (2523067-BS1)				Prepared &	Analyzed:	07-Jun-25				
Ammonia as N	5.08	0.100	mg/L	5.00	•	102	85-115			
Duplicate (2523067-DUP1)	Sourc	e: A506033-	01	Prepared &	Analyzed:	07-Jun-25				
Ammonia as N	ND	0.100	mg/L	•	ND				25	
Duplicate (2523067-DUP2)	Source	e: A506104-	01	Prepared &	Analyzed:	07-Jun-25				
Ammonia as N	ND	0.100	mg/L	1	ND				25	



Pittsburg Texas, 75686

City of Pittsburg Project: Monthly Report - Dry Creek Reported:

200 Rusk St. Project Number: [none]

06-Sep-25 19:41

Project Manager: City of Pittsburg

#### **Wet Chemistry - Quality Control**

	D. I	Reporting	TT '	Spike	Source	0/DEC	%REC	DDD	RPD	N
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 2523067 - No Prep - WetChem										
Matrix Spike (2523067-MS1)	Sourc	e: A506033-	01	Prepared &	Analyzed:	07-Jun-25				
Ammonia as N	5.25	0.100	mg/L	5.00	ND	105	70-130			
Matrix Spike (2523067-MS2)	Source	e: A506104-	01	Prepared &	Analyzed:	07-Jun-25				
Ammonia as N	5.39	0.100	mg/L	5.00	ND	108	70-130			
Batch 2524001 - No Prep - WetChem										
Blank (2524001-BLK1)				Prepared &	Analyzed:	07-Jun-25				
Total Suspended Solids	ND	1.00	mg/L	*						
LCS (2524001-BS1)				Prepared &	Analyzed:	07-Jun-25				
Total Suspended Solids	73.0	1.00	mg/L	74.5		98.0	80-120			
Duplicate (2524001-DUP1)	Sourc	e: A506091-	01	Prepared &	Analyzed:	07-Jun-25				
Total Suspended Solids	45.0	1.00	mg/L	•	40.0			11.8	200	
Duplicate (2524001-DUP2)	Sourc	e: A506104-	03	Prepared &	Analyzed:	07-Jun-25				
Total Suspended Solids	46.0	1.00	mg/L	<u> </u>	47.0			2.15	200	
Batch 2534010 - No Prep - WetChem										
Blank (2534010-BLK1)				Prepared &	Analyzed:	27-Jun-25				
Chloride	ND	5.00	mg/L							
LCS (2534010-BS1)				Prepared &	Analyzed:	27-Jun-25				
Chloride	52.0	5.00	mg/L	50.0	•	104	0-200			
Duplicate (2534010-DUP1)	Sourc	e: A506445-	01	Prepared &	Analyzed:	27-Jun-25				
Chloride	26.0	5.00	mg/L		25.0			3.92	25	
Matrix Spike (2534010-MS1)	Sourc	e: A506445-	01	Prepared &	Analyzed:	27-Jun-25				
Chloride	77.0	5.00	mg/L	50.0	25.0	104	85-115			



City of Pittsburg Project: Monthly Report - Dry Creek Reported:

200 Rusk St. Project Number: [none]

Pittsburg Texas, 75686 Project Manager: City of Pittsburg

#### **Notes and Definitions**

CP Client Provided Data

DET Analyte DETECTED

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

dry Sample results reported on a dry weight basis

RPD Relative Percent Difference

SUB Subcontracted

- Field Activities for pH, Dissolved Oxygen, Residual Chlorine, and Temperature are not accredited activites.
- AWWS is not accredited for analyzing drinkingwater samples.
- QAQC may not be included for samples that will not be reported to accrediting authorities. Analyses include MLSS/MLVS and analyses for influent samples.
- NELAP Accredited.
- This report must be copied in full, unless AWWS, Inc. gives permission to do so.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

06-Sep-25 19:41



Page 1 of 1



#### **AWWS-A**

AWWS Analytical Water & Wastewater Services Inc. Arlin Braun 695 Shady Lane Hallsville, TX 75650Printed 06

06/26/2025 16:08

# **TABLE OF CONTENTS**

#### **DRY CREEK**

This report consists of this Table of Contents and the following pages:

Report Name	Description	<u>Pages</u>
1152325_r02_01_ProjectSamples	SPL Kilgore Project P:1152325 C:AWWS Project Sample Cross Reference t:304	1
1152325_r03_03_ProjectResults	SPL Kilgore Project P:1152325 C:AWWS Project Results t:304	2
1152325_r10_05_ProjectQC	SPL Kilgore Project P:1152325 C:AWWS Project Quality Control Groups	2
1152325_r99_09_CoC1_of_1	SPL Kilgore CoC AWWS 1152325_1_of_1	1
	Total Pages:	6

Email: Kilgore.ProjectManagement@spllabs.com



Report Page 1 of 7



# **SAMPLE CROSS REFERENCE**



Printed

6/26/2025

Page 1 of 1

AWWS Analytical Water & Wastewater Services Inc. Arlin Braun

695 Shady Lane Hallsville, TX 75650-

Sample	Sample ID	Taken	Time	Received
2421412	DRY CREEK EFF	06/24/2025	09:00:00	06/25/2025

Bottle 01 Polyethylene 250 mL unpres

Bottle 02 8 oz Plastic H2SO4 pH < 2

Bottle 03 Prepared Bottle: TKN TRAACS Autosampler Vial (Batch 1182243) Volume: 20.00000 mL <== Derived from 01 ( 20 ml )

Method	Bottle	PrepSet	Preparation	QcGroup	Analytical
EPA 300.0 2.1	01	1182371	06/25/2025	1182371	06/25/2025
EPA 351.2 2	03	1182243	06/26/2025	1182379	06/26/2025

Email: Kilgore.ProjectManagement@spllabs.com



#### **AWWS-A**

AWWS Analytical Water & Wastewater Services Inc. Arlin Braun 695 Shady Lane Hallsville, TX 75650-



Printed: 06/26/2025

DRY CREEK

#### **RESULTS**

				Sample	Results					
	2421412 DRY	CREEK EFF						Received:	06/25	5/2025
N	on-Potable Water	Collecto Taken:	ed by: Client 06/24/2025		analytical Wate		PO:			
E	PA 300.0 2.1		Prepared:	1182371	06/25/2025	16:06:00	Analyzed 1182371	06/25/2025	16:06:00	KR
	Parameter		Results	Uni	its RL		Flags	CAS		Bottle
LAC	Nitrate-Nitrogen Total	l	<0.1	mg/	<b>L</b> 0.1			14797-55-8		01
LAC	Sulfate		11.5	mg/	<b>L</b> 3.00					01
E	PA 351.22		Prepared:	1182243	06/26/2025	08:24:48	Analyzed 1182379	06/26/2025	11:53:00	AM
	Parameter		Results	Uni	its RL		Flags	CAS		Bottle
.AC	Total Kjeldahl Nitroge	en	3.82	mg/	<b>L</b> 0.050			7727-37-9		03
	2421412 DRY	CREEK EFF		ample Pro	eparation			Received:	06/25	5/2025
			06/24/2025							
			Prepared:		06/25/2025	09:47:41	Calculated	06/25/2025	09:47:41	CA
	Enviro Fee (per Samp	ling Group)	Verified							
E	PA 351.2, Rev 2.0		Prepared:	1182243	06/26/2025	08:24:48	Analyzed 1182243	06/26/2025	08:24:48	ME
	TKN Block Digestion									



Report Page 3 of 7

Page 2 of 2

Project 1152325

Printed: 06/26/2025

#### **AWWS-A**

AWWS Analytical Water & Wastewater Services Inc. Arlin Braun 695 Shady Lane Hallsville, TX 75650-

Qualifiers:


We report results on an As Received (or Wet) basis unless marked Dry Weight.

Unless otherwise noted, testing was performed at SPL, Inc.- Kilgore laboratory which holds International, Federal, and state accreditations. Please see our Websites for details.

(N)ELAC - Covered in our NELAC scope of accreditation z -- Not covered by our NELAC scope of accreditation

These analytical results relate to the sample tested. This report may NOT be reproduced EXCEPT in FULL without written approval of SPL Kilgore. Unless otherwise specified, these test results meet the requirements of NELAC.

RL is the Reporting Limit (sample specific quantitation limit) and is at or above the Method Detection Limit (MDL). CAS is Chemical Abstract Service number. RL is our Reporting Limit, or Minimum Quantitation Level. The RL takes into account the Instrument Detection Limit (IDL), Method Detection Limit (MDL), and Practical Quantitation Limit (PQL), and any dilutions and/or concentrations performed during sample preparation (EQL). Our analytical result must be above this RL before we report a value in the 'Results' column of our report (without a 'J' flag). Otherwise, we report ND (Not Detected above RL), because the result is "<" (less than) the number in the RL column. MAL is Minimum Analytical Level and is typically from regulatory agencies. Unless we report a result in the result column, or interferences prevent it, we work to have our RL at or below the MAL.



Bill Peery, MS, VP Technical Services



Page 1 of 2

*Project* 1152325

Printed 06/26/2025

#### **AWWS-A**

AWWS Analytical Water & Wastewater Services Inc. Arlin Braun 695 Shady Lane Hallsville, TX 75650-

Analytical Set	1182379	<del></del>	<del></del>	<del></del>					<del></del>	EPA	A 351.2 2
,				ВІ	lank						
<u>Parameter</u>	PrepSet	Reading	MDL	MQL	Units			File			
Total Kjeldahl Nitrogen	1182243	ND	0.00712	0.050	mg/L			127764655			
				C	СВ						
<u>Parameter</u>	PrepSet	Reading	MDL	MQL	Units			File			
Total Kjeldahl Nitrogen	1182243	ND	0.00712	0.050	mg/L			127764654			
Total Kjeldahl Nitrogen	1182243	ND	0.00712	0.050	mg/L			127764666			
Total Kjeldahl Nitrogen	1182243	ND	0.00712	0.050	mg/L			127764677			
Total Kjeldahl Nitrogen	1182379	ND	0.00712	0.050	mg/L			127764684			
				C	CCV						
<u>Parameter</u>		Reading	Known	Units	Recover%	Limits%		File			
Total Kjeldahl Nitrogen		4.78	5.00	mg/L	95.6	90.0 - 110		127764653			
Total Kjeldahl Nitrogen		5.08	5.00	mg/L	102	90.0 - 110		127764663			
Total Kjeldahl Nitrogen		5.13	5.00	mg/L	103	90.0 - 110		127764674			
Total Kjeldahl Nitrogen		5.16	5.00	mg/L	103	90.0 - 110		127764681			
Total Kjeldahl Nitrogen		5.13	5.00	mg/L	103	90.0 - 110		127764685			
				Dup	olicate						
<u>Parameter</u>	Sample		Result	Unknown	1		Unit		RPD		Limit%
Total Kjeldahl Nitrogen	2421019		0.680	0.393			mg/L		53.5	*	20.0
Total Kjeldahl Nitrogen	2421478		0.158	0.122			mg/L		25.7	*	20.0
				I.	CV						
<u>Parameter</u>		Reading	Known	Units	Recover%	Limits%		File			
Total Kjeldahl Nitrogen		5.21	5.00	mg/L	104	90.0 - 110		127764652			
				LCS	5 Dup						
<u>Parameter</u>	PrepSet	LCS	LCSD		Known	Limits%	LCS%	LCSD%	Units	RPD	Limit%
Total Kjeldahl Nitrogen	1182243	4.74	4.90		5.00	90.0 - 110	94.8	98.0	mg/L	3.32	20.0
				Mat.	. Spike						
Parameter	Sample	Spike	Unknown	Known	Units	Recovery %	Limits %	File			
Total Kjeldahl Nitrogen	2421019	5.69	0.393	5.00	mg/L	106	80.0 - 120	127764660			
Total Kjeldahl Nitrogen	2421478	5.60	0.122	5.00	mg/L	110	80.0 - 120	127764664			
Analytical Set	1182371									EPA	300.0 2.1
7 mary clear Dec				AWRL	_/LOQ C						
Parameter		Reading	Known	Units	Recover%	Limits%		File			
Nitrate-Nitrogen Total		0.0269	0.0226	mg/L	119	70.0 - 130		127764444			
				ВІ	lank						
Parameter Parame	PrepSet	Reading	MDL	MQL	Units			File			
Nitrate-Nitrogen Total	1182371	ND	0.00128	0.0226	mg/L			127764445			
Sulfate	1182371	ND	0.123	0.300	mg/L			127764445			

Email: Kilgore.ProjectManagement@spllabs.com



Report Page 5 of 7

# **QUALITY CONTROL**



Page 2 of 2

*Project* 1152325

Printed 06/26/2025

#### **AWWS-A**

AWWS Analytical Water & Wastewater Services Inc. Arlin Braun 695 Shady Lane Hallsville, TX 75650-

CCB													
<u>Parameter</u>	PrepSet	Reading	MDL	MQL	Units			File					
Nitrate-Nitrogen Total	1182371	0	0.00128	0.0226	mg/L			127764441					
Nitrate-Nitrogen Total	1182371	0	0.00128	0.0226	mg/L			127764461					
Nitrate-Nitrogen Total	1182371	0.00835	0.00128	0.0226	mg/L			127764473					
Sulfate	1182371	0	0.123	0.300	mg/L			127764441					
Sulfate	1182371	0	0.123	0.300	mg/L			127764461					
Sulfate	1182371	0	0.123	0.300	mg/L			127764473					
ссу													
<u>Parameter</u>		Reading	Known	Units	Recover%	Limits%		File					
Nitrate-Nitrogen Total		2.44	2.26	mg/L	108	90.0 - 110		127764440					
Nitrate-Nitrogen Total		2.42	2.26	mg/L	107	90.0 - 110		127764460					
Nitrate-Nitrogen Total		2.42	2.26	mg/L	107	90.0 - 110		127764472					
Sulfate		10.5	10.0	mg/L	105	90.0 - 110		127764440					
Sulfate		10.7	10.0	mg/L	107	90.0 - 110		127764460					
Sulfate		10.5	10.0	mg/L	105	90.0 - 110		127764472					
				LCS	5 Dup								
<u>Parameter</u>	PrepSet	LCS	LCSD		Known	Limits%	LCS%	LCSD%	Units	RPD	Limit%		
Nitrate-Nitrogen Total	1182371	1.26	1.29		1.13	86.3 - 117	112	114	mg/L	2.35	20.0		
Sulfate	1182371	5.39	5.27		5.00	85.4 - 124	108	105	mg/L	2.25	20.0		
				N	ISD								
<u>Parameter</u>	Sample	MS	MSD	UNK	Known	Limits	MS%	MSD%	Units	RPD	Limit%		
Nitrate-Nitrogen Total	2420924	27.9	28.5	1.40	22.6	80.0 - 120	117	120	mg/L	2.24	20.0		
Sulfate	2420924	495	538	396	100	80.0 - 120	99.0	142 *	mg/L	35.7 *	20.0		
Nitrate-Nitrogen Total	2420926	52.1	52.6	ND	45.2	80.0 - 120	115	116	mg/L	0.955	20.0		
Sulfate	2420926	1500	1500	1270	200	80.0 - 120	115	115	mg/L	0	20.0		

\* Out RPD is Relative Percent Difference: abs(r1-r2) / mean(r1,r2) \* 100%

Recover% is Recovery Percent: result / known \* 100%

Blank - Method Blank (reagent water or other blank matrices that contains all reagents except standard(s) and is processed simultaneously with and under the same conditions as samples; carried through preparation and analytical procedures exactly like a sample; monitors); CCB - Continuing Calibration Blank; CCV - Continuing Calibration Verification (same standard used to prepare the curve; typically a mid-range concentration; verifies the continued validity of the calibration curve); MSD - Matrix Spike Duplicate (replicate of the matrix spike; same solution and amount of target analyte added to the MS is added to a third aliquot of sample; quantifies matrix bias and precision.); LCS Dup - Laboratory Control Sample Duplicate (replicate LCS; analyzed when there is insufficient sample for duplicate or MSD; quantifies

 $accuracy \ and \ precision.); \ AWRL/LOQ\ C-Ambient\ Water\ Reporting\ Limit/LOQ\ Check\ Std; \ ICV-Initial\ Calibration\ Verification$ 

 ${\bf Email: Kilgore. Project Management@spllabs.com}$ 



Report Page 6 of 7

2

#### 1152325 CoC Print Group 001 of 001

			1	<del>/ C</del> .		CREE												
Samples Submitted By:									Labo	orato	ry Ch	nain-c	of-Cu	stod	y			900
Name: Erin Crafton										Α'	w w	S, I	NC.		_			
Company: AWWS, Inc							Analy	/tica	I Wat	ter a	nd W	/aste	wate	r Se	rvic	es, l	nc.	
Address: 695 Shady Ln							695 Sha	dy Ln	Hallsville	TX 75	650; Pr	o <del>ne (90</del>	3) 668-4	133; F	ax <u>(90</u>	<del>3) 668</del> -	1095	
City, St Zip: Hallsville, TX 75650						AWWSinc@	mail.co	m						Anal	yses	Requ	iested	
awwsinc@gmail.com																		
Phone: 903-668-4133	Fax:	903-66	8-1095						Jeu,									Ì
Project Number: Project Description:						AWWS Project N	lanager:		Nitrogen,									
Sample Identification/Location	Date	Time	Matrix	Grab/ Comp	Iced Y/N	Preservative	No. Contors	P/G	Nitrate sulfate	TKN								Commer
dry Creek eff 2421412 6	24/25	900	MW	G	4	cool	l	P	x			$\neg$	$\dashv$					Comme
Out   State	$\downarrow$	1	1	G	4	H2SO4	(	P	, ,	x								
					<u> </u>			Ė					7	1				
6/10 1813 KM																		
Date 7 Time 7 Togst C																		
Therm#: 6443 Corr Fact: 0.4 C																		
Samples Collected By (Signature):				Metho	d of Ship	pment:							Comn	nents:				
Awws Oulen Braan	-	Date/Time	•		Par-	tved/By: \(\Lambda\)	71	~										
Advis Allin Braan  elinquished By:  X Allin Braun		le/25	125	iç12	Nece.	Y"\\\\	18	M	1									
Relinquished By:		Date/Time		101 /	Rece	elved By:	<i>,</i>	+ (		_								
Relinquished By:		Date/Time	e:		Logg	jed in at AWWS L	aboratory	By:										
•					I "		•	-										

pg.1 of 1 issued by AWWS, Inc

# **Rainee Trevino**

From: Sent: To: Subject: Attachments:	AWWS, Inc. <awwsinc@gmail.com> Tuesday, October 14, 2025 8:00 AM Rainee Trevino Re: Application to Renew Permit No. WQ0010250002- Notice of Deficiency Letter WQ0010250002 City of Pittsburg Dry Creek Payment Submittal Form.pdf; WQ0010250002 City of Pittsburg Dry Creek Admin Report - 10053 - revised.pdf; WQ0010250002 City of Pittsburg Dry Creek Technical Report - 10054 - revised.pdf</awwsinc@gmail.com>
Good morning,	
Attached is the payment sub	mittal form with a copy of check number 51502.
The application on the most o	current version is attached.
There were no errors or omis:	sions in the portion of the NORI included in your letter.
Thank you, Erin Crafton	
On Fri, Oct 10, 2025 at 10:15	AM Rainee Trevino < Rainee. Trevino@tceq.texas.gov > wrote:
Good morning,	
I am following up on the Noti advise if more time is needed	ce of Deficiency Letter sent on 9/24. The deadline to respond was 10/8. Please or if you have any questions.
Regards,	
Rainee Trevino	
Water Quality Division   ARP	<sup>2</sup> Team
Texas Commission on Enviro	nmental Quality
512-239-4324	



From: Rainee Trevino

Sent: Wednesday, September 24, 2025 11:46 AM

To: <a href="mailto:awwsinc@gmail.com">awwsinc@gmail.com</a>

Subject: Application to Renew Permit No. WQ0010250002- Notice of Deficiency Letter

Dear Mr. Crafton,

The attached Notice of Deficiency letter sent on September 24, 2025, requests additional information needed to declare the application administratively complete. Please send the complete response to my attention by October 8, 2025.

Thank you,

#### **Rainee Trevino**

Water Quality Division | ARP Team

Texas Commission on Environmental Quality

512-239-4324



# THE TONMENTAL OUR LEVEL OF THE TON THE

## TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

# DOMESTIC WASTEWATER PERMIT APPLICATION CHECKLIST

Complete and submit this checklist with the application.

APPLICANT NAME:	City	of Pittsburg

PERMIT NUMBER (If new, leave blank): WQ00<u>10250002</u>

Indicate if each of the following items is included in your application.

N

Administrative Report 1.0			Original USGS Map		
Administrative Report 1.1		$\boxtimes$	Affected Landowners Map		$\boxtimes$
SPIF	$\boxtimes$		Landowner Disk or Labels		$\boxtimes$
Core Data Form	$\boxtimes$		Buffer Zone Map		$\boxtimes$
Summary of Application (PLS)	$\boxtimes$		Flow Diagram	$\boxtimes$	
Public Involvement Plan Form		$\boxtimes$	Site Drawing	$\boxtimes$	
Technical Report 1.0			Original Photographs		$\boxtimes$
Technical Report 1.1		$\boxtimes$	Design Calculations		$\boxtimes$
Worksheet 2.0			Solids Management Plan		$\boxtimes$
Worksheet 2.1		$\boxtimes$	Water Balance		$\boxtimes$
Worksheet 3.0		$\boxtimes$			
Worksheet 3.1		$\boxtimes$			
Worksheet 3.2		$\boxtimes$			
Worksheet 3.3		$\boxtimes$			
Worksheet 4.0		$\boxtimes$			
Worksheet 5.0					
Worksheet 6.0	$\boxtimes$				
Worksheet 7.0		$\boxtimes$			
For TCEO Hoo Only					
For TCEQ Use Only					
Segment Number			County		
			Region		
Permit Number					

# THE TONMENTAL OUR LEVEL OF THE TONE OF THE

### TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

# DOMESTIC WASTEWATER PERMIT APPLICATION ADMINISTRATIVE REPORT 1.0

For any questions about this form, please contact the Applications Review and Processing Team at 512–239–4671.

### Section 1. Application Fees (Instructions Page 26)

Indicate the amount submitted for the application fee (check only one).

Flow	New/Major Amendment	Renewal
<0.05 MGD	\$350.00 □	\$315.00 □
≥0.05 but <0.10 MGD	\$550.00 □	\$515.00 □
≥0.10 but <0.25 MGD	\$850.00 □	\$815.00 ⊠
≥0.25 but <0.50 MGD	\$1,250.00 □	\$1,215.00 □
≥0.50 but <1.0 MGD	\$1,650.00 □	\$1,615.00
≥1.0 MGD	\$2,050.00 □	\$2,015.00

Minor Amendment (for any flow) \$150.00 □

Payment I	[nform	ation
-----------	--------	-------

Mailed Check/Money Order Number: Click to enter text.

Check/Money Order Amount: Click to enter text.

Name Printed on Check: Click to enter text.

EPAY Voucher Number: Click to enter text.

Copy of Payment Voucher enclosed? Yes □

# Section 2. Type of Application (Instructions Page 26)

a.	Check the box next to the appropriate authorization type.					
	□ Publicly Owned Domestic Wastewater					
	☐ Privately-Owned Domestic Wastewater					
		Conventional Water Treatment				
b.	Check the box next to the appropriate facility status.					
	$\boxtimes$	Active   Inactive				

c.	Che	Check the box next to the appropriate permit type.				
	$\boxtimes$	TPDES Permit				
		TLAP				
		TPDES Permit with TLAP component				
		Subsurface Area Drip Dispersal System (SAD	DS)			
d.	Che	Check the box next to the appropriate application type				
a.		New	rtyp			
		Major Amendment <i>with</i> Renewal		Minor Amendment <u>with</u> Renewal		
		Major Amendment <i>without</i> Renewal		Minor Amendment <i>without</i> Renewal		
		Renewal without changes		Minor Modification of permit		
_		<u> </u>				
e.	ror	amendments or modifications, describe the p	rope	osed changes: Click to enter text.		
f.	For	existing permits:				
	Peri	mit Number: WQ00 <u>10250002</u>				
	EPA	I.D. (TPDES only): TX <u>0025445</u>				
	Exp	iration Date: <u>03/30/26</u>				
0						
Se	ctio	on 3. Facility Owner (Applicant) a (Instructions Page 26)	nd	Co-Applicant Information		
		(mstructions rage 20)				
A.	The	e owner of the facility must apply for the per	rmit			
	Wha	at is the Legal Name of the entity (applicant) a	pply	ing for this permit?		
	City	of Pittsburg				
		e legal name must be spelled exactly as filed w legal documents forming the entity.)	ith t	he Texas Secretary of State, County, or in		
		ne applicant is currently a customer with the T I may search for your CN on the TCEQ website				
	(	CN: <u>600687958</u>				
	Wha	at is the name and title of the person signing t	he a	pplication? The person must be an		

executive official meeting signatory requirements in 30 TAC § 305.44.

Prefix: Mr. Last Name, First Name: Abernathy, David

Title: Mayor Credential: Click to enter text.

**B.** Co–applicant information. Complete this section only if another person or entity is required to apply as a co-permittee.

What is the Legal Name of the co-applicant applying for this permit?

### Click to enter text.

(The legal name must be spelled exactly as filed with the TX SOS, with the County, or in the legal documents forming the entity.)

If the co-applicant is currently a customer with the TCEQ, what is the Customer Number (CN)? You may search for your CN on the TCEQ website at: http://www15.tceq.texas.gov/crpub/

CN: Click to enter text.

What is the name and title of the person signing the application? The person must be an executive official meeting signatory requirements in *30 TAC § 305.44*.

Prefix: Click to enter text. Last Name, First Name: Click to enter text.

Title: Click to enter text. Credential: Click to enter text.

Provide a brief description of the need for a co-permittee: Click to enter text.

#### C. Core Data Form

Complete the Core Data Form for each customer and include as an attachment. If the customer type selected on the Core Data Form is **Individual**, complete **Attachment 1** of Administrative Report 1.0. <u>Attachment 1</u>

### Section 4. Application Contact Information (Instructions Page 27)

This is the person(s) TCEQ will contact if additional information is needed about this application. Provide a contact for administrative questions and technical questions.

A. Prefix: Mrs. Last Name, First Name: Crafton, Erin

Title: <u>Vice President</u> Credential: Click to enter text.

Organization Name: AWWS, Inc.

Mailing Address: <u>695 Shady Ln.</u> City, State, Zip Code: <u>Hallsville, TX 75650</u>

Phone No.: 903-668-4133 E-mail Address: awwsinc@gmail.com

Check one or both: oximes Administrative Contact oximes Technical Contact

**B.** Prefix: Mr. Last Name, First Name: Crafton, Travis

Title: <u>Preparer</u> Credential: Click to enter text.

Organization Name: AWWS, Inc

Mailing Address: 476 Shady Ln. City, State, Zip Code: Hallsville, TX 75650

Phone No.: <u>903-668-4133</u> E-mail Address: <u>travis.crafton@yahoo.com</u>

Check one or both: extstyle Administrative Contact extstyle Technical Contact

### Section 5. Permit Contact Information (Instructions Page 27)

Provide the names and contact information for two individuals that can be contacted throughout the permit term.

A. Prefix: Mr. Last Name, First Name: Pearson, Chad

Title: <u>Utilities Director</u> Credential: Click to enter text.

Organization Name: City of Pittsburg

Mailing Address: 200 Rusk St. City, State, Zip Code: Pittsburg, TX 75686

Phone No.: <u>903-856-3621</u> E-mail Address: <u>cpearson@pittsburgtx.gov</u>

**B.** Prefix: Mr. Last Name, First Name: Reynolds, Tim

Title: Click to enter text. Credential: Click to enter text.

Organization Name: <u>City Pittsburg</u>

Mailing Address: 200 Rusk St. City, State, Zip Code: Pittsburg, TX 75686

Phone No.: 903-856-3621 E-mail Address: treynolds@pittsburgtx.gov

## Section 6. Billing Contact Information (Instructions Page 27)

The permittee is responsible for paying the annual fee. The annual fee will be assessed to permits *in effect on September 1 of each year*. The TCEQ will send a bill to the address provided in this section. The permittee is responsible for terminating the permit when it is no longer needed (using form TCEQ-20029).

Prefix: Mr. Last Name, First Name: Hardeman, Clint

Title: <u>City Manager</u> Credential: Click to enter text.

Organization Name: City of Pittsburg

Mailing Address: 200 Rusk St. City, State, Zip Code: Pittsburg, TX 75686

Phone No.: <u>903-856-3621</u> E-mail Address: <u>chardeman@pittsburgtx.gov</u>

### Section 7. DMR/MER Contact Information (Instructions Page 27)

Provide the name and complete mailing address of the person delegated to receive and submit Discharge Monitoring Reports (DMR) (EPA 3320-1) or maintain Monthly Effluent Reports (MER).

Prefix: Mr. Last Name, First Name: Pearson, Chad

Title: Utilities Director Credential: Click to enter text.

Organization Name: City of Pittsburg

Mailing Address: 200 Rusk St. City, State, Zip Code: Pittsburg, TX 75686

Phone No.: 903-856-3621 E-mail Address: cpearson@pittsburgtx.gov

### Section 8. Public Notice Information (Instructions Page 27)

### A. Individual Publishing the Notices

Prefix: Ms. Last Name, First Name: Fuentes, Maricela

Title: City Secretary Credential: Click to enter text.

Organization Name: City of Pittsburg

Mailing Address: 200 Rusk St. City, State, Zip Code: Pittsburg, TX 75686

Phone No.: <u>903-856-3621</u> E-mail Address: <u>city.secretary@pittsburgtx.gov</u>

В.	Method for Receiving Notice of Receipt and Intent to Obtain a Water Quality Permit Package				
	Indicate by a check mark the preferred method for receiving the first notice and instruction				
	⊠ E-mail Address				
	□ Fax				
	□ Regular Mail				
C.	Contact permit to be listed i	n the Notices			
	Prefix: Ms.	Last Name, First Name: <u>Fuentes, Maricela</u>			
	Title: <u>City Secretary</u>	Credential: Click to enter text.			
	Organization Name: City of Pi	ttsburg			
	Mailing Address: 200 Rusk St.	City, State, Zip Code: Pittsburg, TX 75686			
	Phone No.: <u>903-856-3621</u>	E-mail Address: <a href="mailto:city.secretary@pittsburgtx.gov">city.secretary@pittsburgtx.gov</a>			
D.	<b>Public Viewing Information</b>				
	If the facility or outfall is loca county must be provided.	ted in more than one county, a public viewing place for each			
	Public building name: Pittsbur	rg City Hall			
	Location within the building:	Front of Building near entry			
	Physical Address of Building:	200 Rusk St.			
	City: <u>Pittsburg</u>	County: <u>Camp</u>			
	Contact (Last Name, First Nam	ne): <u>Fuentes, Maricela</u>			
	Phone No.: <u>903-856-3621</u> Ext.:	Click to enter text.			
E.	Bilingual Notice Requiremen	ats			
	This information is required modification, and renewal a	for <b>new, major amendment, minor amendment or minor</b> oplications.			
		n is only used to determine if alternative language notices will ions on publishing the alternative language notices will be in			
	Please call the bilingual/ESL coordinator at the nearest elementary and middle schools and obtain the following information to determine whether an alternative language notices are required.				
	1. Is a bilingual education program required by the Texas Education Code at the element or middle school nearest to the facility or proposed facility?				
	□ Yes ⊠ N	No			
	If <b>no</b> , publication of an alt below.	ternative language notice is not required; <b>skip to</b> Section 9			
	2. Are the students who atte a bilingual education prog	nd either the elementary school or the middle school enrolled in gram at that school?			

No

Yes

	3.	Do the locatio		s at thes	e scho	ols attend	l a bilingual	l educa	tion prog	ram a	t another
			Yes	$\boxtimes$	No						
	4.						e a bilingua 9 TAC §89.			gram l	out the school has
			Yes	$\boxtimes$	No						
	5.						<b>or 4</b> , publi y the biling				tive language are enter text.
F.	Su	mmary	of Appl	ication i	n Plaiı	n Languag	ge Template	e			
	als	_	n as the	-		•	n Plain Lang y or PLS, and		_		) Form 20972), ment.
G.	Pu	blic Inv	olveme:	nt Plan I	Form						
							n (TCEQ For r <b>mit</b> and inc				plication for a t.
	At	tachme	nt: <u>N/A</u>								
Se	cti	on 9.	Regu Page		Entit	y and P	ermitted	Site	Inform	ation	(Instructions
Α.			is currer RN <u>101612</u>		lated l	y TCEQ, <sub>1</sub>	provide the	Regula	ited Entity	y Num	ber (RN) issued to
			e TCEQ's currently				://www15.t	ceq.tex	<u>as.gov/cr</u>	<u>pub/</u>	to determine if
B.	Na	me of p	project or	site (th	e nam	e known b	y the comn	nunity	where loc	ated):	
	<u>Dr</u>	<u>y Creek '</u>	<u>Wastewat</u>	<u>er Treatn</u>	<u>nent Pl</u>	<u>ant</u>					
C.	Ov	vner of	treatmen	t facility	7: <u>City (</u>	of Pittsburg	3				
	Ov	vnershij	p of Facil	ity: 🗵	Publ	ic 🗆	Private		Both		Federal
D.	Ov	vner of	land whe	re treati	ment f	acility is o	or will be:				
	Pre	efix: Cli	ck to ent	er text.		Last Nam	ie, First Nar	ne: Cli	ck to ente	r text.	
	Tit	le: Clicl	k to ente	r text.		Credenti	al: Click to	enter to	ext.		
	Or	ganizat	ion Nam	e: <u>City of</u>	Pittsbu	<u>ırg</u>					
	Ma	iling Ao	ddress: <u>2</u>	oo Rusk	St.		City, State	, Zip C	ode: <u>Pitts</u>	<u>burg, T</u>	<u>X 75686</u>
	Ph	one No.	: <u>903-856</u>	<u>5-3621</u>		E-mail A	ddress: <u>city</u>	.secreta	ary@pittsb	urgtx.ş	gov
							the facility instruction		or co-ap	plican	t, attach a lease
		Attach	ment: Cl	ick to er	nter te	xt.					

	Prefix: <u>N/A</u>	Last Name, First Name: Click to enter text.		
	Title: Click to enter text.	Credential: Click to enter text.		
	Organization Name: Click to ent	er text.		
	Mailing Address: Click to enter t	ext. City, State, Zip Code: Click to enter text.		
	Phone No.: Click to enter text.	E-mail Address: Click to enter text.		
	If the landowner is not the same agreement or deed recorded eas	e person as the facility owner or co-applicant, attach a lease ement. See instructions.		
	Attachment: Click to enter to	ext.		
F.	Owner sewage sludge disposal site (if authorization is requested for sludge disposal on property owned or controlled by the applicant)::			
	Prefix: <u>N/A</u>	Last Name, First Name: Click to enter text.		
	Title: Click to enter text.	Credential: Click to enter text.		
	Organization Name: Click to ent	er text.		
	Mailing Address: Click to enter t	ext. City, State, Zip Code: Click to enter text.		
	Phone No.: Click to enter text.	E-mail Address: Click to enter text.		
	If the landowner is not the same agreement or deed recorded eas	e person as the facility owner or co-applicant, attach a lease ement. See instructions.		
	Attachment: Click to enter to	ext.		
_		7 (		
Se	ection 10. TPDES Dischar	ge Information (Instructions Page 31)		
		ge Information (Instructions Page 31) lity location in the existing permit accurate?		
		<u> </u>		
	Is the wastewater treatment facion    Yes  No  If no, or a new permit application	<u> </u>		
	Is the wastewater treatment faci	lity location in the existing permit accurate?		
A.	Is the wastewater treatment facions in the wastewater treatment facions in the second	lity location in the existing permit accurate?  on, please give an accurate description:		
A.	Is the wastewater treatment facions and the second	lity location in the existing permit accurate?		
A.	Is the wastewater treatment facions in the wastewater treatment facions in the second	lity location in the existing permit accurate?  on, please give an accurate description:		
A.	Is the wastewater treatment facing Yes  No  If no, or a new permit application Click to enter text.  Are the point(s) of discharge and Yes  No  If no, or a new or amendment permit is not	lity location in the existing permit accurate?  on, please give an accurate description:		
A.	Is the wastewater treatment facing  ✓ Yes □ No  If no, or a new permit application of the point (s) of discharge and waste or an ew or amendment propoint of discharge and the discharge and th	on, please give an accurate description:  d the discharge route(s) in the existing permit correct?  permit application, provide an accurate description of the		
A.	Is the wastewater treatment facing  ✓ Yes ☐ No  If no, or a new permit application of the content text.  Are the point(s) of discharge and waste of the content of discharge and the discharge	on, please give an accurate description:  d the discharge route(s) in the existing permit correct?  permit application, provide an accurate description of the		
A.	Is the wastewater treatment facing  ✓ Yes ☐ No  If no, or a new permit application of the content text.  Are the point(s) of discharge and waste of the content of discharge and the discharge	on, please give an accurate description:  d the discharge route(s) in the existing permit correct?  permit application, provide an accurate description of the earge route to the nearest classified segment as defined in 30		
A.	Is the wastewater treatment facion    ✓ Yes	on, please give an accurate description:  d the discharge route(s) in the existing permit correct?  permit application, provide an accurate description of the large route to the nearest classified segment as defined in 30 arguments.		
A.	Is the wastewater treatment facing Yes □ No  If no, or a new permit application Click to enter text.  Are the point(s) of discharge and Yes □ No  If no, or a new or amendment property of discharge and the disc	lity location in the existing permit accurate?  on, please give an accurate description:  d the discharge route(s) in the existing permit correct?  permit application, provide an accurate description of the large route to the nearest classified segment as defined in 30 arguments are located: Camp  discharge to a city, county, or state highway right-of-way, or		

**E.** Owner of effluent disposal site:

	If <b>yes</b> , indicate by a check mark if:
	$\square$ Authorization granted $\square$ Authorization pending
	For <b>new and amendment</b> applications, provide copies of letters that show proof of contact and the approval letter upon receipt.
	Attachment: Click to enter text.
D.	For all applications involving an average daily discharge of 5 MGD or more, provide the names of all counties located within 100 statute miles downstream of the point(s) of discharge: $\underline{N/A}$
Co	ection 11 TLAD Disposal Information (Instructions Dags 22)
<b>3</b> 6	ection 11. TLAP Disposal Information (Instructions Page 32)
A.	For TLAPs, is the location of the effluent disposal site in the existing permit accurate?
	□ Yes □ No
	If <b>no, or a new or amendment permit application</b> , provide an accurate description of the disposal site location:
	Click to enter text.
B.	City nearest the disposal site: Click to enter text.
C.	County in which the disposal site is located: Click to enter text.
D.	For <b>TLAPs</b> , describe the routing of effluent from the treatment facility to the disposal site:
	Click to enter text.
Е.	For <b>TLAPs</b> , please identify the nearest watercourse to the disposal site to which rainfall runoff might flow if not contained: Click to enter text.
Se	ection 12. Miscellaneous Information (Instructions Page 32)
	Is the facility located on or does the treated effluent cross American Indian Land?
	□ Yes ⊠ No
B.	If the existing permit contains an onsite sludge disposal authorization, is the location of the sewage sludge disposal site in the existing permit accurate?
	□ Yes ⊠ No □ Not Applicable
	If No, or if a new onsite sludge disposal authorization is being requested in this permit application, provide an accurate location description of the sewage sludge disposal site.
	N/A

C.	Did any person formerly employed by the TCEQ represent your company and get paid for service regarding this application?
	□ Yes ⊠ No
	If yes, list each person formerly employed by the TCEQ who represented your company and was paid for service regarding the application: Click to enter text.
D.	Do you owe any fees to the TCEQ?
	□ Yes ⊠ No
	If <b>yes</b> , provide the following information:
	Account number: Click to enter text.
	Amount past due: Click to enter text.
E.	Do you owe any penalties to the TCEQ?
	□ Yes ⊠ No
	If <b>yes</b> , please provide the following information:
	Enforcement order number: Click to enter text.
	Amount past due: Click to enter text.
_	
Se	ection 13. Attachments (Instructions Page 33)
	ection 13. Attachments (Instructions Page 33) dicate which attachments are included with the Administrative Report. Check all that apply:
In	dicate which attachments are included with the Administrative Report. Check all that apply:  Lease agreement or deed recorded easement, if the land where the treatment facility is
In	dicate which attachments are included with the Administrative Report. Check all that apply:  Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant.
In	dicate which attachments are included with the Administrative Report. Check all that apply:  Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant.  Original full-size USGS Topographic Map with the following information:  Applicant's property boundary  Treatment facility boundary  Labeled point of discharge for each discharge point (TPDES only)  Highlighted discharge route for each discharge point (TPDES only)  Onsite sewage sludge disposal site (if applicable)  Effluent disposal site boundaries (TLAP only)  New and future construction (if applicable)  1 mile radius information  3 miles downstream information (TPDES only)
Inc	Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant.  Original full-size USGS Topographic Map with the following information:  • Applicant's property boundary  • Treatment facility boundary  • Labeled point of discharge for each discharge point (TPDES only)  • Highlighted discharge route for each discharge point (TPDES only)  • Onsite sewage sludge disposal site (if applicable)  • Effluent disposal site boundaries (TLAP only)  • New and future construction (if applicable)  • 1 mile radius information  • 3 miles downstream information (TPDES only)  • All ponds.

# Section 14. Signature Page (Instructions Page 34)

If co-applicants are necessary, each entity must submit an original, separate signature page.

Permit Number: WQ0010250002

Applicant: <u>City of Pittsburg</u>

Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

I further certify that I am authorized under 30 Texas Administrative Code  $\S$  305.44 to sign and submit this document, and can provide documentation in proof of such authorization upon request.

Signatory name (typed or printed): <u>David Abernathy</u>
Signatory title: Mayor
Signature: David Outly Date: 08/29/2025  (Use blue ink)
Subscribed and Sworn to before me by the said David Abern athy
on this 29 day of lugust , 20 25.
My commission expires on the $3$ day of $Max = 10$ , $20 29$ .
MARICELA FUENTES NOTARY PUBLIC STATE OF TEXAS ID #129058133 MY COMM. EXP. MAY 3, 2029  [SEAL]
County, Texas

# DOMESTIC WASTEWATER PERMIT APPLICATION SUPPLEMENTAL PERMIT INFORMATION FORM (SPIF)

This form applies to TPDES permit applications only. Complete and attach the Supplemental Permit information Form (SPIF) (TCEQ Form 20971).

Attachment: 3

# THI THOMMENTAL OUT IN

### TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

# DOMESTIC WASTEWATER PERMIT APPLICATION TECHNICAL REPORT 1.0

For any questions about this form, please contact the Domestic Wastewater Permitting Team at 512-239-4671.

The following information is required for all renewal, new, and amendment applications.

### Section 1. Permitted or Proposed Flows (Instructions Page 42)

### A. Existing/Interim I Phase

Design Flow (MGD): 0.20

2-Hr Peak Flow (MGD): <u>0.50</u>

Estimated construction start date: Click to enter text.

Estimated waste disposal start date: 1/1/1971

### B. Interim II Phase

Design Flow (MGD): Click to enter text.

2-Hr Peak Flow (MGD): Click to enter text.

Estimated construction start date: <u>Click to enter text.</u>

Estimated waste disposal start date: Click to enter text.

#### C. Final Phase

Design Flow (MGD): <u>0.20</u>

2-Hr Peak Flow (MGD): <u>0.50</u>

Estimated construction start date: Click to enter text.

Estimated waste disposal start date: 1/1/1971

### D. Current Operating Phase

Provide the startup date of the facility: 1/1/1971

# Section 2. Treatment Process (Instructions Page 42)

### A. Current Operating Phase

Provide a detailed description of the treatment process. **Include the type of treatment plant, mode of operation, and all treatment units.** Start with the plant's head works and

finish with the point of discharge. Include all sludge processing and drying units. **If more than one phase exists or is proposed, a description of** *each phase* **must be provided**.

Influent lift station, bar screening, wet weather holding basin, complete mix aeration basin without sludge recycling, followed by two stabilization ponds. Sludge solids are retained in the ponds for long term stabilization.

#### **B.** Treatment Units

In Table 1.0(1), provide the treatment unit type, the number of units, and dimensions (length, width, depth) of each treatment unit, accounting for *all* phases of operation.

#### Table 1.0(1) - Treatment Units

Treatment Unit Type	Number of Units	Dimensions (L x W x D)
Influent lift station	1	350 gpm capacity
Aeration Basin	1	0.265 million gallons
Stabilization Pond 1	1	3 acres
Stabilization Pond 2	1	3 acres
Wet Weather Holding Basin	1	1.4 million gallons

### C. Process Flow Diagram

Provide flow diagrams for the existing facilities and **each** proposed phase of construction.

**Attachment**: Exhibit 4

# Section 3. Site Information and Drawing (Instructions Page 43)

Provide the TPDES discharge outfall latitude and longitude. Enter N/A if not applicable.

• Latitude: 32.9743 degrees

• Longitude: -94.9436 degrees

Provide the TLAP disposal site latitude and longitude. Enter N/A if not applicable.

• Latitude: Click to enter text.

Longitude: Click to enter text.

Provide a site drawing for the facility that shows the following:

- The boundaries of the treatment facility;
- The boundaries of the area served by the treatment facility;
- If land disposal of effluent, the boundaries of the disposal site and all storage/holding ponds; and
- If sludge disposal is authorized in the permit, the boundaries of the land application or disposal site.

Attachment: Exhibit 5

Provide the name <b>and</b> a des	cription of the area	served by the treatment	t facility.
City of Pittsburg			
Collection System Informati each <b>uniquely owned</b> collection systems. examples.	ction system, existin	ng and new, served by th	nis facility, including
Collection System Informatio	n		
Collection System Name	Owner Name	Owner Type	Population Serve
		Choose an item.	
years of being authorized b  Yes No  If yes, provide a detailed dir Failure to provide sufficient recommending denial of the	scussion regarding at justification may	result in the Executive	
N/A			
Section 5. Closure I	Plans (Instructi	ons Page 44)	
Have any treatment units be out of service in the next fiv		vice permanently, or wil	l any units be taken
□ Yes ⊠ No			

If y	ves, was a closure plan submitted to the TCEQ?
	□ Yes □ No
If y	es, provide a brief description of the closure and the date of plan approval.
	ction 6. Permit Specific Requirements (Instructions Page 44) capplicants with an existing permit, check the Other Requirements or Special
Pro	ovisions of the permit.
	Summary transmittal
	Have plans and specifications been approved for the existing facilities and each proposed phase?
	⊠ Yes □ No
	If yes, provide the date(s) of approval for each phase: unknown
	Provide information, including dates, on any actions taken to meet a <i>requirement or provision</i> pertaining to the submission of a summary transmittal letter. <b>Provide a copy of an approval letter from the TCEQ, if applicable</b> .
	N/A
B.	Buffer zones
	Have the buffer zone requirements been met?
	□ Yes ⊠ No
	Provide information below, including dates, on any actions taken to meet the conditions of the buffer zone. If available, provide any new documentation relevant to maintaining the buffer zones.
	Click to enter text.

	sul	es the <i>Other Requirements</i> or <i>Special Provisions</i> section in the existing permit require omission of any other information or other required actions? Examples include tification of Completion, progress reports, soil monitoring data, etc.
		□ Yes ⊠ No
		yes, provide information below on the status of any actions taken to meet the additions of an <i>Other Requirement</i> or <i>Special Provision</i> .
	N	/A
D	Cn	it and greage treatment
υ.		it and grease treatment  Acceptance of grit and grease waste
	1.	Does the facility have a grit and/or grease processing facility onsite that treats and decants or accepts transported loads of grit and grease waste that are discharged directly to the wastewater treatment plant prior to any treatment?
		□ Yes ⊠ No
		If No, stop here and continue with Subsection E. Stormwater Management.
	2.	Grit and grease processing
		Describe below how the grit and grease waste is treated at the facility. In your description, include how and where the grit and grease is introduced to the treatment works and how it is separated or processed. Provide a flow diagram showing how grit and grease is processed at the facility.
		Click to enter text.
	3.	Grit disposal
		Does the facility have a Municipal Solid Waste (MSW) registration or permit for grit disposal?
		□ Yes □ No
		<b>If No</b> , contact the TCEQ Municipal Solid Waste team at 512-239-2335. Note: A registration or permit is required for grit disposal. Grit shall not be combined with treatment plant sludge. See the instruction booklet for additional information on grit

C. Other actions required by the current permit

disposal requirements and restrictions.

		Describe the method of grit disposal.
		Click to enter text.
	4.	Grease and decanted liquid disposal
		Note: A registration or permit is required for grease disposal. Grease shall not be combined with treatment plant sludge. For more information, contact the TCEQ Municipal Solid Waste team at 512-239-2335.
		Describe how the decant and grease are treated and disposed of after grit separation.
		Click to enter text.
E.	Sto	ormwater management
	1.	Applicability
		Does the facility have a design flow of 1.0 MGD or greater in any phase?
		□ Yes ⊠ No
		Does the facility have an approved pretreatment program, under 40 CFR Part 403?
		□ Yes ⊠ No
		If no to both of the above, then skip to Subsection F, Other Wastes Received.
	2.	MSGP coverage
		Is the stormwater runoff from the WWTP and dedicated lands for sewage disposal currently permitted under the TPDES Multi-Sector General Permit (MSGP), TXR050000?
		□ Yes □ No
		<b>If yes</b> , please provide MSGP Authorization Number and skip to Subsection F, Other Wastes Received:
		TXR05 <u>5BN98</u> or TXRNE <u>Click to enter text.</u>
		If no, do you intend to seek coverage under TXR050000?
		□ Yes □ No
	3.	Conditional exclusion
		Alternatively, do you intend to apply for a conditional exclusion from permitting based TXR050000 (Multi Sector General Permit) Part II B.2 or TXR050000 (Multi Sector General Permit) Part V, Sector T 3(b)?
		□ Yes □ No

	Click to enter text.
4.	Existing coverage in individual permit
	Is your stormwater discharge currently permitted through this individual TPDES or TLAP permit?
	□ Yes □ No
	If yes, provide a description of stormwater runoff management practices at the site that are authorized in the wastewater permit then skip to Subsection F, Other Wastes Received.
	Click to enter text.
<b>5.</b>	Zero stormwater discharge
	Do you intend to have no discharge of stormwater via use of evaporation or other means?
	□ Yes □ No
	If yes, explain below then skip to Subsection F. Other Wastes Received.
	Click to enter text.
	Note: If there is a potential to discharge any stormwater to surface water in the state as
	the result of any storm event, then permit coverage is required under the MSGP or an individual discharge permit. This requirement applies to all areas of facilities with treatment plants or systems that treat, store, recycle, or reclaim domestic sewage, wastewater or sewage sludge (including dedicated lands for sewage sludge disposal located within the onsite property boundaries) that meet the applicability criteria of above. You have the option of obtaining coverage under the MSGP for direct discharges, (recommended), or obtaining coverage under this individual permit.
6.	Request for coverage in individual permit
	Are you requesting coverage of stormwater discharges associated with your treatment plant under this individual permit?
	□ Yes □ No
	If yes, provide a description of stormwater runoff management practices at the site for which you are requesting authorization in this individual wastewater permit and describe whether you intend to comingle this discharge with your treated effluent or discharge it via a separate dedicated stormwater outfall. Please also indicate if you

If yes, please explain below then proceed to Subsection F, Other Wastes Received:

		intend to divert stormwater to the treatment plant headworks and indirectly discharge it to water in the state.
		Click to enter text.
		Note: Direct stormwater discharges to waters in the state authorized through this individual permit will require the development and implementation of a stormwater pollution prevention plan (SWPPP) and will be subject to additional monitoring and reporting requirements. Indirect discharges of stormwater via headworks recycling will require compliance with all individual permit requirements including 2-hour peak flow limitations. All stormwater discharge authorization requests will require additional information during the technical review of your application.
F.	Di	scharges to the Lake Houston Watershed
	Do	es the facility discharge in the Lake Houston watershed?
		□ Yes ⊠ No
		yes, attach a Sewage Sludge Solids Management Plan. See Example 5 in the instructions. ick to enter text.
G.	Ot	her wastes received including sludge from other WWTPs and septic waste
	1.	Acceptance of sludge from other WWTPs
		Does or will the facility accept sludge from other treatment plants at the facility site?
		□ Yes ⊠ No
		If yes, attach sewage sludge solids management plan. See Example 5 of instructions.
		In addition, provide the date the plant started or is anticipated to start accepting sludge, an estimate of monthly sludge acceptance (gallons or millions of gallons), an
		estimate of the BOD <sub>5</sub> concentration of the sludge, and the design BOD <sub>5</sub> concentration of the influent from the collection system. Also note if this information has or has not changed since the last permit action.
		Click to enter text.
		Note: Permits that accept sludge from other wastewater treatment plants may be required to have influent flow and organic loading monitoring.
	2.	Acceptance of septic waste
		Is the facility accepting or will it accept septic waste?
		□ Yes ⊠ No
		If yes, does the facility have a Type V processing unit?
		□ Yes ⊠ No
		If yes, does the unit have a Municipal Solid Waste permit?
		□ Yes ⊠ No

If yes to any of the above, provide the date the plant started or is anticipated to start accepting septic waste, an estimate of monthly septic waste acceptance (gallons or millions of gallons), an estimate of the  $BOD_5$  concentration of the septic waste, and the design  $BOD_5$  concentration of the influent from the collection system. Also note if this information has or has not changed since the last permit action.

Click to enter text.				

Note: Permits that accept sludge from other wastewater treatment plants may be required to have influent flow and organic loading monitoring.

3. Acceptance of other wastes (not including septic, grease, grit, or RCRA, CERCLA or as discharged by IUs listed in Worksheet 6)

Is or will the facility accept wastes that are not domestic in nature excluding the categories listed above?

Yes	$\square$	No
169		110

If yes, provide the date that the plant started accepting the waste, an estimate how much waste is accepted on a monthly basis (gallons or millions of gallons), a description of the entities generating the waste, and any distinguishing chemical or other physical characteristic of the waste. Also note if this information has or has not changed since the last permit action.

Click to enter text.		

# Section 7. Pollutant Analysis of Treated Effluent (Instructions Page 49)

Is the facility in operation?

⊠ Yes □ No

If no, this section is not applicable. Proceed to Section 8.

If yes, provide effluent analysis data for the listed pollutants. *Wastewater treatment facilities* complete Table 1.0(2). *Water treatment facilities* discharging filter backwash water, complete Table 1.0(3). Provide copies of the laboratory results sheets. **These tables are not applicable for a minor amendment without renewal.** See the instructions for guidance.

Note: The sample date must be within 1 year of application submission.

Table1.0(2) - Pollutant Analysis for Wastewater Treatment Facilities

Pollutant	Average Conc.	Max Conc.	No. of Samples	Sample Type	Sample Date/Time
CBOD <sub>5</sub> , mg/l	3.80		1	G	6/2/25 @ 9:00 am
Total Suspended Solids, mg/l	21.3		1	G	6/2/25 @ 9:00 am
Ammonia Nitrogen, mg/l	0.439		1	G	6/2/25 @ 9:00 am
Nitrate Nitrogen, mg/l	<0.1		1	G	6/24/25 @ 9:00 am
Total Kjeldahl Nitrogen, mg/l	3.82		1	G	6/24/25 @ 9:00 am
Sulfate, mg/l	11.5		1	G	6/24/25 @ 9:00 am
Chloride, mg/l	25.0		1	G	6/2/25 @ 9:00 am
Total Phosphorus, mg/l	0.700		1	G	6/2/25 @ 9:00 am
pH, standard units	8.10		1	G	6/2/25 @ 9:00 am
Dissolved Oxygen*, mg/l	7.2		1	G	6/2/25 @ 9:00 am
Chlorine Residual, mg/l	<0.01		1	G	6/2/25 @ 9:00 am
<i>E.coli</i> (CFU/100ml) freshwater	25.7		1	G	6/2/25 @ 9:00 am
Entercocci (CFU/100ml) saltwater	N/A				
Total Dissolved Solids, mg/l	232		1	G	6/2/25 @ 9:00 am
Electrical Conductivity, µmohs/cm, †	N/A				
Oil & Grease, mg/l	N/A				
Alkalinity (CaCO <sub>3</sub> )*, mg/l	N/A				

<sup>\*</sup>TPDES permits only

Table1.0(3) - Pollutant Analysis for Water Treatment Facilities

Pollutant	Average Conc.	Max Conc.	No. of Samples	Sample Type	Sample Date/Time
Total Suspended Solids, mg/l	N/A				
Total Dissolved Solids, mg/l	N/A				
pH, standard units	N/A				

<sup>†</sup>TLAP permits only

Pollutant	Average Conc.	Max Conc.	No. of Samples	Sample Type	Sample Date/Time
Fluoride, mg/l	N/A				
Aluminum, mg/l	N/A				
Alkalinity (CaCO <sub>3</sub> ), mg/l	N/A				

# Section 8. Facility Operator (Instructions Page 49)

Facility Operator Name: William K Griffis

Facility Operator's License Classification and Level: Wastewater, Class C

Facility Operator's License Number: WW0064163

# Section 9. Sludge and Biosolids Management and Disposal (Instructions Page 50)

### A. WWTP's Sewage Sludge or Biosolids Management Facility Type

Che	ck all that apply. See instructions for guidance
	Design flow>= 1 MGD
	Serves >= 10,000 people
	Class I Sludge Management Facility (per 40 CFR § 503.9)
	Biosolids generator
	Biosolids end user – land application (onsite)
	Biosolids end user – surface disposal (onsite)

### B. WWTP's Sewage Sludge or Biosolids Treatment Process

Biosolids end user - incinerator (onsite)

Che	ck all that apply. See instructions for guidance.
	Aerobic Digestion
	Air Drying (or sludge drying beds)
	Lower Temperature Composting
	Lime Stabilization
	Higher Temperature Composting
	Heat Drying
	Thermophilic Aerobic Digestion
	Beta Ray Irradiation
	Gamma Ray Irradiation
	Pasteurization
	Preliminary Operation (e.g. grinding, de-gritting, blending)

	Thickening (e.g. gravity thickening, centrifugation, filter press, vacuum filter)
	Sludge Lagoon
	Temporary Storage (< 2 years)
	Long Term Storage (>= 2 years)
	Methane or Biogas Recovery
$\boxtimes$	Other Treatment Process: <u>Sludge is held and stabilized in the stabilization ponds.</u>

### C. Sewage Sludge or Biosolids Management

Provide information on the *intended* sewage sludge or biosolids management practice. Do not enter every management practice that you want authorized in the permit, as the permit will authorize all sewage sludge or biosolids management practices listed in the instructions. Rather indicate the management practice the facility plans to use.

### **Biosolids Management**

Management Practice	Handler or Preparer Type	Bulk or Bag Container	Amount (dry metric tons)	Pathogen Reduction Options	Vector Attraction Reduction Option
Choose an item.	Choose an item.	Choose an item.		Choose an item.	Choose an item.
Choose an item.	Choose an item.	Choose an item.		Choose an item.	Choose an item.
Choose an item.	Choose an item.	Choose an item.		Choose an item.	Choose an item.

If "Other" is selected for Management Practice, please explain (e.g. monofill or transport to another WWTP): Click to enter text.

### D. Disposal site

Disposal site name: N/A

TCEQ permit or registration number: <u>Click to enter text.</u>
County where disposal site is located: <u>Click to enter text.</u>

### E. Transportation method

Method of transportation (truck, train, pipe, other): <u>Truck</u>

Name of the hauler: Click to enter text.

Hauler registration number: <u>Click to enter text.</u>

Sludge is transported as a:

Liquid  $\square$  semi-liquid  $\square$  semi-solid  $\square$  solid  $\square$ 

# Section 10. Permit Authorization for Sewage Sludge Disposal (Instructions Page 52)

### A. Beneficial use authorization

	Does to benefic		_	permit inclu	de authorizatio	n for lar	ıd appli	cation	of biosolids f	or
		Yes	$\boxtimes$	No						
	If yes, benefic			questing to c	ontinue this aut	thorizati	on to la	and ap	ply biosolids f	or
		Yes	$\boxtimes$	No						
		Form			cation for Perm ned to this perm					
		Yes	$\boxtimes$	No						
В.	Sludge	e proce	essin	g authorizat	ion					
			_	permit inclual al options?	de authorizatio	n for an	y of the	follow	ing sludge pr	ocessing,
	Slu	dge Co	ompo	sting			Yes	$\boxtimes$	No	
	Mai	rketing	g and	Distribution	of Biosolids		Yes	$\boxtimes$	No	
	Slu	dge Su	ırface	e Disposal or	Sludge Monofil	1 🗆	Yes	$\boxtimes$	No	
	Ter	npora	ry sto	orage in slud	ge lagoons		Yes	$\boxtimes$	No	
	author	izatio	n, is t	he complete	ge options and d <b>Domestic Wa</b> 1 <b>No. 10056)</b> at	stewate	r Permi	it Appl	ication: Sewa	
		Yes		No						
Se	ection	11.	Sew	age Sludg	e Lagoons (	Instru	ctions	. Page	· 53)	
					sludge lagoons?			- «B	2 00)	
Do	□ Y€		No	· ·	naage lagoons.					
If v					this section. If	no, proc	eed to S	Section	12.	
<b>A</b>	Location	on info	orma	tion		-				
7	The fo	llowin	g ma		ed to be submit er.	tted as p	art of t	he app	lication. For e	ach map,
	•	Origin	ıal Ge	eneral Highwa	ay (County) Mar	o:				
		Attacl	hmer	nt: <u>Click to er</u>	iter text.					
	•	USDA	Natu	ral Resource	s Conservation	Service	Soil Ma	p:		
		Attacl	hmer	nt: Click to er	iter text.					
	•	Federa	al Em	ergency Man	agement Map:					
		Attacl	hmer	nt: Click to er	iter text.					
	•	Site m	ap:							
		Attacl	hmer	nt: Click to er	iter text.					

	Discuss apply.	s in a description if any of the following exist within the lagoon area. Check all that
		Overlap a designated 100-year frequency flood plain
		Soils with flooding classification
		Overlap an unstable area
		Wetlands
		Located less than 60 meters from a fault
		None of the above
		achment: Click to enter text.
	If a poi	rtion of the lagoon(s) is located within the 100-year frequency flood plain, provide otective measures to be utilized including type and size of protective structures:
	Click	to enter text.
В.	Tempo	orary storage information
	Provide	e the results for the pollutant screening of sludge lagoons. These results are in
	additio	n to pollutant results in <i>Section 7 of Technical Report 1.0.</i>
	Nitr	rate Nitrogen, mg/kg: <u>Click to enter text.</u>
	Tot	al Kjeldahl Nitrogen, mg/kg: <u>Click to enter text.</u>
	Tot	al Nitrogen (=nitrate nitrogen + TKN), mg/kg: <u>Click to enter text.</u>
	Pho	sphorus, mg/kg: Click to enter text.
	Pota	assium, mg/kg: <u>Click to enter text.</u>
	pН,	standard units: Click to enter text.
	Am	monia Nitrogen mg/kg: <u>Click to enter text.</u>
	Ars	enic: <u>Click to enter text.</u>
	Cad	mium: Click to enter text.
	Chr	omium: Click to enter text.
	Cop	pper: <u>Click to enter text.</u>
	Lea	d: Click to enter text.
	Mer	cury: Click to enter text.
		ybdenum: Click to enter text.

Selenium: <u>Click to enter text.</u>

Nickel: Click to enter text.

Zinc: Click to enter text.

Total PCBs: <u>Click to enter text.</u>
Provide the following information:

Volume and frequency of sludge to the lagoon(s): Click to enter text. Total dry tons stored in the lagoons(s) per 365-day period: Click to enter text. Total dry tons stored in the lagoons(s) over the life of the unit: Click to enter text. C. Liner information Does the active/proposed sludge lagoon(s) have a liner with a maximum hydraulic conductivity of 1x10<sup>-7</sup> cm/sec? Yes □ No If ves. describe the liner below. Please note that a liner is required. Click to enter text. D. Site development plan Provide a detailed description of the methods used to deposit sludge in the lagoon(s): Click to enter text. Attach the following documents to the application. • Plan view and cross-section of the sludge lagoon(s) **Attachment**: Click to enter text. • Copy of the closure plan Attachment: Click to enter text. • Copy of deed recordation for the site Attachment: Click to enter text. Size of the sludge lagoon(s) in surface acres and capacity in cubic feet and gallons Attachment: Click to enter text.

 Description of the method of controlling infiltration of groundwater and surface water from entering the site

Attachment: Click to enter text.

Procedures to prevent the occurrence of nuisance conditions

Attachment: Click to enter text.

### E. Groundwater monitoring

	groundwater monitoring currently conducted at this site, or are any wens available for the sludge lagoon(s)?	
	□ Yes □ No	
	If groundwater monitoring data are available, provide a copy. Provide a profile of soil types encountered down to the groundwater table and the depth to the shallowest groundwater as a separate attachment.	
	Attachment: Click to enter text.	
Se	ection 12. Authorizations/Compliance/Enforcement (Instructions Page 54)	
Α	. Additional authorizations	
	Does the permittee have additional authorizations for this facility, such as reuse authorization, sludge permit, etc?	
	□ Yes ⊠ No	
	If yes, provide the TCEQ authorization number and description of the authorization:	
	Click to enter text.	
B.	Permittee enforcement status	
	Is the permittee currently under enforcement for this facility?	
	□ Yes ⊠ No	
	Is the permittee required to meet an implementation schedule for compliance or enforcement?	
	□ Yes ⊠ No	
	<b>If yes</b> to either question, provide a brief summary of the enforcement, the implementa schedule, and the current status:	tion
C	Click to enter text.	

# Section 13. RCRA/CERCLA Wastes (Instructions Page 55)

### A. RCRA hazardous wastes

Has the facility received in the past three years, does it currently receive, or will it receive RCRA hazardous waste?

□ Yes ⊠ No

### B. Remediation activity wastewater

Has the facility received in the past three years, does it currently receive, or will it receive CERCLA wastewater, RCRA remediation/corrective action wastewater or other remediation activity wastewater?

□ Yes ⊠ No

### C. Details about wastes received

**If yes** to either Subsection A or B above, provide detailed information concerning these wastes with the application.

Attachment: Click to enter text.

# Section 14. Laboratory Accreditation (Instructions Page 56)

All laboratory tests performed must meet the requirements of 30 TAC Chapter 25, Environmental Testing Laboratory Accreditation and Certification, which includes the following general exemptions from National Environmental Laboratory Accreditation Program (NELAP) certification requirements:

- The laboratory is an in-house laboratory and is:
  - o periodically inspected by the TCEQ; or
  - o located in another state and is accredited or inspected by that state; or
  - o performing work for another company with a unit located in the same site; or
  - o performing pro bono work for a governmental agency or charitable organization.
- The laboratory is accredited under federal law.
- The data are needed for emergency-response activities, and a laboratory accredited under the Texas Laboratory Accreditation Program is not available.
- The laboratory supplies data for which the TCEQ does not offer accreditation.

The applicant should review 30 TAC Chapter 25 for specific requirements.

The following certification statement shall be signed and submitted with every application. See the Signature Page section in the Instructions, for a list of designated representatives who may sign the certification.

#### **CERTIFICATION:**

I certify that all laboratory tests submitted with this application meet the requirements of 30 TAC Chapter 25, Environmental Testing Laboratory Accreditation and Certification.

Printed Name: David Abernathy

Title: Mayor

Signature: \_\_\_

TCEQ-10054 (04/02/2024) Domestic Wastewater Permit Application Technical Report Page 18 of 66

# DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 2.0: RECEIVING WATERS

The following information is required for all TPDES permit applications.

Section 1. Domestic Drinking Water Supply (Instructions Page 63)
Is there a surface water intake for domestic drinking water supply located within 5 miles downstream from the point or proposed point of discharge?
□ Yes ⊠ No
If <b>no</b> , proceed it Section 2. <b>If yes</b> , provide the following:
Owner of the drinking water supply: <u>Click to enter text.</u>
Distance and direction to the intake: <u>Click to enter text.</u>
Attach a USGS map that identifies the location of the intake.
Attachment: Click to enter text.
Section 2. Discharge into Tidally Affected Waters (Instructions Page 63)
Does the facility discharge into tidally affected waters?
□ Yes ⊠ No
If <b>no</b> , proceed to Section 3. <b>If yes</b> , complete the remainder of this section. If no, proceed to Section 3.
A. Receiving water outfall
Width of the receiving water at the outfall, in feet: Click to enter text.
B. Oyster waters
Are there oyster waters in the vicinity of the discharge?
□ Yes □ No
If yes, provide the distance and direction from outfall(s).
Click to enter text.
C. Sea grasses
Are there any sea grasses within the vicinity of the point of discharge?
□ Yes □ No
If yes, provide the distance and direction from the outfall(s).
Click to enter text.

### Is the discharge directly into (or within 300 feet of) a classified segment? Yes ⊠ No If yes, this Worksheet is complete. **If no**, complete Sections 4 and 5 of this Worksheet. Section 4. **Description of Immediate Receiving Waters (Instructions Page 63)** Name of the immediate receiving waters: One Eve Creek A. Receiving water type Identify the appropriate description of the receiving waters. $\boxtimes$ Stream Freshwater Swamp or Marsh Lake or Pond Surface area, in acres: Click to enter text. Average depth of the entire water body, in feet: Click to enter text. Average depth of water body within a 500-foot radius of discharge point, in feet: Click to enter text. Man-made Channel or Ditch Open Bay Tidal Stream, Bayou, or Marsh Other, specify: Click to enter text. **B.** Flow characteristics If a stream, man-made channel or ditch was checked above, provide the following. For existing discharges, check one of the following that best characterizes the area *upstream* of the discharge. For new discharges, characterize the area *downstream* of the discharge (check one). Intermittent - dry for at least one week during most years Intermittent with Perennial Pools - enduring pools with sufficient habitat to maintain significant aquatic life uses Perennial - normally flowing Check the method used to characterize the area upstream (or downstream for new dischargers). USGS flow records Historical observation by adjacent landowners $\boxtimes$ Personal observation Other, specify: Click to enter text.

**Classified Segments (Instructions Page 63)** 

Section 3.

C.	Downs	tream perennial confluences		
		e names of all perennial streams tha tream of the discharge point.	t joii	n the receiving water within three miles
	None			
D.	Downs	stream characteristics		
		receiving water characteristics change (e.g., natural or man-made dams)  Yes  No	_	rithin three miles downstream of the ads, reservoirs, etc.)?
		discuss how.		
		reek flows into Big Cypress Creek		
E.	Norma	l dry weather characteristics		
	Provide	e general observations of the water b	ody	during normal dry weather conditions.
	Very lo	ow flow (only discharge); water clear wit	h soı	ne color caused by algae
	Date 21	nd time of observation: 06/24/25 @ 8	2.20	am
		e water body influenced by stormwa		
		Yes ⊠ No		outour deling over the order.
-			C	
Se	ection	Page 65)	10	the Waterbody (Instructions
•	T.L	3		
Α.	-	am influences	of t	no discharge or proposed discharge site
		ced by any of the following? Check		he discharge or proposed discharge site nat apply.
		Oil field activities		Urban runoff
		Upstream discharges	$\boxtimes$	Agricultural runoff
		Septic tanks		Other(s), specify: Click to enter text.

#### **B.** Waterbody uses Observed or evidences of the following uses. Check all that apply. Livestock watering Contact recreation Irrigation withdrawal Non-contact recreation Fishing **Navigation** Industrial water supply Domestic water supply Park activities Other(s), specify: Click to enter text. C. Waterbody aesthetics Check one of the following that best describes the aesthetics of the receiving water and the surrounding area. Wilderness: outstanding natural beauty; usually wooded or unpastured area; water clarity exceptional Natural Area: trees and/or native vegetation; some development evident (from fields, pastures, dwellings); water clarity discolored Common Setting: not offensive; developed but uncluttered; water may be colored

Offensive: stream does not enhance aesthetics; cluttered; highly developed;

or turbid

dumping areas; water discolored

# DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 6.0: INDUSTRIAL WASTE CONTRIBUTION

The following is required for all publicly owned treatment works.

## Section 1. All POTWs (Instructions Page 87)

### A. Industrial users (IUs)

B.

Provide the number of each of the following types of industrial users (IUs) that discharge to your POTW and the daily flows from each user. See the Instructions for definitions of Categorical IUs, Significant IUs – non-categorical, and Other IUs.

If there are no users, enter 0 (zero).
Categorical IUs:
Number of IUs: <u>o</u>
Average Daily Flows, in MGD: <u>Click to enter text.</u>
Significant IUs - non-categorical:
Number of IUs: <u>o</u>
Average Daily Flows, in MGD: <u>Click to enter text.</u>
Other IUs:
Number of IUs: <u>o</u>
Average Daily Flows, in MGD: <u>Click to enter text.</u>
Treatment plant interference
In the past three years, has your POTW experienced treatment plant interference (see instructions)?
□ Yes ⊠ No
If yes, identify the dates, duration, description of interference, and probable cause(s) and
possible source(s) of each interference event. Include the names of the IUs that may have caused the interference.
caused the interference.

	In the past three years, has your POTW experienced pass through (see instructions)?
	□ Yes ⊠ No
	If yes, identify the dates, duration, a description of the pollutants passing through the treatment plant, and probable cause(s) and possible source(s) of each pass through event. Include the names of the IUs that may have caused pass through.
	Click to enter text.
D.	Pretreatment program
	Does your POTW have an approved pretreatment program?
	□ Yes ⊠ No
	If yes, complete Section 2 only of this Worksheet.
	Is your POTW required to develop an approved pretreatment program?
	□ Yes ⊠ No
	If yes, complete Section 2.c. and 2.d. only, and skip Section 3.
	<b>If no to either question above</b> , skip Section 2 and complete Section 3 for each significant industrial user and categorical industrial user.
Se	ction 2. POTWs with Approved Programs or Those Required to Develop a Program (Instructions Page 87)
Α.	Substantial modifications
	Have there been any <b>substantial modifications</b> to the approved pretreatment program
	that have not been submitted to the TCEQ for approval according to 40 CFR §403.18?
	□ Yes □ No
	If yes, identify the modifications that have not been submitted to TCEQ, including the purpose of the modification.
	Click to enter text.

C. Treatment plant pass through

	n any <b>non-substantia</b> l ave not been submitte			
□ Yes □	l No		_	
	all non-substantial mo urpose of the modifica		ave not been s	submitted to TCEQ,
Click to enter	text.			
C. Effluent param	neters above the MAL			
	list all parameters me			
monitoring dur	ing the last three year	's. Submit an attac	chment if nece	essary.
	meters Above the MAL		T	1
Pollutant	Concentration	MAL	Units	Date
D. Industrial user	interruptions			
	U, or other IU caused or pass throughs) at yo			
□ Yes □	l No			
	- the industry, describe s, and probable pollut		cluding dates,	duration, description
Click to enter	text.			

**B.** Non-substantial modifications

# Section 3. Significant Industrial User (SIU) Information and Categorical Industrial User (CIU) (Instructions Page 88)

A. General information

	Company Name: <u>N/A</u>
	SIC Code: Click to enter text.
	Contact name: Click to enter text.
	Address: Click to enter text.
	City, State, and Zip Code: Click to enter text.
	Telephone number: <u>Click to enter text.</u>
	Email address: Click to enter text.
B.	Process information
	Describe the industrial processes or other activities that affect or contribute to the SIU(s) or CIU(s) discharge (i.e., process and non-process wastewater).
	Click to enter text.
C.	Product and service information
C.	Product and service information  Provide a description of the principal product(s) or services performed.
C.	
C.	Provide a description of the principal product(s) or services performed.
C.	Provide a description of the principal product(s) or services performed.
C.	Provide a description of the principal product(s) or services performed.
C.	Provide a description of the principal product(s) or services performed.
C.	Provide a description of the principal product(s) or services performed.
	Provide a description of the principal product(s) or services performed.
	Provide a description of the principal product(s) or services performed.  Click to enter text.
	Provide a description of the principal product(s) or services performed.  Click to enter text.  Flow rate information
	Provide a description of the principal product(s) or services performed.  Click to enter text.  Flow rate information  See the Instructions for definitions of "process" and "non-process wastewater."
	Provide a description of the principal product(s) or services performed.  Click to enter text.  Flow rate information  See the Instructions for definitions of "process" and "non-process wastewater."  Process Wastewater:
	Provide a description of the principal product(s) or services performed.  Click to enter text.  Flow rate information  See the Instructions for definitions of "process" and "non-process wastewater."  Process Wastewater:  Discharge, in gallons/day: Click to enter text.
	Provide a description of the principal product(s) or services performed.  Click to enter text.  Flow rate information  See the Instructions for definitions of "process" and "non-process wastewater."  Process Wastewater:  Discharge, in gallons/day: Click to enter text.  Discharge Type: Continuous Batch Intermittent
	Provide a description of the principal product(s) or services performed.  Click to enter text.  Flow rate information  See the Instructions for definitions of "process" and "non-process wastewater."  Process Wastewater:  Discharge, in gallons/day: Click to enter text.  Discharge Type:  Continuous  Batch  Intermittent  Non-Process Wastewater:

E.

F.