



Administrative Package Cover Page

This file contains the following documents:

1. Summary of application (in plain language)
 - English
 - Alternative Language (Spanish)
 2. First Notice (NORI-Notice of Receipt of Application and Intent to Obtain a Permit)
 - English
 - Alternative Language (Spanish)
 3. Application materials
-



Portada de Paquete Administrativo

Este archivo contiene los siguientes documentos:

1. Resumen en lenguaje sencillo (PLS, por sus siglas en inglés) de la actividad propuesta
 - Inglés
 - Idioma alternativo (español)
2. Primer aviso (NORI, por sus siglas en inglés)
 - Inglés
 - Idioma alternativo (español)
3. Solicitud original



TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

PLAIN LANGUAGE SUMMARY FOR TPDES OR TLAP PERMIT APPLICATIONS

Plain Language Summary Template and Instructions for Texas Pollutant Discharge Elimination System (TPDES) and Texas Land Application (TLAP) Permit Applications

Applicants should use this template to develop a plain language summary as required by [Title 30, Texas Administrative Code \(30 TAC\), Chapter 39, Subchapter H](#). Applicants may modify the template as necessary to accurately describe their facility as long as the summary includes the following information: (1) the function of the proposed plant or facility; (2) the expected output of the proposed plant or facility; (3) the expected pollutants that may be emitted or discharged by the proposed plant or facility; and (4) how the applicant will control those pollutants, so that the proposed plant will not have an adverse impact on human health or the environment.

Fill in the highlighted areas below to describe your facility and application in plain language. Instructions and examples are provided below. Make any other edits necessary to improve readability or grammar and to comply with the rule requirements.

If you are subject to the alternative language notice requirements in [30 TAC Section 39.426](#), **you must provide a translated copy of the completed plain language summary in the appropriate alternative language as part of your application package**. For your convenience, a Spanish template has been provided below.

ENGLISH TEMPLATE FOR TPDES or TLAP NEW/RENEWAL/AMENDMENT APPLICATIONS Enter 'INDUSTRIAL' or 'DOMESTIC' here WASTEWATER/STORMWATER

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 TAC Chapter 39. The information provided in this summary may change during the technical review of the application and is not a federal enforceable representation of the permit application.

City of Caddo Mills, Texas (600672752) operates City of Caddo Mills Wastewater Treatment Facility (104798681), a wastewater treatment utility. The facility is located at approximately 2,100 feet west of the intersection of FM road 36 and FM road 1903, in Caddo Mills, Hunt County, Texas 75135. This is a request for renewal of an existing permit for treating and handling of wastewater by means of effluent discharge.

Discharges from the facility are expected to contain *Arsenic, Cadmium, Chromium, Copper, Lead, Mercury, Molybdenum, Nickel, PCBs, Selenium, and Zinc*. Processed wastewater is treated by an activated process plant operated in the conventional mode with nitrification. Treatment units include one pump station, two equalization basins, two bar screens, one aeration basin, one clarifier, one aerobic sludge digester, one sludge thickener, one sludge dewatering unit, and one chlorine contact chamber. Sludge generated from the treatment facility is hauled by a registered transporter and disposed of at a TCEQ-permitted landfill (Republic Maloy Landfill),

Permit No. 1195B, in Hunt Count. The permit also authorizes the disposal of sludge at a TCEQ-authorized land application site, co-disposal landfill, wastewater treatment facility, or facility that processes sludge. This treatment facility is already in operation. The final effluent limitation of daily average flow shall not exceed 0.75 MGD, nor shall the average discharge during any two-hour period exceed 2,083 gallons per minute (gpm).

PLANTILLA EN ESPAÑOL PARA SOLICITUDES NUEVAS/RENOVACIONES/ENMIENDAS DE TPDES o TLAP

AGUAS RESIDUALES **Introduzca 'INDUSTRIALES' o 'DOMÉSTICAS' aquí** /AGUAS PLUVIALES

El siguiente resumen se proporciona para esta solicitud de permiso de calidad del agua pendiente que está siendo revisada por la Comisión de Calidad Ambiental de Texas según lo requerido por el Capítulo 39 del Código Administrativo de Texas 30. La información proporcionada en este resumen puede cambiar durante la revisión técnica de la solicitud y no es una representación ejecutiva fedérale de la solicitud de permiso.

Ciudad de Caddo Mills, Texas (600672752) opera la Planta de Tratamiento de Aguas Residuales de la Ciudad de Caddo Mills (104798681), una instalación de tratamiento de aguas residuales. La planta está ubicada aproximadamente a 2,100 pies al oeste de la intersección de la carretera FM 36 y la carretera FM 1903, en Caddo Mills, Condado de Hunt, Texas 75135.

Esta es una solicitud para la **renovación de un permiso existente** para el tratamiento y manejo de aguas residuales mediante **descarga de efluentes**.

Se espera que las descargas de la instalación contengan **arsénico, cadmio, cromo, cobre, plomo, mercurio, molibdeno, níquel, bifenilos policlorados (PCB), selenio y zinc**.

Las aguas residuales procesadas son tratadas mediante una planta de proceso activado operada en modo convencional con **nitrificación**. Las unidades de tratamiento incluyen **una estación de bombeo, dos tanques de igualación, dos rejillas de barras, un tanque de aireación, un clarificador, un digestor aeróbico de lodos, un espesador de lodos, una unidad de deshidratación de lodos y una cámara de contacto con cloro**.

Los lodos generados en la planta de tratamiento son transportados por un transportista registrado y **eliminados en un relleno sanitario autorizado por la TCEQ (Republic Maloy Landfill), Permiso No. 1195B, en el Condado de Hunt**. El permiso también autoriza la **eliminación de lodos en un sitio de aplicación terrestre autorizado por la TCEQ, un relleno sanitario de co-disposición, una planta de tratamiento de aguas residuales o una instalación que procese lodos**.

Esta planta de tratamiento ya está en operación. La **limitación final del efluente** establece que el **flujo promedio diario no debe exceder 0.75 millones de galones por día (MGD)**, ni el **promedio de descarga durante cualquier período de dos horas debe exceder los 2,083 galones por minuto (gpm)**.

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



NOTICE OF RECEIPT OF APPLICATION AND INTENT TO OBTAIN WATER QUALITY PERMIT RENEWAL

PERMIT NO. WQ0010425002

APPLICATION. City of Caddo Mills, P.O. Box 490, Caddo Mills, Texas 75135, has applied to the Texas Commission on Environmental Quality (TCEQ) to renew Texas Pollutant Discharge Elimination System (TPDES) Permit No. WQ0010425002 (EPA I.D. No. TX0128392) to authorize the discharge of treated wastewater at a volume not to exceed a daily average flow of 750,000 gallons per day. The domestic wastewater treatment facility is located approximately 2,100 feet west of the intersection of Farm-to-Market Road 36 and Farm-to-Market 1903, in Hunt County, Texas 75135. The discharge route is from the plant site to West Caddo Creek; thence to Caddo Creek; thence to Lake Tawakoni. TCEQ received this application on September 25, 2025. The permit application will be available for viewing and copying at Caddo Mills City Hall, Main Administrative Desk, 2313 Main Street, Caddo Mills, in Hunt County, Texas prior to the date this notice is published in the newspaper. The application, including any updates, and associated notices are available electronically at the following webpage: <https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications>. This link to an electronic map of the site or facility's general location is provided as a public courtesy and not part of the application or notice. For the exact location, refer to the application.

<https://gisweb.tceq.texas.gov/LocationMapper/?marker=-96.2127,33.0416&level=18>

ALTERNATIVE LANGUAGE NOTICE. Alternative language notice in Spanish is available at: <https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications>.

El aviso de idioma alternativo en español está disponible en

<https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications>.

ADDITIONAL NOTICE. TCEQ's Executive Director has determined the application is administratively complete and will conduct a technical review of the application. After technical review of the application is complete, the Executive Director may prepare a draft permit and will issue a preliminary decision on the application. **Notice of the Application and Preliminary Decision will be published and mailed to those who are on the county-wide mailing list and to those who are on the mailing list for this application. That notice will contain the deadline for submitting public comments.**

PUBLIC COMMENT / PUBLIC MEETING. You may submit public comments or request a public meeting on this application. The purpose of a public meeting is to provide the opportunity to submit comments or to ask questions about the application. TCEQ will hold a public meeting if the Executive Director determines that there is a significant degree of public

interest in the application or if requested by a local legislator. A public meeting is not a contested case hearing.

OPPORTUNITY FOR A CONTESTED CASE HEARING. After the deadline for submitting public comments, the Executive Director will consider all timely comments and prepare a response to all relevant and material, or significant public comments. **Unless the application is directly referred for a contested case hearing, the response to comments, and the Executive Director's decision on the application, will be mailed to everyone who submitted public comments and to those persons who are on the mailing list for this application.** If comments are received, the mailing will also provide instructions for requesting reconsideration of the Executive Director's decision and for requesting a contested case hearing. A contested case hearing is a legal proceeding similar to a civil trial in state district court.

TO REQUEST A CONTESTED CASE HEARING, YOU MUST INCLUDE THE FOLLOWING ITEMS IN YOUR REQUEST: your name, address, phone number; applicant's name and proposed permit number; the location and distance of your property/activities relative to the proposed facility; a specific description of how you would be adversely affected by the facility in a way not common to the general public; a list of all disputed issues of fact that you submit during the comment period and, the statement "[I/we] request a contested case hearing." If the request for contested case hearing is filed on behalf of a group or association, the request must designate the group's representative for receiving future correspondence; identify by name and physical address an individual member of the group who would be adversely affected by the proposed facility or activity; provide the information discussed above regarding the affected member's location and distance from the facility or activity; explain how and why the member would be affected; and explain how the interests the group seeks to protect are relevant to the group's purpose.

Following the close of all applicable comment and request periods, the Executive Director will forward the application and any requests for reconsideration or for a contested case hearing to the TCEQ Commissioners for their consideration at a scheduled Commission meeting.

The Commission may only grant a request for a contested case hearing on issues the requestor submitted in their timely comments that were not subsequently withdrawn. **If a hearing is granted, the subject of a hearing will be limited to disputed issues of fact or mixed questions of fact and law relating to relevant and material water quality concerns submitted during the comment period.**

TCEQ may act on an application to renew a permit for discharge of wastewater without providing an opportunity for a contested case hearing if certain criteria are met.

MAILING LIST. If you submit public comments, a request for a contested case hearing or a reconsideration of the Executive Director's decision, you will be added to the mailing list for this specific application to receive future public notices mailed by the Office of the Chief Clerk. In addition, you may request to be placed on: (1) the permanent mailing list for a specific applicant name and permit number; and/or (2) the mailing list for a specific county. If you wish to be placed on the permanent and/or the county mailing list, clearly specify which list(s) and send your request to TCEQ Office of the Chief Clerk at the address below.

INFORMATION AVAILABLE ONLINE. For details about the status of the application, visit the Commissioners' Integrated Database at www.tceq.texas.gov/goto/cid. Search the database using the permit number for this application, which is provided at the top of this notice.

AGENCY CONTACTS AND INFORMATION. All public comments and requests must be submitted either electronically at <https://www14.tceq.texas.gov/epic/eComment/>, or in writing to the Texas Commission on Environmental Quality, Office of the Chief Clerk, MC-105, P.O. Box 13087, Austin, Texas 78711-3087. Please be aware that any contact information you provide, including your name, phone number, email address and physical address will become part of the agency's public record. For more information about this permit application or the permitting process, please call the TCEQ Public Education Program, Toll Free, at 1-800-687-4040 or visit their website at www.tceq.texas.gov/goto/pep. Si desea información en Español, puede llamar al 1-800-687-4040.

Further information may also be obtained from City of Caddo Mills at the address stated above or by calling Mr. Paul Miller, Director of Public Works, at 903-461-2728.

Issuance Date: October 16, 2025

Comisión de Calidad Ambiental del Estado de Texas



AVISO DE RECIBO DE LA SOLICITUD Y EL INTENTO DE OBTENER PERMISO PARA LA CALIDAD DEL AGUA RENOVACION

PERMISO NO. WQ0010425002

SOLICITUD. La Ciudad de Caddo Mills, P.O. Box 490, Caddo Mills, Texas 75135, ha solicitado a la Comisión de Calidad Ambiental del Estado de Texas (TCEQ) la renovación del Permiso No. WQ0010425002 (EPA I.D. No. TX 0128392) del Sistema de Eliminación de Descargas de Contaminantes de Texas (TPDES) para autorizar la descarga de aguas residuales tratadas en un volumen que no sobrepase un flujo promedio diario de 750,000 galones por día.

La planta está ubicada aproximadamente a 2,100 pies al oeste de la intersección de la carretera Farm-to-Market Road 36 y la carretera Farm-to-Market Road 1903, en el Condado de Hunt, Texas 75135. La ruta de descarga es desde el sitio de la planta hacia West Caddo Creek, luego hacia Caddo Creek, y posteriormente hacia Lake Tawakoni. La TCEQ recibió esta solicitud el 25 de septiembre de 2025. La solicitud para el permiso estará disponible para leerla y copiarla en el Ayuntamiento de Caddo Mills, Escritorio Administrativo Principal, 2313 Main Street, Caddo Mills, en el Condado de Hunt, Texas, antes de la fecha de publicación de este aviso en el periódico. La solicitud (incluyendo cualquier actualización y aviso) está disponible electrónicamente en la siguiente página web:

<https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications>

Este enlace a un mapa electrónico de la ubicación general del sitio o de la instalación se proporciona como cortesía y no forma parte de la solicitud ni del aviso. Para conocer la ubicación exacta, consulte la solicitud.

<https://gisweb.tceq.texas.gov/LocationMapper/?marker=-96.2127,33.0416&level=18>

AVISO DE IDIOMA ALTERNATIVO. El aviso de idioma alternativo en español está disponible en <https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications>.

AVISO ADICIONAL. El Director Ejecutivo de la TCEQ ha determinado que la solicitud es administrativamente completa y conducirá una revisión técnica de la solicitud. Después de completar la revisión técnica, el Director Ejecutivo puede preparar un borrador del permiso y emitirá una Decisión Preliminar sobre la solicitud. **El aviso de la solicitud y la decisión preliminar serán publicados y enviado a los que están en la lista de correo de las personas a lo largo del condado que desean recibir los avisos y los que están en la lista de correo que desean recibir avisos de esta solicitud. El aviso dará la fecha límite para someter comentarios públicos.**

COMENTARIO PUBLICO / REUNION PUBLICA. Usted puede presentar comentarios públicos o pedir una reunión pública sobre esta solicitud. El propósito de una reunión pública es dar la oportunidad de presentar comentarios o hacer preguntas acerca de la solicitud. La TCEQ realiza una reunión pública si el Director Ejecutivo determina que hay un grado de interés público suficiente en la solicitud o si un legislador local lo pide. Una reunión pública no es una audiencia administrativa de lo contencioso.

OPORTUNIDAD DE UNA AUDIENCIA ADMINISTRATIVA DE LO CONTENCIOSO. Después del plazo para presentar comentarios públicos, el Director Ejecutivo considerará todos los comentarios apropiados y preparará una respuesta a todo los comentarios públicos esenciales, pertinentes, o significativos. **A menos que la solicitud haya sido referida directamente a una audiencia administrativa de lo contencioso, la respuesta a los comentarios y la decisión del Director Ejecutivo sobre la solicitud serán enviados por correo a todos los que presentaron un comentario público y a las personas que están en la lista para recibir avisos sobre esta solicitud. Si se reciben comentarios, el aviso también proveerá instrucciones para pedir una reconsideración de la decisión del Director Ejecutivo y para pedir una audiencia administrativa de lo contencioso.** Una audiencia administrativa de lo contencioso es un procedimiento legal similar a un procedimiento legal civil en un tribunal de distrito del estado.

PARA SOLICITAR UNA AUDIENCIA DE CASO IMPUGNADO, USTED DEBE INCLUIR EN SU SOLICITUD LOS SIGUIENTES DATOS: su nombre, dirección, y número de teléfono; el nombre del solicitante y número del permiso; la ubicación y distancia de su propiedad/actividad con respecto a la instalación; una descripción específica de la forma cómo usted sería afectado adversamente por el sitio de una manera no común al público en general; una lista de todas las cuestiones de hecho en disputa que usted presente durante el período de comentarios; y la declaración "[Yo/nosotros] solicito/solicitamos una audiencia de caso impugnado". Si presenta la petición para una audiencia de caso impugnado de parte de un grupo o asociación, debe identificar una persona que representa al grupo para recibir correspondencia en el futuro; identificar el nombre y la dirección de un miembro del grupo que sería afectado adversamente por la planta o la actividad propuesta; proveer la información indicada anteriormente con respecto a la ubicación del miembro afectado y su distancia de la planta o actividad propuesta; explicar cómo y porqué el miembro sería afectado; y explicar cómo los intereses que el grupo desea proteger son pertinentes al propósito del grupo.

Después del cierre de todos los períodos de comentarios y de petición que aplican, el Director Ejecutivo enviará la solicitud y cualquier petición para reconsideración o para una audiencia de caso impugnado a los Comisionados de la TCEQ para su consideración durante una reunión programada de la Comisión.

La Comisión sólo puede conceder una solicitud de una audiencia de caso impugnado sobre los temas que el solicitante haya presentado en sus comentarios oportunos que no fueron retirados posteriormente. **Si se concede una audiencia, el tema de la audiencia estará limitado a cuestiones de hecho en disputa o cuestiones mixtas de hecho y de derecho relacionadas a intereses pertinentes y materiales de calidad del agua que se hayan presentado durante el período de comentarios. Si ciertos criterios se cumplen, la TCEQ puede actuar sobre una solicitud para renovar un permiso sin proveer una oportunidad de una audiencia administrativa de lo contencioso.**

LISTA DE CORREO. Si somete comentarios públicos, un pedido para una audiencia administrativa de lo contencioso o una reconsideración de la decisión del Director Ejecutivo, la Oficina del Secretario Principal enviará por correo los avisos públicos en relación con la solicitud. Además, puede pedir que la TCEQ ponga su nombre en una o más de las listas correos siguientes (1) la lista de correo permanente para recibir los avisos del solicitante indicado por nombre y número del permiso específico y/o (2) la lista de correo de todas las solicitudes en un condado específico. Si desea que se agregue su nombre en una de las listas designe cual lista(s) y envía por correo su pedido a la Oficina del Secretario Principal de la TCEQ.

INFORMACIÓN DISPONIBLE EN LÍNEA. Para detalles sobre el estado de la solicitud, favor de visitar la Base de Datos Integrada de los Comisionados en www.tceq.texas.gov/goto/cid. Para buscar en la base de datos, utilizar el número de permiso para esta solicitud que aparece en la parte superior de este aviso.

CONTACTOS E INFORMACIÓN A LA AGENCIA. Todos los comentarios públicos y solicitudes deben ser presentadas electrónicamente vía <http://www14.tceq.texas.gov/epic/eComment/> o por escrito dirigidos a la Comisión de Texas de Calidad Ambiental, Oficial de la Secretaría (Office of Chief Clerk), MC-105, P.O. Box 13087, Austin, Texas 78711-3087. Tenga en cuenta que cualquier información personal que usted proporcione, incluyendo su nombre, número de teléfono, dirección de correo electrónico y dirección física pasarán a formar parte del registro público de la Agencia. Para obtener más información acerca de esta solicitud de permiso o el proceso de permisos, llame al programa de educación pública de la TCEQ, gratis, al 1-800-687-4040. Si desea información en Español, puede llamar al 1-800-687-4040.

También se puede obtener información adicional de la Ciudad de Caddo Mills en la dirección indicada arriba o llamando al Sr. Paul Miller, Director de Obras Públicas, al 903-461-2728

Fecha de emisión: el 16 de octubre de 2025



City of Caddo Mills

**Wastewater Treatment Facility
Permit Renewal Application**

September 2025



TABLE OF CONTENTS

1) Administrative Report 1.0

- a. Attachment A: Core Data Form
- b. Attachment B: Plain Language Summary
- c. Attachment C: Supplemental Permit Information Form

2) Technical Report 1.0

- a. Attachment D: Process Flow Diagram
- b. Attachment E: Site Drawing
- c. Attachment F: Testing Analysis Data

3) Worksheet 2.0

4) Worksheet 6.0



TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

DOMESTIC WASTEWATER PERMIT APPLICATION CHECKLIST

Complete and submit this checklist with the application.

APPLICANT NAME: City of Caddo Mills

PERMIT NUMBER (If new, leave blank): WQ00 10425002

Indicate if each of the following items is included in your application.

	Y	N		Y	N
Administrative Report 1.0	☒	☐	Original USGS Map	☒	☐
Administrative Report 1.1	☐	☒	Affected Landowners Map	☐	☒
SPIF	☒	☐	Landowner Disk or Labels	☐	☒
Core Data Form	☒	☐	Buffer Zone Map	☐	☒
Public Involvement Plan Form	☐	☒	Flow Diagram	☒	☐
Technical Report 1.0	☒	☐	Site Drawing	☒	☐
Technical Report 1.1	☐	☒	Original Photographs	☐	☒
Worksheet 2.0	☒	☐	Design Calculations	☐	☒
Worksheet 2.1	☐	☒	Solids Management Plan	☐	☒
Worksheet 3.0	☐	☒	Water Balance	☐	☒
Worksheet 3.1	☐	☒			
Worksheet 3.2	☐	☒			
Worksheet 3.3	☐	☒			
Worksheet 4.0	☐	☒			
Worksheet 5.0	☐	☒			
Worksheet 6.0	☒	☐			
Worksheet 7.0	☐	☒			

For TCEQ Use Only

Segment Number _____ County _____
Expiration Date _____ Region _____
Permit Number _____



TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

**DOMESTIC WASTEWATER PERMIT APPLICATION
ADMINISTRATIVE REPORT 1.0**

For any questions about this form, please contact the Applications Review and Processing Team at 512-239-4671.

Section 1. Application Fees (Instructions Page 26)

Indicate the amount submitted for the application fee (check only one).

Flow	New/Major Amendment	Renewal
<0.05 MGD	\$350.00 ☐	\$315.00 ☐
≥0.05 but <0.10 MGD	\$550.00 ☐	\$515.00 ☐
≥0.10 but <0.25 MGD	\$850.00 ☐	\$815.00 ☐
≥0.25 but <0.50 MGD	\$1,250.00 ☐	\$1,215.00 ☐
≥0.50 but <1.0 MGD	\$1,650.00 ☐	\$1,615.00 ☒
≥1.0 MGD	\$2,050.00 ☐	\$2,015.00 ☐

Minor Amendment (for any flow) \$150.00 ☐

Payment Information:

Mailed Check/Money Order Number: [Click to enter text.](#)

Check/Money Order Amount: [Click to enter text.](#)

Name Printed on Check: [Click to enter text.](#)

EPAY Voucher Number: 784586

Copy of Payment Voucher enclosed? Yes ☒

Section 2. Type of Application (Instructions Page 26)

a. Check the box next to the appropriate authorization type.

- ☒ Publicly-Owned Domestic Wastewater
☐ Privately-Owned Domestic Wastewater
☐ Conventional Wastewater Treatment

b. Check the box next to the appropriate facility status.

- ☒ Active ☐ Inactive

c. Check the box next to the appropriate permit type.

- ☒ TPDES Permit
☐ TLAP
☐ TPDES Permit with TLAP component
☐ Subsurface Area Drip Dispersal System (SADDS)

d. Check the box next to the appropriate application type

- | | |
|---|---|
| ☐ New | |
| ☐ Major Amendment <u>with</u> Renewal | ☐ Minor Amendment <u>with</u> Renewal |
| ☐ Major Amendment <u>without</u> Renewal | ☐ Minor Amendment <u>without</u> Renewal |
| ☒ Renewal without changes | ☐ Minor Modification of permit |

e. For amendments or modifications, describe the proposed changes: [Click to enter text.](#)

f. For existing permits:

Permit Number: WQ00 10425002

EPA I.D. (TPDES only): TX 0128392

Expiration Date: 04/01/2026

Section 3. Facility Owner (Applicant) and Co-Applcant Information (Instructions Page 26)

A. The owner of the facility must apply for the permit.

What is the Legal Name of the entity (applicant) applying for this permit?

CITY OF CADDO MILLS

(The legal name must be spelled exactly as filed with the Texas Secretary of State, County, or in the legal documents forming the entity.)

If the applicant is currently a customer with the TCEQ, what is the Customer Number (CN)?

You may search for your CN on the TCEQ website at <http://www15.tceq.texas.gov/crpub/>

CN: 600672752

What is the name and title of the person signing the application? The person must be an executive official meeting signatory requirements in 30 TAC § 305.44.

Prefix: Mr.

Last Name, First Name: Dupuis, Jacob

Title: Sr. Discipline Lead/Principal Credential: PE

B. **Co-applicant information.** Complete this section only if another person or entity is required to apply as a co-permittee.

What is the Legal Name of the co-applicant applying for this permit?

[Click to enter text.](#)

(The legal name must be spelled exactly as filed with the TX SOS, with the County, or in the legal documents forming the entity.)

If the co-applicant is currently a customer with the TCEQ, what is the Customer Number (CN)? You may search for your CN on the TCEQ website at: <http://www15.tceq.texas.gov/crpub/>

CN: Click to enter text.

What is the name and title of the person signing the application? The person must be an executive official meeting signatory requirements in 30 TAC § 305.44.

Prefix: Click to enter text.

Title: Click to enter text.

Credential: Click to enter text.

Provide a brief description of the need for a co-permittee: Click to enter text.

C. Core Data Form

Complete the Core Data Form for each customer and include as an attachment. If the customer type selected on the Core Data Form is **Individual**, complete **Attachment 1** of Administrative Report 1.0. **ATTACHMENT “A”**

Section 4. Application Contact Information (Instructions Page 27)

This is the person(s) TCEQ will contact if additional information is needed about this application. Provide a contact for administrative questions and technical questions.

A. Prefix: Mr. Last Name, First Name: Stirman, Troy
Title: Project Specialist Credential: Click to enter text.
Organization Name: DUNAWAY
Mailing Address: 118 McKinney Street City, State, Zip Code: Farmersville, TX. 75442
Phone No.: 972-784-7777 E-mail Address: tstirman@dunaway.com
Check one or both: ☒ Administrative Contact ☒ Technical Contact

B. Prefix: Mr. Last Name, First Name: Miller, Paul
Title: Director of Public Works Credential: Click to enter text.
Organization Name: City of Caddo Mills, Texas
Mailing Address: PO Box 490 City, State, Zip Code: Caddo Mills, TX. 75135
Phone No.: 903-461-2728 E-mail Address: caddomillsdirector@gmail.com
Check one or both: ☒ Administrative Contact ☐ Technical Contact

Section 5. Permit Contact Information (Instructions Page 27)

Provide the names and contact information for two individuals that can be contacted throughout the permit term.

A. Prefix: Mr. Last Name, First Name: Miller, Paul
Title: Director of Public Works Credential: Click to enter text.
Organization Name: City of Caddo Mills, TX.
Mailing Address: PO BOX 490 City, State, Zip Code: Caddo Mills, TX. 75135
Phone No.: 903-461-2728 E-mail Address: caddomillsdirector@gmail.com

B. Prefix: Mr. Last Name, First Name: Dupuis, Jacob
Title: Sr. Discipline Lead/Principal Credential: P.E.
Organization Name: DUNAWAY
Mailing Address: 118 McKinney Street City, State, Zip Code: Farmersville, TX. 75442
Phone No.: 972-784-7777 E-mail Address: jdupuis@dunaway.com

Section 6. Billing Contact Information (Instructions Page 27)

The permittee is responsible for paying the annual fee. The annual fee will be assessed to permits ***in effect on September 1 of each year***. The TCEQ will send a bill to the address provided in this section. The permittee is responsible for terminating the permit when it is no longer needed (using form TCEQ-20029).

Prefix: Mr. Last Name, First Name: Miller, Paul
Title: Director of Public Works Credential: Click to enter text.
Organization Name: City of Caddo Mills, TX
Mailing Address: PO Box 490 City, State, Zip Code: Caddo Mills, TX. 75135
Phone No.: 903-461-2728 E-mail Address: caddomillsdirector@gmail.com

Section 7. DMR/MER Contact Information (Instructions Page 27)

Provide the name and complete mailing address of the person delegated to receive and submit Discharge Monitoring Reports (DMR) (EPA 3320-1) or maintain Monthly Effluent Reports (MER).

Prefix: Mr. Last Name, First Name: Miller, Paul
Title: Director of Public Works Credential: Click to enter text.
Organization Name: City of Caddo Mills, TX.
Mailing Address: PO Box 490 City, State, Zip Code: Caddo Mills, TX. 75135
Phone No.: 903-461-2728 E-mail Address: caddomillsdirector@gmail.com

Section 8. Public Notice Information (Instructions Page 27)

A. Individual Publishing the Notices

Prefix: Mr. Last Name, First Name: Stirman, Troy
Title: Project Specialist Credential: Click to enter text.
Organization Name: Dunaway
Mailing Address: 118 McKinney Street City, State, Zip Code: Farmersville, TX. 75442
Phone No.: 972.737.6775 E-mail Address: tstirman@dunaway.com

B. Method for Receiving Notice of Receipt and Intent to Obtain a Water Quality Permit Package

Indicate by a check mark the preferred method for receiving the first notice and instructions:

☒ E-mail Address

☐ Fax

☐ Regular Mail

C. Contact permit to be listed in the Notices

Prefix: Mr.

Last Name, First Name: Miller, Paul

Title: Director of Public Works

Credential: Click to enter text.

Organization Name: City of Caddo Mills, TX.

Mailing Address: PO Box 490

City, State, Zip Code: Caddo Mills, TX. 75135

Phone No.: 903-461-2728

E-mail Address: caddomillsdirector@gmail.com

D. Public Viewing Information

If the facility or outfall is located in more than one county, a public viewing place for each county must be provided.

Public building name: City Hall

Location within the building: Main Administrative Desk in Foyer

Physical Address of Building: 2313 Main Street

City: Caddo Mills

County: HUNT

Contact (Last Name, First Name): Miller, Paul

Phone No.: 903-527-3116 Ext.: Click to enter text.

E. Bilingual Notice Requirements

This information **is required** for **new, major amendment, minor amendment or minor modification, and renewal** applications.

This section of the application is only used to determine if alternative language notices will be needed. Complete instructions on publishing the alternative language notices will be in your public notice package.

Please call the bilingual/ESL coordinator at the nearest elementary and middle schools and obtain the following information to determine whether an alternative language notices are required.

1. Is a bilingual education program required by the Texas Education Code at the elementary or middle school nearest to the facility or proposed facility?

☒ Yes

☐ No

If **no**, publication of an alternative language notice is not required; **skip to** Section 9 below.

2. Are the students who attend either the elementary school or the middle school enrolled in a bilingual education program at that school?

☒ Yes

☐ No

3. Do the students at these schools attend a bilingual education program at another location?

☐ Yes ☒ No

4. Would the school be required to provide a bilingual education program but the school has waived out of this requirement under 19 TAC §89.1205(g)?

☐ Yes ☒ No

5. If the answer is **yes** to **question 1, 2, 3, or 4**, public notices in an alternative language are required. Which language is required by the bilingual program? Spanish

F. Plain Language Summary Template

Complete the Plain Language Summary (TCEQ Form 20972) and include as an attachment.

Attachment: **“B”**

G. Public Involvement Plan Form

Complete the Public Involvement Plan Form (TCEQ Form 20960) for each application for a **new permit or major amendment to a permit** and include as an attachment.

Attachment: Click to enter text.

Section 9. Regulated Entity and Permitted Site Information (Instructions Page 29)

A. If the site is currently regulated by TCEQ, provide the Regulated Entity Number (RN) issued to this site. RN 104798681

Search the TCEQ's Central Registry at <http://www15.tceq.texas.gov/crpub/> to determine if the site is currently regulated by TCEQ.

B. Name of project or site (the name known by the community where located):

City of Caddo Mills WWTF

C. Owner of treatment facility: City of Caddo Mills

Ownership of Facility: ☒ Public ☐ Private ☐ Both ☐ Federal

D. Owner of land where treatment facility is or will be:

Prefix: Click to enter text.

Last Name, First Name: The City of Caddo Mills, TX. Via Paul Miller

Title: Director of Public Works

Credential: Click to enter text.

Organization Name: City of Caddo Mills

Mailing Address: PO Box 490

City, State, Zip Code: Caddo Mills, TX. 75135

Phone No.: 903-527-3116

E-mail Address: caddomillsdirector@gmail.com

If the landowner is not the same person as the facility owner or co-applicant, attach a lease agreement or deed recorded easement. See instructions.

Attachment: Click to enter text.

E. Owner of effluent disposal site:

Prefix: Click to enter text.

Last Name, First Name: City of Caddo Mills

Title: Click to enter text.

Credential: Click to enter text.

Organization Name: City of Caddo Mills

Mailing Address: P.O. Box 490

City, State, Zip Code: Caddo Mills, TX. 75135

Phone No.: 903-527-3116

E-mail Address: Click to enter text.

If the landowner is not the same person as the facility owner or co-applicant, attach a lease agreement or deed recorded easement. See instructions.

Attachment: Click to enter text.

F. Owner sewage sludge disposal site (if authorization is requested for sludge disposal on property owned or controlled by the applicant):

Prefix: Click to enter text.

Last Name, First Name: Click to enter text.

Title: Click to enter text.

Credential: Click to enter text.

Organization Name: Click to enter text.

Mailing Address: Click to enter text.

City, State, Zip Code: Click to enter text.

Phone No.: Click to enter text.

E-mail Address: Click to enter text.

If the landowner is not the same person as the facility owner or co-applicant, attach a lease agreement or deed recorded easement. See instructions.

Attachment: Click to enter text.

Section 10. TPDES Discharge Information (Instructions Page 31)

A. Is the wastewater treatment facility location in the existing permit accurate?

☒ Yes ☐ No

If **no**, or a new permit application, please give an accurate description:

Click to enter text.

B. Are the point(s) of discharge and the discharge route(s) in the existing permit correct?

☒ Yes ☐ No

If **no**, or a new or amendment permit application, provide an accurate description of the point of discharge and the discharge route to the nearest classified segment as defined in 30 TAC Chapter 307:

Click to enter text.

City nearest the outfall(s): Caddo Mills, TX.

County in which the outfalls(s) is/are located: HUNT

C. Is or will the treated wastewater discharge to a city, county, or state highway right-of-way, or a flood control district drainage ditch?

☐ Yes ☒ No

If **yes**, indicate by a check mark if:

- ☐ Authorization granted ☐ Authorization pending

For **new and amendment** applications, provide copies of letters that show proof of contact and the approval letter upon receipt.

Attachment: [Click to enter text.](#)

- D. For all applications involving an average daily discharge of 5 MGD or more, provide the names of all counties located within 100 statute miles downstream of the point(s) of discharge: N/A

Section 11. TLAP Disposal Information (Instructions Page 32)

- A. For TLAPs, is the location of the effluent disposal site in the existing permit accurate?

☐ Yes ☐ No

If **no, or a new or amendment permit application**, provide an accurate description of the disposal site location:

[Click to enter text.](#)

- B. City nearest the disposal site: [Click to enter text.](#)

- C. County in which the disposal site is located: [Click to enter text.](#)

- D. For **TLAPs**, describe the routing of effluent from the treatment facility to the disposal site:

[Click to enter text.](#)

- E. For **TLAPs**, please identify the nearest watercourse to the disposal site to which rainfall runoff might flow if not contained: [Click to enter text.](#)

Section 12. Miscellaneous Information (Instructions Page 32)

- A. Is the facility located on or does the treated effluent cross American Indian Land?

☐ Yes ☒ No

- B. If the existing permit contains an onsite sludge disposal authorization, is the location of the sewage sludge disposal site in the existing permit accurate?

☐ Yes ☐ No ☒ Not Applicable

If No, or if a new onsite sludge disposal authorization is being requested in this permit application, provide an accurate location description of the sewage sludge disposal site.

[Click to enter text.](#)

C. Did any person formerly employed by the TCEQ represent your company and get paid for service regarding this application?

☐ Yes ☒ No

If yes, list each person formerly employed by the TCEQ who represented your company and was paid for service regarding the application: [Click to enter text.](#)

D. Do you owe any fees to the TCEQ?

☐ Yes ☒ No

If yes, provide the following information:

Account number: [Click to enter text.](#)

Amount past due: [Click to enter text.](#)

E. Do you owe any penalties to the TCEQ?

☐ Yes ☒ No

If yes, please provide the following information:

Enforcement order number: [Click to enter text.](#)

Amount past due: [Click to enter text.](#)

Section 13. Attachments (Instructions Page 33)

Indicate which attachments are included with the Administrative Report. Check all that apply:

☐ Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant.

☒ Original full-size USGS Topographic Map with the following information:

- Applicant's property boundary
- Treatment facility boundary
- Labeled point of discharge for each discharge point (TPDES only)
- Highlighted discharge route for each discharge point (TPDES only)
- Onsite sewage sludge disposal site (if applicable)
- Effluent disposal site boundaries (TLAP only)
- New and future construction (if applicable)
- 1 mile radius information
- 3 miles downstream information (TPDES only)
- All ponds.

☐ Attachment 1 for Individuals as co-applicants

☐ Other Attachments. Please specify: [Click to enter text.](#)

Section 14. Signature Page (Instructions Page 34)

If co-applicants are necessary, each entity must submit an original, separate signature page.

Permit Number: WQ0010425002

Applicant: City of Caddo Mills, TX.

Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

I further certify that I am authorized under 30 Texas Administrative Code § 305.44 to sign and submit this document, and can provide documentation in proof of such authorization upon request.

Signatory name (typed or printed): Jacob Dupuis


Signatory title: Sr. Discipline Lead/Principal

Signature: _____ Date: 9-24-25
(Use blue ink) Jacob Dupuis

Subscribed and Sworn to before me by the said Jacob Dupuis
on this 24th day of September, 20 25.
My commission expires on the 16 day of November, 20 27.

Shelby Smith
Notary Public

Collin
County, Texas



[SEAL]

DOMESTIC WASTEWATER PERMIT APPLICATION ADMINISTRATIVE REPORT 1.0

The following information is required for new and amendment applications.

Section 1. Affected Landowner Information (Instructions Page 36)

- A. Indicate by a check mark that the landowners map or drawing, with scale, includes the following information, as applicable:
- ☐ The applicant's property boundaries
 - ☐ The facility site boundaries within the applicant's property boundaries
 - ☐ The distance the buffer zone falls into adjacent properties and the property boundaries of the landowners located within the buffer zone
 - ☐ The property boundaries of all landowners surrounding the applicant's property (Note: if the application is a major amendment for a lignite mine, the map must include the property boundaries of all landowners adjacent to the new facility (ponds).)
 - ☐ The point(s) of discharge and highlighted discharge route(s) clearly shown for one mile downstream
 - ☐ The property boundaries of the landowners located on both sides of the discharge route for one full stream mile downstream of the point of discharge
 - ☐ The property boundaries of the landowners along the watercourse for a one-half mile radius from the point of discharge if the point of discharge is into a lake, bay, estuary, or affected by tides
 - ☐ The boundaries of the effluent disposal site (for example, irrigation area or subsurface drainfield site) and all evaporation/holding ponds within the applicant's property
 - ☐ The property boundaries of all landowners surrounding the effluent disposal site
 - ☐ The boundaries of the sludge land application site (for land application of sewage sludge for beneficial use) and the property boundaries of landowners surrounding the applicant's property boundaries where the sewage sludge land application site is located
 - ☐ The property boundaries of landowners within one-half mile in all directions from the applicant's property boundaries where the sewage sludge disposal site (for example, sludge surface disposal site or sludge monofill) is located
- B. ☐ Indicate by a check mark that a separate list with the landowners' names and mailing addresses cross-referenced to the landowner's map has been provided.
- C. Indicate by a check mark in which format the landowners list is submitted:
- ☐ USB Drive
 - ☐ Four sets of labels
- D. Provide the source of the landowners' names and mailing addresses: [Click to enter text.](#)
- E. As required by *Texas Water Code § 5.115*, is any permanent school fund land affected by this application?
- ☐ Yes
 - ☐ No

If **yes**, provide the location and foreseeable impacts and effects this application has on the land(s):

Click to enter text.

Section 2. Original Photographs (Instructions Page 38)

Provide original ground level photographs. Indicate with checkmarks that the following information is provided.

- ☐ At least one original photograph of the new or expanded treatment unit location
- ☐ At least two photographs of the existing/proposed point of discharge and as much area downstream (photo 1) and upstream (photo 2) as can be captured. If the discharge is to an open water body (e.g., lake, bay), the point of discharge should be in the right or left edge of each photograph showing the open water and with as much area on each respective side of the discharge as can be captured.
- ☐ At least one photograph of the existing/proposed effluent disposal site
- ☐ A plot plan or map showing the location and direction of each photograph

Section 3. Buffer Zone Map (Instructions Page 38)

A. Buffer zone map. Provide a buffer zone map on 8.5 x 11-inch paper with all of the following information. The applicant's property line and the buffer zone line may be distinguished by using dashes or symbols and appropriate labels.

- The applicant's property boundary;
- The required buffer zone; and
- Each treatment unit; and
- The distance from each treatment unit to the property boundaries.

B. Buffer zone compliance method. Indicate how the buffer zone requirements will be met. Check all that apply.

- ☐ Ownership
- ☐ Restrictive easement
- ☐ Nuisance odor control
- ☐ Variance

C. Unsuitable site characteristics. Does the facility comply with the requirements regarding unsuitable site characteristic found in 30 TAC § 309.13(a) through (d)?

- ☐ Yes ☐ No

DOMESTIC WASTEWATER PERMIT APPLICATION

SUPPLEMENTAL PERMIT INFORMATION FORM (SPIF)

This form applies to TPDES permit applications only. Complete and attach the Supplemental Permit information Form (SPIF) (TCEQ Form 20971).

Attachment: "C"

WATER QUALITY PERMIT

PAYMENT SUBMITTAL FORM

Use this form to submit the Application Fee, if the mailing the payment.

- Complete items 1 through 5 below.
- Staple the check or money order in the space provided at the bottom of this document.
- **Do Not mail this form with the application form.**
- Do not mail this form to the same address as the application.
- Do not submit a copy of the application with this form as it could cause duplicate permit entries.

Mail this form and the check or money order to:

BY REGULAR U.S. MAIL

Texas Commission on Environmental Quality
Financial Administration Division
Cashier's Office, MC-214
P.O. Box 13088
Austin, Texas 78711-3088

BY OVERNIGHT/EXPRESS MAIL

Texas Commission on Environmental Quality
Financial Administration Division
Cashier's Office, MC-214
12100 Park 35 Circle
Austin, Texas 78753

Fee Code: WQP Waste Permit No: 0010425002

1. Check or Money Order Number: [Click to enter text.](#)
2. Check or Money Order Amount: [Click to enter text.](#)
3. Date of Check or Money Order: September 23, 2025
4. Name on Check or Money Order: Eddy Daniel/DUNAWAY
5. APPLICATION INFORMATION

Name of Project or Site: City of Caddo Mills Wastewater Treatment Facility

Physical Address of Project or Site: located approximately 2,100 feet west of the intersection of FM Road 36 and FM Road 1903 in Hunt County, Texas 75135.

If the check is for more than one application, attach a list which includes the name of each Project or Site (RE) and Physical Address, exactly as provided on the application.

Staple Check or Money Order in This Space

TCEQ ePay Receipt

Transaction Information

Trace Number: 582EA000686123
Date: 09/23/2025 03:31 PM
Payment Method: CC - Authorization 0000042442
ePay Actor: TROY STIRMAN
TCEQ Amount: \$1,615.00
Texas.gov Fee: \$36.59
Texas.gov Price: \$1,651.59*

* This service is provided by Texas.gov, the official website of Texas. The price of this service includes funds that support the ongoing operations and enhancements of Texas.gov, which is provided by a third party in partnership with the State.

Payment Contact Information

Name: EDDY DANIEL
Company: DUNAWAY
Address: 118 MCKINNEY STREET, FARMERSVILLE, TX 75442
Phone: 972-784-7777

Cart Items

Voucher	Fee Description	AR Number	Amount
784586	WW PERMIT - FACILITY WITH FLOW >= .50 & < 1.0 MGD - RENEWAL		\$1,600.00
784587	30 TAC 305.53B WQ RENEWAL NOTIFICATION FEE		\$15.00
		TCEQ Amount:	\$1,615.00

DOMESTIC WASTEWATER PERMIT APPLICATION CHECKLIST OF COMMON DEFICIENCIES

Below is a list of common deficiencies found during the administrative review of domestic wastewater permit applications. To ensure the timely processing of this application, please review the items below and indicate by checking Yes that each item is complete and in accordance applicable rules at 30 TAC Chapters 21, 281, and 305. If an item is not required this application, indicate by checking N/A where appropriate. Please do not submit the application until the items below have been addressed.

Core Data Form (TCEQ Form No. 10400) ☒ Yes
*(Required for all application types. Must be completed in its entirety and signed.
 Note: Form may be signed by applicant representative.)*

Correct and Current Industrial Wastewater Permit Application Forms ☒ Yes
(TCEQ Form Nos. 10053 and 10054. Version dated 6/25/2018 or later.)

Water Quality Permit Payment Submittal Form (Page 19) ☒ Yes
(Original payment sent to TCEQ Revenue Section. See instructions for mailing address.)

7.5 Minute USGS Quadrangle Topographic Map Attached ☒ Yes
*(Full-size map if seeking "New" permit.
 8 ½ x 11 acceptable for Renewals and Amendments)*

Current/Non-Expired, Executed Lease Agreement or Easement ☒ N/A ☐ Yes

Landowners Map ☒ N/A ☐ Yes
(See instructions for landowner requirements)

Things to Know:

- All the items shown on the map must be labeled.
- The applicant's complete property boundaries must be delineated which includes boundaries of contiguous property owned by the applicant.
- The applicant cannot be its own adjacent landowner. You must identify the landowners immediately adjacent to their property, regardless of how far they are from the actual facility.
- If the applicant's property is adjacent to a road, creek, or stream, the landowners on the opposite side must be identified. Although the properties are not adjacent to applicant's property boundary, they are considered potentially affected landowners. If the adjacent road is a divided highway as identified on the USGS topographic map, the applicant does not have to identify the landowners on the opposite side of the highway.

Landowners Cross Reference List ☒ N/A ☐ Yes
(See instructions for landowner requirements)

Landowners Labels or USB Drive attached ☒ N/A ☐ Yes
(See instructions for landowner requirements)

Original signature per 30 TAC § 305.44 - Blue Ink Preferred ☒ Yes
*(If signature page is not signed by an elected official or principle executive officer,
 a copy of signature authority/delegation letter must be attached)*

Plain Language Summary ☒ Yes

ATTACHMENT “A”

Core Data Form



TCEQ Core Data Form

For detailed instructions on completing this form, please read the Core Data Form Instructions or call 512-239-5175.

SECTION I: General Information

1. Reason for Submission (If other is checked please describe in space provided.)		
☐ New Permit, Registration or Authorization (Core Data Form should be submitted with the program application.)		
☒ Renewal (Core Data Form should be submitted with the renewal form)	☐ Other	
2. Customer Reference Number (if issued)	Follow this link to search for CN or RN numbers in Central Registry**	3. Regulated Entity Reference Number (if issued)
CN 600672752		RN 104798681

SECTION II: Customer Information

4. General Customer Information		5. Effective Date for Customer Information Updates (mm/dd/yyyy)			
☐ New Customer ☒ Update to Customer Information ☐ Change in Regulated Entity Ownership					
☐ Change in Legal Name (Verifiable with the Texas Secretary of State or Texas Comptroller of Public Accounts)					
The Customer Name submitted here may be updated automatically based on what is current and active with the Texas Secretary of State (SOS) or Texas Comptroller of Public Accounts (CPA).					
6. Customer Legal Name (If an individual, print last name first: eg: Doe, John)				<i>If new Customer, enter previous Customer below:</i>	
City of Caddo Mills					
7. TX SOS/CPA Filing Number		8. TX State Tax ID (11 digits)		9. Federal Tax ID (9 digits) 75-1479198	10. DUNS Number (if applicable) 002073435
11. Type of Customer:		☐ Corporation		☐ Individual	Partnership: ☐ General ☐ Limited
Government: ☒ City ☐ County ☐ Federal ☐ Local ☐ State ☐ Other		☐ Sole Proprietorship		☐ Other:	
12. Number of Employees				13. Independently Owned and Operated?	
☐ 0-20 ☒ 21-100 ☐ 101-250 ☐ 251-500 ☐ 501 and higher				☐ Yes ☐ No	
14. Customer Role (Proposed or Actual) – as it relates to the Regulated Entity listed on this form. Please check one of the following					
☐ Owner ☐ Operator ☒ Owner & Operator ☐ Other: ☐ Occupational Licensee ☐ Responsible Party ☐ VCP/BSA Applicant					
15. Mailing Address:	P.O. Box 490				
	City	Caddo Mills	State	TX	ZIP 75135 ZIP + 4 0490
16. Country Mailing Information (if outside USA)				17. E-Mail Address (if applicable)	
				caddomillsdirector@gmail.com	

18. Telephone Number	19. Extension or Code	20. Fax Number (if applicable)
(903) 461-2728		() -

SECTION III: Regulated Entity Information

21. General Regulated Entity Information (If 'New Regulated Entity' is selected, a new permit application is also required.)								
☐ New Regulated Entity ☐ Update to Regulated Entity Name ☒ Update to Regulated Entity Information								
<i>The Regulated Entity Name submitted may be updated, in order to meet TCEQ Core Data Standards (removal of organizational endings such as Inc, LP, or LLC).</i>								
22. Regulated Entity Name (Enter name of the site where the regulated action is taking place.)								
CITY OF CADDO MILLS WWTF								
23. Street Address of the Regulated Entity: (No PO Boxes)								
	City		State		ZIP	0	ZIP + 4	
24. County								

If no Street Address is provided, fields 25-28 are required.

25. Description to Physical Location:	Approximately 2,100 feet West of the intersection of FM 36 and FM 1903, in Hunt County, Texas 75135							
26. Nearest City					State	Nearest ZIP Code		
Caddo Mills					TX	75135		
<i>Latitude/Longitude are required and may be added/updated to meet TCEQ Core Data Standards. (Geocoding of the Physical Address may be used to supply coordinates where none have been provided or to gain accuracy).</i>								
27. Latitude (N) In Decimal:		33.0416			28. Longitude (W) In Decimal:		-96.2127	
Degrees	Minutes	Seconds	Degrees	Minutes	Seconds			
33	2.29	59	96	12	45.62			
29. Primary SIC Code (4 digits)	30. Secondary SIC Code (4 digits)		31. Primary NAICS Code (5 or 6 digits)		32. Secondary NAICS Code (5 or 6 digits)			
4952			221320					
33. What is the Primary Business of this entity? (Do not repeat the SIC or NAICS description.)								
Retail Public Sewer Utility								
34. Mailing Address:	P.O. Box 490							
	City	Caddo Mills,	State	TX	ZIP	75135	ZIP + 4	490
35. E-Mail Address:	caddomillsdirector@gmail.com							
36. Telephone Number	37. Extension or Code		38. Fax Number (if applicable)					
(903) 461-2728			() -					

39. TCEQ Programs and ID Numbers Check all Programs and write in the permits/registration numbers that will be affected by the updates submitted on this form. See the Core Data Form instructions for additional guidance.

☐ Dam Safety	☐ Districts	☐ Edwards Aquifer	☐ Emissions Inventory Air	☐ Industrial Hazardous Waste
☐ Municipal Solid Waste	☐ New Source Review Air	☐ OSSF	☐ Petroleum Storage Tank	☐ PWS
☐ Sludge	☐ Storm Water	☐ Title V Air	☐ Tires	☐ Used Oil
☐ Voluntary Cleanup	☒ Wastewater	☐ Wastewater Agriculture	☐ Water Rights	☐ Other:
	WQ0010425002			

SECTION IV: Preparer Information

40. Name:	Troy Stirman			41. Title:	Project Specialist
42. Telephone Number	43. Ext./Code	44. Fax Number	45. E-Mail Address		
(972) 737-6775		() -	tstirman@dunaway.com		

SECTION V: Authorized Signature

46. By my signature below, I certify, to the best of my knowledge, that the information provided in this form is true and complete, and that I have signature authority to submit this form on behalf of the entity specified in Section II, Field 6 and/or as required for the updates to the ID numbers identified in field 39.

Company:	DUNAWAY		Job Title:	Project Specialist	
Name (In Print):	Troy M Stirman			Phone:	(972) 737- 6775
Signature:				Date:	9/25/2025

ATTACHMENT “B”

Plain Language Summary Template



TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

PLAIN LANGUAGE SUMMARY FOR TPDES OR TLAP PERMIT APPLICATIONS

Plain Language Summary Template and Instructions for Texas Pollutant Discharge Elimination System (TPDES) and Texas Land Application (TLAP) Permit Applications

Applicants should use this template to develop a plain language summary as required by [Title 30, Texas Administrative Code \(30 TAC\), Chapter 39, Subchapter H](#). Applicants may modify the template as necessary to accurately describe their facility as long as the summary includes the following information: (1) the function of the proposed plant or facility; (2) the expected output of the proposed plant or facility; (3) the expected pollutants that may be emitted or discharged by the proposed plant or facility; and (4) how the applicant will control those pollutants, so that the proposed plant will not have an adverse impact on human health or the environment.

Fill in the highlighted areas below to describe your facility and application in plain language. Instructions and examples are provided below. Make any other edits necessary to improve readability or grammar and to comply with the rule requirements.

If you are subject to the alternative language notice requirements in [30 TAC Section 39.426](#), **you must provide a translated copy of the completed plain language summary in the appropriate alternative language as part of your application package**. For your convenience, a Spanish template has been provided below.

ENGLISH TEMPLATE FOR TPDES or TLAP NEW/RENEWAL/AMENDMENT APPLICATIONS Enter 'INDUSTRIAL' or 'DOMESTIC' here WASTEWATER/STORMWATER

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 TAC Chapter 39. The information provided in this summary may change during the technical review of the application and is not a federal enforceable representation of the permit application.

City of Caddo Mills, Texas (600672752) operates City of Caddo Mills Wastewater Treatment Facility (104798681), a wastewater treatment utility. The facility is located at approximately 2,100 feet west of the intersection of FM road 36 and FM road 1903, in Caddo Mills, Hunt County, Texas 75135. This is a request for renewal of an existing permit for treating and handling of wastewater by means of effluent discharge. This permit will not authorize a discharge of pollutants into water within the State.

Discharges from the facility are expected to contain *Arsenic, Cadmium, Chromium, Copper, Lead, Mercury, Molybdenum, Nickel, PCBs, Selenium, and Zinc*. Processed wastewater is treated by an activated process plant operated in the conventional mode with nitrification. Treatment units include one pump station, two equalization basins, two bar screens, one aeration basin, one clarifier, one aerobic sludge digester, one sludge thickener, one sludge dewatering unit, and one chlorine contact chamber. Sludge generated from the treatment facility is hauled by a registered transporter and disposed of at a TCEQ-permitted landfill (Republic Maloy Landfill),

Permit No. 1195B, in Hunt Count. The permit also authorizes the disposal of sludge at a TCEQ-authorized land application site, co-disposal landfill, wastewater treatment facility, or facility that processes sludge. This treatment facility is already in operation.

PLANTILLA EN ESPAÑOL PARA SOLICITUDES NUEVAS/RENOVACIONES/ENMIENDAS DE TPDES o TLAP

AGUAS RESIDUALES Introduzca 'INDUSTRIALES' o 'DOMÉSTICAS' aquí /AGUAS PLUVIALES

El siguiente resumen se proporciona para esta solicitud de permiso de calidad del agua pendiente que está siendo revisada por la Comisión de Calidad Ambiental de Texas según lo requerido por el Capítulo 39 del Código Administrativo de Texas 30. La información proporcionada en este resumen puede cambiar durante la revisión técnica de la solicitud y no es una representación ejecutiva fedérale de la solicitud de permiso.

La Ciudad de Caddo Mills, Texas (600672752) opera la Planta de Tratamiento de Aguas Residuales de la Ciudad de Caddo Mills (104798681), una instalación de servicios de tratamiento de aguas residuales. La planta está ubicada aproximadamente a 2,100 pies al oeste de la intersección de las carreteras FM 36 y FM 1903, en Caddo Mills, condado de Hunt, Texas 75135. Esta es una solicitud de renovación de un permiso existente para el tratamiento y manejo de aguas residuales mediante descarga de efluentes. Este permiso no autoriza la descarga de contaminantes en cuerpos de agua dentro del Estado.

Se espera que las descargas de la instalación contengan Arsénico, Cadmio, Cromo, Cobre, Plomo, Mercurio, Molibdeno, Níquel, Bifenilos Policlorados (PCBs), Selenio y Zinc. Las aguas residuales procesadas son tratadas mediante una planta de proceso activado operada en modo convencional con nitrificación. Las unidades de tratamiento incluyen una estación de bombeo, dos tanques de igualación, dos rejillas de barras, un tanque de aireación, un clarificador, un digestor aeróbico de lodos, un espesador de lodos, una unidad de deshidratación de lodos y una cámara de contacto con cloro. Los lodos generados en la planta de tratamiento son transportados por un transportista registrado y dispuestos en un vertedero autorizado por la TCEQ (Republic Maloy Landfill), Permiso No. 1195B, en el condado de Hunt. El permiso también autoriza la disposición de lodos en un sitio de aplicación terrestre autorizado por la TCEQ, un vertedero de co-disposición, una planta de tratamiento de aguas residuales o una instalación que procese lodos. Esta planta de tratamiento ya se encuentra en operación.

ATTACHMENT “C”

Supplemental Permit Information Form

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

SUPPLEMENTAL PERMIT INFORMATION FORM (SPIF)

FOR AGENCIES REVIEWING DOMESTIC OR INDUSTRIAL TPDES WASTEWATER PERMIT APPLICATIONS

TCEQ USE ONLY:

Application type: ____Renewal ____Major Amendment ____Minor Amendment ____New

County: _____ Segment Number: _____

Admin Complete Date: _____

Agency Receiving SPIF:

____ Texas Historical Commission

____ U.S. Fish and Wildlife

____ Texas Parks and Wildlife Department

____ U.S. Army Corps of Engineers

This form applies to TPDES permit applications only. (Instructions, Page 53)

Complete this form as a separate document. TCEQ will mail a copy to each agency as required by our agreement with EPA. If any of the items are not completely addressed or further information is needed, we will contact you to provide the information before issuing the permit. Address each item completely.

Do not refer to your response to any item in the permit application form. Provide each attachment for this form separately from the Administrative Report of the application. The application will not be declared administratively complete without this SPIF form being completed in its entirety including all attachments. Questions or comments concerning this form may be directed to the Water Quality Division's Application Review and Processing Team by email at WQ-ARPTeam@tceq.texas.gov or by phone at (512) 239-4671.

The following applies to all applications:

1. Permittee: City of Caddo Mills, Texas

Permit No. WQ00 10425002

EPA ID No. TX 0128392

Address of the project (or a location description that includes street/highway, city/vicinity, and county):

Located approximately 2,100 feet west of the intersection of Farm-to-Market Road 36 and Farm-to-Market Road 1903, in Hunt County, Texas 75135

Provide the name, address, phone and fax number of an individual that can be contacted to answer specific questions about the property.

Prefix (Mr., Ms., Miss): Mr.

First and Last Name: Paul Miller

Credential (P.E, P.G., Ph.D., etc.):

Title: Director, Public Works

Mailing Address: P.O. Box 490

City, State, Zip Code: Caddo Mills, TX. 75135

Phone No.: 903-461-2728 Ext.: Fax No.:

E-mail Address: caddomillsdirector@gmail.com

2. List the county in which the facility is located: HUNT
3. If the property is publicly owned and the owner is different than the permittee/applicant, please list the owner of the property.

4. Provide a description of the effluent discharge route. The discharge route must follow the flow of effluent from the point of discharge to the nearest major watercourse (from the point of discharge to a classified segment as defined in 30 TAC Chapter 307). If known, please identify the classified segment number.

To West Caddo Creek; thence to Caddo Creek; thence to Lake Tawakoni in Segment No. 0507 of the Sabine River basin according to effluent limitations, monitoring requirements, and other conditions set forth in their permit.

5. Please provide a separate 7.5-minute USGS quadrangle map with the project boundaries plotted and a general location map showing the project area. Please highlight the discharge route from the point of discharge for a distance of one mile downstream. (This map is required in addition to the map in the administrative report).

Provide original photographs of any structures 50 years or older on the property.

Does your project involve any of the following? Check all that apply.

- ☐ Proposed access roads, utility lines, construction easements
- ☐ Visual effects that could damage or detract from a historic property's integrity
- ☐ Vibration effects during construction or as a result of project design
- ☐ Additional phases of development that are planned for the future
- ☐ Sealing caves, fractures, sinkholes, other karst features

☐ Disturbance of vegetation or wetlands

1. List proposed construction impact (surface acres to be impacted, depth of excavation, sealing of caves, or other karst features):

No proposed construction for this renewal will be necessary.


2. Describe existing disturbances, vegetation, and land use:

No disturbances to vegetation or land use is expected with this renewal.

THE FOLLOWING ITEMS APPLY ONLY TO APPLICATIONS FOR NEW TPDES PERMITS AND MAJOR AMENDMENTS TO TPDES PERMITS

3. List construction dates of all buildings and structures on the property:

4. Provide a brief history of the property, and name of the architect/builder, if known.



Produced by the United States Geological Survey

North American Datum of 1983 (NAD83) Prepared and
at 1:000 meter resolution. Transverse Mercator. Zone 40S
This map is not a legal document. Boundaries may be
generalized for this map scale. Private land within government
ownership is not shown. No warranty or permission is
extended for other than the intended use.

Inventory: NAD: September 2016 - November 2016
Roads: U.S. Census Bureau
Hydrography: National Hydrography Dataset, 2000 - 2016
Contour: National Elevation Dataset, 2000 - 2016
Multiple: National Wetlands Inventory, 2000 - 2016
FMS: National Wetlands Inventory
Wetlands: Wetlands Inventory
1982

UTM GRID AND 2019 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

U.S. National Grid
10QJ00 - m Square ID
QB

CONTOUR INTERVAL: 10 FEET
NORTH AMERICAN VERTICAL DATUM OF 1988

This map was produced to conform with the
National Geospatial Program US Topo Product Standard, 2011.
A metadata file associated with this product is draft version 0.6.18

ADJOINING QUADRANGLES

1	2	3
4		5
6	7	8

1 Cutleoka
2 Farmersville
3 Greenville NW
4 Lawton
5 Greenville SW
6 Rockwall
7 Royse City
8 Quntana

ROAD CLASSIFICATION

- Expressway
- Secondary Hwy
- Ramp
- Interstate Route
- US Route
- State Route
- Local Connector
- Local Road
- ATD

JOSEPHINE, IX
2019

2019





TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

DOMESTIC WASTEWATER PERMIT APPLICATION TECHNICAL REPORT 1.0

For any questions about this form, please contact the Domestic Wastewater Permitting Team at 512-239-4671.

The following information is required for all renewal, new, and amendment applications.

Section 1. Permitted or Proposed Flows (Instructions Page 43)

A. Existing/Interim I Phase

Design Flow (MGD): **.375**

2-Hr Peak Flow (MGD): **1.5**

Estimated construction start date: [Click to enter text.](#)

Estimated waste disposal start date: [Click to enter text.](#)

B. Interim II Phase

Design Flow (MGD): [Click to enter text.](#)

2-Hr Peak Flow (MGD): [Click to enter text.](#)

Estimated construction start date: [Click to enter text.](#)

Estimated waste disposal start date: [Click to enter text.](#)

C. Final Phase

Design Flow (MGD): **.75**

2-Hr Peak Flow (MGD): **.250**

Estimated construction start date: [Click to enter text.](#)

Estimated waste disposal start date: [Click to enter text.](#)

D. Current Operating Phase

Provide the startup date of the facility: [Click to enter text.](#)

Section 2. Treatment Process (Instructions Page 43)

A. Current Operating Phase

Provide a detailed description of the treatment process. **Include the type of treatment plant, mode of operation, and all treatment units.** Start with the plant's head works and

finish with the point of discharge. Include all sludge processing and drying units. **If more than one phase exists or is proposed, a description of *each phase* must be provided.**

Conventional aerated sludge process with nitrification. Pretreatment – parallel bar screens; Secondary treatment – aeration, clarification, digestion, thickening and chlorine contact; and sludge treatment.

B. Treatment Units

In Table 1.0(1), provide the treatment unit type, the number of units, and dimensions (length, width, depth) of each treatment unit, accounting for ***all*** phases of operation.

Table 1.0(1) - Treatment Units

Treatment Unit Type	Number of Units	Dimensions (L x W x D)
Aeriation Basin	1	21,430.50 ft ³ (160,301 gallons)
Clarifier	1	15,072 ft ³ (112,739 gallons)
Digester	1	14,956.70 ft ³ (111,877 gallons)
Chlorine Contact Chamber	1	2,981.8 ft ³ (22,304 gallons)
Blowers	3	1,050 SCFM each

C. Process Flow Diagram

Provide flow diagrams for the existing facilities and **each** proposed phase of construction.

Attachment: “D”

Section 3. Site Information and Drawing (Instructions Page 44)

Provide the TPDES discharge outfall latitude and longitude. Enter N/A if not applicable.

- Latitude: **33.042762**
- Longitude: **-96.217737**

Provide the TLAP disposal site latitude and longitude. Enter N/A if not applicable.

- Latitude: **N/A**
- Longitude: **N/A**

Provide a site drawing for the facility that shows the following:

- The boundaries of the treatment facility;
- The boundaries of the area served by the treatment facility;
- If land disposal of effluent, the boundaries of the disposal site and all storage/holding ponds; and
- If sludge disposal is authorized in the permit, the boundaries of the land application or

disposal site.

Attachment: “E”

Provide the name **and** a description of the area served by the treatment facility.

Service area as defined by City of Caddo Mills CCN 20469

Collection System Information **for wastewater TPDES permits only:** Provide information for each **uniquely owned** collection system, existing and new, served by this facility, including satellite collection systems. **Please see the instructions for a detailed explanation and examples.**

Collection System Information

Collection System Name	Owner Name	Owner Type	Population Served
City of Caddo Mills Wastewater Treatment Facility	City of Caddo Mills	Publicly Owned	Approx. 4,688
		Choose an item.	
		Choose an item.	
		Choose an item.	

Section 4. Unbuilt Phases (Instructions Page 45)

Is the application for a renewal of a permit that contains an unbuilt phase or phases?

☐ Yes ☒ No

If **yes**, does the existing permit contain a phase that has not been constructed **within five years** of being authorized by the TCEQ?

☐ Yes ☐ No

If **yes**, provide a detailed discussion regarding the continued need for the unbuilt phase. **Failure to provide sufficient justification may result in the Executive Director recommending denial of the unbuilt phase or phases.**

Click to enter text.

Section 5. Closure Plans (Instructions Page 45)

Have any treatment units been taken out of service permanently, or will any units be taken out of service in the next five years?

☐ Yes ☒ No

If **yes**, was a closure plan submitted to the TCEQ?

☐ Yes ☐ No

If **yes**, provide a brief description of the closure and the date of plan approval.

Click to enter text.

Section 6. Permit Specific Requirements (Instructions Page 45)

For applicants with an existing permit, check the Other Requirements or Special Provisions of the permit.

A. Summary transmittal

Have plans and specifications been approved for the existing facilities and each proposed phase?

☒ Yes ☐ No

If **yes**, provide the date(s) of approval for each phase: **March 17, 2023**

Provide information, including dates, on any actions taken to meet a *requirement or provision* pertaining to the submission of a summary transmittal letter. **Provide a copy of an approval letter from the TCEQ, if applicable.**

Click to enter text.

B. Buffer zones

Have the buffer zone requirements been met?

☒ Yes ☐ No

Provide information below, including dates, on any actions taken to meet the conditions of the buffer zone. If available, provide any new documentation relevant to maintaining the buffer zones.

Click to enter text.

C. Other actions required by the current permit

Does the *Other Requirements* or *Special Provisions* section in the existing permit require submission of any other information or other required actions? Examples include Notification of Completion, progress reports, soil monitoring data, etc.

☐ Yes ☒ No

If **yes**, provide information below on the status of any actions taken to meet the conditions of an *Other Requirement* or *Special Provision*.

Click to enter text.

D. Grit and grease treatment

1. Acceptance of grit and grease waste

Does the facility have a grit and/or grease processing facility onsite that treats and decants or accepts transported loads of grit and grease waste that are discharged directly to the wastewater treatment plant prior to any treatment?

☐ Yes ☒ No

If **No**, stop here and continue with Subsection E. Stormwater Management.

2. Grit and grease processing

Describe below how the grit and grease waste is treated at the facility. In your description, include how and where the grit and grease is introduced to the treatment works and how it is separated or processed. Provide a flow diagram showing how grit and grease is processed at the facility.

N/A

3. Grit disposal

Does the facility have a Municipal Solid Waste (MSW) registration or permit for grit disposal?

☐ Yes ☒ No

If No, contact the TCEQ Municipal Solid Waste team at 512-239-2335. Note: A registration or permit is required for grit disposal. Grit shall not be combined with treatment plant sludge. See the instruction booklet for additional information on grit disposal requirements and restrictions.

Describe the method of grit disposal.

[Click to enter text.](#)

4. *Grease and decanted liquid disposal*

Note: A registration or permit is required for grease disposal. Grease shall not be combined with treatment plant sludge. For more information, contact the TCEQ Municipal Solid Waste team at 512-239-2335.

Describe how the decant and grease are treated and disposed of after grit separation.

[Click to enter text.](#)

E. Stormwater management

1. *Applicability*

Does the facility have a design flow of 1.0 MGD or greater in any phase?

☐ Yes ☒ No

Does the facility have an approved pretreatment program, under 40 CFR Part 403?

☐ Yes ☒ No

If no to both of the above, then skip to Subsection F, Other Wastes Received.

2. *MSGP coverage*

Is the stormwater runoff from the WWTP and dedicated lands for sewage disposal currently permitted under the TPDES Multi-Sector General Permit (MSGP), TXR050000?

☐ Yes ☐ No

If yes, please provide MSGP Authorization Number and skip to Subsection F, Other Wastes Received:

TXR05 [Click to enter text.](#) or TXRNE [Click to enter text.](#)

If no, do you intend to seek coverage under TXR050000?

☐ Yes ☐ No

3. *Conditional exclusion*

Alternatively, do you intend to apply for a conditional exclusion from permitting based TXR050000 (Multi Sector General Permit) Part II B.2 or TXR050000 (Multi Sector General Permit) Part V, Sector T 3(b)?

☐ Yes ☐ No

If yes, please explain below then proceed to Subsection F, Other Wastes Received:

Click to enter text.

4. *Existing coverage in individual permit*

Is your stormwater discharge currently permitted through this individual TPDES or TLAP permit?

☐ Yes ☐ No

If yes, provide a description of stormwater runoff management practices at the site that are authorized in the wastewater permit then skip to Subsection F, Other Wastes Received.

Click to enter text.

5. *Zero stormwater discharge*

Do you intend to have no discharge of stormwater via use of evaporation or other means?

☐ Yes ☐ No

If yes, explain below then skip to Subsection F. Other Wastes Received.

Click to enter text.

Note: If there is a potential to discharge any stormwater to surface water in the state as the result of any storm event, then permit coverage is required under the MSGP or an individual discharge permit. This requirement applies to all areas of facilities with treatment plants or systems that treat, store, recycle, or reclaim domestic sewage, wastewater or sewage sludge (including dedicated lands for sewage sludge disposal located within the onsite property boundaries) that meet the applicability criteria of above. You have the option of obtaining coverage under the MSGP for direct discharges, (recommended), or obtaining coverage under this individual permit.

6. *Request for coverage in individual permit*

Are you requesting coverage of stormwater discharges associated with your treatment plant under this individual permit?

☐ Yes ☐ No

If yes, provide a description of stormwater runoff management practices at the site for which you are requesting authorization in this individual wastewater permit and describe whether you intend to comingle this discharge with your treated effluent or discharge it via a separate dedicated stormwater outfall. Please also indicate if you intend to divert stormwater to the treatment plant headworks and indirectly discharge it to water in the state.

[Click to enter text.](#)

Note: Direct stormwater discharges to waters in the state authorized through this individual permit will require the development and implementation of a stormwater pollution prevention plan (SWPPP) and will be subject to additional monitoring and reporting requirements. Indirect discharges of stormwater via headworks recycling will require compliance with all individual permit requirements including 2-hour peak flow limitations. All stormwater discharge authorization requests will require additional information during the technical review of your application.

F. Discharges to the Lake Houston Watershed

Does the facility discharge in the Lake Houston watershed?

☐ Yes ☒ No

If yes, attach a Sewage Sludge Solids Management Plan. See Example 5 in the instructions.

[Click to enter text.](#)

G. Other wastes received including sludge from other WWTPs and septic waste

1. Acceptance of sludge from other WWTPs

Does or will the facility accept sludge from other treatment plants at the facility site?

☐ Yes ☒ No

If yes, attach sewage sludge solids management plan. See Example 5 of instructions.

In addition, provide the date the plant started or is anticipated to start accepting sludge, an estimate of monthly sludge acceptance (gallons or millions of gallons), an estimate of the BOD₅ concentration of the sludge, and the design BOD₅ concentration of the influent from the collection system. Also note if this information has or has not changed since the last permit action.

[Click to enter text.](#)

Note: Permits that accept sludge from other wastewater treatment plants may be required to have influent flow and organic loading monitoring.

2. Acceptance of septic waste

Is the facility accepting or will it accept septic waste?

☐ Yes ☒ No

If **yes**, does the facility have a Type V processing unit?

☐ Yes ☐ No

If **yes**, does the unit have a Municipal Solid Waste permit?

☐ Yes ☐ No

If **yes to any of the above**, provide the date the plant started or is anticipated to start accepting septic waste, an estimate of monthly septic waste acceptance (gallons or millions of gallons), an estimate of the BOD₅ concentration of the septic waste, and the design BOD₅ concentration of the influent from the collection system. Also note if this information has or has not changed since the last permit action.

Click to enter text.

Note: Permits that accept sludge from other wastewater treatment plants may be required to have influent flow and organic loading monitoring.

3. Acceptance of other wastes (not including septic, grease, grit, or RCRA, CERCLA or as discharged by IUs listed in Worksheet 6)

Is or will the facility accept wastes that are not domestic in nature excluding the categories listed above?

☐ Yes ☒ No

If **yes**, provide the date that the plant started accepting the waste, an estimate how much waste is accepted on a monthly basis (gallons or millions of gallons), a description of the entities generating the waste, and any distinguishing chemical or other physical characteristic of the waste. Also note if this information has or has not changed since the last permit action.

Click to enter text.

Section 7. Pollutant Analysis of Treated Effluent (Instructions Page 50)

Is the facility in operation?

☒ Yes ☐ No

If **no**, this section is not applicable. Proceed to Section 8.

If yes, provide effluent analysis data for the listed pollutants. **Wastewater treatment facilities** complete Table 1.0(2). **Water treatment facilities** discharging filter backwash water, complete Table 1.0(3). Provide copies of the laboratory results sheets. **These tables are not applicable for a minor amendment without renewal.** See the instructions for guidance.

Note: The sample date must be within 1 year of application submission.

Table1.0(2) – Pollutant Analysis for Wastewater Treatment Facilities

Pollutant	Average Conc.	Max Conc.	No. of Samples	Sample Type	Sample Date/Time
CBOD ₅ , mg/l	2	-	1	Grab	09/11/25 7:00
Total Suspended Solids, mg/l	3	-	1	Grab	09/11/25 7:00
Ammonia Nitrogen, mg/l	0.10	-	1	Grab	09/11/25 7:00
Nitrate Nitrogen, mg/l	6.00	-	1	Grab	09/11/25 7:00
Total Kjeldahl Nitrogen, mg/l	0.81	-	1	Grab	09/11/25 7:00
Sulfate, mg/l	135	-	1	Grab	09/11/25 7:00
Chloride, mg/l	108	-	1	Grab	09/11/25 7:00
Total Phosphorus, mg/l	<0.50	-	1	Grab	09/11/25 7:00
pH, standard units	7.3	-	1	Grab	09/11/25 7:00
Dissolved Oxygen*, mg/l	6.4	-	1	Grab	09/11/25 7:00
Chlorine Residual, mg/l	1.9	-	1	Grab	09/11/25 7:00
<i>E.coli</i> (CFU/100ml) freshwater	<1	-	1	Grab	09/11/25 7:00
Enterococci (CFU/100ml) saltwater	-	-	-	-	-
Total Dissolved Solids, mg/l	626	-	1	Grab	09/11/25 7:00
Electrical Conductivity, µmohs/cm, †	956	-	1	Grab	09/11/25 7:00
Oil & Grease, mg/l	9.90	-	1	Grab	09/11/25 7:00
Alkalinity (CaCO ₃)*, mg/l	84.0	-	1	Grab	09/11/25 7:00

*TPDES permits only

†TLAP permits only

Table1.0(3) – Pollutant Analysis for Water Treatment Facilities

Pollutant	Average Conc.	Max Conc.	No. of Samples	Sample Type	Sample Date/Time
Total Suspended Solids, mg/l					
Total Dissolved Solids, mg/l					
pH, standard units					
Fluoride, mg/l					
Aluminum, mg/l					
Alkalinity (CaCO ₃), mg/l					

Section 8. Facility Operator (Instructions Page 50)

Facility Operator Name: Dan Robertshaw

Facility Operator's License Classification and Level: A

Facility Operator's License Number: WW0061294

Section 9. Sludge and Biosolids Management and Disposal (Instructions Page 51)

A. WWTP's Biosolids Management Facility Type

Check all that apply. See instructions for guidance

- ☐ Design flow $\geq$ 1 MGD
- ☐ Serves $\geq$ 10,000 people
- ☐ Class I Sludge Management Facility (per 40 CFR § 503.9)
- ☒ Biosolids generator
- ☐ Biosolids end user - land application (onsite)
- ☐ Biosolids end user - surface disposal (onsite)
- ☐ Biosolids end user - incinerator (onsite)

B. WWTP's Biosolids Treatment Process

Check all that apply. See instructions for guidance.

- ☒ Aerobic Digestion
- ☐ Air Drying (or sludge drying beds)
- ☐ Lower Temperature Composting
- ☐ Lime Stabilization
- ☐ Higher Temperature Composting
- ☐ Heat Drying
- ☐ Thermophilic Aerobic Digestion
- ☐ Beta Ray Irradiation
- ☐ Gamma Ray Irradiation
- ☐ Pasteurization
- ☐ Preliminary Operation (e.g. grinding, de-gritting, blending)
- ☐ Thickening (e.g. gravity thickening, centrifugation, filter press, vacuum filter)
- ☐ Sludge Lagoon
- ☐ Temporary Storage (< 2 years)
- ☐ Long Term Storage (≥ 2 years)
- ☐ Methane or Biogas Recovery

☐ Other Treatment Process: [Click to enter text.](#)

C. Biosolids Management

Provide information on the *intended* biosolids management practice. Do not enter every management practice that you want authorized in the permit, as the permit will authorize all biosolids management practices listed in the instructions. Rather indicate the management practice the facility plans to use.

Biosolids Management

Management Practice	Handler or Preparer Type	Bulk or Bag Container	Amount (dry metric tons)	Pathogen Reduction Options	Vector Attraction Reduction Option
Disposal in Landfill	Off-site Third-Party Handler or Preparer	Bag	10 tons	Class B: PSRP Aerobic Digestion	Option 11: Biosolids covered at end of each day
Choose an item.	Choose an item.	Choose an item.		Choose an item.	Choose an item.
Choose an item.	Choose an item.	Choose an item.		Choose an item.	Choose an item.

If "Other" is selected for Management Practice, please explain (e.g. monofill or transport to another WWTP): [Click to enter text.](#)

D. Disposal site

Disposal site name: [Maloy Landfill](#)

TCEQ permit or registration number: [1195B](#)

County where disposal site is located: [HUNT](#)

E. Transportation method

Method of transportation (truck, train, pipe, other): [TRUCK](#)

Name of the hauler: [Duncan Disposal Maloy](#)

Hauler registration number: [22891](#)

Sludge is transported as a:

Liquid ☐ semi-liquid ☐ semi-solid ☒ solid ☐

Section 10. Permit Authorization for Sewage Sludge Disposal (Instructions Page 53)

A. Beneficial use authorization

Does the existing permit include authorization for land application of sewage sludge for beneficial use?

☐ Yes ☒ No

If **yes**, are you requesting to continue this authorization to land apply sewage sludge for beneficial use?

☐ Yes ☐ No

If **yes**, is the completed **Application for Permit for Beneficial Land Use of Sewage Sludge (TCEQ Form No. 10451)** attached to this permit application (see the instructions for details)?

☐ Yes ☐ No

B. Sludge processing authorization

Does the existing permit include authorization for any of the following sludge processing, storage or disposal options?

Sludge Composting	☐ Yes	☒ No
Marketing and Distribution of sludge	☐ Yes	☒ No
Sludge Surface Disposal or Sludge Monofill	☐ Yes	☒ No
Temporary storage in sludge lagoons	☐ Yes	☒ No

If **yes** to any of the above sludge options and the applicant is requesting to continue this authorization, is the completed **Domestic Wastewater Permit Application: Sewage Sludge Technical Report (TCEQ Form No. 10056)** attached to this permit application?

☐ Yes ☐ No

Section 11. Sewage Sludge Lagoons (Instructions Page 53)

Does this facility include sewage sludge lagoons?

☐ Yes ☒ No

If yes, complete the remainder of this section. If no, proceed to Section 12.

A. Location information

The following maps are required to be submitted as part of the application. For each map, provide the Attachment Number.

- Original General Highway (County) Map:
Attachment: [Click to enter text.](#)
- USDA Natural Resources Conservation Service Soil Map:
Attachment: [Click to enter text.](#)
- Federal Emergency Management Map:
Attachment: [Click to enter text.](#)
- Site map:
Attachment: [Click to enter text.](#)

Discuss in a description if any of the following exist within the lagoon area. Check all that apply.

- ☐ Overlap a designated 100-year frequency flood plain
- ☐ Soils with flooding classification

- ☐ Overlap an unstable area
- ☐ Wetlands
- ☐ Located less than 60 meters from a fault
- ☐ None of the above

Attachment: [Click to enter text.](#)

If a portion of the lagoon(s) is located within the 100-year frequency flood plain, provide the protective measures to be utilized including type and size of protective structures:

[Click to enter text.](#)

B. Temporary storage information

Provide the results for the pollutant screening of sludge lagoons. These results are in addition to pollutant results in *Section 7 of Technical Report 1.0*.

Nitrate Nitrogen, mg/kg: [Click to enter text.](#)

Total Kjeldahl Nitrogen, mg/kg: [Click to enter text.](#)

Total Nitrogen (=nitrate nitrogen + TKN), mg/kg: [Click to enter text.](#)

Phosphorus, mg/kg: [Click to enter text.](#)

Potassium, mg/kg: [Click to enter text.](#)

pH, standard units: [Click to enter text.](#)

Ammonia Nitrogen mg/kg: [Click to enter text.](#)

Arsenic: [Click to enter text.](#)

Cadmium: [Click to enter text.](#)

Chromium: [Click to enter text.](#)

Copper: [Click to enter text.](#)

Lead: [Click to enter text.](#)

Mercury: [Click to enter text.](#)

Molybdenum: [Click to enter text.](#)

Nickel: [Click to enter text.](#)

Selenium: [Click to enter text.](#)

Zinc: [Click to enter text.](#)

Total PCBs: [Click to enter text.](#)

Provide the following information:

Volume and frequency of sludge to the lagoon(s): [Click to enter text.](#)

Total dry tons stored in the lagoons(s) per 365-day period: [Click to enter text.](#)

Total dry tons stored in the lagoons(s) over the life of the unit: [Click to enter text.](#)

C. Liner information

Does the active/proposed sludge lagoon(s) have a liner with a maximum hydraulic conductivity of 1×10^{-7} cm/sec?

☐ Yes ☐ No

If yes, describe the liner below. Please note that a liner is required.

[Click to enter text.](#)

D. Site development plan

Provide a detailed description of the methods used to deposit sludge in the lagoon(s):

[Click to enter text.](#)

Attach the following documents to the application.

- Plan view and cross-section of the sludge lagoon(s)
Attachment: [Click to enter text.](#)
- Copy of the closure plan
Attachment: [Click to enter text.](#)
- Copy of deed recordation for the site
Attachment: [Click to enter text.](#)
- Size of the sludge lagoon(s) in surface acres and capacity in cubic feet and gallons
Attachment: [Click to enter text.](#)
- Description of the method of controlling infiltration of groundwater and surface water from entering the site
Attachment: [Click to enter text.](#)
- Procedures to prevent the occurrence of nuisance conditions
Attachment: [Click to enter text.](#)

E. Groundwater monitoring

Is groundwater monitoring currently conducted at this site, or are any wells available for groundwater monitoring, or are groundwater monitoring data otherwise available for the sludge lagoon(s)?

☐ Yes ☒ No

If groundwater monitoring data are available, provide a copy. Provide a profile of soil types encountered down to the groundwater table and the depth to the shallowest groundwater as a separate attachment.

Attachment: [Click to enter text.](#)

Section 12. Authorizations/Compliance/Enforcement (Instructions Page 55)

A. Additional authorizations

Does the permittee have additional authorizations for this facility, such as reuse authorization, sludge permit, etc?

☐ Yes ☒ No

If **yes**, provide the TCEQ authorization number and description of the authorization:

[Click to enter text.](#)

B. Permittee enforcement status

Is the permittee currently under enforcement for this facility?

☐ Yes ☒ No

Is the permittee required to meet an implementation schedule for compliance or enforcement?

☐ Yes ☒ No

If **yes** to either question, provide a brief summary of the enforcement, the implementation schedule, and the current status:

[Click to enter text.](#)

Section 13. RCRA/CERCLA Wastes (Instructions Page 55)

A. RCRA hazardous wastes

Has the facility received in the past three years, does it currently receive, or will it receive RCRA hazardous waste?

☐ Yes ☒ No

B. Remediation activity wastewater

Has the facility received in the past three years, does it currently receive, or will it receive CERCLA wastewater, RCRA remediation/corrective action wastewater or other remediation activity wastewater?

☐ Yes ☒ No

C. Details about wastes received

If **yes** to either Subsection A or B above, provide detailed information concerning these wastes with the application.

Attachment: [Click to enter text.](#)

Section 14. Laboratory Accreditation (Instructions Page 55)

All laboratory tests performed must meet the requirements of *30 TAC Chapter 25, Environmental Testing Laboratory Accreditation and Certification*, which includes the following general exemptions from National Environmental Laboratory Accreditation Program (NELAP) certification requirements:

- The laboratory is an in-house laboratory and is:
 - periodically inspected by the TCEQ; or
 - located in another state and is accredited or inspected by that state; or
 - performing work for another company with a unit located in the same site; or
 - performing pro bono work for a governmental agency or charitable organization.
- The laboratory is accredited under federal law.
- The data are needed for emergency-response activities, and a laboratory accredited under the Texas Laboratory Accreditation Program is not available.
- The laboratory supplies data for which the TCEQ does not offer accreditation.

The applicant should review 30 TAC Chapter 25 for specific requirements.


The following certification statement shall be signed and submitted with every application. See the Signature Page section in the Instructions, for a list of designated representatives who may sign the certification.

CERTIFICATION:

I certify that all laboratory tests submitted with this application meet the requirements of *30 TAC Chapter 25, Environmental Testing Laboratory Accreditation and Certification*.

Printed Name: Serissa Beck

Title: General Manager


Signature: 

Date: 9/18/25

ATTACHMENT “D”



Process Flow Design

FLOW DIAGRAM
FOR THE
CITY OF CADDO MILLS
WASTEWATER TREATMENT PLANT
WQ0010425002



ATTACHMENT “E”

Site Drawing



BURIED PIPE
DISCHARGE
ROUTE

CITY OF CADDO MILLS
PROPERTY BOUNDARY

SITE DRAWING
CITY OF CADDO MILLS
PERMIT NO. WQ0010425002

FACILITY
BOUNDARY

LIFT
STATION

BLOWER
BUILDING

AERATION
BASIN

CL2 CONTACT
CHAMBER

CLARIFIER

DIGESTER

EMERGENCY
GENERATOR

SLUDGE
MATE

BAR
SCREEN

ATTACHMENT “F”

Testing Analysis Data



ENVIRONMENTAL MONITORING LABORATORY, L.L.C

P.O. Box 477
6145 State Highway 171
Hillsboro, Texas 76645
Phone: 254-582-2622

BIOLOGICAL & CHEMICAL ANALYSIS / UTILITIES MANAGEMENT & OPERATION / WATERWELL DRILLING & SERVICE / GEOLOGICAL INVESTIGATION

ANALYTICAL REPORT 25091216

For:

City of Caddo Mills
2313 Main St.

Caddo Mills, Texas 75135

Sample Site: Renewal Analysis

Collected Date: 09/11/25



Lab Number: TX01547

Authorized for release by:
18-SEP-25

Lisa Soward, Data Manager

homeoffice@yourwaterlab.com

The test results in this report meet all 2009 NELAP and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory



ENVIRONMENTAL MONITORING LABORATORY, L.L.C

P.O. Box 477
6145 State Highway 171
Hillsboro, Texas 76645
Phone: 254-582-2622

BIOLOGICAL & CHEMICAL ANALYSIS / UTILITIES MANAGEMENT & OPERATION / WATERWELL DRILLING & SERVICE / GEOLOGICAL INVESTIGATION

ANALYTICAL RESULTS

Analytical Report: 25091216

Lab ID: 25091216-001 Collected Date: 09/11/25 07:00 Matrix: Waste Water
Client: City of Caddo Mills Received Date: 09/11/25 16:39 Temp at Receipt: 2.8 °C
Sample Site: Renewal Analysis Report Date: 09/18/25 Sample Collector: DD

Analyte	Abbreviation	Method	TNI Cert	Date Analyzed	Result	Units
Ammonia Nitrogen	NH3N	SM 4500-NH3/D	NP	09/15/25 09:37	0.100	mg/L
Carbonaceous BOD	CBOD	SM 5210/B	NP	09/12/25 09:15	2	mg/L
Total Suspended Solids	TSS	SM 2540/D	NP/P	09/15/25 11:01	3	mg/L
pH	SM4500-H	SM4500/H	N	09/11/25 07:00	7.3	SU
Nitrate as N	E300.0	E 300.0	NP/P	09/12/25 10:44	6.00	mg/L
Dissolved Oxygen	DO	SM 4500-O	N	09/11/25 07:00	6.4	mg/L
Total Phosphorus (as P)	T.PHOS.	SM 4500-P/E	NP	09/16/25 12:04	<0.0500	mg/L
Nitrogen, Total Kjeldahl	TKN	SM 4500-NH3/D	NP	09/16/25 13:30	0.810	mg/L
Total dissolved solids	SM2540C	SM 2540/C	NP/P	09/15/25 15:28	626.0	mg/L
Sulfate	E300.0	E 300.0	NP/P	09/12/25 11:39	135	mg/L
Chloride	CI-	SM 4500-CI-/B	NP	09/18/25 10:50	108	mg/L
Chlorine	SM4500-CL	SM4500-CL	NP	09/11/25 07:00	1.9	mg/L
n-Hexane Extractable Material (HEM)	O&G	SM 5520/B	NP	09/16/25 11:13	9.90	mg/L
Alkalinity, Total (CaCO3)	ALK	SM 2320/B	NP	09/15/25 10:51	84.0	mg/L
Conductivity @ 25C	Cond	SM 2510/B	NP	09/18/25 13:46	956	umhos/cm

P: Potable water NP: Non Potable water N: Not Certified

QUALITY ASSURANCE & QUALITY CONTROL

Control #: 25091216

ANALYTE	ABBR./ ALT.NAME	STANDARD METHOD	UNITS	Quality Control					
				S.D.	CV%	REC.1%	REC.2%	MDL/PQL	Q
Nitrate as N	E300.0	E 300.0	mg/L					0.400 / 0.400	
Sulfate	E300.0	E 300.0	mg/L					1.00 / 1.80	
Alkalinity, Total (CaCO3)	ALK	SM 2320/B	mg/L					1.50 / 5.00	
Chloride	Cl-	SM 4500-Cl-/B	mg/L	1.41	0.28	102.0	98	1.00 / 3.00	
Ammonia Nitrogen	NH3N	SM 4500-NH3/D	mg/L	0.04	3.43	98.7	93.6	0.0300 / 0.100	
Nitrogen, Total Kjeldahl	TKN	SM 4500-NH3/D	mg/L	0.15	1.19	98.9	96.9	0.0200 / 0.120	
Total Phosphorus (as P)	T.PHOS.	SM 4500-P/E	mg/L	0.04	0.72	100.0	101.1	.02 / .05	
n-Hexane Extractable Material (HEM)	O&G	SM 5520/B	mg/L	0.14	0.14	102.9	102.6	7.00 / 7.00	
Chemical Oxygen Demand	COD	SM 5220/D	mg/L						
Turbidity	TURB.	SM 2130/B	NTUs						
Total Percent Solids	%d.w	SM 2540/G	%						N

Biochemical Oxygen Demand(BOD) Carbonaceous Biochemical Oxygen Demand(CBOD) Method: SM 5210/B			Dissolved Oxygen Method: SM 4500-O*/G			Total Suspended Solids (TSS, MLSS) Method: 2540/D		
Results	Units	Description	Results	Units	Description	Results	Units	Description
0.11	mg/L	Blank 1 - CBOD	9.07	mg/L	Set Up Calibration	0.3	mg/L	Blank 1
0.15	mg/L	Blank 2 - CBOD	9.07	mg/L	Read Off Calibration	0.3	mg/L	Blank 2
0.19	mg/L	Blank 3 - CBOD				0.2	mg/L	Blank 3
180	mg/L	G/GA Std 1 - CBOD	20	°C	Set Up Temperature	3.3	%	Relative % Difference
179	mg/L	G/GA Std 2 - CBOD	20	°C	Read Off Temperature	3.45	%	Relative % Difference
179	mg/L	G/GA Std 3 - CBOD	765	mm Hg	Set Up Barometer	3.42	%	Relative % Difference
179	mg/L	G/GA Average - CBOD	762	mm Hg	Read Off Barometer	3.52	%	Relative % Difference
0.64	mg/L	Seed Corr/mL - CBOD	Fecal Coliform Method: SM9222 /D MF			0.93	%	Relative % Difference
0.63	mg/L	Seed Corr/mL - CBOD	Results	Units	Description	0	%	Relative % Difference
0.62	mg/L	Seed Corr/mL - CBOD		CFU/100ml	Pre Blank	Conductivity @ 25° C Method: SM2510/B Standards ran for each analytical batch.		
0.63	mg/L	Seed Corr Average - CBOD		CFU/100ml	Post Blank	Results	Units	Description
			Results	Units	Description	umhos/cm		Conductivity Standard
				mg/L	Blank	umhos/cm		Conductivity Standard
			TDS by SM2540/C			umhos/cm		Conductivity Standard
			Results	Units	Description			
			0	mg/L	Blank			
			E. coli By IDEXX Collert (enumeration)					
			MPN/100 mL					

Lisa Soward

Lisa Soward
Data Manager

Report Out Date: 09/18/2025

QUALITY ASSURANCE & QUALITY CONTROL

Standard Method SM 5210/B
 Matrix Waste Water
 Batch Number 82871

Sample ID	Parameter	Result	Ref. Value	Spike Conc.	Per. Rec.	Rec. Limits	RPD	RPD Limits	Flags
82871-1-BKS01	Carbonaceous BOD	180 mg/L		198 mg/L	91%	85-115%		0-25%	
82871-2-BKS02	Carbonaceous BOD	179 mg/L		198 mg/L	90%	85-115%		0-25%	
82871-3-BKS03	Carbonaceous BOD	179 mg/L		198 mg/L	90%	85-115%		0-25%	
82871-4-BKS04	Carbonaceous BOD	179 mg/L		198 mg/L	90%	85-115%		0-25%	
82871-1-BLK01	Carbonaceous BOD	0.110 mg/L			0%	85-115%		0-25%	
82871-2-BLK02	Carbonaceous BOD	0.150 mg/L			0%	85-115%		0-25%	
82871-3-BLK03	Carbonaceous BOD	0.190 mg/L			0%	85-115%		0-25%	

Standard Method E 300.0
 Matrix Waste Water
 Batch Number 82893

Sample ID	Parameter	Result	Ref. Value	Spike Conc.	Per. Rec.	Rec. Limits	RPD	RPD Limits	Flags
82893-1-LCS	Nitrate as N	7.95 mg/L		8.00 mg/L	99%	90-110%		0-20%	
82893-1-LCSD	Nitrate as N	7.93 mg/L		8.00 mg/L	99%	90-110%	0%	0-20%	
82893-1-JNS	Nitrate as N	0.130 mg/L			0%	90-110%		0-20%	
25091211-001 S	Nitrate as N	3.16 mg/L	0.130 mg/L	8.00 mg/L	38 %	80-120%		0-20%	X
25091211-001 SD	Nitrate as N	7.86 mg/L	0.130 mg/L	8.00 mg/L	97 %	80-120%	85%	0-20%	F

Standard Method E 300.0
 Matrix Waste Water
 Batch Number 82894

Sample ID	Parameter	Result	Ref. Value	Spike Conc.	Per. Rec.	Rec. Limits	RPD	RPD Limits	Flags
82894-1-LCS	Sulfate	14.7 mg/L		15.0 mg/L	98%	90-110%		0-20%	
82894-1-LCSD	Sulfate	14.7 mg/L		15.0 mg/L	98%	90-110%	0%	0-20%	
82894-1-JNS	Sulfate	4.79 mg/L			0%	90-110%		0-20%	
25091017-001 S	Sulfate	19.2 mg/L	4.79 mg/L	15.0 mg/L	96 %	80-120%		0-20%	
25091017-001 SD	Sulfate	19.4 mg/L	4.79 mg/L	15.0 mg/L	97 %	80-120%	1%	0-20%	

QUALITY ASSURANCE & QUALITY CONTROL

Standard Method SM 2540/D
Matrix Waste Water
Batch Number 82902

Sample ID	Parameter	Result	Ref. Value	Spike Conc.	Per. Rec.	Rec. Limits	RPD	RPD Limits	Flags
82902-1-MB	Total Suspended Solids	0.3000 mg/L			0%	80-120%		0-10%	
82902-2-MB	Total Suspended Solids	0.3000 mg/L			0%	80-120%		0-10%	
82902-3-MB	Total Suspended Solids	0.2000 mg/L			0%	80-120%		0-10%	

Standard Method SM 2540/C
Matrix Waste Water
Batch Number 82906

Sample ID	Parameter	Result	Ref. Value	Spike Conc.	Per. Rec.	Rec. Limits	RPD	RPD Limits	Flags
82906-1-MB	Total dissolved solids	< mg/L			0%	80-120%		0-10%	

Environmental Monitoring Laboratory ♦ P.O. Box 477 / 6145 State Highway 171, Hillsboro, Texas 76645 ♦ Phone: (254) 582-2622



Purchase Order / Chain of Custody

Panhandle Division
13260 South US Hwy 287 Amarillo, Texas 79118
Office: 806-335-9393 Emergency: 806-786-0612

Southwest Division
811 E. Young Street Llano, Texas 78643
Office: 325-247-3295 Emergency: 254-582-2622

East Texas Division
14295 S.H. 155 North Winona, Texas 75792
Office: 903-877-8222 Emergency: 817-357-6535

Coastal Division
34 East Ave., Schulenburg, Texas 78956
Office: 979-743-7010 Emergency: 254-221-3201

City of Caddo Mills				Report To:				ANALYSES REQUESTED										CL2	
City of Caddo Mills				Purchase Order #:														1.9	
2313 Main St.				Address:															
Caddo Mills, TX 75135																			
kirk@cityofjosephinetx.com				derek.deutsch@yahoo.com															
Project Name:																			
Project Location: WWTP				City, State:															
Project Location: WWTP				City, State:															
Hand Deliver: ☐ Pick-up: ☐ Sampler: (Please Print) Derek Deutsch																			
Lab#	Client Sample ID	Matrix	Date	Time	*Pres Code	*Bottle Code	CBOD / BOD	TSS, TDS	pH	DO	NH3N (pH<2.0, H2SO4) SM4500-NH3 D or G unless specified TKN, TOT PHOS	FECAL COLIFORM / E. COLI (Sterile)	MLSS	ALKALINITY, CHLORIDE, CONDUCTIVITY	OIL & GREASE	NITRATE, SULFATE	Sample Remarks		
25091216	1. Renewal Analysis	WW	9-11-25	700 AM	1	1	X	X	X	X									
	2.				2	1					X								
	3.				1	1						X							
	4.				2	2								X					
	5.				1	1										X			
	6.																		
	7.																		
	8.																		
	9.																		
	10.																		
Relinquished By:				Date		Time		Received By:		Date		Time		IR GUN ID: IR 2467		Ice: YES NO		Temperature: 28	
1. Derek Deutsch				9-11-25		0916		1. Caddo Mills		9-11-25		0916							
2. Derek Deutsch				9-11-25		1350		2. Caddo Mills		9-11-25		1350							
3. Derek Deutsch				9-11-25		1639		3. Caddo Mills		9-11-25		1639							
4. Derek Deutsch								4. Caddo Mills											

Complete sample information is vital for proper login and reporting. EML may need to subcontract some analyses due to equipment or procedural limitations.

Check us out on the web: <http://www.yourwaterlab.com>

Email us at: homeoffice@yourwaterlab.com

Revised 04/2025



ENVIRONMENTAL MONITORING LABORATORY, L.L.C.

East Texas Division
14295 SH 155 North
Winona TX 75792
254-582-2622

BIOLOGICAL & CHEMICAL ANALYSIS / UTILITIES MANAGEMENT & OPERATION / WATERWELL DRILLING & SERVICE / GEOLOGICAL INVESTIGATION

ANALYTICAL REPORT 25091226

For:

City of Caddo Mills
2313 Main St.

Caddo Mills, Texas 75135

Sample Site: Renewal Analysis

Collected Date: 09/11/25



Lab Number: TX01547

Authorized for release by:
15-SEP-25

Lisa Soward, Data Manager

homeoffice@yourwaterlab.com

The test results in this report meet all 2009 NELAP and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory



ENVIRONMENTAL MONITORING LABORATORY , L.L.C

East Texas Division

14295 SH 155 North
Winona TX 75792

BIOLOGICAL & CHEMICAL ANALYSIS / UTILITIES MANAGEMENT & OPERATION / WATERWELL DRILLING & SERVICE / GEOLOGICAL INVESTIGATION

ANALYTICAL RESULTS

Analytical Report: 25091226

Lab ID: 25091226-001 Collected Date: 09/11/25 07:00 Matrix: Waste Water
Client: City of Caddo Mills Received Date: 09/11/25 13:49 Temp at Receipt: 4.7 °C
Sample Site: Renewal Analysis Report Date: 09/15/25 Sample Collector: DD

Analyte	Abbreviation	Method	TNI Cert	Date Analyzed	Result	Units
<i>E. coli</i>	<i>E. coli</i>	IDEXX Colilert	NP	09/11/25 14:08	<1.00	MPN/100 mL

P: Potable water NP: Non Potable water N: Not Certified

QUALITY ASSURANCE & QUALITY CONTROL

Control #: 25091226

ANALYTE	ABBR./ ALT.NAME	STANDARD METHOD	UNITS	Quality Control					
				S.D.	CV%	REC.1%	REC.2%	MDL/PQL	Q
Chloride	Cl-	SM 4500-Cl-/B	mg/L						
Alkalinity	ALK	SM 2320/B	mg/L						
Total Phosphorus	T.PHOS.	SM 4500-P/E	mg/L						
Total Kjeldahl Nitrogen	TKN	SM 4500-NH3/D	mg/L						
Ammonia Nitrogen	NH3N	SM 4500-NH3/D	mg/L						
Oil & Grease	O&G	SM 5520/B	mg/L						
Chemical Oxygen Demand	COD	SM 5220/D	mg/L						
Turbidity	TURB.	SM 2130/B	NTUs						
Total Percent Solids	%d.w	SM 2540/G	%						N

Biochemical Oxygen Demand(BOD) Carbonaceous Biochemical Oxygen Demand(CBOD) Method: SM 5210/B		
Results	Units	Description

Lisa Soward

Lisa Soward
Data Manager

Report Out Date: 09/15/2025

Environmental Monitoring Laboratory ♦ P.O. Box 477 / 6145 State Highway 171, Hillsboro, Texas 76645 ♦ Phone: (254) 582-2622



Panhandle Division
13260 South US Hwy 287 Amarillo, Texas 79118
Office: 806-335-9393 Emergency: 806-786-0612

Southwest Division
811 E. Young Street Llano, Texas 78643
Office: 325-247-3295 Emergency: 254-582-2622

East Texas Division
14295 S.H. 155 North Winona, Texas 75792
Office: 903-847-9222 Emergency: 817-357-5535

Coastal Division
34 East Ave., Schulenburg, Texas 78956
Office: 979-743-7010 Emergency: 254-221-3201

Purchase Order / Chain of Custody



City of Caddo Mills		Report To:		City of Caddo Mills		Analyses Requested		Notes:	
City of Caddo Mills		Purchase Order #:		City of Caddo Mills		FECAL COLIFORM / E.COLI (Sterile)			
2313 Main St.		Address:		City, State:		ALKALINITY, CHLORIDE, CONDUCTIVITY			
Caddo Mills, TX 75135				City, State:		OIL & GREASE			
kirk@cityofjosephinetx.com		derek.deutsch@yahoo.com		City, State:		MLSS			
Project Name:				City, State:		Specified TKN, TOT PHOS			
Project Location: WWTP				City, State:		NH3N (pH<2.0, H2SO4) SM4500-NH3 D or G unless			
Project Location: WWTP				City, State:		DO			
Hand Deliver: ☐ Pick-up: ☐		Sampler: (Please Print) Derek Deutsch		City, State:		pH			
Lab#	Client Sample ID	Matrix	Date	Time	*Pres. Code	*Bottle Code			
25091226	1. Renewal Analysis	WW	5-11-25	700 AM	6	1			
2.									
3.									
4.									
5.									
6.									
7.									
8.									
9.									
10.									
Relinquished By:		Date	Time	Received By:	Date	Time			
1. Derek Deutsch		5-11-25	0916	1. Derek Deutsch	9/11/25	0916			
2. Derek Deutsch		9/11/25	1349	2. Derek Deutsch	9/11/25	1349			
3.				3.					
4.				4.					
IR GUN ID: 3057 Ice: YES NO Temperature: 4.7 * Preservation Codes: 1. None 2. Sulfate 3. Nitric 4. NaOH + Zinc 5. NaOH 6. Sterile + Thiosulfate 7. Phosphoric							1 Bottle Codes 1 Plastic 2 Glass 3 40ml VOA		

Complete sample information is vital for proper begin and reporting. EML may need to subcontract some analyses due to equipment or procedural limitations.

Check us out on the web: <http://www.yourwaterlab.com>

Email us at: homeoffice@yourwaterlab.com

Revised 04/2025

DOMESTIC WASTEWATER PERMIT APPLICATION

WORKSHEET 2.0: RECEIVING WATERS

The following information is required for all TPDES permit applications.

Section 1. Domestic Drinking Water Supply (Instructions Page 64)

Is there a surface water intake for domestic drinking water supply located within 5 miles downstream from the point or proposed point of discharge?

☐ Yes ☒ No

If **no**, proceed to Section 2. If **yes**, provide the following:

Owner of the drinking water supply: [Click to enter text.](#)

Distance and direction to the intake: [Click to enter text.](#)

Attach a USGS map that identifies the location of the intake.

Attachment: [Click to enter text.](#)

Section 2. Discharge into Tidally Affected Waters (Instructions Page 64)

Does the facility discharge into tidally affected waters?

☐ Yes ☒ No

If **no**, proceed to Section 3. If **yes**, complete the remainder of this section. If no, proceed to Section 3.

A. Receiving water outfall

Width of the receiving water at the outfall, in feet: [Click to enter text.](#)

B. Oyster waters

Are there oyster waters in the vicinity of the discharge?

☐ Yes ☐ No

If **yes**, provide the distance and direction from outfall(s).

[Click to enter text.](#)

C. Sea grasses

Are there any sea grasses within the vicinity of the point of discharge?

☐ Yes ☐ No

If **yes**, provide the distance and direction from the outfall(s).

[Click to enter text.](#)

Section 3. Classified Segments (Instructions Page 64)

Is the discharge directly into (or within 300 feet of) a classified segment?

☒ Yes ☐ No

If **yes**, this Worksheet is complete.

If **no**, complete Sections 4 and 5 of this Worksheet.

Section 4. Description of Immediate Receiving Waters (Instructions Page 65)

Name of the immediate receiving waters: West Caddo Creek

A. Receiving water type

Identify the appropriate description of the receiving waters.

- ☒ Stream
- ☐ Freshwater Swamp or Marsh
- ☐ Lake or Pond

Surface area, in acres: [Click to enter text.](#)

Average depth of the entire water body, in feet: [Click to enter text.](#)

Average depth of water body within a 500-foot radius of discharge point, in feet:
[Click to enter text.](#)

- ☐ Man-made Channel or Ditch
- ☐ Open Bay
- ☐ Tidal Stream, Bayou, or Marsh
- ☐ Other, specify: [Click to enter text.](#)

B. Flow characteristics

If a stream, man-made channel or ditch was checked above, provide the following. For existing discharges, check one of the following that best characterizes the area *upstream* of the discharge. For new discharges, characterize the area *downstream* of the discharge (check one).

- ☒ Intermittent - dry for at least one week during most years
- ☐ Intermittent with Perennial Pools - enduring pools with sufficient habitat to maintain significant aquatic life uses
- ☐ Perennial - normally flowing

Check the method used to characterize the area upstream (or downstream for new dischargers).

- ☐ USGS flow records
- ☐ Historical observation by adjacent landowners
- ☒ Personal observation
- ☐ Other, specify: [Click to enter text.](#)

C. Downstream perennial confluences

List the names of all perennial streams that join the receiving water within three miles downstream of the discharge point.

Caddo Creek.

D. Downstream characteristics

Do the receiving water characteristics change within three miles downstream of the discharge (e.g., natural or man-made dams, ponds, reservoirs, etc.)?

☒ Yes ☐ No

If yes, discuss how.

Yes, the original flow originates into West Caddo Creek; then to Caddo Creek; then to Lake Tawakoni.

E. Normal dry weather characteristics

Provide general observations of the water body during normal dry weather conditions.

Stream is non-flowing during dry weather conditions. Small, intermittent pools of water may develop but mostly dry up as Summer progresses.

Date and time of observation: August 8, 2025- 11am

Was the water body influenced by stormwater runoff during observations?

☐ Yes ☒ No

Section 5. General Characteristics of the Waterbody (Instructions Page 66)

A. Upstream influences

Is the immediate receiving water upstream of the discharge or proposed discharge site influenced by any of the following? Check all that apply.

☐ Oil field activities

☐ Urban runoff

☐ Upstream discharges

☐ Agricultural runoff

☐ Septic tanks

☐ Other(s), specify: Click to enter text.

B. Waterbody uses

Observed or evidences of the following uses. Check all that apply.

- | | |
|--|--|
| ☐ Livestock watering | ☐ Contact recreation |
| ☐ Irrigation withdrawal | ☐ Non-contact recreation |
| ☐ Fishing | ☐ Navigation |
| ☐ Domestic water supply | ☐ Industrial water supply |
| ☐ Park activities | ☐ Other(s), specify: Click to enter text. |

C. Waterbody aesthetics

Check one of the following that best describes the aesthetics of the receiving water and the surrounding area.

- ☐ Wilderness: outstanding natural beauty; usually wooded or unpastured area; water clarity exceptional
- ☒ Natural Area: trees and/or native vegetation; some development evident (from fields, pastures, dwellings); water clarity discolored
- ☐ Common Setting: not offensive; developed but uncluttered; water may be colored or turbid
- ☐ Offensive: stream does not enhance aesthetics; cluttered; highly developed; dumping areas; water discolored

DOMESTIC WASTEWATER PERMIT APPLICATION

WORKSHEET 6.0: INDUSTRIAL WASTE CONTRIBUTION

The following is required for all publicly owned treatment works.

Section 1. All POTWs (Instructions Page 89)

A. Industrial users (IUs)

Provide the number of each of the following types of industrial users (IUs) that discharge to your POTW and the daily flows from each user. See the Instructions for definitions of Categorical IUs, Significant IUs - non-categorical, and Other IUs.

If there are no users, enter 0 (zero).

Categorical IUs:

Number of IUs: 0

Average Daily Flows, in MGD: [Click to enter text.](#)

Significant IUs - non-categorical:

Number of IUs: 0

Average Daily Flows, in MGD: [Click to enter text.](#)

Other IUs:

Number of IUs: 0

Average Daily Flows, in MGD: [Click to enter text.](#)

B. Treatment plant interference

In the past three years, has your POTW experienced treatment plant interference (see instructions)?

☐ Yes ☒ No

If yes, identify the dates, duration, description of interference, and probable cause(s) and possible source(s) of each interference event. Include the names of the IUs that may have caused the interference.

[Click to enter text.](#)

C. Treatment plant pass through

In the past three years, has your POTW experienced pass through (see instructions)?

☐ Yes ☒ No

If **yes**, identify the dates, duration, a description of the pollutants passing through the treatment plant, and probable cause(s) and possible source(s) of each pass through event. Include the names of the IUs that may have caused pass through.

Click to enter text.

D. Pretreatment program

Does your POTW have an approved pretreatment program?

☐ Yes ☒ No

If **yes**, complete Section 2 only of this Worksheet.

Is your POTW required to develop an approved pretreatment program?

☐ Yes ☒ No

If **yes**, complete Section 2.c. and 2.d. only, and skip Section 3.

If **no to either question above**, skip Section 2 and complete Section 3 for each significant industrial user and categorical industrial user.

Section 2. POTWs with Approved Programs or Those Required to Develop a Program (Instructions Page 90)

A. Substantial modifications

Have there been any **substantial modifications** to the approved pretreatment program that have not been submitted to the TCEQ for approval according to *40 CFR §403.18*?

☐ Yes ☒ No

If **yes**, identify the modifications that have not been submitted to TCEQ, including the purpose of the modification.

Click to enter text.

B. Non-substantial modifications

Have there been any **non-substantial modifications** to the approved pretreatment program that have not been submitted to TCEQ for review and acceptance?

☐ Yes ☒ No

If yes, identify all non-substantial modifications that have not been submitted to TCEQ, including the purpose of the modification.

Click to enter text.

C. Effluent parameters above the MAL

In Table 6.0(1), list all parameters measured above the MAL in the POTW's effluent monitoring during the last three years. Submit an attachment if necessary.

Table 6.0(1) – Parameters Above the MAL

Pollutant	Concentration	MAL	Units	Date

D. Industrial user interruptions

Has any SIU, CIU, or other IU caused or contributed to any problems (excluding interferences or pass throughs) at your POTW in the past three years?

☐ Yes ☒ No

If **yes**, identify the industry, describe each episode, including dates, duration, description of the problems, and probable pollutants.

Click to enter text.

Section 3. Significant Industrial User (SIU) Information and Categorical Industrial User (CIU) (Instructions Page 90)

A. General information

Company Name: [Click to enter text.](#)

SIC Code: [Click to enter text.](#)

Contact name: [Click to enter text.](#)

Address: [Click to enter text.](#)

City, State, and Zip Code: [Click to enter text.](#)

Telephone number: [Click to enter text.](#)

Email address: [Click to enter text.](#)

B. Process information

Describe the industrial processes or other activities that affect or contribute to the SIU(s) or CIU(s) discharge (i.e., process and non-process wastewater).

[Click to enter text.](#)

C. Product and service information

Provide a description of the principal product(s) or services performed.

[Click to enter text.](#)

D. Flow rate information

See the Instructions for definitions of “process” and “non-process wastewater.”

Process Wastewater:

Discharge, in gallons/day: [Click to enter text.](#)

Discharge Type: ☐ Continuous ☐ Batch ☐ Intermittent

Non-Process Wastewater:

Discharge, in gallons/day: [Click to enter text.](#)

Discharge Type: ☐ Continuous ☐ Batch ☐ Intermittent

E. Pretreatment standards

Is the SIU or CIU subject to technically based local limits as defined in the *instructions*?

☐ Yes ☐ No

Is the SIU or CIU subject to categorical pretreatment standards found in *40 CFR Parts 405-471*?

☐ Yes ☐ No

If subject to categorical pretreatment standards, indicate the applicable category and subcategory for each categorical process.

Category: Subcategories: [Click to enter text.](#)

[Click or tap here to enter text.](#) [Click to enter text.](#)

Category: [Click to enter text.](#)

Subcategories: [Click to enter text.](#)

Category: [Click to enter text.](#)

Subcategories: [Click to enter text.](#)

Category: [Click to enter text.](#)

Subcategories: [Click to enter text.](#)

Category: [Click to enter text.](#)

Subcategories: [Click to enter text.](#)

F. Industrial user interruptions

Has the SIU or CIU caused or contributed to any problems (e.g., interferences, pass through, odors, corrosion, blockages) at your POTW in the past three years?

☐ Yes ☐ No

If yes, identify the SIU, describe each episode, including dates, duration, description of problems, and probable pollutants.

[Click to enter text.](#)

Rainee Trevino

From: Troy Stirman <tstirman@dunaway.com>
Sent: Tuesday, October 7, 2025 5:28 PM
To: Rainee Trevino
Subject: RE: [EXTERNAL]Application to Renew Permit No. WQ0010425002 - Notice of Deficiency Letter
Attachments: City of Caddo Mills_Plain Language Summary_v2.pdf; City of Caddo Mills_Municipal Discharge Renewal Spanish NORI.docx

Please let me know if this will suffice for your needs.

Thank you,

Troy Stirman
Project Specialist
Dunaway
T 972.784.7777

From: Rainee Trevino <Rainee.Trevino@tceq.texas.gov>
Sent: Tuesday, October 7, 2025 4:54 PM
To: Troy Stirman <tstirman@dunaway.com>
Subject: RE: [EXTERNAL]Application to Renew Permit No. WQ0010425002 - Notice of Deficiency Letter

Hi Troy,

This is in addition to the PLS. Since the application indicates a notice in Spanish is required, the Municipal Discharge Renewal Spanish NORI is the template to translate the NORI to Spanish. Both an English and Spanish NORI will have to be published.

Regards,
Rainee Trevino

From: Troy Stirman <tstirman@dunaway.com>
Sent: Tuesday, October 7, 2025 4:51 PM
To: Rainee Trevino <Rainee.Trevino@tceq.texas.gov>
Subject: RE: [EXTERNAL]Application to Renew Permit No. WQ0010425002 - Notice of Deficiency Letter

Rainee,

I'm confused about your request regarding the attachment labeled: "Municipal Discharge Renewal Spanish Nori". Are you saying that this takes the place of the previously included **Plain Language Summary** that already cites both the English/Spanish translations? Or is this in addition to the PLS?

Be happy to return this to you this week once I have your answer.

Thank you,

Troy Stirman

Project Specialist
Dunaway
T 972.784.7777

From: Raine Trevino <Raine.Trevino@tceq.texas.gov>

Sent: Monday, October 6, 2025 10:17 AM

To: Troy Stirman <tstirman@dunaway.com>

Cc: caddomillsdirector@gmail.com

Subject: [EXTERNAL]Application to Renew Permit No. WQ0010425002 - Notice of Deficiency Letter

Dear Mr. Stirman,

The attached Notice of Deficiency letter sent on October 6, 2025, requests additional information needed to declare the application administratively complete. Please send the complete response to my attention by October 20, 2025.

Thank you,

Raine Trevino

Water Quality Division | ARP Team
Texas Commission on Environmental Quality
512-239-4324





TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

PLAIN LANGUAGE SUMMARY FOR TPDES OR TLAP PERMIT APPLICATIONS

Plain Language Summary Template and Instructions for Texas Pollutant Discharge Elimination System (TPDES) and Texas Land Application (TLAP) Permit Applications

Applicants should use this template to develop a plain language summary as required by [Title 30, Texas Administrative Code \(30 TAC\), Chapter 39, Subchapter H](#). Applicants may modify the template as necessary to accurately describe their facility as long as the summary includes the following information: (1) the function of the proposed plant or facility; (2) the expected output of the proposed plant or facility; (3) the expected pollutants that may be emitted or discharged by the proposed plant or facility; and (4) how the applicant will control those pollutants, so that the proposed plant will not have an adverse impact on human health or the environment.

Fill in the highlighted areas below to describe your facility and application in plain language. Instructions and examples are provided below. Make any other edits necessary to improve readability or grammar and to comply with the rule requirements.

If you are subject to the alternative language notice requirements in [30 TAC Section 39.426](#), **you must provide a translated copy of the completed plain language summary in the appropriate alternative language as part of your application package**. For your convenience, a Spanish template has been provided below.

ENGLISH TEMPLATE FOR TPDES or TLAP NEW/RENEWAL/AMENDMENT APPLICATIONS Enter 'INDUSTRIAL' or 'DOMESTIC' here WASTEWATER/STORMWATER

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 TAC Chapter 39. The information provided in this summary may change during the technical review of the application and is not a federal enforceable representation of the permit application.

City of Caddo Mills, Texas (600672752) operates City of Caddo Mills Wastewater Treatment Facility (104798681), a wastewater treatment utility. The facility is located at approximately 2,100 feet west of the intersection of FM road 36 and FM road 1903, in Caddo Mills, Hunt County, Texas 75135. This is a request for renewal of an existing permit for treating and handling of wastewater by means of effluent discharge.

Discharges from the facility are expected to contain *Arsenic, Cadmium, Chromium, Copper, Lead, Mercury, Molybdenum, Nickel, PCBs, Selenium, and Zinc*. Processed wastewater is treated by an activated process plant operated in the conventional mode with nitrification. Treatment units include one pump station, two equalization basins, two bar screens, one aeration basin, one clarifier, one aerobic sludge digester, one sludge thickener, one sludge dewatering unit, and one chlorine contact chamber. Sludge generated from the treatment facility is hauled by a registered transporter and disposed of at a TCEQ-permitted landfill (Republic Maloy Landfill),

Permit No. 1195B, in Hunt Count. The permit also authorizes the disposal of sludge at a TCEQ-authorized land application site, co-disposal landfill, wastewater treatment facility, or facility that processes sludge. This treatment facility is already in operation. The final effluent limitation of daily average flow shall not exceed 0.75 MGD, nor shall the average discharge during any two-hour period exceed 2,083 gallons per minute (gpm).

PLANTILLA EN ESPAÑOL PARA SOLICITUDES NUEVAS/RENOVACIONES/ENMIENDAS DE TPDES o TLAP

AGUAS RESIDUALES Introduzca 'INDUSTRIALES' o 'DOMÉSTICAS' aquí /AGUAS PLUVIALES

El siguiente resumen se proporciona para esta solicitud de permiso de calidad del agua pendiente que está siendo revisada por la Comisión de Calidad Ambiental de Texas según lo requerido por el Capítulo 39 del Código Administrativo de Texas 30. La información proporcionada en este resumen puede cambiar durante la revisión técnica de la solicitud y no es una representación ejecutiva fedérale de la solicitud de permiso.

Ciudad de Caddo Mills, Texas (600672752) opera la Planta de Tratamiento de Aguas Residuales de la Ciudad de Caddo Mills (104798681), una instalación de tratamiento de aguas residuales. La planta está ubicada aproximadamente a 2,100 pies al oeste de la intersección de la carretera FM 36 y la carretera FM 1903, en Caddo Mills, Condado de Hunt, Texas 75135.

Esta es una solicitud para la **renovación de un permiso existente** para el tratamiento y manejo de aguas residuales mediante **descarga de efluentes**.

Se espera que las descargas de la instalación contengan **arsénico, cadmio, cromo, cobre, plomo, mercurio, molibdeno, níquel, bifenilos policlorados (PCB), selenio y zinc**.

Las aguas residuales procesadas son tratadas mediante una planta de proceso activado operada en modo convencional con **nitrificación**. Las unidades de tratamiento incluyen **una estación de bombeo, dos tanques de igualación, dos rejillas de barras, un tanque de aireación, un clarificador, un digestor aeróbico de lodos, un espesador de lodos, una unidad de deshidratación de lodos y una cámara de contacto con cloro**.

Los lodos generados en la planta de tratamiento son transportados por un transportista registrado y **eliminados en un relleno sanitario autorizado por la TCEQ (Republic Maloy Landfill), Permiso No. 1195B, en el Condado de Hunt**. El permiso también autoriza la **eliminación de lodos en un sitio de aplicación terrestre autorizado por la TCEQ, un relleno sanitario de co-disposición, una planta de tratamiento de aguas residuales o una instalación que procese lodos**.

Esta planta de tratamiento ya está en operación. La **limitación final del efluente** establece que el **flujo promedio diario no debe exceder 0.75 millones de galones por día (MGD)**, ni el **promedio de descarga durante cualquier período de dos horas debe exceder los 2,083 galones por minuto (gpm)**.

PLANTILLA EN ESPAÑOL PARA SOLICITUDES NUEVAS/RENOVACIONES/ENMIENDAS DE TPDES o TLAP

AGUAS RESIDUALES Introduzca 'INDUSTRIALES' o 'DOMÉSTICAS' aquí /AGUAS PLUVIALES

El siguiente resumen se proporciona para esta solicitud de permiso de calidad del agua pendiente que está siendo revisada por la Comisión de Calidad Ambiental de Texas según lo requerido por el Capítulo 39 del Código Administrativo de Texas 30. La información proporcionada en este resumen puede cambiar durante la revisión técnica de la solicitud y no es una representación ejecutiva fedérale de la solicitud de permiso.

Ciudad de Caddo Mills, Texas (600672752) opera la Planta de Tratamiento de Aguas Residuales de la Ciudad de Caddo Mills (104798681), una instalación de tratamiento de aguas residuales. La planta está ubicada aproximadamente a 2,100 pies al oeste de la intersección de la carretera FM 36 y la carretera FM 1903, en Caddo Mills, Condado de Hunt, Texas 75135.

Esta es una solicitud para la **renovación de un permiso existente** para el tratamiento y manejo de aguas residuales mediante **descarga de efluentes**.

Se espera que las descargas de la instalación contengan **arsénico, cadmio, cromo, cobre, plomo, mercurio, molibdeno, níquel, bifenilos policlorados (PCB), selenio y zinc**.

Las aguas residuales procesadas son tratadas mediante una planta de proceso activado operada en modo convencional con **nitrificación**. Las unidades de tratamiento incluyen **una estación de bombeo, dos tanques de igualación, dos rejillas de barras, un tanque de aireación, un clarificador, un digestor aeróbico de lodos, un espesador de lodos, una unidad de deshidratación de lodos y una cámara de contacto con cloro**.

Los lodos generados en la planta de tratamiento son transportados por un transportista registrado y **eliminados en un relleno sanitario autorizado por la TCEQ (Republic Maloy Landfill), Permiso No. 1195B, en el Condado de Hunt**. El permiso también autoriza la **eliminación de lodos en un sitio de aplicación terrestre autorizado por la TCEQ, un relleno sanitario de co-disposición, una planta de tratamiento de aguas residuales o una instalación que procese lodos**.

Esta planta de tratamiento ya está en operación. La **limitación final del efluente** establece que el **flujo promedio diario no debe exceder 0.75 millones de galones por día (MGD)**, ni el **promedio de descarga durante cualquier período de dos horas debe exceder los 2,083 galones por minuto (gpm)**.

Comisión de Calidad Ambiental del Estado de Texas



AVISO DE RECIBO DE LA SOLICITUD Y EL INTENTO DE OBTENER PERMISO PARA LA CALIDAD DEL AGUA RENOVACION

PERMISO NO. WQ0010425002

SOLICITUD. La Ciudad de Caddo Mills, P.O. Box 490, Caddo Mills, Texas 75135, ha solicitado a la Comisión de Calidad Ambiental del Estado de Texas (TCEQ) la renovación del Permiso No. WQ0010425002 (EPA I.D. No. TX 0128392) del Sistema de Eliminación de Descargas de Contaminantes de Texas (TPDES) para autorizar la descarga de aguas residuales tratadas en un volumen que no sobrepase un flujo promedio diario de 750,000 galones por día.

La planta está ubicada aproximadamente a 2,100 pies al oeste de la intersección de la carretera Farm-to-Market Road 36 y la carretera Farm-to-Market Road 1903, en el Condado de Hunt, Texas 75135. La ruta de descarga es desde el sitio de la planta hacia West Caddo Creek, luego hacia Caddo Creek, y posteriormente hacia Lake Tawakoni. La TCEQ recibió esta solicitud el 25 de septiembre de 2025. La solicitud para el permiso estará disponible para leerla y copiarla en el Ayuntamiento de Caddo Mills, Escritorio Administrativo Principal, 2313 Main Street, Caddo Mills, en el Condado de Hunt, Texas, antes de la fecha de publicación de este aviso en el periódico. La solicitud (incluyendo cualquier actualización y aviso) está disponible electrónicamente en la siguiente página web:

<https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications>

Este enlace a un mapa electrónico de la ubicación general del sitio o de la instalación se proporciona como cortesía y no forma parte de la solicitud ni del aviso. Para conocer la ubicación exacta, consulte la solicitud.

<https://gisweb.tceq.texas.gov/LocationMapper/?marker=-96.213333,33.041388&level=18>

AVISO DE IDIOMA ALTERNATIVO. El aviso de idioma alternativo en español está disponible en <https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications>.

AVISO ADICIONAL. El Director Ejecutivo de la TCEQ ha determinado que la solicitud es administrativamente completa y conducirá una revisión técnica de la solicitud. Después de completar la revisión técnica, el Director Ejecutivo puede preparar un borrador del permiso y emitirá una Decisión Preliminar sobre la solicitud. **El aviso de la solicitud y la decisión preliminar serán publicados y enviado a los que están en la lista de correo de las personas a lo largo del condado que desean recibir los avisos y los que están en la lista de correo que desean recibir avisos de esta solicitud. El aviso dará la fecha límite para someter comentarios públicos.**

COMENTARIO PUBLICO / REUNION PUBLICA. Usted puede presentar comentarios públicos o pedir una reunión pública sobre esta solicitud. El propósito de una reunión pública es dar la oportunidad de presentar comentarios o hacer preguntas acerca de la solicitud. La TCEQ realiza una reunión pública si el Director Ejecutivo determina que hay un grado de interés público suficiente en la solicitud o si un legislador local lo pide. Una reunión pública no es una audiencia administrativa de lo contencioso.

OPORTUNIDAD DE UNA AUDIENCIA ADMINISTRATIVA DE LO CONTENCIOSO. Después del plazo para presentar comentarios públicos, el Director Ejecutivo considerará todos los comentarios apropiados y preparará una respuesta a todos los comentarios públicos esenciales, pertinentes, o significativos. **A menos que la solicitud haya sido referida directamente a una audiencia administrativa de lo contencioso, la respuesta a los comentarios y la decisión del Director Ejecutivo sobre la solicitud serán enviados por correo a todos los que presentaron un comentario público y a las personas que están en la lista para recibir avisos sobre esta solicitud.** Si se reciben comentarios, el aviso también proveerá instrucciones para pedir una reconsideración de la decisión del Director Ejecutivo y para pedir una audiencia administrativa de lo contencioso. Una audiencia administrativa de lo contencioso es un procedimiento legal similar a un procedimiento legal civil en un tribunal de distrito del estado.

PARA SOLICITAR UNA AUDIENCIA DE CASO IMPUGNADO, USTED DEBE INCLUIR EN SU SOLICITUD LOS SIGUIENTES DATOS: su nombre, dirección, y número de teléfono; el nombre del solicitante y número del permiso; la ubicación y distancia de su propiedad/actividad con respecto a la instalación; una descripción específica de la forma cómo usted sería afectado adversamente por el sitio de una manera no común al público en general; una lista de todas las cuestiones de hecho en disputa que usted presente durante el período de comentarios; y la declaración "[Yo/nosotros] solicito/solicitamos una audiencia de caso impugnado". Si presenta la petición para una audiencia de caso impugnado de parte de un grupo o asociación, debe identificar una persona que representa al grupo para recibir correspondencia en el futuro; identificar el nombre y la dirección de un miembro del grupo que sería afectado adversamente por la planta o la actividad propuesta; proveer la información indicada anteriormente con respecto a la ubicación del miembro afectado y su distancia de la planta o actividad propuesta; explicar cómo y porqué el miembro sería afectado; y explicar cómo los intereses que el grupo desea proteger son pertinentes al propósito del grupo.

Después del cierre de todos los períodos de comentarios y de petición que aplican, el Director Ejecutivo enviará la solicitud y cualquier petición para reconsideración o para una audiencia de caso impugnado a los Comisionados de la TCEQ para su consideración durante una reunión programada de la Comisión.

La Comisión sólo puede conceder una solicitud de una audiencia de caso impugnado sobre los temas que el solicitante haya presentado en sus comentarios oportunos que no fueron retirados posteriormente. **Si se concede una audiencia, el tema de la audiencia estará limitado a cuestiones de hecho en disputa o cuestiones mixtas de hecho y de derecho relacionadas a intereses pertinentes y materiales de calidad del agua que se hayan presentado durante el período de comentarios.** Si ciertos criterios se cumplen, la TCEQ puede actuar sobre una solicitud para renovar un permiso sin proveer una oportunidad de una audiencia administrativa de lo contencioso.

LISTA DE CORREO. Si somete comentarios públicos, un pedido para una audiencia administrativa de lo contencioso o una reconsideración de la decisión del Director Ejecutivo, la Oficina del Secretario Principal enviará por correo los avisos públicos en relación con la solicitud. Además, puede pedir que la TCEQ ponga su nombre en una o más de las listas correos siguientes (1) la lista de correo permanente para recibir los avisos del solicitante indicado por nombre y número del permiso específico y/o (2) la lista de correo de todas las solicitudes en un condado específico. Si desea que se agregue su nombre en una de las listas designe cual lista(s) y envía por correo su pedido a la Oficina del Secretario Principal de la TCEQ.

INFORMACIÓN DISPONIBLE EN LÍNEA. Para detalles sobre el estado de la solicitud, favor de visitar la Base de Datos Integrada de los Comisionados en www.tceq.texas.gov/goto/cid. Para buscar en la base de datos, utilizar el número de permiso para esta solicitud que aparece en la parte superior de este aviso.

CONTACTOS E INFORMACIÓN A LA AGENCIA. Todos los comentarios públicos y solicitudes deben ser presentadas electrónicamente vía <http://www14.tceq.texas.gov/epic/eComment/> o por escrito dirigidos a la Comisión de Texas de Calidad Ambiental, Oficial de la Secretaría (Office of Chief Clerk), MC-105, P.O. Box 13087, Austin, Texas 78711-3087. Tenga en cuenta que cualquier información personal que usted proporcione, incluyendo su nombre, número de teléfono, dirección de correo electrónico y dirección física pasarán a formar parte del registro público de la Agencia. Para obtener más información acerca de esta solicitud de permiso o el proceso de permisos, llame al programa de educación pública de la TCEQ, gratis, al 1-800-687-4040. Si desea información en Español, puede llamar al 1-800-687-4040.

También se puede obtener información adicional de la Ciudad de Caddo Mills en la dirección indicada arriba o llamando al Sr. Paul Miller, Director de Obras Públicas, al 903-461-2728

Fecha de emisión: *[Date notice issued]*

Rainee Trevino

From: Troy Stirman <tstirman@dunaway.com>
Sent: Thursday, October 16, 2025 8:26 AM
To: Rainee Trevino
Subject: RE: [EXTERNAL]Application to Renew Permit No. WQ0010425002 - Notice of Deficiency Letter
Attachments: City Caddo Mills_Signatory Page_Discharge Permit.pdf

Here you go, thanks!

Troy Stirman
Project Specialist
Dunaway
T 972.784.7777

From: Rainee Trevino <Rainee.Trevino@tceq.texas.gov>
Sent: Wednesday, October 15, 2025 9:50 AM
To: Troy Stirman <tstirman@dunaway.com>
Subject: RE: [EXTERNAL]Application to Renew Permit No. WQ0010425002 - Notice of Deficiency Letter

Good morning, Troy,

Following up on the signature page.

Rainee Trevino
Water Quality Division | ARP Team
Texas Commission on Environmental Quality
512-239-4324



From: Troy Stirman <tstirman@dunaway.com>
Sent: Wednesday, October 8, 2025 2:03 PM
To: Rainee Trevino <Rainee.Trevino@tceq.texas.gov>
Subject: RE: [EXTERNAL]Application to Renew Permit No. WQ0010425002 - Notice of Deficiency Letter

Fair enough. I'll get on this NOW.

Troy Stirman
Project Specialist
Dunaway
T 972.784.7777

From: Raine Trevino <Raine.Trevino@tceq.texas.gov>
Sent: Wednesday, October 8, 2025 2:02 PM
To: Troy Stirman <tstirman@dunaway.com>
Subject: RE: [EXTERNAL]Application to Renew Permit No. WQ0010425002 - Notice of Deficiency Letter

The date will have to match the date of the notary.

Raine Trevino
Water Quality Division | ARP Team
Texas Commission on Environmental Quality
512-239-4324



From: Troy Stirman <tstirman@dunaway.com>
Sent: Wednesday, October 8, 2025 1:50 PM
To: Raine Trevino <Raine.Trevino@tceq.texas.gov>
Subject: RE: [EXTERNAL]Application to Renew Permit No. WQ0010425002 - Notice of Deficiency Letter
Importance: High

Raine, I can get the actual Owner to sign/notarize that page—do we need the original date or today's date?

Thanks so much.

Troy Stirman
Project Specialist
Dunaway
T 972.784.7777

From: Raine Trevino <Raine.Trevino@tceq.texas.gov>
Sent: Wednesday, October 8, 2025 9:45 AM
To: Troy Stirman <tstirman@dunaway.com>
Subject: RE: [EXTERNAL]Application to Renew Permit No. WQ0010425002 - Notice of Deficiency Letter

We can accept it if you can provide us with documentation showing he is authorized to sign on the City's behalf.

Raine Trevino
Water Quality Division | ARP Team
Texas Commission on Environmental Quality
512-239-4324



From: Troy Stirman <tstirman@dunaway.com>
Sent: Wednesday, October 8, 2025 9:42 AM
To: Raine Trevino <Raine.Trevino@tceq.texas.gov>
Subject: RE: [EXTERNAL]Application to Renew Permit No. WQ0010425002 - Notice of Deficiency Letter

As the authorized Agent representing the Client, Jacob isn't allowed to sign the paperwork? This how we have done it in the past.

Troy Stirman
Project Specialist
Dunaway
T 972.784.7777

From: Raine Trevino <Raine.Trevino@tceq.texas.gov>
Sent: Wednesday, October 8, 2025 9:39 AM
To: Troy Stirman <tstirman@dunaway.com>
Subject: RE: [EXTERNAL]Application to Renew Permit No. WQ0010425002 - Notice of Deficiency Letter

I am updating the contacts for this permit, and I noticed that Mr. Jacob Dupuis is with Dunaway and not the City of Caddo Mills. The owner of the permit must sign for application. A notarized signature page with the signature of an authorized individual from the city will be needed.

Sorry, this was an oversight on my part.

Raine Trevino
Water Quality Division | ARP Team
Texas Commission on Environmental Quality
512-239-4324



From: Raine Trevino
Sent: Wednesday, October 8, 2025 9:11 AM
To: Troy Stirman <tstirman@dunaway.com>
Subject: RE: [EXTERNAL]Application to Renew Permit No. WQ0010425002 - Notice of Deficiency Letter

Section 14. Signature Page (Instructions Page 34)

If co-applicants are necessary, each entity must submit an original, separate signature page.

Permit Number: WQ0010425002

Applicant: City of Caddo Mills, TX.

Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

I further certify that I am authorized under 30 Texas Administrative Code § 305.44 to sign and submit this document, and can provide documentation in proof of such authorization upon request.


Signatory name (typed or printed): Mr. Paul Miller

Signatory title: Director of Public Works

Signature: Paul Miller Date: 10-15-25
(Use blue ink)

Subscribed and Sworn to before me by the said _____
on this 15th day of October, 20 25.
My commission expires on the 4th day of February, 20 29.

Cynthia A. Wies
Notary Public



Hunt
County, Texas