



Administrative Package Cover Page

This file contains the following documents:

1. Summary of application (in plain language)
 - English
 - Alternative Language (Spanish)
 2. First Notice (NORI-Notice of Receipt of Application and Intent to Obtain a Permit)
 - English
 - Alternative Language (Spanish)
 3. Application materials
-



Portada de Paquete Administrativo

Este archivo contiene los siguientes documentos:

1. Resumen en lenguaje sencillo (PLS, por sus siglas en inglés) de la actividad propuesta
 - Inglés
 - Idioma alternativo (español)
2. Primer aviso (NORI, por sus siglas en inglés)
 - Inglés
 - Idioma alternativo (español)
3. Solicitud original



TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

PLAIN LANGUAGE SUMMARY FOR TPDES OR TLAP PERMIT APPLICATIONS

Plain Language Summary Template and Instructions for Texas Pollutant Discharge Elimination System (TPDES) and Texas Land Application (TLAP) Permit Applications

Applicants should use this template to develop a plain language summary as required by [Title 30, Texas Administrative Code \(30 TAC\), Chapter 39, Subchapter H](#). Applicants may modify the template as necessary to accurately describe their facility as long as the summary includes the following information: (1) the function of the proposed plant or facility; (2) the expected output of the proposed plant or facility; (3) the expected pollutants that may be emitted or discharged by the proposed plant or facility; and (4) how the applicant will control those pollutants, so that the proposed plant will not have an adverse impact on human health or the environment.

Fill in the highlighted areas below to describe your facility and application in plain language. Instructions and examples are provided below. Make any other edits necessary to improve readability or grammar and to comply with the rule requirements.

If you are subject to the alternative language notice requirements in [30 TAC Section 39.426](#), **you must provide a translated copy of the completed plain language summary in the appropriate alternative language as part of your application package**. For your convenience, a Spanish template has been provided below.

ENGLISH TEMPLATE FOR TPDES or TLAP NEW/RENEWAL/AMENDMENT APPLICATIONS DOMESTIC WASTEWATER/STORMWATER

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 TAC Chapter 39. The information provided in this summary may change during the technical review of the application and is not a federal enforceable representation of the permit application.

City of Asherton (CN600654701) operates City of Asherton WWTP (RN101721348), a wastewater treatment facility. The facility is located at 504 End Street, in Asherton, Dimmit County, Texas 78827. The renewal of an application to discharge of treated domestic wastewater at a daily average flow not to exceed 200,000 gallons per day.

Discharges from the facility are expected to contain less than 20 mg/l Carbonaceous Biochemical Oxygen Demand (CBOD5), 15 mg/l Total Suspended Solids (TDS), and 126 E.Coli CFU MPN/ 100 ml. Domestic wastewater is treated by screening, aeration, and clarification, followed by disinfection. Effluent is discharged via cascade aeration before flowing to the outfall. Sludge is processed in Geotubes for dewatering and preliminary treatment uses both coarse and fine screening before it is transported by truck to a landfill for disposal.

PLANTILLA EN ESPAÑOL PARA SOLICITUDES NUEVAS/RENOVACIONES/ENMIENDAS DE TPDES o TLAP

AGUAS RESIDUALES INDUSTRIALES /AGUAS PLUVIALES

El siguiente resumen se proporciona para esta solicitud de permiso de calidad del agua pendiente que está siendo revisada por la Comisión de Calidad Ambiental de Texas según lo requerido por el Capítulo 39 del Código Administrativo de Texas 30. La información proporcionada en este resumen puede cambiar durante la revisión técnica de la solicitud y no es una representación ejecutiva fedérale de la solicitud de permiso.

Ciudad de Asherton (CN600654701) opera WWTP la planta Ciudad de Asherton RN101721348, una planta de tratamiento de aguas residuales. La instalación está ubicada en 504 End Street, en Asherton, Condado de Dimmitt, Texas 78827. La renovación de una solicitud para descargar aguas residuales domésticas tratadas a un flujo promedio diario que no exceda los 200,000 galones por día..

Se espera que las descargas de la instalación contengan menos de 20 mg/l de demanda bioquímica de oxígeno carbonoso (CBOD5), 15 mg/l de sólidos suspendidos totales (TDS) y 126 UFC de E. coli NMP/100 ml . Aguas residuales están tratado por cribado, aireación y clarificación, seguido de desinfección. El efluente se descarga mediante aireación en cascada antes de fluir hacia el emisario. El lodo se procesa en geotubos para su deshidratación y el tratamiento preliminar utiliza un cribado grueso y fino antes de transportarlo en camión a un vertedero para su eliminación. .

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



NOTICE OF RECEIPT OF APPLICATION AND INTENT TO OBTAIN WATER QUALITY PERMIT RENEWAL

PERMIT NO. WQ0013746001

APPLICATION. City of Asherton, P.O. Box 450, Asherton, Texas 78827, has applied to the Texas Commission on Environmental Quality (TCEQ) to renew Texas Pollutant Discharge Elimination System (TPDES) Permit No. WQ0013746001 (EPA I.D. No. TX0071056) to authorize the discharge of treated wastewater at a volume not to exceed a daily average flow of 200,000 gallons per day. The domestic wastewater facility is located at 504 End Street, near the city of Asherton, in Dimmit County, Texas 78827. The discharge route is from the plant site to an unnamed tributary, thence to an on-channel stock tank, thence to the unnamed tributary, thence to El Moro Creek, thence to Soldier Slough, thence to Nueces River Above Holland Dam. TCEQ received this application on February 11, 2025. The permit application will be available for viewing and copying at Asherton City Hall, Reception desk, 1001 West Carter Street, Asherton, in Dimmit County, Texas prior to the date this notice is published in the newspaper. The application, including any updates, and associated notices are available electronically at the following webpage:

<https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications>. This link to an electronic map of the site or facility's general location is provided as a public courtesy and not part of the application or notice. For the exact location, refer to the application.

<https://gisweb.tceq.texas.gov/LocationMapper/?marker=-99.752777,28.459166&level=18>

ALTERNATIVE LANGUAGE NOTICE. Alternative language notice in Spanish is available at:

<https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications>.

El aviso de idioma alternativo en español está disponible en

<https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications>.

ADDITIONAL NOTICE. TCEQ's Executive Director has determined the application is administratively complete and will conduct a technical review of the application. After technical review of the application is complete, the Executive Director may prepare a draft permit and will issue a preliminary decision on the application. **Notice of the Application and Preliminary Decision will be published and mailed to those who are on the county-wide mailing list and to those who are on the mailing list for this application. That notice will contain the deadline for submitting public comments.**

PUBLIC COMMENT / PUBLIC MEETING. You may submit public comments or request a public meeting on this application. The purpose of a public meeting is to provide the opportunity to submit comments or to ask questions about the application. TCEQ will hold a

public meeting if the Executive Director determines that there is a significant degree of public interest in the application or if requested by a local legislator. A public meeting is not a contested case hearing.

OPPORTUNITY FOR A CONTESTED CASE HEARING. After the deadline for submitting public comments, the Executive Director will consider all timely comments and prepare a response to all relevant and material, or significant public comments. **Unless the application is directly referred for a contested case hearing, the response to comments, and the Executive Director's decision on the application, will be mailed to everyone who submitted public comments and to those persons who are on the mailing list for this application. If comments are received, the mailing will also provide instructions for requesting reconsideration of the Executive Director's decision and for requesting a contested case hearing.** A contested case hearing is a legal proceeding similar to a civil trial in state district court.

TO REQUEST A CONTESTED CASE HEARING, YOU MUST INCLUDE THE FOLLOWING ITEMS IN YOUR REQUEST: your name, address, phone number; applicant's name and proposed permit number; the location and distance of your property/activities relative to the proposed facility; a specific description of how you would be adversely affected by the facility in a way not common to the general public; a list of all disputed issues of fact that you submit during the comment period and, the statement "[I/we] request a contested case hearing." If the request for contested case hearing is filed on behalf of a group or association, the request must designate the group's representative for receiving future correspondence; identify by name and physical address an individual member of the group who would be adversely affected by the proposed facility or activity; provide the information discussed above regarding the affected member's location and distance from the facility or activity; explain how and why the member would be affected; and explain how the interests the group seeks to protect are relevant to the group's purpose.

Following the close of all applicable comment and request periods, the Executive Director will forward the application and any requests for reconsideration or for a contested case hearing to the TCEQ Commissioners for their consideration at a scheduled Commission meeting.

The Commission may only grant a request for a contested case hearing on issues the requestor submitted in their timely comments that were not subsequently withdrawn. **If a hearing is granted, the subject of a hearing will be limited to disputed issues of fact or mixed questions of fact and law relating to relevant and material water quality concerns submitted during the comment period.**

TCEQ may act on an application to renew a permit for discharge of wastewater without providing an opportunity for a contested case hearing if certain criteria are met.

MAILING LIST. If you submit public comments, a request for a contested case hearing or a reconsideration of the Executive Director's decision, you will be added to the mailing list for this specific application to receive future public notices mailed by the Office of the Chief Clerk. In addition, you may request to be placed on: (1) the permanent mailing list for a specific applicant name and permit number; and/or (2) the mailing list for a specific county. If you wish to be placed on the permanent and/or the county mailing list, clearly specify which list(s) and send your request to TCEQ Office of the Chief Clerk at the address below.

INFORMATION AVAILABLE ONLINE. For details about the status of the application, visit the Commissioners' Integrated Database at www.tceq.texas.gov/goto/cid. Search the database using the permit number for this application, which is provided at the top of this notice.

AGENCY CONTACTS AND INFORMATION. All public comments and requests must be submitted either electronically at <https://www14.tceq.texas.gov/epic/eComment/>, or in writing to the Texas Commission on Environmental Quality, Office of the Chief Clerk, MC-105, P.O. Box 13087, Austin, Texas 78711-3087. Please be aware that any contact information you provide, including your name, phone number, email address and physical address will become part of the agency's public record. For more information about this permit application or the permitting process, please call the TCEQ Public Education Program, Toll Free, at 1-800-687-4040 or visit their website at www.tceq.texas.gov/goto/pep. Si desea información en Español, puede llamar al 1-800-687-4040.

Further information may also be obtained from City of Asherton at the address stated above or by calling Mr. Robert H. Jr. Thonhoff, P.E, Consultant, at 512-328-6736.

Issuance Date: March 20, 2025

Comisión de Calidad Ambiental del Estado de Texas



AVISO DE RECIBO DE LA SOLICITUD Y EL INTENTO DE OBTENER PERMISO PARA LA CALIDAD DEL AGUA RENOVACION

PERMISO NO. WQ0013746001

SOLICITUD. La Ciudad de Asherton, PO Box 450, Asherton, Texas 78827, ha solicitado a la Comisión de Calidad Ambiental del Estado de Texas (TCEQ) para renovar el Permiso No. WQ0013746001 (EPA I.D. No. TX 0071056) del Sistema de Eliminación de Descargas de Contaminantes de Texas (TPDES) para autorizar la descarga de aguas residuales tratadas en un volumen que no sobrepasa un flujo promedio diario de 200,000 galones por día. La planta está ubicada en 504 End Street, en la ciudad de Asherton, en el Condado de Dimmit, Texas 78827. La ruta de descarga es del sitio de la planta hasta un afluente no identificado, luego a un tanque de almacenamiento en el canal, luego al afluente no identificado, luego al Arroyo El Moro, luego a Soldier Slough, luego al Rio Nueces arribad de la Represa Holland. La TCEQ recibió esta solicitud el 11 de febrero de 2025. La solicitud para el permiso estará disponible para leerla y copiarla en el Ayuntamiento de Asherton, en el mostrador de recepción, 1001 West Carter Street, Asherton, en el Condado de Dimmit, Texas 78827 antes de la fecha de publicación de este aviso en el periódico. Este enlace a un mapa electrónico de la ubicación general del sitio o de la instalación es proporcionado como una cortesía y no es parte de la solicitud o del aviso. Para la ubicación exacta, consulte la solicitud.

<https://gisweb.tceq.texas.gov/LocationMapper/?marker=-99.752777,28.459166&level=18>

AVISO ADICIONAL. El Director Ejecutivo de la TCEQ ha determinado que la solicitud es administrativamente completa y conducirá una revisión técnica de la solicitud. Después de completar la revisión técnica, el Director Ejecutivo puede preparar un borrador del permiso y emitirá una Decisión Preliminar sobre la solicitud. **El aviso de la solicitud y la decisión preliminar serán publicados y enviado a los que están en la lista de correo de las personas a lo largo del condado que desean recibir los avisos y los que están en la lista de correo que desean recibir avisos de esta solicitud. El aviso dará la fecha límite para someter comentarios públicos.**

COMENTARIO PUBLICO / REUNION PUBLICA. Usted puede presentar **comentarios públicos o pedir una reunión pública sobre esta solicitud.** El propósito de una reunión pública es dar la oportunidad de presentar comentarios o hacer preguntas acerca de la solicitud. La TCEQ realiza una reunión pública si el Director Ejecutivo determina que hay un grado de interés público suficiente en la solicitud o si un legislador local lo pide. Una reunión pública no es una audiencia administrativa de lo contencioso.

OPORTUNIDAD DE UNA AUDIENCIA ADMINISTRATIVA DE LO CONTENCIOSO.

Después del plazo para presentar comentarios públicos, el Director Ejecutivo considerará todos los comentarios apropiados y preparará una respuesta a todo los comentarios públicos esenciales, pertinentes, o significativos. **A menos que la solicitud haya sido referida directamente a una audiencia administrativa de lo contencioso, la respuesta a los comentarios y la decisión del Director Ejecutivo sobre la solicitud serán enviados por correo a todos los que presentaron un comentario público y a las personas que están en la lista para recibir avisos sobre esta solicitud. Si se reciben comentarios, el aviso también proveerá instrucciones para pedir una reconsideración de la decisión del Director Ejecutivo y para pedir una audiencia administrativa de lo contencioso.** Una audiencia administrativa de lo contencioso es un procedimiento legal similar a un procedimiento legal civil en un tribunal de distrito del estado.

PARA SOLICITAR UNA AUDIENCIA DE CASO IMPUGNADO, USTED DEBE INCLUIR EN SU SOLICITUD LOS SIGUIENTES DATOS: su nombre, dirección, y número de teléfono; el nombre del solicitante y número del permiso; la ubicación y distancia de su propiedad/actividad con respecto a la instalación; una descripción específica de la forma cómo usted sería afectado adversamente por el sitio de una manera no común al público en general; una lista de todas las cuestiones de hecho en disputa que usted presente durante el período de comentarios; y la declaración "[Yo/nosotros] solicito/solicitamos una audiencia de caso impugnado". Si presenta la petición para una audiencia de caso impugnado de parte de un grupo o asociación, debe identificar una persona que representa al grupo para recibir correspondencia en el futuro; identificar el nombre y la dirección de un miembro del grupo que sería afectado adversamente por la planta o la actividad propuesta; proveer la información indicada anteriormente con respecto a la ubicación del miembro afectado y su distancia de la planta o actividad propuesta; explicar cómo y porqué el miembro sería afectado; y explicar cómo los intereses que el grupo desea proteger son pertinentes al propósito del grupo.

Después del cierre de todos los períodos de comentarios y de petición que aplican, el Director Ejecutivo enviará la solicitud y cualquier petición para reconsideración o para una audiencia de caso impugnado a los Comisionados de la TCEQ para su consideración durante una reunión programada de la Comisión. La Comisión sólo puede conceder una solicitud de una audiencia de caso impugnado sobre los temas que el solicitante haya presentado en sus comentarios oportunos que no fueron retirados posteriormente. Si se concede una audiencia, el tema de la audiencia estará limitado a cuestiones de hecho en disputa o cuestiones mixtas de hecho y de derecho relacionadas a intereses pertinentes y materiales de calidad del agua que se hayan presentado durante el período de comentarios. Si ciertos criterios se cumplen, la TCEQ puede actuar sobre una solicitud para renovar un permiso sin proveer una oportunidad de una audiencia administrativa de lo contencioso.

LISTA DE CORREO. Si somete comentarios públicos, un pedido para una audiencia administrativa de lo contencioso o una reconsideración de la decisión del Director Ejecutivo, la Oficina del Secretario Principal enviará por correo los avisos públicos en relación con la solicitud. Además, puede pedir que la TCEQ ponga su nombre en una o más de las listas de correos siguientes (1) la lista de correo permanente para recibir los avisos de el solicitante indicado por nombre y número del permiso específico y/o (2) la lista de correo de todas las solicitudes en un condado específico. Si desea que se agregue su nombre en una de las listas designe cual lista(s) y envía por correo su pedido a la Oficina del Secretario Principal de la TCEQ.

CONTACTOS E INFORMACIÓN A LA AGENCIA. Todos los comentarios públicos y solicitudes deben ser presentadas electrónicamente vía <http://www14.tceq.texas.gov/epic/eComment/> o por escrito dirigidos a la Comisión de Texas de Calidad Ambiental, Oficial de la Secretaría (Office of Chief Clerk), MC-105, P.O. Box 13087, Austin, Texas 78711-3087. Tenga en cuenta que cualquier información personal que usted proporcione, incluyendo su nombre, número de teléfono, dirección de correo electrónico y dirección física pasarán a formar parte del registro público de la Agencia. Para obtener más información acerca de esta solicitud de permiso o el proceso de permisos, llame al programa de educación pública de la TCEQ, gratis, al 1-800-687-4040. Si desea información en Español, puede llamar al 1-800-687-4040.

También se puede obtener información adicional del la Ciudad de Asherton en a la dirección indicada arriba o llamando al Sr. Robert H. Jr. Thonhoff, P.E., Consultor, al 512-328-6736.

Fecha de emission: 20 de marzo de 2025



TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

DOMESTIC WASTEWATER PERMIT APPLICATION CHECKLIST

Complete and submit this checklist with the application.

APPLICANT NAME: City of Asherton

PERMIT NUMBER (If new, leave blank): WQ00 13746001

Indicate if each of the following items is included in your application.

	Y	N		Y	N
Administrative Report 1.0	☒	☐	Original USGS Map	☒	☐
Administrative Report 1.1	☐	☒	Affected Landowners Map	☐	☒
SPIF	☒	☐	Landowner Disk or Labels	☐	☒
Core Data Form	☒	☐	Buffer Zone Map	☒	☐
Public Involvement Plan Form	☐	☒	Flow Diagram	☒	☐
Technical Report 1.0	☒	☐	Site Drawing	☒	☐
Technical Report 1.1	☐	☒	Original Photographs	☐	☒
Worksheet 2.0	☒	☐	Design Calculations	☐	☒
Worksheet 2.1	☐	☒	Solids Management Plan	☐	☒
Worksheet 3.0	☐	☒	Water Balance	☐	☒
Worksheet 3.1	☐	☒			
Worksheet 3.2	☐	☒			
Worksheet 3.3	☐	☒			
Worksheet 4.0	☐	☒			
Worksheet 5.0	☐	☒			
Worksheet 6.0	☒	☐			
Worksheet 7.0	☐	☒			

For TCEQ Use Only

Segment Number _____ County _____
Expiration Date _____ Region _____
Permit Number _____



TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

DOMESTIC WASTEWATER PERMIT APPLICATION ADMINISTRATIVE REPORT 1.0

For any questions about this form, please contact the Applications Review and Processing Team at 512-239-4671.

Section 1. Application Fees (Instructions Page 26)

Indicate the amount submitted for the application fee (check only one).

Flow	New/Major Amendment	Renewal
<0.05 MGD	\$350.00 ☐	\$315.00 ☐
≥0.05 but <0.10 MGD	\$550.00 ☐	\$515.00 ☐
≥0.10 but <0.25 MGD	\$850.00 ☐	\$815.00 ☒
≥0.25 but <0.50 MGD	\$1,250.00 ☐	\$1,215.00 ☐
≥0.50 but <1.0 MGD	\$1,650.00 ☐	\$1,615.00 ☐
≥1.0 MGD	\$2,050.00 ☐	\$2,015.00 ☐

Minor Amendment (for any flow) \$150.00 ☐

Payment Information:

Mailed Check/Money Order Number: Click to enter text.
Check/Money Order Amount: 815.00
Name Printed on Check: WTC inc
EPAY Voucher Number: 731737 and 731788
Copy of Payment Voucher enclosed? Yes ☒ Attachment A

Section 2. Type of Application (Instructions Page 26)

a. Check the box next to the appropriate authorization type.

- ☒ Publicly-Owned Domestic Wastewater
- ☐ Privately-Owned Domestic Wastewater
- ☐ Conventional Wastewater Treatment

b. Check the box next to the appropriate facility status.

- ☒ Active ☐ Inactive

c. Check the box next to the appropriate permit type.

- ☒ TPDES Permit
☐ TLAP
☐ TPDES Permit with TLAP component
☐ Subsurface Area Drip Dispersal System (SADDS)

d. Check the box next to the appropriate application type

- | | |
|---|---|
| ☐ New | |
| ☐ Major Amendment <u>with</u> Renewal | ☐ Minor Amendment <u>with</u> Renewal |
| ☐ Major Amendment <u>without</u> Renewal | ☐ Minor Amendment <u>without</u> Renewal |
| ☒ Renewal without changes | ☐ Minor Modification of permit |

e. For amendments or modifications, describe the proposed changes: [Click to enter text.](#)

f. For existing permits:

Permit Number: WQ00 13746001

EPA I.D. (TPDES only): TX 0071056

Expiration Date: October 11, 2025

Section 3. Facility Owner (Applicant) and Co-Applciant Information (Instructions Page 26)

A. The owner of the facility must apply for the permit.

What is the Legal Name of the entity (applicant) applying for this permit?

City of Asherton, Texas

(The legal name must be spelled exactly as filed with the Texas Secretary of State, County, or in the legal documents forming the entity.)

If the applicant is currently a customer with the TCEQ, what is the Customer Number (CN)?
You may search for your CN on the TCEQ website at <http://www15.tceq.texas.gov/crpub/>

CN: 600654701

What is the name and title of the person signing the application? The person must be an executive official meeting signatory requirements in *30 TAC § 305.44*.

Prefix: Mr.

Last Name, First Name: Ruiz, Mario DJ

Title: Mayor

Credential: [Click to enter text.](#)

B. **Co-applicant information.** Complete this section only if another person or entity is required to apply as a co-permittee.

What is the Legal Name of the co-applicant applying for this permit?

NA

(The legal name must be spelled exactly as filed with the TX SOS, with the County, or in the legal documents forming the entity.)

If the co-applicant is currently a customer with the TCEQ, what is the Customer Number (CN)? You may search for your CN on the TCEQ website at: <http://www15.tceq.texas.gov/crpub/>

CN: Click to enter text.

What is the name and title of the person signing the application? The person must be an executive official meeting signatory requirements in *30 TAC § 305.44*.

Prefix: Click to enter text.

Last Name, First Name: Click to enter text.

Title: Click to enter text.

Credential: Click to enter text.

Provide a brief description of the need for a co-permittee: Click to enter text.

C. Core Data Form

Complete the Core Data Form for each customer and include as an attachment. If the customer type selected on the Core Data Form is **Individual**, complete **Attachment 1** of Administrative Report 1.0. Attachment B

Section 4. Application Contact Information (Instructions Page 27)

This is the person(s) TCEQ will contact if additional information is needed about this application. Provide a contact for administrative questions and technical questions.

A. Prefix: Mr. Last Name, First Name: Thonhoff, Robert H. Jr.
Title: Consultant Credential: P.E.
Organization Name: WTC, Inc.
Mailing Address: 1301 S Capital of Texas Hwy #A-236 City, State, Zip Code: Austin, TX 78746
Phone No.: 512-328-6736 E-mail Address: bob.thonhoff@wtcinc.com
Check one or both: ☒ Administrative Contact ☒ Technical Contact

B. Prefix: Ms. Last Name, First Name: Ramierz, Elvira
Title: City Secretary Credential: Click to enter text.
Organization Name: City of Asherton
Mailing Address: PO Box 450 City, State, Zip Code: Asherton, TX 78827
Phone No.: 830-468-3314 E-mail Address: e.ramirez@cityofasherton.org
Check one or both: ☒ Administrative Contact ☐ Technical Contact

Section 5. Permit Contact Information (Instructions Page 27)

Provide the names and contact information for two individuals that can be contacted throughout the permit term.

A. Prefix: Mr. Last Name, First Name: Thonhoff, Robert H. Jr.
Title: : Consultant Credential: P.E.
Organization Name: WTC, Inc.
Mailing Address: 1301 S Capital of Texas Hwy #A-236 City, State, Zip Code: Austin, TX 78746
Phone No.: 512-328-6736 E-mail Address: bob.thonhoff@wtcinc.com

B. Prefix: Ms. Last Name, First Name: Ramierz, Elvira
Title: City Secretary Credential: Click to enter text.
Organization Name: City of Asherton
Mailing Address: PO Box 450 City, State, Zip Code: : Asherton, TX 78827
Phone No.: 830-468-3314 E-mail Address: e.ramirez@cityofasherton.org

Section 6. Billing Contact Information (Instructions Page 27)

The permittee is responsible for paying the annual fee. The annual fee will be assessed to permits ***in effect on September 1 of each year.*** The TCEQ will send a bill to the address provided in this section. The permittee is responsible for terminating the permit when it is no longer needed (using form TCEQ-20029).

Prefix: Ms. Last Name, First Name: Ramierz, Elvira
Title: City Secretary Credential: Click to enter text.
Organization Name: City of Asherton
Mailing Address: PO Box 450 City, State, Zip Code: : Asherton, TX 78827
Phone No.: 830-468-3314 E-mail Address: e.ramirez@cityofasherton.org

Section 7. DMR/MER Contact Information (Instructions Page 27)

Provide the name and complete mailing address of the person delegated to receive and submit Discharge Monitoring Reports (DMR) (EPA 3320-1) or maintain Monthly Effluent Reports (MER).

Prefix: Mr. Last Name, First Name: Ramirez, Carlos
Title: Operator Credential: Click to enter text.
Organization Name: City of Asherton
Mailing Address: PO Box 450 City, State, Zip Code: : Asherton, TX 78827
Phone No.: 830-468-3314 E-mail Address: c.ramirez@cityofasherton.org

Section 8. Public Notice Information (Instructions Page 27)

A. Individual Publishing the Notices

Prefix: Ms. Last Name, First Name: Johnson, Barbara
Title: Consultant Credential: Click to enter text.
Organization Name: WTC, Inc.
Mailing Address: 1301 S Capital of Texas Hwy Suite A-236 City, State, Zip Code: Austin, TX 78746
Phone No.: 512-328-6736 E-mail Address: barbara.johnson@wtcinc.com

B. Method for Receiving Notice of Receipt and Intent to Obtain a Water Quality Permit Package

Indicate by a check mark the preferred method for receiving the first notice and instructions:

☒ E-mail Address

- ☐ Fax
☐ Regular Mail

C. Contact permit to be listed in the Notices

Prefix: Mr. Last Name, First Name: Thonhoff, Robert H. Jr.
Title: Consultant Credential: P.E
Organization Name: WTC, Inc.
Mailing Address: 1301 S Capital of Texas Hwy Suite A-236 City, State, Zip Code: Austin, TX 78746
Phone No.: 512-328-6736 E-mail Address: bob.thonhoff@wtcinc.com

D. Public Viewing Information

If the facility or outfall is located in more than one county, a public viewing place for each county must be provided.

Public building name: Asherton City Hall
Location within the building: Reception desk
Physical Address of Building: 1001 Carter Street, Asherton, Texas 78827
City: Asherton County: Dimmitt
Contact (Last Name, First Name): Ramierz, Elvira
Phone No.: 830-468-3314 Ext.: Click to enter text.

E. Bilingual Notice Requirements

This information is required for **new, major amendment, minor amendment or minor modification, and renewal** applications.

This section of the application is only used to determine if alternative language notices will be needed. Complete instructions on publishing the alternative language notices will be in your public notice package.

Please call the bilingual/ESL coordinator at the nearest elementary and middle schools and obtain the following information to determine whether an alternative language notices are required.

1. Is a bilingual education program required by the Texas Education Code at the elementary or middle school nearest to the facility or proposed facility?
☒ Yes ☐ No
If **no**, publication of an alternative language notice is not required; **skip to** Section 9 below.
2. Are the students who attend either the elementary school or the middle school enrolled in a bilingual education program at that school?
☒ Yes ☐ No
3. Do the students at these schools attend a bilingual education program at another location?
☐ Yes ☒ No
4. Would the school be required to provide a bilingual education program but the school has waived out of this requirement under 19 TAC §89.1205(g)?

☐ Yes ☒ No

5. If the answer is **yes** to **question 1, 2, 3, or 4**, public notices in an alternative language are required. Which language is required by the bilingual program? Spanish

F. Plain Language Summary Template

Complete the Plain Language Summary (TCEQ Form 20972) and include as an attachment.

Attachment: Attachment C

G. Public Involvement Plan Form

Complete the Public Involvement Plan Form (TCEQ Form 20960) for each application for a **new permit or major amendment to a permit** and include as an attachment.

Attachment: NA

Section 9. Regulated Entity and Permitted Site Information (Instructions Page 29)

- A.** If the site is currently regulated by TCEQ, provide the Regulated Entity Number (RN) issued to this site. RN 101721348

Search the TCEQ's Central Registry at <http://www15.tceq.texas.gov/crpub/> to determine if the site is currently regulated by TCEQ.

- B.** Name of project or site (the name known by the community where located):

City of Asherton WWTP

- C.** Owner of treatment facility: City of Asherton

Ownership of Facility: ☒ Public ☐ Private ☐ Both ☐ Federal

- D.** Owner of land where treatment facility is or will be:

Prefix: Click to enter text.

Last Name, First Name: Click to enter text.

Title: Click to enter text.

Credential: Click to enter text.

Organization Name: City of Asherton

Mailing Address: PO Box 450

City, State, Zip Code: Asherton, TX 78827

Phone No.: 830-468-3314

E-mail Address: Click to enter text.

If the landowner is not the same person as the facility owner or co-applicant, attach a lease agreement or deed recorded easement. See instructions.

Attachment: NA

- E.** Owner of effluent disposal site:

Prefix: Click to enter text.

Last Name, First Name: Click to enter text.

Title: Click to enter text.

Credential: Click to enter text.

Organization Name: City of Asherton

Mailing Address: PO Box 450

City, State, Zip Code: Asherton, TX 78827

Phone No.: 830-468-3314

E-mail Address: Click to enter text.

If the landowner is not the same person as the facility owner or co-applicant, attach a lease agreement or deed recorded easement. See instructions.

Attachment: NA

- F. Owner sewage sludge disposal site (if authorization is requested for sludge disposal on property owned or controlled by the applicant)::

Prefix: [Click to enter text.](#)

Last Name, First Name: [Click to enter text.](#)

Title: [Click to enter text.](#)

Credential: [Click to enter text.](#)

Organization Name: [Click to enter text.](#)

Mailing Address: [Click to enter text.](#)

City, State, Zip Code: [Click to enter text.](#)

Phone No.: [Click to enter text.](#)

E-mail Address: [Click to enter text.](#)

If the landowner is not the same person as the facility owner or co-applicant, attach a lease agreement or deed recorded easement. See instructions.

Attachment: NA

Section 10. TPDES Discharge Information (Instructions Page 31)

- A. Is the wastewater treatment facility location in the existing permit accurate?

☒

Yes

☐

No

If **no**, or a new permit application, please give an accurate description:

[Click to enter text.](#)

- B. Are the point(s) of discharge and the discharge route(s) in the existing permit correct?

☒

Yes

☐

No

If **no**, or a new or amendment permit application, provide an accurate description of the point of discharge and the discharge route to the nearest classified segment as defined in 30 TAC Chapter 307:

[Click to enter text.](#)

City nearest the outfall(s): Asherton

County in which the outfalls(s) is/are located: Dimmitt

- C. Is or will the treated wastewater discharge to a city, county, or state highway right-of-way, or a flood control district drainage ditch?

☐

Yes

☒

No

If **yes**, indicate by a check mark if:

☐

Authorization granted

☐

Authorization pending

For **new and amendment** applications, provide copies of letters that show proof of contact and the approval letter upon receipt.

Attachment: [Click to enter text.](#)

- D. For all applications involving an average daily discharge of 5 MGD or more, provide the

names of all counties located within 100 statute miles downstream of the point(s) of discharge: [Click to enter text.](#)

Section 11. TLAP Disposal Information (Instructions Page 32)

A. For TLAPs, is the location of the effluent disposal site in the existing permit accurate?

☐ Yes ☐ No

If **no**, or a **new or amendment permit application**, provide an accurate description of the disposal site location:

[Click to enter text.](#)

B. City nearest the disposal site: [Click to enter text.](#)

C. County in which the disposal site is located: [Click to enter text.](#)

D. For **TLAPs**, describe the routing of effluent from the treatment facility to the disposal site:

[Click to enter text.](#)

E. For **TLAPs**, please identify the nearest watercourse to the disposal site to which rainfall runoff might flow if not contained: [Click to enter text.](#)

Section 12. Miscellaneous Information (Instructions Page 32)

A. Is the facility located on or does the treated effluent cross American Indian Land?

☐ Yes ☒ No

B. If the existing permit contains an onsite sludge disposal authorization, is the location of the sewage sludge disposal site in the existing permit accurate?

☐ Yes ☐ No ☒ Not Applicable

If **No**, or if a new onsite sludge disposal authorization is being requested in this permit application, provide an accurate location description of the sewage sludge disposal site.

[Click to enter text.](#)

C. Did any person formerly employed by the TCEQ represent your company and get paid for service regarding this application?

☐ Yes ☒ No

If **yes**, list each person formerly employed by the TCEQ who represented your company and was paid for service regarding the application: [Click to enter text.](#)

D. Do you owe any fees to the TCEQ?

☐ Yes ☒ No

If **yes**, provide the following information:

Account number: [Click to enter text.](#)

Amount past due: [Click to enter text.](#)

E. Do you owe any penalties to the TCEQ?

☐ Yes ☒ No

If **yes**, please provide the following information:

Enforcement order number: [Click to enter text.](#)

Amount past due: [Click to enter text.](#)

Section 13. Attachments (Instructions Page 33)

Indicate which attachments are included with the Administrative Report. Check all that apply:

- ☐ Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant.
- ☒ Original full-size USGS Topographic Map with the following information:
- Applicant's property boundary
 - Treatment facility boundary
 - Labeled point of discharge for each discharge point (TPDES only)
 - Highlighted discharge route for each discharge point (TPDES only)
 - Onsite sewage sludge disposal site (if applicable)
 - Effluent disposal site boundaries (TLAP only)
 - New and future construction (if applicable)
 - 1 mile radius information
 - 3 miles downstream information (TPDES only)
 - All ponds.
- ☐ Attachment 1 for Individuals as co-applicants
- ☐ Other Attachments. Please specify: [Click to enter text.](#)

Section 14. Signature Page (Instructions Page 34)

If co-applicants are necessary, each entity must submit an original, separate signature page.

Permit Number: WQ0013746001

Applicant: City of Asherton

Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

I further certify that I am authorized under 30 Texas Administrative Code § 305.44 to sign and submit this document, and can provide documentation in proof of such authorization upon request.

Signatory name (typed or printed): Mario DJ Ruiz

Signatory title: Mayor

Signature: _____

(Use blue ink)

Date: 1-28-2025

Subscribed and Sworn to before me by the said Mario DJ Ruiz

on this 28 day of January, 2025.

My commission expires on the 16 day of February, 2025.

[Signature]
Notary Public



[SEAL]

Dimit
County, Texas

DOMESTIC WASTEWATER PERMIT APPLICATION ADMINISTRATIVE REPORT 1.0

The following information is required for new and amendment applications.

Section 1. Affected Landowner Information (Instructions Page 36)

Section 2. Original Photographs (Instructions Page 38)

Section 3. Buffer Zone Map (Instructions Page 38)

A. Buffer zone map. Provide a buffer zone map on 8.5 x 11-inch paper with all of the following information. The applicant's property line and the buffer zone line may be distinguished by using dashes or symbols and appropriate labels.

- The applicant's property boundary;
- The required buffer zone; and
- Each treatment unit; and
- The distance from each treatment unit to the property boundaries.

B. Buffer zone compliance method. Indicate how the buffer zone requirements will be met. Check all that apply.

- ☐ Ownership
- ☐ Restrictive easement
- ☐ Nuisance odor control
- ☐ Variance

C. Unsuitable site characteristics. Does the facility comply with the requirements regarding unsuitable site characteristic found in 30 TAC § 309.13(a) through (d)?

- ☐ Yes
- ☐ No

DOMESTIC WASTEWATER PERMIT APPLICATION

SUPPLEMENTAL PERMIT INFORMATION FORM (SPIF)

This form applies to TPDES permit applications only. Complete and attach the Supplemental Permit information Form (SPIF) (TCEQ Form 20971).

Attachment: Attachment E

ATTACHMENT 1

INDIVIDUAL INFORMATION

Section 1. Individual Information (Instructions Page 41)

For Commission Use Only:

Customer Number:

Regulated Entity Number:

Permit Number:

DOMESTIC WASTEWATER PERMIT APPLICATION CHECKLIST OF COMMON DEFICIENCIES

Below is a list of common deficiencies found during the administrative review of domestic wastewater permit applications. To ensure the timely processing of this application, please review the items below and indicate by checking Yes that each item is complete and in accordance applicable rules at 30 TAC Chapters 21, 281, and 305. If an item is not required this application, indicate by checking N/A where appropriate. Please do not submit the application until the items below have been addressed.

Core Data Form (TCEQ Form No. 10400) ☒ Yes
*(Required for all application types. Must be completed in its entirety and signed.
 Note: Form may be signed by applicant representative.)*

Correct and Current Industrial Wastewater Permit Application Forms ☒ Yes
(TCEQ Form Nos. 10053 and 10054. Version dated 6/25/2018 or later.)

Water Quality Permit Payment Submittal Form (Page 19) ☒ Yes
(Original payment sent to TCEQ Revenue Section. See instructions for mailing address.)

7.5 Minute USGS Quadrangle Topographic Map Attached ☒ Yes
*(Full-size map if seeking "New" permit.
 8 ½ x 11 acceptable for Renewals and Amendments)*

Current/Non-Expired, Executed Lease Agreement or Easement ☒ N/A ☐ Yes

Landowners Map ☒ N/A ☐ Yes
(See instructions for landowner requirements)

Things to Know:

- All the items shown on the map must be labeled.
- The applicant's complete property boundaries must be delineated which includes boundaries of contiguous property owned by the applicant.
- The applicant cannot be its own adjacent landowner. You must identify the landowners immediately adjacent to their property, regardless of how far they are from the actual facility.
- If the applicant's property is adjacent to a road, creek, or stream, the landowners on the opposite side must be identified. Although the properties are not adjacent to applicant's property boundary, they are considered potentially affected landowners. If the adjacent road is a divided highway as identified on the USGS topographic map, the applicant does not have to identify the landowners on the opposite side of the highway.

Landowners Cross Reference List ☒ N/A ☐ Yes
(See instructions for landowner requirements)

Landowners Labels or USB Drive attached ☒ N/A ☐ Yes
(See instructions for landowner requirements)

Original signature per 30 TAC § 305.44 - Blue Ink Preferred ☒ Yes
*(If signature page is not signed by an elected official or principle executive officer,
 a copy of signature authority/delegation letter must be attached)*

Plain Language Summary ☒ Yes



TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

DOMESTIC WASTEWATER PERMIT APPLICATION

TECHNICAL REPORT 1.0

For any questions about this form, please contact the Domestic Wastewater Permitting Team at 512-239-4671.

The following information is required for all renewal, new, and amendment applications.

Section 1. Permitted or Proposed Flows (Instructions Page 43)

A. Existing/Interim I Phase

Design Flow (MGD): [Click to enter text.](#)

2-Hr Peak Flow (MGD): [Click to enter text.](#)

Estimated construction start date: [Click to enter text.](#)

Estimated waste disposal start date: [Click to enter text.](#)

B. Interim II Phase

Design Flow (MGD): [Click to enter text.](#)

2-Hr Peak Flow (MGD): [Click to enter text.](#)

Estimated construction start date: [Click to enter text.](#)

Estimated waste disposal start date: [Click to enter text.](#)

C. Final Phase

Design Flow (MGD): 0.200

2-Hr Peak Flow (MGD): 0.8

Estimated construction start date: [Click to enter text.](#)

Estimated waste disposal start date: [Click to enter text.](#)

D. Current Operating Phase

Provide the startup date of the facility: Final Phase - May 14, 2020

Section 2. Treatment Process (Instructions Page 43)

A. Current Operating Phase

Provide a detailed description of the treatment process. **Include the type of treatment plant, mode of operation, and all treatment units.** Start with the plant's head works and

finish with the point of discharge. Include all sludge processing and drying units. **If more than one phase exists or is proposed, a description of *each phase* must be provided.**

All wastewater is screened by a bar screen basket as it enters the main lift station of the WWTP. This wastewater is then pumped to a mechanical fine screen. Flow then enters the aeration basin, final clarifier and chlorine contact chamber. After the metering vault, effluent is discharged via cascade aeration before flowing to the outfall. Sludge from the clarifier is recirculated through the aeration basin and waste sludge is pumped to the Geotubes for dewatering. Sludge and material from the coarse and fine screening bars is transported by truck to a landfill for disposal.

B. Treatment Units

In Table 1.0(1), provide the treatment unit type, the number of units, and dimensions (length, width, depth) of **each treatment unit, accounting for *all* phases of operation.**

Table 1.0(1) - Treatment Units

Treatment Unit Type	Number of Units	Dimensions (L x W x D)
Influent Wet Well	1	10 ft dia x 25.5 ft (height)
Aeration Basin	1	Oval with 20.5 ft radius x 53 ft (length) x 8.5 ft (sidewall depth)
Clarifier	1	36 ft dia x 10 ft (sidewall depth)
Geotube Filtration	1	30 ft x 31 ft x 3 ft (L x W x D)
Lift Station	1	10 ft dia 12.5 ft x 12.5 ft (top of slab)
Chlorine Contact Basin	1	20'-10" x 19'-10" x 6 ft side wall depth
Cascade Aerator	1	7 ft x 4.25 ft
Coarse Screen	1	B4B Haliday Series screened basket with 1 in bar openings
Fine Screen	1	Raptor Microstrainer with ¼ in openings
Metering Vault	1	Parshall Flume with 6 in throat

C. Process Flow Diagram

Provide flow diagrams for the existing facilities and **each** proposed phase of construction.

Attachment: Attachment F

Section 3. Site Information and Drawing (Instructions Page 44)

Provide the TPDES discharge outfall latitude and longitude. Enter N/A if not applicable.

- Latitude: 28.459475°
- Longitude: -99.751031°

Provide the TLAP disposal site latitude and longitude. Enter N/A if not applicable.

- Latitude: NA
- Longitude: NA

Provide a site drawing for the facility that shows the following:

- The boundaries of the treatment facility;
- The boundaries of the area served by the treatment facility;
- If land disposal of effluent, the boundaries of the disposal site and all storage/holding ponds; and
- If sludge disposal is authorized in the permit, the boundaries of the land application or disposal site.

Attachment: Attachment F

Provide the name **and** a description of the area served by the treatment facility.

The service area is the City of Asherton as delineated on Service Area Map in Attachment F.

Collection System Information **for wastewater TPDES permits only:** Provide information for each **uniquely owned** collection system, existing and new, served by this facility, including satellite collection systems. **Please see the instructions for a detailed explanation and examples.**

Collection System Information

Collection System Name	Owner Name	Owner Type	Population Served
City of Asherton	City of Asherton	Publicly Owned	722

Section 4. Unbuilt Phases (Instructions Page 45)

Is the application for a renewal of a permit that contains an unbuilt phase or phases?

☐ Yes ☒ No

If **yes**, does the existing permit contain a phase that has not been constructed **within five years** of being authorized by the TCEQ?

☐ Yes ☒ No

If **yes**, provide a detailed discussion regarding the continued need for the unbuilt phase. **Failure to provide sufficient justification may result in the Executive Director recommending denial of the unbuilt phase or phases.**

NA

Section 5. Closure Plans (Instructions Page 45)

Have any treatment units been taken out of service permanently, or will any units be taken out of service in the next five years?

☒ Yes ☐ No

If yes, was a closure plan submitted to the TCEQ?

☒ Yes ☐ No

If yes, provide a brief description of the closure and the date of plan approval.

The temporary packaged treatment unit was removed from the site. The wastewater lagoons were emptied with the removed process water/materials treated and/or discharged or disposed of, and all basins were filled, graded and stabilized by revegetation.

Section 6. Permit Specific Requirements (Instructions Page 45)

For applicants with an existing permit, check the Other Requirements or Special Provisions of the permit.

A. Summary transmittal

Have plans and specifications been approved for the existing facilities and each proposed phase?

☒ Yes ☒ No

If yes, provide the date(s) of approval for each phase: July 19, 2017

Provide information, including dates, on any actions taken to meet a *requirement or provision* pertaining to the submission of a summary transmittal letter. **Provide a copy of an approval letter from the TCEQ, if applicable.**

Attachment G

B. Buffer zones

Have the buffer zone requirements been met?

☒ Yes ☐ No

Provide information below, including dates, on any actions taken to meet the conditions of the buffer zone. If available, provide any new documentation relevant to maintaining the buffer zones.

The treatment area is more than 150 from the applicant's property boundary. See Aerials and Site Drawing in Attachment F

C. Other actions required by the current permit

Does the *Other Requirements* or *Special Provisions* section in the existing permit require submission of any other information or other required actions? Examples include Notification of Completion, progress reports, soil monitoring data, etc.

☐ Yes ☒ No

If yes, provide information below on the status of any actions taken to meet the conditions of an *Other Requirement* or *Special Provision*.

NA

D. Grit and grease treatment

1. Acceptance of grit and grease waste

Does the facility have a grit and/or grease processing facility onsite that treats and decants or accepts transported loads of grit and grease waste that are discharged directly to the wastewater treatment plant prior to any treatment?

☐ Yes ☒ No

If No, stop here and continue with Subsection E. Stormwater Management.

2. Grit and grease processing

Describe below how the grit and grease waste is treated at the facility. In your description, include how and where the grit and grease is introduced to the treatment works and how it is separated or processed. Provide a flow diagram showing how grit and grease is processed at the facility.

NA

3. Grit disposal

Does the facility have a Municipal Solid Waste (MSW) registration or permit for grit disposal?

☐ Yes ☒ No

If No, contact the TCEQ Municipal Solid Waste team at 512-239-2335. Note: A registration or permit is required for grit disposal. Grit shall not be combined with treatment plant sludge. See the instruction booklet for additional information on grit disposal requirements and restrictions.

Describe the method of grit disposal.

[Click to enter text.](#)

4. *Grease and decanted liquid disposal*

Note: A registration or permit is required for grease disposal. Grease shall not be combined with treatment plant sludge. For more information, contact the TCEQ Municipal Solid Waste team at 512-239-2335.

Describe how the decant and grease are treated and disposed of after grit separation.

[Click to enter text.](#)

E. Stormwater management

1. *Applicability*

Does the facility have a design flow of 1.0 MGD or greater in any phase?

☐ Yes ☒ No

Does the facility have an approved pretreatment program, under 40 CFR Part 403?

☐ Yes ☒ No

If no to both of the above, then skip to Subsection F, Other Wastes Received.

2. *MSGP coverage*

Is the stormwater runoff from the WWTP and dedicated lands for sewage disposal currently permitted under the TPDES Multi-Sector General Permit (MSGP), TXR050000?

☐ Yes ☐ No

If yes, please provide MSGP Authorization Number and skip to Subsection F, Other Wastes Received:

TXR05 [Click to enter text.](#) or TXRNE [Click to enter text.](#)

If no, do you intend to seek coverage under TXR050000?

☐ Yes ☐ No

3. *Conditional exclusion*

Alternatively, do you intend to apply for a conditional exclusion from permitting based TXR050000 (Multi Sector General Permit) Part II B.2 or TXR050000 (Multi Sector General Permit) Part V, Sector T 3(b)?

☐ Yes ☐ No

If yes, please explain below then proceed to Subsection F, Other Wastes Received:

Click to enter text.

4. *Existing coverage in individual permit*

Is your stormwater discharge currently permitted through this individual TPDES or TLAP permit?

☐ Yes ☐ No

If yes, provide a description of stormwater runoff management practices at the site that are authorized in the wastewater permit then skip to Subsection F, Other Wastes Received.

Click to enter text.

5. *Zero stormwater discharge*

Do you intend to have no discharge of stormwater via use of evaporation or other means?

☐ Yes ☐ No

If yes, explain below then skip to Subsection F. Other Wastes Received.

Click to enter text.

Note: If there is a potential to discharge any stormwater to surface water in the state as the result of any storm event, then permit coverage is required under the MSGP or an individual discharge permit. This requirement applies to all areas of facilities with treatment plants or systems that treat, store, recycle, or reclaim domestic sewage, wastewater or sewage sludge (including dedicated lands for sewage sludge disposal located within the onsite property boundaries) that meet the applicability criteria of above. You have the option of obtaining coverage under the MSGP for direct discharges, (recommended), or obtaining coverage under this individual permit.

6. *Request for coverage in individual permit*

Are you requesting coverage of stormwater discharges associated with your treatment plant under this individual permit?

☐ Yes ☐ No

If **yes**, provide a description of stormwater runoff management practices at the site for which you are requesting authorization in this individual wastewater permit and describe whether you intend to comingle this discharge with your treated effluent or discharge it via a separate dedicated stormwater outfall. Please also indicate if you intend to divert stormwater to the treatment plant headworks and indirectly discharge it to water in the state.

[Click to enter text.](#)

Note: Direct stormwater discharges to waters in the state authorized through this individual permit will require the development and implementation of a stormwater pollution prevention plan (SWPPP) and will be subject to additional monitoring and reporting requirements. Indirect discharges of stormwater via headworks recycling will require compliance with all individual permit requirements including 2-hour peak flow limitations. All stormwater discharge authorization requests will require additional information during the technical review of your application.

F. Discharges to the Lake Houston Watershed

Does the facility discharge in the Lake Houston watershed?

☐ Yes ☒ No

If yes, attach a Sewage Sludge Solids Management Plan. See Example 5 in the instructions.

[Click to enter text.](#)

G. Other wastes received including sludge from other WWTPs and septic waste

1. *Acceptance of sludge from other WWTPs*

Does or will the facility accept sludge from other treatment plants at the facility site?

☐ Yes ☒ No

If yes, attach sewage sludge solids management plan. See Example 5 of instructions.

In addition, provide the date the plant started or is anticipated to start accepting sludge, an estimate of monthly sludge acceptance (gallons or millions of gallons), an estimate of the BOD₅ concentration of the sludge, and the design BOD₅ concentration of the influent from the collection system. Also note if this information has or has not changed since the last permit action.

[Click to enter text.](#)

Note: Permits that accept sludge from other wastewater treatment plants may be required to have influent flow and organic loading monitoring.

2. *Acceptance of septic waste*

Is the facility accepting or will it accept septic waste?

☐ Yes ☒ No

If **yes**, does the facility have a Type V processing unit?

☐ Yes ☐ No

If **yes**, does the unit have a Municipal Solid Waste permit?

☐ Yes ☐ No

If **yes to any of the above**, provide the date the plant started or is anticipated to start accepting septic waste, an estimate of monthly septic waste acceptance (gallons or millions of gallons), an estimate of the BOD₅ concentration of the septic waste, and the design BOD₅ concentration of the influent from the collection system. Also note if this information has or has not changed since the last permit action.

Click to enter text.

Note: Permits that accept sludge from other wastewater treatment plants may be required to have influent flow and organic loading monitoring.

3. Acceptance of other wastes (not including septic, grease, grit, or RCRA, CERCLA or as discharged by IUs listed in Worksheet 6)

Is or will the facility accept wastes that are not domestic in nature excluding the categories listed above?

☐ Yes ☒ No

If **yes**, provide the date that the plant started accepting the waste, an estimate how much waste is accepted on a monthly basis (gallons or millions of gallons), a description of the entities generating the waste, and any distinguishing chemical or other physical characteristic of the waste. Also note if this information has or has not changed since the last permit action.

Click to enter text.

Section 7. Pollutant Analysis of Treated Effluent (Instructions Page 50)

Is the facility in operation?

☒ Yes ☐ No

If **no**, this section is not applicable. Proceed to Section 8.

If **yes**, provide effluent analysis data for the listed pollutants. **Wastewater treatment facilities** complete Table 1.0(2). **Water treatment facilities** discharging filter backwash water, complete

Table 1.0(3). Provide copies of the laboratory results sheets. **These tables are not applicable for a minor amendment without renewal.** See the instructions for guidance.

Note: The sample date must be within 1 year of application submission.

Table1.0(2) – Pollutant Analysis for Wastewater Treatment Facilities

Pollutant	Average Conc.	Max Conc.	No. of Samples	Sample Type	Sample Date/Time
CBOD ₅ , mg/l		6	1	Grab	12/4/24 10:00 AM
Total Suspended Solids, mg/l		19	1	Grab	12/4/24 10:00 AM
Ammonia Nitrogen, mg/l		>0.1	1	Grab	12/4/24 10:00 AM
Nitrate Nitrogen, mg/l		35.1	1	Grab	12/4/24 10:00 AM
Total Kjeldahl Nitrogen, mg/l		2	1	Grab	12/4/24 10:00 AM
Sulfate, mg/l		195	1	Grab	12/4/24 10:00 AM
Chloride, mg/l		161	1	Grab	12/4/24 10:00 AM
Total Phosphorus, mg/l		4.26	1	Grab	12/4/24 10:00 AM
pH, standard units		<2.0	1	Grab	12/4/24 10:00 AM
Dissolved Oxygen*, mg/l		To be provided			
Chlorine Residual, mg/l		To be provided			
<i>E.coli</i> (CFU/100ml) freshwater		0	1	Grab	12/4/24 10:00 AM
Enterococci (CFU/100ml) saltwater		NA			
Total Dissolved Solids, mg/l		892	1	Grab	12/4/24 10:00 AM
Electrical Conductivity, µmohs/cm, †		1474	1	Grab	12/4/24 10:00 AM
Oil & Grease, mg/l		To be provided			
Alkalinity (CaCO ₃)*, mg/l		To be provided			

*TPDES permits only

†TLAP permits only

Table1.0(3) – Pollutant Analysis for Water Treatment Facilities

Section 8. Facility Operator (Instructions Page 50)

Facility Operator Name: Carlos N Ramirez

Facility Operator's License Classification and Level: Wastewater Treatment C

Facility Operator's License Number: WW0003804

Section 9. Sludge and Biosolids Management and Disposal (Instructions Page 51)

A. WWTP's Biosolids Management Facility Type

Check all that apply. See instructions for guidance

- ☐ Design flow $\geq$ 1 MGD
- ☐ Serves $\geq$ 10,000 people
- ☐ Class I Sludge Management Facility (per 40 CFR § 503.9)
- ☒ Biosolids generator
- ☐ Biosolids end user – land application (onsite)
- ☐ Biosolids end user – surface disposal (onsite)
- ☐ Biosolids end user – incinerator (onsite)

B. WWTP's Biosolids Treatment Process

Check all that apply. See instructions for guidance.

- ☐ Aerobic Digestion
- ☒ Air Drying (or sludge drying beds)
- ☐ Lower Temperature Composting
- ☐ Lime Stabilization
- ☐ Higher Temperature Composting
- ☐ Heat Drying
- ☐ Thermophilic Aerobic Digestion
- ☐ Beta Ray Irradiation
- ☐ Gamma Ray Irradiation
- ☐ Pasteurization
- ☐ Preliminary Operation (e.g. grinding, de-gritting, blending)
- ☐ Thickening (e.g. gravity thickening, centrifugation, filter press, vacuum filter)
- ☐ Sludge Lagoon
- ☐ Temporary Storage (< 2 years)
- ☐ Long Term Storage (≥ 2 years)
- ☐ Methane or Biogas Recovery
- ☒ Other Treatment Process: Extended aeration treatment and direct waste to geotube dewatering

C. Biosolids Management

Provide information on the *intended* biosolids management practice. Do not enter every management practice that you want authorized in the permit, as the permit will authorize

all biosolids management practices listed in the instructions. Rather indicate the management practice the facility plans to use.

Biosolids Management

Management Practice	Handler or Preparer Type	Bulk or Bag Container	Amount (dry metric tons)	Pathogen Reduction Options	Vector Attraction Reduction Option
Disposal in Landfill	Off-site Third-Party Handler or Preparer	Bulk	Information will be submitted during technical review	Choose an item.	Choose an item.

If "Other" is selected for Management Practice, please explain (e.g. monofill or transport to another WWTP): [Click to enter text.](#)

D. Disposal site

Disposal site name: Information will be submitted during technical review

TCEQ permit or registration number: [Click to enter text.](#)

County where disposal site is located: [Click to enter text.](#)

E. Transportation method

Method of transportation (truck, train, pipe, other): [Truck](#)

Name of the hauler: Information will be submitted during technical review

Hauler registration number: [Click to enter text.](#)

Sludge is transported as a:

Liquid ☐ semi-liquid ☐ semi-solid ☐ solid ☒

Section 10. Permit Authorization for Sewage Sludge Disposal (Instructions Page 53)

A. Beneficial use authorization

Does the existing permit include authorization for land application of sewage sludge for beneficial use?

☐ Yes ☒ No

If yes, are you requesting to continue this authorization to land apply sewage sludge for beneficial use?

☐ Yes ☐ No

If yes, is the completed **Application for Permit for Beneficial Land Use of Sewage Sludge (TCEQ Form No. 10451)** attached to this permit application (see the instructions for details)?

☐ Yes ☐ No

B. Sludge processing authorization

Does the existing permit include authorization for any of the following sludge processing, storage or disposal options?

Sludge Composting	☐	Yes	☒	No
Marketing and Distribution of sludge	☐	Yes	☒	No
Sludge Surface Disposal or Sludge Monofill	☐	Yes	☒	No
Temporary storage in sludge lagoons	☐	Yes	☒	No

If **yes** to any of the above sludge options and the applicant is requesting to continue this authorization, is the completed **Domestic Wastewater Permit Application: Sewage Sludge Technical Report (TCEQ Form No. 10056)** attached to this permit application?

☐ Yes ☐ No

Section 11. Sewage Sludge Lagoons (Instructions Page 53)

Does this facility include sewage sludge lagoons?

☐ Yes ☒ No

If yes, complete the remainder of this section. If no, proceed to Section 12.

A. Location information

The following maps are required to be submitted as part of the application. For each map, provide the Attachment Number.

- Original General Highway (County) Map:
Attachment: [Click to enter text.](#)
- USDA Natural Resources Conservation Service Soil Map:
Attachment: [Click to enter text.](#)
- Federal Emergency Management Map:
Attachment: [Click to enter text.](#)
- Site map:
Attachment: [Click to enter text.](#)

Discuss in a description if any of the following exist within the lagoon area. Check all that apply.

- ☐ Overlap a designated 100-year frequency flood plain
- ☐ Soils with flooding classification
- ☐ Overlap an unstable area
- ☐ Wetlands
- ☐ Located less than 60 meters from a fault
- ☐ None of the above

Attachment: [Click to enter text.](#)

If a portion of the lagoon(s) is located within the 100-year frequency flood plain, provide the protective measures to be utilized including type and size of protective structures:

[Click to enter text.](#)

B. Temporary storage information

Provide the results for the pollutant screening of sludge lagoons. These results are in addition to pollutant results in *Section 7 of Technical Report 1.0*.

Nitrate Nitrogen, mg/kg: [Click to enter text.](#)

Total Kjeldahl Nitrogen, mg/kg: [Click to enter text.](#)

Total Nitrogen (=nitrate nitrogen + TKN), mg/kg: [Click to enter text.](#)

Phosphorus, mg/kg: [Click to enter text.](#)

Potassium, mg/kg: [Click to enter text.](#)

pH, standard units: [Click to enter text.](#)

Ammonia Nitrogen mg/kg: [Click to enter text.](#)

Arsenic: [Click to enter text.](#)

Cadmium: [Click to enter text.](#)

Chromium: [Click to enter text.](#)

Copper: [Click to enter text.](#)

Lead: [Click to enter text.](#)

Mercury: [Click to enter text.](#)

Molybdenum: [Click to enter text.](#)

Nickel: [Click to enter text.](#)

Selenium: [Click to enter text.](#)

Zinc: [Click to enter text.](#)

Total PCBs: [Click to enter text.](#)

Provide the following information:

Volume and frequency of sludge to the lagoon(s): [Click to enter text.](#)

Total dry tons stored in the lagoons(s) per 365-day period: [Click to enter text.](#)

Total dry tons stored in the lagoons(s) over the life of the unit: [Click to enter text.](#)

C. Liner information

Does the active/proposed sludge lagoon(s) have a liner with a maximum hydraulic conductivity of 1×10^{-7} cm/sec?

☐ Yes ☐ No

If yes, describe the liner below. Please note that a liner is required.

[Click to enter text.](#)

D. Site development plan

Provide a detailed description of the methods used to deposit sludge in the lagoon(s):

[Click to enter text.](#)

Attach the following documents to the application.

- Plan view and cross-section of the sludge lagoon(s)
Attachment: [Click to enter text.](#)
- Copy of the closure plan
Attachment: [Click to enter text.](#)
- Copy of deed recordation for the site
Attachment: [Click to enter text.](#)
- Size of the sludge lagoon(s) in surface acres and capacity in cubic feet and gallons
Attachment: [Click to enter text.](#)
- Description of the method of controlling infiltration of groundwater and surface water from entering the site
Attachment: [Click to enter text.](#)
- Procedures to prevent the occurrence of nuisance conditions
Attachment: [Click to enter text.](#)

E. Groundwater monitoring

Is groundwater monitoring currently conducted at this site, or are any wells available for groundwater monitoring, or are groundwater monitoring data otherwise available for the sludge lagoon(s)?

☐ Yes ☐ No

If groundwater monitoring data are available, provide a copy. Provide a profile of soil types encountered down to the groundwater table and the depth to the shallowest groundwater as a separate attachment.

Attachment: [Click to enter text.](#)

Section 12. Authorizations/Compliance/Enforcement (Instructions Page)

A. Additional authorizations

Does the permittee have additional authorizations for this facility, such as reuse authorization, sludge permit, etc?

☐ Yes ☒ No

If yes, provide the TCEQ authorization number and description of the authorization:

Click to enter text.

B. Permittee enforcement status

Is the permittee currently under enforcement for this facility?

☐ Yes ☒ No

Is the permittee required to meet an implementation schedule for compliance or enforcement?

☐ Yes ☒ No

If yes to either question, provide a brief summary of the enforcement, the implementation schedule, and the current status:

Click to enter text.

Section 13. RCRA/CERCLA Wastes (Instructions Page 55)**A. RCRA hazardous wastes**

Has the facility received in the past three years, does it currently receive, or will it receive RCRA hazardous waste?

☐ Yes ☒ No

B. Remediation activity wastewater

Has the facility received in the past three years, does it currently receive, or will it receive CERCLA wastewater, RCRA remediation/corrective action wastewater or other remediation activity wastewater?

☐ Yes ☒ No

C. Details about wastes received

If yes to either Subsection A or B above, provide detailed information concerning these wastes with the application.

Attachment: [Click to enter text.](#)

Section 14. Laboratory Accreditation (Instructions Page 56)

All laboratory tests performed must meet the requirements of *30 TAC Chapter 25, Environmental Testing Laboratory Accreditation and Certification*, which includes the following general exemptions from National Environmental Laboratory Accreditation Program (NELAP) certification requirements:

- The laboratory is an in-house laboratory and is:
 - periodically inspected by the TCEQ; or
 - located in another state and is accredited or inspected by that state; or
 - performing work for another company with a unit located in the same site; or
 - performing pro bono work for a governmental agency or charitable organization.
- The laboratory is accredited under federal law.
- The data are needed for emergency-response activities, and a laboratory accredited under the Texas Laboratory Accreditation Program is not available.
- The laboratory supplies data for which the TCEQ does not offer accreditation.

The applicant should review 30 TAC Chapter 25 for specific requirements.

The following certification statement shall be signed and submitted with every application. See the Signature Page section in the Instructions, for a list of designated representatives who may sign the certification.

CERTIFICATION:

I certify that all laboratory tests submitted with this application meet the requirements of *30 TAC Chapter 25, Environmental Testing Laboratory Accreditation and Certification*.

Printed Name: Mario DJ Ruiz

Title: Mayor

Signature: _____

Date: 1-28-2025

DOMESTIC WASTEWATER PERMIT APPLICATION

TECHNICAL REPORT 1.1

The following information is required for new and amendment major applications.

Section 1. Justification for Permit (Instructions Page 57)

A. Justification of permit need

Provide a detailed discussion regarding the need for any phase(s) not currently permitted. Failure to provide sufficient justification may result in the Executive Director recommending denial of the proposed phase(s) or permit.

[Click to enter text.](#)

B. Regionalization of facilities

For additional guidance, please review [TCEQ's Regionalization Policy for Wastewater Treatment](#)¹.

Provide the following information concerning the potential for regionalization of domestic wastewater treatment facilities:

1. *Municipally incorporated areas*

If the applicant is a city, then Item 1 is not applicable. Proceed to Item 2 Utility CCN areas.

Is any portion of the proposed service area located in an incorporated city?

☐ Yes ☐ No ☐ Not Applicable

If yes, within the city limits of: [Click to enter text.](#)

If yes, attach correspondence from the city.

Attachment: [Click to enter text.](#)

If consent to provide service is available from the city, attach a justification for the proposed facility and a cost analysis of expenditures that includes the cost of connecting to the city versus the cost of the proposed facility or expansion attached.

Attachment: [Click to enter text.](#)

2. *Utility CCN areas*

Is any portion of the proposed service area located inside another utility's CCN area?

☐ Yes ☐ No

¹ <https://www.tceq.texas.gov/permitting/wastewater/tceq-regionalization-for-wastewater>

If **yes**, attach a justification for the proposed facility and a cost analysis of expenditures that includes the cost of connecting to the CCN facilities versus the cost of the proposed facility or expansion.

Attachment: [Click to enter text.](#)

3. *Nearby WWTPs or collection systems*

Are there any domestic permitted wastewater treatment facilities or collection systems located within a three-mile radius of the proposed facility?

☐ Yes ☐ No

If **yes**, attach a list of these facilities and collection systems that includes each permittee's name and permit number, and an area map showing the location of these facilities and collection systems.

Attachment: [Click to enter text.](#)

If **yes**, attach proof of mailing a request for service to each facility and collection system, the letters requesting service, and correspondence from each facility and collection system.

Attachment: [Click to enter text.](#)

If the facility or collection system agrees to provide service, attach a justification for the proposed facility and a cost analysis of expenditures that includes the cost of connecting to the facility or collection system versus the cost of the proposed facility or expansion.

Attachment: [Click to enter text.](#)

Section 2. Proposed Organic Loading (Instructions Page 59)

Table 1.1(1) – Design Organic Loading

Section 3. Proposed Effluent Quality and Disinfection (Instructions Page 59)

Section 4. Design Calculations (Instructions Page 59)

Section 5. Facility Site (Instructions Page 60)

Section 6. Permit Authorization for Sewage Sludge Disposal (Instructions Page 60)

Section 7. Sewage Sludge Solids Management Plan (Instructions Page 61)

An example of a sewage sludge solids management plan has been included as Example 5 of the instructions.

DOMESTIC WASTEWATER PERMIT APPLICATION

WORKSHEET 2.0: RECEIVING WATERS

The following information is required for all TPDES permit applications.

Section 1. Domestic Drinking Water Supply (Instructions Page 64)

Is there a surface water intake for domestic drinking water supply located within 5 miles downstream from the point or proposed point of discharge?

☐ Yes ☒ No

If **no**, proceed to Section 2. If **yes**, provide the following:

Owner of the drinking water supply: [Click to enter text.](#)

Distance and direction to the intake: [Click to enter text.](#)

Attach a USGS map that identifies the location of the intake.

Attachment: [Click to enter text.](#)

Section 2. Discharge into Tidally Affected Waters (Instructions Page 64)

Does the facility discharge into tidally affected waters?

☐ Yes ☒ No

If **no**, proceed to Section 3. If **yes**, complete the remainder of this section. If no, proceed to Section 3.

A. Receiving water outfall

Width of the receiving water at the outfall, in feet: [Click to enter text.](#)

B. Oyster waters

Are there oyster waters in the vicinity of the discharge?

☐ Yes ☐ No

If **yes**, provide the distance and direction from outfall(s).

[Click to enter text.](#)

C. Sea grasses

Are there any sea grasses within the vicinity of the point of discharge?

☐ Yes ☐ No

If **yes**, provide the distance and direction from the outfall(s).

[Click to enter text.](#)

Section 3. Classified Segments (Instructions Page 64)

Is the discharge directly into (or within 300 feet of) a classified segment?

☐ Yes ☒ No

If yes, this Worksheet is complete.

If no, complete Sections 4 and 5 of this Worksheet.

Section 4. Description of Immediate Receiving Waters (Instructions Page 65)

Name of the immediate receiving waters: Unnamed tributary

A. Receiving water type

Identify the appropriate description of the receiving waters.

☒ Stream

☐ Freshwater Swamp or Marsh

☐ Lake or Pond

Surface area, in acres: Click to enter text.

Average depth of the entire water body, in feet: Click to enter text.

Average depth of water body within a 500-foot radius of discharge point, in feet:
Click to enter text.

☐ Man-made Channel or Ditch

☐ Open Bay

☐ Tidal Stream, Bayou, or Marsh

☐ Other, specify: Click to enter text.

B. Flow characteristics

If a stream, man-made channel or ditch was checked above, provide the following. For existing discharges, check one of the following that best characterizes the area *upstream* of the discharge. For new discharges, characterize the area *downstream* of the discharge (check one).

☒ Intermittent - dry for at least one week during most years

☐ Intermittent with Perennial Pools - enduring pools with sufficient habitat to maintain significant aquatic life uses

☐ Perennial - normally flowing

Check the method used to characterize the area upstream (or downstream for new dischargers).

☐ USGS flow records

☐ Historical observation by adjacent landowners

☒ Personal observation

☒ Other, specify: USGS Topographic Maps, USGS National Hydrography Dataset, Imagery and staff interviews.

C. Downstream perennial confluences

List the names of all perennial streams that join the receiving water within three miles downstream of the discharge point.

El Moro Creek and Soldier Slough. See Attachment F

D. Downstream characteristics

Do the receiving water characteristics change within three miles downstream of the discharge (e.g., natural or man-made dams, ponds, reservoirs, etc.)?

☒ Yes ☒ No

If yes, discuss how.

An adjacent landowner constructed a pond within the creek channel to sell water for fracking to oil field services. We are negotiating with the Owner for the pond's removal.

E. Normal dry weather characteristics

Provide general observations of the water body during normal dry weather conditions.

The streambed is dry during normal weather conditions. The intermittent stream is typically a drainage system for stormwater runoff. There are periodic manmade dams which may retain water longer than other parts of the stream, however during typical extended dry weather periods, the pools are expected to dry out.

Date and time of observation: November 26, 2024 3:00 PM, USGS Topographic Maps, USGS National Hydrography Dataset, Imagery and staff interviews

Was the water body influenced by stormwater runoff during observations?

☐ Yes ☒ No

Section 5. General Characteristics of the Waterbody (Instructions Page 66)

A. Upstream influences

Is the immediate receiving water upstream of the discharge or proposed discharge site influenced by any of the following? Check all that apply.

- | | |
|---|---|
| ☐ Oil field activities | ☒ Urban runoff |
| ☐ Upstream discharges | ☒ Agricultural runoff |

☐ Septic tanks

☐ Other(s), specify: [Click to enter text.](#)

B. Waterbody uses

Observed or evidences of the following uses. Check all that apply.

☒ Livestock watering

☐ Contact recreation

☐ Irrigation withdrawal

☐ Non-contact recreation

☐ Fishing

☐ Navigation

☐ Domestic water supply

☐ Industrial water supply

☐ Park activities

☐ Other(s), specify: [Click to enter text.](#)

C. Waterbody aesthetics

Check one of the following that best describes the aesthetics of the receiving water and the surrounding area.

☐ Wilderness: outstanding natural beauty; usually wooded or unpastured area; water clarity exceptional

☒ Natural Area: trees and/or native vegetation; some development evident (from fields, pastures, dwellings); water clarity discolored

☐ Common Setting: not offensive; developed but uncluttered; water may be colored or turbid

☐ Offensive: stream does not enhance aesthetics; cluttered; highly developed; dumping areas; water discolored

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET

2.1: STREAM PHYSICAL CHARACTERISTICS

Required for new applications, major facilities, and applications adding an outfall.

Worksheet 2.1 is not required for discharges to intermittent streams or discharges directly to (or within 300 feet of) a classified segment.

Section 1. General Information (Instructions Page 66)

Section 2. Data Collection (Instructions Page 66)

Table 2.1(1) - Stream Transect Records

Section 3. Summarize Measurements (Instructions Page 66)

Maximum pool depth, in feet: [Click to enter text.](#)

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET

3.0: LAND DISPOSAL OF EFFLUENT

The following is required for renewal, new, and amendment permit applications.

Section 1. Type of Disposal System (Instructions Page 68)

Section 2. Land Application Site(s) (Instructions Page 68)

Table 3.0(1) – Land Application Site Crops

Section 3. Storage and Evaporation Lagoons/Ponds (Instructions Page 68)

Table 3.0(2) – Storage and Evaporation Ponds

Section 4. Flood and Runoff Protection (Instructions Page 68)

Section 5. Annual Cropping Plan (Instructions Page 68)

Section 6. Well and Map Information (Instructions Page 69)

Table 3.0(3) – Water Well Data

Section 7. Groundwater Quality (Instructions Page 69)

Section 8. Soil Map and Soil Analyses (Instructions Page 70)

Table 3.0(4) – Soil Data

Section 9. Effluent Monitoring Data (Instructions Page 71)

Table 3.0(5) – Effluent Monitoring Data

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET

3.1: SURFACE LAND DISPOSAL OF EFFLUENT

The following is required for new and major amendment permit applications. Renewal and minor amendment permit applications may be asked for this worksheet on a case by case basis.

Section 1. Surface Disposal (Instructions Page 72)

Section 2. Edwards Aquifer (Instructions Page 73)

Attachment: [Click to enter text.](#)

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET

3.2: SURFACE LAND DISPOSAL OF EFFLUENT

The following **is required** for **new and major amendment** permit applications. Renewal and minor amendments applicants may be asked for the worksheet on a case by case basis.

NOTE: All applicants proposing new/amended subsurface disposal **MUST** complete and submit Worksheet 7.0. This worksheet applies to any subsurface disposal system that **does not meet** the definition of a subsurface area drip dispersal system as defined in *30 TAC Chapter 222, Subsurface Area Drip Dispersal System*.

Section 1. Subsurface Application (Instructions Page 74)

Section 2. Edwards Aquifer (Instructions Page 74)

If yes to either question, the subsurface system may be prohibited by *30 TAC §213.8*. Please call the Municipal Permits Team, at 512-239-4671, to schedule a pre-application meeting.

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET

3.3: SUBSURFACE AREA DRIP DISPERSAL (SADDS) LAND DISPOSAL OF EFFLUENT

The following is **required** for **new and major amendment** subsurface area drip dispersal system permit applications. Renewal and minor amendments applicants may be asked for the worksheet on a case by case basis.

NOTE: All applicants proposing new/amended subsurface disposal **MUST** complete and submit Worksheet 7.0. This worksheet applies to any subsurface disposal system that **meets** the definition of a subsurface area drip dispersal system as defined in *30 TAC Chapter 222, Subsurface Area Drip Dispersal System*.

Section 1. Administrative Information (Instructions Page 75)

Section 2. Subsurface Area Drip Dispersal System (Instructions Page 75)

Section 3. Required Plans (Instructions Page 75)

Section 4. Floodway Designation (Instructions Page 76)

Section 5. Surface Waters in the State (Instructions Page 76)

Section 6. Edwards Aquifer (Instructions Page 76)

If yes to either question, then the SADDS may be prohibited by *30 TAC §213.8*. Please call the Municipal Permits Team at 512-239-4671 to schedule a pre-application meeting.

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET

4.0: POLLUTANT ANALYSIS REQUIREMENTS

The following **is required** for facilities with a permitted or proposed flow of **1.0 MGD or greater**, facilities with an approved **pretreatment** program, or facilities classified as a **major** facility. See instructions for further details.

This worksheet is not required minor amendments without renewal.

Section 1. Toxic Pollutants (Instructions Page 78)

Table 4.0(1) – Toxics Analysis

Section 2. Priority Pollutants

Table 4.0(2)A – Metals, Cyanide, and Phenols

Table 4.0(2)B – Volatile Compounds

Table 4.0(2)C – Acid Compounds

Table 4.0(2)D – Base/Neutral Compounds

Table 4.0(2)E – Pesticides

Section 3. Dioxin/Furan Compounds

Table 4.0(2)F – Dioxin/Furan Compounds

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET

5.0: TOXICITY TESTING REQUIREMENTS

The following **is required** for facilities with a current operating design flow of **1.0 MGD or greater**, with an EPA-approved **pretreatment** program (or those required to have one under 40 CFR Part 403), or are required to perform Whole Effluent Toxicity testing. See instructions for further details.

This worksheet is not required for minor amendments without renewal.

Section 1. Required Tests (Instructions Page 88)

Section 2. Toxicity Reduction Evaluations (TREs)

Section 3. Summary of WET Tests

Table 5.0(1) Summary of WET Tests

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET

6.0: INDUSTRIAL WASTE CONTRIBUTION

The following is required for all publicly owned treatment works.

Section 1. All POTWs (Instructions Page 89)

A. Industrial users (IUs)

Provide the number of each of the following types of industrial users (IUs) that discharge to your POTW and the daily flows from each user. See the Instructions for definitions of Categorical IUs, Significant IUs - non-categorical, and Other IUs.

If there are no users, enter 0 (zero).

Categorical IUs:

Number of IUs: 0

Average Daily Flows, in MGD: [Click to enter text.](#)

Significant IUs - non-categorical:

Number of IUs: 0

Average Daily Flows, in MGD: [Click to enter text.](#)

Other IUs:

Number of IUs: 0

Average Daily Flows, in MGD: [Click to enter text.](#)

B. Treatment plant interference

In the past three years, has your POTW experienced treatment plant interference (see instructions)?

☐ Yes ☒ No

If yes, identify the dates, duration, description of interference, and probable cause(s) and possible source(s) of each interference event. Include the names of the IUs that may have caused the interference.

[Click to enter text.](#)

C. Treatment plant pass through

In the past three years, has your POTW experienced pass through (see instructions)?

☐ Yes ☒ No

If **yes**, identify the dates, duration, a description of the pollutants passing through the treatment plant, and probable cause(s) and possible source(s) of each pass through event. Include the names of the IUs that may have caused pass through.

Click to enter text.

D. Pretreatment program

Does your POTW have an approved pretreatment program?

☐ Yes ☒ No

If **yes**, complete Section 2 only of this Worksheet.

Is your POTW required to develop an approved pretreatment program?

☐ Yes ☒ No

If **yes**, complete Section 2.c. and 2.d. only, and skip Section 3.

If **no to either question above**, skip Section 2 and complete Section 3 for each significant industrial user and categorical industrial user.

Section 2. POTWs with Approved Programs or Those Required to Develop a Program (Instructions Page 90)

A. Substantial modifications

Have there been any **substantial modifications** to the approved pretreatment program that have not been submitted to the TCEQ for approval according to *40 CFR §403.18*?

☐ Yes ☐ No

If **yes**, identify the modifications that have not been submitted to TCEQ, including the purpose of the modification.

Click to enter text.

B. Non-substantial modifications

Have there been any **non-substantial modifications** to the approved pretreatment program that have not been submitted to TCEQ for review and acceptance?

☐ Yes ☐ No

If yes, identify all non-substantial modifications that have not been submitted to TCEQ, including the purpose of the modification.

Click to enter text.

C. Effluent parameters above the MAL

In Table 6.0(1), list all parameters measured above the MAL in the POTW's effluent monitoring during the last three years. Submit an attachment if necessary.

Table 6.0(1) – Parameters Above the MAL

Pollutant	Concentration	MAL	Units	Date

D. Industrial user interruptions

Has any SIU, CIU, or other IU caused or contributed to any problems (excluding interferences or pass throughs) at your POTW in the past three years?

☐ Yes ☐ No

If yes, identify the industry, describe each episode, including dates, duration, description of the problems, and probable pollutants.

Click to enter text.

Section 3. Significant Industrial User (SIU) Information and Categorical Industrial User (CIU) (Instructions Page 90)

A. General information

Company Name: [Click to enter text.](#)

SIC Code: [Click to enter text.](#)

Contact name: [Click to enter text.](#)

Address: [Click to enter text.](#)

City, State, and Zip Code: [Click to enter text.](#)

Telephone number: [Click to enter text.](#)

Email address: [Click to enter text.](#)

B. Process information

Describe the industrial processes or other activities that affect or contribute to the SIU(s) or CIU(s) discharge (i.e., process and non-process wastewater).

[Click to enter text.](#)

C. Product and service information

Provide a description of the principal product(s) or services performed.

[Click to enter text.](#)

D. Flow rate information

See the Instructions for definitions of “process” and “non-process wastewater.”

Process Wastewater:

Discharge, in gallons/day: [Click to enter text.](#)

Discharge Type: ☐ Continuous ☐ Batch ☐ Intermittent

Non-Process Wastewater:

Discharge, in gallons/day: [Click to enter text.](#)

Discharge Type: ☐ Continuous ☐ Batch ☐ Intermittent

E. Pretreatment standards

Is the SIU or CIU subject to technically based local limits as defined in the instructions?

☐ Yes ☐ No

Is the SIU or CIU subject to categorical pretreatment standards found in *40 CFR Parts 405-471*?

☐ Yes ☐ No

If subject to categorical pretreatment standards, indicate the applicable category and subcategory for each categorical process.

Category: Subcategories: [Click to enter text.](#)

[Click or tap here to enter text.](#) [Click to enter text.](#)

Category: [Click to enter text.](#)

Subcategories: [Click to enter text.](#)

Category: [Click to enter text.](#)

Subcategories: [Click to enter text.](#)

Category: [Click to enter text.](#)

Subcategories: [Click to enter text.](#)

Category: [Click to enter text.](#)

Subcategories: [Click to enter text.](#)

F. Industrial user interruptions

Has the SIU or CIU caused or contributed to any problems (e.g., interferences, pass through, odors, corrosion, blockages) at your POTW in the past three years?

☐ Yes ☐ No

If yes, identify the SIU, describe each episode, including dates, duration, description of problems, and probable pollutants.

[Click to enter text.](#)

WORKSHEET 7.0

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

CLASS V INJECTION WELL INVENTORY/AUTHORIZATION FORM

Submit the completed form to:

TCEQ
IUC Permits Team
Radioactive Materials Division
MC-233
PO Box 13087
Austin, Texas 78711-3087
512-239-6466

For TCEQ Use Only

Reg. No. _____

Date Received _____

Date Authorized _____

Section 1. General Information (Instructions Page 92)

Section 2. Proposed Down Hole Design

Table 7.0(1) – Down Hole Design Table

Name of String	Size	Setting Depth	Sacks Cement/Grout - Slurry Volume - Top of Cement	Hole Size	Weight (lbs/ft) PVC/Steel
Casing					
Tubing					
Screen					

Section 3. Proposed Trench System, Subsurface Fluid Distribution System, or Infiltration Gallery

Section 4. Site Hydrogeological and Injection Zone Data

Section 5. Site History

Attachment A

Copy of Payment



Your transaction is complete. Thank you for using TCEQ ePay.

Note: It may take up to 3 working days for this electronic payment to be processed and be reflected in the TCEQ ePay system. Print this receipt and the vouchers for your records. An email receipt has also been sent.

Transaction Information

Trace Number: 582EA000635113
Date: 11/19/2024 09:52 AM
Payment Method: CC - Authorization 000007640G
ePay Actor: BARBARA JOHNSON
Actor Email: barbara.johnson@wtcinc.com
IP: 70.116.216.6
TCEQ Amount: \$815.00
Texas.gov Price: \$833.59*

* This service is provided by Texas.gov, the official website of Texas. The price of this service includes funds that support the ongoing operations and enhancements of Texas.gov, which is provided by a third party in partnership with the State.

Payment Contact Information

Name: BARBARA JOHNSON
Company: WTC INC
Address: 1301 S CAPITAL OF TEXAS HWY S, AUSTIN, TX 78746
Phone: 512-328-6736

Cart Items

Click on the voucher number to see the voucher details.

Voucher	Fee Description	AR Number	Amount
731787	WW PERMIT - FACILITY WITH FLOW >= .10 & < .25 MGD - RENEWAL		\$800.00
731788	30 TAC 305.53B WQ RENEWAL NOTIFICATION FEE		\$15.00
TCEQ Amount:			\$815.00

[ePay Again](#)[Exit ePay](#)

Note: It may take up to 3 working days for this electronic payment to be processed and be reflected in the TCEQ ePay system. Print this receipt for your records.

TCEQ ePay Receipt**Transaction Information**

Trace Number: 582EA000635113
Date: 11/19/2024 09:52 AM
Payment Method: CC - Authorization 000007640G
ePay Actor: BARBARA JOHNSON
TCEQ Amount: \$815.00
Texas.gov Price:: \$833.59*

* This service is provided by Texas.gov, the official website of Texas. The price of this service includes funds that support the ongoing operations and enhancements of Texas.gov, which is provided by a third party in partnership with the State.

Payment Contact Information

Name: BARBARA JOHNSON
Company: WTC INC
Address: 1301 S CAPITAL OF TEXAS HWY S, AUSTIN, TX 78746
Phone: 512-328-6736

Cart Items

Voucher	Fee Description	AR Number	Amount
731787	WW PERMIT - FACILITY WITH FLOW >= .10 & < .25 MGD - RENEWAL		\$800.00
731788	30 TAC 305.53B WQ RENEWAL NOTIFICATION FEE		\$15.00
		TCEQ Amount:	\$815.00

TCEQ ePay Voucher Receipt**Transaction Information**

Voucher Number: 731787
Trace Number: 582EA000635113
Date: 11/19/2024 09:52 AM
Payment Method: CC - Authorization 000007640G
Voucher Amount: \$800.00
Fee Type: WW PERMIT - FACILITY WITH FLOW >= .10 & < .25 MGD - RENEWAL
ePay Actor: BARBARA JOHNSON

Payment Contact Information

Name: BARBARA JOHNSON
Company: WTC INC
Address: 1301 S CAPITAL OF TEXAS HWY S, AUSTIN, TX 78746
Phone: 512-328-6736

Site Information

Site Name: CITY OF ASHERTON
Site Address: 504 END STREET, ASHERTON, TX 78827
Site Location: 504 END ST

Customer Information

Customer Name: CITY OF ASHERTON
Customer Address: P O BOX 450, ASHERTON, TX 78827

Other Information

Program Area ID: 0013746001

Attachment B

Core Data – Form 10040



TCEQ Core Data Form

For detailed instructions on completing this form, please read the Core Data Form Instructions or call 512-239-5175.

SECTION I: General Information

1. Reason for Submission (If other is checked please describe in space provided.)		
☐ New Permit, Registration or Authorization (Core Data Form should be submitted with the program application.)		
☒ Renewal (Core Data Form should be submitted with the renewal form)	☐ Other	
2. Customer Reference Number (if issued)	Follow this link to search for CN or RN numbers in Central Registry**	3. Regulated Entity Reference Number (if issued)
CN 600654701		RN 101721348

SECTION II: Customer Information

4. General Customer Information		5. Effective Date for Customer Information Updates (mm/dd/yyyy)						
☐ New Customer ☐ Update to Customer Information ☐ Change in Regulated Entity Ownership ☐ Change in Legal Name (Verifiable with the Texas Secretary of State or Texas Comptroller of Public Accounts)								
<i>The Customer Name submitted here may be updated automatically based on what is current and active with the Texas Secretary of State (SOS) or Texas Comptroller of Public Accounts (CPA).</i>								
6. Customer Legal Name (If an individual, print last name first: eg: Doe, John)			<i>If new Customer, enter previous Customer below:</i>					
7. TX SOS/CPA Filing Number	8. TX State Tax ID (11 digits)		9. Federal Tax ID (9 digits) 74-1083417	10. DUNS Number (if applicable)				
11. Type of Customer:		☐ Corporation	☐ Individual	Partnership: ☐ General ☐ Limited				
Government: ☒ City ☐ County ☐ Federal ☐ Local ☐ State ☐ Other		☐ Sole Proprietorship		☐ Other:				
12. Number of Employees			13. Independently Owned and Operated?					
☒ 0-20 ☐ 21-100 ☐ 101-250 ☐ 251-500 ☐ 501 and higher			☐ Yes ☐ No					
14. Customer Role (Proposed or Actual) – as it relates to the Regulated Entity listed on this form. Please check one of the following								
☐ Owner ☐ Operator ☐ Owner & Operator ☐ Other: ☐ Occupational Licensee ☐ Responsible Party ☐ VCP/BSA Applicant								
15. Mailing Address:	PO Box 450							
	City	Asherton	State	TX	ZIP	78827	ZIP + 4	0450
16. Country Mailing Information (if outside USA)					17. E-Mail Address (if applicable)			

18. Telephone Number	19. Extension or Code	20. Fax Number (if applicable)
(830) 468-3314		(830) 468-3671

SECTION III: Regulated Entity Information

21. General Regulated Entity Information (If 'New Regulated Entity' is selected, a new permit application is also required.)								
☐ New Regulated Entity ☐ Update to Regulated Entity Name ☐ Update to Regulated Entity Information								
<i>The Regulated Entity Name submitted may be updated, in order to meet TCEQ Core Data Standards (removal of organizational endings such as Inc, LP, or LLC).</i>								
22. Regulated Entity Name (Enter name of the site where the regulated action is taking place.)								
City of Asherton WWTP								
23. Street Address of the Regulated Entity: (No PO Boxes)	504 End Street							
	City	Asherton	State	TX	ZIP		ZIP + 4	
24. County	Dimmitt							

If no Street Address is provided, fields 25-28 are required.

25. Description to Physical Location:	6000 feet northeast of US Highway 83 and 4000 feet northwest of Farm to Market Road 190							
26. Nearest City						State	Nearest ZIP Code	
					TX	78827		
<i>Latitude/Longitude are required and may be added/updated to meet TCEQ Core Data Standards. (Geocoding of the Physical Address may be used to supply coordinates where none have been provided or to gain accuracy).</i>								
27. Latitude (N) In Decimal:		28.458182°			28. Longitude (W) In Decimal:		-99.753645°	
Degrees	Minutes	Seconds	Degrees	Minutes	Seconds			
28	27	29	99	45	13			
29. Primary SIC Code		30. Secondary SIC Code		31. Primary NAICS Code		32. Secondary NAICS Code		
(4 digits)		(4 digits)		(5 or 6 digits)		(5 or 6 digits)		
4952				221320				
33. What is the Primary Business of this entity? (Do not repeat the SIC or NAICS description.)								
Domestic Wastewater Treatment								
34. Mailing Address:	PO Box 450							
	City	Asherton	State	TX	ZIP	78827	ZIP + 4	450
35. E-Mail Address:								
36. Telephone Number			37. Extension or Code			38. Fax Number (if applicable)		
() -						() -		

39. TCEQ Programs and ID Numbers Check all Programs and write in the permits/registration numbers that will be affected by the updates submitted on this form. See the Core Data Form instructions for additional guidance.

☐ Dam Safety	☐ Districts	☐ Edwards Aquifer	☐ Emissions Inventory Air	☐ Industrial Hazardous Waste
☐ Municipal Solid Waste	☐ New Source Review Air	☐ OSSF	☐ Petroleum Storage Tank	☐ PWS
☐ Sludge	☐ Storm Water	☐ Title V Air	☐ Tires	☐ Used Oil
☐ Voluntary Cleanup	☒ Wastewater	☐ Wastewater Agriculture	☐ Water Rights	☐ Other:
	WQ0013746001			

SECTION IV: Preparer Information

40. Name:	Robert H. Thonhoff, Jr, P.E.	41. Title:	Consultant
42. Telephone Number	43. Ext./Code	44. Fax Number	45. E-Mail Address
(512) 328-6736		(512) 328-6848	bob.thonhoff@wtcinc.com

SECTION V: Authorized Signature

46. By my signature below, I certify, to the best of my knowledge, that the information provided in this form is true and complete, and that I have signature authority to submit this form on behalf of the entity specified in Section II, Field 6 and/or as required for the updates to the ID numbers identified in field 39.

Company:	City of Asherton	Job Title:	Mayor
Name (In Print):	Mario DJ Ruiz	Phone:	8301468 - 3314
Signature:		Date:	1-28-2025

Attachment C

Plain Language Summary – Form 20972

General Location Map

SPIF Topographic Map

Service Area



TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

PLAIN LANGUAGE SUMMARY FOR TPDES OR TLAP PERMIT APPLICATIONS

Plain Language Summary Template and Instructions for Texas Pollutant Discharge Elimination System (TPDES) and Texas Land Application (TLAP) Permit Applications

Applicants should use this template to develop a plain language summary as required by [Title 30, Texas Administrative Code \(30 TAC\), Chapter 39, Subchapter H](#). Applicants may modify the template as necessary to accurately describe their facility as long as the summary includes the following information: (1) the function of the proposed plant or facility; (2) the expected output of the proposed plant or facility; (3) the expected pollutants that may be emitted or discharged by the proposed plant or facility; and (4) how the applicant will control those pollutants, so that the proposed plant will not have an adverse impact on human health or the environment.

Fill in the highlighted areas below to describe your facility and application in plain language. Instructions and examples are provided below. Make any other edits necessary to improve readability or grammar and to comply with the rule requirements.

If you are subject to the alternative language notice requirements in [30 TAC Section 39.426](#), **you must provide a translated copy of the completed plain language summary in the appropriate alternative language as part of your application package**. For your convenience, a Spanish template has been provided below.

ENGLISH TEMPLATE FOR TPDES or TLAP NEW/RENEWAL/AMENDMENT APPLICATIONS DOMESTIC WASTEWATER/STORMWATER

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 TAC Chapter 39. The information provided in this summary may change during the technical review of the application and is not a federal enforceable representation of the permit application.

City of Asherton (CN600654701) operates City of Asherton WWTP (RN101721348), a wastewater treatment facility. The facility is located at 504 End Street, in Asherton, Dimmit County, Texas 78827. The renewal of an application to discharge of treated domestic wastewater at a daily average flow not to exceed 200,000 gallons per day.

Discharges from the facility are expected to contain less than 20 mg/l Carbonaceous Biochemical Oxygen Demand (CBOD₅), 15 mg/l Total Suspended Solids (TDS), and 126 E.Coli CFU MPN/ 100 ml. Domestic wastewater is treated by screening, aeration, and clarification, followed by disinfection. Effluent is discharged via cascade aeration before flowing to the outfall. Sludge is processed in Geotubes for dewatering and preliminary treatment uses both coarse and fine screening before it is transported by truck to a landfill for disposal.



PLANTILLA EN ESPAÑOL PARA SOLICITUDES NUEVAS/RENOVACIONES/ENMIENDAS DE TPDES o TLAP

AGUAS RESIDUALES INDUSTRIALES /AGUAS PLUVIALES

El siguiente resumen se proporciona para esta solicitud de permiso de calidad del agua pendiente que está siendo revisada por la Comisión de Calidad Ambiental de Texas según lo requerido por el Capítulo 39 del Código Administrativo de Texas 30. La información proporcionada en este resumen puede cambiar durante la revisión técnica de la solicitud y no es una representación ejecutiva fedérale de la solicitud de permiso.


Ciudad de Asherton (CN600654701) opera WWTP la planta Ciudad de Asherton RN101721348, una planta de tratamiento de aguas residuales. La instalación está ubicada en 504 End Street, en Asherton, Condado de Dimmitt, Texas 78827. La renovación de una solicitud para descargar aguas residuales domésticas tratadas a un flujo promedio diario que no exceda los 200,000 galones por día..

Se espera que las descargas de la instalación contengan menos de 20 mg/l de demanda bioquímica de oxígeno carbonoso (CBOD5), 15 mg/l de sólidos suspendidos totales (TDS) y 126 UFC de E. coli NMP/100 ml . Aguas residuales están tratado por cribado, aireación y clarificación, seguido de desinfección. El efluente se descarga mediante aireación en cascada antes de fluir hacia el emisario. El lodo se procesa en geotubos para su deshidratación y el tratamiento preliminar utiliza un cribado grueso y fino antes de transportarlo en camión a un vertedero para su eliminación. .



GENERAL LOCATION **2024**


City of Asherton WWTP
504 End Street
Asherton, TX 78827
WQ0013746001
Permit Renewal





W T C, INC.
405 S.W. 1st Street
Andrews, TX 79714
(432) 523-2181

ENGINEERS | SURVEYORS
TEXAS REGISTERED ENGINEERING FIRM F-2746
TEXAS REGISTERED SURVEYOR FIRM #100792-00



1 Mile Radius

WWTP Property Boundary

Facility Boundary

Discharge Route
1 mile downstream

Outfall

Applicants Property Boundary

USGS Topographic Map 2024

City of Asherton WWTP
504 End Street
Asherton, TX 78827
WQ0013746001
Permit Renewal

N


0 500 1,000 2,000 Feet

WTC

ENGINEERS | SURVEYORS


TEXAS REGISTERED ENGINEERING FIRM F-2746
TEXAS REGISTERED SURVEYOR FIRM #100792-00

WTC, INC.
405 S.W. 1st Street
Andrews, TX 79714
(432) 523-2181



Service Area **2024**

City of Asherton WWTP
504 End Street
Asherton, TX 78827
WQ0013746001
Permit Renewal




WTC
ENGINEERS | SURVEYORS
TEXAS REGISTERED ENGINEERING FIRM F-2746
TEXAS REGISTERED SURVEYOR FIRM #100792-00

W T C, INC.
405 S.W. 1st Street
Andrews, TX 79714
(432) 523-2181

Attachment D

USGS Map



USGS Topographic Map 2024


City of Asherton WWTP
504 End Street
Asherton, TX 78827
WQ0013746001
Permit Renewal



WTC
ENGINEERS | SURVEYORS

TEXAS REGISTERED ENGINEERING FIRM F-2746
TEXAS REGISTERED SURVEYOR FIRM #100792-00

WTC, INC.
405 S.W. 1st Street
Andrews, TX 79714
(432) 523-2181



1 Mile Radius

WWTP Property Boundary

Facility Boundary

Discharge Route
1 mile downstream

Outfall

Applicants Property Boundary

USGS Topographic Map 2024

City of Asherton WWTP
504 End Street
Asherton, TX 78827
WQ0013746001
Permit Renewal

N
0 500 1,000 2,000
Feet

WTC
ENGINEERS | SURVEYORS
TEXAS REGISTERED ENGINEERING FIRM F-2746
TEXAS REGISTERED SURVEYOR FIRM #100792-00

WTC, INC.
405 S.W. 1st Street
Andrews, TX 79714
(432) 523-2181

Attachment E

Supplemental Permit Information – Form 20971

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

SUPPLEMENTAL PERMIT INFORMATION FORM (SPIF)

FOR AGENCIES REVIEWING DOMESTIC OR INDUSTRIAL TPDES WASTEWATER PERMIT APPLICATIONS

TCEQ USE ONLY:

Application type: ____Renewal ____Major Amendment ____Minor Amendment ____New

County: _____ Segment Number: _____

Admin Complete Date: _____

Agency Receiving SPIF:

____ Texas Historical Commission

____ U.S. Fish and Wildlife

____ Texas Parks and Wildlife Department

____ U.S. Army Corps of Engineers

This form applies to TPDES permit applications only. (Instructions, Page 53)

Complete this form as a separate document. TCEQ will mail a copy to each agency as required by our agreement with EPA. If any of the items are not completely addressed or further information is needed, we will contact you to provide the information before issuing the permit. Address each item completely.

Do not refer to your response to any item in the permit application form. Provide each attachment for this form separately from the Administrative Report of the application. The application will not be declared administratively complete without this SPIF form being completed in its entirety including all attachments. Questions or comments concerning this form may be directed to the Water Quality Division's Application Review and Processing Team by email at WQ-ARPTeam@tceq.texas.gov or by phone at (512) 239-4671.

The following applies to all applications:

1. Permittee: City of Asherton

Permit No. WQ00 13746001EPA ID No. TX 0071056

Address of the project (or a location description that includes street/highway, city/vicinity, and county):

504 End Street, Asherton, Texas 78827

Provide the name, address, phone and fax number of an individual that can be contacted to answer specific questions about the property.

Prefix (Mr., Ms., Miss): Ms.

First and Last Name: Elvira Ramirez

Credential (P.E, P.G., Ph.D., etc.):

Title: City Secretary

Mailing Address: PO Box 450

City, State, Zip Code: Asherton, TX 78827

Phone No.: 830-468-3314 Ext.: Fax No.: 830-468-3671

E-mail Address: eramirez@cityofasherton.org

2. List the county in which the facility is located: Dimmitt
3. If the property is publicly owned and the owner is different than the permittee/applicant, please list the owner of the property.

City of Asherton, Texas

4. Provide a description of the effluent discharge route. The discharge route must follow the flow of effluent from the point of discharge to the nearest major watercourse (from the point of discharge to a classified segment as defined in 30 TAC Chapter 307). If known, please identify the classified segment number.

To an unnamed tributary, thence to an on-channel stock tank, thence to the unnamed tributary, thence to El Moro Creek, thence to Soldier Slough, thence to Nueces River Above Holland Dam in Segment No.2105 of the Nueces River Basin

5. Please provide a separate 7.5-minute USGS quadrangle map with the project boundaries plotted and a general location map showing the project area. Please highlight the discharge route from the point of discharge for a distance of one mile downstream. (This map is required in addition to the map in the administrative report).

Provide original photographs of any structures 50 years or older on the property.

Does your project involve any of the following? Check all that apply.

- ☐ Proposed access roads, utility lines, construction easements
- ☐ Visual effects that could damage or detract from a historic property's integrity
- ☐ Vibration effects during construction or as a result of project design
- ☐ Additional phases of development that are planned for the future
- ☐ Sealing caves, fractures, sinkholes, other karst features

☐ Disturbance of vegetation or wetlands

1. List proposed construction impact (surface acres to be impacted, depth of excavation, sealing of caves, or other karst features):

NA

2. Describe existing disturbances, vegetation, and land use:

Existing site used for wastewater treatment plant. Vegetation consists native vegetation and grasses at the property boundaries.



THE FOLLOWING ITEMS APPLY ONLY TO APPLICATIONS FOR NEW TPDES PERMITS AND MAJOR AMENDMENTS TO TPDES PERMITS

3. List construction dates of all buildings and structures on the property:

NA

4. Provide a brief history of the property, and name of the architect/builder, if known.


NA



GENERAL LOCATION

2024


City of Asherton WWTP
504 End Street
Asherton, TX 78827
WQ0013746001
Permit Renewal



ENGINEERS | SURVEYORS

TEXAS REGISTERED ENGINEERING FIRM F-2746
TEXAS REGISTERED SURVEYOR FIRM #100792-00

W T C, INC.
405 S.W. 1st Street
Andrews, TX 79714
(432) 523-2181



1 Mile Radius

WWTP Property Boundary

Facility Boundary

Discharge Route
1 mile downstream

Outfall

Applicants Property Boundary

USGS Topographic Map 2024

City of Asherton WWTP
504 End Street
Asherton, TX 78827
WQ0013746001
Permit Renewal

N


0 5001,000 2,000 Feet

WTC

ENGINEERS | SURVEYORS

TEXAS REGISTERED ENGINEERING FIRM F-2746
TEXAS REGISTERED SURVEYOR FIRM #100792-00

W T C, INC.
405 S.W. 1st Street
Andrews, TX 79714
(432) 523-2181



3 Miles

WWTP Property Boundary

Discharge Route

Service Area

Applicants Property Boundary

Service Area	2024
City of Asherton WWTP 504 End Street Asherton, TX 78827 WQ0013746001 Permit Renewal	
 0 2,000 4,000 Feet	
 WTC, INC. 405 S.W. 1st Street Andrews, TX 79714 (432) 523-2181	
ENGINEERS SURVEYORS TEXAS REGISTERED ENGINEERING FIRM F-2746 TEXAS REGISTERED SURVEYOR FIRM #100792-00	

Attachment F


Process Flow Diagram

Aerials


Site Drawing

Service Area

Water of US – USGS Map 3 Miles




Flow Diagram		November 2024
City of Asherton WWTP 504 End Street Asherton, TX 78827 WQ0013746001 Permit Renewal		
 ENGINEERS SURVEYORS		W T C, INC. 405 S.W. 1st Street Andrews, TX 79714 (432) 523-2181
TEXAS REGISTERED ENGINEERING FIRM F-2746 TEXAS REGISTERED SURVEYOR FIRM #100792-00		



Aerial


2024

City of Asherton WWTP
504 End Street
Asherton, TX 78827
WQ0013746001
Permit Renewal



WTC
ENGINEERS | SURVEYORS
TEXAS REGISTERED ENGINEERING FIRM F-2746
TEXAS REGISTERED SURVEYOR FIRM #100792-00


W T C, INC.
405 S.W. 1st Street
Andrews, TX 79714
(432) 523-2181



Aerial



2024

City of Asherton WWTP
504 End Street
Asherton, TX 78827
WQ0013746001
Permit Renewal



WTC
ENGINEERS | SURVEYORS
TEXAS REGISTERED ENGINEERING FIRM F-2746
TEXAS REGISTERED SURVEYOR FIRM #100792-00

W T C, INC.
405 S.W. 1st Street
Andrews, TX 79714
(432) 523-2181



REVISIONS




Tce
THONHOFF CONSULTING ENGINEERS, INC.
MUNICIPAL • ENVIRONMENTAL • WATER & WASTEWATER
FIRM REGISTRATION NO. F-002921
1301 CAPITAL OF TEXAS HWY. SOUTH SUITE A-236 AUSTIN, TEXAS 78746
(512) 328-6736 FAX (512) 328-6848

CITY OF ASHERTON, TEXAS
0.200 M.G.D. WASTEWATER TREATMENT PLANT
PROPOSED SITE PLAN

JOB NO.	15030.1.200
DESIGNED	SMB
DRAWN BY	CEL
APPROVED	RHT
DATE	MAY 2017
SCALE	AS NOTED

SHEET
6 OF 41
REVISION NO.
DATE



REVISIONS

1

RECORD REVISION,
09/29/2020.

ORIGINAL DESIGN PLANS
SEALED BY
ROBERT H. THONHOFF, JR.,
P.E. NO. 55674 ON
05/15/2017

THONHOFF CONSULTING ENGINEERS, INC.
MUNICIPAL • ENVIRONMENTAL • WATER & WASTEWATER
FIRM REGISTRATION NO. F-002821

1301 CAPITAL OF TEXAS HWY. SOUTH SUITE A-236
(312) 328-6726 AUSTIN, TEXAS 78746
FAX (312) 328-6846

CITY OF ASHERTON, TEXAS
0.200 M.G.D. WASTEWATER
TREATMENT PLANT

PROPOSED GRADING PLAN

JOB NO. 15030.1.200

DESIGNED RHT

DRAWN BY IRW

APPROVED RHT

DATE APR 2020


SCALE AS NOTED

SHEET
8R OF 41

REVISION NO. 1

DATE: SEPT. 29, 2020

\\TCESERV\TCE_Network Drive\Jobs\OLD_JOBS\Asherton\Asherton 0.200 MGD WTP\5030\Draws\Record Dwg\OBR GRADING OVERALL.dwg




3 Miles


WWTP Property Boundary

Discharge Route

Service Area

Applicants Property Boundary

Service Area	2024
City of Asherton WWTP 504 End Street Asherton, TX 78827 WQ0013746001 Permit Renewal	
	
	
	
W T C, INC. 405 S.W. 1st Street Andrews, TX 79714 (432) 523-2181	
ENGINEERS SURVEYORS TEXAS REGISTERED ENGINEERING FIRM F-2746 TEXAS REGISTERED SURVEYOR FIRM #100792-00	



Applicants Property Boundary


WWTP Property Boundary

Outfall

Treatment Area

USGS Topographic Map 2024


City of Asherton WWTP
504 End Street
Asherton, TX 78827
WQ0013746001
Permit Renewal



WTC
ENGINEERS | SURVEYORS

WTC, INC.
405 S.W. 1st Street
Andrews, TX 79714
(432) 523-2181

TEXAS REGISTERED ENGINEERING FIRM F-2746
TEXAS REGISTERED SURVEYOR FIRM #100792-00



USGS Topographic Map 2024

City of Asherton WWTP
504 End Street
Asherton, TX 78827
WQ0013746001
Permit Renewal

N




0 500 1,000 2,000 Feet





WTC
ENGINEERS | SURVEYORS
TEXAS REGISTERED ENGINEERING FIRM F-2746
TEXAS REGISTERED SURVEYOR FIRM #100792-00

WTC, INC.
405 S.W. 1st Street
Andrews, TX 79714
(432) 523-2181



3 Miles


WWTP Property Boundary

Discharge Route

Applicants Property Boundary


USGS Topographic Map 2024

City of Asherton WWTP
504 End Street
Asherton, TX 78827
WQ0013746001
Permit Renewal



WTC
ENGINEERS | SURVEYORS
TEXAS REGISTERED ENGINEERING FIRM F-2746
TEXAS REGISTERED SURVEYOR FIRM #100792-00

W T C, INC.
405 S.W. 1st Street
Andrews, TX 79714
(432) 523-2181



- Public Water System Well
- Surface Water Intake

5 Mile Radius

Discharge Route

Facility Boundary

1 Mile Radius

Public Water Systems	2024
City of Asherton WWTP 504 End Street Asherton, TX 78827 WQ0013746001 Permit Renewal	
 WTC ENGINEERS SURVEYORS TEXAS REGISTERED ENGINEERING FIRM F-2746 TEXAS REGISTERED SURVEYOR FIRM #100792-00	 0 0.75 1.5 Miles W T C, INC. 405 S.W. 1st Street Andrews, TX 79714 (432) 523-2181

Attachment G

TCEQ Approval Letter

Pollution Analysis Laboratory Results



TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

Protecting Texas by Reducing and Preventing Pollution

July 18, 2017

Robert H. Thonhoff Jr., P.E.
THONHOFF CONSULTING ENGINEERS, INC.
1301 Capital of Texas Highway South, Suite A-236
West Lake Hills, Texas 78746

Re: City of Asherton
0.200 MGD Wastewater Treatment Plant
Permit No. WQ0013746001
WWPR Log No. 0517/084
CN600654701, RN101721348
Dimmit County

Dear Mr. Thonhoff:

On May 30, 2017 TCEQ received the project summary transmittal letter dated May 26, 2017 for the construction of a 0.200 MGD (0.8 MGD peak flow) wastewater treatment plant for the City of Asherton, in Dimmit County, Texas. This upgraded plant is required to maintain the City's ability to meet the effluent limits within water quality permit WQ0013746001; 20mg/l BOD₅, 20 mg/l TSS, 126 CFU/ 100 ml for E Coli, a chlorine residual of 1-4 mg/l and a pH between 6.0-9.0. The specific items within the scope of this project are listed below.

The rules which regulate the design, installation and testing of domestic wastewater projects are found in 30 TAC, Chapter 217, of the Texas Commission on Environmental Quality (TCEQ) rules titled, Design Criteria for Wastewater Systems.

The specific items within the scope of this project are as follows:

- Construction of 12 inch gravity line with 0.30 % slope and 90-3 gpm capacity
- 1 inch opening bar screen, basket type Hailiday Series B4B
- Influent Lift Station
 - Influent wet well 10 foot diameter, 25.5 foot deep;
 - 5 inch vent pipe
 - 2 submersible 555 gpm pumps
 - Check valves, gate valves RAS tie in
- 6 inch force main to aeration basin
- Extended air , ditch mode
 - 41 foot wide, 114.33 foot long, 20.5 foot radius
 - 2- 50 HP mixing aerator units
- 2 - 10 HP RAS pumps 4 inch RAS line
- 36 foot diameter secondary clarifier
- 1,485 ft³ chlorine contact basin
- Cascade aeration
- 2 - 10 hp WAS pumps

Robert H. Thonhoff Jr., P.E.

Page 2

July 19, 2017

- Polymer delivery system, 55 gallon polymer tanks
- 2 positions for 30ft x 31 ft sloped concrete pads with drains to head works, for 30 CY dewatering roll-off boxes fitted with Tencate's Geotube sludge dewatering systems
- All drain lines flowing back to influent lift station
- Reuse facilities
 - Chlorine contact basin is reuse water source
 - 2 - 50 gpm submersible pumps
 - 185 gallon composite pressure tank

A review of the project and data submitted seems to indicate that the project does meet at least the minimum requirements set in 30 TAC Chapter 217: Design Criteria for Wastewater Systems. The exception, as mentioned in the summary transmittal letter is the use of the Tencate's Geotubes for sludge dewatering is not specifically addressed in 30 TAC Chapter 217. The use as described in the summary transmittal letter does not raise a level of concern with regard to the dewatering process. So long as the process works as required the use of the geotubes is approved. IF any issues arise from the use of the geotubes the issue will be revisited. The overall project is conditionally approved. The conditions of the approval are:

- all processing related to the use of the geotubes, sludge dewatering and disposal must be performed in accordance to in line with the sludge handling provision of the current water quality permit.
- prior to the old plant being closed a closure plan as required by the current water quality permit must be submitted, reviewed and approved by the TCEQ Water Quality Division staff prior to any unit being decommissioned and removed from site.

You must keep certain materials on file for the life of the project and provide them to TCEQ upon request. These materials include an engineering report, test results, a summary transmittal letter, and the final version of the project plans and specifications. These materials shall be prepared and sealed by a Professional Engineer licensed in the State of Texas and must show substantial compliance with Chapter 217. All plans and specifications must conform to any waste discharge requirements authorized in a permit by the TCEQ. Certain specific items which shall be addressed in the engineering report are discussed in §217.6(c). Additionally, the engineering report must include all constants, graphs, equations, and calculations needed to show substantial compliance with Chapter 217. The items which shall be included in the engineering report are addressed in §217.6(c)(1)-(10).

Any deviations from Chapter 217 shall be disclosed in the summary transmittal letter and the technical justifications for those deviations shall be provided in the engineering report. Any deviations from Chapter 217 shall be based on the best professional judgement of the licensed professional engineer sealing the materials and the engineer's judgement that the design would not result in a threat to public health or the environment.

No variances from Chapter 217 requirements were requested or granted as part of the review of this project. If in the future, any variances from the Chapter 217 requirements are desired for the project, each variance must be requested in writing by the design engineer. Then, the TCEQ will consider granting a written approval to the variance from the rules for the specific project and the specific circumstances.

Robert H. Thonhoff Jr., P.E.

Page 3

July 19, 2017

Within 60 days of the completion of construction, an appointed engineer shall notify both the Wastewater Permits Section of the TCEQ and the appropriate Region Office of the date of completion. The engineer shall also provide written certification that all construction, materials, and equipment were substantially in accordance with the approved project, the rules of the TCEQ, and any change orders filed with the TCEQ. All notifications, certifications, and change orders must include the signed and dated seal of a Professional Engineer licensed in the State of Texas.

This approval does not mean that future projects will be approved without a complete plans and specifications review. The TCEQ will provide a notification of intent to review whenever a project is to undergo a complete plans and specifications review. Please be reminded of 30 TAC §217.7(a) of the rules which states, "Approval given by the executive director or other authorized review authority does not relieve an owner of any liability or responsibility with respect to designing, constructing, or operating a collection system or treatment facility in accordance with applicable commission rules and the associated wastewater permit".

If you have any questions, or if we can be of any further assistance, please call me at (512) 239-1372.

Sincerely,

A handwritten signature in black ink, reading "Paul A. Brochi". The signature is written in a cursive, flowing style.

Paul A. Brochi, P.E.

Wastewater Permits Section (MC 148)

Water Quality Division

Texas Commission on Environmental Quality

PAB/tc

cc: TCEQ, Region 16 Office

POLLUTION CONTROL SERVICES



Report of Sample Analysis

Client Information	Sample Information	Laboratory Information
Elvira Ramirez (WWTP) Asherton, City of 1001 W. Carter St. Asherton, TX 78827	Project Name: TCEQ Minor Permit Renewal Sample ID: Effluent Matrix: Non-Potable Water Date/Time Taken: 12/4/2024 1000	PCS Sample #: 783785 Page 1 of 2 Date/Time Received: 12/4/2024 13:10 Report Date: 12/19/2024 Approved by:  Chuck Wallgren, President

Test Description	Result	Units	RL	Analysis Date/Time	Method	Analyst
E. coli. (Enumeration-MPN) 18	0	CFU/100ml	1	12/04/2024 15:05	9223 IDEXX Quanti-Tray	EMV
CBOD5	6	mg/L	3	12/04/2024 15:16	SM 5210 B	GQM
Chloride IC	161	mg/L	25	12/05/2024 11:19	EPA 300.0	LCC
Conductivity, Specific	1,474	µmhos/cm at 25° C	1	12/04/2024 14:56	SM 2510B	LCC
Nitrate-N_IC	35.1	mg/L	2.5	12/05/2024 11:19	EPA 300.0	LCC
Phosphorus, Total	4.26	mg/L	0.10	12/09/2024 05:10	SM 4500-P/B/E	JAS
Sulfate_IC	195	mg/L	25	12/05/2024 11:19	EPA 300.0	LCC
Total Dissolved Solids	892	mg/L	10	12/09/2024 14:50	SM 2540C	PML

Test Description	Precision	Quality Assurance Summary			MS	MSD	UCL	LCS	LCS Limit	Blank
		Limit	LCL	MS						
E. coli. (Enumeration-MPN) 18	N/A	N/A	N/A				N/A			
CBOD5	5	23	N/A	N/A	N/A	N/A	N/A	193	167 - 228	
Chloride IC	3	10	95	98	95		102	97	85 - 115	
Conductivity, Specific	N/A	N/A	N/A				N/A			
Nitrate-N_IC	<1	20	70	93	93		130	101	85 - 115	
Phosphorus, Total	1	10	91	100	99		103	106	85 - 115	
Sulfate_IC	<1	10	94	98	98		101	107	85 - 115	
Total Dissolved Solids	<1	10	N/A	N/A	N/A		N/A			

Quality Statement: All supporting quality data adhered to data quality objectives and test results meet the requirements of NELAC unless otherwise noted as flagged exceptions or in a case narrative attachment. Reports with full quality data deliverables are available on request.

These analytical results relate only to the sample tested.
 All data is reported on an 'As Is' basis unless designated as 'Dry Wt'.
 RL = Reporting Limits
 QC Data Reported in %, Except BOD in mg/L

POLLUTION CONTROL SERVICES



Report of Sample Analysis

Client Information	Sample Information	Laboratory Information
Elvira Ramirez (WWTP) Asherton, City of 1001 W. Carter St. Asherton, TX 78827	Project Name: TCEQ Minor Permit Renewal Sample ID: Effluent Matrix: Non-Potable Water Date/Time Taken: 12/4/2024 1000	PCS Sample #: 783785 Page 2 of 2 Date/Time Received: 12/4/2024 13:10 Report Date: 12/19/2024

Test Description	Result	Units	RL	Analysis Date/Time	Method	Analyst
Total Suspended Solids	19	mg/L	1	12/04/2024 15:45	SM 2540 D	PML
Ammonia-N (ISE)	<0.1	mg/L	0.1	12/05/2024 14:00	SM 4500-NH3 D	CLH
Kjeldahl-N, Total	2	mg/L	1	12/17/2024 10:30	SM 4500-N B/C	PML

Test Description	Precision	Quality Assurance Summary			MS	MSD	UCL	LCS	LCS Limit	Blank
		Precision	Limit	LCL						
Total Suspended Solids	2	10	N/A				N/A			
Ammonia-N (ISE)	<1	10	80	80	80	120	91	85 - 115		
Kjeldahl-N, Total	2	10	90	99	97	109	106	85 - 115		<1

Quality Statement: All supporting quality data adhered to data quality objectives and test results meet the requirements of NELAC unless otherwise noted as flagged exceptions or in a case narrative attachment. Reports with full quality data deliverables are available on request.

These analytical results relate only to the sample tested.
 All data is reported on an 'As Is' basis unless designated as 'Dry Wt'.
 RL = Reporting Limits

POLLUTION CONTROL SERVICES

LAB NUMBER

783785

SINGLE SAMPLE ANALYSIS REQUEST AND CHAIN OF CUSTODY FORM

Container Extensions: ☒ S ☒ B1 ☐ B2 ☐ N ☐ HEM ☐ P Other _____

CUSTOMER INFORMATION				REPORT INFORMATION			
Name: City of Asherton				Attention: Percy Cardona		Telephone: (830) 468-3314 FAX: (830) 468-3671	
SAMPLE INFORMATION (Please complete all items as they pertain to your sample)							
Sample Collection	☒ Grab	Sample Date: 12/4/24	Sample Time: 10:00 AM	Collected By: Carlos Ramirez		Project Name: Permit Renewal - MINOR	
	☐ Composite	Start Date: _____ End Date: _____	Start Time: _____ End Time: _____	☐ Time/Equal Portion or ☐ Flow Weighed ☐ 3 Part ☐ 6 Part ☐ 12 Part ☐ 24 Hour		Project Number: _____	
Sample Identification	☒ Wastewater	☒ Domestic ☐ Industrial	☐ Sludge	☐ Liquid ☐ Aeration ☐ Reair ☐ RAS ☐ Track ☐ Digester ☐ Solid		Project Location: _____	
	☐ Water	☐ Surface ☐ Groundwater	☐ Stream ☐ Well Water	☐ Lake ☐ Monitor Well	Other Misc Description/Location _____		Commercial Carrier ID Number: _____
	☐ Soil						
							Comments/Precautions/Special Instructions: _____
Field Parameters		pH: _____ S.U. _____	Chlorine Res: _____ mg/l	Water Temp.: _____ C / F	D.O. _____ mg/l	Sp.Cond. _____ umhos/cm @ 25 C	Report ☐ As Is or ☐ Dry Weight
Sample Preservation		☒ Cool 4°	pH < 2 ☐ HNO3-Mtls ☐ H2SO4-COD, FOG, Nutrients, Phenol	pH > 12 ☐ NaOH - T.CN	Other: _____		
ANALYSIS REQUEST Check analysis desired below. (See Schedule of Services for other available analysis.)							
GENERAL CHEMISTRY			METALS ☐ Total ☐ Dissolved		RCRA WASTE PROFILE		BACTERIOLOGICAL
☒ pH	☐ D.O.	☐ T. Acidity	☐ Ag	☐ Hg	☐ Sr	☐ RCI	☐ F. Coliform - col/100 ml
☐ BOD5	☐ COD	☐ T. Alk.	☐ Al	☐ K	☐ Tl	☐ TCLP - Full	☐ F. Coliform - col/gm dry wt
☒ CBOD5	☐ FOG	☐ P. Alk.	☐ As	☐ Mg	☐ V	☐ TCLP - Full w/o H/P	☐ T. Coliform - col/100 ml, P/A
☒ TSS	___ FOG A	☐ Sp. Cond.	☐ Ba	☐ Mn	☐ Zn	☐ TCLP - Vol	☐ Quanti Tray - MPN
☐ VSS	___ FOG B	☒ TDS	☐ Be	☐ Mo	_____	☐ TCLP - Semi Vol	☒ E. coli - MPN
☐ MLSS	___ FOG C	☐ T. Hard	☐ Ca	☐ Na	_____	☐ TCLP 8 Metals	MISCELLANEOUS
☐ VMLSS	___ FOG D	☒ Cl	☐ Cd	☐ Ni	_____	☐ TCLP - Pb	
☒ NH3N	☐ T. CN	☒ SO4	☐ Cr	☐ Pb	_____	☐ RCRA 8 Metals	
☒ NO3N	_____	☐ TCEQ Well Wtr	☐ HexCr	☐ Sb	_____	☐ BTEX	
☐ NO2N	_____	☒ Std. Well Water	☐ Cu	☐ Se	_____	☐ TPH	☐ 503 Metals
☒ TKN	☐ % Org N	☐ w/ Coliform	☐ Fe	☐ Sn	_____	☐ MTBE	☐ Soil/Sludge Nutrients
☒ TPO4P	☐ % Ash	☐ w/o Coliform					☐ F. Coli (7 Replicate)
							☐ S.O.U.R.
REQUIRED TURNAROUND: ☒ Routine (6-10 days) EXPEDITE: (See Surcharg. ☐ < 8 Hrs. ☐ < 16 Hrs. ☐ < 24 Hrs. ☐ 5 days ☐ Other: _____ Rush Charges Authorized by: _____							
SAMPLE Archive/Disposal: ☐ Laboratory Standard ☐ Hold for client pick up Container Type / #: ☐ Plastic _____ Number; ☐ Glass _____ Number; ☐ Other _____ Number							
Relinquished By: _____		Date: 12/4/24	Time: 13:10	Received By: _____		Date: 12/4/24	Time: 1310
Relinquished By: _____		Date: _____	Time: _____	Received By: _____		Date: _____	Time: _____
Relinquished By: _____		Date: _____	Time: _____	Received By: _____		Date: _____	Time: _____

Single Sample COC 20110127

1532 Universal City Blvd., Ste. 100, Universal City, Texas 78148
P (210) 340-0343 or (800) 880-4616 - F (210) 658-7903

© 2011 Pollution Control Services - All rights reserved

Login at www.pcslab.net
TCEQ NELAP T104704361-TX

Pollution Control Services Sample Log-In Checklist

PCS Sample No(s) 7 8 3 7 8 5 COC No. 7 8 3 7 8 5

Client/Company Name: Asherton Checklist Completed by: 6

Sample Delivery to Lab Via:

Client Drop Off ☒ Commercial Carrier: Bus ☐ UPS ☐ Lone Star ☐ FedEx ☐ USPS ☐
PCS Field Services: Collection/Pick Up ☐ Other: ☐

Sample Kit/Coolers

Sample Kit/Cooler? Yes ☒ No ☐ Sample Kit/Cooler: Intact? Yes ☒ No ☐
Custody Seals on Sample Kit/Cooler: Not Present ☐ If Present, Intact ☒ Broken ☐
Sample Containers Intact; Unbroken and Not Leaking? Yes ☒ No ☐
Custody Seals on Sample Bottles: Not Present ☐ If Present, Intact ☐ Broken ☐
COC Present with Shipment or Delivery or Completed at Drop Off? Yes ☒ No ☐
Has COC sample date/time and other pertinent information been provided by client/sampler? Yes ☒ No ☐
Has COC been properly Signed when Received/Relinquished? Yes ☒ No ☐
Does COC agree with Sample Bottle Information, Bottle Types, Preservation, etc.? Yes ☒ No ☐
All Samples Received before Hold Time Expiration? Yes ☒ No ☐
Sufficient Sample Volumes for Analysis Requested? Yes ☒ No ☐
Zero Headpace in VOA Vial? Yes ☐ No ☒

Sample Preservation:

* Cooling: Not Required ☐ or Required ☒
If cooling required, record temperature of submitted samples Observed/Corrected 5 / 2 °C
Is Ice Present in Sample Kit/Cooler? ☒ Yes ☐ No Samples received same day as collected? ☒ Yes ☐ No
Lab Thermometer Make and Serial Number: Vaughan 1807009583 Other: ☐

Acid Preserved Sample - If present, is pH <2? Yes ☒ No ☐ ** ☒ H₂SO₄ ☐ HNO₃ ☐ H₃PO₄
Base Preserved Sample - If present, is pH >12? Yes ☐ No ☐ NaOH ☐
Other Preservation: ☐ If Present, Meets Requirements? Yes ☐ No ☐
Sample Preservations Checked by: 6 Date 12/4/24 Time 1320
pH paper used to check sample preservation (PCS log #): 22-162 (HEM pH checked at analysis).
Samples Preserved/Adjusted by Lab: Lab # Parameters Preserved Preservative Used Log #

Adjusted by Tech/Analyst: _____ Date : _____ Time: _____

Client Notification/ Documentation for "No" Responses Above/ Discrepancies/ Revision Comments

Person Notified: _____ Contacted by: _____
Notified Date: _____ Time: _____
Method of Contact: At Drop Off: _____ Phone _____ Left Voice Mail _____ E-Mail _____ Fax _____
Unable to Contact _____ Authorized Laboratory to Proceed : _____ (Lab Director)
Regarding / Comments: _____

Actions taken to correct problems/discrepancies: _____

Receiving qualifier needed (requires client notification above) Temp. _____ Holding Time _____ Initials: _____

Receiving qualifier entered into LIMS at login Initial/Date: _____

Revision Comments: _____

Comisión de Calidad Ambiental del Estado de Texas



AVISO DE RECIBO DE LA SOLICITUD Y EL INTENTO DE OBTENER PERMISO PARA LA CALIDAD DEL AGUA RENOVACION

PERMISO NO. WQ0013746001

SOLICITUD. La Ciudad de Asherton, PO Box 450, Asherton, Texas 78827, ha solicitado a la Comisión de Calidad Ambiental del Estado de Texas (TCEQ) para renovar el Permiso No. WQ0013746001 (EPA I.D. No. TX 0071056) del Sistema de Eliminación de Descargas de Contaminantes de Texas (TPDES) para autorizar la descarga de aguas residuales tratadas en un volumen que no sobrepasa un flujo promedio diario de 200,000 galones por día. La planta está ubicada en 504 End Street, en la ciudad de Asherton, en el Condado de Dimmit, Texas 78827. La ruta de descarga es del sitio de la planta hasta un afluente no identificado, luego a un tanque de almacenamiento en el canal, luego al afluente no identificado, luego al Arroyo El Moro, luego a Soldier Slough, luego al Rio Nueces arribad de la Represa Holland. La TCEQ recibió esta solicitud el 11 de febrero de 2025. La solicitud para el permiso estará disponible para leerla y copiarla en el Ayuntamiento de Asherton, en el mostrador de recepción, 1001 Carter Street, Asherton, en el Condado de Dimmit, Texas 78827 antes de la fecha de publicación de este aviso en el periódico. Este enlace a un mapa electrónico de la ubicación general del sitio o de la instalación es proporcionado como una cortesía y no es parte de la solicitud o del aviso. Para la ubicación exacta, consulte la solicitud.

<https://gisweb.tceq.texas.gov/LocationMapper/?marker=-99.752777,28.459166&level=18>

AVISO ADICIONAL. El Director Ejecutivo de la TCEQ ha determinado que la solicitud es administrativamente completa y conducirá una revisión técnica de la solicitud. Después de completar la revisión técnica, el Director Ejecutivo puede preparar un borrador del permiso y emitirá una Decisión Preliminar sobre la solicitud. **El aviso de la solicitud y la decisión preliminar serán publicados y enviado a los que están en la lista de correo de las personas a lo largo del condado que desean recibir los avisos y los que están en la lista de correo que desean recibir avisos de esta solicitud. El aviso dará la fecha límite para someter comentarios públicos.**

COMENTARIO PUBLICO / REUNION PUBLICA. Usted puede presentar **comentarios públicos o pedir una reunión pública sobre esta solicitud.** El propósito de una reunión pública es dar la oportunidad de presentar comentarios o hacer preguntas acerca de la solicitud. La TCEQ realiza una reunión pública si el Director Ejecutivo determina que hay un grado de interés público suficiente en la solicitud o si un legislador local lo pide. Una reunión pública no es una audiencia administrativa de lo contencioso.

OPORTUNIDAD DE UNA AUDIENCIA ADMINISTRATIVA DE LO CONTENCIOSO.

Después del plazo para presentar comentarios públicos, el Director Ejecutivo considerará todos los comentarios apropiados y preparará una respuesta a todo los comentarios públicos esenciales, pertinentes, o significativos. **A menos que la solicitud haya sido referida directamente a una audiencia administrativa de lo contencioso, la respuesta a los comentarios y la decisión del Director Ejecutivo sobre la solicitud serán enviados por correo a todos los que presentaron un comentario público y a las personas que están en la lista para recibir avisos sobre esta solicitud. Si se reciben comentarios, el aviso también proveerá instrucciones para pedir una reconsideración de la decisión del Director Ejecutivo y para pedir una audiencia administrativa de lo contencioso.** Una audiencia administrativa de lo contencioso es un procedimiento legal similar a un procedimiento legal civil en un tribunal de distrito del estado.

PARA SOLICITAR UNA AUDIENCIA DE CASO IMPUGNADO, USTED DEBE INCLUIR EN SU SOLICITUD LOS SIGUIENTES DATOS: su nombre, dirección, y número de teléfono; el nombre del solicitante y número del permiso; la ubicación y distancia de su propiedad/actividad con respecto a la instalación; una descripción específica de la forma cómo usted sería afectado adversamente por el sitio de una manera no común al público en general; una lista de todas las cuestiones de hecho en disputa que usted presente durante el período de comentarios; y la declaración "[Yo/nosotros] solicito/solicitamos una audiencia de caso impugnado". Si presenta la petición para una audiencia de caso impugnado de parte de un grupo o asociación, debe identificar una persona que representa al grupo para recibir correspondencia en el futuro; identificar el nombre y la dirección de un miembro del grupo que sería afectado adversamente por la planta o la actividad propuesta; proveer la información indicada anteriormente con respecto a la ubicación del miembro afectado y su distancia de la planta o actividad propuesta; explicar cómo y porqué el miembro sería afectado; y explicar cómo los intereses que el grupo desea proteger son pertinentes al propósito del grupo.

Después del cierre de todos los períodos de comentarios y de petición que aplican, el Director Ejecutivo enviará la solicitud y cualquier petición para reconsideración o para una audiencia de caso impugnado a los Comisionados de la TCEQ para su consideración durante una reunión programada de la Comisión. La Comisión sólo puede conceder una solicitud de una audiencia de caso impugnado sobre los temas que el solicitante haya presentado en sus comentarios oportunos que no fueron retirados posteriormente. Si se concede una audiencia, el tema de la audiencia estará limitado a cuestiones de hecho en disputa o cuestiones mixtas de hecho y de derecho relacionadas a intereses pertinentes y materiales de calidad del agua que se hayan presentado durante el período de comentarios. Si ciertos criterios se cumplen, la TCEQ puede actuar sobre una solicitud para renovar un permiso sin proveer una oportunidad de una audiencia administrativa de lo contencioso.

LISTA DE CORREO. Si somete comentarios públicos, un pedido para una audiencia administrativa de lo contencioso o una reconsideración de la decisión del Director Ejecutivo, la Oficina del Secretario Principal enviará por correo los avisos públicos en relación con la solicitud. Además, puede pedir que la TCEQ ponga su nombre en una o más de las listas de correos siguientes (1) la lista de correo permanente para recibir los avisos de el solicitante indicado por nombre y número del permiso específico y/o (2) la lista de correo de todas las solicitudes en un condado específico. Si desea que se agregue su nombre en una de las listas designe cual lista(s) y envía por correo su pedido a la Oficina del Secretario Principal de la TCEQ.

CONTACTOS E INFORMACIÓN A LA AGENCIA. Todos los comentarios públicos y solicitudes deben ser presentadas electrónicamente vía <http://www14.tceq.texas.gov/epic/eComment/> o por escrito dirigidos a la Comisión de Texas de Calidad Ambiental, Oficial de la Secretaría (Office of Chief Clerk), MC-105, P.O. Box 13087, Austin, Texas 78711-3087. Tenga en cuenta que cualquier información personal que usted proporcione, incluyendo su nombre, número de teléfono, dirección de correo electrónico y dirección física pasarán a formar parte del registro público de la Agencia. Para obtener más información acerca de esta solicitud de permiso o el proceso de permisos, llame al programa de educación pública de la TCEQ, gratis, al 1-800-687-4040. Si desea información en Español, puede llamar al 1-800-687-4040.

También se puede obtener información adicional del la Ciudad de Asherton en a la dirección indicada arriba o llamando al Sr. Robert H. Jr. Thonhoff, P.E., Consultor, al 512-328-6736.

Fecha de emission:

March 13, 2025

Mr. Brandon Maldonado
Texas Commission of Environmental Quality
Applications Review and Processing Team (MC148)
Water Quality Division

RE: Application to Renew Permit No.: WQ0013746001 (EPA I.D. No. TX0071056)
Applicant Name: City of Asherton (CN600654701) /
Site Name: City of Asherton WWTP (RN101721348)
Type of Application: Renewal without changes

VIA EMAIL

Dear Mr. Maldonado,

Please see the responses to your letter dated February 21, 2025 for the above-referenced permit renewal. The new and replacement pages are attached.

1. Our database shows that no paper copy has been submitted. Applicants are required to submit a paper copy of the application in addition to an ecopy.

Response: The complete updated application package was sent to TCEQ. Please see attached transmittal letter.

2. Core Data Form (CDF)

Section II, Item 6: The item "Customer Legal Name" is required. Please provide an updated CDF with the legal name filled in.

Section II, Item 14: The item "Customer Role" is required. In the updated CDF please mark the role of the applicant as it relates to the Regulated Entity.

Response: Core Data form, page 1 has been updated. A copy of the page is enclosed. The page has been replaced in the complete application package and uploaded to the ftp site

3. The following is a portion of the NORI which contains information relevant to your application. Please read it carefully and indicate if it contains any errors or omissions. The complete notice will be sent to you once the application is declared administratively complete.

Response: The NORI is approved. The website link to the location mapper was checked and is accurate.

Page Two
Mr. Brandon Maldonado
March 13, 2025


4. The application indicates that public notices in Spanish are required. After confirming the portion of the NORI above does not contain any errors or omissions, please use the attached template to translate the NORI into Spanish. Only the first and last paragraphs are unique to this application and require translation. Please provide the translated Spanish NORI in a Microsoft Word document

Response: The Spanish NORI has been completed. The word document is attached. Please see the enclosed replacement pages to Form 10054 - Domestic Wastewater Permit Application Technical Report. The initial application noted the items would be submitted as supplemental information before completion of the technical review. The supplemental information provided is as follows:

1. Domestic Worksheet 1.0, Section 9, Biosolids Management Table – Page 12. 79.8 dry metric tons was entered for the amount of biosolids disposed of at landfill.
2. Domestic Worksheet 1.0, Section 9.D Disposal Site and Transportation Method – Page 12. Second Nature Compost TCEQ Permit 42044 in Bexar County was inserted.
3. Domestic Worksheet 1.0, Section 9.E Transportation Method – Page 12. South Texas Refuse Disposal hauler registration 60331926 was inserted.

A complete copy of the revised permit application that includes these changes has been uploaded to the TCEQ ftp site. Please let me know if you need anything further.

Sincerely,
WTC, Inc.

A handwritten signature in blue ink that reads "Robert H. Thonhoff, Jr." with a stylized flourish at the end.

Robert H. Thonhoff, Jr., P.E.
Principal Engineer

Enclosures:

Hard copy application transmittal letter to TCEQ
Core Data Form replacement page 1
Translated NORI (in word form)
Form 10054 page 12



Andrews Office: 405 SW 1st Street, Andrews, TX 79714 • (432) 523- 2181
Austin Office: 1301 S. Capital of TX Hwy., Suite A-236, Austin, TX 78746 • (512) 328-6736
Texas Registered Engineering Firm F-2746 • Texas Registered Surveyor Firm #10079200

March 13, 2025

Texas Commission of Environmental Quality
Applications Review and Processing Team (MC148)
Water Quality Division
Building F, Room 2101
12100 Park 35 Circle
Austin, Texas 78753

RE: Application to Renew Permit No.: WQ0013746001 (EPA I.D. No. TX0071056)
Applicant Name: City of Asherton (CN600654701)
Site Name: City of Asherton WWTP (RN101721348)
Type of Application: Renewal without changes

Dear TCEQ:

Please see the original and two copies responses to of the above-referenced permit renewal application. An electronic copy of the submittal has been placed on the TCEQ ftp site. Please let me know if you need anything further.

Sincerely,
WTC, Inc.

Barbara Johnson



TCEQ Core Data Form

For detailed instructions on completing this form, please read the Core Data Form Instructions or call 512-239-5175.

SECTION I: General Information

1. Reason for Submission (If other is checked please describe in space provided.)		
☐ New Permit, Registration or Authorization (Core Data Form should be submitted with the program application.)		
☒ Renewal (Core Data Form should be submitted with the renewal form)	☐ Other	
2. Customer Reference Number (if issued)	Follow this link to search for CN or RN numbers in Central Registry**	3. Regulated Entity Reference Number (if issued)
CN 600654701		RN 101721348

SECTION II: Customer Information

4. General Customer Information		5. Effective Date for Customer Information Updates (mm/dd/yyyy)			
☐ New Customer ☐ Update to Customer Information ☐ Change in Regulated Entity Ownership					
☐ Change in Legal Name (Verifiable with the Texas Secretary of State or Texas Comptroller of Public Accounts)					
<i>The Customer Name submitted here may be updated automatically based on what is current and active with the Texas Secretary of State (SOS) or Texas Comptroller of Public Accounts (CPA).</i>					
6. Customer Legal Name (If an individual, print last name first: eg: Doe, John)				<i>If new Customer, enter previous Customer below:</i>	
City of Asherton, Texas					
7. TX SOS/CPA Filing Number		8. TX State Tax ID (11 digits)		9. Federal Tax ID (9 digits) 74-1083417	10. DUNS Number (if applicable)
11. Type of Customer:		☐ Corporation		☐ Individual	Partnership: ☐ General ☐ Limited
Government: ☒ City ☐ County ☐ Federal ☐ Local ☐ State ☐ Other		☐ Sole Proprietorship		☐ Other:	
12. Number of Employees				13. Independently Owned and Operated?	
☒ 0-20 ☐ 21-100 ☐ 101-250 ☐ 251-500 ☐ 501 and higher				☐ Yes ☐ No	
14. Customer Role (Proposed or Actual) – as it relates to the Regulated Entity listed on this form. Please check one of the following					
☐ Owner ☐ Operator ☒ Owner & Operator ☐ Other:					
☐ Occupational Licensee ☐ Responsible Party ☐ VCP/BSA Applicant					
15. Mailing Address:	PO Box 450				
	City	Asherton	State	TX	ZIP 78827 ZIP + 4 0450
16. Country Mailing Information (if outside USA)				17. E-Mail Address (if applicable)	

Biosolids Management

Management Practice	Handler or Preparer Type	Bulk or Bag Container	Amount (dry metric tons)	Pathogen Reduction Options	Vector Attraction Reduction Option
Disposal in Landfill	Off-site Third-Party Handler or Preparer	Bulk	79.8	Choose an item.	Choose an item.

If "Other" is selected for Management Practice, please explain (e.g. monofill or transport to another WWTP): [Click to enter text.](#)

D. Disposal site

Disposal site name: Second Nature Compost

TCEQ permit or registration number: 42044

County where disposal site is located: Bexar County

E. Transportation method

Method of transportation (truck, train, pipe, other): Truck

Name of the hauler: South Texas Refuse Disposal

Hauler registration number: 603317926

Sludge is transported as a:

Liquid ☐ semi-liquid ☐ semi-solid ☐ solid ☒

Section 10. Permit Authorization for Sewage Sludge Disposal (Instructions Page 53)

A. Beneficial use authorization

Does the existing permit include authorization for land application of sewage sludge for beneficial use?

☐ Yes ☒ No

If yes, are you requesting to continue this authorization to land apply sewage sludge for beneficial use?

☐ Yes ☐ No

If yes, is the completed **Application for Permit for Beneficial Land Use of Sewage Sludge (TCEQ Form No. 10451)** attached to this permit application (see the instructions for details)?

☐ Yes ☐ No

B. Sludge processing authorization

Does the existing permit include authorization for any of the following sludge processing, storage or disposal options?

Sludge Composting ☐ Yes ☒ No

Comisión de Calidad Ambiental del Estado de Texas



AVISO DE RECIBO DE LA SOLICITUD Y EL INTENTO DE OBTENER PERMISO PARA LA CALIDAD DEL AGUA RENOVACION

PERMISO NO. WQ0013746001

SOLICITUD. La Ciudad de Asherton, PO Box 450, Asherton, Texas 78827, ha solicitado a la Comisión de Calidad Ambiental del Estado de Texas (TCEQ) para renovar el Permiso No. WQ0013746001 (EPA I.D. No. TX 0071056) del Sistema de Eliminación de Descargas de Contaminantes de Texas (TPDES) para autorizar la descarga de aguas residuales tratadas en un volumen que no sobrepasa un flujo promedio diario de 200,000 galones por día. La planta está ubicada en 504 End Street, en la ciudad de Asherton, en el Condado de Dimmit, Texas 78827. La ruta de descarga es del sitio de la planta hasta un afluente no identificado, luego a un tanque de almacenamiento en el canal, luego al afluente no identificado, luego al Arroyo El Moro, luego a Soldier Slough, luego al Rio Nueces arribad de la Represa Holland. La TCEQ recibió esta solicitud el 11 de febrero de 2025. La solicitud para el permiso estará disponible para leerla y copiarla en el Ayuntamiento de Asherton, en el mostrador de recepción, 1001 Carter Street, Asherton, en el Condado de Dimmit, Texas 78827 antes de la fecha de publicación de este aviso en el periódico. Este enlace a un mapa electrónico de la ubicación general del sitio o de la instalación es proporcionado como una cortesía y no es parte de la solicitud o del aviso. Para la ubicación exacta, consulte la solicitud.

<https://gisweb.tceq.texas.gov/LocationMapper/?marker=-99.752777,28.459166&level=18>

AVISO ADICIONAL. El Director Ejecutivo de la TCEQ ha determinado que la solicitud es administrativamente completa y conducirá una revisión técnica de la solicitud. Después de completar la revisión técnica, el Director Ejecutivo puede preparar un borrador del permiso y emitirá una Decisión Preliminar sobre la solicitud. **El aviso de la solicitud y la decisión preliminar serán publicados y enviado a los que están en la lista de correo de las personas a lo largo del condado que desean recibir los avisos y los que están en la lista de correo que desean recibir avisos de esta solicitud. El aviso dará la fecha límite para someter comentarios públicos.**

COMENTARIO PUBLICO / REUNION PUBLICA. Usted puede presentar **comentarios públicos o pedir una reunión pública sobre esta solicitud.** El propósito de una reunión pública es dar la oportunidad de presentar comentarios o hacer preguntas acerca de la solicitud. La TCEQ realiza una reunión pública si el Director Ejecutivo determina que hay un grado de interés público suficiente en la solicitud o si un legislador local lo pide. Una reunión pública no es una audiencia administrativa de lo contencioso.

OPORTUNIDAD DE UNA AUDIENCIA ADMINISTRATIVA DE LO CONTENCIOSO.

Después del plazo para presentar comentarios públicos, el Director Ejecutivo considerará todos los comentarios apropiados y preparará una respuesta a todo los comentarios públicos esenciales, pertinentes, o significativos. **A menos que la solicitud haya sido referida directamente a una audiencia administrativa de lo contencioso, la respuesta a los comentarios y la decisión del Director Ejecutivo sobre la solicitud serán enviados por correo a todos los que presentaron un comentario público y a las personas que están en la lista para recibir avisos sobre esta solicitud. Si se reciben comentarios, el aviso también proveerá instrucciones para pedir una reconsideración de la decisión del Director Ejecutivo y para pedir una audiencia administrativa de lo contencioso.** Una audiencia administrativa de lo contencioso es un procedimiento legal similar a un procedimiento legal civil en un tribunal de distrito del estado.

PARA SOLICITAR UNA AUDIENCIA DE CASO IMPUGNADO, USTED DEBE INCLUIR EN SU SOLICITUD LOS SIGUIENTES DATOS: su nombre, dirección, y número de teléfono; el nombre del solicitante y número del permiso; la ubicación y distancia de su propiedad/actividad con respecto a la instalación; una descripción específica de la forma cómo usted sería afectado adversamente por el sitio de una manera no común al público en general; una lista de todas las cuestiones de hecho en disputa que usted presente durante el período de comentarios; y la declaración "[Yo/nosotros] solicito/solicitamos una audiencia de caso impugnado". Si presenta la petición para una audiencia de caso impugnado de parte de un grupo o asociación, debe identificar una persona que representa al grupo para recibir correspondencia en el futuro; identificar el nombre y la dirección de un miembro del grupo que sería afectado adversamente por la planta o la actividad propuesta; proveer la información indicada anteriormente con respecto a la ubicación del miembro afectado y su distancia de la planta o actividad propuesta; explicar cómo y porqué el miembro sería afectado; y explicar cómo los intereses que el grupo desea proteger son pertinentes al propósito del grupo.

Después del cierre de todos los períodos de comentarios y de petición que aplican, el Director Ejecutivo enviará la solicitud y cualquier petición para reconsideración o para una audiencia de caso impugnado a los Comisionados de la TCEQ para su consideración durante una reunión programada de la Comisión. La Comisión sólo puede conceder una solicitud de una audiencia de caso impugnado sobre los temas que el solicitante haya presentado en sus comentarios oportunos que no fueron retirados posteriormente. Si se concede una audiencia, el tema de la audiencia estará limitado a cuestiones de hecho en disputa o cuestiones mixtas de hecho y de derecho relacionadas a intereses pertinentes y materiales de calidad del agua que se hayan presentado durante el período de comentarios. Si ciertos criterios se cumplen, la TCEQ puede actuar sobre una solicitud para renovar un permiso sin proveer una oportunidad de una audiencia administrativa de lo contencioso.

LISTA DE CORREO. Si somete comentarios públicos, un pedido para una audiencia administrativa de lo contencioso o una reconsideración de la decisión del Director Ejecutivo, la Oficina del Secretario Principal enviará por correo los avisos públicos en relación con la solicitud. Además, puede pedir que la TCEQ ponga su nombre en una o más de las listas de correos siguientes (1) la lista de correo permanente para recibir los avisos de el solicitante indicado por nombre y número del permiso específico y/o (2) la lista de correo de todas las solicitudes en un condado específico. Si desea que se agregue su nombre en una de las listas designe cual lista(s) y envía por correo su pedido a la Oficina del Secretario Principal de la TCEQ.

CONTACTOS E INFORMACIÓN A LA AGENCIA. Todos los comentarios públicos y solicitudes deben ser presentadas electrónicamente vía <http://www14.tceq.texas.gov/epic/eComment/> o por escrito dirigidos a la Comisión de Texas de Calidad Ambiental, Oficial de la Secretaría (Office of Chief Clerk), MC-105, P.O. Box 13087, Austin, Texas 78711-3087. Tenga en cuenta que cualquier información personal que usted proporcione, incluyendo su nombre, número de teléfono, dirección de correo electrónico y dirección física pasarán a formar parte del registro público de la Agencia. Para obtener más información acerca de esta solicitud de permiso o el proceso de permisos, llame al programa de educación pública de la TCEQ, gratis, al 1-800-687-4040. Si desea información en Español, puede llamar al 1-800-687-4040.

También se puede obtener información adicional de la Ciudad de Asherton en la dirección indicada arriba o llamando al Sr. Robert H. Jr. Thonhoff, P.E., Consultor, al 512-328-6736.

Fecha de emission:

Brandon Maldonado

From: Cari Harrington <cari@h2ogeotx.com>
Sent: Friday, March 14, 2025 8:00 AM
To: Brandon Maldonado
Cc: Barbara Johnson; Bob Thonhoff
Subject: WQ0013746001
Attachments: TCEQ_Renewal wo changes_3-13-25.pdf; Municipal Discharge Renewal Spanish NORI.docx

Please see the attached response and word document for the Spanish NORI.
A copy of the full revised permit has been placed on the TCEQ ftp server.
Thank you

Cari Harrington, CPESC, CFM
512-785-9801



www.h2ogeotx.com