

Administrative Package Cover Page

This file contains the following documents:

- 1. Summary of application (in plain language)
 - English
 - Alternative Language (Spanish)
- 2. First Notice (NORI-Notice of Receipt of Application and Intent to Obtain a Permit)
 - English
 - Alternative Language (Spanish)
- 3. Application materials



Portada de Paquete Administrativo

Este archivo contiene los siguientes documentos:

- 1. Resumen en lenguaje sencillo (PLS, por sus siglas en inglés) de la actividad propuesta
 - Inglés
 - Idioma alternativo (español)
- 2. Primer aviso (NORI, por sus siglas en inglés)
 - Inglés
 - Idioma alternativo (español)
- 3. Solicitud original

PLAIN LANGUAGE SUMMARY

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 Texas Administrative Code Chapter 39. The information provided in this summary may change during the technical review of the application and are not federal enforceable representations of the permit application.

Quadvest, LP (CN602944746) operates the Rockrose Ranch Wastewater Treatment Facility (RN110368347), a sludge processing plant that operates in the conventional plug flow mode. The discharge route is from the facility via a pipe to an unnamed tributary, thence to a canal system, which is part of Lake Conroe in Segment No. 1012 of the San Jacinto River Basin. The facility is located on the north side of Calvary Road, approximately 0.2 miles east of the intersection of Calvary Road and Squirrel Tree Road, Willis, Texas in Montgomery County, Texas.

This is a renewal application with a minor amendment. The discharge route is from the facility via a pipe to an unnamed tributary, thence to a canal system, which is part of Lake Conroe in Segment No. 1012 of the San Jacinto River Basin

Discharges from the facility are expected to contain five-day carbonaceous biochemical oxygen demand (CBOD₅), total suspended solids (TSS), ammonia nitrogen (NH₃-N), and *Escherichia coli*. Additional potential pollutants are included in the Domestic Technical Report 1.0, Section 7. Pollutant Analysis of Treated Effluent in the permit application package. Domestic wastewater will be treated by an activated sludge process plant and the treatment units will include a bar screen, aeration basins, final clarifiers, sludge digesters and chlorine contact chambers.

RESUMEN EN LENGUAJE SENCILLO

El siguiente resumen se proporciona para esta solicitud de permiso de calidad del agua pendiente que está siendo revisada por la Comisión de Calidad Ambiental de Texas según lo requerido por el Capítulo 39 del Código Administrativo de Texas. La información proporcionada en este resumen puede cambiar durante la revisión técnica de la solicitud y no son representaciones federales exigibles de la solicitud de permiso.

Quadvest, LP (CN602944746) opera la Planta de Tratamiento de Aguas Residuales (RN110368347) de Rockrose Ranch, una planta de procesamiento de lodos que opera en el modo de flujo de tapón convencional. La ruta de descarga es desde la instalación a través de una tubería hasta un afluente sin nombre, de allí a un sistema de canales, que es parte del lago Conroe en el segmento No. 1012 de la cuenca del río San Jacinto. La instalación está ubicada en el lado norte de Calvary Road, aproximadamente a 0.2 millas al este de la intersección de Calvary Road y Squirrel Tree Road, Willis, Texas en el condado de Montgomery, Texas.

Se trata de una solicitud de renovación con una pequeña modificación. La ruta de descarga es desde la instalación a través de una tubería hasta un afluente no identificado, de allí a un sistema de canales, que es parte del lago Conroe en el Segmento No. 1012 de la cuenca del río San Jacinto

Se espera que las descargas de la instalación contengan una demanda bioquímica carbonosa de oxígeno (CBOD5) de cinco días, sólidos suspendidos totales (TSS), nitrógeno amoniacal (NH3-N) y *Escherichia coli*. En la sección 7 del Informe Técnico Nacional 1.0 se incluyen contaminantes potenciales adicionales. Análisis de Contaminantes de Efluentes Tratados en el paquete de solicitud de permisos. Las aguas residuales domésticas serán tratadas por una planta de procesamiento de lodos activados y las unidades de tratamiento incluirán una criba de barras, balsas de aireación, clarificadores finales, digestores de lodos y cámaras de contacto de cloro.

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



NOTICE OF RECEIPT OF APPLICATION AND INTENT TO OBTAIN WATER QUALITY PERMIT RENEWAL

PERMIT NO. WQ0015676001

APPLICATION. Ouadvest, L.P., 26926 Farm-to-Market Road 2978, Magnolia, Texas 77354, has applied to the Texas Commission on Environmental Quality (TCEQ) to renew Texas Pollutant Discharge Elimination System (TPDES) Permit No. WQ0015676001 (EPA I.D. No. TX0138487) to authorize the discharge of treated wastewater at a volume not to exceed a daily average flow of 500,000 gallons per day. The domestic wastewater treatment facility is located at 12268 Calvary Road, in the city of Willis, in Montgomery County, Texas 77318. The discharge route is from the plant site via a pipe to an unnamed tributary; thence to a canal system, which is part of Lake Conroe. TCEQ received this application on July 26, 2024. The permit application will be available for viewing and copying at Charles S. Stewart-West Branch Library, reference desk, 202 Bessie Price Owens Drive, Montgomery, in Montgomery County, Texas prior to the date this notice is published in the newspaper. The application, including any updates, and associated notices are available electronically at the following webpage: https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications. This link to an electronic map of the site or facility's general location is provided as a public courtesy and not part of the application or notice. For the exact location, refer to the application.

https://gisweb.tceq.texas.gov/LocationMapper/?marker=-95.53929,30.466556&level=18

ALTERNATIVE LANGUAGE NOTICE. Alternative language notice in Spanish is available at: <u>https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications</u>. El aviso de idioma alternativo en español está disponible en

https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications. ADDITIONAL NOTICE. TCEQ's Executive Director has determined the application is administratively complete and will conduct a technical review of the application. After technical review of the application is complete, the Executive Director may prepare a draft permit and will issue a preliminary decision on the application. Notice of the Application and Preliminary Decision will be published and mailed to those who are on the countywide mailing list and to those who are on the mailing list for this application. That notice will contain the deadline for submitting public comments.

PUBLIC COMMENT / PUBLIC MEETING. You may submit public comments or request a public meeting on this application. The purpose of a public meeting is to provide the opportunity to submit comments or to ask questions about the application. TCEQ will hold a public meeting if the Executive Director determines that there is a significant degree of public interest in the application or if requested by a local legislator. A public meeting is not a contested case hearing.

OPPORTUNITY FOR A CONTESTED CASE HEARING. After the deadline for submitting public comments, the Executive Director will consider all timely comments and prepare a response to all relevant and material, or significant public comments. **Unless the application is directly referred for a contested case hearing, the response to comments, and the Executive Director's decision on the application, will be mailed to everyone who submitted public comments and to those persons who are on the mailing list for this application. If comments are received, the mailing will also provide instructions for requesting reconsideration of the Executive Director's decision and for requesting a contested case hearing. A contested case hearing is a legal proceeding similar to a civil trial in state district court.**

TO REQUEST A CONTESTED CASE HEARING, YOU MUST INCLUDE THE FOLLOWING ITEMS IN YOUR REQUEST: your name, address, phone number; applicant's name and proposed permit number; the location and distance of your property/activities relative to the proposed facility; a specific description of how you would be adversely affected by the facility in a way not common to the general public; a list of all disputed issues of fact that you submit during the comment period and, the statement "[I/we] request a contested case hearing." If the request for contested case hearing is filed on behalf of a group or association, the request must designate the group's representative for receiving future correspondence; identify by name and physical address an individual member of the group who would be adversely affected by the proposed facility or activity; provide the information discussed above regarding the affected member's location and distance from the facility or activity; explain how and why the member would be affected; and explain how the interests the group seeks to protect are relevant to the group's purpose.

Following the close of all applicable comment and request periods, the Executive Director will forward the application and any requests for reconsideration or for a contested case hearing to the TCEQ Commissioners for their consideration at a scheduled Commission meeting.

The Commission may only grant a request for a contested case hearing on issues the requestor submitted in their timely comments that were not subsequently withdrawn. If a hearing is granted, the subject of a hearing will be limited to disputed issues of fact or mixed questions of fact and law relating to relevant and material water quality concerns submitted during the comment period.

TCEQ may act on an application to renew a permit for discharge of wastewater without providing an opportunity for a contested case hearing if certain criteria are met.

MAILING LIST. If you submit public comments, a request for a contested case hearing or a reconsideration of the Executive Director's decision, you will be added to the mailing list for this specific application to receive future public notices mailed by the Office of the Chief Clerk. In addition, you may request to be placed on: (1) the permanent mailing list for a specific applicant name and permit number; and/or (2) the mailing list for a specific county. If you wish to be placed on the permanent and/or the county mailing list, clearly specify which list(s) and send your request to TCEQ Office of the Chief Clerk at the address below.

INFORMATION AVAILABLE ONLINE. For details about the status of the application, visit the Commissioners' Integrated Database at <u>www.tceq.texas.gov/goto/cid</u>. Search the database using the permit number for this application, which is provided at the top of this notice.

AGENCY CONTACTS AND INFORMATION. All public comments and requests must be submitted either electronically at <u>https://www14.tceq.texas.gov/epic/eComment/</u>, or in writing to the Texas Commission on Environmental Quality, Office of the Chief Clerk, MC-105, P.O. Box 13087, Austin, Texas 78711-3087. Please be aware that any contact information you provide, including your name, phone number, email address and physical address will become part of the agency's public record. For more information about this permit application or the permitting process, please call the TCEQ Public Education Program, Toll Free, at 1-800-687-4040 or visit their website at <u>www.tceq.texas.gov/goto/pep</u>. Si desea información en Español, puede llamar al 1-800-687-4040.

Further information may also be obtained from Quadvest, L.P. at the address stated above or by calling Mr. Jacob Gifford, P.E., Engineering Manager, at 281-305-1120.

Issuance Date: August 27, 2024

Comisión de Calidad Ambiental del Estado de Texas



AVISO DE RECIBO DE LA SOLICITUD Y EL INTENTO DE OBTENER PERMISO PARA LA CALIDAD DEL AGUA RENOVACION

PERMISO NO. WQ0015676001

SOLICITUD. Quadvest, L.P., 26926 Farm-to-Market Road 2978, Magnolia, Texas 77354, ha solicitado a la Comisión de Calidad Ambiental del Estado de Texas (TCEQ) para renovar el Permiso No. WQ0015676001 (EPA I.D. No. TX0138487) del Sistema de Eliminación de Descargas de Contaminantes de Texas (TPDES) para autorizar la descarga de aguas residuales tratadas en un volumen que no sobrepasa un flujo promedio diario de 500,000 galones por día. La planta está ubicada a 12268 Calvary Road, Willis, Texas 77318 en el Condado de Montgomery, Texas. La ruta de descarga es del sitio de la planta a a través de una tubería a un afluente sin nombre; de allí a un sistema de canales, que forma parte del Lago Conroe. La TCEQ recibió esta solicitud el 26 de julio de 2024. La solicitud para el permiso estará disponible para leerla y copiarla en Biblioteca Charles B. Stewart-West, escritorio de referencia, 202 Bessie Price Owens Drive, Montgomery, en el condado de Montgomery, Texas antes de la fecha de publicación de este aviso en el periódico. Este enlace a un mapa electrónico de la ubicación general del sitio o de la instalación es proporcionado como una cortesía y no es parte de la solicitud o del aviso. Para la ubicación exacta, consulte la solicitud. https://gisweb.tceq.texas.gov/LocationMapper/?marker=-95.53929,30.466556&level=18

AVISO ADICIONAL. El Director Ejecutivo de la TCEQ ha determinado que la solicitud es administrativamente completa y conducirá una revisión técnica de la solicitud. Después de completar la revisión técnica, el Director Ejecutivo puede preparar un borrador del permiso y emitirá una Decisión Preliminar sobre la solicitud. **El aviso de la solicitud y la decisión preliminar serán publicados y enviado a los que están en la lista de correo de las personas a lo largo del condado que desean recibir los avisos y los que están en la lista de correo que desean recibir avisos de esta solicitud. El aviso dará la fecha límite para someter comentarios públicos.**

COMENTARIO PUBLICO / REUNION PUBLICA. Usted puede presentar

comentarios públicos o pedir una reunión pública sobre esta solicitud. El propósito de una reunión pública es dar la oportunidad de presentar comentarios o hacer preguntas acerca de la solicitud. La TCEQ realiza una reunión pública si el Director Ejecutivo determina que hay un grado de interés público suficiente en la solicitud o si un legislador local lo pide. Una reunión pública no es una audiencia administrativa de lo contencioso.

OPORTUNIDAD DE UNA AUDIENCIA ADMINISTRATIVA DE LO CONTENCIOSO.

Después del plazo para presentar comentarios públicos, el Director Ejecutivo considerará todos

los comentarios apropiados y preparará una respuesta a todo los comentarios públicos esenciales, pertinentes, o significativos. A menos que la solicitud haya sido referida directamente a una audiencia administrativa de lo contencioso, la respuesta a los comentarios y la decisión del Director Ejecutivo sobre la solicitud serán enviados por correo a todos los que presentaron un comentario público y a las personas que están en la lista para recibir avisos sobre esta solicitud. Si se reciben comentarios, el aviso también proveerá instrucciones para pedir una reconsideración de la decisión del Director Ejecutivo y para pedir una audiencia administrativa de lo contencioso. Una audiencia administrativa de lo contencioso es un procedimiento legal similar a un procedimiento legal civil en un tribunal de distrito del estado.

PARA SOLICITAR UNA AUDIENCIA DE CASO IMPUGNADO, USTED DEBE INCLUIR EN SU SOLICITUD LOS SIGUIENTES DATOS: su nombre, dirección, y número de teléfono; el nombre del solicitante y número del permiso; la ubicación y distancia de su propiedad/actividad con respecto a la instalación; una descripción específica de la forma cómo usted sería afectado adversamente por el sitio de una manera no común al público en general; una lista de todas las cuestiones de hecho en disputa que usted presente durante el período de comentarios; y la declaración "[Yo/nosotros] solicito/solicitamos una audiencia de caso impugnado". Si presenta la petición para una audiencia de caso impugnado de parte de un grupo o asociación, debe identificar una persona que representa al grupo para recibir correspondencia en el futuro; identificar el nombre y la dirección de un miembro del grupo que sería afectado adversamente por la planta o la actividad propuesta; proveer la información indicada anteriormente con respecto a la ubicación del miembro afectado y su distancia de la planta o actividad propuesta; explicar cómo y porqué el miembro sería afectado; y explicar cómo los intereses que el grupo desea proteger son pertinentes al propósito del grupo.

Después del cierre de todos los períodos de comentarios y de petición que aplican, el Director Ejecutivo enviará la solicitud y cualquier petición para reconsideración o para una audiencia de caso impugnado a los Comisionados de la TCEQ para su consideración durante una reunión programada de la Comisión. La Comisión sólo puede conceder una solicitud de una audiencia de caso impugnado sobre los temas que el solicitante haya presentado en sus comentarios oportunos que no fueron retirados posteriormente. Si se concede una audiencia, el tema de la audiencia estará limitado a cuestiones de hecho en disputa o cuestiones mixtas de hecho y de derecho relacionadas a intereses pertinentes y materiales de calidad del agua que se hayan presentado durante el período de comentarios. Si ciertos criterios se cumplen, la TCEQ puede actuar sobre una solicitud para renovar un permiso sin proveer una oportunidad de una audiencia administrativa de lo contencioso.

LISTA DE CORREO. Si somete comentarios públicos, un pedido para una audiencia administrativa de lo contencioso o una reconsideración de la decisión del Director Ejecutivo, la Oficina del Secretario Principal enviará por correo los avisos públicos en relación con la solicitud. Ademas, puede pedir que la TCEQ ponga su nombre en una or mas de las listas correos siguientes (1) la lista de correo permanente para recibir los avisos de el solicitante indicado por nombre y número del permiso específico y/o (2) la lista de correo de todas las solicitudes en un condado específico. Si desea que se agrega su nombre en una de las listas designe cual lista(s) y envia por correo su pedido a la Oficina del Secretario Principal de la TCEQ.

CONTACTOS E INFORMACIÓN A LA AGENCIA. Todos los comentarios públicos y solicitudes deben ser presentadas electrónicamente vía

http://www14.tccq.texas.gov/epic/eComment/o por escrito dirigidos a la Comisión de Texas de Calidad Ambiental, Oficial de la Secretaría (Office of Chief Clerk), MC-105, P.O. Box 13087, Austin, Texas 78711-3087. Tenga en cuenta que cualquier información personal que usted proporcione, incluyendo su nombre, número de teléfono, dirección de correo electrónico y dirección física pasarán a formar parte del registro público de la Agencia. Para obtener más información acerca de esta solicitud de permiso o el proceso de permisos, llame al programa de educación pública de la TCEQ, gratis, al 1-800-687-4040. Si desea información en Español, puede llamar al 1-800-687-4040.

También se puede obtener información adicional del Quadvest, L.P. a la dirección indicada arriba o llamando a Mr. Jacob Gifford, P.E., al 281-305-1120

Fecha de emission: 27 de agosto de 2024

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



DOMESTIC WASTEWATER PERMIT APPLICATION CHECKLIST

Complete and submit this checklist with the application.

APPLICANT NAME: Quadvest, LP

PERMIT NUMBER (If new, leave blank): <u>WQ0015676001</u>

Indicate if each of the following items is included in your application.

	Y	Ν	
Administrative Report 1.0	\boxtimes		Original USGS Map
Administrative Report 1.1		\bowtie	Affected Landowners Map
SPIF	\boxtimes		Landowner Disk or Labels
Core Data Form	\boxtimes		Buffer Zone Map
Public Involvement Plan Form		\boxtimes	Flow Diagram
Technical Report 1.0	\boxtimes		Site Drawing
Technical Report 1.1		\boxtimes	Original Photographs
Worksheet 2.0	\boxtimes		Design Calculations
Worksheet 2.1		\boxtimes	Solids Management Plan
Worksheet 3.0		\boxtimes	Water Balance
Worksheet 3.1		\boxtimes	
Worksheet 3.2		\boxtimes	
Worksheet 3.3		\boxtimes	
Worksheet 4.0		\boxtimes	
Worksheet 5.0		\boxtimes	
Worksheet 6.0		\boxtimes	
Worksheet 7.0		\boxtimes	

For TCEQ	Use Only	

Segment Number	County	
Expiration Date	Region	
Permit Number		

Y

 \boxtimes

 \boxtimes

Ν

 \boxtimes

 \boxtimes

 \boxtimes

 \boxtimes

 \boxtimes

 \boxtimes

 \boxtimes

 \boxtimes

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



DOMESTIC WASTEWATER PERMIT APPLICATION ADMINISTRATIVE REPORT 1.0

For any questions about this form, please contact the Applications Review and Processing Team at 512-239-4671.

Section 1. Application Fees (Instructions Page 26)

Indicate the amount submitted for the application fee (check only one).

Flow	New/Major Amendment	Renewal
<0.05 MGD	\$350.00 🗆	\$315.00 🗆
≥0.05 but <0.10 MGD	\$550.00 🗆	\$515.00 🗆
≥0.10 but <0.25 MGD	\$850.00 🗆	\$815.00 🗆
≥0.25 but <0.50 MGD	\$1,250.00 🗆	\$1,215.00 🗆
≥0.50 but <1.0 MGD	\$1,650.00 🗆	\$1,615.00 🖂
≥1.0 MGD	\$2,050.00 🗖	\$2,015.00 🗆

Minor Amendment (for any flow) \$150.00

Payment Information:

Mailed	Check/Money Order Number	r: <u>14899</u>
	Check/Money Order Amoun	t: <u>\$1,615.00</u>
	Name Printed on Check: Qua	<u>dvest, LP</u>
EPAY	Voucher Number: Click to er	nter text.
Copy of Payment Voucher enclosed? Yes ⊠		

Section 2. Type of Application (Instructions Page 26)

- a. Check the box next to the appropriate authorization type.
 - Publicly-Owned Domestic Wastewater
 - ☑ Privately-Owned Domestic Wastewater
 - Conventional Wastewater Treatment
- **b.** Check the box next to the appropriate facility status.
 - \boxtimes Active \square Inactive

- **c.** Check the box next to the appropriate permit type.
 - ☑ TPDES Permit
 - □ TLAP
 - □ TPDES Permit with TLAP component
 - Subsurface Area Drip Dispersal System (SADDS)
- **d.** Check the box next to the appropriate application type
 - □ New
 - □ Major Amendment *with* Renewal ⊠ Minor Amendment *with* Renewal
 - Major Amendment <u>without</u> Renewal
 Minor Amendment <u>without</u> Renewal
 - □ Renewal without changes □ Minor Modification of permit
- e. For amendments or modifications, describe the proposed changes: <u>Modify Phase 1 to .125 MGD</u> instead of the existing .0625 MGD. No other changes/modifications are proposed at this time.

f. For existing permits:

Permit Number: WQ00 15676001

EPA I.D. (TPDES only): TX <u>0138487</u>

Expiration Date: 10/15/2024

Section 3. Facility Owner (Applicant) and Co-Applicant Information (Instructions Page 26)

A. The owner of the facility must apply for the permit.

What is the Legal Name of the entity (applicant) applying for this permit?

<u>Quadvest, LP</u>

(The legal name must be spelled exactly as filed with the Texas Secretary of State, County, or in the legal documents forming the entity.)

If the applicant is currently a customer with the TCEQ, what is the Customer Number (CN)? You may search for your CN on the TCEQ website at <u>http://www15.tceq.texas.gov/crpub/</u>

CN: <u>602944746</u>

What is the name and title of the person signing the application? The person must be an executive official meeting signatory requirements in *30 TAC § 305.44*.

Prefix: <u>Mr.</u> Last Name, First Name: <u>Mark L. Urback</u>

Title: <u>VP Construction and Engineering</u> Credential: <u>P.E.</u>

B. Co-applicant information. Complete this section only if another person or entity is required to apply as a co-permittee.

What is the Legal Name of the co-applicant applying for this permit?

Click to enter text.

(The legal name must be spelled exactly as filed with the TX SOS, with the County, or in the

If the co-applicant is currently a customer with the TCEQ, what is the Customer Number (CN)? You may search for your CN on the TCEQ website at: <u>http://www15.tceq.texas.gov/crpub/</u>

CN: Click to enter text.

What is the name and title of the person signing the application? The person must be an executive official meeting signatory requirements in *30 TAC § 305.44*.

Prefix: Click to enter text. Last Name, First Name: Click to enter text.

Title: Click to enter text.

Credential: Click to enter text.

Provide a brief description of the need for a co-permittee: Click to enter text.

C. Core Data Form

Complete the Core Data Form for each customer and include as an attachment. If the customer type selected on the Core Data Form is **Individual**, complete **Attachment 1** of Administrative Report 1.0. <u>A</u>

Section 4. Application Contact Information (Instructions Page 27)

This is the person(s) TCEQ will contact if additional information is needed about this application. Provide a contact for administrative questions and technical questions.

A.	Prefix: <u>Mr.</u>	Last Name, First Name: <u>Jacob Gifford</u>	
	Title: <u>Engineering Manager</u>	Credential: <u>P.E.</u>	
	Organization Name: Quadvest, LP		
	Mailing Address: <u>26926 FM 2978</u>	City, State, Zip Code: <u>Magnolia, T</u>	X 77354
	Phone No.: <u>281-305-1120</u>	E-mail Address: jgifford@quadvest.com	
	Check one or both: 🛛 Adn	ninistrative Contact 🛛 🖾 Techni	ical Contact
B.	Prefix: <u>Mrs.</u>	Last Name, First Name: <u>April Trader</u>	
	Title: <u>Special Projects Mgr - Enginee</u>	ering Credential: Click to enter	text.
	Organization Name: Quadvest, LP		
	Mailing Address: <u>26926 FM 2978</u>	City, State, Zip Code: <u>Magnolia, T</u>	exas 77354
	Phone No.: <u>281-305-1153</u>	E-mail Address: <u>atrader@quadvest.com</u>	
	Check one or both: \boxtimes Adm	ninistrative Contact 🛛 🗖 Techni	cal Contact

Section 5. Permit Contact Information (Instructions Page 27)

Provide the names and contact information for two individuals that can be contacted throughout the permit term.

A.	Prefix: <u>Mr.</u>	Last Name, First Name: <u>Jacob Gifford</u>
	Title: Engineering Manager	Credential: <u>P.E.</u>
	Organization Name: Quadvest, LP	
	Mailing Address: <u>26926 FM 2978</u>	City, State, Zip Code: <u>Magnolia, Texas 77354</u>
	Phone No.: <u>281-305-1120</u>	E-mail Address: jgifford@quadvest.com

B. Prefix: Click to enter text. Last Name, First Name: Click to enter text.
Title: Click to enter text. Credential: Click to enter text.
Organization Name: Click to enter text.
Mailing Address: Click to enter text. City, State, Zip Code: Click to enter text.
Phone No.: Click to enter text. E-mail Address: Click to enter text.

Section 6. Billing Contact Information (Instructions Page 27)

The permittee is responsible for paying the annual fee. The annual fee will be assessed to permits *in effect on September 1 of each year*. The TCEQ will send a bill to the address provided in this section. The permittee is responsible for terminating the permit when it is no longer needed (using form TCEQ-20029).

Prefix: Click to enter text.	Last Name, First Name: <u>Mary Downey</u>
Title: <u>Controller</u>	Credential: Click to enter text.
Organization Name: <u>Quadvest, LP</u>	
Mailing Address: <u>26926 FM 2978</u>	City, State, Zip Code: <u>Magnolia, Texas 77354</u>
Phone No.: <u>281-356-5347</u>	E-mail Address: <u>mdowney@quadvest.com</u>

Section 7. DMR/MER Contact Information (Instructions Page 27)

Provide the name and complete mailing address of the person delegated to receive and submit Discharge Monitoring Reports (DMR) (EPA 3320-1) or maintain Monthly Effluent Reports (MER).

Prefix: Click to enter text.	Last Name, First Name: <u>Margo</u>	Watson
Title:Compliance Environmental	<u>Compliance Coordinator</u>	Credential: Click to enter text.
Organization Name: Quadvest, LP		
Mailing Address: <u>26926 FM 2978</u>	City, State, Zip Cod	e: <u>Magnolia, Texas 77354</u>
Phone No.: <u>281-305-1154</u>	E-mail Address: <u>mwatson@qu</u>	advest.com

Section 8. Public Notice Information (Instructions Page 27)

A. Individual Publishing the Notices

Prefix: Mrs.Last Name, First Name: April TraderTitle: Special Projects Mgr. - EngineeringCredential: Click to enter text.Organization Name: Quadvest, LPCity, State, Zip Code: Magnolia, Texas 77354Mailing Address: 26926 FM 2978City, State, Zip Code: Magnolia, Texas 77354Phone No.: 281-305-1153E-mail Address: atrader@quadvest.com

B. Method for Receiving Notice of Receipt and Intent to Obtain a Water Quality Permit Package

Indicate by a check mark the preferred method for receiving the first notice and instructions:

- ⊠ E-mail Address
- 🖸 Fax
- 🔲 Regular Mail

C. Contact permit to be listed in the Notices

Prefix: Click to enter text.	Last Name, First Name: <u>Jacob Gifford</u>
------------------------------	---

Title: <u>Engineering Manager</u> Credential: <u>P.E.</u>

Organization Name: Quadvest, LP

Mailing Address: <u>26926 FM 2978</u>

City, State, Zip Code: <u>Magnolia, Texas 77354</u>

E-mail Address: jgifford@quadvest.com

D. Public Viewing Information

Phone No.: 281-305-1120

If the facility or outfall is located in more than one county, a public viewing place for each county must be provided.

County: Montgomery

Public building name: Charles B. Stewart – West Branch Library

Location within the building: Reference Desk

Physical Address of Building: 202 Bessie Price Owen Drive

City: <u>Montgomery</u>

Contact (Last Name, First Name): <u>Librarian</u>

Phone No.: 936-788-8314 Ext.: Click to enter text.

E. Bilingual Notice Requirements

This information **is required** for **new**, **major amendment**, **minor amendment or minor modification**, **and renewal** applications.

This section of the application is only used to determine if alternative language notices will be needed. Complete instructions on publishing the alternative language notices will be in your public notice package.

Please call the bilingual/ESL coordinator at the nearest elementary and middle schools and obtain the following information to determine whether an alternative language notices are required.

1. Is a bilingual education program required by the Texas Education Code at the elementary or middle school nearest to the facility or proposed facility?

🖾 Yes 🛛 No

If **no**, publication of an alternative language notice is not required; **skip to** Section 9 below.

2. Are the students who attend either the elementary school or the middle school enrolled in a bilingual education program at that school?

🖾 Yes 🗆 No

3. Do the students at these schools attend a bilingual education program at another location?

🗆 Yes 🖾 No

4. Would the school be required to provide a bilingual education program but the school has waived out of this requirement under 19 TAC §89.1205(g)?

🗆 Yes 🖾 No

5. If the answer is **yes** to **question 1, 2, 3, or 4**, public notices in an alternative language are required. Which language is required by the bilingual program? <u>Spanish</u>

F. Plain Language Summary Template

Complete the Plain Language Summary (TCEQ Form 20972) and include as an attachment. Attachment: <u>B</u>

G. Public Involvement Plan Form

Complete the Public Involvement Plan Form (TCEQ Form 20960) for each application for a **new permit or major amendment to a permit** and include as an attachment.

Attachment: <u>n/a</u>

Section 9. Regulated Entity and Permitted Site Information (Instructions Page 29)

A. If the site is currently regulated by TCEQ, provide the Regulated Entity Number (RN) issued to this site. **RN110368347**

Search the TCEQ's Central Registry at <u>http://www15.tceq.texas.gov/crpub/</u> to determine if the site is currently regulated by TCEQ.

- **B.** Name of project or site (the name known by the community where located): Rockrose Ranch WWTF
- C. Owner of treatment facility: <u>Quadvest, LP</u>

Ownership of Facility: 🔲 Public

Private

Both

□ Federal

D. Owner of land where treatment facility is or will be:

Prefix: Click to enter text.	Last Name, First Name: Click to enter text.	
------------------------------	---	--

 \mathbf{X}

Title: Click to enter text. Credential: Click to enter text.

Organization Name: Quadvest, LP

Mailing Address: 26926 FM 2978 City, State, Zip Code: Magnolia, Texas 77354

Phone No.: <u>281-356-5347</u> E-mail Address: Click to enter text.

If the landowner is not the same person as the facility owner or co-applicant, attach a lease agreement or deed recorded easement. See instructions.

Attachment: Click to enter text.

E. Owner of effluent disposal site:

Prefix: Click to enter text. Last Name, First Name: Click to enter text.

Title: Click to enter text. Credential: Click to enter text.

Organization Name: Click to enter text.

Mailing Address: Click to enter text.

City, State, Zip Code: Click to enter text.

Phone No.: Click to enter text. E-mail Address: Click to enter text.

If the landowner is not the same person as the facility owner or co-applicant, attach a lease agreement or deed recorded easement. See instructions.

Attachment: Click to enter text.

F. Owner sewage sludge disposal site (if authorization is requested for sludge disposal on property owned or controlled by the applicant)::

Prefix: Click to enter text.	Last Name, First Name: Click to enter text.
------------------------------	---

Title: Click to enter text. Credential: Click to enter text.

Organization Name: Click to enter text.

Mailing Address: Click to enter text. City, State, Zip Code: Click to enter text.

Phone No.: Click to enter text. E-mail Address: Click to enter text.

If the landowner is not the same person as the facility owner or co-applicant, attach a lease agreement or deed recorded easement. See instructions.

Attachment: Click to enter text.

Section 10. TPDES Discharge Information (Instructions Page 31)

A. Is the wastewater treatment facility location in the existing permit accurate?

🛛 Yes 🗌 No

If **no**, **or a new permit application**, please give an accurate description:

B. Are the point(s) of discharge and the discharge route(s) in the existing permit correct?

\boxtimes	Yes		No
	res	Sec. al	1N

If **no**, **or a new or amendment permit application**, provide an accurate description of the point of discharge and the discharge route to the nearest classified segment as defined in 30 TAC Chapter 307:

Click to enter text.

City nearest the outfall(s): <u>Willis</u>

County in which the outfalls(s) is/are located: <u>Montgomery</u>

C. Is or will the treated wastewater discharge to a city, county, or state highway right-of-way, or a flood control district drainage ditch?

🗆 Yes 🖾 No

If **yes**, indicate by a check mark if:

Authorization granted Authorization pending

For **new and amendment** applications, provide copies of letters that show proof of contact and the approval letter upon receipt.

Attachment: Click to enter text.

D. For all applications involving an average daily discharge of 5 MGD or more, provide the names of all counties located within 100 statute miles downstream of the point(s) of discharge: N/A

Section 11. TLAP Disposal Information (Instructions Page 32)

A. For TLAPs, is the location of the effluent disposal site in the existing permit accurate?

🗆 Yes 🗖 No

If **no, or a new or amendment permit application**, provide an accurate description of the disposal site location:

Click to enter text!

- B. City nearest the disposal site: Click to enter text.
- C. County in which the disposal site is located: Click to enter text.
- **D.** For **TLAPs**, describe the routing of effluent from the treatment facility to the disposal site:

Click to enter text.

E. For **TLAPs**, please identify the nearest watercourse to the disposal site to which rainfall runoff might flow if not contained: <u>Click to enter text</u>.

Section 12. Miscellaneous Information (Instructions Page 32)

A. Is the facility located on or does the treated effluent cross American Indian Land?

🗆 Yes 🖾 No

B. If the existing permit contains an onsite sludge disposal authorization, is the location of the sewage sludge disposal site in the existing permit accurate?

🗋 Yes 🔲 No 🔯 Not Applicable

If No, or if a new onsite sludge disposal authorization is being requested in this permit application, provide an accurate location description of the sewage sludge disposal site.

Click to enter text.

C. Did any person formerly employed by the TCEQ represent your company and get paid for service regarding this application?

🖸 Yes 🖾 No

If yes, list each person formerly employed by the TCEQ who represented your company and was paid for service regarding the application: Click to enter text.

D. Do you owe any fees to the TCEQ?

🗆 Yes 🖾 No

If **yes**, provide the following information:

Account number: Click to enter text.

Amount past due: Click to enter text.

E. Do you owe any penalties to the TCEQ?

🗆 Yes 🖾 No

If **yes**, please provide the following information:

Enforcement order number: Click to enter text.

Amount past due: Click to enter text.

Section 13. Attachments (Instructions Page 33)

Indicate which attachments are included with the Administrative Report. Check all that apply:

Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant.

Original full-size USGS Topographic Map with the following information:

- Applicant's property boundary
- Treatment facility boundary
- Labeled point of discharge for each discharge point (TPDES only)
- Highlighted discharge route for each discharge point (TPDES only)
- Onsite sewage sludge disposal site (if applicable)
- Effluent disposal site boundaries (TLAP only)
- New and future construction (if applicable)
- 1 mile radius information
- 3 miles downstream information (TPDES only)
- All ponds.
- Attachment 1 for Individuals as co-applicants
- Other Attachments. Please specify: <u>"C" Topo (8 1/2 X 11") Renewal</u>

Section 14. Signature Page (Instructions Page 34)

If co-applicants are necessary, each entity must submit an original, separate signature page.

Permit Number: WQ0015676001

Applicant: Quadvest, LP

Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true. accurate, and complete. I am aware there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

I further certify that I am authorized under 30 Texas Administrative Code § 305.44 to sign and submit this document, and can provide documentation in proof of such authorization upon request.

Signatory name (typed or printed): Mark L. Urback

Signatory title: VP Construction and Engineering

Signature: Date: D	
(Use blue ink)	
Subscribed and Sworn to before me by the said MPEKL Urback	<u> </u>
on this day of, 20	+.
My commission expires on theday of, 20_	<u>_</u> .
April H Trader Notary Public [SEAL]	

County, Texas

DOMESTIC WASTEWATER PERMIT APPLICATION

SUPPLEMENTAL PERMIT INFORMATION FORM (SPIF)

This form applies to TPDES permit applications only. Complete and attach the Supplemental Permit information Form (SPIF) (TCEQ Form 20971).

Attachment: J

DOMESTIC WASTEWATER PERMIT APPLICATION CHECKLIST OF COMMON DEFICIENCIES

Below is a list of common deficiencies found during the administrative review of domestic wastewater permit applications. To ensure the timely processing of this application, please review the items below and indicate by checking Yes that each item is complete and in accordance applicable rules at 30 TAC Chapters 21, 281, and 305. If an item is not required this application, indicate by checking N/A where appropriate. Please do not submit the application until the items below have been addressed.

Core Data Form (TCEQ Form No. 10400) (Required for all application types. Must be completed in its entirety a Note: Form may be signed by applicant representative.)	ind s	igned.	X	Yes
Correct and Current Industrial Wastewater Permit Application Forma (TCEQ Form Nos. 10053 and 10054. Version dated 6/25/2018 or late	s r.)		X	Yes
Water Quality Permit Payment Submittal Form (Page 19) (Original payment sent to TCEQ Revenue Section. See instructions for mailing add				
7.5 Minute USGS Quadrangle Topographic Map Attached (Full-size map if seeking "New" permit. 8 ½ x 11 acceptable for Renewals and Amendments)			X	Yes
Current/Non-Expired, Executed Lease Agreement or Easement	\boxtimes	N/A		Yes
Landowners Map (See instructions for landowner requirements)	\boxtimes	N/A		Yes

Things to Know:

- All the items shown on the map must be labeled.
- The applicant's complete property boundaries must be delineated which includes boundaries of contiguous property owned by the applicant.
- The applicant cannot be its own adjacent landowner. You must identify the landowners immediately adjacent to their property, regardless of how far they are from the actual facility.
- If the applicant's property is adjacent to a road, creek, or stream, the landowners on the opposite side must be identified. Although the properties are not adjacent to applicant's property boundary, they are considered potentially affected landowners. If the adjacent road is a divided highway as identified on the USGS topographic map, the applicant does not have to identify the landowners on the opposite side of the highway.

Landowners Cross Reference List (See instructions for landowner requirements)	\boxtimes	N/A		Yes
Landowners Labels or USB Drive attached (See instructions for landowner requirements)		N/A		Yes
Original signature per 30 TAC § 305.44 – Blue Ink Preferred (If signature page is not signed by an elected official or principle exect a copy of signature authority/delegation letter must be attached)	utive	officer		Yes
Plain Language Summary			\boxtimes	Yes

TCEQ-10053 (01/09/2024) Domestic Wastewater Permit Application Administrative Report

Page 17 of 17

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



DOMESTIC WASTEWATER PERMIT APPLICATION TECHNICAL REPORT 1.0

For any questions about this form, please contact the Domestic Wastewater Permitting Team at 512-239-4671.

The following information is required for all renewal, new, and amendment applications.

Section 1. Permitted or Proposed Flows (Instructions Page 43)

A. Existing/Interim I Phase

Design Flow (MGD): <u>0.125</u> 2-Hr Peak Flow (MGD): <u>0.500</u> Estimated construction start date: <u>2022</u> Estimated waste disposal start date: <u>2023</u>

B. Interim II Phase

Design Flow (MGD): <u>0.250</u> 2-Hr Peak Flow (MGD): <u>1.000</u> Estimated construction start date: <u>TBD</u> Estimated waste disposal start date: <u>TBD</u>

C. Final Phase

Design Flow (MGD): <u>0.50</u> 2-Hr Peak Flow (MGD): <u>2.00</u> Estimated construction start date: <u>TBD</u> Estimated waste disposal start date: <u>TBD</u>

D. Current Operating Phase

Provide the startup date of the facility: <u>08/01/2023</u>

Section 2. Treatment Process (Instructions Page 43)

A. Current Operating Phase

Provide a detailed description of the treatment process. **Include the type of treatment plant, mode of operation, and all treatment units.** Start with the plant's head works and

finish with the point of discharge. Include all sludge processing and drying units. **If more than one phase exists or is proposed, a description of** *each phase* **must be provided**.

Attachment F

B. Treatment Units

In Table 1.0(1), provide the treatment unit type, the number of units, and dimensions (length, width, depth) **of each treatment unit, accounting for** *all* **phases of operation.**

Table 1.0(1) - Treatment Units

Treatment Unit Type	Number of Units	Dimensions (L x W x D)
Attachment G		

C. Process Flow Diagram

Provide flow diagrams for the existing facilities and **each** proposed phase of construction. Attachment: <u>Attachment H</u>

Section 3. Site Information and Drawing (Instructions Page 44)

Provide the TPDES discharge outfall latitude and longitude. Enter N/A if not applicable.

- Latitude: <u>30* 28' 01" N</u>
- Longitude: <u>95* 32' 22" W</u>

Provide the TLAP disposal site latitude and longitude. Enter N/A if not applicable.

- Latitude: <u>N/A</u>
- Longitude: <u>N/A</u>

Provide a site drawing for the facility that shows the following:

- The boundaries of the treatment facility;
- The boundaries of the area served by the treatment facility;
- If land disposal of effluent, the boundaries of the disposal site and all storage/holding ponds; and
- If sludge disposal is authorized in the permit, the boundaries of the land application or disposal site.

Attachment: <u>Attachment I</u>

Provide the name and a description of the area served by the treatment facility.

Rockrose Ranch Subdivision - Residential

Collection System Information **for wastewater TPDES permits only**: Provide information for each **uniquely owned** collection system, existing and new, served by this facility, including satellite collection systems. **Please see the instructions for a detailed explanation and examples.**

Collection System Information

Collection System Name	Owner Name	Owner Type	Population Served
N/A		Choose an item.	
		Choose an item.	
	-	Choose an item.	
		Choose an item.	·

Section 4. Unbuilt Phases (Instructions Page 45)

Is the application for a renewal of a permit that contains an unbuilt phase or phases?

🛛 Yes 🗆 No

If yes, does the existing permit contain a phase that has not been constructed within five years of being authorized by the TCEQ?

🛛 Yes 🗆 No

If yes, provide a detailed discussion regarding the continued need for the unbuilt phase. Failure to provide sufficient justification may result in the Executive Director recommending denial of the unbuilt phase or phases.

The area surrounding the plant has the potential for further development that will require service in the future.

Section 5. Closure Plans (Instructions Page 45)

Have any treatment units been taken out of service permanently, or will any units be taken out of service in the next five years?

🗆 Yes 🖾 No

If yes, was a closure plan submitted to the TCEQ?

🗆 Yes 🖾 No

If yes, provide a brief description of the closure and the date of plan approval.

Click to enter text.

Section 6. Permit Specific Requirements (Instructions Page 45)

For applicants with an existing permit, check the Other Requirements or Special Provisions of the permit.

A. Summary transmittal

Have plans and specifications been approved for the existing facilities and each proposed phase?

🖾 Yes 🗆 No

If yes, provide the date(s) of approval for each phase: <u>March 17th 2022</u>

Provide information, including dates, on any actions taken to meet a *requirement or provision* pertaining to the submission of a summary transmittal letter. **Provide a copy of an approval letter from the TCEQ, if applicable.**



B. Buffer zones

Have the buffer zone requirements been met?

🛛 Yes 🗆 No

Provide information below, including dates, on any actions taken to meet the conditions of the buffer zone. If available, provide any new documentation relevant to maintaining the buffer zones.

Buffer zone is met by restrictive easements around the plant that were put in place in January of 2021. This easement creates a 150 ft buffer zone.

C. Other actions required by the current permit

Does the *Other Requirements* or *Special Provisions* section in the existing permit require submission of any other information or other required actions? Examples include Notification of Completion, progress reports, soil monitoring data, etc.

🗆 Yes 🖾 No

Click to enter text.

If yes, provide information below on the status of any actions taken to meet the conditions of an *Other Requirement* or *Special Provision*.

D. Grit and grease treatment

1. Acceptance of grit and grease waste

Does the facility have a grit and/or grease processing facility onsite that treats and decants or accepts transported loads of grit and grease waste that are discharged directly to the wastewater treatment plant prior to any treatment?

🗆 Yes 🖾 No

If No, stop here and continue with Subsection E. Stormwater Management.

2. Grit and grease processing

Describe below how the grit and grease waste is treated at the facility. In your description, include how and where the grit and grease is introduced to the treatment works and how it is separated or processed. Provide a flow diagram showing how grit and grease is processed at the facility.

Click to enter text.

3. Grit disposal

Does the facility have a Municipal Solid Waste (MSW) registration or permit for grit disposal?

 \Box Yes \Box No

If No, contact the TCEQ Municipal Solid Waste team at 512-239-2335. Note: A registration or permit is required for grit disposal. Grit shall not be combined with treatment plant sludge. See the instruction booklet for additional information on grit disposal requirements and restrictions.

Describe the method of grit disposal.

Click to enter text.

4. Grease and decanted liquid disposal

Note: A registration or permit is required for grease disposal. Grease shall not be combined with treatment plant sludge. For more information, contact the TCEQ Municipal Solid Waste team at 512-239-2335.

Describe how the decant and grease are treated and disposed of after grit separation.

Click to enter text.

E. Stormwater management

1. Applicability

Does the facility have a design flow of 1.0 MGD or greater in any phase?

🗆 Yes 🖾 No

Does the facility have an approved pretreatment program, under 40 CFR Part 403?

🗆 Yes 🗵 No

If no to both of the above, then skip to Subsection F, Other Wastes Received.

2. MSGP coverage

Is the stormwater runoff from the WWTP and dedicated lands for sewage disposal currently permitted under the TPDES Multi-Sector General Permit (MSGP), TXR050000?

🗆 Yes 🗆 No

If yes, please provide MSGP Authorization Number and skip to Subsection F, Other Wastes Received:

TXR05 Click to enter text. or TXRNE Click to enter text.

If no, do you intend to seek coverage under TXR050000?

🗆 Yes 🗆 No

3. Conditional exclusion

Alternatively, do you intend to apply for a conditional exclusion from permitting based TXR050000 (Multi Sector General Permit) Part II B.2 or TXR050000 (Multi Sector General Permit) Part V, Sector T 3(b)?

🗆 Yes 🗆 No

If yes, please explain below then proceed to Subsection F, Other Wastes Received:

Click to enter text.

4. Existing coverage in individual permit

Is your stormwater discharge currently permitted through this individual TPDES or TLAP permit?

 \Box Yes \Box No

If yes, provide a description of stormwater runoff management practices at the site that are authorized in the wastewater permit then skip to Subsection F, Other Wastes Received.

Click to enter text.

5. Zero stormwater discharge

Do you intend to have no discharge of stormwater via use of evaporation or other means?

 \Box Yes \Box No

If yes, explain below then skip to Subsection F. Other Wastes Received.

Click to enter text.

Note: If there is a potential to discharge any stormwater to surface water in the state as the result of any storm event, then permit coverage is required under the MSGP or an individual discharge permit. This requirement applies to all areas of facilities with treatment plants or systems that treat, store, recycle, or reclaim domestic sewage, wastewater or sewage sludge (including dedicated lands for sewage sludge disposal located within the onsite property boundaries) that meet the applicability criteria of above. You have the option of obtaining coverage under the MSGP for direct discharges, (recommended), or obtaining coverage under this individual permit.

6. Request for coverage in individual permit

Are you requesting coverage of stormwater discharges associated with your treatment plant under this individual permit?

 \Box Yes \Box No

If yes, provide a description of stormwater runoff management practices at the site for which you are requesting authorization in this individual wastewater permit and describe whether you intend to comingle this discharge with your treated effluent or discharge it via a separate dedicated stormwater outfall. Please also indicate if you

intend to divert stormwater to the treatment plant headworks and indirectly discharge it to water in the state.

Click to enter text.

Note: Direct stormwater discharges to waters in the state authorized through this individual permit will require the development and implementation of a stormwater pollution prevention plan (SWPPP) and will be subject to additional monitoring and reporting requirements. Indirect discharges of stormwater via headworks recycling will require compliance with all individual permit requirements including 2-hour peak flow limitations. All stormwater discharge authorization requests will require additional information during the technical review of your application.

F. Discharges to the Lake Houston Watershed

Does the facility discharge in the Lake Houston watershed?

🗆 Yes 🖾 No

If yes, attach a Sewage Sludge Solids Management Plan. See Example 5 in the instructions. <u>Click to enter text.</u>

G. Other wastes received including sludge from other WWTPs and septic waste

1. Acceptance of sludge from other WWTPs

Does or will the facility accept sludge from other treatment plants at the facility site?

🛛 Yes 🖾 No

If yes, attach sewage sludge solids management plan. See Example 5 of instructions.

In addition, provide the date the plant started or is anticipated to start accepting sludge, an estimate of monthly sludge acceptance (gallons or millions of gallons), an

of the influent from the collection system. Also note if this information has or has not changed since the last permit action.

Click to enter text.

Note: Permits that accept sludge from other wastewater treatment plants may be required to have influent flow and organic loading monitoring.

2. Acceptance of septic waste

Is the facility accepting or will it accept septic waste?

🗆 Yes 🖾 No

If yes, does the facility have a Type V processing unit?

□ Yes □ No

If yes, does the unit have a Municipal Solid Waste permit?

□ Yes □ No

If yes to any of the above, provide the date the plant started or is anticipated to start accepting septic waste, an estimate of monthly septic waste acceptance (gallons or millions of gallons), an estimate of the BOD_5 concentration of the septic waste, and the

design BOD₅ concentration of the influent from the collection system. Also note if this information has or has not changed since the last permit action.

Click to enter text.

Note: Permits that accept sludge from other wastewater treatment plants may be required to have influent flow and organic loading monitoring.

3. Acceptance of other wastes (not including septic, grease, grit, or RCRA, CERCLA or as discharged by IUs listed in Worksheet 6)

Is or will the facility accept wastes that are not domestic in nature excluding the categories listed above?

🗆 Yes 🖾 No

If yes, provide the date that the plant started accepting the waste, an estimate how much waste is accepted on a monthly basis (gallons or millions of gallons), a description of the entities generating the waste, and any distinguishing chemical or other physical characteristic of the waste. Also note if this information has or has not changed since the last permit action.

Click to enter text.

Section 7. Pollutant Analysis of Treated Effluent (Instructions Page 50)

Is the facility in operation?

⊠ Yes □ No

If no, this section is not applicable. Proceed to Section 8.

If yes, provide effluent analysis data for the listed pollutants. *Wastewater treatment facilities* complete Table 1.0(2). W*ater treatment facilities* discharging filter backwash water, complete Table 1.0(3). Provide copies of the laboratory results sheets. **These tables are not applicable for a minor amendment without renewal.** See the instructions for guidance.

Note: The sample date must be within 1 year of application submission.

Pollutant	Average Conc.	Max Conc.	No. of Samples	Sample Type	Sample Date/Time
CBOD ₅ , mg/l					
Total Suspended Solids, mg/l					
Ammonia Nitrogen, mg/l					
Nitrate Nitrogen, mg/l					
Total Kjeldahl Nitrogen, mg/l					
Sulfate, mg/l					
Chloride, mg/l					
Total Phosphorus, mg/l					
pH, standard units					
Dissolved Oxygen*, mg/l					
Chlorine Residual, mg/l					
<i>E.coli</i> (CFU/100ml) freshwater					
Entercocci (CFU/100ml) saltwater					
Total Dissolved Solids, mg/l					
Electrical Conductivity, µmohs/cm, †					
Oil & Grease, mg/l					
Alkalinity (CaCO₃)*, mg/l					

Table1.0(2) - Pollutant Analysis for Wastewater Treatment Facilities

*TPDES permits only †TLAP permits only

Table1.0(3) – Pollutant Analysis for Water Treatment Facilities

Pollutant	Average Conc.	Max Conc.	No. of Samples	Sample Type	Sample Date/Time
Total Suspended Solids, mg/l					
Total Dissolved Solids, mg/l					
pH, standard units					
Fluoride, mg/l					
Aluminum, mg/l					
Alkalinity (CaCO3), mg/l					

Section 8. Facility Operator (Instructions Page 50)

Facility Operator Name: <u>Quadvest, LP</u>

Facility Operator's License Classification and Level: <u>WWOL/C</u>

Facility Operator's License Number: <u>WW0039308</u>

Section 9. Sludge and Biosolids Management and Disposal (Instructions Page 51)

A. WWTP's Biosolids Management Facility Type

Check all that apply. See instructions for guidance

- \Box Design flow>= 1 MGD
- \Box Serves >= 10,000 people
- □ Class I Sludge Management Facility (per 40 CFR § 503.9)
- ☑ Biosolids generator
- Biosolids end user land application (onsite)
- Biosolids end user surface disposal (onsite)
- Biosolids end user incinerator (onsite)

B. WWTP's Biosolids Treatment Process

Check all that apply. See instructions for guidance.

- Aerobic Digestion
- Air Drying (or sludge drying beds)
- □ Lower Temperature Composting
- □ Lime Stabilization
- Higher Temperature Composting
- □ Heat Drying
- Thermophilic Aerobic Digestion
- Beta Ray Irradiation
- 🔲 Gamma Ray Irradiation
- Pasteurization
- Preliminary Operation (e.g. grinding, de-gritting, blending)
- Thickening (e.g. gravity thickening, centrifugation, filter press, vacuum filter)
- □ Sludge Lagoon
- Temporary Storage (< 2 years)
- \Box Long Term Storage (>= 2 years)
- □ Methane or Biogas Recovery
- Other Treatment Process: <u>Click to enter text.</u>

C. Biosolids Management

Provide information on the *intended* biosolids management practice. Do not enter every management practice that you want authorized in the permit, as the permit will authorize

all biosolids management practices listed in the instructions. Rather indicate the management practice the facility plans to use.

Biosolids Management

Management Practice	Handler or Preparer Type	Bulk or Bag Container	Amount (dry metric tons)	Pathogen Reduction Options	Vector Attraction Reduction Option
Disposal in Landfill	Off-site Third-Party Handler or Preparer	Bulk	TBD	Class B: PSRP Lime Stabilization	Option 6: pH >=12 for 2 hrs and retain at 11.5 for 22 hrs
Choose an	Choose an	Choose an		Choose an	Choose an
item.	item.	item.		item.	item.
Choose an	Choose an	Choose an		Choose an	Choose an
item.	item.	item.		item.	item.

If "Other" is selected for Management Practice, please explain (e.g. monofill or transport to another WWTP): <u>Click to enter text.</u>

D. Disposal site

Disposal site name: Twin Oaks Landfill

TCEQ permit or registration number: RN111248407

County where disposal site is located: Brazos

E. Transportation method

Method of transportation (truck, train, pipe, other): <u>Truck</u>

Name of the hauler: <u>Hydro Clear Services</u>

Hauler registration number: <u>26038</u>

Sludge is transported as a:

Liquid \square semi-liquid \boxtimes

semi-solid 🗆

solid 🗆

Section 10. Permit Authorization for Sewage Sludge Disposal (Instructions Page 53)

A. Beneficial use authorization

Does the existing permit include authorization for land application of sewage sludge for beneficial use?

🗆 Yes 🖾 No

If yes, are you requesting to continue this authorization to land apply sewage sludge for beneficial use?

 \Box Yes \Box No

If yes, is the completed Application for Permit for Beneficial Land Use of Sewage Sludge (TCEQ Form No. 10451) attached to this permit application (see the instructions for details)?

□ Yes □ No

B. Sludge processing authorization

Does the existing permit include authorization for any of the following sludge processing, storage or disposal options?

Sludge Composting	Yes	\boxtimes	No
Marketing and Distribution of sludge	Yes	\boxtimes	No
Sludge Surface Disposal or Sludge Monofill	Yes	\boxtimes	No
Temporary storage in sludge lagoons	Yes	\boxtimes	No

If yes to any of the above sludge options and the applicant is requesting to continue this authorization, is the completed **Domestic Wastewater Permit Application: Sewage Sludge Technical Report (TCEQ Form No. 10056)** attached to this permit application?

🗆 Yes 🗆 No

Section 11. Sewage Sludge Lagoons (Instructions Page 53)

Does this facility include sewage sludge lagoons?

🗆 Yes 🖾 No

If yes, complete the remainder of this section. If no, proceed to Section 12.

A. Location information

The following maps are required to be submitted as part of the application. For each map, provide the Attachment Number.

• Original General Highway (County) Map:

Attachment: Click to enter text.

• USDA Natural Resources Conservation Service Soil Map:

Attachment: Click to enter text.

• Federal Emergency Management Map:

Attachment: Click to enter text.

• Site map:

Attachment: Click to enter text.

Discuss in a description if any of the following exist within the lagoon area. Check all that apply.

- Overlap a designated 100-year frequency flood plain
- □ Soils with flooding classification
- \Box Overlap an unstable area
- □ Wetlands
- \Box Located less than 60 meters from a fault
- \Box None of the above

Attachment: Click to enter text.

If a portion of the lagoon(s) is located within the 100-year frequency flood plain, provide the protective measures to be utilized including type and size of protective structures:

Click to enter text.

B. Temporary storage information

Provide the results for the pollutant screening of sludge lagoons. These results are in addition to pollutant results in *Section 7 of Technical Report 1.0.*

Nitrate Nitrogen, mg/kg: <u>Click to enter text.</u>

Total Kjeldahl Nitrogen, mg/kg: <u>Click to enter text.</u>

Total Nitrogen (=nitrate nitrogen + TKN), mg/kg: Click to enter text.

Phosphorus, mg/kg: Click to enter text.

Potassium, mg/kg: <u>Click to enter text.</u>

pH, standard units: <u>Click to enter text.</u>

Ammonia Nitrogen mg/kg: <u>Click to enter text.</u>

Arsenic: Click to enter text.

Cadmium: Click to enter text.

Chromium: <u>Click to enter text.</u>

Copper: <u>Click to enter text.</u>

Lead: Click to enter text.

Mercury: Click to enter text.

Molybdenum: Click to enter text.

Nickel: <u>Click to enter text.</u>

Selenium: Click to enter text.

Zinc: <u>Click to enter text.</u>

Total PCBs: Click to enter text.

Provide the following information:

Volume and frequency of sludge to the lagoon(s): <u>Click to enter text.</u>

Total dry tons stored in the lagoons(s) per 365-day period: <u>Click to enter text.</u>

Total dry tons stored in the lagoons(s) over the life of the unit: <u>Click to enter text</u>.

C. Liner information

Does the active/proposed sludge lagoon(s) have a liner with a maximum hydraulic conductivity of $1x10^{-7}$ cm/sec?

 \Box Yes \Box No
If yes, describe the liner below. Please note that a liner is required.

Click to enter text.

D. Site development plan

Provide a detailed description of the methods used to deposit sludge in the lagoon(s):

Click to enter text.

Attach the following documents to the application.

- Plan view and cross-section of the sludge lagoon(s)
 Attachment: <u>Click to enter text.</u>
- Copy of the closure plan
 Attachment: <u>Click to enter text.</u>
- Copy of deed recordation for the site
 Attachment: <u>Click to enter text.</u>
- Size of the sludge lagoon(s) in surface acres and capacity in cubic feet and gallons Attachment: <u>Click to enter text.</u>
- Description of the method of controlling infiltration of groundwater and surface water from entering the site

Attachment: Click to enter text.

• Procedures to prevent the occurrence of nuisance conditions

Attachment: Click to enter text.

E. Groundwater monitoring

Is groundwater monitoring currently conducted at this site, or are any wells available for groundwater monitoring, or are groundwater monitoring data otherwise available for the sludge lagoon(s)?

□ Yes □ No

If groundwater monitoring data are available, provide a copy. Provide a profile of soil types encountered down to the groundwater table and the depth to the shallowest groundwater as a separate attachment.

Attachment: Click to enter text.

Section 12. Authorizations/Compliance/Enforcement (Instructions Page 55)

A. Additional authorizations

Does the permittee have additional authorizations for this facility, such as reuse authorization, sludge permit, etc?

🗆 Yes 🖾 No

If yes, provide the TCEQ authorization number and description of the authorization:

Click to enter text.

B. Permittee enforcement status

Is the permittee currently under enforcement for this facility?

🗆 Yes 🖾 No

Is the permittee required to meet an implementation schedule for compliance or enforcement?

🗆 Yes 🖾 No

If yes to either question, provide a brief summary of the enforcement, the implementation schedule, and the current status:

Click to enter text.

Section 13. RCRA/CERCLA Wastes (Instructions Page 55)

A. RCRA hazardous wastes

Has the facility received in the past three years, does it currently receive, or will it receive RCRA hazardous waste?

🗆 Yes 🖾 No

Section 14. Laboratory Accreditation (Instructions Page 56)

All laboratory tests performed must meet the requirements of *30 TAC Chapter 25, Environmental Testing Laboratory Accreditation and Certification*, which includes the following general exemptions from National Environmental Laboratory Accreditation Program (NELAP) certification requirements:

- The laboratory is an in-house laboratory and is:
 - periodically inspected by the TCEQ; or
 - o located in another state and is accredited or inspected by that state; or
 - performing work for another company with a unit located in the same site; or
 - performing pro bono work for a governmental agency or charitable organization.
- The laboratory is accredited under federal law.
- The data are needed for emergency-response activities, and a laboratory accredited under the Texas Laboratory Accreditation Program is not available.
- The laboratory supplies data for which the TCEQ does not offer accreditation.

The applicant should review 30 TAC Chapter 25 for specific requirements.

The following certification statement shall be signed and submitted with every application. See the Signature Page section in the Instructions, for a list of designated representatives who may sign the certification.

CERTIFICATION:

I certify that all laboratory tests submitted with this application meet the requirements of *30 TAC Chapter 25, Environmental Testing Laboratory Accreditation and Certification.*

Printed Name: Mark L. Urback, P.E.

Title: <u>VP of Construction and Engineering</u>

Signature: _ Date: ____?

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 2.0: RECEIVING WATERS

The following information is required for all TPDES permit applications.

Section 1. Domestic Drinking Water Supply (Instructions Page 64)

Is there a surface water intake for domestic drinking water supply located within 5 miles downstream from the point or proposed point of discharge?

🗆 Yes 🖾 No

If no, proceed it Section 2. If yes, provide the following:

Owner of the drinking water supply: <u>Click to enter text.</u>

Distance and direction to the intake: <u>Click to enter text.</u>

Attach a USGS map that identifies the location of the intake.

Attachment: Click to enter text.

Section 2. Discharge into Tidally Affected Waters (Instructions Page 64)

Does the facility discharge into tidally affected waters?

🗆 Yes 🖾 No

If **no**, proceed to Section 3. **If yes**, complete the remainder of this section. If no, proceed to Section 3.

A. Receiving water outfall

Width of the receiving water at the outfall, in feet: <u>Click to enter text.</u>

B. Oyster waters

Are there oyster waters in the vicinity of the discharge?

🗆 Yes 🗆 No

If yes, provide the distance and direction from outfall(s).

Click to enter text.

C. Sea grasses

Are there any sea grasses within the vicinity of the point of discharge?

 \Box Yes \Box No

If yes, provide the distance and direction from the outfall(s).

Click to enter text.

Section 3. Classified Segments (Instructions Page 64)

Is the discharge directly into (or within 300 feet of) a classified segment?

🖾 Yes 🗆 No

If yes, this Worksheet is complete.

If no, complete Sections 4 and 5 of this Worksheet.

Section 4. Description of Immediate Receiving Waters (Instructions Page 65)

Name of the immediate receiving waters: <u>Click to enter text.</u>

A. Receiving water type

Identify the appropriate description of the receiving waters.

- □ Stream
- □ Freshwater Swamp or Marsh
- □ Lake or Pond

Surface area, in acres: Click to enter text.

Average depth of the entire water body, in feet: Click to enter text.

Average depth of water body within a 500-foot radius of discharge point, in feet: <u>Click to enter text.</u>

- □ Man-made Channel or Ditch
- □ Open Bay
- 🗇 🛛 Tidal Stream, Bayou, or Marsh
- □ Other, specify: <u>Click to enter text.</u>

B. Flow characteristics

If a stream, man-made channel or ditch was checked above, provide the following. For existing discharges, check one of the following that best characterizes the area *upstream* of the discharge. For new discharges, characterize the area *downstream* of the discharge (check one).

□ Intermittent - dry for at least one week during most years

Intermittent with Perennial Pools - enduring pools with sufficient habitat to maintain significant aquatic life uses

□ Perennial - normally flowing

Check the method used to characterize the area upstream (or downstream for new dischargers).

- □ USGS flow records
- □ Historical observation by adjacent landowners
- \Box Personal observation
- □ Other, specify: <u>Click to enter text.</u>

C. Downstream perennial confluences

List the names of all perennial streams that join the receiving water within three miles downstream of the discharge point.

Click to enter text.

D. Downstream characteristics

Do the receiving water characteristics change within three miles downstream of the discharge (e.g., natural or man-made dams, ponds, reservoirs, etc.)?

🗆 Yes 🗆 No

If yes, discuss how.

Click to enter text.

E. Normal dry weather characteristics

Provide general observations of the water body during normal dry weather conditions.

Click to enter text.

Date and time of observation: <u>Click to enter text.</u>

Was the water body influenced by stormwater runoff during observations?

🗆 Yes 🗆 No

Section 5. General Characteristics of the Waterbody (Instructions Page 66)

A. Upstream influences

Is the immediate receiving water upstream of the discharge or proposed discharge site influenced by any of the following? Check all that apply.

- □ Oil field activities □ Urban runoff
- Upstream discharges
 Agricultural runoff
- Septic tanks
- □ Other(s), specify: <u>Click to enter text.</u>

B. Waterbody uses

Observed or evidences of the following uses. Check all that apply.

- Livestock watering
- Contact recreation
- □ Irrigation withdrawal
- □ Fishing
- □ Domestic water supply
- \Box Park activities

- \Box Non-contact recreation
- \Box Navigation
- Industrial water supply
- \Box Other(s), specify: <u>Click to enter text.</u>

C. Waterbody aesthetics

Check one of the following that best describes the aesthetics of the receiving water and the surrounding area.

- □ Wilderness: outstanding natural beauty; usually wooded or unpastured area; water clarity exceptional
- □ Natural Area: trees and/or native vegetation; some development evident (from fields, pastures, dwellings); water clarity discolored
- Common Setting: not offensive; developed but uncluttered; water may be colored or turbid
- Offensive: stream does not enhance aesthetics; cluttered; highly developed; dumping areas; water discolored

ATTACHMENT A



TCEQ Core Data Form

For detailed instructions on completing this form, please read the Core Data Form Instructions or call 512-239-5175.

SECTION I: General Information

1. Reason for Submission (If other is checked please desc	cribe in space provided.)			
	, , ,			
Now Permit Registration or Authorization (Core Data	Form chould be submitted with	the preserve and lighting h		
	orm should be submitted with	ne program application.)		
Renewal (Core Data Form should be submitted with the	Other Minor Amendment with Renewal			
2. Customer Reference Number (if issued)		3. Regulated Entity Reference Number (if issued)		
	Follow this link to search			
CN 6020///76	Central Registry**	DN 110260247		
CN 00234470		RN 110368347		

SECTION II: Customer Information

4. General Customer Information	General Customer Information 5. Effective Date for Customer Information Updates (mm/dd/yyyy) 7/15/2					7/15/2024		
New Customer Update to Customer Information Change in Regulated Entity Ownership Change in Legal Name (Verifiable with the Texas Secretary of State or Texas Comptroller of Public Accounts)								
The Customer Name submitted here may	be updated automati	cally based	d on what is c	urrent d	and active	with th	e Texas Secr	etary of State
(SOS) or Texas Comptroller of Public Accou	ınts (CPA).							
6. Customer Legal Name (If an individual, pri	nt last name first: eg: Do	e, John)		<u>If new</u>	/ Customer, e	enter pre	vious Custom	er below:
QUADVEST, LP								
7. TX SOS/CPA Filing Number	8. TX State Tax ID (1	1 digits)		9. Fee	deral Tax II	C	10. DUNS I	Number (if
08000539284	17421243712			(9 digi	its)		applicable)	
11. Type of Customer:	tion		🗌 Individ	dual		Partne	rship: 🗌 Gen	eral 🔀 Limited
Government: 🗌 City 🗌 County 🔲 Federal 🗌	Local 🔲 State 🗌 Othe	r	Sole P	roprieto	orship	🗌 Otł	ner:	
12. Number of Employees				13. In	ndependen	tly Ow	ned and Ope	erated?
0-20 🛛 21-100 🗌 101-250 🗌 251-	500 🔲 501 and highe	er	🖾 Yes 🗌 No					
14. Customer Role (Proposed or Actual) – <i>as i</i>	t relates to the Regulated	d Entity liste	ed on this form.	Please c	check one of	the follo	wing	
Owner Operator Occupational Licensee Responsible Pa	⊠ Owner & Op rty □ VCP/BSA /	erator Applicant			Other:			
26926 FM 2978 15. Mailing								
Addross								
City MAGNOLIA	City MAGNOLIA State TX			77354 ZIP + 4		ZIP + 4		
16. Country Mailing Information (if outside USA)			17. E-Mail Address (if applicable)					
			support@quadvest.com					
18. Telephone Number	19. Exten	sion or Co	ode		20. Fax N	umber	(if applicable)	

The Regulated Entity Na as Inc, LP, or LLC).	ime submitte	ed may be upda	nted, in order to i	meet TC	EQ Core	Data Sta	ndards (removal of ol	rganizatior	nal endings such
22. Regulated Entity Na	me (Enter nan	ne of the site whe	re the regulated ac	tion is ta	king place	.)				
ROCKROSE RANCH WWTP										
23. Street Address of the Regulated Entity:	12268 Calv	ary Road								
<u>'No PO Boxes)</u>	City	Willis	State	ТХ		ZIP	77318	3	ZIP + 4	
24. County	Montgome	ry	——— I,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		I					чI -,,, -, -, -, -, -, -, -, -, -, -, -, -
<u> </u>		If no Stre	et Address is pro	ovided, f	fields 25-	28 are r	equired.			
25. Description to Physical Location:	On the nort	h side of Calvary	Road approximate	ly 0.2 mil	es east of	the inters	ection of	Calvary and Sq	uirrel Tree R	oad.
26. Nearest City			· · · · ·				State		Nea	arest ZIP Code
Willis		······································	, , , , , , , , , , , , , , , , ,				тх		773	18
atitude/Longitude are used to supply coordinat 27. Latitude (N) In Decin	required and tes where no nal:	l may be addea ne have been p 30.466556	l/updated to me provided or to ga	et TCEQ Iin accui	Core Dat racy). 28. Lon	gitude (ards. (Ge W) In De	eocoding of th cimal:	95.53929	Address may be
Degrees	Minutes		Seconds		Degrees			Minutes		Seconds
30		27	. 59.60			95		32		21.46
2 9. Primary SIC Code 4 digits)	30. Secondary SIC Code (4 digits)			31. (5 o	1. Primary NAICS Code32. Second5 or 6 digits)(5 or 6 digits)			ndary NAICS Code gits)		
33. What is the Primary	Business of t	this entity? (D	00 not repeat the SI	C or NAIC	CS descript	ion.)				
VATER AND WASTEWATER	UTILITY									
4. Mailing	QUADVES	Т, LP								
Address:	26926 FM	2978								
5 F-Mail Address		WAGNOLIA	State			ZIP	77354	•	ZIP + 4	
									·····	
36. Telephone Number			37. Extension	or Code		38.	Fax Num	ber (if applical	ble)	
() -						1) -			

SECTION III: Regulated Entity Information

(281)356-5347

21. General Regulated Entity Information (If 'New Regulated Entity" is selected, a new permit application is also required.)

(

)

🗌 New Regulated Entity 🛛 Update to Regulated Entity Name 🔲 Update to Regulated Entity Information

39. TCEQ Programs and ID Numbers Check all Programs and write in the permits/registration numbers that will be affected by the updates submitted on this form. See the Core Data Form instructions for additional guidance.

				(percent of the second s
Dam Safety	Districts	Edwards Aquifer	Emissions Inventory Air	Industrial Hazardous Waste
	New Source			
Municipal Solid Waste	Bowiow Air		Petroleum Storage Tank	L PWS
	Review Air			
Sludge	Storm Water	Title V Air	L Tires	Used Oil
	5-7			
📙 Voluntary Cleanup	🛛 🛛 Wastewater	Wastewater Agriculture	Water Rights	Other:
· · · · · ·		100-07-09 wTa		

SECTION IV: Preparer Information

40. Name:	JACOB GIFFOR	D		41. Title:	Director of Engineering	
42. Telephone	Number	43. Ext./Code	44. Fax Number	45. E-Mail Address		
(281)305-1120			() -	JGIFFORD@QUADVEST.COM		

SECTION V: Authorized Signature

46. By my signature below, I certify, to the best of my knowledge, that the information provided in this form is true and complete, and that I have signature authority to submit this form on behalf of the entity specified in Section II, Field 6 and/or as required for the updates to the ID numbers identified in field 39.

Company:	QUADVEST, LP	Job Title:	DIRECTOR	OF ENGINEERIN	NG
Name (In Print):	JACOB GIFFORD			Phone:	(281) 305- 1120
Signature:	(MDing			Date:	7/26/2024

ATTACHMENT B

PLAIN LANGUAGE SUMMARIES

(ADMIN 1.0, SECTION 8F)

PLAIN LANGUAGE SUMMARY

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 Texas Administrative Code Chapter 39. The information provided in this summary may change during the technical review of the application and are not federal enforceable representations of the permit application.

Quadvest, LP (CN602944746) operates the Rockrose Ranch Wastewater Treatment Facility (RN110368347), a sludge processing plant that operates in the conventional plug flow mode. The discharge route is from the facility via a pipe to an unnamed tributary, thence to a canal system, which is part of Lake Conroe in Segment No. 1012 of the San Jacinto River Basin. The facility is located on the north side of Calvary Road, approximately 0.2 miles east of the intersection of Calvary Road and Squirrel Tree Road, Willis, Texas in Montgomery County, Texas.

This is a renewal application with a minor amendment. The discharge route is from the facility via a pipe to an unnamed tributary, thence to a canal system, which is part of Lake Conroe in Segment No. 1012 of the San Jacinto River Basin

Discharges from the facility are expected to contain five-day carbonaceous biochemical oxygen demand (CBOD₅), total suspended solids (TSS), ammonia nitrogen (NH₃-N), and *Escherichia coli*. Additional potential pollutants are included in the Domestic Technical Report 1.0, Section 7. Pollutant Analysis of Treated Effluent in the permit application package. Domestic wastewater will be treated by an activated sludge process plant and the treatment units will include a bar screen, aeration basins, final clarifiers, sludge digesters and chlorine contact chambers.

RESUMEN EN LENGUAJE SENCILLO

El siguiente resumen se proporciona para esta solicitud de permiso de calidad del agua pendiente que está siendo revisada por la Comisión de Calidad Ambiental de Texas según lo requerido por el Capítulo 39 del Código Administrativo de Texas. La información proporcionada en este resumen puede cambiar durante la revisión técnica de la solicitud y no son representaciones federales exigibles de la solicitud de permiso.

Quadvest, LP (CN602944746) opera la Planta de Tratamiento de Aguas Residuales (RN110368347) de Rockrose Ranch, una planta de procesamiento de lodos que opera en el modo de flujo de tapón convencional. La ruta de descarga es desde la instalación a través de una tubería hasta un afluente sin nombre, de allí a un sistema de canales, que es parte del lago Conroe en el segmento No. 1012 de la cuenca del río San Jacinto. La instalación está ubicada en el lado norte de Calvary Road, aproximadamente a 0.2 millas al este de la intersección de Calvary Road y Squirrel Tree Road, Willis, Texas en el condado de Montgomery, Texas.

Se trata de una solicitud de renovación con una pequeña modificación. La ruta de descarga es desde la instalación a través de una tubería hasta un afluente no identificado, de allí a un sistema de canales, que es parte del lago Conroe en el Segmento No. 1012 de la cuenca del río San Jacinto

Se espera que las descargas de la instalación contengan una demanda bioquímica carbonosa de oxígeno (CBOD5) de cinco días, sólidos suspendidos totales (TSS), nitrógeno amoniacal (NH3-N) y *Escherichia coli*. En la sección 7 del Informe Técnico Nacional 1.0 se incluyen contaminantes potenciales adicionales. Análisis de Contaminantes de Efluentes Tratados en el paquete de solicitud de permisos. Las aguas residuales domésticas serán tratadas por una planta de procesamiento de lodos activados y las unidades de tratamiento incluirán una criba de barras, balsas de aireación, clarificadores finales, digestores de lodos y cámaras de contacto de cloro.

ATTACHMENT C

USGS TOPOGRAPHIC MAP

(7.5 minute)

EFFLUENT DISCHARGE ROUTE

(ADMIN 1.0, SECTION 13)



U.S. Ratenal Drift Gra Time Designed

Dev.

This map was provident to conform with the National Geospatial Program US Trail Provider Stanilard, 2011. A metailata file allocated with this product is shaft version 0.4.18

Icon Il Ferrent Service

SHEPARD HILL, TX 2019

ATTACHMENT D

1

SPIF

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY SUPPLEMENTAL PERMIT INFORMATION FORM (SPIF)

FOR AGENCIES REVIEWING DOMESTIC OR INDUSTRIAL TPDES WASTEWATER PERMIT APPLICATIONS

TCEQ USE ONLY:
Application type: RenewalMajor AmendmentMinor AmendmentNew
County: Segment Number:
Admin Complete Date:
Agency Receiving SPIF:
Texas Historical Commission U.S. Fish and Wildlife
Texas Parks and Wildlife Department U.S. Army Corps of Engineers

This form applies to TPDES permit applications only. (Instructions, Page 53)

Complete this form as a separate document. TCEQ will mail a copy to each agency as required by our agreement with EPA. If any of the items are not completely addressed or further information is needed, we will contact you to provide the information before issuing the permit. Address each item completely.

Do not refer to your response to any item in the permit application form. Provide each attachment for this form separately from the Administrative Report of the application. The application will not be declared administratively complete without this SPIF form being completed in its entirety including all attachments. Questions or comments concerning this form may be directed to the Water Quality Division's Application Review and Processing Team by email at <u>WQ-ARPTeam@tceq.texas.gov</u> or by phone at (512) 239-4671.

The following applies to all applications:

1. Permittee: <u>Quadvest, LP</u>

Permit No. WQ00 <u>15676001</u>

EPA ID No. TX <u>0138487</u>

Address of the project (or a location description that includes street/highway, city/vicinity, and county):

On the north side of Calvary Road, approximately 0.2 miles east of the intersection of Calvary Road and Squirrel Tree Road, in Montgomery County, Texas 77318.

Provide the name, address, phone and fax number of an individual that can be contacted to answer specific questions about the property.

Prefix (Mr., Ms., Miss): <u>Mr.</u>

First and Last Name: Jacob Gifford

Credential (P.E, P.G., Ph.D., etc.): <u>P.E.</u>

Title: <u>Engineering Manager</u>

Mailing Address: 26926 FM 2978

City, State, Zip Code: <u>Magnolia, Texas 77354</u>

E-mail Address: jgifford@quadvest.com

- 2. List the county in which the facility is located: Montgomery
- 3. If the property is publicly owned and the owner is different than the permittee/applicant, please list the owner of the property.

4. Provide a description of the effluent discharge route. The discharge route must follow the flow of effluent from the point of discharge to the nearest major watercourse (from the point of discharge to a classified segment as defined in 30 TAC Chapter 307). If known, please identify the classified segment number.

Via a pipe to an unnamed tributary, thence to a canal system, which is part of Lake Conroe in Segment No. 1012 of the San Jacinto River Basin.

5. Please provide a separate 7.5-minute USGS quadrangle map with the project boundaries plotted and a general location map showing the project area. Please highlight the discharge route from the point of discharge for a distance of one mile downstream. (This map is required in addition to the map in the administrative report).

Provide original photographs of any structures 50 years or older on the property.

Does your project involve any of the following? Check all that apply.

- Proposed access roads, utility lines, construction easements
- Visual effects that could damage or detract from a historic property's integrity
- Uibration effects during construction or as a result of project design
- Additional phases of development that are planned for the future
- Sealing caves, fractures, sinkholes, other karst features

TCEQ-20971 (08/31/2023) Wastewater Individual Permit Application, Supplemental Permit Information Form (SPIF)

- Disturbance of vegetation or wetlands
- 1. List proposed construction impact (surface acres to be impacted, depth of excavation, sealing of caves, or other karst features):

2. Describe existing disturbances, vegetation, and land use: Land was developed as a new residential subdivision..

THE FOLLOWING ITEMS APPLY ONLY TO APPLICATIONS FOR NEW TPDES PERMITS AND MAJOR AMENDMENTS TO TPDES PERMITS

3. List construction dates of all buildings and structures on the property:

Circle Morres for the Reserved

4. Provide a brief history of the property, and name of the architect/builder, if known.

and a second second second



18

Gra Zone Desgran

SHEPARD HILL, TX 2019

ATTACHMENT E

COPY OF APPLICATION CHECK

WATER QUALITY PERMIT

PAYMENT SUBMITTAL FORM

Use this form to submit the Application Fee, if the mailing the payment.

- Complete items 1 through 5 below.
- Staple the check or money order in the space provided at the bottom of this document.
- Do Not mail this form with the application form.
- Do not mail this form to the same address as the application.
- Do not submit a copy of the application with this form as it could cause duplicate permit entries.

Mail this form and the check or money order to:

BY REGULAR U.S. MAIL

Texas Commission on Environmental Quality Financial Administration Division Cashier's Office, MC-214 P.O. Box 13088 Austin, Texas 78711-3088

BY OVERNIGHT/EXPRESS MAIL

Texas Commission on Environmental Quality Financial Administration Division Cashier's Office, MC-214 12100 Park 35 Circle Austin, Texas 78753

Fee Code: WQPWaste Permit No: WQ0015676001

- 1. Check or Money Order Number: 14899
- 2. Check or Money Order Amount: \$1,615.00
- 3. Date of Check or Money Order: ________
- 4. Name on Check or Money Order: <u>Quadvest, LP</u>
- 5. APPLICATION INFORMATION

Name of Project or Site: <u>Rockrose Ranch WWTP</u>

Physical Address of Project or Site: 12268 Calvary Road, Willis, Texas 77318

If the check is for more than one application, attach a list which includes the name of each Project or Site (RE) and Physical Address, exactly as provided on the application.



ATTACHMENT F TREATMENT PROCESS

(Technical Report 1.0 : Section 2A)

TECHNICAL DESIGN REPORT

FOR

Rockrose Ranch

- 1. <u>PURPOSE</u> The purpose of this report is to present the basis of design and summary of unit sizing and hydraulic calculations for the Sewage Treatment Plant.
- 2. DESCRIPTION OF PROPERTY The project under development is a residential community
- 3. <u>POPULATION SERVED</u> The location of the proposed facility is shown on Sheet One of the Plans. The population flow is based on 100 gallons per capita per day (250 gpd/ESFC).

ESFC	FLOW, gpd
2,000	500,000

4. <u>INFLUENT QUALITY CHARACTERISTICS</u> The raw sewage quality characteristics used for design are estimates based on past experience and on State Design Criteria and are as follows:

PARAMETER	CONCENTRATION - MG/L	PER CAPITA CONTRIBUTION - LB/DAY
BOD ₅	288	0.1668
TSS	250	0.2000

5.

<u>INFLUENT</u> FLOW CHARACTERISTICS The hydraulic design of the plant must be conservative to insure that the plant will operate under the most extreme conditions anticipated. Future enlargement to the plant will be based on actual influent flow data. The plant process

	First	Phase
Average Daily Flow (Qav)	125,000 GPD	87 GPM
Peak 2-Hr. Flow (Qpk) 4	500,000 GPD	347 GPM
	Second	d Phase
Average Daily Flow (Qav)	250,000 GPD	174 GPM
Peak 2-Hr. Flow (Qpk) 4	1,000,000 GPD	694 GPM
	Third	Phase
Average Daily Flow (Qav)	500,000 GPD	347 GPM
Peak 2-Hr. Flow (Qpk) 4	2,000,000 GPD	1389 GPM

Refer to Attachment "A" - Process Design Calculations, Hydraulic Profile Calculations, Process Flow Diagrams, and Plant Discharge relationship for the 100 year flood.

6. <u>PROCESS DESIGN</u> The Sewage Treatment Plant has been designed to produce an effluent in compliance with permitted perameters of:

BOD5 =	
TSS =	
Chlorine Residual =	

after 20 minutes of contact

Compressed air will be supplied to the process units by multiple blowers.

10 mg/l 15 mg/l 1 mg/l

7. PROCESS DESIGN DESCRIPTION

INTERIM I -The facility will employ the conventional plug flow variation of the activated sludge process designed for single stage nitrification - From the lift station the wastewater will travel through a coarse barscreen then to the aeration basin; from the aeration basin the mix-liquor will be transferred to the clarifier where solids will be settled out and clear water will flow over the weirs then into the chlorine contact basin. The settled solids will either be transferred to the digester or returned to the headworks.

INTERIM II - The facility will employ the conventional plug flow variation of the activated sludge process designed for single stage nitrification - From the lift station the wastewater will travel through a coarse barscreen then to the aeration basin; from the aeration basin the mix-liquor will be transferred to the clarifier where solids will be settled out and clear water will flow over the weirs then into the chlorine contact basin. The settled solids will either be transferred to the digester or returned to the headworks.

FINAL - The facility will employ the conventional plug flow variation of the activated sludge process designed for single stage nitrification - From the lift station the wastewater will travel through a coarse barscreen then to the aeration basins; from the aeration basins the mix-liquor will be transferred to the clarifiers where solids will be settled out and clear water will flow over the weirs then into the chlorine contact basin. The settled solids will either be transferred to the digester or returned to the headworks.

8. <u>FLOOD HAZARD ANALYSIS</u> The 100 Year Flood Elevation is 206 feet and is confined to the flood control and drainage, which has a bank elevation of 210 feet. The plant is capable of discharging at peak flow against the 100 year flood elevation.

9. SLUDGE DISPOSAL

Digester	 Aerobic
Transportation	 Contract Hauler
Final Disposition	 To be Determined by Contract Hauler

ATTACHMENT G TREATMENT UNITS

(Technical Report 1.0 : Section 2B)

Facility Dimensions & Facility Features TCEQ Permit No WQ0015676001

The facility will employ the conventional plug flow variation of the activated sludge process designed for single stage nitrification - From the lift station the wastewater will travel through a coarse barscreen then to the aeration basin; from the aeration basin the mix-liquor will be transferred to the clarifier where solids will be settled out and clear water will flow over the weirs then into the chlorine contact basin. The settled solids will either be transferred to the digester or returned to the headworks.

Phase I – 0.125 MGD			
<u>Unit</u> Clarifier	<u>Length</u>	<u>Width</u> 26' Diameter	<u>Height</u> 11.5'
Chlorine Contact	2400cuft		
Aeration 2@	34'	12'	12'
Digester 2@	24'	12'	12'

Phase II - 0.250 MGD

<u>Unit</u> Clarifier	<u>Length</u>	<u>Width</u> 36' Diameter	<u>Height</u> 11.5'
Chlorine Contact	5040cuft		
Aeration 4@	34'	12'	12'
Digester 4@	24'	12'	12'

Phase III – 0.500 MGD

<u>Unit</u> 2@ Clarifier	<u>Length</u>	<u>Width</u> 36' Diameter	<u>Height</u> 11.5'
Chlorine Contact	5040cuft		
Aeration 8@	34'	12'	12'
Digester 8@	24'	12'	12'

- For short power outages the sewage will be contained in the collection system. Influent is from a triplex lift station which will not function during a general power outage. The plant features one digesters, chlorinator, and stand-by blowers. The collection system will be new, and minimum infiltration is anticipated. The plant is to be maintained and operated by personnel licensed by the State of Texas.
- The plant is designed to be maintained without bypassing. Replacement or repair of the interior coating system is the only maintenance item that would necessitate bypassing and the epoxy system should last 15-20 years.
- An intruder resistant fence will be placed around the facility.

ATTACHMENT H

(Technical Report 1.0 : Section 2C)







;

ATTACHMENT I

(Technical Report 1.0 : Section 3)



Candice Calhoun

From:	April Trader <atrader@quadvest.com></atrader@quadvest.com>
Sent:	Friday, August 23, 2024 3:00 PM
То:	Candice Calhoun
Cc:	Jacob Gifford
Subject:	RE: Application to Renew Permit No. WQ0015676001 - Quadvest, L.P.; Rockrose Ranch WWTP
Attachments:	Response to Deficiency Letter 8.2.24.pdf; TOPO - WQ0015676001.pdf; Municipal Discharge Renewal Spanish NORI.docx
Follow Up Flag: Flag Status:	Follow up Completed

Good afternoon -

Please find attached our response to the NOD letter dated August 2, 2024.

Thank you,

April







April Trader Special Projects Manager -Engineering d: 281-305-1153 c: www.quadvest.com

From: Candice Calhoun <Candice.Calhoun@tceq.texas.gov>
Sent: Friday, August 2, 2024 10:59 AM
To: April Trader <atrader@quadvest.com>
Cc: Jacob Gifford <jgifford@quadvest.com>
Subject: Application to Renew Permit No. WQ0015676001 - Quadvest, L.P.; Rockrose Ranch WWTP
Importance: High

WARNING: This email is from outside the organization. Please use caution opening links or attachments.

Good morning, Mrs. Trader,



Quadvest, L.P. 26926 FM 2978 Magnolia, TX 77354 Main: 281-356-5347 Fax: 281-356-5382 Quadvest.com

August 16, 2024

Via Email Transmission

Candice Calhoun Applications Review and Processing Team (MC-148) Water Quality Division Texas Commission on Environmental Quality 12100 Park 35 Circle Austin, Texas 78753

Re: Application to Renew Permit No. WQ0015676001 (EPA I.D. TX0138487) Quadvest, L.P. CN602944746; RN110368347

Dear Ms.Calhoun:

In response to your letter dated August 2, 2024, please find the following completed responses for the Domestic Wastewater Discharge Permit application according to the following:

- 1. USGS Topographic Map: Attached, please find revised map including the applicant's property boundary, the treatment facility boundary and the discharge route until it reaches a classified segment.
- 2. We have reviewed the NORI and do not find any errors or omissions.
- 3. The translated Spanish NORI in Microsoft Word form is attached to the email.

Should you have any questions or need any further information, please do not hesitate to contact me @ 281-305-1153 or email atrader@quadvest.com.

Thank you, April H. Trad

Special Projects Manager - Engineering




STopo



er 2014 2015 Data 2015 2018 2018 2018 2010 2017 UTM GRID AND 2018 MAGNETIC NOR DECLINATION AT CENTER OF SHEE UI Estanai frit Dat 19 pro Zane Designation

Hydra Comu



1 2 3 4 5 6 7 8

SHEPARD HILL, TX 2019

Comisión de Calidad Ambiental del Estado de Texas



AVISO DE RECIBO DE LA SOLICITUD Y EL INTENTO DE OBTENER PERMISO PARA LA CALIDAD DEL AGUA RENOVACION

PERMISO NO. WQ0015676001

SOLICITUD. Quadvest, L.P. 26926 Farm-to-Market Road 2978, Magnolia, Texas 77354 ha solicitado a la Comisión de Calidad Ambiental del Estado de Texas (TCEQ) para renovar el Permiso No. WQ0015676001 (EPA I.D. No. TX0138487) del Sistema de Eliminación de Descargas de Contaminantes de Texas (TPDES) para autorizar la descarga de aguas residuales tratadas en un volumen que no sobrepasa un flujo promedio diario de 500,000 galones por día. La planta está ubicada12268 Calvary Road, Willis, Texas 77318 en el Condado de Montgomery, Texas. La ruta de descarga es del sitio de la planta a a través de una tubería a un afluente sin nombre; de allí a un sistema de canales, que forma parte del Lago Conroe.. La TCEQ recibió esta solicitud el July 26, 2024. La solicitud para el permiso estará disponible para leerla y copiarla en Biblioteca Charles B. Stewart-West, escritorio de referencia, 202 Bessie Price Owens Drive, Montgomery, en el condado de Montgomery, Texas antes de la fecha de publicación de este aviso en el periódico. Este enlace a un mapa electrónico de la ubicación general del sitio o de la instalación es proporcionado como una cortesía y no es parte de la solicitud o del aviso. Para la ubicación exacta, consulte la solicitud. https://gisweb.tceq.texas.gov/LocationMapper/?marker=-95.53929,30.466556&level=18

AVISO ADICIONAL. El Director Ejecutivo de la TCEQ ha determinado que la solicitud es administrativamente completa y conducirá una revisión técnica de la solicitud. Después de completar la revisión técnica, el Director Ejecutivo puede preparar un borrador del permiso y emitirá una Decisión Preliminar sobre la solicitud. **El aviso de la solicitud y la decisión preliminar serán publicados y enviado a los que están en la lista de correo de las personas a lo largo del condado que desean recibir los avisos y los que están en la lista de correo que desean recibir avisos de esta solicitud.** El aviso dará la fecha **límite para someter comentarios públicos.**

COMENTARIO PUBLICO / REUNION PUBLICA. Usted puede presentar comentarios públicos o pedir una reunión pública sobre esta solicitud. El propósito de una reunión pública es dar la oportunidad de presentar comentarios o hacer preguntas acerca de la solicitud. La TCEQ realiza una reunión pública si el Director Ejecutivo determina que hay un grado de interés público suficiente en la solicitud o si un legislador local lo pide. Una reunión pública no es una audiencia administrativa de lo contencioso.

OPORTUNIDAD DE UNA AUDIENCIA ADMINISTRATIVA DE LO CONTENCIOSO.

Después del plazo para presentar comentarios públicos, el Director Ejecutivo considerará todos

los comentarios apropiados y preparará una respuesta a todo los comentarios públicos esenciales, pertinentes, o significativos. A menos que la solicitud haya sido referida directamente a una audiencia administrativa de lo contencioso, la respuesta a los comentarios y la decisión del Director Ejecutivo sobre la solicitud serán enviados por correo a todos los que presentaron un comentario público y a las personas que están en la lista para recibir avisos sobre esta solicitud. Si se reciben comentarios, el aviso también proveerá instrucciones para pedir una reconsideración de la decisión del Director Ejecutivo y para pedir una audiencia administrativa de lo contencioso. Una audiencia administrativa de lo contencioso es un procedimiento legal similar a un procedimiento legal civil en un tribunal de distrito del estado.

PARA SOLICITAR UNA AUDIENCIA DE CASO IMPUGNADO, USTED DEBE INCLUIR EN SU SOLICITUD LOS SIGUIENTES DATOS: su nombre, dirección, y número de teléfono; el nombre del solicitante y número del permiso; la ubicación y distancia de su propiedad/actividad con respecto a la instalación; una descripción específica de la forma cómo usted sería afectado adversamente por el sitio de una manera no común al público en general; una lista de todas las cuestiones de hecho en disputa que usted presente durante el período de comentarios; y la declaración "[Yo/nosotros] solicito/solicitamos una audiencia de caso impugnado". Si presenta la petición para una audiencia de caso impugnado de parte de un grupo o asociación, debe identificar una persona que representa al grupo para recibir correspondencia en el futuro; identificar el nombre y la dirección de un miembro del grupo que sería afectado adversamente por la planta o la actividad propuesta; proveer la información indicada anteriormente con respecto a la ubicación del miembro afectado y su distancia de la planta o actividad propuesta; explicar cómo y porqué el miembro sería afectado; y explicar cómo los intereses que el grupo desea proteger son pertinentes al propósito del grupo.

Después del cierre de todos los períodos de comentarios y de petición que aplican, el Director Ejecutivo enviará la solicitud y cualquier petición para reconsideración o para una audiencia de caso impugnado a los Comisionados de la TCEQ para su consideración durante una reunión programada de la Comisión. La Comisión sólo puede conceder una solicitud de una audiencia de caso impugnado sobre los temas que el solicitante haya presentado en sus comentarios oportunos que no fueron retirados posteriormente. Si se concede una audiencia, el tema de la audiencia estará limitado a cuestiones de hecho en disputa o cuestiones mixtas de hecho y de derecho relacionadas a intereses pertinentes y materiales de calidad del agua que se hayan presentado durante el período de comentarios. Si ciertos criterios se cumplen, la TCEQ puede actuar sobre una solicitud para renovar un permiso sin proveer una oportunidad de una audiencia administrativa de lo contencioso.

LISTA DE CORREO. Si somete comentarios públicos, un pedido para una audiencia administrativa de lo contencioso o una reconsideración de la decisión del Director Ejecutivo, la Oficina del Secretario Principal enviará por correo los avisos públicos en relación con la solicitud. Ademas, puede pedir que la TCEQ ponga su nombre en una or mas de las listas correos siguientes (1) la lista de correo permanente para recibir los avisos de el solicitante indicado por nombre y número del permiso específico y/o (2) la lista de correo de todas las solicitudes en un condado específico. Si desea que se agrega su nombre en una de las listas designe cual lista(s) y envia por correo su pedido a la Oficina del Secretario Principal de la TCEQ.

CONTACTOS E INFORMACIÓN A LA AGENCIA. Todos los comentarios públicos y solicitudes deben ser presentadas electrónicamente vía

http://www14.tceq.texas.gov/epic/eComment/o por escrito dirigidos a la Comisión de Texas de Calidad Ambiental, Oficial de la Secretaría (Office of Chief Clerk), MC-105, P.O. Box 13087, Austin, Texas 78711-3087. Tenga en cuenta que cualquier información personal que usted proporcione, incluyendo su nombre, número de teléfono, dirección de correo electrónico y dirección física pasarán a formar parte del registro público de la Agencia. Para obtener más información acerca de esta solicitud de permiso o el proceso de permisos, llame al programa de educación pública de la TCEQ, gratis, al 1-800-687-4040. Si desea información en Español, puede llamar al 1-800-687-4040.

También se puede obtener información adicional del Quadvest, L.P. a la dirección indicada arriba o llamando a Mr. Jacob Gifford, P.E., al 281-305-1120

Fecha de emission:



U.S. DEPARTMENT OF THE INTERIOR U.S. GEOLOGICAL SURVEY



HORIST STATE

SHEPARD HILL QUADRANGLE TEXAS - MONTGOMERY COUNTY 7.5-MINUTE SERIES







NSN. 7 6 4 3 0 1 6 3 9 8 2 3 8 NGA REF NO. US GS X 2 4 K 4 0 9 9 5