

#### This file contains the following documents:

- 1. Summary of application (in plain language)
  - English
  - Alternative Language (Spanish)
- 2. First Notice (NORI-Notice of Receipt of Application and Intent to Obtain a Permit)
  - English
  - Alternative Language (Spanish)
- 3. Application materials



#### Este archivo contiene los siguientes documentos:

- 1. Resumen en lenguaje sencillo (PLS, por sus siglas en inglés) de la actividad propuesta
  - Inglés
  - Idioma alternativo (español)
- 2. Primer aviso (NORI, el Aviso de Recepción de Solicitud e Intención de Obtener un Permiso)
  - Inglés
  - Idioma alternativo (español)
- 3. Solicitud original



#### TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

# SUMMARY OF APPLICATION IN PLAIN LANGUAGE FOR TPDES OR TLAP PERMIT APPLICATIONS

### ENGLISH TEMPLATE FOR TPDES or TLAP NEW/RENEWAL/AMENDMENT APPLICATIONS DOMESTIC WASTEWATER/STORMWATER

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 TAC Chapter 39. The information provided in this summary may change during the technical review of the application and is not a federal enforceable representation of the permit application.

South Central Water Company (CN602602179) proposes to operate Tanyard Road Wastewater Treatment Plant (RN######), an activated sludge processing plant. The facility will be located at 1,460 Ft North west of the intersection between Tanyard Road and Sharon Lane, in Willis, Montgomery County, Texas 77378. This permit is to authorize the discharge of treated domestic wastewater to a volume not to exceed an average flow of 300,000 gallons per day.

Discharges from the facility are expected to contain free available chlorine, total residual chlorine, total suspended solids, oil and grease, total iron, pH differences, and temperature differences. Domestic wastewater will be treated by an activated sludge processing plant consisting of the following treatment units: bar screens, aeration basins, digester basins, clarifiers, a lift station, and chlorine contact basins.

## PLANTILLA EN ESPAÑOL PARA SOLICITUDES NUEVAS/RENOVACIONES/ENMIENDAS DE TPDES o TLAP

#### AGUAS RESIDUALES DOMÉSTICAS /AGUAS PLUVIALES

El siguiente resumen se proporciona para esta solicitud de permiso de calidad del agua pendiente que está siendo revisada por la Comisión de Calidad Ambiental de Texas según lo requerido por el Capítulo 39 del Código Administrativo de Texas 30. La información proporcionada en este resumen puede cambiar durante la revisión técnica de la solicitud y no es una representación ejecutiva fedérale de la solicitud de permiso.

Compañía de Agua Central del Sur (CN602602179) propone operar Planta de tratamiento de aguas residuales Tanyard Road (RN########), una Planta de procesamiento de lodos activados. La instalación estará ubicada en A 1,460 pies al noroeste de la intersección entre Tanyard Road y Sharon Lane, en Willis, Condado de Montgomery, Texas 77378. Este permiso es para autorizar la descarga de aguas residuales domésticas tratadas a un volumen que no exceda un flujo promedio de 300,000 galones por día.

Se espera que las descargas de la instalación contengan cloro libre disponible, cloro residual total, sólidos suspendidos totales, aceite y grasa, hierro total, diferencias de pH y diferencias de temperatura. Aguas residuales domésticas. está tratado por Una planta de procesamiento de lodos activados que consta de las siguientes unidades de tratamiento: cribas de barras, cuencas de aireación, cuencas de digestores, clarificadores, una estación de bombeo y cuencas de contacto con cloro.

#### **TEXAS COMMISSION ON ENVIRONMENTAL QUALITY**



### NOTICE OF RECEIPT OF APPLICATION AND INTENT TO OBTAIN WATER QUALITY PERMIT

#### PROPOSED PERMIT NO. WQ0016882001

**APPLICATION.** South Central Water Company, P.O. Box 570177, Houston, Texas 77257, has applied to the Texas Commission on Environmental Quality (TCEQ) for proposed Texas Pollutant Discharge Elimination System (TPDES) Permit No. WQ0016882001 (EPA I.D. No. TX0148491) to authorize the discharge of treated wastewater at a volume not to exceed a daily average flow of 300,000 gallons per day. The domestic wastewater facility will be located approximately 1,460 feet northwest of the intersection of Tanyard Road and Sharon Lane, near the city of Conroe, in Montgomery County, Texas 77378. The discharge route will be from the plant site via pipe directly to Peach Creek. TCEQ received this application on September 17, 2025. The permit application will be available for viewing and copying at R F Meador Branch Library, reference section, 709 West Montgomery Street, Willis, Texas prior to the date this notice is published in the newspaper. The application, including any updates, and associated notices are available electronically at the following webpage: https://www.tceg.texas.gov/permitting/wastewater/pending-permits/tpdes-applications. This link to an electronic map of the site or facility's general location is provided as a public courtesy and not part of the application or notice. For the exact location, refer to the application.

https://gisweb.tceq.texas.gov/LocationMapper/?marker=-95.3424,30.4627&level=18

ALTERNATIVE LANGUAGE NOTICE. Alternative language notice in Spanish is available at: <a href="https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications">https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications</a>. El aviso de idioma alternativo en español está disponible en <a href="https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications">https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications</a>.

ADDITIONAL NOTICE. TCEQ's Executive Director has determined the application is administratively complete and will conduct a technical review of the application. After technical review of the application is complete, the Executive Director may prepare a draft permit and will issue a preliminary decision on the application. Notice of the Application and Preliminary Decision will be published and mailed to those who are on the countywide mailing list and to those who are on the mailing list for this application. That notice will contain the deadline for submitting public comments.

**PUBLIC COMMENT / PUBLIC MEETING. You may submit public comments or request a public meeting on this application.** The purpose of a public meeting is to provide the opportunity to submit comments or to ask questions about the application. TCEQ will hold a public meeting if the Executive Director determines that there is a significant degree of public

interest in the application or if requested by a local legislator. A public meeting is not a contested case hearing.

OPPORTUNITY FOR A CONTESTED CASE HEARING. After the deadline for submitting public comments, the Executive Director will consider all timely comments and prepare a response to all relevant and material, or significant public comments. Unless the application is directly referred for a contested case hearing, the response to comments, and the Executive Director's decision on the application, will be mailed to everyone who submitted public comments and to those persons who are on the mailing list for this application. If comments are received, the mailing will also provide instructions for requesting reconsideration of the Executive Director's decision and for requesting a contested case hearing. A contested case hearing is a legal proceeding similar to a civil trial in state district court.

TO REQUEST A CONTESTED CASE HEARING, YOU MUST INCLUDE THE FOLLOWING ITEMS IN YOUR REQUEST: your name, address, phone number; applicant's name and proposed permit number; the location and distance of your property/activities relative to the proposed facility; a specific description of how you would be adversely affected by the facility in a way not common to the general public; a list of all disputed issues of fact that you submit during the comment period and, the statement "[I/we] request a contested case hearing." If the request for contested case hearing is filed on behalf of a group or association, the request must designate the group's representative for receiving future correspondence; identify by name and physical address an individual member of the group who would be adversely affected by the proposed facility or activity; provide the information discussed above regarding the affected member's location and distance from the facility or activity; explain how and why the member would be affected; and explain how the interests the group seeks to protect are relevant to the group's purpose.

Following the close of all applicable comment and request periods, the Executive Director will forward the application and any requests for reconsideration or for a contested case hearing to the TCEQ Commissioners for their consideration at a scheduled Commission meeting.

The Commission may only grant a request for a contested case hearing on issues the requestor submitted in their timely comments that were not subsequently withdrawn. If a hearing is granted, the subject of a hearing will be limited to disputed issues of fact or mixed questions of fact and law relating to relevant and material water quality concerns submitted during the comment period.

MAILING LIST. If you submit public comments, a request for a contested case hearing or a reconsideration of the Executive Director's decision, you will be added to the mailing list for this specific application to receive future public notices mailed by the Office of the Chief Clerk. In addition, you may request to be placed on: (1) the permanent mailing list for a specific applicant name and permit number; and/or (2) the mailing list for a specific county. If you wish to be placed on the permanent and/or the county mailing list, clearly specify which list(s) and send your request to TCEQ Office of the Chief Clerk at the address below.

**INFORMATION AVAILABLE ONLINE.** For details about the status of the application, visit the Commissioners' Integrated Database at <a href="https://www.tceq.texas.gov/goto/cid">www.tceq.texas.gov/goto/cid</a>. Search the database using the permit number for this application, which is provided at the top of this notice.

AGENCY CONTACTS AND INFORMATION. All public comments and requests must be submitted either electronically at <a href="https://www14.tceq.texas.gov/epic/eComment/">https://www14.tceq.texas.gov/epic/eComment/</a>, or in writing to the Texas Commission on Environmental Quality, Office of the Chief Clerk, MC-105, P.O. Box 13087, Austin, Texas 78711-3087. Please be aware that any contact information you provide, including your name, phone number, email address and physical address will become part of the agency's public record. For more information about this permit application or the permitting process, please call the TCEQ Public Education Program, Toll Free, at 1-800-687-4040 or visit their website at <a href="www.tceq.texas.gov/goto/pep">www.tceq.texas.gov/goto/pep</a>. Si desea información en Español, puede llamar al 1-800-687-4040.

Further information may also be obtained from South Central Water Company at the address stated above or by calling Mr. Jerry Ince, P.E., Ward, Getz & Associates, LLC, at 832-344-6604.

Issuance Date: October 29, 2025

#### Comisión de Calidad Ambiental del Estado de Texas



#### AVISO DE RECIBO DE LA SOLICITUD Y EL INTENTO DE OBTENER PERMISO PARA LA CALIDAD DEL AGUA

#### PERMISO PROPUESTO NO. WQ0016882001

**SOLICITUD.** South Central Water Company, P.O. Box 570177, Houston, Texas 77257, ha solicitado a la Comisión de Calidad Ambiental del Estado de Texas (TCEQ) para el propuesto Permiso No. WQ0016882001 (EPA I.D. No. TX 0148491) del Sistema de Eliminación de Descargas de Contaminantes de Texas (TPDES) para autorizar la descarga de aguas residuales tratadas en un volumen que no sobrepasa un flujo promedio diario de 300,000 galones por día. La planta estará ubicada aproximadamente a 1,460 pies al noroeste de la intersección de Tanyard Road y Sharon Lane, cerca de la ciudad de Conroe en el Condado de Montgomery, Texas 77378. La ruta de descarga será desde la planta a través de una tubería directamente hacia Peach Creek. La TCEQ recibió esta solicitud el 17 de septiembre de 2025. La solicitud para el permiso estará disponible para leerla y copiarla en la Biblioteca Sucursal R. F. Meador, sección de referencia, 709 West Montgomery Street, Willis, Condado de Montgomery, Texas, antes de la fecha de publicación de este aviso en el periódico. La solicitud (cualquier actualización y aviso inclusive) está disponible electrónicamente en la siguiente página web:

https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications. Este enlace a un mapa electrónico de la ubicación general del sitio o de la instalación es proporcionado como una cortesía y no es parte de la solicitud o del aviso. Para la ubicación exacta, consulte la solicitud.

https://gisweb.tceq.texas.gov/LocationMapper/?marker=-95.3424,30.4627&level=18

**AVISO DE IDIOMA ALTERNATIVO.** El aviso de idioma alternativo en español está disponible en <a href="https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications">https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications</a>.

AVISO ADICIONAL. El Director Ejecutivo de la TCEQ ha determinado que la solicitud es administrativamente completa y conducirá una revisión técnica de la solicitud. Después de completar la revisión técnica, el Director Ejecutivo puede preparar un borrador del permiso y emitirá una Decisión Preliminar sobre la solicitud. El aviso de la solicitud y la decisión preliminar serán publicados y enviado a los que están en la lista de correo de las personas a lo largo del condado que desean recibir los avisos y los que están en la lista de correo que desean recibir avisos de esta solicitud. El aviso dará la fecha límite para someter comentarios públicos.

COMENTARIO PUBLICO / REUNION PUBLICA. Usted puede presentar comentarios públicos o pedir una reunión pública sobre esta solicitud. El propósito de una reunión pública es dar la oportunidad de presentar comentarios o hacer preguntas acerca de la solicitud. La TCEQ

realiza una reunión pública si el Director Ejecutivo determina que hay un grado de interés público suficiente en la solicitud o si un legislador local lo pide. Una reunión pública no es una audiencia administrativa de lo contencioso.

OPORTUNIDAD DE UNA AUDIENCIA ADMINISTRATIVA DE LO CONTENCIOSO. Después del plazo para presentar comentarios públicos, el Director Ejecutivo considerará todos los comentarios apropiados y preparará una respuesta a todo los comentarios públicos esenciales, pertinentes, o significativos. A menos que la solicitud haya sido referida directamente a una audiencia administrativa de lo contencioso, la respuesta a los comentarios y la decisión del Director Ejecutivo sobre la solicitud serán enviados por correo a todos los que presentaron un comentario público y a las personas que están en la lista para recibir avisos sobre esta solicitud. Si se reciben comentarios, el aviso también proveerá instrucciones para pedir una reconsideración de la decisión del Director Ejecutivo y para pedir una audiencia administrativa de lo contencioso. Una audiencia administrativa de lo contencioso es un procedimiento legal similar a un procedimiento legal civil en un tribunal de distrito del estado.

PARA SOLICITAR UNA AUDIENCIA DE CASO IMPUGNADO, USTED DEBE INCLUIR EN SU SOLICITUD LOS SIGUIENTES DATOS: su nombre, dirección, y número de teléfono; el nombre del solicitante y número del permiso; la ubicación y distancia de su propiedad/actividad con respecto a la instalación; una descripción específica de la forma cómo usted sería afectado adversamente por el sitio de una manera no común al público en general; una lista de todas las cuestiones de hecho en disputa que usted presente durante el período de comentarios; y la declaración "[Yo/nosotros] solicito/solicitamos una audiencia de caso impugnado". Si presenta la petición para una audiencia de caso impugnado de parte de un grupo o asociación, debe identificar una persona que representa al grupo para recibir correspondencia en el futuro; identificar el nombre y la dirección de un miembro del grupo que sería afectado adversamente por la planta o la actividad propuesta; proveer la información indicada anteriormente con respecto a la ubicación del miembro afectado y su distancia de la planta o actividad propuesta; explicar cómo y porqué el miembro sería afectado; y explicar cómo los intereses que el grupo desea proteger son pertinentes al propósito del grupo.

Después del cierre de todos los períodos de comentarios y de petición que aplican, el Director Ejecutivo enviará la solicitud y cualquier petición para reconsideración o para una audiencia de caso impugnado a los Comisionados de la TCEQ para su consideración durante una reunión programada de la Comisión.

La Comisión sólo puede conceder una solicitud de una audiencia de caso impugnado sobre los temas que el solicitante haya presentado en sus comentarios oportunos que no fueron retirados posteriormente. Si se concede una audiencia, el tema de la audiencia estará limitado a cuestiones de hecho en disputa o cuestiones mixtas de hecho y de derecho relacionadas a intereses pertinentes y materiales de calidad del agua que se hayan presentado durante el período de comentarios.

LISTA DE CORREO. Si somete comentarios públicos, un pedido para una audiencia administrativa de lo contencioso o una reconsideración de la decisión del Director Ejecutivo, la Oficina del Secretario Principal enviará por correo los avisos públicos en relación con la solicitud. Además, puede pedir que la TCEQ ponga su nombre en una o más de las listas

correos siguientes (1) la lista de correo permanente para recibir los avisos del solicitante indicado por nombre y número del permiso específico y/o (2) la lista de correo de todas las solicitudes en un condado específico. Si desea que se agrega su nombre en una de las listas designe cual lista(s) y envía por correo su pedido a la Oficina del Secretario Principal de la TCEQ.

**INFORMACIÓN DISPONIBLE EN LÍNEA.** Para detalles sobre el estado de la solicitud, favor de visitar la Base de Datos Integrada de los Comisionados en <a href="www.tceq.texas.gov/goto/cid">www.tceq.texas.gov/goto/cid</a>. Para buscar en la base de datos, utilizar el número de permiso para esta solicitud que aparece en la parte superior de este aviso.

CONTACTOS E INFORMACIÓN A LA AGENCIA. Todos los comentarios públicos y solicitudes deben ser presentadas electrónicamente vía <a href="http://www14.tceq.texas.gov/epic/eComment/">http://www14.tceq.texas.gov/epic/eComment/</a> o por escrito dirigidos a la Comisión de Texas de Calidad Ambiental, Oficial de la Secretaría (Office of Chief Clerk), MC-105, P.O. Box 13087, Austin, Texas 78711-3087. Tenga en cuenta que cualquier información personal que usted proporcione, incluyendo su nombre, número de teléfono, dirección de correo electrónico y dirección física pasarán a formar parte del registro público de la Agencia. Para obtener más información acerca de esta solicitud de permiso o el proceso de permisos, llame al programa de educación pública de la TCEQ, gratis, al 1-800-687-4040. Si desea información en Español, puede llamar al 1-800-687-4040.

También se puede obtener información adicional del South Central Water Company a la dirección indicada arriba o llamando a Jerry Ince, P.E., Ward, Getz & Associates, LLC, al 832-344-6604.

Fecha de emisión: 29 de octubre de 2025

# THE COMMISSION OF THE PROPERTY OF THE PROPERTY

#### TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

## DOMESTIC WASTEWATER PERMIT APPLICATION CHECKLIST

Complete and submit this checklist with the application.

|--|

PERMIT NUMBER (If new, leave blank): WQ00Click to enter text.

Indicate if each of the following items is included in your application.

	Y	N		Y	N	
Administrative Report 1.0	$\boxtimes$		Original USGS Map	$\boxtimes$		
Administrative Report 1.1	$\boxtimes$		Affected Landowners Map	$\boxtimes$		
SPIF	$\boxtimes$		Landowner Disk or Labels	$\boxtimes$		
Core Data Form	$\boxtimes$		Buffer Zone Map	$\boxtimes$		
Summary of Application (PLS)	$\boxtimes$		Flow Diagram	$\boxtimes$		
Public Involvement Plan Form	$\boxtimes$		Site Drawing	$\boxtimes$		
Technical Report 1.0	$\boxtimes$		Original Photographs	$\boxtimes$		
Technical Report 1.1	$\boxtimes$		Design Calculations	$\boxtimes$		
Worksheet 2.0	$\boxtimes$		Solids Management Plan	$\boxtimes$		
Worksheet 2.1		$\boxtimes$	Water Balance		$\boxtimes$	
Worksheet 3.0		$\boxtimes$				
Worksheet 3.1		$\boxtimes$				
Worksheet 3.2		$\boxtimes$				
Worksheet 3.3		$\boxtimes$				
Worksheet 4.0		$\boxtimes$				
Worksheet 5.0		$\boxtimes$				
Worksheet 6.0		$\boxtimes$				
Worksheet 7.0		$\boxtimes$				
For TCEQ Use Only						
Segment Number			County			
Expiration Date Permit Number						
I CITIII NUIIDEI						

# THE TONMENTAL OUTE

#### TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

## DOMESTIC WASTEWATER PERMIT APPLICATION ADMINISTRATIVE REPORT 1.0

For any questions about this form, please contact the Applications Review and Processing Team at 512-239-4671.

#### **Section 1.** Application Fees (Instructions Page 26)

Indicate the amount submitted for the application fee (check only one).

Flow	New/Major Amendment	Renewal
< 0.05 MGD	\$350.00 □	\$315.00 □
≥0.05 but <0.10 MGD	\$550.00 □	\$515.00 □
≥0.10 but <0.25 MGD	\$850.00 □	\$815.00 □
≥0.25 but <0.50 MGD	\$1,250.00 ⊠	\$1,215.00
≥0.50 but <1.0 MGD	\$1,650.00	\$1,615.00 □
≥1.0 MGD	\$2,050.00 □	\$2,015.00

Minor Amendment (for any flow) \$150.00 □

Mailed Check/Money Order Number: <u>5288</u>

Check/Money Order Amount: \$1,250.00

Name Printed on Check: South Central Water Company

EPAY Voucher Number: Click to enter text.

Copy of Payment Voucher enclosed? Yes  $\square$ 

#### Section 2. Type of Application (Instructions Page 26)

a.	Che	ck the box next to the appropriate authorization type.
		Publicly Owned Domestic Wastewater
	$\boxtimes$	Privately-Owned Domestic Wastewater

**b.** Check the box next to the appropriate facility status.

**Conventional Water Treatment** 

☐ Active ☒ Inactive

c.	Che	eck the box next to the appropriate permit typ	e.	
	$\boxtimes$	TPDES Permit		
		TLAP		
		TPDES Permit with TLAP component		
		Subsurface Area Drip Dispersal System (SAD	DS)	
d.	Che	eck the box next to the appropriate application	ı typ	e
	$\boxtimes$	New		
		Major Amendment <u>with</u> Renewal		Minor Amendment with Renewal
		Major Amendment <u>without</u> Renewal		Minor Amendment without Renewal
		Renewal without changes		Minor Modification of permit
e.	For	amendments or modifications, describe the p	ropo	osed changes: <u>N/A</u>
f.	For	existing permits:		
	Per	mit Number: WQ00 <u>N/A</u>		
	EPA	A I.D. (TPDES only): TX <u>N/A</u>		
	Exp	iration Date: <u>N/A</u>		
Sc	cti	on 3. Facility Owner (Applicant) a	nd	Co-Applicant Information
36	CIII	(Instructions Page 26)	IIU	Co-Applicant information
Α.	The	e owner of the facility must apply for the per	mit.	
	Wha	at is the Legal Name of the entity (applicant) a	pply	ing for this permit?
	Sou	th Central Water Company		
	(Th the	e legal name must be spelled exactly as filed w legal documents forming the entity.)	ith tì	he Texas Secretary of State, County, or in
		ne applicant is currently a customer with the T n may search for your CN on the TCEQ website		
		CN: <u>602602179</u>		
	Wh	at is the name and title of the person signing t	he a	polication? The person must be an

executive official meeting signatory requirements in 30 TAC § 305.44.

Prefix: Mr. Last Name, First Name: Bailey, Doug

Title: <u>President</u> Credential: <u>N/A</u>

**B. Co-applicant information.** Complete this section only if another person or entity is required to apply as a co-permittee.

What is the Legal Name of the co-applicant applying for this permit?

N/A

(The legal name must be spelled exactly as filed with the TX SOS, with the County, or in the legal documents forming the entity.)

If the co-applicant is currently a customer with the TCEQ, what is the Customer Number (CN)? You may search for your CN on the TCEQ website at: <a href="http://www15.tceq.texas.gov/crpub/">http://www15.tceq.texas.gov/crpub/</a>

CN: <u>N/A</u>

What is the name and title of the person signing the application? The person must be an executive official meeting signatory requirements in *30 TAC § 305.44*.

Prefix: N/A Last Name, First Name: N/A

Title: N/A Credential: N/A

Provide a brief description of the need for a co-permittee: N/A

#### C. Core Data Form

Complete the Core Data Form for each customer and include as an attachment. If the customer type selected on the Core Data Form is **Individual**, complete **Attachment 1** of Administrative Report 1.0. **Appendix A** 

#### **Section 4.** Application Contact Information (Instructions Page 27)

This is the person(s) TCEQ will contact if additional information is needed about this application. Provide a contact for administrative questions and technical questions.

A. Prefix: Mr. Last Name, First Name: Ince, Jerry

Title: <u>Senior Client Manager</u> Credential: <u>P.E.</u>
Organization Name: Ward, Getz & Associates, LLC

Mailing Address: <u>2500 Tanglewilde St, Suite 120</u> City, State, Zip Code: <u>Houston, TX 77063</u>

Phone No.: 832-344-6604 E-mail Address: jince@wga-llc.com

Check one or both: □ Administrative Contact ⊠ Technical Contact

**B.** Prefix: Mr. Last Name, First Name: Son, Jaerock

Title: Project Engineer Credential: Click to enter text.

Organization Name: Ward, Getz & Associates, LLC

Mailing Address: 2500 Tanglewilde St., Suite 120 City, State, Zip Code: Houston, TX 77063

Phone No.: 713-789-1900 E-mail Address: json@wga-llc.com

Check one or both:  $\square$  Administrative Contact  $\square$  Technical Contact

#### Section 5. Permit Contact Information (Instructions Page 27)

Provide the names and contact information for two individuals that can be contacted throughout the permit term.

A. Prefix: Mr. Last Name, First Name: Ince, Jerry

Title: <u>Senior Client Manager</u> Credential: <u>P.E.</u>
Organization Name: <u>Ward, Getz & Associates, LLC</u>

Mailing Address: 2500 Tanglewilde St., Suite 120 City, State, Zip Code: Houston, TX 77063

Phone No.: 713-789-1900 E-mail Address: json@wga-LLC.com

**B.** Prefix: Mr. Last Name, First Name: Son, Jaerock

Title: Project Engineer Credential: Click to enter text.

Organization Name: Ward, Getz & Associates, LLC

Mailing Address: <u>2500 Tanglewilde St., Suite 120</u> City, State, Zip Code: <u>Houston, TX 77063</u>

Phone No.: <u>713-789-1900</u> E-mail Address: <u>json@wga-llc.com</u>

#### Section 6. Billing Contact Information (Instructions Page 27)

The permittee is responsible for paying the annual fee. The annual fee will be assessed to permits *in effect on September 1 of each year*. The TCEQ will send a bill to the address provided in this section. The permittee is responsible for terminating the permit when it is no longer needed (using form TCEQ-20029).

Prefix: Mr. Last Name, First Name: Bailey, Doug

Title: President Credential: Click to enter text.

Organization Name: South Central Water Company

Mailing Address: P.O. Box 570177 City, State, Zip Code: Houston, Texas 77257

Phone No.: <u>713-783-6611</u> E-mail Address: <u>Doug@southcentralww.com</u>

#### Section 7. DMR/MER Contact Information (Instructions Page 27)

Provide the name and complete mailing address of the person delegated to receive and submit Discharge Monitoring Reports (DMR) (EPA 3320-1) or maintain Monthly Effluent Reports (MER).

Prefix: Mr. Last Name, First Name: Bailey, Doug

Title: <u>President</u> Credential: Click to enter text.

Organization Name: South Central Water Company

Mailing Address: P.O. Box 570177 City, State, Zip Code: Houston, Texas 77257

Phone No.: 713-783-6611 E-mail Address: <u>Doug@southcentralww.com</u>

#### Section 8. Public Notice Information (Instructions Page 27)

#### A. Individual Publishing the Notices

Prefix: Mr. Last Name, First Name: Son, Jaerock

Title: <u>Project Engineer</u> Credential: Click to enter text.

Organization Name: Ward, Getz & Associates, LLC

Mailing Address: <u>2500 Tanglewilde St., Suite 120</u> City, State, Zip Code: <u>Houston, TX 77063</u>

Phone No.: 713-789-1900 E-mail Address: json@wga-llc.com

B.		ethod for Receiving Notice of Reconctage	eipt and Intent to Obtain a Water Quality Permit
	Ind	dicate by a check mark the preferre	ed method for receiving the first notice and instructions:
	$\boxtimes$	E-mail Address	
		Fax	
		Regular Mail	
C.	Cor	ontact permit to be listed in the No	otices
	Pre	refix: <u>Mr.</u> Las	st Name, First Name: <u>Ince, Jerry</u>
	Titl	tle: <u>Senior Client Manager</u> Cre	edential: <u>P.E.</u>
	Org	rganization Name: <u>Ward, Getz &amp; Asso</u>	ociates, LLC
	Mai	ailing Address: <u>2500 Tanglewilde St.,</u>	, Suite 120 City, State, Zip Code: Houston, TX 77063
	Pho	none No.: <u>832-344-6604</u> E-r	mail Address: <u>jince@wga-llc.com</u>
D.	Puk	ablic Viewing Information	
	•	the facility or outfall is located in mounty must be provided.	nore than one county, a public viewing place for each
	Pub	ıblic building name: <u>R F Meador Braı</u>	nch Library
	Loc	ocation within the building: Reference	ce Section
	Phy	nysical Address of Building: <u>709 W N</u>	Montgomery St
	City	ty: <u>Willis</u>	County: Montgomery
	Cor	ontact (Last Name, First Name): <u>Mic</u> l	chelle Kovacs
	Pho	none No.: <u>936-522-2750</u> Ext.: Click to	o enter text.
E.	Bili	lingual Notice Requirements	
		nis information <b>is required</b> for <b>new</b> o <b>dification, and renewal</b> application	v, major amendment, minor amendment or minor ons.
	be i		y used to determine if alternative language notices will publishing the alternative language notices will be in
	obt		ator at the nearest elementary and middle schools and determine whether an alternative language notices are
		Is a bilingual education program r or middle school nearest to the fa	required by the Texas Education Code at the elementary acility or proposed facility?
		⊠ Yes □ No	
		If <b>no</b> , publication of an alternative below.	e language notice is not required; <b>skip to</b> Section 9
		Are the students who attend eithe a bilingual education program at t	er the elementary school or the middle school enrolled in that school?

No

 $\boxtimes$ 

Yes

	3.	Do the locatio	students a n?	t these	schools	attend a	a bilingual	educa	tion prog	ram a	t another
			Yes	$\boxtimes$	No						
	4.		the school out of this							gram b	out the school has
			Yes		No						
	5.		nswer is <b>ye</b> ed. Which la	_							tive language are
F.	Su	mmary	of Applica	tion in	Plain La	nguage	Template	!			
			the F. Sum n as the pla								Form 20972), ment.
	At	tachme	nt: <u>Append</u>	lix B							
G.	Pu	blic Inv	olvement l	Plan Fo	rm						
			the Public I iit or major								plication for a t.
	At	tachme	nt: <u>Append</u>	lix C							
Se	cti	on 9.	Regula Page 2		ntity a	nd Pe	rmitted	Site	Inform	ation	(Instructions
Α.		the site s site. <b>R</b>		<sup>,</sup> regula	ted by T	CEQ, pr	ovide the	Regula	ited Entity	y Num	ber (RN) issued to
			TCEQ's Ce currently r				/www15.to	ceq.tex	as.gov/cr	<u>rpub/</u> 1	to determine if
B.	Na	me of p	roject or si	te (the	name kn	own by	the comm	unity	where loc	cated):	
	Ta	nyard Ro	oad Wastewa	ter Trea	<u>atment Pl</u>	<u>ant</u>					
C.	Ov	vner of	treatment f	acility:	South Ce	ntral Wa	ater Compa	<u>ny</u>			
	Ov	vnership	of Facility	: 🗆	Public	$\boxtimes$	Private		Both		Federal
D.	Ov	vner of l	land where	treatm	ent facili	ity is or	will be:				
	Pre	efix: Clic	ck to enter	text.	Las	st Name	, First Nan	ne: Clic	ck to ente	r text.	
	Tit	le: Click	k to enter te	ext.	Cre	edential	: Click to e	enter to	ext.		
	Or	ganizat	ion Name: <u>I</u>	ELLISO	N COLLE	<u>CTIONS</u>	S LLC				
	Ma	iling Ac	ddress: <u>2111</u>	N Frazi	<u>er St</u>	(	City, State,	Zip C	ode: <u>Conr</u>	oe, Tex	as <u>77301</u>
	Ph	one No.	: Click to er	nter tex	t. E-	mail Ad	dress: Clic	k to e	nter text.		
			lowner is no t or deed re						or co-ap	plican	t, attach a lease
		Attach	ment: <u>N/A</u>								

	Prefix: <u>N/A</u>	Last Name, First Name: <u>N/A</u>
	Title: <u>N/A</u>	Credential: <u>N/A</u>
	Organization Name: <u>N/A</u>	
	Mailing Address: <u>N/A</u>	City, State, Zip Code: <u>N/A</u>
	Phone No.: <u>N/A</u>	E-mail Address: <u>N/A</u>
		same person as the facility owner or co-applicant, attach a lease d easement. See instructions.
	Attachment: N/A	
F.	Owner sewage sludge dispo	osal site (if authorization is requested for sludge disposal on ed by the applicant)::
	Prefix: <u>N/A</u>	Last Name, First Name: <u>N/A</u>
	Title: <u>N/A</u>	Credential: <u>N/A</u>
	Organization Name: <u>N/A</u>	
	Mailing Address: <u>N/A</u>	City, State, Zip Code: <u>N/A</u>
	Phone No.: <u>N/A</u>	E-mail Address: <u>N/A</u>
		same person as the facility owner or co-applicant, attach a lease d easement. See instructions.
	Attachment: N/A	
Se	ection 10. TPDES Disc	charge Information (Instructions Page 31)
A.	Is the wastewater treatment	t facility location in the existing permit accurate?
	□ Yes ⊠ No	
	If no, or a new permit appl	lication, please give an accurate description:
	1,980 Ft North west of the int Texas in Montgomery County	tersection between Tanyard Road 172 and Sharon Lane near Willis,
B.	Are the point(s) of discharg	e and the discharge route(s) in the existing permit correct?
	□ Yes ⊠ No	
	point of discharge and the TAC Chapter 307:	ent permit application, provide an accurate description of the discharge route to the nearest classified segment as defined in 30 Creek (Segment ID. 1011) from 8" effluent piping at proposed
	WWTP.	creek (organism 12. 1011) from o chrucht piping at proposed
	City nearest the outfall(s): <u>V</u>	Villis
	,	
	County in which the outfall	s(s) is/are located: <u>Montgomery</u>

**E.** Owner of effluent disposal site:

	a flood control district drainage ditch?
	□ Yes ⊠ No
	If <b>yes</b> , indicate by a check mark if:
	$\square$ Authorization granted $\square$ Authorization pending
	For <b>new and amendment</b> applications, provide copies of letters that show proof of contact and the approval letter upon receipt.
	Attachment: N/A
D.	For all applications involving an average daily discharge of 5 MGD or more, provide the names of all counties located within 100 statute miles downstream of the point(s) of discharge: $\underline{N/A}$
Se	ection 11. TLAP Disposal Information (Instructions Page 32)
	<u>-</u>
Α.	For TLAPs, is the location of the effluent disposal site in the existing permit accurate?
	□ Yes □ No
	If <b>no, or a new or amendment permit application</b> , provide an accurate description of the disposal site location:
	N/A
В.	City nearest the disposal site: N/A
	County in which the disposal site is located: N/A
	For <b>TLAPs</b> , describe the routing of effluent from the treatment facility to the disposal site:
	N/A
E.	For <b>TLAPs</b> , please identify the nearest watercourse to the disposal site to which rainfall
	runoff might flow if not contained: $N/A$
Se	ection 12. Miscellaneous Information (Instructions Page 32)
	Is the facility located on or does the treated effluent cross American Indian Land?
	☐ Yes ⊠ No
B.	If the existing permit contains an onsite sludge disposal authorization, is the location of the sewage sludge disposal site in the existing permit accurate?
	☐ Yes ☐ No ☑ Not Applicable
	If No, or if a new onsite sludge disposal authorization is being requested in this permit
	application, provide an accurate location description of the sewage sludge disposal site.
	N/A

C. Is or will the treated wastewater discharge to a city, county, or state highway right-of-way, or

C.	Did any person formerly employed by the TCEQ represent your company and get paid for service regarding this application?
	□ Yes ⊠ No
	If yes, list each person formerly employed by the TCEQ who represented your company and was paid for service regarding the application: $\underline{N/A}$
D.	Do you owe any fees to the TCEQ?
	□ Yes ⊠ No
	If <b>yes</b> , provide the following information:
	Account number: <u>N/A</u>
	Amount past due: <u>N/A</u>
E.	Do you owe any penalties to the TCEQ?
	□ Yes ⊠ No
	If <b>yes</b> , please provide the following information:
	Enforcement order number: <u>N/A</u>
	Amount past due: <u>N/A</u>
So	ection 13. Attachments (Instructions Page 33)
	dicate which attachments are included with the Administrative Report. Check all that apply:
	Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant.
$\boxtimes$	Original full-size USGS Topographic Map with the following information:
	<ul> <li>Applicant's property boundary</li> <li>Treatment facility boundary</li> <li>Labeled point of discharge for each discharge point (TPDES only)</li> <li>Highlighted discharge route for each discharge point (TPDES only)</li> <li>Onsite sewage sludge disposal site (if applicable)</li> <li>Effluent disposal site boundaries (TLAP only)</li> <li>New and future construction (if applicable)</li> <li>1 mile radius information</li> <li>3 miles downstream information (TPDES only)</li> <li>All ponds.</li> </ul>
	Attachment 1 for Individuals as co-applicants
	Other Attachments. Please specify: Click to enter text.

#### Section 14. Signature Page (Instructions Page 34)

If co-applicants are necessary, each entity must submit an original, separate signature page.

Permit Number: Unassigned - New Application

Applicant: South Central Water Company

Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

I further certify that I am authorized under 30 Texas Administrative Code § 305.44 to sign and submit this document, and can provide documentation in proof of such authorization upon request.

Signatory name (typed or printed): <u>Doug Bailey</u>
Signatory title: President  Signature:
Subscribed and Sworn to before me by the said
on this 15th day of September, 2025.
My commission expires on the 215+ day of April , 2027.
Notary Public [SEAL]
Harris, Texas  BOBBY RAY KOONCE II  Notary Public, State of Texas  County, Texas  Notary ID 13432073-2

## DOMESTIC WASTEWATER PERMIT APPLICATION ADMINISTRATIVE REPORT 1.0

The following information is required for new and amendment applications.

#### Section 1. Affected Landowner Information (Instructions Page 36)

Α.	. Indicate by a check mark that the landowners map or drawing, with scale, includes the following information, as applicable:					
	$\boxtimes$	The applicant's property boundaries				
	$\boxtimes$	The facility site boundaries within the applicant's property boundaries				
		The distance the buffer zone falls into adjacent properties and the property boundaries of the landowners located within the buffer zone				
		The property boundaries of all landowners surrounding the applicant's property (Note: if the application is a major amendment for a lignite mine, the map must include the property boundaries of all landowners adjacent to the new facility (ponds).)				
	$\boxtimes$	The point(s) of discharge and highlighted discharge route(s) clearly shown for one mile downstream				
		The property boundaries of the landowners located on both sides of the discharge route for one full stream mile downstream of the point of discharge				
		The property boundaries of the landowners along the watercourse for a one-half mile radius from the point of discharge if the point of discharge is into a lake, bay, estuary, or affected by tides				
		The boundaries of the effluent disposal site (for example, irrigation area or subsurface drainfield site) and all evaporation/holding ponds within the applicant's property				
	$\boxtimes$	The property boundaries of all landowners surrounding the effluent disposal site				
		The boundaries of the sludge land application site (for land application of sewage sludge for beneficial use) and the property boundaries of landowners surrounding the applicant's property boundaries where the sewage sludge land application site is located				
		The property boundaries of landowners within one-half mile in all directions from the applicant's property boundaries where the sewage sludge disposal site (for example, sludge surface disposal site or sludge monofill) is located				
В.	⊠ addr	Indicate by a check mark that a separate list with the landowners' names and mailing resses cross-referenced to the landowner's map has been provided.				
C.	⊠ labe	Indicate by a check mark that the landowners list has also been provided as mailing ls in electronic format (Avery 5160).				
D.		ride the source of the landowners' names and mailing addresses: <u>Montgomery County</u> raisal <u>District</u>				
E.		equired by $Texas\ Water\ Code\ \S\ 5.115$ , is any permanent school fund land affected by application?				
		□ Yes ⊠ No				

	-	$\mathbf{ves}$ , provide the location and foreseeable impacts and effects this application has on the $\mathbf{d}(\mathbf{s})$ :
	N,	/A
Co	ot!	on 2 Oviginal Dhatagraphs (Instructions Dags 20)
		on 2. Original Photographs (Instructions Page 38)
		e original ground level photographs. Indicate with checkmarks that the following nation is provided.
	$\boxtimes$	At least one original photograph of the new or expanded treatment unit location
		At least two photographs of the existing/proposed point of discharge and as much area downstream (photo 1) and upstream (photo 2) as can be captured. If the discharge is to an open water body (e.g., lake, bay), the point of discharge should be in the right or left edge of each photograph showing the open water and with as much area on each respective side of the discharge as can be captured.
	$\boxtimes$	At least one photograph of the existing/proposed effluent disposal site
	$\boxtimes$	A plot plan or map showing the location and direction of each photograph
So	cti	on 3. Buffer Zone Map (Instructions Page 38)
A.	inf	If the following or symbols and appropriate labels. It is a symbol to the following or symbols and appropriate labels.
		<ul> <li>The applicant's property boundary;</li> <li>The required buffer zone; and</li> <li>Each treatment unit; and</li> <li>The distance from each treatment unit to the property boundaries.</li> </ul>
В.		ffer zone compliance method. Indicate how the buffer zone requirements will be met. eck all that apply.
		○ Ownership
		□ Restrictive easement
		□ Nuisance odor control
		□ Variance
C.		suitable site characteristics. Does the facility comply with the requirements regarding suitable site characteristic found in 30 TAC § 309.13(a) through (d)?
		⊠ Yes □ No

# DOMESTIC WASTEWATER PERMIT APPLICATION SUPPLEMENTAL PERMIT INFORMATION FORM (SPIF)

This form applies to TPDES permit applications only. Complete and attach the Supplemental Permit information Form (SPIF) (TCEQ Form 20971).

Attachment: **Appendix F** 

#### WATER QUALITY PERMIT

#### PAYMENT SUBMITTAL FORM

Use this form to submit the Application Fee, if the mailing the payment.

- Complete items 1 through 5 below.
- Staple the check or money order in the space provided at the bottom of this document.
- Do Not mail this form with the application form.
- Do not mail this form to the same address as the application.
- Do not submit a copy of the application with this form as it could cause duplicate permit entries.

#### Mail this form and the check or money order to:

BY REGULAR U.S. MAIL

Texas Commission on Environmental Quality Financial Administration Division Cashier's Office, MC-214 P.O. Box 13088

Austin, Texas 78711-3088

Fee Code: WQP Waste Permit No: Pending

1. Check or Money Order Number: <u>5288</u>

2. Check or Money Order Amount: **\$1,250.00** 

3. Date of Check or Money Order: <u>9/15/2025</u>

4. Name on Check or Money Order: South Central Water Company

5. APPLICATION INFORMATION

Name of Project or Site: Tanyard Road Wastewater Treatment Plant

Physical Address of Project or Site: <u>1,980 Ft North west of the intersection between Tanyard Road</u> <u>172 and Sharon Lane near Willis, Texas in Montgomery County</u>

If the check is for more than one application, attach a list which includes the name of each Project or Site (RE) and Physical Address, exactly as provided on the application.

Staple Check or Money Order in This Space

Texas Commission on Environmental Quality Financial Administration Division Cashier's Office, MC-214 12100 Park 35 Circle Austin, Texas 78753 than one phase exists or is proposed, a description of *each phase* must be provided.

Appendix I

finish with the point of discharge. Include all sludge processing and drying units. If more

#### **B.** Treatment Units

In Table 1.0(1), provide the treatment unit type, the number of units, and dimensions (length, width, depth) of each treatment unit, accounting for *all* phases of operation.

#### Table 1.0(1) - Treatment Units

Treatment Unit Type	Number of Units	Dimensions (L x W x D)
Appendix J		

#### C. Process Flow Diagram

Provide flow diagrams for the existing facilities and **each** proposed phase of construction.

Attachment: **Appendix K** 

#### Section 3. Site Information and Drawing (Instructions Page 43)

Provide the TPDES discharge outfall latitude and longitude. Enter N/A if not applicable.

• Latitude: 30.4629

• Longitude: <u>-95.3408</u>

Provide the TLAP disposal site latitude and longitude. Enter N/A if not applicable.

• Latitude: <u>N/A</u>

• Longitude: N/A

Provide a site drawing for the facility that shows the following:

- The boundaries of the treatment facility;
- The boundaries of the area served by the treatment facility;
- If land disposal of effluent, the boundaries of the disposal site and all storage/holding ponds; and
- If sludge disposal is authorized in the permit, the boundaries of the land application or disposal site.

Attachment: **Appendix L** 

			•
The proposed wastewater t consisting of 120 single far residences.			
Collection System Informati each <b>uniquely owned</b> collection systems. <b>examples</b> .	tion system, existin <b>Please see the instr</b>	g and new, served by th	is facility, including
Collection System Information Collection System Name	Owner Name	Owner Type	Population Served
Unnamed Subdivision	Unknown at the time	Privately Owned	Ultimate = 360
		Choose an item.	
		Choose an item.	
		Choose an item.	
☐ Yes ☒ No  If yes, does the existing peryears of being authorized by ☐ Yes ☐ No  If yes, provide a detailed dis Failure to provide sufficient recommending denial of the N/A	y the TCEQ? scussion regarding t at justification may	he continued need for t result in the Executive	he unbuilt phase.
Section 5. Closure F	lowe (Instruction		

шу	es, was a closure plan submitted to the TCEQ?
	□ Yes □ No
If y	ves, provide a brief description of the closure and the date of plan approval.
Se	ction 6. Permit Specific Requirements (Instructions Page 44) r applicants with an existing permit, check the Other Requirements or Special
Pro	ovisions of the permit.
A.	Summary transmittal
	Have plans and specifications been approved for the existing facilities and each proposed phase?
	□ Yes ⊠ No
	If yes, provide the date(s) of approval for each phase: Click to enter text.
	Provide information, including dates, on any actions taken to meet a <i>requirement or provision</i> pertaining to the submission of a summary transmittal letter. <b>Provide a copy of an approval letter from the TCEQ, if applicable</b> .
	N/A
B.	Buffer zones
	Have the buffer zone requirements been met?
	⊠ Yes □ No
	Provide information below, including dates, on any actions taken to meet the conditions of the buffer zone. If available, provide any new documentation relevant to maintaining the buffer zones.
	Buffer Zone area is completely contained within the property boundary.

C.	Ot	her actions required by the current permit
	su	bes the <i>Other Requirements</i> or <i>Special Provisions</i> section in the existing permit require bmission of any other information or other required actions? Examples include otification of Completion, progress reports, soil monitoring data, etc.
		□ Yes □ No
		yes, provide information below on the status of any actions taken to meet the nditions of an Other Requirement or Special Provision.
	N	T/A
D	Cr	it and grease treatment
υ.		Acceptance of grit and grease waste
		Does the facility have a grit and/or grease processing facility onsite that treats and decants or accepts transported loads of grit and grease waste that are discharged directly to the wastewater treatment plant prior to any treatment?
		□ Yes ⊠ No
		If No, stop here and continue with Subsection E. Stormwater Management.
	2.	Grit and grease processing
		Describe below how the grit and grease waste is treated at the facility. In your description, include how and where the grit and grease is introduced to the treatment works and how it is separated or processed. Provide a flow diagram showing how grit and grease is processed at the facility.
		N/A
	3.	Grit disposal
		Does the facility have a Municipal Solid Waste (MSW) registration or permit for grit disposal?
		□ Yes ⊠ No
		<b>If No</b> , contact the TCEQ Municipal Solid Waste team at 512-239-2335. Note: A registration or permit is required for grit disposal. Grit shall not be combined with treatment plant sludge. See the instruction booklet for additional information on grit

disposal requirements and restrictions.

		Describe the method of grit disposal.
		N/A
	4.	Grease and decanted liquid disposal
		Note: A registration or permit is required for grease disposal. Grease shall not be combined with treatment plant sludge. For more information, contact the TCEQ Municipal Solid Waste team at 512-239-2335.
		Describe how the decant and grease are treated and disposed of after grit separation.
		N/A
E.	Sto	ormwater management
	1.	Applicability
		Does the facility have a design flow of 1.0 MGD or greater in any phase?
		□ Yes ⊠ No
		Does the facility have an approved pretreatment program, under 40 CFR Part 403?
		□ Yes ⊠ No
		If no to both of the above, then skip to Subsection F, Other Wastes Received.
	2.	MSGP coverage
		Is the stormwater runoff from the WWTP and dedicated lands for sewage disposal currently permitted under the TPDES Multi-Sector General Permit (MSGP), TXR050000?
		□ Yes □ No
		<b>If yes</b> , please provide MSGP Authorization Number and skip to Subsection F, Other Wastes Received:
		TXR05 Click to enter text. or TXRNE Click to enter text.
		If no, do you intend to seek coverage under TXR050000?
		□ Yes □ No
	3.	Conditional exclusion
		Alternatively, do you intend to apply for a conditional exclusion from permitting based TXR050000 (Multi Sector General Permit) Part II B.2 or TXR050000 (Multi Sector General Permit) Part V, Sector T 3(b)?
		□ Yes □ No

	If yes, please explain below then proceed to Subsection F, Other Wastes Received:						
	Click to enter text.						
4.	Existing coverage in individual permit						
	Is your stormwater discharge currently permitted through this individual TPDES or TLAP permit?						
	□ Yes □ No						
	<b>If yes</b> , provide a description of stormwater runoff management practices at the site that are authorized in the wastewater permit then skip to Subsection F, Other Wastes Received.						
	Click to enter text.						
5.	Zero stormwater discharge						
	Do you intend to have no discharge of stormwater via use of evaporation or other means?						
	□ Yes □ No						
	If yes, explain below then skip to Subsection F. Other Wastes Received.						
	Click to enter text.						
	Note: If there is a potential to discharge any stormwater to surface water in the state as the result of any storm event, then permit coverage is required under the MSGP or an individual discharge permit. This requirement applies to all areas of facilities with treatment plants or systems that treat, store, recycle, or reclaim domestic sewage, wastewater or sewage sludge (including dedicated lands for sewage sludge disposal located within the onsite property boundaries) that meet the applicability criteria of above. You have the option of obtaining coverage under the MSGP for direct discharges, (recommended), or obtaining coverage under this individual permit.						
6.	Request for coverage in individual permit						
	Are you requesting coverage of stormwater discharges associated with your treatment plant under this individual permit?						
	□ Yes □ No						
	If yes, provide a description of stormwater runoff management practices at the site for which you are requesting authorization in this individual wastewater permit and describe whether you intend to comingle this discharge with your treated effluent or discharge it via a separate dedicated stormwater outfall. Please also indicate if you						

		intend to divert stormwater to the treatment plant headworks and indirectly discharge it to water in the state.
		Click to enter text.
		Note: Direct stormwater discharges to waters in the state authorized through this individual permit will require the development and implementation of a stormwater pollution prevention plan (SWPPP) and will be subject to additional monitoring and reporting requirements. Indirect discharges of stormwater via headworks recycling will require compliance with all individual permit requirements including 2-hour peak flow limitations. All stormwater discharge authorization requests will require additional information during the technical review of your application.
F.	Dis	scharges to the Lake Houston Watershed
	Do	es the facility discharge in the Lake Houston watershed?
		⊠ Yes □ No
		ves, attach a Sewage Sludge Solids Management Plan. See Example 5 in the instructions.  pendix P
G.	Ot	her wastes received including sludge from other WWTPs and septic waste
	1.	Acceptance of sludge from other WWTPs
		Does or will the facility accept sludge from other treatment plants at the facility site?
		□ Yes ⊠ No
		If yes, attach sewage sludge solids management plan. See Example 5 of instructions.
		In addition, provide the date the plant started or is anticipated to start accepting sludge, an estimate of monthly sludge acceptance (gallons or millions of gallons), an
		estimate of the BOD <sub>5</sub> concentration of the sludge, and the design BOD <sub>5</sub> concentration of the influent from the collection system. Also note if this information has or has not changed since the last permit action.
		Click to enter text.
		Note: Permits that accept sludge from other wastewater treatment plants may be required to have influent flow and organic loading monitoring.
	2.	Acceptance of septic waste
		Is the facility accepting or will it accept septic waste?
		☐ Yes ☒ No
		If yes, does the facility have a Type V processing unit?
		□ Yes □ No
		If yes, does the unit have a Municipal Solid Waste permit?
		□ Yes □ No

N	T/A
	ote: Permits that accept sludge from other wastewater treatment plants may be quired to have influent flow and organic loading monitoring.
	cceptance of other wastes (not including septic, grease, grit, or RCRA, CERCLA of discharged by IUs listed in Worksheet 6)
	or will the facility accept wastes that are not domestic in nature excluding the tegories listed above?
	□ Yes ⊠ No
mı de otl	yes, provide the date that the plant started accepting the waste, an estimate how uch waste is accepted on a monthly basis (gallons or millions of gallons), a scription of the entities generating the waste, and any distinguishing chemical or her physical characteristic of the waste. Also note if this information has or has no anged since the last permit action.
N	T/A
tion	7. Pollutant Analysis of Treated Effluent (Instructions Page
(IOI	49)
e fac	ility in operation?
□ Y	es 🗵 No
, this	s section is not applicable. Proceed to Section 8.
	ovide effluent analysis data for the listed pollutants. <i>Wastewater treatment</i>

*facilities* complete Table 1.0(2). *Water treatment facilities* discharging filter backwash water, complete Table 1.0(3). Provide copies of the laboratory results sheets. **These tables are not applicable for a minor amendment without renewal.** See the instructions for guidance.

If yes to any of the above, provide the date the plant started or is anticipated to start accepting septic waste, an estimate of monthly septic waste acceptance (gallons or millions of gallons), an estimate of the BOD<sub>5</sub> concentration of the septic waste, and the

TCEQ-10054 (10/17/2024) Domestic Wastewater Permit Application Technical Report

Note: The sample date must be within 1 year of application submission.

Table 1.0(2) - Pollutant Analysis for Wastewater Treatment Facilities

Pollutant	Average Conc.	Max Conc.	No. of Samples	Sample Type	Sample Date/Time
CBOD <sub>5</sub> , mg/l					
Total Suspended Solids, mg/l					
Ammonia Nitrogen, mg/l					
Nitrate Nitrogen, mg/l					
Total Kjeldahl Nitrogen, mg/l					
Sulfate, mg/l					
Chloride, mg/l					
Total Phosphorus, mg/l					
pH, standard units					
Dissolved Oxygen*, mg/l					
Chlorine Residual, mg/l					
E.coli (CFU/100ml) freshwater					
Entercocci (CFU/100ml) saltwater					
Total Dissolved Solids, mg/l					
Electrical Conductivity, µmohs/cm, †					
Oil & Grease, mg/l					
Alkalinity (CaCO <sub>3</sub> )*, mg/l	_				

<sup>\*</sup>TPDES permits only

Table 1.0(3) - Pollutant Analysis for Water Treatment Facilities

Pollutant	Average Conc.	Max Conc.	No. of Samples	Sample Type	Sample Date/Time
Total Suspended Solids, mg/l					
Total Dissolved Solids, mg/l					
pH, standard units					
Fluoride, mg/l					
Aluminum, mg/l					
Alkalinity (CaCO <sub>3</sub> ), mg/l					

### Section 8. Facility Operator (Instructions Page 49)

Facility Operator Name: TBD

Facility Operator's License Classification and Level: TBD

Facility Operator's License Number: <u>TBD</u>

<sup>†</sup>TLAP permits only

#### Sludge and Biosolids Management and Disposal Section 9. (Instructions Page 50)

Α.	WW	TP's Sewage Sludge or Biosolids Management Facility Type		
	Check all that apply. See instructions for guidance			
		Design flow>= 1 MGD		
		Serves >= 10,000 people		
		Class I Sludge Management Facility (per 40 CFR § 503.9)		
		Biosolids generator		
		Biosolids end user – land application (onsite)		
		Biosolids end user - surface disposal (onsite)		
		Biosolids end user – incinerator (onsite)		
B.	ww	TP's Sewage Sludge or Biosolids Treatment Process		
	Che	ck all that apply. See instructions for guidance.		
		Aerobic Digestion		
		Air Drying (or sludge drying beds)		
		Lower Temperature Composting		
		Lime Stabilization		
		Higher Temperature Composting		
		Heat Drying		
		Thermophilic Aerobic Digestion		
		Beta Ray Irradiation		
	☐ Gamma Ray Irradiation			
		Pasteurization		
		Preliminary Operation (e.g. grinding, de-gritting, blending)		
		Thickening (e.g. gravity thickening, centrifugation, filter press, vacuum filter)		
		Sludge Lagoon		
		Temporary Storage (< 2 years)		
		Long Term Storage (>= 2 years)		
		Methane or Biogas Recovery		
		Other Treatment Process: Click to enter text.		

#### C. Sewage Sludge or Biosolids Management

Provide information on the intended sewage sludge or biosolids management practice. Do not enter every management practice that you want authorized in the permit, as the

permit will authorize all sewage sludge or biosolids management practices listed in the instructions. Rather indicate the management practice the facility plans to use.

#### **Biosolids Management**

Management Practice	Handler or Preparer Type	Bulk or Bag Container	Amount (dry metric tons)	Pathogen Reduction Options	Vector Attraction Reduction Option	
Disposal in Landfill	Off-site Third-Party Handler or Preparer	Bulk		N/A: Disposal in Landfill	N/A: Disposal in Landfill	
Choose an item.	Choose an item.	Choose an item.		Choose an item.	Choose an item.	
Choose an item.	Choose an item.	Choose an item.		Choose an item.	Choose an item.	

If "Other" is selected for Management Practice, please explain (e.g. monofill or transport to another WWTP): Click to enter text.

#### D. Disposal site

Disposal site name: <u>Austin Wastewater Processing Facility</u>

TCEQ permit or registration number: <u>MSW 2384</u> County where disposal site is located: Austin

#### E. Transportation method

Method of transportation (truck, train, pipe, other): Truck

Name of the hauler: TBD

Hauler registration number: TBD

Sludge is transported as a:

Liquid □	semi-liquid ⊠	semi-solid □	solid □
-1 · ·	1		

## Section 10. Permit Authorization for Sewage Sludge Disposal (Instructions Page 52)

#### A. Beneficial use authorization

Does the existing permit include authorization	n for land	application	of biosolids	for
beneficial use?				

□ Yes ⊠ No

**If yes**, are you requesting to continue this authorization to land apply biosolids for beneficial use?

□ Yes □ No

If yes, is the completed Application for Permit for Beneficial Land Use of Sewage Sludge (TCEQ Form No. 10451) attached to this permit application (see the instructions for details)?

	the existing permit include authorization for any of the following sludge processing, ge or disposal options?					
Slu	dge Composting		Yes		No	
Ma	rketing and Distribution of Biosolids		Yes		No	
Slu	dge Surface Disposal or Sludge Monofill		Yes		No	
Ter	nporary storage in sludge lagoons		Yes		No	
author	to any of the above sludge options and the rization, is the completed <b>Domestic Wastew</b> ical Report (TCEQ Form No. 10056) attach	vatei	r Permi	t <b>Appl</b> i	ication: Sewage Sludge	
	Yes □ No					
Section	11. Sewage Sludge Lagoons (Ins	tru	ctions	Page	2 53)	
Does this	facility include sewage sludge lagoons?					
□ Y€	es 🗵 No					
If yes, con	mplete the remainder of this section. If no, p	oroc	eed to S	ection	12.	
A. Location	on information					
	The following maps are required to be submitted as part of the application. For each map, provide the Attachment Number.					
•	Original General Highway (County) Map:					
	Attachment: Click to enter text.					
•	<ul> <li>USDA Natural Resources Conservation Service Soil Map:</li> </ul>					
	Attachment: Click to enter text.					
•	Federal Emergency Management Map:					
	Attachment: Click to enter text.					
•	• Site map:					
	Attachment: Click to enter text.					
Discuss in a description if any of the following exist within the lagoon area. Check all that apply.						
	□ Overlap a designated 100-year frequency flood plain					
	Soils with flooding classification					
	□ Overlap an unstable area					
	□ Wetlands					
	Located less than 60 meters from a fault					
	None of the above					
Att	achment: Click to enter text.					

B. Sludge processing authorization

Click to enter text.
Temporary storage information
Provide the results for the pollutant screening of sludge lagoons. These results are in addition to pollutant results in <i>Section 7 of Technical Report 1.0.</i>
Nitrate Nitrogen, mg/kg: Click to enter text.
Total Kjeldahl Nitrogen, mg/kg: <u>Click to enter text.</u>
Total Nitrogen (=nitrate nitrogen + TKN), mg/kg: Click to enter text.
Phosphorus, mg/kg: Click to enter text.
Potassium, mg/kg: Click to enter text.
pH, standard units: <u>Click to enter text.</u>
Ammonia Nitrogen mg/kg: <u>Click to enter text.</u>
Arsenic: Click to enter text.
Cadmium: <u>Click to enter text.</u>
Chromium: <u>Click to enter text.</u>
Copper: Click to enter text.
Lead: Click to enter text.
Mercury: <u>Click to enter text.</u>
Molybdenum: <u>Click to enter text.</u>
Nickel: <u>Click to enter text.</u>
Selenium: <u>Click to enter text.</u>
Zinc: Click to enter text.
Total PCBs: <u>Click to enter text.</u>
Provide the following information:
Volume and frequency of sludge to the lagoon(s): Click to enter text.
Total dry tons stored in the lagoons(s) per 365-day period: <u>Click to enter text.</u>

#### C. Liner information

l	Does the active/	'proposed	sludge	: lagoon(s	s) have	e a line	er with	a maximum	hydrau	ılic
(	conductivity of	1x10 <sup>-7</sup> cm/	'sec?							

	Yes		No
_	1 00	_	110

	If yes	, describe the liner below. Please note that a liner is required.
	Click	to enter text.
D.	Site d	evelopment plan
	Provi	de a detailed description of the methods used to deposit sludge in the lagoon(s):
	Click	to enter text.
	Attac	h the following documents to the application.
	•	Plan view and cross-section of the sludge lagoon(s)
		Attachment: Click to enter text.
	•	Copy of the closure plan
		Attachment: Click to enter text.
	•	Copy of deed recordation for the site
		Attachment: Click to enter text.
	•	Size of the sludge lagoon(s) in surface acres and capacity in cubic feet and gallons
		Attachment: Click to enter text.
	•	Description of the method of controlling infiltration of groundwater and surface water from entering the site
		Attachment: Click to enter text.
	•	Procedures to prevent the occurrence of nuisance conditions
		Attachment: Click to enter text.
E.	Grou	ndwater monitoring
	grour	undwater monitoring currently conducted at this site, or are any wells available for adwater monitoring, or are groundwater monitoring data otherwise available for the e lagoon(s)?
		Yes □ No
	types	undwater monitoring data are available, provide a copy. Provide a profile of soil encountered down to the groundwater table and the depth to the shallowest adwater as a separate attachment.

Attachment: Click to enter text.

# Section 12. Authorizations/Compliance/Enforcement (Instructions Page 54)

A. Additional authorizations
Does the permittee have additional authorizations for this facility, such as reuse authorization, sludge permit, etc?
□ Yes ⊠ No
If yes, provide the TCEQ authorization number and description of the authorization:
N/A
B. Permittee enforcement status
Is the permittee currently under enforcement for this facility?
□ Yes ⊠ No
Is the permittee required to meet an implementation schedule for compliance or enforcement?
□ Yes ⊠ No
<b>If yes</b> to either question, provide a brief summary of the enforcement, the implementation schedule, and the current status:
N/A

# Section 13. RCRA/CERCLA Wastes (Instructions Page 55)

#### A. RCRA hazardous wastes

Has the facility received in the past three years, does it currently receive, or will it receive RCRA hazardous waste?

Yes	$\boxtimes$	No

#### B. Remediation activity wastewater

Has the facility received in the past three years, does it currently receive, or will it receive CERCLA wastewater, RCRA remediation/corrective action wastewater or other remediation activity wastewater?

□ Yes ⊠ No

#### C. Details about wastes received

**If yes** to either Subsection A or B above, provide detailed information concerning these wastes with the application.

Attachment: N/A

## Section 14. Laboratory Accreditation (Instructions Page 55)

All laboratory tests performed must meet the requirements of *30 TAC Chapter 25*, *Environmental Testing Laboratory Accreditation and Certification*, which includes the following general exemptions from National Environmental Laboratory Accreditation Program (NELAP) certification requirements:

- The laboratory is an in-house laboratory and is:
  - o periodically inspected by the TCEQ; or
  - o located in another state and is accredited or inspected by that state; or
  - o performing work for another company with a unit located in the same site; or
  - performing pro bono work for a governmental agency or charitable organization.
- The laboratory is accredited under federal law.
- The data are needed for emergency-response activities, and a laboratory accredited under the Texas Laboratory Accreditation Program is not available.
- The laboratory supplies data for which the TCEQ does not offer accreditation.

The applicant should review 30 TAC Chapter 25 for specific requirements.

The following certification statement shall be signed and submitted with every application. See the Signature Page section in the Instructions, for a list of designated representatives who may sign the certification.

#### **CERTIFICATION:**

I certify that all laboratory tests submitted with this application meet the requirements of 30 TAC Chapter 25, Environmental Testing Laboratory Accreditation and Certification.

Printed Name: Doug Bailey

Title: President

Signature: \_

## DOMESTIC WASTEWATER PERMIT APPLICATION TECHNICAL REPORT 1.1

The following information is required for new and amendment major applications.

## Section 1. Justification for Permit (Instructions Page 56)

#### A. Justification of permit need

Provide a detailed discussion regarding the need for any phase(s) not currently permitted. Failure to provide sufficient justification may result in the Executive Director recommending denial of the proposed phase(s) or permit.

The Developer that has the land under contract is interested in putting in a development for
approximately 1,200 single family homes. Per the TCEQ rules, using 250 GPD per LUE, this
development will require 300,000 GPD. The Developer plans to start construction in the
winter of 2026. Their first phase consists of 400 homes, which would be handled by the first
requested phase. The second phase of the development is for 800 homes, and he anticipates
construction starting on that at the beginning of 2028.

#### B. Regionalization of facilities

For additional guidance, please review <u>TCEQ's Regionalization Policy for Wastewater Treatment</u><sup>1</sup>.

Provide the following information concerning the potential for regionalization of domestic wastewater treatment facilities:

#### 1. Municipally incorporated areas

If the applicant is a city, then Item 1 is not applicable. Proceed to Item 2 Utility CCN areas.

Is any portion of the proposed service area located in an incorporated city?

 $\square$  Yes  $\boxtimes$  No  $\square$  Not Applicable

If yes, within the city limits of: N/A

**If yes**, attach correspondence from the city.

Attachment: N/A

If consent to provide service is available from the city, attach a justification for the proposed facility and a cost analysis of expenditures that includes the cost of connecting to the city versus the cost of the proposed facility or expansion attached.

Attachment: N/A

#### 2. Utility CCN areas

Is any portion of the proposed service area located inside another utility's CCN area?

<sup>&</sup>lt;sup>1</sup> https://www.tceq.texas.gov/permitting/wastewater/tceq-regionalization-for-wastewater

□ Yes ⊠ No
<b>If yes</b> , attach a justification for the proposed facility and a cost analysis of expenditures that includes the cost of connecting to the CCN facilities versus the cost of the proposed facility or expansion.
Attachment: Click to enter text.
3. Nearby WWTPs or collection systems
Are there any domestic permitted wastewater treatment facilities or collection systems located within a three-mile radius of the proposed facility?
⊠ Yes □ No
<b>If yes</b> , attach a list of these facilities and collection systems that includes each permittee's name and permit number, and an area map showing the location of these facilities and collection systems.
Attachment: <u>Appendix M</u>
<b>If yes</b> , attach proof of mailing a request for service to each facility and collection system, the letters requesting service, and correspondence from each facility and collection system.
Attachment: Click to enter text.
If the facility or collection system agrees to provide service, attach a justification for the proposed facility and a cost analysis of expenditures that includes the cost of
connecting to the facility or collection system versus the cost of the proposed facility or expansion.
or expansion.  Attachment: Click to enter text.
or expansion.
or expansion.  Attachment: Click to enter text.
or expansion.  Attachment: Click to enter text.  Section 2. Proposed Organic Loading (Instructions Page 58)
or expansion.  Attachment: Click to enter text.  Section 2. Proposed Organic Loading (Instructions Page 58)  Is this facility in operation?
or expansion.  Attachment: Click to enter text.  Section 2. Proposed Organic Loading (Instructions Page 58)  Is this facility in operation?  □ Yes ☒ No
or expansion.  Attachment: Click to enter text.  Section 2. Proposed Organic Loading (Instructions Page 58)  Is this facility in operation?  □ Yes ☑ No  If no, proceed to Item B, Proposed Organic Loading.
or expansion.  Attachment: Click to enter text.  Section 2. Proposed Organic Loading (Instructions Page 58)  Is this facility in operation?  □ Yes ☑ No  If no, proceed to Item B, Proposed Organic Loading.  If yes, provide organic loading information in Item A, Current Organic Loading
or expansion.  Attachment: Click to enter text.  Section 2. Proposed Organic Loading (Instructions Page 58)  Is this facility in operation?  □ Yes ☑ No  If no, proceed to Item B, Proposed Organic Loading.  If yes, provide organic loading information in Item A, Current Organic Loading  A. Current organic loading
or expansion.  Attachment: Click to enter text.  Section 2. Proposed Organic Loading (Instructions Page 58)  Is this facility in operation?  ☐ Yes ☑ No  If no, proceed to Item B, Proposed Organic Loading.  If yes, provide organic loading information in Item A, Current Organic Loading  A. Current organic loading  Facility Design Flow (flow being requested in application): Click to enter text.
or expansion.  Attachment: Click to enter text.  Section 2. Proposed Organic Loading (Instructions Page 58)  Is this facility in operation?  □ Yes ☒ No  If no, proceed to Item B, Proposed Organic Loading.  If yes, provide organic loading information in Item A, Current Organic Loading  A. Current organic loading  Facility Design Flow (flow being requested in application): Click to enter text.  Average Influent Organic Strength or BOD₅ Concentration in mg/l: Click to enter text.  Average Influent Loading (lbs/day = total average flow X average BOD₅ conc. X 8.34): Click
or expansion.  Attachment: Click to enter text.  Section 2. Proposed Organic Loading (Instructions Page 58)  Is this facility in operation?  □ Yes ☑ No  If no, proceed to Item B, Proposed Organic Loading.  If yes, provide organic loading information in Item A, Current Organic Loading  A. Current organic loading  Facility Design Flow (flow being requested in application): Click to enter text.  Average Influent Organic Strength or BOD <sub>5</sub> Concentration in mg/l: Click to enter text.  Average Influent Loading (lbs/day = total average flow X average BOD <sub>5</sub> conc. X 8.34): Click to enter text.
or expansion.  Attachment: Click to enter text.  Section 2. Proposed Organic Loading (Instructions Page 58)  Is this facility in operation?  □ Yes ⋈ No  If no, proceed to Item B, Proposed Organic Loading.  If yes, provide organic loading information in Item A, Current Organic Loading  A. Current organic loading  Facility Design Flow (flow being requested in application): Click to enter text.  Average Influent Organic Strength or BOD <sub>5</sub> Concentration in mg/l: Click to enter text.  Average Influent Loading (lbs/day = total average flow X average BOD <sub>5</sub> conc. X 8.34): Click to enter text.  Provide the source of the average organic strength or BOD <sub>5</sub> concentration.
or expansion.  Attachment: Click to enter text.  Section 2. Proposed Organic Loading (Instructions Page 58)  Is this facility in operation?  □ Yes ⋈ No  If no, proceed to Item B, Proposed Organic Loading.  If yes, provide organic loading information in Item A, Current Organic Loading  A. Current organic loading  Facility Design Flow (flow being requested in application): Click to enter text.  Average Influent Organic Strength or BOD <sub>5</sub> Concentration in mg/l: Click to enter text.  Average Influent Loading (lbs/day = total average flow X average BOD <sub>5</sub> conc. X 8.34): Click to enter text.  Provide the source of the average organic strength or BOD <sub>5</sub> concentration.

#### B. Proposed organic loading

This table must be completed if this application is for a facility that is not in operation or if this application is to request an increased flow that will impact organic loading.

Table 1.1(1) - Design Organic Loading

Source	Total Average Flow (MGD)	Influent BOD5 Concentration (mg/l)
Municipality		
Subdivision	Ph I - 0.1 MGD Ph II - 0.3 MGD	Ph I - 400 mg/l Ph II - 400 mg/l
Trailer park - transient		
Mobile home park		
School with cafeteria and showers		
School with cafeteria, no showers		
Recreational park, overnight use		
Recreational park, day use		
Office building or factory		
Motel		
Restaurant		
Hospital		
Nursing home		
Other		
TOTAL FLOW from all sources	Ph I - 0.1 MGD Ph II - 0.3 MGD	
AVERAGE BOD₅ from all sources		Ph I - 400 mg/l Ph II - 400 mg/l

# Section 3. Proposed Effluent Quality and Disinfection (Instructions Page 58)

#### A. Existing/Interim I Phase Design Effluent Quality

Biochemical Oxygen Demand (5-day), mg/l: 10

Total Suspended Solids, mg/l: 15

Ammonia Nitrogen, mg/l: 2

Total Phosphorus, mg/l: Click to enter text.

Dissolved Oxygen, mg/l: Click to enter text.

Other: Click to enter text.

B. Interim II Phase Design Effluent Quality			
	Biochemical Oxygen Demand (5-day), mg/l: Click to enter text.		
	Total Suspended Solids, mg/l: Click to enter text.		
	Ammonia Nitrogen, mg/l: Click to enter text.		
	Total Phosphorus, mg/l:		
	Dissolved Oxygen, mg/l: Click to enter text.		
	Other: Click to enter text.		
C.	Final Phase Design Effluent Quality		
	Biochemical Oxygen Demand (5-day), mg/l: <u>10</u>		
	Total Suspended Solids, mg/l: <u>15</u>		
	Ammonia Nitrogen, mg/l: <u>2</u>		
	Total Phosphorus, mg/l: <u>Click to enter text.</u>		
	Dissolved Oxygen, mg/l: Click to enter text.		
	Other: Click to enter text.		
D.	Disinfection Method		
	Identify the proposed method of disinfection.		
	☑ Chlorine: 8 mg/l after 20 minutes detention time at peak flow		
	Dechlorination process: N/A		
	☐ Ultraviolet Light: Click to enter text. seconds contact time at peak flow		
	□ Other: Click to enter text.		
Se	ection 4. Design Calculations (Instructions Page 58)		
	tach design calculations and plant features for each proposed phase. Example 4 of the		
ins	structions includes sample design calculations and plant features.		
	Attachment: Appendix N		
Se	ection 5. Facility Site (Instructions Page 59)		
Δ	100-year floodplain		
1 11	Will the proposed facilities be located above the 100-year frequency flood level?		
	<ul> <li>✓ Yes □ No</li> </ul>		
	If <b>no</b> , describe measures used to protect the facility during a flood event. Include a site		
	map showing the location of the treatment plant within the 100-year frequency flood level. If applicable, provide the size and types of protective structures.		
	Click to enter text.		

Provide the source(s) used to determine 100-year frequency flood plain.

Flood Insurance Rate Map No. 48339Co275G
For a new or expansion of a facility, will a wetland or part of a wetland be filled?
□ Yes ⊠ No
If yes, has the applicant applied for a US Corps of Engineers 404 Dredge and Fill Permit?
□ Yes □ No
If yes, provide the permit number: $N/A$
<b>If no,</b> provide the approximate date you anticipate submitting your application to the Corps: Click to enter text.
Wind rose
Attach a wind rose: Appendix O
ection 6. Permit Authorization for Sewage Sludge Disposal

# (Instructions Page 59)

#### A. Beneficial use authorization

B.

Are you requesting to include authorization to land apply sewage sludge for beneficial use on property located adjacent to the wastewater treatment facility under the wastewater permit?

□ Yes ⊠ No

If yes, attach the completed Application for Permit for Beneficial Land Use of Sewage Sludge (TCEQ Form No. 10451): N/A

#### B. Sludge processing authorization

Identify the sludge processing, storage or disposal options that will be conducted at the wastewater treatment facility:

☐ Sludge Composting

Marketing and Distribution of sludge

☐ Sludge Surface Disposal or Sludge Monofill

If any of the above, sludge options are selected, attach the completed **Domestic** Wastewater Permit Application: Sewage Sludge Technical Report (TCEQ Form No. 10056): N/A

# Section 7. Sewage Sludge Solids Management Plan (Instructions Page 60)

Attach a solids management plan to the application.

Attachment: **Appendix P** 

The sewage sludge solids management plan must contain the following information:

- Treatment units and processes dimensions and capacities
- Solids generated at 100, 75, 50, and 25 percent of design flow
- Mixed liquor suspended solids operating range at design and projected actual flow

- Quantity of solids to be removed and a schedule for solids removal
- Identification and ownership of the ultimate sludge disposal site
- For facultative lagoons, design life calculations, monitoring well locations and depths, and the ultimate disposal method for the sludge from the facultative lagoon

An example of a sewage sludge solids management plan has been included as Example 5 of the instructions.

# DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 2.0: RECEIVING WATERS

The following information is required for all TPDES permit applications.

Section 1. Domestic Drinking Water Supply (Instructions Page 63)
Is there a surface water intake for domestic drinking water supply located within 5 miles downstream from the point or proposed point of discharge?
□ Yes ⊠ No
If <b>no</b> , proceed it Section 2. <b>If yes</b> , provide the following:
Owner of the drinking water supply: $\underline{N/A}$
Distance and direction to the intake: $N/A$
Attach a USGS map that identifies the location of the intake.
Attachment: <u>N/A</u>
Section 2. Discharge into Tidally Affected Waters (Instructions Page 63)
Does the facility discharge into tidally affected waters?
□ Yes ⊠ No
If <b>no</b> , proceed to Section 3. <b>If yes</b> , complete the remainder of this section. If no, proceed to Section 3.
A. Receiving water outfall
Width of the receiving water at the outfall, in feet: $\underline{N/A}$
B. Oyster waters
Are there oyster waters in the vicinity of the discharge?
□ Yes □ No
If yes, provide the distance and direction from outfall(s).
N/A
C. Sea grasses
Are there any sea grasses within the vicinity of the point of discharge?
□ Yes □ No
If yes, provide the distance and direction from the outfall(s).
N/A

## Section 3. **Classified Segments (Instructions Page 63)** Is the discharge directly into (or within 300 feet of) a classified segment? Yes □ No **If ves**, this Worksheet is complete. **If no**, complete Sections 4 and 5 of this Worksheet. **Description of Immediate Receiving Waters (Instructions** Section 4. **Page 63)** Name of the immediate receiving waters: Click to enter text. A. Receiving water type Identify the appropriate description of the receiving waters. Stream Freshwater Swamp or Marsh Lake or Pond Surface area, in acres: Click to enter text. Average depth of the entire water body, in feet: Click to enter text. Average depth of water body within a 500-foot radius of discharge point, in feet: Click to enter text. Man-made Channel or Ditch Open Bay Tidal Stream, Bayou, or Marsh Other, specify: Click to enter text. B. Flow characteristics If a stream, man-made channel or ditch was checked above, provide the following. For existing discharges, check one of the following that best characterizes the area *upstream* of the discharge. For new discharges, characterize the area *downstream* of the discharge (check one). Intermittent - dry for at least one week during most years Intermittent with Perennial Pools - enduring pools with sufficient habitat to maintain significant aquatic life uses Perennial - normally flowing Check the method used to characterize the area upstream (or downstream for new dischargers). USGS flow records Historical observation by adjacent landowners Personal observation Other, specify: Click to enter text.

		e names of all perennial streams tream of the discharge point.	s that joir	the receiving water within three miles
	Click	to enter text.		
D.	Downs	stream characteristics		
		rge (e.g., natural or man-made d	_	ithin three miles downstream of the ds, reservoirs, etc.)?
		Yes ⊠ No		
		discuss how.		
	Click	to enter text.		
E.	Provid	l dry weather characteristics e general observations of the wa to enter text.	nter body	during normal dry weather conditions.
	Date a	nd time of observation: Click to	enter tex	t.
	Was th	e water body influenced by stor	mwater r	unoff during observations?
	$\boxtimes$	Yes □ No		
Se	ction	5. General Characteris Page 65)	stics of	the Waterbody (Instructions
A.	Upstre	am influences		
		mmediate receiving water upstraced by any of the following? Ch		ne discharge or proposed discharge site at apply.
		Oil field activities		Urban runoff
		Upstream discharges		Agricultural runoff
		Septic tanks		Other(s), specify: <u>Click to enter text.</u>

C. Downstream perennial confluences

#### **B.** Waterbody uses Observed or evidences of the following uses. Check all that apply. Livestock watering Contact recreation Irrigation withdrawal Non-contact recreation **Fishing Navigation** Domestic water supply Industrial water supply Other(s), specify: Storm Runoff Park activities C. Waterbody aesthetics Check one of the following that best describes the aesthetics of the receiving water and the surrounding area. Wilderness: outstanding natural beauty; usually wooded or unpastured area; water clarity exceptional Natural Area: trees and/or native vegetation; some development evident (from fields, pastures, dwellings); water clarity discolored Common Setting: not offensive; developed but uncluttered; water may be colored or turbid Offensive: stream does not enhance aesthetics; cluttered; highly developed; dumping areas; water discolored

# DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 2.1: STREAM PHYSICAL CHARACTERISTICS

Required for new applications, major facilities, and applications adding an outfall.

Worksheet 2.1 is not required for discharges to intermittent streams or discharges directly to (or within 300 feet of) a classified segment.

Section 1. General Information (Instructions Page 65)			
Date of study: <u>N/A</u> Time of study: <u>N/A</u>			
Stream name: <u>N/A</u>			
Location: <u>N/A</u>			
Type of stream upstream of existing discharge or downstream of proposed discharge (check one).			
$\square$ Perennial $\square$ Intermittent with perennial pools			
Section 2. Data Collection (Instructions Page 65)			
Number of stream bends that are well defined: Click to enter text.			
Number of stream bends that are moderately defined: Click to enter text.			
Number of stream bends that are poorly defined: Click to enter text.			
Number of riffles: Click to enter text.			
Evidence of flow fluctuations (check one):			
□ Minor □ moderate □ severe			
Indicate the observed stream uses and if there is evidence of flow fluctuations or channel obstruction/modification.			
Click to enter text.			

#### Stream transects

In the table below, provide the following information for each transect downstream of the existing or proposed discharges. Use a separate row for each transect.

Table 2.1(1) - Stream Transect Records

Stream type at transect	surface		Stream depths (ft) at 4 to 10 points along each		
Select riffle, run, glide, or pool. See Instructions, Definitions section.		width (ft)	transect from the channel bed to the water surface. Separate the measurements with commas.		
Choose an item.					
Choose an item.					
Choose an item.					
Choose an item.					
Choose an item.					
Choose an item.					
Choose an item.					
Choose an item.					
Choose an item.					
Choose an item.					

## Section 3. Summarize Measurements (Instructions Page 65)

Streambed slope of entire reach, from USGS map in feet/feet: Click to enter text.

Approximate drainage area above the most downstream transect (from USGS map or county highway map, in square miles): <u>Click to enter text.</u>

Length of stream evaluated, in feet: Click to enter text.

Number of lateral transects made: Click to enter text.

Average stream width, in feet: <u>Click to enter text</u>. Average stream depth, in feet: <u>Click to enter text</u>.

Average stream depth, in rect.

Average stream velocity, in feet/second: <u>Click to enter text.</u>

Instantaneous stream flow, in cubic feet/second: Click to enter text.

Indicate flow measurement method (type of meter, floating chip timed over a fixed distance, etc.): <u>Click to enter text.</u>

Size of pools (large, small, moderate, none): Click to enter text.

Maximum pool depth, in feet: Click to enter text.

# DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 3.0: LAND DISPOSAL OF EFFLUENT

The following is required for renewal, new, and amendment permit applications.

#### Type of Disposal System (Instructions Page 67) Section 1. Identify the method of land disposal: Surface application Subsurface application Irrigation Subsurface soils absorption Subsurface area drip dispersal system Drip irrigation system Evaporation Evapotranspiration beds Other (describe in detail): Click to enter text.

NOTE: All applicants without authorization or proposing new/amended subsurface disposal MUST complete and submit Worksheet 7.0.

For existing authorizations, provide Registration Number: Click to enter text.

## Section 2. Land Application Site(s) (Instructions Page 67)

In table 3.0(1), provide the requested information for the land application sites. Include the agricultural or cover crop type (wheat, cotton, alfalfa, bermuda grass, native grasses, etc.), land use (golf course, hayland, pastureland, park, row crop, etc.), irrigation area, amount of effluent applied, and whether or not the public has access to the area. Specify the amount of land area and the amount of effluent that will be allotted to each agricultural or cover crop, if more than one crop will be used.

Table 3.0(1) - Land Application Site Crops

Crop Type & Land Use	Irrigation Area (acres)	Effluent Application (GPD)	Public Access? Y/N

# Section 3. Storage and Evaporation Lagoons/Ponds (Instructions Page 67)

#### Table 3.0(2) – Storage and Evaporation Ponds

Pond Number	Surface Area (acres)	Storage Volume (acre-feet)	Dimensions	Liner Type

Attach a copy of licensed profess			red, signed, and seale	d by a Texas
Attachment:	Click to enter te	ext.		
Section 4.	Flood and Ru	unoff Protectio	n (Instructions P	age 67)
Is the land appli	cation site <u>withi</u>	<u>n</u> the 100-year freq	uency flood level?	
□ Yes □	No			
If yes, describe	how the site will	be protected from	inundation.	
Click to enter to	ext.			
Provide the sour	ce used to deter	mine the 100-year	frequency flood level:	
Click to enter to	ext.			
Provide a descripapplication site.	ption of tailwate	r controls and rain	fall run-on controls us	sed for the land
Click to enter to	ext.			

## Section 5. Annual Cropping Plan (Instructions Page 67)

Attach an Annual Cropping Plan which includes a discussion of each of the following items. If not applicable, provide a detailed explanation indicating why. **Attachment**: Click to enter text.

- Soils map with crops
- Cool and warm season plant species
- Crop yield goals
- Crop growing season
- Crop nutrient requirements
- Additional fertilizer requirements
- Minimum/maximum harvest height (for grass crops)
- Supplemental watering requirements
- Crop salt tolerances
- Harvesting method/number of harvests
- Justification for not removing existing vegetation to be irrigated

## Section 6. Well and Map Information (Instructions Page 68)

Attach a USGS map with the following information shown and labeled. If not applicable, provide a detailed explanation indicating why. **Attachment**: Click to enter text.

- The boundaries of the land application site(s)
- Waste disposal or treatment facility site(s)
- On-site buildings
- Buffer zones
- Effluent storage and tailwater control facilities
- All water wells within 1-mile radius of the disposal site or property boundaries
- All springs and seeps onsite and within 500 feet of the property boundaries
- All surface waters in the state onsite and within 500 feet of the property boundaries
- All faults and sinkholes onsite and within 500 feet of the property

List and cross reference all water wells located within a half-mile radius of the disposal site or property boundaries shown on the USGS map in the following table. Attach additional pages as necessary to include all of the wells.

Table 3.0(3) - Water Well Data

Well ID	Well Use	Producing? Y/N	Open, cased, capped, or plugged?	Proposed Best Management Practice
			Choose an item.	
			Choose an item.	
			Choose an item.	
			Choose an item.	
			Choose an item.	

If water quality data or well log information is available please include the information in an attachment listed by Well ID.

Attachment: Click to enter text.

## Section 7. Groundwater Quality (Instructions Page 68)

Attach a Groundwater Quality Technical Report which assesses the impact of the wastewater disposal system on groundwater. This report shall include an evaluation of the water wells (including the information in the well table provided in Item 6. above), the wastewater application rate, and pond liners. Indicate by a check mark that this report is provided.

Attachment: Click to enter text.		
Are groundwater monitoring wells available onsite?   Yes  No		
Do you plan to install ground water monitoring wells or lysimeters around the land application site? $\Box$ Yes $\Box$ No		
If yes, provide the proposed location of the monitoring wells or lysimeters on a site map.		
Attachment: Click to enter text.		

## Section 8. Soil Map and Soil Analyses (Instructions Page 69)

#### A. Soil map

Attach a USDA Soil Survey map that shows the area to be used for effluent disposal.

Attachment: Click to enter text.

#### B. Soil analyses

Attach the laboratory results sheets from the soil analyses. **Note**: for renewal applications, the current annual soil analyses required by the permit are acceptable as long as the test date is less than one year prior to the submission of the application.

**Attachment**: Click to enter text.

List all USDA designated soil series on the proposed land application site. Attach additional pages as necessary.

Table 3.0(4) - Soil Data

Soil Series	Depth from Surface	Permeability	Available Water Capacity	Curve Number

# **Section 9.** Effluent Monitoring Data (Instructions Page 70) Is the facility in operation? Yes □ No **If no**, this section is not applicable and the worksheet is complete. If yes, provide the effluent monitoring data for the parameters regulated in the existing permit. If a parameter is not regulated in the existing permit, enter N/A. Table 3.0(5) – Effluent Monitoring Data BOD5 Chlorine **Date** 30 Day Avg **TSS** рН Acres Flow MGD Residual mg/l mg/l mg/l irrigated

corrective actions taken.		
Click to enter text.		

Provide a discussion of all persistent excursions above the permitted limits and any

# DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 3.1: SURFACE LAND DISPOSAL OF EFFLUENT

The following is required for new and major amendment permit applications. Renewal and minor amendment permit applications may be asked for this worksheet on a case by case basis.

## Section 1. Surface Disposal (Instructions Page 71)

Complete the item that applies for the method of disposal being used.

#### A. Irrigation

Area under irrigation, in acres: Click to enter text.

Design application frequency:

hours/day <u>Click to enter text.</u> And days/week <u>Click to enter text.</u>

Land grade (slope):

average percent (%): Click to enter text.

maximum percent (%): Click to enter text.

Design application rate in acre-feet/acre/year: Click to enter text.

Design total nitrogen loading rate, in lbs N/acre/year: Click to enter text.

Soil conductivity (mmhos/cm): Click to enter text.

Method of application: Click to enter text.

Attach a separate engineering report with the water balance and storage volume calculations, method of application, irrigation efficiency, and nitrogen balance.

**Attachment:** Click to enter text.

#### B. Evaporation ponds

Daily average effluent flow into ponds, in gallons per day: Click to enter text.

Attach a separate engineering report with the water balance and storage volume calculations.

Attachment: Click to enter text.

#### C. Evapotranspiration beds

Number of beds: Click to enter text.

Area of bed(s), in acres: <u>Click to enter text.</u>

Depth of bed(s), in feet: Click to enter text.

Void ratio of soil in the beds: Click to enter text.

Storage volume within the beds, in acre-feet: Click to enter text.

Attach a separate engineering report with the water balance and storage volume calculations, and a description of the lining.

Attachment: Click to enter text.

# Area used for application, in acres: Click to enter text. Slopes for application area, percent (%): Click to enter text. Design application rate, in gpm/foot of slope width: Click to enter text. Slope length, in feet: Click to enter text. Design BOD5 loading rate, in lbs BOD5/acre/day: Click to enter text. Design application frequency: hours/day: Click to enter text. And days/week: Click to enter text. Attach a separate engineering report with the method of application and design requirements according to 30 TAC Chapter 217. Attachment: Click to enter text.

## **Section 2.** Edwards Aquifer (Instructions Page 72)

	1		U	
Is the facility subject to 30 T	TAC Chapter	213, Edwards A	quifer Ru	ıles?
□ Yes □ No				
If <b>yes</b> , is the facility located	on the Edwa	ds Aquifer Recl	ıarge Zor	ıe?
□ Yes □ No				
<b>If yes</b> , attach a geological re	port address	ing potential red	harge fe	atures.
Attachment: Click to ent	er text.			

# DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 3.2: SURFACE LAND DISPOSAL OF EFFLUENT

The following **is required** for **new and major amendment** permit applications. Renewal and minor amendments applicants may be asked for the worksheet on a case by case basis.

NOTE: All applicants proposing new/amended subsurface disposal MUST complete and submit Worksheet 7.0. This worksheet applies to any subsurface disposal system that **does not meet** the definition of a subsurface area drip dispersal system as defined in *30 TAC Chapter 222, Subsurface Area Drip Dispersal System.* 

Section 1. Subsurface Application (Instructions Page 73)
Identify the type of system:
□ Conventional Gravity Drainfield, Beds, or Trenches (new systems must be less than 5,000 GPD)
□ Low Pressure Dosing
☐ Other, specify: <u>Click to enter text.</u>
Application area, in acres: Click to enter text.
Area of drainfield, in square feet: Click to enter text.
Application rate, in gal/square foot/day: Click to enter text.
Depth to groundwater, in feet: Click to enter text.
Area of trench, in square feet: Click to enter text.
Dosing duration per area, in hours: <u>Click to enter text.</u>
Number of beds: Click to enter text.
Dosing amount per area, in inches/day: Click to enter text.
Infiltration rate, in inches/hour: Click to enter text.
Storage volume, in gallons: <u>Click to enter text.</u>
Area of bed(s), in square feet: Click to enter text.
Soil Classification: <u>Click to enter text.</u>
Attach a separate engineering report with the information required in $30\ TAC\ \S\ 309.20$ , excluding the requirements of $\S\ 309.20\ b(3)(A)$ and (B) design analysis which may be asked for on a case by case basis. Include a description of the schedule of dosing basin rotation.
Attachment: Click to enter text.
Section 2. Edwards Aquifer (Instructions Page 73)
Is the subsurface system over the Edwards Aquifer Recharge Zone as mapped by TCEQ?
□ Yes □ No
Is the subsurface system over the Edwards Aquifer Transition Zone as mapped by TCEQ?
□ Yes □ No
If ves to either question, the subsurface system may be prohibited by 30 TAC §213.8. Please

call the Municipal Permits Team, at 512-239-4671, to schedule a pre-application meeting.

## DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 3.3: SUBSURFACE AREA DRIP DISPERSAL (SADDS) LAND DISPOSAL OF EFFLUENT

The following **is required** for **new and major amendment** subsurface area drip dispersal system permit applications. Renewal and minor amendments applicants may be asked for the worksheet on a case by case basis.

NOTE: All applicants proposing new/amended subsurface disposal MUST complete and submit Worksheet 7.0. This worksheet applies to any subsurface disposal system that **meets** the definition of a subsurface area drip dispersal system as defined in *30 TAC Chapter 222*, *Subsurface Area Drip Dispersal System*.

Se	ection 1. Administrative Information (Instructions Page 74)
A.	Provide the legal name of all corporations or other business entities managed, owned, or otherwise closely related to the owner of the treatment facility:
В.	<u>Click to enter text.</u> Is the owner of the land where the treatment facility is located the same as the owner of the treatment facility?
	□ Yes □ No
	If <b>no</b> , provide the legal name of all corporations or other business entities managed, owned, or otherwise closely related to the owner of the land where the treatment facility is located.
	Click to enter text.
C.	Owner of the subsurface area drip dispersal system: <u>Click to enter text.</u>
D.	Is the owner of the subsurface area drip dispersal system the same as the owner of the wastewater treatment facility or the site where the wastewater treatment facility is located?
	□ Yes □ No
	If <b>no</b> , identify the names of all corporations or other business entities managed, owned, or otherwise closely related to the entity identified in Item 1.C.
	Click to enter text.
Ε.	Owner of the land where the subsurface area drip dispersal system is located: <u>Click to enter text.</u>
F.	Is the owner of the land where the subsurface area drip dispersal system is located the same as owner of the wastewater treatment facility, the site where the wastewater treatment facility is located, or the owner of the subsurface area drip dispersal system?  Yes No
	If <b>no</b> , identify the name of all corporations or other business entities managed, owned, or otherwise closely related to the entity identified in item 1.E.
	Click to enter text.

# Section 2. Subsurface Area Drip Dispersal System (Instructions Page 74)

A.	Type of system
	□ Subsurface Drip Irrigation
	□ Surface Drip Irrigation
	□ Other, specify: <u>Click to enter text.</u>
B.	Irrigation operations
	Application area, in acres: <u>Click to enter text.</u>
	Infiltration Rate, in inches/hour: Click to enter text.
	Average slope of the application area, percent (%): Click to enter text.
	Maximum slope of the application area, percent (%): Click to enter text.
	Storage volume, in gallons: <u>Click to enter text.</u>
	Major soil series: <u>Click to enter text.</u>
	Depth to groundwater, in feet: <u>Click to enter text.</u>
C.	Application rate
	Is the facility located <b>west</b> of the boundary shown in <i>30 TAC § 222.83</i> <b>and</b> also using a vegetative cover of non-native grasses over seeded with cool season grasses during the winter months (October-March)?
	□ Yes □ No
	<b>If yes</b> , then the facility may propose a hydraulic application rate not to exceed 0.1 gal/square foot/day.
	Is the facility located <b>east</b> of the boundary shown in <i>30 TAC § 222.83</i> <b>or</b> in any part of the state when the vegetative cover is any crop other than non-native grasses?
	□ Yes □ No
	If $yes$ , the facility must use the formula in $30\ TAC\ \S 222.83$ to calculate the maximum hydraulic application rate.
	Do you plan to submit an alternative method to calculate the hydraulic application rate for approval by the executive director?
	□ Yes □ No
	Hydraulic application rate, in gal/square foot/day: Click to enter text.
	Nitrogen application rate, in lbs/gal/day: <u>Click to enter text.</u>
D.	Dosing information
	Number of doses per day: Click to enter text

Dosing duration per area, in hours: <u>Click to enter text.</u>
Rest period between doses, in hours: <u>Click to enter text.</u>

Dosing amount per area, in inches/day: Click to enter text.

	Number of zones: Click to enter text.
	Does the proposed subsurface drip irrigation system use tree vegetative cover as a crop?
	□ Yes □ No
	If <b>yes</b> , provide a vegetation survey by a certified arborist. Please call the Water Quality Assessment Team at (512) 239-4671 to schedule a pre-application meeting.
	Attachment: Click to enter text.
Se	ction 3. Required Plans (Instructions Page 74)
A	Recharge feature plan
7 4.	Attach a Recharge Feature Plan with all information required in <i>30 TAC §222.79</i> .
	Attachment: Click to enter text.
В.	Soil evaluation
	Attach a Soil Evaluation with all information required in 30 TAC §222.73.
	Attachment: Click to enter text.
C.	Site preparation plan
	Attach a Site Preparation Plan with all information required in 30 TAC §222.75.
	Attachment: Click to enter text.
D.	Soil sampling/testing
	Attach soil sampling and testing that includes all information required in <i>30 TAC §222.157</i> .
	Attachment: Click to enter text.
Co	
26	ction 4. Floodway Designation (Instructions Page 75)
Α.	Site location
	Is the existing/proposed land application site within a designated floodway?
	□ Yes □ No
B.	Flood map
	Attach either the FEMA flood map or alternate information used to determine the floodway.
	Attachment: Click to enter text.

# Section 5. Surface Waters in the State (Instructions Page 75)

#### A. Buffer Map

Attach a map showing appropriate buffers on surface waters in the state, water wells, and springs/seeps.

Attachment: Click to enter text.

□ Yes □ No
If yes, then attach the additional information required in 30 TAC § 222.81(c).
Attachment: Click to enter text.
Section 6. Edwards Aquifer (Instructions Page 75)
A. Is the SADDS located over the Edwards Aquifer Recharge Zone as mapped by TCEQ?  ☐ Yes ☐ No
<b>B.</b> Is the SADDS located over the Edwards Aquifer Transition Zone as mapped by TCEQ?  ☐ Yes ☐ No
<b>If yes to either question</b> , then the SADDS may be prohibited by <i>30 TAC §213.8</i> . Please call the Municipal Permits Team at 512-239-4671 to schedule a pre-application meeting.

Do you plan to request a buffer variance from water wells or waters in the state?

**B.** Buffer variance request

# DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 4.0: POLLUTANT ANALYSIS REQUIREMENTS

The following **is required** for facilities with a permitted or proposed flow of **1.0 MGD or greater**, facilities with an approved **pretreatment** program, or facilities classified as a **major** facility. See instructions for further details.

This worksheet is not required minor amendments without renewal.

# Section 1. Toxic Pollutants (Instructions Page 76)

For pollutants identified in Table $4.0(1)$ ,	, indicate the type of sample.
---	--------------------------------

Grab □ Composite □

Date and time sample(s) collected: Click to enter text.

#### Table 4.0(1) - Toxics Analysis

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Acrylonitrile				50
Aldrin				0.01
Aluminum				2.5
Anthracene				10
Antimony				5
Arsenic				0.5
Barium				3
Benzene				10
Benzidine				50
Benzo(a)anthracene				5
Benzo(a)pyrene				5
Bis(2-chloroethyl)ether				10
Bis(2-ethylhexyl)phthalate				10
Bromodichloromethane				10
Bromoform				10
Cadmium				1
Carbon Tetrachloride				2
Carbaryl				5
Chlordane*				0.2
Chlorobenzene				10
Chlorodibromomethane				10

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (μg/l)	Number of Samples	MAL (μg/l)
Chloroform				10
Chlorpyrifos				0.05
Chromium (Total)				3
Chromium (Tri) (*1)				N/A
Chromium (Hex)				3
Copper				2
Chrysene				5
p-Chloro-m-Cresol				10
4,6-Dinitro-o-Cresol				50
p-Cresol				10
Cyanide (*2)				10
4,4'- DDD				0.1
4,4'- DDE				0.1
4,4'- DDT				0.02
2,4-D				0.7
Demeton (O and S)				0.20
Diazinon				0.5/0.1
1,2-Dibromoethane				10
m-Dichlorobenzene				10
o-Dichlorobenzene				10
p-Dichlorobenzene				10
3,3'-Dichlorobenzidine				5
1,2-Dichloroethane				10
1,1-Dichloroethylene				10
Dichloromethane				20
1,2-Dichloropropane				10
1,3-Dichloropropene				10
Dicofol				1
Dieldrin				0.02
2,4-Dimethylphenol				10
Di-n-Butyl Phthalate				10
Diuron				0.09
Endosulfan I (alpha)				0.01

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Endosulfan II (beta)				0.02
Endosulfan Sulfate				0.1
Endrin				0.02
Epichlorohydrin				
Ethylbenzene				10
Ethylene Glycol				
Fluoride				500
Guthion				0.1
Heptachlor				0.01
Heptachlor Epoxide				0.01
Hexachlorobenzene				5
Hexachlorobutadiene				10
Hexachlorocyclohexane (alpha)				0.05
Hexachlorocyclohexane (beta)				0.05
gamma-Hexachlorocyclohexane				0.05
(Lindane)				
Hexachlorocyclopentadiene				10
Hexachloroethane				20
Hexachlorophene				10
4,4'-Isopropylidenediphenol				1
Lead				0.5
Malathion				0.1
Mercury				0.005
Methoxychlor				2
Methyl Ethyl Ketone				50
Methyl tert-butyl ether				
Mirex				0.02
Nickel				2
Nitrate-Nitrogen				100
Nitrobenzene				10
N-Nitrosodiethylamine				20
N-Nitroso-di-n-Butylamine				20
Nonylphenol				333

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Parathion (ethyl)				0.1
Pentachlorobenzene				20
Pentachlorophenol				5
Phenanthrene				10
Polychlorinated Biphenyls (PCB's) (*3)				0.2
Pyridine				20
Selenium				5
Silver				0.5
1,2,4,5-Tetrachlorobenzene				20
1,1,2,2-Tetrachloroethane				10
Tetrachloroethylene				10
Thallium				0.5
Toluene				10
Toxaphene				0.3
2,4,5-TP (Silvex)				0.3
Tributyltin (see instructions for explanation)				0.01
1,1,1-Trichloroethane				10
1,1,2-Trichloroethane				10
Trichloroethylene				10
2,4,5-Trichlorophenol				50
TTHM (Total Trihalomethanes)				10
Vinyl Chloride				10
Zinc				5

<sup>(\*1)</sup> Determined by subtracting hexavalent Cr from total Cr.

<sup>(\*2)</sup> Cyanide, amenable to chlorination or weak-acid dissociable.

<sup>(\*3)</sup> The sum of seven PCB congeners 1242, 1254, 1221, 1232, 1248, 1260, and 1016.

# **Section 2. Priority Pollutants**

For 1	pollutants	identified	in	<b>Tables</b>	4.0(2)A-E,	indicate	type	of	sample.
-------	------------	------------	----	---------------	------------	----------	------	----	---------

Grab □ Composite □

Date and time sample(s) collected: Click to enter text.

## Table 4.0(2)A - Metals, Cyanide, and Phenols

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Antimony				5
Arsenic				0.5
Beryllium				0.5
Cadmium				1
Chromium (Total)				3
Chromium (Hex)				3
Chromium (Tri) (*1)				N/A
Copper				2
Lead				0.5
Mercury				0.005
Nickel				2
Selenium				5
Silver				0.5
Thallium				0.5
Zinc				5
Cyanide (*2)				10
Phenols, Total				10

<sup>(\*1)</sup> Determined by subtracting hexavalent Cr from total Cr.

<sup>(\*2)</sup> Cyanide, amenable to chlorination or weak-acid dissociable

# Table 4.0(2)B - Volatile Compounds

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Acrolein				50
Acrylonitrile				50
Benzene				10
Bromoform				10
Carbon Tetrachloride				2
Chlorobenzene				10
Chlorodibromomethane				10
Chloroethane				50
2-Chloroethylvinyl Ether				10
Chloroform				10
Dichlorobromomethane [Bromodichloromethane]				10
1,1-Dichloroethane				10
1,2-Dichloroethane				10
1,1-Dichloroethylene				10
1,2-Dichloropropane				10
1,3-Dichloropropylene				10
[1,3-Dichloropropene]				
1,2-Trans-Dichloroethylene				10
Ethylbenzene				10
Methyl Bromide				50
Methyl Chloride				50
Methylene Chloride				20
1,1,2,2-Tetrachloroethane				10
Tetrachloroethylene				10
Toluene				10
1,1,1-Trichloroethane				10
1,1,2-Trichloroethane				10
Trichloroethylene				10
Vinyl Chloride				10

# Table 4.0(2)C - Acid Compounds

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
2-Chlorophenol				10
2,4-Dichlorophenol				10
2,4-Dimethylphenol				10
4,6-Dinitro-o-Cresol				50
2,4-Dinitrophenol				50
2-Nitrophenol				20
4-Nitrophenol				50
P-Chloro-m-Cresol				10
Pentalchlorophenol				5
Phenol				10
2,4,6-Trichlorophenol				10

# Table 4.0(2)D - Base/Neutral Compounds

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Acenaphthene				10
Acenaphthylene				10
Anthracene				10
Benzidine				50
Benzo(a)Anthracene				5
Benzo(a)Pyrene				5
3,4-Benzofluoranthene				10
Benzo(ghi)Perylene				20
Benzo(k)Fluoranthene				5
Bis(2-Chloroethoxy)Methane				10
Bis(2-Chloroethyl)Ether				10
Bis(2-Chloroisopropyl)Ether				10
Bis(2-Ethylhexyl)Phthalate				10
4-Bromophenyl Phenyl Ether				10
Butyl benzyl Phthalate				10
2-Chloronaphthalene				10
4-Chlorophenyl phenyl ether				10
Chrysene				5
Dibenzo(a,h)Anthracene				5
1,2-(o)Dichlorobenzene				10
1,3-(m)Dichlorobenzene				10
1,4-(p)Dichlorobenzene				10
3,3-Dichlorobenzidine				5
Diethyl Phthalate				10
Dimethyl Phthalate				10
Di-n-Butyl Phthalate				10
2,4-Dinitrotoluene				10
2,6-Dinitrotoluene				10
Di-n-Octyl Phthalate				10
1,2-Diphenylhydrazine (as Azobenzene)				20
Fluoranthene				10

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Fluorene				10
Hexachlorobenzene				5
Hexachlorobutadiene				10
Hexachlorocyclo-pentadiene				10
Hexachloroethane				20
Indeno(1,2,3-cd)pyrene				5
Isophorone				10
Naphthalene				10
Nitrobenzene				10
N-Nitrosodimethylamine				50
N-Nitrosodi-n-Propylamine				20
N-Nitrosodiphenylamine				20
Phenanthrene				10
Pyrene				10
1,2,4-Trichlorobenzene				10

# Table 4.0(2)E - Pesticides

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Aldrin				0.01
alpha-BHC (Hexachlorocyclohexane)				0.05
beta-BHC (Hexachlorocyclohexane)				0.05
gamma-BHC (Hexachlorocyclohexane)				0.05
delta-BHC (Hexachlorocyclohexane)				0.05
Chlordane				0.2
4,4-DDT				0.02
4,4-DDE				0.1
4,4,-DDD				0.1
Dieldrin				0.02
Endosulfan I (alpha)				0.01
Endosulfan II (beta)				0.02
Endosulfan Sulfate				0.1
Endrin				0.02
Endrin Aldehyde				0.1
Heptachlor				0.01
Heptachlor Epoxide				0.01
PCB-1242				0.2
PCB-1254				0.2
PCB-1221				0.2
PCB-1232				0.2
PCB-1248				0.2
PCB-1260				0.2
PCB-1016				0.2
Toxaphene				0.3

<sup>\*</sup> For PCBS, if all are non-detects, enter the highest non-detect preceded by a "<".

# Section 3. Dioxin/Furan Compounds A. Indicate which of the following compounds from may be present in the influent from a contributing industrial user or significant industrial user. Check all that apply. 2,4,5-trichlorophenoxy acetic acid Common Name 2,4,5-T, CASRN 93-76-5 2-(2,4,5-trichlorophenoxy) propanoic acid Common Name Silvex or 2,4,5-TP, CASRN 93-72-1 2-(2,4,5-trichlorophenoxy) ethyl 2,2-dichloropropionate Common Name Erbon, CASRN 136-25-4 0,0-dimethyl 0-(2,4,5-trichlorophenyl) phosphorothioate Common Name Ronnel, CASRN 299-84-3 2,4,5-trichlorophenol Common Name TCP, CASRN 95-95-4 hexachlorophene Common Name HCP, CASRN 70-30-4 For each compound identified, provide a brief description of the conditions of its/their presence at the facility. Click to enter text.

В.	Do you know or have any reason to believe that 2,3,7,8 Tetrachlorodibenzo-P-Dioxin
	(TCDD) or any congeners of TCDD may be present in your effluent?

□ Yes □ No

If **yes**, provide a brief description of the conditions for its presence.

Click to enter text.

C.	If any of the compounds in Subsection A ${f or}$ B are present, complete Table 4.0(2)F.
	For pollutants identified in Table 4.0(2)F, indicate the type of sample.

Grab □ Composite □

Date and time sample(s) collected: Click to enter text.

# Table 4.0(2)F - Dioxin/Furan Compounds

Compound	Toxic Equivalenc y Factors	Wastewater Concentration (ppq)	Wastewater Equivalents (ppq)	Sludge Concentration (ppt)	Sludge Equivalents (ppt)	MAL (ppq)
2,3,7,8 TCDD	1					10
1,2,3,7,8 PeCDD	0.5					50
2,3,7,8 HxCDDs	0.1					50
1,2,3,4,6,7,8 HpCDD	0.01					50
2,3,7,8 TCDF	0.1					10
1,2,3,7,8 PeCDF	0.05					50
2,3,4,7,8 PeCDF	0.5					50
2,3,7,8 HxCDFs	0.1					50
2,3,4,7,8 HpCDFs	0.01					50
OCDD	0.0003					100
OCDF	0.0003					100
PCB 77	0.0001					0.5
PCB 81	0.0003					0.5
PCB 126	0.1					0.5
PCB 169	0.03					0.5
Total						

# DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 5.0: TOXICITY TESTING REQUIREMENTS

The following **is required** for facilities with a current operating design flow of **1.0 MGD** or **greater**, with an EPA-approved **pretreatment** program (or those required to have one under 40 CFR Part 403), or are required to perform Whole Effluent Toxicity testing. See Page 86 of the instructions for further details.

This worksheet is not required minor amendments without renewal.

### **Section 1. Required Tests**

Indicate the number of 7-day chronic or 48-hour acute Whole Effluent Toxicity (WET) tests performed in the four and one-half years prior to submission of the application.

7-day Chronic: <u>Click to enter text.</u>
48-hour Acute: <u>Click to enter text.</u>

Section 2.	Toxicity Reduction Evaluations (TREs)	
Has this facility performing a T	$\gamma$ completed a TRE in the past four and a half years? Or is the facility currently RE?	7
□ Yes □	No	
If yes, describe	the progress to date, if applicable, in identifying and confirming the toxicant	
Click to enter	text.	

# **Section 3. Summary of WET Tests**

If the required biomonitoring test information has not been previously submitted via both the Discharge Monitoring Reports (DMRs) and the Table 1 (as found in the permit), provide a summary of the testing results for all valid and invalid tests performed over the past four and one-half years. Make additional copies of this table as needed.

Table 5.0(1) Summary of WET Tests

Test Date	Test Species	NOEC Survival	NOEC Sub-lethal

# DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 6.0: INDUSTRIAL WASTE CONTRIBUTION

The following is required for all publicly owned treatment works.

# **Section 1.** All POTWs (Instructions Page 87)

A. muusma users no	<b>dustrial users (IU</b>	rs (IUs	ers (1	lı	stria	us	nd	A. I
--------------------	---------------------------	---------	--------	----	-------	----	----	------

B.

Provide the number of each of the following types of industrial users (IUs) that discharge to your POTW and the daily flows from each user. See the Instructions for definitions of Categorical IUs, Significant IUs – non-categorical, and Other IUs.

If there are no users, enter 0 (zero).
Categorical IUs:
Number of IUs: Click to enter text.
Average Daily Flows, in MGD: Click to enter text.
Significant IUs - non-categorical:
Number of IUs: Click to enter text.
Average Daily Flows, in MGD: <u>Click to enter text.</u>
Other IUs:
Number of IUs: Click to enter text.
Average Daily Flows, in MGD: <u>Click to enter text.</u>
Treatment plant interference
In the past three years, has your POTW experienced treatment plant interference (see instructions)?
□ Yes □ No
If yes, identify the dates, duration, description of interference, and probable cause(s) and possible source(s) of each interference event. Include the names of the IUs that may have caused the interference.
Click to enter text.

	In the past three years, has your POTW experienced pass through (see instructions)?
	□ Yes □ No
	If yes, identify the dates, duration, a description of the pollutants passing through the treatment plant, and probable cause(s) and possible source(s) of each pass through event. Include the names of the IUs that may have caused pass through.
	Click to enter text.
D.	Pretreatment program
	Does your POTW have an approved pretreatment program?
	□ Yes □ No
	If yes, complete Section 2 only of this Worksheet.
	Is your POTW required to develop an approved pretreatment program?
	□ Yes □ No
	If yes, complete Section 2.c. and 2.d. only, and skip Section 3.
	<b>If no to either question above</b> , skip Section 2 and complete Section 3 for each significant industrial user and categorical industrial user.
Se	ction 2. POTWs with Approved Programs or Those Required to Develop a Program (Instructions Page 87)
Α.	Substantial modifications
	Have there been any <b>substantial modifications</b> to the approved pretreatment program that have not been submitted to the TCEQ for approval according to 40 CFR §403.18?
	□ Yes □ No
	<b>If yes</b> , identify the modifications that have not been submitted to TCEQ, including the purpose of the modification.
	Click to enter text.

C. Treatment plant pass through

	Have there been any <b>non-substantial modifications</b> to the approved pretreatment program that have not been submitted to TCEQ for review and acceptance?								
		No		•					
		non-substantial moc pose of the modifica		ve not been subn	nitted to TCEQ,				
	Click to enter tex	t.							
C.	Effluent paramete								
		t all parameters mea g the last three years							
Tal	ble 6.0(1) – Parame	•			,				
	ollutant	Concentration	MAL	Units	Date				
D.	Industrial user in	terruptions							
		or other IU caused o ass throughs) at you			cluding				
	□ Yes □	No							
	<b>If yes</b> , identify the industry, describe each episode, including dates, duration, description of the problems, and probable pollutants.								
	Click to enter tex	t.							

**B.** Non-substantial modifications

# Section 3. Significant Industrial User (SIU) Information and Categorical Industrial User (CIU) (Instructions Page 88)

A.	General information
	Company Name: Click to enter text.
	SIC Code: Click to enter text.
	Contact name: Click to enter text.
	Address: Click to enter text.
	City, State, and Zip Code: Click to enter text.
	Telephone number: Click to enter text.
	Email address: Click to enter text.
B.	Process information
	Describe the industrial processes or other activities that affect or contribute to the SIU(s) or CIU(s) discharge (i.e., process and non-process wastewater).
	Click to enter text.
C.	Product and service information
	Provide a description of the principal product(s) or services performed.
	Click to enter text.
D.	Flow rate information
	See the Instructions for definitions of "process" and "non-process wastewater."
	Process Wastewater:
	Discharge, in gallons/day: Click to enter text.
	Discharge Type: □ Continuous □ Batch □ Intermittent
	Non-Process Wastewater:
	Discharge, in gallons/day: Click to enter text.

Intermittent

Batch

Discharge Type: ☐ Continuous

Pretreatment standards
Is the SIU or CIU subject to technically based local limits as defined in the <i>i</i> nstructions?
□ Yes □ No
Is the SIU or CIU subject to categorical pretreatment standards found in $40$ CFR Parts $405$ - $471$ ?
□ Yes □ No
<b>If subject to categorical pretreatment standards</b> , indicate the applicable category and subcategory for each categorical process.
Category: Subcategories: Click to enter text.
Click or tap here to enter text. Click to enter text.
Category: Click to enter text.
Subcategories: <u>Click to enter text.</u>
Category: Click to enter text.
Subcategories: <u>Click to enter text.</u>
Category: Click to enter text.
Subcategories: <u>Click to enter text.</u>
Category: <u>Click to enter text.</u>
Subcategories: <u>Click to enter text.</u>
Industrial user interruptions
Has the SIU or CIU caused or contributed to any problems (e.g., interferences, pass through, odors, corrosion, blockages) at your POTW in the past three years?
□ Yes □ No
<b>If yes</b> , identify the SIU, describe each episode, including dates, duration, description of problems, and probable pollutants.
Click to enter text.

E.

F.

# **WORKSHEET 7.0**

#### TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

#### CLASS V INJECTION WELL INVENTORY/AUTHORIZATION FORM

Submit the completed form to:

TCEQ IUC Permits Team Radioactive Materials Division MC-233 PO Box 13087 Austin, Texas 78711-3087 512-239-6466

For TCEQ Use Only	
Reg. No	
Date Received	
Date Authorized	

### Section 1. General Information (Instructions Page 90)

1.	TCEO	Drogram	Amaa
1.	ICEU	<b>Program</b>	Area

Program Area (PST, VCP, IHW, etc.): Click to enter text.

Program ID: Click to enter text.

Contact Name: <u>Click to enter text.</u> Phone Number: <u>Click to enter text.</u>

#### 2. Agent/Consultant Contact Information

Contact Name: Click to enter text.

Address: Click to enter text.

City, State, and Zip Code: Click to enter text.

Phone Number: Click to enter text.

#### 3. Owner/Operator Contact Information

□ Owner □ Operator

Owner/Operator Name: Click to enter text.

Contact Name: Click to enter text.

Address: Click to enter text.

City, State, and Zip Code: Click to enter text.

Phone Number: Click to enter text.

#### 4. Facility Contact Information

Facility Name: Click to enter text.

Address: Click to enter text.

City, State, and Zip Code: Click to enter text.

Location description (if no address is available): Click to enter text.

Facility Contact Person: Click to enter text.

Phone Number: Click to enter text.

<i>J</i> .	Latitude and Longitude, in degrees innuites seconds
	Latitude: Click to enter text.
	Longitude: Click to enter text.
	Method of determination (GPS, TOPO, etc.): Click to enter text.
	Attach topographic quadrangle map as attachment A.
6.	Well Information
	Type of Well Construction, select one:
	□ Vertical Injection
	□ Subsurface Fluid Distribution System
	☐ Infiltration Gallery
	☐ Temporary Injection Points
	□ Other, Specify: Click to enter text.
	Number of Injection Wells: <u>Click to enter text.</u>
7.	Purpose
	Detailed Description regarding purpose of Injection System:
	Click to enter text.
	Attach a Site Map as Attachment B (Attach the Approved Remediation Plan, if appropriate.)
8.	Water Well Driller/Installer
	Water Well Driller/Installer Name: Click to enter text.
	City, State, and Zip Code: Click to enter text.
	Phone Number: Click to enter text.
	License Number: Click to enter text.
action	1 2. Proposed Down Hole Design
uacn a	diagram signed and sealed by a licensed engineer as Attachment C.
	(1) - Down Hole Design Table
Jama	of Size Setting Sacks Coment/Crout - Hole Weight

Та

Name of String	Size	Setting Depth	Sacks Cement/Grout - Slurry Volume - Top of Cement	Hole Size	Weight (lbs/ft) PVC/Steel
Casing					
Tubing					
Screen					

# Section 3. Proposed Trench System, Subsurface Fluid Distribution System, or Infiltration Gallery

Attach a diagram signed and sealed by a licensed engineer as Attachment D.

System(s) Dimensions: <u>Click to enter text.</u> System(s) Construction: Click to enter text.

Section 4.	Site Hydrogeo	logical and I	Injection Zone	e Data

- 1. Name of Contaminated Aquifer: Click to enter text.
- 2. Receiving Formation Name of Injection Zone: Click to enter text.
- 3. Well/Trench Total Depth: Click to enter text.
- **4.** Surface Elevation: Click to enter text.
- **5.** Depth to Ground Water: <u>Click to enter text.</u>
- **6.** Injection Zone Depth: <u>Click to enter text.</u>
- 7. Injection Zone vertically isolated geologically? ☐ Yes ☐ No Impervious Strata between Injection Zone and nearest Underground Source of Drinking Water:

Name: Click to enter text.

Thickness: Click to enter text.

- **8.** Provide a list of contaminants and the levels (ppm) in contaminated aquifer Attach as Attachment E.
- **9.** Horizontal and Vertical extent of contamination and injection plume Attach as Attachment F.
- **10.** Formation (Injection Zone) Water Chemistry (Background levels) TDS, etc. Attach as Attachment G.
- **11.** Injection Fluid Chemistry in PPM at point of injection Attach as Attachment H.
- 12. Lowest Known Depth of Ground Water with < 10,000 PPM TDS: Click to enter text.
- 13. Maximum injection Rate/Volume/Pressure: Click to enter text.
- **14.** Water wells within 1/4 mile radius (attach map as Attachment I): Click to enter text.
- **15.** Injection wells within 1/4 mile radius (attach map as Attachment J): <u>Click to enter text.</u>
- 16. Monitor wells within 1/4 mile radius (attach drillers logs and map as Attachment K): Click to enter text.
- **17.** Sampling frequency: Click to enter text.
- **18.** Known hazardous components in injection fluid: Click to enter text.

### Section 5. Site History

- **1.** Type of Facility: Click to enter text.
- **2.** Contamination Dates: Click to enter text.
- 3. Original Contamination (VOCs, TPH, BTEX, etc.) and Concentrations (attach as Attachment L): <u>Click to enter text.</u>
- **4.** Previous Remediation (attach results of any previous remediation as attachment M): Click to enter text.

NOTE: Authorization Form should be completed in detail and authorization given by the TCEQ before construction, operation, and/or conversion can begin. Attach additional pages as necessary.

#### Class V Injection Well Designations

- 5A07 Heat Pump/AC return (IW used for groundwater to heat and/or cool buildings)
- 5A19 Industrial Cooling Water Return Flow (IW used to cool industrial process equipment)
- 5B22 Salt Water Intrusion Barrier (IW used to inject fluids to prevent the intrusion of salt water into an aquifer)
- 5D02 Storm Water Drainage (IW designed for the disposal of rain water)
- 5D04 Industrial Stormwater Drainage Wells (IW designed for the disposal of rain water associated with industrial facilities)
- 5F01 Agricultural Drainage (IW that receive agricultural runoff)
- 5R21 Aquifer Recharge (IW used to inject fluids to recharge an aquifer)
- 5S23 Subsidence Control Wells (IW used to control land subsidence caused by ground water withdrawal)
- 5W09 Untreated Sewage
- 5W10 Large Capacity Cesspools (Cesspools that are designed for 5,000 gpd or greater)
- 5W11 Large Capacity Septic systems (Septic systems designed for 5,000 gpd or greater)
- 5W12 WTTP disposal
- 5W20 Industrial Process Waste Disposal Wells
- 5W31 Septic System (Well Disposal method)
- 5W32 Septic System Drainfield Disposal
- 5X13 Mine Backfill (IW used to control subsidence, dispose of mining byproducts, and/or fill sections of a mine)
- 5X25 Experimental Wells (Pilot Test) (IW used to test new technologies or tracer dye studies)
- 5X26 Aguifer Remediation (IW used to clean up, treat, or prevent contamination of a USDW)
- 5X27 Other Wells
- 5X28 Motor Vehicle Waste Disposal Wells (IW used to dispose of waste from a motor vehicle site These are currently banned)
- 5X29 Abandoned Drinking Water Wells (waste disposal)

# **Appendices**

#### Appendix A

Core Data Form

Appendix B

Plain Language Summary

Appendix C

Public Involvement Plan

Appendix D

Original Photographs

Appendix E

Buffer Zone Map

Appendix F

SPIF Form & SPIF USGS Map

Appendix G

Original USGS Map

Appendix H

Landowners Map and Cross-Referenced List

Appendix I

Treatment Process Description

Appendix J

Treatment Unit Descriptions

Appendix K

Flow Diagram

Appendix L

Site Drawing

Appendix M

CCN Service Request

Appendix N

Design Calculations

Appendix O

Wind Rose

Appendix P

Solids Management Plan



Core Data Form



#### **TCEQ CORE DATA FORM**

For detailed instructions on completing this form, please read the Core Data Form Instructions or call 512-239-5175.

### 1. SECTION I: GENERAL INFORMATION

1. Reason for Submission (If other is checked plea	se describe in space provid	ed.)				
New Permit, Registration or Authorization (Core	Data Form should be submi	tted with the program application.)				
☐ Renewal (Core Data Form should be submitted w	ith the renewal form)	☐ Other				
2. Customer Reference Number (if issued)	Follow this link to search for CN or RN	3. Regulated Entity Reference Number (if issued)				
CN 602602179	numbers in Central Registry''	RN				
2.SECTION II: CUSTOMER IN	IFORMATION					
4. General Customer Information 5. Effec	tive Date for Customer	Information Updates (mm/dd/yyyy)				
New Customer Dupdate	e to Customer Information	☐ Change in Regulated Entity Ownership				

4. General	Custome	er Infor	mation	5. Effect	ive Date	e for (	Custor	tomer Information Updates (mm/dd/yyyy)						
☐ New Cust	omer			✓ Update	to Custo	mer Ir	nformal	tion			Change in F	egulate	ed Entity Ow	nership
☐Change in	_				-									
The Custon Secretary o										ı wha	t is curren	t and c	active with	the Texas
6. Customer Legal Name (If an individual, print last name first: eg: Doe, John)  If new Customer, enter previous Customer below:									tomer below:					
South Centra	al Water C	ompany	1											
7. TX SOS/	CPA Filin	g Num	ber	8. TX Sta	ite Tax I	<b>D</b> (11 c	digits			9. F	ederal Tax	cID		S Number (if
0101000000				17000070	101					/# II 13 3			applicable	)
0161296200				17606670	1101					(9 di	gits)		N/A	
								N/A						
11. Type of	Custome	er:	<b>⊠</b> Corpor	ation				<u> </u>	☐ Indivi	dual		Partn	ership: 🔲 Ge	eneral 🔲 Limited
Government:			y 🔲 Federa	l 🔲 Local [	] State [	Oth	er		Sole I			Ot		
12. Number	r of Empl	loyees								13.1	ndepend	ently C	wned and	Operated?
⊠ 0-20 □	21-100	103	1-250	251-500	<b>□</b> 501 a	nd hig	gher			☐ Yes ☐ No				
14. Custom	er Role (	Propose	d or Actual)	– as it relat	es to the	Regulo	ated En	ntity l	listed on	this for	m. Please c	heck or	ne of the follo	owing
□Owner □Occupatio	nal Licens		Operator Responsil	ole Party	Owr		Operato 3SA Ap		ant		Other:			
15. Mailing	P.O. Box	570177												
Address: City Houston State TX					TX		ZIP	7725	7		ZIP+4			
16. Country	Mailing	Inform	ation (if out	side USA)				17. E-Mail Address (if applicable)						
N/A								Doug@Southcentralww.com				_		
18. Telepho	ne Num	ber			19. Ext	ensio	n or C	or Code 20. Fax Number (if applicable)					ble)	

TCEQ-10400 (11/22) Page 1 of 3

(713)783-6611		( ) -
---------------	--	-------

# 3. SECTION III: REGULATED ENTITY INFORMATION

21. General Regulated	d Entity In	formation (If 'New	Regulated Entit	y" is selected	d, a new per	mit application is	also required.)		
New Regulated Entity	□Upd	ate to Regulated En	tity Name	Update to	Regulated I	Entity Information			
The Regulated Entity I endings such as Inc, L			dated, in ord	er to meet	TCEQ Core	: Data Standar	ds (removal	of organizational	
22. Regulated Entity N	Name (Ent	er name of the site w	here the regula	ted action is	taking plac	e.)			
Tanyard Road Wastewate	er Treatmer	t Plant							
23. Street Address									
of the Regulated									
Entity:									
(No PO Boxes)	City		State	TX	ZIP		ZIP+4		
24. County	Montgomery								
If no Street Address is provided, fields 25-28 are required.									
25. Description to									
Physical Location:	1,980 feet northwest of the intersection of Tanyard Road and Sharon Lane								
26. Nearest City						State	Ne	earest ZIP Code	
Conroe						TX	773	303	
Latitude/Longitude a	re require	d and may be add	ded/updated	to meet To	CEQ Core L	Data Standards	. (Geocodin	g of the Physical	
Address may be used t		coordinates where	e none have b						
27. Latitude (N) In Dec	imal:	30,4627	30.4627		28. Longitude (W) In Decimal:		l: 95.3424	95.3424	
Degrees	Minutes		conds	Degr		Minutes		Seconds	
30		27	45.7		95		20	32.6	
29. Primary SIC Code 30. Secondary			IC Code 31. Primary NAICS Code 32. Secondary NA			IAICS Code			
(4 digits)	(4 digits)			(5 or 6 digits)			(5 or 6 digits)		
4952									
33. What is the Primar	y Busines	s of this entity?	(Do not repeat i	the SIC or NA	AICS descrip	otion.)			
Wastewater Utilities				•					
24 Mailing	P.O. Boc 570177								
34. Mailing									
Address:		T							
	City	Houston	State	TX	ZIP	77257	ZIP+4		
35. E-Mail Address:	Do	ug@Southcentralw	w.com	1					
36. Telephone Number 37			37. Extension or Code 38. Fax Number (if applicable)						
30, receptione number	r	37	7. Extension o	r Code	38. F	ax Number (if a	pplicable)		
(713)783-6611	r 	37	7. Extension o	r Code		ax Number (if a	pplicable)		

39. TCEQ Programs and ID Numbers Check all Programs and write in the permits/registration numbers that will be affected by the updates submitted on this form. See the Core Data Form instructions for additional guidance.

TCEQ-10400 (11/22)

Page 2 of 3

☐ Dam Safety	Districts		☐ Edwards Aquifer		Emissions Inventory Air		☐ Industrial Hazardous Waste	
☐ Municipal Soli	id Waste	New Source Review Air	OSSF	r	] Petroleum S	Storage Tank	PWS	
☐ Sludge	☐ Storm Wate		☐ Title V Air		Tires		Used Oil	
☐ Voluntary Clea	anup	<b>⊠</b> Wastewater	☐ Wastewater Agri	culture [	☐ Water Rights		Other:	
. SEC	TION IV	: PREPARER	INFORMATIO	<u> </u>				
<b>40. Name:</b> Jac	erock Son			41. Title:	Title: Project Engineer			
42. Telephone N	lumber	43. Ext./Code	44. Fax Number	45. E-Ma	il Address			
(512)351-7143			json@wga	json@wga-llc.com				
<b>46.</b> By my signature	below, I ce to submit th	rtify, to the best of m		information p			and complete, and that I have the updates to the ID numbers	
Company:	South Central Water Company			Job Title:	President	nt		
Name (In Print):	Doug Bailey				1	Phone:	(713)783- <b>6611</b>	
Signature:		5/2	X			Date:	9-15.25	
	1		00				1 .	

TCEQ-10400 (11/22) Page 3 of 3



Plain Language Summary



#### TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

# SUMMARY OF APPLICATION IN PLAIN LANGUAGE FOR TPDES OR TLAP PERMIT APPLICATIONS

# ENGLISH TEMPLATE FOR TPDES or TLAP NEW/RENEWAL/AMENDMENT APPLICATIONS DOMESTIC WASTEWATER/STORMWATER

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 TAC Chapter 39. The information provided in this summary may change during the technical review of the application and is not a federal enforceable representation of the permit application.

South Central Water Company (CN602602179) proposes to operate Tanyard Road Wastewater Treatment Plant (RN######), an activated sludge processing plant. The facility will be located at 1,980 Ft North west of the intersection between Tanyard Road 172 and Sharon Lane, in Willis, Montgomery County, Texas 77378. This permit is to authorize the discharge of treated domestic wastewater to a volume not to exceed an average flow of 300,000 gallons per day.

Discharges from the facility are expected to contain free available chlorine, total residual chlorine, total suspended solids, oil and grease, total iron, pH differences, and temperature differences. Domestic wastewater will be treated by an activated sludge processing plant consisting of the following treatment units: bar screens, aeration basins, digester basins, clarifiers, a lift station, and chlorine contact basins.

# PLANTILLA EN ESPAÑOL PARA SOLICITUDES NUEVAS/RENOVACIONES/ENMIENDAS DE TPDES o TLAP

#### AGUAS RESIDUALES DOMÉSTICAS /AGUAS PLUVIALES

El siguiente resumen se proporciona para esta solicitud de permiso de calidad del agua pendiente que está siendo revisada por la Comisión de Calidad Ambiental de Texas según lo requerido por el Capítulo 39 del Código Administrativo de Texas 30. La información proporcionada en este resumen puede cambiar durante la revisión técnica de la solicitud y no es una representación ejecutiva fedérale de la solicitud de permiso.

Compañía de Agua Central del Sur (CN602602179) propone operar Planta de tratamiento de aguas residuales Tanyard Road (RN########), una Planta de procesamiento de lodos activados. La instalación estará ubicada en A 1,980 pies al noroeste de la intersección entre Tanyard Road 172 y Sharon Lane, en Willis, Condado de Montgomery, Texas 77378. Este permiso es para autorizar la descarga de aguas residuales domésticas tratadas a un volumen que no exceda un flujo promedio de 300,000 galones por día.

Se espera que las descargas de la instalación contengan cloro libre disponible, cloro residual total, sólidos suspendidos totales, aceite y grasa, hierro total, diferencias de pH y diferencias de temperatura. Aguas residuales domésticas. está tratado por Una planta de procesamiento de lodos activados que consta de las siguientes unidades de tratamiento: cribas de barras, cuencas de aireación, cuencas de digestores, clarificadores, una estación de bombeo y cuencas de contacto con cloro.



Public Involvement Plan

### Public Involvement Plan Form for Permit and Registration Applications

The Public Involvement Plan is intended to provide applicants and the agency with information about how public outreach will be accomplished for certain types of applications in certain geographical areas of the state. It is intended to apply to new activities; major changes at existing plants, facilities, and processes; and to activities which are likely to have significant interest from the public. This preliminary screening is designed to identify applications that will benefit from an initial assessment of the need for enhanced public outreach.

All applicable sections of this form should be completed and submitted with the permit or registration application. For instructions on how to complete this form, see TCEQ-20960-inst.

#### Section 1. Preliminary Screening

New Permit or Registration Application

New Activity - modification, registration, amendment, facility, etc. (see instructions)

If neither of the above boxes are checked, completion of the form is not required and does not need to be submitted.

#### Section 2. Secondary Screening

Requires public notice,

Considered to have significant public interest, and

Located within any of the following geographical locations:

- Austin
- Dallas
- Fort Worth
- Houston
- San Antonio
- West Texas
- Texas Panhandle
- Along the Texas/Mexico Border
- Other geographical locations should be decided on a case-by-case basis

If all the above boxes are not checked, a Public Involvement Plan is not necessary. Stop after Section 2 and submit the form.

Public Involvement Plan not applicable to this application. Provide **brief** explanation.

TCEQ-20960 (02-09-2023)

#### Section 3. Application Information

#### Type of Application (check all that apply):

Air Initial Federal Amendment Standard Permit Title V

Waste Municipal Solid Waste Industrial and Hazardous Waste Scrap Tire

Radioactive Material Licensing Underground Injection Control

Water Quality

Texas Pollutant Discharge Elimination System (TPDES)

Texas Land Application Permit (TLAP)

State Only Concentrated Animal Feeding Operation (CAFO)

Water Treatment Plant Residuals Disposal Permit

Class B Biosolids Land Application Permit

Domestic Septage Land Application Registration

Water Rights New Permit

New Appropriation of Water

New or existing reservoir

Amendment to an Existing Water Right

Add a New Appropriation of Water

Add a New or Existing Reservoir

Major Amendment that could affect other water rights or the environment

#### Section 4. Plain Language Summary

D ' 1	1 1		0 1 1	
Provide 3	hrigt d	accrintion	of planned	activation
I I OVIUE a	титет и	CSCLIDUOL	от паппси	activities.

#### Section 5. Community and Demographic Information

Community information can be found using EPA's EJ Screen, U.S. Census Bureau information, or generally available demographic tools.

Information gathered in this section can assist with the determination of whether alternative language notice is necessary. Please provide the following information.

language notice is n	ecessary. Please pro	ovide the following information.	
(City)			
(County)			
(Census Tract) Please indicate which City	h of these three is the County	ne level used for gathering the following information.  Census Tract	
(a) Percent of people	e over 25 years of age	e who at least graduated from high school	
-		r the specified location ercent of population by race within the specified location	
(d) Percent of Lingui	stically Isolated Hous	seholds by language within the specified location	
(e) Languages comm	only spoken in area b	by percentage	
(f) Community and/o	or Stakeholder Group	ps	
(g) Historic public in	iterest or involvemen	nt	

#### Section 6. Planned Public Outreach Activities

(a) Is this application subject to the public participation requirements of Title 30 Texas Administrative Code (30 TAC) Chapter 39?

Yes No

(b) If yes, do you intend at this time to provide public outreach other than what is required by rule?

Yes No

If Yes, please describe.

# If you answered "yes" that this application is subject to 30 TAC Chapter 39, answering the remaining questions in Section 6 is not required.

(c) Will you provide notice of this application in alternative languages?

Yes No

Please refer to Section 5. If more than 5% of the population potentially affected by your application is Limited English Proficient, then you are required to provide notice in the alternative language.

If yes, how will you provide notice in alternative languages?

Publish in alternative language newspaper

Posted on Commissioner's Integrated Database Website

Mailed by TCEQ's Office of the Chief Clerk

Other (specify)

(d) Is there an opportunity for some type of public meeting, including after notice?

Yes No

(e) If a public meeting is held, will a translator be provided if requested?

Yes No

(f) Hard copies of the application will be available at the following (check all that apply):

TCEQ Regional Office

TCEQ Central Office

Public Place (specify)

#### Section 7. Voluntary Submittal

For applicants voluntarily providing this Public Involvement Plan, who are not subject to formal public participation requirements.

Will you provide notice of this application, including notice in alternative languages?

Yes No

What types of notice will be provided?

Publish in alternative language newspaper


Posted on Commissioner's Integrated Database Website

Mailed by TCEQ's Office of the Chief Clerk

Other (specify)



Original Photographs






EXHIBIT TITLE:

WWTP SITE PHOTOGRAPH

LOCATION: TANYARD ROAD WWTP

DATE ISSUED: SEPTEMBER 2025






EXHIBIT TITLE:

**UPSTREAM PHOTOGRAPH** 

LOCATION: TANYARD ROAD WWTP

DATE ISSUED: SEPTEMBER 2025






EXHIBIT TITLE:

DOWNSTREAM PHOTOGRAPH


LOCATION: TANYARD ROAD WWTP

DATE SEPTEMBER 2025





Buffer Zone Map





SPIF Form & SPIF USGS Map

# TEXAS COMMISSION ON ENVIRONMENTAL QUALITY SUPPLEMENTAL PERMIT INFORMATION FORM (SPIF)

## FOR AGENCIES REVIEWING DOMESTIC OR INDUSTRIAL TPDES WASTEWATER PERMIT APPLICATIONS

TCEQ USE ONLY:
Application type:RenewalMajor AmendmentMinor AmendmentNew
County: Segment Number:
Admin Complete Date:
Agency Receiving SPIF:
Texas Historical Commission U.S. Fish and Wildlife
Texas Parks and Wildlife Department U.S. Army Corps of Engineers
This form applies to TPDES permit applications only. (Instructions, Page 53)
Complete this form as a separate document. TCEQ will mail a copy to each agency as required by our agreement with EPA. If any of the items are not completely addressed or further information is needed, we will contact you to provide the information before issuing the permit. Address each item completely.
Do not refer to your response to any item in the permit application form. Provide each attachment for this form separately from the Administrative Report of the application. The application will not be declared administratively complete without this SPIF form being completed in its entirety including all attachments. Questions or comments concerning this form may be directed to the Water Quality Division's Application Review and Processing Team by email at <a href="mailto:WO-ARPTeam@tceq.texas.gov">WO-ARPTeam@tceq.texas.gov</a> or by phone at (512) 239-4671.
The following applies to all applications:
1. Permittee: <u>South Central Water Company</u>
Permit No. WQ00 <u>Pending</u> EPA ID No. TX <u>Pending</u>
Address of the project (or a location description that includes street/highway, city/vicinity, and county):
1,980 Ft North west of the intersection between Tanyard Road 172 and Sharon Lane near Willis, Texas in Montgomery County

answer specific questions about the property.
Prefix (Mr., Ms., Miss): Mr.
First and Last Name: <u>Doug Bailey</u>
Credential (P.E, P.G., Ph.D., etc.):
Title: <u>President</u>
Mailing Address: PO Box 570177
City, State, Zip Code: <u>Houston, Texas 77257</u>
Phone No.: <u>713-783-6611</u> Ext.: Fax No.:
E-mail Address: <u>Doug@soutcentralww.com</u>
List the county in which the facility is located: <u>Montgomery</u>
If the property is publicly owned and the owner is different than the permittee/applicant, please list the owner of the property. $N/A$
N/A
Provide a description of the effluent discharge route. The discharge route must follow the flow of effluent from the point of discharge to the nearest major watercourse (from the point of discharge to a classified segment as defined in 30 TAC Chapter 307). If known, please identify the classified segment number.
Discharge outfalls into Peach Creek (Segment ID. 1011) from 8" effluent piping at proposed WWTP.
Please provide a separate 7.5-minute USGS quadrangle map with the project boundaries plotted and a general location map showing the project area. Please highlight the discharge route from the point of discharge for a distance of one mile downstream. (This map is required in addition to the map in the administrative report).
Provide original photographs of any structures 50 years or older on the property.
Does your project involve any of the following? Check all that apply.
☑ Proposed access roads, utility lines, construction easements
☐ Visual effects that could damage or detract from a historic property's integrity
☐ Vibration effects during construction or as a result of project design
Additional phases of development that are planned for the future
☐ Sealing caves, fractures, sinkholes, other karst features

Provide the name, address, phone and fax number of an individual that can be contacted to

2.3.


4.


5.

	□ Disturbance of vegetation or wetlands
1.	List proposed construction impact (surface acres to be impacted, depth of excavation, sealing of caves, or other karst features):  Proposed Wastewater treatment plant including underground piping, utilities, varying depths between 0 and 20-ft below ground.
2.	Describe existing disturbances, vegetation, and land use:  The existing parcel is all trees and vegetation with no structures.
	IE FOLLOWING ITEMS APPLY ONLY TO APPLICATIONS FOR NEW TPDES PERMITS AND MAJOR MENDMENTS TO TPDES PERMITS
3.	List construction dates of all buildings and structures on the property:
	N/A. No existing buildings
4.	Provide a brief history of the property, and name of the architect/builder, if known.
	N/A



UAS WAS






1 000-meter grid: UNIVERSAL TRANSVERSE MERCATOR, ZONE 15R


Data is provided by The National Map (TNM), is the best available at the time of map generation, and includes data content from supporting themes of Elevation, Hydrography, Geographic Names, Boundaries, Transportation, Structures, Land Cover, and Orthoimagery. Refer to associated Federal Geographic Data Committee (FGDC) Metadata for additional source data information.

This map is not a legal document. Boundaries may be generalized for this map scale. Private lands within government reservations may not be shown. Obtain permission before entering private lands. Temporal changes may have occurred since these data were collected and some data may no longer represent actual surface conditions.


Learn About The National Map: https://nationalmap.gov




15R



CONTOUR SMOOTHNESS = Medium





7.5-MINUTE TOPO, TX


2025



Original USGS Map









Data is provided by The National Map (TNM), is the best available at the time of map generation, and includes data content from supporting themes of Elevation, Hydrography, Geographic Names, Boundaries, Transportation, Structures, Land Cover, and Orthoimagery. Refer to associated Federal Geographic Data Committee (FGDC) Metadata for additional source data information.

This map is not a legal document. Boundaries may be generalized for this map scale. Private lands within government reservations may not be shown. Obtain permission before entering private lands. Temporal changes may have occurred since these data were collected and some data may no longer represent actual surface conditions.


Learn About The National Map: https://nationalmap.gov




15R





CONTOUR SMOOTHNESS = Medium





7.5-MINUTE TOPO, TX 2025





### AFFECTED LANDOWNERS REFERENCE LIST

REF NO.	OWNER	OWNERS MAILING ADDRESS	PHYSICAL ADDRESS
1	TED AND TERRY PROPERTIES LLC	23481 FORD RD PORTER TX USA 77365-5423	
2	ARMSTRONG, LINDA SCHEPS	12701 GROVE E WILLIS TX USA 77378-4211	12701 GROVE EAST, WILLIS TX 77378
3	BARNES, GARY H & LINDA E	12709 GROVE E WILLIS TX USA 77378-4211	12709 GROVE EAST, WILLIS TX 77378
4	LINARES, OCTAVIO	9091 RED STAG LN CONROE TX USA 77303	
5	CLEMONS, JACK C & LYDIA A	12725 GROVE E WILLIS TX USA 77378-4211	12725 GROVE EAST, WILLIS TX 77378
6	WOLFE, RICKIE R & MARGO C	12733 GROVE E WILLIS TX USA 77378-4211	12733 GROVE EAST, WILLIS TX 77378
7	PARKER, KIRK	12741 GROVE E WILLIS TX USA 77378-4211	12749 GROVE EAST, WILLIS TX 77378
8	BROOKS, WILLIAM & TOMMIE	12748 GROVE E WILLIS TX USA 77378-4210	12748 GROVE EAST, WILLIS TX 77378
9	CARRIER, DON W II & DARLA E	15512 CHINA GROVE LN WILLIS TX USA 77378-4204	
10	SPROLL, RICHARD	9708 MARLIVE LN HOUSTON TX USA 77025-4808	
11	H/FW Timber Partners LP	502 W. Montgomery St. #550, Willis, TX 77378	Tanyard Rd Willis, TX 77378
12	H/FW Timber Partners LP	502 W. Montgomery St. #550, Willis, TX 77378	1 Tanyard Rd Willis, TX 77378
13	Sonntag Kurt K & Elizabeth J	431 Sharon Lane, Willis, TX 77378	431 Sharon Ln Willis, TX 77378
14	Sonntag Nicholas Kenric	431 Sharon Lane, Willis, TX 77378	431 Sharon Ln Willis, TX 77378
15	Fuentes Roberto & Dorothy Sue	389 Sharon Ln, Willis, TX 77378	389 Sharon Willis, TX 77378
16	Savvon Irena	423 Sharon Ln, Willis, TX 77378	423 Sharon Ln Willis, TX 77378
17	Ling Carol Sue Trustee	Ling Living Trust 2027 Lakeville, Kingwood, TX 77339	101 Sharon Ln Willis, TX 77378
18	Henderson Kenneth Charles	610 De La Garza, Willis, TX 77378	610 De La Garza Willis, TX 77378

TED AND TERRY PROPERTIES LLC 23481 FORD RD PORTER TX USA 77365-5423 ARMSTRONG, LINDA SCHEPS 12701 GROVE E WILLIS TX USA 77378-4211 BARNES, GARY H & LINDA E 12709 GROVE E WILLIS TX USA 77378-4211

LINARES, OCTAVIO 9091 RED STAG LN CONROE TX USA 77303 CLEMONS, JACK C & LYDIA A 12725 GROVE E WILLIS TX USA 77378-4211 WOLFE, RICKIE R & MARGO C 12733 GROVE E WILLIS TX USA 77378-4211

PARKER, KIRK 12741 GROVE E WILLIS TX USA 77378-4211 BROOKS, WILLIAM & TOMMIE 12748 GROVE E WILLIS TX USA 77378-4210 CARRIER, DON W II & DARLA E 15512 CHINA GROVE LN WILLIS TX USA 77378-4204

SPROLL, RICHARD 9708 MARLIVE LN HOUSTON TX USA 77025-4808 H/FW Timber Partners LP 502 W. Montgomery St. #550 Willis, TX 77378 Sonntag Kurt K & Elizabeth J 431 Sharon Lane Willis, TX 77378

Sonntag Nicholas Kenric 431 Sharon Lane Willis, TX 77378 Fuentes Roberto & Dorothy Sue 389 Sharon Ln Willis, TX 77378 Savvon Irena 423 Sharon Ln Willis, TX 77378

Ling Carol Sue Trustee Ling Living Trust 2027 Lakeville Kingwood, TX 77339

Henderson Kenneth Charles 610 De La Garza Willis, TX 77378



Treatment Process Description

### **Treatment Process Description**

#### Phase I:

Interim Phase I will have the capacity to serve an average daily flow of 0.1 MGD and a 2-hr peak flow of 278 GPM. The conventional activated sludge processing plant will utilize an onsite lift station to pump raw influent from the proposed development to the elevated headworks consisting of one (1) manual bar screens. Weir plates in the headworks flow splitting structure will evenly split the screened influent and then gravity flow into each of the two (2) aeration basins. From the aeration basins, mixed liquor will be conveyed into the clarifier. The settled effluent will be returned to the aerated activated sludge basins or wasted to the two (2) aerated digester basins. The supernatant from the clarifier will flow over the v-notch weir, into the effluent drop box, and into one (1) aerated chlorine contact basin where flow will be conveyed through baffle walls to facilitate mixing and maintain a minimum contact time of 20-min. Disinfected effluent is then conveyed to the v-notch weir and drop box where it will gravity flow into the sampling manhole where effluent constituents will be sampled and tested. From the sampling manhole, disinfected effluent will gravity flow to the outfall into Peach Creek.

#### Phase II:

Interim Phase II will have the capacity to serve an average daily flow of 0.3 MGD and a 2-hr peak flow of 833.33 GPM. The conventional activated sludge processing plant will utilize an onsite lift station to pump raw influent from the development to the elevated headworks consisting of two (2) manual bar screens. Weir plates in the headworks flow splitting structure will evenly split the screened influent and then gravity flow into each of the four (4) aeration basins. From the aeration basins, mixed liquor will be conveyed into two (2) clarifiers. The settled effluent will be returned to the aerated activated sludge basins or wasted to the four (4) aerated digester basins. The supernatant from the clarifiers will flow over the v-notch weir, into the effluent drop box, and into the two (2) aerated chlorine contact basins where flow will be conveyed through baffle walls to facilitate mixing and maintain a minimum contact time of 20-min. Disinfected effluent is then conveyed to the v-notch weir and drop box where it will gravity flow into the sampling manhole where effluent constituents will be sampled and tested for each basin. From each of the two (2) sampling manholes, disinfected effluent will gravity flow to a common manhole to combine flows from each chlorine contact basin before outfalling into Peach Creek.

## **Appendix J**


Treatment Unit Descriptions

Phase I				
Treatment Unit	$L \times W \times D \times SWD$	Total Volume (ft³)		
Aeration Basin 1	60'x12'x12'x10.3'	7,262		
Aeration Basin 2	60'x12'x12'x10.3'	7,262		
Total Ph I Aeratio	n Volume	7,283		
Digester Basin 1	44'x12'x12'x10.5'	5,544		
Digester Basin 2	44'x12'x12'x10.5'	5,544		
Total Ph I Digeste	r Volume	11,088		
Chlorine Contact Basin 1	12'x12'x10'x8.0'	1,152		
Total Ph I Disinfection	Basin Volume	1,520		
Treatment Unit	Diameter (ft)	Surface Area (ft²)	SWD (ft)	Total Volume (ft³)
Clarifier 1	36	1,017.9	10.0	10,178.8
	Total Ph I Clarifier	1,017.9	Total Ph I	10,178.8
	Surface Area		Clarifier Volume	

Phase II				
Treatment Unit	L x W x D x SWD	Total Volume (ft³)		
Aeration Basin 1	60'x12'x12'x10.3'	7,262		
Aeration Basin 2	60'x12'x12'x10.3'	7,262		
Aeration Basin 3	60'x12'x12'x10.3'	7,262		
Aeration Basin 4	60'x12'x12'x10.3'	7,262		
Total Ph II Aeratio	n Volume	29.046		
Digester Basin 1	44'x12'x12'x10.5'	5,544		
Digester Basin 2	44'x12'x12'x10.5'	5,544		
Digester Basin 3	44'x12'x12'x10.5'	5,544		
Digester Basin 4	44'x12'x12'x10.5'	5,544		
Total Ph II Digeste	er Volume	22,176		
Chlorine Contact Basin 1	12'x12'x10'x8.0'	1,152		
Chlorine Contact Basin 2	12'x12'x10'x8.0'	1,152		
Total Ph II Disinfection Basin Volume		2,304		
Treatment Unit	Diameter (ft)	Surface Area (ft²)	SWD (ft)	Total Volume (ft³)
Clarifier 1	36	1,017.9	10.0	10,178.8
Clarifier 2	36	1,017.9	10.0	10,178.8
	Total Ph II clarifier Surface Area	2,035.8	Total Ph II clarifier Volume	20357.5

# **Appendix K**

Flow Diagram



999

CENTRIFUGAL BLOWER PAD

#### LEGEND



TEXAS REGISTERED ENGINEERING FIRM F-9756


2500 Tanglewilde, Suite 120 Houston, Texas 77063 713.789.1900

4526 Research Forest, Suite 360 The Woodlands, Texas 77381 713.789.1900

TANYARD ROAD WASTEWATER TREATMENT PLANT

PROCESS FLOW DIAGRAM PH I

DRAWING SCALE:



#### LEGEND

MAIN PROCESSES

SECONDARY PROCESSES — — —

PROCESS AIR

NON-POTABLE WATER

CHEMICAL LINES — — —



TEXAS REGISTERED ENGINEERING FIRM F-9756

2500 Tanglewilde, Suite 120 Houston, Texas 77063 713.789.1900

4526 Research Forest, Suite 360 The Woodlands, Texas 77381 713.789.1900


TANYARD ROAD Wastewater Treatment plan


PROCESS FLOW DIAGRAM PH II

DRAWING SCALE:

# **Appendix L**

Site Drawing







WWTP Regionalization - Service Request Letters

### **LETTER OF TRANSMITTAL**



2500 Tanglewilde, Houston, Texas 770		Regular USPS  X Certified USPS	FedEx Overnight	Courier from WGA Courier to WGA	End of Day  Expedited
				Date:	8/13/2025
Project No: 40	003-021				
To: TEXAS WATER U	TILITIES LP				
12535 Reed Road Sugar Land, Texa					
Residential					
Attn:					
Phone Number: 7	713-789-190	0			
Email Address: jsc	on@wga-llc.d	com			
Delivery Instruction	ons:				
Re:					
Quantity	Description				
1	Service Reg	uest Letter			
1	Мар				

Jaerock Son Project Engineer

Ward, Getz & Associates, LLC



TEXAS WATER UTILITIES LP 12535 Reed Road Sugar Land, Texas 77478

SUBJECT: South Central Water Company

Application for New TPDES Permit

Greetings TCEQ Wastewater Discharge Permit Holder,

South Central Water Company is preparing an application for a new Texas Pollutant Discharge Elimination System (TPDES) wastewater discharge Permit. This wastewater treatment facility(WWTP) will serve a new subdivision. We are in the process of applying for an authorized flow of 0.3 million gallons per day (MGD) and plan to begin construction by December, 2026.

We are required to contact all existing TPDES permittees within a three-mile radius of the proposed WWTP location to request service. Your plant, Williams Trail WWTP (TPDES Permit No. WQ0016267001) is within the three-mile radius. Do you have the capacity and are you willing to provide service for the requested 0.3 MGD? If you do not have the current capacity, but are willing to expand your facility to provide service, will you be able to provide service within the needed time frame? If you are willing to provide service, please provide the estimated costs and service rates in a written response.

Please provide a response indicating if 0.3 MGD of wastewater treatment capacity in your facility is available and, if so, under what terms. A written reply on a copy of this letter will be adequate. You may email your response to <a href="mailto:json@wga-llc.com">json@wga-llc.com</a>. Please feel free to call me at 713-789-1900.

Thank you for your participation in these efforts.

Sincerely,


Jaerock Son Project Engineer

Ward, Getz & Associates, LLC



Date of Reply:	<del>_</del>	
	<b>TPDES Permit No. WQ0016267001)</b> have the capacit .3 MGD (circle one)? YES or NO	ty
If existing facilities are not ac	lequate, is an expansion feasible? YES or NO	
If yes to EITHER question, pl	ease provide in writing the terms for service.	
Name and Title:		
Signature:	Date:	

### ArcGIS Web Map




8/6/2025, 2:22:15 PM

ArcGIS World Geocoding Service

Citations

Wastewater Outfalls



TCEQ, County of Montgomery, TX, Texas Parks & Wildlife, Esri, HERE, Garmin, USGS, NGA, EPA, USDA, NPS



### A shipment from Maren Evans-Thiim is on its way

From no-reply@pb.com <no-reply@pb.com>

Date Thu 8/14/2025 4:27 PM

To Jaerock Son <json@wga-llc.com>



**PitneyShip™ Portfolio** 



# Shipment Created - USPS1127813619675714

This shipment has been sent using PitneyShip™ Portfolio

TRACKING NUMBER

**ESTIMATED DELIVERY** 

**USPS** 

9414809898643572908060

Shipped on 2025-08-14

Carrier USPS

TEXAS WATER UTILITIES, L.P.

Ship To 12535 REED RD

SUGAR LAND, TX, 77478-2837

US

Memo JSon - 40003-021
Service First-Class Mail®

Signature Required Yes

Sender Name Maren Evans-Thiim

Sender Company WGA

Recipient Name Texas Water Utilities, L.P.

Recipient Company

For more information, click on the tracking number above.

It may take 12-24 hours before tracking information is available.



This email is an auto-generated message from an unmonitored email account.

This message was distributed by Pitney Bowes Inc., World Headquarters, 3001 Summer St., Stamford CT 06926. Pitney Bowes, the Corporate Logo and Product Name <sup>®</sup> are trademarks of Pitney Bowes Inc. or a subsidiary. All other marks are the intellectual property of their respective owners. Use of your email address is governed by the Pitney Bowes <u>Privacy Policy</u>.

©2025 Pitney Bowes Inc. All rights reserved.

EXTERNAL EMAIL: Do not click any links or open any attachments unless you trust the sender and know the content is safe.

### **LETTER OF TRANSMITTAL**



2500 Tanglewilde,	Suite 120	Regular USPS	FedEx	Courier from WGA	End of Day
Houston, Texas 770	063	X Certified USPS	Overnight	Courier to WGA	Expedited
				Date:	8/13/2025
Project No: 40	003-021				
То:					
TEXAS WATER U 12535 Reed Road Sugar Land, Texa	l				
Residential					
Attn:					
Phone Number: 7	713-789-190	0			
Email Address: jso	on@wga-llc.d	com			
Delivery Instruction	ons:				
Re:					
Quantity	Description				
1	Service Req	uest Letter			
1	Мар				
1	1				

Jaerock Son Project Engineer

Ward, Getz & Associates, LLC



TEXAS WATER UTILITIES LP 12535 Reed Road Sugar Land, Texas 77478

SUBJECT: South Central Water Company

Application for New TPDES Permit

Greetings TCEQ Wastewater Discharge Permit Holder,

South Central Water Company is preparing an application for a new Texas Pollutant Discharge Elimination System (TPDES) wastewater discharge Permit. This wastewater treatment facility(WWTP) will serve a new subdivision. We are in the process of applying for an authorized flow of 0.3 million gallons per day (MGD) and plan to begin construction by December, 2026.

We are required to contact all existing TPDES permittees within a three-mile radius of the proposed WWTP location to request service. Your plant, McCrorey Trails WWTP (TPDES Permit No. WQ0016410001) is within the three-mile radius. Do you have the capacity and are you willing to provide service for the requested 0.3 MGD? If you do not have the current capacity, but are willing to expand your facility to provide service, will you be able to provide service within the needed time frame? If you are willing to provide service, please provide the estimated costs and service rates in a written response.

Please provide a response indicating if 0.3 MGD of wastewater treatment capacity in your facility is available and, if so, under what terms. A written reply on a copy of this letter will be adequate. You may email your response to <a href="mailto:json@wga-llc.com">json@wga-llc.com</a>. Please feel free to call me at 713-789-1900.

Thank you for your participation in these efforts.

Sincerely,


Jaerock Son Project Engineer

Ward, Getz & Associates, LLC



Date of Reply:		
	/WTP <b>(TPDES Permit No. WQ0016410</b> ate 0.3 MGD (circle one)? YES or NO	OOO1) have the capacity
If existing facilities are n	ot adequate, is an expansion feasible?	YES or NO
If yes to EITHER questic	on, please provide in writing the terms	for service.
Name and Title:		
Signature:	Date:	

### ArcGIS Web Map




8/6/2025, 2:22:15 PM

ArcGIS World Geocoding Service

Citations

Wastewater Outfalls



TCEQ, County of Montgomery, TX, Texas Parks & Wildlife, Esri, HERE, Garmin, USGS, NGA, EPA, USDA, NPS



### A shipment from Maren Evans-Thiim is on its way

From no-reply@pb.com <no-reply@pb.com>

Date Thu 8/14/2025 4:28 PM

To Jaerock Son < json@wga-llc.com>



**PitneyShip™ Portfolio** 



# Shipment Created - USPS2222928695939228

This shipment has been sent using PitneyShip™ Portfolio

TRACKING NUMBER

**ESTIMATED DELIVERY** 

**USPS** 

9414809898643072766634

Shipped on 2025-08-14

Carrier USPS

TEXAS WATER UTILITIES, L.P.

Ship To 12535 REED RD

SUGAR LAND, TX, 77478-2837

US

Memo JSon - 40003-021
Service First-Class Mail®

Signature Required Yes

Sender Name Maren Evans-Thiim

Sender Company WGA

Recipient Name Texas Water Utilities, L.P.

Recipient Company

For more information, click on the tracking number above.

It may take 12-24 hours before tracking information is available.



This email is an auto-generated message from an unmonitored email account.


This message was distributed by Pitney Bowes Inc., World Headquarters, 3001 Summer St., Stamford CT 06926. Pitney Bowes, the Corporate Logo and Product Name <sup>®</sup> are trademarks of Pitney Bowes Inc. or a subsidiary. All other marks are the intellectual property of their respective owners. Use of your email address is governed by the Pitney Bowes <u>Privacy Policy</u>.

©2025 Pitney Bowes Inc. All rights reserved.

EXTERNAL EMAIL: Do not click any links or open any attachments unless you trust the sender and know the content is safe.

## **Appendix N**

Design Calculations





PROJECT NAME: Tanyard Rd WWTP DATE: 8/18/2025

CLIENT: South Central Wastewater BY: JS
PROJECT NUMBER: 40003-021 QC:

#### WASTEWATER AND PLANT CHARACTERIZATION

#### **Flow Rates**

Annual Average			0.10	MGD	69	GPM	0.16	CFS
Peak Month	Factor	1.5	0.15	MGD	104	GPM	0.23	CFS
Peak 2-Hour	Factor	4	0.40	MGD	278	GPM	0.62	CFS
Min. Month	Factor	0.5	0.05	MGD	35	GPM	0.08	CFS

#### **Raw Wastewater Concentrations**

BOD (total)	400
BOD (soluble)	240
TSS	300
VSS	240
TKN	50
NH3-N	40
TP	

Avg.	2-Hour Peak	Peak Month	Min. Month	
400	100	250		mg/L
	100	250	200	_
240				mg/L
300				mg/L
240				mg/L
50				mg/L
40				mg/L
				mg/L

#### **Effluent Requirements**

BOD	10	mg/L	10
TSS		mg/L	15
NH3-N	2	mg/L	3
TP		mg/L	
DO		mg/L	

#### **Select Treatment Processes from the List**

Preliminary Treatment
Primary Treatment
Biological Treatment
Solids Treatment

Coarse Screening
None
Conventional Activated Sludge w/ Nitrification, @ Min.
Aerobic Digestion + Dewatering

**Assumed** 



Proposed Total Aeration Basin Volume

ACTIVATED SLUDGE DESIGN  WASTEWATER CHARACTERISTICS		
INFLUENT MASS LOADING		
BOD5 (AVG)	333.6	lbs/day
BOD5 (AVG) BOD5 (2-HR PEAK)	333.6	lbs/day
BOD5 (Z-HK PEAK)	312.8	lbs/day
BOD5 (MIN MONTH)	83.4	lbs/day
TSS	250.2	lbs/day
NH <sub>3</sub>	33.4	lbs/day
TKN		
	41.7	lbs/day
EFFLUENT COMPOSITION (ASSUMED FOR CONSERVATIVE DESIGN)	0.0	/1
BOD5 TSS	0.0	mg/L
		mg/L
NH <sub>3</sub>	0.0	mg/L
TKN	0.0	mg/L
AERATION BASIN		
Conventional Activated Sludge w/ Nitrification, @ Min. Temp > 15°C	1	
Description	Value	Unit
AERATION BASIN CALCULATIONS - TCEQ TRADITIONAL DESIGN - TCEQ 217, SUBCHAPTER F		2
Aeration Basin Maximum Organic Loading	35.0	lbs/day/1000 ft <sup>3</sup>
Minimum Number of Basins (For Flow < 0.4 MGD)	2.0	EA
BOD Removal Credit for Preliminary and Primary Treatment (Optional)	0%	
Total Peak BOD Loading (Based on Design Flow)	334	lbs/day
Total Aeration Basin Volume Required	9,532	ft <sup>3</sup>
AFRATION BASIN SIZING		
AERATION BASIN SIZING Proposed Number of Basins	2.0	
Proposed Number of Basins	2.0	ft
Proposed Number of Basins Side Water Depth of Basins	10.30	ft ft
Proposed Number of Basins Side Water Depth of Basins Freeboard	10.30 1.7	ft
Proposed Number of Basins Side Water Depth of Basins Freeboard Total Depth of Basin	10.30	
Proposed Number of Basins Side Water Depth of Basins Freeboard Total Depth of Basin Diffuser Submergence	10.30 1.7 12.0	ft ft
Proposed Number of Basins Side Water Depth of Basins Freeboard Total Depth of Basin Diffuser Submergence Required Volume of Each Aeration Basin	10.30 1.7 12.0 9.3	ft ft ft ft
Proposed Number of Basins Side Water Depth of Basins Freeboard Total Depth of Basin Diffuser Submergence Required Volume of Each Aeration Basin Surface Area of Each Basin	10.30 1.7 12.0 9.3 4,766 463	ft ft
Proposed Number of Basins Side Water Depth of Basins Freeboard Total Depth of Basin Diffuser Submergence Required Volume of Each Aeration Basin Surface Area of Each Basin Width to Length Ratio (1:X)	10.30 1.7 12.0 9.3 4,766 463 5.0	ft ft ft ft <sup>3</sup> ft <sup>2</sup>
Proposed Number of Basins Side Water Depth of Basins Freeboard Total Depth of Basin Diffuser Submergence Required Volume of Each Aeration Basin Surface Area of Each Basin Width to Length Ratio (1:X) Required Width of Each Basin	10.30 1.7 12.0 9.3 4,766 463 5.0 12.0	ft ft ft ft ft ft² ft²
Proposed Number of Basins Side Water Depth of Basins Freeboard Total Depth of Basin Diffuser Submergence Required Volume of Each Aeration Basin Surface Area of Each Basin Width to Length Ratio (1:X)	10.30 1.7 12.0 9.3 4,766 463 5.0	ft ft ft ft <sup>3</sup> ft <sup>2</sup>

 $\mathsf{ft}^3$ 

14,523



WASTEWATER CHARACTERISTICS		
Description	Value	Unit
Influent BOD <sub>5</sub>	400.0	mg/L
Influent TSS	300.0	mg/L
Influent NH <sub>3</sub>	40.0	mg/L
Daily Flow (Q <sub>AVE</sub> )	100,000	gpd
Daily Flow (Q <sub>AVE</sub> )	69.4	gpm
Daily Flow (Q <sub>AVE</sub> )	0.155	cfs
2-hr Peak Flow (Q <sub>Pk</sub> )	400,000	gpd
2-hr Peak Flow (Q <sub>PK</sub> )	277.8	gpm
2-hr Peak Flow (Q <sub>PK</sub> )	0.620	cfs
NH <sub>3</sub>	33.4	lbs/day
BOD <sub>5</sub>	334.4	lbs/day
TSS	250.8	lbs/day
Description Control of the Control o		
Conventional Activated Sludge w/ Nitrification, @ Min. Temp > 15°C  SECONDARY CLARIFIER		
Description Description	Value	Unit
Description	value	Oilit
Number of Clarifiers	1.0	Ea
Average Flow Per Clarifier	0.100	MGD
Peak Flow Per Clarifier	0.400	MGD
Clarifier Shape (Round, Octagonal, Square)	Round	
Design Weir Shape (Round, Segmented)	Round	
Design Number of Segments (Leave Blank If Designed Round)		
CURRENT AREA REGION, TOTA OF ATTAL VAL		
SURFACE AREA DESIGN - TCEQ 217.154 (c)(1)		2
TCEQ Max Surface Loading (Q <sub>AVG</sub> ) TCEQ 317.4 (d)(5)	700	gal/day/ft <sup>2</sup>
TCEQ Max Surface Loading (Q <sub>PK</sub> ) TCEQ 217.154 (c)(1)	1,200	gal/day/ft <sup>2</sup>
Design Diameter	36.0	ft
Surface Area Required at Peak Flow Per Clarifier	333.3	ft <sup>2</sup>
Surface Area Required for All Clarifiers at Peak Flow	333.3	ft <sup>2</sup>
Proposed Surface Area Per Clarifier	1,017.9	ft <sup>2</sup>
Total Proposed Surface Area for All Clarifiers	1,017.9	ft <sup>2</sup>
Actual Design Surface Loading at Design Flow (Q <sub>AVE</sub> )	98.2	gal/day/ft <sup>2</sup>
Actual Design Surface Loading at Peak Flow (Q <sub>PK</sub> )	393.0	gal/day/ft <sup>2</sup>
SIDE WATER DEPTH - TCEQ 217.152 (g)		
Side Water Depth For Clarifier Surface Area Greater Than 300 sqft.	10	ft
Controlling Minimum Depth Requirement	10.0	ft
Proposed Clarifier Side Water Depth (Not Total Depth)	10.0	ft
Design Floor Slope (1:X)	12.0	
	1.5	ft
Design Cone Depth (Including 1:12, sloped bottom)		
Free Board (Minimum 1 feet)	1.0	ft
	1.0 12.7 13.0	ft ft ft



WASTEWATER CHARACTERISTICS				
Description HYDRAULIC DETENTION TIME - TCEQ 217.154 (c)(1)	Value	Unit		
CEQ Min Detention Time (Q <sub>AVE</sub> )	2.6	hours		
TCEQ Min Detention Time (Q <sub>PK</sub> )	1.8	hours		
Recycle Ratio at Design Flow (200 gpd/sf) Per Clarifier	0.20	MGD		
Recycle Ratio at Peak Flow (400 gpd/sf) Per Clarifier	0.41	MGD		
Flow per Clarifier for Hydraulic Detention Time @ Design Flow (w/ Recycle)	0.30	MGD		
Flow per Clarifier for Hydraulic Detention Time @ Peak Flow (w/ Recycle)	0.81	MGD		
Required Treatment Volume At Design Flow for Each Clarifier	4,396.7	ft <sup>3</sup>		
Required Treatment Volume At Peak Flow for Each Clarifier	8,093.1	ft <sup>3</sup>		
Proposed Treatment Volume for Each Clarifier	10,178.8	ft <sup>3</sup>		
Actual Hydraulic Detention Time at Design Flow	6.0	hours		
Actual Hydraulic Detention Time at Peak Flow	2.3	hours		
SOLIDS LOADING RATE - TCEQ 317.4 (d)(5)				
Totals Solids to Clarifier	10,008.0	lbs/day		
Proposed Surface Area of Clarifier	1,017.9	ft <sup>2</sup>		
oading Rate of Solids to Clarifier	9.8	lbs/day/ft <sup>2</sup>		
CEQ Maximum Loading Rate	50.0	lbs/day/ft <sup>2</sup>		
FFLUENT WEIR DESIGN - TCEQ 217.152 (d)				
Neir loading (For Plants with Design Flows 1.0 MGD or less)	20,000	gal/day/ft		
Neir loading (For Plants with Design Flows Over 1.0 MGD)	30,000	gal/day/ft		
Controlling Weir Loading Criteria	20,000.0	gal/day/ft		
otal Length of Weir Required Per Clarifier @ Peak Flow	20.0	ft		
otal Length of Weir Required For All Clarifiers @ Peak Flow	20.0	ft		
Proposed Weir Distance from Wall	1.0	ft		
Diameter of Effluent Weir	34.0	ft		
Design Weir Length Per Clarifier	106.8	ft		
otal Design Weir Length	106.8	ft		
Actual Surface Area Loading @ Peak Flow	3,744.8	gal/day/ft <sup>2</sup>		
Actual Surface Area Loading @ Average Flow	936.2	gal/day/ft <sup>2</sup>		
FOROUT DATINGS OF DRIVES AND DAVES				
CORQUE RATINGS OF DRIVES AND RAKES Resistive Force of Secondary Sludge (W)	6.0	lb/ft		
Running Torque (Wr²)	1,944.0	ft-lbs		
Adminig Forque (WF)	1,944.0	11-105		
RETURN ACTIVATED SLUDGE FLOW RATES - TCEQ 217.152 (j)				
ower Limit Underflow Rate - TCEQ 217.152(j)	200	gpd/ft²		
Minimum RAS Flow Rate (per clarifier)	141.4	gpm		
Upper Limit Underflow Rate - TCEQ 217.152(j)	400	gpd/ft²		
Maximum RAS Flow Rate (per clarifier)	282.7	gpm		
Combined Upper Limit RAS Underflow Rate for Plant	282.7	gpm		
THUNG WELL DESIGN				
STILLING WELL DESIGN	0.45	£. /		
Maximum Stilling Well Velocity (@ Peak Flow) TCEQ 217.152 (a)(4)	0.15	ft/sec		
Peak Flow For Individual Clarifier	0.40	MGD		
otal Area Required	4.1	ft <sup>2</sup>		
Diameter of Each Stilling Well	3.0	ft		
Area of Each Stilling Well	7.1	ft <sup>2</sup>		

TCEQ DESIGN CRITERIA (CHAPTER 317.5 (	(B))	
Minimum Detention Time	15.0	days
Volume Requirement	20.0	ft <sup>3</sup> /lb BOD <sub>5</sub> /day
Aeration Requirement	30.0	scfm/1000 ft <sup>3</sup>
If Mechanical Aeration is Used	1.5	HP/1000 ft <sup>3</sup>
TCEQ DESIGN CRITERIA (CHAPTER 217, SUBCH/	APTER J)	,
Minimum Temperature	15.0	deg C
Required Minimum Detention Time	60.0	days
Minimum Volatile Solids Loading Rate	100.0	lb/1000 ft <sup>3</sup> /day
Maximum Volatile Solids Loading Rate	200.0	lb/1000 ft <sup>3</sup> /day
Aeration Requirement	20.0	SCFM/1000 ft <sup>3</sup>
NOTE: Aerobic digester has to be sized for averag		30, 2000
Biodegradable Volatile Solids in WAS	0.7	lb VS/BOD remove
Destruction	0.3	lb VS/BOD remove
Note: Typical minimum Solids Retention Time (SRT) maintained in WWTPs is 8 da	ys. Secondary solids produ	iction is typically
Influent Solids	334	lbs/day
Digested Solids Production	264	lbs/day
Average Digested Solids Production	299	lbs/day
Total Sludge Production, lbs/day	299	lbs/day
Assumed Average Dig. Conc., mg/l	10,000.0	mg/l
Total Sludge to Aerobic Digester	3,580.00	gal/d
Volume Required Based on Min. Detention Time @ 60 Days	28,716.58	ft <sup>3</sup>
Volume Required Based on Min. Detention Time @ 15 Days	7,179.14	ft <sup>3</sup>
CHECK IF CHAPTER 217 VOLATILE SOLIDS LOADING RATE REQU	UIREMENTS CAN BE MET	
Volatile Suspended Solids Loading	234	lbs/day
Volatile Solids Loading Rate for 60 Days Storage Volume	0.00049	lb/1000 ft <sup>3</sup>
Volatile Solids Loading Rate	ERROR!	,
Note: It is not possible to meet both the min. required detention time and min. requires significant thickening before the sludge is stabilized in the digester. Hence, it is prude	nt to just meet the require I not be required and a ful	d min. detention detention time is
not necessary. When a full dettention time is not provided, the basin will not be a true reconfigured as a sludge holding tank.	le aerobic digester; instead	l, it will be
not necessary. When a full dettention time is not provided, the basin will not be a true reconfigured as a sludge holding tank. SLUDGE HOLDING TANK DESIGN		
not necessary. When a full dettention time is not provided, the basin will not be a true reconfigured as a sludge holding tank. SLUDGE HOLDING TANK DESIGN Number of Basins	2.0	Ea
not necessary. When a full dettention time is not provided, the basin will not be a true reconfigured as a sludge holding tank. SLUDGE HOLDING TANK DESIGN Number of Basins Freeboard	2.0 1.5	Ea ft
not necessary. When a full dettention time is not provided, the basin will not be a true reconfigured as a sludge holding tank. SLUDGE HOLDING TANK DESIGN Number of Basins Freeboard Side Water Depth	2.0 1.5 10.5	Ea ft ft
not necessary. When a full dettention time is not provided, the basin will not be a true reconfigured as a sludge holding tank.  SLUDGE HOLDING TANK DESIGN  Number of Basins  Freeboard  Side Water Depth  Total Required Depth	2.0 1.5 10.5 12.0	Ea ft ft ft
not necessary. When a full dettention time is not provided, the basin will not be a true reconfigured as a sludge holding tank.  SLUDGE HOLDING TANK DESIGN  Number of Basins  Freeboard  Side Water Depth  Total Required Depth  Actual Tank Depth	2.0 1.5 10.5 12.0 12.0	Ea ft ft ft ft
not necessary. When a full dettention time is not provided, the basin will not be a true reconfigured as a sludge holding tank.  SLUDGE HOLDING TANK DESIGN  Number of Basins  Freeboard  Side Water Depth  Total Required Depth  Actual Tank Depth  Width	2.0 1.5 10.5 12.0 12.0 12.0	Ea ft ft ft ft ft
not necessary. When a full dettention time is not provided, the basin will not be a true reconfigured as a sludge holding tank.  SLUDGE HOLDING TANK DESIGN  Number of Basins Freeboard Side Water Depth  Total Required Depth  Actual Tank Depth  Width  Length	2.0 1.5 10.5 12.0 12.0 12.0 44.0	Ea ft ft ft ft ft
not necessary. When a full dettention time is not provided, the basin will not be a true reconfigured as a sludge holding tank.  SLUDGE HOLDING TANK DESIGN  Number of Basins  Freeboard  Side Water Depth  Total Required Depth  Actual Tank Depth  Width  Length	2.0 1.5 10.5 12.0 12.0 12.0	Ea ft ft ft ft ft
not necessary. When a full dettention time is not provided, the basin will not be a true reconfigured as a sludge holding tank.  SLUDGE HOLDING TANK DESIGN  Number of Basins Freeboard Side Water Depth Total Required Depth Actual Tank Depth Width Length Design Volume	2.0 1.5 10.5 12.0 12.0 12.0 44.0	Ea ft ft ft ft ft
time alone. Also, if the sludge is to be disposed of in a landfill, sludge stabilization will not necessary. When a full dettention time is not provided, the basin will not be a true reconfigured as a sludge holding tank.  SLUDGE HOLDING TANK DESIGN  Number of Basins  Freeboard  Side Water Depth  Total Required Depth  Actual Tank Depth  Width  Length  Design Volume  DESIGN CHECK  Detention Time	2.0 1.5 10.5 12.0 12.0 12.0 44.0	Ea ft ft ft ft ft ft



## CHLRORINE CONTACT BASIN WASTEWATER CHARACTERISTICS Design Flow Rate (Average Daily Flow) Design Flow Rate (2-Hour Peak Flow) 0.10 MGD 0.40 MGD

CHLORINE CONTACT BASIN			
Description	Value	Unit	
TCEQ Min Detention Time $(Q_{PK})$ (TCEQ217.281(b)(1)	20.0	min	
TCEQ Required Minimum Volume	742.7	ft <sup>3</sup>	
TCEQ Required Minimum Volume	5,555.6	gal	
Chlorine Contact Basin Sizing (Excluding Chlorine Mixing Chamber)			
Design Number of Trains	1.0		
Design Side Water Depth at Peak Flow	8.0	ft	
Design Width of Basin	12.0	ft	
Design Length of Basin	12.0	ft	
PROPOSED VOLUME	1,152.0	ft <sup>3</sup>	
Actual Detention Time at Peak Flow	31.0	min	



WASTEWATER CHARACTERISTICS		
Design Flow Rate (Average Daily Flow)	0.10	MGD
Design Flow Rate (2-Hour Peak Flow)	0.40	MGD
SODIUM HYPOCHLORITE DOSAGE		
Chlorine Dosage Rate (Table K.1, TCEQ 217.272 (B))	12.5	mg/l
Concentration of NaOCI	12.5%	
Specific Gravity of NaOCl	1.17	
Calculated Chlorine Dosage Rate @ Design Flow Eq. K.1 TCEQ 217.272 (a)	10.4	lbs/day
Calculated Chlorine Dosage Rate @ Peak Flow Eq. K.1 TCEQ 217.272 (a)	41.7	lbs/day
NaOCl Required @ Design Flow	83.4	lbs/day
NaOCl Required @ Peak Flow	333.6	lbs/day
Volume of NaOCl requied @ Design Flow	8.5	gpd
Volume of NaOCl requied @ Peak Flow	34.2	gpd

Note: TCEQ 217.280(d)(1)(A) and (B). For NaOCl conc >10%, 15 days of storage based on avg. daily consumption. For NaOCl conc <10%, 30 days of storage based on avg daily consumption

Storage Volume of NaOCI (15 Days)	128.2	gal
Number of Storage Tanks	1	Ea
SODIUM HYPOCHLORITE PUMP DESIGN		
Metering Pump Design Flow (Eq. K.4)	0.1	gph
Minimum Number of Chemical Pumps	2.0	Ea



**PROJECT NAME: Tanyard Rd WWTP DATE: 8/18/2025** 

**CLIENT: South Central Wastewater** BY: JS PROJECT NUMBER: 40003-021 QC:

#### WASTEWATER AND PLANT CHARACTERIZATION

#### **Flow Rates**

Annual Average			0.30	MGD	208	GPM	0.47	CFS
Peak Month	Factor	1.5	0.45	MGD	313	GPM	0.70	CFS
Peak 2-Hour	Factor	4	1.20	MGD	833	GPM	1.86	CFS
Min. Month	Factor	0.5	0.15	MGD	104	GPM	0.23	CFS

Peak

Min.

Month

200 mg/L

mg/L

mg/L mg/L

mg/L

mg/L

mg/L

**Assumed** 

2-Hour

#### **Raw Wastewater Concentrations**

tewater Concentrations	Avg.	2-Hour Peak	Peak Month
BOD (total)	400	100	250
BOD (soluble)	240		
TSS	300		
VSS	240		
TKN	50		
NH3-N	40		
TP			

#### **Effluent Requirements**

BOD		mg/L	10
TSS		mg/L	15
NH3-N	2	mg/L	3
TP		mg/L	
DO		mg/L	

#### **Select Treatment Processes from the List**

**Preliminary Treatment Primary Treatment Biological Treatment Solids Treatment** 

Coarse Screening
None
Temp > 15°C
Aerobic Digestion + Dewatering



Proposed Total Aeration Basin Volume


ACTIVATED SLUDGE DESIGN		
WASTEWATER CHARACTERISTICS		
INFLUENT MASS LOADING		
BOD5 (AVG)	1,000.8	lbs/day
BOD5 (2-HR PEAK)	1,000.8	lbs/day
BOD5 (PEAK MONTH)	938.3	lbs/day
BOD5 (MIN MONTH)	250.2	lbs/day
TSS	750.6	lbs/day
NH <sub>3</sub>	100.1	lbs/day
TKN	125.1	lbs/day
EFFLUENT COMPOSITION (ASSUMED FOR CONSERVATIVE DESIGN)		
BOD5	0.0	mg/L
TSS	0.0	mg/L
NH <sub>3</sub>	0.0	mg/L
TKN	0.0	mg/L
		_
AERATION BASIN		
Conventional Activated Sludge w/ Nitrification, @ Min. Temp > 15°C		
Description	Value	Unit
AERATION BASIN CALCULATIONS - TCEQ TRADITIONAL DESIGN - TCEQ 217, SUBCHAPTER F		
Aeration Basin Maximum Organic Loading	35.0	lbs/day/1000 ft <sup>3</sup>
Minimum Number of Basins (For Flow < 0.4 MGD)	2.0	EA
BOD Removal Credit for Preliminary and Primary Treatment (Optional)	0%	
Total Peak BOD Loading (Based on Design Flow)	1,001	lbs/day
Total Aeration Basin Volume Required	28,595	ft <sup>3</sup>
AERATION BASIN SIZING		
Proposed Number of Basins	4.0	
Side Water Depth of Basins	10.30	ft
Freeboard	1.7	ft
Total Depth of Basin	12.0	ft
Diffuser Submergence	9.3	ft
Required Volume of Each Aeration Basin	7,149	ft <sup>3</sup>
Surface Area of Each Basin	694	ft <sup>2</sup>
Width to Length Ratio (1:X)	5.0	
Required Width of Each Basin	12.0	ft
Required Length of Each Basin	60	ft
Proposed Volume of Each Aeration Basin	7,262	ft <sup>3</sup>
	<del>-                                     </del>	1 2

 $\mathsf{ft}^3$ 

29,046



WASTEWATER CHARACTERISTICS	3	
Description	Value	Unit
Influent BOD <sub>5</sub>	400.0	mg/L
nfluent TSS	300.0	mg/L
influent NH <sub>3</sub>	40.0	mg/L
Daily Flow (Q <sub>AVE</sub> )	300,000	gpd
Daily Flow (Q <sub>AVE</sub> )	208.3	gpm
Daily Flow (Q <sub>AVF</sub> )	0.465	cfs
2-hr Peak Flow (Q <sub>Pk</sub> )	1,200,000	gpd
2-hr Peak Flow (Q <sub>PK</sub> )	833.3	
2-hr Peak Flow (Q <sub>pk</sub> )	1.860	gpm
NH <sub>3</sub>	100.3	lbs/day
BOD <sub>5</sub>	1,003.2	lbs/day
TSS	752.4	lbs/day
Description		
Conventional Activated Sludge w/ Nitrification, @ Min. Temp > 15°C		
SECONDARY CLARIFIER		
Description	Value	Unit
Number of Clarifiers	2.0	Ea
Average Flow Per Clarifier	0.150	MGD
Peak Flow Per Clarifier	0.600	MGD
Clarifier Shape (Round, Octagonal, Square)	Round	
Design Weir Shape (Round, Segmented)	Round	
Design Number of Segments (Leave Blank If Designed Round)		
SURFACE AREA DESIGN - TCEQ 217.154 (c)(1)		
TCEQ Max Surface Loading (Q <sub>AVG</sub> ) TCEQ 317.4 (d)(5)	700	gal/day/ft <sup>2</sup>
TCEQ Max Surface Loading (Q <sub>PK</sub> ) TCEQ 217.154 (c)(1)	1,200	gal/day/ft <sup>2</sup>
Design Diameter	36.0	gai/uay/it ft
Surface Area Required at Peak Flow Per Clarifier	500.0	ft <sup>2</sup>
Surface Area Required for All Clarifiers at Peak Flow	1,000.0	ft <sup>2</sup>
·	•	
Proposed Surface Area Per Clarifier	1,017.9	ft <sup>2</sup>
Total Proposed Surface Area for All Clarifiers	2,035.8	
Actual Design Surface Loading at Design Flow (Q <sub>ave</sub> )	147.4	gal/day/ft <sup>2</sup>
Actual Design Surface Loading at Peak Flow (Q <sub>PK</sub> )	589.5	gal/day/ft <sup>2</sup>
CIDE WATER DEPTH. TOTO 247 452 (-)		
SIDE WATER DEPTH - TCEQ 217.152 (g) Side Water Depth For Clarifier Surface Area Greater Than 300 sqft.	10	ft
Controlling Minimum Depth Requirement	10.0	ft
Proposed Clarifier Side Water Depth (Not Total Depth)	10.0	ft
Design Floor Slope (1:X)	12.0	
Design Cone Depth (Including 1:12, sloped bottom)	1.5	ft
Free Board (Minimum 1 feet)	1.0	ft
		· ·
Total Depth of Clarifier	12.7	ft





CLARIFIER		
WASTEWATER CHARACTERISTICS  Posserintian	Value	l luit
Description HYDRAULIC DETENTION TIME - TCEQ 217.154 (c)(1)	Value	Unit
TCEQ Min Detention Time (Q <sub>AVF</sub> )	2.6	hours
TCEQ Min Detention Time (Q <sub>PK</sub> )	1.8	hours
Recycle Ratio at Design Flow (200 gpd/sf) Per Clarifier	0.20	MGD
Recycle Ratio at Peak Flow (400 gpd/sf) Per Clarifier	0.41	MGD
Flow per Clarifier for Hydraulic Detention Time @ Design Flow (w/ Recycle)	0.35	MGD
Flow per Clarifier for Hydraulic Detention Time @ Peak Flow (w/ Recycle)	1.01	MGD ft <sup>3</sup>
Required Treatment Volume At Design Flow for Each Clarifier	5,120.9	
Required Treatment Volume At Peak Flow for Each Clarifier	10,098.4	ft <sup>3</sup>
Proposed Treatment Volume for Each Clarifier	10,178.8	ft <sup>3</sup>
Actual Hydraulic Detention Time at Design Flow	5.2	hours
Actual Hydraulic Detention Time at Peak Flow	1.8	hours
SOLIDS LOADING RATE - TCEQ 317.4 (d)(5)		
Totals Solids to Clarifier	15,012.0	lbs/day
Proposed Surface Area of Clarifier	1,017.9	ft <sup>2</sup>
Loading Rate of Solids to Clarifier	14.7	lbs/day/ft <sup>2</sup>
TCEQ Maximum Loading Rate	50.0	lbs/day/ft <sup>2</sup>
EFFLUENT WEIR DESIGN - TCEQ 217.152 (d)		
Weir loading (For Plants with Design Flows 1.0 MGD or less)	20,000	gal/day/ft
Weir loading (For Plants with Design Flows Over 1.0 MGD)	30,000	gal/day/ft
Controlling Weir Loading Criteria	20,000.0	gal/day/ft
Total Length of Weir Required Per Clarifier @ Peak Flow	30.0	ft
Total Length of Weir Required For All Clarifiers @ Peak Flow	60.0	ft
Proposed Weir Distance from Wall	1.0	ft
Diameter of Effluent Weir	34.0	ft
Design Weir Length Per Clarifier	106.8	ft
Total Design Weir Length	213.6	ft
Actual Surface Area Loading @ Peak Flow	5,617.2	gal/day/ft <sup>2</sup>
Actual Surface Area Loading @ Average Flow	1,404.3	gal/day/ft <sup>2</sup>
TORQUE RATINGS OF DRIVES AND RAKES		
Resistive Force of Secondary Sludge (W)	6.0	lb/ft
Running Torque (Wr²)	1,944.0	ft-lbs
RETURN ACTIVATED SLUDGE FLOW RATES - TCEQ 217.152 (j)		
Lower Limit Underflow Rate - TCEQ 217.152(j)	200	gpd/ft²
Minimum RAS Flow Rate (per clarifier)	141.4	gpm
Upper Limit Underflow Rate - TCEQ 217.152(j)	400	gpd/ft²
Maximum RAS Flow Rate (per clarifier)	282.7	gpm
Combined Upper Limit RAS Underflow Rate for Plant	565.5	gpm
STILLING WELL DESIGN		
Maximum Stilling Well Velocity (@ Peak Flow) TCEQ 217.152 (a)(4)	0.15	ft/sec
Peak Flow For Individual Clarifier	0.60	MGD
Total Area Required	6.2	ft <sup>2</sup>
Diameter of Each Stilling Well	3.0	ft
Area of Each Stilling Well	7.1	ft <sup>2</sup>

TCEQ DESIGN CRITERIA (CHAPTER 317.5 (	(B))	
Minimum Detention Time	15.0	days
Volume Requirement	20.0	ft <sup>3</sup> /lb BOD <sub>5</sub> /day
Aeration Requirement	30.0	scfm/1000 ft <sup>3</sup>
If Mechanical Aeration is Used	1.5	HP/1000 ft <sup>3</sup>
TCEQ DESIGN CRITERIA (CHAPTER 217, SUBCH	APTER J)	
Minimum Temperature	15.0	deg C
Required Minimum Detention Time	60.0	days
Minimum Volatile Solids Loading Rate	100.0	lb/1000 ft <sup>3</sup> /day
Maximum Volatile Solids Loading Rate	200.0	lb/1000 ft <sup>3</sup> /day
Aeration Requirement	20.0	SCFM/1000 ft <sup>3</sup>
NOTE: Aerobic digester has to be sized for averag		,
Biodegradable Volatile Solids in WAS	0.7	lb VS/BOD remove
Destruction	0.3	lb VS/BOD remove
Note: Typical minimum Solids Retention Time (SRT) maintained in WWTPs is 8 da	ys. Secondary solids produ	iction is typically
Influent Solids	1,001	lbs/day
Digested Solids Production	791	lbs/day
Average Digested Solids Production	896	lbs/day
Total Sludge Production, lbs/day	896	lbs/day
Assumed Average Dig. Conc., mg/l	10,000.0	mg/l
Total Sludge to Aerobic Digester	10,740.00	gal/d
Volume Required Based on Min. Detention Time @ 60 Days	86,149.73	ft <sup>3</sup>
Volume Required Based on Min. Detention Time @ 15 Days	21,537.43	ft <sup>3</sup>
CHECK IF CHAPTER 217 VOLATILE SOLIDS LOADING RATE REQU	JIREMENTS CAN BE MET	l .
Volatile Suspended Solids Loading	701	lbs/day
Volatile Solids Loading Rate for 60 Days Storage Volume	0.00049	lb/1000 ft <sup>3</sup>
Volatile Solids Loading Rate	ERROR!	1, 222
Note: It is not possible to meet both the min. required detention time and min. requin significant thickening before the sludge is stabilized in the digester. Hence, it is prude time alone. Also, if the sludge is to be disposed of in a landfill, sludge stabilization will	nt to just meet the require I not be required and a full	d min. detention detention time is
reconfigured as a sludge holding tank.	<u> </u>	I
reconfigured as a sludge holding tank. SLUDGE HOLDING TANK DESIGN	10	
reconfigured as a sludge holding tank. SLUDGE HOLDING TANK DESIGN Number of Basins	4.0	Ea
reconfigured as a sludge holding tank.  SLUDGE HOLDING TANK DESIGN  Number of Basins  Freeboard	1.5	ft
reconfigured as a sludge holding tank.  SLUDGE HOLDING TANK DESIGN  Number of Basins  Freeboard  Side Water Depth	1.5 10.5	ft ft
reconfigured as a sludge holding tank.  SLUDGE HOLDING TANK DESIGN  Number of Basins  Freeboard  Side Water Depth  Total Required Depth	1.5 10.5 12.0	ft ft ft
reconfigured as a sludge holding tank.  SLUDGE HOLDING TANK DESIGN  Number of Basins  Freeboard  Side Water Depth  Total Required Depth  Actual Tank Depth	1.5 10.5 12.0 12.0	ft ft ft ft
Reconfigured as a sludge holding tank.  SLUDGE HOLDING TANK DESIGN  Number of Basins  Freeboard  Side Water Depth  Total Required Depth  Actual Tank Depth  Width	1.5 10.5 12.0 12.0 12.0	ft ft ft ft ft
Reconfigured as a sludge holding tank.  SLUDGE HOLDING TANK DESIGN  Number of Basins  Freeboard  Side Water Depth  Total Required Depth  Actual Tank Depth  Width  Length	1.5 10.5 12.0 12.0 12.0 44.0	ft ft ft ft ft ft
reconfigured as a sludge holding tank.  SLUDGE HOLDING TANK DESIGN  Number of Basins  Freeboard  Side Water Depth  Total Required Depth  Actual Tank Depth  Width  Length	1.5 10.5 12.0 12.0 12.0	ft ft ft ft
reconfigured as a sludge holding tank.  SLUDGE HOLDING TANK DESIGN  Number of Basins  Freeboard  Side Water Depth  Total Required Depth  Actual Tank Depth  Width  Length  Design Volume	1.5 10.5 12.0 12.0 12.0 44.0	ft ft ft ft ft ft
not necessary. When a full dettention time is not provided, the basin will not be a tru reconfigured as a sludge holding tank.  SLUDGE HOLDING TANK DESIGN  Number of Basins Freeboard Side Water Depth Total Required Depth Actual Tank Depth Width Length Design Volume  DESIGN CHECK Detention Time	1.5 10.5 12.0 12.0 12.0 44.0	ft ft ft ft ft ft



## CHLRORINE CONTACT BASIN WASTEWATER CHARACTERISTICS Design Flow Rate (Average Daily Flow) Design Flow Rate (2-Hour Peak Flow) 1.20 MGD

CHLORINE CONTACT BASIN		
Description	Value	Unit
TCEQ Min Detention Time ( $Q_{PK}$ ) (TCEQ217.281(b)(1)	20.0	min
TCEQ Required Minimum Volume	2,228.2	ft <sup>3</sup>
TCEQ Required Minimum Volume	16,666.7	gal
Chlorine Contact Basin Sizing (Excluding Chlorine Mixing Chamber)		
Design Number of Trains	2.0	
Design Side Water Depth at Peak Flow	8.0	ft
Design Width of Basin	12.0	ft
Design Length of Basin	12.0	ft
PROPOSED VOLUME	2,304.0	ft <sup>3</sup>
Actual Detention Time at Peak Flow	20.7	min



SODIUM HYPOCHLORITE DOSAGE CALCULATIONS		
WASTEWATER CHARACTERISTICS		
Design Flow Rate (Average Daily Flow)	0.30	MGD
Design Flow Rate (2-Hour Peak Flow)	1.20	MGD
SODIUM HYPOCHLORITE DOSAGE		
Chlorine Dosage Rate (Table K.1, TCEQ 217.272 (B))	12.5	mg/l
Concentration of NaOCI	12.5%	
Specific Gravity of NaOCl	1.17	
Calculated Chlorine Dosage Rate @ Design Flow Eq. K.1 TCEQ 217.272 (a)	31.3	lbs/day
Calculated Chlorine Dosage Rate @ Peak Flow Eq. K.1 TCEQ 217.272 (a)	125.1	lbs/day
NaOCl Required @ Design Flow	250.2	lbs/day
NaOCl Required @ Peak Flow	1,000.8	lbs/day
Volume of NaOCl requied @ Design Flow	25.6	gpd
Volume of NaOCI requied @ Peak Flow	102.6	gpd

Note: TCEQ 217.280(d)(1)(A) and (B). For NaOCl conc >10%, 15 days of storage based on avg. daily consumption. For NaOCl conc <10%, 30 days of storage based on avg daily consumption

Storage Volume of NaOCI (15 Days)	384.6	gal
Number of Storage Tanks	1	Ea
SODIUM HYPOCHLORITE PUMP DESIGN		
Metering Pump Design Flow (Eq. K.4)	0.1	gph
Minimum Number of Chemical Pumps	2.0	Ea


## **Appendix O**


Wind Rose

## **Yearly Climatology**



Windrose Plot for [CXO] CONROE/MONTGOMERY COUNTY AIRPORT Obs Between: 01 Jan 1997 12:53 AM - 14 May 2025 05:53 AM America/Chicago





## **Appendix P**

Solids Management Plan



Tanyard WWTP 40003-021

#### **SLUDGE MANAGEMENT PLAN PH I - 0.1 MGD**

#### **I.PARAMETERS**

% CAPACITIES	100%	75%	50%	25%
AVG. FLOW (MGD)	0.100	0.075	0.0375	0.009

CBOD <sub>5</sub> REMOVAL							
Influent Concentration	400	mg/l					
Effluent Concentration	0	mg/l					
Net Removal	400	mg/l					

DIGESTER VOLUME								
	Vol. (cu. ft.)	Vol. (Gal)						
Digester No. 1	5,418	40,527						
Digester No. 2	5,418	40,527						
Total	10,836	81,053						

#### **II. DAILY SLUDGE PRODUCTIONS**

CAPACITY	100%	75%	50%	25%	
BOD REMOVED (LBS)	334	250	167	83	
DRY SLUDGE PRODUCED <sup>(1)</sup>	40-			-6	
(LBS)	105	79	53	26	
WET SLUDGE			a 6a=	4.04.4	
PRODUCED(2)(LBS)	5,254	3,941	2,627	1,314	
VOL WET SLUDGE	620	472	24.5	450	
PRODUCED (GPD)	630	473	315	158	
REMOVAL SCHEDULE	100	474			
(DAYS)	128	171	257	514	

(1) Assuming 0.315 lbs of dry sludge produced per pound of BOD5 removed (2) Assuming 2% Solids

Sludge will be removed from digester when digester is full of thickened solids. Sludge will be removed by a registered transporter and hauled to a permitted disposal site.

At 100% Capacity, sludge shall be removed from basins every 128 days



PROJECT NAME: WGA PROJECT NO:

Tanyard WWTP 40003-021

#### SLUDGE MANAGEMENT PLAN PH II - 0.3 MGD

#### **I.PARAMETERS**

% CAPACITIES	100%	75%	50%	25%
AVG. FLOW (MGD)	0.300	0.225	0.1125	0.028

CBOD <sub>5</sub> REMOVAL								
Influent Concentration	40	mg/l						
Effluent Concentration	0	mg/l						
Net Removal	40	mg/l						

DIGESTER VOLUME								
	Vol. (cu. ft.)	Vol. (Gal)						
Digester No. 1	5,418	40,527						
Digester No. 2	5,418	40,527						
Digester No. 3	5,418	40,527						
Digester No. 4	5,418	40,527						
Total	21,672	162,107						

#### II. DAILY SLUDGE PRODUCTIONS

CAPACITY	100%	75%	50%	25%	
BOD REMOVED (LBS)	100	75	50	25	
DRY SLUDGE PRODUCED <sup>(1)</sup>	32	24	16	8	
(LBS)	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
WET SLUDGE	1 576	4.400	788	20.4	
PRODUCED <sup>(2)</sup> (LBS)	1,576	1,182	/00	394	
VOL WET SLUDGE	180	142	0.5	1-7	
PRODUCED (GPD)	189	142	95	47	
REMOVAL SCHEDULE	0.57	44.40	474.	0.400	
(DAYS)	857	1143	1715	3430	

<sup>(1)</sup> Assuming 0.315 lbs of dry sludge produced per pound of BOD5 removed (2) Assuming 2% Solids

Sludge will be removed from digester when digester is full of thickened solids. Sludge will be removed by a registered transporter and hauled to a permitted disposal site.

## At 100% Capacity, sludge shall be removed from basins every 857 days

#### **Rachel Ellis**

From: Jaerock Son <json@wga-llp.com>
Sent: Thursday, October 9, 2025 5:05 PM

To: Rachel Ellis
Cc: Evan N. Wilson

**Subject:** Re: Application for New Permit No. WQ0016882001-South Central Water Company -

Notice of Deficiency Letter

Attachments: wq0016882001\_Response Letter.pdf; SKM\_C300i25100812390.pdf; Municipal Discharge

New Spanish NORI.docx

#### Good afternoon Rachel,

I finally received the lease agreement for NOD #1. Please see the attached. Attached all information you requested based on NOD and please let me know if you need anything else.

Thank you.

#### Jaerock Son, PE

**Project Engineer** 



2500 Tanglewilde, Suite 120 | Houston, TX 77063 D: 512-351-7143 O: 713-789-1900 json@wga-llc.com

HBJ Best Places to Work | 2023, 2024 Houston Chronicle Top Work Places | 2023, 2024



From: Rachel Ellis <Rachel.Ellis@tceq.texas.gov> Sent: Thursday, September 25, 2025 3:15 PM

**To:** Jaerock Son <json@wga-llp.com> **Cc:** Jerry Ince <jince@wga-llp.com>

Subject: Application for New Permit No. WQ0016882001-South Central Water Company -Notice of Deficiency Letter

Dear Mr. Son

The attached Notice of Deficiency letter sent on September 25, 2025, requests additional information needed to declare the application administratively complete. Please send the complete response to my attention by **October 9, 2025**.

Thank you,

Rachel Ellie

Texas Commission on Environmental Quality Water Quality Division
Application Review & Processing Team

Rachel.Ellis@tceq.texas.gov



EXTERNAL EMAIL: Do not click any links or open any attachments unless you trust the sender and know the content is safe.



Rachel Ellis Application Review and Processing Team (MC148) Water Quality Division Texas Commission on Environmental Quality

#### RE:

Application for Proposed Permit No.: WQ0016882001 (EPA I.D. No. TX0148491) Applicant

Name: South Central Water Company (CN602602179) Site Name: Tanyard Road WWTP (RN112285986)

Type of Application: New

In response to the NOD Letter dated September 25, 2025, please see below:

#### Dear Rachel,

- 1. Administrative Report, Section 9/D (page 7): You listed Ellison Collections LLC as the owner of land, you must provide a copy of a long-term lease agreement between South Central Water Company and Ellison Collections LLC giving South Central Water Company use of the land for the duration of the registration. Please be advised that the owner of the facility is required to apply for and be listed on the permit. In addition, if the owner of the land where the facility is located is different than the owner of the facility, then there are two options. The owner of the land can apply for the permit as a co-permittee, or a copy of an executed deed recorded easement must be provided. The deed recorded easement must give the facility owner sufficient property rights to the land for operation of the treatment facility and be recorded in the county where the facility is located. If South Central Water Company is the owner of the land where the facility is located, please submit a revised page 7 indicating the owner of the land as South Central Water Company.
  - Page 7 remains unchanged, as the property owner is Ellison Collections LLC. We are providing the lease agreement between Ellison Collections LLC and South Central Water Company.
  - Please see the attachment for lease agreement.
- 2. Core Data Form (CDF), Section III, item 25, facility description: The facility description must be the same throughout the application. For instance, the description on the CDF is as follows: 1,980 feet northwest of the intersection of Tanyard Road and Sharon Lane. However, on the English/Spanish Plain Language Summaries, and the SPIF it is, 1,980 feet northwest of the intersection of Tanyard Road 172 and Sharon Lane. Please verify and submit a revised page 2 of the CDF, and both Plain Language Summaries (PLS) forms and SPIF. Submit all updated forms with the response to this letter.
  - Accurate distance from the intersection of Tanyard Road and Sharon Lane is 1,460 feet. Updated the documents accordingly.
  - Please see the attachment for Response for NOD #2.



- 3. Technical Report: We are unable to locate page 1 of the technical report. Please send page 1 of the technical report with the response to this letter.
  - Please see the attachment for Response for NOD #3.
- 4. The following is a portion of the NORI which contains information relevant to your application. Please read it carefully and indicate if it contains any errors or omissions. The complete notice will be sent to you once the application is declared administratively complete.

APPLICATION. South Central Water Company, P.O. Box 570177, Houston, Texas 77257, has applied to the Texas Commission on Environmental Quality (TCEQ) for proposed Texas Pollutant Discharge Elimination System (TPDES) Permit No. WQ0016882001 (EPA I.D. No. TX0148491) to authorize the discharge of treated wastewater at a volume not to exceed a daily average flow of

300,000 gallons per day. The domestic wastewater facility will be located approximately 1,460 feet northwest of the intersection of Tanyard Road and Sharon Lane, near the city of Conroe, in Montgomery County, Texas 77303. The discharge route will be from the plant site to (pending RWA). TCEQ received this application on September 17, 2025. The permit application will be available for viewing and copying at R F Meador Branch Library, reference section, 709 West Montgomery Street, Willis, Texas prior to the date this notice is published in the newspaper. The application, including any updates, and associated notices are available electronically at the following webpage:

https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications. This link to an electronic map of the site or facility's general location is provided as a public courtesy and not part of the application or notice. For the exact location, refer to the application.

https://gisweb.tceq.texas.gov/LocationMapper/?marker=-95.3424,30.4627&level=18

Further information may also be obtained from South Central Water Company at the address stated above or by calling Mr. Jerry Ince, P.E., Ward, Getz & Associates, LLC, at 832-344-6604.

• The above draft notice is approved after the above changes in red.

Sincerely,

Jaerock Son, P.E. Project Engineer

Ward, Getz & Associates, LLC



**Response for NOD #1** 

### WASTEWATER PLANT | EASEMENT AGREEMENT (Tanyard Road)

NOTICE OF CONFIDENTIALITY RIGHTS: IF YOU ARE A NATURAL PERSON, YOU MAY REMOVE OR STRIKE ANY OF THE FOLLOWING INFORMATION FROM ANY INSTRUMENT THAT TRANSFERS AN INTEREST IN REAL PROPERTY BEFORE IT IS FILED FOR RECORD IN THE PUBLIC RECORDS: YOUR SOCIAL SECURITY NUMBER OR YOUR DRIVER'S LICENSE NUMBER.

### WASTEWATER PLANT EASEMENT AGREEMENT (5 acres)

That <u>Ellison Collections, LLC</u> called "<u>Grantor</u>" (whether one or more), for good and valuable consideration, the receipt and sufficiency of which is hereby acknowledged, does hereby grant, transfer, sell, assign and convey unto **South Central Water Company**, having an address of 5818 Beverly Hill St, Houston, Texas 77057, and to its successors and/or assigns, hereinafter called "<u>Grantee</u>," an exclusive and perpetual easement and right-of-way (the "<u>Easement</u>") along, over, under and across the following described property (the "<u>Property</u>"):

#### [PLEASE SEE EXHIBIT A]

The right-of-way, utility easement, and other rights and privileges herein granted shall include:

- 1. The right to place, construct, reconstruct, rephase, upgrade, expand the capability of, operate, maintain, repair, relocate within this Easement, rebuild, replace and remove thereon and/or in or upon the Property, a wastewater plant together with all the overhead and/or underground utility lines, including but not limited to water and sewer lines, equipment, and all other necessary or desirable appurtenances, including, but not limited to valves and manholes as deemed necessary by the Grantee to support the plant, lines and equipment within the Easement; and
- 2. The right to any additional temporary working space about or near the Easement as may be reasonably necessary, together with the right of pedestrian and/or vehicular ingress and egress over the Property and any adjoining land to or from said utility easement for the purposes of placing, constructing, reconstructing, rephasing, patrolling, inspecting, upgrading, expanding the capability of, operating, repairing, maintaining, relocating within this Easement, replacing, and/or removing said utility facilities, equipment and systems and appurtenances pertaining thereto; and
- 3. The right to clear the right of way of all obstructions, to cut, trim or remove trees and/or shrubbery located on, over or within the Easement and/or Property through any means deemed reasonable and appropriate by Grantee, including the use of machinery and the application of herbicides, and including any control of the growth of other vegetation in or about the Easement which may incidentally and necessarily result from the means of control employed; and
- 4.. The right of free access to the Easement at all reasonable hours to perform the aforementioned activities, and at any time to restore service or during an emergency.

5. This Easement is perpetual, provided, however, if Grantee ceases operating within the Easement for a period of six (6) months and Grantee's cessation of use is not due to a natural disaster, crime or property theft, acts of God, pandemic, labor strikes or acts of terrorism, then this Easement shall be terminated and the Property shall revert to Grantor or its successor and assigns. Venue for any disputes shall be in county in which the Property is located.

The rights hereby granted to Grantee may be dedicated, assigned (and/or licensed) by Grantee in whole or in part. Grantor covenants that Grantor, Grantor's heirs, successors and assigns shall not, individually, or in combination with others, interfere directly or indirectly with Grantee's use of this Easement now or at any time in the future, or with the efficiency, safety, or convenient operation of the utility(ies), utility service(s), related equipment, devices, appliances, and/or other property.

Grantor shall not construct nor cause or allow to be constructed any structure, building or improvement, nor plant any trees, nor impound any water, nor place any temporary or permanent erection of any equipment or appurtenances within the Easement in any manner as to interfere with the safe, efficient and convenient operation of the Grantee's facilities, equipment or systems. Such prohibited construction shall include, but not be limited to, new construction of a habitable structure, major modification to a preexisting habitable structure, stock tanks, dams, storage piles, swimming pools, antenna, spas, water wells, or oil wells. Grantor agrees that the Grantee shall have the right to remove, or cause to be removed, at Grantor's sole cost, any obstructions Grantor installs, erects or creates after the effective date of this Easement and which limit or impede Grantee's access to, through or across the Easement, or which interferes with or threatens to endanger the operation, reliability, efficiency, construction, reconstruction, or maintenance of Grantee's utility facilities or systems.

This Easement contains all covenants and terms between Grantor and Grantee related to the Easement. Any oral representations or modifications concerning this Easement shall be of no force and effect. Any subsequent amendment or modification to this Easement must be in writing and agreed to by the Grantor and Grantee. No waiver by Grantee of any default or breach of any covenant, condition, or stipulation herein contained, or delay by Grantee in the utilization of any right herein granted, shall be treated as a waiver of any subsequent default or breach of the same or any other covenant condition or stipulation, or as a waiver of any right of Grantee or of the ability of Grantee to utilize any such right at a future date.

TO HAVE AND TO HOLD the Easement unto said Grantee, its successors and assigns, forever, and Grantor hereby binds Grantor, and Grantor's successors, assigns, and heirs to warrant and forever defend all and singular said Easement and rights thereunder unto Grantee, its successors and assigns, against every person whomsoever lawfully claiming or to claim by through or under the same or any part thereof.

This Easement may be executed in any number of counterparts with the same effect as if all signatory parties had signed the same document. All counterparts will be construed together and will constitute one and the same instrument.

EXECUTED the 1 day of October, 2025

#### **GRANTOR:**

#### [GRANTOR]

By: Bill Ellison

Title: Managing Member

Date: 10/07/25

#### **GRANTEE:**

SOUTH CENTRAL WATER COMPANY

By: Clare Bailey

Name: CIATE BITTICY

Date: \$ 10 25

#### **EXHIBIT A**

A tract of land containing approx 180,625 sq ft. and being of dimension 425 ft by 425 ft with the center location being  $30^{\circ}$  27' 45.72"N,  $-95^{\circ}$  20' 32.6394"W.



## Steel Horn Wastewater Plant Easement Agreement

Final Audit Report 2025-10-07

Created:

2025-10-07

By:

Megan Riordan (mwhitmire@ellisondev.com)

Status:

Signed

Transaction ID:

CBJCHBCAABAApg\_6W6E9XVTzhAVEq8xVDGW3\_K1I\_VgI

### "Steel Horn Wastewater Plant Easement Agreement" History

- Document created by Megan Riordan (mwhitmire@ellisondev.com) 2025-10-07 6:29:22 PM GMT
- Document emailed to Bill Ellison (bellison@ellisondev.com) for signature 2025-10-07 6:29:30 PM GMT
- Email viewed by Bill Ellison (bellison@ellisondev.com) 2025-10-07 6:32:10 PM GMT
- Document e-signed by Bill Ellison (bellison@ellisondev.com)
  Signature Date: 2025-10-07 6:32:29 PM GMT Time Source: server
- Agreement completed. 2025-10-07 - 6:32:29 PM GMT





Response for NOD #2

T	CEG	Us	e O	nly
	CEG	Į US	e O	ทเง



#### TCEQ CORE DATA FORM

For detailed instructions on completing this form, please read the Core Data Form Instructions or call 512-239-5175,

#### 1. SECTION I: GENERAL INFORMATION

1. Reason for Submission (If other is checked plea	se describe in space provide	d.)						
New Permit, Registration or Authorization (Core Data Form should be submitted with the program application.)								
Renewal (Core Data Form should be submitted w	☐ Other							
2. Customer Reference Number (if issued)	Follow this link to search for CN or RN	3. Regulated Entity Reference Number (if issued)						
CN 602602179	numbers in Central Registry''	RN						
2.SECTION II: CUSTOMER IN	IFORMATION							

د. <u>ی</u>	ECTIO	IN II. C	202101	VIER IIV	<u> </u>	RMA	HON	<u>N</u>						
4. General	eral Customer Information 5. Effective Date for Customer Information Updates (mm/dd/yyyy)								T					
☐ New Customer ☑ Update to Customer Information ☐ Change in Legal Name (Verifiable with the Texas Secretary of State or Texas Compt								ller of	Public Acco	ounts)	ed Entity Ow	,		
The Custon Secretary o										ı wha	t is curren	t and c	active with	the Texas
6. Custome	er Legal I	Name (	lf an individu	al, print lasi	nar	me first: eg	g: Doe,	John)		If ne	w Customei	r, enter p	orevious Cust	omer below:
South Centra	al Water C	ompany	,									p		- 34
7. TX SOS/0 0161296200		g Num	ber	8. TX State Tax ID (11 digits) 17606670101					9. Federal Tax ID (9 digits) N/A			10. DUNS applicable N/A	S Number (if	
11. Type of	Custome	er:	Corpora	ation					☐ Individual			Partnership: General Limited		
Government			y 🗌 Federal	. 🗌 Local [	S	tate 🗌 Ot	ther		☐ Sole Proprietorship			Other:		
12. Number	r of Empl	loyees				•				13. Independently Owned and Operated?				Operated?
	21-100	101				501 and h				☐ Yes ☐ No				
14. Custom	er Role (	Propose	d or Actual)	– as it relat	es to	the Regu	ılated	Entity	listed on	this for	m. Please c	heck or	ne of the follo	owing
□Owner □Occupatio		ee [	Operator Responsib	ole Party	×	Owner &			ant		Other:			
15. Mailing	P.O. Box	570177												
								,						
Address:	City	Houst	on			State	TX		ZIP	77257			ZIP + 4	_
16. Country	16. Country Mailing Information (if outside USA)					17. E-Mail Address (if applicable)								
N/A								Doug@Southcentralww.com						
18. Telepho	18. Telephone Number 19. Extension or Code					e 20. Fax Number (if applicable)				ble)				

TCEQ-10400 (11/22) Page 1 of 3

(713)783-6611		( ) -	
---------------	--	-------	--

#### 3. SECTION III: REGULATED ENTITY INFORMATION

21. General Regulated	l Entity Inf	ormation (If 'N	lew Regulated Entit	ty" is selecte	ed, a ne	w peri	mit app	lication is also	required	)
New Regulated Entity Update to Regulated Entity Name Update to Regulated Entity Information										
The Regulated Entity Name submitted may be updated, in order to meet TCEQ Core Data Standards (removal of organizational endings such as Inc, LP, or LLC).										
22. Regulated Entity Name (Enter name of the site where the regulated action is taking place.)										
Tanyard Road Wastewater Treatment Plant										
23. Street Address										<del> </del>
of the Regulated Entity:										-
(No PO Boxes)	City		State	TX	ZIP	)			ZIP+4	T
24. County	Montgom	ery						'		
		If no Street	Address is provi	ded, field	s 25-2	8 are	requi	red.		
25. Description to	1 400 feet		- into		-1 1 5	~!	. 1			
Physical Location:	1,400 1661	northwest of th	e intersection of Ta	anyara koa	a ana s	snaron	Lane			
26. Nearest City	-		- I II-	_			State		N	earest ZIP Code
Conroe						T	TX		77	303
Latitude/Longitude ar Address may be used t									eocodin	g of the Physical
27. Latitude (N) In Dec	imal:	30.4627		28.	Longi	tude	(W) in	Decimal:	95.342	4
Degrees	Minutes		Seconds	Deg	rees			Minutes		Seconds
30		27	45.7		9	5		20		32.6
29. Primary SIC Code	30.	Secondary S	IC Code	31. Prim	ary NA	AICS (	Code	32. Sec	ondary	NAICS Code
(4 digits)	(4 d	igits)		<b>(</b> 5 or <b>6</b> di	gits)			(5 or <b>6</b> di	gits)	
4952										
33. What is the Primary	Business	of this entity	? (Do not repeat	the SIC or N	IAICS d	lescrip	tion.)			
Wastewater Utilities										-
34. Mailing	P.O. Boc 5	570177								
•										
Address:	City	Houston	State	тх	Z	IP	7725	7	ZIP + 4	
35. E-Mail Address:	Dou	g@Southcentr	alww.com			_				
36. Telephone Number	,		37. Extension o	or Code		38. Fa	ax Nur	<b>nber</b> (if applic	cable)	
(713)783-6611 ( ) -										

39. TCEQ Programs and ID Numbers Check all Programs and write in the permits/registration numbers that will be affected by the updates submitted on this form. See the Core Data Form instructions for additional guidance.

TCEQ-10400 (11/22)

Page 2 of 3

☐ Dam Safety	Districts	☐ Edwards Aquif	er [	] Emissions Inventory Air	☐ Industrial Hazardous Waste
☐ Municipal Solid	Waste Review Air	rce OSSF		] Petroleum Storage Tan	k PWS
☐ Sludge	☐ Storm Wa	ater Title V Air		Tires	Used Oil
☐ Voluntary Clean	up 🛮 Wastewa	ter Wastewater Aç	griculture [	] Water Rights	Other:
. <u>SECT</u>	ON IV: PREPAR	RER INFORMATION	<u>NC</u>	-	
40. Name: Jaero	ock Son		41. Title:	Project Engineer	
42. Telephone Nu	mber 43. Ext./Cod	de 44. Fax Number	45. E-Ma	il Address	
(512)351-7143		( ) -	) - json@wga-llc.com		
. SECT	ON V: AUTHO	RIZED SIGNATU	RE		
					e and complete, and that I have r the updates to the ID numbers
Company:	South Central Water Company		Job Title:	President	
Name (In Print):	Doug Bailey		,	Phone:	(713)783- <b>6611</b>
Signature:	1	2		Date:	9-15-25
1		00			

TCEQ-10400 (11/22) Page 3 of 3

	Prefix: <u>N/A</u>	Last Name, First Name: <u>N/A</u>			
	Title: <u>N/A</u>	Credential: <u>N/A</u>			
	Organization Name: <u>N/A</u>				
	Mailing Address: <u>N/A</u>	City, State, Zip Code: <u>N/A</u>			
	Phone No.: <u>N/A</u>	nail Address: <u>N/A</u>			
	If the landowner is not the same person as the facility owner or co-applicant, attach a least agreement or deed recorded easement. See instructions.				
	Attachment: <u>N/A</u>				
F.	0 0 1	ner sewage sludge disposal site (if authorization is requested for sludge disposal on operty owned or controlled by the applicant)::			
	Prefix: <u>N/A</u>	Last Name, First Name: <u>N/A</u>			
	Title: <u>N/A</u>	Credential: <u>N/A</u>			
	Organization Name: <u>N/A</u>				
	Mailing Address: <u>N/A</u>	City, State, Zip Code: <u>N/A</u>			
	Phone No.: <u>N/A</u>	E-mail Address: <u>N/A</u>			
	If the landowner is not the same agreement or deed recorded ease	person as the facility owner or co-applicant, attach a lease ement. See instructions.			
	Attachment: <u>N/A</u>				
Se	ection 10. TPDES Dischar	ge Information (Instructions Page 31)			
A.	Is the wastewater treatment facil	ity location in the existing permit accurate?			
	□ Yes ⊠ No				
		on, please give an accurate description:			
	in Montgomery County	tion between Tanyard Road and Sharon Lane near Willis, Texas			
B.	Are the point(s) of discharge and	the discharge route(s) in the existing permit correct?			
	□ Yes ⊠ No				
	If <b>no</b> , <b>or a new or amendment p</b> point of discharge and the discharge TAC Chapter 307:	ermit application, provide an accurate description of the arge route to the nearest classified segment as defined in 30 (Segment ID. 1011) from 8" effluent piping at proposed			
	City nearest the outfall(s): <u>Willis</u>				
	County in which the outfalls(s) is	/are located: <u>Montgomery</u>			

**E.** Owner of effluent disposal site:

#### WATER QUALITY PERMIT

#### PAYMENT SUBMITTAL FORM

Use this form to submit the Application Fee, if the mailing the payment.

- Complete items 1 through 5 below.
- Staple the check or money order in the space provided at the bottom of this document.
- Do Not mail this form with the application form.
- Do not mail this form to the same address as the application.
- Do not submit a copy of the application with this form as it could cause duplicate permit entries.

#### Mail this form and the check or money order to:

BY REGULAR U.S. MAIL

Texas Commission on Environmental Quality Financial Administration Division Cashier's Office, MC-214 P.O. Box 13088

Austin, Texas 78711-3088

Fee Code: WQP Waste Permit No: Pending

1. Check or Money Order Number: 5288

2. Check or Money Order Amount: **\$1,250.00** 

3. Date of Check or Money Order: 9/15/2025

4. Name on Check or Money Order: South Central Water Company

5. APPLICATION INFORMATION

Name of Project or Site: Tanyard Road Wastewater Treatment Plant

Physical Address of Project or Site: <u>1,460 Ft North west of the intersection between Tanyard Road</u> and Sharon Lane near Willis, Texas in Montgomery County

If the check is for more than one application, attach a list which includes the name of each Project or Site (RE) and Physical Address, exactly as provided on the application.

**Staple Check or Money Order in This Space** 

Texas Commission on Environmental Quality Financial Administration Division Cashier's Office, MC-214 12100 Park 35 Circle Austin, Texas 78753



#### TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

## SUMMARY OF APPLICATION IN PLAIN LANGUAGE FOR TPDES OR TLAP PERMIT APPLICATIONS

### ENGLISH TEMPLATE FOR TPDES or TLAP NEW/RENEWAL/AMENDMENT APPLICATIONS DOMESTIC WASTEWATER/STORMWATER

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 TAC Chapter 39. The information provided in this summary may change during the technical review of the application and is not a federal enforceable representation of the permit application.

South Central Water Company (CN602602179) proposes to operate Tanyard Road Wastewater Treatment Plant (RN######), an activated sludge processing plant. The facility will be located at 1,460 Ft North west of the intersection between Tanyard Road and Sharon Lane, in Willis, Montgomery County, Texas 77378. This permit is to authorize the discharge of treated domestic wastewater to a volume not to exceed an average flow of 300,000 gallons per day.

Discharges from the facility are expected to contain free available chlorine, total residual chlorine, total suspended solids, oil and grease, total iron, pH differences, and temperature differences. Domestic wastewater will be treated by an activated sludge processing plant consisting of the following treatment units: bar screens, aeration basins, digester basins, clarifiers, a lift station, and chlorine contact basins.

### PLANTILLA EN ESPAÑOL PARA SOLICITUDES NUEVAS/RENOVACIONES/ENMIENDAS DE TPDES o TLAP

#### AGUAS RESIDUALES DOMÉSTICAS /AGUAS PLUVIALES

El siguiente resumen se proporciona para esta solicitud de permiso de calidad del agua pendiente que está siendo revisada por la Comisión de Calidad Ambiental de Texas según lo requerido por el Capítulo 39 del Código Administrativo de Texas 30. La información proporcionada en este resumen puede cambiar durante la revisión técnica de la solicitud y no es una representación ejecutiva fedérale de la solicitud de permiso.

Compañía de Agua Central del Sur (CN602602179) propone operar Planta de tratamiento de aguas residuales Tanyard Road (RN########), una Planta de procesamiento de lodos activados. La instalación estará ubicada en A 1,460 pies al noroeste de la intersección entre Tanyard Road y Sharon Lane, en Willis, Condado de Montgomery, Texas 77378. Este permiso es para autorizar la descarga de aguas residuales domésticas tratadas a un volumen que no exceda un flujo promedio de 300,000 galones por día.

Se espera que las descargas de la instalación contengan cloro libre disponible, cloro residual total, sólidos suspendidos totales, aceite y grasa, hierro total, diferencias de pH y diferencias de temperatura. Aguas residuales domésticas. está tratado por Una planta de procesamiento de lodos activados que consta de las siguientes unidades de tratamiento: cribas de barras, cuencas de aireación, cuencas de digestores, clarificadores, una estación de bombeo y cuencas de contacto con cloro.

## TEXAS COMMISSION ON ENVIRONMENTAL QUALITY SUPPLEMENTAL PERMIT INFORMATION FORM (SPIF)

## FOR AGENCIES REVIEWING DOMESTIC OR INDUSTRIAL TPDES WASTEWATER PERMIT APPLICATIONS

TCEQ USE ONLY:	
•	AmendmentNew New
County:	
Admin Complete Date:	
Agency Receiving SPIF:	
Texas Historical Commission	U.S. Fish and Wildlife
Texas Parks and Wildlife Departmen	nt U.S. Army Corps of Engineers
This form applies to TPDES permit applicat	tions only. (Instructions, Page 53)
our agreement with EPA. If any of the items	TCEQ will mail a copy to each agency as required by are not completely addressed or further information information before issuing the permit. Address
attachment for this form separately from the application will not be declared administrati completed in its entirety including all attach	ments. Questions or comments concerning this form n's Application Review and Processing Team by
The following applies to all applications:	
1. Permittee: <u>South Central Water Company</u>	
Permit No. WQ00 <u>Pending</u>	EPA ID No. TX <u>Pending</u>
Address of the project (or a location descand county):	cription that includes street/highway, city/vicinity,
	petween Tanyard Road and Sharon Lane near Willis,

answer specific questions about the property.				
Prefix (Mr., Ms., Miss): Mr.				
First and Last Name: <u>Doug Bailey</u>				
Credential (P.E, P.G., Ph.D., etc.):				
Title: President				
Mailing Address: PO Box 570177				
City, State, Zip Code: <u>Houston, Texas 77257</u>				
Phone No.: <u>713-783-6611</u> Ext.: Fax No.:				
E-mail Address: <u>Doug@soutcentralww.com</u>				
List the county in which the facility is located: Montgomery				
If the property is publicly owned and the owner is different than the permittee/applicant,				
please list the owner of the property.  N/A				
Provide a description of the effluent discharge route. The discharge route must follow the flow				
of effluent from the point of discharge to the nearest major watercourse (from the point of				
discharge to a classified segment as defined in 30 TAC Chapter 307). If known, please identify				
discharge to a classified segment as defined in 30 TAC Chapter 307). If known, please identify the classified segment number.				
discharge to a classified segment as defined in 30 TAC Chapter 307). If known, please identify the classified segment number.				
discharge to a classified segment as defined in 30 TAC Chapter 307). If known, please identify the classified segment number.				
discharge to a classified segment as defined in 30 TAC Chapter 307). If known, please identify the classified segment number.				
discharge to a classified segment as defined in 30 TAC Chapter 307). If known, please identify the classified segment number.  Discharge outfalls into Peach Creek (Segment ID. 1011) from 8" effluent piping at proposed WWTP.  Please provide a separate 7.5-minute USGS quadrangle map with the project boundaries plotted and a general location map showing the project area. Please highlight the discharge route from the point of discharge for a distance of one mile downstream. (This map is				
discharge to a classified segment as defined in 30 TAC Chapter 307). If known, please identify the classified segment number.  Discharge outfalls into Peach Creek (Segment ID. 1011) from 8" effluent piping at proposed WWTP.  Please provide a separate 7.5-minute USGS quadrangle map with the project boundaries plotted and a general location map showing the project area. Please highlight the discharge route from the point of discharge for a distance of one mile downstream. (This map is required in addition to the map in the administrative report).				
discharge to a classified segment as defined in 30 TAC Chapter 307). If known, please identify the classified segment number.  Discharge outfalls into Peach Creek (Segment ID. 1011) from 8" effluent piping at proposed WWTP.  Please provide a separate 7.5-minute USGS quadrangle map with the project boundaries plotted and a general location map showing the project area. Please highlight the discharge route from the point of discharge for a distance of one mile downstream. (This map is required in addition to the map in the administrative report).  Provide original photographs of any structures 50 years or older on the property.				
discharge to a classified segment as defined in 30 TAC Chapter 307). If known, please identify the classified segment number.  Discharge outfalls into Peach Creek (Segment ID. 1011) from 8" effluent piping at proposed WWTP.  Please provide a separate 7.5-minute USGS quadrangle map with the project boundaries plotted and a general location map showing the project area. Please highlight the discharge route from the point of discharge for a distance of one mile downstream. (This map is required in addition to the map in the administrative report).  Provide original photographs of any structures 50 years or older on the property.  Does your project involve any of the following? Check all that apply.				
discharge to a classified segment as defined in 30 TAC Chapter 307). If known, please identify the classified segment number.  Discharge outfalls into Peach Creek (Segment ID. 1011) from 8" effluent piping at proposed WWTP.  Please provide a separate 7.5-minute USGS quadrangle map with the project boundaries plotted and a general location map showing the project area. Please highlight the discharge route from the point of discharge for a distance of one mile downstream. (This map is required in addition to the map in the administrative report).  Provide original photographs of any structures 50 years or older on the property.  Does your project involve any of the following? Check all that apply.  Proposed access roads, utility lines, construction easements				
discharge to a classified segment as defined in 30 TAC Chapter 307). If known, please identify the classified segment number.  Discharge outfalls into Peach Creek (Segment ID. 1011) from 8" effluent piping at proposed WWTP.  Please provide a separate 7.5-minute USGS quadrangle map with the project boundaries plotted and a general location map showing the project area. Please highlight the discharge route from the point of discharge for a distance of one mile downstream. (This map is required in addition to the map in the administrative report).  Provide original photographs of any structures 50 years or older on the property.  Does your project involve any of the following? Check all that apply.  Proposed access roads, utility lines, construction easements  Visual effects that could damage or detract from a historic property's integrity				
discharge to a classified segment as defined in 30 TAC Chapter 307). If known, please identify the classified segment number.  Discharge outfalls into Peach Creek (Segment ID. 1011) from 8" effluent piping at proposed WWTP.  Please provide a separate 7.5-minute USGS quadrangle map with the project boundaries plotted and a general location map showing the project area. Please highlight the discharge route from the point of discharge for a distance of one mile downstream. (This map is required in addition to the map in the administrative report).  Provide original photographs of any structures 50 years or older on the property.  Does your project involve any of the following? Check all that apply.  Proposed access roads, utility lines, construction easements  Visual effects that could damage or detract from a historic property's integrity  Vibration effects during construction or as a result of project design				

2.3.

4.

5.

	□ Disturbance of vegetation or wetlands
1.	List proposed construction impact (surface acres to be impacted, depth of excavation, sealing of caves, or other karst features):  Proposed Wastewater treatment plant including underground piping, utilities, varying depths
	between 0 and 20-ft below ground.
2.	Describe existing disturbances, vegetation, and land use:  The existing parcel is all trees and vegetation with no structures.
	E FOLLOWING ITEMS APPLY ONLY TO APPLICATIONS FOR NEW TPDES PERMITS AND MAJOR MENDMENTS TO TPDES PERMITS
3.	List construction dates of all buildings and structures on the property:
	N/A. No existing buildings
4.	Provide a brief history of the property, and name of the architect/builder, if known.
	N/A



**Response for NOD #3** 

# THE TOWN IS NOW A PARTY OF THE PARTY OF THE

#### TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

## DOMESTIC WASTEWATER PERMIT APPLICATION TECHNICAL REPORT 1.0

For any questions about this form, please contact the Domestic Wastewater Permitting Team at 512-239-4671.

The following information is required for all renewal, new, and amendment applications.

#### Section 1. Permitted or Proposed Flows (Instructions Page 42)

#### A. Existing/Interim I Phase

Design Flow (MGD): <u>0.10</u>

2-Hr Peak Flow (MGD): <u>0.40</u>

Estimated construction start date: <u>December 2026</u> Estimated waste disposal start date: <u>Middle of 2027</u>

#### **B.** Interim II Phase

Design Flow (MGD): Click to enter text.

2-Hr Peak Flow (MGD):

Estimated construction start date: <u>Click to enter text.</u> Estimated waste disposal start date: <u>Click to enter text.</u>

#### C. Final Phase

Design Flow (MGD): <u>0.30</u> 2-Hr Peak Flow (MGD): 1.20

Estimated construction start date: <u>Early 2028</u> Estimated waste disposal start date: <u>Late 2028</u>

#### D. Current Operating Phase

Provide the startup date of the facility: Middle of 2027

#### Section 2. Treatment Process (Instructions Page 42)

#### A. Current Operating Phase

Provide a detailed description of the treatment process. **Include the type of treatment plant, mode of operation, and all treatment units.** Start with the plant's head works and

#### Comisión de Calidad Ambiental del Estado de Texas



#### AVISO DE RECIBO DE LA SOLICITUD Y EL INTENTO DE OBTENER PERMISO PARA LA CALIDAD DEL AGUA

#### PERMISO PROPUESTO NO. WQ00

**SOLICITUD.** South Central Water Company, P.O. Box 570177, Houston, Texas 77257, ha solicitado a la Comisión de Calidad Ambiental del Estado de Texas (TCEQ) para el propuesto Permiso No. WQ0016882001 (EPA I.D. No. TX 0148491) del Sistema de Eliminación de Descargas de Contaminantes de Texas (TPDES) para autorizar la descarga de aguas residuales tratadas en un volumen que no sobrepasa un flujo promedio diario de 300,000 galones por día. La planta estará ubicada aproximadamente a 1,460 pies al noroeste de la intersección de Tanyard Road y Sharon Lane, cerca de la ciudad de Conroe en el Condado de Montgomery, Texas 77378. La ruta de descarga estará del sitio de la planta a Peach Creek (ID de segmento 1011), a través de una tubería de efluente de 8" desde la planta de tratamiento de aguas residuales propuesta. La TCEQ recibió esta solicitud el 17 de septiembre de 2025. La solicitud para el permiso estará disponible para leerla y copiarla en la Biblioteca Sucursal R. F. Meador, sección de referencia, 709 West Montgomery Street, Willis, Condado de Montgomery, Texas, antes de la fecha de publicación de este aviso en el periódico. La solicitud (cualquier actualización y aviso inclusive) está disponible electrónicamente en la siguiente página web: https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications. Este enlace a un mapa electrónico de la ubicación general del sitio o de la instalación es proporcionado como una cortesía y no es parte de la solicitud o del aviso. Para la ubicación exacta, consulte la solicitud.

https://gisweb.tceq.texas.gov/LocationMapper/?marker=-95.3424,30.4627&level=18

[Include the following non-italicized sentence if the facility is located in the Coastal Management Program boundary. The Coastal Management Program boundary is the area along the Texas Coast of the Gulf of México as depicted on the map in 31 TAC §503.1 and includes part or all of the following counties: Cameron, Willacy, Kenedy, Kleberg, Nueces, San Patricio, Aransas, Refugio, Calhoun, Victoria, Jackson, Matagorda, Brazoria, Galveston, Harris, Chambers, Jefferson y Orange.] El Director Ejecutivo de la TCEQ ha revisado esta medida para ver si está de acuerdo con los objetivos y las regulaciones del Programa de Administración Costero de Texas (CMP) de acuerdo con las regulaciones del Consejo Coordinador de la Costa (CCC) y ha determinado que la acción es conforme con las metas y regulaciones pertinentes del CMP.

**AVISO DE IDIOMA ALTERNATIVO.** El aviso de idioma alternativo en español está disponible en <a href="https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications">https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications</a>.

AVISO ADICIONAL. El Director Ejecutivo de la TCEQ ha determinado que la solicitud es

administrativamente completa y conducirá una revisión técnica de la solicitud. Después de completar la revisión técnica, el Director Ejecutivo puede preparar un borrador del permiso y emitirá una Decisión Preliminar sobre la solicitud. El aviso de la solicitud y la decisión preliminar serán publicados y enviado a los que están en la lista de correo de las personas a lo largo del condado que desean recibir los avisos y los que están en la lista de correo que desean recibir avisos de esta solicitud. El aviso dará la fecha límite para someter comentarios públicos.

COMENTARIO PUBLICO / REUNION PUBLICA. Usted puede presentar comentarios públicos o pedir una reunión pública sobre esta solicitud. El propósito de una reunión pública es dar la oportunidad de presentar comentarios o hacer preguntas acerca de la solicitud. La TCEQ realiza una reunión pública si el Director Ejecutivo determina que hay un grado de interés público suficiente en la solicitud o si un legislador local lo pide. Una reunión pública no es una audiencia administrativa de lo contencioso.

OPORTUNIDAD DE UNA AUDIENCIA ADMINISTRATIVA DE LO CONTENCIOSO. Después del plazo para presentar comentarios públicos, el Director Ejecutivo considerará todos los comentarios apropiados y preparará una respuesta a todo los comentarios públicos esenciales, pertinentes, o significativos. A menos que la solicitud haya sido referida directamente a una audiencia administrativa de lo contencioso, la respuesta a los comentarios y la decisión del Director Ejecutivo sobre la solicitud serán enviados por correo a todos los que presentaron un comentario público y a las personas que están en la lista para recibir avisos sobre esta solicitud. Si se reciben comentarios, el aviso también proveerá instrucciones para pedir una reconsideración de la decisión del Director Ejecutivo y para pedir una audiencia administrativa de lo contencioso. Una audiencia administrativa de lo contencioso es un procedimiento legal similar a un procedimiento legal civil en un tribunal de distrito del estado.

PARA SOLICITAR UNA AUDIENCIA DE CASO IMPUGNADO, USTED DEBE INCLUIR EN SU SOLICITUD LOS SIGUIENTES DATOS: su nombre, dirección, y número de teléfono; el nombre del solicitante y número del permiso; la ubicación y distancia de su propiedad/actividad con respecto a la instalación; una descripción específica de la forma cómo usted sería afectado adversamente por el sitio de una manera no común al público en general; una lista de todas las cuestiones de hecho en disputa que usted presente durante el período de comentarios; y la declaración "[Yo/nosotros] solicito/solicitamos una audiencia de caso impugnado". Si presenta la petición para una audiencia de caso impugnado de parte de un grupo o asociación, debe identificar una persona que representa al grupo para recibir correspondencia en el futuro; identificar el nombre y la dirección de un miembro del grupo que sería afectado adversamente por la planta o la actividad propuesta; proveer la información indicada anteriormente con respecto a la ubicación del miembro afectado y su distancia de la planta o actividad propuesta; explicar cómo y porqué el miembro sería afectado; y explicar cómo los intereses que el grupo desea proteger son pertinentes al propósito del grupo.

Después del cierre de todos los períodos de comentarios y de petición que aplican, el Director Ejecutivo enviará la solicitud y cualquier petición para reconsideración o para una audiencia de caso impugnado a los Comisionados de la TCEQ para su consideración durante una reunión programada de la Comisión.

La Comisión sólo puede conceder una solicitud de una audiencia de caso impugnado sobre los temas que el solicitante haya presentado en sus comentarios oportunos que no fueron retirados posteriormente. Si se concede una audiencia, el tema de la audiencia estará limitado a cuestiones de hecho en disputa o cuestiones mixtas de hecho y de derecho relacionadas a intereses pertinentes y materiales de calidad del agua que se hayan presentado durante el período de comentarios.

**LISTA DE CORREO.** Si somete comentarios públicos, un pedido para una audiencia administrativa de lo contencioso o una reconsideración de la decisión del Director Ejecutivo, la Oficina del Secretario Principal enviará por correo los avisos públicos en relación con la solicitud. Además, puede pedir que la TCEQ ponga su nombre en una o más de las listas correos siguientes (1) la lista de correo permanente para recibir los avisos del solicitante indicado por nombre y número del permiso específico y/o (2) la lista de correo de todas las solicitudes en un condado específico. Si desea que se agrega su nombre en una de las listas designe cual lista(s) y envía por correo su pedido a la Oficina del Secretario Principal de la TCEO.

**INFORMACIÓN DISPONIBLE EN LÍNEA.** Para detalles sobre el estado de la solicitud, favor de visitar la Base de Datos Integrada de los Comisionados en <a href="www.tceq.texas.gov/goto/cid">www.tceq.texas.gov/goto/cid</a>. Para buscar en la base de datos, utilizar el número de permiso para esta solicitud que aparece en la parte superior de este aviso.

CONTACTOS E INFORMACIÓN A LA AGENCIA. Todos los comentarios públicos y solicitudes deben ser presentadas electrónicamente vía <a href="http://www14.tceq.texas.gov/epic/eComment/">http://www14.tceq.texas.gov/epic/eComment/</a> o por escrito dirigidos a la Comisión de Texas de Calidad Ambiental, Oficial de la Secretaría (Office of Chief Clerk), MC-105, P.O. Box 13087, Austin, Texas 78711-3087. Tenga en cuenta que cualquier información personal que usted proporcione, incluyendo su nombre, número de teléfono, dirección de correo electrónico y dirección física pasarán a formar parte del registro público de la Agencia. Para obtener más información acerca de esta solicitud de permiso o el proceso de permisos, llame al programa de educación pública de la TCEQ, gratis, al 1-800-687-4040. Si desea información en Español, puede llamar al 1-800-687-4040.

También se puede obtener información adicional del South Central Water Company a la dirección indicada arriba o llamando a Jerry Ince, P.E., Ward, Getz & Associates, LLC, al 832-344-6604.

Fecha de emisión: [Date notice issued]



October 23nd, 2025

Texas Commission of Environmental Quality 12100 Park 35 Circle Austin, Texas 78753

RE: WQ0016882001

TCEQ,

South Central Water Company acknowledges that any easement provided for an application for a wastewater discharge permit must meet the ownership requirement according to the current rules and regulations of the TCEQ. South Central Water agrees that per this letter, we will submit an easement agreement to the county to be recorded prior to the issuance of the final permit. South Central Water Company acknowledges that if the easement is not submitted to the county, the wastewater discharge permit will not be issued.

South Central Water Company

Name: CLARE BAILEY

Title: VICE Presidet

Date: 10 | 23 | 2025