

Administrative Package Cover Page

This file contains the following documents:

- 1. Summary of application (in plain language)
- 2. First Notice (NORI-Notice of Receipt of Application and Intent to Obtain a Permit)
- 3. Application Materials



TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

SUMMARY OF APPLICATION IN PLAIN LANGUAGE FOR TPDES OR TLAP PERMIT APPLICATIONS

ENGLISH TEMPLATE FOR TPDES or TLAP NEW/RENEWAL/AMENDMENT APPLICATIONS DOMESTIC WASTEWATER/STORMWATER

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 TAC Chapter 39. The information provided in this summary may change during the technical review of the application and is not a federal enforceable representation of the permit application.

South Central Water Company (CN602602179) proposes to operate Sealy 200 Wastewater Treatment Plant (RN112285994), an activated sludge processing plant. The facility will be located approximately 0.77 miles south of intersection of Frazer Road and Sens Road, in City of Sealy, Austin County, Texas 77474. This permit is to authorize the discharge of treated domestic wastewater to a volume not to exceed an average flow of 600,000 gallons per day.

Discharges from the facility are expected to contain free available chlorine, total residual chlorine, total suspended solids, oil and grease, total iron, pH differences, and temperature differences. Domestic wastewater will be treated by an activated sludge processing plant consisting of the following treatment units: bar screens, aeration basins, digester basins, clarifiers, a lift station, and chlorine contact basins.

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



NOTICE OF RECEIPT OF APPLICATION AND INTENT TO OBTAIN WATER QUALITY PERMIT

PROPOSED PERMIT NO. WQ0016883001

APPLICATION. South Central Water Company, P.O. Box 570177, Houston, Texas 77257, has applied to the Texas Commission on Environmental Quality (TCEQ) for proposed Texas Pollutant Discharge Elimination System (TPDES) Permit No. WQ0016883001 (EPA I.D. No. TX0148504) to authorize the discharge of treated wastewater at a volume not to exceed a daily average flow of 600,000 gallons per day. The domestic wastewater treatment facility will be located approximately 0.77 miles south of the intersection of Frazer Road and Sens Road, near the city of Sealy, in Austin County, Texas 77474. The discharge route will be from the plant site to an unnamed tributary, thence to Bullinger Creek, thence to Brazos River Below Navasota River. TCEQ received this application on September 17, 2025. The permit application will be available for viewing and copying at Virgil and Josephine Gordon Memorial Library, Reference Section, 917 North Circle Drive, Sealy, in Austin County, Texas prior to the date this notice is published in the newspaper. The application, including any updates, and associated notices are available electronically at the following webpage: https://www.tceq.texas.gov/permitting/wastewater/pending-permits/tpdes-applications. This link to an electronic map of the site or facility's general location is provided as a public courtesy and not part of the application or notice. For the exact location, refer to the application.

https://gisweb.tceq.texas.gov/LocationMapper/?marker=-96.186,29.8169&level=18

ADDITIONAL NOTICE. TCEQ's Executive Director has determined the application is administratively complete and will conduct a technical review of the application. After technical review of the application is complete, the Executive Director may prepare a draft permit and will issue a preliminary decision on the application. Notice of the Application and Preliminary Decision will be published and mailed to those who are on the countywide mailing list and to those who are on the mailing list for this application. That notice will contain the deadline for submitting public comments.

PUBLIC COMMENT / PUBLIC MEETING. You may submit public comments or request a public meeting on this application. The purpose of a public meeting is to provide the opportunity to submit comments or to ask questions about the application. TCEQ will hold a public meeting if the Executive Director determines that there is a significant degree of public interest in the application or if requested by a local legislator. A public meeting is not a contested case hearing.

OPPORTUNITY FOR A CONTESTED CASE HEARING. After the deadline for submitting public comments, the Executive Director will consider all timely comments and prepare a

response to all relevant and material, or significant public comments. Unless the application is directly referred for a contested case hearing, the response to comments, and the Executive Director's decision on the application, will be mailed to everyone who submitted public comments and to those persons who are on the mailing list for this application. If comments are received, the mailing will also provide instructions for requesting reconsideration of the Executive Director's decision and for requesting a contested case hearing. A contested case hearing is a legal proceeding similar to a civil trial in state district court.

TO REQUEST A CONTESTED CASE HEARING, YOU MUST INCLUDE THE FOLLOWING ITEMS IN YOUR REQUEST: your name, address, phone number; applicant's name and proposed permit number; the location and distance of your property/activities relative to the proposed facility; a specific description of how you would be adversely affected by the facility in a way not common to the general public; a list of all disputed issues of fact that you submit during the comment period and, the statement "[I/we] request a contested case hearing." If the request for contested case hearing is filed on behalf of a group or association, the request must designate the group's representative for receiving future correspondence; identify by name and physical address an individual member of the group who would be adversely affected by the proposed facility or activity; provide the information discussed above regarding the affected member's location and distance from the facility or activity; explain how and why the member would be affected; and explain how the interests the group seeks to protect are relevant to the group's purpose.

Following the close of all applicable comment and request periods, the Executive Director will forward the application and any requests for reconsideration or for a contested case hearing to the TCEQ Commissioners for their consideration at a scheduled Commission meeting.

The Commission may only grant a request for a contested case hearing on issues the requestor submitted in their timely comments that were not subsequently withdrawn. If a hearing is granted, the subject of a hearing will be limited to disputed issues of fact or mixed questions of fact and law relating to relevant and material water quality concerns submitted during the comment period.

MAILING LIST. If you submit public comments, a request for a contested case hearing or a reconsideration of the Executive Director's decision, you will be added to the mailing list for this specific application to receive future public notices mailed by the Office of the Chief Clerk. In addition, you may request to be placed on: (1) the permanent mailing list for a specific applicant name and permit number; and/or (2) the mailing list for a specific county. If you wish to be placed on the permanent and/or the county mailing list, clearly specify which list(s) and send your request to TCEQ Office of the Chief Clerk at the address below.

INFORMATION AVAILABLE ONLINE. For details about the status of the application, visit the Commissioners' Integrated Database at www.tceq.texas.gov/goto/cid. Search the database using the permit number for this application, which is provided at the top of this notice.

AGENCY CONTACTS AND INFORMATION. All public comments and requests must be submitted either electronically at https://www14.tceq.texas.gov/epic/eComment/, or in writing to the Texas Commission on Environmental Quality, Office of the Chief Clerk, MC-105, P.O. Box 13087, Austin, Texas 78711-3087. Please be aware that any contact information you provide, including your name, phone number, email address and physical address will

become part of the agency's public record. For more information about this permit application or the permitting process, please call the TCEQ Public Education Program, Toll Free, at 1-800-687-4040 or visit their website at www.tceq.texas.gov/goto/pep. Si desea información en Español, puede llamar al 1-800-687-4040.

Further information may also be obtained from South Central Water Company at the address stated above or by calling Mr. Jerry Ince, P.E., Ward, Getz & Associates LLC, at (713) 789-1900.

Issuance Date: October 24, 2025

TCEQ APPLICATION FOR TPDES PERMIT NEW

FOR

SEALY 200 WWTP

IN

Austin County, Texas

ON BEHALF OF

SOUTH CENTRAL WATER COMPANY

BY



WARD, GETZ & ASSOCIATES, PLLC TEXAS REGISTERED ENGINEERING FIRM F-9756 2500 Tanglewilde, Suite 120 Houston, TX 77063 713.789.1900

SEPTEMBER 2025



September 11, 2025

Texas Commission on Environmental Quality Water Quality Division Applications Review and Processing Team (MC148) P.O. Box 13087 Austin. Texas 78711-3087

Re: South Central Water Company (CN602602179)

Sealy 200 Wastewater Treatment Plant (RN-PENDING)

TPDES Permit Application NEW PERMIT NO. WQ00-PENDING

Water Quality Division:

Ward, Getz, and Associates, LLC is submitting a complete Texas Pollutant Discharge Elimination System (TPDES) Permit Application for the proposed Sealy 200 Wastewater Treatment Plant on behalf of South Central Water Company. Please find attached one (1) original and two (2) copies of the TPDES permit application. An electronic copy has been uploaded to TCEQ's FTP Server and sent to WQDeCopy@tceq.texas.gov.

The permit application fee was paid via check and mailed to the TCEQ Financial Administration Division. Please see the attached copy of the [electronic voucher/check].

If you have any questions, or require any additional information, please contact Cecilia Chen at 713-491-6571, or by email at cchen@wga-llc.com.

Sincerely,

Cecilia Chen

Project Engineer

Ward, Getz & Associates, LLC

Cecilialhan



September 11, 2025

Texas Commission on Environmental Quality Financial Administration Division Cashier's Office, MC-214 P.O. Box 13088 Austin, Texas 78711-3088

Re: South Central Water Company (CN602602179)

Sealy 200 Wastewater Treatment Plant (RN-PENDING)

TPDES Permit Application NEW PERMIT NO. WQ00-PENDING

Water Quality Division:

Ward, Getz, and Associates, LLC is submitting a complete Texas Pollutant Discharge Elimination System (TPDES) Permit Application for the new Sealy 200 Wastewater Treatment Plant on behalf of South Central Water Company. Please find enclosed one (1) check in the amount of **\$1650.00** for the TPDES permit application fee.

If you have any questions, or require any additional information, please contact Cecilia Chen at 713-491-6571, or by email at cchen@wga-llc.com.

Sincerely,

Cecilia Chen

Project Engineer

Ward, Getz & Associates, LLC

Cerilialhan

THE TONMENTAL OUT

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

DOMESTIC WASTEWATER PERMIT APPLICATION CHECKLIST

Complete and submit this checklist with the application.

|--|

PERMIT NUMBER (If new, leave blank): WQ00Click to enter text.

Indicate if each of the following items is included in your application.

	Y	N		Y	N
Administrative Report 1.0	\boxtimes		Original USGS Map	\boxtimes	
Administrative Report 1.1	\boxtimes		Affected Landowners Map	\boxtimes	
SPIF	\boxtimes		Landowner Disk or Labels	\boxtimes	
Core Data Form	\boxtimes		Buffer Zone Map	\boxtimes	
Summary of Application (PLS)	\boxtimes		Flow Diagram	\boxtimes	
Public Involvement Plan Form	\boxtimes		Site Drawing	\boxtimes	
Technical Report 1.0	\boxtimes		Original Photographs	\boxtimes	
Technical Report 1.1	\boxtimes		Design Calculations	\boxtimes	
Worksheet 2.0	\boxtimes		Solids Management Plan	\boxtimes	
Worksheet 2.1	\boxtimes		Water Balance		\boxtimes
Worksheet 3.0		\boxtimes			
Worksheet 3.1		\boxtimes			
Worksheet 3.2		\boxtimes			
Worksheet 3.3		\boxtimes			
Worksheet 4.0		\boxtimes			
Worksheet 5.0		\boxtimes			
Worksheet 6.0		\boxtimes			
Worksheet 7.0		\boxtimes			
For TCEQ Use Only					
Sagmant Number			County		
			Region		
Permit Number					

THE THE PART OF TH

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

DOMESTIC WASTEWATER PERMIT APPLICATION ADMINISTRATIVE REPORT 1.0

For any questions about this form, please contact the Applications Review and Processing Team at 512-239-4671.

Section 1. Application Fees (Instructions Page 26)

Indicate the amount submitted for the application fee (check only one).

Flow	New/Major Amendment	Renewal
<0.05 MGD	\$350.00 □	\$315.00 □
≥0.05 but <0.10 MGD	\$550.00 □	\$515.00 □
≥0.10 but <0.25 MGD	\$850.00 □	\$815.00 □
≥0.25 but <0.50 MGD	\$1,250.00 □	\$1,215.00 □
≥0.50 but <1.0 MGD	\$1,650.00 ⊠	\$1,615.00 □
≥1.0 MGD	\$2,050.00 □	\$2,015.00

Minor Amendment (for any flow) \$150.00 □

Payment Information

Mailed Check/Money Order Number: 5289

Check/Money Order Amount: \$1,650.00

Name Printed on Check: South Central Water Company

EPAY Voucher Number: Click to enter text.

Copy of Payment Voucher enclosed? Yes \square

Section 2. Type of Application (Instructions Page 26)

a.	. Check the box next to the appropriate authorization type.			
		Publicly Owned Domestic Wastewater		
☑ Privately-Owned Domestic Waster		Privately-Owned Domestic Wastewater		

☐ Conventional Water Treatment

b. Check the box next to the appropriate facility status.

☐ Active ☒ Inactive

c.	Check the box next to the appropriate permit type.					
	\boxtimes	TPDES Permit				
		TLAP				
		TPDES Permit with TLAP component				
		Subsurface Area Drip Dispersal System (SAD	DS)			
d.	Che	eck the box next to the appropriate application	ı typ	e		
	\boxtimes	New				
		Major Amendment <u>with</u> Renewal		Minor Amendment <u>with</u> Renewal		
		Major Amendment <u>without</u> Renewal		Minor Amendment <u>without</u> Renewal		
		Renewal without changes		Minor Modification of permit		
e.	For	amendments or modifications, describe the p	ropo	osed changes: Click to enter text.		
f.	For	existing permits:				
	Permit Number: WQ00 <u>N/A</u>					
	EPA I.D. (TPDES only): TX <u>N/A</u>					
	Expiration Date: <u>N/A</u>					
Se	ectio	on 3. Facility Owner (Applicant) a	nd	Co-Applicant Information		
		(Instructions Page 26)				
A.	The	e owner of the facility must apply for the per	rmit.			
	What is the Legal Name of the entity (applicant) applying for this permit?					
	South Central Water Company					
	(The legal name must be spelled exactly as filed with the Texas Secretary of State, County, or in the legal documents forming the entity.)					
		he applicant is currently a customer with the T n may search for your CN on the TCEQ website				
		CN: <u>602602179</u>				

What is the name and title of the person signing the application? The person must be an executive official meeting signatory requirements in *30 TAC § 305.44*.

Prefix: Click to enter text. Last Name, First Name: <u>Bailey</u>, <u>Doug</u>

Title: <u>President</u> Credential: <u>N/A</u>

B. Co-applicant information. Complete this section only if another person or entity is required to apply as a co-permittee.

What is the Legal Name of the co-applicant applying for this permit?

N/A

(The legal name must be spelled exactly as filed with the TX SOS, with the County, or in the legal documents forming the entity.)

If the co-applicant is currently a customer with the TCEQ, what is the Customer Number (CN)? You may search for your CN on the TCEQ website at: http://www15.tceq.texas.gov/crpub/

CN: N/A

What is the name and title of the person signing the application? The person must be an executive official meeting signatory requirements in *30 TAC § 305.44*.

Prefix: Click to enter text. Last Name, First Name: Click to enter text.

Title: Click to enter text. Credential: Click to enter text.

Provide a brief description of the need for a co-permittee: Click to enter text.

C. Core Data Form

Complete the Core Data Form for each customer and include as an attachment. If the customer type selected on the Core Data Form is **Individual**, complete **Attachment 1** of Administrative Report 1.0. **Appendix A**

Section 4. Application Contact Information (Instructions Page 27)

This is the person(s) TCEQ will contact if additional information is needed about this application. Provide a contact for administrative questions and technical questions.

A. Prefix: Mr. Last Name, First Name: Ince, Jerry

Title: <u>Senior Client Manager</u> Credential: <u>P.E.</u>
Organization Name: <u>Ward, Getz & Associates LLC</u>

Mailing Address: <u>2500 Tanglewilde St, Suite 120</u> City, State, Zip Code: <u>Houston, TX, 77063</u>

Phone No.: 713-789-1900 E-mail Address: jince@wga-llc.com

Check one or both: \square Administrative Contact \boxtimes Technical Contact

B. Prefix: Ms. Last Name, First Name: Chen, Cecilia

Title: <u>Project Engineer</u> Credential: Click to enter text.

Organization Name: Ward, Getz & Associates LLC

Mailing Address: <u>2500 Tanglewilde St, Suite 120</u> City, State, Zip Code: <u>Houston, TX, 77063</u>

Phone No.: <u>713-491-6571</u> E-mail Address: <u>cchen@wga-llc.com</u>

Check one or both: oxdot Administrative Contact oxdot Technical Contact

Section 5. Permit Contact Information (Instructions Page 27)

Provide the names and contact information for two individuals that can be contacted throughout the permit term.

A. Prefix: Mr. Last Name, First Name: Ince, Jerry

Title: <u>Senior Client Manager</u> Credential: <u>P.E.</u>
Organization Name: Ward, Getz & Associates, LLC

Mailing Address: <u>2500 Tanglewilde St, Suite 120</u> City, State, Zip Code: <u>Houston, TX, 77063</u>

Phone No.: 713-789-1900 E-mail Address: jince@wga-llc.com

B. Prefix: Ms. Last Name, First Name: Chen, Cecilia

Title: Project Engineer Credential: Click to enter text.

Organization Name: Ward, Getz & Associates, LLC

Mailing Address: <u>2500 Tanglewilde St, Suite 120</u> City, State, Zip Code: <u>Houston, TX, 77063</u>

Phone No.: 713-491-6571 E-mail Address: cchen@wga-llc.com

Section 6. Billing Contact Information (Instructions Page 27)

The permittee is responsible for paying the annual fee. The annual fee will be assessed to permits *in effect on September 1 of each year*. The TCEQ will send a bill to the address provided in this section. The permittee is responsible for terminating the permit when it is no longer needed (using form TCEQ-20029).

Prefix: Mr. Last Name, First Name: Bailey, Doug

Title: President Credential: Click to enter text.

Organization Name: South Central Water Company

Mailing Address: P.O. Box 570177 City, State, Zip Code: Houston, TX 77257

Phone No.: <u>713-783-6611</u> E-mail Address: <u>doug@southcentralww.com</u>

Section 7. DMR/MER Contact Information (Instructions Page 27)

Provide the name and complete mailing address of the person delegated to receive and submit Discharge Monitoring Reports (DMR) (EPA 3320-1) or maintain Monthly Effluent Reports (MER).

Prefix: Mr. Last Name, First Name: Bailey, Doung

Title: President Credential: Click to enter text.

Organization Name: South Central Water Company

Mailing Address: P.O. Box 570177 City, State, Zip Code: Houston, TX 77257

Phone No.: 713-783-6611 E-mail Address: doug@southcentralww.com

Section 8. Public Notice Information (Instructions Page 27)

A. Individual Publishing the Notices

Prefix: Ms. Last Name, First Name: Chen, Cecilia

Title: <u>Project Engineer</u> Credential: Click to enter text.

Organization Name: Ward, Getz & Associates, LLC

Mailing Address: <u>2500 Tanglewilde St, Suite 120</u> City, State, Zip Code: <u>Houston, TX, 77063</u>

Phone No.: 713-491-6571 E-mail Address: cchen@wga-llc.com

Ь.		kage	Receipt and inte	ent to Obtain a water Quanty Perimi	
	Ind	icate by a check mark the pre	ferred method fo	or receiving the first notice and instructions:	
	\boxtimes	E-mail Address			
		Fax			
		Regular Mail			
C.	Coı	ntact permit to be listed in th	ie Notices		
	Pre	fix: <u>Mr.</u>	Last Name, Firs	t Name: <u>Ince, Jerry</u>	
	Titl	e: <u>Senior Client Manager</u>	Credential: <u>P.E.</u>		
	Org	ganization Name: <u>Ward, Getz &</u>	Associates, LLC		
	Mai	iling Address: <u>2500 Tanglewild</u>	<u>e St, Suite 120</u>	City, State, Zip Code: Houston, TX, 77063	
	Pho	one No.: <u>713-789-1900</u>	E-mail Address	: jince@wg-llc.com	
D.	Pul	olic Viewing Information			
		he facility or outfall is located inty must be provided.	in more than one	county, a public viewing place for each	
	Puk	olic building name: <u>Virgil & Jos</u>	sephine Gordon Me	emorial Library	
	Loc	ation within the building: <u>Ref</u>	erence section		
	Phy	sical Address of Building: <u>917</u>	North Circle Dr.		
	City	y: <u>Sealy</u>	County: <u>Aust</u>	<u>in</u>	
	Coı	ntact (Last Name, First Name):	Terry Lynn Arnld		
	Pho	one No.: <u>979-885-7469</u> Ext.: Cli	ck to enter text.		
Ε.	E. Bilingual Notice Requirements				
		s information is required for dification, and renewal appli		endment, minor amendment or minor	
	be:			ermine if alternative language notices will he alternative language notices will be in	
	obt	O .		earest elementary and middle schools and nether an alternative language notices are	
		Is a bilingual education progr or middle school nearest to the		he Texas Education Code at the elementary posed facility?	
		□ Yes ⊠ No			
		If no , publication of an altern below.	ative language n	otice is not required; skip to Section 9	
	2.	Are the students who attend a bilingual education program		ntary school or the middle school enrolled in	

No

Yes

	3.	Do the locatio		ts at thes	se schools attend a bilingual education program at another
			Yes		No
	4.				quired to provide a bilingual education program but the school has irement under 19 TAC §89.1205(g)?
			Yes		No
	5.				question 1, 2, 3, or 4 , public notices in an alternative language are ge is required by the bilingual program? <u>Spanish</u>
F.	Su	mmary	of App	lication i	n Plain Language Template
	als	o know	n as the	plain lar	of Application in Plain Language Template (TCEQ Form 20972), nguage summary or PLS, and include as an attachment.
	At	tachme	nt: Click	to enter	text.
G.	Pu	blic Inv	olveme	nt Plan F	Form
		-			rement Plan Form (TCEQ Form 20960) for each application for a ndment to a permit and include as an attachment.
	At	tachme	nt: Click	to enter	text.
Se	cti	on 9.		ulated (e 29)	Entity and Permitted Site Information (Instructions
Α.		he site s site. R		ntly regu	llated by TCEQ, provide the Regulated Entity Number (RN) issued to
					Registry at http://www15.tceq.texas.gov/crpub/ to determine if ted by TCEQ.
B.	Na	me of p	roject o	r site (th	e name known by the community where located):
	Sea	aly 200 V	<i>N</i> astewa	ter Treatn	nent Plant
C.	Ov	vner of	treatme	nt facility	y: South Central Water Company
	Ov	vnership	of Faci	lity: □	Public $oxtimes$ Private $oxtimes$ Both $oxtimes$ Federal
D.	Ov	vner of	land wh	ere treatı	ment facility is or will be:
	Pre	efix: <u>Mr.</u>	<u>.</u>		Last Name, First Name: <u>Venkat, Gottipati</u>
	Tit	le: <u>Repr</u>	esentativ	<u>'e</u>	Credential: Click to enter text.
	Or	ganizati	ion Nam	ie: <u>Presti</u> g	ge Developers USA, LLC
	Ma	iling Ac	ddress: <u>1</u>	.000 Ridg	ge Hollow Trl City, State, Zip Code: <u>Irving, TX 75063</u>
	Ph	one No.	: <u>214-45</u> !	<u>5-7623</u>	E-mail Address: venkat@land-star.us
					e same person as the facility owner or co-applicant, attach a lease ed easement. See instructions.
		Attach	ment: <u>N</u>	<u>[/A</u>	

F.

E.	Owner of effluent disposal site:				
	Prefix: <u>N/A</u>	Last Name, First Name: <u>N/A</u>			
	Title: Click to enter text.	Credential: Click to enter text.			
	Organization Name: Click to ente	er text.			
	Mailing Address: Click to enter to	ext. City, State, Zip Code: Click to enter text.			
	Phone No.: Click to enter text.	E-mail Address: Click to enter text.			
	If the landowner is not the same agreement or deed recorded ease	person as the facility owner or co-applicant, attach a lease ement. See instructions.			
	Attachment: <u>N/A</u>				
F.	Owner sewage sludge disposal si property owned or controlled by	te (if authorization is requested for sludge disposal on the applicant)::			
	Prefix: <u>N/A</u>	Last Name, First Name: <u>N/A</u>			
	Title: Click to enter text.	Credential: Click to enter text.			
	Organization Name: Click to ente	er text.			
	Mailing Address: Click to enter to	ext. City, State, Zip Code: Click to enter text.			
	Phone No.: Click to enter text.	E-mail Address: Click to enter text.			
	If the landowner is not the same agreement or deed recorded ease	person as the facility owner or co-applicant, attach a lease ement. See instructions.			
	Attachment: <u>N/A</u>				
Se	ection 10. TPDES Discharg	ge Information (Instructions Page 31)			
A.	Is the wastewater treatment facil	ity location in the existing permit accurate?			
	□ Yes ⊠ No				
		on, please give an accurate description:			
	The wastewater treatment facility v Frazer Road and Sens Road.	vill be located at approximately 4,042 south of intersection of			
В.	Are the point(s) of discharge and	the discharge route(s) in the existing permit correct?			
	□ Yes ⊠ No				
		ermit application, provide an accurate description of the			
	point of discharge and the discharge route to the nearest classified segment as defined in 30				
	TAC Chapter 307: The wastewater treatment facility outfall will be located at the approximate coordinates of				
		outfall will be discharged to side ditch thence to Bullinger			
	City nearest the outfall(s): <u>Sealy</u>				
	County in which the outfalls(s) is	s/are located: <u>Austin</u>			
C.	Is or will the treated wastewater a flood control district drainage	discharge to a city, county, or state highway right-of-way, or ditch?			
	□ Yes ⊠ No				

	If yes , indicate by a check mark if:			
	\square Authorization granted \square Authorization pending			
	For new and amendment applications, provide copies of letters that show proof of contact and the approval letter upon receipt.			
	Attachment: <u>N/A</u>			
D.	For all applications involving an average daily discharge of 5 MGD or more, provide the names of all counties located within 100 statute miles downstream of the point(s) of discharge: $\underline{N/A}$			
Se	ection 11. TLAP Disposal Information (Instructions Page 32)			
A.	For TLAPs, is the location of the effluent disposal site in the existing permit accurate?			
	□ Yes ⊠ No			
	If no, or a new or amendment permit application , provide an accurate description of the disposal site location:			
	N/A			
В.	City nearest the disposal site: Click to enter text.			
	County in which the disposal site is located: Click to enter text.			
D.	. For TLAPs , describe the routing of effluent from the treatment facility to the disposal site:			
	Click to enter text.			
Е.	For TLAPs , please identify the nearest watercourse to the disposal site to which rainfall runoff might flow if not contained: Click to enter text.			
Se	ection 12. Miscellaneous Information (Instructions Page 32)			
	Is the facility located on or does the treated effluent cross American Indian Land?			
	□ Yes ⊠ No			
B.	If the existing permit contains an onsite sludge disposal authorization, is the location of the sewage sludge disposal site in the existing permit accurate?			
	\square Yes \square No \boxtimes Not Applicable			
	If No, or if a new onsite sludge disposal authorization is being requested in this permit application, provide an accurate location description of the sewage sludge disposal site.			
	Click to enter text.			

C.	Did any person formerly employed by the TCEQ represent your company and get paid for service regarding this application?
	□ Yes ⊠ No
	If yes, list each person formerly employed by the TCEQ who represented your company and was paid for service regarding the application: Click to enter text.
D.	Do you owe any fees to the TCEQ?
	□ Yes ⊠ No
	If yes , provide the following information:
	Account number: Click to enter text.
	Amount past due: Click to enter text.
E.	Do you owe any penalties to the TCEQ?
	□ Yes ⊠ No
	If yes , please provide the following information:
	Enforcement order number: Click to enter text.
	Amount past due: Click to enter text.
Se	ection 13. Attachments (Instructions Page 33)
	etton 13. Attachments (mistractions rage 33)
	dicate which attachments are included with the Administrative Report. Check all that apply:
In	dicate which attachments are included with the Administrative Report. Check all that apply: Lease agreement or deed recorded easement, if the land where the treatment facility is
Inc	dicate which attachments are included with the Administrative Report. Check all that apply: Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant. Original full-size USGS Topographic Map with the following information: • Applicant's property boundary • Treatment facility boundary
Inc	dicate which attachments are included with the Administrative Report. Check all that apply: Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant. Original full-size USGS Topographic Map with the following information: • Applicant's property boundary • Treatment facility boundary • Labeled point of discharge for each discharge point (TPDES only)
Inc	dicate which attachments are included with the Administrative Report. Check all that apply: Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant. Original full-size USGS Topographic Map with the following information: • Applicant's property boundary • Treatment facility boundary • Labeled point of discharge for each discharge point (TPDES only) • Highlighted discharge route for each discharge point (TPDES only) • Onsite sewage sludge disposal site (if applicable)
Inc	dicate which attachments are included with the Administrative Report. Check all that apply: Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant. Original full-size USGS Topographic Map with the following information: • Applicant's property boundary • Treatment facility boundary • Labeled point of discharge for each discharge point (TPDES only) • Highlighted discharge route for each discharge point (TPDES only) • Onsite sewage sludge disposal site (if applicable) • Effluent disposal site boundaries (TLAP only)
Inc	dicate which attachments are included with the Administrative Report. Check all that apply: Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant. Original full-size USGS Topographic Map with the following information: • Applicant's property boundary • Treatment facility boundary • Labeled point of discharge for each discharge point (TPDES only) • Highlighted discharge route for each discharge point (TPDES only) • Onsite sewage sludge disposal site (if applicable)
Inc	dicate which attachments are included with the Administrative Report. Check all that apply: Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant. Original full-size USGS Topographic Map with the following information: • Applicant's property boundary • Treatment facility boundary • Labeled point of discharge for each discharge point (TPDES only) • Highlighted discharge route for each discharge point (TPDES only) • Onsite sewage sludge disposal site (if applicable) • Effluent disposal site boundaries (TLAP only) • New and future construction (if applicable)
Inc	Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant. Original full-size USGS Topographic Map with the following information: • Applicant's property boundary • Treatment facility boundary • Labeled point of discharge for each discharge point (TPDES only) • Highlighted discharge route for each discharge point (TPDES only) • Onsite sewage sludge disposal site (if applicable) • Effluent disposal site boundaries (TLAP only) • New and future construction (if applicable) • 1 mile radius information • 3 miles downstream information (TPDES only)
Ino	Lease agreement or deed recorded easement, if the land where the treatment facility is located or the effluent disposal site are not owned by the applicant or co-applicant. Original full-size USGS Topographic Map with the following information: • Applicant's property boundary • Treatment facility boundary • Labeled point of discharge for each discharge point (TPDES only) • Highlighted discharge route for each discharge point (TPDES only) • Onsite sewage sludge disposal site (if applicable) • Effluent disposal site boundaries (TLAP only) • New and future construction (if applicable) • 1 mile radius information • 3 miles downstream information (TPDES only) • All ponds.

Section 14. Signature Page (Instructions Page 34)

If co-applicants are necessary, each entity must submit an original, separate signature page.

Permit Number: <u>Unassigned – New Application</u>
Applicant: <u>South Central Water Company</u>

Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

I further certify that I am authorized under 30 Texas Administrative Code \S 305.44 to sign and submit this document, and can provide documentation in proof of such authorization upon request.

Signatory name (typed or printer Signatory title: President Signature:(Use blue ink)		9-15-25
Subscribed and Sworn to before on this\ 5 th My commission expires on the	day of September	, 20 <u></u> , 20 <u></u>
Notary Public		[SEAL]

Harris, Texas
County, Texas

BOBBY RAY KOONCE II Notary Public, State of Texas Comm. Expires 04-21-2027 Notary ID 13432073-2

DOMESTIC WASTEWATER PERMIT APPLICATION ADMINISTRATIVE REPORT 1.0

The following information is required for new and amendment applications.

Section 1. Affected Landowner Information (Instructions Page 36)

Α.		cate by a check mark that the landowners map or drawing, with scale, includes the owing information, as applicable:
	\boxtimes	The applicant's property boundaries
	\boxtimes	The facility site boundaries within the applicant's property boundaries
	\boxtimes	The distance the buffer zone falls into adjacent properties and the property boundaries of the landowners located within the buffer zone
		The property boundaries of all landowners surrounding the applicant's property (Note: if the application is a major amendment for a lignite mine, the map must include the property boundaries of all landowners adjacent to the new facility (ponds).)
		The point(s) of discharge and highlighted discharge route(s) clearly shown for one mile downstream
		The property boundaries of the landowners located on both sides of the discharge route for one full stream mile downstream of the point of discharge
		The property boundaries of the landowners along the watercourse for a one-half mile radius from the point of discharge if the point of discharge is into a lake, bay, estuary, or affected by tides
		The boundaries of the effluent disposal site (for example, irrigation area or subsurface drainfield site) and all evaporation/holding ponds within the applicant's property
	\boxtimes	The property boundaries of all landowners surrounding the effluent disposal site
		The boundaries of the sludge land application site (for land application of sewage sludge for beneficial use) and the property boundaries of landowners surrounding the applicant's property boundaries where the sewage sludge land application site is located
		The property boundaries of landowners within one-half mile in all directions from the applicant's property boundaries where the sewage sludge disposal site (for example, sludge surface disposal site or sludge monofill) is located
В.	⊠ addı	Indicate by a check mark that a separate list with the landowners' names and mailing resses cross-referenced to the landowner's map has been provided.
C.	⊠ labe	Indicate by a check mark that the landowners list has also been provided as mailing ls in electronic format (Avery 5160).
D.	Prov <u>Distr</u>	ride the source of the landowners' names and mailing addresses: <u>Austin County Appraisal</u> rict
Е.		equired by <i>Texas Water Code § 5.115</i> , is any permanent school fund land affected by application? Yes No

	If y olano	s, provide the location and foreseeable impacts and effects this application has on the (s):
	Cli	ek to enter text.
Se	ctio	n 2. Original Photographs (Instructions Page 38)
		original ground level photographs. Indicate with checkmarks that the following tion is provided.
	\boxtimes	At least one original photograph of the new or expanded treatment unit location
		At least two photographs of the existing/proposed point of discharge and as much area downstream (photo 1) and upstream (photo 2) as can be captured. If the discharge is to an open water body (e.g., lake, bay), the point of discharge should be in the right or left edge of each photograph showing the open water and with as much area on each respective side of the discharge as can be captured.
	\boxtimes	At least one photograph of the existing/proposed effluent disposal site
	\boxtimes	A plot plan or map showing the location and direction of each photograph
Se	ctio	n 3. Buffer Zone Map (Instructions Page 38)
	Buft info	er zone map. Provide a buffer zone map on 8.5×11 -inch paper with all of the following rmation. The applicant's property line and the buffer zone line may be distinguished by g dashes or symbols and appropriate labels.
	•	The required buffer zone; and Each treatment unit; and
В.		er zone compliance method. Indicate how the buffer zone requirements will be met.
		☑ Ownership
	I	Restrictive easement
	I	Nuisance odor control
	I	l Variance
C.		uitable site characteristics. Does the facility comply with the requirements regarding uitable site characteristic found in 30 TAC § 309.13(a) through (d)?
	İ	☑ Yes □ No

DOMESTIC WASTEWATER PERMIT APPLICATION SUPPLEMENTAL PERMIT INFORMATION FORM (SPIF)

This form applies to TPDES permit applications only. Complete and attach the Supplemental Permit information Form (SPIF) (TCEQ Form 20971).

Attachment: **Appendix D**

WATER QUALITY PERMIT

PAYMENT SUBMITTAL FORM

Use this form to submit the Application Fee, if the mailing the payment.

- Complete items 1 through 5 below.
- Staple the check or money order in the space provided at the bottom of this document.
- Do Not mail this form with the application form.
- Do not mail this form to the same address as the application.
- Do not submit a copy of the application with this form as it could cause duplicate permit entries.

Mail this form and the check or money order to:

BY REGULAR U.S. MAIL

Texas Commission on Environmental Quality Financial Administration Division Cashier's Office, MC-214 P.O. Box 13088

Austin, Texas 78711-3088

Fee Code: WQP Waste Permit No: pending

1. Check or Money Order Number: 5289

2. Check or Money Order Amount: \$1,650.00

3. Date of Check or Money Order: 9/15/2025

4. Name on Check or Money Order: South Central Water Company

5. APPLICATION INFORMATION

Name of Project or Site: Sealy 200 Wastewater Treatment Plant

Physical Address of Project or Site: <u>The site is located approximately 4,042 feet south of intersection between Frazer Road and Sens Road.</u>

If the check is for more than one application, attach a list which includes the name of each Project or Site (RE) and Physical Address, exactly as provided on the application.

Staple Check or Money Order in This Space

Texas Commission on Environmental Quality

Financial Administration Division

Cashier's Office, MC-214 12100 Park 35 Circle Austin, Texas 78753

ATTACHMENT 1

INDIVIDUAL INFORMATION

Section 1. Individual Information (Instructions Page 41)

Complete this attachment if the facility applicant or co-applicant is an individual. Make additional copies of this attachment if both are individuals.

Prefix (Mr., Ms., Miss): N/A

Full legal name (Last Name, First Name, Middle Initial): N/A

Driver's License or State Identification Number: N/A

Date of Birth: <u>N/A</u>
Mailing Address: <u>N/A</u>

City, State, and Zip Code: N/A

Phone Number: N/A Fax Number: N/A

E-mail Address: N/A

CN: <u>N/A</u>

For Commission Use Only:

Customer Number:

Regulated Entity Number:

Permit Number:

DOMESTIC WASTEWATER PERMIT APPLICATION CHECKLIST OF COMMON DEFICIENCIES

Below is a list of common deficiencies found during the administrative review of domestic wastewater permit applications. To ensure the timely processing of this application, please review the items below and indicate by checking Yes that each item is complete and in accordance applicable rules at 30 TAC Chapters 21, 281, and 305. If an item is not required this application, indicate by checking N/A where appropriate. Please do not submit the application until the items below have been addressed.

Core Data Form (TCEQ Form No. 10400) (Required for all application types. Must be completed in its entirety Note: Form may be signed by applicant representative.)	\boxtimes	Yes		
Correct and Current Industrial Wastewater Permit Application Forn (TCEQ Form Nos. 10053 and 10054. Version dated 6/25/2018 or lat			\boxtimes	Yes
Water Quality Permit Payment Submittal Form (Page 19) (Original payment sent to TCEQ Revenue Section. See instructions fo	or ma	iling ad	⊠ Idress	Yes
7.5 Minute USGS Quadrangle Topographic Map Attached (Full-size map if seeking "New" permit. 8 ½ x 11 acceptable for Renewals and Amendments)			\boxtimes	Yes
Current/Non-Expired, Executed Lease Agreement or Easement		N/A		Yes
Landowners Map (See instructions for landowner requirements)		N/A		Yes
 Things to Know: All the items shown on the map must be labeled. The applicant's complete property boundaries must be d boundaries of contiguous property owned by the applica. The applicant cannot be its own adjacent landowner. You landowners immediately adjacent to their property, regard from the actual facility. If the applicant's property is adjacent to a road, creek, or on the opposite side must be identified. Although the proapplicant's property boundary, they are considered poter If the adjacent road is a divided highway as identified on map, the applicant does not have to identify the landown the highway. 	nt. I mus I dless I strea Operti I the U	it identi s of how am, the ies are in affectory JSGS to	ify th v far land not a ed lar pogra	e they are owners djacent to ndowners. aphic
Landowners Labels and Cross Reference List (See instructions for landowner requirements)		N/A	\boxtimes	Yes
Electronic Application Submittal (See application submittal requirements on page 23 of the instructio	ns.)			Yes
Original signature per 30 TAC § 305.44 – Blue Ink Preferred (If signature page is not signed by an elected official or principle exe a copy of signature authority/delegation letter must be attached)	cutiv	e office	r,	Yes
Summary of Application (in Plain Language)				Yes

THE TONMENTAL OUNTE

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

DOMESTIC WASTEWATER PERMIT APPLICATION TECHNICAL REPORT 1.0

For any questions about this form, please contact the Domestic Wastewater Permitting Team at 512-239-4671.

The following information is required for all renewal, new, and amendment applications.

Section 1. Permitted or Proposed Flows (Instructions Page 42)

A. Existing/Interim I Phase

Design Flow (MGD): <u>0.075</u> 2-Hr Peak Flow (MGD): <u>0.30</u>

Estimated construction start date: <u>December 2026</u> Estimated waste disposal start date: <u>July 2027</u>

B. Interim II Phase

Design Flow (MGD): <u>0.30</u> 2-Hr Peak Flow (MGD): <u>1.20</u>

Estimated construction start date: January 2029

Estimated waste disposal start date: September 2029

C. Final Phase

Design Flow (MGD): <u>0.60</u> 2-Hr Peak Flow (MGD): <u>2.40</u>

Estimated construction start date: <u>June 2032</u> Estimated waste disposal start date: <u>March 2033</u>

D. Current Operating Phase

Provide the startup date of the facility: N/A

Section 2. Treatment Process (Instructions Page 42)

A. Current Operating Phase

Provide a detailed description of the treatment process. **Include the type of treatment plant, mode of operation, and all treatment units.** Start with the plant's head works and

finish with the point of discharge. Include all sludge processing and drying units. **If more than one phase exists or is proposed, a description of** *each phase* **must be provided**.

Appendix G		

B. Treatment Units

In Table 1.0(1), provide the treatment unit type, the number of units, and dimensions (length, width, depth) of each treatment unit, accounting for *all* phases of operation.

Table 1.0(1) - Treatment Units

Treatment Unit Type	Number of Units	Dimensions (L x W x D)
Appendix H		

C. Process Flow Diagram

Provide flow diagrams for the existing facilities and **each** proposed phase of construction.

Attachment: **Appendix I**

Section 3. Site Information and Drawing (Instructions Page 43)

Provide the TPDES discharge outfall latitude and longitude. Enter N/A if not applicable.

• Latitude: <u>29.81697</u>

• Longitude: -96.18668

Provide the TLAP disposal site latitude and longitude. Enter N/A if not applicable.

• Latitude: N/A

Longitude: N/A

Provide a site drawing for the facility that shows the following:

- The boundaries of the treatment facility:
- The boundaries of the area served by the treatment facility;
- If land disposal of effluent, the boundaries of the disposal site and all storage/holding ponds; and
- If sludge disposal is authorized in the permit, the boundaries of the land application or disposal site.

Attachment: **Appendix J**

Provide the name **and** a description of the area served by the treatment facility.

The proposed development will be named Sealy 200 Wastewater Treatment Plant and will serve a proposed subdivision with phase I consisting of 234 single family homes, phase II will serve 1,000 total single family residences, and phase III will consist of 2,000 single family residences.

Collection System Information for wastewater TPDES permits only: Provide information for each **uniquely owned** collection system, existing and new, served by this facility, including satellite collection systems. Please see the instructions for a detailed explanation and examples.

Collection System Information

Collection System Name	Owner Name	Owner Type	Population Served
N/A		Choose an item.	
		Choose an item.	
		Choose an item.	
		Choose an item.	

		Choose an item.	
		Choose an item.	
		Choose an item.	
Section 4. Unbuilt P	hases (Instructi	ons Page 44)	
Is the application for a renew	val of a permit that o	contains an unbuilt phase	or phases?
□ Yes ⊠ No			
If yes, does the existing periyears of being authorized by		hat has not been construc	eted within five
□ Yes □ No			
If yes, provide a detailed dis Failure to provide sufficien recommending denial of the	t justification may r	esult in the Executive Di	
Click to enter text.			
Continue F. Claresse D		D 44)	

Section 5. Closure Plans (Instructions Page 44)

Have any treatment units been taken out of service permanently, or will any units be taken out of service in the next five years?

□ Yes	\boxtimes	No
-------	-------------	----

If y	yes, was a closure plan submitted to the TCEQ?
	□ Yes □ No
If y	yes, provide a brief description of the closure and the date of plan approval.
Se	ection 6. Permit Specific Requirements (Instructions Page 44) r applicants with an existing permit, check the Other Requirements or Special
	ovisions of the permit.
Α.	Summary transmittal Heye plane and energifications been approved for the evicting facilities and each proposed.
	Have plans and specifications been approved for the existing facilities and each proposed phase?
	□ Yes ⊠ No
	If yes, provide the date(s) of approval for each phase: Click to enter text.
	Provide information, including dates, on any actions taken to meet a <i>requirement or provision</i> pertaining to the submission of a summary transmittal letter. Provide a copy of an approval letter from the TCEQ, if applicable.
	Click to enter text.
В.	Buffer zones
	Have the buffer zone requirements been met?
	⊠ Yes □ No
	Provide information below, including dates, on any actions taken to meet the conditions of the buffer zone. If available, provide any new documentation relevant to maintaining the buffer zones.
	The buffer zone does not fall within any nearby properties; therefore, no action is required.

	su	bes the Other Requirements or Special Provisions section in the existing permit require bimission of any other information or other required actions? Examples include stification of Completion, progress reports, soil monitoring data, etc.
	110	☐ Yes ⊠ No
		yes, provide information below on the status of any actions taken to meet the nditions of an <i>Other Requirement</i> or <i>Special Provision</i> .
	C	lick to enter text.
D.	Gr	it and grease treatment
	1.	Acceptance of grit and grease waste
		Does the facility have a grit and/or grease processing facility onsite that treats and decants or accepts transported loads of grit and grease waste that are discharged directly to the wastewater treatment plant prior to any treatment?
		□ Yes ⊠ No
		If No, stop here and continue with Subsection E. Stormwater Management.
	2.	Grit and grease processing
		Describe below how the grit and grease waste is treated at the facility. In your description, include how and where the grit and grease is introduced to the treatment works and how it is separated or processed. Provide a flow diagram showing how grit and grease is processed at the facility.
		Click to enter text.
	3.	Grit disposal
		Does the facility have a Municipal Solid Waste (MSW) registration or permit for grit disposal?
		□ Yes □ No
		If No, contact the TCEQ Municipal Solid Waste team at 512-239-2335. Note: A registration or permit is required for grit disposal. Grit shall not be combined with treatment plant sludge. See the instruction booklet for additional information on grit disposal requirements and restrictions.

C. Other actions required by the current permit

		Describe the method of grit disposal.
		Click to enter text.
	4.	Grease and decanted liquid disposal
		Note: A registration or permit is required for grease disposal. Grease shall not be combined with treatment plant sludge. For more information, contact the TCEQ Municipal Solid Waste team at 512-239-2335.
		Describe how the decant and grease are treated and disposed of after grit separation.
		Click to enter text.
E.	Sto	ormwater management
	1.	Applicability
		Does the facility have a design flow of 1.0 MGD or greater in any phase?
		□ Yes ⊠ No
		Does the facility have an approved pretreatment program, under 40 CFR Part 403?
		□ Yes ⊠ No
		If no to both of the above, then skip to Subsection F, Other Wastes Received.
	2.	MSGP coverage
		Is the stormwater runoff from the WWTP and dedicated lands for sewage disposal currently permitted under the TPDES Multi-Sector General Permit (MSGP), TXR050000?
		□ Yes □ No
		If yes , please provide MSGP Authorization Number and skip to Subsection F, Other Wastes Received:
		TXR05 Click to enter text. or TXRNE Click to enter text.
		If no, do you intend to seek coverage under TXR050000?
		□ Yes □ No
	3.	Conditional exclusion
		Alternatively, do you intend to apply for a conditional exclusion from permitting based TXR050000 (Multi Sector General Permit) Part II B.2 or TXR050000 (Multi Sector General Permit) Part V, Sector T 3(b)?
		□ Yes □ No

	If yes, please explain below then proceed to Subsection F, Other Wastes Received:
	Click to enter text.
4.	Existing coverage in individual permit
	Is your stormwater discharge currently permitted through this individual TPDES or TLAP permit?
	□ Yes □ No
	If yes , provide a description of stormwater runoff management practices at the site that are authorized in the wastewater permit then skip to Subsection F, Other Wastes Received.
	Click to enter text.
5 .	Zero stormwater discharge
	Do you intend to have no discharge of stormwater via use of evaporation or other means?
	□ Yes □ No
	If yes, explain below then skip to Subsection F. Other Wastes Received.
	Click to enter text.
	Note: If there is a potential to discharge any stormwater to surface water in the state as the result of any storm event, then permit coverage is required under the MSGP or an individual discharge permit. This requirement applies to all areas of facilities with treatment plants or systems that treat, store, recycle, or reclaim domestic sewage, wastewater or sewage sludge (including dedicated lands for sewage sludge disposal located within the onsite property boundaries) that meet the applicability criteria of above. You have the option of obtaining coverage under the MSGP for direct discharges, (recommended), or obtaining coverage under this individual permit.
6.	Request for coverage in individual permit
	Are you requesting coverage of stormwater discharges associated with your treatment plant under this individual permit?
	□ Yes □ No
	If yes, provide a description of stormwater runoff management practices at the site for which you are requesting authorization in this individual wastewater permit and describe whether you intend to comingle this discharge with your treated effluent or discharge it via a separate dedicated stormwater outfall. Please also indicate if you

		it to water in the state.
		Click to enter text.
		Note: Direct stormwater discharges to waters in the state authorized through this individual permit will require the development and implementation of a stormwater pollution prevention plan (SWPPP) and will be subject to additional monitoring and reporting requirements. Indirect discharges of stormwater via headworks recycling will require compliance with all individual permit requirements including 2-hour peak flow limitations. All stormwater discharge authorization requests will require additional information during the technical review of your application.
F.	Di	scharges to the Lake Houston Watershed
	Do	es the facility discharge in the Lake Houston watershed?
		□ Yes ⊠ No
		yes, attach a Sewage Sludge Solids Management Plan. See Example 5 in the instructions. ck to enter text.
G.	Ot	her wastes received including sludge from other WWTPs and septic waste
	1.	Acceptance of sludge from other WWTPs
		Does or will the facility accept sludge from other treatment plants at the facility site?
		□ Yes ⊠ No
		If yes, attach sewage sludge solids management plan. See Example 5 of instructions.
		In addition, provide the date the plant started or is anticipated to start accepting sludge, an estimate of monthly sludge acceptance (gallons or millions of gallons), an
		estimate of the BOD_5 concentration of the sludge, and the design BOD_5 concentration of the influent from the collection system. Also note if this information has or has not changed since the last permit action.
		Click to enter text.
		Note: Permits that accept sludge from other wastewater treatment plants may be required to have influent flow and organic loading monitoring.
	2.	Acceptance of septic waste
		Is the facility accepting or will it accept septic waste?
		□ Yes ⊠ No
		If yes, does the facility have a Type V processing unit?
		□ Yes □ No
		If yes, does the unit have a Municipal Solid Waste permit?
		□ Yes □ No

intend to divert stormwater to the treatment plant headworks and indirectly discharge

If yes to any of the above, provide the date the plant started or is anticipated to start accepting septic waste, an estimate of monthly septic waste acceptance (gallons or millions of gallons), an estimate of the BOD₅ concentration of the septic waste, and the design BOD₅ concentration of the influent from the collection system. Also note if this information has or has not changed since the last permit action.

L	
l	
	· · · · · · · · · · · · · · · · · · ·
	Click to effici text.
ı	Click to enter text.

Note: Permits that accept sludge from other wastewater treatment plants may be required to have influent flow and organic loading monitoring.

3. Acceptance of other wastes (not including septic, grease, grit, or RCRA, CERCLA or as discharged by IUs listed in Worksheet 6)

Is or will the facility accept wastes that are not domestic in nature excluding the categories listed above?

□ Yes ⊠ No

If yes, provide the date that the plant started accepting the waste, an estimate how much waste is accepted on a monthly basis (gallons or millions of gallons), a description of the entities generating the waste, and any distinguishing chemical or other physical characteristic of the waste. Also note if this information has or has not changed since the last permit action.

Click to enter text.			

Section 7. Pollutant Analysis of Treated Effluent (Instructions Page 49)

Is the facility in operation?

□ Yes ⊠ No

If no, this section is not applicable. Proceed to Section 8.

If yes, provide effluent analysis data for the listed pollutants. *Wastewater treatment facilities* complete Table 1.0(2). *Water treatment facilities* discharging filter backwash water, complete Table 1.0(3). Provide copies of the laboratory results sheets. **These tables are not applicable for a minor amendment without renewal.** See the instructions for guidance.

Note: The sample date must be within 1 year of application submission.

Table 1.0(2) - Pollutant Analysis for Wastewater Treatment Facilities

Pollutant	Average Conc.	Max Conc.	No. of Samples	Sample Type	Sample Date/Time
CBOD ₅ , mg/l					
Total Suspended Solids, mg/l					
Ammonia Nitrogen, mg/l					
Nitrate Nitrogen, mg/l					
Total Kjeldahl Nitrogen, mg/l					
Sulfate, mg/l					
Chloride, mg/l					
Total Phosphorus, mg/l					
pH, standard units					
Dissolved Oxygen*, mg/l					
Chlorine Residual, mg/l					
E.coli (CFU/100ml) freshwater					
Entercocci (CFU/100ml) saltwater					
Total Dissolved Solids, mg/l					
Electrical Conductivity, µmohs/cm, †					
Oil & Grease, mg/l					
Alkalinity (CaCO ₃)*, mg/l	_				

^{*}TPDES permits only

Table1.0(3) – Pollutant Analysis for Water Treatment Facilities

Pollutant	Average Conc.	Max Conc.	No. of Samples	Sample Type	Sample Date/Time
Total Suspended Solids, mg/l					
Total Dissolved Solids, mg/l					
pH, standard units					
Fluoride, mg/l					
Aluminum, mg/l					
Alkalinity (CaCO ₃), mg/l					

Section 8. Facility Operator (Instructions Page 49)

Facility Operator Name: TBD

Facility Operator's License Classification and Level: TBD

Facility Operator's License Number: <u>TBD</u>

[†]TLAP permits only

Sludge and Biosolids Management and Disposal Section 9. (Instructions Page 50)

A.	WW	TP's Sewage Sludge or Biosolids Management Facility Type				
	Che	Check all that apply. See instructions for guidance				
		Design flow>= 1 MGD				
		Serves >= 10,000 people				
		Class I Sludge Management Facility (per 40 CFR § 503.9)				
	□ Biosolids generator					
		Biosolids end user – land application (onsite)				
		Biosolids end user – surface disposal (onsite)				
		Biosolids end user – incinerator (onsite)				
B.	ww	ΓP's Sewage Sludge or Biosolids Treatment Process				
	Che	ck all that apply. See instructions for guidance.				
	\boxtimes	Aerobic Digestion				
		Air Drying (or sludge drying beds)				
		Lower Temperature Composting				
		Lime Stabilization				
		Higher Temperature Composting				
		Heat Drying				
		Thermophilic Aerobic Digestion				
		Beta Ray Irradiation				
		Gamma Ray Irradiation				
		Pasteurization				
		Preliminary Operation (e.g. grinding, de-gritting, blending)				
		Thickening (e.g. gravity thickening, centrifugation, filter press, vacuum filter)				
		Sludge Lagoon				
		Temporary Storage (< 2 years)				
		Long Term Storage (>= 2 years)				
		Methane or Biogas Recovery				
		Other Treatment Process: Click to enter text.				

C. Sewage Sludge or Biosolids Management

B.

Provide information on the intended sewage sludge or biosolids management practice. Do not enter every management practice that you want authorized in the permit, as the

permit will authorize all sewage sludge or biosolids management practices listed in the instructions. Rather indicate the management practice the facility plans to use.

Biosolids Management

Management Practice	Handler or Preparer Type	Bulk or Bag Container	Amount (dry metric tons)	Pathogen Reduction Options	Vector Attraction Reduction Option
Disposal in Landfill	Off-site Third-Party Handler or Preparer	Bulk		N/A: Disposal in Landfill	N/A: Disposal in Landfill
Choose an item.	Choose an item.	Choose an item.		Choose an item.	Choose an item.
Choose an item.	Choose an item.	Choose an item.		Choose an item.	Choose an item.

If "Other" is selected for Management Practice, please explain (e.g. monofill or transport to another WWTP): Click to enter text.

D. Disposal site

Disposal site name: <u>Austin Wastewater Processing Facility</u>

TCEQ permit or registration number: MSW 2384

County where disposal site is located: <u>Travis</u>

E. Transportation method

Method of transportation (truck, train, pipe, other): Truck

Name of the hauler: TBD

Hauler registration number: TBD

Sludge is transported as a:

Liquid □	semi-liquid 🗵	semi-solid □	solid □

Section 10. Permit Authorization for Sewage Sludge Disposal (Instructions Page 52)

A. Beneficial use authorization

Does the existing permit include authoriz	ation for land application	on of biosolids for
beneficial use?		

□ Yes ⊠ No

If yes, are you requesting to continue this authorization to land apply biosolids for beneficial use?

□ Yes □ No

If yes, is the completed Application for Permit for Beneficial Land Use of Sewage Sludge (TCEQ Form No. 10451) attached to this permit application (see the instructions for details)?

□ Yes □ No					
B. Sludge processing authorization					
Does the existing permit include authorization for storage or disposal options?	or an	y of the	follov	ving sludge processing,	
Sludge Composting		Yes	\boxtimes	No	
Marketing and Distribution of Biosolids		Yes	\boxtimes	No	
Sludge Surface Disposal or Sludge Monofill		Yes	\boxtimes	No	
Temporary storage in sludge lagoons		Yes	\boxtimes	No	
If yes to any of the above sludge options and the authorization, is the completed Domestic Waste Technical Report (TCEQ Form No. 10056) attack	wate	r Permi	t Appl	ication: Sewage Sludge	
□ Yes □ No					
Section 11. Sewage Sludge Lagoons (Ins	strn	ctions	Ρασσ	- 5 3)	
Does this facility include sewage sludge lagoons?	otra	Ctions	ı αg	2 33)	
☐ Yes ☒ No					
If yes, complete the remainder of this section. If no,	proc	eed to S	ection	12.	
A. Location information					
The following maps are required to be submitted provide the Attachment Number.	l as p	art of t	ne app	lication. For each map,	
• Original General Highway (County) Map:					
Attachment: Click to enter text.					
 USDA Natural Resources Conservation Ser 	vice	Soil Mar):		
Attachment : Click to enter text.	Attachment: Click to enter text.				
• Federal Emergency Management Map:					
Attachment: <u>Click to enter text.</u>					
• Site map:					
Attachment: <u>Click to enter text.</u>					
Discuss in a description if any of the following eapply.	xist v	vithin th	ie lago	on area. Check all that	
Overlap a designated 100-year frequency	floo	d plain			
\square Soils with flooding classification	Soils with flooding classification				
□ Overlap an unstable area					
□ Wetlands					
☐ Located less than 60 meters from a fault					
□ None of the above					
Attachment: Click to enter text.					

	Click to enter text.
7	Геmporary storage information
	Provide the results for the pollutant screening of sludge lagoons. These results are in addition to pollutant results in <i>Section 7 of Technical Report 1.0.</i>
	Nitrate Nitrogen, mg/kg: Click to enter text.
	Total Kjeldahl Nitrogen, mg/kg: <u>Click to enter text.</u>
	Total Nitrogen (=nitrate nitrogen + TKN), mg/kg: Click to enter text.
	Phosphorus, mg/kg: Click to enter text.
	Potassium, mg/kg: Click to enter text.
	pH, standard units: <u>Click to enter text.</u>
	Ammonia Nitrogen mg/kg: Click to enter text.
	Arsenic: Click to enter text.
	Cadmium: Click to enter text.
	Chromium: Click to enter text.
	Copper: Click to enter text.
	Lead: Click to enter text.
	Mercury: Click to enter text.
	Molybdenum: Click to enter text.
	Nickel: Click to enter text.
	Selenium: <u>Click to enter text.</u>
	Zinc: Click to enter text.
	Total PCBs: <u>Click to enter text.</u>
I	Provide the following information:
	Volume and frequency of sludge to the lagoon(s): Click to enter text.
	Total dry tons stored in the lagoons(s) per 365-day period: Click to enter text.
	Total dry tons stored in the lagoons(s) over the life of the unit: Click to enter text.

C. Liner information

Does the active/	proposed :	sludge	lagoon(s) have :	a liner	with a	ı maximum	hydrauli	C
conductivity of 1	x10 ⁻⁷ cm/s	sec?							

П	Yes	\Box	No
ш	103	ш	110

	If yes, describe the liner below. Please note that a liner is required.			
	Click	to enter text.		
D.	Site d	evelopment plan		
	Provid	le a detailed description of the methods used to deposit sludge in the lagoon(s):		
	Click	to enter text.		
	Attacl	n the following documents to the application.		
	•	Plan view and cross-section of the sludge lagoon(s)		
		Attachment: Click to enter text.		
	•	Copy of the closure plan		
		Attachment: Click to enter text.		
	•	Copy of deed recordation for the site		
		Attachment: Click to enter text.		
	•	Size of the sludge lagoon(s) in surface acres and capacity in cubic feet and gallons		
		Attachment: Click to enter text.		
	•	Description of the method of controlling infiltration of groundwater and surface water from entering the site		
		Attachment: Click to enter text.		
	•	Procedures to prevent the occurrence of nuisance conditions		
		Attachment: Click to enter text.		
E.	Grou	ndwater monitoring		
	groun	undwater monitoring currently conducted at this site, or are any wells available for dwater monitoring, or are groundwater monitoring data otherwise available for the e lagoon(s)?		
		Yes □ No		
	types	undwater monitoring data are available, provide a copy. Provide a profile of soil encountered down to the groundwater table and the depth to the shallowest dwater as a separate attachment.		
	At	tachment: Click to enter text.		

Section 12. Authorizations/Compliance/Enforcement (Instructions Page 54)

Α.	Additional authorizations
	Does the permittee have additional authorizations for this facility, such as reuse authorization, sludge permit, etc?
	□ Yes ⊠ No
	If yes, provide the TCEQ authorization number and description of the authorization:
C	lick to enter text.
В.	Permittee enforcement status
	Is the permittee currently under enforcement for this facility?
	□ Yes ⊠ No
	Is the permittee required to meet an implementation schedule for compliance or enforcement?
	□ Yes ⊠ No
	If yes to either question, provide a brief summary of the enforcement, the implementation schedule, and the current status:
C	lick to enter text.
Se	ection 13. RCRA/CERCLA Wastes (Instructions Page 55)
Α.	RCRA hazardous wastes
	Has the facility received in the past three years, does it currently receive, or will it receive RCRA hazardous waste?
	□ Ves ⊠ No

B. Remediation activity wastewater

Has the facility received in the past three years, does it currently receive, or will it receive CERCLA wastewater, RCRA remediation/corrective action wastewater or other remediation activity wastewater?

□ Yes ⊠ No

C. Details about wastes received

If yes to either Subsection A or B above, provide detailed information concerning these wastes with the application.

Attachment: Click to enter text.

Section 14. Laboratory Accreditation (Instructions Page 55)

All laboratory tests performed must meet the requirements of *30 TAC Chapter 25*, *Environmental Testing Laboratory Accreditation and Certification*, which includes the following general exemptions from National Environmental Laboratory Accreditation Program (NELAP) certification requirements:

- The laboratory is an in-house laboratory and is:
 - o periodically inspected by the TCEQ; or
 - o located in another state and is accredited or inspected by that state; or
 - o performing work for another company with a unit located in the same site; or
 - performing pro bono work for a governmental agency or charitable organization.
- The laboratory is accredited under federal law.
- The data are needed for emergency-response activities, and a laboratory accredited under the Texas Laboratory Accreditation Program is not available.
- The laboratory supplies data for which the TCEQ does not offer accreditation.

The applicant should review 30 TAC Chapter 25 for specific requirements.

The following certification statement shall be signed and submitted with every application. See the Signature Page section in the Instructions, for a list of designated representatives who may sign the certification.

CERTIFICATION:

I certify that all laboratory tests submitted with this application meet the requirements of 30 TAC Chapter 25, Environmental Testing Laboratory Accreditation and Certification.

Printed Name: Doug Bailey

Title: President

Signature:	
Date:	LABORATORY
	CERTIFICATION NOT
	APPLICABLE AS PLANT IS
	NOT IN OPERATION

DOMESTIC WASTEWATER PERMIT APPLICATION TECHNICAL REPORT 1.1

The following information is required for new and amendment major applications.

Section 1. Justification for Permit (Instructions Page 56)

A. Justification of permit need

Provide a detailed discussion regarding the need for any phase(s) not currently permitted. Failure to provide sufficient justification may result in the Executive Director recommending denial of the proposed phase(s) or permit.

The developer that has the land under contract is planning a development of approximately 2,000 single-family homes. According to TCEQ rules, using 300 GPD per LUE, this development will require 600,000 GPD. The developer plans to begin construction in the winter of 2026. The first phase consists of 234 homes, which will be addressed in the initial requested phase. The second phase includes 1,000 homes, with construction anticipated to begin in early 2029. The third and final phase will include 2,000 homes, with groundbreaking expected in the summer of 2032.

B. Regionalization of facilities

For additional guidance, please review <u>TCEO's Regionalization Policy for Wastewater</u> Treatment¹.

Provide the following information concerning the potential for regionalization of domestic wastewater treatment facilities:

1. Municipally incorporated areas

If the applicant is a city, then Item 1 is not applicable. Proceed to Item 2 Utility CCN areas.
Is any portion of the proposed service area located in an incorporated city?
□ Yes ⊠ No □ Not Applicable
If yes, within the city limits of: Click to enter text.
If yes, attach correspondence from the city.
Attachment: Click to enter text.
If consent to provide service is available from the city, attach a justification for the

If consent to provide service is available from the city, attach a justification for the proposed facility and a cost analysis of expenditures that includes the cost of connecting to the city versus the cost of the proposed facility or expansion attached.

Attachment: Click to enter text.

2. Utility CCN areas

Is any portion of the proposed service area located inside another utility's CCN area?

□ Yes ⊠ No

¹ https://www.tceq.texas.gov/permitting/wastewater/tceq-regionalization-for-wastewater

If yes, attach a justification for the proposed facility and a cost analysis of expenditures that includes the cost of connecting to the CCN facilities versus the cost of the proposed facility or expansion. **Attachment**: Click to enter text. 3. Nearby WWTPs or collection systems Are there any domestic permitted wastewater treatment facilities or collection systems located within a three-mile radius of the proposed facility? \boxtimes Yes No If ves. attach a list of these facilities and collection systems that includes each permittee's name and permit number, and an area map showing the location of these facilities and collection systems. Attachment: Appendix K If yes, attach proof of mailing a request for service to each facility and collection system, the letters requesting service, and correspondence from each facility and collection system. Attachment: Appendix K If the facility or collection system agrees to provide service, attach a justification for the proposed facility and a cost analysis of expenditures that includes the cost of connecting to the facility or collection system versus the cost of the proposed facility or expansion. Attachment: N/A Section 2. Proposed Organic Loading (Instructions Page 58) Is this facility in operation? Yes 🗵 No **If no**, proceed to Item B, Proposed Organic Loading. If ves, provide organic loading information in Item A, Current Organic Loading A. Current organic loading Facility Design Flow (flow being requested in application): Click to enter text. Average Influent Organic Strength or BOD₅ Concentration in mg/l: Click to enter text. Average Influent Loading (lbs/day = total average flow X average BOD₅ conc. X 8.34): Click to enter text.

Click to enter text.

Provide the source of the average organic strength or BOD5 concentration.

B. Proposed organic loading

This table must be completed if this application is for a facility that is not in operation or if this application is to request an increased flow that will impact organic loading.

Table 1.1(1) - Design Organic Loading

Source	Total Average Flow (MGD)	Influent BOD5 Concentration (mg/l)
Municipality		
Subdivision	Ph I - 0.075 MGD Ph II - 0.30 MGD Ph III - 0.60 MGD	Ph I - 300 mg/l Ph II - 300 mg/l Ph III - 300 mg/l
Trailer park - transient		
Mobile home park		
School with cafeteria and showers		
School with cafeteria, no showers		
Recreational park, overnight use		
Recreational park, day use		
Office building or factory		
Motel		
Restaurant		
Hospital		
Nursing home		
Other		
TOTAL FLOW from all sources	Ph I - 0.075 MGD Ph II - 0.30 MGD Ph III - 0.60 MGD	Ph I - 300 mg/l Ph II - 300 mg/l Ph III - 300 mg/l
AVERAGE BOD ₅ from all sources		

Section 3. Proposed Effluent Quality and Disinfection (Instructions Page 58)

A. Existing/Interim I Phase Design Effluent Quality

Biochemical Oxygen Demand (5-day), mg/l: 10

Total Suspended Solids, mg/l: 15

Ammonia Nitrogen, mg/l: <u>3</u> Total Phosphorus, mg/l: <u>o</u>

Dissolved Oxygen, mg/l: 6

Other: Click to enter text.

B. Interim II Phase Design Effluent Quality

Biochemical Oxygen Demand (5-day), mg/l: 10

Total Suspended Solids, mg/l: 15

Ammonia Nitrogen, mg/l: 3

Total Phosphorus, mg/l: o

Dissolved Oxygen, mg/l: <u>6</u>

Other: Click to enter text.

C. Final Phase Design Effluent Quality

Biochemical Oxygen Demand (5-day), mg/l: 10

Total Suspended Solids, mg/l: 15

Ammonia Nitrogen, mg/l: 3

Total Phosphorus, mg/l: o

Dissolved Oxygen, mg/l: 6

Other: Click to enter text.

D. Disinfection Method

Identify the proposed method of disinfection.

☐ Chlorine: <u>a</u> mg/l after <u>25.9</u> minutes detention time at peak flow

Dechlorination process: Click to enter text.

□ Ultraviolet Light: <u>Click to enter text.</u> seconds contact time at peak flow

☐ Other: Click to enter text.

Section 4. Design Calculations (Instructions Page 58)

Attach design calculations and plant features for each proposed phase. Example 4 of the instructions includes sample design calculations and plant features.

Attachment: Appendix L

Section 5. Facility Site (Instructions Page 59)

A. 100-year floodplain

Will the proposed facilities be located above the 100-year frequency flood level?

⊠ Yes □ No

If no, describe measures used to protect the facility during a flood event. Include a site map showing the location of the treatment plant within the 100-year frequency flood level. If applicable, provide the size and types of protective structures.

	Click to enter text.
	Provide the source(s) used to determine 100-year frequency flood plain.
	Flood Insurance Rate Map No. 48015C0325F
	For a new or expansion of a facility, will a wetland or part of a wetland be filled? Yes No
	If yes, has the applicant applied for a US Corps of Engineers 404 Dredge and Fill Permit? ☐ Yes ☐ No
	If yes, provide the permit number: Click to enter text.
	If no, provide the approximate date you anticipate submitting your application to the Corps: Click to enter text.
B.	Wind rose
	Attach a wind rose: Appendix M
Se	ection 6. Permit Authorization for Sewage Sludge Disposal (Instructions Page 59)
A.	Beneficial use authorization
	Are you requesting to include authorization to land apply sewage sludge for beneficial use on property located adjacent to the wastewater treatment facility under the wastewater permit?
	□ Yes ⊠ No
	If yes, attach the completed Application for Permit for Beneficial Land Use of Sewage Sludge (TCEQ Form No. 10451): Click to enter text.
B.	Sludge processing authorization
	Identify the sludge processing, storage or disposal options that will be conducted at the wastewater treatment facility:
	□ Sludge Composting
	☐ Marketing and Distribution of sludge
	□ Sludge Surface Disposal or Sludge Monofill
	If any of the above, sludge options are selected, attach the completed Domestic Wastewater Permit Application: Sewage Sludge Technical Report (TCEQ Form No. 10056): N/A

Section 7. Sewage Sludge Solids Management Plan (Instructions Page 60)

Attach a solids management plan to the application.

Attachment: Appendix N

The sewage sludge solids management plan must contain the following information:

- Treatment units and processes dimensions and capacities
- Solids generated at 100, 75, 50, and 25 percent of design flow
- Mixed liquor suspended solids operating range at design and projected actual flow
- Quantity of solids to be removed and a schedule for solids removal
- Identification and ownership of the ultimate sludge disposal site
- For facultative lagoons, design life calculations, monitoring well locations and depths, and the ultimate disposal method for the sludge from the facultative lagoon

An example of a sewage sludge solids management plan has been included as Example 5 of the instructions.

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 2.0: RECEIVING WATERS

The following information is required for all TPDES permit applications.

Section 1. Domestic Drinking Water Supply (Instructions Page 63)
Is there a surface water intake for domestic drinking water supply located within 5 miles downstream from the point or proposed point of discharge?
□ Yes ⊠ No
If no , proceed it Section 2. If yes , provide the following:
Owner of the drinking water supply: Click to enter text.
Distance and direction to the intake: <u>Click to enter text.</u>
Attach a USGS map that identifies the location of the intake.
Attachment: Click to enter text.
Section 2. Discharge into Tidally Affected Waters (Instructions Page 63)
Does the facility discharge into tidally affected waters?
□ Yes ⊠ No
If no , proceed to Section 3. If yes , complete the remainder of this section. If no, proceed to Section 3.
A. Receiving water outfall
Width of the receiving water at the outfall, in feet: Click to enter text.
B. Oyster waters
Are there oyster waters in the vicinity of the discharge?
□ Yes □ No
If yes, provide the distance and direction from outfall(s).
Click to enter text.
C. Sea grasses
Are there any sea grasses within the vicinity of the point of discharge?
□ Yes □ No
If yes, provide the distance and direction from the outfall(s).
Click to enter text.

Section 3. **Classified Segments (Instructions Page 63)** Is the discharge directly into (or within 300 feet of) a classified segment? Yes ⊠ No If yes, this Worksheet is complete. **If no**, complete Sections 4 and 5 of this Worksheet. Section 4. **Description of Immediate Receiving Waters (Instructions Page 63)** Name of the immediate receiving waters: Private Drainage Ditch A. Receiving water type Identify the appropriate description of the receiving waters. Stream Freshwater Swamp or Marsh П Lake or Pond Surface area, in acres: Click to enter text. Average depth of the entire water body, in feet: Click to enter text. Average depth of water body within a 500-foot radius of discharge point, in feet: Click to enter text. Man-made Channel or Ditch \boxtimes Open Bay Tidal Stream, Bayou, or Marsh Other, specify: Click to enter text. **B.** Flow characteristics If a stream, man-made channel or ditch was checked above, provide the following. For existing discharges, check one of the following that best characterizes the area *upstream* of the discharge. For new discharges, characterize the area *downstream* of the discharge (check one). Intermittent - dry for at least one week during most years Intermittent with Perennial Pools - enduring pools with sufficient habitat to maintain significant aquatic life uses Perennial - normally flowing Check the method used to characterize the area upstream (or downstream for new dischargers). USGS flow records Historical observation by adjacent landowners Personal observation Other, specify: Click to enter text.

		e names of all perennial streams tream of the discharge point.	that joir	the receiving water within three miles
	From	the drainage ditch, the effluent will ϵ	enter Bull	inger Creek.
D.	Downs	stream characteristics		
		receiving water characteristics c rge (e.g., natural or man-made da	_	thin three miles downstream of the ds, reservoirs, etc.)?
		Yes ⊠ No		
	If yes,	discuss how.		
	Click	to enter text.		
E.	Norma	l dry weather characteristics		
	Provide	e general observations of the wat	er body	during normal dry weather conditions.
	During	g dry weather conditions, Fairchild C	Creek is co	onstantly flowing.
	Date a	nd time of observation: <u>8/7/2025</u>		
	Was th	e water body influenced by storn	nwater r	unoff during observations?
		Yes 🗵 No		
Se	ection	5. General Characterist Page 65)	ics of	the Waterbody (Instructions
Α.	Upstre	am influences		
		mmediate receiving water upstre aced by any of the following? Che		e discharge or proposed discharge site at apply.
		Oil field activities	\boxtimes	Urban runoff
		Upstream discharges	\boxtimes	Agricultural runoff
		Septic tanks		Other(s), specify: Click to enter text.

C. Downstream perennial confluences

B. Waterbody uses Observed or evidences of the following uses. Check all that apply. Livestock watering Contact recreation Irrigation withdrawal Non-contact recreation **Fishing Navigation** Domestic water supply Industrial water supply Park activities \boxtimes Other(s), specify: Storm runoff C. Waterbody aesthetics Check one of the following that best describes the aesthetics of the receiving water and the surrounding area. Wilderness: outstanding natural beauty; usually wooded or unpastured area; water clarity exceptional Natural Area: trees and/or native vegetation; some development evident (from fields, pastures, dwellings); water clarity discolored Common Setting: not offensive; developed but uncluttered; water may be colored or turbid

Offensive: stream does not enhance aesthetics; cluttered; highly developed;

dumping areas; water discolored

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 2.1: STREAM PHYSICAL CHARACTERISTICS

Required for new applications, major facilities, and applications adding an outfall.

Worksheet 2.1 is not required for discharges to intermittent streams or discharges directly to (or within 300 feet of) a classified segment.

Section 1. General Information (Instructions Page 65)
Date of study: <u>N/A</u> Time of study: <u>N/A</u>
Stream name: N/A
Location: <u>N/A</u>
Type of stream upstream of existing discharge or downstream of proposed discharge (check one).
☐ Perennial ☐ Intermittent with perennial pools
Section 2. Data Collection (Instructions Page 65)
Number of stream bends that are well defined: Click to enter text.
Number of stream bends that are moderately defined: Click to enter text.
Number of stream bends that are poorly defined: Click to enter text.
Number of riffles: Click to enter text.
Evidence of flow fluctuations (check one):
□ Minor □ moderate □ severe
Indicate the observed stream uses and if there is evidence of flow fluctuations or channel obstruction/modification.
Click to enter text.

Stream transects

In the table below, provide the following information for each transect downstream of the existing or proposed discharges. Use a separate row for each transect.

Table 2.1(1) - Stream Transect Records

Stream type at transect	Transect location	Water surface	Stream depths (ft) at 4 to 10 points along each
Select riffle, run, glide, or pool. See		width (ft)	transect from the channel bed to the water surface.
Instructions, Definitions section.			Separate the measurements with commas.
Choose an item.			

Section 3. Summarize Measurements (Instructions Page 65)

Streambed slope of entire reach, from USGS map in feet/feet: Click to enter text.

Approximate drainage area above the most downstream transect (from USGS map or county highway map, in square miles): <u>Click to enter text.</u>

Length of stream evaluated, in feet: Click to enter text.

Number of lateral transects made: Click to enter text.

Average stream width, in feet: Click to enter text.

Average stream depth, in feet: Click to enter text.

Average stream velocity, in feet/second: Click to enter text.

Instantaneous stream flow, in cubic feet/second: Click to enter text.

Indicate flow measurement method (type of meter, floating chip timed over a fixed distance, etc.): <u>Click to enter text.</u>

Size of pools (large, small, moderate, none): Click to enter text.

Maximum pool depth, in feet: Click to enter text.

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 3.0: LAND DISPOSAL OF EFFLUENT

The following is required for renewal, new, and amendment permit applications.

Type of Disposal System (Instructions Page 67) Section 1. Identify the method of land disposal: Surface application Subsurface application Irrigation Subsurface soils absorption Subsurface area drip dispersal system Drip irrigation system Evaporation Evapotranspiration beds

□ Other (describe in detail): Click to enter text.

NOTE: All applicants without authorization or proposing new/amended subsurface disposal MUST complete and submit Worksheet 7.0.

For existing authorizations, provide Registration Number: Click to enter text.

Section 2. Land Application Site(s) (Instructions Page 67)

In table 3.0(1), provide the requested information for the land application sites. Include the agricultural or cover crop type (wheat, cotton, alfalfa, bermuda grass, native grasses, etc.), land use (golf course, hayland, pastureland, park, row crop, etc.), irrigation area, amount of effluent applied, and whether or not the public has access to the area. Specify the amount of land area and the amount of effluent that will be allotted to each agricultural or cover crop, if more than one crop will be used.

Table 3.0(1) - Land Application Site Crops

Crop Type & Land Use	Irrigation Area (acres)	Effluent Application (GPD)	Public Access? Y/N

Section 3. Storage and Evaporation Lagoons/Ponds (Instructions Page 67)

Table 3.0(2) – Storage and Evaporation Ponds

Pond Number	Surface Area (acres)	Storage Volume (acre-feet)	Dimensions	Liner Type

Attach a copy of a liner certification that was prepared, signed, and sealed by a Texas licensed professional engineer for each pond.
Attachment: Click to enter text.
Section 4. Flood and Runoff Protection (Instructions Page 67)
Is the land application site <u>within</u> the 100-year frequency flood level?
□ Yes □ No
If yes, describe how the site will be protected from inundation.
Click to enter text.
Provide the source used to determine the 100-year frequency flood level:
Click to enter text.
Provide a description of tailwater controls and rainfall run-on controls used for the land application site.
Click to enter text.

Section 5. Annual Cropping Plan (Instructions Page 67)

Attach an Annual Cropping Plan which includes a discussion of each of the following items. If not applicable, provide a detailed explanation indicating why. **Attachment**: Click to enter text.

- Soils map with crops
- Cool and warm season plant species
- Crop yield goals
- Crop growing season
- Crop nutrient requirements
- Additional fertilizer requirements
- Minimum/maximum harvest height (for grass crops)
- Supplemental watering requirements
- Crop salt tolerances
- Harvesting method/number of harvests
- Justification for not removing existing vegetation to be irrigated

Section 6. Well and Map Information (Instructions Page 68)

Attach a USGS map with the following information shown and labeled. If not applicable, provide a detailed explanation indicating why. **Attachment**: Click to enter text.

- The boundaries of the land application site(s)
- Waste disposal or treatment facility site(s)
- On-site buildings
- Buffer zones
- Effluent storage and tailwater control facilities
- All water wells within 1-mile radius of the disposal site or property boundaries
- All springs and seeps onsite and within 500 feet of the property boundaries
- All surface waters in the state onsite and within 500 feet of the property boundaries
- All faults and sinkholes onsite and within 500 feet of the property

List and cross reference all water wells located within a half-mile radius of the disposal site or property boundaries shown on the USGS map in the following table. Attach additional pages as necessary to include all of the wells.

Table 3.0(3) - Water Well Data

Well ID	Well Use	Producing? Y/N	Open, cased, capped, or plugged?	Proposed Best Management Practice
			Choose an item.	
			Choose an item.	
			Choose an item.	
			Choose an item.	
			Choose an item.	

If water quality data or well log information is available please include the information in an attachment listed by Well ID.

Attachment: Click to enter text.

Section 7. Groundwater Quality (Instructions Page 68)

Attach a Groundwater Quality Technical Report which assesses the impact of the wastewater disposal system on groundwater. This report shall include an evaluation of the water wells (including the information in the well table provided in Item 6. above), the wastewater application rate, and pond liners. Indicate by a check mark that this report is provided.

Attachment: Click to enter text.
Are groundwater monitoring wells available onsite? Yes No
Do you plan to install ground water monitoring wells or lysimeters around the land application site? \Box Yes \Box No
If yes, provide the proposed location of the monitoring wells or lysimeters on a site map.
Attachment: Click to enter text.

Section 8. Soil Map and Soil Analyses (Instructions Page 69)

A. Soil map

Attach a USDA Soil Survey map that shows the area to be used for effluent disposal.

Attachment: Click to enter text.

B. Soil analyses

Attach the laboratory results sheets from the soil analyses. **Note**: for renewal applications, the current annual soil analyses required by the permit are acceptable as long as the test date is less than one year prior to the submission of the application.

Attachment: Click to enter text.

List all USDA designated soil series on the proposed land application site. Attach additional pages as necessary.

Table 3.0(4) - Soil Data

Soil Series	Depth from Surface	Permeability	Available Water Capacity	Curve Number

Section 9. Effluent Monitoring Data (Instructions Page 70) Is the facility in operation? Yes □ No **If no**, this section is not applicable and the worksheet is complete. If yes, provide the effluent monitoring data for the parameters regulated in the existing permit. If a parameter is not regulated in the existing permit, enter N/A. Table 3.0(5) – Effluent Monitoring Data Chlorine **Date** 30 Day Avg BOD5 **TSS** рН Acres Flow MGD Residual mg/l mg/l mg/l irrigated

	ick to enter text.		

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 3.1: SURFACE LAND DISPOSAL OF EFFLUENT

The following is required for new and major amendment permit applications. Renewal and minor amendment permit applications may be asked for this worksheet on a case by case basis.

Section 1. Surface Disposal (Instructions Page 71)

Complete the item that applies for the method of disposal being used.

A. Irrigation

Area under irrigation, in acres: Click to enter text.

Design application frequency:

hours/day Click to enter text. And days/week Click to enter text.

Land grade (slope):

average percent (%): Click to enter text.

maximum percent (%): Click to enter text.

Design application rate in acre-feet/acre/year: Click to enter text.

Design total nitrogen loading rate, in lbs N/acre/year: Click to enter text.

Soil conductivity (mmhos/cm): Click to enter text.

Method of application: Click to enter text.

Attach a separate engineering report with the water balance and storage volume calculations, method of application, irrigation efficiency, and nitrogen balance.

Attachment: Click to enter text.

B. Evaporation ponds

Daily average effluent flow into ponds, in gallons per day: Click to enter text.

Attach a separate engineering report with the water balance and storage volume calculations.

Attachment: Click to enter text.

C. Evapotranspiration beds

Number of beds: Click to enter text.

Area of bed(s), in acres: <u>Click to enter text.</u>

Depth of bed(s), in feet: Click to enter text.

Void ratio of soil in the beds: Click to enter text.

Storage volume within the beds, in acre-feet: Click to enter text.

Attach a separate engineering report with the water balance and storage volume calculations, and a description of the lining.

Attachment: Click to enter text.

D. Overland flow Area used for application, in acres: Click to enter text. Slopes for application area, percent (%): Click to enter text. Design application rate, in gpm/foot of slope width: Click to enter text. Slope length, in feet: Click to enter text. Design BOD₅ loading rate, in lbs BOD₅/acre/day: Click to enter text. Design application frequency: hours/day: Click to enter text. **And** days/week: Click to enter text. Attach a separate engineering report with the method of application and design requirements according to 30 TAC Chapter 217. Attachment: Click to enter text. **Edwards Aquifer (Instructions Page 72)** Section 2.

Is the facility subject to 30 TAC Chapter 213, Edwards Aquifer Rules?
□ Yes □ No
If yes , is the facility located on the Edwards Aquifer Recharge Zone?
□ Yes □ No
If yes, attach a geological report addressing potential recharge features.
Attachment: Click to enter text.

DOMESTIC WASTEWATER PERMIT APPLICATION **WORKSHEET 3.2: SURFACE LAND DISPOSAL OF EFFLUENT**

The following is required for new and major amendment permit applications. Renewal and minor amendments applicants may be asked for the worksheet on a case by case basis.

NOTE: All applicants proposing new/amended subsurface disposal MUST complete and submit Worksheet 7.0. This worksheet applies to any subsurface disposal system that **does not meet** the definition of a subsurface area drip dispersal system as defined in 30 TAC Chapter 222, Subsurface Area Drip Dispersal System.

Section 1. Subsurface Application (instructions Page 73)
Identify the type of system:
☐ Conventional Gravity Drainfield, Beds, or Trenches (new systems must be less than 5,000 GPD)
□ Low Pressure Dosing
□ Other, specify: <u>Click to enter text.</u>
Application area, in acres: Click to enter text.
Area of drainfield, in square feet: Click to enter text.
Application rate, in gal/square foot/day: Click to enter text.
Depth to groundwater, in feet: Click to enter text.
Area of trench, in square feet: Click to enter text.
Dosing duration per area, in hours: <u>Click to enter text.</u>
Number of beds: Click to enter text.
Dosing amount per area, in inches/day: Click to enter text.
Infiltration rate, in inches/hour: Click to enter text.
Storage volume, in gallons: <u>Click to enter text.</u>
Area of bed(s), in square feet: <u>Click to enter text.</u>
Soil Classification: <u>Click to enter text.</u>
Attach a separate engineering report with the information required in $30\ TAC\ \S\ 309.20$, excluding the requirements of $\S\ 309.20\ b(3)(A)$ and (B) design analysis which may be asked for on a case by case basis. Include a description of the schedule of dosing basin rotation.
Attachment: Click to enter text.
Section 2. Edwards Aquifer (Instructions Page 73)
Is the subsurface system over the Edwards Aquifer Recharge Zone as mapped by TCEQ?
□ Yes □ No
Is the subsurface system over the Edwards Aquifer Transition Zone as mapped by TCEQ?
□ Yes □ No
If yes to either question , the subsurface system may be prohibited by <i>30 TAC §213.8</i> . Please call the Municipal Permits Team, at 512-239-4671, to schedule a pre-application meeting.

DOMESTIC WASTEWATER PERMIT APPLICATION **WORKSHEET 3.3: SUBSURFACE AREA DRIP DISPERSAL** (SADDS) LAND DISPOSAL OF EFFLUENT

The following **is required** for **new and major amendment** subsurface area drip dispersal system permit applications. Renewal and minor amendments applicants may be asked for the worksheet on a case by case basis.

NOTE: All applicants proposing new/amended subsurface disposal MUST complete and submit Worksheet 7.0. This worksheet applies to any subsurface disposal system that meets the definition of a subsurface area drip dispersal system as defined in 30 TAC Chapter 222, Subsurface Area Drip Dispersal System.

Se	ection 1. Administrative Information (Instructions Page 74)
Α.	Provide the legal name of all corporations or other business entities managed, owned, or otherwise closely related to the owner of the treatment facility:
В.	<u>Click to enter text.</u> Is the owner of the land where the treatment facility is located the same as the owner of the treatment facility?
	□ Yes □ No
	If no , provide the legal name of all corporations or other business entities managed, owned, or otherwise closely related to the owner of the land where the treatment facility is located.
	Click to enter text.
C.	Owner of the subsurface area drip dispersal system: <u>Click to enter text.</u>
D.	Is the owner of the subsurface area drip dispersal system the same as the owner of the wastewater treatment facility or the site where the wastewater treatment facility is located?
	□ Yes □ No
	If no , identify the names of all corporations or other business entities managed, owned, or otherwise closely related to the entity identified in Item 1.C.
	Click to enter text.
Е.	Owner of the land where the subsurface area drip dispersal system is located: <u>Click to enter text.</u>
F.	Is the owner of the land where the subsurface area drip dispersal system is located the same as owner of the wastewater treatment facility, the site where the wastewater treatment facility is located, or the owner of the subsurface area drip dispersal system?
	□ Yes □ No
	If no , identify the name of all corporations or other business entities managed, owned, or otherwise closely related to the entity identified in item 1.E.
	Click to enter text.

Section 2. Subsurface Area Drip Dispersal System (Instructions Page

A.	Type of system
	□ Subsurface Drip Irrigation
	□ Surface Drip Irrigation
	□ Other, specify: <u>Click to enter text.</u>
B.	Irrigation operations
	Application area, in acres: Click to enter text.
	Infiltration Rate, in inches/hour: Click to enter text.
	Average slope of the application area, percent (%): Click to enter text.
	Maximum slope of the application area, percent (%): Click to enter text.
	Storage volume, in gallons: <u>Click to enter text.</u>
	Major soil series: <u>Click to enter text.</u>
	Depth to groundwater, in feet: <u>Click to enter text.</u>
C.	Application rate
	Is the facility located west of the boundary shown in <i>30 TAC § 222.83</i> and also using a vegetative cover of non-native grasses over seeded with cool season grasses during the winter months (October-March)?
	□ Yes □ No
	If yes, then the facility may propose a hydraulic application rate not to exceed 0.1 gal/square foot/day.
	Is the facility located east of the boundary shown in <i>30 TAC § 222.83</i> or in any part of the state when the vegetative cover is any crop other than non-native grasses?
	□ Yes □ No
	If yes , the facility must use the formula in <i>30 TAC §222.83</i> to calculate the maximum hydraulic application rate.
	Do you plan to submit an alternative method to calculate the hydraulic application rate for approval by the executive director?
	□ Yes □ No
	Hydraulic application rate, in gal/square foot/day: Click to enter text.
	Nitrogen application rate, in lbs/gal/day: Click to enter text.
D.	Dosing information
	Number of doses per day: Click to enter text.
	Dosing duration per area, in hours: <u>Click to enter text.</u>

Rest period between doses, in hours: Click to enter text. Dosing amount per area, in inches/day: Click to enter text.

Number of zones: Click to enter text. Does the proposed subsurface drip irrigation system use tree vegetative cover as a crop? Yes No If yes, provide a vegetation survey by a certified arborist. Please call the Water Quality Assessment Team at (512) 239-4671 to schedule a pre-application meeting. Attachment: Click to enter text. Section 3. Required Plans (Instructions Page 74) A. Recharge feature plan Attach a Recharge Feature Plan with all information required in 30 TAC §222.79. Attachment: Click to enter text. B. Soil evaluation Attach a Soil Evaluation with all information required in 30 TAC §222.73. Attachment: Click to enter text. C. Site preparation plan Attach a Site Preparation Plan with all information required in 30 TAC §222.75. Attachment: Click to enter text. D. Soil sampling/testing Attach soil sampling and testing that includes all information required in 30 TAC §222.157. Attachment: Click to enter text. Section 4. Floodway Designation (Instructions Page 75) A. Site location Is the existing/proposed land application site within a designated floodway? Yes No B. Flood map Attach either the FEMA flood map or alternate information used to determine the floodway.		
□ Yes □ No If yes, provide a vegetation survey by a certified arborist. Please call the Water Quality Assessment Team at (512) 239-4671 to schedule a pre-application meeting. Attachment: Click to enter text. Section 3. Required Plans (Instructions Page 74) A. Recharge feature plan Attach a Recharge Feature Plan with all information required in 30 TAC §222.79. Attachment: Click to enter text. B. Soil evaluation Attach a Soil Evaluation with all information required in 30 TAC §222.73. Attachment: Click to enter text. C. Site preparation plan Attach a Site Preparation Plan with all information required in 30 TAC §222.75. Attachment: Click to enter text. D. Soil sampling/testing Attach soil sampling and testing that includes all information required in 30 TAC §222.157. Attachment: Click to enter text. Section 4. Floodway Designation (Instructions Page 75) A. Site location Is the existing/proposed land application site within a designated floodway? □ Yes □ No B. Flood map Attach either the FEMA flood map or alternate information used to determine the	Nι	umber of zones: Click to enter text.
If yes, provide a vegetation survey by a certified arborist. Please call the Water Quality Assessment Team at (512) 239-4671 to schedule a pre-application meeting. Attachment: Click to enter text. Section 3. Required Plans (Instructions Page 74) A. Recharge feature plan Attach a Recharge Feature Plan with all information required in 30 TAC §222.79. Attachment: Click to enter text. B. Soil evaluation Attach a Soil Evaluation with all information required in 30 TAC §222.73. Attachment: Click to enter text. C. Site preparation plan Attach a Site Preparation Plan with all information required in 30 TAC §222.75. Attachment: Click to enter text. D. Soil sampling/testing Attach soil sampling and testing that includes all information required in 30 TAC §222.157. Attachment: Click to enter text. Section 4. Floodway Designation (Instructions Page 75) A. Site location Is the existing/proposed land application site within a designated floodway? Yes No B. Flood map Attach either the FEMA flood map or alternate information used to determine the	Do	oes the proposed subsurface drip irrigation system use tree vegetative cover as a crop?
Assessment Team at (512) 239-4671 to schedule a pre-application meeting. Attachment: Click to enter text. Section 3. Required Plans (Instructions Page 74) A. Recharge feature plan Attach a Recharge Feature Plan with all information required in 30 TAC §222.79. Attachment: Click to enter text. B. Soil evaluation Attach a Soil Evaluation with all information required in 30 TAC §222.73. Attachment: Click to enter text. C. Site preparation plan Attach a Site Preparation Plan with all information required in 30 TAC §222.75. Attachment: Click to enter text. D. Soil sampling/testing Attach soil sampling and testing that includes all information required in 30 TAC §222.157. Attachment: Click to enter text. Section 4. Floodway Designation (Instructions Page 75) A. Site location Is the existing/proposed land application site within a designated floodway? Yes No B. Flood map Attach either the FEMA flood map or alternate information used to determine the		□ Yes □ No
A. Recharge feature plan Attach a Recharge Feature Plan with all information required in 30 TAC §222.79. Attachment: Click to enter text. B. Soil evaluation Attach a Soil Evaluation with all information required in 30 TAC §222.73. Attachment: Click to enter text. C. Site preparation plan Attach a Site Preparation Plan with all information required in 30 TAC §222.75. Attachment: Click to enter text. D. Soil sampling/testing Attach soil sampling and testing that includes all information required in 30 TAC §222.157. Attachment: Click to enter text. Section 4. Floodway Designation (Instructions Page 75) A. Site location Is the existing/proposed land application site within a designated floodway? Pes No B. Flood map Attach either the FEMA flood map or alternate information used to determine the		
A. Recharge feature plan Attach a Recharge Feature Plan with all information required in 30 TAC §222.79. Attachment: Click to enter text. B. Soil evaluation Attach a Soil Evaluation with all information required in 30 TAC §222.73. Attachment: Click to enter text. C. Site preparation plan Attach a Site Preparation Plan with all information required in 30 TAC §222.75. Attachment: Click to enter text. D. Soil sampling/testing Attach soil sampling and testing that includes all information required in 30 TAC §222.157. Attachment: Click to enter text. Section 4. Floodway Designation (Instructions Page 75) A. Site location Is the existing/proposed land application site within a designated floodway? Yes No B. Flood map Attach either the FEMA flood map or alternate information used to determine the		Attachment: Click to enter text.
Attach a Recharge Feature Plan with all information required in 30 TAC §222.79. Attachment: Click to enter text. B. Soil evaluation Attach a Soil Evaluation with all information required in 30 TAC §222.73. Attachment: Click to enter text. C. Site preparation plan Attach a Site Preparation Plan with all information required in 30 TAC §222.75. Attachment: Click to enter text. D. Soil sampling/testing Attach soil sampling and testing that includes all information required in 30 TAC §222.157. Attachment: Click to enter text. Section 4. Floodway Designation (Instructions Page 75) A. Site location Is the existing/proposed land application site within a designated floodway? Yes No B. Flood map Attach either the FEMA flood map or alternate information used to determine the	Sect	ion 3. Required Plans (Instructions Page 74)
Attachment: Click to enter text. B. Soil evaluation Attach a Soil Evaluation with all information required in 30 TAC §222.73. Attachment: Click to enter text. C. Site preparation plan Attach a Site Preparation Plan with all information required in 30 TAC §222.75. Attachment: Click to enter text. D. Soil sampling/testing Attach soil sampling and testing that includes all information required in 30 TAC §222.157. Attachment: Click to enter text. Section 4. Floodway Designation (Instructions Page 75) A. Site location Is the existing/proposed land application site within a designated floodway? Yes No B. Flood map Attach either the FEMA flood map or alternate information used to determine the	A. Re	echarge feature plan
B. Soil evaluation Attach a Soil Evaluation with all information required in 30 TAC §222.73. Attachment: Click to enter text. C. Site preparation plan Attach a Site Preparation Plan with all information required in 30 TAC §222.75. Attachment: Click to enter text. D. Soil sampling/testing Attach soil sampling and testing that includes all information required in 30 TAC §222.157. Attachment: Click to enter text. Section 4. Floodway Designation (Instructions Page 75) A. Site location Is the existing/proposed land application site within a designated floodway? Yes No B. Flood map Attach either the FEMA flood map or alternate information used to determine the	At	tach a Recharge Feature Plan with all information required in 30 TAC §222.79.
Attach a Soil Evaluation with all information required in 30 TAC §222.73. Attachment: Click to enter text. C. Site preparation plan Attach a Site Preparation Plan with all information required in 30 TAC §222.75. Attachment: Click to enter text. D. Soil sampling/testing Attach soil sampling and testing that includes all information required in 30 TAC §222.157. Attachment: Click to enter text. Section 4. Floodway Designation (Instructions Page 75) A. Site location Is the existing/proposed land application site within a designated floodway? Yes No B. Flood map Attach either the FEMA flood map or alternate information used to determine the		Attachment: Click to enter text.
Attachment: Click to enter text. C. Site preparation plan Attach a Site Preparation Plan with all information required in 30 TAC §222.75. Attachment: Click to enter text. D. Soil sampling/testing Attach soil sampling and testing that includes all information required in 30 TAC §222.157. Attachment: Click to enter text. Section 4. Floodway Designation (Instructions Page 75) A. Site location Is the existing/proposed land application site within a designated floodway? Yes No B. Flood map Attach either the FEMA flood map or alternate information used to determine the	B. So	il evaluation
C. Site preparation plan Attach a Site Preparation Plan with all information required in 30 TAC §222.75. Attachment: Click to enter text. D. Soil sampling/testing Attach soil sampling and testing that includes all information required in 30 TAC §222.157. Attachment: Click to enter text. Section 4. Floodway Designation (Instructions Page 75) A. Site location Is the existing/proposed land application site within a designated floodway? Yes No B. Flood map Attach either the FEMA flood map or alternate information used to determine the	At	tach a Soil Evaluation with all information required in 30 TAC §222.73.
Attach a Site Preparation Plan with all information required in 30 TAC §222.75. Attachment: Click to enter text. D. Soil sampling/testing Attach soil sampling and testing that includes all information required in 30 TAC §222.157. Attachment: Click to enter text. Section 4. Floodway Designation (Instructions Page 75) A. Site location Is the existing/proposed land application site within a designated floodway? Yes No B. Flood map Attach either the FEMA flood map or alternate information used to determine the		Attachment: Click to enter text.
Attachment: Click to enter text. D. Soil sampling/testing Attach soil sampling and testing that includes all information required in 30 TAC \$222.157. Attachment: Click to enter text. Section 4. Floodway Designation (Instructions Page 75) A. Site location Is the existing/proposed land application site within a designated floodway? Yes No B. Flood map Attach either the FEMA flood map or alternate information used to determine the	C. Si	te preparation plan
D. Soil sampling/testing Attach soil sampling and testing that includes all information required in <i>30 TAC §222.157</i> . Attachment: Click to enter text. Section 4. Floodway Designation (Instructions Page 75) A. Site location Is the existing/proposed land application site within a designated floodway? Yes No B. Flood map Attach either the FEMA flood map or alternate information used to determine the	At	tach a Site Preparation Plan with all information required in 30 TAC §222.75.
Attach soil sampling and testing that includes all information required in <i>30 TAC §222.157</i> . Attachment: Click to enter text. Section 4. Floodway Designation (Instructions Page 75) A. Site location Is the existing/proposed land application site within a designated floodway? Pes No B. Flood map Attach either the FEMA flood map or alternate information used to determine the		Attachment: Click to enter text.
Section 4. Floodway Designation (Instructions Page 75) A. Site location Is the existing/proposed land application site within a designated floodway? Yes No B. Flood map Attach either the FEMA flood map or alternate information used to determine the	D. So	il sampling/testing
Section 4. Floodway Designation (Instructions Page 75) A. Site location Is the existing/proposed land application site within a designated floodway? Yes No B. Flood map Attach either the FEMA flood map or alternate information used to determine the		1 0 0
 A. Site location Is the existing/proposed land application site within a designated floodway? Yes No B. Flood map Attach either the FEMA flood map or alternate information used to determine the 		Attachment: Click to enter text.
 A. Site location Is the existing/proposed land application site within a designated floodway? Yes No B. Flood map Attach either the FEMA flood map or alternate information used to determine the 	Sect	ion 4. Floodway Designation (Instructions Page 75)
Is the existing/proposed land application site within a designated floodway? ☐ Yes ☐ No B. Flood map Attach either the FEMA flood map or alternate information used to determine the	A. Si	te location
☐ Yes ☐ No B. Flood map Attach either the FEMA flood map or alternate information used to determine the		
Attach either the FEMA flood map or alternate information used to determine the		
Attach either the FEMA flood map or alternate information used to determine the	B. Fl	ood map
floodway.		-
	flo	oodway.
Attachment: Click to enter text.		Attachment: Click to enter text.
Section 5. Surface Waters in the State (Instructions Page 75)	Sect	ion 5. Surface Waters in the State (Instructions Page 75)

S

A. Buffer Map

Attach a map showing appropriate buffers on surface waters in the state, water wells, and springs/seeps.

Attachment: Click to enter text.

Do you plan to request a buffer variance from water wells or waters in the state?
□ Yes □ No
If yes, then attach the additional information required in 30 TAC § 222.81(c).
Attachment: Click to enter text.
Section 6. Edwards Aquifer (Instructions Page 75)
A. Is the SADDS located over the Edwards Aquifer Recharge Zone as mapped by TCEQ?
□ Yes □ No
B. Is the SADDS located over the Edwards Aquifer Transition Zone as mapped by TCEQ?
□ Yes □ No
If yes to either question , then the SADDS may be prohibited by <i>30 TAC §213.8</i> . Please call the Municipal Permits Team at 512-239-4671 to schedule a pre-application meeting.

B. Buffer variance request

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 4.0: POLLUTANT ANALYSIS REQUIREMENTS

The following **is required** for facilities with a permitted or proposed flow of **1.0 MGD or greater**, facilities with an approved **pretreatment** program, or facilities classified as a **major** facility. See instructions for further details.

This worksheet is not required minor amendments without renewal.

Section 1. Toxic Pollutants (Instructions Page 76)

For pollutants identified in Table $4.0(1)$, indicate the type of samp	le.
---	-----

Grab □ Composite □

Date and time sample(s) collected: Click to enter text.

Table 4.0(1) - Toxics Analysis

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (μg/l)	Number of Samples	MAL (μg/l)
Acrylonitrile				50
Aldrin				0.01
Aluminum				2.5
Anthracene				10
Antimony				5
Arsenic				0.5
Barium				3
Benzene				10
Benzidine				50
Benzo(a)anthracene				5
Benzo(a)pyrene				5
Bis(2-chloroethyl)ether				10
Bis(2-ethylhexyl)phthalate				10
Bromodichloromethane				10
Bromoform				10
Cadmium				1
Carbon Tetrachloride				2
Carbaryl				5
Chlordane*				0.2
Chlorobenzene				10
Chlorodibromomethane				10

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (μg/l)	Number of Samples	MAL (μg/l)
Chloroform				10
Chlorpyrifos				0.05
Chromium (Total)				3
Chromium (Tri) (*1)				N/A
Chromium (Hex)				3
Copper				2
Chrysene				5
p-Chloro-m-Cresol				10
4,6-Dinitro-o-Cresol				50
p-Cresol				10
Cyanide (*2)				10
4,4'- DDD				0.1
4,4'- DDE				0.1
4,4'- DDT				0.02
2,4-D				0.7
Demeton (O and S)				0.20
Diazinon				0.5/0.1
1,2-Dibromoethane				10
m-Dichlorobenzene				10
o-Dichlorobenzene				10
p-Dichlorobenzene				10
3,3'-Dichlorobenzidine				5
1,2-Dichloroethane				10
1,1-Dichloroethylene				10
Dichloromethane				20
1,2-Dichloropropane				10
1,3-Dichloropropene				10
Dicofol				1
Dieldrin				0.02
2,4-Dimethylphenol				10
Di-n-Butyl Phthalate				10
Diuron				0.09
Endosulfan I (alpha)				0.01

Pollutant	AVG Effluent Conc. (μg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Endosulfan II (beta)				0.02
Endosulfan Sulfate				0.1
Endrin				0.02
Epichlorohydrin				
Ethylbenzene				10
Ethylene Glycol				
Fluoride				500
Guthion				0.1
Heptachlor				0.01
Heptachlor Epoxide				0.01
Hexachlorobenzene				5
Hexachlorobutadiene				10
Hexachlorocyclohexane (alpha)				0.05
Hexachlorocyclohexane (beta)				0.05
gamma-Hexachlorocyclohexane				0.05
(Lindane)				
Hexachlorocyclopentadiene				10
Hexachloroethane				20
Hexachlorophene				10
4,4'-Isopropylidenediphenol				1
Lead				0.5
Malathion				0.1
Mercury				0.005
Methoxychlor				2
Methyl Ethyl Ketone				50
Methyl tert-butyl ether				
Mirex				0.02
Nickel				2
Nitrate-Nitrogen				100
Nitrobenzene				10
N-Nitrosodiethylamine				20
N-Nitroso-di-n-Butylamine				20
Nonylphenol				333

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Parathion (ethyl)				0.1
Pentachlorobenzene				20
Pentachlorophenol				5
Phenanthrene				10
Polychlorinated Biphenyls (PCB's) (*3)				0.2
Pyridine				20
Selenium				5
Silver				0.5
1,2,4,5-Tetrachlorobenzene				20
1,1,2,2-Tetrachloroethane				10
Tetrachloroethylene				10
Thallium				0.5
Toluene				10
Toxaphene				0.3
2,4,5-TP (Silvex)				0.3
Tributyltin (see instructions for explanation)				0.01
1,1,1-Trichloroethane				10
1,1,2-Trichloroethane				10
Trichloroethylene				10
2,4,5-Trichlorophenol				50
TTHM (Total Trihalomethanes)				10
Vinyl Chloride				10
Zinc				5

^(*1) Determined by subtracting hexavalent Cr from total Cr.

^(*2) Cyanide, amenable to chlorination or weak-acid dissociable.

^(*3) The sum of seven PCB congeners 1242, 1254, 1221, 1232, 1248, 1260, and 1016.

Section 2. Priority Pollutants

For 1	pollutants	identified	in Ta	bles 4.0	0(2)A-E,	indicate	type o	of samp	ole.
-------	------------	------------	-------	----------	----------	----------	--------	---------	------

Grab □ Composite □

Date and time sample(s) collected: Click to enter text.

Table 4.0(2)A - Metals, Cyanide, and Phenols

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Antimony				5
Arsenic				0.5
Beryllium				0.5
Cadmium				1
Chromium (Total)				3
Chromium (Hex)				3
Chromium (Tri) (*1)				N/A
Copper				2
Lead				0.5
Mercury				0.005
Nickel				2
Selenium				5
Silver				0.5
Thallium				0.5
Zinc				5
Cyanide (*2)				10
Phenols, Total				10

^(*1) Determined by subtracting hexavalent Cr from total Cr.

^(*2) Cyanide, amenable to chlorination or weak-acid dissociable

Table 4.0(2)B - Volatile Compounds

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Acrolein				50
Acrylonitrile				50
Benzene				10
Bromoform				10
Carbon Tetrachloride				2
Chlorobenzene				10
Chlorodibromomethane				10
Chloroethane				50
2-Chloroethylvinyl Ether				10
Chloroform				10
Dichlorobromomethane [Bromodichloromethane]				10
1,1-Dichloroethane				10
1,2-Dichloroethane				10
1,1-Dichloroethylene				10
1,2-Dichloropropane				10
1,3-Dichloropropylene				10
[1,3-Dichloropropene]				
1,2-Trans-Dichloroethylene				10
Ethylbenzene				10
Methyl Bromide				50
Methyl Chloride				50
Methylene Chloride				20
1,1,2,2-Tetrachloroethane				10
Tetrachloroethylene				10
Toluene				10
1,1,1-Trichloroethane				10
1,1,2-Trichloroethane				10
Trichloroethylene				10
Vinyl Chloride				10

Table 4.0(2)C - Acid Compounds

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (µg/l)
2-Chlorophenol				10
2,4-Dichlorophenol				10
2,4-Dimethylphenol				10
4,6-Dinitro-o-Cresol				50
2,4-Dinitrophenol				50
2-Nitrophenol				20
4-Nitrophenol				50
P-Chloro-m-Cresol				10
Pentalchlorophenol				5
Phenol				10
2,4,6-Trichlorophenol				10

Table 4.0(2)D - Base/Neutral Compounds

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Acenaphthene				10
Acenaphthylene				10
Anthracene				10
Benzidine				50
Benzo(a)Anthracene				5
Benzo(a)Pyrene				5
3,4-Benzofluoranthene				10
Benzo(ghi)Perylene				20
Benzo(k)Fluoranthene				5
Bis(2-Chloroethoxy)Methane				10
Bis(2-Chloroethyl)Ether				10
Bis(2-Chloroisopropyl)Ether				10
Bis(2-Ethylhexyl)Phthalate				10
4-Bromophenyl Phenyl Ether				10
Butyl benzyl Phthalate				10
2-Chloronaphthalene				10
4-Chlorophenyl phenyl ether				10
Chrysene				5
Dibenzo(a,h)Anthracene				5
1,2-(o)Dichlorobenzene				10
1,3-(m)Dichlorobenzene				10
1,4-(p)Dichlorobenzene				10
3,3-Dichlorobenzidine				5
Diethyl Phthalate				10
Dimethyl Phthalate				10
Di-n-Butyl Phthalate				10
2,4-Dinitrotoluene				10
2,6-Dinitrotoluene				10
Di-n-Octyl Phthalate				10
1,2-Diphenylhydrazine (as Azobenzene)				20
Fluoranthene				10

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Fluorene				10
Hexachlorobenzene				5
Hexachlorobutadiene				10
Hexachlorocyclo-pentadiene				10
Hexachloroethane				20
Indeno(1,2,3-cd)pyrene				5
Isophorone				10
Naphthalene				10
Nitrobenzene				10
N-Nitrosodimethylamine				50
N-Nitrosodi-n-Propylamine				20
N-Nitrosodiphenylamine				20
Phenanthrene				10
Pyrene				10
1,2,4-Trichlorobenzene				10

Table 4.0(2)E - Pesticides

Pollutant	AVG Effluent Conc. (µg/l)	MAX Effluent Conc. (µg/l)	Number of Samples	MAL (μg/l)
Aldrin				0.01
alpha-BHC (Hexachlorocyclohexane)				0.05
beta-BHC (Hexachlorocyclohexane)				0.05
gamma-BHC (Hexachlorocyclohexane)				0.05
delta-BHC (Hexachlorocyclohexane)				0.05
Chlordane				0.2
4,4-DDT				0.02
4,4-DDE				0.1
4,4,-DDD				0.1
Dieldrin				0.02
Endosulfan I (alpha)				0.01
Endosulfan II (beta)				0.02
Endosulfan Sulfate				0.1
Endrin				0.02
Endrin Aldehyde				0.1
Heptachlor				0.01
Heptachlor Epoxide				0.01
PCB-1242				0.2
PCB-1254				0.2
PCB-1221				0.2
PCB-1232				0.2
PCB-1248				0.2
PCB-1260				0.2
PCB-1016				0.2
Toxaphene				0.3

^{*} For PCBS, if all are non-detects, enter the highest non-detect preceded by a "<".

Section 3. Dioxin/Furan Compounds A. Indicate which of the following compounds from may be present in the influent from a contributing industrial user or significant industrial user. Check all that apply. 2,4,5-trichlorophenoxy acetic acid Common Name 2,4,5-T, CASRN 93-76-5 2-(2,4,5-trichlorophenoxy) propanoic acid Common Name Silvex or 2,4,5-TP, CASRN 93-72-1 2-(2,4,5-trichlorophenoxy) ethyl 2,2-dichloropropionate Common Name Erbon, CASRN 136-25-4 0,0-dimethyl 0-(2,4,5-trichlorophenyl) phosphorothioate Common Name Ronnel, CASRN 299-84-3 2,4,5-trichlorophenol Common Name TCP, CASRN 95-95-4 hexachlorophene Common Name HCP, CASRN 70-30-4 For each compound identified, provide a brief description of the conditions of its/their presence at the facility. Click to enter text.

B.	Do you know or have any reason to believe that 2,3,7,8 Tetrachlorodibenzo-P-Dioxin
	(TCDD) or any congeners of TCDD may be present in your effluent?

□ Yes □ No

If **yes**, provide a brief description of the conditions for its presence.

Click to enter text.

C.	If any of the compounds in Subsection A ${f or}$ B are present, complete Table 4.0(2)F.
	For pollutants identified in Table 4.0(2)F, indicate the type of sample.

Grab □ Composite □

Date and time sample(s) collected: Click to enter text.

Table 4.0(2)F - Dioxin/Furan Compounds

Compound	Toxic Equivalenc y Factors	Wastewater Concentration (ppq)	Wastewater Equivalents (ppq)	Sludge Concentration (ppt)	Sludge Equivalents (ppt)	MAL (ppq)
2,3,7,8 TCDD	1					10
1,2,3,7,8 PeCDD	0.5					50
2,3,7,8 HxCDDs	0.1					50
1,2,3,4,6,7,8 HpCDD	0.01					50
2,3,7,8 TCDF	0.1					10
1,2,3,7,8 PeCDF	0.05					50
2,3,4,7,8 PeCDF	0.5					50
2,3,7,8 HxCDFs	0.1					50
2,3,4,7,8 HpCDFs	0.01					50
OCDD	0.0003					100
OCDF	0.0003					100
PCB 77	0.0001					0.5
PCB 81	0.0003					0.5
PCB 126	0.1					0.5
PCB 169	0.03					0.5
Total						

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 5.0: TOXICITY TESTING REQUIREMENTS

The following **is required** for facilities with a current operating design flow of **1.0 MGD or greater**, with an EPA-approved **pretreatment** program (or those required to have one under 40 CFR Part 403), or are required to perform Whole Effluent Toxicity testing. See Page 86 of the instructions for further details.

This worksheet is not required minor amendments without renewal.

Section 1. Required Tests

Indicate the number of 7-day chronic or 48-hour acute Whole Effluent Toxicity (WET) tests performed in the four and one-half years prior to submission of the application.

7-day Chronic: <u>Click to enter text.</u>
48-hour Acute: <u>Click to enter text.</u>

Section 2.	Toxicity Reduction Evaluations (TREs)	
Has this facility performing a T	completed a TRE in the past four and a half years? Or is the facility curre RE?	ntly
□ Yes □	No	
If yes, describe	the progress to date, if applicable, in identifying and confirming the toxic	ant.
Click to enter	text.	

Section 3. Summary of WET Tests

If the required biomonitoring test information has not been previously submitted via both the Discharge Monitoring Reports (DMRs) and the Table 1 (as found in the permit), provide a summary of the testing results for all valid and invalid tests performed over the past four and one-half years. Make additional copies of this table as needed.

Table 5.0(1) Summary of WET Tests

Test Date	Test Species	NOEC Survival	NOEC Sub-lethal

DOMESTIC WASTEWATER PERMIT APPLICATION WORKSHEET 6.0: INDUSTRIAL WASTE CONTRIBUTION

The following is required for all publicly owned treatment works.

Section 1. All POTWs (Instructions Page 87)

A. Industrial users (I

B.

Provide the number of each of the following types of industrial users (IUs) that discharge to your POTW and the daily flows from each user. See the Instructions for definitions of Categorical IUs, Significant IUs – non-categorical, and Other IUs.

If there are no users, enter 0 (zero).
Categorical IUs:
Number of IUs: Click to enter text.
Average Daily Flows, in MGD: <u>Click to enter text.</u>
Significant IUs - non-categorical:
Number of IUs: Click to enter text.
Average Daily Flows, in MGD: <u>Click to enter text.</u>
Other IUs:
Number of IUs: Click to enter text.
Average Daily Flows, in MGD: <u>Click to enter text.</u>
Treatment plant interference
In the past three years, has your POTW experienced treatment plant interference (see instructions)?
□ Yes □ No
If yes, identify the dates, duration, description of interference, and probable cause(s) and possible source(s) of each interference event. Include the names of the IUs that may have caused the interference.
Click to enter text.

	In the past three years, has your POTW experienced pass through (see instructions)?
	□ Yes □ No
	If yes, identify the dates, duration, a description of the pollutants passing through the treatment plant, and probable cause(s) and possible source(s) of each pass through event. Include the names of the IUs that may have caused pass through.
	Click to enter text.
D.	Pretreatment program
	Does your POTW have an approved pretreatment program?
	□ Yes □ No
	If yes, complete Section 2 only of this Worksheet.
	Is your POTW required to develop an approved pretreatment program?
	□ Yes □ No
	If yes, complete Section 2.c. and 2.d. only, and skip Section 3.
	If no to either question above , skip Section 2 and complete Section 3 for each significant industrial user and categorical industrial user.
Se	ction 2. POTWs with Approved Programs or Those Required to Develop a Program (Instructions Page 87)
Α.	Substantial modifications
	Have there been any substantial modifications to the approved pretreatment program that have not been submitted to the TCEQ for approval according to 40 CFR §403.18?
	□ Yes □ No
	If yes , identify the modifications that have not been submitted to TCEQ, including the purpose of the modification.
	Click to enter text.

C. Treatment plant pass through

	Have there been any non-substantial modifications to the approved pretreatment program that have not been submitted to TCEQ for review and acceptance?										
	□ Yes □	No									
		non-substantial mo		at have not been	submitted to TCEQ,						
	Click to enter tex	t.									
C.	Effluent paramete	ers above the MAL									
Tal		t all parameters me the last three year ters Above the MAL									
P	Pollutant Concentration MAL Units Date										
 D.	Industrial user in	terruptions									
	Has any SIU, CIU, o	or other IU caused (ass throughs) at yo			•						
	□ Yes □ □	No									
	If yes , identify the industry, describe each episode, including dates, duration, description of the problems, and probable pollutants.										
	Click to enter tex	t.									

B. Non-substantial modifications

Section 3. Significant Industrial User (SIU) Information and Categorical Industrial User (CIU) (Instructions Page 88)

A.	General information
	Company Name: Click to enter text.
	SIC Code: Click to enter text.
	Contact name: Click to enter text.
	Address: Click to enter text.
	City, State, and Zip Code: <u>Click to enter text.</u>
	Telephone number: <u>Click to enter text.</u>
	Email address: Click to enter text.
B.	Process information
	Describe the industrial processes or other activities that affect or contribute to the SIU(s) or CIU(s) discharge (i.e., process and non-process wastewater).
	Click to enter text.
C.	Product and service information
	Provide a description of the principal product(s) or services performed.
	Click to enter text.
D.	Flow rate information
	See the Instructions for definitions of "process" and "non-process wastewater."
	Process Wastewater:
	Discharge, in gallons/day: Click to enter text.
	Discharge Type: □ Continuous □ Batch □ Intermittent
	Non-Process Wastewater:
	Discharge, in gallons/day: Click to enter text.
	Discharge Type: □ Continuous □ Batch □ Intermittent

E.

F.

WORKSHEET 7.0

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

CLASS V INJECTION WELL INVENTORY/AUTHORIZATION FORM

Submit the completed form to:

TCEQ IUC Permits Team Radioactive Materials Division MC-233 PO Box 13087 Austin, Texas 78711-3087 512-239-6466

For TCEQ Use Only	
Reg. No	
Date Received	
Date Authorized	

Section 1. General Information (Instructions Page 90)

1.	TCEQ Program	Area
----	--------------	------

Program Area (PST, VCP, IHW, etc.): Click to enter text.

Program ID: Click to enter text.

Contact Name: <u>Click to enter text.</u>
Phone Number: <u>Click to enter text.</u>

2. Agent/Consultant Contact Information

Contact Name: Click to enter text.

Address: Click to enter text.

City, State, and Zip Code: Click to enter text.

Phone Number: <u>Click to enter text.</u>

3. Owner/Operator Contact Information

□ Owner □ Operator

Owner/Operator Name: Click to enter text.

Contact Name: <u>Click to enter text.</u>

Address: Click to enter text.

City, State, and Zip Code: Click to enter text.

Phone Number: Click to enter text.

4. Facility Contact Information

Facility Name: Click to enter text.

Address: Click to enter text.

City, State, and Zip Code: Click to enter text.

Location description (if no address is available): Click to enter text.

Facility Contact Person: <u>Click to enter text.</u>

Phone Number: <u>Click to enter text.</u>

5.	Latitude and Longitude, in degrees-minutes-seconds
	Latitude: Click to enter text.
	Longitude: Click to enter text.
	Method of determination (GPS, TOPO, etc.): Click to enter text.
	Attach topographic quadrangle map as attachment A.
6.	Well Information
	Type of Well Construction, select one:
	□ Vertical Injection
	□ Subsurface Fluid Distribution System
	□ Infiltration Gallery
	☐ Temporary Injection Points
	□ Other, Specify: <u>Click to enter text.</u>
	Number of Injection Wells: <u>Click to enter text.</u>
7.	Purpose
	Detailed Description regarding purpose of Injection System:
	Click to enter text.
	Attach a Site Map as Attachment B (Attach the Approved Remediation Plan, if appropriate.)
8.	Water Well Driller/Installer
	Water Well Driller/Installer Name: Click to enter text.
	City, State, and Zip Code: Click to enter text.
	Phone Number: Click to enter text.
	License Number: Click to enter text.
Section	n 2. Proposed Down Hole Design
	a diagram signed and sealed by a licensed engineer as Attachment C.
	0(1) - Down Hole Design Table of Size Setting Seeks Compat /Crosst Uple Weight

Name of String	Size	Setting Depth	Sacks Cement/Grout - Slurry Volume - Top of Cement	Hole Size	Weight (lbs/ft) PVC/Steel
Casing					
Tubing					
Screen					

Section 3. Proposed Trench System, Subsurface Fluid Distribution System, or Infiltration Gallery

Attach a diagram signed and sealed by a licensed engineer as Attachment D.

System(s) Dimensions: <u>Click to enter text.</u> System(s) Construction: Click to enter text.

C1 1	Cit a IIII]	al Tanda and and	7 D-4-
Section 4.	Site Hydrogo	eological an	a injection	i Zone Data

- 1. Name of Contaminated Aguifer: Click to enter text.
- 2. Receiving Formation Name of Injection Zone: Click to enter text.
- 3. Well/Trench Total Depth: Click to enter text.
- **4.** Surface Elevation: Click to enter text.
- 5. Depth to Ground Water: Click to enter text.
- **6.** Injection Zone Depth: Click to enter text.
- 7. Injection Zone vertically isolated geologically? \square Yes \square No Impervious Strata between Injection Zone and nearest Underground Source of Drinking Water:

Name: Click to enter text.

Thickness: Click to enter text.

- **8.** Provide a list of contaminants and the levels (ppm) in contaminated aquifer Attach as Attachment E.
- **9.** Horizontal and Vertical extent of contamination and injection plume Attach as Attachment F.
- **10.** Formation (Injection Zone) Water Chemistry (Background levels) TDS, etc. Attach as Attachment G.
- **11.** Injection Fluid Chemistry in PPM at point of injection Attach as Attachment H.
- 12. Lowest Known Depth of Ground Water with < 10,000 PPM TDS: Click to enter text.
- 13. Maximum injection Rate/Volume/Pressure: Click to enter text.
- **14.** Water wells within 1/4 mile radius (attach map as Attachment I): Click to enter text.
- 15. Injection wells within 1/4 mile radius (attach map as Attachment J): <u>Click to enter text.</u>
- **16.** Monitor wells within 1/4 mile radius (attach drillers logs and map as Attachment K): Click to enter text.
- 17. Sampling frequency: Click to enter text.
- **18.** Known hazardous components in injection fluid: Click to enter text.

Section 5. Site History

- **1.** Type of Facility: Click to enter text.
- **2.** Contamination Dates: Click to enter text.
- 3. Original Contamination (VOCs, TPH, BTEX, etc.) and Concentrations (attach as Attachment L): <u>Click to enter text.</u>
- **4.** Previous Remediation (attach results of any previous remediation as attachment M): Click to enter text.

NOTE: Authorization Form should be completed in detail and authorization given by the TCEQ before construction, operation, and/or conversion can begin. Attach additional pages as necessary.

Class V Injection Well Designations

- 5A07 Heat Pump/AC return (IW used for groundwater to heat and/or cool buildings)
- 5A19 Industrial Cooling Water Return Flow (IW used to cool industrial process equipment)
- 5B22 Salt Water Intrusion Barrier (IW used to inject fluids to prevent the intrusion of salt water into an aquifer)
- 5D02 Storm Water Drainage (IW designed for the disposal of rain water)
- 5D04 Industrial Stormwater Drainage Wells (IW designed for the disposal of rain water associated with industrial facilities)
- 5F01 Agricultural Drainage (IW that receive agricultural runoff)
- 5R21 Aquifer Recharge (IW used to inject fluids to recharge an aquifer)
- 5S23 Subsidence Control Wells (IW used to control land subsidence caused by ground water withdrawal)
- 5W09 Untreated Sewage
- 5W10 Large Capacity Cesspools (Cesspools that are designed for 5,000 gpd or greater)
- 5W11 Large Capacity Septic systems (Septic systems designed for 5,000 gpd or greater)
- 5W12 WTTP disposal
- 5W20 Industrial Process Waste Disposal Wells
- 5W31 Septic System (Well Disposal method)
- 5W32 Septic System Drainfield Disposal
- 5X13 Mine Backfill (IW used to control subsidence, dispose of mining byproducts, and/or fill sections of a mine)
- 5X25 Experimental Wells (Pilot Test) (IW used to test new technologies or tracer dye studies)
- 5X26 Aguifer Remediation (IW used to clean up, treat, or prevent contamination of a USDW)
- 5X27 Other Wells
- 5X28 Motor Vehicle Waste Disposal Wells (IW used to dispose of waste from a motor vehicle site These are currently banned)
- 5X29 Abandoned Drinking Water Wells (waste disposal)

Appendices

Appendix A

Core Data Form

Appendix B

Original Photographs

Appendix C

Buffer Zone Map

Appendix D

SPIF Form & SPIF USGS Map

Appendix E

Original USGS Map

Appendix F

Landowners Map and Cross-Referenced List

Appendix G

Treatment Process Description

Appendix H

Treatment Unit Description

Appendix I

Process Flow Diagram

Appendix J

Site Drawing

Appendix K

CCN Service Request

Appendix L

Design Calculations

Appendix M

Wind Rose

Appendix N

Solids Management Plan



Core Data Form

TCEQ Use Only



TCEQ Core Data Form

For detailed instructions on completing this form, please read the Core Data Form Instructions or call 512-239-5175.

SECTION I: General Information

Renewal (Co	ore Data Form s	hould be submi	tted with the ren	ewal form)				ther				
. Customer Re	eference Num	ber (if issued)		ollow this l			3. Reg	gulated Entity Ref	erence	Number (if is	ssued)	
CN 60260217	9			Central R			RN					
ECTION	II: Cus	stomer	Inform	ation	1				<u>-</u>	-		
4. General Cust	tomer Informa	ation	5. Effective D	ate for Cu	ustome	r Inform	nation	Updates (mm/dd/	уууу)		09/10/2025	
☐ New Custome	er		pdate to Custom	er Informa	tion		Chan	ige in Regulated Ent	ity Owne	ership	1	
☐Change in Leg	al Name (Verifia	ble with the Te	cas Secretary of S	itate or Tex	as Comp	troller o	of Public	Accounts)				
The Customer I	Vame submitt	ed here mav	be updated out	tomaticali	ly based	d on wh	nat is c	urrent and active	with th	e Texas Secr	etary of State	
(SOS) or Texas		-									, ,	
6. Customer Le	gal Name (if a	n individual, pri	nt last name first	: eg: Doe, J	lohn)			If new Customer, o	enter pre	vious Custome	er below:	
South Central Wa	iter Company	Han			165			+			nid.	
7. TX SOS/CPA	Filing Number	r	8. TX State Ta	ж ID (11 d	igits)			9. Federal Tax II)	10. DUNS	lumber (if	
0161296200			17606670101					(9 digits) applic		applicable)	licable)	
								, , ,				
I1. Type of Cus	tomer:		tion				Individ	lual	Partne	rship: 🔲 Gen	eral 🔲 Limited	
		☐ Federal ☐	Local State	Other			Sole Pr	roprietorship	☐ Oth	ner:		
12. Number of					-			13. Independen	tly Owi	ned and Ope	rated?	
		3E0 □ 3E4	EOO	d blater								
☑ 0-20 ☐ 21-	-100 []101-	250 🔲 251-	500 🔲 501 ar	ia nigner				☐ Yes [No			
14. Customer R	ole (Proposed	or Actual) – as i	t relates to the Re	egulated En	ntity liste	d on this	s form. I	Please check one of	the follo	wing		
Owner		perator	⊠ Own	er & Opera	tor							
Occupational I		Responsible Pa		P/BSA App				Other:				
	P.O. Box 570177											
L5. Mailing												
Address:												
	City Hous	ston		State	TX	1	ZIP	77257		ZIP + 4		
						4=		11				
16. Country Ma	illing Informat	non (if outside	USA)			17. E-N	Viail Ad	ldress (if applicable)			
						danage		entralww.com				

TCEQ-10400 (11/22) Page 1 of 3

18. Telephone Number	phone Number			19. Extension or Code				20. Fax Number (if applicable)						
(713) 783-6611							(}	-	19 -	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
SECTION III:	Regu	lated Er	ntity Info	rma	tior	1								
21. General Regulated E	ntity Inforn	nation (If 'New I	Regulated Entity" is	selected,	a new j	ermit appli	ication is	also i	require	d.)				
New Regulated Entity	Update	to Regulated Enti	ity Name 🔲 Upo	date to Re	egulated	Entity Info	rmation							
The Regulated Entity No as Inc, LP, or LLC).	ame submiti	ed may be upo	dated, in order to	meet T	CEQ Co	re Data St	andard:	s (rei	noval	of org	ganizatio	nal endings such		
22. Regulated Entity Na	me (Enter no	me of the site wh	nere the regulated o	action is t	aking pl	ace.)					_			
Sealy 200 Wastewater Treat	tment Plant													
23. Street Address of														
the Regulated Entity:									_					
(No PO Boxes)	City		State		_	ZIP				T	ZIP + 4			
24. County	Austin								_					
		If no Str	eet Address is pr	ovided,	fields 2	5-28 are r	equired		_					
25. Description to								_						
Physical Location:	The site is I	ocated approxim	ately 0.77 miles so	uth of int	ersectio	n between	Frazer Ro	ad ar	nd Sens	Road				
26. Nearest City					_		State				Nea	rest ZIP Code		
Sealy					TX							77474		
Latitude/Longitude are rused to supply coordinate	equired and es where no	may be added ne have been p	d/updated to me provided or to go	et TCEQ ain accui	Core D racy).	ata Stand	ards. (G	еосо	ding o	of the	Physical	Address may be		
27. Latitude (N) In Decim	pal: 29.8169				28. Longitude (W		W) In De	V) In Decimal:			96.186			
Degrees	Minutes		Seconds		Degrees				Minutes			Seconds		
29		49	0.84			96	11			11		9.60		
29. Primary SIC Code (4 digits)		Secondary SIC	3		1. Primary NAICS Code or 6 digits)									
	,			T				(5 or 6 digit						
33. What is the Primary B	usiness of t	his entity? (D	o not repeat the Si	C or NAIC	S descri	otion.)								
Wastewater Utilities														
34. Mailing	P.O. Box 57	0177						_						
-						-								
Address:	City	Houston	State	тх		ZIP	77257			2	IP+4			
35. E-Mail Address:	doug	@southcentralw	/w.com											
6. Telephone Number			37. Extension o	or Code		38. Fa	ax Numi	ber (i	f applie	cable)				
713) 783-6611						()								

39. TCEQ Programs and ID Numbers Check all Programs and write in the permits/registration numbers that will be affected by the updates submitted on this form. See the Core Data Form instructions for additional guidance. ☐ Dam Safety □ Districts Edwards Aquifer Emissions Inventory Air Industrial Hazardous Waste ☐ New Source Municipal Solid Waste OSSF Petroleum Storage Tank PWS Review Air Sludge Storm Water ☐ Title V Air Tires Used Oil ☐ Voluntary Cleanup ☐ Wastewater Agriculture ☐ Water Rights Other: **SECTION IV: Preparer Information** 40. Name: Cecilia Chen 41. Title: Design Engineer 42. Telephone Number 43. Ext./Code 44. Fax Number 45. E-Mail Address (713) 491-6571) cchen@wga-llc.com **SECTION V: Authorized Signature** 46. By my signature below, I certify, to the best of my knowledge, that the information provided in this form is true and complete, and that I have signature authority to submit this form on behalf of the entity specified in Section II, Field 6 and/or as required for the updates to the ID numbers identified in field 39. Company: South Central Water Company Job Title: President Name (in Print): Doug Barley Phone: (713) 783-6611 Signature: 9-15-25 Date:

TCEQ-10400 (11/22) Page 3 of 3



Original Photographs



IBIT TITLE:

ORIGINAL PHOTOGRAPH WWTP SITE

LOCATIO

SEALY 200 WASTEWATER TREATMENT PLANT

DATE ISSUED:

09/11/2025



TEXAS REGISTERED ENGINEERING FIRM F-9756 2500 Tanglewilde, Suite 120 Houston, Texas 77063 713.789.1900







EXHIBIT TITLE:

DISCHARGE DOWNSTREAM

SEALY 200 WASTEWATER TREATMENT PLANT

DATE ISSUED:

08/26/2025







EXHIBIT TITLE:

DISCHARGE UPSTREAM

SEALY 200 WASTEWATER TREATMENT PLANT


DATE ISSUED: 06/16/2025


TEXAS REGISTERED ENGINEERING FIRM F-9756 2500 Tanglewilde, Suite 120 Houston, Texas 77063 713.789.1900


Z:\40000 WATER RESOURCES_ENG Stds\TPDES Permit Applications\CAD\Original Photo CAD.dwg_5/22/2025 1:29 PM_AAND



Buffer Zone









SPIF Form & SPIF USGS Map

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY SUPPLEMENTAL PERMIT INFORMATION FORM (SPIF)

FOR AGENCIES REVIEWING DOMESTIC OR INDUSTRIAL TPDES WASTEWATER PERMIT APPLICATIONS

TCEQ USE ONLY:
Application type:RenewalMajor AmendmentMinor AmendmentNew
County: Segment Number:
Admin Complete Date:
Agency Receiving SPIF:
Texas Historical Commission U.S. Fish and Wildlife
Texas Parks and Wildlife Department U.S. Army Corps of Engineers
This form applies to TPDES permit applications only. (Instructions, Page 53)
Complete this form as a separate document. TCEQ will mail a copy to each agency as required by our agreement with EPA. If any of the items are not completely addressed or further information is needed, we will contact you to provide the information before issuing the permit. Address each item completely.
Do not refer to your response to any item in the permit application form. Provide each attachment for this form separately from the Administrative Report of the application. The application will not be declared administratively complete without this SPIF form being completed in its entirety including all attachments. Questions or comments concerning this form may be directed to the Water Quality Division's Application Review and Processing Team by email at

Provide the name, address, phone and fax number of an individual that can be contacted to answer specific questions about the property.							
Prefix (Mr., Ms., Miss): Mr.							
First and Last Name: <u>Doug Bailey</u>							
Credential (P.E, P.G., Ph.D., etc.):							
Title: <u>President</u>							
Mailing Address: PO Box 570177							
City, State, Zip Code: <u>Houston, Texas 77257</u>							
Phone No.: <u>713-783-6611</u> Ext.: Fax No.:							
E-mail Address: <u>Doug@soutcentralww.com</u>							
List the county in which the facility is located: <u>Austin</u>							
If the property is publicly owned and the owner is different than the permittee/applicant,							
please list the owner of the property. N/A							
Provide a description of the effluent discharge route. The discharge route must follow the flow							
of effluent from the point of discharge to the nearest major watercourse (from the point of discharge to a classified segment as defined in 30 TAC Chapter 307). If known, please identify							
the classified segment number.							
The effluent discharges into an unnamed ditch, where it will travel approximately 2,442							
<u>feet before outfall to Bullinger Creek.</u>							
Please provide a separate 7.5-minute USGS quadrangle map with the project boundaries plotted and a general location map showing the project area. Please highlight the discharge route from the point of discharge for a distance of one mile downstream. (This map is required in addition to the map in the administrative report).							
Provide original photographs of any structures 50 years or older on the property.							
Does your project involve any of the following? Check all that apply.							
☑ Proposed access roads, utility lines, construction easements							
□ Visual effects that could damage or detract from a historic property's integrity							
☐ Vibration effects during construction or as a result of project design							
□ Additional phases of development that are planned for the future							
☐ Sealing caves, fractures, sinkholes, other karst features							

2.3.


4.

5.


	☐ Disturbance of vegetation or wetlands
1.	List proposed construction impact (surface acres to be impacted, depth of excavation, sealing of caves, or other karst features): Proposed Wastewater treatment plant including underground piping, utilities, varying depths
	between o and 20-ft below ground.
2.	Describe existing disturbances, vegetation, and land use:
	Property is considered irrigated crop land. Property has no existing structures
	TE FOLLOWERS (FEEL OF A DRIVE ONLY TO A DRIVE A FRONCE FOR NEW TRADES DEPONTED AND MALION
	IE FOLLOWING ITEMS APPLY ONLY TO APPLICATIONS FOR NEW TPDES PERMITS AND MAJOR MENDMENTS TO TPDES PERMITS
3.	List construction dates of all buildings and structures on the property:
	There are no existing buildings.
1	Dravide a brief history of the property, and name of the architect/builder if known
4.	Provide a brief history of the property, and name of the architect/builder, if known. Irrigated crop land.









This map is not a legal document. Boundaries may be generalized for this map scale. Private lands within government reservations may not be shown. Obtain permission before entering private lands. Temporal changes may have occurred since these data were collected and some data may no longer represent actual surface conditions.






QU

QT Grid Zone Designation



CONTOUR SMOOTHNESS = Medium





7.5-MINUTE TOPO, TX


2025




Original USGS Map









This map is not a legal document. Boundaries may be generalized for this map scale. Private lands within government reservations may not be shown. Obtain permission before entering private lands. Temporal changes may have occurred since these data were collected and some data may no longer represent actual surface conditions.






QU

QT Grid Zone Designation



CONTOUR SMOOTHNESS = Medium






7.5-MINUTE TOPO, TX

2025



Landowners Map and Cross-Referenced List



AFFECTED LANDOWNERS REFERENCE LIST

REF NO.	OWNER	PIN OWNERS MAILING ADDRESS	PHYSICAL ADDRESS
1	LESCHPER ADOLPH C & EDNA	18713 1232 FRAZER RD , SEALY, TX 77474	0 FRAZER RD, SEALY, TX 77474
2	HEIN WILLIE F TRUST ET AL	20897 21318 LONGMEADOW FARM PWY, RICHMOND, TX 77406	705 FRAZER RD , SEALY, TX 77474
3	BISHOP LAVERTA & JOE WILFRED KUNKEL	13298 16109 ACAPULCO DR , HOUSTON, TX 77040	0 SENS RD, SEALY, TX 77474
4	COLLEY CONSTANCE REID	14350 8818 TANAGER ST , HOUSTON, TX 77036	0 SENS RD, SEALY, TX 77474
5	STORK HALEY NOEL & JONATHAN AARON	60155 1697 SENS RD , SEALY, TX 77474	1697 SENS RD , SEALY, TX 77474
6	TALLEY MICHAEL & CONETTA	22827 1539 SENS RD , SEALY, TX 77474	1539 SENS RD , SEALY, TX 77474
7	BULLINGER CREEK LP	81667 675 BERING DR STE 500 , HOUSTON, TX 77057	OUTPOST DRIVE ,SEALY, TX 77474
8	BULLINGER CREEK LP	81666 675 BERING DR STE 500 , HOUSTON, TX 77057	OUTPOST DRIVE ,SEALY, TX 77474
9	BULLINGER CREEK LP	81665 675 BERING DR STE 500 , HOUSTON, TX 77057	OUTPOST DRIVE ,SEALY, TX 77474
10	BULLINGER CREEK LP	81664 675 BERING DR STE 500 , HOUSTON, TX 77057	OUTPOST DRIVE ,SEALY, TX 77474
11	BULLINGER CREEK LP	81663 675 BERING DR STE 500 , HOUSTON, TX 77057	OUTPOST DRIVE ,SEALY, TX 77474
12	BULLINGER CREEK LP	81662 675 BERING DR STE 500 , HOUSTON, TX 77057	OUTPOST DRIVE ,SEALY, TX 77474
13	BULLINGER CREEK LP	81678 675 BERING DR STE 500 , HOUSTON, TX 77057	OUTPOST DRIVE ,SEALY, TX 77474
14	BULLINGER CREEK LP	81677 675 BERING DR STE 500 , HOUSTON, TX 77057	OUTPOST DRIVE ,SEALY, TX 77474
15	BULLINGER CREEK LP	81676 675 BERING DR STE 500 , HOUSTON, TX 77057	OUTPOST DRIVE ,SEALY, TX 77474
16	BULLINGER CREEK LP	81675 675 BERING DR STE 500 , HOUSTON, TX 77057	OUTPOST DRIVE ,SEALY, TX 77474
17	BULLINGER CREEK LP	81674 675 BERING DR STE 500 , HOUSTON, TX 77057	OUTPOST DRIVE ,SEALY, TX 77474
18	BULLINGER CREEK LP	81680 675 BERING DR STE 500 , HOUSTON, TX 77057	SCENIC COURT, SEALY, TX 77474
19	BULLINGER CREEK LP	81679 675 BERING DR STE 500 , HOUSTON, TX 77057	SCENIC COURT, SEALY, TX 77474
20	BULLINGER CREEK LP	81692 675 BERING DR STE 500 , HOUSTON, TX 77057	SCENIC COURT, SEALY, TX 77474
21	GEKABI LTD	13449 1425 LAKE FRONT CIR STE 200 , THE WOODLANDS, TX 77380	0 FM 1094 , SEALY, TX 77474
22	PALM WILLIAM FRED	20609 PO BOX 485 , SEALY, TX 77474	0 FRAZER RD , SEALY, TX 77474
23	PALM WILLIAM FRED	20609 PO BOX 485 , SEALY, TX 77474	0 FRAZER RD, SEALY, TX 77474
24	SMITH MARLENE F BACHMEYER	17132 28755 ALOHA , MONTGOMERY, TX 77356	2028 FRAZER RD , SEALY, TX 77474
25	ACME BRICK COMPANY	17133 PO BOX 1750 , FORT WORTH, TX 76101	0 SUBSTATION RD, SEALY, TX 77474
26	YOUNG CLARA LOUISE SENS	53160 1932 FRAZER RD , SEALY, TX 77474	1932 FRAZER RD , SEALY, TX 77474
27	CCMM PARTNERS	20979 9630 ASHDOWN FOREST DR , SPRING, TX 77379	0 FRAZER RD , SEALY, TX 77474

LESCHPER ADOLPH C & EDNA 1232 FRAZER RD SEALY TX 77474	HEIN WILLIE F TRUST ET AL 21318 LONGMEADOW FARM PWY RICHMOND TX 77406	BISHOP LAVERTA & JOE WILFRED KUNKEL 16109 ACAPULCO DR HOUSTON TX 77040
COLLEY CONSTANCE REID 8818 TANAGER ST HOUSTON TX 77036	STORK HALEY NOEL & JONATHAN AARON 1697 SENS RD SEALY TX 77474	TALLEY MICHAEL & CONETTA 1539 SENS RD SEALY TX 77474
BULLINGER CREEK LP	BULLINGER CREEK LP	BULLINGER CREEK LP
675 BERING DR STE 500	675 BERING DR STE 500	675 BERING DR STE 500
HOUSTON TX 77057	HOUSTON TX 77057	HOUSTON TX 77057
BULLINGER CREEK LP	BULLINGER CREEK LP	BULLINGER CREEK LP
675 BERING DR STE 500	675 BERING DR STE 500	675 BERING DR STE 500
HOUSTON TX 77057	HOUSTON TX 77057	HOUSTON TX 77057
BULLINGER CREEK LP	BULLINGER CREEK LP	BULLINGER CREEK LP
675 BERING DR STE 500	675 BERING DR STE 500	675 BERING DR STE 500
HOUSTON TX 77057	HOUSTON TX 77057	HOUSTON TX 77057
BULLINGER CREEK LP	BULLINGER CREEK LP	BULLINGER CREEK LP
675 BERING DR STE 500	675 BERING DR STE 500	675 BERING DR STE 500
HOUSTON TX 77057	HOUSTON TX 77057	HOUSTON TX 77057
BULLINGER CREEK LP	BULLINGER CREEK LP	GEKABI LTD
675 BERING DR STE 500	675 BERING DR STE 500	1425 LAKE FRONT CIR STE 200
HOUSTON TX 77057	HOUSTON TX 77057	THE WOODLANDS TX 77380
PALM WILLIAM FRED	PALM WILLIAM FRED	SMITH MARLENE F BACHMEYER
PO BOX 485	PO BOX 485	28755 ALOHA
SEALY TX 77474	SEALY TX 77474	MONTGOMERY TX 77356
ACME BRICK COMPANY	YOUNG CLARA LOUISE SENS	CCMM PARTNERS
PO BOX 1750	1932 FRAZER RD	9630 ASHDOWN FOREST DR
FORT WORTH TX 76101	SEALY TX 77474	SPRING TX 77379

Appendix G

Treatment Process Description

Treatment Process Description

Phase I:

Interim Phase I will have the capacity to serve an average daily flow of 0.075 MGD and a 2-hr peak flow of 208 GPM. The conventional activated sludge processing plant will utilize an onsite lift station to pump raw influent from the proposed development to the elevated headworks consisting of two (2) manual bar screens. Weir plates in the headworks flow splitting structure will evenly split the screened influent and then gravity flow into each of the two (2) aeration basins. From the aeration basins, mixed liquor will be conveyed into the clarifier. The settled effluent will be returned to the aerated activated sludge basins or wasted to the two (2) aerated digester basins. The supernatant from the clarifier will flow over the v-notch weir, into the effluent drop box, and into one (1) aerated chlorine contact basin where flow will be conveyed through baffle walls to facilitate mixing and maintain a minimum contact time of 20-min. Disinfected effluent is then conveyed to the v-notch weir and drop box where it will gravity flow into the sampling manhole where effluent constituents will be sampled and tested. From the sampling manhole, disinfected effluent will gravity flow to the outfall into an unnamed ditch.

Phase II:

Interim Phase II will have the capacity to serve an average daily flow of 0.30 MGD and a 2-hr peak flow of 833 GPM. The conventional activated sludge processing plant will utilize an onsite lift station to pump raw influent from the development to the elevated headworks consisting of two (2) manual bar screens. Weir plates in the headworks flow splitting structure will evenly split the screened influent and then gravity flow into each of the six (6) aeration basins. From the aeration basins, mixed liquor will be conveyed into two (2) clarifiers. The settled effluent will be returned to the aerated activated sludge basins or wasted to the six (6) aerated digester basins. The supernatant from the clarifiers will flow over the v-notch weir, into the effluent drop box, and into the two (2) aerated chlorine contact basins where flow will be conveyed through baffle walls to facilitate mixing and maintain a minimum contact time of 20-min. Disinfected effluent is then conveyed to the v-notch weir and drop box where it will gravity flow into the sampling manhole where effluent constituents will be sampled and tested for each basin. From each of the two (2) sampling manholes, disinfected effluent will gravity flow to a common manhole to combine flows from each chlorine contact basin before outfalling into an unnamed ditch.

Phase III:

Interim Phase III will have the capacity to serve an average daily flow of 0.60 MGD and a 2-hr peak flow of 1,667 GPM. The conventional activated sludge processing plant will utilize an onsite lift station to pump raw influent from the development to the elevated headworks consisting of two (2) manual bar screens. Weir plates in the headworks flow splitting structure will evenly split the screened influent and then gravity flow into each of the twelve (12) aeration basins. From the aeration basins, mixed liquor will be conveyed into three (3) clarifiers. The settled effluent will be returned to the aerated activated sludge basins or wasted to the twelve (12) aerated digester basins. The supernatant from the clarifiers will flow over the v-notch weir, into the effluent drop box, and into the three (3) aerated chlorine contact basins where flow will be conveyed through baffle walls to facilitate mixing and

maintain a minimum contact time of 20-min. Disinfected effluent is then conveyed to the v-notch weir and drop box where it will gravity flow into the sampling manhole where effluent constituents will be sampled and tested for each basin. From each of the three (3) sampling manholes, disinfected effluent will gravity flow to a common manhole to combine flows from each chlorine contact basin before out falling into an unnamed ditch.



Treatment Unit Description


Phase I				
Treatment Unit	L x W x D x SWD	Total Volume (ft³)		
Aeration Basin 1	32'x12'x12'x10.5'	3,948		
Aeration Basin 2	32'x12'x12'x10.5'	3,948		
Total Ph I Aeratio	n Volume	7,896		
Digester Basin 1	20'x12'x12'x10.5'	2,520		
Digester Basin 2	20'x12'x12'x10.5'	2,520		
Total Ph I Digeste	er Volume	5,040		
Chlorine Contact Basin 1	16'x12'x12'x10'	1,600		
Total Ph I Disinfection	Total Ph I Disinfection Basin Volume			
Treatment Unit	Diameter (ft)	Surface Area (ft²)	SWD (ft)	Total Volume (ft³)
Clarifier 1	32	804.2	10.7	8,605.5
	Total Ph I Clarifier Surface	804.2	Total Ph I Clarifier	8,605.5
	Area		Volume	


Phase II				
Treatment Unit	LxWxDxSWD	Total Volume (ft³)		
Aeration Basin 1	32'x12'x12'x10.5'	3,948		
Aeration Basin 2	32'x12'x12'x10.5'	3,948		
Aeration Basin 3	32'x12'x12'x10.5'	3,948		
Aeration Basin 4	32'x12'x12'x10.5'	3,948		
Aeration Basin 5	32'x12'x12'x10.5'	3,948		
Aeration Basin 6	32'x12'x12'x10.5'	3,948		
Total Ph II Aerati	ion Volume	23,688		
Digester Basin 1	20'x12'x12'x10.5'	2,520		
Digester Basin 2	20'x12'x12'x10.5'	2,520		
Digester Basin 3	20'x12'x12'x10.5'	2,520		
Digester Basin 4	20'x12'x12'x10.5'	2,520		
Digester Basin 5	20'x12'x12'x10.5'	2,520		
Digester Basin 6	20'x12'x12'x10.5'	2,520		
Total Ph II Diges	ter Volume	15,120		
Chlorine Contact Basin 1	16'x12'x12'x10'	1,600		
Chlorine Contact Basin 2	16'x12'x12'x10'	1,600		
Total Ph II Disinfectio	n Basin Volume	3,200		
Treatment Unit	Diameter (ft)	Surface Area (ft²)	SWD (ft)	Total Volume (ft³)
Clarifier 1	32	804.2	10.7	8,605.5
Clarifier 2	32	804.2	10.7	8,605.5
	Total Ph II Clarifier Surface Area	1,608.5	Total Ph II Clarifier Volume	17,211


Phase III				
Treatment Unit	LxWxDxSWD	Total Volume (ft³)		
Aeration Basin 1	32'x12'x12'x10.5'	3,948		
Aeration Basin 2	32'x12'x12'x10.5'	3,948		
Aeration Basin 3	32'x12'x12'x10.5'	3,948		
Aeration Basin 4	32'x12'x12'x10.5'	3,948		
Aeration Basin 5	32'x12'x12'x10.5'	3,948		
Aeration Basin 6	32'x12'x12'x10.5'	3,948		
Aeration Basin 7	32'x12'x12'x10.5'	3,948		
Aeration Basin 8	32'x12'x12'x10.5'	3,948		
Aeration Basin 9	32'x12'x12'x10.5'	3,948		
Aeration Basin 10	32'x12'x12'x10.5'	3,948		
Aeration Basin 11	32'x12'x12'x10.5'	3,948		
Aeration Basin 12	32'x12'x12'x10.5'	3,948		
Total Ph III Aerat	ion Volume	47,968		
Digester Basin 1	20'x12'x12'x10.5'	2,520		
Digester Basin 2	20'x12'x12'x10.5'	2,520		
Digester Basin 3	20'x12'x12'x10.5'	2,520		
Digester Basin 4	20'x12'x12'x10.5'	2,520		
Digester Basin 5	20'x12'x12'x10.5'	2,520		
Digester Basin 6	20'x12'x12'x10.5'	2,520		
Digester Basin 7	20'x12'x12'x10.5'	2,520		
Digester Basin 8	20'x12'x12'x10.5'	2,520		
Digester Basin 9	20'x12'x12'x10.5'	2,520		
Digester Basin 10	20'x12'x12'x10.5'	2,520		
Digester Basin 11	20'x12'x12'x10.5'	2,520		
Digester Basin 12	20'x12'x12'x10.5'	2,520		
Total Ph III Diges	ter Volume	30,240		
Chlorine Contact Basin 1	16'x12'x12'x10'	1,600		
Chlorine Contact Basin 2	16'x12'x12'x10'	1,600		
Chlorine Contact Basin 2	16'x12'x12'x10'	1,600		
Total Ph III Disinfection	on Basin Volume	4,800		
Treatment Unit	Diameter (ft)	Surface Area (ft²)	SWD (ft)	Total Volume (ft³)
Clarifier 1	32	804.2	10.7	8,605.5
Clarifier 2	32	804.2	10.7	8,605.5
Clarifier 3	32	804.2	10.7	8,605.5
	Total Ph III Clarifier Surface Area	2,412.6	Total Ph III Clarifier Volume	25,816.5



Flow Diagram








Appendix J

Site Drawing



Appendix K

CCN Service Request

LETTER OF TRANSMITTAL



			T	-	
2500 Tanglewilde, S	Suite 120	Regular USPS	FedEx	Courier from WGA	End of Day
Houston, Texas 770	63	X Certified USPS	Overnight	Courier to WGA	Expedited
				Date:	8/13/2025
Project No: 4	0003 - 023				
To:					
Ngo Industrial Ho	oldings LLC and	Acme Brick Compa	any		
5850 SanFelipe St	treet, Suite 601				
Houston, Texas 7'	7057				
Attn:	1001				
7 11111.					
Phone Number:					
713-491-657	1				
Email Address: cc	chen@wga-llc.co	<u>om</u>			
Delivery Instruction	ons:				
Re: South Centra	l Water Compar	y – Request for Ser	vice – Application	on for New TPDES Per	mit
Quantity	Description				
1	Request for S	Service Letter			
1	3-Mile Buffe	r Map			

Cecilia Chen, Project Engineer Ward, Getz & Associates, LLC

Cecilialhan



August 13, 2025

Sealy Power Peaking Facility NGO Industrial Holdings LLC and Acme Brick Company 5850 San Felipe St, Suite 601 Houston, TX77057

SUBJECT: South Central Water Company

Sealy 200

Application for New TPDES Permit

Greetings Sealy Power Peaking Facility,

South Central Water Company is preparing an application for a new Texas Pollutant Discharge Elimination System (TPDES) wastewater discharge permit. This wastewater treatment facility will serve a proposed subdivision which will consist of an ultimate buildout of single-family residences. We are in the process of applying for an authorized flow of 0.075 million gallons per day (MGD) in Phase I. 0.3 MGD in Phase II. Ultimate Phase III will require a capacity of 0.60 MGD.

We are required to contact all existing TPDES permittees within a three-mile radius of the proposed wastewater treatment facility location to request service to promote regionalization. Your plant, Sealy Power Peaking Facility (WQ0005268000) is within the three-mile radius. Do you have the capacity and are you willing to provide service for the requested 0.60 MGD? If you do not have the current capacity, but are willing to expand your facility to provide service, will you be able to provide service within the needed time frame? If you are willing to provide service, please provide the estimated costs and service rates in a written response.

Please provide a response indicating if 0.60 MGD of wastewater treatment capacity in your facility is available and, if so, under what terms. A written reply on a copy of this letter will be adequate. You may email your response to cchen@wga-llc.com. Please feel free to call me at 713-491-6571 if you have any questions.

Thank you for your participation in these efforts.

Sincerely,

Cecilia Chen Project Engineer


Ward, Getz & Associates, LLC

exilialhan




Date of Reply:	
•	r Peaking Facility (WQ0005268000) have the capacity available to 60 MGD (circle one)? YES or NO
If existing facilities	are not adequate, is expansion feasible? YES or NO
If yes to EITHER q	uestion, please provide in writing the terms for service.
Name and Title:	
Sianature:	Date:

3-Mile Radius Buffer



8/13/2025, 2:34:23 PM

Wastewater Outfalls



Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, (c) OpenStreetMap contributors, and the GIS User Community, Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community, TCEQ

									,
2500 Tanglewilde, Sui	ite 120 Regular USPS	FedEx	Courier from WGA	End of Day	Total Signa	First-(Certifi Retur	Shipn Letter 0.7 oz	Recij Ngo li 5850 Houst	00
Houston, Texas 77063	X Certified USPS	Overnight	Courier to WGA	Expedited	Total Signature not	First-Class Mail® Certified Mail® Return Receipt E	ment	pient , ndustri San Fo ton,TX	8/19/25
			Date:	8/13/2025	not ava	First-Class Mail® Certified Mail® Return Receipt Electronic	Shipment Information Letter 0.7 oz	Recipient Address Ngo Industrial Holdings LLC 5850 San Felipe St, Ste 601 Houston,TX 77057-8004,US	
Project No: 400	003 - 023		Date.	6/15/2025	available yet	tronic	ation	Ste 60 8004,U	
					/et			© <u>7</u> C	lgo Indi
To:									Ngo Industrial Holdings LLC
Ngo Industrial Hold	lings LLC and Acme Brick Compa	iny							lolding
									S
5850 SanFelipe Stre	eet, Suite 601								A
Houston, Texas 770	057								
Attn:									First-Class Mail®
Phone Number:									/\ail®
713-491-6571	0 "								
Email Address: cch	en@wga-llc.com				\$8.86	\$0.74 \$5.30 \$2.82			941
Delivery Instruction	is:					usps	Tra 941	Ser Mar 250 Hou	9414809898643072844585
Re: South Central V	Water Company – Request for Serv	vice – Applicatio	n for New TPDES Pe	rmit		Carrier Account usps	Tracking Number 9414809898643072844585	Sender address Maren Evans-Thiim 2500 Tanglewilde St, Ste 120 Houston,TX 77063-2123,US	986430
					J 1	ccoun	Numb 986430	ddres: ns-Thii ns-dide lewilde X 7706	72844
Quantity	Description					=) er 172844	st, Ste 3-2123	
1	Request for Service Letter) 120),US	<u> </u>		
1	3-Mile Buffer Map						<u> </u>		
Tracking Number:									_
94148098986	643072844585								elivery
Copy 📌 Add t	to Informed Delivery								Deliveryattempt
									3
Latest Update			Delivery Attempt Redelivery Scheduled fo	r Next Business Day					
	deliver your package at 10:29 am on Aug	gust	HOUSTON, TX 77057 August 23, 2025, 10:29 ar	n					\$8.86
	ON, TX 77057 because the business wa eliver on the next business day. No action	s n							66
needed.			Redelivery Scheduled fo HOUSTON, TX 77057	r Next Business Day					
Get More Out of U	ISDS Tracking		August 22, 2025, 11:47 ar	n					me
USPS Tracking	•		Arrived at USPS Regiona	al Facility			Acc Refe	Purcl 8/19/2 User	vans(
			SOUTH HOUSTON PROC August 21, 2025, 6:02 am				Accounti Reference	chase //25, 1: /r	mevans@wga-llc.com
		Į.					Accounting and Reference Reference One: EWilson - 4000	Purchased on 8/19/25, 1:16 PM User mevans@wga-llc.com	c.com
			Arrived at USPS Regiona NORTH HOUSTON TX DI:	-			nd Refer	com	
		1	August 20, 2025, 4:44 pm				erenci n - 400		
			Accepted at USPS Origi	n Facility			ince 40003-023		
			HOUSTON, TX 77063 August 20, 2025, 3:29 pm				ω		
			Pre-Shipment, USPS Aw August 19, 2025	aiting Item					

Hide Tracking History

LETTER OF TRANSMITTAL



2500 Tanglewilde, Suit Houston, Texas 77063	te 120	Regular USPS Certified USPS	FedEx Overnight	Courier from WGA Courier to WGA	End of Day Expedited
				Date:	8/13/2025
Project No: 400	003 - 023				
To:					
POSITIVE FEED, L	TD				
P.O. Box 1049					
Sealy, Texas 77474					
Attn:					
Phone Number: 713-491-6571					
Email Address: cche	n@wga-llc.com				
Delivery Instructions	s:				
Re: South Central W	Vater Company -	Request for Ser	vice – Applicatio	on for New TPDES Per	mit
Overtites	Description				
-	Description Request for Serv	ica Lattor			
1	3-Mile Buffer M	ар			

Cecilia Chen, Project Engineer Ward, Getz & Associates, LLC

Cecilialhan



August 13, 2025

Positive Feed, Ltd P.O. Box 1049 Sealy, TX77474

SUBJECT: South Central Water Company

Sealy 200

Application for New TPDES Permit

Greetings Positive Feed,

South Central Water Company is preparing an application for a new Texas Pollutant Discharge Elimination System (TPDES) wastewater discharge permit. This wastewater treatment facility will serve a proposed subdivision which will consist of an ultimate buildout of single-family residences. We are in the process of applying for an authorized flow of 0.075 million gallons per day (MGD) in Phase I. 0.3 MGD in Phase II. Ultimate Phase III will require a capacity of 0.60 MGD.

We are required to contact all existing TPDES permittees within a three-mile radius of the proposed wastewater treatment facility location to request service to promote regionalization. Your plant, Positive Feed (WQ0002314000) is within the three-mile radius. Do you have the capacity and are you willing to provide service for the requested 0.60 MGD? If you do not have the current capacity, but are willing to expand your facility to provide service, will you be able to provide service within the needed time frame? If you are willing to provide service, please provide the estimated costs and service rates in a written response.

Please provide a response indicating if 0.60 MGD of wastewater treatment capacity in your facility is available and, if so, under what terms. A written reply on a copy of this letter will be adequate. You may email your response to cchen@wga-llc.com. Please feel free to call me at 713-491-6571 if you have any questions.

Thank you for your participation in these efforts.

Sincerely,

Cecilia Chen Project Engineer


Ward, Getz & Associates, LLC

Exilialhan




Date of Reply:	-	
Does Positive Feed (WQ000) MGD (circle one)? YES or NO	2314000) have the capacity available to acco	ommodate 0.60
If existing facilities are not ade	equate, is expansion feasible? YES or NO	
If yes to EITHER question, plea	ase provide in writing the terms for service.	
Name and Title:		
Signature:	Date:	

3-Mile Radius Buffer



8/13/2025, 2:34:23 PM

Wastewater Outfalls



Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, (c) OpenStreetMap contributors, and the GIS User Community, Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community, TCEQ

2500 Tanglewilde, Suite 120 Regular USPS Regular USPS Regular USPS Regular USPS Overnight Courier from WGA End of Day Expedited Date: 8/13/2025 Project No: 40003 - 023 To: POSITIVE FEED, LTD	Total View Signature	First-Class Mail® Certified Mail® Return Receipt Electronic	Shipment Information Letter 0.7 oz	Recipient Address Positive Feed, LTD PO Box 1049 Sealy, TX 77474-1049, US	8/19/25 Positive Feed, LTD
P.O. Box 1049 Sealy, Texas 77474					A
Attn:					First
Phone Number: 713-491-6571					First-Class Mail®
Email Address: cchen@wga-llc.com					藰
Delivery Instructions:	\$8. 86.	\$0.74 \$5.30 \$2.82			
Re: South Central Water Company – Request for Service – Application for New TPDES Permit			9 -	T 2 Z 19	941480
Quantity Description 1 Request for Service Letter 1 3-Mile Buffer Map 9414809898643072843762 [=] Delivered \$8.86 meyer		usps	Tracking Number 9414809898643072843762	Sender address Maren Evans-Thiim 2500 Tanglewilde St, Ste 120 Houston,TX 77063-2123,US	9414809898643072843762
9414809898643072843762 🖹 Delivered \$8.86 mevi			<u> </u>	S 20	
Proof of Delivery: Signature					Delivered
In Z					
J Ha-5-					\$8.86
Download Signature Email Signature			Accounting : Reference One	Purchased on 8/19/25, 1:12 PM User mevans@wga-llc.com	mevans@wga-llc.com
			Accounting and Reference Reference One: EWilson - 40003-023	in PM -Ilc.com	ЭM

Appendix L

Design Calculations

PROJECT NAME: Sealy 200 DATE: 8/25/2025

CLIENT: South Central BY: CC PROJECT NUMBER: 40003 - 023 QC:

WASTEWATER AND PLANT CHARACTERIZATION

Flow Rates

Annual Average			0.075 MGI	52	GPM	0.12	CFS
Peak Month	Factor	1.5	0.1 MGI	78	GPM	0.17	CFS
Peak 2-Hour	Factor	4	0.3 MGI	208	GPM	0.47	CFS
Min. Month	Factor	0.5	0.0 MGI	26	GPM	0.06	CFS

PHASE 1

Raw Wastewater Concentrations

BOD (total)
BOD (soluble)
TSS
VSS
TKN
NH3-N
TP

A	2-Hour	Peak	Min.		
Avg.	Peak	Month	Month		
300	100	250	200	mg/L	
180				mg/L	
300				mg/L	
240				mg/L	
50				mg/L	
40				mg/L	
0				mg/L	

Effluent Requirements

BOD	10	mg/l
TSS	15	mg/l
NH3-N	3	mg/l
TP	0	mg/l
DO	6	mg/L

Select Treatment Processes from the List

Preliminary Treatment
Primary Treatment
Biological Treatment
Solids Treatment

Coarse Screening
None
Conventional Activated Sludge w/ Nitrification, @ Min.
Aerobic Digestion + Dewatering

WASTEWATE	R CHARACTERISTICS	
INFLUENT MASS LOADING		
BOD5 (AVG)	187.7	lbs/day
BOD5 (2-HR PEAK)	250.2	lbs/day
BOD5 (PEAK MONTH)	234.6	lbs/day
BOD5 (MIN MONTH)	62.6	lbs/day
TSS	187.7	lbs/day
NH ₃	25.0	lbs/day
TKN	31.3	lbs/day
EFFLUENT COMPOSITION (ASSUMED FOR CONSERVATIVE DESIGNATION)	GN)	
BOD5	10.0	mg/L
TSS	15.0	mg/L
NH ₃	3.0	mg/L
TKN	0.0	mg/L
		•

AERATION BASIN

Description	Value	Unit
AERATION BASIN CALCULATIONS - TCEQ TRADITIONAL DESIGN - TCEQ 217, SUBCHAPTER F		
Aeration Basin Maximum Organic Loading	35.0	lbs/day/1000 ft ³
Minimum Number of Basins (For Flow > 0.4 MGD)	2.0	EA
BOD Removal Credit for Preliminary and Primary Treatment (Optional)	0%	
Total Peak BOD Loading (Based on Design Flow)	188	lbs/day
Total Aeration Basin Volume Required	5,362	ft ³
AERATION BASIN SIZING		
Proposed Number of Basins	2.0	
Side Water Depth of Basins	10.5	ft
Freeboard	1.5	ft
Total Depth of Basin	12.0	ft
Diffuser Submergence	9.4	ft
Required Volume of Each Aeration Basin	2,681	ft ³
Surface Area of Each Basin	255	ft ²
Width to Length Ratio (1:X)	2.6	
Required Width of Each Basin	12.0	ft
Required Length of Each Basin	32	ft
Proposed Volume of Each Aeration Basin	3,948	ft ³
Proposed Total Aeration Basin Volume	7,896	ft ³

nfluent NH₁			
nfluent DOD,	WASTEWATER CHARACTERISTICS		
nfluent NH₁	-		
influent NH₂	Influent BOD ₅	300.0	
2018 Flow (Q _{cvc}) 75,000.0 gpd		300.0	mg/L
Daily Flow $(Q_{\alpha y})$ 52.1 gpm Daily Flow $(Q_{\alpha y})$ 0.116 ds Daily Flow $(Q_{\alpha y})$ 0.000 gpd Daily Flow $(Q_{\alpha y})$ 0.000 gpd Daily Flow $(Q_{\alpha y})$ 0.0455 ds Daily Flow $(Q_{\alpha y})$ 1.188.1 lbs/day Daily Flow $(Q_{\alpha y})$ 1.188.1 lbs/day Daily Flow $(Q_{\alpha y})$ 1.188.1 lbs/day Description Description Description Description Description Pescription Description Description Description Description Value Unit Description Description Description Description Angue Description Descripti	Influent NH ₃	40.0	mg/L
Daily Flow (Q _{avc})	Daily Flow (Q _{AVE})	75,000.0	gpd
2-hr Peak Flow (Q _{re}) 208.3 gpm -hr Peak Flow (Q _{re}) 208.3 gpm -hr Peak Flow (Q _{re}) 208.3 gpm -hr Peak Flow (Q _{re}) 26.5 18.5	Daily Flow (Q _{AVE})	52.1	gpm
2-hr Peak Flow (Q _{re}) 208.3 gpm -hr Peak Flow (Q _{re}) 208.3 gpm -hr Peak Flow (Q _{re}) 208.3 gpm -hr Peak Flow (Q _{re}) 26.5 18.5	Daily Flow (Q _{AVE})	0.116	cfs
2-hr Peak Flow (Q _{rel}) 208.3 gpm 208.1 gpm 208.6 rfs 809.2		300.000	gpd
2-hr Peak Flow (Q _{or})			
188.1 188.1 185/day 188.1 185/day 188.1 185/day 188.2 188.1 185/day 188.2 188.2 188.2 188.2 188.3 188.2 188.			
188.1 188.			
Description			
Description Conventional Activated Sludge w/ Nitrification, @ Min. Temp > 15°C SECONDARY CLARIFIER Description Value Unit Number of Clarifiers Neverage Flow Per Clarifier 0.200 MGD Average Flow Per Clarifier 0.80 MGD Casek Flow Per Clarifier 0.80 MGD Casel Flow Per Clarifier 0.80 MGD Casel Flow Per Clarifier 0.80 Round Design Number of Segments (Leave Blank If Designed Round) SURFACE AREA DESIGN - TCEQ 217.154 (c)(1) CEQ Max Surface Loading (Q _{Nck}) TCEQ 317.4 (d)(5) TCEQ Max Surface Loading (Q _{Nck}) TCEQ 317.4 (c)(1) TCEQ Max Surface Loading (Q _{Nck}) TCEQ 317.4 (c)(1) TCEQ Max Surface Loading (Q _{Nck}) TCEQ 317.4 (c)(1) TCEQ Max Surface Loading (Q _{Nck}) TCEQ 317.4 (c)(1) TCEQ Max Surface Loading (Q _{Nck}) TCEQ 317.4 (c)(1) TCEQ Max Surface Loading (Q _{Nck}) TCEQ 317.4 (c)(1) TCEQ Max Surface Loading (Q _{Nck}) TCEQ 317.4 (c)(1) TCEQ Max Surface Loading (Q _{Nck}) TCEQ 317.4 (c)(1) TCEQ Min Surface Area Required for All Clarifiers at Peak Flow Per Clarifier 100 100 100 100 100 100 100 1			
Description	TSS	188.1	lbs/day
Description Value Unit	Description		
Description Number of Clarifiers 1.0 Ea Nerage Flow Per Clarifier O.200 MGD Peak Flow Per Clarifier O.80 MGD Peak Flow Per Clarifier Round Peak Flow Per Clarifier Round Peak Flow Per Clarifier OR Round Peak Flow Per Clarifier OESIGN Number of Segments (Leave Blank If Designed Round) SURFACE AREA DESIGN - TCEQ 217.154 (c)(1) TCEQ Max Surface Loading (Q _{Avc}) TCEQ 317.4 (d)(5) TCEQ Max Surface Loading (Q _{Avc}) TCEQ 217.154 (c)(1) TCEQ Max Surface Loading (Q _{Avc}) TCEQ 217.154 (c)(1) TCEQ Max Surface Area Required for All Clarifiers OEN Flow Flow Per Clarifier OEN Flow Flow Per Clarifier OEN Flow Flow Flow Flow Per Clarifier OEN Flow Flow Flow Flow Flow Flow Flow Flow			
Number of Clarifiers Average Flow Per Clarifier O.200 MGD Average Flow Per Clarifier O.80 MGD Clarifier Shape (Round, Octagonal, Square) Round Round Design Number of Segments (Leave Blank If Designed Round) SURFACE AREA DESIGN - TCEQ 217.154 (c)(1) CCEQ Max Surface Loading (Q _{Avc}) TCEQ 317.4 (d)(5) CCEQ Max Surface Loading (Q _{Avc}) TCEQ 317.4 (d)(5) TCEQ Max Surface Loading (Q _{Avc}) TCEQ 217.154 (c)(1) Design Diameter Surface Area Required at Peak Flow Per Clarifier Surface Area Required for All Clarifiers at Peak Flow G66.7 ft² Fortage Area Required for All Clarifiers Actual Design Surface Area for All Clarifiers Actual Design Surface Loading at Design Flow (Q _{ov}) Actual Design Surface Loading at Peak Flow (Q _{ov}) Side Water Depth For Clarifier Surface Area Greater Than 300 sqft. Side Water Depth For Clarifier Surface Area Greater Than 300 sqft. Side Water Depth For Clarifier Surface Area Greater Than 300 sqft. Side Water Depth For Clarifier Surface Area Greater Than 300 sqft. Side Water Depth For Clarifier Surface Area Greater Than 300 sqft. Side Water Depth For Clarifier Surface Area Greater Than 300 sqft. Side Water Depth For Clarifier Surface Area Greater Than 300 sqft. Side Water Depth For Clarifier Surface Area Greater Than 300 sqft. Side Water Depth For Clarifier Surface Area Equal To Or Less Than 300 sqft. Side Water Depth For Clarifier Surface Area Equal To Or Less Than 300 sqft. Side Water Depth For Clarifier Surface Area Equal To Or Less Than 300 sqft. Side Water Depth For Clarifier Surface Area Equal To Or Less Than 300 sqft. Side Water Depth For Clarifier Surface Area Equal To Or Less Than 300 sqft. Side Water Depth For Clarifier Surface Area Equal To Or Less Than 300 sqft. Side Water Depth For Clarifier Surface Area Equal To Or Less Than 300 sqft. Side Water Depth For Clarifier Surface Area Equal To Or Less Than 300 sqft. Side Water Depth For Clarifier Surface Area Equal To Or Less Than 300 sqft. Side Water Depth For Clarifier Surface Area Equal To Or Less		Value	lleit
Average Flow Per Clarifier low Flow (Q _{exp}) Average Flow Per Flow Flow Flow Flow Flow Flow Flow Flow	Description	value	Unit
Average Flow Per Clarifier low Flow (Q _{exp}) Average Flow Per Flow Flow Flow Flow Flow Flow Flow Flow	Number of Clarifiers	1.0	Fa
Peak Flow Per Clarifier Design Weir Shape (Round, Octagonal, Square) Design Weir Shape (Round, Segmented) Design Number of Segments (Leave Blank If Designed Round) SURFACE AREA DESIGN - TCEQ 217.154 (c)(1) CCEQ Max Surface Loading (Q _{AvG}) TCEQ 317.4 (d)(5) CCEQ Max Surface Loading (Q _{AvG}) TCEQ 217.154 (c)(1) Design Diameter Surface Area Required at Peak Flow Per Clarifier Surface Area Required for All Clarifiers at Peak Flow Proposed Surface Area Per Clarifier Surface Area Required Surface Area for All Clarifiers Rectual Design Surface Loading at Design Flow (Q _{AvG}) Actual Design Surface Loading at Peak Flow (Q _{AvG}) Surface Area Required for All Clarifiers Surface Area Per Clarifier Surface Area Required for All Clarifiers Surface Area Required for All Clarifiers Surface Area Per Clarifier Surface Area Per Clarifier Surface Area Required for All Clarifiers Surface Area Requi			
Design Weir Shape (Round, Segmented) Design Number of Segments (Leave Blank If Designed Round) SURFACE AREA DESIGN - TCEQ 217.154 (c)(1) TCEQ Max Surface Loading (Q _{avc}) TCEQ 317.4 (d)(5) TCEQ Max Surface Loading (Q _{avc}) TCEQ 217.154 (c)(1) Design Diameter Surface Area Required at Peak Flow Per Clarifier Surface Area Required for All Clarifiers at Peak Flow Proposed Surface Area Per Clarifier Botal Proposed Surface Area Flow Proposed Surface Area Per Clarifier Botal Proposed Surface Area Per Clarifier Botal Proposed Surface Area Flow Proposed Surface Loading at Design Flow (Q _{avc}) Botal Design Surface Loading at Peak Flow (Q _{avc}) Botal Design Surface Loading At Peak Flow (Q _{avc}) Botal Des	Peak Flow Per Clarifier	+	
Design Weir Shape (Round, Segmented) Design Number of Segments (Leave Blank If Designed Round) SURFACE AREA DESIGN - TCEQ 217.154 (c)(1) TCEQ Max Surface Loading (Q _{avc}) TCEQ 317.4 (d)(5) TCEQ Max Surface Loading (Q _{avc}) TCEQ 217.154 (c)(1) Design Diameter Surface Area Required at Peak Flow Per Clarifier Surface Area Required for All Clarifiers at Peak Flow Proposed Surface Area Per Clarifier Botal Proposed Surface Area Flow Proposed Surface Area Per Clarifier Botal Proposed Surface Area Per Clarifier Botal Proposed Surface Area Flow Proposed Surface Loading at Design Flow (Q _{avc}) Botal Design Surface Loading at Peak Flow (Q _{avc}) Botal Design Surface Loading At Peak Flow (Q _{avc}) Botal Des	Clarifier Shape (Round, Octagonal, Square)	Round	
SURFACE AREA DESIGN - TCEQ 217.154 (c)(1) TCEQ Max Surface Loading (Q _{AVG}) TCEQ 317.4 (d)(5) TCEQ Max Surface Loading (Q _{PK}) TCEQ 217.154 (c)(1) Design Diameter Surface Area Required at Peak Flow Per Clarifier Surface Area Required for All Clarifiers at Peak Flow Proposed Surface Area Per Clarifier Solution of the surface Area Per Clarifier Solution of the surface Area for All Clarifiers Actual Design Surface Area for All Clarifiers Actual Design Surface Loading at Design Flow (Q _{ove}) Actual Design Surface Loading at Peak Flow (Q _{ove}) SIDE WATER DEPTH - TCEQ 217.152 (g) Side Water Depth For Clarifier Surface Area Greater Than 300 sqft. Side Water Depth For Clarifier Surface Area Greater Than 300 sqft. Proposed Clarifier Surface Water Depth (Not Total Depth) Design Floor Slope (1:X) Design Floor Slope (1:X) Proposed Clarifier Side Water Depth (Including 1:12, sloped bottom) 10.0 ft Proposed Clarifier Side Water Depth (Including 1:12, sloped bottom) 11.0 ft Proposed Clarifier Time (Q _{AVE}) 12.0 ft PADRAULIC DETENTION TIME - TCEQ 217.154 (c)(1) CCEQ Min Detention Time (Q _{PK}) 1.8 hours Recycle Ratio at Design Flow (200 gpd/sf) Per Clarifier	Design Weir Shape (Round, Segmented)	Round	
TCEQ Max Surface Loading (Q_{AVG}) TCEQ 317.4 (d)(5) TOO gal/day/ft² TCEQ Max Surface Loading (Q_{PK}) TCEQ 217.154 (c)(1) 1,200 gal/day/ft² TCEQ Max Surface Loading (Q_{PK}) TCEQ 217.154 (c)(1) 1,200 gal/day/ft² TCEQ Max Surface Loading (Q_{PK}) TCEQ 217.154 (c)(1) 1,200 gal/day/ft² TCEQ Max Surface Area Required at Peak Flow Per Clarifier 32.0 ft TCEQ Max Surface Area Required at Peak Flow Per Clarifier 666.7 ft² TCEQ Max Surface Area Required at Peak Flow Per Clarifier 666.7 ft² TCEQ Max Surface Area Required at Peak Flow Per Clarifier 666.7 ft² TCEQ Description of the Peak Flow Per Clarifier Surface Area Required for All Clarifiers 804.2 ft² TCEQ Description Surface Area Fer All Clarifiers 804.2 ft² TCEQ Description Surface Loading at Design Flow (Q_{AVC}) 994.7 gal/day/ft² TCEQ Max Surface Area Fer Clarifier Surface Area Greater Than 300 sqft. 10 ft TCEQ Max Surface Area Fer Clarifier Surface Area Equal To Or Less Than 300 sqft. 10 ft TCEQ Minimum Depth Requirement 10.0 ft TCEQ Min Detention Time (Q_{AVE}) 12.0 ft TCEQ Min Detention Time (Q_{AVE}) 13 hours TCEQ Min Detention Time (Q_{AVE}) 14 MGD	Design Number of Segments (Leave Blank If Designed Round)		
TCEQ Max Surface Loading (Q_{AVG}) TCEQ 317.4 (d)(5) TOO gal/day/ft² TCEQ Max Surface Loading (Q_{PK}) TCEQ 217.154 (c)(1) 1,200 gal/day/ft² TCEQ Max Surface Loading (Q_{PK}) TCEQ 217.154 (c)(1) 1,200 gal/day/ft² TCEQ Max Surface Loading (Q_{PK}) TCEQ 217.154 (c)(1) 1,200 gal/day/ft² TCEQ Max Surface Area Required at Peak Flow Per Clarifier 32.0 ft TCEQ Max Surface Area Required at Peak Flow Per Clarifier 666.7 ft² TCEQ Max Surface Area Required at Peak Flow Per Clarifier 666.7 ft² TCEQ Max Surface Area Required at Peak Flow Per Clarifier 666.7 ft² TCEQ Description of the Peak Flow Per Clarifier Surface Area Required for All Clarifiers 804.2 ft² TCEQ Description Surface Area Fer All Clarifiers 804.2 ft² TCEQ Description Surface Loading at Design Flow (Q_{AVC}) 994.7 gal/day/ft² TCEQ Max Surface Area Fer Clarifier Surface Area Greater Than 300 sqft. 10 ft TCEQ Max Surface Area Fer Clarifier Surface Area Equal To Or Less Than 300 sqft. 10 ft TCEQ Minimum Depth Requirement 10.0 ft TCEQ Min Detention Time (Q_{AVE}) 12.0 ft TCEQ Min Detention Time (Q_{AVE}) 13 hours TCEQ Min Detention Time (Q_{AVE}) 14 MGD	SURFACE AREA DESIGN - TCEQ 217.154 (c)(1)		
TCEQ Max Surface Loading (Q_{PK}) TCEQ 217.154 $(c)(1)$ 1,200 1,200		700	gal/day/ft ²
Design Diameter Surface Area Required at Peak Flow Per Clarifier Surface Area Required for All Clarifiers at Peak Flow Foroposed Surface Area Per Clarifier Foroposed Surface Area Per Clarifier Foroposed Surface Area For All Clarifiers Foroposed Surface Area for All Clarifiers Foroposed Surface Loading at Design Flow (Q _{ovt}) Foroposed Surface Loading at Design Flow (Q _{ovt}) Foroposed Surface Loading at Peak Flow (Q _{ovt}) Foroposed Surface Loading at Peak Flow (Q _{ovt}) Foroposed Surface Loading at Peak Flow (Q _{ovt}) Foroposed Surface Loading at Peak Flow (Q _{ovt}) Foroposed Surface Loading at Peak Flow (Q _{ovt}) Foroposed Surface Loading at Peak Flow (Q _{ovt}) Foroposed Surface Loading at Peak Flow (Q _{ovt}) Foroposed Clarifier Surface Area Greater Than 300 sqft. Foroposed Clarifier Surface Area Equal To Or Less Than 300 sqft. Foroposed Clarifier Side Water Depth (Not Total Depth) Foroposed Clarifie		1 200	
Surface Area Required at Peak Flow Per Clarifier Surface Area Required for All Clarifiers at Peak Flow Foroposed Surface Area Per Clarifier Surface Area For All Clarifiers Surface Area For All Clarifiers Surface Loading at Design Flow (Q _{ave}) Surface Loading at Design Flow (Q _{epc}) Surface Loading at Peak Flow (Q _{epc}) Surface Loading at Peak Flow (Q _{epc}) Surface Area Equal To Or Less Than 300 sqft. Surface Area Equal To Or Less Than 300 sqft. Surface Area Equal To Or Less Than 300 sqft. Surface Area Equal To Or Less Than 300 sqft. Surface Area Equal To Or Less Than 300 sqft. Surface Area Equal To Or Less Than 300 sqft. Surface Area Equal To Or Less Than 300 sqft. Surface Area Equal To Or Less Than 300 sqft. Surface Area Equal To Or Less Than 300 sqft. Surface Area Fore Area Equal To Or Less Than 300 sqft. Surface Area Fore Area Equal To Or Less Than 300 sqft. Surface Area Fore Area Fore Area Equal To Or Less Than 300 sqft. Surface Area Fore Area Fo		,	
Surface Area Required for All Clarifiers at Peak Flow Forposed Surface Area Per Clarifier Foroposed Surface Area Per Clarifier Foroposed Surface Area for All Clarifiers Foroposed Surface Area for All Clarifiers Foroposed Surface Loading at Design Flow (Q _{ove}) For Actual Design Surface Loading at Peak Flow (Q _{ove}) For Actual Design Surface Loading at Peak Flow (Q _{ove}) For Side Water Depth For Clarifier Surface Area Greater Than 300 sqft. For Side Water Depth For Clarifier Surface Area Greater Than 300 sqft. For Edward Peak Flow (Not Total Depth) F			
Proposed Surface Area Per Clarifier Fotal Proposed Surface Area for All Clarifiers Fotal Proposed Surface Area for All Clarifiers Fotal Proposed Surface Area for All Clarifiers Fotal Proposed Surface Loading at Design Flow (Q _{ave}) Fotal Proposed Surface Loading at Design Flow (Q _{ave}) Fotal Proposed Surface Loading at Design Flow (Q _{ave}) Fotal Design Surface Loading at Peak Flow (Q _{pk}) Fotal Design Surface Loading at Peak Flow (Q _{pk}) Fotal Design Surface Loading at Peak Flow (Q _{pk}) Fotal Design Surface Loading at Peak Flow (Q _{pk}) Fotal Design Flor Clarifier Surface Area Greater Than 300 sqft. Fotal Design Flor Clarifier Surface Area Equal To Or Less Than 300 sqft. Fotal Design Flor Clarifier Surface Area Equal To Or Less Than 300 sqft. Fotal Design Flor Surface Area Equal To Or Less Than 300 sqft.			
Total Proposed Surface Area for All Clarifiers 804.2 ft ² Actual Design Surface Loading at Design Flow (Q_{ove}) 248.7 gal/day/ft ² Actual Design Surface Loading at Peak Flow (Q_{epk}) 994.7 gal/day/ft ² SIDE WATER DEPTH - TCEQ 217.152 (g) Side Water Depth For Clarifier Surface Area Greater Than 300 sqft. 10 ft Side Water Depth For Clarifier Surface Area Equal To Or Less Than 300 sqft. 8 ft Controlling Minimum Depth Requirement 10.0 ft Proposed Clarifier Side Water Depth (Not Total Depth) 10.7 ft Design Floor Slope (1:X) 12.0 Design Overall Depth (Including 1:12, sloped bottom) 12.0 ft TCEQ Min Detention Time (Q_{ave}) 2.6 hours Recycle Ratio at Design Flow (200 gpd/sf) Per Clarifier MGD			
Actual Design Surface Loading at Design Flow (Q _{AVE}) Actual Design Surface Loading at Peak Flow (Q _{PK}) 994.7 gal/day/ft² gal/day/ft² gal/day/ft² SiDE WATER DEPTH - TCEQ 217.152 (g) Side Water Depth For Clarifier Surface Area Greater Than 300 sqft. Side Water Depth For Clarifier Surface Area Equal To Or Less Than 300 sqft. Controlling Minimum Depth Requirement Proposed Clarifier Side Water Depth (Not Total Depth) Design Floor Slope (1:X) Design Overall Depth (Including 1:12, sloped bottom) 12.0 HYDRAULIC DETENTION TIME - TCEQ 217.154 (c)(1) TCEQ Min Detention Time (Q _{AVE}) Recycle Ratio at Design Flow (200 gpd/sf) Per Clarifier 0.16 MGD			
Actual Design Surface Loading at Peak Flow (Q _{PK}) 994.7 gal/day/ft² SiDE WATER DEPTH - TCEQ 217.152 (g) Side Water Depth For Clarifier Surface Area Greater Than 300 sqft. 10 ft Side Water Depth For Clarifier Surface Area Equal To Or Less Than 300 sqft. 8 ft Controlling Minimum Depth Requirement 10.0 ft Proposed Clarifier Side Water Depth (Not Total Depth) Design Floor Slope (1:X) Design Overall Depth (Including 1:12, sloped bottom) 12.0 HYDRAULIC DETENTION TIME - TCEQ 217.154 (c)(1) TCEQ Min Detention Time (Q _{AVE}) 1.8 hours Recycle Ratio at Design Flow (200 gpd/sf) Per Clarifier 0.16 MGD	'		
Side Water Depth - TCEQ 217.152 (g) Side Water Depth For Clarifier Surface Area Greater Than 300 sqft. Side Water Depth For Clarifier Surface Area Equal To Or Less Than 300 sqft. 8 ft Controlling Minimum Depth Requirement 10.0 ft Proposed Clarifier Side Water Depth (Not Total Depth) Design Floor Slope (1:X) Design Overall Depth (Including 1:12, sloped bottom) 12.0 ft HYDRAULIC DETENTION TIME - TCEQ 217.154 (c)(1) TCEQ Min Detention Time (Q _{AVE}) 12.6 hours Recycle Ratio at Design Flow (200 gpd/sf) Per Clarifier 0.16 MGD			
Side Water Depth For Clarifier Surface Area Greater Than 300 sqft. Side Water Depth For Clarifier Surface Area Equal To Or Less Than 300 sqft. 8 ft Controlling Minimum Depth Requirement 10.0 ft Proposed Clarifier Side Water Depth (Not Total Depth) Design Floor Slope (1:X) Design Overall Depth (Including 1:12, sloped bottom) 12.0 ft TCEQ Min Detention Time (Q _{AVE}) TCEQ Min Detention Time (Q _{PK}) Recycle Ratio at Design Flow (200 gpd/sf) Per Clarifier 10 ft 10.0 ft 10.7 ft 12.0 ft 12.0 ft 12.0 ft 12.0 ft 12.0 ft 13.0 hours 14.0 hours 15.0 hours 16.0 hours 17.0 hours 17.0 hours 18.0 hours	Actual Design Surface Loading at Peak Flow (Q _{PK})	994.7	gal/day/ft ²
Side Water Depth For Clarifier Surface Area Equal To Or Less Than 300 sqft. Controlling Minimum Depth Requirement 10.0 ft Proposed Clarifier Side Water Depth (Not Total Depth) Design Floor Slope (1:X) Design Overall Depth (Including 1:12, sloped bottom) 12.0 ft HYDRAULIC DETENTION TIME - TCEQ 217.154 (c)(1) TCEQ Min Detention Time (Q_{AVE}) 12.6 hours TCEQ Min Detention Time (Q_{PK}) 1.8 hours Recycle Ratio at Design Flow (200 gpd/sf) Per Clarifier 0.16 MGD	SIDE WATER DEPTH - TCEQ 217.152 (g)		
Controlling Minimum Depth Requirement 10.0 ft Proposed Clarifier Side Water Depth (Not Total Depth) Design Floor Slope (1:X) Design Overall Depth (Including 1:12, sloped bottom) 12.0 ft HYDRAULIC DETENTION TIME - TCEQ 217.154 (c)(1) TCEQ Min Detention Time (Q _{AVE}) TCEQ Min Detention Time (Q _{PK}) Recycle Ratio at Design Flow (200 gpd/sf) Per Clarifier 10.0 ft 12.0 12.0 12.0 13.0 14.0 15.0 16.0 17.0 17.0 18.0 18.0 18.0 18.0 19.0	Side Water Depth For Clarifier Surface Area Greater Than 300 sqft.	10	ft
Proposed Clarifier Side Water Depth (Not Total Depth) Design Floor Slope (1:X) Design Overall Depth (Including 1:12, sloped bottom) HYDRAULIC DETENTION TIME - TCEQ 217.154 (c)(1) TCEQ Min Detention Time (Q _{AVE}) TCEQ Min Detention Time (Q _{PK}) Recycle Ratio at Design Flow (200 gpd/sf) Per Clarifier 10.7 ft 12.0 ft 2.6 hours 1.8 hours MGD	Side Water Depth For Clarifier Surface Area Equal To Or Less Than 300 sqft.	8	ft
Design Floor Slope (1:X) 12.0 Pesign Overall Depth (Including 1:12, sloped bottom) 12.0 ft 12.0 $MYDRAULIC$ DETERMINE - TCEQ 217.154 (c)(1) TCEQ Min Detention Time (Q_{AVE}) 2.6 hours 1.8 hours Recycle Ratio at Design Flow (200 gpd/sf) Per Clarifier 0.16 MGD	Controlling Minimum Depth Requirement	10.0	ft
Design Overall Depth (Including 1:12, sloped bottom) 12.0 ft HYDRAULIC DETENTION TIME - TCEQ 217.154 (c)(1) CEQ Min Detention Time (Q_{AVE}) 2.6 hours TCEQ Min Detention Time (Q_{PK}) 1.8 hours Recycle Ratio at Design Flow (200 gpd/sf) Per Clarifier 0.16 MGD	Proposed Clarifier Side Water Depth (Not Total Depth)		ft
HYDRAULIC DETENTION TIME - TCEQ 217.154 (c)(1) TCEQ Min Detention Time (Q_{AVE}) TCEQ Min Detention Time (Q_{PK}) 1.8 hours Recycle Ratio at Design Flow (200 gpd/sf) Per Clarifier 0.16 MGD	Design Floor Slope (1:X)		
TCEQ Min Detention Time (Q_{AVE}) 2.6 hours TCEQ Min Detention Time (Q_{PK}) 1.8 hours Recycle Ratio at Design Flow (200 gpd/sf) Per Clarifier 0.16 MGD	Design Overall Depth (Including 1:12, sloped bottom)	12.0	ft
TCEQ Min Detention Time (Q_{PK}) 1.8 hours Recycle Ratio at Design Flow (200 gpd/sf) Per Clarifier 0.16 MGD	HYDRAULIC DETENTION TIME - TCEQ 217.154 (c)(1)		
Recycle Ratio at Design Flow (200 gpd/sf) Per Clarifier 0.16 MGD	TCEQ Min Detention Time (Q _{AVE})	2.6	hours
Recycle Ratio at Design Flow (200 gpd/sf) Per Clarifier 0.16 MGD	TCEQ Min Detention Time (Q _{PK})	1.8	hours
	Recycle Ratio at Peak Flow (400 gpd/sf) Per Clarifier	0.32	MGD

WASTEWATER CHARACTERISTIC Description	Value	Unit
Flow per Clarifier for Hydraulic Detention Time @ Design Flow (w/ Recycle)	0.20	MGD
Flow per Clarifier for Hydraulic Detention Time @ Design Flow (w/ Recycle)	0.80	MGD
Required Treatment Volume At Design Flow for Each Clarifier	2,896.6	ft ³
Required Treatment Volume At Peak Flow for Each Clarifier	8,021.4	ft ³
		π ft³
Proposed Treatment Volume for Each Clarifier	8,605.5	
Actual Hydraulic Detention Time at Design Flow Actual Hydraulic Detention Time at Peak Flow	7.7 1.93	hours hours
Actual Hyuraulic Determion Time at Peak Flow	1.95	Hours
SOLIDS LOADING RATE - TCEQ 317.4 (d)(5)		
Totals Solids to Clarifier	20,016.0	lbs/day
Proposed Surface Area of Clarifier	804.2	ft ²
Loading Rate of Solids to Clarifier	24.9	lbs/day/ft ²
TCEQ Maximum Loading Rate	50.0	lbs/day/ft ²
TOLK MANIMUM LOGUING NATE	30.0	ins/day/tt
EFFLUENT WEIR DESIGN - TCEQ 217.152 (d)		
Weir loading (For Plants with Design Flows 1.0 MGD or less)	20,000	gal/day/ft ²
Weir loading (For Plants with Design Flows Over 1.0 MGD)	30,000	gal/day/ft ²
Controlling Weir Loading Criteria	20,000.0	gal/day/ft ²
Total Length of Weir Required Per Clarifier @ Peak Flow	40.0	gai/day/it ft
Total Length of Weir Required For All Clarifiers @ Peak Flow	40.0	ft
Proposed Weir Distance from Wall	1.0	ft
Diameter of Effluent Weir	30.0	ft
Design Weir Length Per Clarifier	94.2	ft
Total Design Weir Length	94.2	ft
Actual Surface Area Loading @ Peak Flow	8,488.3	gal/day/ft ²
Actual Surface Area Loading @ Average Flow	2,122.1	gal/day/ft ²
Total San		gairdayrit
TORQUE RATINGS OF DRIVES AND RAKES		
Resistive Force of Secondary Sludge (W)	8.0	lb/ft
Running Torque (Wr²)	2,048.0	ft-lbs
RETURN ACTIVATED SLUDGE FLOW RATES - TCEQ 217.152 (j)		
Lower Limit Underflow Rate - TCEQ 217.152(j)	200	gpd/ft²
Minimum RAS Flow Rate (per clarifier)	111.7	gpm
Upper Limit Underflow Rate - TCEQ 217.152(j)	400	gpd/ft²
Maximum RAS Flow Rate (per clarifier)	223.4	gpm
Combined Upper Limit RAS Underflow Rate for Plant	223.4	gpm
STILLING WELL DESIGN		
STILLING WELL DESIGN Maximum Stilling Well Velocity (@ Peak Flow) TCEQ 217.152 (a)(4)	0.15	ft/sec
Peak Flow For Individual Clarifier	0.15	MGD
Total Area Required	8.3	ft ²
·		
Diameter of Each Stilling Well	4.0	ft ft ²
Area of Each Stilling Well	12.6	rt-

TCEQ DESIGN CRITERIA (CHAPTER 317.5 (B))		
Minimum Detention Time	15.0	days
Volume Requirement	20.0	ft ³ /lb BOD ₅ /day
Aeration Requirement	30.0	scfm/1000 ft ³
If Mechanical Aeration is Used	1.5	HP/1000 ft ³
TCEQ DESIGN CRITERIA (CHAPTER 217, SUBCHAPTER J)		
Minimum Temperature	15.0	deg C
Required Minimum Detention Time	60.0	days
Minimum Volatile Solids Loading Rate	100.0	lb/1000 ft ³ /day
Maximum Volatile Solids Loading Rate	200.0	lb/1000 ft ³ /day
Aeration Requirement	20.0	SCFM/1000 ft ³
NOTE: Aerobic digester has to be sized for average day flow	,	·
Biodegradable Volatile Solids in WAS	0.7	lb VS/BOD removed
Destruction	0.3	lb VS/BOD removed
Note: Typical minimum Solids Retention Time (SRT) maintained in WWTPs is 8 days. Second	lary solids prod	uction is typically
Influent Solids	188	lbs/day
Digested Solids Production	148	lbs/day
Average Digested Solids Production	168	lbs/day
Total Sludge Production, lbs/day	168	lbs/day
Assumed Average Dig. Conc., mg/l	15,000.0	mg/l
Total Sludge to Aerobic Digester	1,342.50	gal/d
Volume Required Based on Min. Detention Time @ 60 Days	10,768.72	ft ³
Volume Required Based on Min. Detention Time @ 15 Days	2,692.18	ft ³
CHECK IF CHAPTER 217 VOLATILE SOLIDS LOADING RATE REQUIREMENTS	S CAN BE MET	
Volatile Suspended Solids Loading	131	lbs/day
Volatile Solids Loading Tate for 60 Days Storage Volume	12.2	lb/1000 ft ³
Volatile Solids Loading Rate	ERROR!	
Note: It is not possible to meet both the min. required detention time and min. required VS soli	ds loading rate	requirements
without significant thickening before the sludge is stabilized in the digester. Hence, it is prudent	to just meet th	e required min.
detention time alone. Also, if the sludge is to be disposed of in a landfill, sludge stabilization wil	•	
detention time is not necessary. When a full dettention time is not provided, the basin will not l	be a true aerobi	ic digester; instead, it
will be reconfigured as a sludge holding tank.		
SLUDGE HOLDING TANK DESIGN		
Number of Basins	2.0	Ea
Side Water Depth	10.5	ft
Width	12.0	ft
Length	20	ft
Design Volume	5,040	ft ³
DESIGN CHECK		
Detention Time	28.08	days
I_ , , , , , , , , , , , , , , , , , , ,	1	1 . 3

Design Volume to Loading Ratio

ft³/lb BOD₅/day

26.86

WASTEWATER CHARACTERISTICS		
Design Flow Rate (Average Daily Flow)	0.200	MGD
Design Flow Rate (2-Hour Peak Flow)	0.8	MGD

CHLORINE CONTACT CHAMBER		
Description	Value	Unit
TCEQ Min Detention Time (Q_{PK}) (TCEQ217.281(b)(1)	20.0	min
TCEQ Required Minimum Volume	1,485.4	ft ³
TCEQ Required Minimum Volume	11,111.1	gal
Chlorine Contact Basin Volume		
Number of Basins		1
Basin Length		
Basin Width		
Total Basin Height		
Side Water Depth		
Proposed Chlorine Contact Basin Volume		
Proposed Chlorine Contact Retention Time		
Chlorine Contact Basin 40:1 ratio		
Chiofile Contact Basin 40.1 fatio		
Channel Length		
Channel Width		
Number of Baffles		
Baffle Wall Thickness		
Combined Channel Length		
Actual Chlorine Contact Basin Volume		
Chlorine Contact Basin Sizing (Excluding Chlorine Mixing Chamber)		
Design Number of Trains	1.0	
Design Side Water Depth at Peak Flow	10.0	ft
Design Width of Basin	12.0	ft
Design Channel Width	2.0	ft
Design Channel Length (Assumes 40:1 L:W ratio per TCEQ 217.281(a)(2))	80.0	ft
Number of Partition	7.0	ea
DESIGN LENGTH OF BASIN	16.0	ft
PROPOSED VOLUME	1,600.0	ft ³
ACTUAL CCB VOLUME	1,920.0	ft ³
Actual Detention Time at Peak Flow	25.9	min
ACTUAL CHANNEL LENGTH	96.0	ft

PROJECT NAME: Sealy 200 DATE: 8/25/2025

CLIENT: South Central BY: CC PROJECT NUMBER: 40003 - 023 QC:

WASTEWATER AND PLANT CHARACTERIZATION

Flow Rates

Annual Average			0.300	MGD	208	GPM	0.47	CFS
Peak Month	Factor	1.5	0.5	MGD	313	GPM	0.70	CFS
Peak 2-Hour	Factor	4	1.2	MGD	833	GPM	1.86	CFS
Min. Month	Factor	0.5	0.2	MGD	104	GPM	0.23	CFS

PHASE 1

Raw Wastewater Concentrations

BOD (total)
BOD (soluble)
TSS
VSS
TKN
NH3-N
TP

Aug	2-Hour	Peak	Min.	
Avg.	Peak	Month	Month	
300	100	250	200	mg/L
180				mg/L
300				mg/L
240				mg/L
50				mg/L
40				mg/L
0				mg/L

Effluent Requirements

BOD	10	mg/l
TSS	15	mg/l
NH3-N	3	mg/L
TP	0	mg/L
DO	6	mg/L

Select Treatment Processes from the List

Preliminary Treatment
Primary Treatment
Biological Treatment
Solids Treatment

Coarse Screening
None
Conventional Activated Sludge w/ Nitrification, @ Min.
Aerobic Digestion + Dewatering

WASTEWATI	ER CHARACTERISTICS	
INFLUENT MASS LOADING		
BOD5 (AVG)	750.6	lbs/day
BOD5 (2-HR PEAK)	1,000.8	lbs/day
BOD5 (PEAK MONTH)	938.3	lbs/day
BOD5 (MIN MONTH)	250.2	lbs/day
TSS	750.6	lbs/day
NH ₃	100.1	lbs/day
TKN	125.1	lbs/day
EFFLUENT COMPOSITION (ASSUMED FOR CONSERVATIVE DESI	GN)	
BOD5	10.0	mg/L
TSS	15.0	mg/L
NH ₃	3.0	mg/L
TKN	0.0	mg/L
		•

AERATION BASIN

Description	Value	Unit
AERATION BASIN CALCULATIONS - TCEQ TRADITIONAL DESIGN - TCEQ 217, SUBCHAPTER F		
Aeration Basin Maximum Organic Loading	35.0	lbs/day/1000 ft ³
Minimum Number of Basins (For Flow > 0.4 MGD)	2.0	EA
BOD Removal Credit for Preliminary and Primary Treatment (Optional)	0%	
Total Peak BOD Loading (Based on Design Flow)	751	lbs/day
Total Aeration Basin Volume Required	21,446	ft ³
AERATION BASIN SIZING		
Proposed Number of Basins	6.0	
Side Water Depth of Basins	10.5	ft
Freeboard	1.5	ft
Total Depth of Basin	12.0	ft
Diffuser Submergence	9.4	ft
Required Volume of Each Aeration Basin	3,574	ft ³
Surface Area of Each Basin	340	ft ²
Width to Length Ratio (1:X)	2.6	
Required Width of Each Basin	12.0	ft
Required Length of Each Basin	32	ft
Proposed Volume of Each Aeration Basin	3,948	ft ³
Proposed Total Aeration Basin Volume	23,688	ft ³

WASTEWATER CHARACTERISTICS		
Description	Value	Unit
Influent BOD ₅	300.0	mg/L
Influent TSS	300.0	mg/L
Influent NH ₃	40.0	mg/L
Daily Flow (Q _{AVE})	300,000.0	gpd
Daily Flow (Q _{AVE})	208.3	gpm
Daily Flow (Q _{AVE})	0.465	cfs
2-hr Peak Flow (Q _{PK})	1,200,000	gpd
2-hr Peak Flow (Q _{PK})	833.3	gpm
2-hr Peak Flow (Q _{PK})	1.860	cfs
NH ₃	100.3	lbs/day
BOD ₅	752.4	lbs/day
TSS	752.4	lbs/day
	732.1	100) 444
Description	.	
Conventional Activated Sludge w/ Nitrification, @ Min. Temp > 15°C		
SECONDARY CLARIFIER		
Description	Value	Unit
Number of Clarifiers	2.0	Ea
Average Flow Per Clarifier Peak Flow Per Clarifier	0.200	MGD MGD
Clarifier Shape (Round, Octagonal, Square)	Round	IVIGD
Design Weir Shape (Round, Segmented)	Round	
Design Number of Segments (Leave Blank If Designed Round)	1100.110	
SURFACE AREA DESIGN - TCEQ 217.154 (c)(1)		
TCEQ Max Surface Loading (Q _{AVG}) TCEQ 317.4 (d)(5)	700	gal/day/ft ²
TCEQ Max Surface Loading (Q _{PK}) TCEQ 217.154 (c)(1)	1,200	gal/day/ft ²
Design Diameter	32.0	ft
Surface Area Required at Peak Flow Per Clarifier	666.7	ft ²
Surface Area Required for All Clarifiers at Peak Flow	1,333.3	ft ²
Proposed Surface Area Per Clarifier	804.2	ft ²
Total Proposed Surface Area for All Clarifiers	1,608.5	ft ²
Actual Design Surface Loading at Design Flow (Q _{AVE})	248.7	gal/day/ft ²
Actual Design Surface Loading at Peak Flow (Q _{pK})	994.7	gal/day/ft ²
C C T T T T		Bailadille
SIDE WATER DEPTH - TCEQ 217.152 (g)		
Side Water Depth For Clarifier Surface Area Greater Than 300 sqft.	10	ft
Side Water Depth For Clarifier Surface Area Equal To Or Less Than 300 sqft.	8	ft
Controlling Minimum Depth Requirement	10.0	ft
Proposed Clarifier Side Water Depth (Not Total Depth)	10.7	ft
Design Floor Slope (1:X)	12.0	
Design Overall Depth (Including 1:12, sloped bottom)	12.0	ft
UNDDALLIG DETENTION TIME. TOTO 247 454 ()(4)		
HYDRAULIC DETENTION TIME - TCEQ 217.154 (c)(1)	2.6	
TCEQ Min Detention Time (Q _{AVE})	2.6	hours
TCEQ Min Detention Time (Q _{PK})	1.8	hours
Recycle Ratio at Design Flow (200 gpd/sf) Per Clarifier	0.16	MGD
Recycle Ratio at Peak Flow (400 gpd/sf) Per Clarifier	0.32	MGD

Description	Value	Unit
Flow per Clarifier for Hydraulic Detention Time @ Design Flow (w/ Recycle)	0.20	MGD
Flow per Clarifier for Hydraulic Detention Time @ Design Flow (w/ Recycle)	0.80	MGD
Required Treatment Volume At Design Flow for Each Clarifier	2,896.6	ft ³
Required Treatment Volume At Peak Flow for Each Clarifier	8,021.4	ft ³
		π ft³
Proposed Treatment Volume for Each Clarifier	8,605.5	
Actual Hydraulic Detention Time at Design Flow Actual Hydraulic Detention Time at Peak Flow	7.7 1.93	hours
Actual Hyuraulic Determion Time at Feak Flow	1.95	hours
SOLIDS LOADING RATE - TCEQ 317.4 (d)(5)		
Totals Solids to Clarifier	20,016.0	lbs/day
Proposed Surface Area of Clarifier	804.2	ft ²
Loading Rate of Solids to Clarifier	24.9	lbs/day/ft ²
TCEQ Maximum Loading Rate	50.0	lbs/day/ft ²
TOLK MANIMUM LOGUING NAIC	30.0	ins/αay/π
EFFLUENT WEIR DESIGN - TCEQ 217.152 (d)		
Weir loading (For Plants with Design Flows 1.0 MGD or less)	20,000	gal/day/ft ²
Weir loading (For Plants with Design Flows Over 1.0 MGD)	30,000	gal/day/ft ²
Controlling Weir Loading Criteria	20,000.0	gal/day/ft ²
Total Length of Weir Required Per Clarifier @ Peak Flow	40.0	gai/day/π ft
Total Length of Weir Required For All Clarifiers @ Peak Flow	80.0	ft
Proposed Weir Distance from Wall	1.0	ft
Diameter of Effluent Weir	30.0	ft
Design Weir Length Per Clarifier	94.2	ft
Total Design Weir Length	188.5	ft
Actual Surface Area Loading @ Peak Flow	8,488.3	gal/day/ft ²
Actual Surface Area Loading @ Average Flow	2,122.1	gal/day/ft ²
The cause of the all containing the containing of the cause of the cau	2,122.1	gai/uay/it
TORQUE RATINGS OF DRIVES AND RAKES		
Resistive Force of Secondary Sludge (W)	8.0	lb/ft
Running Torque (Wr²)	2,048.0	ft-lbs
	,	
RETURN ACTIVATED SLUDGE FLOW RATES - TCEQ 217.152 (j)		
Lower Limit Underflow Rate - TCEQ 217.152(j)	200	gpd/ft²
Minimum RAS Flow Rate (per clarifier)	111.7	gpm
Upper Limit Underflow Rate - TCEQ 217.152(j)	400	gpd/ft²
Maximum RAS Flow Rate (per clarifier)	223.4	gpm
Combined Upper Limit RAS Underflow Rate for Plant	446.8	gpm
STILLING WELL DESIGN	2.15	c. /
Maximum Stilling Well Velocity (@ Peak Flow) TCEQ 217.152 (a)(4)	0.15	ft/sec
Peak Flow For Individual Clarifier	0.8	MGD
Total Area Required	8.3	ft ²
Diameter of Each Stilling Well	4.0	ft 2
Area of Each Stilling Well	12.6	ft ²

TCEQ DESIGN CRITERIA (CHAPTER 317.5 (B))		
Minimum Detention Time	15.0	days
Volume Requirement	20.0	ft³/lb BOD₅/day
Aeration Requirement	30.0	scfm/1000 ft ³
If Mechanical Aeration is Used	1.5	HP/1000 ft ³
TCEQ DESIGN CRITERIA (CHAPTER 217, SUBCHAPTER J)		
Minimum Temperature	15.0	deg C
Required Minimum Detention Time	60.0	days
Minimum Volatile Solids Loading Rate	100.0	lb/1000 ft ³ /day
Maximum Volatile Solids Loading Rate	200.0	lb/1000 ft ³ /day
Aeration Requirement	20.0	SCFM/1000 ft ³
NOTE: Aerobic digester has to be sized for average day flow	•	
Biodegradable Volatile Solids in WAS	0.7	lb VS/BOD removed
Destruction	0.3	lb VS/BOD removed
Note: Typical minimum Solids Retention Time (SRT) maintained in WWTPs is 8 days. Second	ary solids produ	uction is typically
Influent Solids	751	lbs/day
Digested Solids Production	593	lbs/day
Average Digested Solids Production	672	lbs/day
Total Sludge Production, lbs/day	672	lbs/day
Assumed Average Dig. Conc., mg/l	15,000.0	mg/l
Total Sludge to Aerobic Digester	5,370.00	gal/d
Volume Required Based on Min. Detention Time @ 60 Days	43,074.87	ft ³
Volume Required Based on Min. Detention Time @ 15 Days	10,768.72	ft ³
CHECK IF CHAPTER 217 VOLATILE SOLIDS LOADING RATE REQUIREMENTS	CAN BE MET	
Volatile Suspended Solids Loading	525	lbs/day
Volatile Solids Loading Tate for 60 Days Storage Volume	12.2	lb/1000 ft ³
Volatile Solids Loading Rate	ERROR!	
Note: It is not possible to meet both the min. required detention time and min. required VS solid without significant thickening before the sludge is stabilized in the digester. Hence, it is prudent detention time alone. Also, if the sludge is to be disposed of in a landfill, sludge stabilization will detention time is not necessary. When a full dettention time is not provided, the basin will not be sufficient to the control of the stabilization time is not provided.	to just meet th not be require	e required min. d and a full
will be reconfigured as a sludge holding tank.	1	1
SLUDGE HOLDING TANK DESIGN	6.0	F-2
Number of Basins Side Water Depth	6.0 10.5	Ea ft
Width	10.5	ft
Length	20	ft
-	15,120	ft ³
Design Volume DESIGN CHECK	13,120	Ιτ
Detention Time	21.06	dave
Determining Time	21.06	days

Design Volume to Loading Ratio

20.14

days ft³/lb BOD₅/day

WASTEWATER CHARACTERISTICS		
Design Flow Rate (Average Daily Flow)	0.200	MGD
Design Flow Rate (2-Hour Peak Flow)	0.8	MGD

CHLORINE CONTACT CHAMBER		
Description	Value	Unit
TCEQ Min Detention Time (Q_{PK}) (TCEQ217.281(b)(1)	20.0	min
TCEQ Required Minimum Volume	1,485.4	ft ³
TCEQ Required Minimum Volume	11,111.1	gal
Chlorine Contact Basin Volume		
Number of Basins		1
Basin Length		
Basin Width		
Total Basin Height		
Side Water Depth		
Proposed Chlorine Contact Basin Volume		
Proposed Chlorine Contact Retention Time		
Chlorine Contact Basin 40:1 ratio		
Channel Length		
Channel Width		
Number of Baffles		
Baffle Wall Thickness		
Combined Channel Length		
Actual Chlorine Contact Basin Volume		
Chlorine Contact Basin Sizing (Excluding Chlorine Mixing Chamber)		
Design Number of Trains	2.0	
Design Side Water Depth at Peak Flow	10.0	ft
Design Width of Basin	12.0	ft
Design Channel Width	2.0	ft
Design Channel Length (Assumes 40:1 L:W ratio per TCEQ 217.281(a)(2))	80.0	ft
Number of Partition	7.0	ea
DESIGN LENGTH OF BASIN	16.0	ft
PROPOSED VOLUME	3,200.0	ft ³
ACTUAL CCB VOLUME	3,840.0	ft ³
Actual Detention Time at Peak Flow	51.7	min
ACTUAL CHANNEL LENGTH	96.0	ft

PROJECT NAME: Sealy 200 DATE: 8/25/2025

CLIENT: South Central BY: CC PROJECT NUMBER: 40003 - 023 QC:

WASTEWATER AND PLANT CHARACTERIZATION

Flow Rates

Annual Average			0.600	MGD	417	GPM	0.93	CFS
Peak Month	Factor	1.5	0.9	MGD	625	GPM	1.40	CFS
Peak 2-Hour	Factor	4	2.4	MGD	1,667	GPM	3.72	CFS
Min. Month	Factor	0.5	0.3	MGD	208	GPM	0.47	CFS

PHASE 1

Raw Wastewater Concentrations

BOD (total)
BOD (soluble)
TSS
VSS
TKN
NH3-N
TP

		- .		_
A	2-Hour	Peak	Min.	
Avg.	Peak	Month	Month	
300	100	250	200	mg/L
180				mg/L
300				mg/L
240				mg/L
50				mg/L
40				mg/L
0				mg/L

Effluent Requirements

BOD	10	mg/L
TSS	15	mg/L
NH3-N	3	mg/L
TP	0	mg/L
DO	6	mg/L

Select Treatment Processes from the List

Preliminary Treatment
Primary Treatment
Biological Treatment
Solids Treatment

Coarse Screening
None
Conventional Activated Sludge w/ Nitrification, @ Min.
Aerobic Digestion + Dewatering

WASTEWATER CHARA	CTERISTICS	
INFLUENT MASS LOADING		
BOD5 (AVG)	1,501.2	lbs/day
BOD5 (2-HR PEAK)	2,001.6	lbs/day
BOD5 (PEAK MONTH)	1,876.5	lbs/day
BOD5 (MIN MONTH)	500.4	lbs/day
TSS	1,501.2	lbs/day
NH ₃	200.2	lbs/day
TKN	250.2	lbs/day
EFFLUENT COMPOSITION (ASSUMED FOR CONSERVATIVE DESIGN)		
BOD5	10.0	mg/L
TSS	15.0	mg/L
NH ₃	3.0	mg/L
TKN	0.0	mg/L

AERATION BASIN

Description	Value	Unit
AERATION BASIN CALCULATIONS - TCEQ TRADITIONAL DESIGN - TCEQ 217, SUBCHAPTER F		
Aeration Basin Maximum Organic Loading	35.0	lbs/day/1000 ft ³
Minimum Number of Basins (For Flow > 0.4 MGD)	2.0	EA
BOD Removal Credit for Preliminary and Primary Treatment (Optional)	0%	
Total Peak BOD Loading (Based on Design Flow)	1,501	lbs/day
Total Aeration Basin Volume Required	42,892	ft ³
AERATION BASIN SIZING		
Proposed Number of Basins	12.0	
Side Water Depth of Basins	10.5	ft
Freeboard	1.5	ft
Total Depth of Basin	12.0	ft
Diffuser Submergence	9.4	ft
Required Volume of Each Aeration Basin	3,574	ft ³
Surface Area of Each Basin	340	ft ²
Width to Length Ratio (1:X)	2.7	
Required Width of Each Basin	12.0	ft
Required Length of Each Basin	32	ft
Proposed Volume of Each Aeration Basin	3,997	ft ³
Proposed Total Aeration Basin Volume	47,968	ft ³

WACTEWATER CHARACTERISTICS		
WASTEWATER CHARACTERISTICS Description	Value	Unit
Influent BOD ₅	300.0	mg/L
Influent TSS	300.0	mg/L
nfluent NH ₃	40.0	mg/L
Daily Flow (Q _{AVF})	600,000.0	gpd
Daily Flow (Q _{AVE})	416.7	gpm
Daily Flow (Q _{AVE})	0.930	cfs
2-hr Peak Flow (Q _{PK})	2,400,000	
2-hr Peak Flow (Q _{PK})	+	gpd
* ***	1,666.7	gpm
2-hr Peak Flow (Q _{PK})	3.720	cfs
NH_3	200.6	lbs/day
BOD₅	1,504.8	lbs/day
TSS	1,504.8	lbs/day
Description		
Description Conventional Activated Sludge w/ Nitrification, @ Min. Temp > 15°C		
SECONDARY CLARIFIER		
Description	Value	Unit
Number of Clarifiers	3.0	Ea
Average Flow Per Clarifier	0.200	MGD
Peak Flow Per Clarifier	0.80	MGD
Clarifier Shape (Round, Octagonal, Square)	Round	
Design Weir Shape (Round, Segmented) Design Number of Segments (Leave Blank If Designed Round)	Round	
Design Number of Segments (Leave Diank if Designed Rodina)		
SURFACE AREA DESIGN - TCEQ 217.154 (c)(1)		
TCEQ Max Surface Loading (Q _{AVG}) TCEQ 317.4 (d)(5)	700	gal/day/ft ²
TCEQ Max Surface Loading (Q _{PK}) TCEQ 217.154 (c)(1)	1,200	gal/day/ft ²
Design Diameter	32.0	ft
Surface Area Required at Peak Flow Per Clarifier	666.7	ft ²
Surface Area Required for All Clarifiers at Peak Flow	2,000.0	ft ²
Proposed Surface Area Per Clarifier	804.2	ft ²
Total Proposed Surface Area for All Clarifiers	2,412.7	ft ²
Actual Design Surface Loading at Design Flow (Q _{AVE})	248.7	gal/day/ft ²
Actual Design Surface Loading at Peak Flow (Q _{PK})	994.7	gal/day/ft ²
(-4V)	337	gai/day/it
SIDE WATER DEPTH - TCEQ 217.152 (g)		
Side Water Depth For Clarifier Surface Area Greater Than 300 sqft.	10	ft
Side Water Depth For Clarifier Surface Area Equal To Or Less Than 300 sqft.	8	ft
Controlling Minimum Depth Requirement	10.0	ft
Proposed Clarifier Side Water Depth (Not Total Depth)	10.7	ft
Design Floor Slope (1:X)	12.0	
Design Overall Depth (Including 1:12, sloped bottom)	12.0	ft
LIVERALITIC DETENTION TIME TOTAL 247-1/41		
HYDRAULIC DETENTION TIME - TCEQ 217.154 (c)(1) TCEQ Min Detention Time (Q _{AVE})	2.6	haurr
ICLU IVIIII DELETILIOTI TITTE (UAVE)	2.6	hours
TCEQ Min Detention Time (Q _{PK}) Recycle Ratio at Design Flow (200 gpd/sf) Per Clarifier	1.8 0.16	hours MGD

Description Flow per Clarifier for Hydraulic Detention Time @ Design Flow (w/ Recycle)	Value	Unit
	0.20	MGD
Flow per Clarifier for Hydraulic Detention Time @ Peak Flow (w/ Recycle)	0.80	MGD
Required Treatment Volume At Design Flow for Each Clarifier	2,896.6	ft ³
Required Treatment Volume At Peak Flow for Each Clarifier	8,021.4	ft ³
		π ft³
Proposed Treatment Volume for Each Clarifier	8,605.5	
Actual Hydraulic Detention Time at Design Flow Actual Hydraulic Detention Time at Peak Flow	7.7 1.93	hours
actual nyuraulic Determion Time at reak riow	1.93	hours
SOLIDS LOADING RATE - TCEQ 317.4 (d)(5)		
Totals Solids to Clarifier	20,016.0	lbs/day
Proposed Surface Area of Clarifier	804.2	ft ²
oading Rate of Solids to Clarifier	24.9	lbs/day/ft ²
CEQ Maximum Loading Rate	50.0	lbs/day/ft ²
CEQ Maximum Loading Nate	30.0	ins/day/tt
EFFLUENT WEIR DESIGN - TCEQ 217.152 (d)		
Neir loading (For Plants with Design Flows 1.0 MGD or less)	20,000	gal/day/ft ²
Weir loading (For Plants with Design Flows Over 1.0 MGD)	30,000	gal/day/ft ²
Controlling Weir Loading Criteria	20,000.0	gal/day/ft ²
Fotal Length of Weir Required Per Clarifier @ Peak Flow	40.0	gai/day/it ft
Fotal Length of Weir Required For All Clarifiers @ Peak Flow	120.0	ft
Proposed Weir Distance from Wall	1.0	ft
Diameter of Effluent Weir	30.0	ft
Design Weir Length Per Clarifier	94.2	ft
Total Design Weir Length	282.7	ft
Actual Surface Area Loading @ Peak Flow	8,488.3	gal/day/ft ²
Actual Surface Area Loading @ Average Flow	2,122.1	gal/day/ft ²
		gairaayrit
TORQUE RATINGS OF DRIVES AND RAKES		
Resistive Force of Secondary Sludge (W)	8.0	lb/ft
Running Torque (Wr²)	2,048.0	ft-lbs
RETURN ACTIVATED SLUDGE FLOW RATES - TCEQ 217.152 (j)		
ower Limit Underflow Rate - TCEQ 217.152(j)	200	gpd/ft²
Minimum RAS Flow Rate (per clarifier)	111.7	gpm
Jpper Limit Underflow Rate - TCEQ 217.152(j)	400	gpd/ft²
Maximum RAS Flow Rate (per clarifier)	223.4	gpm
Combined Upper Limit RAS Underflow Rate for Plant	670.2	gpm
THUNC WELL DESIGN		
GTILLING WELL DESIGN Maximum Stilling Woll Volocity (@ Book Flow) TCFO, 217 152 (a)(4)	0.15	ft/sec
Maximum Stilling Well Velocity (@ Peak Flow) TCEQ 217.152 (a)(4) Peak Flow For Individual Clarifier	0.15	π/sec MGD
Total Area Required	8.3	ft ²
Diameter of Each Stilling Well	4.0	ft ft ²
Area of Each Stilling Well	12.6	tt-

TCEQ DESIGN CRITERIA (CHAPTER 317.5 (B))		
Minimum Detention Time	15.0	days
Volume Requirement	20.0	ft ³ /lb BOD ₅ /day
Aeration Requirement	30.0	scfm/1000 ft ³
If Mechanical Aeration is Used	1.5	HP/1000 ft ³
TCEQ DESIGN CRITERIA (CHAPTER 217, SUBCHAPTER J)		
Minimum Temperature	15.0	deg C
Required Minimum Detention Time	60.0	days
Minimum Volatile Solids Loading Rate	100.0	lb/1000 ft ³ /day
Maximum Volatile Solids Loading Rate	200.0	lb/1000 ft ³ /day
Aeration Requirement	20.0	SCFM/1000 ft ³
NOTE: Aerobic digester has to be sized for average day flow		
Biodegradable Volatile Solids in WAS	0.7	lb VS/BOD removed
Destruction	0.3	lb VS/BOD removed
Note: Typical minimum Solids Retention Time (SRT) maintained in WWTPs is 8 days. Second	ary solids prod	uction is typically
Influent Solids	1,501	lbs/day
Digested Solids Production	1,186	lbs/day
Average Digested Solids Production	1,344	lbs/day
Total Sludge Production, lbs/day	1,344	lbs/day
Assumed Average Dig. Conc., mg/l	15,000.0	mg/l
Total Sludge to Aerobic Digester	10,740.00	gal/d
Volume Required Based on Min. Detention Time @ 60 Days	86,149.73	ft ³
Volume Required Based on Min. Detention Time @ 15 Days	21,537.43	ft ³
CHECK IF CHAPTER 217 VOLATILE SOLIDS LOADING RATE REQUIREMENTS	CAN BE MET	
Volatile Suspended Solids Loading	1,051	lbs/day
Volatile Solids Loading Tate for 60 Days Storage Volume	12.2	lb/1000 ft ³
Volatile Solids Loading Rate	ERROR!	
Note: It is not possible to meet both the min. required detention time and min. required VS solid	ds loading rate	requirements
without significant thickening before the sludge is stabilized in the digester. Hence, it is prudent	to just meet th	e required min.
detention time alone. Also, if the sludge is to be disposed of in a landfill, sludge stabilization wil		
detention time is not necessary. When a full dettention time is not provided, the basin will not l	oe a true aerobi	c digester; instead, it
will be reconfigured as a sludge holding tank.		
SLUDGE HOLDING TANK DESIGN		
Number of Basins	12.0	Ea
Side Water Depth	10.5	ft
Width	12.0	ft
Length	20	ft
Design Volume	30,240	ft ³
DESIGN CHECK		
Detention Time	21.06	days
	1	6.3 (1) (1)

Design Volume to Loading Ratio

ft³/lb BOD₅/day

20.14

WASTEWATER CHARACTERISTICS		
Design Flow Rate (Average Daily Flow)	0.600	MGD
Design Flow Rate (2-Hour Peak Flow)	2.4	MGD

CHLORINE CONTACT CHAMBER			
Description	Value	Unit	
TCEQ Min Detention Time (Q _{PK}) (TCEQ217.281(b)(1)	20.0	min	
TCEQ Required Minimum Volume	4,456.3	ft ³	
TCEQ Required Minimum Volume	33,333.3	gal	
Chlorine Contact Basin Volume			
Number of Basins			
Basin Length			
Basin Width			
Total Basin Height			
Side Water Depth			
Proposed Chlorine Contact Basin Volume			
Proposed Chlorine Contact Retention Time	+		
Chlorine Contact Basin 40:1 ratio			
Channel Length			
Channel Width			
Number of Baffles			
Baffle Wall Thickness			
Combined Channel Length			
Actual Chlorine Contact Basin Volume			
Chlorine Contact Basin Sizing (Excluding Chlorine Mixing Chamber)			
Design Number of Trains	3.0		
Design Side Water Depth at Peak Flow	10.0	ft	
Design Width of Basin	12.0	ft	
Design Channel Width	2.0	ft	
Design Channel Length (Assumes 40:1 L:W ratio per TCEQ 217.281(a)(2))	80.0	ft	
Number of Partition	7.0	ea	
DESIGN LENGTH OF BASIN	16.0	ft	
PROPOSED VOLUME	4,800.0	ft ³	
ACTUAL CCB VOLUME	5,760.0	ft ³	
Actual Detention Time at Peak Flow	25.9	min	
ACTUAL CHANNEL LENGTH	96.0	ft	


Appendix M

Wind Rose



Windrose Plot for [ELA] Eagle Lake

Obs Between: 15 Oct 2014 01:55 PM - 14 May 2025 05:55 AM America/Chicago





WIND ROSE MAP

LOCATION: Sealy 200 WASTEWATER TREATMENT PLANT

DATE ISSUED: 08/26/2025



Appendix N

Solids Management Plan



Sealy 200 WWTP 40003-023

SLUDGE MANAGEMENT PLAN PH I - 0.075 MGD

I.PARAMETERS

% CAPACITIES	100%	75%	50%	25%
AVG. FLOW (MGD)	0.075	0.05625	0.028125	0.007

CBOD ₅ REMOVAL				
Influent Concentration	300	mg/l		
Effluent Concentration	10	mg/l		
Net Removal	290	mg/l		

DIGESTER VOLUME				
	Vol. (cu. ft.)	Vol. (Gal)		
Digester No. 1	2,520	18,850		
Digester No. 2	2,520	18,850		
Total	5,040	37,699		

II. DAILY SLUDGE PRODUCTIONS

CAPACITY	100%	75%	50%	25%
BOD REMOVED (LBS)	181	136	91	45
DRY SLUDGE PRODUCED ⁽¹⁾		40		4.4
(LBS)	57	43	29	14
WET SLUDGE	0.0==	0.140	4.400	
PRODUCED(2)(LBS)	2,857	2,143	1,428	714
VOL WET SLUDGE	242	257	171	96
PRODUCED (GPD)	343	257	171	86
REMOVAL SCHEDULE	440	4.6		
(DAYS)	110	146	220	440

(1) Assuming 0.315 lbs of dry sludge produced per pound of BOD5 removed (2) Assuming 2% Solids

Sludge will be removed from digester when digester is full of thickened solids. Sludge will be removed by a registered transporter and hauled to a permitted disposal site.

At 100% Capacity, sludge shall be removed from basins every 110 days



Sealy 200 WWTP 40003-023

SLUDGE MANAGEMENT PLAN PH II - 0.3 MGD

I.PARAMETERS

% CAPACITIES	100%	75%	50%	25%
AVG. FLOW (MGD)	0.300	0.225	0.1125	0.028

CBOD ₅ REMOVAL				
Influent Concentration 300 mg/l				
Effluent Concentration	10	mg/l		
Net Removal	290	mg/l		

DIGESTER VOLUME					
	Vol. (cu. ft.)	Vol. (Gal)			
Digester No. 1	2,520	18,850			
Digester No. 2	2,520	18,850			
Digester No. 3	2,520	18,850			
Digester No. 4	2,520	18,850			
Digester No. 5	2,520	18,850			
Digester No. 6	2,520	18,850			
Total	15,120	113,098			

II. DAILY SLUDGE PRODUCTIONS

CAPACITY	100%	75%	50%	25%
BOD REMOVED (LBS)	726	544	363	181
DRY SLUDGE PRODUCED ⁽¹⁾ (LBS)	229	171	114	57
WET SLUDGE PRODUCED ⁽²⁾ (LBS)	11,428	8,571	5,714	2,857
VOL WET SLUDGE PRODUCED (GPD)	1370	1028	685	343
REMOVAL SCHEDULE (DAYS)	82	110	165	330

(1) Assuming 0.315 lbs of dry sludge produced per pound of BOD5 removed (2) Assuming 2% Solids

Sludge will be removed from digester when digester is full of thickened solids.
Sludge will be removed by a registered transporter and hauled to a permitted

At 100% Capacity, sludge shall be removed from basins every 82 days

Sealy 200 WWTP 40003-023

SLUDGE MANAGEMENT PLAN PH III - 0.6 MGD

I.PARAMETERS

% CAPACITIES	100%	75%	50%	25%
AVG. FLOW (MGD)	0.600	0.45	0.225	0.056

CBOD ₅ REMOVAL				
Influent Concentration 300 mg/l				
Effluent Concentration	10	mg/l		
Net Removal	290	mg/l		

DIGESTER VOLUME				
	Vol. (cu. ft.)	Vol. (Gal)		
Digester No. 1	2,520	18,850		
Digester No. 2	2,520	18,850		
Digester No. 3	2,520	18,850		
Digester No. 4	2,520	18,850		
Digester No. 5	2,520	18,850		
Digester No. 6	2,520	18,850		
Digester No. 7	2,520	18,850		
Digester No. 8	2,520	18,850		
Digester No. 9	2,520	18,850		
Digester No. 10	2,520	18,850		
Digester No. 11	2,520	18,850		
Digester No. 12	2,520	18,850		
Total	30,240	226,195		

II. DAILY SLUDGE PRODUCTIONS

CAPACITY	100%	75%	50%	25%
BOD REMOVED (LBS)	1451	1088	726	363
DRY SLUDGE PRODUCED ⁽¹⁾	457	343	229	114
(LBS)	457	343	229	114
WET SLUDGE	0-0	.=		
PRODUCED(2)(LBS)	22,856	17,142	11,428	5,714
VOL WET SLUDGE	2741	2055	1270	685
PRODUCED (GPD)	2741	2055	1370	005
REMOVAL SCHEDULE	90	440	465	
(DAYS)	82	110	165	330

(1) Assuming 0.315 lbs of dry sludge produced per pound of BOD5 removed (2) Assuming 2% Solids

Sludge will be removed from digester when digester is full of thickened solids. Sludge will be removed by a registered transporter and hauled to a permitted disposal site.

At 100% Capacity, sludge shall be removed from basins every 82 days

Rainee Trevino

From: Audrey Anderson <aanderson@wga-llc.com>

Sent:Tuesday, October 14, 2025 8:54 AMTo:Rainee Trevino; Erwin MadridCc:Jerry Ince; Som Chilukuri

Subject: Application for Permit No. WQ0016883001 - NOD Reponse

Attachments: Plant Easement Agreement -Sealy200.docx (2)-1760128973336.pdf; WQ0016883001-

NOD Transmittal Letter.pdf; Comment 1 pip-form-tceq-20960.pdf; Comment 3 20972

Plain Language Summary.pdf; Comment 4 Landowner Map.pdf

Good Morning,

Thank you for the notice we apologize for the late response.

I will be the new contact for this project now in lieu of Cecila Chen as she has left the company. If some items have already been submitted to you, I apologize for the repetition.

Please see the attached and let me know if any items are missing or require further attention. Thank you for your patience.

Thank you,

Audrey Anderson, EIT Project Engineer



2500 Tanglewilde, Suite 120 | Houston, TX 77063
D: 346.771.5311 O: 713.789.1900
aanderson@wga-llc.com

HBJ Best Places to Work | 2023, 2024 Houston Chronicle Top Work Places | 2023, 2024



Rainee Trevino

From: Audrey Anderson <aanderson@wga-llc.com>
Sent: Wednesday, October 15, 2025 9:25 AM

To: Rainee Trevino

Cc: Jerry Ince; Som Chilukuri

Subject: Re: Application for Permit No. WQ0016883001 - NOD Reponse

Yes, ma'am that is correct.

Thank you,

Audrey Anderson, EIT

Project Engineer



2500 Tanglewilde, Suite 120 | Houston, TX 77063

D: 346.771.5311 O: 713.789.1900 aanderson@wga-llc.com

HBJ Best Places to Work | 2023, 2024 Houston Chronicle Top Work Places | 2023, 2024



From: Rainee Trevino < Rainee. Trevino@tceq.texas.gov>

Sent: Wednesday, October 15, 2025 9:24 AM **To:** Audrey Anderson <aanderson@wga-llc.com> **Cc:** Jerry Ince <jince@wga-llc.com>; Som Chilukuri

<schilukuri@wga-llc.com>

Subject: RE: Application for Permit No. WQ0016883001 - NOD

Reponse

Good morning, Audrey,

Thank you for the response. Will you also be the contact to replace Cecilia as the individual publishing the notice?

Rainee Trevino

Water Quality Division | ARP Team Texas Commission on Environmental Quality 512-239-4324



From: Audrey Anderson <aanderson@wga-llc.com>

Sent: Tuesday, October 14, 2025 8:54 AM

To: Rainee Trevino <Rainee.Trevino@tceq.texas.gov>; Erwin Madrid <Erwin.Madrid@tceq.texas.gov>

Cc: Jerry Ince <jince@wga-llc.com>; Som Chilukuri <schilukuri@wga-llc.com>

Subject: Application for Permit No. WQ0016883001 - NOD Reponse

Good Morning,

Thank you for the notice we apologize for the late response.

I will be the new contact for this project now in lieu of Cecila Chen as she has left the company. If some items have already been submitted to you, I apologize for the repetition.

Public Involvement Plan Form for Permit and Registration Applications

The Public Involvement Plan is intended to provide applicants and the agency with information about how public outreach will be accomplished for certain types of applications in certain geographical areas of the state. It is intended to apply to new activities; major changes at existing plants, facilities, and processes; and to activities which are likely to have significant interest from the public. This preliminary screening is designed to identify applications that will benefit from an initial assessment of the need for enhanced public outreach.

All applicable sections of this form should be completed and submitted with the permit or registration application. For instructions on how to complete this form, see TCEQ-20960-inst.

Section 1. Preliminary Screening

New Permit or Registration Application

New Activity - modification, registration, amendment, facility, etc. (see instructions)

If neither of the above boxes are checked, completion of the form is not required and does not need to be submitted.

Section 2. Secondary Screening

Requires public notice,

Considered to have significant public interest, and

Located within any of the following geographical locations:

- Austin
- Dallas
- Fort Worth
- Houston
- San Antonio
- West Texas
- Texas Panhandle
- Along the Texas/Mexico Border
- Other geographical locations should be decided on a case-by-case basis

If all the above boxes are not checked, a Public Involvement Plan is not necessary. Stop after Section 2 and submit the form.

Public Involvement Plan not applicable to this application. Provide **brief** explanation.

TCEQ-20960 (02-09-2023)

Section 3. Application Information

Type of Application (check all that apply):

Air Initial Federal Amendment Standard Permit Title V

Waste Municipal Solid Waste Industrial and Hazardous Waste Scrap Tire

Radioactive Material Licensing Underground Injection Control

Water Quality

Texas Pollutant Discharge Elimination System (TPDES)

Texas Land Application Permit (TLAP)

State Only Concentrated Animal Feeding Operation (CAFO)

Water Treatment Plant Residuals Disposal Permit

Class B Biosolids Land Application Permit

Domestic Septage Land Application Registration

Water Rights New Permit

New Appropriation of Water

New or existing reservoir

Amendment to an Existing Water Right

Add a New Appropriation of Water

Add a New or Existing Reservoir

Major Amendment that could affect other water rights or the environment

Section 4. Plain Language Summary

D ' 1	1 1		C 1 1	
Provide 3	hrigt d	accrintion	of planned	activation
I I OVIUE a	титет и	CSCLIDUOL	от планиси	activities.

Section 5. Community and Demographic Information

Community information can be found using EPA's EJ Screen, U.S. Census Bureau information, or generally available demographic tools.

Information gathered in this section can assist with the determination of whether alternative language notice is necessary. Please provide the following information.

language notice is necessary. Please provide the following information.					
(City)					
(County)					
(Census Tract) Please indicate which City	h of these three is the County	ne level used for gathering the following information. Census Tract			
(a) Percent of people	e over 25 years of age	e who at least graduated from high school			
-		r the specified location ercent of population by race within the specified location			
(d) Percent of Lingui	stically Isolated Hous	seholds by language within the specified location			
(e) Languages comm	only spoken in area b	by percentage			
(f) Community and/o	or Stakeholder Group	ps			
(g) Historic public in	iterest or involvemen	nt			

Section 6. Planned Public Outreach Activities

(a) Is this application subject to the public participation requirements of Title 30 Texas Administrative Code (30 TAC) Chapter 39?

Yes No

(b) If yes, do you intend at this time to provide public outreach other than what is required by rule?

Yes No

If Yes, please describe.

If you answered "yes" that this application is subject to 30 TAC Chapter 39, answering the remaining questions in Section 6 is not required.

(c) Will you provide notice of this application in alternative languages?

Yes No

Please refer to Section 5. If more than 5% of the population potentially affected by your application is Limited English Proficient, then you are required to provide notice in the alternative language.

If yes, how will you provide notice in alternative languages?

Publish in alternative language newspaper

Posted on Commissioner's Integrated Database Website

Mailed by TCEQ's Office of the Chief Clerk

Other (specify)

(d) Is there an opportunity for some type of public meeting, including after notice?

Yes No

(e) If a public meeting is held, will a translator be provided if requested?

Yes No

(f) Hard copies of the application will be available at the following (check all that apply):

TCEQ Regional Office

TCEQ Central Office

Public Place (specify)

Section 7. Voluntary Submittal

For applicants voluntarily providing this Public Involvement Plan, who are not subject to formal public participation requirements.

Will you provide notice of this application, including notice in alternative languages?

Yes No


What types of notice will be provided?

Publish in alternative language newspaper

Posted on Commissioner's Integrated Database Website

Mailed by TCEQ's Office of the Chief Clerk

Other (specify)





TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

SUMMARY OF APPLICATION IN PLAIN LANGUAGE FOR TPDES OR TLAP PERMIT APPLICATIONS

ENGLISH TEMPLATE FOR TPDES or TLAP NEW/RENEWAL/AMENDMENT APPLICATIONS DOMESTIC WASTEWATER/STORMWATER

The following summary is provided for this pending water quality permit application being reviewed by the Texas Commission on Environmental Quality as required by 30 TAC Chapter 39. The information provided in this summary may change during the technical review of the application and is not a federal enforceable representation of the permit application.

South Central Water Company (CN602602179) proposes to operate Sealy 200 Wastewater Treatment Plant (RN112285994), an activated sludge processing plant. The facility will be located approximately 0.77 miles south of intersection of Frazer Road and Sens Road, in City of Sealy, Austin County, Texas 77474. This permit is to authorize the discharge of treated domestic wastewater to a volume not to exceed an average flow of 600,000 gallons per day.

Discharges from the facility are expected to contain free available chlorine, total residual chlorine, total suspended solids, oil and grease, total iron, pH differences, and temperature differences. Domestic wastewater will be treated by an activated sludge processing plant consisting of the following treatment units: bar screens, aeration basins, digester basins, clarifiers, a lift station, and chlorine contact basins.

WASTEWATER PLANT EASEMENT AGREEMENT Sealv200

NOTICE OF CONFIDENTIALITY RIGHTS: IF YOU ARE A NATURAL PERSON, YOU MAY REMOVE OR STRIKE ANY OF THE FOLLOWING INFORMATION FROM ANY INSTRUMENT THAT TRANSFERS AN INTEREST IN REAL PROPERTY BEFORE IT IS FILED FOR RECORD IN THE PUBLIC RECORDS: YOUR SOCIAL SECURITY NUMBER OR YOUR DRIVER'S LICENSE NUMBER.

WASTEWATER PLANT EASEMENT AGREEMENT

(approx. 5 acres)

That Prestige Developers USA LLC called "Grantor" (whether one or more), for good and valuable consideration, the receipt and sufficiency of which is hereby acknowledged, does hereby grant, transfer, sell, assign and convey unto [COMPANY NAME], having an address of [ADDRESS], and to its successors and/or assigns, hereinafter called "Grantee," an exclusive and perpetual easement and right-of-way (the "Easement") along, over, under and across the following described property (the "Property"):

[PLEASE SEE EXHIBIT A]

The right-of-way, utility easement, and other rights and privileges herein granted shall include:

- 1. The right to place, construct, reconstruct, rephase, upgrade, expand the capability of, operate, maintain, repair, relocate within this Easement, rebuild, replace and remove thereon and/or in or upon the Property, a wastewater plant together with all the overhead and/or underground utility lines, including but not limited to water and sewer lines, equipment, and all other necessary or desirable appurtenances, including, but not limited to valves and manholes as deemed necessary by the Grantee to support the plant, lines and equipment within the Easement; and
- 2. The right to any additional temporary working space about or near the Easement as may be reasonably necessary, together with the right of pedestrian and/or vehicular ingress and egress over the Property and any adjoining land to or from said utility easement for the purposes of placing, constructing, reconstructing, rephasing, patrolling, inspecting, upgrading, expanding the capability of, operating, repairing, maintaining, relocating within this Easement, replacing, and/or removing said utility facilities, equipment and systems and appurtenances pertaining thereto; and
- 3. The right to clear the right of way of all obstructions, to cut, trim or remove trees and/or shrubbery located on, over or within the Easement and/or Property through any means deemed reasonable and appropriate by Grantee, including the use of machinery and the application of herbicides, and including any control of the growth of other vegetation in or about the Easement which may incidentally and necessarily result from the means of control employed; and
- 4.. The right of free access to the Easement at all reasonable hours to perform the aforementioned activities, and at any time to restore service or during an emergency.

5. This Easement is perpetual, provided, however, if Grantee ceases operating within the Easement for a period of six (6) months and Grantee's cessation of use is not due to a natural disaster, crime or property theft, acts of God, pandemic, labor strikes or acts of terrorism, then this Easement shall be terminated and the Property shall revert to Grantor or its successor and assigns. Venue for any disputes shall be in county in which the Property is located.

The rights hereby granted to Grantee may be dedicated, assigned (and/or licensed) by Grantee in whole or in part. Grantor covenants that Grantor, Grantor's heirs, successors and assigns shall not, individually, or in combination with others, interfere directly or indirectly with Grantee's use of this Easement now or at any time in the future, or with the efficiency, safety, or convenient operation of the utility(ies), utility service(s), related equipment, devices, appliances, and/or other property.

Grantor shall not construct nor cause or allow to be constructed any structure, building or improvement, nor plant any trees, nor impound any water, nor place any temporary or permanent erection of any equipment or appurtenances within the Easement in any manner as to interfere with the safe, efficient and convenient operation of the Grantee's facilities, equipment or systems. Such prohibited construction shall include, but not be limited to, new construction of a habitable structure, major modification to a preexisting habitable structure, stock tanks, dams, storage piles, swimming pools, antenna, spas, water wells, or oil wells. Grantor agrees that the Grantee shall have the right to remove, or cause to be removed, at Grantor's sole cost, any obstructions Grantor installs, erects or creates after the effective date of this Easement and which limit or impede Grantee's access to, through or across the Easement, or which interferes with or threatens to endanger the operation, reliability, efficiency, construction, reconstruction, or maintenance of Grantee's utility facilities or systems.

This Easement contains all covenants and terms between Grantor and Grantee related to the Easement. Any oral representations or modifications concerning this Easement shall be of no force and effect. Any subsequent amendment or modification to this Easement must be in writing and agreed to by the Grantor and Grantee. No waiver by Grantee of any default or breach of any covenant, condition, or stipulation herein contained, or delay by Grantee in the utilization of any right herein granted, shall be treated as a waiver of any subsequent default or breach of the same or any other covenant condition or stipulation, or as a waiver of any right of Grantee or of the ability of Grantee to utilize any such right at a future date.

TO HAVE AND TO HOLD the Easement unto said Grantee, its successors and assigns, forever, and Grantor hereby binds Grantor, and Grantor's successors, assigns, and heirs to warrant and forever defend all and singular said Easement and rights thereunder unto Grantee, its successors and assigns, against every person whomsoever lawfully claiming or to claim by through or under the same or any part thereof.

This Easement may be executed in any number of counterparts with the same effect as if all signatory parties had signed the same document. All counterparts will be construed together and will constitute one and the same instrument.

EXECUTED the _____ day of <u>10 October 2025</u>, 202_.

GRANTOR: Prestige Deveopers USA LLC

Bv:	enkat Gottipati
	Venkat Gottipati
Title:_	Managing Partner
Date:_	10 October 2025
TEE:	

GRANTEE:

SOUTH CENTRAL WATER COMPANY

By:	
Name:	
Title:	
Date:	

EXHIBIT A

A tract of land containing approx 180,625 sq ft. and being of dimension 425 ft by 425 ft with the center location being approximately 29° 49' 0.84'', -96° 11' 9.6''



Rainee Trevino

From: Audrey Anderson <aanderson@wga-llc.com>

Sent: Thursday, October 23, 2025 8:01 AM

To: Rainee Trevino

Cc: Jerry Ince; Som Chilukuri

Subject: Re: Application for Permit No. WQ0016883001 - NOD Reponse

Attachments: WQ0016883001.pdf

Good Morning Rainee,

Please see the attached letter. Please let us know if this will satisfy the ownership requirement.

Thank you,

Audrey Anderson, EIT

Project Engineer



2500 Tanglewilde, Suite 120 | Houston, TX 77063

D: 346.771.5311 O: 713.789.1900 aanderson@wga-llc.com

HBJ Best Places to Work | 2023, 2024 Houston Chronicle Top Work Places | 2023, 2024



From: Rainee Trevino < Rainee. Trevino@tceq.texas.gov>

Sent: Wednesday, October 22, 2025 10:34 AM **To:** Audrey Anderson aanderson@wga-llc.com **Cc:** Jerry Ince <jince@wga-llc.com; Som Chilukuri

<schilukuri@wga-llc.com>

Subject: RE: Application for Permit No. WQ0016883001 - NOD

Reponse

Hi Audrey,

Can you send over the letter to review?

Rainee Trevino

Water Quality Division | ARP Team Texas Commission on Environmental Quality 512-239-4324



From: Audrey Anderson <aanderson@wga-llc.com>

Sent: Tuesday, October 21, 2025 3:07 PM

To: Rainee Trevino < Rainee. Trevino@tceq.texas.gov>

Cc: Jerry Ince <jince@wga-llc.com>; Som Chilukuri <schilukuri@wga-llc.com> **Subject:** Re: Application for Permit No. WQ0016883001 - NOD Reponse

Good Afternoon Rainee,

Our client is willing to provide a letter stating that they will procure the recorded easement prior to issuance of the permit. Based on the statement below, that will satisfy for the administrative completeness correct?

Thank you,

Audrey Anderson, EIT

Project Engineer



2500 Tanglewilde, Suite 120 | Houston, TX 77063

D: 346.771.5311 O: 713.789.1900 aanderson@wga-llc.com

HBJ Best Places to Work | 2023, 2024 Houston Chronicle Top Work Places | 2023, 2024



From: Rainee Trevino < Rainee. Trevino@tceq.texas.gov >

Sent: Friday, October 17, 2025 11:22 AM

To: Audrey Anderson
Cc: Jerry Ince <i href="mailto:ince@wga-llc.com">ince@wga-llc.com; Som Chilukuri

<schilukuri@wga-llc.com>

Subject: RE: Application for Permit No. WQ0016883001 - NOD

Reponse

Good morning,

I have reviewed the complete response and the easement submitted is a draft easement. To meet the ownership requirement of Administrative Report 1.0, Section 9, Item D, any easement provided must be deed recorded in the county records. A draft easement may be accepted only for the administrative completeness of the application if the applicant also provides a written statement acknowledging that the deed recorded easement will be provided before the permit may be issued. Please provide either a deed recorded

easement or a written statement from the applicant acknowledging it is required and will be provided. A 30-day will return letter will be sent out allowing an additional 30 days to provide this information.

Regards,

Rainee Trevino

Water Quality Division | ARP Team Texas Commission on Environmental Quality 512-239-4324



From: Rainee Trevino

Sent: Wednesday, October 15, 2025 9:26 AM **To:** 'Audrey Anderson' < <u>aanderson@wga-llc.com</u>>

Cc: Jerry Ince < <u>jince@wga-llc.com</u>>; Som Chilukuri < <u>schilukuri@wga-llc.com</u>> **Subject:** RE: Application for Permit No. WQ0016883001 - NOD Reponse

Thank you for confirming.

Rainee Trevino



October 22nd, 2025

Texas Commission of Environmental Quality 12100 Park 35 Circle Austin, Texas 78753

RE: WQ0016883001

TCEQ,

South Central Water Company acknowledges that any easement provided for an application for a wastewater discharge permit must meet the ownership requirement according to the current rules and regulations of the TCEQ. South Central Water agrees that per this letter, we will submit an easement agreement to the county to be recorded prior to the issuance of the final permit. South Central Water Company acknowledges that if the easement is not submitted to the county, the wastewater discharge permit will not be issued.

South Central Water Company

By:

Name:

Title:

Date: October 22, 2025