

March 17, 2025

Texas Commission on Environmental Quality Water Availability Division, MC-160 12100 Park 35 Circle Austin, TX 78753

RECEIVED

BY: TCEQ

DATE: 03/20/2025

RE: Highpointe Ranch Water Rights Permit Application City of Aubrey, Denton County, TX

Dear TCEQ Representative:

KL LB Buy 3 LLC, Brandon Allen, Ariel Britt, Leanne Wilson, Zach Downtain, and Justin Morse (collectively "the Applicants") are proposing to construct Highpointe Ranch, a single-family development located south of Blackjack Road and east of US Route 377 in the City of Aubrey, Denton County, Texas. The Applicants are applying for a Water Use Permit to request authorization to maintain a reservoir for recreation purposes. The reservoir is located on unnamed tributary of Pecan Creek. The water lost due to evaporation is intended to be replaced using groundwater wells as an alternate source. One existing groundwater well (HPR 1) and one new groundwater well (HPR 2) are proposed.

Enclosed is an application to obtain a Water Use Permit for the project in the City of Aubrey, Denton County, Texas. A pre-application meeting was held on January 30, 2025. The following items are included with this submittal package:

- Administrative Information Checklist
- Administrative Information Report
- Applicant Information
- KL LB Buy 3 LLC Signature Authority
- Technical Information Report
- Worksheets: 1.0, 2.0, 3.0, 4.0, 4.1, 5.0, 6.0, 7.0, and 8.0
- Public Involvement Plan Form
- USGS Map
- Project Details Map
- Drainage Area Map
- NTGCD Coordination
- Photographs and Photographs Key Map
- Groundwater Availability Report
- Property Survey
- Property Deeds
- Evaporation Calculations
- Notice Mailing List
- Letter Notice to Governing Bodies with Mail Receipts
- Well Operation Plan
- Accounting Plan

If you have any questions, please contact me at

or (972) 770-1399.

Sincerely,

Carolyn Cox, P.E., CFM

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

TCEQ WATER RIGHTS PERMITTING APPLICATION

ADMINISTRATIVE INFORMATION CHECKLIST

Complete and submit this checklist for each application. See Instructions Page 5.

APPLICANT(S): KL LB BUY 3, LLC; Brandon Allen; Ariel Britt; Leanne Wilson; Zach Downtain; Justin Morse

Indicate whether the following items are included in your application by writing either Y (for yes) or N (for no) next to each item (all items are not required for every application).

Y/N		Y/N	
Y	_Administrative Information Report	N	_Worksheet 3.0
Y	_Additional Co-Applicant Information	N	_Additional W.S. 3.0 for each Point
Y	_Additional Co-Applicant Signature Pages	N	_Recorded Deeds for Diversion Points
Y	_Written Evidence of Signature Authority	N	_Consent for Diversion Access
Y	_Technical Information Report	Y	_Worksheet 4.0
Y	_USGS Map (or equivalent)	N	_TPDES Permit(s)
Y	_Map Showing Project Details	N	_WWTP Discharge Data
Y	_Original Photographs	Y*	_Groundwater Well Permit
Y	_Water Availability Analysis	N	_Signed Water Supply Contract
Y	_Worksheet 1.0	Y	_Worksheet 4.1
N	_Recorded Deeds for Irrigated Land	Y	_Worksheet 5.0
N	_Consent for Irrigated Land	N	_Addendum to Worksheet 5.0
N	_Worksheet 1.1	N	_Worksheet 6.0
N	_Addendum to Worksheet 1.1	N	_Water Conservation Plan(s)
N	_Worksheet 1.2	N	_Drought Contingency Plan(s)
У	_Worksheet 2.0	N	_Documentation of Adoption
N	_Additional W.S. 2.0 for Each Reservoir	Y	_Worksheet 7.0
Y*	_Dam Safety Documents	Y	_Accounting Plan
Y	_Notice(s) to Governing Bodies	Y	_Worksheet 8.0
Y	_Recorded Deeds for Inundated Land	Y	_Fees
N	_Consent for Inundated Land	N	_Public Involvement Plan

^{*}NOT AVAILABLE AT THIS TIME

ADMINISTRATIVE INFORMATION REPORT

The following information is required for all new applications and amendments.

TYPE OF APPLICATION (Instructions, Page. 6)

1.

***Applicants are REQUIRED to schedule a pre-application meeting with TCEQ Staff to discuss Applicant's needs prior to submitting an application. Call the Water Rights Permitting Team to schedule a meeting at (512) 239-4600.

Indicate, by marking X, next to the following authorizations you are seeking.
XNew Appropriation of State Water
Amendment to a Water Right *
Bed and Banks
*If you are seeking an amendment to an existing water rights authorization, you must be the owner of record of the authorization. If the name of the Applicant in Section 2 does not match the name of the current owner(s) of record for the permit or certificate or if any of th co-owners is not included as an applicant in this amendment request, your application could be returned. If you or a co-applicant are a new owner, but ownership is not reflected in the records of the TCEQ, submit a change of ownership request (Form TCEQ-10204) prior to submitting the application for an amendment. See Instructions page. 6. Please note that an amendment application may be returned, and the Applicant may resubmit once the change of ownership is complete.
Please summarize the authorizations or amendments you are seeking in the space below or attach a narrative description entitled "Summary of Request."
Highpointe Ranch is a single-family development. The project includes one existing on- channel wet pond/dam (previously exempt) along Unnamed Tributary to Pecan Creek that is
proposed to remain. The impounded water will be used for recreational purposes. This application is requesting to maintain a reservoir using an alternate source of groundwater. Water lost due to evaporation will be replaced by two groundwater wells. More details can be found in the cover letter for this application.

Applicant		
Indicate the number of App (Include a copy of this sect	plicants/Co-Applicants $rac{6}{1}$	7)
What is the Full Legal Name	of the individual or entity (applic	ant) applying for this permit?
KL LB BUY 3 LLC		
Secretary of State, County, of If the applicant is currently You may search for your CN	the legal name must be spelled experient the legal documents forming a customer with the TCEQ, what it is not the TCEQ website at a customer with the TCEQ website at a customecus of the custom	the entity.) s the Customer Number (CN)?
CN:	(leave blank if you do n	ot yet have a CN).
application is signed by an i evidence that they meet the First/Last Name: Nathan		r persons must submit written
Title: Authorized Signate	ory	
as an attachment to this app What is the applicant's mail may verify the address on the	ing address as recognized by the	
Name: KL LB BUY 3 LLC		
Mailing Address: 1601 E	lm St STE 4360	
City: Dallas	State: TX	ZIP Code: 75201
Indicate an X next to the typ	pe of Applicant:	
Individual	Sole Proprietorship-D.B.A.	
Partnership	Corporation	
Trust	Estate	
Federal Government	State Government	
County Government	City Government	
Other Government	X Other Limited Liability Com	<u>np</u> any
For Corporations or Limited	Partnerships, provide: ber: 32095202589 SOS Charter (fili	ing) Number: 0805561941

Applicant		
Indicate the number of Appli (Include a copy of this section	cants/Co-Applicants $\frac{6}{1}$ n for each Co-Applicant, if any)	<u> </u>
What is the Full Legal Name of	the individual or entity (applica	nt) applying for this permit?
Brandon Allen		
Secretary of State, County, or in If the applicant is currently a converse You may search for your CN or	ne legal name must be spelled exc in the legal documents forming t customer with the TCEQ, what is in the TCEQ website at crpub/index.cfm?fuseaction=cust	he entity.) the Customer Number (CN)?
CN:	(leave blank if you do no	ot yet have a CN).
application is signed by an ind	the person or persons signing the lividual applicant, the person or gnatory requirements in 30 TAC Allen	persons must submit written
Have you provided written evias an attachment to this applie	g address as recognized by the U USPS website at	
Mailing Address: 4161 Mck	Cinney Ave STE 410	-
City: Dallas	State: TX	ZIP Code: <u>75204</u>
Indicate an X next to the type	of Applicant:	
X_Individual	Sole Proprietorship-D.B.A.	
Partnership	Corporation	
Trust	Estate	
Federal Government	State Government	
County Government	City Government	
Other Government	Other	-
For Corporations or Limited Pa State Franchise Tax ID Numbe	artnerships, provide: r:SOS Charter (filir	ng) Number:

Applicant	
Indicate the number of Applicants/Co-Applicants $\frac{6}{}$ (Include a copy of this section for each Co-Applicant, if any)	
What is the Full Legal Name of the individual or entity (applicant) applying for this permi	t?
Ariel Britt	
(If the Applicant is an entity, the legal name must be spelled exactly as filed with the Texas Secretary of State, County, or in the legal documents forming the entity.)	S
If the applicant is currently a customer with the TCEQ, what is the Customer Number (CN You may search for your CN on the TCEQ website at http://www15.tceq.texas.gov/crpub/index.cfm?fuseaction=cust.CustSearch	V) ?
CN:(leave blank if you do not yet have a CN).	
What is the name and title of the person or persons signing the application? Unless an application is signed by an individual applicant, the person or persons must submit writt evidence that they meet the signatory requirements in <i>30 TAC § 295.14</i> . First/Last Name: Ariel Britt Title: President	ten
Have you provided written evidence meeting the signatory requirements in 30 TAC § 295 as an attachment to this application? Y/N Y What is the applicant's mailing address as recognized by the US Postal Service (USPS)? Yo may verify the address on the USPS website at https://tools.usps.com/go/ZipLookupAction!input.action . Name: Ariel Britt	
Mailing Address: 4161 McKinney Ave STE 410	
City: Dallas State: TX ZIP Code: 75204	_
Indicate an X next to the type of Applicant:	
X Individual Sole Proprietorship-D.B.A.	
PartnershipCorporation	
TrustEstate	
Federal GovernmentState Government	
County GovernmentCity Government	
Other GovernmentOther	
For Corporations or Limited Partnerships, provide: State Franchise Tax ID Number:SOS Charter (filing) Number:	_

Applicant		
Indicate the number of Application (Include a copy of this section	cants/Co-Applicants 6 n for each Co-Applicant, if any)	
What is the Full Legal Name of	the individual or entity (applican	t) applying for this permit?
Leanne Wilson		
Secretary of State, County, or it If the applicant is currently a c You may search for your CN o	ne legal name must be spelled exaction the legal documents forming the customer with the TCEQ, what is to the TCEQ website at crpub/index.cfm?fuseaction=cust.	the Customer Number (CN)?
	(leave blank if you do not	
application is signed by an ind		persons must submit written
Have you provided written evidus an attachment to this applie	dence meeting the signatory requ cation? Y/N <u>Y</u> g address as recognized by the US USPS website at	
Name: Leanne Wilson	The same of the sa	
Mailing Address: 4161 Mck		The state of the s
City: Dallas	State: TX	ZIP Code: 75204
Indicate an X next to the type	of Applicant:	
X_Individual	Sole Proprietorship-D.B.A.	
Partnership	Corporation	
Trust	Estate	
Federal Government	State Government	
County Government	City Government	
Other Government	Other	
For Corporations or Limited Pa State Franchise Tax ID Number	artnerships, provide: r:SOS Charter (filing	g) Number:

Applicant
Indicate the number of Applicants/Co-Applicants $\frac{6}{}$ (Include a copy of this section for each Co-Applicant, if any)
What is the Full Legal Name of the individual or entity (applicant) applying for this permit?
Zach Downtain
(If the Applicant is an entity, the legal name must be spelled exactly as filed with the Texas Secretary of State, County, or in the legal documents forming the entity.)
If the applicant is currently a customer with the TCEQ, what is the Customer Number (CN)? You may search for your CN on the TCEQ website at http://www15.tceq.texas.gov/crpub/index.cfm?fuseaction=cust.CustSearch
CN:(leave blank if you do not yet have a CN).
What is the name and title of the person or persons signing the application? Unless an application is signed by an individual applicant, the person or persons must submit written evidence that they meet the signatory requirements in <i>30 TAC § 295.14</i> . First/Last Name: Zach Downtain
Title: N/A
Have you provided written evidence meeting the signatory requirements in 30 TAC § 295.14 as an attachment to this application? Y/N Y
What is the applicant's mailing address as recognized by the US Postal Service (USPS)? You may verify the address on the USPS website at https://tools.usps.com/go/ZipLookupAction!input.action . Name: Zach Downtain
Mailing Address: 4161 McKinney Ave STE 410
City: Dallas State: TX ZIP Code: 75204
Indicate an X next to the type of Applicant:
X IndividualSole Proprietorship-D.B.A.
PartnershipCorporation
TrustEstate
Federal GovernmentState Government
County GovernmentCity Government
Other GovernmentOther
For Corporations or Limited Partnerships, provide: State Franchise Tax ID Number:SOS Charter (filing) Number:

Applicant		
Indicate the number of Ap (Include a copy of this sec	plicants/Co-Applicants $\frac{6}{1}$	<u>y)</u>
What is the Full Legal Name	e of the individual or entity (applic	ant) applying for this permit?
Justin Morse		
	r, the legal name must be spelled e. or in the legal documents forming	
You may search for your Cl	a customer with the TCEQ, what in a customer with the TCEQ, website at a custom/crpub/index.cfm?fuseaction=cu	
CN:	(leave blank if you do r	oot yet have a CN).
application is signed by an	of the person or persons signing tindividual applicant, the person of signatory requirements in 30 TA Morse	r persons must submit written C § 295.14.
	Morse	
what is the applicant's mai may verify the address on the https://tools.usps.com/go/Name: Justin Morse	ling address as recognized by the the USPS website at ZipLookupAction!input.action.	
what is the applicant's mai may verify the address on thttps://tools.usps.com/go/Name: Justin Morse Mailing Address: 4161 M	oplication? Y/N Y ling address as recognized by the the USPS website at ZipLookupAction!input.action. McKinney Ave STE 410	US Postal Service (USPS)? You
what is the applicant's mai may verify the address on the https://tools.usps.com/go/Name: Justin Morse	oplication? Y/N Y ling address as recognized by the the USPS website at ZipLookupAction!input.action.	
what is the applicant's mai may verify the address on thttps://tools.usps.com/go/Name: Justin Morse Mailing Address: 4161 M	Ing address as recognized by the the USPS website at ZipLookupAction!input.action. McKinney Ave STE 410 State: TX	US Postal Service (USPS)? You
what is the applicant's mai may verify the address on thttps://tools.usps.com/go/Name: Justin Morse Mailing Address: 4161 Mailing Address: Dallas	Ing address as recognized by the the USPS website at ZipLookupAction!input.action. McKinney Ave STE 410 State: TX	US Postal Service (USPS)? You
what is the applicant's mai may verify the address on thttps://tools.usps.com/go/Name: Justin Morse Mailing Address: 4161 Mailing Address: Dallas Indicate an X next to the type	Ing address as recognized by the the USPS website at ZipLookupAction!input.action. McKinney Ave STE 410 State: TX pe of Applicant:	US Postal Service (USPS)? You
what is the applicant's mai may verify the address on thttps://tools.usps.com/go/Name: Justin Morse Mailing Address: 4161 Mailing Address: Dallas Indicate an X next to the type X Individual	Ing address as recognized by the the USPS website at ZipLookupAction!input.action. McKinney Ave STE 410 State: TX pe of Applicant: Sole Proprietorship-D.B.A.	US Postal Service (USPS)? You
what is the applicant's mai may verify the address on thttps://tools.usps.com/go/Name: Justin Morse Mailing Address: 4161 Mailing Address: Dallas Indicate an X next to the type X Individual Partnership	Ing address as recognized by the the USPS website at ZipLookupAction!input.action. McKinney Ave STE 410 State: TX pe of Applicant: Sole Proprietorship-D.B.A. Corporation	US Postal Service (USPS)? You
what is the applicant's mai may verify the address on thttps://tools.usps.com/go/Name: Justin Morse Mailing Address: 4161 Mailing Address: Dallas Indicate an X next to the type X Individual Partnership Trust	Ing address as recognized by the the USPS website at ZipLookupAction!input.action. McKinney Ave STE 410 State: TX pe of Applicant: Sole Proprietorship-D.B.A. CorporationEstate	US Postal Service (USPS)? You

3. APPLICATION CONTACT INFORMATION (Instructions, Page. 9)

If the TCEQ needs additional information during the review of the application, who should be contacted? Applicant may submit their own contact information if Applicant wishes to be the point of contact.

First and Last Name: Carolyn Cox,	P.E., CFM	
Title: Project Engineer		
Organization Name: Kimley-Horn a	and Associates	
Mailing Address: 6160 Warren Parl	kway, Suite 210	
City: Frisco	State: TX	ZIP Code: 75034
Phone Number: 972-770-1399		
Fax Number: N/A		
E-mail Address		

4. WATER RIGHT CONSOLIDATED CONTACT INFORMATION (Instructions, Page. 9)

I/We authorize all future notices be received on my/our behalf at the following:

This section applies only if there are multiple Owners of the same authorization. Unless otherwise requested, Co-Owners will each receive future correspondence from the Commission regarding this water right (after a permit has been issued), such as notices and water use reports. Multiple copies will be sent to the same address if Co-Owners share the same address. Complete this section if there will be multiple owners and all owners agree to let one owner receive correspondence from the Commission. Leave this section blank if you would like all future notices to be sent to the address of each of the applicants listed in section 2 above.

7		8
First and Last Name: N/A		
Title: N/A		
Organization Name: N/A		
Mailing Address: N/A		
City: N/A	State: N/A	ZIP Code: N/A
Phone Number: N/A		
Fax Number: N/A		
E-mail Address: N/A		

5. MISCELLANEOUS INFORMATION (Instructions, Page. 9)

	TCEQ or the Office of the Attorney General on behalf of the TCEQ are paid in accordance to the Delinquent Fee and Penalty Protocol by all applicants/co-applicants. If you need assistance determining whether you owe delinquent penalties or fees, please call the Water Rights Permitting Team at (512) 239-4600, prior to submitting your application.	
	1. Does Applicant or Co-Applicant owe any fees to the TCEQ? Yes / No $\frac{N}{N}$	
	If yes , provide the following information:	
	Account number: Amount past due:	
	2. Does Applicant or Co-Applicant owe any penalties to the TCEQ? Yes / No	
	Enforcement order number: Amount past due:	
b.	If the Applicant is a taxable entity (corporation or limited partnership), the Applicant must be in good standing with the Comptroller or the right of the entity to transact business in the State may be forfeited. See Texas Tax Code, Subchapter F. Applicant's may check their status with the Comptroller at https://mycpa.cpa.state.tx.us/coa/	
	Is the Applicant or Co-Applicant in good standing with the Comptroller? Yes / No $\underline{\underline{Y}}$	
c.	The commission will not grant an application for a water right unless the applicant has submitted all Texas Water Development Board (TWDB) surveys of groundwater and surface water use – if required. See TWC §16.012(m) and 30 TAC § 297.41(a)(5). Applicants should check survey status on the TWDB website prior to filing: https://www3.twdb.texas.gov/apps/reports/WU/SurveyStatus_PriorThreeYears	
	Applicant has submitted all required TWDB surveys of groundwater and surface water? Yes / No $\underline{\underline{Y}}$	

a. The application will not be processed unless all delinquent fees and/or penalties owed to the

6. SIGNATURE PAGE (Instructions, Page. 11)

Applicant:		
I, Nathan Holt	Auth	orized Signatory
(Typed or printed name)	(T)	tle)
direction or supervision in acco	ordance with a system design he information submitted. Be m, or those persons directly ubmitted is, to the best of m ware there are significant pe	y knowledge and belief, true, nalties for submitting false
		Administrative Code §295.14 to sign idence of my signature authority.
Signature: Nathun	Thet	Date: 001000 29, 2024
(Use blue ink)		(*) NS
Subscribed and Sworn to before	e me by the said	
on this 29th	day of October	, 2024.
My commission expires on the		st , 20 3 6 76
Notary Public		JULIE GILLETT Notary Public - State of Arizona ThinARICOPA COUNTY
riotary rubiic		Commission # 635441 Expires August 05, 2026
Mari copa County, Ari-	zona	

If the Application includes Co-Applicants, each Applicant and Co-Applicant must submit an original, separate signature page



I, Anthony Pasqua, in my capacity as

- (1) the authorized signatory of the following entities, which collectively control KL LB BOR 1 LLC, the Member and controlling party of KL LB BUY 1 LLC: (a) KL RES TRS HOLDCO LLC, (b) KL FUND II REIT AIV LLC (in my capacity as the authorized signatory of Kennedy Lewis GP II LLC, its Managing Member); (c) KL FUND III REIT AIV LLC (in my capacity as the authorized signatory of Kennedy Lewis GP III LLC, its Managing Member), and (d) KL DELTA REIT AIV LLC (in my capacity as the authorized signatory of Kennedy Lewis GP III LLC, its Managing Member);
- (2) the authorized signatory of the following entities, which collectively control KL LB BOR 2 LLC, the Member and controlling party of KL LB BUY 2 LLC¹: (a) KL RES TRS HOLDCO LLC, (b) KL FUND III REIT AIV LLC (in my capacity as the authorized signatory of Kennedy Lewis GP III LLC, its Managing Member), and (c) KL DELTA REIT AIV LLC (in my capacity as the authorized signatory of Kennedy Lewis GP III LLC, its Managing Member);
- (3) the authorized signatory of KL RES TRS HOLDCO LLC, which controls KL LB BOR 3 LLC, the Member and controlling party of KL LB BUY 3 LLC; and
- (4) the authorized signatory of the following entities, which collectively control KL LB BOR 4 LLC, the Member and controlling party of KL LB BUY 4 LLC: (a) KL RES TRS HOLDCO LLC; and (b) KL DELTA EXCELSIOR ACCOUNT SPV LLC (in my capacity as the authorized signatory of Kennedy Lewis GP III LLC, its Managing Member); and
- (5) the authorized signatory of the following entities, which collectively control KL LB BOR 5 LLC, the Member and controlling party of KL LB BUY 5 LLC: (a) KL RES TRS HOLDCO LLC, (b) KLRESS FUND III AIV LLC (in my capacity as the authorized signatory of Kennedy Lewis GP III LLC, its Managing Member), (c) KL DELTA REIT AIV LLC (in my capacity as the authorized signatory of Kennedy Lewis GP III LLC, its Managing Member) and (d) KL DELTA EXCELSIOR REIT AIV LLC (in my capacity as the authorized signatory of Kennedy Lewis GP III LLC, its Managing Member)

do hereby certify and represent as of the Execution Date (as defined below):

The following individual(s) is/are duly authorized to act as agent for the Entities for the following purposes: signing and executing memorandum of options, specialty warranty deeds, bill of sale and general assignment, option agreements, construction agreements, purchase agreements, notice of

¹ KL LB BUY 1 LLC, KL LB BUY 2 LLC, KL LB BUY 3 LLC, KL LB BUY 4 LLC and KL LB BUY 5 LLC are hereinafter referred to as the "Entities."



termination of option and quitclaim, and anything else in the normal course as it relates to investments within the Entities and in connection with the Entities' land improvements and development activities, including the public facilities necessary to serve such development, including, but not limited to, (a) the formation, annexation or participation in special financing districts, including but not limited to, assessment districts and community facilities districts, pursuant to the Mello-Roos Community Facilities Act of 1982, as amended, or any other comparable or similar statute or regulation, (b) authorizing the levy of assessments or special taxes against the real property of the Company by any such special districts, (c) participation in land-secured or other municipal bond financing of improvements by any such special districts, including authorizing the issuance of bonds or other debt instruments by any such special districts, secured by a pledge of the proceeds of the special taxes or assessments levied on the real property of the Company.

The Entities have taken all necessary corporate action to authorize the following person(s) identified by name and specimen signature below, to act as authorized officer(s) empowered by it to individually take any of the foregoing actions on behalf of the Entities. Such persons are duly authorized officers of the Entities holding the respective office(s) or title(s) set forth opposite the names below. The signatures set forth below, opposite the respective name(s), are true and genuine signatures.

This certification supersedes all prior authorization, power of attorney or certification; it will remain in effect and fully binding until further notice. The power to represent the Entities as above provided may not be further delegated.

NAME	TITLE	SPECIMEN SIGNATURE
David Valiaveedan	Authorized Signatory	Dal MV charing
Brieanne Nikrandt	Authorized Signatory	Milanne Nikronels
Kevin O'Brien	Authorized Signatory	Keon
Anthony Pasqua	Authorized Signatory	atto
Tricia Tiernan	Authorized Signatory	Tricia Tuerman
Nathan Holt	Authorized Signatory	Nathan Holt
Janelle Iturbe	Authorized Signatory	A. Ganeller Sturbe
Graig Bantle	Authorized Signatory	BUR
Michael Lapat	Authorized Signatory	MI MAD



Authorized Signatory	RML
Authorized Signatory	B-OK
	Model and Activities and Control of Control

[Remainde	er of this page intentionally left blank]
IN WITNESS WHEREOF, I have herei	unto affixed my signature, this 13 day of September 2024 (the
"Execution Date").	ALLD
	Anthony Pasqua
	Authorized Signatory of KL RES TRS HOLDCO LLC
	atto
	Anthony Pasqua
	Authorized Signatory of Kennedy Lewis GP II LLC, the Managing Member of KL FUND II REIT AIV LLC
	atlp
	Anthony Pasqua
	Authorized Signatory of Kennedy Lewis GP III LLC, the Managing Member of KL FUND III REIT AIV LLC
	atlP
	Anthony Pasqua
	Authorized Signatory of Kennedy Lewis GP III LLC, the
	Managing Member of KLRES5 FUND III AIV LLC
	Anthony Pasqua
	Authorized Signatory of Kennedy Lewis GP III LLC, the
	Managing Member of KL DELTA REIT AIV LLC
	. 1 0 0

Anthony Pasqua



Authorized Signatory of Kennedy Lewis GP III LLC, the Managing Member of KL DELTA EXCELSIOR REIT AIV LLC

Anthony Pasqua

Authorized Signatory of Kennedy Lewis GP III LLC, the Managing Member of KL DELTA EXCELSIOR ACCOUNT SPV LLC

6. SIGNATURE PAGE (Instructions, Page 1987)	age. 11)	
Applicant:		
I, Brandon Allen (Typed or printed name)	Assistant	Sexrebang
(Typed or printed name)	(Title)	
certify under penalty of law that this document and direction or supervision in accordance with a system properly gather and evaluate the information submit persons who manage the system, or those persons information, the information submitted is, to the beaccurate, and complete. I am aware there are significant information, including the possibility of fine and improved the system.	n designed to assuitted. Based on my directly responsib est of my knowled icant penalties for	are that qualified personnel y inquiry of the person or le for gathering the ge and belief, true, submitting false
I further certify that I am authorized under Title 30 and submit this document and I have submitted wri	Texas Administra itten evidence of r	ative Code §295.14 to sign my signature authority.
Signature:	Date: //	13/2024
(Use blue ink)		
Subscribed and Sworn to before me by the said	1	
on this 13th day of Novement day of day of day of	noer	_, 20 <u>24</u>
My commission expires on the 31^{31} day of	Angust	_, 20 <u>·26</u> .
Anna Pukanala Purpura Notary Public	Notary Publi	NALA PURPURA c, State of Texas pires 08-31-2026 D 124848260
County, Texas		

6.

If the Application includes Co-Applicants, each Applicant and Co-Applicant must submit an original, separate signature page

6. SIGNATURE PAGE (Instructions, Page, 11) Applicant: President I. Ariel Britt (Typed or printed name) (Title) certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. I further certify that I am authorized under Title 30 Texas Administrative Code §295.14 to sign and submit this document and I have submitted written evidence of my signature authority. _____ Date: __!||13|2024 Signature: (Use blue ink) Subscribed and Sworn to before me by the said day of November, 2024. on this My commission expires on the___ Anna Rukanala Purpura ANNA PUKANALA PURPURA Notary Public, State of Texas Comm. Expires 08-31-2026 Notary ID 124843260 Notary Public

If the Application includes Co-Applicants, each Applicant and Co-Applicant must submit an original, separate signature page

County, Texas

6. SIGNATURE PAGE (Instructions, Page. 11) Applicant: I, Leanne Wilson **Executive Director of Operations** (Typed or printed name) (Title) certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. I further certify that I am authorized under Title 30 Texas Administrative Code §295.14 to sign and submit this document and I have submitted written evidence of my signature authority. Signature: Theme Tilson Date: 11/13/24 Subscribed and Sworn to before me by the said on this 13th day of November, 20 My commission expires on the 31st day of Angust, 20

Anna Pukanala Purpura Notary Public ANNA PUKANALA PURPURA
Notary Public, State of Texas
Comm. Expires 08-31-2026
Notary ID 129848260

County, Texas

If the Application includes Co-Applicants, each Applicant and Co-Applicant must submit an original, separate signature page

U. SIGNATURE	FAGE (Instructions, Page.	11)
Applicant:		
I, Zach Downtain	and grant and	
(Typed or printed name	e)	(Title)
-	The St Millian Lands	
certify under penalty o	f law that this document and all a	attachments were prepared under my signed to assure that qualified personnel
properly gather and ev	aluate the information submitted	Based on my inquiry of the person or
persons who manage th	he system, or those persons direc	tly responsible for gathering the
	nation submitted is, to the best of	
	e. I am aware there are significant the possibility of fine and imprise	
,	CARSO	The state of the s
I further certify that I a	m authorized under Title 30 Tev	as Administrative Code §295.14 to sign
and submit this docum	ent and I have submitted written	evidence of my signature authority.
	STATISTICAL STATES	
Signature: 5al	Mara-	Date: 12/18/2024
(Use blue inl		
	ATTEMPTION CASE	
Subscribed and Sworn	to before me by the said	
on this	day of Domber	20 21
	day of Section	, 20 7.
My commission expires	day of <u>December</u> on the <u>1st</u> day of <u>Sep</u>	tember , 20 25.
Bur	annum mananan m	
Notary Public	CARSON H LUDDECKE NOTARY ID #13330768-8	[SEAL]
	My Commission Expires	
	September 01, 2025	
County, Texas		


If the Application includes Co-Applicants, each Applicant and Co-Applicant must submit an original, separate signature page

SIGNATURE PAGE (Instructions, Page. 11) 6. Applicant: I. Justin Morse (Typed or printed name) (Title) certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. I further certify that I am authorized under Title 30 Texas Administrative Code §295.14 to sign and submit this document and I have submitted written evidence of my signature authority. Signature: Date: //-27-2024 (Use blue ink) Subscribed and Sworn to before me by the said day of November, 2024.

day of September, 2025. on this My commission expires on the productive and the control of the co

Notary Public

County, Texas



[SEAL]

If the Application includes Co-Applicants, each Applicant and Co-Applicant must submit an original, separate signature page

TECHNICAL INFORMATION REPORT WATER RIGHTS PERMITTING

This Report is required for applications for new or amended water rights. Based on the Applicant's responses below, Applicants are directed to submit additional Worksheets (provided herein). A completed Administrative Information Report is also required for each application.

Applicants are REQUIRED to schedule a pre-application meeting with TCEQ Permitting Staff to discuss Applicant's needs and to confirm information necessary for an application prior to submitting such application. Please contact the Water Availability Division at (512) 239-4600 or <a href="https://www.weptman.com/www.w

Date of pre-application meeting: 01/30/2025

1. New or Additional Appropriations of State Water. Texas Water Code (TWC) § 11.121 (Instructions, Page. 12)

State Water is: The water of the ordinary flow, underflow, and tides of every flowing river, natural stream, and lake, and of every bay or arm of the Gulf of Mexico, and the storm water, floodwater, and rainwater of every river, natural stream, canyon, ravine, depression, and watershed in the state. TWC § 11.021.

- a. Applicant requests a new appropriation (diversion or impoundment) of State Water? Y / N Y
- b. Applicant requests an amendment to an existing water right requesting an increase in the appropriation of State Water or an increase of the overall or maximum combined diversion rate? Y / N_{N} (If yes, indicate the Certificate or Permit number: N/A)

If Applicant answered yes to (a) or (b) above, does Applicant also wish to be considered for a term permit pursuant to TWC § 11.1381? Y / N_{-}

c. Applicant requests to extend an existing Term authorization or to make the right permanent? $\mathbf{Y} / \mathbf{N} = \mathbf{N}$ (If yes, indicate the Term Certificate or Permit number: \mathbf{N} / \mathbf{A})

If Applicant answered yes to (a), (b) or (c), the following worksheets and documents are required:

- Worksheet 1.0 Quantity, Purpose, and Place of Use Information Worksheet
- Worksheet 2.0 Impoundment/Dam Information Worksheet (submit one worksheet for each impoundment or reservoir requested in the application)
- **Worksheet 3.0 Diversion Point Information Worksheet** (submit one worksheet for each diversion point and/or one worksheet for the upstream limit and one worksheet for the downstream limit of each diversion reach requested in the application)
- Worksheet 5.0 Environmental Information Worksheet
- Worksheet 6.0 Water Conservation Information Worksheet
- Worksheet 7.0 Accounting Plan Information Worksheet
- Worksheet 8.0 Calculation of Fees
- Fees calculated on Worksheet 8.0 see instructions Page. 34.
- Maps See instructions Page. 15.
- Photographs See instructions Page. 30.

Additionally, if Applicant wishes to submit an alternate source of water for the project/authorization, see Section 3, Page 3 for Bed and Banks Authorizations (Alternate sources may include groundwater, imported water, contract water or other sources).

Additional Documents and Worksheets may be required (see within).

2. Amendments to Water Rights. TWC § 11.122 (Instructions, Page. 12)

This section should be completed if Applicant owns an existing water right and Applicant requests to amend the water right. If Applicant is not currently the Owner of Record in the TCEQ Records, Applicant must submit a Change of Ownership Application (TCEQ-10204) prior to submitting the amendment Application or provide consent from the current owner to make the requested amendment. If the application does not contain consent from the current owner to make the requested amendment, TCEQ will not begin processing the amendment application until the Change of Ownership has been completed and will consider the Received Date for the application to be the date the Change of Ownership is completed. See instructions page. 6.

Water Right (Certificate or Permit) number you ar	re requesting to amend: N/A
Applicant requests to sever and combine existing Certificates into another Permit or Certificate? Y	,
List of water rights to sever	Combine into this ONE water right
N/Δ	N/Δ

a. Applicant requests an amendment to an existing water right to increase the amount of the appropriation of State Water (diversion and/or impoundment)? \mathbf{Y} / \mathbf{N}

If yes, application is a new appropriation for the increased amount, complete **Section 1 of this Report (PAGE. 1) regarding New or Additional Appropriations of State Water**.

b. Applicant requests to amend existing Term authorization to extend the term or make the water right permanent (remove conditions restricting water right to a term of years)? Y / N $^{\text{N/A}}$

If yes, application is a new appropriation for the entire amount, complete **Section 1 of this Report (PAGE. 1) regarding New or Additional Appropriations of State Water**.

- c. Applicant requests an amendment to change the purpose or place of use or to add an additional purpose or place of use to an existing Permit or Certificate? Y / $N_{N/A}$ If yes, submit:
 - Worksheet 1.0 Quantity, Purpose, and Place of Use Information Worksheet
 - Worksheet 1.2 Notice: "Marshall Criteria"
- d. Applicant requests to change: diversion point(s); or reach(es); or diversion rate? Y / $N_{N/A}$ *If yes, submit:*
 - **Worksheet 3.0 Diversion Point Information Worksheet** (submit one worksheet for each diversion point or one worksheet for the upstream limit and one worksheet for the downstream limit of each diversion reach)
 - **Worksheet 5.0 Environmental Information** (Required for <u>any</u> new diversion points that are not already authorized in a water right)
- e. Applicant requests amendment to add or modify an impoundment, reservoir, or dam? Y / N N/A

If yes, submit: **Worksheet 2.0 - Impoundment/Dam Information Worksheet** (submit one worksheet for each impoundment or reservoir)

f. Other - Applicant requests to change any provision of an authorization not mentioned above? Y / N N/A If yes, call the Water Availability Division at (512) 239-4600 to discuss.

Additionally, all amendments require:

- Worksheet 8.0 Calculation of Fees; and Fees calculated see instructions Page. 34
- Maps See instructions Page. 15.
- Additional Documents and Worksheets may be required (see within).

3. Bed and Banks. TWC § 11.042 (Instructions, Page 13)

a. Pursuant to contract, Applicant requests authorization to convey, stored or conserved water to the place of use or diversion point of purchaser(s) using the bed and banks of a watercourse? TWC \S 11.042(a). Y/N $^{\rm N}$

If yes, submit a signed copy of the Water Supply Contract pursuant to 30 TAC §§ 295.101 and 297.101. Further, if the underlying Permit or Authorization upon which the Contract is based does not authorize Purchaser's requested Quantity, Purpose or Place of Use, or Purchaser's diversion point(s), then either:

- 1. Purchaser must submit the worksheets required under Section 1 above with the Contract Water identified as an alternate source; or
- 2. Seller must amend its underlying water right under Section 2.
- b. Applicant requests to convey water imported into the state from a source located wholly outside the state using the bed and banks of a watercourse? TWC § 11.042(a-1). Y / N_{N}

If yes, submit worksheets 1.0, 2.0, 3.0, 4.0, 5.0, 7.0, 8.0, Maps and fees from the list below.

c. Applicant requests to convey Applicant's own return flows derived from privately owned groundwater using the bed and banks of a watercourse? TWC § 11.042(b). Y / N_N_

If yes, submit worksheets 1.0, 2.0, 3.0, 4.0, 5.0, 7.0, 8.0, Maps, and fees from the list below.

d. Applicant requests to convey Applicant's own return flows derived from surface water using the bed and banks of a watercourse? TWC § 11.042(c). Y / N_N

If yes, submit worksheets 1.0, 2.0, 3.0, 4.0, 5.0, 6.0, 7.0, 8.0, Maps, and fees from the list below.

*Please note, if Applicant requests the reuse of return flows belonging to others, the Applicant will need to submit the worksheets and documents under Section 1 above, as the application will be treated as a new appropriation subject to termination upon direct or indirect reuse by the return flow discharger/owner.

e. Applicant requests to convey water from any other source, other than (a)-(d) above, using the bed and banks of a watercourse? TWC § 11.042(c). $Y / N_{_}$

If yes, submit worksheets 1.0, 2.0, 3.0, 4.0, 5.0, 7.0, 8.0, Maps, and fees from the list below. Worksheets and information:

- Worksheet 1.0 Quantity, Purpose, and Place of Use Information Worksheet
- Worksheet 2.0 Impoundment/Dam Information Worksheet (submit one worksheet for each impoundment or reservoir owned by the applicant through which water will be conveyed or diverted)
- **Worksheet 3.0 Diversion Point Information Worksheet** (submit one worksheet for the downstream limit of each diversion reach for the proposed conveyances)

- Worksheet 4.0 Discharge Information Worksheet (for each discharge point)
- Worksheet 5.0 Environmental Information Worksheet
- Worksheet 6.0 Water Conservation Information Worksheet
- Worksheet 7.0 Accounting Plan Information Worksheet
- Worksheet 8.0 Calculation of Fees; and Fees calculated see instructions Page. 34
- Maps See instructions Page. 15.
- Additional Documents and Worksheets may be required (see within).

4. General Information, Response Required for all Water Right Applications (Instructions, Page 15)

a. Provide information describing how this application addresses a water supply need in a manner that is consistent with the state water plan or the applicable approved regional water plan for any area in which the proposed appropriation is located or, in the alternative, describe conditions that warrant a waiver of this requirement (*not required for applications to use groundwater-based return flows*). Include citations or page numbers for the State and Regional Water Plans, if applicable. Provide the information in the space below or submit a supplemental sheet entitled "Addendum Regarding the State and Regional Water Plans":

Highpointe Ranch is located within Denton County which is part of the Region C Planning Group for the State's Water Plan. This application proposes use of groundwater wells to replace water loss due to evaporation. This approach is consistent with the 2021 Region C Water Plan and 2022 State Water Plan because there is nothing in the plans that conflict with the application.

b. Did the Applicant perform its own Water Availability Analysis? Y / $N_{\underline{\hspace{1cm}}}^{N}$

If the Applicant performed its own Water Availability Analysis, provide electronic copies of any modeling files and reports.

c. Does the application include required Maps? (Instructions Page. 15) Y / N_{\perp}

WORKSHEET 1.0 Quantity, Purpose and Place of Use

1. New Authorizations (Instructions, Page. 16)

Submit the following information regarding quantity, purpose and place of use for requests for new or additional appropriations of State Water or Bed and Banks authorizations:

Quantity (acre- feet) (Include losses for Bed and Banks)	State Water Source (River Basin) or Alternate Source *each alternate source (and new appropriation based on return flows of others) also requires completion of Worksheet 4.0	Purpose(s) of Use	Place(s) of Use *requests to move state water out of basin also require completion of Worksheet 1.1 Interbasin Transfer
43.03	Paluxy & Twin Mountains Aquifers	Recreation storage	Denton

32.11* Total amount of water (in acre-feet) to be used annually (*include losses for Bed and Banks applications*) *Based on monthly evaporation rates

If the Purpose of Use is Agricultural/Irrigation for any amount of water, provide: N/A

a.	Location	Information	Regarding	the Lands	to be	: Irrigated
----	----------	-------------	-----------	-----------	-------	-------------

i)	Applicant proposes to irrigate a total of_		<mark>N/A acres ir</mark>	n any one yea	ar. This acreage is
	all of or part of a larger tract(s) which	h is	described in a	supplement	attached to this
	application and contains a total of	N/A	acres in_	N/A	County, TX
ii)	Location of land to be irrigated: In	the_	N/A	Orig	ginal Survey No.
	N/A , Abstract No. N/A				

A copy of the deed(s) or other acceptable instrument describing the overall tract(s) with the recording information from the county records must be submitted. Applicant's name must match deeds.

If the Applicant is not currently the sole owner of the lands to be irrigated, Applicant must submit documentation evidencing consent or other documentation supporting Applicant's right to use the land described.

Water Rights for Irrigation may be appurtenant to the land irrigated and convey with the land unless reserved in the conveyance. 30 TAC § 297.81.

2. Amendments - Purpose or Place of Use (Instructions, Page. 12)

a. Complete this section for each requested amendment changing, adding, or removing N/A Purpose(s) or Place(s) of Use, complete the following:

Quantity (acre- feet)	Existing Purpose(s) of Use	Proposed Purpose(s) of Use*	Existing Place(s) of Use	Proposed Place(s) of Use**
N/A	N/A	N/A	N/A	N/A

^{*}If the request is to add additional purpose(s) of use, include the existing and new purposes of use under "Proposed Purpose(s) of Use."

Changes to the purpose of use in the Rio Grande Basin may require conversion. 30 TAC § 303.43.

b.	For any request which adds Agricultural purpose of use or changes the place of use for
	Agricultural rights, provide the following location information regarding the lands to be
	irrigated:

i.	Applicant proposes to irrigate a total of all of or part of a larger tract(s) which is	N/A acres described in	in any one year. This acreage a supplement attached to the	is nis
	application and contains a total ofCounty, TX.		res in N/A	
ii.	Location of land to be irrigated: In the	N/A	Original Survey No.	

A copy of the deed(s) describing the overall tract(s) with the recording information from the county records must be submitted. Applicant's name must match deeds. If the Applicant is not currently the sole owner of the lands to be irrigated, Applicant must submit documentation evidencing consent or other legal right for Applicant to use the land described.

Water Rights for Irrigation may be appurtenant to the land irrigated and convey with the land unless reserved in the conveyance. 30 TAC § 297.81.

- c. Submit Worksheet 1.1, Interbasin Transfers, for any request to change the place of use which moves State Water to another river basin.
- d. See Worksheet 1.2, Marshall Criteria, and submit if required.
- e. See Worksheet 6.0, Water Conservation/Drought Contingency, and submit if required.

^{**}If the request is to add additional place(s) of use, include the existing and new places of use under "Proposed Place(s) of Use."

WORKSHEET 2.0 Impoundment/Dam Information

This worksheet **is required** for any impoundment, reservoir and/or dam. Submit an additional Worksheet 2.0 for each impoundment or reservoir requested in this application.

If there is more than one structure, the numbering/naming of structures should be consistent throughout the application and on any supplemental documents (e.g., maps).

1	1. Storage Information (Instructions, Page. 21)
a.	Official USGS name of reservoir, if applicable: Unnamed Tributary to Pecan Creek
b.	Provide amount of water (in acre-feet) impounded by structure at normal maximum operating level: 43.03
C.	The impoundment is on-channelor off-channel(mark one)
	 i. Applicant has verified on-channel or off-channel determination by contacting Surface Water Availability Team at (512) 239-4600? Y / N Y ii. If on-channel, will the structure have the ability to pass all State Water inflows that Applicant does not have authorization to impound? Y / N Y
d.	. Is the impoundment structure already constructed? Y / N $\underline{\hspace{0.1cm}}$
	i. For already constructed on-channel structures:
	1. Date of Construction: Unknown (prior to 1985)
	 2. Was it constructed to be an exempt structure under TWC § 11.142? Y / N Y a. If Yes, is Applicant requesting to proceed under TWC § 11.143? Y / N N b. If No, has the structure been issued a notice of violation by TCEQ? Y / N N
	3. Is it a U.S. Natural Resources Conservation Service (NRCS) (formerly Soil Conservation Service (SCS)) floodwater-retarding structure? Y/NN_ a. If yes, provide the Site No. N/A and watershed project name N/A; b. Authorization to close "ports" in the service spillway requested? Y/NN/A
	ii. For any proposed new structures or modifications to structures:
	 Applicant must contact TCEQ Dam Safety Section at (512) 239-0326, prior to submitting an Application. Applicant has contacted the TCEQ Dam Safety Section regarding the submission requirements of 30 TAC, Ch. 299? Y/N_Y Provide the date and the name of the Staff Person_Johnny Cosgrove 12/4/2024
	 2. As a result of Applicant's consultation with the TCEQ Dam Safety Section, TCEQ has confirmed that: a. No additional dam safety documents required with the Application. Y / N N b. Plans (with engineer's seal) for the structure required. Y / N Y c. Engineer's signed and sealed hazard classification required. Y / N Y d. Engineer's statement that structure complies with 30 TAC, Ch. 299 Rules

required. Y / NY

	reservoir to be constructed, will be located. (30 TAC § 295.42). Applicant must submit a copy of all the notices and certified mailing cards with this Application. Notices and cards are included? Y / $N_{\underline{Y}}$
iii.	Additional information required for on-channel storage:
	1. Surface area (in acres) of on-channel reservoir at normal maximum operating level: 8.21
	2. Based on the Application information provided, Staff will calculate the drainage area above the on-channel dam or reservoir. If Applicant wishes to also calculate the drainage area they may do so at their option. Applicant has calculated the drainage area. Y/N Y If yes, the drainage area is 0.507 sq. miles. (If assistance is needed, call the Surface Water Availability Team prior to submitting the application, (512) 239-4600).
2. Stru	cture Location (Instructions, Page. 23)
a. On Watero	course (if on-channel) (USGS name):Unnamed Tributary to Pecan Creek
b. Zip Code:	76227
c. In the F. T	
Denton	County, Texas.
subn	opy of the deed(s) with the recording information from the county records must be nitted describing the tract(s) that include the structure and all lands to be dated.
or w docu	he Applicant is not currently the sole owner of the land on which the structure is ill be built and sole owner of all lands to be inundated, Applicant must submit mentation evidencing consent or other documentation supporting Applicant's to use the land described.
d. A point or channel) i	the centerline of the dam (on-channel) or anywhere within the impoundment (offs:
Latit	ude <u>33.305303</u> °N, Longitude <u>96.969969</u> °W.
*Pro place	vide Latitude and Longitude coordinates in decimal degrees to at least six decimal
i.	Indicate the method used to calculate the location (examples: Handheld GPS Device, GIS, Mapping Program): Autodesk Civil 3D 2022
ii.	Map submitted which clearly identifies the Impoundment, dam (where applicable), and the lands to be inundated. See instructions Page. 15. Y / N_Y

3. Applicants **shall** give notice by certified mail to each member of the governing body of each county and municipality in which the reservoir, or any part of the

WORKSHEET 3.0 DIVERSION POINT (OR DIVERSION REACH) INFORMATION

This worksheet **is required** for each diversion point or diversion reach. Submit one Worksheet 3.0 for **each** diversion point and two Worksheets for **each** diversion reach (one for the upstream limit and one for the downstream limit of each diversion reach).

The numbering of any points or reach limits should be consistent throughout the application and on supplemental documents (e.g., maps).

		i documents (e.g., maps).	
1.	Divers	ion Information (Instructions, Page. 24	1)
a.	This Worksh	neet is to add new (select 1 of 3 below):	
	1 N/A D:	sian Baint Na	
	2. N/A Upstr	sion Point No. eam Limit of Diversion Reach No. astream Limit of Diversion Reach No.	
b.	Maximum R or N/A	ate of Diversion for this new point N/A gpm (gallons per minute)	_cfs (cubic feet per second)
C.	If yes, su	oint share a diversion rate with other points? Y / N bmit Maximum Combined Rate of Diversion for al aches N/A gpm	
d.	For amendn	nents, is Applicant seeking to increase combined o	liversion rate? Y / N NA
e.	completice $()$ th	rease in diversion rate is considered a new appropon of Section 1, New or Additional Appropriation of appropriate box to indicate diversion location as	f State Water.
	Check one	cation is existing or proposed):	Write: Existing or Proposed
		Directly from stream	N/A
		From an on-channel reservoir	N/A
		From a stream to an on-channel reservoir	N/A
		Other method (explain fully, use additional sheets if necessary)	N/A

2.	Diversion Location (Instructions, Page 25)
a.	On watercourse (USGS name): N/A
b.	Zip Code: N/A
C.	Location of point: In the N/A Original Survey No. N/A County, Texas.
	A copy of the deed(s) with the recording information from the county records must be submitted describing tract(s) that include the diversion structure.
	For diversion reaches, the Commission cannot grant an Applicant access to property that the Applicant does not own or have consent or a legal right to access, the Applicant will be required to provide deeds, or consent, or other documents supporting a legal right to use the specific points when specific diversion points within the reach are utilized. Other documents may include, but are not limited to a recorded easement, a land lease, a contract, or a citation to the Applicant's right to exercise eminent domain to acquire access.
d.	Point is at: Latitude N/A N, Longitude N/A Provide Latitude and Longitude coordinates in decimal degrees to at least six decimal places
e.	Indicate the method used to calculate the location (examples: Handheld GPS Device, GIS, Mapping Program): N/A
f.	Map submitted must clearly identify each diversion point and/or reach. See instructions Page. 15.
g.	If the Plan of Diversion is complicated and not readily discernable from looking at the map, attach additional sheets that fully explain the plan of diversion.

WORKSHEET 4.0 DISCHARGE INFORMATION

This worksheet required for any requested authorization to discharge water into a State Watercourse for conveyance and later withdrawal or in-place use. Worksheet 4.1 is also required for each Discharge point location requested. **Instructions Page. 26.** *Applicant is responsible for obtaining any separate water quality authorizations which may be required and for insuring compliance with TWC*, Chapter 26 or any other applicable law.

compliance with TWC, Chapter 20 or any other applicable law.
a. The purpose of use for the water being discharged will be Recreation
b. Provide the amount of water that will be lost to transportation, evaporation, seepage, channel or other associated carriage losses 32.11 ac-ft (% or amount) and explain the method of calculation: Calculated using TCEQ WRAP Net Evaporation for the Trinity River Basin using the max year (1956). See attached calculations
c. Is the source of the discharged water return flows? Y / N $_{\rm N}$ If yes, provide the following information:
1. The TPDES Permit Number(s). N/A (attach a copy of the current TPDES permit(s))
2. Applicant is the owner/holder of each TPDES permit listed above? Y / $N_{N/A}$
PLEASE NOTE: If Applicant is not the discharger of the return flows, or the Applicant is not the water right owner of the underlying surface water right, or the Applicant does not have a contract with the discharger, the application should be submitted under Section 1, New or Additional Appropriation of State Water, as a request for a new appropriation of state water. If Applicant is the discharger, the surface water right holder, or the contract holder, then the application should be submitted under Section 3, Bed and Banks.
3. Monthly WWTP discharge data for the past 5 years in electronic format. (Attach and label as "Supplement to Worksheet 4.0").
4. The percentage of return flows from groundwater <u>N/A</u> , surface water <u>N/A</u> ?
5. If any percentage is surface water, provide the base water right number(s) N/A.
d. Is the source of the water being discharged groundwater? Y / $N_{\underline{Y}}$ If yes, provide the following information:
 Source aquifer(s) from which water will be pumped: Paluxy (HPR 2) and Twin Mountains (HPR 1)* *Table provided with details for each Well (HPR 1 & HPR 2) If the well has not been constructed, provide production information for wells in the same aquifer in the area of the application. See http://www.twdb.texas.gov/groundwater/data/gwdbrpt.asp. Additionally, provide well numbers or identifiers *Table provided with details for each Well (HPR 1 & HPR 2)
3. Indicate how the groundwater will be conveyed to the stream or reservoir.
4. A copy of the groundwater well permit if it is located in a Groundwater Conservation District (GCD) or evidence that a groundwater well permit is not required. Existing well (HPR 1) and proposed well (HPR 2) for this site will operate as a "well system". NTGCD will require the two (2) wells to be permitted together through one (1) permit application and registration process. Email coordination is attached. NTGCD permit will be provided when available. di. Is the source of the water being discharged a surface water supply contract? Y / N_N
If yes, provide the signed contract(s).
dii. Identify any other source of the water N/A

WORKSHEET 4.1 DISCHARGE POINT INFORMATION

This worksheet is required for **each** discharge point. Submit one Worksheet 4.1 for each discharge point. If there is more than one discharge point, the numbering of the points should be consistent throughout the application and on any supplemental documents (e.g., maps). **Instructions, Page 27.**

For water discharged at this location provi	id	le
---	----	----

a.	The amount of water that will be discharged at this point is 32.11 acre-feet per year. The discharged amount should include the amount needed for use and to compensate for any losses.
b.	Water will be discharged at this point at a maximum rate of 0.14 cfs or 62 gpm.
c.	Name of Watercourse as shown on Official USGS maps: Unnamed Tributary to Pecan Creek
d.	Zip Code 76258 Location of point: In the F. Trevino Original Survey No. N/A Abstract No. 1243 , Denton County, Texas.
f.	Point is at: Latitude 33.305303 °N, Longitude 96.969969 °W. *Provide Latitude and Longitude coordinates in decimal degrees to at least six decimal places
g.	Indicate the method used to calculate the discharge point location (examples: Handheld GPS Device, GIS, Mapping Program): Autodesk Civil 3D 2022

Map submitted must clearly identify each discharge point. See instructions Page. 15.

WORKSHEET 5.0 ENVIRONMENTAL INFORMATION

1. Impingement and Entrainment

Indic aqua	section is required for any new diversion point that is not already authorized. The measures the applicant will take to avoid impingement and entrainment of tic organisms (ex. Screens on any new diversion structure that is not already orized in a water right). Instructions, Page 28.
N/A	
2.	New Appropriations of Water (Canadian, Red, Sulphur, and Cypress Creek Basins only) and Changes in Diversion Point(s)
Sulpl	section is required for new appropriations of water in the Canadian, Red, N/A hur, and Cypress Creek Basins and in all basins for requests to change a rsion point. Instructions, Page 30.
	ription of the Water Body at each Diversion Point or Dam Location. (Provide an conmental Information Sheet for each location),
a. Ide	entify the appropriate description of the water boo N/A
	□ Stream
	□ Reservoir
	Average depth of the entire water body, in feet:
	□ Other, specify:
b. Flo	ow characteristic N/A
	If a stream, was checked above, provide the following. For new diversion locations, check one of the following that best characterize the area downstream of the diversion (check one).
	☐ Intermittent – dry for at least one week during most years
	☐ Intermittent with Perennial Pools – enduring pools
	☐ Perennial – normally flowing
	Check the method used to characterize the area downstream of the new diversion

☐ Historical observation by adjacent landowners

location.

☐ USGS flow records

☐ Personal observation
☐ Other, specify:
c. Waterbody aesthetic N/A
Check one of the following that best describes the aesthetics of the stream segments affected by the application and the area surrounding those stream segments.
 Wilderness: outstanding natural beauty; usually wooded or unpastured area; water clarity exceptional
☐ Natural Area: trees and/or native vegetation common; some development evident (from fields, pastures, dwellings); water clarity discolored
☐ Common Setting: not offensive; developed but uncluttered; water may be colored or turbid
☐ Offensive: stream does not enhance aesthetics; cluttered; highly developed; dumping areas; water discolored
d. Waterbody Recreational Uses N/A
Are there any known recreational uses of the stream segments affected by the application?
☐ Primary contact recreation (swimming or direct contact with water)
☐ Secondary contact recreation (fishing, canoeing, or limited contact with water)
□ Non-contact recreation
e. Submit the following information in a Supplemental Attachment, labeled Addendum to

- - 1. Photographs of the stream at the diversion point or dam location. Photographs should be in color and show the proposed point or reservoir and upstream and downstream views of the stream, including riparian vegetation along the banks. Include a description of each photograph and reference the photograph to the mapsubmitted with the application indicating the location of the photograph and the direction of the shot.
 - 2. If the application includes a proposed reservoir, also include:
 - i. A brief description of the area that will be inundated by the reservoir.
 - ii. If a United States Army Corps of Engineers (USACE) 404 permit is required, provide the project number and USACE project manager.
 - iii. A description of how any impacts to wetland habitat, if any, will be mitigated if the reservoir is greater than 5,000 acre-feet.

3. Alternate Sources of Water and/or Bed and Banks Applications

This section is required for applications using an alternate source of water and bed and banks applications in any basins. **Instructions**, page 31.

- a. For all bed and banks applications:
 - i. Submit an assessment of the adequacy of the quantity and quality of flows remaining after the proposed diversion to meet instream uses and bay and estuary freshwater inflow requirements.
- b. For all alternate source applications:

sized well.

- i. If the alternate source is treated return flows, provide the TPDES permit number N/A
- ii. If groundwater is the alternate source, or groundwater or other surface water will be discharged into a watercourse provide:

 Reasonably current water chemistry information including but not limited to the following parameters in the table below. Additional parameters may be requested if there is a specific water quality concern associated with the aquifer from which water is withdrawn. If data for onsite wells are unavailable; historical data collected from similar sized wells drawing water from the same aquifer may be provided. However, onsite data may still be required when it becomes available. Provide the well number or well identifier. Complete the information below for each well and provide the Well Number or identifier. Existing Well (HPR 1) to remain. Proposed new well (HPR 2) will be similar

HPR 1 Information:

Parameter	Average Conc.	Max Conc.	No. of	Sample Type	Sample
	_		Samples		Date/Time
Sulfate, mg/L	91.6	91.6	1	Single, Grab	10/30/2024; 12:15 PM
Chloride, mg/L	37.8	37.8	1	Single, Grab	10/30/2024; 12:15 PM
Total Dissolved Solids, mg/L	324	324	1	Single, Grab	10/30/2024; 12:15 PM
pH, standard units	6.4	6.4	1	Single, Grab	10/30/2024; 12:15 PM
Temperature*, degrees Celsius	22	N/A	1	Single, Grab	10/30/2024; 12:15 PM

^{*} Temperature must be measured onsite at the time the groundwater sample is collected.

iii. If groundwater will be used, provide the depth of the well $\frac{240 \text{ ft (HPR 1)}}{\text{max } 300 \text{ ft (HPR 2)}}$ and the name of the aquifer from which water is withdrawn Paluxy (HPR 2) and Twin Mountains (HPR 1).

WORKSHEET 6.0 Water Conservation/Drought Contingency Plans

This form is intended to assist applicants in determining whether a Water Conservation Plan and/or Drought Contingency Plans is required and to specify the requirements for plans. **Instructions, Page 31.**

The TCEQ has developed guidance and model plans to help applicants prepare plans. Applicants may use the model plan with pertinent information filled in. For assistance submitting a plan call the Resource Protection Team (Water Conservation staff) at 512-239-4600, or e-mail wras@tceq.texas.gov. The model plans can also be downloaded from the TCEQ webpage. **Please use the most up-to-date plan documents available on the webpage.**

1. Water Conservation Plans

- a. The following applications must include a completed Water Conservation Plan (30 TAC § 295.9) for each use specified in 30 TAC, Chapter 288 (municipal, industrial or mining, agriculture including irrigation, wholesale):
 - 1. Request for a new appropriation or use of State Water.
 - 2. Request to amend water right to increase appropriation of State Water.
 - 3. Request to amend water right to extend a term.
 - 4. Request to amend water right to change a place of use.

 *does not apply to a request to expand irrigation acreage to adjacent tracts.
 - 5. Request to amend water right to change the purpose of use. *applicant need only address new uses.
 - 6. Request for bed and banks under TWC § 11.042(c), when the source water is State Water.

*including return flows, contract water, or other State Water.

- b. If Applicant is requesting any authorization in section (1)(a) above, indicate each use for which Applicant is submitting a Water Conservation Plan as an attachment:
 - 1. N/A Municipal Use. See 30 TAC § 288.2. **
 - 2. N/A Industrial or Mining Use. See 30 TAC § 288.3.
 - 3. N/A Agricultural Use, including irrigation. See 30 TAC § 288.4.
 - 4. N/A Wholesale Water Suppliers. See 30 TAC § 288.5. **

**If Applicant is a water supplier, Applicant must also submit documentation of adoption of the plan. Documentation may include an ordinance, resolution, or tariff, etc. See 30 TAC §§ 288.2(a)(1)(J)(i) and 288.5(1)(H). Applicant has submitted such documentation with each water conservation plan? Y / $N^{N/A}$

c. Water conservation plans submitted with an application must also include data and information which: supports applicant's proposed use with consideration of the plan's water conservation goals; evaluates conservation as an alternative to the proposed

appropriation; and evaluates any other feasible alternative to new water development. See 30 TAC § 288.7.

Applicant has included this information in each applicable plan? Y / N/A

2. Drought Contingency Plans

- a. A drought contingency plan is also required for the following entities if Applicant is requesting any of the authorizations in section (1) (a) above indicate each that applies:
 - 1. N/A Municipal Uses by public water suppliers. See 30 TAC § 288.20.
 - 2. N/A Irrigation Use/ Irrigation water suppliers. See 30 TAC § 288.21.
 - 3. N/A Wholesale Water Suppliers. See 30 TAC § 288.22.
- b. If Applicant must submit a plan under section 2(a) above, Applicant has also submitted documentation of adoption of drought contingency plan (*ordinance*, *resolution*, *or tariff*, *etc. See 30 TAC § 288.30*) **Y** / **N** <u>N</u>/A

WORKSHEET 7.0 ACCOUNTING PLAN INFORMATION WORKSHEET

The following information provides guidance on when an Accounting Plan may be required for certain applications and if so, what information should be provided. An accounting plan can either be very simple such as keeping records of gage flows, discharges, and diversions; or, more complex depending on the requests in the application. Contact the Surface Water Availability Team at 512-239-4600 for information about accounting plan requirements, if any, for your application. **Instructions, Page 34.**

1. Is Accounting Plan Required

Accounting Plans are generally required:

- For applications that request authorization to divert large amounts of water from a single point where multiple diversion rates, priority dates, and water rights can also divert from that point;
- For applications for new major water supply reservoirs;
- For applications that amend a water right where an accounting plan is already required, if the amendment would require changes to the accounting plan;
- For applications with complex environmental flow requirements;
- For applications with an alternate source of water where the water is conveyed and diverted; and
- For reuse applications.

2. Accounting Plan Requirements

a. A **text file** that includes:

- 1. an introduction explaining the water rights and what they authorize;
- 2. an explanation of the fields in the accounting plan spreadsheet including how they are calculated and the source of the data;
- 3. for accounting plans that include multiple priority dates and authorizations, a section that discusses how water is accounted for by priority date and which water is subject to a priority call by whom; and
- 4. Should provide a summary of all sources of water.

b. A **spreadsheet** that includes:

- 1. Basic daily data such as diversions, deliveries, compliance with any instream flow requirements, return flows discharged and diverted and reservoir content;
- 2. Method for accounting for inflows if needed;
- 3. Reporting of all water use from all authorizations, both existing and proposed;
- 4. An accounting for all sources of water:
- 5. An accounting of water by priority date;
- 6. For bed and banks applications, the accounting plan must track the discharged water from the point of delivery to the final point of diversion;
- 7. Accounting for conveyance losses;
- 8. Evaporation losses if the water will be stored in or transported through a reservoir. Include changes in evaporation losses and a method for measuring reservoir content resulting from the discharge of additional water into the reservoir;
- 9. An accounting for spills of other water added to the reservoir; and
- 10. Calculation of the amount of drawdown resulting from diversion by junior rights or diversions of other water discharged into and then stored in the reservoir.

WORKSHEET 8.0 CALCULATION OF FEES

This worksheet is for calculating required application fees. Applications are not Administratively Complete until all required fees are received. **Instructions, Page. 34**

1. NEW APPROPRIATION

	Description	Amount (\$)		
	Circle fee correlating to the total amount of water* requested for any new appropriation and/or impoundment. Amount should match total on Worksheet 1, Section 1. Enter corresponding fee under Amount (\$).			
	<u>In Acre-Feet</u>			
Filing Fee	a. Less than 100 \$100.00	100		
	b. 100 - 5,000 \$250.00			
	c. 5,001 - 10,000 \$500.00			
	d. 10,001 - 250,000 \$1,000.00			
	e. More than 250,000 \$2,000.00			
Recording Fee		\$25.00		
Agriculture Use Fee	Only for those with an Irrigation Use. Multiply 50¢ x 0Number of acres that will be irrigated with State Water. **	0		
	Required for all Use Types, excluding Irrigation Use.			
Use Fee	Multiply \$1.00 x $\underline{^0}$ Maximum annual diversion of State Water in acrefeet. **	0		
D	Only for those with Recreational Storage.	43.03		
Recreational Storage Fee	Multiply $$1.00 \times \frac{43.03}{1.00}$ acre-feet of in-place Recreational Use State Water to be stored at normal max operating level.			
	Only for those with Storage, excluding Recreational Storage.			
Storage Fee	Multiply $50 \ x_0$ acre-feet of State Water to be stored at normal max operating level.	0		
Mailed Notice	Cost of mailed notice to all water rights in the basin. Contact Staff to determine the amount (512) 239-4600.	459.66		
	TOTAL	\$ 627.69		

2. AMENDMENT OR SEVER AND COMBINE

	Description	Amount (\$)
F!!! F	Amendment: \$100	
Filing Fee	OR Sever and Combine: \$100 x of water rights to combine	
Recording Fee		\$12.50
Mailed Notice	Additional notice fee to be determined once application is submitted.	
	TOTAL INCLUDED	\$ N/A

3. BED AND BANKS

	Description	Amount (\$)
Filing Fee		\$100.00
Recording Fee		\$12.50
Mailed Notice	Additional notice fee to be determined once application is submitted.	
	TOTAL INCLUDED	\$ N/A

Public Involvement Plan Form for Permit and Registration Applications

The Public Involvement Plan is intended to provide applicants and the agency with information about how public outreach will be accomplished for certain types of applications in certain geographical areas of the state. It is intended to apply to new activities; major changes at existing plants, facilities, and processes; and to activities which are likely to have significant interest from the public. This preliminary screening is designed to identify applications that will benefit from an initial assessment of the need for enhanced public outreach.

All applicable sections of this form should be completed and submitted with the permit or registration application. For instructions on how to complete this form, see TCEQ-20960-inst.

Section 1. Preliminary Screening			
New Permit or Registration Application New Activity – modification, registration, amendment, facility, etc. (see instructions)			
If neither of the above boxes are checked, completion of the form is not required and does not need to be submitted.			
Section 2. Secondary Screening			
Requires public notice, Considered to have significant public interest, and Located within any of the following geographical locations: Austin Dallas Fort Worth Houston San Antonio West Texas Texas Panhandle Along the Texas/Mexico Border Other geographical locations should be decided on a case-by-case basis			
If all the above boxes are not checked, a Public Involvement Plan is not necessary. Stop after Section 2 and submit the form.			
Public Involvement Plan not applicable to this application. Provide brief explanation. A public involvement form is not applicable, as the project does not have significant public interest.			

TCEQ-20960 (02-09-2023) Page 1 of 4


Section 3. Application Information
Type of Application (check all that apply): Air Initial Federal Amendment Standard Permit Title V Waste Municipal Solid Waste Industrial and Hazardous Waste Scrap Tire Radioactive Material Licensing Underground Injection Control
Water Quality Texas Pollutant Discharge Elimination System (TPDES) Texas Land Application Permit (TLAP) State Only Concentrated Animal Feeding Operation (CAFO) Water Treatment Plant Residuals Disposal Permit Class B Biosolids Land Application Permit Domestic Septage Land Application Registration Water Rights New Permit New Appropriation of Water
Mew or existing reservoir Amendment to an Existing Water Right Add a New Appropriation of Water Add a New or Existing Reservoir Major Amendment that could affect other water rights or the environment
Section 4. Plain Language Summary Provide a brief description of planned activities.

Section 5. Community and Demographic Information
Community information can be found using EPA's EJ Screen, U.S. Census Bureau information, or generally available demographic tools.
Information gathered in this section can assist with the determination of whether alternative language notice is necessary. Please provide the following information.
(City)
(County)
(Census Tract) Please indicate which of these three is the level used for gathering the following information.
City Census Tract
(a) Percent of people over 25 years of age who at least graduated from high school
(b) Per capita income for population near the specified location
(a) Danasant of successive an arrabation and a consent of a consolation by upon within the consolitied by action
(c) Percent of minority population and percent of population by race within the specified location
(d) Percent of Linguistically Isolated Households by language within the specified location
(e) Languages commonly spoken in area by percentage
(f) Community and/or Stakeholder Groups
(g) Historic public interest or involvement

Section 6. Planned Public Outreach Activities
(a) Is this application subject to the public participation requirements of Title 30 Texas Administrative Code (30 TAC) Chapter 39? Yes No
(b) If yes, do you intend at this time to provide public outreach other than what is required by rule? Yes No If Yes, please describe.
If you array and "you," that this application is publicat to 20 TAC Chapter 20
If you answered "yes" that this application is subject to 30 TAC Chapter 39, answering the remaining questions in Section 6 is not required.
(c) Will you provide notice of this application in alternative languages?
Yes No
Please refer to Section 5. If more than 5% of the population potentially affected by your application is Limited English Proficient, then you are required to provide notice in the alternative language.
If yes, how will you provide notice in alternative languages?
Publish in alternative language newspaper
Posted on Commissioner's Integrated Database Website
Mailed by TCEQ's Office of the Chief Clerk
Other (specify)
(d) Is there an opportunity for some type of public meeting, including after notice?
Yes No
(e) If a public meeting is held, will a translator be provided if requested?
Yes No
(f) Hard copies of the application will be available at the following (check all that apply):
TCEQ Regional Office TCEQ Central Office
Public Place (specify)
Section 7. Voluntary Submittal
For applicants voluntarily providing this Public Involvement Plan, who are not subject to formal public participation requirements.
Will you provide notice of this application, including notice in alternative languages?
Yes No
What types of notice will be provided?
Publish in alternative language newspaper
Posted on Commissioner's Integrated Database Website
Mailed by TCEQ's Office of the Chief Clerk
Other (specify)

TCEQ-20960 (02-09-2023) Page 4 of 4

TCEQ Identifier	NTGCD Identifier	State Identifier	Latitude	Longitude	Aquifer	Production Rate (gpm)
HPR 1	To be provided	232452	33.307584	-96.970780	Twin Mountains	30
HPR 2	To be provided	To be provided	33.307595	-96.970364	Paluxy	35



Norwood, Tori

From: Adams, Darby

Sent: Monday, March 10, 2025 4:12 PM

To: Allen Burks; Paul Sigle

Cc: Norwood, Tori; Cox, Carolyn; Fletcher, Thomas; Brockman, Kyle

Subject: RE: Highpointe Ranch - Well(s)

Allen,

Thank you for taking my call earlier today.

As discussed, because the three (3) wells for this site will operate as a "well system", the wells will be permitted together through one (1) permit application and registration process. Since the combined well production rate does not exceed 200 gpm, a hydrogeologic study will not be required with the application.

Please let me know if I missed anything or am misunderstanding what was discussed.

Thank you,

Darby Adams, EIT

Kimley-Horn | 4411 98th St., Suite 300, Lubbock, TX 79424

Direct: (806) 319-6235 | Mobile: (361) 688-5299

Celebrating 17 years as one of Fortune's 100 Best Companies to Work For

Upcoming PTO Notice: 3/14-3/17

From: Adams, Darby

Sent: Sunday, March 9, 2025 3:55 PM

To: Allen Burks >; Paul Sigle

Cc: Norwood, Tori ; Cox, Carolyn ; Fletcher, Thomas

; Brockman, Kyle

Subject: RE: Highpointe Ranch - Well(s)

Allen,

From site data collected last year, it tested at 30 gpm. Please see the attached field records for reference!

Thank you,


Darby Adams, EIT

Kimley-Horn | 4411 98th St., Suite 300, Lubbock, TX 79424

Direct: (806) 319-6235 | Mobile: (361) 688-5299

Celebrating 17 years as one of Fortune's 100 Best Companies to Work For

Upcoming PTO Notice: 3/14-3/17



Hi Darby,

Thank you for the information. Since they are all feeding the same pond, we consider that a system and combine the production capacities; therefore, all wells will need to be permitted. If they are all in the same aquifer, then it would just be one permit.

Do you know the capacity of the existing well? We will probably need to send one of our field techs out to do a flow test.

Thanks again, Allen

Allen,

These wells would all feed one singular existing pond site. The existing well does not have enough capacity to supplement the pond on its own, which is why the other two wells are proposed.

Our plan is to have individual transmission lines for each well that would combine and discharge at a single location on the pond for easier maintenance and monitoring. Due to this, we will also be submitting a well operational plan with our permit applications.

There are other wells on the site that we will be plugging in accordance with the GCD's standards. These wells were not viable options due to their integrity and locations.

Thank you,

Darby Adams, EIT

Kimley-Horn | 4411 98th St., Suite 300, Lubbock, TX 79424

Direct: (806) 319-6235 | Mobile: (361) 688-5299

Celebrating 17 years as one of Fortune's 100 Best Companies to Work For

Upcoming PTO Notice: 3/14-3/17

Get Outlook for iOS

From: Allen Burks >
Sent: Thursday, March 6, 2025 8:06 AM

To: Adams, Darby >; Paul Sigle < >
Cc: Norwood, Tori >; Cox, Carolyn >;
Fletcher, Thomas ; Brockman, Kyle >
Subject: RE: Highpointe Ranch - Well(s)

Good morning, Darby.

What you are proposing sounds reasonable to us if each well is its own entity and not connected to any other well to form a system. I assume they are each feeding their own pond, correct?

If so, then your proposed applications sound appropriate.

Thanks, Allen

Subject: RE: Highpointe Ranch - Well(s)

Good Morning Paul and Allen,

We wanted to confirm from our email Monday if there are any additional considerations the GCD would proposing for these wells or if there are any concerns from GCD regarding what we are proposing.

Please let us know at your earliest convenience.

Thank you,

Darby Adams, EIT

Kimley-Horn | 4411 98th St., Suite 300, Lubbock, TX 79424

Direct: (806) 319-6235 | Mobile: (361) 688-5299

Celebrating 17 years as one of Fortune's 100 Best Companies to Work For

Upcoming PTO Notice: 3/14-3/17

From: Adams, Darby

Sent: Monday, March 3, 2025 2:19 PM

To: Paul Sigle >; Allen Burks

Cc: Norwood, Tori ; Fletcher, Thomas

; Brockman, Kyle

Subject: Highpointe Ranch - Well(s)

Good Afternoon Paul and Allen,

I hope this email finds you well. We had previously discussed this project with Allen Burks and are reaching out now to coordinate with the GCD ahead of submitting well applications for three (3) wells to be located in the Highpointe Ranch development. These wells will be tied to a Water Rights Permit for the development site for pond impoundment purposes.


One of the wells is existing but has not been previously registered with the GCD. We will be registering that well as well as requesting an operating permit for it. For the other two wells, we will be registering but will not be requesting an operating permit, as they will both have production rates less than 17 gpm.

We can provide any additional preliminary information necessary at this time, but an official submittal will be sent out in the next few weeks.

Thank you, **Darby Adams, EIT Kimley-Horn** | 4411 98th St., Suite 300, Lubbock, TX 79424

Direct: (806) 319-6235 | Mobile: (361) 688-5299

Celebrating 17 years as one of Fortune's 100 Best Companies to Work For



KHA NO.: 069306747 CHECKED

MREA

Source: Nearmap February 2021

Aubrey, Denton County, Texas









03 004













009 010













015 016























027 028























039 040













045 046













051 052













057 058

























071









074 075













080 081













086 087













092 093







Photos taken on 07/13/2021









104 105













110 111













116 117













122 123













128 129













134 135













140 141





























155 156













161 162













167 168













173 174













79 180







183



March 13, 2025

Ms. Sandra Hernandez Land Acquisition Manager Lennar Homes 1707 Market Place Blvd., Suite 100 Irving, TX 75063

RE: Highpointe Ranch – Groundwater Availability and Quality Evaluation KHA No. 069306747

Dear Ms. Hernandez:

Kimley-Horn and Associates, Inc. (KHA) was hired by Lennar Homes to perform a groundwater availability analysis for supplementing water in a pond located on the development site. This reviews the preliminary findings and provides final recommendations.

EVALUATION PROCESS

Data Collection

Kimley-Horn performed a groundwater availability analysis utilizing the following steps and the corresponding collected information,

- 1. Determination of water quantity required based on the proposed losses due to evaporation.
- 2. Review of existing surrounding groundwater wells and their raw water quality and availability quantity.
- 3. Review of the nearby existing stream water quality of Pecan Creek, and Lewisville Lake.
- 4. Review of historical data regarding the Northern Trinity aquifer, specifically the Twin Mountains and Paluxy minor aquifers.
- 5. Review of the North Texas Groundwater Conservation District (NTGCD) requirements for groundwater wells.

The pond location and project site are shown in **Figure A**.





Figure A: Highpointe Ranch Project Site

Calculations for the estimated water quantity required from the groundwater wells for the pond feature onsite were based on the proposed losses due to evaporation. The existing ponds surface area at the normal pool elevation is approximately 8.21 acres. The maximum groundwater quantity was determined using the worst-case scenarios for no precipitation and high evaporation rates from the TCEQ Water Availability Model (WAM) and Water Rights Analysis Package (WRAP). The summary of the values utilized, and the maximum rate determined are provided in **Table A**. Final calculations are provided in **Appendix A**.



Table A: Evaporation Volume Summary and Maximum Rate Required

Month	Days in the Month	TCEQ WRAP Net Trinity River Basin Evaporation - for Max (1956) (in.)	Monthly Evaporation Volume (ac-ft)	Average Daily Evaporation Volume (gallons)
January	31	0.03	0.25	2,590
February	28	-0.17	-1.40	-16,248
March	31	0.35	2.87	30,215
April	30	0.26	2.14	23,194
May	31	0.27	2.22	23,309
June	30	0.59	4.85	52,632
July	31	0.72	5.91	62,157
August	31	0.86	7.06	74,243
September	30	0.72	5.91	64,229
October	31	0.26	2.14	22,446
November	30	0.00	0.00	0
December	31	0.02	0.16	1,727
Maximu	m Annual Evapo	ration (ac-ft)	32.11	-
Maximun	n Annual Evapora	ation (gallons)	10,463,998	-
Maximu	m Daily Evapora	tion (gallons)	74,243	-
Maximum Da	ily Groundwater	Pump Rate (gpm)	62	-

Existing wells onsite were evaluated for use. Evaluation consisted of well inspections, production rate tests, and chemical analysis. From the evaluation it was determined that one (1) of the existing groundwater wells (HPR 1) and one (1) new well (HPR 2) should be utilized to meet the required maximum groundwater rate. From sampling of the existing wells onsite and reviewing the State's standards for stream and water quality, it was determined that the water quality of the selected existing onsite well (HPR 1) is acceptable for use as related to the site's Water Rights Permit application.

The existing well (HPR 1) was selected for use due to its proximity to the pond and its water quality, however the production rate is not high enough to meet the required maximum groundwater rate, so one new additional well (HPR 2) is proposed to be drilled. The existing well (HPR 1) is shown in **Figure B**, the proposed well (HPR 2) is shown on **Figure C**.





Figure B: Existing On-Site Well (HRP 1) Location

The existing well (HPR 1) selected produces groundwater from the Twin Mountains aquifer. The existing well (HPR 1) will be used in conjunction with one (1) future groundwater well (HPR 2) to meet the maximum daily groundwater pump rate of 62 gpm, to be constructed in the general location shown in **Figure C**. The future groundwater well (HPR 2) will be constructed to produce water from the Paluxy aquifer and will be at a maximum depth of 400 feet, with the goal of matching the water quality and well layout of the existing well (HPR 1).






Figure C: Proposed New Well (HPR 2) Location

The selected existing well (HPR 1) production capacity is provided in **Table B**, and a summary of the existing well (HPR 1) groundwater quality is provided in **Table C**. Detailed documentation regarding the existing well (HPR 1) data collected is provided in **Appendix B**.



Table B: Existing Groundwater Well (HPR 1) Production Rate Summary

Well State ID No.	TCEQ Identifier	Well Depth (below ground surface, feet)	Aquifer/Aquifer Formation	Field Tested Well Production Rate (gpm)
232452	HPR 1	240	Twin Mountains	30

Table C: Existing Groundwater Well (HPR 1) Water Quality Summary

Parameter	Twin Mountains Aquifer Well Water Quality Concentrations (mg/L)
Silica	26.1
Calcium	47.9
Total Magnesium	10.7
Sodium	46.3
Potassium	2.12
Total Iron	0.111
Phosphorus (as Phosphate)	0.238
Phosphorus	0.0779
Carbonate as CaCO3	<0.5
Bicarbonate as CaCO3	125
Sulfate	91.6
Chloride	37.8
Ammonia	<0.0242
Ammonia Nitrogen	<0.020
Nitrate-Nitrogen	<0.0226
pН	6.4
TDS	324
Total Alkalinity as CaCO3	125
Total Hardness as CaCO3	164
Temperature (°C)	22

The water quality data reviewed from the well evaluated (HPR 1) indicate that the groundwater produced does not exceed the Texas Commission on Environmental Quality (TCEQ) primary standards, indicating the groundwater produced would not have adverse health and environmental impacts. The data reviewed indicates that the groundwater produced is not brackish, as the average total dissolved solids (TDS) for the well was below 1,000 mg/L.

In compliance with the standards outlined by the Dallas Water Utility (DWU), an adjacent water rights holder, the existing onsite groundwater well (HPR 1) was also tested for per- and polyfluoroalkyl



(PFAS) in accordance with the U.S. Environmental Protection Agency (EPA) fifth Unregulated Contaminant Monitoring Rule (UCMR5). There were no detectible traces of PFAS found in the groundwater and the test results for this sampling are provided in **Appendix B**.

Any runoff from the project site will flow to a short unnamed tributary, followed by a long unnamed tributary, before it reaches Pecan Creek, an unclassified intermittent stream that contributes to the Lewisville Lake (Segment 0823) of the Trinity River Basin. Since the short unnamed tributary, the long unnamed tributary, and Pecan Creek are unclassified, they do not have an assigned recreational use nor associated numerical criteria. To determine the impact of runoff from the site on the abovementioned bodies of water, KH, following TCEQ 30 TAC Rule §307.4(j)(3) for assigning presumed recreational uses to an unclassified water body, determined preliminary associated numerical criteria for each unclassified water body.

The criteria determined was based on assigning a presumed recreational use for each water body. The recreational uses of Secondary Contact Recreation 1 and General Use were selected for the unnamed tributaries to Pecan Creek, because of the average depth of the tributaries and the location of the water bodies regarding public access points. Per TCEQ 30 TAC §307.4(2)(D), Secondary Contact Recreation 1 applies to water bodies where water recreation can occur, but the nature of the recreation does not involve a significant risk of ingestion and applies to intermittent and perennial freshwaters where site-specific information demonstrates that Primary Contact Recreation 1 or 2 have little to no likelihood of occurring. To presume a Secondary Contact Recreation 1 use, the following characteristics must be demonstrated,

- During dry weather flows, the average depth at the mid-channel is less than 0.5 meters and there are no substantial pools with a depth of 1 meter or greater; and
- There are no existing recreational activities that create a significant risk of ingestion or uses for Primary Contact Recreation 1 or 2.

Based on data from the Water Quality Aspects of an Intermittent Stream and Backwaters in An Urban North Texas Watershed: Pecan Creek, Denton County Texas, the maximum average depth measured was less than 1 meter at the mid-channel.

The recreational uses of Primary Contact Recreation 1 and General Use were selected for Pecan Creek because it directly contributes to Lewisville Lake (Segment 0823), which has presumed uses of Aquatic Life Use, Primary Contact Recreation 1 Use, General Use, Fish Consumption Use, and Public Water Supply Use as per a 2002 Texas Water Quality Inventory, provided in **Appendix C**. Primary Contact Recreation 1 use includes wading by children, swimming, water sports, and fishing.

Following the guidance from TCEQ 30 TAC Rule §307.4(j)(3), numerical criteria were selected for each water body based on the presumed recreational uses determined. The selected criteria are equally stringent to the Primary Contact Recreation 1 standards as noted in both the EPA's Water Quality Standards and TCEQ's Surface Water Quality Standards. Constituent parameters for Pecan Creek, such as total dissolved solids (TDS), chloride, and sulfate were evaluated for screening criteria for the governed water bodies, based on the existing numerical criteria for Lewisville Lake (Segment 0823). **Table D** summarizes the assigned presumed uses and the corresponding presumed numerical criteria, as determined using the referenced TCEQ guidance and the historical data compiled in **Appendix C**.



Table D: Preliminary Assigned Uses and Numerical Criteria

Water Body	Presumed Uses	Preliminary DO Min. Limit (mg/L)	Preliminary TDS Max. Limit (mg/L)	Preliminary Chloride Max Limit (mg/L)	Preliminary Sulfate Max Limit (mg/L)	Preliminary pH Range	Temp. (°C)
Pecan Creek (Unclassified)	Primary	5.0	500	80	60	6.5-9	32.2
	Contact						
	Recreation 1;						
	General Use						
Lewisville Lake	Aquatic Life	5.0	500	80	60	6.5-9	32.2
(Classified)	Use, Contact						
	Recreation						
	Use, General						
	Use, Fish						
	Consumption						
	Use, Public						
	Water Supply						
	Use						

Additionally, the groundwater quality of the selected well was compared to ambient concentrations noted in adjacent streams to the property as shown in **Table E**.

Table E: Comparison of Groundwater Quality to Adjacent Stream Quality

Parameter	Presumed Ambient Concentration for Little Elm Creek (mg/L)	Presumed Ambient Concentration for Aubrey Branch (mg/L)	Existing Groundwater Well (HPR 1) Concentrations (Twin Mountains Aquifer - mg/L)
Sulfate (Sulphate)	29	22	91.6
Chloride	17	21	37.8
TDS	239	322	324

Texas Water Quality Standards Compliance

As required by the TCEQ, under the Texas Administrative Code (TAC) Title 30, Part 1, Chapter 307, calculations were performed to ensure that supplementing the pond with the existing groundwater well (HPR 1) will maintain a quality of water, consistent with the State's standards for public health and enjoyment, propagation, and protection of terrestrial and aquatic life.

The initial calculations were developed to determine the impact of any runoff from the proposed groundwater supplement to the development site pond. Based on the water quality and characteristics of the existing groundwater well (HPR 1) and Pecan Creek, calculations were performed for sulfate, chloride, and TDS screenings. The results of these calculations are provided in **Table F**. Calculations are provided in detail in **Appendix D**.



Parameter	Presumed Ambient Concentration for Pecan Creek - Appendix E (mg/L)	Existing Groundwater Well (HPR 1) Concentrations (Twin Mountains Aquifer - mg/L)	Estimated Screening Value (mg/L)
Sulfate (Sulphate)	29	91.6	300
Chloride	17	37.8	400
TDS	239	324	2,500

From the Chapter 307 calculations, it was determined no estimated raw groundwater concentrations exceed the estimated screening values. Additionally, water quality impact concentrations were performed and are summarized in **Table G** and detailed in **Appendix D**.

Table G: Water Quality Impact Calculations Summary

	Imp	pact on Pecan Creek		
Water Quality Measure	HPR 1	Secondary Concentration Standard	Proposed Increase	Resultant Concentration
	(mg/L)	(mg/L)	(%)	(mg/L)
Sulfate	91.6	300	0.00009%	300
Chloride	37.8	400	0.00003%	400
TDS	324	2500	0.00004%	2500
	Impa	ct on Lake Lewisville		
Water Quality Measure	HPR 1	Secondary Concentration Standard	Proposed Increase	Resultant Concentration
	(mg/L)	(mg/L)	(%)	(mg/L)
Sulfate	91.6	300	0.000001%	300
Chloride	37.8	400	0.0000004%	300
TDS	324	2500	0.000001%	1000

SUMMARY

The groundwater quality data collected from the selected existing onsite well (HPR 1), was thoroughly evaluated in accordance with an adapted TCEQ screening protocol for an unclassified intermittent stream upstream of a classified lake. The screening calculations, which adhered to the guidance outlined in the 30 TAC, Chapter 307 for implementing Texas surface water quality standards, showed no concern regarding TDS, chloride or sulfate concentrations. These parameters were determined to be within acceptable limits, indicating the groundwater quality is consistent with the State required standards.



Furthermore, the groundwater quality data was compared with the water quality of adjacent streams, such as Little Elm Creek and the Aubrey Branch, revealing that the TDS concentration in the existing groundwater well (HPR 1) aligns with the concentration ranges typically found in both the Pecan Creek and Lewisville Lake watersheds. This comparison further supports that the proposed groundwater source is consistent with regional water quality trends and poses no risk to the surrounding aquatic ecosystems.

It is recommended that one (1) additional well (HPR 2) be constructed to supplement the existing well (HPR 1) selected for use to meet the 62 gpm maximum daily pump rate. The new well (HPR 2) will be constructed similar to the existing well (HPR 1) onsite but will produce groundwater from the Paluxy minor aquifer of the Northern Trinity major aquifer. The new well (HPR 2) will need to be constructed in accordance with the NTGCD. Both the existing well (HPR 1) and new well (HPR 2) will operate as a "well system" as defined by the NTGCD. Therefore, the wells (HPR 1 & HPR 2) will be permitted together through one (1) permit application and registration process. Since the combine well production rate does not exceed 200 gpm, NTGCD will not require a hydrogeologic study be completed with the application. Additionally, because of the proximity of the proposed well (HPR 2) to the existing well (HPR 1), a variance request regarding spacing will need to be submitted to NTGCD along with proof of ownership over both well properties.

We appreciate the opportunity to be of service to you on this project. Please do not hesitate to contact us if you have any questions.

Respectfully,

KIMLEY-HORN AND ASSOCIATES, INC. Texas Firm Registration Number: F-928

Appendix A – Evaporation Rate Calculations

Appendix B – Existing Onsite Groundwater Well (HPR 1) Data

Appendix C – Additional Reference Resources

2002 Water Quality Inventory Segment ID: 0823

Texas Water Development Board Updated Evaluation of Water Resources in Part of North-Central Texas

USGS Nutrient Loading to Lewisville Lake, North-Central Texas, 1984-87

Appendix D – Chapter 307 Analysis Calculations and Water Impact Calculations

APPENDIX A Evaporation Rate Calculations

Monthly Evaporation Summary

Pond Surface Area (ac.) 8.21

		Evaporation Summa	ary (Average)					
Year	Days in the Month	TWDB Evaporation - for Max (1956) (ft.)	Monthly Evaporation Volume (ac-ft)	Average Daily Evaporation Volume (gallons)				
January	31	0.03	0.25	2,590				
February	28	-0.17	-1.40	-16,248				
March	31	0.35	2.87	30,215				
April	30	0.26	2.14	23,194				
May	31	0.27	2.22	23,309				
June	30	0.59	4.85	52,632				
July	31	0.72	5.91	62,157				
August	31	0.86	7.06	74,243				
September	30	0.72	5.91	64,229				
October	31	0.26	2.14	22,446				
November	30	0.00	0.00	0				
December	31	0.02	0.16	1,727				
An	nual Evapora	tion (ac-ft)	32.11	-				
Ann	nual Evaporati	on (gallons)	10,463,998	-				

Maximum Average Daily Evaporation (gallons)

74,243

Pump Rate (hrs/day)

20

Maximum Groundwater Pump Rate

EV EV411	EV EV411	EV EV411 EV EV411	EV EV411	EV EV411	EV EV411	EV EV411 EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV Record																					
1996	1995	1993 1994	1992	1991	1990	1988	1987	1986	1985	1984	1983	1982	1980	1979	1978	1977	1976	1975	1974	1972	1971	1970	1969	1968	1967	1966	1965	1963	1962	1961	1960	1959	1958	1956	1955	1954	1953	1952	1951	1950	1948	1947	1946	1945	1944	1943	1941	1940	YEAR
0.15	0.11	0.06	0.15	-0.09	-0.18	-0.05	0.07	0.23	0.08	0.03	0.11	-0.02	0.01	-0.12	-0.07	-0.07	0.23	0.07	0.04	0.12	0.1	0.05	0.01	-0.13	0.2	-0.02	0.03	0.12	0	0.07	0.01	0.06	-0.03	-0 03	0.01	-0.14	0.13	0.14	0.1	-0.12	-0.33	0.14	-0.08	0.06	-0.07	0.19	0.14	0.05	JAN
0.42	0.06	-0.03 0.01	0.1	0.07	-0.06	0.1	-0.09	0.15	-0.03	0	0.01	0.08	0.1	-0.13	-0.16	0.15	0.23	0.04	0.01	0.21	0.07	-0.12	0.07	0.1	0.15	-0.11	-0.04	0.15	0.08	-0.03	0.02	0.03	0.11	-0.17	-0.05	0.29	0.06	0.07	-0.12	0.21	0.05	0.21	0.11	-0.06	-0.33	0.18	0.01	-0.08	FEB
0.21	0.13	0.21	0.28	0.21	0	0.11	0.18	0.31	0.1	-0.02	0.1	0.22	0.19	-0.06	0.04	0.06	0.02	0.02	0.13	0.27	0.36	0.18	0.07	0.1	0.25	0.28	0.19	-0.11	0.09	0.02	0.12	0.21	-0.08	-0.33	0.11	0.35	-0.01	0.04	0.29	0.31	0.22	0.08	0.06	-0.04	0.14	0.06	0.14	0.31	MAR
0.31	0.14	0.11	0.25	-0.09	0.12	0.26	0.43	-0.13	0.02	0.27	0.26	0.12	0.26	0.2	0.28	0.41	-0.11	0.27	0.23	0.14	0.29	0.1	0.18	0.27	-0.21	-0.19	0.32	0.08	0.06	0.38	0.19	0.2	-0.07	-0.26	0.09	0.13	0.07	-0.17	0.25	0.24	0.45	-0.03	0.09	0.1	0.14	0.25	0.02	-0.07	TCEQ V APR
0.47	-0.01	-0.07	-0.12	0.03	0.13	-0.03	-0.22	-0.1	0.15	0.15	-0.13	-0.2	-0 12	-0.08	0	0.28	-0.15	-0.12	0.16	0.23	0.08	0.18	0.13	0.17	-0.21	0.23	-0.17	0.27	0.4	0.1	0.16	0.18	0.27	0.27	037	-0.09	0.37	0.27	0.18	0.14	0.21	0.19	-0.05	0.25	0.07	-0.03	0.31	0.12	CEQ WRAP Input Files
0.33	0.31	0.18	-0.06	0.08	0.44	-0.06	0.19	0.29	0.26	0.33	0.06	0.09	0.52	0.49	0.4	0.35	0.17	0.33	0.29	0.44	0.54	0.32	0.36	0.12	0.51	0.3	0.23	0.49	-0.27	0.11	0.3	-0.01	0.27	0.39	0.39	0.36	0.84	0.75	0.18	0.39	0.44	0.33	0.37	0.17	0.48	0.43	0.29	0.2	for T
0.28	0.32	-0.08	0.21	0.48	0.4	0.28	0.38	0.67	0.41	0.52	0.37	0.38	0.84	0.3	0.72	0.6	0.13	0.32	0.2	0.56	0.39	0.55	0.66	0.24	0.3	0.43	0.59	0.29	0.22	0.24	0.13	-0.05	0.45	0.72	0.45	0.73	0.34	0.61	0.54	-0.17	0.59	0.67	0.66	0.26	0.5	0.72	0.47	0.49	r Basin JUL
0.13	0.49	0.59	0.38	0.29	0.39	0.52	0.53	0.44	0.66	0.46	0.4	0.42	0.81	0.24	0.47	0.17	0.4	0.36	0.49	0.29	0.06	0.41	0.37	0.48	0.56	0.03	0.5	0.59	0.39	0.44	0.23	0.35	0.41	0.00	0.44	0.69	0.5	0.81	0.78	0.13	0.66	0.55	0.36	0.5	0.55	0.87	0.26	0.6	AUG
0.06	-0.03	0.15	0.01	0.1	0.21	0.05	0	0.03	0.32	0.41	0.44	0.4	-0.12	0.29	0.31	0.29	0.21	0.25	-0.24	0.11	0.11	-0.32	0.16	-0.11	-0.2	0.08	0.03	-0.25	-0.1	0.09	0.12	0.28	0.09	-0.07	0.18	0.37	0.44	0.49	0.34	0.2	0.61	0.55	0.14	0.18	0.46	0.37	0.48	0.64	SEP
0.24	0.39	-0.09 -0.18	0.31	-0.14	0.14	0.13	0.2	-0.04	-0.22	-0.43	0.02	0.16	-0.16	0.24	0.37	0.34	-0.05	0.39	-0.09	-0.27	-0.15	0.03	-0.08	0.22	0.14	0.29	0.23	0.49	0.08	0.13	0.05	-0.23	0.19	0.26	0.39	-0.22	0.09	0.53	0.22	0.47	-0.19	0.2	0.3	0.16	0.21	0.27	0.05	0.33	OCT
-0.28	0.22	-0.04	-0.05	0.1	-0.08	0.25	-0.24	-0.21	-0.09	0	-0.02	-0.24	0.1	0.19	-0.32	0.11	0.15	0.12	0.25	-0.13	0.13	0.21	0.18	-0.05	0.13	0.22	0.01	-0.03	-0.08	-0.14	0.13	0.07	0.05	-0 34	0.34	0.17	-0.05	-0.14	0.08	0.37	0.31	0.05	-0.11	0.17	-0.02	0.23	0.16	-0.2	NOV
0.11	-0.03	0.03	-0.08	0.12	-0.12	-0.0/ 0.23	-0.2	-0.04	0.08	-0.11	-0.02	-0.23	0.06	-0.05	0.08	0.23	0.09	0.03	0.15	0.04	0.02	0.13	-0.18	0.09	-0.05	-0.02	0.07	0.13	0.09	-0.06	-0.36	-0.05	0.05	0.02	0.14	-0.01	0.1	-0.1	0.18	0.21	-0.08	-0.13	0.13	0.12	-0.1	-0.14	-0.03	-0.02	DEC
2.43	2.1	0.93	1.38	1.16	1.39	1.75	1.23	1.6	1.74	1.61	1.6	1.18	2.99	1.51	2.12	2.92	1.32	2.08	2.07	2.01	2	1.72	1.93	1.5	1.57	1.52	1.99	1.44	0.96	1.35	1.1	1.04	1.71	0.74	2.49	2.63	2.88	3.3	3.02	2.38	3./1 1.53	2.81	1.98	1.87	2.03	3.4	2 16	2.37	l
29.16	25.2	26.4 11.16	16.56	13.92	16.68	25.44	14.76	19.2	20.88	19.32	19.2	14.16	19 7	18.12	25.44	35.04	15.84	24.96	24.84	24.12	24	20.64	23.16	18	18.84	18.24	23.88	39.12 17.28	11.52	16.2	13.2	12.48	20.52	8 88	29.88	31.56	34.56	39.6	36.24	28.56	44.52 18.36	33.72	23.76	22.44	24.36	40.8	25.32	28.44	otal (in)

APPENDIX B Existing On-Site Groundwater Well Data

Existing On-Site Groundwater Well (HPR 1) Data State Well ID No. 232452

Source: https://www3.twdb.texas.gov/apps/waterdatainteractive/groundwaterdataviewer

Date Accessed: December 22, 2023

24 Waterway Avenue, Suite 375 The Woodlands, TX 77380

Office: 903-984-0551 * Fax: 903-984-5914



KHAI-P

KimleyHorn and Associates, Inc. Darby Adams 4411 98th ST Suite 300 Lubbock, TX 79424



Printed: 11/11/2024

RESULTS

					Sample F	Resu	ılts						
	2350194	WELL 1 (HPF	R 1)								Received:	10/31	1/2024
Dı	rinking Water		Collected by: LC2		SPL Kilgo					PO:			
			<i>Taken:</i> (10/30/2024)		11	:10:0	00						
Ci	alculation		Pre	pared:		11/00	5/2024	08:19:53	Calculated	1	11/06/2024	08:19:53	CA
	Parameter		Results		Uni	ts	RL		Flag	S	CAS		Bottle
.AC	Ammonia		<0.02	42	mg/	L	0.0242						
Cá	alculation		Pre	pared:		11/08	8/2024	15:25:29	Calculated	,	11/08/2024	15:25:29	CA
	Parameter		Results		Uni	ts	RL		Flag	S	CAS		Bottl
	Phosphorus (a	as Phosphate)	0.238		mg/	L	0.122						
El	PA 200.2.2.8		Pre	pared:	1145816	11/0	1/2024	09:30:00	Analyzed	1145816	11/01/2024	09:30:00	HI
	Parameter		Results		Uni	ts	RL		Flag	S	CAS		Botti
.AC	Metal Digesti	on - Silica	50/50	l	ml								04
El	PA 200.7 4.4		Pre	pared:	1145816	11/04	4/2024	13:22:00	Analyzed	1146045	11/04/2024	13:22:00	CA
	Parameter		Results		Uni	ts	RL		Flag	S	CAS		Bottl
	Silicon Recov	verable	12.2		mg/	L	0.100				7740-21-3		08
El	PA 200.7 4.4		Pre	pared:	1146013	11/04	4/2024	09:00:00	Analyzed	1146246	11/05/2024	13:52:00	CA
	Parameter		Results		Uni	ts	RL		Flag	S	CAS		Bott
	Calcium		47.9		mg/	L	0.500				7440-70-2		10
AC	Iron, Total		0.111		mg/	L	0.025				7439-89-6		10
.AC	Magnesium,	Fotal	10.7		mg/		0.500				7439-95-4		10
.AC	Potassium		2.12		mg/		0.500		P		7440-09-7		10
.AC	Sodium		46.3		mg/	L	0.500				7440-23-5		10
El	PA 200.7 4.4		Pre	pared:	1146427	11/00	5/2024	09:00:00	Analyzed		11/06/2024	16:28:00	CA.
	Parameter		Results		Uni	ts	RL		Flag	S	CAS		Bottl
.AC	Phosphorus		0.077	9	mg/	L	0.040				7723-14-0		13



Report Page 5 of 76

Office: 903-984-0551 * Fax: 903-984-5914



KHAI-P

KimleyHorn and Associates, Inc. **Darby Adams** 4411 98th ST Suite 300 Lubbock, TX 79424



Printed: 11/11/2024

Parameter Results Units RL Flags CAS Bot										Timica.	11/11	1/2027	
Parameter Results Units RL Flugs CAS Bot		<u> </u>	Collected by: LC2		-		:00			PO:	Received:	10/31	1/2024
ELAC Silica (SiO2) 26.1 mg/L 0.214 Prepared: 1145795 10/31/2024 15:08:00 Analyzed 1145795 10/31/2024 15:08:00 T Parameter Results Units RL Flugs CAS Bot 14797-55-8 (CAS DATE of CAS DA		PA 200.7 4.4 - Calc		Prepared:		11/0	04/2024	13:56:06	Calculated	,	11/04/2024	13:56:06	CA.
Parameter Results Units RL Flags CA5 Bot	. ELAC								Flag.	s	CAS		Bottle
ELAC DW Nitrate-Nitrogen Total	El	PA 300.0 2.1		Prepared:	1145795	10/3	31/2024	15:08:00	Analyzed	1145795	10/31/2024	15:08:00	TT
Propared:		Parameter		Results	Un	its	RL		Flag	S	CAS		Bottle
Parameter Results Units RL Flags CAS Bot	ELAC	DW Nitrate-Nitrogen Total		<0.0226	mg	/L	0.0226				14797-55-8		03
ELAC Chloride 37.8 mg/L 3.00 D	El	PA 300.0 2.1		Prepared:	1146178	11/0	05/2024	00:08:00	Analyzed	1146178	11/05/2024	00:08:00	TT
EPA 350.1 2 Prepared: 1145585 10/31/2024 13:22:36 Analyzed 1146321 11/05/2024 06:35:00 A Parameter Results Units RL Flags CAS Boot EPA 533 Prepared: 1145462 11/01/2024 04:53:00 Analyzed 1145916 11/01/2024 13:47:00 C Parameter Results Units RL Flags CAS Boot 11Cl-PF3OUdS - 11-Chloroeicosafl < 0.000933 ug/L 0.000933 763051-92-9 (6:2 FTS - 1H, HJ, 2H-Perfluor < 0.000987 ug/L 0.000987 757124-72-4 (6:2 FTS - 1H, HJ, 2H-Perfluor < 0.000987 ug/L 0.000987 757124-72-4 (6:2 FTS - 1H, HJ, 2H-Perfluor < 0.000987 ug/L 0.000987 90000987 9000987 9000987 9000987 9000987 9000987 9000987 90000987 9000987 9000987 9000987 9000987 9000987 9000987 90000987 9000987 9000987 9000987 9000987 9000987 9000987 90000987 9000987 9000987 9000987 9000987 9000987 9000987 90000987 9000987 9000987 9000987 9000987 9000987 9000987 90000987 9000987 9000987 9000987 9000987 9000987 9000987 90000987 9000987 9000987 9000987 9000987 9000987 9000987 90000987 9000987 900000987 90000987 90000987 90000987 90000987 90000987 90000987 90000987 90000987 90000987 90000987 90000987 90000987 900000987 900000987 900000987 900000987 900000987 900000987 900000987 900000987 900000987 900000987 9000000987 900000000987 9000000987 9000000987 9000000987 9000000987 9000000987		Parameter		Results	Un	its	RL		Flag	S	CAS		Bottl
Parameter Results Units RL Flags CAS Bot	LAC	Chloride		37.8	mg	/L	3.00		D				03
Parameter Results Units RL Flags CAS Bot	LAC	Sulfate		91.6	mg	<u>/L</u>	3.00		PD				03
Prepared: 1145462 11/01/2024 04:53:00 Analyzed 1145916 11/01/2024 13:47:00 C	El	PA 350.1 2		Prepared:	1145585	10/3	31/2024	13:22:36	Analyzed	1146321	11/05/2024	06:35:00	AM
Prepared: 1145462 11/01/2024 04:53:00 Analyzed 1145916 11/01/2024 13:47:00 CR		Parameter		Results	Un	uits	RL		Flag	S	CAS		Bottl
Parameter Results Units RL Flags CAS Bot 11Cl-PF3OUdS - 11-Chloroeicosafl <0.000933	ELAC	Ammonia Nitrogen		<0.020	mg	/L	0.020						06
11Cl-PF3OUdS - 11-Chloroeicosafl <0.000933	El	PA 533		Prepared:	1145462	11/0	01/2024	04:53:00	Analyzed	1145916	11/01/2024	13:47:00	CΝ
4:2 FTS - 1H,1H, 2H, 2H-Perfluor		Parameter		Results	Un	uits	RL		Flag	S	CAS		Bott
6:2 FTS - 1H,1H, 2H, 2H-Perfluor					_								0
8:2 FTS - 1H,1H, 2H, 2H-Perfluor		• • •			_							ŀ	0
9CI-PF3ONS - 9-Chlorohexadecaflu <0.000923					_								0
ADONA - 4,8-Dioxa-3H-perfluorono		• • •			•								0
NFDHA - Nonafluoro-3,6-dioxahept <0.000987 ug/L 0.000987 151772-58-6 0 PFBA - Perfluorobutanoic acid <0.000987)		_								0
PFBA - Perfluorobutanoic acid <0.000987		HFPO-DA - Hexafluoropropylene ox		<0.000987	ug/	L	0.00098	7			13252-13-6		0
PFBS - Perfluorobutanesulfonic a <0.000874 ug/L 0.000874 375-73-5 0 PFDA - Perfluorodecanoic acid <0.000987		NFDHA - Nonafluoro-3,6-dioxahept		<0.000987	ug/	L	0.00098	7			151772-58-6	5	0
PFDA - Perfluorodecanoic acid <0.000987 ug/L 0.000987 335-76-2 0.000987 PFDoA - Perfluorododecanoic acid <0.000987					ug/	L							0
PFDoA - Perfluorododecanoic acid <0.000987 ug/L 0.000987 307-55-1 0.000987 PFEESA - Perfluoro(2-ethoxyethan <0.000987 ug/L 0.000987 113507-82-7 0.000987 PFHpA - Perfluoroheptanoic acid <0.000987 ug/L 0.000987 375-85-9 0.000987					_								0
PFEESA - Perfluoro(2-ethoxyethan <0.000987 ug/L 0.000987 113507-82-7 C PFHpA - Perfluoroheptanoic acid <0.000987					_								0
PFHpA - Perfluoroheptanoic acid <0.000987 ug/L 0.000987 375-85-9					_							-	0
•		, ,			_							1	0′
		• •											07



Report Page 6 of 76

EPA 533

Office: 903-984-0551 * Fax: 903-984-5914



KHAI-P

KimleyHorn and Associates, Inc. **Darby Adams** 4411 98th ST Suite 300 Lubbock, TX 79424

Page 3 of 19 Project 1123588

13:47:00

CNH

Printed: 11/11/2024

Analyzed 1145916 11/01/2024

WELL 1 (HPR 1) 2350194 10/31/2024 Received:

04:53:00

Prepared: 1145462 11/01/2024

Drinking Water Collected by: LC2 SPL Kilgore PO:

> Taken: 10/30/2024 11:10:00

	11000000	10.702		111111/200 11/05/10	11,01,202	
Parameter	Results	Units	RL	Flags	CAS	Bottl
PFHxA - Perfluorohexanoic acid	<0.000987	ug/L	0.000987		307-24-4	07
PFHxS - Perfluorohexanesulfonic	<0.000938	ug/L	0.000938		355-46-4	0′
PFMBA - Perfluoro-4-methoxybutan	<0.000987	ug/L	0.000987		863090-89-5	0′
PFMPA - Perfluoro-3-methoxypropa	< 0.000987	ug/L	0.000987		377-73-1	0′
PFNA - Perfluorononanoic acid	< 0.000987	ug/L	0.000987		375-95-1	0
PFOA - Perfluorooctanoic acid	< 0.000987	ug/L	0.000987		335-67-1	0
PFOS - Perfluorooctanesulfonic a	<0.000908	ug/L	0.000908		1763-23-1	0
PFPeA - Perfluoropentanoic acid	< 0.000987	ug/L	0.000987		2706-90-3	0
PFPeS - Perfluoropentanesulfonic	<0.000987	ug/L	0.000987		2706-91-4	0
PFUnA - Perfluoroundecanoic acid	<0.000987	ug/L	0.000987		2058-94-8	0
PA 537.1 2	Prepared: 11	145958 11/0	05:52:00	Analyzed 1146553	11/06/2024 02:10:0	00 CN
Parameter	Results	Units	RL	Flags	CAS	Bott
11Cl-PF3OUdS - 11-chloroeicosafl	<0.000842	ug/L	0.000842		763051-92-9	0
9Cl-PF3ONS- 9-chlorohexadecafluo	< 0.000842	ug/L	0.000842		756426-58-1	0
ADONA 4,8-dioxa-3H-perfluoronona	<0.000896	ug/L	0.000896		919005-14-4	0
HFPO-DA - Hexafluoropropylene ox	< 0.000896	ug/L	0.000896		13252-13-6	0
NEtFOSAA N-ethyl perfluorooctane	< 0.000896	ug/L	0.000896		2991-50-6	0
NMeFOSAA N-methyl perfluorooctan	< 0.000896	ug/L	0.000896		2355-31-9	0
PFBS (L-PFBS) Perfluorobutanesul	<0.000788	ug/L	0.000788		375-73-5	0
PFDA Perfluorodecanoic acid	< 0.000896	ug/L	0.000896		335-76-2	0
PFDoA Perfluorododecanoic acid	< 0.000896	ug/L	0.000896		307-55-1	0
PFHpA Perfluoroheptanoic acid	< 0.000896	ug/L	0.000896		375-85-9	0
PFHxA Perfluorohexanoic acid	< 0.000896	ug/L	0.000896		307-24-4	0
PFHxS Perfluorohexanesulfonic ac	< 0.000824	ug/L	0.000824		355-46-4	0
PFNA Perfluorononanoic acid	<0.000896	ug/L	0.000896		375-95-1	0
	<0.000890				207 (7.1	0
PFOA Perfluorooctanoic acid	<0.000896	ug/L	0.000896		335-67-1	0
PFOA Perfluorooctanoic acid PFOS Perfluorooctanesulfonic aci		ug/L ug/L	0.000896 0.000842		335-67-1 1763-23-1	
	<0.000896	•				0
PFOS Perfluorooctanesulfonic aci	<0.000896 <0.000842	ug/L	0.000842		1763-23-1	0 0



Report Page 7 of 76

24 Waterway Avenue, Suite 375 The Woodlands, TX 77380

Office: 903-984-0551 * Fax: 903-984-5914



KHAI-P

KimleyHorn and Associates, Inc. Darby Adams 4411 98th ST Suite 300 Lubbock, TX 79424



Printed: 11/11/2024

WELL 1 (HPR 1) 2350194 10/31/2024 Received: **Drinking Water** Collected by: LC2 SPL Kilgore PO: Taken: 11:10:00 10/30/2024 SM 2320 B-2011 Prepared: 1146572 11/07/2024 13:47:00 Analyzed 1146572 11/07/2024 13:47:00 TRCParameter Results Units RLFlags CAS Bottle Total Alkalinity (as CaCO3) 125 mg/L 1.00 03 SM 2340 B-2011 Prepared: 11/05/2024 15:55:43 Calculated 11/05/2024 15:55:43 CALParameter Results Units RLFlags CAS Bottle mg/L 0.500 Total Hardness as CaCO3 -Ca/MgEq 164 NELAC SM 2540 C-2015 Prepared: 1146475 11/05/2024 08:15:00 Analyzed 1146475 11/05/2024 08:15:00 JMBParameter Results Units RLFlags CAS **Bottle** mg/L 20.0 **Total Dissolved Solids** 324 03 SM 2550 B - 2010 Prepared: 1145550 10/30/2024 11:15:00 Analyzed 1145550 10/30/2024 11:15:00 LC2 Parameter Results Units RLFlags CAS Bottle Temperature (onsite) 22 Degrees 1 C 09:49:35 SM 4500-CO2 D-1997 11/05/2024 09:49:35 11/05/2024 Prepared: Calculated CALFlags Parameter Results Units RLCAS Bottle Hydroxide / Calc <0.5 mg/L 0.5 SM 4500-CO2 D-1997 11/07/2024 10:31:45 Calculated 11/07/2024 10:31:45 CALPrepared: Parameter Results Units RLFlags CAS Bottle Bicarbonate (as CaCO3) / Calc 125 mg/L 0.5 SM 4500-CO2 D-1997 11/07/2024 10:36:40 11/07/2024 10:36:40 Prepared: Calculated CALParameter Results Units RLFlags CAS Bottle <0.5 Carbonate (as CaCO3) / Calc 0.5 mg/L 58.0 Free Carbon Dioxide / Calc mg/L 0.5 SM 4500-CO2 D-1997 11/07/2024 10:43:43 10:43:43 Prepared: Calculated 11/07/2024 CALParameter Results Units RLFlags CAS Bottle



Report Page 8 of 76

24 Waterway Avenue, Suite 375 The Woodlands, TX 77380

Office: 903-984-0551 * Fax: 903-984-5914



KHAI-P

KimleyHorn and Associates, Inc. **Darby Adams** 4411 98th ST Suite 300 Lubbock, TX 79424

Page 5 of 19 Project 1123588

			Print	ed: 11/	11/11/2024		
2350194 WELL 1 (b	HPR 1) Collected by: LC2	SPL Kilgore	PO	Received:	10/31/2024		
	<i>Taken:</i> 10/30/2024	11:10:00					
SM 4500-CO2 D-1997	Prepared:	11/07/2024	10:43:43 Calculated	11/07/2024	10:43:43 CA		
Parameter	Results	Units RL	Flags	CAS	Bottle		
Carbon Dioxide / Calc	168	mg/L 0.5					
SM 4500-H+ B-2011	Prepared:	1145516 10/30/2024	11:15:00 Analyzed 11455	16 10/30/2024	11:15:00 LC		
Parameter	Results	Units RL	Flags	CAS	Bottle		
pH (Onsite)	6.4	SU					
SM 4500-H+ B-2011	Prepared:	1146086 11/05/2024	06:15:00 Analyzed 11460	86 11/05/2024	06:15:00 BEF		
Parameter	Results	Units RL	Flags	CAS	Bottle		
Laboratory pH	6.6 @ 18 C	SU 2.00			03		
2350196 WELL 2				Received:	10/31/2024		
Drinking Water	Collected by: LC2	SPL Kilgore	PC	D:			
	Taken: 10/30/2024	11:25:00					
Calculation	Prepared:	11/06/2024	08:19:53 Calculated	11/06/2024	08:19:53 CA		
Parameter	Results	Units RL	Flags	CAS	Bottle		
LAC Ammonia	0.433	mg/L 0.0242					
Calculation	Prepared:	11/08/2024	15:25:29 Calculated	11/08/2024	15:25:29 CAI		
Parameter	Results	Units RL	Flags	CAS	Bottle		
Phosphorus (as Phosphate)	2.48	mg/L 0.122					
EPA 200.2.2.8	Prepared:	1145816 11/01/2024	09:30:00 Analyzed 11458	16 11/01/2024	09:30:00 HL		
Parameter	Results	Units RL	Flags	CAS	Bottle		
LAC Metal Digestion - Silica	50/50	ml			04		



Report Page 9 of 76

NELAC

2600 Dudley Rd. Kilgore, Texas 75662 Office: 903-984-0551 * Fax: 903-984-5914

KimleyHorn and Associates, Inc.

Darby Adams

4411 98th ST Suite 300

Lubbock, TX 79424

CHAIN OF CUSTODY



Hand Deliver ad by Client to Region or LAB

KHAI-P
103

Lab Number 235 0 9 U

PO Number
Phone 806/319-6235

Kimley-Horn Well water

Matrix: Drinking Wa	iter	Well	#/	HPR 1)	
Sample Collection Start Date: 10/30/24	Time: /// 0				
Sampler Printed Name:	ne Carillala - SPL, Inc.				
Sampler Affiliation:					
Sampler Signature:	re Carlible				
Sa	mples Radioactive?	Samples Conta	ins Dioxin?	Samples Biological Hazare?	
	On Site Testing				
z Short Hold	pH pH (Onsite)	and Maria San Side administra	S	M 4500-II+ B-2011 (0.0104 days)	
oH (Onsite)					
Collected By LC2 Date Results Le 39 Units	,			its Su Temp. Z1 18 C	
NELAC Short Hold	Temp Temperature	(onsite)	S	M 2550 B - 2010 (0.0104 days)	
'emperature (onsite)					
	infon UN	1,	//	1/2n 1115	
Collected By LC2 Date Results 2/: 9 Units	10/30 Time // 10	Analyzed By	Date /	7 50 Time 111 =	
21/9	21.9 Duplicate 21	Units	'C		
Results Omis_	,C			ANA SEFAMORY	
			<u></u>		
	Olyethylene 1/2 gal			PA 300.0 2.1 (28.0 days)	

Report Page 66 of 76
Parhandle Region: 3350 Olsen Blvd. Ste 1700 Amarilio TX 79109

2600 Dudley Rd. Kilgore, Texas 75662 Office: 903-984-0551 * Fax: 903-984-5914

Printed 10/14/:024 Page 2 of 3

CHAIN OF CUSTODY

KimleyHorn and Associates, in Darby Adams 4411 98th ST Suite 300	€C.	KHAI-P 103	
Lubbock, TX 79424 NELAC	!S4L	Sulfate	EPA 300.0 2.1 (28.0 days)
z	AlkT	Total Alkalinity (as CaCO3)	SM 2320 B-2011 (14.0 days)
	CO2	Carbon Dioxide / Calc	SM 4500-CO2 D-1997 (14.0 days)
	CO2F	Free Carbon Dioxide / Calc	SM 4500-CO2 D-1997 (14.0 days)
	CO3	Carbonate (as CaCO3) / Calc	SM 4500-CO2 D-1997 (14.0 days)
	HCO3	Bicarbonate (as CaCO3) / Calc	SM 4500-CO2 D-1997 (14.0 days)
	ОН	Hydroxide / Calc	SM 4500-CO2 D-1997 (30.0 days)
7	pHLL	Laboratory pH	SM 4500-II+ B-2011
NELAC	TDS	Total Dissolved Solids	SM 2540 C-2015 (7.00 days)
0 Z	No bot	tle required	
NELAC	NH3	Ammonia	Calculation (28.0 days)
	UÇMK	PFOAS Prep Kit	
1 HN	O3 to p	H <2 Polyethylene 500 mL for N	Metals
2	*Cal	Calcium	EPA 200.7 4.4 CAS:7440-70-2 (186 days)
NELAC	*Fe1	Iron, Total	EPA 200.7 4.4 CAS:7439-89-6 (180 days)
NELAC	*K1	Potassium	EPA 200.7 4.4 CAS:7440-09-7 (180 days)
NELAC	*Mgl	Magnesium, Fotal	EPA 200.7 4.4 CAS:7439-95-4 (180 days)
NELAC	*Naï	Sodium	EPA 200.7 4.4 CAS:7440-23-5 (180 days)
NELAC	*P1	Phosphorus	EPA 200.7 4.4 CAS:7723-14-0 (180 days)
	*SíI	Silicon Recoverable	EPA 200.7 4.4 CAS:7740-21-3 (28.0 days)
NELAC	*SiO	Silica (SiO2)	EPA 200.7 4.4 - Calc (28.0 days)
	301L	Liquid Metals Digestion	EPA 200.2 2.8 (180 days)
NELAC	3011	Metal Digestion - Silica	EPA 200.2.2.8 (28.0 days)
	CPO4	Phosphorus (as Phosphate)	
NELAC	THC	Total Hardness as CaCO3 -Ca/MgEq	SM 2340 B-2011
	SO4 to p	oH <2 250 ml Polyethylene	
NELAC	NHaN	Ammonia Nitrogen	EPA 350.1 2 (28.0 days)

2600 Dudley Rd. Kilgore, Texas 75662 Office: 903-984-0551 * Fax: 903-984-5914



CHAIN OF CUSTODY


Darl 441:	leyHorn an by Adams 1 98th ST S bock, TX 7	-	KHAI 103	_		
		1 8oz/250 mL	UltraLab PP-Tris Mix	ture-1.25/ EPA 531	7,1	
		^PAS E	PA 537.1 Exp Testing	EPA 537.1 (14.0 days)	
		1 8oz/250ml P	P with 250mg Ammor	nium Acetate EPA	533	
	Z	^POS E	PA-533 Exp Testing	EPA 533 (28	.0 days)	
Ambient	Condition	s/Comments				
Date	Time	Relinqu	ished		Received	
106.		Primed Name Lane Cartel	Affiliation e - SPL, inc.	Printed Name		A ffiliation
130/	1700	Signatura Ca	.O.'. l.	Signature	XPS	<u></u>
13	1	Printed Name 175	Affiliation	Printed Name Ashi	ey Vasquez - SPI., I	Affiliation
10/3/124	oaus	Signature		Signature A	Verin	
•		Printed Name	Affiliation	Printed Name	- ()	Affiliation
		Signature		Signature		· · · · · · · · · · · · · · · · · · ·
		Printed Name	Affiliation	Printed Name		Affiliation
		Signature		Signature		,
Cooler/S	ample Sec	m m	Shipped: Tracking Number & Fe	•		
The accredi	ited column d ed services pu	esignates accreditation by A + A2L rsuant to our Standard Terms & Co	A, N - NELAC, or 2 - not listed u onditions Agreement . SPL person	nder scope of accreditation. Unel collect samples as specifi	Unless otherwise specifie ied by SPL SOP #0(032,	d, SPL shali provide 3.
Commen	ite					



COOLER CHECKIN

Region/Driver/Client	north texas
Date / Time:	10/31/au / 0945
Cooler:	of
Shipping Company:	Vine

Temp Label:



STATE OF TEXAS WELL REPORT for Tracking #232454

Owner: Circle Y Ranch Owner Well #: 2

Address: P.O. Box 305 Grid #: 18-41-4

Aubrey, TX 76227

Latitude: 33° 18' 32" N

Well Location: 285 Hwy 377
Aubrey, TX Longitude: 096° 58' 14" W

Well County: Denton Elevation: No Data

Type of Work: New Well Proposed Use: Domestic

Drilling Start Date: 4/25/2009 Drilling End Date: 5/7/2009

Diameter (in.) Top Depth (ft.) Bottom Depth (ft.)

Borehole: 8.5 0 915

Drilling Method: Mud (Hydraulic) Rotary

Borehole Completion: Filter Packed

Top Depth (ft.) Bottom Depth (ft.) Filter Material Size

Filter Pack Intervals: 760 915 Gravel

Annular Seal Data:

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

34 cement

730

750

16 cement

Seal Method: **Displacement** Distance to Property Line (ft.): **81**

Sealed By: **Driller**Distance to Septic Field or other concentrated contamination (ft.): **na**

Distance to Septic Tank (ft.): No Data

Method of Verification: No Data

Surface Completion: Alternative Procedure Used

Water Level: No Data

Packers: No Data

Type of Pump: No Data

Well Tests: Jetted Yield: 30 GPM with 60 ft. drawdown after 7 hours

Water Quality:

Strata Depth (ft.)	Water Type
No Data	No Data

Chemical Analysis Made: No

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: Strittmatter Irrigation

800 N. Hwy 377

Pilot Point, TX 76258

Driller Name: Alan Strittmatter License Number: 54790

Comments: \$mew; 4/20/2011 completed lithology from returned well report ^EO

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

Top (ft.)	Bottom (ft.)	Description
0	25	Yellow and Gray Clay
25	50	Blue and Green Clay
50	68	Gray Clay
68	87	Gray and Green Clay
87	105	Gray Clay
105	115	Sand and Rock
115	123	Sand
123	130	Sand and Rock
130	175	Sand
175	180	Charcoal
180	216	White Clay
216	224	Sand Streaks
224	235	White and Green Clay
235	240	Sand
240	255	Charcoal and Gray Clay
255	310	Gray Clay
310	335	Rock
335	375	Gray Clay

Dia. (in.)	New/Used	Type	Setting From/To (ft.)	
4.5" Ne	w Steel Bl	ank +2	- 860	
3.5" Ne	w S.S. Sci	reen 86	60 - 890 .020	
3.5" Ne	w Steel Bl	ank 89	0 - 915	

375	385	Rock
385	405	Rock and Shale
405	435	Rock
435	475	Gray Shale
475	485	Rock
485	520	Brown Clay
520	555	Rock
555	605	Rock and Shale
605	635	Rock
635	650	Gray Clay
650	685	Rock
685	695	Gray Clay
695	755	Rock and Shale
755	766	Rock
766	780	White and Gray Clay
780	790	Gray Clay
790	802	Sand
802	805	White Clay
805	810	White Clay and Rock
810	822	Sand
822	830	White Clay
830	840	Sand and shale Streaks
840	890	Sand
890	915	Green Clay

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Texas Department of Licensing and Regulation P.O. Box 12157 Austin, TX 78711 (512) 334-5540

APPENDIX C Additional Reference Resources

Sources: TCEQ Rule 307.1; TWDB Water Quality Summaries Date Accessed: December 19, 2023

Additional Reference Resources

2002 Water Quality Inventory Segment ID: 0823

Date Accessed: December 22, 2023

Reservoir)ir	Trinity River Basin	Basin Total size:		23,280	Acres	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Aquatic Life Use	Jse						
2002	Dissolved Oxygen grab average	No Concern	Hickory Creek arm	2,616	31	0	
2002	Dissolved Oxygen grab average	No Concern	Little Elm Creek arm	3,589	10	0	
2002	Dissolved Oxygen grab average	No Concern	Lowermost portion of reservoir	5,736	10	0	
2002	Dissolved Oxygen grab average	No Concern	Middle portion of reservoir east of Lake Dallas	5,851	10	0	
2002	Dissolved Oxygen grab average	Not Assessed	Stewart Creek arm	1,528	5		
2002	Dissolved Oxygen grab minimum	Fully Supporting	Hickory Creek arm	2,616	31	0	
2002	Dissolved Oxygen grab minimum	Fully Supporting	Little Elm Creek arm	3,589	10	0	
2002	Dissolved Oxygen grab minimum	Fully Supporting	Lowermost portion of reservoir	5,736	10	0	
2002	Dissolved Oxygen grab minimum	Fully Supporting	Middle portion of reservoir east of Lake Dallas	5,851	10	0	
2002	Dissolved Oxygen grab minimum	No Concern-Limited Data	Stewart Creek arm	1,528	5	0	
2002	Dissolved Oxygen 24hr average	Not Assessed	Hickory Creek arm	2,616	0		
2002	Dissolved Oxygen 24hr average	Not Assessed	Little Elm Creek arm	3,589	0		
2002	Dissolved Oxygen 24hr average	Not Assessed	Lowermost portion of reservoir	5,736	0		
2002	Dissolved Oxygen 24hr average	Not Assessed	Middle portion of reservoir east of Lake Dallas	5,851	0		
2002	Dissolved Oxygen 24hr average	Not Assessed	Stewart Creek arm	1,528	0		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	Hickory Creek arm	2,616	0		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	Little Elm Creek arm	3,589	0		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	Lowermost portion of reservoir	5,736	0		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	Middle portion of reservoir east of Lake Dallas	5,851	0		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	Stewart Creek arm	1,528	0		
2002	Acute Metals in water	Not Assessed	Hickory Creek arm	2,616	1		
2002	Chronic Metals in water	Not Assessed	Hickory Creek arm	2,616	_		
2002	Overall Aquatic Life Use	Fully Supporting	Hickory Creek arm	2,616			

		Lake				
oir	Trinity River	Basin Total size:		23,280	Acres	
Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Use (continued)						
Overall Aquatic Life Use	Fully Supporting	Little Elm Creek arm	3,589			
Overall Aquatic Life Use	Fully Supporting	Lowermost portion of reservoir	5,736			
Overall Aquatic Life Use	Fully Supporting	Middle portion of reservoir east of Lake Dallas	5,851			
Overall Aquatic Life Use	Not Assessed	Remainder of reservoir	3,960			
Overall Aquatic Life Use	Not Assessed	Stewart Creek arm	1,528			
eation Use						
Overall Recreation Use	Not Assessed	Hickory Creek arm	2,616			
Overall Recreation Use	Not Assessed	Little Elm Creek arm	3,589			
Overall Recreation Use	Not Assessed	Lowermost portion of reservoir	5,736			
Overall Recreation Use	Not Assessed	Middle portion of reservoir east of Lake Dallas	5,851			
Overall Recreation Use	Not Assessed	Remainder of reservoir	3,960			
Overall Recreation Use	Not Assessed	Stewart Creek arm	1,528			
Water Temperature	Fully Supporting	Hickory Creek arm	2,616	31	0	
Water Temperature	Fully Supporting	Little Elm Creek arm	3,589	10	0	
Water Temperature	Fully Supporting	Lowermost portion of reservoir	5,736	10	0	
Water Temperature	Fully Supporting	Middle portion of reservoir east of Lake Dallas	5,851	10	0	
Water Temperature	No Concern-Limited Data	Stewart Creek arm	1,528	5	0	
Hq	Fully Supporting	Hickory Creek arm	2,616	31	0	
рН	Fully Supporting	Little Elm Creek arm	3,589	10	0	
рН	Fully Supporting	Lowermost portion of reservoir	5,736	10	0	
рН	Fully Supporting	Middle portion of reservoir east of Lake Dallas	5,851	10	0	
рН	No Concern-Limited Data	Stewart Creek arm	1,528	5	0	
	Reservoir Assessment Year Assessment Method	Assessment Method I Star Support ontinued) I Aquatic Life Use I Aquatic Life Use I Aquatic Life Use I Aquatic Life Use I Recreation Use I Not Asse I Recreation Use I Fully Sup Temperature Temperature Temperature Fully Sup Temperature Fully Sup	Trinity River Status of Use Assessment Method Ontinued) I Aquatic Life Use I Recreation Use I	Trinity River Basin Total size: Support or Concern	Status of Use	Continued Cont

Reservoir	/oir	Trinity River Basin	Basin Total size:		23,280	Acres	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
General Use	(continued)						
2002	Chloride	Fully Supporting	Hickory Creek arm	2,616	40		22.5
2002	Chloride	Fully Supporting	Little Elm Creek arm	3,589	40		22.5
2002	Chloride	Fully Supporting	Lowermost portion of reservoir	5,736	40		22.5
2002	Chloride	Fully Supporting	Middle portion of reservoir east of Lake Dallas	5,851	40		22.5
2002	Chloride	Fully Supporting	Remainder of reservoir	3,960	40		22.5
2002	Chloride	Fully Supporting	Stewart Creek arm	1,528	40		22.5
2002	Sulfate	Fully Supporting	Hickory Creek arm	2,616	15		33.9
2002	Sulfate	Fully Supporting	Little Elm Creek arm	3,589	15		33.9
2002	Sulfate	Fully Supporting	Lowermost portion of reservoir	5,736	15		33.9
2002	Sulfate	Fully Supporting	Middle portion of reservoir east of Lake Dallas	5,851	15		33.9
2002	Sulfate	Fully Supporting	Remainder of reservoir	3,960	15		33.9
2002	Sulfate	Fully Supporting	Stewart Creek arm	1,528	15		33.9
2002	Total Dissolved Solids	Fully Supporting	Hickory Creek arm	2,616	66		218.65
2002	Total Dissolved Solids	Fully Supporting	Little Elm Creek arm	3,589	66		218.65
2002	Total Dissolved Solids	Fully Supporting	Lowermost portion of reservoir	5,736	66		218.65
2002	Total Dissolved Solids	Fully Supporting	Middle portion of reservoir east of Lake Dallas	5,851	66		218.65
2002	Total Dissolved Solids	Fully Supporting	Remainder of reservoir	3,960	66		218.65
2002	Total Dissolved Solids	Fully Supporting	Stewart Creek arm	1,528	66		218.65
2002	Overall General Use	Fully Supporting	Hickory Creek arm	2,616			
2002	Overall General Use	Fully Supporting	Little Elm Creek arm	3,589			
2002	Overall General Use	Fully Supporting	Lowermost portion of reservoir	5,736			
2002	Overall General Use	Fully Supporting	Middle portion of reservoir east of Lake Dallas	5,851			
2002	Overall General Use	Fully Supporting	Remainder of reservoir	3,960			
2002	Overall General Use	Fully Supporting	Stewart Creek arm	1,528			

Year	Assessment	Reservoir	
Assessment Method			
Support or Concern	Status of Use	Trinity River Basin	
Location		sin Total size:	
size sa	Location	23,	
samples exceedances Mea	# of # of	23,280 Acres	
es Mean			

Fish Consumption Use

-					
2002	Human Health Criteria Metals	Not Assessed	Hickory Creek arm	2,616	1
2002	Human Health Criteria Organics	Fully Supporting	Hickory Creek arm	2,616	24
2002	Overall Fish Consumption Use	Fully Supporting	Hickory Creek arm	2,616	
2002	Overall Fish Consumption Use	Not Assessed	Little Elm Creek arm	3,589	
2002	Overall Fish Consumption Use	Not Assessed	Lowermost portion of reservoir	5,736	
2002	Overall Fish Consumption Use	Not Assessed	Middle portion of reservoir east of Lake Dallas	5,851	
2002	Overall Fish Consumption Use	Not Assessed	Remainder of reservoir	3,960	
2002	Overall Fish Consumption Use	Not Assessed	Stewart Creek arm	1,528	

Public Water Supply Use

2002	2002	2002	2002	2002	2002	2002	2002	2002	2002	2002	2002
Overall Public Water Supply Use	Overall Public Water Supply Use	Overall Public Water Supply Use	Overall Public Water Supply Use	Surface Water: Long-term average Nitrate+Nitrite Nitrogen	Surface Water: Long-term average Nitrate+Nitrite Nitrogen	Surface Water: Long-term average Fully Supporting Nitrate+Nitrite Nitrogen	Surface Water: Long-term average Fully Supporting Nitrate+Nitrite Nitrogen	Finished Water: Running Avg	Finished Water: Running Avg	Finished Water: Running Avg	Finished Water: Running Avg
Fully Supporting	Fully Supporting	Fully Supporting	Fully Supporting	No Concern-Limited Data	No Concern-Limited Data	Fully Supporting	Fully Supporting	Fully Supporting	Fully Supporting	Fully Supporting	Fully Supporting
Middle portion of reservoir east of Lake Dallas	Lowermost portion of reservoir	Little Elm Creek arm	Hickory Creek arm	Middle portion of reservoir east of Lake Dallas	Lowermost portion of reservoir	Little Elm Creek arm	Hickory Creek arm	Middle portion of reservoir east of Lake Dallas	Lowermost portion of reservoir	Little Elm Creek arm	Hickory Creek arm
5,851	5,736	3,589	2,616	5,851	5,736	3,589	2,616	5,851	5,736	3,589	2,616
				9	5	10	25				
				0.17	0.28	0.34	0.19				

Segment ID: 0823	: 0823 Water body name:	name: Lewisville Lake	Lake				
Reservoir	oir	Trinity River Basin	Basin Total size:		23,280	Acres	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Public Water Supply Use	Supply Use (continued)						
2002	Overall Public Water Supply Use	Fully Supporting	Remainder of reservoir	3,960			
2002	Overall Public Water Supply Use	Fully Supporting	Stewart Creek arm	1,528			
Overall Use Support	upport						
2002		Fully Supporting	Hickory Creek arm	2,616			
2002		Fully Supporting	Little Elm Creek arm	3,589			
2002		Fully Supporting	Lowermost portion of reservoir	5,736			
2002		Fully Supporting	Middle portion of reservoir east of Lake Dallas	5,851			
2002		Fully Supporting	Remainder of reservoir	3,960			
2002		Fully Supporting	Stewart Creek arm	1,528			
Nutrient Enri	Nutrient Enrichment Concern						
2002	Ammonia Nitrogen	Concern	Hickory Creek arm	2,616	25	11	
2002	Ammonia Nitrogen	No Concern	Little Elm Creek arm	3,589	10	2	
2002	Ammonia Nitrogen	Not Assessed	Lowermost portion of reservoir	5,736	5		
2002	Ammonia Nitrogen	Not Assessed	Middle portion of reservoir east of Lake Dallas	5,851	9		
2002	Nitrite + Nitrate Nitrogen	No Concern	Hickory Creek arm	2,616	25	5	
2002	Nitrite + Nitrate Nitrogen	Concern	Little Elm Creek arm	3,589	10	4	
2002	Nitrite + Nitrate Nitrogen	Not Assessed	Lowermost portion of reservoir	5,736	5		
2002	Nitrite + Nitrate Nitrogen	Not Assessed	Middle portion of reservoir east of Lake Dallas	5,851	9		
2002	Orthophosphorus	No Concern	Hickory Creek arm	2,616	25	3	
2002	Orthophosphorus	No Concern	Little Elm Creek arm	3,589	10	0	
2002	Orthophosphorus	Not Assessed	Lowermost portion of reservoir	5,736	5		
2002	Orthophosphorus	Not Assessed	Middle portion of reservoir east of Lake Dallas	5,851	9		
2002	Total Phosphorus	No Concern	Hickory Creek arm	2,616	25	1	

Year	Assessment	Reservoir
Assessment Method		
Support or Concern	Status of Use	Trinity River Basin
Location		asin Total size:
size	Location	
samples	# of	23,280 Acres
exceedances	# of	Acres
Mean		

Nutrient Enrichment Concern (continued)

Age Ione Din i						
2002	Total Phosphorus	Not Assessed	Little Elm Creek arm	3,589	0	
2002	Total Phosphorus	Not Assessed	Lowermost portion of reservoir	5,736	0	
2002	Total Phosphorus	Not Assessed	Middle portion of reservoir east of Lake Dallas	5,851	0	
2002	Overall Nutrient Enrichment Concerns	Concern	Hickory Creek arm	2,616		
2002	Overall Nutrient Enrichment Concerns	Concern	Little Elm Creek arm	3,589		
2002	Overall Nutrient Enrichment Concerns	Not Assessed	Lowermost portion of reservoir	5,736		
2002	Overall Nutrient Enrichment Concerns	Not Assessed	Middle portion of reservoir east of Lake Dallas	5,851		
2002	Overall Nutrient Enrichment Concerns	Not Assessed	Remainder of reservoir	3,960		
2002	Overall Nutrient Enrichment Concerns	Not Assessed	Stewart Creek arm	1,528		

Algal Growth Concern

2002	2002	2002	2002	2002	2002
Chlorophyll a	Chlorophyll a	Chlorophyll a	Chlorophyll a	Chlorophyll a	Chlorophyll a
Not Assessed	Not Assessed	Not Assessed	Not Assessed	Not Assessed	No Concern
Stewart Creek arm	Remainder of reservoir	Middle portion of reservoir east of Lake Dallas	Lowermost portion of reservoir	Little Elm Creek arm	Hickory Creek arm
1,528	3,960	5,851	5,736	3,589	2,616
		0	0	0	10
					2

Sediment Contaminants Concern

2002	Overall Sediment Contaminant Concerns	Not Assessed	Hickory Creek arm	2,616	
2002	Overall Sediment Contaminant Concerns	Not Assessed	Little Elm Creek arm	3,589	

Mean	# of exceedances	# of samples	Location size	Location	Status of Use Support or Concern	Assessment Method	Assessment Year
	0 Acres	23,280		sin Total size:	Trinity River Basin		Reservoir

Sediment Contaminants Concern (continued)

1,528	Stewart Creek arm	Not Assessed	Overall Sediment Contaminant Concerns	2002
3,960	Remainder of reservoir	Not Assessed	Overall Sediment Contaminant Concerns	2002
5,851	Middle portion of reservoir east of Lake Dallas	Not Assessed	Overall Sediment Contaminant Concerns	2002
5,736	Lowermost portion of reservoir	Not Assessed	Overall Sediment Contaminant Concerns	2002

Fish Tissue Contaminants Concern

2002	2002	2002	2002	2002	2002
Overall Fish Tissue Contaminant Concerns	Overall Fish Tissue Contaminant Concerns	Overall Fish Tissue Contaminant Concerns	Overall Fish Tissue Contaminant Concerns	Overall Fish Tissue Contaminant Concerns	Overall Fish Tissue Contaminant Concerns
Not Assessed	Not Assessed	Not Assessed	Not Assessed	Not Assessed	Not Assessed
Stewart Creek arm	Remainder of reservoir	Middle portion of reservoir east of Lake Dallas	Lowermost portion of reservoir	Little Elm Creek arm	Hickory Creek arm
1,528	3,960	5,851	5,736	3,589	2,616

Public Water Supply Concern

2002	Finished Water: Chloride	No Concern	Hickory Creek arm	2,616	
2002	Finished Water: Chloride	No Concern	Little Elm Creek arm	3,589	
2002	Finished Water: Chloride	No Concern	Lowermost portion of reservoir	5,736	
2002	Finished Water: Chloride	No Concern	Middle portion of reservoir east of Lake Dallas	5,851	
2002	Finished Water: Chloride	No Concern	Remainder of reservoir	3,960	
2002	Finished Water: Chloride	No Concern	Stewart Creek arm	1,528	

Segment ID: 0023	0823 water body name:	lame: Lewisville Lake	Lake				
Reservoir)IT	Trinity River Basin	Basin Total size:		23,280	Acres	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Public Water S	Public Water Supply Concern (continued)						
2002	Finished Water: Sulfate	No Concern	Hickory Creek arm	2,616			
2002	Finished Water: Sulfate	No Concern	Little Elm Creek arm	3,589			
2002	Finished Water: Sulfate	No Concern	Lowermost portion of reservoir	5,736			
2002	Finished Water: Sulfate	No Concern	Middle portion of reservoir east of Lake Dallas	5,851			
2002	Finished Water: Sulfate	No Concern	Remainder of reservoir	3,960			
2002	Finished Water: Sulfate	No Concern	Stewart Creek arm	1,528			
2002	Finished Water: Total Dissolved Solids	No Concern	Hickory Creek arm	2,616			
2002	Finished Water: Total Dissolved Solids	No Concern	Little Elm Creek arm	3,589			
2002	Finished Water: Total Dissolved Solids	No Concern	Lowermost portion of reservoir	5,736			
2002	Finished Water: Total Dissolved Solids	No Concern	Middle portion of reservoir east of Lake Dallas	5,851			
2002	Finished Water: Total Dissolved Solids	No Concern	Remainder of reservoir	3,960			
2002	Finished Water: Total Dissolved Solids	No Concern	Stewart Creek arm	1,528			
2002	Finished Water: MTBE	No Concern	Hickory Creek arm	2,616			
2002	Finished Water: MTBE	No Concern	Little Elm Creek arm	3,589			
2002	Finished Water: MTBE	No Concern	Lowermost portion of reservoir	5,736			
2002	Finished Water: MTBE	No Concern	Middle portion of reservoir east of Lake Dallas	5,851			
2002	Finished Water: MTBE	No Concern	Remainder of reservoir	3,960			
2002	Finished Water: MTBE	No Concern	Stewart Creek arm	1,528			
2002	Finished Water: Perchlorate	Not Assessed	Hickory Creek arm	2,616			
2002	Finished Water: Perchlorate	Not Assessed	Little Elm Creek arm	3,589			
2002	Finished Water: Perchlorate	Not Assessed	Lowermost portion of reservoir	5,736			

Segment ID: 0823	Vozo water body name:	Tame: Lewisville Lake	Lake				
Reservoir	oir	Trinity River Basin	Basin Total size:		23,280	Acres	
Assessment		Status of Use		Location	# of	# of	
Year	Assessment Method	Support or Concern	Location	size	samples	exceedances	Mean
Public Water S	Public Water Supply Concern (continued)						
2002	Finished Water: Perchlorate	Not Assessed	Middle portion of reservoir east of Lake Dallas	5,851			
2002	Finished Water: Perchlorate	Not Assessed	Remainder of reservoir	3,960			
2002	Finished Water: Perchlorate	Not Assessed	Stewart Creek arm	1,528			
2002	Finished Water: Overall	No Concern	Hickory Creek arm	2,616			
2002	Finished Water: Overall	No Concern	Little Elm Creek arm	3,589			
2002	Finished Water: Overall	No Concern	Lowermost portion of reservoir	5,736			
2002	Finished Water: Overall	No Concern	Middle portion of reservoir east of Lake Dallas	5,851			
2002	Finished Water: Overall	No Concern	Remainder of reservoir	3,960			
2002	Finished Water: Overall	No Concern	Stewart Creek arm	1,528			
2002	Surface Water: Chloride	No Concern	Hickory Creek arm	2,616	40		22.5
2002	Surface Water: Chloride	No Concern	Little Elm Creek arm	3,589	40		22.5
2002	Surface Water: Chloride	No Concern	Lowermost portion of reservoir	5,736	40		22.5
2002	Surface Water: Chloride	No Concern	Middle portion of reservoir east of Lake Dallas	5,851	40		22.5
2002	Surface Water: Chloride	No Concern	Remainder of reservoir	3,960	40		22.5
2002	Surface Water: Chloride	No Concern	Stewart Creek arm	1,528	40		22.5
2002	Surface Water: Sulfate	No Concern	Hickory Creek arm	2,616	15		33.9
2002	Surface Water: Sulfate	No Concern	Little Elm Creek arm	3,589	15		33.9
2002	Surface Water: Sulfate	No Concern	Lowermost portion of reservoir	5,736	15		33.9
2002	Surface Water: Sulfate	No Concern	Middle portion of reservoir east of Lake Dallas	5,851	15		33.9
2002	Surface Water: Sulfate	No Concern	Remainder of reservoir	3,960	15		33.9
2002	Surface Water: Sulfate	No Concern	Stewart Creek arm	1,528	15		33.9
2002	Surface Water: Total Dissolved Solids	No Concern	Hickory Creek arm	2,616	66		218.65
2002	Surface Water: Total Dissolved Solids	No Concern	Little Elm Creek arm	3,589	66		218.65

_		
Year	Assessment	Reservoir
Assessment Method		
Support or Concern	Status of Use	Trinity River Basin
Location		asin Total size:
size	Location	
samples	# of	23,280 Acres
samples exceedances Mear	# of	Acres
Mean		

Public Water Supply Concern (continued)

	110					
2002	Surface Water: Total Dissolved Solids	No Concern	Lowermost portion of reservoir	5,736	66	218.65
2002	Surface Water: Total Dissolved Solids	No Concern	Middle portion of reservoir east of Lake Dallas	5,851	66	218.65
2002	Surface Water: Total Dissolved Solids	No Concern	Remainder of reservoir	3,960	66	218.65
2002	Surface Water: Total Dissolved Solids	No Concern	Stewart Creek arm	1,528	66	218.65
2002	Surface Water: Overall	No Concern	Hickory Creek arm	2,616		
2002	Surface Water: Overall	No Concern	Little Elm Creek arm	3,589		
2002	Surface Water: Overall	No Concern	Lowermost portion of reservoir	5,736		
2002	Surface Water: Overall	No Concern	Middle portion of reservoir east of Lake Dallas	5,851		
2002	Surface Water: Overall	No Concern	Remainder of reservoir	3,960		
2002	Surface Water: Overall	No Concern	Stewart Creek arm	1,528		
2002	Overall Public Water Supply Concerns	No Concern	Hickory Creek arm	2,616		
2002	Overall Public Water Supply Concerns	No Concern	Little Elm Creek arm	3,589		
2002	Overall Public Water Supply Concerns	No Concern	Lowermost portion of reservoir	5,736		
2002	Overall Public Water Supply Concerns	No Concern	Middle portion of reservoir east of Lake Dallas	5,851		
2002	Overall Public Water Supply Concerns	No Concern	Remainder of reservoir	3,960		
2002	Overall Public Water Supply Concerns	No Concern	Stewart Creek arm	1,528		

Mean	# of exceedances	# of samples	Location size	Location	Status of Use Support or Concern	Assessment Method	Assessment Year
	Acres	23,280 Acres		Total size:	Trinity River Basin		Reservoir

Narrative Criteria Concern

2002	2002	2002	2002	2002	2002
Overall Narrative Criteria Concerns No Concern	Overall Narrative Criteria Concerns No Concern	Overall Narrative Criteria Concerns No Concern	Overall Narrative Criteria Concerns No Concern	Overall Narrative Criteria Concerns No Concern	Overall Narrative Criteria Concerns No Concern
No Concern	No Concern	No Concern	No Concern	No Concern	No Concern
Stewart Creek arm	Remainder of reservoir	Middle portion of reservoir east of Lake Dallas	Lowermost portion of reservoir	Little Elm Creek arm	Hickory Creek arm
1,528	3,960	5,851	5,736	3,589	2,616

Overall Secondary Concern

2002	2002	2002	2002	2002	2002
No Concern	No Concern	No Concern	No Concern	Concern	Concern
Stewart Creek arm	Remainder of reservoir	Middle portion of reservoir east of Lake Dallas	Lowermost portion of reservoir	Little Elm Creek arm	Hickory Creek arm
1,528	3,960	5,851	5,736	3,589	2,616

Additional Reference Resources

Texas Water Development Board Updated Evaluation of Water Resources in Part of North-Central Texas

Date Accessed: December 22, 2023

Texas Water Development Board



Open-File Report 99-02

Updated Evaluation of Water Resources in Part of North-Central Texas

Ву

Lon Langley

Well ID	County	Formation	Measurement <u>Period</u>	Average Yearly Difference	Total Water- Level <u>Difference</u>
	-	_	·	(ft)	(ft)
19-20-801	Montague	Antlers	1970-1989	+2.20	+41.87
	•		1989-1997	-0.26	-2.09
19-51-901	Wise	Twin Mtns	1970-1989	-0.02	-0.41
			1989-1997	+0.52	+4.14
32-46-907	Johnson	Trinity	1972-1989	-22.41	-381.00
			1989-1997	-12.50	-100.00
19-15-701	Cooke	Antlers	1970-1989	-1.40	-26.65
			1989-1997	-1.52	-12.17
19-24-702	Cooke	Antlers	1960-1989	-7.00	-181.90
			1989-1997	-4.12	-32.99
33-19-101	Dallas	Twin Mtns	1970-1989	-6.26	-118.81
			1989-1998	+8.33	+74.98
32-16-101	Tarrant	Twin Mtns	1970-1989	-10.68	-203.00
			1989-1997	-29.36	-234.85

Table 1. Water-level differences within the Antlers and Twin Mountains Formations, Trinity aguifer (based on data from TWDB, 1998a).

Water levels in individual wells in the Paluxy Formation show a variety of historical water-level changes (Figure 9). Two wells show little change over the past 30 years (19-60-601, 32-02-101) while one shows an overall decline of about 220 ft (18-49-101). A well in Tarrant County (32-16-201) shows large historical variations including a 220 foot rise between 1972 and 1976 and 25 to 100 ft variations since 1980. Since 1989, water levels in selected wells have declined as much as 55 feet and rebounded less than 3 feet (Table 2). Rates of water-level changes between 1989-1997 range from +0.36 to -13.75 feet per year (Table 2).

-			Measurement	Average Yearly	Total Water- Level
Well ID	County	<u>Formation</u>	<u>Period</u>	<u>Difference</u>	<u>Difference</u>
-	-	Ì		(ft)	(ft)
19-60-601	Wise	Paluxy	1970-1989	-2.63	-50.03
			1989-1996	+0.36	+2.52
32-02-101	Parker	Paluxy	1971-1989	+0.11	+2.03
			1989-1997	-2.47	-19.75
18-49-101	Denton	Paluxy	1970-1989	-9.99	-189.99
			1989-1996	-4.31	-30.16
32-16-201	Tarrant	Paluxy	1971-1989	+8.33	+150.00
			1989-1993	<u>-13.75</u>	-55.00

Table 2. Water-level differences within the Paluxy Formation, Trinity aquifer (based on data from TWDB, 1998a).

Groundwater flow in the Woodbine aquifer is generally to the east-southeast (Figure 10). Water-level elevations have not changed significantly since 1989 (Figure 11). The greatest water-level differences occur in northern Collin County, the central to northeastern portion of Denton County, eastern Cooke County, and northern Grayson County (Figure 11). Water levels have declined an average of 10 feet over most of this area, with declines of 60 feet observed in the northern part of Grayson County. Water levels in Johnson County have remained steady from 1989 to 1997.

Water levels in individual wells in the Woodbine aquifer show a variety of historical water-level changes (Figure 12). Some wells show little change over the past 30 years (18-25-301, 32-39-505, 17-12-101) while others show overall declines (18-50-202, 18-38-302, 33-50-502). A well in Fannin County (18-38-302) shows a decline of about 179 feet from 1971 to 1989 with generally stable water levels since 1989. Since 1989, water levels in selected wells have declined as much as 42 feet and rebounded less than 3 feet (Table 3). Rates of water-level changes between 1989-1997 range from +0.34 to -5.94 feet per year (Table 3).

Well ID	County	Formation	Measurement Period	Average Yearly Difference	Total Water- Level Difference
				(ft)	(ft)
18-25-301	Grayson	Woodbine	1971-1989	-0.67	-12.07
			1989-1997	-0.17	-1.38
18-50-202	Collin	Woodbine	1969-1989	-1.25	-25.05
			1989-1997	-1.16	-9.27
32-39-505	Johnson	Woodbine	1966-1989	-0.90	-20.69
			1989-1997	+0.10	+0.82
17-12-101	Lamar	Woodbine	1959-1989	+0.14	+4.12
	The state of the s		1989-1997	+0.34	+2.70
18-38-302	Fannin	Woodbine	1971-1989	-9.94	-179.00
			1989-1997	-0.48	-3.80
33-50-502	Ellis	Woodbine	1971-1989	+0.14	+2.45
			1989-1996	-5.94	-41.60

Table 3. Water-level differences within the Woodbine aquifer (based on data from TWDB, 1998a).

Precipitation

The primary source of recharge to the Trinity and Woodbine aquifers is infiltration from precipitation falling on the outcrop (Nordstrom, 1982). The amount of recharge to the Trinity and Woodbine aquifers is estimated to be less than one inch per year (Nordstrom, 1982). This amounts to about 3 percent of average annual precipitation in the area.

Annual precipitation varies from 28-32 inches in the western part of the study area to 44-48 inches in the eastern part (Nordstrom, 1982). From 1960 through 1996, average

<u>Parameter</u>	No. of Samples	Average (mg/l)	Minimum (mg/l)	Maximum (mg/l)
TDS	131	717.67	221.00	2,038.00
Chloride	131	98.21	3.00	647.00
Sodium	131	245.26	8.80	657.00
Nitrate as N	129	1.00	<0.04	18.50
Sulfate	131	103.10	12.00	725.00
Fluoride	131	0.90	0.04	3.06

Table 4. Groundwater quality in the Antlers and Twin Mountains Formations, Trinity aquifer (based on data from TWDB 1998a).

Sulfate levels had an average of 103 mg/l (Table 4) with 4 samples exceeding 300 mg/l. The average fluoride concentration was 0.90 mg/l (Table 4) with the highest concentration reading 3.06 mg/l.

The highest TDS, chloride, and sodium levels were recorded in samples from well 32-06-104, located in north-central Tarrant County. The TDS concentration was 3,302 mg/l, chloride was 1,822 mg/l, and sodium was 1,210 mg/l. This area exhibits higher than normal TDS values possibly due to contamination from oil and gas production, as well as various other industries (Baker and others, 1990). Therefore, this well was not included in computing the average concentrations above.

Well 33-26-301, located in south-central Dallas County, is owned by the City of Lancaster and is currently used for backup purposes only. The TDS concentration was 2,038 mg/l, with chloride, sodium, and sulfate concentrations of 326 mg/l, 657 mg/l, and 725 mg/l, respectively, and probably reflects natural conditions.

The majority of samples exhibiting elevated TDS, chloride, sodium, and sulfate concentrations were collected from the Twin Mountains Formation. The areas showing high TDS concentrations include north-central Tarrant County and parts of Denton, Collin, Dallas, and Ellis Counties. Current TDS ranges are not significantly higher than historical values reported by Baker and others (1990).

In general, groundwater quality in the Paluxy Formation of the Trinity aquifer has remained acceptable throughout the study area. TDS concentrations for water samples collected from the Paluxy Formation averaged 607 mg/l (Table 5) with only 4 out of 51 wells sampled showing TDS concentrations above the secondary constituent level (Figure 16). The highest TDS concentration was 1,339 mg/l and was recorded at an irrigation well (18-58-503) located in Collin County. Chloride, sodium, sulfate and nitrate concentrations for this well were 31 mg/l, 431 mg/l, 590 mg/l and <0.04 mg/l, respectively.

<u>Parameter</u>	No. of Samples	<u>Average</u>	<u>Minimum</u>	Maximum
		(mg/l)	(mg/l)	(mg/l)
TDS	51	606.70	203.00	1,339.00
Chloride	51	36.08	4.00	273.00
Sodium	51	187.76	7.10	444.00
Nitrate as N	51	1.00	<0.04	25.85
Sulfate	51	101.25	0.89	590.00
Fluoride	51	1.06	0.17	4.10

Table 5. Groundwater quality in the Paluxy Formation, Trinity aquifer (based on data from TWDB, 1998a).

Chloride and nitrate as nitrogen levels averaged 36 mg/l and 1 mg/l, respectively, and were all within primary constituent levels with the exception of one nitrate sample (Table 5). The highest nitrate concentration originated from well 32-10-603, located north of Weatherford in Parker County.

Sulfate and fluoride levels averaged 103 mg/l and 0.9 mg/l, respectively (Table 5). This well is designated as a public supply well and had a nitrate level of 25.85 mg/l. One sulfate sample (from well 18-58-503, described above) and one fluoride sample (from well 32-39-805, located in Johnson County) exceeded secondary constituent levels.

Woodbine Aquifer

Generally, TDS concentrations increase downdip towards the eastern part of the study area (Figure 17). Average TDS was 877 mg/l (Table 6) with the highest concentration (2,278 mg/l) from a public supply well (32-47-805) for the city of Grandview in southeastern Johnson County well. Chloride has an average concentration of 86 mg/l (Table 6) with 5 wells exceeding secondary constituent levels. Well 18-55-401, a public supply well owned by Caddo Basin Special Utility District located in Greenville (Hunt County), had the highest chloride concentration of 507 mg/l.

<u>Parameter</u>	No. of Samples	Average (mg/l)	Minimum (mg/l)	Maximum (mg/l)
TDC	76		83.00	. •
TDS Chloride	76 76	877.39 85.88	4.07	2,278.00 507.00
Sodium	76	311.76	9.53	825.00
Nitrate as N	76	0.67	<0.04	10.41
Sulfate	76	209.18	5.42	1,263.00
Fluoride	76	1.30	0.24√	6.27

Table 6. Groundwater quality of the Woodbine aquifer (based on data from TWDB, 1998a).

	1985	<u>1990*</u>	<u>1995</u>	2000	<u>2010</u>	2020	2030
Collin County ¹							. —
Allen	13,260	18,309	25,349	36,269	71,847	90,582	107,716
Celìna	1,784	1,737		•			4,060
Dallas ²	2,443	26,325		•			37,262
Fairview	1,178	1,554					4,581
Farmersville	2,810	2,640		•			5,761
Frisco ²	4,557	6,141	12,331				45,450
Garland	14	15					35
Lucas	1,682	2,205					6,263
McKinney	19,568	21,283		•	•	-	65,912
Melîssa	0	557	-				1,269
Murphy	1,202	1,547			-	-	3,343
New Hope	0	523					623
Parker	1,482	1,235			~		2,984
Plano ²	102,806	128,713					397,380
Princeton	4,436	2,321	3,187		-		2,108
Prosper	0	1,018		1,356			2,726
Richardson ²	6,333	9,979	11,381	11,828			15,358
Sachse ²	49	194		•		•	738
Wylie	4,448	8,662					25,293
			•				143,903
County Other ² Total	<u>20,678</u> 188,730	31,724 266,682	<u>38,143</u> 342,479	44,729 387,450		<u>79.4.9</u> 706,517	872,765
iotai	100,700	200,002	042,413	007,100	J21,20J	110,001	G; Z, 1 GG
Cooke County							
Gainesville	14,101	14,256	14,843	14,531	15,667	17,052	18,023
Muenster	1,298	1,387	1,473				1,802
County Other ²	<u>13,615</u>	16,384	16,112				18,081
Total	29,014	32,027					37,906
			, \	 ;	,		•
Dallas County							
Addision	6,995	8,783	10,579	11,892	14,382	16,128	17,893
Balch Springs	18,286	17,406	18,606	21,998	24,747	26,774	27,802
Carrollton ²	32,204	40,024	47,400	48,387	53,102	56,692	58,280
Cedar Hill ²	11,014	19,926	23,749	27,203		48,309	62,751
Cockrell Hill	4,085	3,746	4,168	4,057	4,153	4,270	4,267
Combine ²	0	434	469	504	590	682	762
Coppeli	7,813	16,878	23,608	23,368	32,345	42,230	55,062
Dallas ²	989,758		1,006,575				1,104,535
De Soto	22,404	30,544	34,147		45,670	55,264	63,870
Duncanville	33,569	35,748	37,021	39,323		45,691	46,865
Farmers Branch	27, 9 99	24,250	24,974	25,381	26,665	29,021	31,039
Garland ²	168,772	180,635	189,626	196,391	213,697	227,069	232,590
		, , , , , , , , , , , , ,	. ,	,	,	•	•
*Based on 1990 Census.				o (TMIDD :			

Table 7. Historical and projected populations for the study area (TWDB, 1998b).

	<u>1985</u>	1990*	<u>1995</u>	<u>2000</u>	<u>2010</u>	2020	2030
Dallas County (continued)							
Glenn Heights ²	1,174	3,768	4,678	5,010	5,972	6,889	7,763
Grand Prairie 2	84,261	81,527	88,306	88,257	95,439	96,990	
Grapevine 2	54	83	94	99	110	122	
Highland Park	9,158	8,739	9,635	8,905	9,071	9,497	
Hutchins	3,777	2,719	2,842	3,085	3,594	4,290	
Irving	124,672	155,037				205,810	
Lancaster	18,958	22,117				30,759	
Lewisville ²	0	555	683	768		1,352	
Mesquite	83,080	101,484		117,742	138,042	159,638	
Ovilla ²	63	279	352	319	366	424	483
Richardson ²	71,506	64,861	74,026	73,526	76,162	81,876	86,364
Rowlett ²	9,215						
		19,907	27,485	24,689	31,309	39,178	49,564
Sachse ²	2,797	5,152	6,840	9,082	15,948	18,735	21,435
Seagoville	8,942	8,969	10,059	12,846	18,938	21,443	23,602
Sunnyvale	1,885	2,228	2,733	2,666	3,413	4,292	5,448
University Park	23,853	22,259	22,156	22,528	22,797	23,163	
Wilmer	3,169	2,479	2,599	2,665	2,840	3,027	3,155
County Other	12.267	6,105	5,940	61,174	110,613	225.826	296,551
Total	1,781,730	1,852,810	1,987,366	2,074,858	2,286,828	2,556,793	2,784,604
Delta County ¹							
County Other	<u>762</u>	<u>767</u>	<u>815</u>	<u>709</u>	<u>695</u>	694	<u>687</u>
Total	762	767	815	709	695	694	687
Denton County							
Argyle	1,313	1,575	1,828	1,916	2,369	2,898	3,496
Aubrey	1,250	1,138	1,278	1,991	2,396	2,959	3,588
Carrollton ²	25,582	42,145	49,920	48,645	,56,008	61,351	64,222
Copper Canyon	0	978	1,302	1,539	1,967	2,489	2,647
Corinth	1,843	3,994	5,432	6,441	10,214	14,878	20,135
Dallas ²	168	14,338	14,894	18,217	19,748	21,854	25,203
Denton	51,420	66,270	73,646	77,090	90,051	104,283	119,486
Double Oak	0	1,664	2,013	2,203	2,881	3,643	4,474
Flower Mound	7,205	15,527	28,379	28,195	51,198	73,949	99,685
Frisco ²	112	268		603	1,406	1,629	1,962
Hebron	0	1,128	1,364	1,590	2,156	2,798	3,484
Hickory Creek	1,917	1,893	2,103	2,845	3,569	4,410	
Highland Village	3,880	7,027	10,839	12,603	17,499	22,395	
Justin	0,000	1,234	1,506	1,982	2,890	3,886	
Krum	0	1,542	2,026	2,444	3,271	4,121	5,222
Lake Dallas	3,665	3,656	4,250	4,029	4,558	5,214	6,050
*Based on 1990 Census.							

Table 7. Historical and projected populations for the study area (TWDB, 1998b) (continued).

Denton County (continued)							
Lawiavilla	26,162	ላፎ በድር	EC 720	61.052	92.070	105.051	120 021
Lewisville	20,102	45,966	56,730	61,953	82,070	105,051	129,831
Little Elm	0	1,255 645	1,385 927	2,094 969	3,099	4,226	5.381
Oak Point Pilot Point	2,421	2,538			1,145 4,770	1,329	1,517
			2,876	3,652	-	5,910	7,573
Plano ²	2	40	50	57	78	100	130
Roanoke	0	1,616	2,203	2,397	3,204	4,125	5,113
Sanger	3,632	3,508	4,052	4,638	6,057	7,594	9,734
Shady Shores	0	1,045	1,280	1,387	1,712	2,092	2,522
Southlake ²	18	242	284	625	1,109	1,341	1,740
The Colony	24,850	22,113	25,466	27,160	31,143	34,036	33,026
Trophy Club	0,554	3,992	4,586	4,998	7,397	10,087	12,859
County Other	<u>35,554</u>	<u>26,308</u>	32,280	63,693	109,240	170,540	241,634
Total	190,994	273,645	333,437	385,956	523,205	679,188	845,555
Till a O a south						,	
Ellis County							
Cedar Hill ²	2	50	59	68	102	137	181
Ennis	13,211	13,883	14,567	14,723	16,437	18,484	20,605
Ferris ²	2,406	2,212	2,314	2,284	2,719	3,236	3,766
Glenn Heights ²	28	796	988	964	1,194	1,387	1,612
Grand Prairie 2	6	3	3	65	122	220	220
Italy	1,570	1,699	1,906	2,239	2,719	3,235	3,745
Mansfield ²	60	142	172	430	716	1,064	1,457
Midlothian	5,099	5,141	5,690	9,185	11,938	14,789	17,552
Ovilla ²	1,418	1,748	2,201	2,011	2,495	3,006	3,500
Palmer	1,619	1,659	1,727	2,325	2,848	3,407	3,957
Red Oak	2,694	3,124	3,724	4,604	5,881	7,213	8,510
Waxahachie	17,158	18,168	19,181	22,454	26,692	31,330	35,953
County Other	27,984	36,148	43,368	45,569	57,004	69,013	<u>80,653</u>
Total	73,255	84,773	95,900	106,921	130,867	156,521	181,711
Fannin County							
Donham	7 156	6,686	6,717	7,186	7,026	6,502	6,313
Bonham	7,156				1,753		
Honey Grove ²	1,820	1,681	1,742	1,793	•	1,613	1,566
Leonard ²	1,423	1,744	1,830	2,046	2,093	2,039	2,063
County Other 2	<u>14.206</u>	<u>15,283</u>	<u>15,785</u>	<u>15,667</u>	<u>16,094</u>	<u>17.254</u>	17,893
Total	24,605	25,394	26,074	26,692	26,966	27,408	27,835
Grayson County							
Collinsville	0	1,033	1,144	1,131	1,193	1,265	1,331
Denison ²	24,504	21,505	21,723	22,950	23,759	23,841	23,697
*Based on 1990 Census.							

Table 7. Historical and projected populations for the study area (TWDB, 1998b)(continued).

	<u>1985</u>	1990*	1995	2000	2010	2020	2030
Grayson County (continued)							
Howe ²	2,471	2,173	2,192	2,250	2,545	2,635	2,776
Pottsboro	2,471	1,177	1,426	1,411	1,559	1,809	2,770
Sherman	31,460	31,601	32,465	32,889	35,134		38,340
Van Alstyne	2,127	2,090	2,257	2,388	2,595	2,930	3,202
Whitesboro 2	3,323	3,209	3,323	3,301	3,340	3,286	3,268
Whitewright 2	1,769	1,713	1,678	1,852	1,913	1,960	2,009
County Other ²	31,020	30,520	31,780	33,947	<u>34,239</u>	36,539	38,069
Total	96,674	95,021	97,988	102,119	106,277	110,643	114,702
Hood County							
Granbury	5,038	4,045	4,854	6,469	7,837	9,399	10,925
County Other	<u> 20,556</u>	<u>24,936</u>	<u> 27.144</u>	<u>29,485</u>	<u>36,392</u>	44,041	<u>51,733</u>
Total	25,594	28,981	31,998	35,954	44,229	53,440	62,658
Hunt County 1							
Wolfe City	1,657	1,505	1,561	1,620	1,753	1,842	1,976
County Other ²	<u>1.313</u>	1,245	<u>1.410</u>	<u>1,496</u>	<u>1,635</u>	<u>1.748</u>	1,802
Total	2,970	2,750	2,971	3,116	3,388	3,590	3,778
Johnson County				•			•
Alvarado	5,016	2,918	3,179	3,266	4,039	4,851	5,718
Burleson ²	14,443	14,153	16,825	19,083	24,039	29,079	34,307
Cleburne	22,324	22,205	23,179	26,032	29,205	32,649	36,109
Grandview	1,348	1,245	1,296	1,511	1,650	1,805	1,958
Joshua	2,608	3,828	4,405	4,761	6,474	8,189	9,981
Keene ²	3,156	3,944	4,433	4,636	4,994	5,412	6,732
Mansfield ²	130	617	748	852	954	1,247	1,371
County Other ²	<u>38,648</u>	<u>48,255</u>	<u>53,124</u>	<u>59,337</u>	74,097	88,936	103,550
Total	87,673	97,165	107,189	119,478	145,452	172,168	199,726
Kaufman County 1							
Combine	785	895	1,712	1,108	1,303	1,499	1,666
Dallas ²	1	7	7	8	8	8	8
Forney	1,155	1,083	1,247	1,527	1,753	1,913	1,973
County Other 2	2,472	<u>2,618</u>	<u>2,768</u>	3,076	<u>3,654</u>	4,294	4,853
Total .	4,413	4,603	5,734	5,719	6,718	7,714	8,500
*Based on 1990 Census.				,			

Table 7. Historical and projected populations for the study area (TWDB, 1998b)(continued).

Paris 2 Reno 1,169 1,784 2,284 2,201 2,465 2,774 3,05 County Other 2 Total 43,922 43,095 44,910 45,236 47,620 50,365 53,13 Montague County 1 Bowie 4,688 4,047 4,344 3,953 3,872 3,793 3,63 Montague 233 500 490 479 470 460 48 Saint Jo 2 1,210 1,048 1,123 1,084 1,102 1,134 1,16 County Other 2 2,355 3,855 4,020 3,747 3,628 3,499 3,27 Total 8,486 9,450 9,977 9,263 9,072 8,886 8,50 Navarro County 1 Corsicana 1,702 1,650 1,717 1,745 1,850 1,937 2,01 County Other 6,936 9,038 9,447 10,056 11,056 11,837 12,556 Total 8,638 10,688 11,164 11,801 12,906 13,774 1,461 Parker County 1 Aledo 1,432 1,169 1,334 1,994 2,393 2,855 3,354 Azle 2 1,235 1,203 1,420 1,844 2,179 2,398 2,645 Briar 2 417 588 629 673 797 928 1,004 Springtown 2,578 1,740 1,917 2,432 3,149 3,873 4,63 Willow Park 1,683 2,328 2,652 3,121 4,046 4,981 5,96 County Other 30,327 37,926 42,316 45,356 55,739 66,377 77,97 Total 4,724 4,311 4,345 4,162 4,195 4,068 3,86 County Other 30,327 37,926 42,316 45,356 55,739 66,377 77,97 Total 7,736 7,803 7,951 7,665 7,570 7,414 7,03 Rockwall County 1 Dallas 2 0 39 40 44 51 65 88 Heath 2 1,774 2,108 2,829 3,018 4,254 5,957 8,08		1985	<u>1990*</u>	1995	2000	2010	2020	2030
Biossom	Lamar County							
Paris 2 Reno 1,169 1,784 2,284 2,201 2,465 2,774 3,05 County Other 2 Total 43,922 43,095 44,910 45,236 47,620 50,365 53,13 Montague County 1 Bowie 4,688 4,047 4,344 3,953 3,872 3,793 3,63 Montague 233 500 490 479 470 460 48 Saint Jo 2 1,210 1,048 1,123 1,084 1,102 1,134 1,16 County Other 2 2,355 3,855 4,020 3,747 3,628 3,499 3,27 Total 8,486 9,450 9,977 9,263 9,072 8,886 8,50 Navarro County 1 Corsicana 1,702 1,650 1,717 1,745 1,850 1,937 2,01 County Other 6,936 9,038 9,447 10,056 11,056 11,837 12,556 Total 8,638 10,688 11,164 11,801 12,906 13,774 1,461 Parker County 1 Aledo 1,432 1,169 1,334 1,994 2,393 2,855 3,354 Azle 2 1,235 1,203 1,420 1,844 2,179 2,398 2,645 Briar 2 417 588 629 673 797 928 1,004 Springtown 2,578 1,740 1,917 2,432 3,149 3,873 4,63 Willow Park 1,683 2,328 2,652 3,121 4,046 4,981 5,96 County Other 30,327 37,926 42,316 45,356 55,739 66,377 77,97 Total 4,724 4,311 4,345 4,162 4,195 4,068 3,86 County Other 30,327 37,926 42,316 45,356 55,739 66,377 77,97 Total 7,736 7,803 7,951 7,665 7,570 7,414 7,03 Rockwall County 1 Dallas 2 0 39 40 44 51 65 88 Heath 2 1,774 2,108 2,829 3,018 4,254 5,957 8,08								
Reno								3,002
County Other 2 14.690 15.172 15.711 16.202 17.521 18.978 20.53 Total 43,922 43,095 44,910 45,236 47,620 50,365 53,13 Montague County 1 Bowie 4.688 4,047 4,344 3,953 3,872 3,793 3,63 Montague 233 500 490 479 470 460 44 Saint Jo 2 1,210 1,048 1,123 1,084 1,102 1,134 1,16 County Other 2 2,355 3,855 4,020 3,747 3,628 3,499 3,27 Total 8,486 9,450 9,977 9,263 9,072 8,886 8,50 Navarro County 1 Corsicana 1,702 1,650 1,717 1,745 1,850 1,937 2,01 County Other 6,936 9,038 9,447 10,056 11,056 11,837 12,55 Total 8,638 10,688 11,164 11,801 12,906 13,774 14,61 Parker County 1 Aledo 1,432 1,169 1,334 1,994 2,393 2,855 3,35 Azle 2 1,235 1,203 1,420 1,844 2,179 2,398 2,64 Briar 2 417 588 629 673 797 928 1,07 Reno 1,645 2,322 2,561 2,712 3,091 3,546 4,04 Springtown 2,578 1,740 1,917 2,432 3,149 3,873 4,63 Weatherford 2 15,660 14,804 17,051 19,083 23,895 28,817 34,09 Weltherford 2 15,660 14,804 17,051 19,083 23,895 28,817 34,09 Weltherford 30,327 37,926 42,316 45,356 55,739 66,377 77,97 Total 54,977 62,080 69,880 77,215 95,289 113,775 133,79 Red River County 1 Clarksville 4,724 4,311 4,345 4,162 4,135 4,068 3,86 County Other 3,012 3,492 3,606 3,503 3,435 3,346 3,16 Total 7,736 7,803 7,951 7,665 7,570 7,414 7,03 Rockwall County 1 Dallas 2 0 39 40 44 51 65 68 Heath 2 1,774 2,108 2,829 3,018 4,254 5,957 8,08								26,507
Montague County Montague County Montague County		·					•	3,090
Bowie	=							<u>20,534</u>
Bowie	Total	43,922	43,095	44,910	45,236	47,620	50,365	53,133
Montague 233 500 490 479 470 460 448 Saint Jo.² 1,210 1,048 1,123 1,084 1,102 1,134 1,146 County Other² 2,355 3,855 4,020 3,747 3,628 3,499 3,27 Total 8,486 9,450 9,977 9,263 9,072 8,886 8,50 Navarro County¹ Coriscana 1,702 1,650 1,717 1,745 1,850 1,937 2,01 County Other 6,936 9,038 9,447 10,056 11,056 11,837 12,55 Total 8,638 10,688 11,164 11,801 12,906 13,774 14,61 Parker County¹ Aledo 1,432 1,169 1,334 1,994 2,393 2,855 3,35 Azle² 1,235 1,203 1,420 1,844 2,179 2,398 2,64 Briar² 417 588 629	Montague County 1							
Montague 233 500 490 479 470 460 448 Saint Jo² 1,210 1,048 1,123 1,084 1,102 1,134 1,142 County Other² 2,355 3,855 4,020 3,747 3,628 3,499 3,27 Total 8,486 9,450 9,977 9,263 9,072 8,886 8,50 Navarro County¹ Coriscana 1,702 1,650 1,717 1,745 1,850 1,937 2,01 County Other 6,936 9,038 9,447 10,056 11,056 11,837 12,55 Total 8,638 10,688 11,164 11,801 12,906 13,774 14,61 Parker County¹ Aledo 1,432 1,169 1,334 1,994 2,393 2,865 3,35 Azle² 1,235 1,203 1,420 1,844 2,179 2,398 2,64 Briar² 417 <td>Bowie</td> <td>4,688</td> <td>4,047</td> <td>4,344</td> <td>3,953</td> <td>3,872</td> <td>3,793</td> <td>3,630</td>	Bowie	4,688	4,047	4,344	3,953	3,872	3,793	3,630
Saint Jo 2 1,210 1,048 1,123 1,084 1,102 1,134 1,166 County Other 2 2,355 3,855 4,020 3,747 3,628 3,499 3,27 Total 8,486 9,450 9,977 9,263 9,072 8,886 8,50 Navarro County 1 Corsicana 1,702 1,650 1,717 1,745 1,850 1,937 2,01 County Other 6,936 9,038 9,447 10,056 11,056 11,837 12,56 Total 8,638 10,688 11,164 11,801 12,906 13,774 14,61 Parker County 1 Aledo 1,432 1,169 1,334 1,994 2,393 2,855 3,35 Azle 2 1,235 1,203 1,420 1,844 2,179 2,398 2,64 Briar 2 417 588 629 673 797 928 1,07 Reno 1,645 2,322 2,561 2,712 3,091 3,546 4,04 Springtown 2,578 1,740 1,917 2,432 3,149 3,873 4,63 Weatherford 2 15,660 14,804 17,051 19,083 23,895 28,817 34,09 Willow Park 1,683 2,328 2,652 3,121 4,046 4,981 5,96 County Other 2 30,327 37,926 42,316 45,356 55,739 66,377 77,27 Total 54,977 62,080 69,880 77,215 95,289 113,775 133,79 Red River County 1 Clarksville 4,724 4,311 4,345 4,162 4,135 4,068 3,866 County Other 2 3,012 3,492 3,606 3,503 3,435 3,346 3,166 Total 7,736 7,803 7,951 7,665 7,570 7,414 7,03 Rockwall County 1 Dallas 2 0 39 40 44 51 65 8 Heath 2 1,774 2,108 2,829 3,018 4,254 5,957 8,08	Montague	233	500	490	479	470	460	440
County Other County County County Other County County Other County County Other County County Other County Other County County Other County County Other County County Other County C		1,210	1,048	1,123	1,084	1,102	1,134	1,163
Navarro County 1	_	2,355	3,855	4,020	<u>3,747</u>	3,628	3,499	3.270
Corsicana 1,702 1,650 1,717 1,745 1,850 1,937 2,01 County Other 6,936 9,038 9,447 10,056 11,056 11,837 12,59 Total 8,638 10,688 11,164 11,801 12,906 13,774 14,61 Parker County Aledo 1,432 1,169 1,334 1,994 2,393 2,855 3,35 4,212 1,235 1,203 1,420 1,844 2,179 2,398 2,64 Briar 417 588 629 673 797 928 1,07 Reno 1,645 2,322 2,561 2,712 3,091 3,546 4,04 Springtown 2,578 1,740 1,917 2,432 3,149 3,873 4,63 Weatherford 15,660 14,804 17,051 19,083 23,895 28,817 34,09 Willow Park 1,683 2,328 2,652 3,121 4,046 4,981 5,96 County Other 30,327 37,926 42,316 45,356 55,739 66,377 77,97 Total 54,977 62,080 69,880 77,215 95,289 113,775 133,79 Red River County Clarksville 4,724 4,311 4,345 4,162 4,135 4,068 3,866 County Other 30,012 3,492 3,606 3,503 3,435 3,346 3,167 Total 7,736 7,803 7,951 7,665 7,570 7,414 7,03 Rockwall County Dallas 2 0 39 40 44 51 65 8 Heath 2 1,774 2,108 2,829 3,018 4,254 5,957 8,08								8,503
County Other 6,936 9,038 9,447 10,056 11,056 11,837 12,559 Total 8,638 10,688 11,164 11,801 12,906 13,774 14,61 Parker County 1 Aledo 1,432 1,169 1,334 1,994 2,393 2,855 3,355 Azle 2 1,235 1,203 1,420 1,844 2,179 2,398 2,64 Briar 2 417 588 629 673 797 928 1,07 Reno 1,645 2,322 2,561 2,712 3,091 3,546 4,04 Springtown 2,578 1,740 1,917 2,432 3,149 3,873 4,63 Weatherford 2 15,660 14,804 17,051 19,083 23,895 28,817 34,09 Willow Park 1,683 2,328 2,652 3,121 4,046 4,981 5,96 County Other 2 30,327 37,926 42,316 45,356 55,739 66,377 77,97 Total 54,977 62,080 69,880 77,215 95,289 113,775 133,79 Red River County 1 Clarksville 4,724 4,311 4,345 4,162 4,135 4,068 3,866 County Other 2 3,012 3,492 3,606 3,503 3,435 3,346 3,166 Total 7,736 7,803 7,951 7,665 7,570 7,414 7,03 Rockwall County 1 Dallas 2 0 39 40 44 51 65 88 Heath 2 1,774 2,108 2,829 3,018 4,254 5,957 8,08	Navarro County 1							
County Other 6,936 9,038 9,447 10,056 11,056 11,837 12,559 Total 8,638 10,688 11,164 11,801 12,906 13,774 14,61 Parker County 1 Aledo 1,432 1,169 1,334 1,994 2,393 2,855 3,355 Azle 2 1,235 1,203 1,420 1,844 2,179 2,398 2,64 Briar 2 417 588 629 673 797 928 1,07 Reno 1,645 2,322 2,561 2,712 3,091 3,546 4,04 Springtown 2,578 1,740 1,917 2,432 3,149 3,873 4,63 Weatherford 2 15,660 14,804 17,051 19,083 23,895 28,817 34,09 Willow Park 1,683 2,328 2,652 3,121 4,046 4,981 5,96 County Other 2 30,327 37,926 42,316 45,356 55,739 66,377 77,97 Total 54,977 62,080 69,880 77,215 95,289 113,775 133,79 Red River County 1 Clarksville 4,724 4,311 4,345 4,162 4,135 4,068 3,866 County Other 2 3,012 3,492 3,606 3,503 3,435 3,346 3,166 Total 7,736 7,803 7,951 7,665 7,570 7,414 7,03 Rockwall County 1 Dallas 2 0 39 40 44 51 65 88 Heath 2 1,774 2,108 2,829 3,018 4,254 5,957 8,08	Corsicana	1.702	1.650	1,717	1,745	1,850	1,937	2,014
Parker County ¹ 8,638 10,688 11,164 11,801 12,906 13,774 14,61 Parker County ¹ Aledo 1,432 1,169 1,334 1,994 2,393 2,855 3,355 Azle ² 1,235 1,203 1,420 1,844 2,179 2,398 2,64 Briar ² 417 588 629 673 797 928 1,07 Beno 1,645 2,322 2,561 2,712 3,091 3,546 4,04 Springtown 2,578 1,740 1,917 2,432 3,149 3,873 4,63 Weatherford ² 15,660 14,804 17,051 19,083 23,895 28,817 34,09 Willow Park 1,683 2,328 2,652 3,121 4,046 4,981 5,96 County Other ² 30,327 37,926 42,316 45,356 55,739 66,377 77,97 Total 4,724 4,311 4,345 4,16			•					12,599
Aledo 1,432 1,169 1,334 1,994 2,393 2,855 3,355 Azle² 1,235 1,203 1,420 1,844 2,179 2,398 2,64 Briar² 417 588 629 673 797 928 1,07 Reno 1,645 2,322 2,561 2,712 3,091 3,546 4,04 Springtown 2,578 1,740 1,917 2,432 3,149 3,873 4,63 Weatherford² 15,660 14,804 17,051 19,083 23,895 28,817 34,09 Willow Park 1,683 2,328 2,652 3,121 4,046 4,981 5,96 County Other² 30,327 37,926 42,316 45,356 55,739 66,377 77,97 Total 54,977 62,080 69,880 77,215 95,289 113,775 133,79 Red River County¹ Clarksville 4,724 4,311 4,345 4,162 4,135 4,068 3,86 County Other² 3,012 3,492 3,606 3,503 3,435 3,346 3,16 Total 7,736 7,803 7,951 7,665 7,570 7,414 7,03 Rockwall County¹ Dallas² 0 39 40 44 51 65 8 Heath² 1,774 2,108 2,829 3,018 4,254 5,957 8,08								14,613
Azle 2 1,235 1,203 1,420 1,844 2,179 2,398 2,64 Briar 2 417 588 629 673 797 928 1,07 Reno 1,645 2,322 2,561 2,712 3,091 3,546 4,04 Springtown 2,578 1,740 1,917 2,432 3,149 3,873 4,63 Weatherford 2 15,660 14,804 17,051 19,083 23,895 28,817 34,09 Willow Park 1,683 2,328 2,652 3,121 4,046 4,981 5,96 County Other 2 30,327 37,926 42,316 45,356 55,739 66,377 77,97 Total 54,977 62,080 69,880 77,215 95,289 113,775 133,79 Red River County 1 Clarksville 4,724 4,311 4,345 4,162 4,135 4,068 3,86 County Other 2 3,012 3,492 3,606 3,503 3,435 3,346 3,16 Total 7,736 7,803 7,951 7,665 7,570 7,414 7,03 Rockwall County 1 Dallas 2 0 39 40 44 51 65 8 Heath 2 1,774 2,108 2,829 3,018 4,254 5,957 8,08	Parker County 1							
Azle 2 1,235 1,203 1,420 1,844 2,179 2,398 2,64 Briar 2 417 588 629 673 797 928 1,07 Reno 1,645 2,322 2,561 2,712 3,091 3,546 4,04 Springtown 2,578 1,740 1,917 2,432 3,149 3,873 4,63 Weatherford 2 15,660 14,804 17,051 19,083 23,895 28,817 34,09 Willow Park 1,683 2,328 2,652 3,121 4,046 4,981 5,96 County Other 2 30,327 37,926 42,316 45,356 55,739 66,377 77,97 Total 54,977 62,080 69,880 77,215 95,289 113,775 133,79 Red River County 1 Clarksville 4,724 4,311 4,345 4,162 4,135 4,068 3,86 County Other 2 3,012 3,492 3,606 3,503 3,435 3,346 3,16 Total 7,736 7,803 7,951 7,665 7,570 7,414 7,03 Rockwall County 1 Dallas 2 0 39 40 44 51 65 8 Heath 2 1,774 2,108 2,829 3,018 4,254 5,957 8,08	Aledo	1,432	1,169	1,334	1,994	2,393	2,855	3,355
Briar 2 417 588 629 673 797 928 1,07 Reno 1,645 2,322 2,561 2,712 3,091 3,546 4,04 Springtown 2,578 1,740 1,917 2,432 3,149 3,873 4,63 Weatherford 2 15,660 14,804 17,051 19,083 23,895 28,817 34,09 Willow Park 1,683 2,328 2,652 3,121 4,046 4,981 5,96 County Other 2 30,327 37,926 42,316 45,356 55,739 66,377 77,97 Total 54,977 62,080 69,880 77,215 95,289 113,775 133,79 Red River County 1 Clarksville 4,724 4,311 4,345 4,162 4,135 4,068 3,86 County Other 2 3,012 3,492 3,606 3,503 3,435 3,346 3,16 Total 7,736 7,803 7,951 7,665 7,570 7,414 7,03 Rockwall County 1 Dallas 2 0 39 40 44 51 65 8 Heath 2 1,774 2,108 2,829 3,018 4,254 5,957 8,08	_				1,844	2,179	2,398	2,642
Reno 1,645 2,322 2,561 2,712 3,091 3,546 4,04 Springtown 2,578 1,740 1,917 2,432 3,149 3,873 4,63 Weatherford² 15,660 14,804 17,051 19,083 23,895 28,817 34,09 Willow Park 1,683 2,328 2,652 3,121 4,046 4,981 5,96 County Other² 30,327 37,926 42,316 45,356 55,739 66,377 77,97 Total 54,977 62,080 69,880 77,215 95,289 113,775 133,79 Red River County¹ Clarksville 4,724 4,311 4,345 4,162 4,135 4,068 3,86 County Other² 3,012 3,492 3,606 3,503 3,435 3,346 3,16 Total 7,736 7,803 7,951 7,665 7,570 7,414 7,03 Rockwall County¹ Dallas² 0 39 40 44 51 65 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>1,073</td></t<>								1,073
Springtown 2,578 1,740 1,917 2,432 3,149 3,873 4,63 Weatherford 2 15,660 14,804 17,051 19,083 23,895 28,817 34,09 Willow Park 1,683 2,328 2,652 3,121 4,046 4,981 5,96 County Other 2 30,327 37,926 42,316 45,356 55,739 66,377 77,97 Total 54,977 62,080 69,880 77,215 95,289 113,775 133,79 Red River County 1 Clarksville 4,724 4,311 4,345 4,162 4,135 4,068 3,86 County Other 2 3,012 3,492 3,606 3,503 3,435 3,346 3,16 Total 7,736 7,803 7,951 7,665 7,570 7,414 7,03 Rockwall County 1 Dallas 2 0 39 40 44 51 65 8 Heath 2								4,049
Weatherford 2 15,660 14,804 17,051 19,083 23,895 28,817 34,09 Willow Park 1,683 2,328 2,652 3,121 4,046 4,981 5,96 County Other 2 30,327 37,926 42,316 45,356 55,739 66,377 77,97 Total 54,977 62,080 69,880 77,215 95,289 113,775 133,79 Red River County 1 Clarksville 4,724 4,311 4,345 4,162 4,135 4,068 3,86 County Other 2 3,012 3,492 3,606 3,503 3,435 3,346 3,16 Total 7,736 7,803 7,951 7,665 7,570 7,414 7,03 Rockwall County 1 Dallas 2 0 39 40 44 51 65 8 Heath 2 1,774 2,108 2,829 3,018 4,254 5,957 8,08								4,638
Willow Park County Other 2 30,327 37,926 42,316 45,356 55,739 66,377 77,97 Total 54,977 62,080 69,880 77,215 95,289 113,775 133,79 Red River County 1 Clarksville 4,724 4,311 4,345 4,162 4,135 4,068 3,86 County Other 2 3,012 3,492 3,606 3,503 3,435 3,346 3,16 Total 7,736 7,803 7,951 7,665 7,570 7,414 7,03 Rockwall County 1 Dallas 2 0 39 40 44 51 65 8 Heath 2 1,774 2,108 2,829 3,018 4,254 5,957 8,08				17.051	19.083	23,895	28,817	34,099
County Other 2 30,327 37,926 42,316 45,356 55,739 66,377 77,97 Total 54,977 62,080 69,880 77,215 95,289 113,775 133,79 Red River County 1 Clarksville 4,724 4,311 4,345 4,162 4,135 4,068 3,86 County Other 2 3,012 3,492 3,606 3,503 3,435 3,346 3,16 Total 7,736 7,803 7,951 7,665 7,570 7,414 7,03 Rockwall County 1 Dallas 2 0 39 40 44 51 65 8 Heath 2 1,774 2,108 2,829 3,018 4,254 5,957 8,08				•		-		5,968
Total 54,977 62,080 69,880 77,215 95,289 113,775 133,79 Red River County 1 Clarksville 4,724 4,311 4,345 4,162 4,135 4,068 3,86 County Other 2 3,012 3,492 3,606 3,503 3,435 3,346 3,16 Total 7,736 7,803 7,951 7,665 7,570 7,414 7,03 Rockwall County 1 Dallas 2 0 39 40 44 51 65 8 Heath 2 1,774 2,108 2,829 3,018 4,254 5,957 8,08								<u>77.974</u>
Clarksville 4,724 4,311 4,345 4,162 4,135 4,068 3,866 County Other 2 3,012 3,492 3,606 3,503 3,435 3,346 3,166	Total							133,798
County Other 2 3.012 3.492 3.606 3.503 3.435 3.346 3.16 Total 7,736 7,803 7,951 7,665 7,570 7,414 7,03 Rockwall County 1 Dallas 2 0 39 40 44 51 65 8 Heath 2 1,774 2,108 2,829 3,018 4,254 5,957 8,08	Red River County 1							
County Other 2 3.012 3.492 3.606 3.503 3.435 3.346 3.16 Total 7,736 7,803 7,951 7,665 7,570 7,414 7,03 Rockwall County 1 Dallas 2 0 39 40 44 51 65 8 Heath 2 1,774 2,108 2,829 3,018 4,254 5,957 8,08	Clarksville	4,724	4,311	4,345	4,162	4,135	4,068	3,865
Total 7,736 7,803 7,951 7,665 7,570 7,414 7,03 Rockwall County ¹ Dallas ² 0 39 40 44 51 65 8 Heath ² 1,774 2,108 2,829 3,018 4,254 5,957 8,08			3,492	3,606	3.503	<u>3,435</u>	3,346	<u>3.169</u>
Dallas ² 0 39 40 44 51 65 8 Heath ² 1,774 2,108 2,829 3,018 4,254 5,957 8,08								7,034
Heath ² 1,774 2,108 2,829 3,018 4,254 5,957 8,08	Rockwall County 1							-
Heath ² 1,774 2,108 2,829 3,018 4,254 5,957 8,08	Dallas ²	0	39	40	44	51	65	86
*Based on 1990 Census					3,018	4,254	5,957	8,084
	*Based on 1990 Census.							

Table 7. Historical and projected populations for the study area (TWDB, 1998b)(continued).

Manufacturing 3,990 4,077 3, Power 3,203 889 Mining 1,694 938 2, Irrigation 814 711 Livestock 3,644 3,830 4. Total 89,971 81,472 69, Woodbine Aquifer Municipal 8,823 9,353 10, Manufacturing 1,394 1,030 1, Power 359 206 Mining 397 406 Irrigation 5,441 2,613 3, Livestock 1,289 1,470 1,470 Total 17,703 15,078 17,	Aquiter	Use	1985	1990	1995
Municipal 76,626 71,027 58, Manufacturing 3,990 4,077 3, Power 3,203 889 Mining 1,694 938 2, Irrigation 814 711 Livestock 3,644 3,830 4, Total 89,971 81,472 69, Municipal 8,823 9,353 10, Manufacturing 1,394 1,030 1, Power 359 206 Mining 397 406 Irrigation 5,441 2,613 3, Livestock 1,289 1,470 1, Total 17,703 15,078 17, Total 17,078 17, Total 17,078 17, Total 17,078 17,078 17, Total 17,078 1		Γ	(acre-	-feet per vear)	
Municipal 76,626 71,027 58, Manufacturing 3,990 4,077 3, Power 3,203 889 Mining 1,694 938 2, Irrigation 814 711 Livestock 3,644 3,830 4. Total 89,971 81,472 69, Woodbine Aquifer Municipal 8,823 9,353 10, Manufacturing 1,394 1,030 1, Power 359 206 Mining 397 406 Irrigation 5,441 2,613 3, Livestock 1,289 1,470 1,470 Total 17,703 15,078 17,					
Manufacturing 3,990 4,077 3, Power 3,203 889 Mining 1,694 938 2, Irrigation 814 711 Livestock 3,644 3,830 4. Total 89,971 81,472 69, Moodbine Aquifer Municipal 8,823 9,353 10, Manufacturing 1,394 1,030 1, Power 359 206 Mining 397 406 Irrigation 5,441 2,613 3, Livestock 1,289 1,470 1,470 Total 17,703 15,078 17,	Trinity Aquifer				
Power 3,203 889 Mining 1,694 938 2, Irrigation 814 711 Livestock 3,644 3,830 4. Total 89,971 81,472 69, Moodbine Aquifer Municipal 8,823 9,353 10, Manufacturing 1,394 1,030 1, Power 359 206 Mining 397 406 Irrigation 5,441 2,613 3, Livestock 1,289 1,470 1,470 Total 17,703 15,078 17,					58,994
Mining 1,694 938 2, Irrigation 814 711 Livestock 3,644 3,830 4. Total 89,971 81,472 69, Noodbine Aquifer Municipal 8,823 9,353 10, Manufacturing 1,394 1,030 1, Power 359 206 Mining 397 406 Irrigation 5,441 2,613 3, Livestock 1,289 1,470 1,470 Total 17,703 15,078 17,					3,211
Irrigation					241
Livestock 3,644 3,830 4. Total 89,971 81,472 69, Woodbine Aquifer Municipal 8,823 9,353 10, Manufacturing 1,394 1,030 1, Power 359 206 Mining 397 406 Irrigation 5,441 2,613 3, Livestock 1,289 1,470 1,470 Total 17,703 15,078 17,					2,617
Total 89,971 81,472 69, Moodbine Aquifer Municipal 8,823 9,353 10, Manufacturing 1,394 1,030 1. Power 359 206 Mining 397 406 Irrigation 5,441 2,613 3, Livestock 1,289 1,470 1,470 Total 17,703 15,078 17,					745
Woodbine Aquifer Municipal 8,823 9,353 10, Manufacturing 1,394 1,030 1, Power 359 206 Mining 397 406 Irrigation 5,441 2,613 3, Livestock 1,289 1,470 1, Total 17,703 15,078 17,		Livestock	<u>3,644</u>	<u>3,830</u>	4.067
Municipal 8,823 9,353 10, Manufacturing 1,394 1,030 1. Power 359 206 Mining 397 406 Irrigation 5,441 2,613 3, Livestock 1,289 1,470 1, Total 17,703 15,078 17,	<u> </u>	Total	89,971	81,472	69,875
Manufacturing 1,394 1,030 1, Power 359 206 Mining 397 406 Irrigation 5,441 2,613 3, Livestock 1,289 1,470 1, Total 17,703 15,078 17,	Voodbine Aquifer				,
Power 359 206 Mining 397 406 Irrigation 5,441 2,613 3, Livestock 1,289 1,470 1, Total 17,703 15,078 17,					10,407
Mining 397 406 Irrigation 5,441 2,613 3, Livestock 1,289 1,470 1,470 Total 17,703 15,078 17,					1,126
Irrigation 5,441 2,613 3,000 Livestock 1,289 1,470 1,000 Total 17,703 15,078 17,000	•				314
Livestock <u>1,289</u> <u>1,470</u> <u>1,</u> Total 17,703 15,078 17,					573
Total 17,703 15,078 17,					3,031
		Livestock	1,289	1,470	<u>1,656</u>
otal-Study Area <u>107,674</u> <u>96,550</u> <u>86,</u> 9		Total	17,703	15,078	17,107
otal-Study Area <u>107,674</u> <u>96,550</u> <u>86,</u>					
	otal-Study Area		107,674	96,550	86,982
•			•		•
		-			

Table 8. Estimated groundwater pumpage, 1985-1995 (TWDB, 1998a).

	10	<u>85</u>	(acre-feet 19		100	36
	Surface	Ground	Surface	Ground	199 Surface	Ground
Total of Study Area:						
Total Municipal Water Use	710,274	79,587	774,970	75,053	836,233	67,663
Other Water Use						
Manufacturing	70,986	11,132	88,838	11,315	70,873	8,257
Irrigation	12,315	6,334	12,075	4,750	13,701	7,010
Steam-Electric	36,003	3,407	33,943	1,095	30,148	554
Mining	3,702	1,699	4,572	1,424	14,858	3,259
Livestock	13,227	5,206	13,251	5,508	14,362	5,961
Total Water Use	846,507	107,365	927,649	99,145	980,175	92,704
Total Combined Water Use	953,	872	1,026	i,794	1,072	,879

¹County partially included in study area.

² City or county other area partially within county included in study area.

Table 9. Historical water use for the study area (TWDB, 1998a)(continued).

<u> 2010</u>	2020	2030
(acre-feet	t per year)	
18,147	17,936	18,286
4,581	4,923	5,324
22,728	22,859	23,610
1,044,793	1,083,239	1,121,364
1,067,521	1,106,098	1,144,974
23,255	22,747	19,019
6,769	6,718	6,629
30,024	29,465	25,648
86,010	140,389	190,937
116,034	169,854	216,585
1,183,555	1,275,952	1,361,559
		,
6,725	6,543	5,186
8,633	8,440	8,319
15,358	14,983	13,505
205,914	222,020	248,154
221,272	237,003	261,659
48,127	47,226	42,491
19,983	20,081	20,272
68,110	67,307	62,763
1,336,717	1,445,648	1,560,455
1,404,827	1,512,955	1,623,218
	1,404,827	1,404,827 1,512,955

Table 10. Projected water demands and supply sources for the study area (TWDB, 1998c).

		Annual	Annual	······································		···-		•		
County	Aquifer	Effective Recharge	Recoverable Storage	Estima	ted Ave	rage An (a	nual Gro acre-feet		er Avail	ability
				1985	1990	1995	2000	2010	2020	2030
Cooke	West astas s	0.750	770	4.500	4.500	4.500	4.500	4.500		
County	Trinity Woodbine	3,753 440	776 <u>0</u>	4,529 440	4,529 <u>440</u>	4,529 4 <u>40</u>	4,529	4,529	4,529	3,753
	Total	4,193	776	4,969	4,969	4,969	<u>440</u> 4,969	<u>440</u> 4,969	<u>440</u> 4,969	<u>440</u> 4,193
	10.0.	1,,,00	1.0	1,000	.,500	1,000	4,500	**,505	7,505	7,130
Denton										
County	Trinity	5,123	991	6,144	6,144	6,144	6,144	6,144	6,144	5,123
	Woodbine	1,010	0	1,010	1,010	1,010	1.010	1,010	1.010	1,010
	Total	6,133	991	7,154	7,154	7,154	7,154	7,154	7,154	6,133
Grayson				·		 -		······	·····	
County	Trinity	3,088	346	3,434	3,434	3,434	3,434	3,434	3,434	3,088
	Woodbine	<u>5,710</u>	<u>0</u>	<u>5,710</u>	<u>5,710</u>	<u>5.710</u>	<u>5,710</u>	5,710	<u>5,710</u>	5,710
	Total	8,798	346	9,144	9,144	9,144	9,144	9,144	9,144	8,798
Johnson										
County										
	Trinity	2,504	365	2,869	2,869	2,869	2,869	2,869	2,869	2,504
	Woodbine	<u>866</u>	<u>0</u>	<u>866</u>	<u>866</u>	866	866	866	866	866
	Total	3,370	365	3,735	3,735	3,735	3,735	3,735	3,735	3,370
Tarrant		····-				······································				
County	Trinity	4,996	0	4,996	4,996	4,996	4,996	4,996	4,996	4,996
	Woodbine	<u>766</u>	<u>0</u>	<u>766</u>	<u>766</u>	<u>766</u>	<u>766</u>	<u>766</u>	<u>766</u>	<u>766</u>
	Total	5,762	0	5,762	5,762	5,762	5,762	5,762	5,762	5,762
		·				···				
Parker	Teimiter	2.010	C04	2 001	2 001	3,891	2 204	2 004	2 204	2 247
County	Trinity Woodbine	3,210 <u>0</u>	681 <u>0</u>	3,891 <u>0</u>	3,891 <u>0</u>	3,891 <u>0</u>	3,891 <u>0</u>	3,891 <u>0</u>	3,891	3,210 0
	Total	3,210	681	3,891	3,891	3,891 188,6	3,891	3,891	<u>0</u> 3,891	3,210
	, otal				0,00.				····	·,_ ·
Wise						4.000	4.000			
County	Trinity	4,163	805	4,968	4,968	4,968	4,968	4,968	4,968	4,163
	Woodbine	4 162	<u>0</u>	4.068	<u>0</u>	<u>0</u>	<u>Q</u>	4.069	<u>0</u>	4 463
	Total	4,163	805	4,968	4,968	4,968	4,968	4,968	4,968	4,163
	<u>.</u>		and the Gibbs. (TTD)							

Table 11. Estimated groundwater availability (TDWR, 1990).

		(acre-	feet per year)	······································
Cooke County		<u>1985</u>	<u>1990</u>	<u>1995</u>
	Estimated Supply	4,969	4,969	4,969
	Estimated Pumpage	<u>6,392</u>	<u>6,223</u>	<u>6,656</u>
	Difference	-1,423	-1,254	-1,687
Denton County		46		-
	Estimated Supply	7,124	7,124	7,124
	Estimated Pumpage	9.038	10,235	10,807
	Difference	<u>9.036</u> -1,914	-3,111	-3,683
Grayson County				
	Estimated Sumbly	0 + 4.6	0.144	5 4 4 4
	Estimated Supply Estimated Pumpage	9,144	9,144	9,144
	Difference	<u>18,101</u> -8,957	<u>17,145</u> 8,001	<u>15,356</u> -6,212
Johnson County	_			
	Estimated Supply	3,735	3,735	3,735
	Estimated Supply Estimated Pumpage	8,035	7,950	9,010
	Difference	-4,300	-4,215	-5,275
Parker County	_			
• .	Estimated Supply	3,891	3,891	3,891
	Estimated Pumpage	4,351	<u>5,133</u>	5,802
	Difference	-460	-1,242	-1,911
Tarrant County				
	Estimated Supply	5,762	5,762	5,762
	Estimated Pumpage	17,822	14,952	13,329
	Difference	-12,060	-9,190	-7,567
Wise County		,		
	Estimated Supply	4,968	4,968	4,968
	Estimated Pumpage	3,66 <u>9</u>	3,776	4,285
	Difference	1,299	1,192	683

Table 12. Historical groundwater pumpage and supply as per the 1997 Consensus State Water Plan.

		2000	<u>2010</u>	<u>2020</u>	2030	
			(acre-feet p	er year)		
Cooke County	Groundwater	5,594	3,454	3,290	3,140	
•	Surface Water	1,805	4,659	4,783	4,935	
	Total	7,399	8,113	8,073	8,075	
Denton County	Groundwater	7,124	7,048	7,124	6,133	
Domon Journy	Surface Water	72,913	91,767	110,697	126.216	
	Total	80,037	98,815	117,821	132,349	
Grayson County	Groundwater	8,809	8,811	7,977	8,061	
drayson county	Surface Water	16,929	17,170	18,162	18,658	
	Total	25,738	25,981	26,139	26,719	
		0.077	0.005	0.014	0.440	
Johnson County	Groundwater	3,077	3,005	3,014	3,119	
	Surface Water	<u>17,818</u>	<u>20,026</u>	<u>21,767</u>	<u>24,456</u>	
· · · · · · · · · · · · · · · · · · ·	Total	20,895	23,031	24,781	27,575	
Parker County	Groundwater	5,790	5,981	6,198	5,824	
	Surface Water	<u>7,813</u>	<u>9.166</u>	<u> 10,106</u>	<u>12,538</u>	
 	Total	13,603	15,147	16,304	18,362	
Tarrant County	Groundwater	5,678	5,668	5,670	5,654	
	Surface Water	340,694	370,012	374,176	396,261	
<u>,</u>	Total	346,372	375,680	379,846	401,915	······································
Wise County	Groundwater	4,968	4,968	4,968	4,163	
rriae County	Surface Water	11,877	12,525	13,308	15,124	
	Total	16,845	17,493	18,276	19,287	

Table 13. Future water allocations as per the 1997 Consensus State Water Plan.

River Basin	Reservoir		Capacity	Firm Yield
			(acre-feet)	(acre-feet)
Red River	Noçona		25,400	4,500
	Hubert H. Moss		23,210	4,500
	Texoma		2,643,300	147,500
	Pat Mayse	•	124,500	59,900
	Bonham		12,000	7,138
	Randall		5,400	5,280
	Crook		9,664	1,000
,	J. J	Total	2,843,474	229,818
Sulphur River	Cooper		<u>310,000</u>	146,520
Sulphul Mivel	Obope:	Total	310,000	146,520
		TOTAL	310,000	140,520
Sabine River	Tawakoni		927,400	235,160
		Total	927,400	235,160
Trinity River	Bridgeport		386,420	79,000
······································	Eagle Mountain		190,460	•
	Amon Carter		28,589	2,600
	Worth		38,130	2,400
	Weatherford		19,470	2,000
	Benbrook		88,250	9,800
	Grapevine		188,550	27,240
	Ray Roberts		799,600	110,000
	Lewisville		640,986	110,800
	Arlington		45,710	7,050
	Joe Pool		181,200	16,900
	Lavon		456,500	104,000
	Ray Hubbard		490,000	63,100
•	Terrell		8,712	1,650
	Cedar Creek		679,200	162,500
	Waxahachie		13,500	2,400
	Bardwell		54,900	8,300
	Halbert		7,420	600
	Navarro Mills		63,300	23,100
	Richland Chambers		1,181,866	210,000
		Total	5,562,763	943,440
Brazos River	Possum Kingdom		504,100	233,500
	Palo Pinto		27,650	14,100
	Mineral Wells		6,760	1,500
	Granbury	2	153,500	66,500
	Pat Cleburne		<u>25.560</u>	4,600
_		Total	717,570	320,200
* not available				
* not available				· · · · · · · · · · · · · · · · · · ·

Table 14. Reservoir capacity and firm yield (TWDB,1997).

Basin Totals	Capacity	Firm Yield
	(acre-feet)	(acre-feet)
Red River Basin	2,843,474	229,818
Sulphur River Basin	310,000	146,520
Sabine River Basin	927,400	235,160
Trinity River Basin	5,562,763	943,440
Brazos River Basin	717.570	320,200
Total for Study Area	10,361,207	1,875,138
•		

Table 14. Reservoir capacity and firm yield (TWDB, 1997) (continued).

Additional Reference Resources USGS Nutrient Loading to Lewisville Lake, North-Central Texas, 1984-87

Date Accessed: December 22, 2023

NUTRIENT LOADING TO LEWISVILLE LAKE, NORTH-CENTRAL TEXAS, 1984–87

By W. Scott Gain and Stanley Baldys III

U.S. GEOLOGICAL SURVEY
Water-Resources Investigations Report 95–4076



Prepared in cooperation with the CITY OF DALLAS




Figure 1. Location of Lewisville Lake.

Table 1. Location, physiographic region, and drainage area of synoptic-survey sites in the Lewisville Lake drainage basin

[mi², square miles; GP, Grand Prairie; ECT, East Cross Timbers; TBP, Texas Blackland Prairie]

Site number (pl. 1)	Location of site or streamflow- gaging station name (station number)	Physiographic region	Drainage area (mi ²)
Hickory Creek	drainage area:		
HI	North Hickory Creek at US 380	GP	39.4
H2	South Hickory Creek at US 380	GP	20.1
H3	Dry Fork Hickory Creek at US 380	GP	4.13
¹ H4	Hickory Creek at Denton, Tex. (08052780)	GP	129
¹ H5	Fincher Branch at unnumbered county road	ECT	5.62
Clear Creek dra	inage area:		
C1	Clear Creek at FM 455	GP	257
C2	Duck Creek at FM 455	GP	31.4
C3	Clear Creek near Sanger, Tex. (08051500)	GP	295
¹ C4	Clear Creek at FM 2164	GP	323
¹ C5	Milam Creek at FM 2164	GP	12.4
Elm Fork Trinit	y River drainage area:		
El	Elm Fork Trinity River at FM 2071	GP	182
E2	Elm Fork Trinity River at FM 922	GP	265
E3	Spring Creek at unnumbered county road	GP	71.1
¹ E4	Elm Fork Trinity River near Sanger, Tex. (08050500)	GP	381
Isle du Bois Cre	ek drainage area:		
11	Jordan Creek at unnumbered county road	ECT	65.3
12	Isle du Bois Creek at unnumbered county road	ECT	205
¹ I3	Isle du Bois Creek near Pilot Point, Tex. (08051000)	ECT	266
Little Elm Creel	k drainage area:		
L1	Little Elm Creek at FM 455	TBP	46.7
¹ L2	Little Elm Creek near Aubrey, Tex. (08052700)	ECT	75.5
¹ L3	Mustang Creek at FM 428	ECT	22.2
¹ L4	Pecan Creek near Aubrey, Tex. (08052730)	ECT	32.2
¹ L5	Running Branch at FM 2931	ECT	2.79
Other streams in	Lewisville Lake drainage basin:		
¹ O1	Cooper Creek at unnumbered county road	ECT	6.66
¹ O2	Alyne Branch at FM 424	ECT	7.02
¹ O3	Pecan Creek at FM 288	ECT	12.3
¹ O4	Button Branch at unnumbered county road	TBP	14.8
¹ O5	Panther Creek at FM 423	TBP	20.3
¹ O6	Cottonwood Branch at FM 423	TBP	9.45
¹ O7	Stewart Creek at unnumbered county road	TBP	8.73

¹ Downstream-most sites.

analyses were collected using depth-integrating suspended-sediment samplers and standard U.S. Geological Survey methods such as equal-width increment or equal-depth increment (Guy and Norman, 1970; Rantz and others, 1982). Immediately after collection, all

nutrient samples were chilled and preserved with mercuric chloride. Analyses for determination of total nitrite plus nitrate nitrogen, total ammonia plus organic nitrogen, total nitrogen, total phosphorus, and total organic carbon concentrations were done by the U.S. Geological Survey National Water Quality Laboratory in Arvada, Colorado, using standard analytical techniques (Skougstad and others, 1979).

Stormflow and Periodic Sampling

Following the synoptic surveys, the principal streams were selected for additional and more detailed study of nutrient-loading rates to evaluate and refine estimates of loading to the reservoir during stormflow conditions. Two of the streams had existing streamflow-gaging stations operated by the U.S. Geological Survey—Clear Creek near Sanger, Tex. (08051500, pl. 1), and Little Elm Creek near Aubrey, Tex. (08052700, pl. 1). A third streamflow-gaging station was installed in July 1985 on Hickory Creek at Denton, Tex. (08052780, pl. 1).

Stations on the two remaining principal streams in the study area (Elm Fork Trinity River near Sanger, Tex., and Isle du Bois Creek near Pilot Point, Tex.) could not be sampled because of backwater from construction of Ray Roberts Lake. Therefore, a streamflow-gaging station was installed on Elm Fork Trinity River near Pilot Point, Tex. (08051130, pl. 1), immediately below Ray Roberts Dam to provide additional nutrient-load data.

Samples were collected at Clear Creek near Sanger, Little Elm Creek near Aubrey, and Hickory Creek at Denton for about three stormflow events in each wet season (January to June) during the 1986–87 water years. Samples were collected periodically during the 1986–87 water years at the stormflow sampling stations and also at Elm Fork Trinity River near Pilot Point.

An automatic, vacuum-type water sampler, actuated by a float switch, was installed at each of the three stations above Lewisville Dam. During storms, the samplers operated at regular intervals (1 to 6 hours depending on the site and season) and marked the time of each sample collection on an event recorder. After storms, selected samples were withdrawn from the samplers, treated with mercuric chloride, and chilled. Instantaneous discharges were determined for each sampling period using the stage recorded at the time of sample collection and the stage-discharge rating for the station. Some storm samples were collected manually with a depth-integrating suspended-sediment sampler. In addition to stormflow samples, periodic samples (about six per year) were collected at the three stations during various flow conditions. Periodic samples also were collected at Elm Fork Trinity River near Pilot Point.

All samples were analyzed for total nitrite plus nitrate nitrogen, total ammonia plus organic nitrogen, and total phosphorus concentrations. Periodic samples also were analyzed for specific conductance, pH, hardness, and dissolved calcium, magnesium, sodium, potassium, sulfate, chloride, fluoride, and silica.

Discharge Characteristics Associated with Stormflow and Periodic Sampling

Daily mean discharge for the period of record at three streamflow-gaging stations used for stormflow and periodic sampling and one station used only for periodic sampling is given in the following table:

Streamflow-gaging station	Station number (pl. 1)	Daily mean discharge (ft ³ /s)	Period of record ¹
Storm	iflow and periodic sa	mpling	***************************************
Clear Creek near Sanger, Tex.	08051500	87.0	1950-87
Little Elm Creek near Aubrey, Tex.	08052700	46.4	1957-76, 1980-87
Hickory Creek at Denton, Tex.	08052780	94.4	1986-87
	Periodic sampling		
Elm Fork Trinity River near Pilot Point, Tex.	08051130	² 284	1950-84, 1986-87

¹ U.S. Geological Survey, 1987-88.

² Sum of daily mean discharge at Elm Fork Trinity River near Sanger and Isle du Bois Creek near Pilot Point used for 1950-84.

Table 3. Mean water-quality data for stormflow and periodic sampling at streamflow-gaging stations in the Lewisville Lake drainage basin, 1986–87 water years

[ft³/s, cubic feet per second; μS/cm, microsiemens per centimeter at 25 degrees Celsius; mg/L, milligrams per liter; N, nitrogen; P, phosphorus; CaCO₃, calcium carbonate; Ca, calcium]

	Stormflow	and periodic	sampling	Periodic sampilng
Discharge or water-quality property or constituent	Clear Creek near Sanger (08051500)	Little Eim Creek near Aubrey (08052700)	Hickory Creek at Denton (08052780)	Eim Fork Trinity River near Pilot Point (08051130)
Instantaneous discharge (ft ³ /s)	1,239	619	2,123	546
Specific conductance (µS/cm)	496	411	376	451
pH (standard units)	7.9	7.8		7.8
Nitrogen, nitrite plus nitrate, total (mg/L as N)	.78	2.0	1.1	.95
Nitrogen, ammonia plus organic, total (mg/L as N)	1.6	1.8	2.3	1.3
Phosphorus, total (mg/L as P)	.29	.37	.19	.20
Hardness, total (mg/L as CaCO ₃)	210	140	160	160
Alkalinity (mg/L as CaCO ₃)	169	120	139	142
Calcium, dissolved (mg/L as Ca)	69	51	59	55
Magnesium, dissolved (mg/L)	8.3	4.4	4.1	5.3
Sodium, dissolved (mg/L)	34	32	20	32
Potassium, dissolved (mg/L)	3	5	3	4
Sulfate, dissolved (mg/L)	36	81	30	37
Chloride, dissolved (mg/L)	54	12	14	34
Fluoride, dissolved (mg/L)	.2	.4	.2	.2
Silica, dissolved (mg/L)	10	7	11	8.7

relation of major ions in the water from each stream. Linear patterns in the arrangement of data in trilinear diagrams indicate mixing of dissimilar waters (Hem, 1985). The linear arrangement of the data for Clear Creek near Sanger (fig. 4) indicates the mixing of two dissimilar waters—one dominated by calcium carbonate and the other by sodium and chloride ions. This is attributed to Clear Creek draining from the West Cross Timbers and Grand Prairie physiographic regions. Dryer soils of the West Cross Timbers region could contain more sodium chloride than the prairie soils. As waters from the two regions mix, the major-ion ratios vary relative to the proportion of water from each of the regions.

A linear pattern, to a lesser degree than that of the Clear Creek near Sanger data, also can be seen in the data for Little Elm Creek near Aubrey (fig. 4), indicating a mixture of calcium carbonate- and sulfatedominated water. Sulfate concentrations in Little Elm Creek generally are largest in low flows.

The data for Hickory Creek at Denton and Elm Fork Trinity River near Pilot Point indicate a calcium carbonate-dominated water (fig. 4). One sewage-treatment plant discharges above the sampling point on Hickory Creek (pl. 1).

Daily Mean Nutrient Loading

Daily mean nutrient loads for total nitrite plus nitrate nitrogen, total ammonia plus organic nitrogen, and total phosphorus were computed for each of four streamflow-gaging stations (on Clear Creek, Little Elm Creek, Hickory Creek, and Elm Fork Trinity River) (pl. 1), and for ungaged streams (collectively), in the

Table 4. Daily mean discharge and nutrient concentrations, loads, and yields for streamflow-gaging stations and ungaged streams in the Lewisville Lake drainage basin, 1986–87 water years

[mi², square miles; ft³/s, cubic feet per second; (ft³/s)/mi², cubic feet per second per square mile; mg/L, milligrams per liter; lb/d, pounds per day; (lb/d)/mi², pounds per day per square mile; --, not applicable; <, less than]

	Drain-		Daliy	Dally mean discharge	Daily	Daily mean total nitrite pius nitrate nitrogen	nitrite ogen	Daily n plus	Daily mean total ammonla plus organic nitrogen	immonia Irogen	ă	Dally meen total phosphorus	-
gaging station (number)	age area (ml²)	Water	(#3/8)	((ft²/s)/ ml²]	Con- centra- tion (mg/L)	(ID/dI)	Yletd [(lb/d)/ ml²]	Con- centra tion (mg/L)	Load (Ib/d)	Yield [(lb/d)/ ml²)	Con- centra- tion (mg/L)	Load (lb/d)	Yield [(lb/d)/ ml ²]
Clear Creek near Sanger, Tex. (08051500)	295	1986	146	0.49	0.65	511 526	1.7	1.5	1,150	3.9	0.22	174	0.59
Little Elm Creek near Aubrey, Tex. (08052700)	75.5	1986 1987	49.6	.33	1.9	503 216	6.7	1.8	469 223	3.0	32	85.5 42.3	1.1 .56
Hickory Creek at Denton, Tex. (08052780)	129	1986 1987	107 81.7	£8. £9.	11 11	646 482	5.0 3.7	2.1	1,210 883	9.4 6.8	.19	117 85.2	<u>2ć</u> 8ċ
Elm Fork Trinity River near Pilot Point, Tex. (08051130)	692	1986	437	83	1.0	2,450	3.5	1.3	2,970 2,490	3.6	.26	609 502	88.
Ungaged streams in Lewisville Lake drainage basin	434	1986 1987	272 242	56 56	.86	1,420 1,130	3.3	1.8	¹ 2,650 ¹ 2,170	6.1 5.0	22	¹ 324 ¹ 270	.75 .62
Lewisville Lake (precipitation) ²	36.0	1986 1987	; ;	1 1	.18	107 92.0	3.0	41.	83.0	2.3	<.003	<1.80	< 05 < 04
Total	1,660	1986 1987	1,010 870	1 1	1 1	15,640 14,480	1 1	: :	¹ 8,530 ¹ 7,020	1 1	3 1	¹ 1,310 ¹ 1,080	1 1

Does not include loads from sewage-treatment plants.
 National Atmospheric Deposition Program, 1987a, b, 1988a, b.

APPENDIX D Chapter 307 Analysis Calculations and Water Impact Calculations

TAC 30 - CHAPTER 307 - SCREENING AND PERMIT LIMITATION ESTIMATES SUMMARY

TDS

Calculated Screening Value Stream = 2,500.00 mg/L

Estimated Effluent Concentration = 324 mg/L

Permit Needed = No Permit Limitations Necessary

CHLORIDE

Calculated Screening Value Stream = 400.00 mg/L Estimated Effluent Concentration = 37.8 mg/L

Permit Needed = No Permit Limitations Necessary

SULFATE

Calculated Screening Value Stream = 300.00 mg/L Estimated Effluent Concentration = 91.6 mg/L

Permit Needed = No Permit Limitations Necessary

Screening:

Stream Type: Stream Name:

Intermittent Stream

Distance to Lake Lewisville:

Unnamed to Pecan Creek

8 miles

Step 1: Determine Screening Value for Intermittent Stream

Parameter

(mg/L)

TDS

Existing On Site Well Concentration (mg/L)

Estimated Screening Limit (mg/L)

2,500.00

Existing Pecan Creek Сс

IDS	500	32
	Pond Evaporation Characteristics	stics
Evaporation Loss =	10,480,561	10,480,561 gallons/year
Supplemented Water for Pond =	62.00	62.00 gallons/minute
Supplemented Water for Pond =	0.14 cfs	cfs
Pond Surface Area =	8.21	8.21 acres

Stream/Segment Characteristics

Equation for Screening =
Ambient Concentration TDS (mg/L) = Flow Type = Equation 1 Data Below Accessed: 10/28/24

Procedures to Implement the Texas Surface Water Quality Standards - 2022

Procedures to Implement the Texas Surface Water Quality Standards - 2022

Procedures to Implement the Texas Surface Water Quality Standards - 2022

Step 2: Determine Screening Value

Screening Value =

2,500.00 mg/L

Step 3: Determine if Control Measure is needed

Maximum Effluent TDS Proposed = Screening TDS Value =

2500 mg/L 324 mg/L

If, Screening Value < Maximum Effluent TDS then a control measure is needed If, Screening Value > or = Maximum Effluent TDS then no control measure needed

Control Measure =

Screening:
Stream Type:
Stream Name:
Distance to Lake Lewisville: Intermittent Stream Unnamed to Pecan Creek Chloride 8 miles

	Parameter		tep 1: Determine screening value for intermittent stream
2	(mg/L)	Existing Pecan Cree	O IIII IIII SUBBIII IO

Parameter	existing Pecan Creek (mg/L) CI Cc	Existing On Site Well Concentration Estimated Screening Limit (mg/L) (mg/L)	Estimated Screening Limit (mg/L)
Chloride	80	37.8	400.00
	Pond Evaporation Characteristics	stics	_
Evaporation Loss =	10,480,561	10,480,561 gallons/year	
Supplemented Water for Pond =	62.00	62.00 gallons/minute	
Supplemented Water for Pond =	0.14 cfs	cfs	
Pond Surface Area =	8.21	8.21 acres	

Ambient	Equation	Flow Type	
4mbient Concentration Chloride (mg/L) =	for Screening =	₽ =	Stream/Segment Characteristics
17	CI Csv = (TDS Csv/TDS Cc) * CI Cc	Intermittent Flow	eristics
17 Procedures to Implement the Texas Surface Water Quality Standards - 2022	* CICc	Procedures to Implement the Texas Surface Water Quality Standards - 2022	Data Below Accessed: 10/28/24

Step 2: Determine Screening Value

Screening Value =

Step 3: Determine if Control Measure is needed

400.00 mg/L

Screening TDS Value = Maximum Effluent TDS Proposed = 400 mg/L 37.8 mg/L

If, Screening Value > or = Maximum Effluent TDS then no control measure needed If, Screening Value < Maximum Effluent TDS then a control measure is needed

Screening:
Stream Type:
Stream Name:
Distance to Lake Lewisville: Ste Sulfate Intermittent Stream Unnamed to Pecan Creek

8 miles

Step 1. Determine serverming value for miterimeteric servani	א וווכוווונכות אווכמווו	
Parameter	Existing Pecan Creek (mg/L) SO4 Cc	Existing On Site Well Concentration (mg/L)
Sulfate	60	91.6
P	Pond Evaporation Characteristics	ics
Evaporation Loss =	10,480,561	<mark>10,480,561</mark> gallons/year
Supplemented Water for Pond =	62.00	62.00 gallons/minute
Supplemented Water for Pond =	0.14 cfs	cfs

Estimated Screening Limit (mg/L)

			8.21 acres	Area =
9 Procedures to Implement the Texas Surface Water Quality Standards - 2022	29	Ambient Concentration Chloride (mg/L) =	0.1 <mark>4</mark> cfs	d Water for Pond =
3c) * SO4 Cc	SO4 Csv = (TDS Csv/TDS Cc) * SO4 Cc	Equation for Screening =	62.00 gallons/minute	d Water for Pond =
Procedures to Implement the Texas Surface Water Quality Standards - 2022	Intermittent Flow	Flow Type =	10,480,561 gallons/year	0SS =
Data Below Accessed: 10/28/24	eristics	Stream/Segment Characteristics	Pond Evaporation Characteristics	P

Step 2: Determine Screening Value

Step 3: Determine if Control Measure is needed

Screening Value =

300.00 mg/L

Screening TDS Value = Maximum Effluent TDS Proposed =

300 mg/L 91.6 mg/L

If, Screening Value > or = Maximum Effluent TDS then no control measure needed If, Screening Value < Maximum Effluent TDS then a control measure is needed

Screening: Stream Type: Stream Name:

TDS Lake

3 500 00	334	E00	TIDG
Estimated Screening Limit (mg/L)	Existing On Site Well Concentration (mg/L)	Existing Pecan Creek (mg/L) TDS Cc	Parameter
		or Intermittent Stream	Step 1: Determine Screening Value for Intermittent Stream
	Segment No. 0823	Lake Lewisville	Stream Name:

8.21 acres	Pond Surface Area =
0.1 <mark>4</mark> cfs	Supplemented Water for Pond =
62.00 gallons/minute	Supplemented Water for Pond =
10,480,561 gallons/year	Evaporation Loss =
Pond Evaporation Characteristics	Pc

Stream/Segmen	ent Characteristics	Data Below Accessed: 10/28/24
Flow Type =	Intermittent Flow	Procedures to Implement the Texas Surface Water Quality Standards - 2022
Equation for Screening =		Cc > or = (EF)(Ce) + (1-EF)(Ca)
Ambient Concentration TDS (mg/L) =		239 Procedures to Implement the Texas Surface Water Quality Standards - 2022
Effluent Fraction (EF) =		0.08 Default for Lakes from Critical Conditions Memo

Step 2: Evaluate Screening Value

New TDS Concentration (from Equation for Screening) = Change in Ambient TDS =

245.80 mg/L 2.8%

Step 4: Permit Limit Determination

LA = WLA * 0.93 Daily Avg. = LTA * 1.47 Daily Max. = LTA * 3.11 WLA =
LTA =
Daily Average =
Daily Maximum =
70% of Daily Average =
85% of Daily Average = 3,501.50 3,256.40 4,786.90 14,887.26 3,350.83 4,068.87

No Permit Limitations Necessary

Screening: Stream Type: Stream Name:

Chloride Lake Lake Lewisville

Segment No. 0823

Step 1: Determine Screening Value for Intermittent Stream

Por	Pond Evaporation Characteristics	ristics
vaporation Loss =	10,480,561	10,480,561 gallons/year
Supplemented Water for Pond =	62.00	62.00 gallons/minute
supplemented Water for Pond =	0.14 cfs	cfs
ond Surface Area =	8.21	8.21 acres

1			
	acres	8.21 acres	Pond Surface Area =
-	cfs	0.14 cfs	Supplemented Water for Pond =
	62.00 gallons/minute	62.00	Supplemented Water for Pond =
	gallons/year	10,480,561 gallons/year	Evaporation Loss =
	istics	Pond Evaporation Characteristics	Por
•			
400.00	37.8	80	Chloride
Estimated Screening Limit (mg/L)	Existing Pecan Creek (mg/L) CI Cc (mg/L) (mg/L)	Existing Pecan Creek (mg/L) CI Cc	Parameter

0.08 Default for Lakes from Critical Conditions Memo		Effluent Fraction (EF) =
17 Procedures to Implement the Texas Surface Water Quality Stand		Ambient Concentration TDS (mg/L) =
Cc > or = (EF)(Ce) + (1-EF)(Ca)		Equation for Screening =
Procedures to Implement the Texas Surface Water Quality Stand	Intermittent Flow	Flow Type =
Data Below Accessed: 10/28/24	Characteristics	Stream/Segment Characteristics

LA = WLA * 0.93 Daily Avg. = LTA * 1.47 Daily Max. = LTA * 3.11

WLA =
LTA =
Daily Average =
Daily Maximum =
70% of Daily Average =
85% of Daily Average =

804.50 748.19 1,099.83 3,420.48 769.88 934.86

Step 4: Permit Limit Determination

Step 2: Evaluate Screening Value

New TDS Concentration (from Equation for Screening) = Change in Ambient TDS =

18.66 mg/L 9.79%

No Permit Limitations Necessary

Screening: Stream Type: Stream Name:

Sulfate Lake Lake Lewisville Segment No. 0823

Step 1: Determine Screening Value for Intermittent Stream

	Pond Evaporation Characteristics 10.480.561 gallon	(119/1) 91.6 ristics radions/year	300.00
Pon	d Evaporation Characte	ristics	_
Evaporation Loss =	10,480,561 gallons/year	gallons/year	
Supplemented Water for Pond =	62.00	62.00 gallons/minute	
Supplemented Water for Pond =	0.14 cfs	cfs	
Pond Surface Area =	8.21 acres	acres	
•			

Stream/Segment Characteristics	Characteristics	Data Below Accessed: 10/28/24
Flow Type =	Intermittent Flow	Procedures to Implement the Texas Surface Water Quality Standards - 2022
Equation for Screening =		Cc > or = (EF)(Ce) + (1-EF)(Ca)
Ambient Concentration TDS (mg/L) =		29 Procedures to Implement the Texas Surface Water Quality Standards - 2022
Effluent Fraction (EF) =		0.08 Default for Lakes from Critical Conditions Memo

Step 2: Evaluate Screening Value

New TDS Concentration (from Equation for Screening) = Change in Ambient TDS =

34.01 mg/L 17.3%

Step 4: Permit Limit Determination

LA = WLA * 0.93 Daily Avg. = LTA * 1.47 Daily Max. = LTA * 3.11 WLA =
LTA =
Daily Average =
Daily Maximum =
70% of Daily Average =
85% of Daily Average = 416.50 387.35 569.40 1,770.83 398.58 483.99

No Permit Limitations Necessary

https://www.tceq.texas.gov/downloads/permitting/water-quality-standards-implementation/jan-2003-ccessed: 10/30/2024 Source:

Date Last Accessed:

Segment No.	Trinity River Basin Segment Names	Recreation Use	Aquatic Life Use	Domestic Water Supply Use	Other Uses	Cl ⁻¹ (mg/L)	SO ₄ -2 (mg/L)	TDS (mg/L)	Oxygen (mg/L)	pH Range (SU)	Indicator Bacteria ¹ #/100 mL	Temperature (degrees F)
0815	Bardwell Reservoir	PCR1	Н	PS		50	50	300	5.0	6.5-9.0	126	91
0816	Lake Waxahachie	PCR1	Н	PS		50	50	300	5.0	6.5-9.0	126	91
0817	Navarro Mills Lake	PCR1	Н	PS		50	75	300	5.0	6.5-9.0	126	90
0818	Cedar Creek Reservoir	PCR1	Н	PS		50	100	200	5.0	6.5-9.0	126	93
0819	East Fork Trinity River	PCR1	I			100	100	500	4.0	6.5-9.0	126	91
0820	Lake Ray Hubbard	PCR1	Н	PS		100	100	500	5.0	6.5-9.0	126	93
0821	Lavon Lake	PCR1	Н	PS		100	100	500	5.0	6.5-9.0	126	93
0822	Elm Fork Trinity River Below Lewisville Lake	PCR1	Н	PS		80	60	500	5.0	6.5-9.0	126	90
0823	Lewisville Lake	PCR1	Н	PS		80	60	500	5.0	6.5-9.0	126	90
0824	Elm Fork Trinity River Above Ray Roberts Lake	PCR1	Н	PS ⁵		110	90	700	5.0	6.5-9.0	126	90
0825	Denton Creek	PCR1	Н	PS		80	60	500	5.0	6.5-9.0	126	90
0826	Grapevine Lake	PCR1	Н	PS		80	60	500	5.0	6.5-9.0	126	93
0827	White Rock Lake	PCR1	Н			100	100	400	5.0	6.5-9.0	126	93
0828	Lake Arlington	PCR1	Н	PS		100	100	300	5.0	6.5-9.0	126	95
0829	Clear Fork Trinity River Below Benbrook Lake	PCR1	Н	PS		100	100	500	5.0	6.5-9.0	126	93
0830	Benbrook Lake	PCR1	Н	PS		75	75	300	5.0	6.5-9.0	126	93

 $Source: https://www.tceq.texas.gov/downloads/permitting/water-quality-standards-implementation/jan-2003-ip.pdf \\ Date Last Accessed: 10/29/2024$

Segment Number	TSS 1 (mg/L)	pH ¹ (s.u.)	Total Hardness 1 (mg/L as CaCO ₃)	TDS ² (mg/L)	Chloride ² (mg/L)	Sulfate 2 (mg/L)
0813	1.5	6.4	94 (1)	81	12	9
0814	16	7.5	76 ^(a)	316	21	66.9
0815	5	7.4	94 ^(a)	202 (b)	12	26
0816	4	7.2	94 ^(a)	187 ^(b)	7	15
0817	5	7.5	94(a)	214 ^(b)	14	39
0818	5.5	7.2	94 (a)	114	12.7	25.4
0819	16	7.3	110	358	43	46
0820	5	7.5	94 ^(a)	179	11	26
0821	5	7.7	94(2)	203	8	23
0822	12	7,53	100	269	23	40
0823	5	7.5	94 (*)	239	17	29

WATER QUALITY IMPACT ESTIMATES SUMMARY

#1 - UNNAMED TO PECAN CREEK TO LAKE LEWISVILLE

TDS	Chloride	Sulfate		Water Quality Measure		TDS	Chloride	Sulfate		Water Quality Measure	
324	38	92	(mg/L)	re (HPR 1)	lmpa	324	38	92	(mg/L)	re (HPR 1)	lmp
2500	400	300	(mg/L)	Secondary Concentration Standard	Impact on Lake Lewisville	2500	400	300	(mg/L)	Secondary Concentration Standard	Impact on Pecan Creek
0.000001%	0.0000004%	0.000001%	(%)	Proposed Increase		0.0000%	0.00003%	0.00009%	(%)	Proposed Increase	
1000	300	300	(mg/L)	Resultant Concentration		2500	400	300	(mg/L)	Resultant Concentration	

WATER QUALITY IMPACTS ON PECAN CREEK	PECAN CR	EEK	
Pecan Creek Watershed Area:	24.5	square miles	24.5 square miles <u>UNT Digital Library</u>
Average Annual Rainfall:	36.70	inches	TWDB Water Data for Texas
Average Annual Rainfall Volume:	47,955	47,955 acre-feet	TWDB Water Data for Texas
Requested Annual Groundwater Volume from Northern Trinity:	0.140	0.140 acre-feet	From Irrigation Demand Calculations

1 ft. = 1 sq. mi. = 1 ac-ft = 1 mg = 12 640 1,233,482 0.000001

Flow Volume Ratio of pumped groundwater to Average Annual Rainfall:

Assuming the Lewisville Lake watershed meets the published requirements, the following would result:

0.00029%

2500	0.0000%	147.879.129 0.0000%		56	2500	324	TDS
400	0.00003%	23,660,658 0.00003%	23,660,652	7	400	38	Chloride
300	%6000000	17,745,505	17,745,489	16	300	92	Sulfate
	(%)	(kg)	(kg)	(kg)	(mg/L)	(mg/L)	
(mg/L)	IIICIEdse		Watershed		Standard		
Concentration	horoseu	Total Mass	Little Elm Creek Total Mass	Annual Mass from (HPR 1)	Concentration	(HPR 1)	Water Quality Measure
Resultant			Annual Mass from		Secondary		

WATER QUALITY IMPACTS ON LEWISVILLE LAKE	EWISVILLE L	YKE	
Lake Lewisville Watershed Area:	1,660	square miles	Lewisville Lake TWDB Page
Average Annual Rainfall:	40.96	inches	TWDB Water Data for Texas
Average Annual Rainfall Volume:	3,626,325	acre-feet	TWDB Water Data for Texas
Requested Annual Groundwater Volume from Northern Trinity:	0.140	acre-feet	From Irrigation Demand Calculations

Flow Volume Ratio of pumped groundwater to Average Annual Rainfall: 0.0000039%

Assuming the Lewisville Lake watershed meets the published requirements, the following would result:

1 mg =	1 ac-ft =	1 sq. mi. =	1 ft. =		
0.000001	1,233,482	640	12	Conversions	
<u>~</u>	_	ac.	in.		


TDS	Chloride	Sulfate		Water Quality Measure
324	38	92	(mg/L)	(HPR 1)
2500	400	300	(mg/L)	Secondary Concentration Standard
56	7	16	(kg)	Annual Mass from (HPR 1)
11,182,516,534	1,789,202,645	1,341,901,984	(kg)	Annual Mass from Lewisville Lake Watershed
11,182,516,590	1,789,202,652	1,341,902,000	(kg)	Total Mass
0.000001%	0.0000004%	0.000001%	(%)	Proposed Increase
2500	400	300		Resultant Concentration (mg/L)

ENCE South 88'00'48" East, along the north line of said Tract 1 and said Black. .22 feet to a mag nail set for the northerly northeast corner of said Tract 1; in 88-9490° Esst, along the northely lins of said Tract 1, a distance of 517.96 feet to a 585 iron no preampted "KHA" said is the beginning of a non-targetic curve to the with a radiate of \$2.55.00 angle of 11°24'47", and a chied bearing and distance of South 63°36'05' Esst, 647.32 feet. 06'58" East, a distance of 14.85 feet to a point to 244" West, a distance of 1834 seet to a point at the beginning of a non-tangent owns to the left sol 275,000 text, a central angle of 1514" (4", and a chord bearing and distance of South feet, 172,02 text. SICT West, a distance of 305.27 feet to a 5/6" from not with plastic cap atamped "RHA" set at the of a non-compart curve to the right with a malus of 4,000.00 feet, a central angle of 011°34"30", and sring and distance of North 67" (276" West, 110.00 feet; desction, with said non-tangent curve to the right, an arc distance of 141,50 feet to a point all the a revenue curve to the still with a related of 275,00 feet, a certiful angle of 25°0550°, and a chord distance of Seuth 85°05'46° Weat, 109,97 feet; "14/02" West, Jarong the east inter of saled "first" I snot the work lies of said 61:51 -acce text. 15 feet to a 56" iron not with plantic cap stamped "ficht", set to the northesty southwate corner of monits of the northeast corner of a called 516" arce tract of land described as That 2 in afforesaid historinant No. 2024-96973 of the Cifficial Rescords of Denton County, Tenze; 57" West, a distance of 385.00 feet to a 5.0" iron rod with plo ner of said Tract 2, common to an ell corner of said Tract 1; 33" East, a distance of 400.00 feet to a 545" iron rod with plac 8" West, a distance of 14.74 fast to a point at the beginning of a non of 4,000.00 fast, a central angle of 02"01"20", and a chord bearing as st, 141.40 fast; ⁷ Elect, a debiance of 22.00 feet to a 50° teen not with pastific cap stamped "KHA" set at the non-resingent curve to the left with a resistant of 37.50 feet, a central angle of 233° 57.20°, and and debiance of South 62° 44°CC Teat, 1922 49 feet; #" East, a distance of 47.34 feet to a point t #" East, a distance of 47.34 feet to a point t East, a distance of 47.34 fact to a point lest, a distance of 120.00 feet to a point for — can, continuing along the nothesity line of salet flast 1; a distance of 241.16 feet to a cup stamped "CHA", set for the easiety notheast corner of salet flast 1 on the wast line or or or an extraction of the control of the co : 89°44'50' West, along the south line of said Tract 1 and the north line of said 125.827-acre tract, a 30 feet to a 58° licen not with please cup stamped "KHA" set for a northwest corner of said 29457° East, abong the morth line of salid Theat 1 and the south line of salid 5,000-above tract, if feet to a 12° tern not found for the nottlewest corner of salid 27.57-above tract, common to a feath Tract 1; a distance of 228.50 feet to a point for a distance of 15.65 feet to a point for According to Chy of Authory Zoning Oxed Dather (Regulation).

Maritum height 45 feet.
Sain, ward width: 20 feet.
Floor, ward 50 feet.
Floor, ward 50 feet.
Floor, ward 50 feet.
Floor, ward 50 feet.
Maritum 100 degler: 225 feet.
Maritum 100 degler: 235 feet.
Maritum 100 degler: 235 feet.
Maritum 100 degler: 235 feet.
Maritum structure date: 2,000 adulation. According to the City of Autrey Official Zoning Map approved on March 27, 2018, as part of the Zoning Ordinance of the City of Autrey, Texas, Ordinance #XX5-16, the property is zoned AG-R (Agricultural Residentist) LOT 1, BLOCK A ND BARNES ACOMICN DOC, ND, 2023-965 P.R.D.C.T. BLACK, MOCK ROAD

BLACK HOCK ROAD CALLED 27 SF ACRES
DECCAN PANACH, LLC
PRETRUBERT NO. 2019-027
ORDICT. TRACT 1 CALLID 56 KRI ACRES KI, 18 80Y 3, LIC INST NO. 2004-6973 O R D C T. TRACT 1 65.626 ACRES 2,856,653 SQ, FT. All braining abown me besed on gid north of the Tiscus Coportions System of 1985, North Cornial Zone (402); North American Dozum 1983, Jul dismotors shown as egypond distances. To obtain a girld distance, mulliply the ground distance by the Project Continued Factor (PCF) of 0.098855448; incorpore Management Agency Proof Interance Ram Mark N. 4817 (20050). Up Obston opporated servans, Garde M. 1907. This property is required with Endown Agricultural to the County of ST. NO. 2015-75870 OFFICE.
 Sizable
 Downthin
 Checked by
 Date
 Project No.
 Size No.

 1"= 100"
 9G
 KH4A
 05/22/XX64
 05/94/1879
 1 OF 2
 ALTANSPS LAND TITLE SURVEY
TRACT 1: 68.628 ACRES
TRACT 2: 31.067 ACRES
F. TREVINO SURVEY, ABSTRACT NO. 1243
DENTON COUNTY, TEXAS Kimley»Horn PHILAND MARKET MORES, LLCC INST. NO. 2821-31043 O.R.D.C.T. CALLED 37.15 ACRES
CALVIN PAUL REDERARY
INST. NO. 2014-99076
O.R.D.C.T.



NING at a 58 inch iron rod with plastic cap stamped "KHA" sat for the southeast corner of said Trast 2 on the thereof recorded in Document No. 2024-2 of the Plat Records of Derton County, Texas; of land situated in the F. Trevino Survey dead to KL LB Buy S, LLC, recorded in 907* View, along the weeterly the of east Remetated and continuing along the positionly fair of lead Total 2, a distance of 3.11 sket to a 12 slegister plastic sup-bound for the methewat conser of a calked 27,105 acres sets of land described in a dead to Authory Farms LLC, as 71 No. 2019-03/25 of the Chitical Records of Chester County, Teaus. "Y West, along and southerly line of coded Tract 2, the contently line of seld 27.10 (is not tract, and its mortheyly line of a cell 27.27 own.

"Y West, along and southerly line of cell and tract 2.27 own.

I so deed to Decom Minors." Line recorded in Humanien No. 2011 257 of the Otheral Revision of Demon Content, Years, a deletized on the season of the cell and the process of the Cell and t

31" Week, a distance of 40.00 Seet to a 506" from not with pleasic cap stamped 1944," set at the beginning of a no 25.00 feet, a central angle of 01" 02"50", and a chool bearing and distance of North 44" 1934" East, E.03 feet.

ection, with said non-sangent curve to the right, an are distance of 110.71 feet to a point at the beginning of a revers (00 feet, a period angle of 02°01'20", and a chord bearing and distance of South 64°24'52" East, 141,49 feet,

646" East, a distance of 13.83 fast to a point at the beginning of a non-tend a chord bearing and distance of South 87" 1276" East, 110.20 feet:

Esta a distance of 1945 Seath on a SE* from on shift platfor op samped "RVE" set for the ortheast comer of seld Trad 2 common to realthead comer of odd Trad 1, being or the washery like of a celeded (if it it less that of this observed in a deed to Hill Land CL, as recorded in Instrument No. 2021-31045 of the Official Records of Denten County, Tucae;

the Committee for Tille Instancians, insulately Dome Tille Instancia, Inc., GP. No. 114729-002500, calle May 20 2004; Instancia No. 2004.)

Segment executably Mrs. C.C. Thirmon and prin, W.R. Thirmon, to Tease Phase & Light Company, dated signature 24, 1914, incompany Invariant 194, Pages 502-563, Dead Records of Dentitr District, Tease.

assement executed by Les R. Henderson to Texas-Louisiana Power Company, dated November 8, 1928, recordso in Volume 229, Pages S4-55, Dead Records of Deintin County, Texas. QES NOT AFFECT.

wavent for Hyllway Purposes exceeded by § P. Sontday and wife, Lucvia Sonstay, to the last of Teaus, dated June 11, 1981, recorded in Volume 450, Puges XXS-XXT, Dated Names of the Octory, Teaus,

3,MOJ_RFESC_1.

sd in Judgement to State of Tevas by R.J.; DeMoye and wife, Margaret DeMoye, ser 3, 1980, recorded in Votume 462, Pages 358-359, Deed Records of Denton by B.P. Sonring to Community Public Service Company, dated May 7, uma 514, Page 13, Deed Records of Denton County, Texas.

by J.O. Calley to Community Public Service Compeny, deleted May 23, rolume 651, Pages 147-148, Deed Records of Denton County, Toxas.

ecuted by J. Lee Youngblood to Community Public Service Company, dated July orded in Younna 1030, Pagas 619-621, Dated Records of Danton County, Teora. VFRCT.

osecuted by Younghboot, Ltd. to Energy Transfer Fluit, LP, dahed November 2, 2007. Instrument No., 2007-130005, Official Public Records of Derton County, Touas, AFFECT. On-Sile Sewage Facility requiring matrineseror contend, together with the terms receive to the matriceance of some as evidenced by Affiliant to Fubic recorded \$ Pages \$3.90, Official Multic Records of Dentan County, Texas. Y RELATED MATTER

iteatis Line Essement and Right of Way executed by ALW Land Proporties, LLC to Denton carring Beartic Coopendays, Inc. albit Coopen Bearts, dated July 7, 2016, econosid Instrument to. 2016;49(51). Official Patic Records of Denton County, Texas. UFECTS PROPERTY, AS SHOWN ON SURVEY.

rems, possiblers and condition of Development Agreement executed by and tenimens ALW 2017; LLC, PM Land Investments I. LLC, and fast Day of Judany, Feast, dated Julian 30; 2021; recorded in Institutional No. 2022; 15 (1886). OTHER STATES AND CONTROL OF Development County, Teast, AFFECT 8 SURVEYED PROPERTY, BLANKET IN HATURE.

openy is a portion of the property described in the mineral lease recorded in Institutent N the Official Poster Records of Darinos County, Teases. This auriesy does not provide a opinion concerning the mineral estates and interests and all rights incident thereto in the counters. Only the mineral estate's location relative to the surrecyed property was a property.

The surveyad property is a portion of the Walter rights as reserved in Dead executed by ALV877, LLC to Autroy Brackgot's Petitines, LLC, clased November 19, 2021, recorded in bestument by, 2021-21/3816 of the Official Public Records of Dentan County, Teaus.

exoris Distribution Line Esterment to Texas News Mexico Prover Company, moorieds under O File No. 2022/11/10/20, Official Public records, Desten County, Texas.



ALTANSPS LAND TITLE SURVEY
TRACT 1: 68.628 ACRES
TRACT 2: 31.067 ACRES
F. TREVINO SURVEY, ABSTRACT NO. 1243
DENTON COUNTY, TEXAS



Denton County Juli Luke County Clerk

Instrument Number: 66973

ERecordings-RP

WARRANTY DEED

Recorded On: June 25, 2024 10:20 AM Number of Pages: 14

" Examined and Charged as Follows: "

Total Recording: \$77.00

******* THIS PAGE IS PART OF THE INSTRUMENT ********

Any provision herein which restricts the Sale, Rental or use of the described REAL PROPERTY because of color or race is invalid and unenforceable under federal law.

File Information: Record and Return To:

Document Number: 66973

66973 Simplifile 20240625000186

Receipt Number: 20240625000186

Recorded Date/Time: June 25, 2024 10:20 AM

User: Torey P Station: Station 22



STATE OF TEXAS COUNTY OF DENTON

I hereby certify that this Instrument was FILED In the File Number sequence on the date/time printed hereon, and was duly RECORDED in the Official Records of Denton County, Texas.

Juli Luke County Clerk Denton County, TX NOTICE OF CONFIDENTIALITY RIGHTS: IF YOU ARE A NATURAL PERSON, YOU MAY REMOVE OR STRIKE ANY OR ALL OF THE FOLLOWING INFORMATION FROM ANY INSTRUMENT THAT TRANSFERS AN INTEREST IN REAL PROPERTY BEFORE IT IS FILED FOR RECORD IN THE PUBLIC RECORDS: YOUR SOCIAL SECURITY NUMBER OR YOUR DRIVER'S LICENSE NUMBER.

SPECIAL WARRANTY DEED

STATE OF TEXAS §
\$ KNOW ALL MEN BY THESE PRESENTS:
COUNTY OF DENTON \$

THAT, AUBREY BLACKJACK PARTNERS, LLC, a Texas limited liability company (hereinafter referred to as "Grantor"), for the sum of Ten and No/100 Dollars (\$10.00) and other good and valuable consideration to the undersigned in hand paid by KL LB BUY 3, LLC, a Delaware limited liability company (hereinafter referred to as "Grantee"), whose address is c/o KL Servicers LLC, 6900 E. Camelback Road, Suite 800, Scottsdale, AZ 85251, the receipt and sufficiency of which are hereby acknowledged, has GRANTED, SOLD and CONVEYED and by these presents does GRANT, SELL and CONVEY to Grantee all those certain real property (the "Land") situated in Denton County, Texas, and described on Exhibit A attached hereto and incorporated herein by reference, together with (i) any and all minerals, improvements, rights and appurtenances belonging or pertaining thereto, (ii) all rights, title and interests of Grantor in and to any easements, leases, rights-of-way, rights of ingress or egress or other interests in, on or to any land, highway, street, road or avenue, open or proposed, in, on, in front of, abutting, adjoining or benefitting the Land, and (iii) all rights, title and interests of Grantor in and to all utilities, sewage treatment capacity and water capacity, if any, to serve or which will serve the Land (the Land and all of the foregoing set forth in the above subclauses (i)-(iii) are hereinafter collectively referred to as the "Property").

This conveyance is made and accepted subject only to those certain title exceptions more particularly described on <u>Exhibit B</u> attached hereto and made a part hereof for all purposes (the "<u>Permitted Exceptions</u>"), but only to the extent that such Permitted Exceptions are valid, subsisting and, in fact, affect the Property.

TO HAVE AND TO HOLD, the Property unto Grantee and Grantee's successors and assigns forever, and Grantor does hereby bind Grantor and Grantor's heirs, executors, administrators, legal representatives, successors and assigns to WARRANT AND FOREVER DEFEND, all and singular, the Property unto Grantee and Grantee's successors and assigns, against every person whomsoever lawfully claiming or to claim the Property or any part thereof, by, through or under Grantor, but not otherwise.

Ad valorem taxes relating to the Property have been prorated between Grantor and Grantee as of the date hereof. Furthermore, certain taxes, assessments, penalties and/or interest (collectively, the "Rollback Taxes") may be incurred or assessed against the Property, which Rollback Taxes accruing for all periods prior to and up through the date of this Deed, if any, are Grantee's sole responsibility. In this regard, Grantee hereby affirms its obligations to pay such Rollback Taxes accruing for all periods prior to and up through the date of this Deed and agrees to indemnify and defend Grantor and hold Grantor harmless from and against any and all costs, expenses or claims of any nature whatsoever, known or unknown, direct or indirect, in connection with such Rollback Taxes.

Save and except for the representations and warranties of Seller expressly contained in that certain Agreement dated April 13, 2023 by and between Grantor, as Seller and Grantee, as nominee for Lennar Homes of Texas Land and Construction Ltd., a Texas limited partnership as Purchaser, as amended (collectively, "Agreement"), it is understood and agreed that Grantor has not made and is not making and hereby specifically disclaims, and Grantee hereby specifically waives, any warranties, representations or guarantees of any kind or character, express or implied (or arising by operation of law), oral or written, past, present or future, with respect to or in any way related to or concerning the Property or its suitability for any particular purpose or use, including, but not limited to, warranties or representations as to matters of title, zoning, tax consequences, physical or environmental conditions, availability of access or utilities, ingress or egress, drainage, operating history or projections, valuation, governmental approvals, governmental regulations or any other matter or thing relating to or affecting the Property, including, without limitation, the following: (i) the nature and condition of the Property, including but not by way of limitation, the water, soil, geology and environmental condition of the Property. and the suitability thereof, and of the Property, for any and all activities and uses which Purchaser may elect to conduct thereon or any improvements Purchaser may elect to construct thereon, income to be derived therefrom or expenses to be incurred with respect thereto, or any obligations or any other matter or thing relating to or affecting the same; (ii) the manner or quality of construction (or of any materials incorporated into) and condition and state of repair or lack of repair of any improvements located thereon; (iii) the nature and extent of any easement, right of way, lease, possession, lien, encumbrance, license, reservation, condition or otherwise; (iv) the compliance of the Property or the operation of the Property with any laws, rules, codes, ordinances or regulations of any government or other body; (v) the value, condition, merchantability, marketability, profitability, suitability, habitability, or fitness for a particular use or purpose of the Property; and/or (vi) the manner or quality of the Property. Grantee acknowledges that (a) it is familiar with the Property and is a sophisticated purchaser of real estate, (b) it is relying and shall rely upon its own expertise and that of its consultants in purchasing the Property and that it will conduct such inspections and investigations as it deems necessary including, but not limited to, the physical and environmental conditions thereof and shall rely upon the same, and (c) it shall look solely to the experts and professionals selected or approved by Grantee to advise Grantee with respect to the condition of the Property and, without limitation of the foregoing, will not hold Grantor responsible for any environmental conditions or for any remediation activities in connection therewith, and hereby releases Grantor from any such liability. Subject to the representations and warranties of Seller expressly contained in the Agreement, Grantor sells and conveys the Property to Grantee, and Grantee acquires and accepts the Property, "AS IS, WHERE IS, and WITH ALL FAULTS".

When the context requires, singular nouns and pronouns include the plural.

[Signatures are on the following page.]

EXECUTED AND DELIVERED on this the	21	day of _	JUNE	, 2024.
------------------------------------	----	----------	------	---------

GRANTOR:

AUBREY BLACKJACK PARTNERS, LLC,

a Texas limited liability company

By:

Name: Charles S. Brown Title: Vice President

STATE OF TEXAS


888

COUNTY OF DALLAS

This instrument was acknowledged before me on June 20, 2024, by Charles S. Brown, Vice President of Aubrey Blackjack Partners, LLC, a Texas limited liability company, on behalf of said entity.

GIVEN UNDER MY HAND AND SEAL OF OFFICE this 20 day of June 2024.

[SEAL]



NOTARY PUBLIC IN AND FOR THE STATE OF TEXAS

My Commission Expires:

After recording, send to:

KL LB BUY 3, LLC c/o KL Servicers LLC 6900 E. Camelback Road, Suite 800 Scottsdale, AZ 85251 Attention: Tricia Tiernan

PLEASE SEND TAX STATEMENTS TO:

Lennar Homes of Texas Land and Construction, Ltd. 1707 Market Place Blvd., Suite 100 Irving, Texas 75063 Attn.: Greg Urech

EXHIBIT A

Legal Description of the Land

TRACT 1:

BEING a tract of land situated in the F. Trevino Survey, Abstract No. 1243, Denton County, Texas and being a portion of a remainder of a called 357.561acre tract of land described in a deed to Aubrey Blackjack Partners, LLC., recorded in Instrument Number 2021213816, Official Records of Denton County, Texas, and being more particularly described as follows:

BEGINNING at a 5/8" iron rod with plastic cap stamped "KHA" set for the northernmost northeast corner of a called 125.827 acre tract described in the deed to KLLB AIV, LLC., recorded in Instrument Number 202397316, Official Records of Denton County, Texas and being the beginning of a nontangent curve to the left with a radius of 606.00 feet, a central angle of 01°51'47", and a chord bearing and distance of North 50°01'52" East, 19.70 feet;

THENCE over and across said 357.561 acre tract of land the following courses and distances: In an easterly direction, with said nontangent curve to the left, an arc distance of 19.71 feet to a point for corner;

North 49°05'58" East, a distance of 106.29 feet to a point for corner;

North 04°05'58" East, a distance of 14.14 feet to a point for corner;

North 49°05'58" East, a distance of 50.00 feet to a point for corner;

South 85°54'02" East, a distance of 14.14 feet to a point for corner;

North 49°05'58" East, a distance of 226.40 feet to a point for corner;

North 04°05'58" East, a distance of 14.85 feet to a point for corner;

North 49°05'58" East, a distance of 50.00 feet to a point for corner;

South 85°54'02" East, a distance of 14.85 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

North 49°05'58" East, a distance of 560.89 feet to a point for corner;

North 03°29'37" East, a distance of 14.07 feet to a point for corner;

North 47°53'15" East, a distance of 50.00 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

North 42°06'45" West, a distance of 55.45 feet to a point at the beginning of a tangent curve to the left with a radius of 625.00 feet, a central angle of 04°34'45", and a chord bearing and distance of North 44°24'07" West, 49.94 feet;

In a northwesterly direction, with said tangent curve to the left, an arc distance of 49.95 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

North 43°18'30" East, a distance of 65.55 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

North 49°05'58" East, a distance of 93.53 feet to a point for corner;

North 46°06'01" East, a distance of 47.32 feet to a point for corner;

North 39°27'23" East, a distance of 47.34 feet to a point for corner;

North 33°23'34" East, a distance of 47.34 feet to a point for corner;

North 27°19'44" East, a distance of 47.34 feet to a point for corner;

North 22°42'35" East, a distance of 49.19 feet to a point for corner;

North 22°26'04" East, a distance of 99.61 feet to a point for corner;

North 18°26'49" East, a distance of 47.34 feet to a point for corner;

North 11°42'12" East, a distance of 58.96 feet to a point for corner;

North 04°54′39" East, a distance of 47.60 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

North 20°09'04" West, a distance of 27.65 feet to a point for corner;

North 27°44'47" West, a distance of 59.25 feet to a point for corner;

North $54^{\circ}57'54''$ West, a distance of 105.36 feet to a 5/8'' iron rod with plastic cap stamped "KHA" set for corner;

North 01°50'14" East, a distance of 40.47 feet to a mag nail set for corner on the north line of said 357.561acre tract and in Black Jack Road, a variable width right of way, no record found;

THENCE South 88°09'46" East, along the north line of said 357.561acre tract and said Black Jack Road, a distance of 432.22 feet to a mag nail set for corner;

THENCE South 02°28'04" West, departing the north line of said 357.561 acre tract and said Black Jack Road, and crossing said 357.561 acre tract, a distance of 159.74 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

THENCE South 86°46'49" East, continuing across said 357.561acre tract, a distance of 517.66 feet to a 5/8" iron rod with plastic cap stamped "KHA" set at the beginning of a nontangent curve to the left with a radius of 3,255.00 feet, a central angle of 11°24'47", and a chord bearing and distance of South 83°36'06" East, 647.32 feet;

THENCE in a easterly direction continuing across said 357.561 acre tract, with said nontangent curve to the left, an arc distance of 648.39 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

THENCE South 89°18'30" East, continuing across said 357.561 acre tract, a distance of 241.16 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner on the east line of said 357.561 acre tract and the west line of a called 61.611 acre tract of land described in a deed to FM Land Investments I, LLC, as recorded in Instrument No. 202131043 of the Official Records of Denton County, Texas;

THENCE South 01°40'23" West, along the east line of said 357.561 acre tract and the west line of said 61.611 acre tract, a distance of 1,050.15 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

THENCE departing the east line of said 357.561 acre tract and the west line of said 61.611acre tract, and crossing said 357.561 acre tract, the following courses and distances:

North 89°18'30" West, a distance of 119.45 feet to a 5/8" iron rod with plastic cap stamped "KHA"

set for corner;

South 46°10'57" West, a distance of 14.26 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

North 89°44′37" West, a distance of 50.02 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

North 88°19'37" West, a distance of 128.96 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner:

North 00°25'03" West, a distance of 305.27 feet to a 5/8" iron rod with plastic cap stamped "KHA" set at the beginning of a nontangent curve to the right with a radius of 4,009.00 feet, a central angle of 01°34'30", and a chord bearing and distance of North 87°12'56" West, 110.20 feet;

In a westerly direction, with said nontangent curve to the right, an arc distance of 110.20 feet to a point for corner;

South 46°36'46" West, a distance of 13.63 feet to a point for corner;

North 85°55'37" West, a distance of 50.15 feet to a point for corner;

North 42°57'26" West, a distance of 14.74 feet to a point at the beginning of a nontangent curve to the right with a radius of 4,009.00 feet, a central angle of 02°01'20", and a chord bearing and distance of North 84°24'52" West, 141.49 feet;

In a westerly direction, with said nontangent curve to the right, an arc distance of 141.50 feet to a point at the beginning of a reverse curve to the left with a radius of 275.00 feet, a central angle of 23°03′59″, and a chord bearing and distance of South 85°03′48″ West, 109.97 feet;

In a westerly direction, with said reverse curve to the left, an arc distance of 110.71 feet to a point for corner;

South 24°22'22" West, a distance of 13.35 feet to a point for corner;

South 66°13'51" West, a distance of 50.00 feet to a point for corner;

North 71°52'44" West, a distance of 13.34 feet to a point at the beginning of a nontangent curve to the left with a radius of 275.00 feet, a central angle of 15°14'14", and a chord bearing and distance of South 51°18'46" West, 72.92 feet;

In a southwesterly direction, with said nontangent curve to the left, an arc distance of 73.13 feet to a point for corner;

South 43°41'39" West, a distance of 75.68 feet to a point at the beginning of a tangent curve to the right with a radius of 325.00 feet, a central angle of 01°03'50", and a chord bearing and distance of South 44°13'34" West, 6.03 feet;

In a southwesterly direction, with said tangent curve to the right, an arc distance of 6.03 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

South 45°14'31" East, a distance of 40.60 feet to a point for corner;

South 00°25'03" East, a distance of 400.00 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

South 89°34'57" West, a distance of 120.00 feet to a point for corner;

South 00°25'03" East, a distance of 8.20 feet to a point for corner;

South 89°34'57" West, a distance of 385.00 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

South 00°25'03" East, a distance of 120.20 feet to a point for corner;

South 35°45'20" East, a distance of 25.00 feet to a 5/8" iron rod with plastic cap stamped "KHA" set at the beginning of a nontangent curve to the left with a radius of 57.50 feet, a central angle of 233°57'26", and a chord bearing and distance of South 62°44'03" East, 102.49 feet;

In an easterly direction, with said non-tangent curve to the left, an arc distance of 234.79 feet to a point for corner;

North 49°35'53" East, a distance of 12.77 feet to a point for corner;

North 89°34′57" East, a distance of 5.00 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

South 00°25'03" East, a distance of 120.00 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

North 89°34′57" East, a distance of 90.00 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner:

South 00°25'03" East, a distance of 477.26 feet to a 5/8" iron rod with plastic cap stamped "KHA" set on the south line of said 357.561 acre tract and the north line of a called 27.37 acre tract of land described in the deed to Deccan Ranch, LLC, recorded in Instrument No. 2019327 Official Records of Denton County, Texas;

THENCE South 89°34'57" West, along the south line of said 357.561 acre tract, the north line of said 27.37 acre tract, a distance of 143.48 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for the southeast corner of a called 5.000 acre tract of land described in a deed to Joshua A. Bethke, Trustee, as recorded in Instrument Number 20248127, Official Records of Denton County, Texas;

THENCE North 00°25'03" West, departing the south line of said 357.561acre tract and the north line of said 27.37 acre tract, and along the easterly line of said 5.000 acre tract, a distance of 480.00 feet to the northeast corner of said 5.000 acre tract;

THENCE South 89°34'57" West, along the north line of said 5.000 acre tract, a distance of 453.75 feet to the northwest corner of said 5.000 acre tract;

THENCE South 00°25'03" East, along the west line of said 5.000 acre tract, a distance of 480.00

feet to a 5/8" iron rod with plastic cap stamped "KHA" set for the southwest corner of said 5.000 acre tract;

THENCE North 89°34'57" East, along the south line of said 5.000 acre tract, a distance of 204.04 feet to a 1/2" iron rod found for the northwest corner of said 27.37acre tract, common to an ell corner of said 357.561acre tract;

THENCE South 00°10'43" East, departing the south line of said 5.000 acre tract, along the west line of said 27.37acre tract and the east line of said 357.561 acre tract, a distance of 274.51 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for the southerly northeast corner of aforesaid 125.827 acre tract;

THENCE South 89°44′50" West, along the north line of said 125.827acre tract, a distance of 228.99 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for a northwest corner of said 125.827 acre tract;

THENCE departing said north line, over and across aforementioned 357.561acre tract the following courses and distances:

North 00°10'40" West, a distance of 37.64 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

North 52°23'03" East, a distance of 115.05 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

North 37°36'57" West, a distance of 234.04 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

North 30°40'34" West, a distance of 62.61 feet to a point for corner;

North 24°18'32" West, a distance of 63.01 feet to a point for corner;

North 17°56'30" West, a distance of 63.01 feet to a point for corner;

North 11°34'44" West, a distance of 67.77 feet to a point for corner;

North 11°02'25" West, a distance of 84.90 feet to a point for corner;

North 16°05'45" West, a distance of 100.87 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

North 23°14'14" West, a distance of 176.77 feet to a point for corner;

North 20°46'24" West, a distance of 69.38 feet to a point for corner;

North 17°59'04" West, a distance of 70.55 feet to a point for corner;

North 16°16'48" West, a distance of 245.06 feet to a point for corner;

North 27°19'42" West, a distance of 113.14 feet to a point for corner;

North 39°35'23" West, a distance of 103.49 feet to a point for corner;

South 49°05'58" West, a distance of 196.01 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

South 04°05'58" West, a distance of 14.14 feet to a point for corner;

South 49°05'58" West, a distance of 50.00 feet to a point for corner:

North 85°54'02" West, a distance of 14.14 feet to a point for corner;

South 49°05'58" West, a distance of 228.50 feet to a point for corner;

South 09°23'51" West, a distance of 15.65 feet to a point for corner;

South 49°05'58" West, a distance of 50.86 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

North 77°49'37" West, a distance of 12.51 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for the southernmost northeast corner of aforementioned 125.827acre tract;

THENCE North 39°02'15" West, along the northeasterly line of said 125.827acre tract, a distance of 60.35 feet to the POINT OF BEGINNING and containing 65.626 acres (2,858,653 square feet) of land, more or less.

TRACT 2:

BEING a tract of land situated in the F. Trevino Survey, Abstract No. 1243, Denton County, Texas and being a portion of a remainder of a called 357.561 acre tract of land described in a deed to Aubrey Blackjack Partners, LLC., recorded in Instrument Number 2021213816, Official Records of Denton County, Texas, and being more particularly described as follows:

COMMENCING at a 1/2 inch iron rod with plastic cap stamped "Price Surveying" found for the northerly southeast corner of said 357.561 acre tract;

THENCE North 01°40'23" East, along an easterly line of said 357.561 acre tract, a distance of 3.21 feet to a 5/8 inch iron rod with plastic cap stamped "KHA" set for corner on the northerly line of Keeneland, according to the plat thereof recorded in Document No. 20242 of the Plat Records of Denton County, Texas;

THENCE South 89°33'30" West, departing said easterly line of said 357.561 acre tract and along the northerly line of said Keeneland, a distance of 250.21 feet to a 5/8 inch iron rod with plastic cap stamped "KHA" set for the northwest corner of said Keeneland;

THENCE South 01°49'07" West, along the westerly line of said Keeneland, a distance of 3.11 feet to a 1/2 inch iron rod with an illegible plastic cap found for the northeast corner of a called 27.106 acre tract of land described in a deed to Aubrey Farms LLC, as recorded in Instrument No. 201983125 of the Official Records of Denton County, Texas, being on a southerly line of said 357.561 acre tract;

THENCE South 89°34'57" West, along said southerly line of said 357.561 acre tract, the northerly line of said 27.106 acre tract, and the northerly line of a called 27.37 acre tract of land described in a deed to Deccan Ranch, LLC, as recorded in Instrument No. 2019327 of the Official Records of Denton County, Texas, a distance of 896.05 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

THENCE departing said southerly line of 357.561 acre tract and the northerly line of said 27.37 acre tract, and crossing said 357.561 acre tract, the following courses and distances:

North 00°25'03" West, a distance of 477.26 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

South 89°34'57" West, a distance of 90.00 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

North 00°25'03" West, a distance of 120.00 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

South 89°34'57" West, a distance of 5.00 feet to a point for corner;

South 49°35'53" West, a distance of 12.77 feet to a point at the beginning of a nontangent curve to the right with a radius of 57.50 feet, a central angle of 233°57'26", and a chord bearing and distance of North 62°44'03" West, 102.49 feet;

In a westerly direction, with said nontangent curve to the right, an arc distance of 234.79 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

North 35°45'20" West, a distance of 25.00 feet to a point for corner;

North 00°25'03" West, a distance of 120.20 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

North 89°34′57" East, a distance of 385.00 feet to a point for corner;

North 00°25'03" West, a distance of 8.20 feet to a point for corner;

North 89°34'57" East, a distance of 120.00 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

North 00°25'03" West, a distance of 400.00 feet to a point for corner;

North 45°14'31" West, a distance of 40.60 feet to a 5/8" iron rod with plastic cap stamped "KHA" set at the beginning of a nontangent curve to the left with a radius of 325.00 feet, a central angle of 01°03'50", and a chord bearing and distance of North 44°13'34" East, 6.03 feet;

In a northerly direction, with said nontangent curve to the left, an arc distance of 6.03 feet to a point for corner;

North 43°41'39" East, a distance of 75.68 feet to a point at the beginning of a tangent curve to the right with a radius of 275.00 feet, a central angle of 15°14'14", and a chord bearing and distance of North 51°18'46" East, 72.92 feet;

In a easterly direction, with said tangent curve to the right, an arc distance of 73.13 feet to a point for corner;

South 71°52'44" East, a distance of 13.34 feet to a point for corner;

North 66°13'51" East, a distance of 50.00 feet to a point for corner;

North 24°22'22" East, a distance of 13.35 feet to a point at the beginning of a nontangent curve to the right with a radius of 275.00 feet, a central angle of 23°03'59", and a chord bearing and distance of North 85°03'48" East, 109.97 feet;

In a easterly direction, with said nontangent curve to the right, an arc distance of 110.71 feet to a point at the beginning of a reverse curve to the left with a radius of 4,009.00 feet, a central angle of 02°01'20", and a chord bearing and distance of South 84°24'52" East, 141.49 feet;

In a easterly direction, with said reverse curve to the left, an arc distance of 141.50 feet to a point for corner;

South 42°57'26" East, a distance of 14.74 feet to a point for corner;

South 85°55'37" East, a distance of 50.15 feet to a point for corner;

North 46°36′46" East, a distance of 13.63 feet to a point at the beginning of a nontangent curve to the left with a radius of 4,009.00 feet, a central angle of 01°34′30", and a chord bearing and distance of South 87°12′56" East, 110.20 feet;

In a easterly direction, with said nontangent curve to the left, an arc distance of 110.20 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

South 00°25'03" East, a distance of 305.27 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

South 88°19'37" East, a distance of 128.96 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

South 89°44'37" East, a distance of 50.02 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

North 46°10′57" East, a distance of 14.26 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner;

South 89°18'30" East, a distance of 119.45 feet to a 5/8" iron rod with plastic cap stamped "KHA" set for corner on an easterly line of said 357.561 acre tract and the westerly line of a called 61.611 acre tract of land described in a deed to FM Land Investments I, LLC, as recorded in Instrument No. 202131043 of the Official Records of Denton County, Texas;

THENCE South 01°40'23" West, along said easterly line of 61.611 acre tract and the westerly line of said 61.611 acre tract, a distance of 1,022.36 feet to the POINT OF BEGINNING and containing 31.067 acres (1,353,271 square feet) of land, more or less.

EXHIBIT B

Permitted Exceptions

- 1. Standby fees, taxes, and assessments by any taxing authority for the year 2024, and subsequent years.
- 2. Existence of an OnSite Sewage Facility requiring maintenance contract, together with the terms and conditions relative to the maintenance of same as evidenced by Affidavit to Public recorded in Volume 4873, Pages 38-39, Official Public Records of Denton County, Texas.
- 3. Electric Line Easement and Right of Way executed by ALW Land Properties, LLC to Denton County Electric Cooperative, Inc. d/b/a Coserv Electric, dated July 7, 2016, recorded Instrument No. 201686611, Official Public Records of Denton County, Texas. (Tract 1)
- 4. Terms, provisions and conditions of Development Agreement executed by and between ALW 377, LLC, FM Land Investments I, LLC, and the City of Aubrey, Texas, dated June 30, 2021, recorded in Instrument No. 2021131889, Official Public Records of Denton County, Texas.
- 5. All oil, gas, and other minerals of every character in, on, under, or that may be produced upon the herein described property reserved in instrument recorded in Instrument No. 2021213816, Official Records of Denton County, Texas, together with all royalties, bonuses, rentals, and all rights, express or implied, reference to which instrument is here made for all purposes.
- 6. Water rights as reserved in Deed executed by ALW 377, LLC to Aubrey Blackjack Partners, LLC, dated November 19, 2021, recorded in Instrument No. 2021213816, Official Public Records of Denton County, Texas.
- 7. Lack of right of access to and from TRACT 2.
- 8. Survey dated 5/22/2024, prepared by Sylviana Gunawan, RPLS 6461,: Fences do not follow property lines and traverse over and across the property line. Asphalt pavement and gravel traverse over and across the property line of Tract 1. Portion of Tract 1 lies in the Black Jack Road R.O.W. Apparent Easements as evidenced by those certain Electric meters, Sanitary Sewer Cleanout, Water Spigot, Water wells, Water meters, Sanitary Sewer Septic Tanks, Sanitary Sewer Line pumps, Flood lights, Gas meters, and Light Standards.

Juli Luke County Clerk

Instrument Number: 55015

ERecordings-RP

WARRANTY DEED

Recorded On: May 24, 2024 04:06 PM Number of Pages: 4

" Examined and Charged as Follows: "

Total Recording: \$37.00

******* THIS PAGE IS PART OF THE INSTRUMENT ********

Any provision herein which restricts the Sale, Rental or use of the described REAL PROPERTY because of color or race is invalid and unenforceable under federal law.

File Information: Record and Return To:

Document Number: 55015

Receipt Number: 20240524000609

Recorded Date/Time: May 24, 2024 04:06 PM

User: Jessica S Station: Station 9



STATE OF TEXAS COUNTY OF DENTON

I hereby certify that this Instrument was FILED In the File Number sequence on the date/time printed hereon, and was duly RECORDED in the Official Records of Denton County, Texas.

Corporation Service Company

Juli Luke County Clerk Denton County, TX

SPECIAL WARRANTY DEED

High Pointe Ranch Municipal Utility District No. 1 of Denton County – Directors Lot (Undivided 20% Interest No. 3)

THE STATE OF TEXAS

\$ KNOW ALL PERSONS BY THESE PRESENTS:

COUNTY OF DENTON

\$

NOTICE OF CONFIDENTIALITY RIGHTS: IF YOU ARE A NATURAL PERSON, YOU MAY REMOVE OR STRIKE ANY OR ALL OF THE FOLLOWING INFORMATION FROM ANY INSTRUMENT THAT TRANSFERS AN INTEREST IN REAL PROPERTY BEFORE IT IS FILED FOR RECORD IN THE PUBLIC RECORDS: YOUR SOCIAL SECURITY NUMBER OR YOUR DRIVERS LICENSE NUMBER.

THAT Joshua A. Bethke, Trustee ("Grantor"), having an address of 16000 N. Dallas Parkway, Suite 350, Dallas, Texas 75248 for and in consideration of the sum of Ten Dollars (\$10.00) and other good and valuable consideration cash in hand paid by Brandon Allen, out of his sole and separate property, having an address of 4161 McKinney Ave., Suite 410 Dallas, TX 75204-8213 ("Grantee"), the receipt of which is hereby acknowledged, has granted, sold and conveyed, and by these presents does hereby grant, sell and convey unto Grantee, as his sole and separate property, an undivided 20% interest in the real property located in Denton County, Texas described in Exhibit "A" attached hereto.

This Deed and conveyance is expressly made subject to all liens, encumbrances, conditions and other exceptions appearing of record in the office of the County Clerk of Denton County, Texas and applicable to such property.

TO HAVE AND TO HOLD the above-described premises, together with all and singular the rights and appurtenances thereto in any way belonging unto the Grantee, Grantee's heirs and assigns, forever; and Grantor does hereby bind himself and his successors to Warrant and Forever Defend all and singular the above-described premises unto the said Grantee, Grantee's heirs and assigns against every person whomsoever lawfully claiming or to claim the same or any part thereof, by, through or under Grantor, but not otherwise.

THE STATE OF TEXAS

S

COUNTY OF DALLAS

This instrument was acknowledged before me on the 26 day of January, 2024 by Joshua A. Bethke, Trustee, in the capacity therein stated.

Notary Public in and for the State of Texas

(SEAL)

CARSON H LUDDECKE NOTARY ID #13330768-8

EXHIBIT "A"

BEING a tract of tend situated in the F. Trevino Survey, Abstract No. 1243, Denton County, Texas, and being a portion of a called 357.561-acre tract of land described in a Special Warranty Deed with Vendor's Lien to Aubrey Blackpack Partners, LLC, as recorded in Instrument No. 2021-213816 of the Official Records of Denton County, Texas, and being more particularly described as follows:

BEGINNING at a 1/2 inch iron rod found for the northwest corner of a called 27.37-acre tract of land, described in a deed to Deccan Ranch, LLC, as recorded in Instrument No. 2019-327 of the Official Records of Denton County, Texas, common to an ell corrier of said 357.561-acre tract, from which, a 1/2-inch iron rod with plastic cap stamped "Price Surveying", found for an angle point along the westerly line of said 27.37 acre tract, bears South 00"10"43" East, a distance of 956.88 feet;

THENCE South 89"34"57" West, crossing said 357.561-acre tract, a distance of 204.04 feet to a point for corner;

THENCE North 00°25'03" West, continuing across said 357.561-acre tract, a distance of 480.00 feet to a point for

THENCE North 89°34'57" East, continuing across said 357,561-acre tract, a distance of 453.75 feet to a point for comer:

THENCE South 00°25'03" East, continuing across said 357,561-acre tract, a distance of 480.00 feet to a point for corner on the southerly line of said 357.561-acre tract and the northerly line of said 27.37-acre tract;

THENCE South 89"34'57" West, along the southerly line of said 357.561-ecre tract and the northerly line of said 27.37-scre tract, a distance of 249.71 feet to the POINT OF BEGINNING and containing 5.000 acres (217,800 square feet) of land, more or less.

NA GUNAWAN REGISTERED PROFESSIONAL LAND SURVEYOR NO. 8481 6180 WARREN PKWY., SUITE 210 FRISCO, TEXAS 75034 PH. 972-335-3580

SYLVIANA GUNAWAN

EXHIBIT "A" **5.000 ACRES** F. TREVINO SURVEY, ABSTRACT NO. 1243 **DENTON COUNTY, TEXAS**

MAN WALLA BRIDGES 1128 AM KYRE SURVEYO

Denton County Juli Luke County Clerk

Instrument Number: 55014

ERecordings-RP

SPECIAL WARRANTY DEED

Recorded On: May 24, 2024 04:06 PM Number of Pages: 4

" Examined and Charged as Follows: "

Total Recording: \$37.00

******* THIS PAGE IS PART OF THE INSTRUMENT ********

Any provision herein which restricts the Sale, Rental or use of the described REAL PROPERTY because of color or race is invalid and unenforceable under federal law.

File Information: Record and Return To:

Document Number: 55014

20240524000609

Recorded Date/Time: May 24, 2024 04:06 PM

User: Jessica S Station: Station 9



Receipt Number:

STATE OF TEXAS COUNTY OF DENTON

I hereby certify that this Instrument was FILED In the File Number sequence on the date/time printed hereon, and was duly RECORDED in the Official Records of Denton County, Texas.

Corporation Service Company

Juli Luke County Clerk Denton County, TX

SPECIAL WARRANTY DEED

High Pointe Ranch Municipal Utility District No. 1 of Denton County – Directors Lot (Undivided 20% Interest No. 2)

THE STATE OF TEXAS

§ KNOW ALL PERSONS BY THESE PRESENTS:

COUNTY OF DENTON
§

NOTICE OF CONFIDENTIALITY RIGHTS: IF YOU ARE A NATURAL PERSON, YOU MAY REMOVE OR STRIKE ANY OR ALL OF THE FOLLOWING INFORMATION FROM ANY INSTRUMENT THAT TRANSFERS AN INTEREST IN REAL PROPERTY BEFORE IT IS FILED FOR RECORD IN THE PUBLIC RECORDS: YOUR SOCIAL SECURITY NUMBER OR YOUR DRIVERS LICENSE NUMBER.

THAT Joshua A. Bethke, Trustee ("Grantor"), having an address of 16000 N. Dallas Parkway, Suite 350, Dallas, Texas 75248 for and in consideration of the sum of Ten Dollars (\$10.00) and other good and valuable consideration cash in hand paid by Justin Morse, out of his sole and separate property, having an address of 4161 McKinney Ave., Suite 410 Dallas, TX 75204-8213 ("Grantee"), the receipt of which is hereby acknowledged, has granted, sold and conveyed, and by these presents does hereby grant, sell and convey unto Grantee, as his sole and separate property, an undivided 20% interest in the real property located in Denton County, Texas described in Exhibit "A" attached hereto.

This Deed and conveyance is expressly made subject to all liens, encumbrances, conditions and other exceptions appearing of record in the office of the County Clerk of Denton County, Texas and applicable to such property.

TO HAVE AND TO HOLD the above-described premises, together with all and singular the rights and appurtenances thereto in any way belonging unto the Grantee, Grantee's heirs and assigns, forever; and Grantor does hereby bind himself and his successors to Warrant and Forever Defend all and singular the above-described premises unto the said Grantee, Grantee's heirs and assigns against every person whomsoever lawfully claiming or to claim the same or any part thereof, by, through or under Grantor, but not otherwise.

THE STATE OF TEXAS

S

COUNTY OF DALLAS

This instrument was acknowledged before me on the 36 day of January, 2024 by Joshua A. Bethke, Trustee, in the capacity therein stated.

Notary Public in and for the State of Texas

(SEAL)

CARSON H LUDDECKE NOTARY ID #13330768-8 NOTARY ID #13330768-8 NOTARY ID #13330768-8 NOTARY ID #13330768-8 September 01, 2025

EXHIBIT "A"

BEING a tract of land situated in the F. Trevino Survey, Abstract No. 1243, Denton County, Texas, and being a portion of a called 357.561-ecre tract of land described in a Special Warranty Deed with Vendor's Lien to Aubrey Blackjack Partners, LLC, as recorded in Instrument No. 2021-213816 of the Official Records of Denton County, Texas, and being more particularly described as follows:

BEGINNING at a 1/2 inch tron rod found for the northwest corner of a called 27.37-acre tract of land, described in a deed to Deccan Ranch, LLC, as recorded in Instrument No. 2019-327 of the Official Records of Denton County, Texas, common to an ell corrier of said 357.561-acre tract, from which, a 1/2-inch iron rod with plastic cap stamped "Price Surveying", found for an angle point along the westerly line of said 27.37 scre tract, bears South 00"10'43" East, a distance of 956.88 feet:

THENCE South 69°34'57" West, crossing said 357.561-acre tract, a distance of 204.04 feet to a point for corner,

THENCE North 00°25'03" West, continuing across said 357.561-acra tract, a distance of 480.00 feet to a point for

THENCE North 89"34"57" East, continuing across said 357,581-acre tract, a distance of 453.75 feet to a point for comer;

THENCE South 00°25'03" East, continuing across said 357,561-acre tract, a distance of 480.00 feet to a point for corner on the southerly line of said 357,561-acre tract and the northerly line of said 27.37-acre tract;

THENCE South 89°34'57" West, along the southerly line of said 357.561-acre tract and the northerly line of said 27.37-acre tract, a distance of 249.71 feet to the POINT OF BEGINNING and containing 5.000 acres (217,600 square feet) of land, more or less.

NA GUNAN REGISTERED PROFESSIONAL LAND SURVEYOR NO. 6481 6180 WARREN PKWY., SUITE 210 FRISCO, TEXAS 75004 PH. 972-335-3580

LVIANA GUNAWAN

EXHIBIT "A" 5,000 ACRES F. TREVINO SURVEY, ABSTRACT NO. 1243 **DENTON COUNTY, TEXAS**

Denton County Juli Luke County Clerk

Instrument Number: 26079

ERecordings-RP

SPECIAL WARRANTY DEED

Recorded On: March 13, 2024 01:56 PM Number of Pages: 4

" Examined and Charged as Follows: "

Total Recording: \$37.00

******* THIS PAGE IS PART OF THE INSTRUMENT ********

Any provision herein which restricts the Sale, Rental or use of the described REAL PROPERTY because of color or race is invalid and unenforceable under federal law.

File Information: Record and Return To:

Document Number: 26079

20240313000261

Recorded Date/Time: March 13, 2024 01:56 PM

User: Jennifer K Station: Station 38



Receipt Number:

STATE OF TEXAS COUNTY OF DENTON

I hereby certify that this Instrument was FILED In the File Number sequence on the date/time printed hereon, and was duly RECORDED in the Official Records of Denton County, Texas.

Corporation Service Company

Juli Luke County Clerk Denton County, TX

SPECIAL WARRANTY DEED

High Pointe Ranch Municipal Utility District No. 1 of Denton County – Directors Lot (Undivided 20% Interest No. 5)

THE STATE OF TEXAS \$ \$ KNOW ALL PERSONS BY THESE PRESENTS: COUNTY OF DENTON \$

NOTICE OF CONFIDENTIALITY RIGHTS: IF YOU ARE A NATURAL PERSON, YOU MAY REMOVE OR STRIKE ANY OR ALL OF THE FOLLOWING INFORMATION FROM ANY INSTRUMENT THAT TRANSFERS AN INTEREST IN REAL PROPERTY BEFORE IT IS FILED FOR RECORD IN THE PUBLIC RECORDS: YOUR SOCIAL SECURITY NUMBER OR YOUR DRIVERS LICENSE NUMBER.

THAT Joshua A. Bethke, Trustee ("Grantor"), having an address of 16000 N. Dallas Parkway, Suite 350, Dallas, Texas 75248 for and in consideration of the sum of Ten Dollars (\$10.00) and other good and valuable consideration cash in hand paid by Zach Downtain, out of his sole and separate property, having an address of 4161 McKinney Ave., Suite 410 Dallas, TX 75204-8213 ("Grantee"), the receipt of which is hereby acknowledged, has granted, sold and conveyed, and by these presents does hereby grant, sell and convey unto Grantee, as his sole and separate property, an undivided 20% interest in the real property located in Denton County, Texas described in Exhibit "A" attached hereto.

This Deed and conveyance is expressly made subject to all liens, encumbrances, conditions and other exceptions appearing of record in the office of the County Clerk of Denton County, Texas and applicable to such property.

TO HAVE AND TO HOLD the above-described premises, together with all and singular the rights and appurtenances thereto in any way belonging unto the Grantee, Grantee's heirs and assigns, forever; and Grantor does hereby bind himself and his successors to Warrant and Forever Defend all and singular the above-described premises unto the said Grantee, Grantee's heirs and assigns against every person whomsoever lawfully claiming or to claim the same or any part thereof, by, through or under Grantor, but not otherwise.

EXECUTED to be effective as of the 26th day of January, 2024.

GRANTOR:

Joshya A Bethke, Trustee

THE STATE OF TEXAS §

COUNTY OF DALLAS

This instrument was acknowledged before me on the 26 day of January, 2024 by Joshua A. Bethke, Trustee, in the capacity therein stated.

Notary Public in and for the State of Texas

(SEAL)




EXHIBIT "A"

BEING a tract of land situated in the F. Trevino Survey, Abstract No. 1243, Denton County, Texas, and being a portion of a called 357.561-acre tract of land described in a Special Warranty Deed with Vendor's Lien to Aubrey Blackjack Partners, LLC, as recorded in Instrument No. 2021-213816 of the Official Records of Denton County, Texas, and being more particularly described as follows:

BEGINNING at a 1/2 inch iron red found for the northwest corner of a called 27.37-acre tract of land, described in a dead to Deccan Ranch, LLC, as recorded in Instrument No. 2019-327 of the Official Records of Denton County, Texas, common to an ell corrier of said 357.581-acre tract, from which, a 1/2-inch iron red with plastic cap stamped "Price Surveying", found for an angle point along the westerly line of said 27.37 acre tract, bears South 00°10'43" East, a distance of 956.88 feet;

THENCE South 69°34'57" West, crossing said 357.561-acre tract, a distance of 204.04 feet to a point for corner;

THENCE North 00°25'03" West, continuing across said 357.561-acre tract, a distance of 480.00 feet to a point for corner;

THENCE North 89°34'57" East, continuing across said 357,561-acre tract, a distance of 453.75 feet to a point for corner.

THENCE South 00°25'03" East, continuing across said 357.561-acre tract, a distance of 480.00 feet to a point for corner on the southerty line of said 357.561-acre tract and the northerly line of said 27.37-acre tract;

THENCE South 89*34'57" West, along the southerly line of said 357.561-acre tract and the northerly line of said 27.37-acre tract, a distance of 249,71 feet to the POINT OF BEGINNING and containing 5.000 acres (217,800 square feet) of land, more or less.

SYLVANA GUNAWAM REGISTERED PROFESSIONAL LAND SURVEYOR NO. 6481 6160 WARREN POWY., SUITE 210 FRISCO, TEXAS 75034 PH. 972-335-3560 SYLVIANA GUNAWAN 6461 10 ESBIONOS 3 URV

EXHIBIT "A"

5.000 ACRES

F. TREVINO SURVEY, ABSTRACT NO. 1243
DENTON COUNTY, TEXAS

Kimley » Horn

LEADYNI SILVANA GOSES 1125 AN ESPIS SURVEYORISHTO HICH FORT RANCH AUGUSTO MOSESCOTO GOSECTOR'S COTON

Denton County Juli Luke County Clerk

Instrument Number: 26078

ERecordings-RP

SPECIAL WARRANTY DEED

Recorded On: March 13, 2024 01:56 PM Number of Pages: 4

" Examined and Charged as Follows: "

Total Recording: \$37.00

******* THIS PAGE IS PART OF THE INSTRUMENT ********

Any provision herein which restricts the Sale, Rental or use of the described REAL PROPERTY because of color or race is invalid and unenforceable under federal law.

File Information: Record and Return To:

Document Number: 26078

26078 Corporation Service Company 20240313000261

Recorded Date/Time: March 13, 2024 01:56 PM

User: Jennifer K Station: Station 38



Receipt Number:

STATE OF TEXAS COUNTY OF DENTON

I hereby certify that this Instrument was FILED In the File Number sequence on the date/time printed hereon, and was duly RECORDED in the Official Records of Denton County, Texas.

Juli Luke County Clerk Denton County, TX

SPECIAL WARRANTY DEED

High Pointe Ranch Municipal Utility District No. 1 of Denton County - Directors Lot (Undivided 20% Interest No. 4)

THE STATE OF TEXAS §

\$ KNOW ALL PERSONS BY THESE PRESENTS:

COUNTY OF DENTON §

NOTICE OF CONFIDENTIALITY RIGHTS: IF YOU ARE A NATURAL PERSON, YOU MAY REMOVE OR STRIKE ANY OR ALL OF THE FOLLOWING INFORMATION FROM ANY INSTRUMENT THAT TRANSFERS AN INTEREST IN REAL PROPERTY BEFORE IT IS FILED FOR RECORD IN THE PUBLIC RECORDS: YOUR SOCIAL SECURITY NUMBER OR YOUR DRIVERS LICENSE NUMBER.

THAT Joshua A. Bethke, Trustee ("Grantor"), having an address of 16000 N. Dallas Parkway, Suite 350, Dallas, Texas 75248 for and in consideration of the sum of Ten Dollars (\$10.00) and other good and valuable consideration cash in hand paid by Leanne Wilson, out of his sole and separate property, having an address of 4161 McKinney Ave., Suite 410 Dallas, TX 75204-8213 ("Grantee"), the receipt of which is hereby acknowledged, has granted, sold and conveyed, and by these presents does hereby grant, sell and convey unto Grantee, as his sole and separate property, an undivided 20% interest in the real property located in Denton County, Texas described in Exhibit "A" attached hereto.

This Deed and conveyance is expressly made subject to all liens, encumbrances, conditions and other exceptions appearing of record in the office of the County Clerk of Denton County, Texas and applicable to such property.

TO HAVE AND TO HOLD the above-described premises, together with all and singular the rights and appurtenances thereto in any way belonging unto the Grantee, Grantee's heirs and assigns, forever; and Grantor does hereby bind himself and his successors to Warrant and Forever Defend all and singular the above-described premises unto the said Grantee, Grantee's heirs and assigns against every person whomsoever lawfully claiming or to claim the same or any part thereof, by, through or under Grantor, but not otherwise.

EXECUTED to be effective as of the 26th day of Junuary, 2024.

GRANTOR:

Joshua A, Bethke, Trustee

THE STATE OF TEXAS

§ 8

COUNTY OF DALLAS

8

This instrument was acknowledged before me on the 26 day of January, 2024 by Joshua A. Bethke, Trustee, in the capacity therein stated.

Notary Public in and for the State of Texas

(SEAL)




EXHIBIT "A"

BEING a tract of land situated in the F. Trevino Survey, Abstract No. 1243, Denton County, Texas, and being a portion of a celled 357.561-acre tract of land described in a Special Warranty Deed with Vendor's Lien to Aubrey Blackjack Partners, LLC, as recorded in Instrument No. 2021-213816 of the Official Records of Denton County, Texas, and being more particularly described as follows:

BEGINNING at a 1/2 inch iron rod found for the northwest comer of a called 27.37-acre tract of land, described in a deed to Deccan Ranch, LLC, as recorded in Instrument No. 2019-327 of the Official Records of Denton County, Texas, common to an ell corrier of said 357.561-acre tract, from which, a 1/2-inch iron rod with plastic cap stamped "Price Surveying", found for an angle point along the westerly line of said 27.37 acre tract, bears South 00°10'43" East, a distance of 956.88 feet;

THENCE South 89°34'57" West, crossing said 357.561-acre tract, a distance of 204.04 feet to a point for corner;

THENCE North 00°25'03" West, continuing ecross said 357.561-acre tract, a distance of 480.00 feet to a point for corner:

THENCE North 89°34'57" East, continuing across said 357.561-acre tract, a distance of 453.75 feet to a point for corner:

THENCE South 00°25'03" East, continuing across said 357.561-acre tract, a distance of 480.00 feet to a point for corner on the southerly line of said 357.561-acre tract and the northerly line of said 27.37-acre tract;

THENCE South 89°34'57" West, along the southerly line of said 357.661-acre tract and the northerly line of said 27.37-acre tract, a distance of 249.71 feet to the POINT OF BEGINNING and containing 5.000 acres (217,800 square feet) of land, more or less.

SYLVANA GUNAMAN REGISTERED PROFESSIONAL LAND SURVEYOR NO. 6461 6160 WARREN PKWY., SUITE 210 FRISCO, TEXAS 75034 PN. 972-335-3660



EXHIBIT "A"
5.000 ACRES
F. TREVINO SURVEY, ABSTRACT NO. 1243
DENTON COUNTY, TEXAS

Kimley >>> Horn

| State | Total | Control | C

COMMONTO DIRECTOR'S LOT.ON

Denton County Juli Luke County Clerk

Instrument Number: 91987

ERecordings-RP

SPECIAL WARRANTY DEED

Recorded On: August 27, 2024 10:33 AM Number of Pages: 4

" Examined and Charged as Follows: "

Total Recording: \$37.00

******* THIS PAGE IS PART OF THE INSTRUMENT ********

Any provision herein which restricts the Sale, Rental or use of the described REAL PROPERTY because of color or race is invalid and unenforceable under federal law.

File Information: Record and Return To:

Document Number: 91987

Receipt Number: 20240827000168

Recorded Date/Time: August 27, 2024 10:33 AM

User: Kraig T Station: Station 21



STATE OF TEXAS COUNTY OF DENTON

I hereby certify that this Instrument was FILED In the File Number sequence on the date/time printed hereon, and was duly RECORDED in the Official Records of Denton County, Texas.

Corporation Service Company

Juli Luke County Clerk Denton County, TX

SPECIAL WARRANTY DEED

High Pointe Ranch Municipal Utility District No. 1 of Denton County – Directors Lot (Undivided 20% Interest No. 1)

THE STATE OF TEXAS

§ KNOW ALL MEN BY THESE PRESENTS:

COUNTY OF DENTON

NOTICE OF CONFIDENTIALITY RIGHTS: IF YOU ARE A NATURAL PERSON, YOU MAY REMOVE OR STRIKE ANY OF THE FOLLOWING INFORMATION FORM THIS INSTRUMENT BEFORE IT IS FILED FOR RECORD IN THE PUBLIC RECORDS: YOUR SOCIAL SECURITY NUMBER OR YOUR DRIVERS LICENSE NUMBER.

THAT Clarke Overlander (hereinafter designated "Grantor"), for and in consideration of the sum of Ten Dollars (\$10.00) and other good and valuable consideration cash in hand paid by Ariel Britt (hereinafter designated "Grantee"), with an address of 4161 McKinney Ave., Suite 410 Dallas, TX 75204-8213, the receipt of which is hereby acknowledged, has granted, sold and conveyed, and by these presents does hereby grant, sell and convey unto Grantee, an undivided 20% interest in the real property located in Denton County, Texas described in Exhibit "A" attached hereto.

This Deed and conveyance is expressly made subject to all liens, encumbrances, conditions and other exceptions appearing of record in the office of the County Clerk of Denton County, Texas, and applicable to such property.

TO HAVE AND TO HOLD the above-described premises, together with all and singular the rights and appurtenances thereto in any wise belonging, unto the Grantee, Grantee's successors and assigns, forever; and Grantor does hereby bind Grantor and Grantor's heirs and successors, to Warrant and Forever Defend all and singular the premises unto the said Grantee, Grantee's successors and assigns, against every person whomsoever lawfully claiming or to claim the same or any part thereof, by, through or under Grantor, but not otherwise.

EXECUTED as of the	2th day of Fuhruary 2024, to be effective the 19th da	ay of
August , 2024		
	GRANTOR:	
	Clarke Overlander	
THE STATE OF TEXAS	§ §	
COUNTY OF bllin	§ §	
This instrument was ac Clarke Overlander in the capac	<u> </u>	4 by
	Notary Public in and for the State of Texas	

(NOTARY SEAL)




EXHIBIT "A"

BEING a tract of land situated in the F. Trevino Survey, Abstract No. 1243, Denton County, Texas, and being a portion of a called 357.561-acre tract of land described in a Special Warranty Deed with Vendor's Lien to Aubrey Blackjack Partners, LLC, as recorded in instrument No. 2021-213816 of the Official Records of Denton County, Texas, and being more particularly described as follows:

BEGINNING at a 1/2 inch iron rod found for the northwest comer of a called 27.37-acre tract of land, described in a deed to Deccan Ranch, LLC, as recorded in Instrument No. 2019-327 of the Official Records of Denton County, Texas, common to an eli corner of said 357.561-acre tract, from which, a 1/2-inch iron rod with plastic cap stamped "Price Surveying", found for an angle point along the westerly line of said 27.37 acre tract, bears South 00°10'43" East, a distance of 956.88 feet:

THENCE South 89°34'57" West, crossing said 357.581-acre tract, a distance of 204.04 feet to a point for corner;

THENCE North 00°25'03" West, continuing across said 357,561-acre tract, a distance of 480.00 feet to a point for comer.

THENCE North 89°34'57" East, continuing across said 357,561-acre tract, a distance of 453,75 feet to a point for corner.

THENCE South 00°25'03" East, continuing across said 357.561-acre tract, a distance of 480.00 feet to a point for corner on the southerly line of said 357.561-acre tract and the northerly line of said 27.37-acre tract;

THENCE South 89*34"57" West, along the southerly line of said 357.561-acre tract and the northerly line of said 27.37-acre tract, a distance of 249.71 feet to the POINT OF BEGINNING and containing 5.000 acres (217,800 square feet) of land, more or less.

SYLVIANA GUNAMIN REGISTERED PROFESSIONAL LAND SURVEYOR NO. 6461 6160 WARREN PKWY., SUITE 210 FRISCO, TEXAS 75034 PH. 972-335-3580



EXHIBIT "A"

5.000 ACRES

TREVING SURVEY ARSTRACT NO

F. TREVINO SURVEY, ABSTRACT NO. 1243 DENTON COUNTY, TEXAS

Kimley» Horn

Gerin Driven by NYA 60

Checheriller 100A

<u>Deta</u> Jan. 2023 <u>sled He.</u> 19905747 1 OF 2

Monthly Evaporation Summary

Pond	Surface Area (ac.)	8.21

	Evaporation Summary (Average)									
Year	Days in the Month	TCEQ WRAP Net Trinity River Basin Evaporation - for Max (1956) (ft)	Monthly Evaporation Volume (ac-ft)	Average Daily Evaporation Volume (gallons)						
January	31	0.03	0.25	2,590						
February	28	-0.17	-1.40	-16,248						
March	31	0.35	2.87	30,215						
April	30	0.26	2.14	23,194						
May	31	0.27	2.22	23,309						
June	30	0.59	4.85	52,632						
July	31	0.72	5.91	62,157						
August	31	0.86	7.06	74,243						
September	30	0.72	5.91	64,229						
October	31	0.26	2.14	22,446						
November	30	0.00	0.00	0						
December	31	0.02	0.16	1,727						
	Annual Evaporation	(ac-ft)	32.11	-						
	Annual Evaporation (g	gallons)	10,463,998	-						

Maximum Average Daily Evaporation (gallons)

74,243


Pump Rate (hrs/day)

20

Maximum Groundwater Pump Rate


62

EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EV411	EV EVA11	EV EV411	EV Racord												
1996	1995	1994	1993	1992	1990	1989	1988	1987	1986	1985	1984	1983	1982	1981	1980	1979	1978	1977	1976	1975	1974	1973	1972	1971	1970	1969	1968	1967	1966	1965	1964	1963	1962	1961	1960	1958	1957	1956	1955	1954	1953	1952	1951	1950	1948	194/	1946	1945	1944	1943	1942	1941	1940	VEAR
0.15	0.11	0.09	0.06	0.05	-0.18 81.0-	-0.05	0.11	0.07	0.23	0.08	0.03	0.11	-0.02	0.12	0.01	-0.12	-0.07	-0.07	0.23	0.07	0.04	-0.09	0.12	0.1	0.05	0.01	-0.13	0.2	-0.02	0.03	0.02	0.12	0	0.07	0.06	-0.03	-0.03	0.03	0.01	-0.14	0.13	0.14	0.1	-0.33	0.05	0.14	-0.08	0.06	-0.07	0.19	0.08	0.14	0.05	IAN
0.42	0.06	0.01	-0.03	0.0	-0.06	0.02	0.1	-0.09	0.15	-0.03	0	0.01	0.08	0.05	0.1	-0.13	-0.16	0.15	0.23	0.04	0.22	0.01	0.21	0.07	-0.12	0.07	0.1	0.15	-0.11	-0.04	0.03	0.15	0.08	-0.03	0.03	0.11	-0.07	-0.17	-0.05	0.29	0.06	0.07	-0.12	0.01	0.05	0.21	0.11	-0.06	-0.33	0.18	0.12	0.01	-0.08	EER
0.21	0.13	0.23	0.21	0.25	0 21	0.17	0.11	0.18	0.31	0.1	-0.02	0.1	0.22	0.07	0.19	-0.06	0.04	0.06	0.02	0.02	0.29	0.13	0.27	0.36	0.18	0.07	0.1	0.25	0.28	0.19	-0.11	0.25	0.09	0.02	0.21	-0.08	-0.15	0.35	0.11	0.35	-0.01	0.04	0.29	0.00	0.05	0.08	0.06	-0.04	0.14	0.06	0.2	0.14	0.31	NANR
0.31	0.14	0.07	0.11	0.05	0.12	0.38	0.26	0.43	-0.13	0.02	0.27	0.26	0.12	0.2	0.26	0.2	0.28	0.41	-0.11	0.27	0.23	-0.05	0.14	0.29	0.1	0.18	0.27	-0.21	-0.19	0.32	0.03	0.08	0.06	0.38	0.2	-0.0/	-0.29	0.26	0.09	0.13	0.07	-0.17	0.25	0.09	0.45	-0.03	0.09	0.1	0.14	0.25	0.02	-0.15	-0.07	TCEQ
0.47	-0.01	-0.07	0.06	-0 12	0.13	-0.03	0.39	-0.22	-0.1	0.15	0.15	-0.13	-0.2	-0.12	0.06	-0.08	0	0.28	-0.15	-0.12	0.27	0.16	0.23	0.08	0.18	0.13	0.17	-0.21	0.23	-0.17	0.02	0.27	0.4	0.1	0.16	0.27	0.04	0.27	0	-0.09	0.37	0.27	0.18	0.11	0.21	0.19	-0.05	0.25	0.07	-0.03	0.26	0.31	0.12	TCEQ WRAP Input Files for Trinity River Basin
0.33	0.31	0.36	0.18	-0 06	0.44	-0.06	0.34	0.19	0.29	0.26	0.33	0.06	0.09	0.19	0.52	0.49	0.4	0.35	0.17	0.33	0.29	-0.02	0.44	0.54	0.32	0.36	0.12	0.51	0.3	0.23	0.32	0.49	-0.27	0.11	0.01	0.27	0.42	0.59	0.39	0.36	0.84	0.75	0.18	0.32	0.44	0.33	0.37	0.17	0.48	0.43	0.14	0.29	0.2	es for Trinity Riv
0.28	0.32	-0.08	0.86	0.70	0.4	0.05	0.28	0.38	0.67	0.41	0.52	0.37	0.38	0.45	0.84	0.3	0.72	0.6	0.13	0.32	0.57	0.2	0.56	0.39	0.55	0.66	0.24	0.3	0.43	0.59	0.73	0.29	0.22	0.24	0.03	0.45	0.58	0.72	0.45	0.73	0.34	0.61	0.54	-0.17	0.50	0.6/	0.66	0.26	0.5	0.72	0.67	0.47	0.49	er Basin
0.13	0.49	0.31	0.59	0.23	0.39	0.39	0.52	0.53	0.44	0.66	0.46	0.4	0.42	0.45	0.81	0.24	0.47	0.17	0.4	0.36	0.06	0.49	0.29	0.06	0.41	0.37	0.48	0.56	0.03	0.5	0.24	0.59	0.39	0.44	0.33	0.41	0.5	0.86	0.44	0.69	0.5	0.81	0.78	0.45	0.66	0.55	0.36	0.5	0.55	0.87	0.31	0.28	0.6	١١١٨
0.06	-0.03	0.18	0.15	0.01	0.21	0.09	-0.05	0	0.03	0.32	0.41	0.44	0.4	0.24	-0.12	0.29	0.31	0.29	0.21	0.25	-0.02	-0.24	0.11	0.11	-0.32	0.16	-0.11	-0.2	0.08	0.03	-0.25	0.39	-0.1	0.09	0.26	0.09	-0.07	0.72	0.18	0.37	0.44	0.49	0.34	0.2	0.61	0.55	0.14	0.18	0.46	0.37	0.2	0.48	0.64	CED .
0.24	0.39	-0.18	-0.09	0.14	-0.14	0.31	0.13	0.2	-0.04	-0.22	-0.43	0.02	0.16	-0.46	0.16	0.24	0.37	0.34	-0.05	0.39	-0.09	0.2	-0.27	-0.15	0.03	-0.08	0.22	0.14	0.29	0.23	0.31	0.49	0.08	0.13	0.05	0.19	0.05	0.26	0.39	-0.22	0.09	0.53	0.22	0.13	0.32	0.2	0.3	0.16	0.21	0.27	0.05	-0.27	0.33	OCT
-0.28	0.22	-0.04	0.07	-0 05	-0.08	0.25	0	-0.24	-0.21	-0.09	0	-0.02	-0.24	0.2	0.1	0.19	-0.32	0.11	0.15	0.12	0.17	0.25	-0.13	0.13	0.21	0.18	-0.05	0.13	0.22	0.01	-0.03	0.15	-0.08	-0.14	0.07	0.05	-0.34	0	0.34	0.17	-0.05	-0.14	0.08	0.37	0.31	0.05	-0.11	0.17	-0.02	0.23	0.14	0.16	-0.2	NON
0.11	-0.03	0.05	0.03	-0 08	0.12	0.23	-0.07	-0.2	-0.04	0.08	-0.11	-0.02	-0.23	0.21	0.06	-0.05	0.08	0.23	0.09	0.03	0.04	0.15	0.04	0.02	0.13	-0.18	0.09	-0.05	-0.02	0.07	0.13	-0.01	0.09	-0.06	-0.03	0.05	0.1	0.02	0.14	-0.01	0.1	-0.1	0.18	0.08	0.00	-0.13	0.13	0.12	-0.1	-0.14	-0.03	0	-0.02	חבר
2.43	2.1	0.93	2.2	1 38	1.39	1.75	2.12	1.23	1.6	1.74	1.61	1.6	1.18	1.6	2.99	1.51	2.12	2.92	1.32	2.08	2.07	1.19	2.01	2	1.72	1.93	1.5	1.57	1.52	1.99	1.44	3.26	0.96	1.35	1.04	1./1	0.74	3.91	2.49	2.63	2.88	3.3	3.02	2 38	3./1	2.81	1.98	1.87	2.03	3.4	2.16	1.86	2.37	
29.16	25.2	11.16	26.4	16 56	13 97	21	25.44	14.76	19.2	20.88	19.32	19.2	14.16	19.2	35.88	18.12	25.44	35.04	15.84	24.96	24.84	14.28	24.12	24	20.64	23.16	18	18.84	18.24	23.88	17.28	39.12	11.52	16.2	13.7	20.52	8.88	46.92	29.88	31.56	34.56	39.6	36.24	28 56	10 26	33./2	23.76	22.44	24.36	40.8	25.92	22.32	28.44	Total







L



1 18	U.S. Postal Service [™] CERTIFIED MAIL® RECEIPT Domestic Mail Only	THE LAND
1299	For delivery information, visit our website at www.usps.com®.	19
9	AUDO FXF612CIAL USE	-
L.	Certified Mail Fee #4 # 85	
229	Extra Services & Fees (check box, add fee as appropriate)	
Acres (Allered	Return Receipt (hardcopy) Return Receipt (electronic) Postmark	
2	Certified Mail Restricted Delivery \$ Here	
5270	Adult Signature Restricted Delivery \$	
200	Postage \$0.73	
0770	03/13/2025	
-	Aubrey City Hall The Honorable Chris Rich	
a-	Mayor of Aubrey	
958	107 S Main Street	
0.	Aubrey, TX 76227	
1	Aubitey, 1A 70227	ons





0

0

5672

2295

5270

0770

589

CERTIFIED MAIL® REC	EIPT
For delivery information, visit our website	e at www.usps.com®.
DerOFF6CIAL	USE
Certified Mail Fee \$4.85	0034
Extra Services & Fees (check box, add fee as appropriate) Return Receipt (electronic)	Postmark Here
Postage \$ 10.73 * Denton County Commissioner The Honorable Bobbie J. Mitche	100
Commissioner Precinct 3 1 Courthouse Drive, Suite 3100 Denton, TX 76208	

1 70	U.S. Postal Service™ CERTIFIED MAIL® RECEIPT Domestic Mail Only
77	For delivery information, visit our website at www.usps.com®.
99	POFFICIAL USE
LJ.	Certified Mail Fee \$4.35
п-	\$ \$0.00 25
김	Extra Services & Fees (check box, add fee as appropriate) Return Receipt (hardcopy) \$
	Return Receipt (electronic) \$ \$ 10.000 Postmark
5270	Certified Mail Restricted Delivery \$ Here
7	Adult Signature Required \$ \$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
5	Adult Signature Restricted Delivery \$
_	10.73
금	\$ 03/13/2025
0770	Denton County Commissioners Court
	The Honorable Andy Eads
0	County Judge
=0	그렇지 않는 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그
5	1 Courthouse Drive, Suite 3100
-	Denton, TX 76208
	for Instructions

1 94	U.S. Postal Service™ CERTIFIED MAIL® RECEIPT Domestic Mail Only	
PP P P P P P P P P P	For delivery information, visit our website at www.usp	s.com®.
9589 0710 5270 2295	Certified Mail Restricted Delivery \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	25 trank



Chris Rich Mayor of Aubrey **Aubrey City Hall** 107 S Main Street Aubrey, Texas 76227

Subject: Highpointe Ranch Development

Application for Permit to Appropriate State Water

City of Aubrey, Denton County, Texas

Dear Mayor Rich:

KL LB BUY 3, LLC, Brandon Allen, Ariel Britt, Leanne Wilson, Zach Downtain, and Justin Morse (collectively "the Applicants") are proposing to construct Highpointe Ranch, a single-family development within the City of Aubrey, Denton County, Texas. The project is located south of Blackjack Road and east of US 377.

As part of the plan for the development the Applicants are applying for a Water Use Permit to request authorization to maintain a reservoir for recreation purposes. The reservoir is located on unnamed tributary of Pecan Creek, tributary of Little Elm Creek, tributary of Elm Fork Trinity River, tributary of the Trinity River, Trinity River Basin in Denton County. The water lost due to evaporation is intended to be replaced using groundwater wells as an alternate source.

The Applicants are pursuing this application to appropriate State Water with the Texas Commission on Environmental Quality (TCEQ). Notification of the application will be sent to all Water Rights holders in the Trinity River Basin as well as to all members of the Aubrey City Council and Denton County Commissioner Courts.

Sincerely,

Nathan Holt, Authorized

Signatory of KL LB Buy 3 LLC

Brandon Allen

Jeff Perry Council Member, Place 1 **Aubrey City Hall** 107 S Main Street Aubrey, Texas 76227

Subject: Highpointe Ranch Development

Application for Permit to Appropriate State Water

City of Aubrey, Denton County, Texas

Dear Council Member Perry:

KL LB BUY 3, LLC, Brandon Allen, Ariel Britt, Leanne Wilson, Zach Downtain, and Justin Morse (collectively "the Applicants") are proposing to construct Highpointe Ranch, a single-family development within the City of Aubrey, Denton County, Texas. The project is located south of Blackjack Road and east of US 377.

As part of the plan for the development the Applicants are applying for a Water Use Permit to request authorization to maintain a reservoir for recreation purposes. The reservoir is located on unnamed tributary of Pecan Creek, tributary of Little Elm Creek, tributary of Elm Fork Trinity River, tributary of the Trinity River, Trinity River Basin in Denton County. The water lost due to evaporation is intended to be replaced using groundwater wells as an alternate source.

The Applicants are pursuing this application to appropriate State Water with the Texas Commission on Environmental Quality (TCEQ). Notification of the application will be sent to all Water Rights holders in the Trinity River Basin as well as to all members of the Aubrey City Council and Denton County Commissioner Courts.

Sincerely,

Nathan Holt, Authorized

Signatory of KL LB Buy 3 LLC

Brandon Allen

Matt Jones Council Member, Place 2 **Aubrey City Hall** 107 S Main Street Aubrey, Texas 76227

Subject: Highpointe Ranch Development

Application for Permit to Appropriate State Water

City of Aubrey, Denton County, Texas

Dear Council Member Jones:

KL LB BUY 3, LLC, Brandon Allen, Ariel Britt, Leanne Wilson, Zach Downtain, and Justin Morse (collectively "the Applicants") are proposing to construct Highpointe Ranch, a single-family development within the City of Aubrey, Denton County, Texas. The project is located south of Blackjack Road and east of US 377.

As part of the plan for the development the Applicants are applying for a Water Use Permit to request authorization to maintain a reservoir for recreation purposes. The reservoir is located on unnamed tributary of Pecan Creek, tributary of Little Elm Creek, tributary of Elm Fork Trinity River, tributary of the Trinity River, Trinity River Basin in Denton County. The water lost due to evaporation is intended to be replaced using groundwater wells as an alternate source.

The Applicants are pursuing this application to appropriate State Water with the Texas Commission on Environmental Quality (TCEQ). Notification of the application will be sent to all Water Rights holders in the Trinity River Basin as well as to all members of the Aubrey City Council and Denton County Commissioner Courts.

Sincerely,

Nathan Holt, Authorized

Signatory of KL LB Buy 3 LLC

Brandon Allen

Erin Allen Council Member, Place 3 **Aubrey City Hall** 107 S Main Street Aubrey, Texas 76227

Subject: Highpointe Ranch Development

Application for Permit to Appropriate State Water

City of Aubrey, Denton County, Texas

Dear Council Member Allen:

KL LB BUY 3, LLC, Brandon Allen, Ariel Britt, Leanne Wilson, Zach Downtain, and Justin Morse (collectively "the Applicants") are proposing to construct Highpointe Ranch, a single-family development within the City of Aubrey, Denton County, Texas. The project is located south of Blackjack Road and east of US 377.

As part of the plan for the development the Applicants are applying for a Water Use Permit to request authorization to maintain a reservoir for recreation purposes. The reservoir is located on unnamed tributary of Pecan Creek, tributary of Little Elm Creek, tributary of Elm Fork Trinity River, tributary of the Trinity River, Trinity River Basin in Denton County. The water lost due to evaporation is intended to be replaced using groundwater wells as an alternate source.

The Applicants are pursuing this application to appropriate State Water with the Texas Commission on Environmental Quality (TCEQ). Notification of the application will be sent to all Water Rights holders in the Trinity River Basin as well as to all members of the Aubrey City Council and Denton County Commissioner Courts.

Sincerely,

Nathan Holt, Authorized

Signatory of KL LB Buy 3 LLC

Brandon Allen

Randy Jones Council Member, Place 4 **Aubrey City Hall** 107 S Main Street Aubrey, Texas 76227

Subject: Highpointe Ranch Development

Application for Permit to Appropriate State Water

City of Aubrey, Denton County, Texas

Dear Council Member Jones:

KL LB BUY 3, LLC, Brandon Allen, Ariel Britt, Leanne Wilson, Zach Downtain, and Justin Morse (collectively "the Applicants") are proposing to construct Highpointe Ranch, a single-family development within the City of Aubrey, Denton County, Texas. The project is located south of Blackjack Road and east of US 377.

As part of the plan for the development the Applicants are applying for a Water Use Permit to request authorization to maintain a reservoir for recreation purposes. The reservoir is located on unnamed tributary of Pecan Creek, tributary of Little Elm Creek, tributary of Elm Fork Trinity River, tributary of the Trinity River, Trinity River Basin in Denton County. The water lost due to evaporation is intended to be replaced using groundwater wells as an alternate source.

The Applicants are pursuing this application to appropriate State Water with the Texas Commission on Environmental Quality (TCEQ). Notification of the application will be sent to all Water Rights holders in the Trinity River Basin as well as to all members of the Aubrey City Council and Denton County Commissioner Courts.

Sincerely,

Nathan Holt, Authorized

Signatory of KL LB Buy 3 LLC

Brandon Allen

Chuck Fikes Council Member, Place 5 **Aubrey City Hall** 107 S Main Street Aubrey, Texas 76227

Subject: Highpointe Ranch Development

Application for Permit to Appropriate State Water

City of Aubrey, Denton County, Texas

Dear Council Member Fikes:

KL LB BUY 3, LLC, Brandon Allen, Ariel Britt, Leanne Wilson, Zach Downtain, and Justin Morse (collectively "the Applicants") are proposing to construct Highpointe Ranch, a single-family development within the City of Aubrey, Denton County, Texas. The project is located south of Blackjack Road and east of US 377.

As part of the plan for the development the Applicants are applying for a Water Use Permit to request authorization to maintain a reservoir for recreation purposes. The reservoir is located on unnamed tributary of Pecan Creek, tributary of Little Elm Creek, tributary of Elm Fork Trinity River, tributary of the Trinity River, Trinity River Basin in Denton County. The water lost due to evaporation is intended to be replaced using groundwater wells as an alternate source.

The Applicants are pursuing this application to appropriate State Water with the Texas Commission on Environmental Quality (TCEQ). Notification of the application will be sent to all Water Rights holders in the Trinity River Basin as well as to all members of the Aubrey City Council and Denton County Commissioner Courts.

Sincerely,

Nathan Holt, Authorized

Signatory of KL LB Buy 3 LLC

Brandon Allen

The Honorable Andy Eads County Judge **Denton County Commissioners Courtroom** 1 Courthouse Drive, Suite 3100 Denton, TX 76208

Subject: Highpointe Ranch Development

Application for Permit to Appropriate State Water

City of Aubrey, Denton County, Texas

Dear Judge Eads:

KL LB BUY 3, LLC, Brandon Allen, Ariel Britt, Leanne Wilson, Zach Downtain, and Justin Morse (collectively "the Applicants") are proposing to construct Highpointe Ranch, a single-family development within the City of Aubrey, Denton County, Texas. The project is located south of Blackjack Road and east of US 377.

As part of the plan for the development the Applicants are applying for a Water Use Permit to request authorization to maintain a reservoir for recreation purposes. The reservoir is located on unnamed tributary of Pecan Creek, tributary of Little Elm Creek, tributary of Elm Fork Trinity River, tributary of the Trinity River, Trinity River Basin in Denton County. The water lost due to evaporation is intended to be replaced using groundwater wells as an alternate source.

The Applicants are pursuing this application to appropriate State Water with the Texas Commission on Environmental Quality (TCEQ). Notification of the application will be sent to all Water Rights holders in the Trinity River Basin as well as to all members of the Aubrey City Council and Denton County Commissioner Courts.

Sincerely,

Nathan Holt, Authorized

Signatory of KL LB Buy 3 LLC

Brandon Allen

Ryan Williams Commissioner Precinct 1 **Denton County Commissioners Courtroom** 1 Courthouse Drive, Suite 3100 Denton, TX 76208

Subject: Highpointe Ranch Development

Application for Permit to Appropriate State Water

City of Aubrey, Denton County, Texas

Dear Commissioner Williams:

KL LB BUY 3, LLC, Brandon Allen, Ariel Britt, Leanne Wilson, Zach Downtain, and Justin Morse (collectively "the Applicants") are proposing to construct Highpointe Ranch, a single-family development within the City of Aubrey, Denton County, Texas. The project is located south of Blackjack Road and east of US 377.

As part of the plan for the development the Applicants are applying for a Water Use Permit to request authorization to maintain a reservoir for recreation purposes. The reservoir is located on unnamed tributary of Pecan Creek, tributary of Little Elm Creek, tributary of Elm Fork Trinity River, tributary of the Trinity River, Trinity River Basin in Denton County. The water lost due to evaporation is intended to be replaced using groundwater wells as an alternate source.

The Applicants are pursuing this application to appropriate State Water with the Texas Commission on Environmental Quality (TCEQ). Notification of the application will be sent to all Water Rights holders in the Trinity River Basin as well as to all members of the Aubrey City Council and Denton County Commissioner Courts.

Sincerely,

Nathan Holt, Authorized Signatory of KL LB Buy 3 LLC

Brandon Allen

Kevin Falconer Commissioner Precinct 2 **Denton County Commissioners Courtroom** 1 Courthouse Drive, Suite 3100 Denton, TX 76208

Subject: Highpointe Ranch Development

Application for Permit to Appropriate State Water

City of Aubrey, Denton County, Texas

Dear Commissioner Falconer:

KL LB BUY 3, LLC, Brandon Allen, Ariel Britt, Leanne Wilson, Zach Downtain, and Justin Morse (collectively "the Applicants") are proposing to construct Highpointe Ranch, a single-family development within the City of Aubrey, Denton County, Texas. The project is located south of Blackjack Road and east of US 377.

As part of the plan for the development the Applicants are applying for a Water Use Permit to request authorization to maintain a reservoir for recreation purposes. The reservoir is located on unnamed tributary of Pecan Creek, tributary of Little Elm Creek, tributary of Elm Fork Trinity River, tributary of the Trinity River, Trinity River Basin in Denton County. The water lost due to evaporation is intended to be replaced using groundwater wells as an alternate source.

The Applicants are pursuing this application to appropriate State Water with the Texas Commission on Environmental Quality (TCEQ). Notification of the application will be sent to all Water Rights holders in the Trinity River Basin as well as to all members of the Aubrey City Council and Denton County Commissioner Courts.

Sincerely,

Nathan Holt, Authorized

Signatory of KL LB Buy 3 LLC

Brandon Allen

Bobbie J. Mitchell Commissioner Precinct 3 Denton County Commissioners Courtroom 1 Courthouse Drive, Suite 3100 Denton, TX 76208

Subject: Highpointe Ranch Development

Application for Permit to Appropriate State Water

City of Aubrey, Denton County, Texas

Dear Commissioner Mitchell:

KL LB BUY 3, LLC, Brandon Allen, Ariel Britt, Leanne Wilson, Zach Downtain, and Justin Morse (collectively "the Applicants") are proposing to construct Highpointe Ranch, a single-family development within the City of Aubrey, Denton County, Texas. The project is located south of Blackjack Road and east of US 377.

As part of the plan for the development the Applicants are applying for a Water Use Permit to request authorization to maintain a reservoir for recreation purposes. The reservoir is located on unnamed tributary of Pecan Creek, tributary of Little Elm Creek, tributary of Elm Fork Trinity River, tributary of the Trinity River, Trinity River Basin in Denton County. The water lost due to evaporation is intended to be replaced using groundwater wells as an alternate source.

The Applicants are pursuing this application to appropriate State Water with the Texas Commission on Environmental Quality (TCEQ). Notification of the application will be sent to all Water Rights holders in the Trinity River Basin as well as to all members of the Aubrey City Council and Denton County Commissioner Courts.

Sincerely,

Nathan Holt, Authorized Signatory of KL LB Buy 3 LLC

Brandon Allen

Ariel Britt

Chroc Uskon Leanne Wilson

Zach Downtain

Justin Morse

Dianne Edmondson Commissioner Precinct 4 **Denton County Commissioners Courtroom** 1 Courthouse Drive, Suite 3100 Denton, TX 76208

Subject: Highpointe Ranch Development

Application for Permit to Appropriate State Water

City of Aubrey, Denton County, Texas

Dear Commissioner Edmondson:

KL LB BUY 3, LLC, Brandon Allen, Ariel Britt, Leanne Wilson, Zach Downtain, and Justin Morse (collectively "the Applicants") are proposing to construct Highpointe Ranch, a single-family development within the City of Aubrey, Denton County, Texas. The project is located south of Blackjack Road and east of US 377.

As part of the plan for the development the Applicants are applying for a Water Use Permit to request authorization to maintain a reservoir for recreation purposes. The reservoir is located on unnamed tributary of Pecan Creek, tributary of Little Elm Creek, tributary of Elm Fork Trinity River, tributary of the Trinity River, Trinity River Basin in Denton County. The water lost due to evaporation is intended to be replaced using groundwater wells as an alternate source.

The Applicants are pursuing this application to appropriate State Water with the Texas Commission on Environmental Quality (TCEQ). Notification of the application will be sent to all Water Rights holders in the Trinity River Basin as well as to all members of the Aubrey City Council and Denton County Commissioner Courts.

Sincerely,

Nathan Holt, Authorized

Signatory of KL LB Buy 3 LLC

Brandon Allen

HIGHPOINTE RANCH

DENTON COUNTY, TX

GROUNDWATER WELL OPERATIONAL PLAN

This operations plan describes all the activities needed to maintain the groundwater wells and associated water lines and appurtenances associated with the use of groundwater to supplement pond surface water onsite. This plan describes the daily, weekly, monthly, and yearly tasks that would enable any qualified operator to assume the operation of the water system in any circumstances, including an emergency. The plan also describes non-routine activities such as positive analytical results, emergency operational practices, record keeping, and other duties. The operations plan will be updated as needed, whenever changes occur.

PLAN DESCRIPTION AND OUTLINE

The Highpointe Ranch is a single-family development. There is an existing on-channel pond within the development that is proposed to remain and be used for detention and recreational purposes. Per the State laws regarding surface water use, the development will use groundwater, produced onsite, to supplement any surface water loss due to evaporation. The development plans to utilize groundwater from three (3) individual wells to supplement water loss due to evaporation from the pond. The wells will produce groundwater from the Northern Trinity aquifer for a total maximum daily production rate of 62 gpm. The wells will operate both immediately and in-sync with each other, as needed during operation. The wells will only be used to supplement water loss due to evaporation from the pond. In occurrences where there is no water loss, the wells will not be used.

Each well will be a maximum of 300 feet in depth. HPR 1 (existing) will produce a maximum daily rate of 30 gpm and will be permitted through the North Texas Groundwater Conservation District (NTGCD). The other well, HPR 2 (proposed), will produce a maximum daily rate of 35 gpm. Both wells will need to be permitted and registered through the NTGCD as a collective "well system". Both wells will be associated with the development's State Water Rights Permit and will be subject to the requirements of the final permit, upon issuance.

The wells will each pump raw groundwater into a single 200 linear feet of a transmission line that will carry groundwater from the wells to the pond. Water will discharge into the pond using an air gap that is a minimum of 18-inches from the maximum water surface level to prevent backflow. The discharge point will be outfitted as a water feature for aesthetics and to ensure the air gap is maintained at all times. There will also be check valves on each wells' header and a check valve on the transmission line, as an additional effort to prevent backflow of water. Meters will be located on each wells' header to account for production totals and ensure no excess water is being used or lost, as needed for State-required monitoring and reporting. Float level-transducers will be installed in the pond to signal when groundwater is needed and when it is not. Each well will cycle through pumping as needed. This will be controlled through VFDs and the float level-transducers, using one well as the "lead" and one as the "lag" for a lead-lag system.

No water treatment or disinfection will be included in the standard well operation, unless otherwise required or directed by TCEQ in the final Water Rights Permit.

The Operational Plan (the "Plan") described in this document will outline best management practices for the standard operation and maintenance of the groundwater wells and their appurtenances as related to supplementing surface water in the pond onsite.

The Plan consists of the following key aspects,

- 1. Routine Operational Procedures
 - a. Visual Inspection of wells
 - b. Physical Inspection and Exercise of Mechanical Equipment
 - c. Maintenance
- 2. Monitoring and Reporting
 - a. Groundwater Production Monitoring
 - b. Pond Surface Water Levels
 - c. Bacteriological Parameters
 - d. Chemical Parameters
- 3. Emergency Operational Practices

ROUTINE OPERATIONAL PROCEDURES

Routine operational procedures for groundwater wells are critical for ensuring the efficiency and longevity of the wells. These procedures involve regular inspection, maintenance, and the implementation of best management practices to help prevent failures and negative environmental impacts. Below is a guide to the key routine operational procedures that will be involved in the Highpointe Ranch groundwater wells.

- 1. Visual Inspection of Wells
 - a. Frequency: Monthly or Quarterly (dependent on well usage)
 - b. Items to Check for:
 - i. Signs of physical damage or wear
 - ii. Proper well head seal
 - iii. Corrosion, scaling, or rust on any metal components
 - iv. Leaks
 - v. Vent openings/screens
 - vi. Abnormal pump vibrations
 - vii. Valve operation
 - viii. Debris/vegetation/erosion at site
- 2. Physical Inspection and Exercise of Mechanical Equipment
 - a. Frequency: Monthly or Quarterly (dependent on well usage)
 - b. Items to Consider:
 - i. Pumps
 - 1. Pump casing, intake, and discharge connections

- a. Check for signs of damage or leakage
- 2. Bearings and shaft
 - a. Check for alignment issues or damage
- 3. Run Test
 - a. Run pump at different operational conditions to verify that it is operating within the expected parameters.
- 4. Noise Test
 - a. Listen for unusual noises, vibrations, or irregular operation of the pump
- ii. Motor and Drive Mechanism
 - 1. Motor
 - a. Check for signs of overheating, wear, or electrical faults
 - b. Ensure motor is safely mounted and properly aligned with the pump
 - 2. Drive Shaft and Couplings
 - a. Ensure securely connection
 - b. Check for signs of fatigue or misalignment
 - 3. General
 - a. Ensure all moving components are adequately lubricated to prevent friction and wear.
- iii. Valve and Piping
 - 1. Check the operation of all valves
 - a. Ensure they are functioning properly with no leaks or blockage
 - b. Periodically open and close all valves to ensure they are operating without leaks or blockage.
 - 2. Inspect all connected piping for cracks, leaks, or corrosion
 - a. Specifically note the condition of the joints and fittings
 - 3. Verify pressure relief valves are properly preventing overpressurization.
- iv. Flow Meter and Gauges
 - 1. Ensure they are providing reliable readings
 - 2. Calibrate as needed, according to manufacturer recommendations.
- v. Emergency and Backup Systems
 - 1. Test backup power systems periodically
 - 2. Verify emergency shutoff switches and alarms are properly working and can be activated quickly in an emergency.

3. Pump Maintenance

- a. Frequency: Every 3 to 6 months (dependent on well usage)
- b. Items to Consider:
 - i. Clean pump intake screens
 - ii. Lubricate moving parts, as applicable
 - iii. Check the electrical system, including wiring and control panels
 - iv. Verify motor performance and check for overheating or vibrations

4. Well Maintenance

- a. Frequency: 1 to 3 years, or as needed (dependent on well usage)
- b. Items to Consider:
 - i. Chemical treatment to remove scaling and biofouling, as needed
 - ii. Mechanical cleaning to remove debris and sediment buildup
 - iii. Test and confirm well yield before and after well cleaning to assess any changes in flow capacity.
 - iv. Reline or re-cement casing, as/if needed

MONITORING AND REPORTING

Effective monitoring and reporting ensure the continuous assessment of the wells' performances, water quality, and system integrity, providing the data needed to make decisions regarding the operation of the well and maintain compliance with regulatory requirements. This section outlines the procedures and frequency for monitoring key well parameters, actions from data collection, and the required reporting practices to ensure the well operates efficiently and in compliance with regulatory agencies.

1. Monitoring

- a. Frequency: Daily, and as required by regulatory agency
- b. Items to Monitor:
 - v. Water Levels
 - 1. Review and note any unusual trends such as significant rises or drops that could indicate issues
 - 2. Accounting Plan to account for this and to be updated <u>daily</u> with new data
 - vi. Pump Performance
 - 1. Flow rates
 - 2. Run times
 - 3. Power supply
 - vii. Operational Parameters
 - 1. Well yield

- 2. Drawdown
- 3. Recovery rate
- 2. Reporting
 - a. Frequency: As required by regulatory agency
 - b. Items to Report:
 - i. Pond Surface Water Levels
 - 1. Accounting Plan to account for this and to be updated <u>daily</u> with new data
 - ii. Bacteriological Parameters:
 - 1. E. coli
 - 2. Total coliform
 - iii. Chemical Parameters:
 - 1. pH
 - 2. Temperature
 - 3. Sulfate
 - 4. Chloride
 - 5. TDS
 - 6. PFAS
 - iv. Sampling locations
 - v. Positive contaminant detection
 - vi. Maintenance tasks completed
 - 1. Both on the wells and the associated transmission line
 - c. Supplementary Tasks:
 - vii. Keep detailed records of water levels, pump rates, maintenance schedules, and water quality results
 - viii. Maintain compliance with regulatory agency per final issued permit

EMERGENCY OPERATIONAL PRACTICES

Emergency operational practices are essential for ensuring the quick and effective response to system failures that may disrupt the operation of the groundwater wells. These practices were developed to mitigate potential risks, safeguard environmental impact, and minimize damage to the well infrastructure. Emergency events may include equipment failures, power outages, contamination events, natural disasters, or any situation that jeopardizes the safe and reliable supply of water.

This section outlines the procedures to follow in the event of an emergency, detailing the steps for assessing the situation, implementing corrective actions, and communicating with stakeholders. It also includes protocols for maintaining system functionality during emergencies, activating backup systems, and ensuring that any safety measures or regulatory requirements are promptly met.

1. Emergency Response Protocols

- a. Immediate Assessment: Upon identification of an emergency, assess the circumstances and severity of the issue
- b. Emergency Team Activation: Contact the designated emergency response team, which includes the well operator, Owner, regulatory agencies, and emergency responders.
 - i. Alert the response team of the specific situation and proposed solution as necessary.

2. Power Outage or Electrical Failure

- a. Backup Power Systems: Ensure backup power systems (e.g., generators or battery systems) are activated immediately.
 - i. Ensure backup power sources are regularly tested and maintained.
- b. Manual Operation: In the event of backup power failure, assess if manual operation of the pump and system is feasible to maintain water supply until power is restored.
- c. **Notify Authorities:** If a power outage is prolonged or widespread, notify local utility companies and relevant regulatory bodies to assess the situation and provide updates.

3. Pump or Equipment Failure

- a. Pump Shutdown: If the pump experiences a mechanical failure, shut it down immediately to prevent further damage.
 - i. Follow the manufacturer's recommended emergency procedure for safely deactivating and isolating the affected equipment.
- b. Spare Parts and Tools: Ensure spare parts and necessary tools are readily available for quick repairs or temporary fixes.
 - i. Perform any emergency repairs, if possible, such as replacing or bypassing faulty components.

4. Water Contamination

- a. Shut Off Water Supply: In the event of suspected contamination, immediately shut off the potentially contaminated well's water supply to prevent the spread of contaminants.
- b. Water Testing: Conduct rapid water quality tests to identify contaminants.
 - i. If contamination is confirmed, isolate the affected well from the distribution system and notify regulatory agencies immediately.
 - ii. Test for contaminants at the pond discharge point as well to determine the impact of contaminants on the pond's water quality.

c. Notify Stakeholders: Inform local and relevant State authorities about the contamination and actions being taken to resolve the issue.

5. Flooding or Severe Weather Events

- a. Protect Well Infrastructure: In the case of flooding or severe weather, take measures to protect the well infrastructure from water damage such as,
 - i. Elevating critical equipment
 - ii. Sealing vulnerable areas
 - iii. Adding sandbags around the wellhead
- b. Monitor Wellhead and Surroundings: Continuously monitor the wellhead and surrounding area for signs of erosion, debris accumulation, or structural damage caused by flooding or storms.
 - i. Adjust the site and well, as/if possible, to prevent further impact from the weather event/conditions.
- c. Evacuate Personnel if Necessary: In the case of extreme weather or dangerous flooding occurrences, evacuate personnel from the site to ensure their safety, following established safety protocols.

6. Loss of Water Supply or Low Water Levels

- a. Water Level Monitoring: If the water level in the well is critically low due to over-pumping, drought, or equipment malfunction, immediately reduce the extraction rate or suspend pumping to allow recovery.
 - i. Evaluate drawdown trends and equipment conditions to determine the cause in water level reduction.
 - ii. Address the issues as determined from the evaluation.

7. Communication and Reporting

- a. Notify Stakeholders: Quickly notify all relevant stakeholders, including local authorities, regulatory bodies, operators, and Owner, about the emergency and the actions being taken.
- b. Provide Regular Updates: Throughout the emergency, provide regular updates to stakeholders on the status of the situation, expected resolution times, and any necessary actions they need to take.
- c. Document the Incident: Keep detailed records of the emergency response, including the nature of the issue, and actions taken for future reference and regulatory reporting.

8. Restoration of Normal Operations

 Inspect and Test Equipment: Once the emergency has been addressed, thoroughly inspect and test all equipment to ensure that everything is functioning properly.

- i. Components to check include pumps, motors, valves, meters, and electrical systems.
- b. Decontamination (if necessary): If contamination was a concern, confirm that the groundwater meets regulatory and permit standards before resuming normal operations.

9. Post-Emergency Review

- a. Evaluate Response Effectiveness: After the emergency is resolved, conduct a post-emergency review to evaluate the effectiveness of the response and identify areas for improvement.
 - i. Discuss the emergency response, the timing of actions, and the coordination between teams.
- Update Emergency Operational Practices: Based on the review, update the emergency operational practices section of the Well Operational Plan to incorporate any improvements or lessons learned, to ensure better preparedness for future emergencies and a more robust emergency preparedness plan.

IMPLEMENTATION OF WELL OPERATIONAL PLAN

The implementation of the Well Operational Plan shall commence immediately upon the approval of the well for use. Upon approval, all relevant stakeholders, including well operators and maintenance personnel, will be notified to begin the operational processes outlined in the plan to ensure the well is fully prepared for continuous operation and meets all performance, compliance, and safety standards from day one.

High Pointe Ranch Pond Water Accounting Record Annual

Year	

Month	Diversion (ac-ft)	Groundwater Volume (ac-ft)	Net Evaporation (ac-ft)	Calculated Net Inflow (ac-ft)	Depleated Net Inflow (ac-ft)	Supplemental Groundwater Release (ac-ft)
January	0.000	0.000	0.25	0.25	0.25	0.25
Feburary	0.000	0.000	-1.40	-1.40	0.00	0.00
March	0.000	0.000	2.88	2.87	2.87	2.87
April	0.000	0.000	2.14	2.14	2.14	2.14
May	0.000	0.000	2.22	2.22	2.22	2.22
June	0.000	0.000	4.85	4.85	4.85	4.85
July	0.000	0.000	5.91	5.91	5.91	5.91
August	0.000	0.000	7.06	7.06	7.06	7.06
September	0.000	0.000	5.91	5.91	5.91	5.91
October	0.000	0.000	2.14	2.14	2.14	2.14
November	0.000	0.000	0.00	0.00	0.00	0.00
December	0.000	0.000	0.16	0.16	0.16	0.16
Total	0.000	0.000	32.11	32.11	33.51	33.51

2,000	2590 2590	2,590	2,590 2,590	2,590	2,590	2,590	2,590	2,590	2,590	2,590	2,590	2,590	2,590	2,590	2,590	2,590	2,590	2,590	2,590	2,590	2,590	2,590	2,590	2,590	2,590	2,590	2,590	2,590	2,590	2,590	2,590 2,590 2,590	N/A N/A	Net Evaporation Calculated Net Inflow Gepleated Net Inflow Groundwater Release (gal) (gal) (gal)	Date.	Signed:		
30.0	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	NA	Net Evaporation Net (ac-ft)				
Total Net Evaporation	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	N/A	Net Evaporation Rate N				
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	N/A	Total Evaporation Rate (in)			Water Accounting Record January	
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	N/A	Default Evaporation Rate (in)			W	
																																	Lewisville Lake Precipitation (in) Lewisville Lake Evaporation Rate (in)				
																																	Pond 1 Elevation Lewis (ft) (msl) Precip				
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	N/A	Groundwater Volume P (gal)				
Total GW Volume																																	Groundwater Telemetric Reading (10,000 gal)				
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	N/A	Diversion (gal)	0.2.1	0		
Total Diversion																																	Pond 1 Irrigation Meter Reading (10,000 gal)	Lake Guilace Med (acces)	Ann (name)		
	31			28	7	3	0.	24			21			18																				Lake	- also		

8 7 6 5 4 3 2 4 Day 1 1 Irrigation er Reading 0,000 gal) Diversion (gal) 8.21 Groundwater Telemetric Reading (10,000 gal) Total GW Volume Lewisville Lake Precipitation (in) Lewisville Lake Evaporation Rate (in) Net Evaporation (ac-ft) Net Evaporation (gal) Signed: Date:

40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	1	10	9	8 7	ග ග	4	2 22
	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	9	9	4	3	2	,	Day				
Total Diversion																															Pond 1 Irrigation Meter Reading (10,000 gal)		Lake Surface Area (acres)		
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Diversion (gal)		8.21		
Total GW Volume																															Groundwater Telemetric Reading (10,000 gal)		2		
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Groundwater Volume (gal)				
																															Pond 1 Elevation (ft) (msl)				
																															Lewisville Lake Precipitation (in)				
																															Lewisville Lake Evaporation Rate (in)				
	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	01.0	01.0	01.0	01.0	0.10	01.0	Default Evaporation Rate (In)				Wati
	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	Total Evaporation Rate (In)			1	Water Accounting Record
Total Net Evaporation	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	Net Evaporation Rate (in)				
214	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	70.0	70.0	70.0	70.0	0.07	0.07	Net Evaporation (ac-ft)				
Summed Data	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	Net Evaporation (gal)				
	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	Calculated Net Inflow Depleated Net Inflow Supplemental Groundwater Release (gal) (gal)				
028 569	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	Depleated Net Inflow (gal)				
695 820	46,388		162,358							162,358							162,358							162,358							Supplemental Groundwater Releas (gal)		Signed: Date:		
																					1			1	9	9	9	1		5	Comments				

41	40	39	38	37	50	8 8	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	74	13	12	1	10	9	∞ √ © ∩ t	3 2 -
	31	30	29	28	27	900	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	-	Day		
Total Diversion																																	Pond 1 Irrigation Meter Reading (10,000 gal)	Lake Surface Area (acres)	
0	0	0	0	0	·	•	. 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Diversion (gal)	8.21	
Total GW Volume																																	Groundwater Telemetric Reading (10,000 gal)		
0	0	0	0	0	o		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Groundwater Volume (gal)		
																																	Pond 1 Elevation (ft) (msl)		
																																	Lewisville Lake Precipitation (in)		
																																	Lewisville Lake Evaporation Rate (in)		
	0.10	0.10	0.10	0.10	0.10	0.00	01.0	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	Default Evaporation Rate (in)		Higi Wate
	0.10	0.10	0.10	0.10	0.10	040	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	Total Evaporation Rate (in)		Highpointe Ranch Pond Water Accounting Record May
Total Not Evaporation	0.10	0.10	0.10	0.10	0.10	040	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	Net Evaporation Rate (in)		
2 22	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	Net Evaporation (ac-ft)		
Summed Data	23,309	23,309	23,309	23,309	23,309	22 200	23.309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	ion		
722 579	23,309	23,309	23,309	23,309	23,309	22 200	23.309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	Calculated Net Inflow (gal) Depleated Net Inflow (gal)		
722 579	23,309	23,309	23,309	23,309	23,309	22 200	23.309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	Depleated Net Inflow (gal)		
722 579	69,927			163,163								163,163							163,163							163,163							Supplemental Groundwater Release (gal)	Signed: Date:	
																																	Comments		

40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	1	10	9	8 7 0	σ.	4 3	2 -	1
	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	œ	7	6	5	4	3	2	1	Day					
Total Diversion																															Meter Reading (10,000 gal)	Lake Surrace Area (acres)				
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Diversion (gal)	5.2				
Total GW Volume																															Telemetric Reading (10,000 gal)					
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Groundwater Volume (gal)					
																															Pond 1 Elevation (ft) (msl)					
																															Lewisville Lake Precipitation (in)					
																															Evaporation Rate (in)					
	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	Rate (in)				Hig Wate	
	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	Rate (in)			June	Water Accounting Record	
Total Not Evenoration	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	Net Evaporation Rate (in)					
38 /	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	Net Evaporation (ac-ft)					
Summed Data	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	Net Evaporation (gal)					
	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	Calculated Net Inflow (gal)					
1 578 960	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	Calculated Net Inflow Depleated Net Inflow (gal) (gal)					
1 578 960	105,264		368,424							368,424							368,424							368,424							Groundwater Release (gal)	Date	Signed:			
																															Comments					

41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	4	13	12	1	10	9		80 -	7 0	Q I	Δ (2 12	-
	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	-	4	Day						
Total Diversion																																(10,000 gal)	Pond 1 Irrigation Meter Reading		Lake Surface Area (acres)				
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(gal)	Diversion		8.21				
Total GW Volume																																(10,000 gal)	Groundwater Telemetric Reading		-				
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		Groundwater Volume						
																																(ft) (msl)	Pon						
																																Precipitation (in)	Lewisville Lake						
																																(in)	Lewisville Lake Evaporation Rate						
	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	(in)	Default Evaporation Rate					Wa	Į
	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	(in)	Total				viny	Water Accounting Record	ahpointe Ranch Pond
Total Net Evaporation	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	(in)	Net Evaporation Rate						
ĺ	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	(ac-ft)	Net						
Summed Data	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	(gal)	Net Evaporation						
ſ	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	(gal)	Calculated Net Inflo						
1.926.867	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	(gal)	Calculated Net Inflow Depleated Net Inflow						
1.926.867	186,471			435,099							435,099							435,099							435,099							(gal)	Supplemental Groundwater Release	•	Date:	Signeo			
																																	Comments	•	9:	#			

41	40	39	38	o/	2 6	Š	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	4	13	12	1	10	9	œ √ o o	4 3 2 -
	31	30	29	20	20	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	-	Day		
Total Diversion																																	Pond 1 Irrigation Meter Reading (10,000 gal)	Lake Surface Area (acres)	
0	0	0	0	O	> 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Diversion (gal)	8.21	
Total GW Volume																																	Groundwater Telemetric Reading (10,000 gal)		
0	0	0	0	o		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Groundwater Volume (gal)		
																																	Pond 1 Elevation (ft) (msl)		
																																	Lewisville Lake Precipitation (in)		
																																	Lewisville Lake Evaporation Rate (in)		
	0.33	0.33	0.33	0.33	0.00	000	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	Default Evaporation Rate (in)		Higi Wate
	0.33	0.33	0.33	0.33	0.00	0.22	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	Total Evaporation Rate (in)		Highpointe Ranch Pond Water Accounting Record August
Total Not Evaporation	0.33	0.33	0.33	0.55	0.00	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	Net Evaporation Rate (in)		
30.7	0.23	0.23	0.23	0.23	0.23	0.33	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	Net Evaporation (ac-ft)		
Summed Data	74,243	74,243	74,243	74,243	24,040	74 242	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	ion		
2 301 533	74,243	74,243	74,243	14,243	74.040	74 242	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	Calculated Net Inflow Depleated Net Inflow (gall)		
2 301 533	74,243	74,243	74,243	14,243	74,240	74 242	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	Depleated Net Inflow (gal)		
2 301 533	222,729			219,701	540 704							519,701							519,701							519,701							Supplemental Groundwater Release (gal)	Signed: Date:	
																																	Comments		

								32	1	در	29	8	7	6	5	4	3	2	1	0	9	18	17	16	15	4	3	12	11	0	-	8	D) Ch	4 2 2	_
ı	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	9	9	4	3	2	,	Day				
Total Diversion																															Pond 1 Irrigation Meter Reading (10,000 gal)	and the second second second	lake Surface Area (acres		
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Diversion (gal)		8 21		
Total GW Volume																															Groundwater Telemetric Reading (10,000 gal)		_		
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Groundwater Volume (gal)				
																															Pond 1 Elevation (ft) (msl)				
																															Lewisville Lake Precipitation (in)				
																															Lewisville Lake Evaporation Rate (In)				
	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	Default Evaporation Rate (In)			Water	
	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	Total Evaporation Rate (In)			Water Accounting Record September	pointe Nation Folio
otal Net Evaporation	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	Net Evaporation Rate (in)				
5 91	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	Net Evaporation (ac-ft)				
Summed Data	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	Net Evaporation (gal)				
1 926 870	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	Calculated Net Inflow (gal) Depleated Net Inflow (gal)				
1 926 870	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	Depleated Net Inflow (gal)				
1 926 870	128,458		449,603							449,603							449,603							449,603							Supplemental Groundwater Release (gal)	-	Signed:		
	•																														Comments				

-	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	4	13	12	3	10	9	8	4 10	ω Λ	- د
	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	9	5	4	3	2	-	Day	,			
Total Diversion																																Pond 1 Irrigation Meter Reading (10,000 gal)	Lake Surface Area (acres)			
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Diversion (gal)	6.21			
Total GW Volume																																Groundwater Telemetric Reading (10,000 gal)				
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Groundwater Volume (gal)				
																																Pond 1 Elevation (ft) (msl)				
																																Lewisville Lake Precipitation (in)				
																																Lewisville Lake Evaporation Rate (In)				
	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	Default Evaporation Rate (In)			water	Water
	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	Total Evaporation Rate (In)			October October	Vator Accounting Percent
otal Net Evaporation	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	Net Evaporation Rate (in)				
2.14	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	Net Evaporation (ac-ft)				
Summed Data	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	Net Evaporation (gal)				
695.826	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	Calculated Net Inflow (gal)				
695.826	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	Calculated Net Inflow Depleated Net Inflow Groundwater Release (gal) (gal) (gal)				
695.826	67,338			157,122							157,122							157,122							157,122							Supplemental Sroundwater Release (gal)	Date: _	Signed:		
																																Comments				

40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	6	15	14	13	12	1	10	9	œ ·	7 6	4 n	3 2	-
	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	Day					
Total Diversion																															Meter Reading (10,000 gal)	Pond 1 Irrigation	Lake Surface Area (acres)			
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(gal)	?	8.21			
Total GW Volume																															gn	Groundwater				
•	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(gal)					
																															(ft) (msl)	1				
																															Precipitation (in)					
																															Evaporation Rate (in)	Lewisville Lake				
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Rate (in)	Default Evaporation			Wate	High
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		Total Evaporation			Water Accounting Record November	pointe Ranch Pond
Total Mot Evenovation	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(in)					
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(ac-ft)					
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(gal)					
•	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(gal)					
•	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(gal) (gal)					
•	0		0							0							0							0							Groundwater Release (gal)	Supplemental	Date:	Sinnari.		
																															Comments					

Med Evaporation (ac-ch) Age Evaporation (ac-ch) Age Evaporation (ac-ch) Obsolutesed Net Inflow (gal) Depleted Net Inflow (gal) But (gal) 0011 1,727 1,727 1,727 0011 1,727 1,727 1,727 0011 1,727 1,727 1,727 0011 1,727 1,727 1,727 0011 1,727 1,727 1,727 0012 1,727 1,727 1,727 0013 1,727 1,727 1,727 0014 1,727 1,727 1,727 0015 1,727 1,727 1,727 0016 1,727 1,727 1,727 0017 1,727 1,727 1,727 0018 1,727 1,727 1,727 0019 1,727 1,727 1,727 0011 1,727 1,727 1,727 0012 1,727 1,727 1,727 0013 1,727 1,727 1,727 0014<	-	40	39	38	37	36	35	34	ů.	ž	3 -	22	30	29	28	27	26	25	24	23	22	21	20	19	18	17	6	15	14	13	12	11	10	9	8765432
Commenter Comm		31	30	29	28	27	26	25	24	23	22	22	21	20	19	1 8	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	-	Day	
Commission Com	Tatal Diseasia.																																	Pond 1 Irrigation Meter Reading (10,000 gal)	Lake Surface Area (acres
Countrienter Countrienter Volume Count		0	0	0	0	0	0	0				» «	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Diversion (gal)	
Parel Eurolation Levisville Lake Carelina Car	Tatal CM Values																																		
Leveloriii Labo Calmili Engocration Rate Proportion Rate Rate Proportion Rate R	•	0	0	0	0	О	0	. c				0 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Groundwater Volume (gal)	
Lewisville Like																																		Pond 1 Elevation (ft) (msl)	
Default E-asporation Total E-asporation Rule E-asporation Rule																																			
Cols Evaporation Nat Eva																																			
Met Engocation East Met Engocation Calculated Net Inflow (gas)		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	Default Evaporation Rate (In)	Water
Med Evaporation Calculated Med Inflow Depleased Med Inflow (ac-th) (gash) Calculated Med Inflow Gash Inflow (ac-th) (gash) (gash) (gash) (ac-th) (ac-th) (ac-th) (ac-th) (ac-th) (ac-th) (ac-th) (ac-th) <td></td> <td>0.01</td> <td>Total Evaporation Rate (In)</td> <td>Accounting Record December</td>		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	Total Evaporation Rate (In)	Accounting Record December
Net Evaporation (Gauliated Net Inflow (Gas)) (gas) (Gauliated Net Inflow (Gas)) (gas) (Gas	Total Not Evaporation	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.01	0.01	0.01	10.0	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	Net Evaporation Rate (in)	
Calculated Net Inflow (gal) (g	0.16	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	Net Evaporation (ac-ft)	
Depleated Net Inflow (gal) (ga	Summed Data	1,727	1,727	1,727	1,727	1,727	1,727	1,/2/	1,727	1,727	4 707	1 727	1 727	1.727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727		
Depleated Net Inflow (gal) (ga	52 537	1,727	1,727	1,727	1,727	1,727	1,727	1,/2/	1,121	1,121	1,727	1 727	1 727	1.727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	Calculated Net Inflow (gal)	
Supplemental Groundware Release (p.a) 7.4,178	63 637	1,727	1,727	1,727	1,727	1,727	1,727	1,/2/	1,121	1,121	4 707	1 727	1 727	1.727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	Depleated Net Inflow (gal)	
	63 637	5,181			24,178															24,178														Supplemental Groundwater Release (gal)	Signed: Date:
																																		Comments	

High Pointe Ranch Pond Water Accounting Record Annual

Year	

Month	Diversion (ac-ft)	Groundwater Volume (ac-ft)	Net Evaporation (ac-ft)	Calculated Net Inflow (ac-ft)	Depleated Net Inflow (ac-ft)
January	0.000	0.000	0.25	0.25	0.25
Feburary	0.000	0.000	-1.40	-1.40	0.00
March	0.000	0.000	2.88	2.87	2.87
April	0.000	0.000	2.14	2.14	2.14
May	0.000	0.000	2.22	2.22	2.22
June	0.000	0.000	4.85	4.85	4.85
July	0.000	0.000	5.91	5.91	5.91
August	0.000	0.000	7.06	7.06	7.06
September	0.000	0.000	5.91	5.91	5.91
October	0.000	0.000	2.14	2.14	2.14
November	0.000	0.000	0.00	0.00	0.00
December	0.000	0.000	0.16	0.16	0.16
Total	0.000	0.000	32.11	32.11	33.51

Supplemental
Groundwater
Release (ac-ft)
0.25
0.00
2.87
2.14
2.22
4.85
5.91
7.06
5.91
2.14
0.00
0.16
33.51

1001 1001	Volume Pond Eleviside Law Levisyille Law Rale Ral	December	2 2600 2	0.01 0.01	0.01	0.01					Total Divorcion	
Col.	Decesion Conceptanter Volume Proof Equation (in) Contenting Volume Content	Convenience	2,500 2,500	0.01		10.0	0.01		0	0		31
100 100	Controlled Included	Control Cont	2 2600 2		0.01	0.01	0.01		0	0		30
1	Character Character Control patier	Spiral Properties Propert	2,500 2,250	0.01	0.01	0.01	0.01		0	0		29
2,000 2,00	Control Cont	Supplemental Production P	2 2500 2	0.01	0.01	0.01	0.01		0	0		28
2,000 2,00	Control part Cont	Section Part Part Elevation Part	2,500 2,500	0.01	0.01	0.01	0.01		0	0		27
2,000	Companies Properties Prop	Control content Control control content Control content Control content Control control content Control control content Control content Control control content Control control control control content Control co	2,500 2,500	0.01	0.01	0.01	0.01		0	0		26
100 100	Control part Cont	Control Cont	2,500 2,200 2,200 2,200 2,200 2,200 2,500 2,500 2,500 2,200 2,200 2,200 2,500	0.01	0.01	0.01	0.01		0	0		25
2,000 2,00	Description Provided Provid	Description Properties Pr	2.500 2.500 2.500 2.500 2.500 2.500 2.500 2.500 2.500 2.500 2.500 2.500 2.500	0.01	0.01	0.01	0.01		0	0		24
2,000 2,00	Diversion Diversion Control Exercise Provincia Contr	Decembra	2.590 2.590 2.590 2.590 2.590 2.590 2.590 2.590 2.590 2.590 2.590 2.590 2.590 2.590	0.01	0.01	0.01	0.01		0	0		23
2,000	Diversion Francisco Fran	Diversion Gaulafordizate Carolina California Ca	2,590 2,590 2,590 2,590 2,590 2,590 2,590 2,590 2,590 2,590 2,590 2,590 2,590 2,590 2,590	0.01	0.01	0.01	0.01		0	0		22
2,500 2,50	Countering Cou	Separation President Pre	2.590 2.590 2.590 2.590 2.590 2.590 2.590 2.590 2.590 2.590 2.590	0.01	0.01	0.01	0.01		0	0		21
2,500 2,50	Control Point Control Point Control Point Every District Control Point Control Poi	Section Provided Provided Exemplation Provided	2,590 2,590 2,590 2,590 2,590 2,590 2,590 2,590 2,590 2,590	0.01	0.01	0.01	0.01		0	0		20
2,500 2,50	Controllering Controllerin	Countéwnier Countémnier	2,590 2,590 2,590 2,590 2,590 2,590 2,590 2,590 2,590	0.01	0.01	0.01	0.01		0	0		19
2,500 2,50	Counterwise	Counterior Cou	2,590 2,590 2,590 2,590 2,590 2,590 2,590 2,590	0.01	0.01	0.01	0.01		0	0		18
2,500 2,60	Control President Control President Calculated Nat. Irino Calculated N	Superior Controller Contr	2.590 2.590 2.590 2.590 2.590 2.590 2.590	0.01	0.01	0.01	0.01		0	0		17
2,500 2,50	Control Profession Control	Countering Reading Countering Counteri	2,590 2,590 2,590 2,590 2,590 2,590	0.01	0.01	0.01	0.01		0	0		16
2,000	Control President Cont	Control of Control o	2,590 2,590 2,590 2,590	0.01	0.01	0.01	0.01		0	0		15
0.01 0.01 0.01 0.01 2.590 2.590 2.590 0.01	Countérwister Countérwiste	Countéwnier	2,590 2,590 2,590	0.01	0.01	0.01	0.01		0	0		14
1	State Provinciant Control Anticology Contro	Section Part Part Part England Part		0.01	0.01	0.01	0.01		0	0		13
0.01 0.01 0.01 0.01 2.990 2.990 0.01 0.01 0.01 2.990 2.990 0.01 0.01 0.01 2.990 2.990 0.01 0.01 0.01 2.990 2.990 0.01 0.01 0.01 2.990 2.990 0.01 0.01 0.01 2.990 2.990 0.01 0.01 0.01 2.990 2.990 0.01 0.01 0.01 2.990 2.990 0.01 0.01 2.990 2.990 0.01 0.01 0.01 2.990 2.990 0.01 0.01 0.01 2.990 2.990 0.01 0.01 0.01 2.990 2.990	Control of Control o	Signat S		0.01	0.01	0.01	0.01		0	0		12
001 001 001 001 2590	Counterwater Coun	Spread Properties Propert		0.01	0.01	0.01	0.01		0	0		11
0.01 0.01 0.01 0.01 2.590 2.590 0.01 0.01 0.01 2.590 2.590 0.01 0.01 0.01 2.590 2.590 0.01 0.01 0.01 2.590 2.500 2.590 2.500 2.590 2.500 2	Control of Control o	Spread S		0.01	0.01	0.01	0.01		0	0		10
001 001 001 001 2590 2590 001 001 001 001 2590 2590 001 001 001 001 2590 2590	Counterator	Signed Section Secti		0.01	0.01	0.01	0.01		0	0		9
001 001 001 001 001 2590 2590 001 001 001 001 2590 2590	Control Cont	Spring S		0.01	0.01	0.01	0.01		0	0		8
0.01 0.01 0.01 0.01 2,590 2,590	Spring Countdwater Count	Signat S		0.01	0.01	0.01	0.01		0	0		7
	Signation Point Every Point Every Point Every Every Every Point Every Point Every Every Point	Signat S		0.01	0.01	0.01	0.01		0	0		6
0.01 0.01 0.01 0.01 2,590 2,590	Spring President Preside	Signat S		0.01	0.01	0.01	0.01		0	0		5
0.01 0.01 0.01 0.01 2,590 2,590	Sprint S	Signed S		0.01	0.01	0.01	0.01		0	0		4
0.01 0.01 0.01 0.01 2.590 2.590	Spring Spring Countdwater Volume Pond Envirollie Lake Lewisville Lake Default Exporation Total Exporation Met Exporation Rate Pond Envirollie Rate Pond Envirollie Lake Pond	Signat S		0.01	0.01	0.01	0.01		0	0		3
0.01 0.01 0.01 0.01 2,590 2,590	Signed: Coundwater Volume Poord Evaluation Groundwater Volume Poord Evaluation Calculated Net Inflow Calculat	Signat Signation Commonwater Volume Pool of Elevation Commonwater Volume Pool of Elevation Commonwater Volume Commonwat		0.01	0.01	0.01	0.01		0	0		2
0.01 0.01 0.01 0.01 2,590 2,590 2,590	Synod Counterator (apr) Counterator (b) Counterator (b)	B272 Signed Sign	2,590	0.01	0.01	0.01	0.01		0	0		1
N/A N/A N/A N/A N/A N/A	Spread Coundwater Coundwat	8271 Countdwater Volume Point Euration Groundwater Volume Point Euration Calculation Calculation	N/A	N/A	N/A	N/A	N/A		N/A	N/A		0
(R) (mai) Procipitation (in) Eugonation Rate Rate Rate Rate (in) (in) (in) (in) (in) (in) (in) (in)	821 Goundwater Coundwater Coundwater Coundwater Volume Dend Figuration Levisorille ato Levisorille Lake Default Evaporation Total Evaporation Nat Evaporation Bate Nat Evaporation National Natio	Water Accounting Record 821 Goundwater Counterman Volume Don't Equation Lewisville Lake Default Evaporation Total Evaporation Nat Evaporation			(in)	Rate (in)	Rate (in)			(gal)	Meter Reading (10,000 gal)	Day
Pond 1 Flevation Lewisville Lake Lewisville Lake Default Evaporation Total Evaporation Net E	821	Waitr Accounting Record January 8-21	Net Inflow Depleated Net Inflow Supplemental		Net Evanoration Rate	Total Evaporation	Default Evaporation	_		Diversion	Pond 1 Irrigation	

37	36	35	34	33	32	<u>ن</u>	30	9 2	200	20/	27	36	25	24	23	22	21	20	19	18	17	16	15	14	3	12	1	10	9		8 7 6 5 4	3 2 1	
28	27	26	25	24	23	22	21	20	200	300	100	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	_	u	Day	_		A
																													(10,000 gal)	Pond 1 Irrigation	Lake Surface Area (acres)		c
0	0	0	0	0	0	Û	C	0 0	,	0 0	•	0 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(gal)	Diversion	8.21		•
																													(10,000 gal)	Groundwater Telemetric Reading			
0	0	0	0	0	0	Û	C	0 0	,	0 0		0 0	o ¢	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(gal)	Groundwater Volume			•
																													(ft) (msl)	Pond 1 Elevation			
																													Precipitation (in)	Lewisville Lake			
																													(in)	Lewisville Lake			
-0.0-	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	70.0-	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	(in)	Default Evaporation		Higi Wate	
-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	70.0-	70.0-	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	(in)	Total Evaporation		Highpointe Ranch Pond Water Accounting Record February	•
-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	-0.07	(in)	Net Evaporation Rate			
-0.05	-0.05	-0.05	-0.05	-0.05	-0.05	-0.05	-0.05	-0.05	-0.00	-0.05	-0.05	-0.05	-0.05	-0.05	-0.05	-0.05	-0.05	-0.05	-0.05	-0.05	-0.05	-0.05	-0.05	-0.05	-0.05	-0.05	-0.05	-0.05	(ac-ft)	Net Evaporation			
-16.248	-16,248	-16,248	-16,248	-16,248	-16,248	-16,248	-16,248	-16,248	-10,240	-10,240	16.248	-16.248	-16 248	-16.248	-16,248	-16,248	-16,248	-16,248	-16,248	-16,248	-16,248	-16,248	-16,248	-16,248	-16,248	-16,248	-16,248	-16,248	(gal)	Net Evaporation			

41	40	39	38	37	36	35	34	ú	32	0	2 0	2 6	3 8	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8 7 6 5 4	3 2
	31	30	29	28	27	26	25	24	23	22	200	21	3 6	19	18	17	16	15	14	13	12	1	10	9	œ	7	6	5	4	ω	2	_	Day		
Total Diversion																																	Meter Reading (10,000 gal)	Lake Surface Area (acres)	
0	0	0	0	0	0	0	0	U		• •		0 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	n Diversion (gal)		
Total GW Volume																																	Groundwater Telemetric Reading (10,000 gal)	8.21	
•	0	0	0	0	0	0	0						0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Groundwater Volume (gal)	=	
																																	Pond 1 Elevation (ft) (msl)		
																																	Lewisville Lake Precipitation (in)		
																																	Evaporation Rate (in)		
	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	014	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	Default Evaporation Rate (in)		Higi Wate
	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	oration		Highpointe Ranch Pond Water Accounting Record March
Total Not Evaporation	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	044	0.14	014	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	0.14	Net Evaporation Rate (in)		
388	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.00	0.00	0.00	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	Net Evaporation (ac-ft)		
Summed Data	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,219	20,246	30,210	20.745	30 215	30.215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	tion		
533 356	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,213	20,245	20.210	20.246	30.215	30.215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	Calculated Net Inflow (gal) Depleated Net Inflow		
538 956	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,213	20.246	30,210	20.245	30 215	30.215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	30,215	Depleated Net Inflow (gal)		
938 885	90,645			211,505							211,000	244 505							211,505							211,505							Groundwater Release (gal)	Signed: Date:	
																																	Comments		

40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	4	13	12	11	10	9	1	ω -	ν σ:	5	4	3 2	Ŀ	
	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	1	10	9	00	7	6	5	4	3	2	1	Day								Α
Total Diversion																															Meter Reading (10,000 gal)	Pond 1 Irrigation		Lake Surface Area (acres)					В
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Diversion (gal)			s) 8.21					С
Total GW Volume																															Telemetric Reading (10,000 gal)	Groundwater		-					0
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Groundwater Volume (gal)								Е
																															Pond 1 Elevation (ft) (msl)								F
																															Lewisville Lake Precipitation (in)								G
																															Evaporation Rate (in)	I gwievillo I ako							I
	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	Rate (in)	Default Evaporation					Wate	Higi	_
	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	Rate (in)	Total Evaporation					Water Accounting Record April	Highpointe Ranch Pond	J
Total Net Evaporation	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	Net Evaporation Rate (in)								_
2.14	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	Net Evaporation (ac-ft)								L
Summed Data	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	Net Evaporation (gal)								M
695.820	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	Calculated Net Inflow Depleated Net Inflow Groundwater Release (gal) (gal)								N
695.820	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	23,194	Depleated Net Inflow (gal)								0
695.820	46,388		162,358							162,358							162,358							162,358							Groundwater Release (gal)	Sunniamental		Date:	Signed:				Р
																															Comments								Q

41	4	39	38	37	36	35	34	33	32	Ġ.	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8 7 6 5 4	3 2
	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	Day		
Total Diversion																																Meter Reading (10,000 gal)	Lake Surface Area (acres)	
0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Diversion (gal)	s) 8.21	
Total GW Volume																																Groundwater Telemetric Reading (10,000 gal)	-	
	0	0	0	0	0	0	0	0	0	· o	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Groundwater Volume (gal)		
																																Pond 1 Elevation (ft) (msl)		
																																Lewisville Lake Precipitation (in)		
																																Lewisville Lake Evaporation Rate (in)		
	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	Default Evaporation Rate (in)		High Wate
	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	Total Evaporation Rate (in)		Highpointe Ranch Pond Water Accounting Record May
Total Net Evaporation	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	Net Evaporation Rate (in)		
2.22	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	Net Evaporation (ac-ft)		
Summed Data	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	Net Evaporation (gal)		
722.579	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	Calculated Net Inflow (gal) Depleated Net Inflow (gal)		
722.579	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	23,309	Depleated Net Inflow (gal)		
722.579	69,927			163,163							163,163							163,163							163,163							Groundwater Release (gal)	Signed: Date:	
																																Comments		

6	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8 7	o 0	4	ω N) -	-
			28			25					20		18		16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	Day					
Total Diversion																															Pond 1 Irrigation Meter Reading (10,000 gal)		Lake Surface Area (acres)			
Ī	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	n Diversion (gal)					
Total GW Volume																															Groundwater Telemetric Reading (10,000 gal)		8.21			
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Groundwater Volume (gal)					
																															Pond 1 Elevation (ft) (msl)					
																															Lewisville Lake Precipitation (in)					
																															Lewisville Lake Evaporation Rate (In)					
	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	Default Evaporation Rate (In)				Water	High
	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	Total Evaporation Rate (in)				Water Accounting Record	Highpointe Ranch Pond
Total Net Evaporation	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	Net Evaporation Rate (in)					
4.85	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	Net Evaporation (ac-ft)					
Summed Data	52.632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	ion					
1.578.960	52.632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	Calculated Net Inflow (gal) Depleated Net Inflow (gal)					
1.578.960	52.632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	52,632	Depleated Net Inflow (gal)					
1.578.960	105.264		368,424							368,424							368,424							368,424							Groundwater Release (gal)		Signed: Date:	!		
																															Comments					

1	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8 7 6 6 4 3 2 -
	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	Day	
Total Diversion																																Meter Reading (10,000 gal)	Lake Surface Area (acres)
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Diversion (gal)	
Total GW Volume																																Telemetric Reading (10,000 gal)	Groundwater
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Groundwater Volume (gal)	
																																(ft) (msl)	
																																Lewisville Lake Precipitation (in)	
																																Evaporation Rate (in)	Lewisville Lake
	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	Rate (in)	Hig Wate
	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28		Water Accounting Record July Total Evaporation
Total Net Evaporation	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	Net Evaporation Rate (in)	
	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	0.19	Net Evaporation (ac-ft)	
Summed Data	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	Net Evaporation (gal)	
	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	Calculated Net Inflow (gal)	
1.926.867	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	62,157	Calculated Net Inflow Depleated Net Inflow (gal)	
1.926.867	186,471			435,099							435,099							435,099							435,099							Groundwater Release (gal)	Signed:
																																Comments	

	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8 7 6 5 1	. ω r
	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	1	10	9	8	7	6	5	4	3	2	-	Day	Lake	
Total Diversion																																Pond 1 Irrigation Meter Reading (10,000 gal)	Lake Surface Area (acres)	
	0	0	0	0	. 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Diversion (gal)	8.21	
Total GW Volume																																Groundwater Telemetric Reading (10,000 gal)	21	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Groundwater Volume (gal)		
																																me Pond 1 Elevation (ft) (msl)		
																																Lewisville Lake Precipitation (in)		
																																Lewisville Lake Evaporation Rate (In)		
	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	Default Evaporation Rate (In)		:
	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	n Total Evaporation Rate (in)		August
Total Not Economics	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	Net Evaporation Rate (in)		
	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	Net Evaporation (ac-ft)		
Summed Date	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	Net Evaporation (gal)		
	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	Calculated Net Inflov (gal)		
2 204 522	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	74,243	Calculated Net Inflow (gal) Depleated Net Inflow (gal)		
2 201 523	222,729			519,701							519,701							519,701							519,701							Supplemental Groundwater Release (gal)	Signed: Date:	
																																Gomments	9. 6.	

Ę	39	38	37	36	35	34	33	32	ري	32	29	28	2)	26	25	24	23	22	21	22	16	i,	17	1	16	7	t	12	11	1	9	8 7	ග ග	4	u N -	
			28	27				23	22	21		19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	Day					
																																	Lake:			
Total Diversion																															Pond 1 Irrigation Meter Reading (10,000 gal)		Lake Surface Area (acres)			
reion																																	acres)			
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Diversion (gal)		8.21			
Total GW Volume																															Groundwater Telemetric Reading (10,000 gal)					
Volume																																				
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Groundwater Volume (gal)					
																															Pond 1 Elevation (ft) (msl)					
																															Lewisville Lake Precipitation (in)					
																															Lewisville Lake Evaporation Rate (In)					
	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	Default Evaporation Rate (In)				Wa	5
	0.29	0.2	0.29	0.2	0.2	0.29	0.2	0.29	0.29	0.2	0.2	0.2	0.29	0.2	0.2	0.2	0.2	0.2	0.29	0.2	0.2	0.2	0.29	0.2	0.2	0.2	0.2	0.29	0.2	0.2	Total E				Water Accounting Record	inhaninto Bond
	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9					Record	b Donal
otal Net Evaporation	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	Net Evaporation Rate (in)					
5 91	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	Net Evaporation (ac-ft)					
Summed Data	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	Net Evaporation (gal)					
	64	92	6/	64	92	96	92	6/	90	90	92	92	92	64	92	96	92	6.	96	92	99	92	92	64	90	96	92	64	64	92						
926 870	,229	1,229	,229	,229	1,229	,229	1,229	,229	,229	,229	1,229	1,229	1,229	,229	1,229	1,229	1,229	1,229	1,229	1,229	,229	1,229	64,229	,229	1,229	1,229	1,229	,229	,229	1,229	ted Net Inflow (gal)					
1 926 870	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	64,229	Inflov					
1 926 8	128,458		449,603							449,603							449,603							449,603							Supplemental Groundwater Release (gal)					
07	8		ω							ω							ω							3							Release		Signed: Date:			
																															Comments					
																															nts					

41	6	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8 7 6 5	4 3 2 -
	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	-	Day		
Total Diversion																																Pond 1 Irrigation Meter Reading (10,000 gal)	Lake Surface Area (acres)	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	n Diversion (gal)		
Total GW Volume																																Groundwater Telemetric Reading (10,000 gal)	8.21	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Groundwater Volume (gal)	-	
																																Pond 1 Elevation (ft) (msl)		
•																																Lewisville Lake Precipitation (in)	-	
																																Lewisville Lake Evaporation Rate (in)		
	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	Default Evaporation Rate (in)		Hig Wat
•	0,10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	Total Evaporation Rate (in)	1	Highpointe Kanch Pond Water Accounting Record October
Total Not Evaporation	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.10	Net Evaporation Rate (in)		
244	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	Net Evaporation (ac-ft)		
Summod Data	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	Net Evaporation (gal)		
898 826	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	Calculated Net Inflow Depleated Net Inflow (gal)		
968 909	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	22,446	Depleated Net Inflow (gal)		
828 828	67,338			157,122							157,122							157,122							157,122							Supplemental Groundwater Release (gal)	Signed: Date:	
																																Comments		

40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	1	10	9	8 7 6	σ.	a w N	-
	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	Day	5			
Total Diversion																															Pond 1 Irrigation Meter Reading (10,000 gal)	Lake Surface Area (acres)			
•	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Diversion (gal)	8.21			
Total CM Values																															Groundwater Telemetric Reading (10,000 gal)				
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Groundwater Volume (gal)				
																															Pond 1 Elevation (ft) (msl)				
																															Lewisville Lake Precipitation (in)				
																															Lewisville Lake Evaporation Rate (In)				
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Default Evaporation Rate (In)			Wate	Hig
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Total Evaporation Rate (In)			November	Highpointe Ranch Pond
Total Mat Evenovation	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Net Evaporation Rate (in)				
000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Net Evaporation (ac-ft)				
Summed Data	0	0	0	0	0	0	0	0	. 0	. 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Net Evaporation (gal)				
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Calculated Net Inflow (gal)				
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Calculated Net Inflow Depleated Net Inflow (gal)				
0	0		0							0							0							0							Supplemental Groundwater Release (gal)	Date:	Signed:		
																															Comments				

		000000000000000000000000000000000000000	0 0	23 0 0		0	20 0 0	19 0 0	18 0 0	17 0 0	16 0 0	0	14 0 0	13 0 0				200		0 8	5 0		3 6	0	Day Meter Reading (gal) Telemetric Reading (10,000 gal)	8.21
0 0.01	0	000														0	0	0 0	0	0	0	0	D	0	(gal)	8.21
0 0.01	0	000														0	0	0 0	0	0	0	0	0	0		8.21
0.01			0 0		•	0	0	0	0	0	0	0	0	0	0									l	Telemetric F (10,000 g	
0.01			0 4	5 6	> 0	0	0	0	0	0	0	0	0	0	0		+					١			Reading (Jal)	Groundwater
	0.01	0.0											_			0	0	0 0	0	0	0	0	0 0	0	(gal)	
	0.01	0.0																							(ft) (msl)	
	0.01	0.0				T	1																		Precipitation (in)	
	0.01	0.0	1																						Evaporation Rate (In)	Lewisville Lake
0.01	H	-1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	Rate (in)	Hig Wat
	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	Rate (in)	Water Accounting Record December Total Evaporation
0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	(in)	
0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	(ac-ft)	
1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1.727	1 727	1,727	1,727	1,727	1.727	1 727	1,727	(gal)	
1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1.727	1.727	1 727	1,727	1,727	1,727	1.727	1 727	1,727	(gal)	
1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1,727	1.727	1 727	1,727	1,727	1,727	1.727	1 727	1,727	(gal)	
24,178													24,178												Groundwater Release (gal)	Signed: Date:
																Ĭ										
1 1	ш																								Commer	
4 707 4 707	1.727 1.727	1,727 1,727 1,727 1,727	1,727 1,727 1,727 1,727 1,727 1,727	1,727 1,727 1,727 1,727 1,727 1,727 1,727 1,727 1,727 1,727	1/22 1/22 1/22 1/22 1/22 1/22 1/22 1/22 1/22 1/22 1/22 1/22 1/22 1/22 1/22 1/22	1,727 1,727	1.727 1.727	1.72 1.72 1.72 1.72	1.727 1.727	172 172 172 172 172 172 172 172 172 172	122 122 122 122 122 122 122 122 122 122	172 172 172 172 172 172 172 172 172 172	1727 1727 1727 1727 1727 1727 1727 1727	1727 1727 1727 1727 1727 1727 1727 1727	1727 1.727 1	1727 1727 1727 1727 1727 1727 1727 1727	1727 1727 1727 1727 1727 1727 1727 1727	1727 1727 1727 1727 1727 1727 1727 1727	1777 1777 1777 1777 1777 1777 1777 177	1727 1727 1727 1727 1727 1727 1727 1727	172 1.72 172 1.72 172 1.72 173	1727 1727 1727 1727 1727 1727 1727 1727	1722 1722 1722 1722 1722 1722 1722 1722	1720 1720	1727 1727 1727 1727 1727 1727 1727 1727	Chacutade Heatmony Depotated Retaindony (Ban) (pan) (pan

TCEQ TRIN3 NET

Month	Days in Month	TCEQ WRAP Net Trinity River Basin Evaporation - for Max (1956) Monthly Rate (in)	TCEQ WRAP Net Trinity River Basin Evaporation - for Max (1956) Daily Rate (in)
January	31	0.36	0.01
Februray	28	-2.04	-0.07
March	31	4.20	0.14
April	30	3.12	0.10
May	31	3.24	0.10
June	30	7.08	0.24
July	31	8.64	0.28
August	31	10.32	0.33
September	30	8.64	0.29
October	31	3.12	0.10
November	30	0.00	0.00
December	31	0.24	0.01

TWDB EVAP NET

Month	Days in Month	TWDB 75th Percentile Monthly Rate (in)	TWDB 75th Percentile Daily Rate (in)	Pan Factor
January	31	0.94	0.04	0.74
Februray	29	1.02	0.05	0.71
March	31	1.76	0.08	0.70
April	30	2.26	0.11	0.68
May	31	1.73	0.09	0.61
June	30	4.08	0.20	0.68
July	31	6.82	0.31	0.70
August	31	6.04	0.27	0.71
September	30	4.00	0.18	0.74
October	31	2.64	0.11	0.78
November	30	1.64	0.07	0.81
December	31	0.65	0.03	0.78

TCEQ TRIN3 NET

Month	Days in Month	TCEQ WRAP Net Trinity River Basin Evaporation - for Max (1956) Monthly Rate (in)	TCEQ WRAP Net Trinity River Basin Evaporation - for Max (1956) Daily Rate (in)
January	31	0.36	0.01
Februray	29	-2.04	-0.07
March	31	4.20	0.14
April	30	3.12	0.10
May	31	3.24	0.10
June	30	7.08	0.24
July	31	8.64	0.28
August	31	10.32	0.33
September	30	8.64	0.29
October	31	3.12	0.10
November	30	0.00	0.00
December	31	0.24	0.01

					TCEQ W	VRAP Input File
EV Record	YEAR	JAN	FEB	MAR	APR	MAY
EV EV411	1940	0.05	-0.08	0.31	-0.07	0.12
EV EV411	1941	0.14	0.01	0.14	-0.15	0.31
EV EV411	1942	0.08	0.12	0.2	0.02	0.26
EV EV411	1943	0.19	0.18	0.06	0.25	-0.03
EV EV411	1944	-0.07	-0.33	0.14	0.14	0.07
EV EV411	1945	0.06	-0.06	-0.04	0.1	0.25
EV EV411	1946	-0.08	0.11	0.06	0.09	-0.05
EV EV411	1947	0.14	0.21	0.08	-0.03	0.19
EV EV411	1948	0.05	0.05	0.22	0.45	0.21
EV EV411	1949	-0.33	0.01	0.05	0.09	0.11
EV EV411	1950	-0.12	0.21	0.31	0.24	0.14
EV EV411	1951	0.1	-0.12	0.29	0.25	0.18
EV EV411	1952	0.14	0.07	0.04	-0.17	0.27
EV EV411	1953	0.13	0.06	-0.01	0.07	0.37
EV EV411	1954	-0.14	0.29	0.35	0.13	-0.09
EV EV411	1955	0.01	-0.05	0.11	0.09	0
EV EV411	1956	0.03	-0.17	0.35	0.26	0.27
EV EV411	1957	-0.03	-0.07	-0.15	-0.29	0.04
EV EV411	1958	-0.03	0.11	-0.08	-0.07	0.27
EV EV411	1959	0.06	0.03	0.21	0.2	0.18
EV EV411	1960	0.01	0.02	0.12	0.19	0.16
EV EV411	1961	0.07	-0.03	0.02	0.38	0.1
EV EV411	1962	0	0.08	0.09	0.06	0.4
EV EV411	1963	0.12	0.15	0.25	0.08	0.27
EV EV411	1964	0.02	0.03	-0.11	0.03	0.02
EV EV411	1965	0.03	-0.04	0.19	0.32	-0.17
EV EV411	1966	-0.02	-0.11	0.28	-0.19	0.23
EV EV411	1967	0.2	0.15	0.25	-0.21	-0.21
EV EV411	1968	-0.13	0.1	0.1	0.27	0.17
EV EV411	1969	0.01	0.07	0.07	0.18	0.13
EV EV411	1970	0.05	-0.12	0.18	0.1	0.18
EV EV411	1971	0.1	0.07	0.36	0.29	0.08
EV EV411	1972	0.12	0.21	0.27	0.14	0.23
EV EV411	1973	-0.09	0.01	0.13	-0.05	0.16
EV EV411	1974	0.04	0.22	0.29	0.23	0.27
EV EV411	1975	0.07	0.04	0.02	0.27	-0.12
EV EV411	1976	0.23	0.23	0.02	-0.11	-0.15
EV EV411	1977	-0.07	0.15	0.06	0.41	0.28
EV EV411	1978	-0.07	-0.16	0.04	0.28	0
EV EV411	1979	-0.12	-0.13	-0.06	0.2	-0.08
EV EV411	1980	0.01	0.1	0.19	0.26	0.06
EV EV411	1981	0.12	0.05	0.07	0.2	-0.12
EV EV411	1982	-0.02	0.08	0.22	0.12	-0.2
EV EV411	1983	0.11	0.01	0.1	0.26	-0.13

EV EV411	1984	0.03	0	-0.02	0.27	0.15
EV EV411	1985	0.08	-0.03	0.1	0.02	0.15
EV EV411	1986	0.23	0.15	0.31	-0.13	-0.1
EV EV411	1987	0.07	-0.09	0.18	0.43	-0.22
EV EV411	1988	0.11	0.1	0.11	0.26	0.39
EV EV411	1989	-0.05	0.02	0.17	0.38	-0.03
EV EV411	1990	-0.18	-0.06	0	0.12	0.13
EV EV411	1991	-0.09	0.07	0.21	-0.09	0.03
EV EV411	1992	0.15	0.1	0.28	0.25	-0.12
EV EV411	1993	0.06	-0.03	0.21	0.11	0.06
EV EV411	1994	0.09	0.01	0.23	0.07	-0.07
EV EV411	1995	0.11	0.06	0.13	0.14	-0.01
EV EV411	1996	0.15	0.42	0.21	0.31	0.47

 Max:
 0.03
 -0.17
 0.35
 0.26
 0.27

 75th Percentile:
 0.11
 0.11
 0.22
 0.26
 0.23

s for Trinity Rive	er Basin					
JUN	JUL	AUG	SEP	OCT	NOV	DEC
0.2	0.49	0.6	0.64	0.33	-0.2	-0.02
0.29	0.47	0.28	0.48	-0.27	0.16	0
0.14	0.67	0.31	0.2	0.05	0.14	-0.03
0.43	0.72	0.87	0.37	0.27	0.23	-0.14
0.48	0.5	0.55	0.46	0.21	-0.02	-0.1
0.17	0.26	0.5	0.18	0.16	0.17	0.12
0.37	0.66	0.36	0.14	0.3	-0.11	0.13
0.33	0.67	0.55	0.55	0.2	0.05	-0.13
0.44	0.2	0.66	0.61	0.32	0.31	0.19
0.32	0.59	0.49	0.17	-0.19	0.3	-0.08
0.39	-0.17	0.13	0.2	0.47	0.37	0.21
0.18	0.54	0.78	0.34	0.22	0.08	0.18
0.75	0.61	0.81	0.49	0.53	-0.14	-0.1
0.84	0.34	0.5	0.44	0.09	-0.05	0.1
0.36	0.73	0.69	0.37	-0.22	0.17	-0.01
0.39	0.45	0.44	0.18	0.39	0.34	0.14
0.59	0.72	0.86	0.72	0.26	0	0.02
0.42	0.58	0.5	-0.07	0.05	-0.34	0.1
0.27	0.45	0.41	0.09	0.19	0.05	0.05
-0.01	-0.05	0.35	0.28	-0.23	0.07	-0.05
0.3	0.13	0.23	0.12	0.05	0.13	-0.36
0.11	0.24	0.44	0.09	0.13	-0.14	-0.06
-0.27	0.22	0.39	-0.1	0.08	-0.08	0.09
0.49	0.29	0.59	0.39	0.49	0.15	-0.01
0.32	0.73	0.24	-0.25	0.31	-0.03	0.13
0.23	0.59	0.5	0.03	0.23	0.01	0.07
0.3	0.43	0.03	0.08	0.29	0.22	-0.02
0.51	0.3	0.56	-0.2	0.14	0.13	-0.05
0.12	0.24	0.48	-0.11	0.22	-0.05	0.09
0.36	0.66	0.37	0.16	-0.08	0.18	-0.18
0.32	0.55	0.41	-0.32	0.03	0.21	0.13
0.54	0.39	0.06	0.11	-0.15	0.13	0.02
0.44	0.56	0.29	0.11	-0.27	-0.13	0.04
-0.02	0.2	0.49	-0.24	0.2	0.25	0.15
0.29	0.57	0.06	-0.02	-0.09	0.17	0.04
0.33	0.32	0.36	0.25	0.39	0.12	0.03
0.17	0.13	0.4	0.21	-0.05	0.15	0.09
0.35	0.6	0.17	0.29	0.34	0.11	0.23
0.4	0.72	0.47	0.31	0.37	-0.32	0.08
0.49	0.3	0.24	0.29	0.24	0.19	-0.05
0.52	0.84	0.81	-0.12	0.16	0.1	0.06
0.19	0.45	0.45	0.24	-0.46	0.2	0.21
0.09	0.38	0.42	0.4	0.16	-0.24	-0.23
0.06	0.37	0.4	0.44	0.02	-0.02	-0.02

0.33	0.52	0.46	0.41	-0.43	0	-0.11
0.26	0.41	0.66	0.32	-0.22	-0.09	0.08
0.29	0.67	0.44	0.03	-0.04	-0.21	-0.04
0.19	0.38	0.53	0	0.2	-0.24	-0.2
0.34	0.28	0.52	-0.05	0.13	0	-0.07
-0.06	0.05	0.39	0.09	0.31	0.25	0.23
0.44	0.4	0.39	0.21	0.14	-0.08	-0.12
0.08	0.48	0.29	0.1	-0.14	0.1	0.12
-0.06	0.21	0.38	0.01	0.31	-0.05	-0.08
0.18	0.86	0.59	0.15	-0.09	0.07	0.03
0.36	-0.08	0.31	0.18	-0.18	-0.04	0.05
0.31	0.32	0.49	-0.03	0.39	0.22	-0.03
0.33	0.28	0.13	0.06	0.24	-0.28	0.11

 0.59
 0.72
 0.86
 0.72
 0.26
 0
 0.02

 0.4
 0.59
 0.53
 0.34
 0.29
 0.17
 0.1

	tal
(ft)	(in)
2.37	28.44
1.86	22.32
2.16	25.92
3.4	40.8
2.03	24.36
1.87	22.44
1.98	23.76
2.81	33.72
3.71	44.52
1.53	18.36
2.38	28.56
3.02	36.24
3.3	39.6
2.88	34.56
2.63	31.56
2.63	29.88
3.91	46.92
0.74	8.88
1.71	20.52
1.04	12.48
1.1	13.2
1.35	16.2
0.96	11.52
3.26	39.12
1.44	17.28
1.99	23.88
1.52	18.24
1.57	18.84
1.5	18
1.93	23.16
1.72	20.64
2	24
2.01	24.12
1.19	14.28
2.07	24.84
2.08	24.96
1.32	15.84
2.92	35.04
2.12	25.44
1.51	18.12
2.99	35.88
1.6	19.2
1.18	14.16
1.6	19.2
1.5	13.2

EV: Net reservoir evaporation minus precipitation rates https://www.tceq.texas.gov/permitting/water-rights/wr-technical-resour

1.61	19.32
1.74	20.88
1.6	19.2
1.23	14.76
2.12	25.44
1.75	21
1.39	16.68
1.16	13.92
1.38	16.56
2.2	26.4
0.93	11.16
2.1	25.2
2.43	29.16

46.92

3.91

2.37

rces/wam.html

TWDB Link https://waterdatafortexas.org/lake-evaporation-rainfall Net Evaporation

Tabular Evaporation

							ter Develop
					nly lake surfac	•	
#QUAD	YEAR	JAN	FEB	MAR	APR	MAY	JUN
411	1954	-2.1	3.24	4.1	1.09	-2.42	3.94
411	1955	0.04	-0.86	0.81	0.68	-0.22	4.59
411	1956	0.41	-2.35	4.14	2.98	2.66	7.1
411	1957	-0.41	-0.79	-2.06	-9.58	-9.1	2.73
411	1958	-1.79	0.55	-2.36	-2.69	-1.62	2.85
411	1959	0.67	0.34	2.46	2.33	2.09	-0.46
411	1960	-1.52	-0.72	0.9	2.06	1.85	3.58
411	1961	-0.46	-1.16	-0.66	4.11	0.71	1.16
411	1962	-0.35	0.69	0.77	-0.33	4.41	-3.61
411	1963	1.18	1.64	2.81	0.49	0.86	5.36
411	1964	0.21	0.3	-1.41	-0.04	-0.58	3.52
411	1965	-0.2	-2.75	1.71	3.54	-3.21	1.92
411	1966	-0.32	-1.6	3.24	-7.39	2	3.49
411	1967	2.4	1.77	2.88	-3.11	-3.52	4.29
411	1968	-2.79	0.18	-3.19	-0.26	-2.47	0.5
411	1969	-1.28	-1.17	-1.21	0.99	-5.01	3.81
411	1970	0.16	-3.15	-0.72	-1.59	1.2	3.38
411	1971	1.19	0.73	4.25	3.46	0.92	6.45
411	1972	0.86	2.29	3.05	1.61	2.64	5.33
411	1973	-1.65	-0.96	-0.72	-2.73	0.82	-1.35
411	1974	-0.14	2.22	3.1	0.85	2.57	1.17
411	1975	-0.3	-1.48	-0.38	2.04	-2.6	0.92
411	1976	2.76	2.69	0.22	-1.42	-2.07	1.91
411	1977	-1.59	0.24	-2.81	0.95	3.05	4.07
411	1978	-0.81	-1.97	0.2	3.27	-0.32	4.63
411	1979	-1.43	-1.85	-2.3	1.05	-2.83	4.94
411	1980	0.01	1.12	2.17	3.06	0.54	6.2
411	1981	1.29	0.49	0.05	1.84	-2.64	-0.01
411	1982	-1.25	-0.47	1.78	1.08	-12.32	-1.53
411	1983	0.55	-1.97	-0.03	2.7	-1.84	0.59
411	1984	0.27	-0.2	-1.42	2.77	1.07	3.91
411	1985	-0.33	-1.59	-1.3	-1.27	0.19	2.76
411	1986	2.67	-1.26	3.15	-2.43	-2.4	-1.21
411	1987	-0.05	-2.43	0.18	4.87	-4.04	1.01
411	1988	0.97	0.56	0.38	2.72	4.59	4.08
411	1989	-1.5	-3.07	-1.25	4.19	-3.86	-5.36
411	1990	-2.62	-2.7	-4.66	-4.94	-4.77	4.44
411	1991	-1.55	0.42	2.36	-1.53	-0.53	0.56
411	1992	-0.69	-0.34	0.89	1.86	-1.91	-2


411 1993 -0.15 -3.59 -0.2 -0.05 0.02 1.65 411 1994 0.43 -0.57 1.71 0.78 -3.04 3.65 411 1996 0.81 4.86 1.2 2.49 4.38 3.48 411 1996 0.81 4.86 1.2 2.49 4.38 3.48 411 1997 1.82 -5.02 0.83 -2.04 1.26 1.85 411 1998 -5.43 -1.21 -1.84 3.32 3.82 5.62 411 1999 1.25 2.57 0.18 2.02 -2.17 2.83 411 2000 1.05 1.79 -0.01 0.43 0.05 -1.92 411 2000 -0.96 -6.61 -1.94 1.75 -0.37 2.87 411 2002 -1.82 1.22 -4.37 -1.43 0 2.83 411 2003 1.89 -1<								
411 1995 0 0 -3.6 -1.31 -5.6 2.59 411 1996 0.81 4.86 1.2 2.49 4.38 3.48 411 1997 1.82 -5.02 0.83 -2.04 1.26 1.85 411 1998 -5.43 -1.21 -1.84 3.32 3.82 5.62 411 1999 1.25 2.57 0.18 2.02 -2.17 2.83 411 2000 1.05 1.79 -0.01 0.43 0.05 -1.92 411 2001 -0.96 -6.61 -1.94 1.75 -0.37 2.87 411 2002 -1.82 1.22 -4.37 -1.43 0 2.83 411 2003 1.89 -1 2.2 3.86 0.42 0.55 411 2004 -0.67 -1.94 2.19 0.49 2.37 -4.48 411 2005 -3.67 0.35	411	1993	-0.15	-3.59	-0.2	-0.05	0.02	1.65
411 1996 0.81 4.86 1.2 2.49 4.38 3.48 411 1997 1.82 -5.02 0.83 -2.04 1.26 1.85 411 1998 -5.43 -1.21 -1.84 3.32 3.82 5.62 411 1999 1.25 2.57 0.18 2.02 -2.17 2.83 411 2000 1.05 1.79 -0.01 0.43 0.05 -1.92 411 2001 -0.96 -6.61 -1.94 1.75 -0.37 2.87 411 2002 -1.82 1.22 -4.37 -1.43 0 2.83 411 2003 1.89 -1 2.2 3.86 0.42 0.55 411 2003 1.89 -1 2.2 3.86 0.42 0.55 411 2004 -0.67 -1.94 2.19 0.49 2.37 -4.48 411 2006 1.86 0.25	411	1994	0.43	-0.57	1.71	0.78	-3.04	3.65
411 1997 1.82 -5.02 0.83 -2.04 1.26 1.85 411 1998 -5.43 -1.21 -1.84 3.32 3.82 5.62 411 1999 1.25 2.57 0.18 2.02 -2.17 2.83 411 2000 1.05 1.79 -0.01 0.43 0.05 -1.92 411 2001 -0.96 -6.61 -1.94 1.75 -0.37 2.87 411 2002 -1.82 1.22 -4.37 -1.43 0 2.83 411 2003 1.89 -1 2.2 3.86 0.42 0.55 411 2004 -0.67 -1.94 2.19 0.49 2.37 -4.48 411 2005 -3.67 0.35 1.78 3.08 1.36 4.95 411 2006 1.86 0.25 -1.27 2.15 3.75 5.77 411 2008 2.06 -0.1	411	1995	0	0	-3.6	-1.31	-5.6	2.59
411 1998 -5.43 -1.21 -1.84 3.32 3.82 5.62 411 1999 1.25 2.57 0.18 2.02 -2.17 2.83 411 2000 1.05 1.79 -0.01 0.43 0.05 -1.92 411 2001 -0.96 -6.61 -1.94 1.75 -0.37 2.87 411 2002 -1.82 1.22 -4.37 -1.43 0 2.83 411 2003 1.89 -1 2.2 3.86 0.42 0.55 411 2004 -0.67 -1.94 2.19 0.49 2.37 -4.48 411 2005 -3.67 0.35 1.78 3.08 1.36 4.95 411 2006 1.86 0.25 -1.27 2.15 3.75 5.77 411 2007 -1.87 2.09 0.3 0.09 -4.9 -6.92 411 2008 2.06 -0.12	411	1996	0.81	4.86	1.2	2.49	4.38	3.48
411 1999 1.25 2.57 0.18 2.02 -2.17 2.83 411 2000 1.05 1.79 -0.01 0.43 0.05 -1.92 411 2001 -0.96 -6.61 -1.94 1.75 -0.37 2.87 411 2002 -1.82 1.22 -4.37 -1.43 0 2.83 411 2003 1.89 -1 2.2 3.86 0.42 0.55 411 2004 -0.67 -1.94 2.19 0.49 2.37 -4.48 411 2005 -3.67 0.35 1.78 3.08 1.36 4.95 411 2006 1.86 0.25 -1.27 2.15 3.75 5.77 411 2007 -1.87 2.09 0.3 0.09 -4.9 -6.92 411 2008 2.06 -0.12 -5.3 0.41 0.89 3.49 411 2010 -0.83 -1.05<	411	1997	1.82	-5.02	0.83	-2.04	1.26	1.85
411 2000 1.05 1.79 -0.01 0.43 0.05 -1.92 411 2001 -0.96 -6.61 -1.94 1.75 -0.37 2.87 411 2002 -1.82 1.22 -4.37 -1.43 0 2.83 411 2003 1.89 -1 2.2 3.86 0.42 0.55 411 2004 -0.67 -1.94 2.19 0.49 2.37 -4.48 411 2005 -3.67 0.35 1.78 3.08 1.36 4.95 411 2006 1.86 0.25 -1.27 2.15 3.75 5.77 411 2006 1.87 2.09 0.3 0.09 -4.9 -6.92 411 2008 2.06 -0.12 -5.3 0.41 0.89 3.49 411 2008 2.06 -0.12 -5.3 0.41 0.89 3.49 411 2010 -0.83 -1.05 </td <td>411</td> <td>1998</td> <td>-5.43</td> <td>-1.21</td> <td>-1.84</td> <td>3.32</td> <td>3.82</td> <td>5.62</td>	411	1998	-5.43	-1.21	-1.84	3.32	3.82	5.62
411 2001 -0.96 -6.61 -1.94 1.75 -0.37 2.87 411 2002 -1.82 1.22 -4.37 -1.43 0 2.83 411 2003 1.89 -1 2.2 3.86 0.42 0.55 411 2004 -0.67 -1.94 2.19 0.49 2.37 -4.48 411 2005 -3.67 0.35 1.78 3.08 1.36 4.95 411 2006 1.86 0.25 -1.27 2.15 3.75 5.77 411 2007 -1.87 2.09 0.3 0.09 -4.9 -6.92 411 2008 2.06 -0.12 -5.3 0.41 0.89 3.49 411 2009 1.38 2.13 0.25 -3.39 -4.86 3.43 411 2010 -0.83 -1.05 0.6 2.3 2.67 4.62 411 2011 1.19 1.39 <td>411</td> <td>1999</td> <td>1.25</td> <td>2.57</td> <td>0.18</td> <td>2.02</td> <td>-2.17</td> <td>2.83</td>	411	1999	1.25	2.57	0.18	2.02	-2.17	2.83
411 2002 -1.82 1.22 -4.37 -1.43 0 2.83 411 2003 1.89 -1 2.2 3.86 0.42 0.55 411 2004 -0.67 -1.94 2.19 0.49 2.37 -4.48 411 2005 -3.67 0.35 1.78 3.08 1.36 4.95 411 2006 1.86 0.25 -1.27 2.15 3.75 5.77 411 2007 -1.87 2.09 0.3 0.09 -4.9 -6.92 411 2008 2.06 -0.12 -5.3 0.41 0.89 3.49 411 2009 1.38 2.13 0.25 -3.39 -4.86 3.43 411 2010 -0.83 -1.05 0.6 2.3 2.67 4.62 411 2011 1.19 1.39 3.9 2.47 -1.22 6.16 411 2012 -3.52 0.68	411	2000	1.05	1.79	-0.01	0.43	0.05	-1.92
411 2003 1.89 -1 2.2 3.86 0.42 0.55 411 2004 -0.67 -1.94 2.19 0.49 2.37 -4.48 411 2005 -3.67 0.35 1.78 3.08 1.36 4.95 411 2006 1.86 0.25 -1.27 2.15 3.75 5.77 411 2007 -1.87 2.09 0.3 0.09 -4.9 -6.92 411 2008 2.06 -0.12 -5.3 0.41 0.89 3.49 411 2009 1.38 2.13 0.25 -3.39 -4.86 3.43 411 2010 -0.83 -1.05 0.6 2.3 2.67 4.62 411 2011 1.19 1.39 3.9 2.47 -1.22 6.16 411 2012 -3.52 0.68 -1.87 1.64 2.6 2.87 411 2013 -0.8 0.65	411	2001	-0.96	-6.61	-1.94	1.75	-0.37	2.87
411 2004 -0.67 -1.94 2.19 0.49 2.37 -4.48 411 2005 -3.67 0.35 1.78 3.08 1.36 4.95 411 2006 1.86 0.25 -1.27 2.15 3.75 5.77 411 2007 -1.87 2.09 0.3 0.09 -4.9 -6.92 411 2008 2.06 -0.12 -5.3 0.41 0.89 3.49 411 2009 1.38 2.13 0.25 -3.39 -4.86 3.43 411 2010 -0.83 -1.05 0.6 2.3 2.67 4.62 411 2010 -0.83 -1.05 0.6 2.3 2.67 4.62 411 2011 1.19 1.39 3.9 2.47 -1.22 6.16 411 2012 -3.52 0.68 -1.87 1.64 2.6 2.87 411 2013 -0.8 0.65 <td>411</td> <td>2002</td> <td>-1.82</td> <td>1.22</td> <td>-4.37</td> <td>-1.43</td> <td>0</td> <td>2.83</td>	411	2002	-1.82	1.22	-4.37	-1.43	0	2.83
411 2005 -3.67 0.35 1.78 3.08 1.36 4.95 411 2006 1.86 0.25 -1.27 2.15 3.75 5.77 411 2007 -1.87 2.09 0.3 0.09 -4.9 -6.92 411 2008 2.06 -0.12 -5.3 0.41 0.89 3.49 411 2009 1.38 2.13 0.25 -3.39 -4.86 3.43 411 2010 -0.83 -1.05 0.6 2.3 2.67 4.62 411 2010 -0.83 -1.05 0.6 2.3 2.67 4.62 411 2011 1.19 1.39 3.9 2.47 -1.22 6.16 411 2011 1.19 1.39 3.9 2.47 -1.22 6.16 411 2012 -3.52 0.68 -1.87 1.64 2.6 2.87 411 2013 -0.8 0.65	411	2003	1.89	-1	2.2	3.86	0.42	0.55
411 2006 1.86 0.25 -1.27 2.15 3.75 5.77 411 2007 -1.87 2.09 0.3 0.09 -4.9 -6.92 411 2008 2.06 -0.12 -5.3 0.41 0.89 3.49 411 2009 1.38 2.13 0.25 -3.39 -4.86 3.43 411 2010 -0.83 -1.05 0.6 2.3 2.67 4.62 411 2011 1.19 1.39 3.9 2.47 -1.22 6.16 411 2012 -3.52 0.68 -1.87 1.64 2.6 2.87 411 2013 -0.8 0.65 0.9 1.89 -1.03 4.29 411 2014 1.34 1.84 0.14 2.14 2.34 3.03 411 2015 -1.58 -0.3 -1.37 -1.52 -12.21 2.54 411 2016 0.78 1.37 <td>411</td> <td>2004</td> <td>-0.67</td> <td>-1.94</td> <td>2.19</td> <td>0.49</td> <td>2.37</td> <td>-4.48</td>	411	2004	-0.67	-1.94	2.19	0.49	2.37	-4.48
411 2007 -1.87 2.09 0.3 0.09 -4.9 -6.92 411 2008 2.06 -0.12 -5.3 0.41 0.89 3.49 411 2009 1.38 2.13 0.25 -3.39 -4.86 3.43 411 2010 -0.83 -1.05 0.6 2.3 2.67 4.62 411 2011 1.19 1.39 3.9 2.47 -1.22 6.16 411 2012 -3.52 0.68 -1.87 1.64 2.6 2.87 411 2013 -0.8 0.65 0.9 1.89 -1.03 4.29 411 2013 -0.8 0.65 0.9 1.89 -1.03 4.29 411 2014 1.34 1.84 0.14 2.14 2.34 3.03 411 2015 -1.58 -0.3 -1.37 -1.52 -12.21 2.54 411 2016 0.78 1.37 <td>411</td> <td>2005</td> <td>-3.67</td> <td>0.35</td> <td>1.78</td> <td>3.08</td> <td>1.36</td> <td>4.95</td>	411	2005	-3.67	0.35	1.78	3.08	1.36	4.95
411 2008 2.06 -0.12 -5.3 0.41 0.89 3.49 411 2009 1.38 2.13 0.25 -3.39 -4.86 3.43 411 2010 -0.83 -1.05 0.6 2.3 2.67 4.62 411 2011 1.19 1.39 3.9 2.47 -1.22 6.16 411 2012 -3.52 0.68 -1.87 1.64 2.6 2.87 411 2013 -0.8 0.65 0.9 1.89 -1.03 4.29 411 2014 1.34 1.84 0.14 2.14 2.34 3.03 411 2014 1.34 1.84 0.14 2.14 2.34 3.03 411 2015 -1.58 -0.3 -1.37 -1.52 -12.21 2.54 411 2016 0.78 1.37 -0.77 -2.5 -0.33 2.04 411 2017 0.04 1.4 <td>411</td> <td>2006</td> <td>1.86</td> <td>0.25</td> <td>-1.27</td> <td>2.15</td> <td>3.75</td> <td>5.77</td>	411	2006	1.86	0.25	-1.27	2.15	3.75	5.77
411 2009 1.38 2.13 0.25 -3.39 -4.86 3.43 411 2010 -0.83 -1.05 0.6 2.3 2.67 4.62 411 2011 1.19 1.39 3.9 2.47 -1.22 6.16 411 2012 -3.52 0.68 -1.87 1.64 2.6 2.87 411 2013 -0.8 0.65 0.9 1.89 -1.03 4.29 411 2014 1.34 1.84 0.14 2.14 2.34 3.03 411 2015 -1.58 -0.3 -1.37 -1.52 -12.21 2.54 411 2016 0.78 1.37 -0.77 -2.5 -0.33 2.04 411 2016 0.78 1.37 -0.77 -2.5 -0.33 2.04 411 2017 0.04 1.4 2.61 -0.16 2.72 0.21 411 2018 1.48 -6.42<	411	2007	-1.87	2.09	0.3	0.09	-4.9	-6.92
411 2010 -0.83 -1.05 0.6 2.3 2.67 4.62 411 2011 1.19 1.39 3.9 2.47 -1.22 6.16 411 2012 -3.52 0.68 -1.87 1.64 2.6 2.87 411 2013 -0.8 0.65 0.9 1.89 -1.03 4.29 411 2014 1.34 1.84 0.14 2.14 2.34 3.03 411 2015 -1.58 -0.3 -1.37 -1.52 -12.21 2.54 411 2016 0.78 1.37 -0.77 -2.5 -0.33 2.04 411 2016 0.78 1.37 -0.77 -2.5 -0.33 2.04 411 2017 0.04 1.4 2.61 -0.16 2.72 0.21 411 2018 1.48 -6.42 -0.28 2.14 2.57 5.54 411 2029 -2.62 -1.05	411	2008	2.06	-0.12	-5.3	0.41	0.89	3.49
411 2011 1.19 1.39 3.9 2.47 -1.22 6.16 411 2012 -3.52 0.68 -1.87 1.64 2.6 2.87 411 2013 -0.8 0.65 0.9 1.89 -1.03 4.29 411 2014 1.34 1.84 0.14 2.14 2.34 3.03 411 2015 -1.58 -0.3 -1.37 -1.52 -12.21 2.54 411 2016 0.78 1.37 -0.77 -2.5 -0.33 2.04 411 2016 0.78 1.37 -0.77 -2.5 -0.33 2.04 411 2017 0.04 1.4 2.61 -0.16 2.72 0.21 411 2018 1.48 -6.42 -0.28 2.14 2.57 5.54 411 2019 0.19 -0.21 0.54 -1.88 -5.52 0.59 411 2020 -2.62 -1	411	2009	1.38	2.13	0.25	-3.39	-4.86	3.43
411 2012 -3.52 0.68 -1.87 1.64 2.6 2.87 411 2013 -0.8 0.65 0.9 1.89 -1.03 4.29 411 2014 1.34 1.84 0.14 2.14 2.34 3.03 411 2015 -1.58 -0.3 -1.37 -1.52 -12.21 2.54 411 2016 0.78 1.37 -0.77 -2.5 -0.33 2.04 411 2017 0.04 1.4 2.61 -0.16 2.72 0.21 411 2018 1.48 -6.42 -0.28 2.14 2.57 5.54 411 2019 0.19 -0.21 0.54 -1.88 -5.52 0.59 411 2020 -2.62 -1.05 -5.7 1.95 -2.94 2.72 411 2021 -1.05 -0.21 1.06 -1.23 -2.52 -0.68 411 2023 0.83 <	411	2010	-0.83	-1.05	0.6	2.3	2.67	4.62
411 2013 -0.8 0.65 0.9 1.89 -1.03 4.29 411 2014 1.34 1.84 0.14 2.14 2.34 3.03 411 2015 -1.58 -0.3 -1.37 -1.52 -12.21 2.54 411 2016 0.78 1.37 -0.77 -2.5 -0.33 2.04 411 2017 0.04 1.4 2.61 -0.16 2.72 0.21 411 2018 1.48 -6.42 -0.28 2.14 2.57 5.54 411 2019 0.19 -0.21 0.54 -1.88 -5.52 0.59 411 2020 -2.62 -1.05 -5.7 1.95 -2.94 2.72 411 2021 -1.05 -0.21 1.06 -1.23 -2.52 -0.68 411 2022 2.42 1.36 0.75 -0.02 -1.08 3.61 411 2023 0.83	411	2011	1.19	1.39	3.9	2.47	-1.22	6.16
411 2014 1.34 1.84 0.14 2.14 2.34 3.03 411 2015 -1.58 -0.3 -1.37 -1.52 -12.21 2.54 411 2016 0.78 1.37 -0.77 -2.5 -0.33 2.04 411 2017 0.04 1.4 2.61 -0.16 2.72 0.21 411 2018 1.48 -6.42 -0.28 2.14 2.57 5.54 411 2019 0.19 -0.21 0.54 -1.88 -5.52 0.59 411 2020 -2.62 -1.05 -5.7 1.95 -2.94 2.72 411 2021 -1.05 -0.21 1.06 -1.23 -2.52 -0.68 411 2022 2.42 1.36 0.75 -0.02 -1.08 3.61 411 2023 0.83 -1.52 -0.8 0.38 -0.57 0.25	411	2012	-3.52	0.68	-1.87	1.64	2.6	2.87
411 2015 -1.58 -0.3 -1.37 -1.52 -12.21 2.54 411 2016 0.78 1.37 -0.77 -2.5 -0.33 2.04 411 2017 0.04 1.4 2.61 -0.16 2.72 0.21 411 2018 1.48 -6.42 -0.28 2.14 2.57 5.54 411 2019 0.19 -0.21 0.54 -1.88 -5.52 0.59 411 2020 -2.62 -1.05 -5.7 1.95 -2.94 2.72 411 2021 -1.05 -0.21 1.06 -1.23 -2.52 -0.68 411 2022 2.42 1.36 0.75 -0.02 -1.08 3.61 411 2023 0.83 -1.52 -0.8 0.38 -0.57 0.25	411	2013	-0.8	0.65	0.9	1.89	-1.03	4.29
411 2016 0.78 1.37 -0.77 -2.5 -0.33 2.04 411 2017 0.04 1.4 2.61 -0.16 2.72 0.21 411 2018 1.48 -6.42 -0.28 2.14 2.57 5.54 411 2019 0.19 -0.21 0.54 -1.88 -5.52 0.59 411 2020 -2.62 -1.05 -5.7 1.95 -2.94 2.72 411 2021 -1.05 -0.21 1.06 -1.23 -2.52 -0.68 411 2022 2.42 1.36 0.75 -0.02 -1.08 3.61 411 2023 0.83 -1.52 -0.8 0.38 -0.57 0.25	411	2014	1.34	1.84	0.14	2.14	2.34	3.03
411 2017 0.04 1.4 2.61 -0.16 2.72 0.21 411 2018 1.48 -6.42 -0.28 2.14 2.57 5.54 411 2019 0.19 -0.21 0.54 -1.88 -5.52 0.59 411 2020 -2.62 -1.05 -5.7 1.95 -2.94 2.72 411 2021 -1.05 -0.21 1.06 -1.23 -2.52 -0.68 411 2022 2.42 1.36 0.75 -0.02 -1.08 3.61 411 2023 0.83 -1.52 -0.8 0.38 -0.57 0.25	411	2015	-1.58	-0.3	-1.37	-1.52	-12.21	2.54
411 2018 1.48 -6.42 -0.28 2.14 2.57 5.54 411 2019 0.19 -0.21 0.54 -1.88 -5.52 0.59 411 2020 -2.62 -1.05 -5.7 1.95 -2.94 2.72 411 2021 -1.05 -0.21 1.06 -1.23 -2.52 -0.68 411 2022 2.42 1.36 0.75 -0.02 -1.08 3.61 411 2023 0.83 -1.52 -0.8 0.38 -0.57 0.25	411	2016	0.78	1.37	-0.77	-2.5	-0.33	2.04
411 2019 0.19 -0.21 0.54 -1.88 -5.52 0.59 411 2020 -2.62 -1.05 -5.7 1.95 -2.94 2.72 411 2021 -1.05 -0.21 1.06 -1.23 -2.52 -0.68 411 2022 2.42 1.36 0.75 -0.02 -1.08 3.61 411 2023 0.83 -1.52 -0.8 0.38 -0.57 0.25	411	2017	0.04	1.4	2.61	-0.16	2.72	0.21
411 2020 -2.62 -1.05 -5.7 1.95 -2.94 2.72 411 2021 -1.05 -0.21 1.06 -1.23 -2.52 -0.68 411 2022 2.42 1.36 0.75 -0.02 -1.08 3.61 411 2023 0.83 -1.52 -0.8 0.38 -0.57 0.25	411	2018	1.48	-6.42	-0.28	2.14	2.57	5.54
411 2021 -1.05 -0.21 1.06 -1.23 -2.52 -0.68 411 2022 2.42 1.36 0.75 -0.02 -1.08 3.61 411 2023 0.83 -1.52 -0.8 0.38 -0.57 0.25	411	2019	0.19	-0.21	0.54	-1.88	-5.52	0.59
411 2022 2.42 1.36 0.75 -0.02 -1.08 3.61 411 2023 0.83 -1.52 -0.8 0.38 -0.57 0.25	411	2020	-2.62	-1.05	-5.7	1.95	-2.94	2.72
411 2023 0.83 -1.52 -0.8 0.38 -0.57 0.25	411	2021	-1.05	-0.21	1.06	-1.23	-2.52	-0.68
	411	2022	2.42	1.36	0.75	-0.02	-1.08	3.61
411 2024 -1.37 1.21 -1.71	411	2023	0.83	-1.52	-0.8	0.38	-0.57	0.25
	411	2024	-1.37	1.21	-1.71			

75th Percentile: 0.94 1.02 1.76 2.26 1.73 4.08

ant Doord						
ent Board		:				
nnual total ev	AUG	SEP	OCT	NOV	DEC	ANNUAL
8.74	8.24	4.49	-2.81	1.98	-0.13	28.36
5.32	5.29	2.11	4.63	4.03	1.7	28.12
8.58	10.37	8.68	3.07	-0.01	0.18	45.81
6.89	6.05	-0.89	0.6	-6.91	0.24	-13.23
5.28	4.95	0.8	2.22	0.56	0.56	9.31
-0.68	4.23	3.35	-3.05	0.51	-2.13	9.66
1.54	2.68	1.35	0.58	1.51	-5.11	8.7
2.8	5.26	0.99	1.35	-1.86	-1.28	10.96
2.55	4.64	-4.6	0.73	-1.49	0.39	3.8
3.33	7.07	4.68	5.91	1.84	-0.12	35.05
8.72	2.92	-6.19	3.58	-3.23	0.12	8.7
6.98	6	0.29	2.78	0.09	0.73	17.88
5.13	0.26	0.82	3.46	2.65	-0.24	11.5
3.57	6.68	-3.53	1.46	1.32	-1.15	13.06
2.19	5.52	-1.8	2.23	-1.04	0.14	-0.79
7.83	4.49	1.93	-1.06	2.17	-2.5	8.99
6.59	4.9	-3.8	0.36	2.48	1.52	11.33
4.68	0.75	1.3	-3.29	1.11	-6.76	14.79
6.69	3.49	1.33	-3.24	-1.87	0.34	22.52
2.2	5.84	-5.8	-2.83	-0.16	0.96	-6.38
6.8	0.58	-4.16	-2.7	-1.28	-1.01	8
3.67	4.32	3.01	4.73	1.42	0.38	15.73
1.43	4.8	2.37	-0.73	1.65	0.82	14.43
7.23	2.04	3.52	4.04	1.33	2.8	24.87
8.69	5.68	3.67	4.48	-3.89	1	24.63
3.47	2.87	3.49	2.93	2.29	-0.62	12.01
10.05	9.69	-1.55	1.59	1.04	0.16	34.08
5.24	5.35	2.77	-11.73	-1.53	2.44	3.56
3.81	4.98	4.8	1.94	-2.99	-3.69	-3.86
4.34	4.74	5.3	0.19	-0.25	-0.34	13.98
6.21	5.46	4.97	-5.13	-0.34	-3.69	13.88
4.79	7.94	3.79	-2.78	-1.81	0.32	10.71
7.89	5.26	0.33	-0.6	-2.98	-0.89	7.53
4.42	6.38	0.02	2.38	-3.05	-4.15	5.54
3.39	6.28	-0.58	1.58	0.04	-1.03	22.98
0.12	4.68	1.06	3.7	2.94	2.7	4.35
4.72	4.6	2.48	1.16	-0.95	-1.52	-4.76
5.62	3.33	1.18	-4.2	0.6	-5.34	0.92
1.93	4.17	-0.03	3.68	-0.71	-2.44	4.41


10.35	7.07	1.75	-3	0.53	-1.43	12.95
-2.34	2.54	0.98	-4.46	-5.07	-1.33	-6.72
3.83	5.81	-0.41	4.65	2.62	-0.91	7.67
2.86	-2.14	-0.15	1.4	-6.32	-0.18	12.69
5.28	3.56	5.37	-2	0.25	-4.53	6.63
8.01	5.94	3.37	-1.79	-1.56	-4.02	14.23
6.83	7.48	3.83	2.72	2.77	-0.82	29.49
6.16	7.65	4.97	-0.54	-4.85	-2	12.78
7.24	2.41	-1.38	0.86	1.1	-2.11	2.86
1.9	3.17	2.99	-4.62	1.62	-2.09	-0.6
6.2	4.17	-0.85	3.2	0.25	1.62	22.51
2.51	3	4	-1.21	-5.59	1.67	2.34
2.31	4.28	5.43	3.9	3.35	2.81	29.93
7.8	6.32	2.52	0.14	-0.51	-1.21	27.57
-1.33	4.38	2.31	0.45	2.62	-0.87	-3.65
7.15	2.19	2.68	3.33	1.81	1.94	20.53
2.23	3.77	-3.17	-9.16	1.64	-0.81	-6.56
2.58	6.44	-3.24	1.58	0.34	0.8	16.81
7.8	8.27	5.82	1.68	0.83	-0.81	37.48
6.28	4.85	4.36	2.14	3.66	-0.16	23.53
3.75	6.84	3.91	-1.74	-0.25	-0.81	17.6
0.38	5.58	3.99	1.4	1.53	0.09	23.8
6.04	7.75	5.18	-2.67	-9.14	-2.55	-9.83
6.64	1.63	1.05	3.6	-0.13	1.18	14.56
2.08	-4.81	5.23	1.43	2.14	-1.28	11.61
6.19	2.64	-9.65	-7.48	1.06	-3.68	-5.89
5.95	3.45	4.81	-1.62	-1.64	0.61	5.27
3.39	3.85	-3.19	1.4	1.4	0.66	-0.13
2.61	1.6	4.13	0.9	0.72	2.16	7.49
7.92	1.81	5.18	-1.1	-4.38	-0.56	15.91
2.79	7.91	4.61	-4.03	1.84	-0.52	11.17

6.82 6.04 4.00 2.64 1.64 0.65 17.81













TWDB Link https://waterdatafortexas.org/lake-evaporation-rainfall

Texas Water Development Board Monthly Pan Coefficients Used in ThEvap

Quad	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
410	0.73	0.7	0.69	0.67	0.6	0.67	0.69	0.7	0.73
411	0.74	0.71	0.7	0.68	0.61	0.68	0.7	0.71	0.74
412	0.75	0.72	0.71	0.69	0.62	0.69	0.71	0.72	0.75
413	0.76	0.73	0.72	0.71	0.65	0.71	0.72	0.73	0.76
414	0.77	0.74	0.73	0.72	0.66	0.72	0.73	0.74	0.77
501	0.71	0.68	0.67	0.66	0.6	0.66	0.67	0.68	0.71
502	0.71	0.68	0.67	0.66	0.6	0.66	0.67	0.68	0.71
503	0.7	0.67	0.66	0.65	0.59	0.65	0.66	0.67	0.7
504	0.7	0.67	0.66	0.65	0.59	0.65	0.66	0.67	0.7
505	0.7	0.67	0.66	0.65	0.59	0.65	0.66	0.67	0.7
506	0.71	0.68	0.68	0.65	0.58	0.65	0.67	0.68	0.71
507	0.72	0.69	0.68	0.65	0.57	0.65	0.68	0.69	0.72
508	0.72	0.69	0.68	0.65	0.57	0.65	0.68	0.69	0.72
509	0.73	0.7	0.69	0.67	0.6	0.67	0.69	0.7	0.73
510	0.73	0.7	0.69	0.67	0.6	0.67	0.69	0.7	0.73
511	0.74	0.71	0.7	0.68	0.61	0.68	0.7	0.71	0.74
512	0.75	0.72	0.71	0.69	0.62	0.69	0.71	0.72	0.75
513	0.76	0.73	0.72	0.71	0.65	0.71	0.72	0.73	0.76
514	0.77	0.74	0.73	0.72	0.66	0.72	0.73	0.74	0.77
601	0.71	0.68	0.67	0.66	0.6	0.66	0.67	0.68	0.71
602	0.71	0.68	0.67	0.66	0.6	0.66	0.67	0.68	0.71
603	0.69	0.67	0.67	0.66	0.61	0.66	0.67	0.67	0.69
604	0.7	0.67	0.66	0.65	0.59	0.65	0.66	0.67	0.7
605	0.7	0.67	0.66	0.65	0.59	0.65	0.66	0.67	0.7
606	0.71	0.68	0.67	0.66	0.6	0.66	0.67	0.68	0.71
607	0.72	0.69	0.68	0.67	0.61	0.67	0.68	0.69	0.72
608	0.72	0.69	0.68	0.67	0.61	0.67	0.68	0.69	0.72
609	0.73	0.7	0.69	0.67	0.6	0.67	0.69	0.7	0.73
610	0.73	0.7	0.69	0.67	0.6	0.67	0.69	0.7	0.73
611	0.74	0.71	0.7	0.69	0.63	0.69	0.7	0.71	0.74
612	0.75	0.72	0.71	0.69	0.62	0.69	0.71	0.72	0.75
613	0.75	0.73	0.73	0.72	0.67	0.72	0.73	0.73	0.75
614	0.76	0.74	0.74	0.73	0.68	0.73	0.74	0.74	0.76
701	0.71	0.68	0.67	0.66	0.6	0.66	0.67	0.68	0.71
702	0.68	0.67	0.66	0.64	0.6	0.66	0.67	0.68	0.71
703	0.7	0.67	0.66	0.65	0.59	0.65	0.66	0.67	0.7
704	0.69	0.67	0.67	0.66	0.61	0.66	0.67	0.67	0.69
705	0.7	0.67	0.66	0.65	0.59	0.65	0.66	0.67	0.7
706	0.7	0.67	0.66	0.65	0.59	0.65	0.66	0.67	0.7
707	0.72	0.69	0.68	0.67	0.61	0.67	0.68	0.69	0.72
708	0.72	0.69	0.68	0.67	0.61	0.67	0.68	0.69	0.72

	0.70	I 07	0.60	0.67	1 00	0.67	0.60		0.70
709	0.73	0.7	0.69	0.67	0.6	0.67	0.69	0.7	0.73
710	0.73	0.7	0.69	0.67	0.6	0.67	0.69	0.7	0.73
711	0.73	0.71	0.71	0.7	0.65	0.7	0.71	0.71	0.73
712	0.74	0.72	0.72	0.71	0.66	0.71	0.72	0.72	0.74
713	0.75	0.73	0.73	0.72	0.67	0.72	0.73	0.73	0.75
714	0.76	0.74	0.74	0.73	0.68	0.73	0.74	0.74	0.76
801	0.71	0.68	0.67	0.66	0.6	0.66	0.67	0.68	0.71
802	0.68	0.67	0.66	0.64	0.6	0.66	0.67	0.68	0.71
803	0.69	0.67	0.67	0.66	0.61	0.66	0.67	0.67	0.69
804	0.69	0.67	0.67	0.66	0.61	0.66	0.67	0.67	0.69
805	0.7	0.67	0.66	0.65	0.59	0.65	0.66	0.67	0.7
806	0.7	0.67	0.66	0.65	0.59	0.65	0.66	0.67	0.7
807	0.72	0.69	0.68	0.67	0.61	0.67	0.68	0.69	0.72
808	0.71	0.69	0.69	0.68	0.63	0.68	0.69	0.69	0.71
809	0.72	0.7	0.7	0.69	0.64	0.69	0.7	0.7	0.72
810	0.72	0.7	0.7	0.69	0.64	0.69	0.7	0.7	0.72
811	0.73	0.71	0.71	0.7	0.65	0.7	0.71	0.71	0.73
812	0.74	0.72	0.72	0.72	0.68	0.72	0.72	0.72	0.74
813	0.75	0.72	0.72	0.72	0.69	0.72	0.72	0.72	0.75
814	0.76	0.74	0.74	0.73	0.68	0.73	0.74	0.74	0.76
901	0.70	0.74	0.74	0.73	0.6	0.73	0.74	0.74	0.70
		-		0.64	-				
902	0.68	0.67	0.66		0.6	0.66	0.67	0.68	0.71
903	0.69	0.67	0.67	0.66	0.61	0.66	0.67	0.67	0.69
904	0.69	0.67	0.67	0.66	0.61	0.66	0.67	0.67	0.69
905	0.7	0.67	0.66	0.65	0.59	0.65	0.66	0.67	0.7
906	0.7	0.67	0.66	0.65	0.59	0.65	0.66	0.67	0.7
907	0.71	0.68	0.67	0.66	0.6	0.66	0.67	0.68	0.71
908	0.71	0.69	0.69	0.68	0.63	0.68	0.69	0.69	0.71
909	0.72	0.7	0.7	0.69	0.64	0.69	0.7	0.7	0.72
910	0.72	0.7	0.7	0.69	0.64	0.69	0.7	0.7	0.72
911	0.73	0.71	0.71	0.7	0.65	0.7	0.71	0.71	0.73
912	0.74	0.72	0.72	0.72	0.68	0.72	0.72	0.72	0.74
913	0.74	0.72	0.72	0.72	0.68	0.72	0.72	0.72	0.74
914	0.74	0.72	0.72	0.72	0.68	0.72	0.72	0.72	0.74
1001	0.71	0.68	0.67	0.66	0.6	0.66	0.67	0.68	0.71
1002	0.68	0.67	0.66	0.64	0.6	0.66	0.67	0.68	0.71
1003	0.69	0.67	0.67	0.66	0.61	0.66	0.67	0.67	0.69
1004	0.69	0.67	0.67	0.66	0.61	0.66	0.67	0.67	0.69
1005	0.7	0.67	0.66	0.65	0.59	0.65	0.66	0.67	0.7
1006	0.7	0.67	0.66	0.65	0.59	0.65	0.66	0.67	0.7
1007	0.71	0.68	0.67	0.66	0.6	0.66	0.67	0.68	0.71
1008	0.71	0.69	0.69	0.68	0.63	0.68	0.69	0.69	0.71
1009	0.72	0.7	0.7	0.69	0.64	0.69	0.7	0.7	0.72
1010	0.72	0.7	0.7	0.7	0.66	0.7	0.7	0.7	0.72
1011	0.73	0.71	0.71	0.7	0.65	0.7	0.71	0.71	0.73
1012	0.74	0.72	0.72	0.72	0.68	0.72	0.72	0.72	0.74
1013	0.74	0.72	0.72	0.72	0.68	0.72	0.72	0.72	0.74
1013	U./ T	0.72	0.72	0.72	0.00	0.72	0.72	0.72	0.77

1014	0.74	0.72	0.72	0.72	0.68	0.72	0.72	0.72	0.74
1101	0.71	0.68	0.67	0.66	0.6	0.66	0.67	0.68	0.71
1102	0.68	0.67	0.66	0.64	0.6	0.66	0.67	0.68	0.71
1103	0.69	0.67	0.67	0.66	0.61	0.66	0.67	0.67	0.69
1104	0.69	0.67	0.67	0.66	0.61	0.66	0.67	0.67	0.69
1105	0.7	0.67	0.66	0.65	0.59	0.65	0.66	0.67	0.7
1106	0.7	0.67	0.66	0.65	0.59	0.65	0.66	0.67	0.7
1107	0.71	0.68	0.67	0.66	0.6	0.66	0.67	0.68	0.71
1108	0.71	0.69	0.69	0.69	0.65	0.69	0.69	0.69	0.71
1109	0.72	0.7	0.7	0.7	0.66	0.7	0.7	0.7	0.72
1110	0.72	0.7	0.7	0.7	0.66	0.7	0.7	0.7	0.72
1111	0.73	0.71	0.71	0.7	0.65	0.7	0.71	0.71	0.73
1112	0.74	0.72	0.72	0.72	0.68	0.72	0.72	0.72	0.74
1113	0.74	0.72	0.72	0.72	0.68	0.72	0.72	0.72	0.74
1114	0.74	0.72	0.72	0.72	0.68	0.72	0.72	0.72	0.74
1201	0.71	0.68	0.67	0.66	0.6	0.66	0.67	0.68	0.71
1202	0.68	0.67	0.66	0.64	0.6	0.66	0.67	0.68	0.71
1203	0.69	0.67	0.67	0.66	0.61	0.66	0.67	0.67	0.69
1204	0.69	0.67	0.67	0.66	0.61	0.66	0.67	0.67	0.69
1205	0.7	0.67	0.66	0.65	0.59	0.65	0.66	0.67	0.7
1206	0.7	0.67	0.66	0.65	0.59	0.65	0.66	0.67	0.7
1207	0.71	0.68	0.67	0.66	0.6	0.66	0.67	0.68	0.71
1208	0.71	0.69	0.69	0.69	0.65	0.69	0.69	0.69	0.71
1209	0.72	0.7	0.7	0.7	0.66	0.7	0.7	0.7	0.72
1210	0.72	0.7	0.7	0.7	0.66	0.7	0.7	0.7	0.72
1211	0.73	0.71	0.71	0.7	0.65	0.7	0.71	0.71	0.73
1212	0.74	0.72	0.72	0.72	0.68	0.72	0.72	0.72	0.74
1213	0.74	0.72	0.72	0.72	0.68	0.72	0.72	0.72	0.74
1214	0.74	0.72	0.72	0.72	0.68	0.72	0.72	0.72	0.74

	ı		
Oct	Nov	Dec	Ann
0.77	0.8	0.77	0.7
0.78	0.81	0.78	0.71
0.79	0.82	0.79	0.72
0.79	0.81	0.79	0.73
0.8	0.82	0.8	0.74
0.74	0.76	0.74	0.68
0.74	0.76	0.74	0.68
0.73	0.75	0.73	0.67
0.73	0.75	0.73	0.67
0.73	0.75	0.73	0.67
0.75	0.78	0.75	0.68
0.77	0.81	0.77	0.69
0.77	0.81	0.77	0.69
0.77	0.8	0.77	0.7
0.77	0.8	0.77	0.7
0.78	0.81	0.78	0.71
0.79	0.82	0.79	0.72
0.79	0.81	0.79	0.73
0.8	0.82	0.8	0.74
0.74	0.76	0.74	0.68
0.74	0.76	0.74	0.68
0.72	0.73	0.72	0.67
0.73	0.75	0.73	0.67
0.73	0.75	0.73	0.67
0.74	0.76	0.74	0.68
0.75	0.77	0.75	0.69
0.75	0.77	0.75	0.69
0.77	0.8	0.77	0.7
0.77	0.8	0.77	0.7
0.77	0.79	0.77	0.71
0.79	0.82	0.79	0.72
0.78	0.79	0.78	0.73
0.79	0.8	0.79	0.74
0.74	0.76	0.74	0.68
0.74	0.76	0.74	0.68
0.73	0.75	0.73	0.67
0.72	0.73	0.72	0.67
0.73	0.75	0.73	0.67
0.73	0.75	0.73	0.67
0.75	0.77	0.75	0.69
0.75	0.77	0.75	0.69

0.77	0.8	0.77	0.7
0.77	0.8	0.77	0.7
0.76	0.77	0.76	0.71
0.77	0.78	0.77	0.72
0.78	0.79	0.78	0.73
0.79	0.8	0.79	0.74
0.74	0.76	0.74	0.68
0.74	0.76	0.74	0.68
0.72	0.73	0.72	0.67
0.72	0.73	0.72	0.67
0.73	0.75	0.73	0.67
0.73	0.75	0.73	0.67
0.75	0.77	0.75	0.69
0.74	0.75	0.74	0.69
0.75	0.76	0.75	0.7
0.75	0.76	0.75	0.7
0.76	0.77	0.76	0.71
0.76	0.76	0.76	0.72
0.77	0.77	0.77	0.73
0.79	0.8	0.79	0.74
0.74	0.76	0.74	0.68
0.74	0.76	0.74	0.68
0.72	0.73	0.72	0.67
0.72	0.73	0.72	0.67
0.73	0.75	0.73	0.67
0.73	0.75	0.73	0.67
0.74	0.76	0.74	0.68
0.74	0.75	0.74	0.69
0.75	0.76	0.75	0.7
0.75	0.76	0.75	0.7
0.76	0.77	0.76	0.71
0.76	0.76	0.76	0.72
0.76	0.76	0.76	0.72
0.76	0.76	0.76	0.72
0.74	0.76	0.74	0.68
0.74	0.76	0.74	0.68
0.72	0.73	0.72	0.67
0.72	0.73	0.72	0.67
0.73	0.75	0.73	0.67
0.73	0.75	0.73	0.67
0.74	0.76	0.74	0.68
0.74	0.75	0.74	0.69
0.75	0.76	0.75	0.7
0.74	0.74	0.74	0.7
0.76	0.77	0.76	0.71
0.76	0.76	0.76	0.72
0.76	0.76	0.76	0.72

0.76	0.76	0.76	0.72
0.74	0.76	0.74	0.68
0.74	0.76	0.74	0.68
0.72	0.73	0.72	0.67
0.72	0.73	0.72	0.67
0.73	0.75	0.73	0.67
0.73	0.75	0.73	0.67
0.74	0.76	0.74	0.68
0.73	0.73	0.73	0.69
0.74	0.74	0.74	0.7
0.74	0.74	0.74	0.7
0.76	0.77	0.76	0.71
0.76	0.76	0.76	0.72
0.76	0.76	0.76	0.72
0.76	0.76	0.76	0.72
0.74	0.76	0.74	0.68
0.74	0.76	0.74	0.68
0.72	0.73	0.72	0.67
0.72	0.73	0.72	0.67
0.73	0.75	0.73	0.67
0.73	0.75	0.73	0.67
0.74	0.76	0.74	0.68
0.73	0.73	0.73	0.69
0.74	0.74	0.74	0.7
0.74	0.74	0.74	0.7
0.76	0.77	0.76	0.71
0.76	0.76	0.76	0.72
0.76	0.76	0.76	0.72
0.76	0.76	0.76	0.72
			·