## **REFERENCES**

- Aloi, J.E. 1990. A critical review of recent freshwater periphyton field methods. *Can. J. Fish. Aquat. Sci.* 47: 656–70.
- American Public Health Association. 2012. Standard Methods for the Examination of Water and Wastewater. 22nd ed. Washington: Amer. Publ. Heal. Assoc., Amer. Water Works Assoc., and Water Env. Fed.
- Bahls, L.L. 1992. Periphyton Bioassessment Methods for Montana Streams. Helena: Montana Dept. of Health and Env. Services, Water Qual. Bur.
- Barbour, M.T., J. Gerritsen, B.D. Snyder, and J.B. Stribling. 1999. Rapid Bioassessment Protocols for Use in Streams and Wadeable Rivers: Periphyton, Benthic Macroinvertebrates, and Fish. 2nd ed. EPA 841-B-99-002. Washington: U.S. EPA.
- Bayer, C.W., et al. 1992. Texas Aquatic Ecoregion Project: An Assessment of Least Disturbed Streams. Draft. Austin: Texas Natural Resource Conservation Commission.
- Biggs, B.J.F., and C. Kilroy. 2000. Stream Periphyton Monitoring Manual. New Zealand Ministry for the Environment. Christchurch, New Zealand: NIWA.
- Caton, L.W. 1991. Improving subsampling methods for the EPA "Rapid Bioassessment" benthic protocols. *Bulletin of the N. Am. Benthol. Soc.* 8(3): 317–19.
- Collins, G.B., and C.I. Weber. 1978. Phycoperiphyton (algae) as indicators of water quality. *Trans. Amer. Micros. Soc.* 97: 36–43.
- Davic, R.D., and J.E. DeShon. 1989. The Ohio lake condition index: A new multiparameter approach to lake classification. *Lake Research Management* 5:1–8.
- Davis, J.R. 1997. A Benthic Index of Biotic Integrity (B-IBI) for Texas Lotic-Erosional Habitats. Draft. Austin: Texas Natural Resource Conservation Commission.
- Descy, J.P. 1979. A new approach to water quality estimation using diatoms. *Nova Hedwigia* 64: 305–23.
- Dixit, S.S., J.P. Smol, J.C. Kingston, and D.F. Charles. 1992. Diatoms: powerful indicators of environmental change. *Environ. Sci. Tech.* 26(1): 23–33.
- Dodds, W.K., and E. Welch. 2000. Establishing nutrient criteria in streams. *J. No. Am. Benthol. Soc.* 19(1): 186–96.
- Dunton, K.H., W. Pulich, Jr., and T. Mutchler. 2010. A Seagrass Monitoring Program for Texas Coastal Waters: Multiscale Integration of Landscape Features with Plant and Water Quality Indicators. Final report (contract no. 0627). Corpus Christi, TX: Coastal Bend Bays and Estuaries Program.
- Dycus, D.L., and T.F. Baker. 2001. Aquatic Ecological Health Determinations for TVA Reservoirs—2000: An Informal Summary of 2000 Vital Signs Monitoring Results and Ecological Health Determination Methods. Section 6. Chattanooga: Tennessee Valley Authority.

- Emery, E.B., et al. 2003. Development of a multimetric index for assessing the biological condition of the Ohio River. *Transactions of the American Fisheries Society* 132: 791–08.
- Fink, W.L., et al. 1979. A Report on Current Supplies and Practices Used in Curation of Ichthyological Collections. Report of the ad hoc Subcommittee on Curatorial Supplies and Practices. Carbondale, IL: American Society of Ichthyologists and Herpetologists.
- Fore, L.S., J.R. Karr, and R.W. Wisseman. 1996. Assessing invertebrate responses to human activities: Evaluating alternative approaches. *Journal of the North American Benthological Society* 15: 212–31.
- Wehr, J.D., and R.G. Sheath, eds. 2003. Freshwater Algae of North America: Ecology and Classification. San Diego: Academic Press.
- Harrison, B. 1996. Metric Set for Use in Setting Aquatic Life Use Designations Using Benthic Macroinvertebrate Samples Collected from Texas Streams Following Rapid Bioassessment Protocols. Draft. Austin: Texas Natural Resource Conservation Commission.
- Hilsenhoff, W.L. 1987. An improved biotic index of organic stream pollution. *Great Lakes Entomol.* 20: 31–39.
- Hoese, H.D., and R.H. Moore. 1998. Fishes of the Gulf of Mexico—Texas, Louisiana, and Adjacent Waters. College Station: Texas A&M University Press.
- Howells, R.G., R.W. Neck, and H.D. Murray. 1996. Freshwater Mussels of Texas. Austin: Texas Parks and Wildlife Press.
- Hubbs, C., R.J. Edwards, and G.P. Garrett. 1991. An annotated checklist of the freshwater fishes of Texas, with keys to identification of species. *Tex. J. of Sci.* 43(4): 1–56.
- Karr, J.R., et al. 1986. Assessment of Biological Integrity in Running Water: A Method and its Rationale. Special publication 5. Champaign: Illinois Natural History Survey.
- Kaufmann, P.R., and E.G. Robison. 1998. Physical Habitat Characterization. J.M. Lazorchak, D.J. Klemm, and D.V. Peck, eds.: Environmental Monitoring and Assessment Program—Surface Waters: Field Operations and Methods for Measuring the Ecological Condition of Wadeable Streams. EPA/620/R-94/004F. Washington: U.S. EPA, Office of Research and Development. 77–118.
- Kentucky Department for Environmental Protection. Division of Water. 2002. Methods for Assessing Biological Integrity of Surface Waters in Kentucky. Frankfort: Kentucky DEP.
- Lange-Bertalot, H. 1979. Pollution tolerance as a criterion for water quality estimation. *Nova Hedwigia* 64: 283–304.
- Lee, D.S., et al. 1980. Atlas of North American Fresh Water Fishes. North Carolina Biological Survey publication 1980-12. Raleigh: North Carolina State Museum of Natural History.
- Lenat, D.R. 1993. A biotic index for the southeastern U.S.: Derivation and list of tolerance values, with criteria for assigning water-quality ratings. *J. of the North American Benthological Soc.* 12: 279–90.
- Linam, G.W., and L.J. Kleinsasser. 1998. Classification of Texas Freshwater Fishes into Trophic and Tolerance Groups. River Studies Report 14. Austin: Texas Parks and Wildlife Department.

- ———, and K.B. Mayes. 2002. Regionalization of the Index of Biotic Integrity for Texas Streams. River Studies Report 17. Austin: Texas Parks and Wildlife Department.
- Lowe, R.L. 1974. Environmental Requirements and Pollution Tolerance of Freshwater Diatoms. EPA-670/4-74-005. Cincinnati: U.S. EPA.
- Merritt, R.W., and K. W. Cummins. 1996. An Introduction to the Aquatic Insects of North America. 3rd ed. Dubuque, IA: Kendall/Hunt.
- Minshall, G.W. 1981. Structure and temporal variations of the benthic macroinvertebrate community inhabiting Mink Creek, Idaho, U.S.A., a 3rd order Rocky Mountain stream. *J. of Freshwater Ecol.* 1: 13–26.
- Mulvey, M., L. Caton, and R. Hafele. 1992. Oregon Nonpoint Source Monitoring Protocols and Stream Bioassessment Field Manual for Macroinvertebrates and Habitat Assessment. Portland: Oregon Department of Environmental Quality, Laboratory Biomonitoring Section.
- Murdy, E.O. 1995. Saltwater Fishes of Texas: A Dichotomous Key. Revised. TAMU-SG-83-607(r). College Station: Texas A&M University Sea Grant College Program.
- Murphy, B.R., and D.W. Willis, eds. 1996. Fisheries Techniques. 2nd ed. Bethesda, MD: American Fisheries Society.
- Omernik, J.M. 1985. Aquatic Ecoregions of the Conterminous United States. *Annals of the Assoc. of Am. Geo.* 77: 118–225.
- —— and A.L. Gallant. 1987. Ecoregions of the South Central States. EPA/600/D-87/315. Corvallis, OR: U.S. EPA, ERL.
- Palmer, C.M. 1969. A composite rating of algae tolerating organic pollution. J. Phycol. 5: 78–82.
- ——. 1977. Algae and Water Pollution: An Illustrated Manual on the Identification, Significance, and Control of Algae in Water Supplies and Polluted Water. EPA-600/9-77-036. Cincinnati: U.S. EPA.
- Patrick, R. 1973. Use of algae, especially diatoms, in the assessment of water quality. J. Cairns, Jr., and K.L. Dickson, eds.: Biological Methods for the Assessment of Water Quality. Special technical publication 528. West Conshohocken, PA: ASTM. 76–95.
- ——. 1977. Ecology of freshwater diatoms and diatom communities. D. Werner, ed.: The Biology of Diatoms. Botan. Mono. Vol. 13. Blackwell Sci. Pub. Berkeley and Los Angeles: University of California Press.
- ——— and C.W. Reimer. 1966. The Diatoms of the United States, Exclusive of Alaska and Hawaii. Monograph 13, vol. 1. Philadelphia: Acad. Nat. Sci., Phila.
- ——— and C.W. Reimer. 1975. The Diatoms of the United States, Exclusive of Alaska and Hawaii. Monograph 13, vol. 2. Philadelphia: Acad. Nat. Sci., Phila.
- Pennak, R.W. 1989. Fresh-Water Invertebrates of the United States. 3rd ed. New York: John Wiley and Sons.
- Platts, W.S., W.F. Megahan, and G.W. Minshall. 1983. Methods for Evaluating Stream, Riparian, and Biotic Conditions. General Technical Report INT-138. Ogden, UT: U.S. Department of Agriculture.

References I-3 May 2014

- Pontasch, K.W., and M.A. Brusven. 1988. Diversity and community comparison indices: assessing macroinvertebrate recovery following a gasoline spill. *Water Res.* 22(5): 619–26.
- Prescott, G.W. 1978. How to Know the Freshwater Algae. 3rd. ed. Dubuque, IA: Wm. C. Brown.
- Pulich, W., Jr., ed. 1999. Seagrass Conservation Plan for Texas. Austin: Texas Parks and Wildlife Department, Resource Protection Division.
- Round, F.E. 1991. Diatoms in water-monitoring studies. J. Appl. Phy. 3: 129–45.
- Sabater, S., F. Sabater, and J. Armengol. 1988. Relationships between diatom assemblages and physico-chemical variables in the River Ter (NE Spain). *Int. Rev. Ges. Hydrobiol.* 73: 171–79.
- Shipp, R.L. 1999. Dr. Bob Shipp's Guide to the Fishes of the Gulf of Mexico. 2nd ed. Mobile, AL: KME Seabooks.
- Simon, T. P., and R. E. Sanders. 1999. Applying an index of biotic integrity based on great river fish communities: considerations in sampling and interpretation. T.P. Simon, ed.: Assessing the Sustainability and Biological Integrity of Water Resources Using Fish Communities. Boca Raton, FL: CRC Press. 475–506.
- Smith-Root, Inc. Technology for Fisheries Conservation. 2003. Product Catalog. Vancouver, WA: Smith-Root, Inc.
- Stauffer, J.R., J. Karish, and T.D. Stecko. 2001. Guidelines for Using Digital Photos as Fish Vouchers for Pennsylvania Fishes. N.p.: The Pennsylvania State University and National Park Service.
- Stevenson, R.J. 1984. Epilithic and epipelic diatoms in the Sandusky River, with emphasis on species diversity and water pollution. *Hydrobiol*. 114: 161–75.
- and R.L. Lowe. 1986. Sampling and interpretation of algal patterns for water quality assessments. B.G. Isom, ed.: Rationale for Sampling and Interpretation of Ecological Data in the Assessment of Freshwater Ecosystems. Special technical publication 894. West Conshohocken, PA: ATSM. 118–49.
- Texas Commission on Environmental Quality. 2010. Texas Surface Water Quality Standards. Title 30, Texas Administrative Code, Chapter 307.
- ——. 2012. Surface Water Quality Procedures Manual. Vol. 1: Physical and Chemical Monitoring Methods. RG-415. Austin: TCEQ.
- <u>Texas Parks and Wildlife Department</u>. 2002. Texas Inland Fishery Assessment Procedures for Reservoir Survey. Austin: TPWD.
- Twidwell, S.R., and J.R. Davis. 1989. An Assessment of Six Least Disturbed Unclassified Texas Streams. Report LP 89-04. Austin: Texas Water Commission.
- U.S. Environmental Protection Agency. 1976. Microscopic Analysis of Plankton, Periphyton and Activated Sludge. EPA-430/1/76/008. Washington: U.S. EPA, Office of Water.
- ——. 1982. Freshwater Snails (Mollusca: Gastropoda) of North America. EPA-600/3/82/026. Washington: U.S. EPA.

- ——. 1997. Environmental Monitoring and Assessment Program Surface Waters: Field Operations Manual for Lakes. EPA-620/R/97/001. Washington: U.S. EPA.
- ——. 1998. Lake and Reservoir Bioassessment and Biocriteria: Technical Guidance Document. EPA-841/B/98/007. Washington: U.S. EPA, Office of Water.
- ——. 2000. Estuarine and Coastal Marine Waters: Bioassessment and Biocriteria Technical Guidance. EPA-822/B/00/024. Washington: U.S. EPA, Office of Water.
- ———. 2000. Field Operations and Methods for Measuring the Ecological Condition of Non-Wadeable Rivers and Streams. EPA-620/R/00/007. Washington: U.S. EPA, Office of Research and Development.
- U.S. Geological Survey. 1977. Methods for Collection and Analysis of Aquatic Biological and Microbiological Samples. Techniques of Water-Resources Investigations. Book 5, Chapter A4. Denver: U.S. Geological Survey.
- ———. 2000. Methods of Analysis by the U.S. Geological Survey National Water Quality Laboratory-Processing, Taxonomy, and Quality Control of Benthic Macroinvertebrate Samples. Open-File Report 00-212. Denver: U.S. Geological Survey.
- ———. 2002. Revised Protocols for Sampling Algal, Invertebrate, and Fish Communities as Part of the National Water-Quality Assessment Program. Open-File Report 02-150. Reston, VA: USGS.
- Vannote, R.L., et al. 1980. The river continuum concept. *Can. J. of Fish. and Aq. Sci.* 37: 130–37.
- Weber, C.I., ed. 1973. Biological Field and Laboratory Methods for Measuring the Quality of Surface Waters and Effluents. EPA-670/4-73-001. Cincinnati: U.S. EPA.
- Weitzel, R.L.1979. Periphyton measurements and applications. R.L. Weitzel, ed.: Methods and Measurements of Periphyton Communities: A Review. Special technical publication 690. West Conshohocken, PA.: ASTM. 3–33.
- Whittaker, R.H. 1952. A study of summer foliage insect communities in the Great Smoky Mountains. *Ecol. Mono.* 22: 1–44.
- —— and C.W. Fairbanks. 1958. A study of plankton copepod communities in the Columbia Basin, Southeastern Washington. *Ecol.* 39: 46–65.