

The Texas Commission on Environmental Quality (TCEQ, agency, or commission) adopts amendment to the title of 30 Texas Administrative Code (TAC) Chapter 18 and amendments to §§18.2, 18.10, 18.15, 18.25, 18.26, 18.30, and 18.35.

Amended Chapter 18 title and §§18.2, 18.10, 18.15, 18.25, 18.26, 18.30, and 18.35 are adopted without changes to the proposed text as published in the September 5, 2025, issue of the *Texas Register* (50 TexReg 5871) and, therefore, will not be republished.

Background and Summary of the Factual Basis for the Adopted Rules

The commission’s rules in 30 TAC Chapter 18 implement a tax rate adjustment program established in Texas Tax Code (TTC), §26.045 to increase a political subdivision’s tax rate equal to an amount that will allow the political subdivision to spend maintenance and operation funds to pay for certain property that is used wholly or partially as a facility, device, or method for the control of air, water or land pollution necessary to meet a permit issued by the commission. Under the requirements of 30 TAC Chapter 18, a political subdivision may submit an application to the executive director to determine if property is used wholly or partly as a facility, device, or method for the control of air, water, or land pollution. If the determination is approved by the executive director, the political subdivision then presents the executive director’s determination to the tax assessor for adjustment of the tax rate for the political subdivision.

The rulemaking amends the provisions in 30 TAC Chapter 18 to correct the title of the

chapter from Voter-Approval Tax Relief for Pollution Control Requirements to Voter-Approval Tax Rate Relief for Pollution Control Requirements. Senate Bill (SB) 2, Section 44, 86th Texas Legislature, 2019, required the revision of the title’s chapter. This change was adopted as part of a previous rulemaking, Rule Project Number 2020-031-018-AI, but the full title change was not made correctly.

The rulemaking also amends the provisions in Chapter 18 to mirror the changes adopted in Chapter 17 as part of this rulemaking project (Rule Project No. 2023-123-017-AI). The commission’s adopted amendments are based on the recommendations and advice of the Tax Relief for Pollution Control Property Advisory Committee (committee) and also include clarifying changes to items on the Tier I Table, and provide other updates as discussed in the Section by Section Discussion. This rulemaking also fulfills the requirement of TTC, §26.045(g) that the commission, by rule, update the list adopted under TTC, §26.045(f), the Expedited Review List (ERL), at least once every three years and fulfills the requirement of 30 TAC §18.25(b) that the commission review and update the Tier I Table every three years.

On December 1, 2022, the committee submitted its recommendations to TCEQ as part of the triennial review of the Tier I Table located in §17.14(a) and ERL located in §17.17(b). This rulemaking mirrors the committee’s recommendation made for Chapter 17 regarding the Tier I Table and ERL in Chapter 18, except when deviation from these recommendations is needed to ensure the rule appropriately and consistently describes pollution control property eligible for a positive use

determination (PUD) under Chapter 18.

Because Chapter 18 is not in the committee’s purview, it did not consider the ERL in TTC, §26.045(f), codified in §18.26, or the Tier I Table in §18.25(a). The ERL and Tier I Table in Chapter 18 are identical to the ERL in §17.17(b) and the Tier I Table in §17.14(a), respectively. The committee did not recommend any changes for the ERL in §17.17(b). However, the committee recommended the addition of one type of pollution control property to the Tier I Table. In the associated rule project for Chapter 17, several changes are adopted to the Tier I Table; therefore, the commission adopts corresponding changes to the Tier I Table in §18.25(a). The adopted changes allow applicants applying under the Chapter 18 rules the same opportunities to receive a PUD for property submitted on a Tier I application as applicants applying under the Chapter 17 rules.

The rulemaking removes requirements in §18.25(b) that the commission review and update the Tier I Table every three years. This review is not required by statute and removal of the requirements does not preclude the commission from reviewing the table at any time. The requirement to review the ERL is not changed because it is required in TTC, §26.045(g).

Section by Section Discussion

The commission adopts amendment of the title of Chapter 18 from "Voter-Approval Tax Relief for Pollution Control Requirements" to "Voter-Approval Tax Rate Relief for

Pollution Control Requirements" to implement SB 2, Section 44 and revise the chapter's title.

In addition to the adopted amendments to incorporate corresponding adopted changes to Chapter 17, the commission adopts non-substantive changes to update the rules in accordance with current *Texas Register* style and format requirements, improve readability, establish consistency in the rules, and conform to the standards in the Texas Legislative Council Drafting Manual, September 2020. The specific substantive changes are discussed in greater detail in this Section by Section Discussion in the corresponding portions related to the affected rule sections. Non-substantive changes are not intended to alter the rule requirements in any way and may not be specifically discussed in this preamble.

§18.2 Definitions

The commission adopts revisions to the definition of Tier II in §18.2(5) to remove language that associates a Tier II application with property listed on the ERL. This change clarifies that the applicability of the ERL is independent of the Tier II application requirements for partial use determinations. The definition for Tier II is also revised to add language that clarifies Tier II applications are required when the property is not included on the Tier I Table or when the property does not correspond exactly to an item on the Tier I Table. As an example, property that is used differently than the manner established in the Tier I Table description for that item must apply as a Tier II application.

Under the existing rules, §18.25(a) requires applicants to submit a Tier II application if the property is used for pollution control purposes at a percentage different than what is listed on the table or, at the request of the executive director, if the equipment is not being used in a standard manner. These criteria in §18.25(a) were not proposed for revision. Any of the property adopted for inclusion in the Tier I Table will need to continue to adhere to these requirements.

§18.10 Application for Use Determination

The commission adopts amendments to §18.10 to provide that the executive director specifies the form of applications submitted to the program. This allows the executive director to require electronic submittal of applications, which is more efficient for the program to administer than processing paper applications.

The commission adopts revision to §18.10(c)(5) to specify that the applicability of the ERL is independent of the Tier II application requirements for partial use determinations as specified in §18.30, relating to Partial Determinations.

§18.15 Application Review Schedule

The commission adopts amendments to §18.15 to allow the executive director to send notifications in a form other than a letter, such as via electronic mail, and to remove references to applications being mailed or sent back with notices of deficiency.

Electronic correspondence for communications with applicants is more efficient. The

commission also adopts amendments to §18.15 to specify that the executive director will take no action on an application, rather than sending an application back, if an applicant does not submit an adequate response within the 30 days.

§18.25 Tier I Eligible Equipment

The commission adopts amendments to §18.25 to remove subsection (b) and update the Tier I Table. In addition to adopted updates to the Tier I Table in §18.25 to mirror the updates adopted for the Chapter 17 Tier I Table in §17.14, the commission adopts revisions to the Tier I Table in §18.25 to remove the reference to the Cost Analysis Procedure, which is not found in Chapter 18, and to add a requirement that documentation showing the calculation of the partial determination be included for Tier II applications. The adopted revisions also correct the citation in the introductory paragraph to the Tier I Table to refer to the appropriate section in the TTC.

The commission adopts the addition of item number M-25 to the Tier I Table in §18.25(a), at 100% pollution control property as recommended by the advisory committee for the Tier I Table of Chapter 17, but with some deviations from the committee's recommendation. The commission agrees with the committee's recommendation to add Amine Treating Systems (components necessary to transfer impurities removed from natural gas to a final control device), when used as described in the committee's recommendation, to the Tier I Table because they are used wholly for pollution control purposes. The commission adopts the addition of item M-25 to be consistent with the adopted revisions for Chapter 17.

The committee recommended adding amine treating systems as an item number beginning with letter “A,” to designate it as air pollution control equipment. However, the commission designates this as miscellaneous pollution equipment, using the letter “M” because this property could be used to control pollution from the air, water, or land. Similarly, the commission adopts the listing of Amine Treating Systems with the media Air/Land/Water. The commission adopts the addition of the item using the property name, description, and use determination percentage recommended by the committee and notes that “foul” amine is considered equivalent to “rich” amine or amine that has gathered pollutants for item M-25. This property type is described in the adopted rule language and is not further discussed in the Section by Section Discussion of this preamble.

The committee recommended that amine treating systems be added to the Tier I Table based on a review and analysis of Tier II applications submitted under Chapter 17 from April 1, 2018, through April 30, 2021. The property type consistently received a PUD of 100% each time an applicant requested a use determination for such property, demonstrating the property was consistently used wholly for pollution control. Although the adopted item number is added to the Tier I Table as 100% for pollution control purposes, an applicant is still be required, under §18.25, to submit a Tier II application if such property produces a marketable product or is not used as described in the Tier I Table.

The commission adopts the removal of the requirement from item A-115 that external floating roofs be used to comply with a requirement in 30 TAC §115.112. This rule applies only to certain geographical areas in Texas, but external floating roofs may be installed throughout the state to comply with a pollution control requirement other than those in §115.112. Additionally, other rules may be appropriate for applicants to cite when identifying the sections of the law(s), rule(s), or regulation(s) being met or exceeded by the use, installation, construction, or acquisition of the external floating roofs. Removing this requirement for item A-115 allows applicants outside of the areas specified in §115.112 to be able to apply for a use determination using a Tier I application.

The commission adopts amendments to revise the description for item T-32 for Dielectric Coatings to clarify that the item includes factory installed coal-tar epoxies, enamels, fiberglass reinforced plastic, or urethanes on tanks and/or piping. This change clarifies that newer and alternative technologies such as fusion-bonded epoxies that protect against corrosion of tanks or pipes could also qualify for Tier I applications.

The commission adopts the removal of subsection (b) that requires the commission to update and review the Tier I Table at least once every three years. The scheduled review required in this section is not required by statute and places an unnecessary burden on the commission to engage in a review and rulemaking on a rigid schedule. Further, the standard of review requiring “compelling evidence” in paragraphs (1) and

(2) to add or remove items on the Tier I Table is also not required by statute and does not need to be imposed on the commission. Any future rulemaking to revise the Tier I Table would be subject to the rulemaking authority conferred to the commission in the Texas Water Code (TWC), the Texas Government Code (TGC), and the TTC. Removal of the requirements and limitations does not preclude the commission from reviewing the table or the committee from providing advice on it at any time. The removal of subsection (b) results in a §18.25 that no longer requires subsection formatting. References to the subsection for §18.25(a) are also removed from the rule language.

§18.26 Expedited Review List

The commission adopts amendments to §18.26 to add language to §18.26 to indicate that an application that relies on an item from the ERL must still adhere to the requirements in Chapter 18 associated with the application tier level and fee.

§18.30 Partial Determinations

The commission adopts amendments to §18.30 to remove the requirement that applicants must request a partial use determination for items on the ERL. Prior rule language did not account for a scenario in which ERL property could be used as described on the Tier I Table, making it eligible for a Tier I application. This change clarifies that property included on the Tier I Table and ERL may be included on a Tier I application when used as described on the Tier I Table. A Tier II application would still be required if the property is not used wholly for pollution control purposes or as described on the Tier I Table.

§18.35 Application Fees

Revisions are adopted to remove the provision in §18.35(a)(2) that a Tier II application is required for items listed on the ERL. Removal of this provision helps clarify that property on the ERL does not have to be submitted on a Tier II application.

The adopted amendments also update rules related to application fees. Adopted revisions to §18.35(b) explain that fees will be forfeited for a use application upon which the executive director takes no further action, rather than for an application that is sent back to an applicant. The adopted rule revisions in §18.35(b) clarify that if, during review of an application, it is determined that the fee originally remitted with an application was not appropriate for the application, the correct fee must be submitted before application review continues. Additional adopted revisions to §18.35(c) clarify how payment may be remitted and that the payment must be made payable to the Texas Commission on Environmental Quality. This change reflects rule language used by other program areas for processing payments to the agency. Finally, the commission adopts amendment to §18.35(d) to specify that either the application fee or a receipt for payment of the application fee must accompany the application.

Final Regulatory Impact Determination

The commission reviewed the adopted amendments in light of the regulatory analysis requirements of TGC, §2001.0225, and determined the rules do not meet the definition of a “Major environmental rule.” Under TGC, §2001.0225, a “Major environmental rule”

means a rule, the specific intent of which is to protect the environment or reduce risks to human health from environmental exposure and that may adversely affect in a material way the economy, a sector of the economy, productivity, competition, jobs, the environment, or the public health and safety of the state or a sector of the state. Furthermore, the adopted rulemaking does not meet any of the four applicability requirements listed in TGC, §2001.0225(a). TGC, §2001.0225 applies only to a major environmental rule that: 1) exceeds a standard set by federal law, unless the rule is specifically required by state law; 2) exceeds an express requirement of state law, unless the rule is specifically required by federal law; 3) exceeds a requirement of a delegation agreement or contract between the state and an agency or representative of the federal government to implement a state and federal program; or 4) adopts a rule solely under the general powers of the agency instead of under a specific state law. The adopted rulemaking amends the voter-approval tax rate relief for pollution control property rules. The commission rules in Chapter 18 implement a procedure available to political subdivisions to adjust tax rates to recover maintenance and operation funds used to pay for certain property used to control pollution as set out in TTC, §26.045. The adopted rule amendments revise requirements for use determination applications submitted to the executive director. Because the adopted rules are not specifically intended to protect the environment or reduce risks to human health from environmental exposure but to implement a tax rate adjustment program, this rulemaking is not a major environmental rule and does not meet any of the four applicability requirements. These rules do not result in any new environmental requirements and should not adversely affect in a material way the economy, a sector

of the economy, productivity, competition, or jobs.

The commission invited public comment regarding the Draft Regulatory Impact Analysis Determination during the public comment period. No comments were received.

Takings Impact Assessment

The commission evaluated these amended rules and performed a preliminary assessment of whether TGC, Chapter 2007 is applicable. The commission’s preliminary assessment indicates TGC, Chapter 2007 does not apply to these adopted amendments. Enforcement of these adopted rules will be neither a statutory nor constitutional taking of private real property. Specifically, the adopted rules do not affect a landowner’s rights in private real property, because this rulemaking action does not burden, restrict, or limit the owner’s rights to property or reduce its value by 25% or more beyond which would otherwise exist in the absence of the proposed regulations.

Consistency with the Coastal Management Program

The commission reviewed the adopted rules and found that they are neither identified in Coastal Coordination Act Implementation Rules, 31 TAC §29.11(b)(2) or (4), nor will they affect any action/authorization identified in Coastal Coordination Act Implementation Rules, 31 TAC §29.11(a)(6). Therefore, the adopted rules are not subject to the Texas Coastal Management Program.

The commission invited public comment regarding the consistency with the coastal management program during the public comment period. No comments were received.

Effect on Sites Subject to the Federal Operating Permits Program

Participation in the program for the voter-approval tax rate relief for pollution control requirements is voluntary, but sites subject to the Federal Operating Permits Program could choose to file an application for a use determination. After the rulemaking adoption, owners or operators of affected sites subject to the federal operating permit program may choose to apply consistent with Chapter 18.

Public Comment

The commission offered a public hearing on September 29, 2025. The comment period opened on September 5, 2025, and closed on October 6, 2025. The commission received comments from the Tax Relief for Pollution Control Property Advisory Committee (committee). The comments were supportive of the proposed revisions and did not suggest changes to the proposal.

Response to Comment

Comment

The committee commented they support the proposed revisions.

Response

The commission appreciates the committee's support.

No changes were made to this rulemaking in response to this comment.

§§18.2, 18.10, 18.15, 18.25, 18.26, 18.30, 18.35

Statutory Authority

The amendments are adopted under Texas Water Code (TWC), §5.102, which authorizes the commission to perform any acts authorized by the TWC or other laws that are necessary and convenient to the exercise of its jurisdiction and powers; and TWC, §5.103, which authorizes the commission to adopt rules necessary to carry out its powers and duties under the TWC. The rules are also adopted under Texas Tax Code (TTC), §26.045, which authorizes the commission to adopt rules to implement the program for the voter-approval tax rate relief for pollution control requirements.

The adopted amendments implement TTC, §26.045.

§18.2. Definitions.

Unless specifically defined in the Texas Clean Air Act (TCAA), the Texas Solid Waste Disposal Act (TSWDA), the Texas Water Code (TWC), the Texas Tax Code (TTC), the Texas Health and Safety Code (THSC), or in the rules of the commission, the terms used by the commission have the meanings commonly ascribed to them in the fields of pollution control or property taxation. In addition to the terms that are defined by §3.2 of this title (relating to Definitions), the TCAA, the TSWDA, TWC, TTC, and THSC, the following words and terms, when used in this chapter, shall have the following meanings, unless the context clearly indicates otherwise.

(1) Partial determination--A determination that an item of property or a process is not used wholly as pollution control.

(2) Permit requirement--A clause within a permit issued by the Texas Commission on Environmental Quality (TCEQ) which requires the receiver of a permit to expend funds for a facility, device, or method for control of air, water, or land pollution as defined by TTC, §26.045(b).

(3) Pollution control property--A facility, device, or method for control of air, water, or land pollution as defined by TTC, §26.045(b).

(4) Tier I--An application containing only property that is on the Tier I Table in §18.25 [§18.25(a)] of this title (relating to Tier I Eligible Equipment) or that is necessary for the installation or operation of property located on the Tier I Table.

(5) Tier II--An application containing property that [is listed or contained on the Expedited Review List in §18.26 of this title (relating to Expedited Review List) or that] is not listed on the Tier I Table or that does not correspond exactly to an item on the Tier I Table in §18.25(a) of this title.

(6) Use determination--A finding, either positive or negative, by the executive director that the property is used wholly or partially for pollution control

purposes and listing the percentage of the property that is determined to be used for pollution control.

§18.10. Application for Use Determination.

(a) In order to be granted a positive use determination, a political subdivision shall submit to the executive director:

(1) a completed and signed application form specified by the executive director [a Texas Commission on Environmental Quality application form or a similar reproduction]; and

(2) the appropriate fee, under §18.30 of this title (relating to Application Fees).

(b) An application must be submitted for each permit requirement for which pollution control property has been or will be installed.

(c) The application shall contain at least the following:

(1) the anticipated environmental benefits from the installation of the pollution control property for the control of air, water, or land pollution, except for applications containing only equipment on the Expedited Review List located in §18.26 of this title (relating to Expedited Review List);

(2) the estimated cost of the pollution control property, where the cost includes not only the cost of the specific property, but also any costs related to the installation or construction of the property;

(3) the permit requirement being met by the installation of such facility, device, or method, and the proportion of the installation that is pollution control property;

(4) a copy of the permit that is being met or exceeded by the use, installation, construction, or acquisition of the pollution control property;

(5) if the installation includes property that is not used wholly for the control of air, water, or land pollution, and is not on the Tier I Table [or is property that is listed on the Expedited Review List], a worksheet showing the calculation of the partial determination as required in §18.30 of this title (relating to Partial Determinations), and explaining each of the variables; and

(6) any information that the executive director deems reasonably necessary to determine the eligibility of the application.

§18.15. Application Review Schedule.

Following submission of the information required by §18.10 of this title (relating to Application for Use Determination), the executive director shall determine whether the pollution control property is used wholly or partly to meet the requirements of a permit issued by the commission. If the determination is that the property is used partly for pollution control, the executive director shall determine the proportion of the property used for pollution control.

(1) As soon as practicable, the executive director shall send [mail] written notification informing the applicant that the application has been received and if the application is considered to be administratively complete or deficient.

(A) If the application is not administratively complete, the notification shall specify the deficiencies and allow the applicant 30 days to provide the requested information. If the applicant does not submit an adequate response, the executive director shall take no [the application will be sent back to the applicant without] further action on the application [by the executive director] and the application fee will be forfeited under §18.35(b) of this title (relating to Application Fees).

(B) If no further action is taken on an application [is sent back to the applicant] under subparagraph (A) of this paragraph, the applicant may re-file the

application and pay the appropriate fee as required by §18.35(a) of this title [(relating to Application Fees)].

(2) For applications which contain only property that is listed on the Expedited Review List in §18.26 of this title (relating to Expedited Review List), the executive director shall complete the technical review of the application and issue the use determination within 30 days of receipt of the required application documents.

(3) For all other applications, within 30 days of receiving the application, the executive director shall either issue a notification requesting additional information or issue the final determination.

(A) If additional information is requested, the notification shall specify the deficiencies and allow the applicant 30 days to provide the requested information. If the applicant does not submit an adequate response, the executive director shall take no [the application will be sent back to the applicant without] further action [by the executive director] and the application fee will be forfeited under §18.35(b) of this title.

(B) If no further action is taken on an application [is sent back to the applicant] under subparagraph (A) of this paragraph, the applicant may re-file the application and pay the appropriate fee as required by §18.35(a) of this title.

(4) The executive director shall determine whether the property is used wholly or partly to control pollution. The executive director is authorized to grant positive use determinations for some or all of the property included in the application that is deemed pollution control property.

(A) If a positive use determination is made, the executive director shall issue a use determination letter to the applicant that describes the proportion of the property that is pollution control property.

(B) If a negative use determination is made, the executive director shall issue a denial letter explaining the reason for the denial.

§18.25. Tier I Eligible Equipment.

[(a)] For the property listed on the Tier I Table located in this subsection that is used wholly for pollution control purposes, a Tier I application is required. A Tier I application must not include any property that is not listed in this subsection or that is used for pollution control purposes at a use percentage that is different than what is listed in the table in this subsection. Unless otherwise designated with a partial use percentage in the Tier I Table of this subsection, if a marketable product is recovered (not including materials that are disposed) from property listed in this subsection, a Tier II application is required.

Figure 30 TAC §18.25

[Figure: 30 TAC §18.25(a)]

The property listed in this table is property that the executive director has determined is used wholly or partly for pollution control purposes when used as shown in the Description section of the table and when no marketable product arises from using the property, except heat recovery steam generators listed as a partial use percentage. The items listed are described in generic terms without the use of brand names or trademarks. The use percentages on all property on the table are established based on standard uses of the pieces of equipment involved. If the executive director determines that the equipment is not being used in a standard manner (*e.g.*, use in production or recovery of a marketable product), the executive director may require that a Tier II application, including documentation showing the calculation of the partial determination [using the Cost Analysis Procedure], be filed by the applicant to calculate the appropriate use determination percentage. For items where the description limits the use determination to the incremental cost difference, the cost of the property or device with the pollution control feature is compared to a similar device or property without the pollution control feature. The table is a list adopted under Texas Tax Code, §26.045(e) [§11.31(g)].

Air Pollution Control Equipment

Particulate Control Devices

No.	Media	Property	Description	%
A-1	Air	Dust Collection Systems	Structures containing filters, blowers, ductwork - used to remove particulate matter from exhaust gas streams in order to prevent release of particulate matter to ambient air.	100
A-2	Air	Demisters or Mist Eliminators Added	Mesh pads or cartridges - used to remove entrained liquid droplets from exhaust gas streams.	100
A-3	Air	Electrostatic Precipitators	Wet or dry particulate collection created by an electric field between positive or negative electrodes and collection surface.	100

No.	Media	Property	Description	%
A-4	Air	Dry Cyclone Separators	Single or multiple inertial separators with blowers and ductwork used to remove particulate matter from exhaust gas streams.	100
A-5	Air	Scrubbers	Wet collection device using spray chambers, wet cyclones, packed beds, orifices, venturi, or high- pressure sprays to remove particulates and chemicals from exhaust gas streams. System may include pumps, ductwork, and blowers needed for the equipment to function.	100
A-6	Air	Water/[]Chemical Sprays and Enclosures for Particulate Suppression	Spray nozzles, conveyor and chute covers, windshields, piping, and pumps used to reduce fugitive particulate emissions	100
A-7	Air	Smokeless Ignitors	Installed on electric generating units to control particulate emissions and opacity on start-up.	100

Combustion Based Control Devices

No.	Media	Property	Description	%
A-20	Air	Thermal Oxidizers	Thermal destruction of air pollutants by direct flame combustion.	100
A-21	Air	Catalytic Oxidizer	Thermal destruction of air pollutants that uses a catalyst to promote oxidation.	100
A-22	Air	Flare/Vapor Combustor	Stack, burner, flare tip, and blowers used to destroy air contaminants in a vent gas stream.	100

Non- Volatile Organic Compounds Gaseous Control Devices

No.	Media	Property	Description	%
A-40	Air	Molecular Sieve	Microporous filter used to remove hydrogen sulfide (H ₂ S) or nitrogen oxides (NO _x) from a waste gas stream.	100
A-41	Air	Strippers Used in Conjunction with Final Control Device	Stripper, with associated pumps, piping - used to remove contaminants from a waste gas stream or waste liquid stream.	100
A-42	Air	Chlorofluorocarbon (CFC) Replacement Projects	Projects to replace one CFC with an environmentally cleaner CFC, or other refrigerant, where there is no increase in the cooling capacity or the efficiency of the unit. Includes all necessary equipment needed to replace the CFC and achieve the same level of cooling capacity.	100
A-43	Air	Halon Replacement Projects	All necessary equipment needed to replace the Halon in a fire suppression system with an environmentally cleaner substance.	100

Monitoring and Sampling Equipment

No.	Media	Property	Description	%
A-60	Air	Fugitive Emission Monitors	Organic vapor analyzers - used to discover leaking piping components.	100
A-61	Air	Continuous & Noncontinuous Emission Monitors	Monitors, analyzers, buildings, air conditioning equipment, and optical gas imaging instruments used to demonstrate compliance with emission limitations of regulated air contaminants, (including flow and diluent gas monitors and dedicated buildings).	100

No.	Media	Property	Description	%
A-62	Air	Monitoring Equipment on Final Control Devices	Temperature monitor or controller, flowmeter, pH meter, and other meters for a pollution control device. Monitoring of production equipment or processes is not included.	100
A-63	Air	On or Off-Site Ambient Air Monitoring Facilities	Towers, structures, analytical equipment, sample collectors, monitors, and power supplies used to monitor for levels of contaminants in ambient air.	100
A-64	Air	Noncontinuous Emission Monitors, Portable	Portable monitors, analyzers, structures, trailers, air conditioning equipment, and optical gas imaging instruments used to demonstrate compliance with emission limitations.	100
A-65	Air	Predictive Emission Monitors	Monitoring of process and operational parameters that are used solely to calculate or determine compliance with emission limitations.	100
A-66	Air	Sampling Ports	Construction of stack or tower sampling ports used for emission sampling or for the monitoring of process or operational parameters that are used to calculate or determine compliance with emission limitations.	100
A-67	Air	Automotive Dynamometers	Automotive dynamometers used for emissions testing of fleet vehicles.	100

Nitrogen Oxides Controls

No.	Media	Property	Description	%
A-80	Air	Selective Catalytic and Non-catalytic Reduction Systems	Catalyst bed, reducing agent injection and storage, monitors - used to reduce nitrogen oxides (NO _x) emissions from combustion sources. Non-catalytic	100

No.	Media	Property	Description	%
			systems use a reducing agent without a catalyst.	
A-81	Air	Catalytic Converters for Stationary Sources	Used to reduce NO _x emissions from internal combustion engines.	100
A-82	Air	Air/Fuel Ratio Controllers for Piston- Driven Internal Combustion Engines	Used to control the air/fuel mixtures and reduce NO _x formation for fuel injected, naturally aspirated, or turbocharged engines.	100
A-83	Air	Flue Gas Recirculation	Ductwork and blowers used to redirect part of the flue gas back to the combustion chamber for reduction of NO _x formation. May include fly ash collection in coal fired units.	100
A-84	Air	Water/Steam Injection	Piping, nozzles, and pumps to inject water or steam into the burner flame of utility or industrial burners or the atomizer ports for gas turbines, used to reduce NO _x formation.	100
A-85	Air	Over-fire Air & Combination of asymmetric overfire air with the injection of anhydrous ammonia or other pollutant-reducing agents	The asymmetric over-fire air layout injects preheated air and anhydrous ammonia or other pollutant-reducing agent through nozzles through a series of ducts, dampers, expansion joints, and valves.	100

No.	Media	Property	Description	%
A-86	Air	Low-NO _x Burners	Installation of low-NO _x burners. The eligible portion is the incremental cost difference. For a replacement burner, the incremental cost difference is calculated by comparing the cost of the new burner with the cost of the existing burner. For new installations, the incremental cost difference is calculated by comparing the cost of the new burner to the cost of a similarly sized burner without NO _x controls from the most recent generation of burners.	100
A-87	Air	Water Lances	Installed in the fire box of boilers and industrial furnaces to eliminate hot spots, thereby reducing NO _x formation.	100
A-88	Air	Electric Power Generation Burner Retrofit	Retrofit of existing burners on electric power generating units with components for reducing NO _x including directly related equipment.	100
A-89	Air	Wet or Dry Sorbent Injection Systems	Use of a sorbent for flue gas desulfurization or NO _x control.	100
A-90	Air	Dry Low-NO _x Emissions Systems	Equipment installed on natural gas-fired compression turbines to reduce NO _x emissions including combustor liners, injectors, fuel conditioning system, fuel ring, fuel control valve, pilot valve, sensors, controls, fuel gas treater, fuel nozzle assemblies, transition piece assemblies, cap assemblies, inner crossfire tubes and outer crossfire tubes.	100
A-91	Air	Lean-Burn Portions of Reciprocating Engines	Turbocharger, fuel injection system consisting of fuel nozzles positioned within a precombustion chamber, and pre-combustion chamber for engines.	100
A-92	Air	Heat Recovery Steam Generators	A boiler designed to capture waste heat from combustion turbine exhaust for the	65

No.	Media	Property	Description	%
			generation of steam while reducing unit output-based emissions.	

Volatile Organic Compounds Control

No.	Media	Property	Description	%
A-110	Air	Carbon Adsorption Systems	Carbon beds or liquid-jacketed systems, blowers, piping, condensers - used to remove volatile organic compounds (VOC) emissions and odors from exhaust gas streams.	100
A-111	Air	Storage Tank Secondary Seals and Internal Floating Roofs	Used to reduce VOC emissions caused by evaporation losses from aboveground storage tanks.	100
A-112	Air	Replacement of Existing Pumps, Valves, or Seals in Piping Service	The incremental cost difference between the cost of the original equipment and the replacement equipment is eligible only when the replacement of these parts is done for the sole purpose of eliminating fugitive VOC emissions. New systems do not qualify for this item.	100
A-113	Air	Welding of Pipe Joints in VOC Service (Existing Pipelines)	Welding of existing threaded or flanged pipe joints to eliminate fugitive emission leaks.	100
A-114	Air	Welding of Pipe Joints in VOC Service (New Construction)	The incremental cost difference between the cost of using threaded or flanged joints and welding of pipe joints in VOC service.	100
A-115	Air	External Floating Roofs	Used to reduce VOC emissions caused by evaporation losses from aboveground storage tanks. [Must be installed to meet or exceed §115.112 of this title (relating to Control Requirements).]	100

No.	Media	Property	Description	%
A-116	Air	Fixed Storage Tank Roofs	Fixed roofs installed on external floating roof tanks used to store any product containing VOC as an additional VOC control measure.	100
A-117	Air	Geodesic Domes	Geodesic domes installed on external floating roof storage tanks as a means of controlling VOC emissions.	100
A-118	Air	Submerged Fill Pipes	Submerged fill pipes installed in storage tanks used to store any product containing VOC.	100
A-119	Air	Dual Mechanical Pump Seals	The incremental cost difference between the cost of dual mechanical seal pumps and comparable single sealed pumps.	100
A-120	Air	Seal-Less Pumps	The incremental cost difference between the cost of seal-less pumps and the cost of similarly sized pumps with seals.	100

Mercury Control

No.	Media	Property	Description	%
A-130	Air	Sorbent Injection Systems	Sorbents sprayed into the flue gas that chemically react to absorb mercury. The sorbents are then removed by a particulate removal device. Equipment may include: pumps, tanks, blowers, nozzles, ductwork, hoppers, and particulate collection devices needed for the equipment to function.	100
A-131	Air	Fixed Sorbent Systems	Equipment, such as stainless steel plate with a gold coating that is installed in the flue gas to absorb mercury.	100
A-132	Air	Mercury Absorbing Filters	Filters that absorb mercury such as those using the affinity between mercury and metallic selenium.	100

No.	Media	Property	Description	%
A-133	Air	Oxidation Systems	Equipment used to change elemental mercury to oxidized mercury. This can be catalysts (similar to Selective Catalytic Reduction (SCR) catalyst) or chemical additives that can be added to the flue gas or directly to the fuel.	100
A-134	Air	Photochemical Oxidation	Use of an ultraviolet light from a mercury lamp to provide an excited state mercury species in flue gas, leading to oxidation of elemental mercury. These units are only eligible if mercury is removed from flue gas.	100
A-135	Air	Chemical Injection Systems	Equipment used to inject chemicals into the combustion zone or flue gas that chemically bonds mercury to the additive, which is then removed in a particulate removal device.	100

Sulfur Oxides Controls

No.	Media	Property	Description	%
A-160	Air	Wet and Dry Scrubbers	Circulating fluid bed and moving bed technologies using a dry sorbent or various wet scrubber designs that inject a wet sorbent into the scrubber.	100
A-161	Air	Selective Catalytic and Non-catalytic Reduction Systems	Catalyst bed, reducing agent injection and storage, monitors - used to reduce sulfur oxide emissions from combustion sources. Noncatalytic systems use a reducing agent without a catalyst.	100

Miscellaneous Control Equipment

No.	Media	Property	Description	%
A-180	Air	Hoods, Duct and Collection Systems connected to Final Control Devices	Piping, headers, blowers, hoods, and ducts used to collect air contaminants and route them to a control device.	100
A-181	Air	Stack Modifications	Construction of stack extensions to meet a permit requirement.	100
A-182	Air	New Stack Construction	The incremental cost difference between the stack height required for production purposes and the stack height required for pollution control purposes.	100
A-183	Air	Stack Repairs	Repairs made to an existing stack for that stack to provide the same level of pollution control as was previously provided.	100
A-184	Air	Vapor/Liquid Recovery Equipment (for venting to a control device)	Piping, blowers, vacuum pumps, and compressors used to capture a waste gas or liquid stream and vent to a control device, including those used to eliminate emissions associated with loading tank trucks, rail cars, and barges.	100
A-185	Air	Paint Booth Control Devices	Pollution control equipment associated with the paint booth - including the items such as the control device, water curtain, filters, or other devices to capture paint fumes.	100
A-186	Air	Blast Cleaning System - Connected to a Control Device	Particulate control device and blast material recycling system.	100
A-187	Air	Amine or Chilled Ammonia Scrubber	Installed to provide post combustion capture of pollutants (including carbon dioxide (CO ₂) upon the effective date of a final rule adopted by the U.S.[United States] Environmental Protection Agency (EPA) regulating CO ₂ as a pollutant).	100

No.	Media	Property	Description	%
A-188	Air	Catalyst-based Systems	Installed to allow the use of catalysts to reduce pollutants in emission streams.	100
A-189	Air	Enhanced Scrubbing Technology	Installed to enhance scrubber performance, including equipment that promotes the oxidation of elemental mercury in the flue gas prior to entering the scrubber.	100
A-190	Air	Airless Paint Spray Gun	The incremental cost difference between an airless paint spray gun and a comparable standard air powered paint spray gun.	100

Water and Wastewater Pollution Control Equipment

Solid Separation and De- watering

No.	Media	Property	Description	%
W-1	Water	API Separator	Separates oil, water, and solids by settling and skimming.	100
W-2	Wastewater	CPI Separator	Mechanical oil, water, and solids separator.	100
W-3	Wastewater	Dissolved Air Flotation	Mechanical oil, water, and solids separator.	100
W-4	Wastewater	Skimmer	Used to remove hydrocarbon from process wastewater.	100
W-5	Wastewater	Decanter	Used to decant hydrocarbon from process wastewater.	100
W-6	Wastewater	Belt Press, Filter Press, or Plate and Frame	Mechanical de-watering devices.	100
W-7	Water	Centrifuge	Separation of liquid and solid waste by centrifugal force, typically a rotating drum	100

No.	Media	Property	Description	%
W-8	Water	Settling Basin	Simple tank or basin for gravity separation of suspended solids	100
W-9	Water	Equalization	Tank, sump, or headbox used to settle solids and equilibrate process wastewater streams.	100
W-10	Water	Clarifier	Circular settling basins usually containing surface skimmers and sludge removal rakes.	100

Disinfection

No.	Media	Property	Description	%
W-20	Water	Chlorination	Wastewater disinfection treatment using chlorine.	100
W-21	Water	De-chlorination	Equipment for removal of chlorine from water or wastewater.	100
W-22	Water	Electrolytic Disinfection	Disinfect water by the use of electrolytic cells.	100
W-23	Water	Ozonization	Equipment that generates ozone for the disinfection of wastewater.	100
W-24	Water	Ultraviolet	Disinfection of wastewater by the use of ultraviolet light.	100
W-25	Water	Mixed Oxidant Solution	Solution of chlorine, chlorine dioxide, and ozone to replace chlorine for disinfection.	100

Biological Systems

No.	Media	Property	Description	%
W-30	Water	Activated Sludge	Wastewater treatment using microorganisms to metabolize biodegradable organic matter in aqueous waste streams. Can include	100

No.	Media	Property	Description	%
			tanks, aeration equipment, clarifiers, and equipment used to handle sludge.	
W-31	Water	Adsorption	Use of activated carbon to remove organic contaminants from wastewater.	100
W-32	Water	Aeration	Passing air through wastewater to increase oxygen available for bacterial activities that remove contaminants.	100
W-33	Water	Rotary Biological Contactor	Use of large rotating discs that contain a bio- film of microorganisms that promote biological purification of the wastewater.	100
W-35	Water	Trickling Filter	Fixed bed of highly permeable media in which wastewater passes through and forms a slime layer to remove contaminants.	100
W-36	Water	Wetlands and Lagoons (artificial)	Artificial marsh, swamp, or pond that uses vegetation and natural microorganisms as bio- filters to remove sediment and other pollutants from wastewater or stormwater.	100
W-37	Water	Digester	Enclosed, heated tanks for treatment of sludge that is broken down by bacterial action.	100

Other Equipment

No.	Media	Property	Description	%
W-50	Water	Irrigation	Equipment that is used to disburse treated wastewater through irrigation on the site.	100
W-51	Water	Outfall Diffuser	Device used to diffuse effluent discharge from an outfall.	100
W-52	Water	Activated Carbon Treatment	Use of carbon media such as coke or coal to remove organics and particulate from wastewater. May be used in either fixed or fluidized beds.	100

No.	Media	Property	Description	%
W-53	Water	Oxidation Ditches and Ponds	Process of pumping air bubbles into a pond to assist in oxidizing organic and mineral pollution.	100
W-54	Water	Filters: Sand, Gravel, or Microbial	Passing wastewater through a sand or gravel bed to remove solids and reduce bacteria.	100
W-55	Water	Chemical Precipitation	Process used to remove heavy metals from wastewater.	100
W-56	Water	Ultra-filtration	Use of semi-permeable membrane and hydrostatic pressure to filter solids and high molecular weight solutes from wastewater.	100
W-57	Water	Conveyances, Pumps, Sumps, Tanks, Basins	Used to segregate <u>stormwater</u> [storm water] from process water, control <u>stormwater</u> [storm water] runoff, or convey contaminated process water.	100
W-58	Water	Water Recycling Systems	Installed systems, excluding cooling towers, that clean, recycle, or reuse wastewater, use gray water, or <u>stormwater</u> [storm water], to reduce the amount of a facility’s discharge or the amount of new water used as process or make-up water including Zero Discharge Systems.	100
W-59	Water	Wastewater Treatment Facility/Plant	New wastewater treatment facilities (including on-site septic systems) constructed to process wastewater generated on site.	100
W-60	Water	High-Pressure Reverse Osmosis	The passing of a contaminated water stream over a permeable membrane at high pressure to collect contaminants.	100
W-61	Water	Hydro-cyclone Vapor Extraction	An air-sparged hydro-cyclone for the removal of VOCs from a wastewater stream.	100

No.	Media	Property	Description	%
W-62	Water	Recycled Water Cleaning System	Equipment used to collect and recycle the water used in a high-pressure water system for cleaning contaminants from equipment and pavement.	100
W-63	Water	Chemical Oxidation	Use of hydrogen peroxide or other oxidants for wastewater treatment.	100
W-64	Water	Stormwater [Storm Water] Containment Systems	Structures or liners used for containment of runoff from rainfall. The land that is actually occupied by the containment structure is eligible for a positive use determination.	100
W-65	Water	Wastewater Impoundments	Ponds used for the collection of water after use and before circulation.	100
W-66	Water	Oil/Water Separator	Mechanical device used to separate oils from <u>stormwater</u> [storm water].	100

Control/Monitoring Equipment

No.	Media	Property	Description	%
W-70	Water	pH Meter, Dissolved Oxygen Meter, or Chart Recorder	Used for wastewater operations control and monthly reporting requirements.	100
W-71	Water	On-line Analyzer	Device that conducts chemical analysis on sample streams for wastewater operations control.	100
W-72	Water	Neutralization	Control equipment used to adjust pH of wastewater treatment components.	100
W-73	Water	Respirometer	Device used to measure oxygen uptake or CO ₂ release in wastewater treatment systems.	100

No.	Media	Property	Description	%
W-74	Water	Diversion	Structures used for the capture and control of <u>stormwater</u> [storm water] and process wastewater or emergency diversion of process material. Land means only land that is actually occupied by the diversion or storage structure.	100
W-76	Water	Building	Used for housing wastewater control and monitoring equipment.	100
W-77	Water	De-foaming Systems	Systems consisting of nozzles, pilings, spray heads, and piping used to reduce surface foam.	100

Solid Waste Management Pollution Control Equipment

Solid Waste Management

No.	Media	Property	Description	%
S-1	Land/ Water	Stationary Mixing and Sizing Equipment	Immobile equipment used for solidification, stabilization, or grinding of self-generated waste material for the purpose of disposal.	100
S-2	Land/ Water	Decontamination Equipment	Equipment used to remove waste contamination or residues from vehicles that leave the facility.	100
S-3	Land/ Water	Solid Waste Incinerator (not used for energy recovery and export or material recovery)	Solid waste incinerators, feed systems, ash handling systems, and controls.	100
S-4	Land/ Water/ Air	Monitoring and Control Equipment	Alarms, indicators, and controllers, for high liquid level, pH, temperature, or flow in waste treatment system. Does not include fire alarms.	100

No.	Media	Property	Description	%
S-5	Land/ Water	Solid Waste Treatment Vessels	Any vessel used for waste treatment.	100
S-6	Land/ Water	Secondary Containment	External structure or liner used to contain and collect liquids released from a primary containment device and/or ancillary equipment. Main purpose is to prevent groundwater or soil contamination.	100
S-7	Land/ Water	Liners (Noncommercial Landfills and Impoundments)	A continuous layer or layers of natural and/or man-made materials that restrict downward or lateral escape of wastes or leachate in an impoundment or landfill.	100
S-8	Land/ Water	Leachate Collection and Removal Systems	A system capable of collecting leachate or liquids, including suspended solids, generated from percolation through or drainage from a waste. Systems for removal of leachate may include sumps, pumps, and piping.	100
S-9	Land/ Water	Leak Detection Systems	A system capable of detecting the failure of a primary or secondary containment structure or the presence of a liquid or waste in a containment structure.	100
S-10	Land/ Water	Final Cover Systems for Landfills (Noncommercial)	A system of liners and materials to provide drainage, erosion prevention, infiltration minimization, gas venting, and a biotic barrier.	100
S-11	Land/ Water	Lysimeters	An unsaturated zone monitoring device used to monitor soil-pore liquid quality at a waste management unit (e.g., below the treatment zone of a land treatment unit).	100
S-12	Water	Groundwater Monitoring Well and Systems	A groundwater well or system of wells designed to monitor the quality of groundwater at a waste management unit (e.g., detection monitoring systems or compliance monitoring systems).	100
S-13	Air	Fugitive Emission Monitors	A monitoring device used to monitor or detect fugitive emissions from a waste management unit or ancillary equipment.	100

No.	Media	Property	Description	%
S-14	Land/ Water	Slurry Walls/Barrier Walls	A pollution control method using a barrier to minimize lateral migration of pollutants in soils and groundwater.	100
S-15	Water	Groundwater Recovery or Remediation System	A groundwater remediation system used to remove or treat pollutants in contaminated groundwater or to contain pollutants (e.g., pump-and-treat systems).	100
S-16	Water	Noncommercial Injection Wells (Including Saltwater Disposal Wells) and Ancillary Equipment	Injection well, pumps, collection tanks and piping, pretreatment equipment, and monitoring equipment.	100
S-17	Land/ Water	Noncommercial Landfills (used for disposal of self generated waste materials) and Ancillary Equipment	Excavation, clay and synthetic liners, leak detection systems, leachate collection and treatment equipment, monitor wells, waste hauling equipment, decontamination facilities, security systems, and equipment used to manage the disposal of waste in the landfill.	100
S-18	Land/ Water	Resource Conservation Recovery Act Containment Buildings (used for storage or treatment of hazardous waste)	Pads, structures, solid waste treatment equipment used to meet the requirements of 30 TAC Chapter 335, Subchapter O – Land Disposal Restrictions, §335.431.	100
S-19	Land/ Water	Surface Impoundments and Ancillary Equipment (Including Brine Disposal Ponds)	Excavation, ponds, clay and synthetic liners, leak detection systems, leachate collection and treatment equipment, monitor wells, and pumps.	100

No.	Media	Property	Description	%
S-20	Land/ Water	Waste Storage Used to Collect and/or Store Waste Prior to Treatment or Disposal	Tanks, containers and ancillary equipment such as pumps, piping, secondary containment, and vent controls (e.g., Resource Conservation Recovery Act Storage Tanks, 90-Day Storage Facilities, Feed Tanks to Treatment Facilities).	100
S-21	Air	Fugitive Emission Containment Structures	Structures or equipment used to contain or reduce fugitive emissions or releases from waste management activities (e.g., coverings for conveyors, chutes, enclosed areas for loading and unloading activities).	100
S-22	Water	Double-Hulled Barge	If double-hulled to reduce chance of leakage into public waters, calculate the incremental cost difference between a single-hulled barge and a double-hulled barge.	100
S-23	Land	Composting Equipment	Used to compost material where the compost will be used on site. (Does not include commercial composting facilities.)	100
S-24	Land	Compost Application Equipment	Equipment used to apply compost that has been generated on-site.	100
S-25	Land	Vegetated Compost Sock	Put in place as part of a facility's permanent Best Management Plan (BMP).	100
S-26	Air	Foundry Sand Reclamation Systems for Foundries	Components of a sand reclamation system that provide specific pollution control. Includes hooding over shaker screens vented to a dust collector, conveyor covers, and emission control devices at other points.	100
S-27	Air /_Water / Land	Concrete Reclaiming Equipment	Processes mixed, un-poured concrete batches to reclaim the sand and gravel for reuse, and recycles the water in a closed loop system.	100
S-28	Land	Fencing installed for the control of windblown trash	Fencing installed at landfills, solid waste transfer stations, or storage/treatment areas located at hazardous waste	100

No.	Media	Property	Description	%
		or access control	management facilities to meet environmental regulations.	
S-29	Land/Water	Reclamation Equipment	Construction type equipment such as dozers, front end loaders and dump trucks used exclusively for land reclamation. Does not include commercial reclamation equipment.	100

Miscellaneous Pollution Control Equipment

No.	Media	Property	Description	%
M-1	Air/ Land/ Water	Spill Response/ Cleanup Equipment Pre-positioned and Stored for Addressing Future Emergencies	Boats, barges, booms, skimmers, trawls, pumps, power units, packaging materials and containers, vacuum trailers, storage sheds, diversion basins, tanks, and dispersants.	100
M-2	Air/ Land	Hazardous Air Pollutant Abatement Equipment - required removal material contaminated with asbestos, lead, or some other hazardous air pollutant	High-Efficiency Particulate Arresting (HEPA) Vacuum Equipment, Negative Air Pressure Enclosures, Glove Bags, and Disposal Containers.	100
M-3	Air/ Land/ Water	Vacuum Trucks, Street Sweepers and Watering Trucks	Mobile Surface Cleaning Equipment - used exclusively to control particulate matter on plant roads. (Does not include sweepers or scrubbers used to control particulate matter within buildings.)	100

No.	Media	Property	Description	%
M-4	Land	Compactors, Barrel Crushers, Balers, Shredders	Compactors and similar equipment used to change the physical format of waste material for recycling/reuse purposes or on-site disposal of facility-generated waste.	100
M-5	Air/ Land/ Water	Solvent Recovery Systems	Used to remove hazardous content from waste solvents by heat, vaporization, and condensation, by filtration, or by other means. The recycled solvents must be reused at the facility generating the waste.	100
M-6	Land/ Water	Boxes, Bins, Carts, Barrels, Storage Bunkers	Collection/storage containers for source- separation of materials to be recycled or reused. Does not include product storage containers or facilities.	100
M-7	Air	Environmental Paving Located at Industrial Facilities	Paving of outdoor vehicular traffic areas in order to meet or exceed an adopted air quality rule, regulation, or law. Does not include paving of parking areas or driveways for convenience purposes or <u>stormwater</u> [storm water] control. Does not include dirt or gravel. Value of the paving must be stated on a square foot basis with a plot plan provided that shows the paving in question.	100
M-8	Air/ Land/ Water	Sampling Equipment	Equipment used to collect samples of exhaust gas, wastewater, soil, or other solid waste to be analyzed for specific contaminants or pollutants.	100
M-9	Water	Dry Stack Building for Poultry Litter	A pole-barn type structure used to temporarily store poultry litter in an environmentally safe manner.	100
M-10	Land/ Water	Poultry Incinerator	Incinerators used to dispose of poultry carcasses.	100

No.	Media	Property	Description	%
M-11	Land/ Water	Structures, Enclosures, Containment Areas, Pads for Composting Operations	Required to meet ‘no exposure’ <u>stormwater</u> [storm water] regulations.	100
M-12	Air	Methane Capture Equipment	Equipment used to capture methane generated by the decomposition of waste material on site. Methane must be sent to a control device rather than used.	100
M-13	Land	Drilling Mud Recycling System	Consisting of only the Shaker Tank System, Shale Shakers, Desilter, Desander, and Degasser.	100
M-14	Land	Drilling Rig Spill Response Equipment	Includes only the Ram Type Blowout Preventers, Closing Units, and Choke Manifold Systems.	100
M-15	Air	Odor Neutralization and Chemical Treatment Systems	Carbon adsorption, zeolite adsorption, and other odor neutralizing and chemical treatment systems to meet local ordinance or to prevent/correct nuisance odors at off-site receptors.	100
M-16	Air	Odor Dispersing and Removal Systems	Electrostatic precipitators, vertical dispersing fans, stack extensions, and other physical control equipment used to dilute, disperse, or capture nuisance odor vent streams.	100
M-17	Air	Low NO _x Combustion System for Drilling Rigs	Equipment on power generating units designed solely to reduce NO _x generation.	100
M-18	Air	Odor Detectors	Olfactometers, gas chromatographs, and other analytical instrumentation used specifically for detecting and measuring ambient odor, either empirically or chemical specific.	100
M-19	Land	Cathodic Protection	Cathodic protection installed to prevent corrosion of metal tanks and piping.	100

No.	Media	Property	Description	%
M-20	Water	Fish and Other Aquatic Organism Protection Equipment	Equipment installed to protect fish and other aquatic organisms from entrainment or impingement in an intake cooling water structure. Equipment includes: Aquatic Filter Barrier Systems, Fine-Mesh Traveling Intake Screens, Fish Return Buckets, Sprays, Flow-Altering Louvers, Fish Trough, Fish Behavioral Deterrents, and Wetland Creation.	100
M-21	Water / Land	Double-walled Piping	The difference between cost of single walled piping and the cost of double-walled piping, when the double-walled piping is installed to prevent unauthorized discharges.	100
M-22	Water / Land	Double-walled Tanks	The difference between cost of single walled tanks and the cost of double-walled tanks, when the double-walled tanks are installed to prevent unauthorized discharges.	100
M-23	Land / Water / Air	Remote Controlled Block Valves	Valves installed on pipelines used to transport hydrocarbons and natural gas as a spill control measure.	100
M-24	Land / Water	Nondestructive Pipeline Testing	Expenditures for nondestructive pipeline testing such as radiography. Expenditures for non-pollution control purposes are not included.	100
M-25	Air / Land / Water	<u>Amine Treating System (components necessary to transfer impurities removed from natural gas to a final control device)</u>	<u>System components include the foul amine collection system used to collect amine that has absorbed impurities in the amine absorption system for transfer to the amine solvent regeneration system and the vent gas system that transfers to a final control device the impurities stripped from foul amine in the regeneration system. (Excludes the amine absorption system components that remove impurities from natural gas (methane) and the amine solvent regeneration system</u>	<u>100</u>

No.	Media	Property	Description	%
			<u>components used to recover amine for reuse in the amine absorption system).</u>	

Equipment Located at Tank Installations including Service Stations

Spill and Overfill Prevention Equipment

No.	Media	Property	Description	%
T-1	Water	Tight Fill Fittings	Liquid tight connections between the delivery hose and fill pipe.	100
T-2	Water	Spill Containers	Spill containment manholes equipped with either a bottom drain valve to return liquids to the tank or a hand pump for liquid removal.	100
T-3	Water	Automatic Shut-off Valves	Flapper valves installed in the fill pipe to automatically stop the flow of product.	100
T-4	Water	Overfill Alarms	External signaling device attached to an automatic tank gauging system.	100
T-5	Water	Vent Restriction Devices	Float vent valves or ball float valves to prevent backflow through vents.	100

Secondary Containment

No.	Media	Property	Description	%
T-10	Water	Double-walled Tanks	The difference between cost of single-walled tanks and the cost of double-walled tanks, when the double-walled tanks are installed to prevent unauthorized discharges or leaks.	100

No.	Media	Property	Description	%
T-11	Water	Double-walled Piping	The difference between cost of single-walled piping and the cost of double-walled piping, when the double-walled piping is installed to prevent unauthorized discharges or leaks.	100
T-12	Water	Tank Top Sumps	Liquid tight containers to contain leaks or spills that involve tank top fittings and equipment.	100
T-13	Water	Under Dispenser Sumps	Contains leaks and spills from dispensers and pumps.	100
T-14	Water	Sensing Devices	Installed to monitor for product accumulation in secondary containment sumps.	100
T-15	Land/ Water	Concrete Paving Above Underground Tanks and Pipes	Required concrete paving located above underground pipes and tanks. The use determination value is limited to the difference between the cost per square foot of the concrete paving and the cost per square foot of the other paving installed at the service station. This item only applies to service stations.	100

Release Detection for Tanks and Piping

No.	Media	Property	Description	%
T-20	Water	Automatic Tank Gauging	Includes tank gauging probe and control console.	100
T-21	Water	Groundwater or Soil Vapor Monitoring	Observation wells located inside the tank excavation or monitoring wells located outside the tank excavation.	100
T-22	Water	Monitoring of Secondary Containment	Liquid sensors or hydrostatic monitoring systems installed in the interstitial space for tanks or piping.	100

No.	Media	Property	Description	%
T-23	Water	Automatic Line Leak Detectors	Devices installed at the pump that are designed to detect leaks in underground piping. Mechanical and electronic devices are acceptable.	100
T-24	Water	Under Pump Check Valve	Valve installed to prevent back flow in the fuel dispensing line. This device is only used on suction pump piping systems.	100
T-25	Water	Tightness Testing Equipment	Equipment purchased to comply with tank and/or piping tightness testing requirements.	100

Cathodic Protection

No.	Media	Property	Description	%
T-30	Water	Isolation Fittings	Dielectric bushings and fittings to separate underground piping from aboveground tanks and piping.	100
T-31	Water	Sacrificial Anodes	Magnesium or zinc anodes packaged in low resistivity backfill to provide galvanic protection.	100
T-32	Water	Dielectric Coatings	<u>Includes factory</u> [Factory] installed coal-tar epoxies, enamels, fiberglass reinforced plastic, or urethanes on tanks and/or piping. Field installed coatings limited to exposed threads, fittings, and damaged surface areas.	100

Emissions Control Equipment

No.	Media	Property	Description	%
T-40	Air	Stage I or Stage II Vapor Recovery	Includes pressure/vacuum vent relief valves, vapor return piping, stage 2 nozzles, coaxial hoses, vapor processing units, and vacuum- assist units. Used for motor vehicle fuel dispensing facilities. Does not include fuel delivery components of fuel dispensing unit.	100

[(b) The commission shall review and update the Tier I Table in subsection (a) of this section at least once every three years.]

[(1) An item may be added to the list only if there is compelling evidence to support the conclusion that the item provides pollution control benefits and a justifiable pollution control percentage is calculable.]

[(2) An item may be removed from the list only if there is compelling evidence to support the conclusion that the item does not render pollution control benefits.]

§18.26. Expedited Review List.

The Expedited Review List in this section is a nonexclusive list of facilities, devices, or methods for the control of air, water, and/or land pollution. This table consists of the list located in Texas Tax Code, §26.045(f) with changes as authorized by Texas Tax Code, §26.045(g). The commission shall review and add to the items

listed in this table only if there is compelling evidence to support the conclusion that the item provides [provide] pollution control benefits. The commission may remove an item from this table only if there is compelling evidence to support the conclusion that the item does not render pollution control benefits. An application that identifies an appropriate item from this list must be submitted as the appropriate tier level described in §18.2 (Relating to Definitions) along with the corresponding fee as listed in §18.35(a) (related to Application Fees).

Figure: 30 TAC §18.26

[Figure: 30 TAC §18.26]

Expedited Review List

No.	Property	Description
B-1	Coal Cleaning or Refining Facilities	Used to remove impurities from coal in order to boost the heat content and to reduce potential air pollutants.
B-2	Atmospheric or Pressurized and Bubbling or Circulating Fluidized Bed Combustion Systems and Gasification Fluidized Bed Combustion Combined Cycle Systems	Combustion systems that reduce pollution through the use of a fluidized bed that can be atmospheric and bubbling or circulating; gasification combined cycle systems; or pressurized and bubbling or circulating systems.
B-3	Ultra-Supercritical Pulverized Coal Boilers	Boiler system designed to provide 4500 pounds per square inch gauge (psig)/1100°/1100°/1100° double reheat configuration.

No.	Property	Description
B-4	Flue Gas Recirculation Components	Ductwork, blowers, and ancillary equipment used to redirect part of the flue gas back to the combustion chamber for reduction of nitrogen oxides (NO _x) formation. May include fly ash collection in coal fired units.
B-5	Syngas Purification Systems and Gas-Cleanup Units	A system, including all necessary appurtenances, that: (1) produces synthesis gas from coal, biomass, petroleum coke, or solid waste and is then converted to electricity via combined cycle power generation equipment; and, (2) equipment that removes sulfur, carbon, and other polluting compounds from synthesis gas streams.
B-6	Enhanced Heat Recovery Systems	A heating system used to reduce the temperature and humidity of the exhaust gas stream and recover the heat so that it can be returned to the steam generator so as to increase the quantity of steam generated per quantity of fuel consumed.
B-7	Exhaust Heat Recovery Boilers	Used to recover the heat from boiler to generate additional steam.
B-8	Heat Recovery Steam Generators	A boiler designed to capture waste heat from combustion turbine exhaust for the generation of steam while reducing unit output-based emissions.
B-9	Heat Transfer Sections for Heat Recovery Steam Generators	Super-heaters, Evaporators, Re-heaters and Economizers.
B-10	Enhanced Steam Turbine Systems	Enhanced efficiency steam turbines.
B-11	Methanation	Coal Gasification process that removes carbon and produces methane, including the necessary support systems and appurtenances.

No.	Property	Description
B-12	Coal Combustion or Gasification By-product and Co-product Handling, Storage, and Treatment Facilities	Used for handling, storage, or treatment of by-products or co-products produced (resulting) from the combustion or gasification of coal such as boiler and Gasifier slag, bottom ash, flue gas desulfurization (FGD) material, fly ash, and sulfur.
B-13	Biomass Cofiring Storage, Distribution, and Firing Systems	Installed to reduce pollution by using biomass as a supplementary fuel.
B-14	Coal Cleaning or Drying Processes, such as coal drying/moisture reduction, air jigging, precombustion decarbonization, and coal flow balancing technology	Used to produce a cleaner burning coal (such as coal drying, moisture reduction, air jigging, precombustion decarbonization, or coal flow balancing technology).
B-15a	Oxy-Fuel Combustion Technology	Installed to allow the feeding of oxygen, rather than air, and a proportion of recycled flue gases to the boiler.
B-15b	Amine or Chilled Ammonia Scrubbing	Installed to provide post combustion capture of pollutants (including carbon dioxide upon the effective date of a final rule adopted by the [United States Environmental Protection Agency] <u>EPA</u> [(EPA)]regulating carbon dioxide as a pollutant).
B-15c	Catalyst based Systems	Installed to allow the use of catalysts to reduce emissions.
B-15d	Enhanced Scrubbing Technology	Installed to enhance scrubber performance, including equipment that promotes the oxidation of elemental mercury in the flue gas prior to entering the scrubber.
B-15e	Modified Combustion Technologies	Systems such as chemical looping and biomass co-firing that are designed to enhance pollutant removal.

No.	Property	Description
B-15f	Cryogenic Technology	Cryogenic cooling systems used to reduce pollution (including carbon dioxide upon the effective date of a final rule adopted by[the] EPA regulating carbon dioxide as a pollutant).
B-16	Carbon Dioxide Capture and Geological Sequestration Equipment	Used, constructed, acquired, or installed wholly or partly to capture carbon dioxide from an anthropogenic source in this state that is then geologically sequestered in this state. (This item is only in effect upon the effective date of an EPA final rule regulating carbon dioxide as a pollutant.)
B-17	Fuel Cells	Used to generate electricity using hydrogen derived from coal, biomass, petroleum coke, or solid waste.
B-18	Regulated Air Pollutant Control Equipment	Any other facility, device, or method designed to prevent, capture, abate, or monitor nitrogen oxides, volatile organic compounds, particulate matter, mercury, carbon monoxide, or any criteria pollutant.

§18.30. Partial Determinations.

A partial determination must be requested for all property that [is in the figure in §18.26 of this title (relating to Expedited Review List) or that] is not wholly used for pollution control, except for property that is on the Tier I Table located in §18.25 [§18.25(a)] of this title (relating to Tier I Eligible Equipment) at a specified partial use percentage. It is the responsibility of the applicant to propose a reasonable method for calculating a partial determination. The calculation must be documented and included

with the application. It is the responsibility of the executive director to review the appropriateness of the proposed method and make the final determination.

§18.35. Application Fees.

(a) Fees shall be remitted with each application for a use determination as required in paragraphs (1) - (2) of this subsection.

(1) Tier I Application. A \$150 fee shall be charged for applications which contain only property that is listed in the figure in §18.25 [§18.25(a)] of this title (relating to Tier I Eligible Equipment) or is necessary for the installation or operation of an item listed on the Tier I Table, as long as the application seeks no variance from the percentage listed on the Tier I Table.

(2) Tier II Application. A \$500 fee shall be charged for applications for property not listed in the figure located in §18.25 [§18.25(a)] of this title [or that is listed in the figure located in §18.26 of this title (relating to Expedited Review List)].

(b) Fees shall be forfeited for applications for use determination on which the executive director will take no further action under §18.15 of this title (relating to Application Review Schedule) [are sent back under §18.15 of this title (relating to Application Review Schedule)]. An applicant who submits an insufficient fee will receive a deficiency notice in accordance with the procedures in §18.15 of this title. The fee must be remitted with the response to the deficiency notice before the

application will be deemed administratively complete. If it is determined that an application was submitted at an inappropriate tier level, the executive director will notify the applicant of the amount in which the fees are deficient or in excess, and if there are deficient fees, the applicant shall remit the appropriate fee described under §18.35(a) before review of the application proceeds. If the deficient fees are not paid in full within 30 days of the applicant being notified of the deficiency, the executive director will take no further action on the application. If the executive director takes no further action on the application, the portion of the fees already paid shall be forfeited by the applicant.

(c) All fees shall be paid by check, money order, electronic funds transfer, or through the commission’s payment portal, and shall be made payable to the Texas Commission on Environmental Quality [either be remitted in the form of a check or money order made payable to the Texas Commission on Environmental Quality or by electronic funds transfer by using the commission’s ePay system].

(d) The application fee or receipt for payment [check, money order, or electronic funds transfer] must be delivered with the application [to the commission at the address listed on the application form].