TCEQ Interoffice Memorandum

To: Tony Walker, Regional Director, R4

Alyssa Taylor, Special Assistant to Regional Director, R4

Erin Selvera, J.D., APWL Coordinator

From: Shannon Ethridge, M.S., DABT S.E.

Jessica Myers, Ph.D. JM

Toxicology Division, Office of the Executive Director

Date: August 3, 2015

Subject: Toxicological Evaluation of 2014 Ambient Air Network Monitoring Data

in Region 4, Dallas/Fort Worth

Conclusions

- All hourly and annual average concentrations of volatile organic compounds (VOCs)
 reported at Texas Commission on Environmental Quality (TCEQ) Region 4-Dallas/Fort
 Worth 1-hour automated gas chromatograph (autoGC) monitoring sites were below their
 respective short-term and long-term air monitoring comparison values (AMCVs),
 respectively, and would not be expected to cause acute or chronic adverse health effects,
 vegetation effects, or odor concerns.
- All 24-hour and annual average concentrations of VOCs and carbonyls from canister samples
 were below their respective TCEQ AMCVs and would not be expected to cause adverse
 health effects or vegetation effects.
- Annual average concentrations of all speciated metals were less than their respective TCEQ long-term AMCVs and would not be expected to cause chronic adverse health effects.
- At the Dallas-Morrell monitoring site, the annual average concentration of nickel, 0.0023 μg/m³, reported as total suspended particulate (TSP) was below the long-term AMCV of 0.059 μg/m³ for respirable carcinogenic forms of nickel (i.e., PM₁₀) and would not be expected to cause chronic adverse health or vegetation effects. Additionally:
 - Although the Dallas-Morrell site currently remains on TCEQ's Air Pollutant Watch List (APWL0401) for nickel, the available data together with the above information support removing this site from the APWL. This is based on information regarding the type of nickel detected as well as other site-specific data detailed below.
- Air quality in the Barnett Shale area continues to be monitored. Detailed information is available on the TCEQ's Barnett Shale Web page at: http://www.tceq.state.tx.us/goto/barnettshale.

Background

The Toxicology Division (TD) has reviewed ambient air sampling data collected from 33 network monitoring sites in TCEQ Region 4, Dallas/Fort Worth. The TD reviewed air monitoring summary results for VOCs and carbonyls from 1-hour and 24-hour samples collected continuously and every sixth-day, respectively. In addition, the TD evaluated the criteria pollutant lead from a health perspective in this memorandum. For complete lists of all chemicals

Walker, et al. August 3, 2015 Page 2 of 11

evaluated, please see Lists 1 through 4 in Attachment A. Table 1 lists the monitoring sites and provides a link to more information about the sites. A brief summary of the monitoring sites is provided below:

- ➤ 1-hour autoGC VOC monitoring at 15 sites
- ➤ Every sixth-day 24-hour canister VOC sampling at 13 sites
- Every sixth-day 24-hour carbonyl sampling at 2 sites
- ➤ Metals sampling at 9 sites
 - o Every sixth-day lead TSP sampling at 6 sites
 - o Every sixth-day chromium and nickel PM₁₀ or PM_{2.5} sampling at 4 sites
 - Every third-day or sixth-day metals PM_{2.5} sampling at 3 sites

Table 1. Monitoring Sites Located in TCEQ Region 4

Site Name and Location	County	EPA Site ID	Monitored Compounds
Frisco 5 th Street, 7471 South 5th Street	Collin	48-085-0003	Lead (TSP)
Frisco 7, 6931 Ash Street	Collin	48-085-0007	Lead (TSP)
Frisco Eubanks, 6601 Eubanks Street	Collin	48-085-0009	Lead (TSP)
Frisco Stonebrook, 7202 Stonebrook Parkway	Collin	48-085-0029	Lead (TSP)
Gainesville Doss Street, 1112 Doss Street	Cooke	48-097-1504	VOCs (24-hour canister)
Dallas Convention Center, 717 South Akard Street	Dallas	48-113-0050	Metals (PM _{2.5})
Dallas Elm Fork, 2171 Manana Drive	Dallas	48-113-1505	VOCs (autoGC)
Dallas Hinton, 1415 Hinton Street	Dallas	48-113-0069	VOCs (autoGC, 24-hour canister), Carbonyl, Metals (PM _{2.5}), Lead (TSP)
Dallas Morrell, 3049 Morrell Street	Dallas	48-113-0018	Metals (PM ₁₀)
Lancaster Cedardale, 1930 Cedardale Road	Dallas	48-113-1500	VOCs (24-hour canister)
Denton Airport South, Denton Municipal Airport	Denton	48-121-0034	VOCs (24-hour canister)
DISH Airfield, 9800 Clark Airport Road	Denton	48-121-1013	VOCs (autoGC)

Site Name and Location	County	EPA Site ID	Monitored Compounds
Flower Mound Shiloh, 4401 Shiloh Road	Denton	48-121-1007	VOCs (autoGC)
Italy, 900 Farm to Market Road 667	Ellis	48-139-1044	VOCs (24-hour canister)
Midlothian OFW, 2725 Old Fort Worth Road	Ellis	48-139-0016	VOCs (24-hour canister), Metals (PM _{2.5})
Greenville, 824 Sayle Street	Hunt	48-231-1006	VOCs (24-hour canister)
Johnson County Luisa, 2420 Luisa Lane	Johnson	48-251-1008	VOCs (24-hour canister)
Godley FM2331, 12404 FM2331	Johnson	48-251-1501	VOCs (autoGC)
Mansfield Flying L Lane, 1310 Flying L Lane	Johnson	48-251-1063	VOCs (autoGC)
Terrell Temtex, 2988 Temtex Boulevard	Kaufman	48-257-0020	Lead (TSP)
Mineral Wells 23 rd Street, 2000 NE 23rd Street	Palo Pinto	48-363-1502	VOCs (24-hour canister)
Weatherford Highway 180, 2253 Fort Worth Hwy	Parker	48-367-1506	VOCs (24-hour canister)
Arlington UT Campus, 1101 S. Pecan St.	Tarrant	48-439-1018	VOCs (AutoGC)
Eagle Mountain Lake, 14290 Morris Dido Newark Road	Tarrant	48-439-0075	VOCs (autoGC)
Everman Johnson Park, 633 Everman Parkway	Tarrant	48-439-1009	VOCs (autoGC)
Fort Worth Northwest, 3317 Ross Avenue	Tarrant	48-439-1002	VOCs (autoGC, 24-hour canister), Carbonyls
Fort Worth Benbrook Lake, 7001 Lakeside Drive	Tarrant	48-439-1503	VOCs (autoGC)
Fort Worth Joe B. Rushing Road, Road 2525 Joe B. Rushing Road	Tarrant	48-439-1065	VOCs (autoGC)
Grapevine Fairway, 4100 Fairway Drive	Tarrant	48-439-3009	VOCs (24-hour canister)

Site Name and Location	County	EPA Site ID	Monitored Compounds
Keller, FAA Site off Alta Vista Road	Tarrant	48-439-2003	VOCs (24-hour canister)
Kennedale Treepoint Drive, 5419 Treepoint Drive	Tarrant	48-439-1062	VOCs (autoGC)
Decatur Thompson, 301 E Thompson Street	Wise	48-497-0088	VOCs (autoGC)
Rhome Seven Hills Road, 639 CR 4651	Wise	48-497-1064	VOCs (autoGC)

The TCEQ Monitoring Division reported the data for all chemicals evaluated in this memorandum. All data (84 VOCs (canister), 46 VOCs (autoGC), 17 carbonyls, 15 metals (PM_{2.5}, PM₁₀, or TSP)) highlighted in this evaluation met TCEQ's data completeness objective of 75 percent data return except for the following:

- Dallas Hinton (1,2,3-trimethylbenzene, 2-methylhexane, 2,3-dimethylpentane, acetylene, and cyclohexane for AutoGC, and Lead TSP)
- Dallas Elm Fork (1,2,3-trimethylbenzene)
- Mansfield Flying L Lane (2-methyl-2-butene and n-undecane)
- Fort Worth Northwest (acetylene and propylene)
- Everman Johnson Park (1,2,3-trimethylbenzene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, n-decane, and n-undecane)
- Arlington UT Campus (1,2,3-trimethylbenzene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, n-decane, and n-undecane)
- Kennendale Treepoint Dr (1,2,3-trimethylbenzene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, 2-methyl-2-butene, n-decane, and n-undecane)
- Fort Worth Joe B Rushing Road (1,2,3-trimethylbenzene, 2-methyl-2-butene, acetylene, and n-undecane)
- Rhome 7 Hills Road (2-methyl-2-butene and n-undecane)
- Frisco 7 (Lead TSP)
- Terrell Temtex (Lead TSP)

One-hour autoGC VOC samples were compared to TCEQ's short-term AMCVs. Twenty-four-hour air samples collected every third- or sixth-day for one year are designed to provide representative long-term average concentrations. In order to be able to evaluate 24-hour monitoring data more fully, TCEQ has developed 24-hour AMCVs for specific chemicals. As such, 24-hour samples were compared to the available TCEQ 24-hour AMCVs (1,3-butadiene, benzene, and formaldehyde). However, because short-term or peak concentrations are not necessarily captured by 24-hour samples, daily concentrations have limited use in evaluating the potential for acute health effects. Therefore, the TD evaluated the reported annual average concentrations from 1-hour autoGC and 24-hour samples for each target analyte for potential chronic health and vegetation concerns by comparing measured chemical concentrations to their respective long-term AMCVs. More information about AMCVs is available online at:

Walker, et al. August 3, 2015 Page 5 of 11

http://www.tceq.texas.gov/toxicology/AirToxics.html#amcv.

As lead is a criteria pollutant, applicable lead TSP levels (i.e., rolling three-month averages) were compared to the appropriate comparison value (i.e., $0.15~\mu g/m^3$); however, annual average lead TSP concentrations were also evaluated since they are more representative of long-term lead exposure from a health perspective.

Evaluation

VOCs

Short-Term Data

All hourly average concentrations of the 46 VOCs reported at the 15 autoGC sites were either not detected or below their respective short-term and 24-hour AMCVs. Therefore, acute adverse health effects, odorous conditions, or vegetation effects would not be expected to occur as a result of exposure to the reported levels of VOCs at these 15 autoGC monitoring sites.

Long-Term Data

The 2014 annual average concentrations of the 46 VOCs evaluated at the 15 autoGC monitoring sites and the 84 VOCs reported at each of the 13 every sixth-day 24-hour canister monitoring sites were well below their respective long-term AMCVs. Exposure to the reported annual average concentrations would not be expected to cause chronic adverse health or vegetation effects.

Carbonyls

The 2014 annual average concentrations of the 17 carbonyls reported at the Fort Worth Northwest and Dallas-Hinton sites were below their respective long-term AMCVs. Exposure to the reported annual average concentrations would not be expected to cause chronic adverse health or vegetation effects.

Metals

At the three sites reporting $PM_{2.5}$ metals data, annual average concentrations of all 15 metals were well below their respective long-term AMCVs. Exposures to the reported levels of these metals would not be expected to cause chronic adverse health and vegetation effects.

At the Dallas-Morrell site, only nickel and chromium were reported. The annual average concentrations of both nickel and chromium were below their respective long-term health-based AMCVs. Exposure to the reported annual average concentrations of these two metals would not be expected to cause chronic, adverse health effects.

Nickel at Dallas-Morrell Site

The 2014 annual average nickel concentration of $0.0023~\mu g/m^3$ was below the long-term AMCV of $0.059~\mu g/m^3$ for respirable nickel particles. Elevated annual nickel levels were detected at the

Walker, et al. August 3, 2015 Page 6 of 11

Dallas-Morrell site from 1987-2011 (Figure 1). Beginning in 1995, the annual average nickel concentrations have decreased and appear to have stabilized in the range of 0.0023 to $0.3~\mu g/m^3$ from 1998 through 2014. The reductions in annual nickel levels first observed in 1995 were attributed to actions taken by Dal Chrome Co., Inc., an automotive chrome bumper recycling facility located predominantly upwind from the Dallas-Morrell site that operated until November 2013. The air monitoring data from the Dallas-Morrell site are representative of total nickel concentrations and do not specify the specific forms of nickel. However, based on the type of facility, Dal Chrome Co., Inc. was known to emit mainly metallic nickel and was expected to be the predominant nickel emissions source in the vicinity of the Dallas-Morrell site until the facility closed in November 2013. The annual average nickel concentration dropped significantly after the facility closed in November 2013.

Annual Average Nickel Concentrations at the Dallas-Morrell Site




Figure 1. Annual Average Nickel Concentrations at the Dallas-Morrell Site from 1987 to 2014 (Note: a 12-month rolling average concentration from August 17, 2009 to August 12, 2010 was used for 2010)

The long-term AMCV of $0.059~\mu g/m^3$ for respirable nickel particles was derived based on risk of developing lung cancer following exposure to carcinogenic forms of nickel in occupational workers. Therefore, comparing nickel PM_{10} (post 2010) or TSP data (pre 2010) to the long-term AMCV for respirable nickel particles may be overly conservative for several reasons, including: differences in PM size fractions; differences in forms of nickel; and differences in health effects evaluated (i.e., non-carcinogenic and carcinogenic effects). Detailed information about the long-

Walker, et al. August 3, 2015 Page 7 of 11

term AMCV and noncarcinogenic chronic AMCV for nickel is available in the nickel Development Support Document (DSD).

Summary of Nickel Concentrations at the Dallas-Morrell Site

The 2014 annual average nickel concentration was below the long-term AMCV for respirable nickel particles. The air monitoring data from the Dallas-Morrell site are representative of total nickel concentrations and do not specify the specific forms of nickel, however this approach is very conservative, as described above. The TD recommends removal of nickel at the Dallas-Morrell site from the TCEQ's Air Pollutant Watch List (APWL0401), because the available data together with the above information and the fact that the facility closed in November of 2013 indicate that removal from the APWL is appropriate.

Lead

On November 12, 2008, the U.S. Environmental Protection Agency (EPA) finalized the new 0.15 μ g/m³ NAAQS for lead based on a rolling three-month average concentration (73 Federal Register 66964). In general, the rule requires source-oriented ambient air lead monitoring at sites with actual annual lead emissions of one or more tons per year. Two lead-acid battery recycling facilities, namely Exide Technologies, Inc. and ECS Refining Texas LLC (hereafter called Exide and ECS, respectively), were identified as the facilities that are required to have source-oriented lead monitoring in TCEQ Region 4. In December of 2014, the rolling three-month average of lead TSP at the Eubanks monitor near Exide was reported as 0.005 μ g/m³, which is below the 0.15 μ g/m³ comparison value for lead. In December of 2014, the rolling 3-month average of lead TSP at the Terrell Temtex site near ECS was reported as 0.013 μ g/m³, and is below the 0.15 μ g/m³ comparison value for lead.

Lead TSP Monitors around Exide

The Exide facility, a secondary lead smelter, was active from 1964 through November 2012. Three lead TSP monitors (Frisco 7, Frisco Eubanks, and Frisco 5th St.) were established in mid-1990 or earlier and an additional monitor (Frisco Stonebrook) was activated on January 7, 2011. Additional details about the Exide facility and surrounding area are available through the TCEQ websites for the remediation of the Exide site and the latest lead-related planning activities in the Dallas Fort Worth area. On November 30, 2012, Exide closed its doors, and clean up and demolition began in December of the same year.

Reported Lead TSP Concentrations from Monitors around Exide

Annual average concentrations of lead TSP from Frisco 7, Frisco Eubanks, and Frisco 5th St. monitors have been fairly consistent since 1995, with some variations (annual average lead TSP for 2002-2014 can be found in Figure 2). Higher concentrations have been reported from the Frisco Eubanks monitor and lower lead TSP concentrations were reported from all other monitors. While the NAAQS for lead was lowered ten-fold in 2008 from 1.5 to 0.15 μ g/m³, the ambient lead TSP concentrations around Exide did not change significantly at that time. However, since the closure of the facility in November of 2012, lead levels at the Eubanks monitor have fallen below the 0.15 μ g/m³ comparison value for lead. Lead concentrations, as

measured by the three other ambient lead TSP monitors, have also continued to decline since that time.




Figure 2. Annual Average Lead TSP Concentrations from Monitors around the Exide Facility from 1994 to 2014

Lead Summary

Although historical lead TSP concentrations at the Eubanks monitor near Exide exceeded the $0.15~\mu g/m^3$ comparison value, current air monitoring data indicate that lead concentrations are well below the NAAQS comparison level at all four monitor sites surrounding the facility and that the concentrations at the Eubanks monitor are now well below the $0.15~\mu g/m^3$ comparison value.

Investigations of Air Quality and Barnett Shale Activities

In response to concerns about air emissions from oil and gas operations in the Barnett Shale area, the TCEQ has performed extensive mobile monitoring and has significantly expanded the network of stationary samplers that measure VOCs. Based on the current complaint prioritization guidance updated on December 5, 2014, citizen complaints concerning odor from an oil or

Walker, et al. August 3, 2015 Page 9 of 11

natural gas site statewide that the agency has substantiated odor nuisance conditions in the previous 12 months will be given an "Expedited Response" priority for investigation. Complaints received which do not require dispatch of Emergency Response personnel, but are reporting human health effects are given an "Immediate Response" priority. For Expedited and Immediate Response complaints, an on-site investigation will be conducted by the Dallas/Fort Worth Region staff within 1 working day of receipt of the complaint by the regional office. All other oil and natural gas related complaints will be given priority in accordance with the Field Operations Standard Operating Procedures. In addition, the DFW regional staff conducts periodic reconnaissance investigations in selected areas and the regional office also conducts monitoring, as time and resources permit, at the request of the public and other interested parties. Scheduled compliance investigations are also conducted at natural gas sites to determine compliance with applicable rules and regulations. Detailed information is available on the TCEQ's Oil and Gas Activities Web page at: http://www.tceq.state.tx.us/assistance/industry/oiland-gas/oilgas.html. For specific information about the Barnett Shale Area, click on the link for Barnett Shale Geological Area under the Air Quality section or go to this link: http://www.tceq.state.tx.us/goto/barnettshale.

If you have any questions regarding the contents of this review, please do not hesitate to contact Shannon Ethridge by phone at (512) 239-1822 or via email at Shannon.Ethridge@tceq.texas.gov, Jessica Myers by phone at (512) 239-3444 or via email at Jessica.Myers@tceq.texas.gov.

Attachment A

List 1. Target VOC Analytes in Canister Samples

1,1,2,2-Tetrachloroethane	Bromomethane	Methyl Chloroform (1,1,1-
1,1,2-Trichloroethane	Carbon Tetrachloride	Trichloroethane)
1,1-Dichloroethane	Chlorobenzene	Methylcyclohexane
1,1-Dichloroethylene	Chloroform	Methylcyclopentane
1,2,3-Trimethylbenzene	Chloromethane (Methyl	N-Butane
1,2,4-Trimethylbenzene	Chloride)	N-Decane
1,2-Dichloropropane	Cis-1,3-Dichloropropene	N-Heptane
1,3,5-Trimethylbenzene	Cis-2-Butene	N-Hexane
1,3-Butadiene	Cis-2-Hexene	N-Nonane
1-Butene	Cis-2-Pentene	N-Octane
1-Hexene+2-Methyl-1-Pentene	Cyclohexane	N-Pentane
1-Pentene	Cyclopentane	N-Propylbenzene
2,2,4-Trimethylpentane	Cyclopentene	N-Undecane
2,2-Dimethylbutane (Neohexane)	Dichlorodifluoromethane	O-Ethyltoluene
2,3,4-Trimethylpentane	Dichloromethane (Methylene	O-Xylene
2,3-Dimethylbutane	Chloride)	P-Diethylbenzene
2,3-Dimethylpentane	Ethane	P-Ethyltoluene
2,4-Dimethylpentane	Ethylbenzene	Propane
2-Chloropentane	Ethylene	Propylene
2-Methyl-2-Butene	Ethylene Dibromide (1,2-	Styrene
2-Methylheptane	Dibromoethane)	Tetrachloroethylene
2-Methylhexane	Ethylene Dichloride (1,2-	Toluene
2-Methylpentane (Isohexane)	Dichloroethane)	Trans-1-3-Dichloropropene
3-Methyl-1-Butene	Isobutane	Trans-2-Butene
3-Methylheptane	Isopentane (2-Methylbutane)	Trans-2-Hexene
3-Methylhexane	Isoprene	Trans-2-Pentene
3-Methylpentane	Isopropylbenzene (Cumene)	Trichloroethylene
4-Methyl-1-Pentene	M-Diethylbenzene	Trichlorofluoromethane
Acetylene	M-Ethyltoluene	Vinyl Chloride
Benzene	M/P Xylene	

List 2. Target Carbonyl Analytes

2,5-Dimethylbenzaldehyde	Formaldehyde	o-Tolualdehyde
Acetaldehyde	Heptaldehyde	Propanal - Propionaldehyde
Acetone	Hexanaldehyde	p-Tolualdehyde
Acrolein	Isovaleraldehyde	Valeraldehyde
Benzaldehyde	Methyl Ethyl Ketone	
Butyraldehyde	(MEK)/Methacrolein	
Crotonaldehyde - 2-Butenal	m-Tolualdehyde	

List 3. Target Metal Analytes

Aluminum (PM _{2.5})	Chromium (PM _{2.5} , PM ₁₀ and TSP)	Molybdenum (PM _{2.5})
Antimony (PM _{2.5})	Cobalt (PM _{2.5})	Nickel (PM _{2.5} , PM ₁₀ and TSP)
Arsenic (PM _{2.5})	Copper (PM _{2.5})	Selenium (PM _{2.5})
Barium (PM _{2.5})	Lead (TSP and PM _{2.5})	Tin (PM _{2.5})
Cadmium (PM _{2.5})	Manganese(PM _{2.5})	Zinc (PM _{2.5})

List 4. Target VOC Analytes in AutoGC

1-Butene	Benzene	n-Decane
1-Pentene	c-2-Butene	n-Heptane
1,2,3-Trimethylbenzene	c-2-Pentene	n-Hexane
1,2,4-Trimethylbenzene	Cyclohexane	n-Nonane
1,3-Butadiene	Cyclopentane	n-Octane
1,3,5-Trimethylbenzene	Ethane	n-Pentane
2-Methylheptane	Ethyl Benzene	n-Propylbenzene
2-Methylhexane	Ethylene	o-Xylene
2,2-Dimethylbutane	Isobutane	p-Xylene + m-Xylene
2,2,4-Trimethylpentane	Isopentane	Propane
2,3-Dimethylpentane	Isoprene	Propylene
2,3,4-Trimethylpentane	Isopropyl Benzene - Cumene	Styrene
2,4-Dimethylpentane	Methylcyclohexane	t-2-Butene
3-Methylheptane	Methylcyclopentane	t-2-Pentene
3-Methylhexane	n-Butane	Toluene
Acetylene		