TCEQ Interoffice Memorandum

То:	Leroy Biggers, Regional Director, R5		
From:	Nnamdi Nnoli, Ph.D.		
	Toxicology, Risk Assessment, and Research Division Office of the Executive Director		
Date:	June 30, 2023		
Subject:	Health Effects Review of 2021 Ambient Air Network Monitoring Data in Region 5, Tyler		

Conclusions

- All measured 24-hour and annual average measured concentrations of volatile organic compounds (VOCs) monitored were below their respective Texas Commission on Environmental Quality (TCEQ) air monitoring comparison values (AMCVs) and would not be expected to cause adverse health or welfare effects.
- All measured 24-hour and annual average measured concentrations of speciated metals particulate matter less than or equal to 2.5 microns in diameter (PM_{2.5}) monitored were below their respective TCEQ AMCVs and would not be expected to cause adverse health or welfare effects.

Background

This memorandum conveys the Toxicology, Risk Assessment, and Research Division's (TD's) evaluation of ambient air sampling conducted at two ambient air network monitoring sites in Region 5, Tyler, during 2021. Information about the Region 5 monitoring sites is presented in Table 1, along with hyperlinks to the monitoring site maps and more detailed information. Complete lists of all target analytes are provided in Attachment A.

Table 1. Monitoring Sites Located in TCEQ Region 5

Site Name and Location	County	Monitor ID	Monitored Compounds
Longview Gregg Co Airport near Longview	Gregg	481830001	VOCs (24-h canister)
Karnack Hwy 134 and Spur 449	Harrison	482030002	VOCs (24-h canister) and metals (PM _{2.5})

Biggers et al. June 30, 2023 Page 2 of 4

The TCEQ Monitoring Division reported the data for all chemicals evaluated in this memorandum. All data collected for the Longview and Karnack monitoring sites met the data completeness objective of 75 percent. Because short-term or peak concentrations are not necessarily captured by 24-hour samples, daily concentrations have limited use in evaluating the potential for acute health effects. Rather, 24-hour air samples collected every-sixth day for a year are intended to provide representative long-term average concentrations. Therefore, the TD evaluated the reported annual average concentrations from 24-hour samples for each target analyte for potential chronic health and vegetation concerns by comparing measured chemical concentrations to long-term AMCVs or, for lead, to the applicable comparison level. To enable evaluation of 24-hour monitoring data more fully, TCEQ has also developed 24-hour acute AMCVs for 1,3-butadiene; 2,2-dimethylbutane; 2,3-dimethylbutane; 2-methylpentane; 3-methylpentane; aluminum; arsenic; benzene; cadmium; chromium; cobalt; ethylene dichloride; manganese; nickel; n-hexane; and vanadium. More information about AMCVs is available online at: https://www.tceq.texas.gov/toxicology/amcv/about.

Evaluation

All measured 24-hour and annual average concentrations of the 84 monitored VOCs at the Longview and Karnack sites and monitored speciated metals at the Karnack site were below their respective AMCVs and would not be expected to cause adverse chronic health or welfare effects.

Air Pollutant Watch List (APWL) Area

There is one APWL area (<u>APWL0501</u>) in Region 5 for hydrogen sulfide, which covers parts of both Bowie and Cass Counties. Information for this area may be found here: <u>https://www.tceq.texas.gov/toxicology/apwl/apwl.html</u>.

If you have any questions about this evaluation, please contact Nnamdi Nnoli by email at <u>nnamdi.nnoli@tceq.texas.gov</u> or phone at (512) 239-1785.

Biggers et al. June 30, 2023 Page 3 of 4

Attachment A

List 1. Target VOC Analytes in Canister Samples

1,1,2,2-Tetrachloroethane 1,1,2-Trichloroethane 1,1-Dichloroethane 1,1-Dichloroethylene 1,2,3-Trimethylbenzene 1,2,4-Trimethylbenzene 1,2-Dichloropropane 1,3,5-Trimethylbenzene 1.3-Butadiene 1-Butene 1-Hexene & 2-Methyl-1-Pentene 1-Pentene 2,2,4-Trimethylpentane 2,2-Dimethylbutane 2,3,4-Trimethylpentane 2,3-Dimethylbutane 2,3-Dimethylpentane 2,4-Dimethylpentane 2-Chloropentane 2-Methyl-2-Butene 2-Methylheptane 2-Methylhexane 2-Methylpentane 3-Methyl-1-Butene 3-Methylheptane 3-Methylhexane 3-Methylpentane 4-Methyl-1-Pentene Acetylene Benzene

Bromomethane Carbon Tetrachloride Chlorobenzene Chloroform Chloromethane Cyclohexane Cyclopentane Cyclopentene Dichlorodifluoromethane Dichloromethane Ethane Ethylbenzene Ethylene Ethylene Dibromide Ethylene Dichloride Isobutane Isopentane Isoprene Isopropyl benzene Methyl Chloroform Methylcyclohexane Methyl cyclopentane Propane Propylene Styrene Tetrachloroethylene Toluene Trichloroethylene Trichlorofluoromethane

Vinyl Chloride cis-1,3-Dichloropropene cis-2-Butene cis-2-Hexene cis-2-Pentene m-Diethylbenzene m-Ethyl toluene m/p Xylene n-Butane n-Decane n-Heptane n-Hexane n-Nonane n-Octane n-Pentane n-Propyl benzene n-Undecane o-Ethyl toluene o-Xylene p-Diethylbenzene p-Ethyl toluene trans-1,3-Dichloropropene trans-2-Butene trans-2-Hexene trans-2-Pentene

Biggers et al. June 30, 2023 Page 4 of 4

List 2. Target Metal Analytes

Aluminum (PM_{2.5}) Antimony (PM_{2.5}) Arsenic (PM_{2.5}) Barium (PM_{2.5}) Cadmium (PM_{2.5}) Chromium (PM_{2.5}) Cobalt (PM_{2.5}) Copper (PM_{2.5}) Lead (PM_{2.5}) Manganese (PM_{2.5}) Nickel (PM_{2.5}) Selenium (PM_{2.5}) Tin (PM_{2.5}) Vanadium (PM_{2.5}) Zinc (PM_{2.5})