

# TCEQ Interoffice Memorandum

---

**To:** Alyssa Taylor, Regional Director, R4 Dallas/Fort Worth  
Elizabeth Smith, Assistant Regional Director, R4 Dallas/Fort Worth

**From:** Mike Aplin, M.S. <sup>MSA</sup>  
Caroline Emery, M.S. <sup>CE</sup>  
Toxicology, Risk Assessment, and Research Division, Office of the  
Executive Director

**Date:** June 20, 2024

**Subject:** Health Effects Review of 2022 Ambient Air Network Monitoring Data in  
Region 4, Dallas/Fort Worth

---

## Conclusions

- All 24-hour and annual average concentrations of volatile organic compounds (VOCs) from canister monitoring sites were below their respective short-term and long-term air monitoring comparison values (AMCVs) and would not be expected to cause acute or chronic adverse health effects, vegetation effects, or odor concerns.
- All 8-hour, 24-hour, and annual average concentrations of carbonyls were below their respective short-term and long-term AMCVs and would not be expected to cause acute or chronic adverse health effects, vegetation effects, or odor concerns.
- All hourly and annual average concentrations of VOCs from 1-hour automated gas chromatograph (autoGC) monitoring sites were below their respective AMCVs and would not be expected to cause adverse health effects, vegetation effects, or odor concerns.
- Reported concentrations of hydrogen sulfide (H<sub>2</sub>S) were below the numerical value of the 30-minute state standard for residential areas.
- All 24-hour and annual average concentrations of speciated metals were below their respective short-term and long-term AMCVs and would not be expected to cause chronic adverse health effects. Additionally, maximum measured concentrations and rolling three-month average concentrations for lead total suspended particulate (TSP) are below the value (0.15 µg/m<sup>3</sup>) associated with the lead National Ambient Air Quality Standard (NAAQS).

## Background

The Toxicology, Risk Assessment, and Research Division (TD) has reviewed ambient air sampling data collected from 36 monitors at 29 network monitoring sites in TCEQ Region 4, Dallas/Fort Worth. The TD reviewed air monitoring summary results for VOCs, carbonyls, speciated metals, and H<sub>2</sub>S (see bulleted list below for details). In addition, the TD evaluated the criteria pollutant lead from a health perspective. For complete lists of all chemicals evaluated, please see Lists 1 through 4 in Attachment A. Table 1 lists the monitoring sites and provides a link to more information about the sites. A brief summary of the monitoring sites is provided below:

- 1-hour autoGC VOC monitoring at 15 sites

- Every sixth-day 24-hour canister VOC sampling at 13 sites
- Carbonyl sampling at 2 sites
  - Seasonal every sixth-day 24-hour carbonyl sampling at 1 site
  - Seasonal every sixth-day carbonyl sampling that switches to seasonal collection of three 8-hour samples every third-day carbonyl sampling at 1 site
- H<sub>2</sub>S sampling at 1 site
- Metals sampling at 5 sites
  - Every sixth-day 24-hour lead total suspended particle (TSP) sampling at 3 sites
  - Every third-day 24-hour metals PM<sub>2.5</sub> sampling at 1 site (Dallas Hinton)
  - Every sixth-day 24-hour metals PM<sub>2.5</sub> sampling at 1 site (Midlothian OFW)

**Table 1. Monitoring Sites Located in TCEQ Region 4**

Site Name and Location	County	EPA Site ID	Monitored Compounds
<u>Arlington UT Campus</u> , 1101 S. Pecan St.	Tarrant	48-439-1018	VOCs (autoGC)
<u>Dallas Elm Fork</u> , 2171 Manana Drive	Dallas	48-113-1505	VOCs (autoGC)
<u>Dallas Hinton</u> , <sup>a</sup> 1415 Hinton Street	Dallas	48-113-0069	VOCs (autoGC, 24-hour canister), Carbonyls, Metals (PM <sub>2.5</sub> )
<u>Decatur Thompson</u> , 301 E Thompson Street	Wise	48-497-0088	VOCs (autoGC)
<u>Denton Airport South</u> , Denton Municipal Airport	Denton	48-121-0034	VOCs (24-hour canister)
<u>DISH Airfield</u> , 9800 Clark Airport Road	Denton	48-121-1013	VOCs (autoGC)
<u>Eagle Mountain Lake</u> , 14290 Morris Dido Newark Road	Tarrant	48-439-0075	VOCs (autoGC)
<u>Everman Johnson Park</u> , 633 Everman Parkway	Tarrant	48-439-1009	VOCs (autoGC)
<u>Flower Mound Shiloh</u> , 4401 Shiloh Road	Denton	48-121-1007	VOCs (autoGC)
<u>Fort Worth Benbrook Lake</u> , 7001 Lakeside Drive	Tarrant	48-439-1503	VOCs (autoGC)

Site Name and Location	County	EPA Site ID	Monitored Compounds
<u>Fort Worth Joe B. Rushing Road</u> , 2525 Joe B. Rushing Road	Tarrant	48-439-1065	VOCs (autoGC)
<u>Fort Worth Northwest</u> , <sup>b</sup> 3317 Ross Avenue	Tarrant	48-439-1002	VOCs (autoGC, 24-hour canister), Carbonyls
<u>Frisco Eubanks</u> , 6601 Eubanks Street	Collin	48-085-0009	Lead (TSP)
<u>Frisco Stonebrook</u> , 7202 Stonebrook Parkway	Collin	48-085-0029	Lead (TSP)
<u>Gainesville Doss Street</u> , 1112 Doss Street	Cooke	48-097-1504	VOCs (24-hour canister)
<u>Godley FM2331</u> , 12404 FM2331	Johnson	48-251-1501	VOCs (autoGC)
<u>Grapevine Fairway</u> , 4100 Fairway Drive	Tarrant	48-439-3009	VOCs (24-hour canister)
<u>Greenville</u> , 824 Sayle Street	Hunt	48-231-1006	VOCs (24-hour canister)
<u>Italy</u> , 900 FM 667	Ellis	48-139-1044	VOCs (24-hour canister)
<u>Johnson County Luisa</u> , 2420 Luisa Lane	Johnson	48-251-1008	VOCs (24-hour canister)
<u>Keller</u> , FAA Site off Alta Vista Road	Tarrant	48-439-2003	VOCs (24-hour canister)
<u>Kennedale Treepoint Drive</u> , 5419 Treepoint Drive	Tarrant	48-439-1062	VOCs (autoGC)
<u>Lancaster Cedardale</u> , 1930 Cedardale Road	Dallas	48-113-1500	VOCs (24-hour canister)
<u>Mansfield Flying L Lane</u> , 1310 Flying L Lane	Johnson	48-251-1063	VOCs (autoGC)
<u>Midlothian OFW</u> , <sup>c</sup> 2725 Old Fort Worth Road	Ellis	48-139-0016	VOCs (24-hour canister), Metals (PM <sub>2.5</sub> ), H <sub>2</sub> S

Site Name and Location	County	EPA Site ID	Monitored Compounds
<u>Mineral Wells 23<sup>rd</sup> Street</u> , 2000 NE 23 <sup>rd</sup> Street	Palo Pinto	48-363-1502	VOCs (24-hour canister)
<u>Rhome Seven Hills Road</u> , 639 CR 4651	Wise	48-497-1064	VOCs (autoGC)
<u>Terrell Temtex</u> , <sup>d</sup> 2988 Temtex Boulevard	Kaufman	48-257-0020	Lead (TSP)
<u>Weatherford Tin Top Road</u> , <sup>e</sup> 2753 Tin Top Road	Parker	48-367-1506	VOCs (24-hour canister)

<sup>a</sup> The Dallas Hinton carbonyl sampler typically collects one 24-hour sample every six days from April through May, although only one May sample was collected in 2022 (May 29), and September through October. From June through August, this sampler switches to a more intensive sampling schedule where it collects three 8-hour samples every three days. No samples are collected from January through March, and November through December. The metals sampler collects one 24-hour sample every three days.

<sup>b</sup> The Fort Worth Northwest carbonyl sampler typically collects one 24-hour sample every six days from April through October; however, only two samples were collected in May and one sample was collected in July of 2022. No samples are collected from January through March, and November through December. The metals sampler collects one 24-hour sample every six days.

<sup>c</sup> The Midlothian OFW site was temporarily shut down April 23, 2022, and is pending relocation; the last data collected at this site was on April 23, 2022.

<sup>d</sup> The Terrell Temtex site was temporarily shut down on May 31, 2022, and is being relocated.

<sup>e</sup> Weatherford Highway 180 was relocated in 2020 and had a subsequent name change to Weatherford Tin Top Road; the name change was updated in TAMIS on February 2, 2023.

The TCEQ Monitoring Division reported the data for all chemicals evaluated in this memorandum. All data (84 VOCs (canister), 48 VOCs (autoGC), 17 carbonyls, H<sub>2</sub>S, and 16 metals (PM<sub>2.5</sub> or TSP)) highlighted in this evaluation should meet 75 percent data completeness for evaluation, those that don't cannot be evaluated from a long-term perspective.

One-hour autoGC VOC samples were compared to TCEQ's short-term AMCVs. Twenty-four-hour air samples collected every third or sixth day for one year are designed to provide representative long-term average concentrations. To enable evaluation of 24-hour monitoring data more fully, TCEQ developed 24-hour AMCVs for specific chemicals. As such, 24-hour samples were compared to the available TCEQ 24-hour AMCVs (1,3-butadiene, 2,2-dimethylbutane, 2,3-dimethylbutane, 2-methylpentane, 3-methylpentane, benzene, carbon tetrachloride, ethylene dibromide, ethylene dichloride, acrolein, aluminum, arsenic, chromium, cadmium, cobalt, manganese, molybdenum, nickel, vanadium, crotonaldehyde, n-hexane, and formaldehyde). The TD evaluated the reported annual average concentrations from 1-hour autoGC and 24-hour samples for each target analyte for potential chronic health and vegetation concerns by comparing the annual average chemical concentrations to their respective long-term AMCVs. More information about AMCVs is available on the Toxicology's AMCV webpage ([About Air Monitoring Comparison Values \(AMCVs\) - Texas Commission on Environmental](#)

[Quality - www.tceq.texas.gov](http://www.tceq.texas.gov)). H<sub>2</sub>S samples were compared to the numerical value of the 30-minute residential state standard for H<sub>2</sub>S (80 ppb).

As lead is a criteria pollutant, applicable lead TSP levels (i.e., rolling three-month averages) were compared to the appropriate comparison value (i.e., the level of the NAAQS, 0.15 µg/m<sup>3</sup>); however, annual average lead TSP concentrations were also evaluated since they are more representative of long-term lead exposure from a health perspective.

## Evaluation

### VOCs

#### Short-Term Data

All hourly average concentrations of the 48 VOCs reported at the 15 autoGC sites were either not detected or below their respective short-term AMCVs. All 24-hour average concentrations of the 84 VOCs reported at each of the 13 every sixth-day 24-hour canister monitoring sites were either not detected or below their respective 24-hour AMCVs. Therefore, acute adverse health effects, odorous conditions, or vegetation effects would not be expected to occur as a result of exposure to the reported levels of VOCs at these monitoring sites.

#### Long-Term Data

The annual average concentrations of the 48 VOCs evaluated at the 15 autoGC monitoring sites and the 84 VOCs reported at each of the 13 every sixth-day 24-hour canister monitoring sites were well below their respective long-term AMCVs. Exposure to the reported annual average concentrations would not be expected to cause chronic adverse health or vegetation effects.

### H<sub>2</sub>S

All reported short-term H<sub>2</sub>S concentrations measured at the Midlothian OFW site from January 1 through April 23, 2022, were below the numerical value of the 30-minute state residential standard of 80 ppb.

### Carbonyls

The 8-hour and 24-hour concentrations of the 17 carbonyls reported at the Fort Worth Northwest and Dallas-Hinton sites were below their respective short-term AMCVs. Exposure to these concentrations would not be expected to cause acute adverse health or welfare effects. Because these data are collected seasonally, they do not meet 75% completeness for long-term comparison.

### Metals

The 24-hour and annual average concentrations of the 16 metals were below their respective short-term and long-term AMCVs. Exposures to the reported levels of these metals would not be expected to cause acute or chronic adverse health or welfare effects.

## Lead

The U.S. Environmental Protection Agency's (EPA) NAAQS for lead (TSP) of  $0.15 \mu\text{g}/\text{m}^3$  is based on a rolling three-month average concentration. In general, the EPA requires source-oriented ambient air lead monitoring at sites with actual annual lead emissions of one or more tons per year. Based on their reported emissions, two lead-acid battery recycling facilities, Exide Technologies, Inc. and ECS Refining Texas LLC (hereafter called Exide and ECS, respectively), were subject to these source-oriented lead monitoring requirements in TCEQ Region 4. Although, Exide ceased operations on November 30, 2012, and ECS ceased operations in 2018, three lead (TSP) monitors are still in operation. The maximum 2022 concentrations of lead TSP at all three DFW sites were below the value ( $0.15 \mu\text{g}/\text{m}^3$ ) associated with the NAAQS indicating that rolling three-month average concentrations would also be below the value ( $0.15 \mu\text{g}/\text{m}^3$ ) associated with the NAAQS.

If you have any questions regarding the contents of this review, please do not hesitate to contact Mike Aplin by email at [mike.aplin@tceq.texas.gov](mailto:mike.aplin@tceq.texas.gov) or by phone at (512) 239-1792, or Caroline Emery by email at [caroline.emery@tceq.texas.gov](mailto:caroline.emery@tceq.texas.gov) or by phone at (512) 239-1799.

## Attachment A

### List 1. Target VOC Analytes in Canister Samples

1,1,2,2-Tetrachloroethane	Bromomethane	Methyl Chloroform (1,1,1-Trichloroethane)
1,1,2-Trichloroethane	Carbon Tetrachloride	Methylcyclohexane
1,1-Dichloroethane	Chlorobenzene	Methylcyclopentane
1,1-Dichloroethylene	Chloroform	n-Butane
1,2,3-Trimethylbenzene	Chloromethane (Methyl Chloride)	n-Decane
1,2,4-Trimethylbenzene	cis-1,3-Dichloropropene	n-Heptane
1,2-Dichloropropane	cis-2-Butene	n-Hexane
1,3,5-Trimethylbenzene	cis-2-Hexene	n-Nonane
1,3-Butadiene	cis-2-Pentene	n-Octane
1-Butene	Cyclohexane	n-Pentane
1-Hexene+2-Methyl-1-Pentene	Cyclopentane	n-Propylbenzene
1-Pentene	Cyclopentene	n-Undecane
2,2,4-Trimethylpentane	Dichlorodifluoromethane	o-Ethyltoluene
2,2-Dimethylbutane (Neohexane)	Dichloromethane (Methylene Chloride)	o-Xylene
2,3,4-Trimethylpentane	Ethane	p-Diethylbenzene
2,3-Dimethylbutane	Ethylbenzene	p-Ethyltoluene
2,3-Dimethylpentane	Ethylene	Propane
2,4-Dimethylpentane	Ethylene Dibromide (1,2-Dibromoethane)	Propylene
2-Chloropentane	Ethylene Dichloride (1,2-Dichloroethane)	Styrene
2-Methyl-2-Butene	Isobutane	Tetrachloroethylene
2-Methylheptane	Isopentane (2-Methylbutane)	Toluene
2-Methylhexane	Isoprene	trans-1-3-Dichloropropene
2-Methylpentane (Isohexane)	Isopropylbenzene (Cumene)	trans-2-Butene
3-Methyl-1-Butene	m-Diethylbenzene	trans-2-Hexene
3-Methylheptane	m-Ethyltoluene	trans-2-Pentene
3-Methylhexane	m/p Xylene	Trichloroethylene
3-Methylpentane		Trichlorofluoromethane
4-Methyl-1-Pentene		Vinyl Chloride
Acetylene		
Benzene		

**List 2. Target Carbonyl Analytes**

2,5-Dimethylbenzaldehyde	Crotonaldehyde - 2-Butenal	Methyl Ethyl Ketone (MEK)
Acetaldehyde	Formaldehyde	o-Tolualdehyde
Acetone	Heptanal	Propanal - Propionaldehyde
Acrolein	Hexanaldehyde	m & p-Tolualdehyde
Benzaldehyde	Isovaleraldehyde	Valeraldehyde
Butyraldehyde	Methacrolein	

**List 3. Target Metal Analytes**

Aluminum (PM <sub>2.5</sub> )	Chromium (PM <sub>2.5</sub> )	Molybdenum (PM <sub>2.5</sub> ) <sup>a</sup>
Antimony (PM <sub>2.5</sub> )	Cobalt (PM <sub>2.5</sub> )	Nickel (PM <sub>2.5</sub> )
Arsenic (PM <sub>2.5</sub> )	Copper (PM <sub>2.5</sub> )	Selenium (PM <sub>2.5</sub> )
Barium (PM <sub>2.5</sub> )	Lead (TSP and PM <sub>2.5</sub> )	Tin (PM <sub>2.5</sub> )
Cadmium (PM <sub>2.5</sub> )	Manganese (PM <sub>2.5</sub> )	Zinc (PM <sub>2.5</sub> )

**List 4. Target VOC Analytes in AutoGC**

1-Butene	Benzene	n-Decane
1-Pentene	c-2-Butene	n-Heptane
1,2,3-Trimethylbenzene	c-2-Pentene	n-Hexane
1,2,4-Trimethylbenzene	Cyclohexane	n-Nonane
1,3-Butadiene	Cyclopentane	n-Octane
1,3,5-Trimethylbenzene	Ethane	n-Pentane
2-Methylheptane	Ethyl Benzene	n-Propylbenzene
2-Methylhexane	Ethylene	o-Xylene
2,2-Dimethylbutane	Isobutane	p-Xylene + m-Xylene
2,2,4-Trimethylpentane	Isopentane	Propane
2,3-Dimethylpentane	Isoprene	Propylene
2,3,4-Trimethylpentane	Isopropyl Benzene - Cumene	Styrene
2,4-Dimethylpentane	Methylcyclohexane	t-2-Butene
3-Methylheptane	Methylcyclopentane	t-2-Pentene
3-Methylhexane	n-Butane	Toluene
Acetylene		

<sup>a</sup> Only measured at the Midlothian OFW monitoring site.