

Explanation of Column Headings

SEGID: The unique identifier (SegID), segment name, and location of the water body. Items may be one of three types of numbers for SegID. The first type is a classified segment number (4 digits, e.g., 0218), as defined in the Texas Surface Water Quality Standards. The second type is an unclassified water body (e.g., 0218A), not defined in the Standards and associated with a classified water body because it is in the same watershed. The third type includes special Segments for Oyster Water Use (e.g., 2421OW) and Beach Watch Use (e.g., 2481CB) special areas. The segment name and description follow SegID.

AU ID: Identifies the assessment unit (AU_ID, six or seven digits, e.g., 0101A_01) and describes the location of the specific area within a classified or unclassified water body for which one or more water quality standards are not met.

Start Date: The start date of the period of record data for this method was selected; the official Draft 2026 period of record is from 12/1/2017 to 11/30/2024. In some cases it may be necessary to extend the period of record back 10 years (12/1/2014) to select more data, according to assessment guidance.

End Date: The end date of the period of record data for this method was selected; the official Draft 2026 period of record dates are 12/1/2017 to 11/30/2024. In some cases more recently collected data than 12/01/2024 can be included, if available

#Data Assessed: Number of samples assessed some data are averaged, as with profile data, some are eliminated because criteria do not apply during certain conditions such a s low flow.

Mean Data Assessed: Mean of samples assessed includes averaged methods like chronic criteria as well as geometric mean calculations for bacteria.

Exceedances: Number of samples that exceed criteria for single sample, or binomial, methods (not averaged data).

Mean Exceedances: Mean of the samples that exceeded criteria for the single sample, or binomial, methods (not averaged data).

Criteria: Value that the data is compared to determine the level of support; Note: for acute metals in water, each value is compared to a calculated criterion and not all criteria could be reported here, only the minimum in the range of criteria calculated are included.

DS Qual: Dataset Qualifier - indicates characteristics of the methods or dataset used in the assessment:

- AD:** Adequate Data (10 or more samples).
- LD:** Limited Data (less than 9, greater than 3).
- ID:** Inadequate Data (less than 4).
- JQ:** Level of support is based on judgment of the assessor.
- SM:** This assessment method is superseded by another method.
- TR:** Temporally Not Representative, used with NA.
- SR:** Spatially Not Representative, used with NA.
- OE:** Other information than ambient samples evaluated.
- OS:** Assessment area outside state boundaries.

LOS: Level of support for this use, method, assessment parameter:

- FS:** Fully Supporting.
- NC:** No Concern.
- NA:** Not Assessed.
- NS:** Nonsupport.
- CS:** Screening Level Concern.
- CN:** Use Concern.

CF: Carry Forward indicates that the Integrated level of support of CS, CN, or NS was carried forward from a previous assessment due to inadequate data for this method in this assessment.

Int LOS: Integrated level of support. This is the overall level of support for this use, method, parameter group, which could be different from the LOS (described above) due to carry forward information or other types of changes. New Code added in 2010: PI = Pending Issue

TCEQ Cause: This is the impairment description (e.g., bacteria, depressed dissolved oxygen, etc.).

Cat:

- Category 3:** There is insufficient or unreliable available data and/or information to make a use support determination.
- Category 4:** Available data and/or information indicate that at least one designated use is not being supported or is threatened, but a TMDL is not needed.
 - Category 4a:** A state-developed TMDL has been approved by EPA or a TMDL has been established by EPA for any water-pollutant combination.
 - Category 4b:** Other required control measures are expected to result in the attainment of an applicable water quality standard in a reasonable period of time.
 - Category 4c:** The impairment or threat is not caused by a pollutant.
- Category 5:** Available data and/or information indicate that at least one designated use is not being supported or is threatened, and a TMDL is needed.
 - Category 5a:** A TMDL is underway, scheduled, or will be scheduled.
 - Category 5b:** A review of the standards for the water body will be conducted before a management strategy is selected.
 - Category 5c:** Additional data and information will be collected or evaluated before a management strategy is selected.
 - Category 5n:** Water body does not meet its applicable Chl a criterion, but additional study is needed to verify whether exceedance is associated with causal nutrient parameters or impacts to response variables.
 - Category 5r:** A WPP is under development or accepted by EPA for this parameter.

Draft 2026 Texas Integrated Report - Assessment Results for Basin 1 - Canadian River

Seg ID: 0101 - Canadian River Below Lake Meredith AU ID: 0101_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	21	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	21	.	0	.	AD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Nickel (dissolved)	02/04/15	11/30/24	1140	10	5.05	0	.	AD	FS	N	FS		
		Mercury	02/04/15	11/30/24	0.01	10	0	0	.	AD	FS	N	FS		
		Lead (dissolved)	02/04/15	11/30/24	3.83	8	0.31	0	.	LD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/17	11/30/24	760	71	429.31	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	1975	71	1408.52	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/17	11/30/24	5000	73	2918.19	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	21	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	21	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	1.95	21	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	21	.	1	18.5	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.69	19	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	21	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	21	.	1	35.3	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	21	5.34	0	.	AD	FS	N	FS		

Seg ID: 0101 - Canadian River Below Lake Meredith AU ID: 0101_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	21	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	21	.	0	.	AD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Nickel (dissolved)	02/04/15	11/30/24	1140	10	5.05	0	.	AD	FS	N	FS		
		Lead (dissolved)	02/04/15	11/30/24	3.83	8	0.31	0	.	LD	NC	N	NC		
		Mercury	02/04/15	11/30/24	0.01	10	0	0	.	AD	FS	N	FS		
General Use	Dissolved Solids	Chloride	12/01/17	11/30/24	1975	71	1408.52	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/17	11/30/24	5000	73	2918.19	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	760	71	429.31	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	21	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	21	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/17	11/30/24	14.1	21	.	2	32.05	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	21	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	21	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.69	19	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	21	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	20	31.2	0	.	AD	FS	N	FS		

Seg ID: 0101 - Canadian River Below Lake Meredith AU ID: 0101_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	20	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	20	.	0	.	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 1 - Canadian River

Seg ID: 0101 - Canadian River Below Lake Meredith AU ID: 0101_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Fish Consumption Use	HH Bioaccumulative Toxics in water	Nickel (dissolved)	02/04/15	11/30/24	1140	10	5.05	0	.	AD	FS	N	FS		
		Lead (dissolved)	02/04/15	11/30/24	3.83	8	0.31	0	.	LD	NC	N	NC		
		Mercury	02/04/15	11/30/24	0.01	10	0	0	.	AD	FS	N	FS		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	5000	73	2918.19	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	1975	71	1408.52	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	760	71	429.31	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	19	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	19	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/17	11/30/24	14.1	19	.	5	35.34	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.69	20	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	20	.	14	0.64	AD	CS	N	CS	Ammonia in water	
		Nitrate	12/01/17	11/30/24	1.95	20	.	2	3.54	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	20	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	08/24/16	11/30/24	126	20	93.57	0	.	AD	FS	N	FS		

Seg ID: 0101 - Canadian River Below Lake Meredith AU ID: 0101_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Zinc (dissolved)	08/17/16	11/30/24	2372.9	10	.	0	.	AD	FS	N	FS		
		Mercury	08/17/16	11/30/24	2.4	8	.	0	.	LD	NC	N	NC		
		Lead (dissolved)	08/17/16	11/30/24	2051.05	8	.	0	.	LD	NC	N	NC		
		Chromium (Tri)(dissolved)	08/17/16	11/30/24	10434.81	10	.	0	.	AD	FS	N	FS		
		Aluminum (dissolved)	08/17/16	11/30/24	991	10	.	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	08/17/16	11/30/24	340	9	.	0	.	LD	NC	N	NC		
		Cadmium (dissolved)	08/17/16	11/30/24	267.12	8	.	0	.	LD	NC	N	NC		
		Selenium	08/17/16	11/30/24	20	7	.	0	.	LD	NC	N	NC		
		Copper (dissolved)	08/17/16	11/30/24	402.8	8	.	0	.	LD	NC	N	NC		
	Chronic Toxic Substances in water	Nickel (dissolved)	08/17/16	11/30/24	9438.11	10	.	0	.	AD	FS	N	FS		
		Copper (dissolved)	08/17/16	11/30/24	19.51	7	3.28	0	.	LD	NC	N	NC		
		Cadmium (dissolved)	08/17/16	11/30/24	0.44	7	0.15	0	.	LD	NC	N	NC		
		Lead (dissolved)	08/17/16	11/30/24	6.24	7	0.28	0	.	LD	NC	N	NC		
		Arsenic (dissolved)	08/17/16	11/30/24	150	8	16.14	0	.	LD	NC	N	NC		
		Chromium (Tri)(dissolved)	08/17/16	11/30/24	148.17	9	4	0	.	LD	NC	N	NC		
		Zinc (dissolved)	08/17/16	11/30/24	241.91	9	4	0	.	LD	NC	N	NC		
		Selenium	08/17/16	11/30/24	5	6	2.72	0	.	LD	NC	N	NC		
		Nickel (dissolved)	08/17/16	11/30/24	106.38	9	5.33	0	.	LD	NC	N	NC		
		Mercury	08/17/16	11/30/24	1.3	7	0	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	10	.	1	2.3	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	10	.	2	3.3	AD	CS	N	CS	Depressed dissolved oxygen in water	
Fish Consumption Use	HH Bioaccumulative Toxics in water	Nickel (dissolved)	02/04/15	11/30/24	1140	10	5.05	0	.	AD	FS	N	FS		
		Mercury	02/04/15	11/30/24	0.01	10	0	0	.	AD	FS	N	FS		
		Lead (dissolved)	02/04/15	11/30/24	3.83	8	0.31	0	.	LD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	5000	73	2918.19	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	760	71	429.31	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	1975	71	1408.52	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	10	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	10	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 1 - Canadian River

Seg ID: 0101 - Canadian River Below Lake Meredith AU ID: 0101_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	15	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	14	.	1	2.57	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	15	.	10	1.24	AD	CS	N	CS	Ammonia in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	15	.	6	184.17	AD	CS	N	CS	Chlorophyll-a in water	
	Water Temperature	Water temperature	12/01/17	11/30/24	35	11	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	02/04/15	11/30/24	126	20	36.55	0	.	AD	FS	N	FS		

Seg ID: 0101A - Dixon Creek AU ID: 0101A_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Chronic Toxic Substances in water	Selenium	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Selenium in water	5c	
	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	02/04/15	11/30/24	4	6	.	0	.	SM	NC	N	NA			
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	02/04/15	11/30/24	2	6	.	0	.	SM	NC	N	NA			
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	12	.	0	.	AD	FS	Y	NS	Depressed dissolved oxygen in water	5c	
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	12	.	0	.	AD	NC	N	NC			
	Toxic Substances in sediment	Zinc	12/01/17	11/30/24	459	1	.	0	.	.	ID	NA	N	NA		
		Silver	12/01/17	11/30/24	1.7	1	.	0	.	.	ID	NA	N	NA		
		Nickel	12/01/17	11/30/24	48.6	1	.	0	.	.	ID	NA	N	NA		
		Mercury	12/01/17	11/30/24	1.06	1	.	0	.	.	ID	NA	N	NA		
		Manganese	02/04/15	11/30/24	1100	4	.	0	.	.	LD	NC	N	NC		
		Lead	12/01/17	11/30/24	128	1	.	0	.	.	ID	NA	N	NA		
		Iron	02/04/15	11/30/24	40000	4	.	0	.	.	LD	NC	N	NC		
		Copper	12/01/17	11/30/24	149	1	.	0	.	.	ID	NA	N	NA		
		Chromium	12/01/17	11/30/24	111	1	.	0	.	.	ID	NA	N	NA		
		Cadmium	12/01/17	11/30/24	4.98	1	.	0	.	.	ID	NA	N	NA		
Arsenic	12/01/17	11/30/24	33	1	.	0	.	.	ID	NA	N	NA				
Fish Consumption Use	HH Bioaccumulative Toxics in water	1,3-Dichlorobenzene	12/01/17	11/30/24	5950	1	0.5	0	.	ID	NA	N	NA			
		1,2-Dichlorobenzene	12/01/17	11/30/24	32990	1	0.5	0	.	ID	NA	N	NA			
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	13	.	3	0.86	AD	NC	N	NC			
		Nitrate	12/01/17	11/30/24	1.95	13	.	5	10.16	AD	CS	N	CS	Nitrate in water		
		Ammonia	12/01/17	11/30/24	0.33	12	.	0	.	AD	NC	N	NC			
		Chlorophyll-a	12/01/17	11/30/24	14.1	11	.	2	15.7	AD	NC	N	NC			
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	630	11	430.16	0	.	LD	NC	N	NC			

Seg ID: 0101A - Dixon Creek AU ID: 0101A_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	07/12/16	11/30/24	2	10	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	07/12/16	11/30/24	4	10	.	0	.	AD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	1,3-Dichlorobenzene	12/01/17	11/30/24	5950	1	0.5	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	12/01/17	11/30/24	32990	1	0.5	0	.	ID	NA	N	NA		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 1 - Canadian River

Seg ID: 0101A - Dixon Creek AU ID: 0101A_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	04/12/16	11/30/24	0.69	10	.	0	.	AD	NC	N	NC		
		Nitrate	07/12/16	11/30/24	1.95	10	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	07/12/16	11/30/24	14.1	10	.	3	22.17	AD	NC	N	NC		
		Ammonia	07/12/16	11/30/24	0.33	10	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	630	8	13.57	0	.	LD	NC	N	NC		

Seg ID: 0101B - Rock Creek AU ID: 0101B_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	02/04/15	11/30/24	2	27	.	0	.	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	02/04/15	11/30/24	3	27	.	0	.	AD	NC	N	NC			
General Use	Nutrient Screening Levels	Total phosphorus	02/04/15	11/30/24	0.69	25	.	6	1.3	AD	NC	N	NC			
		Nitrate	02/04/15	11/30/24	1.95	28	.	17	5.84	AD	CS	N	CS	Nitrate in water		
		Chlorophyll-a	02/04/15	11/30/24	14.1	28	.	6	69.37	AD	NC	N	NC			
		Ammonia	02/04/15	11/30/24	0.33	28	.	1	0.46	AD	NC	N	NC			
Recreation Use	Bacteria Geomean	E. coli	02/04/15	11/30/24	126	26	112.37	0	.	AD	FS	N	FS			

Seg ID: 0101C - White Deer Creek AU ID: 0101C_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	21	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	21	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	1.95	21	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	21	.	2	25.1	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	21	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.69	18	.	1	1.75	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	20	23.6	0	.	AD	FS	N	FS		

Seg ID: 0102 - Lake Meredith AU ID: 0102_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	11	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	11	.	2	5.52	AD	NC	N	NC		
Fish Consumption Use	DSHS Limited Consumption Advisory	Mercury	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Mercury in edible tissue	5c
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1300	11	2028.59	1	.	AD	NS	N	NS	Total dissolved solids in water	5c
		Sulfate	12/01/17	11/30/24	350	12	344.92	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	400	12	702.08	1	.	AD	NS	N	NS	Chloride in water	5c
	High pH	pH	12/01/17	11/30/24	9	10	.	1	10.2	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	10	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 1 - Canadian River

Seg ID: 0102 - Lake Meredith AU ID: 0102_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.2	13	.	0	.	JQ	NA	N	NA		
		Nitrate	12/01/17	11/30/24	0.37	12	.	0	.	JQ	NA	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	26.7	10	.	0	.	JQ	NA	N	NA		
		Ammonia	12/01/17	11/30/24	0.11	13	.	0	.	JQ	NA	N	NA		
	Water Temperature	Water temperature	12/01/17	11/30/24	29.4	11	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	12	0.03	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	13	0.55	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	07/29/15	11/30/24	126	20	1.43	0	.	AD	FS	N	FS		

Seg ID: 0102 - Lake Meredith AU ID: 0102_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Fish Consumption Use	DSHS Limited Consumption Advisory	Mercury	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Mercury in edible tissue	5c
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1300	11	2028.59	1	.	AD	NS	N	NS	Total dissolved solids in water	5c
		Sulfate	12/01/17	11/30/24	350	12	344.92	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	400	12	702.08	1	.	AD	NS	N	NS	Chloride in water	5c
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	12	0.03	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	13	0.55	0	.	AD	FS	N	FS		

Seg ID: 0102A - Big Blue Creek AU ID: 0102A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	1.5	15	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	2	15	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	12	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	15	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	15	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	15	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	04/14/15	11/30/24	126	20	9.93	0	.	AD	FS	N	FS		

Seg ID: 0103 - Canadian River Above Lake Meredith AU ID: 0103_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	20	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	20	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	4500	44	3229.47	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	540	24	403.58	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	1050	23	1463.17	1	.	AD	NS	N	NS	Chloride in water	5c
	High pH	pH	12/01/17	11/30/24	9	20	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	20	.	0	.	AD	FS	N	FS		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	20	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 1 - Canadian River

Seg ID: 0103 - Canadian River Above Lake Meredith AU ID: 0103_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	20	38.29	0	.	AD	FS	N	FS		

Seg ID: 0103 - Canadian River Above Lake Meredith AU ID: 0103_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	14	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	14	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	4500	44	3229.47	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	540	24	403.58	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	1050	23	1463.17	1	.	AD	NS	N	NS	Chloride in water	5c
	High pH	pH	12/01/17	11/30/24	9	16	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	16	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	16	.	2	2.02	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	17	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	15	.	4	20.15	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	17	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	14	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	11/23/15	11/30/24	126	20	64.89	0	.	AD	FS	N	FS		

Seg ID: 0103 - Canadian River Above Lake Meredith AU ID: 0103_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	03/22/17	11/30/24	3	10	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	03/22/17	11/30/24	5	10	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	4500	44	3229.47	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	540	24	403.58	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	1050	23	1463.17	1	.	AD	NS	N	NS	Chloride in water	5c
	High pH	pH	03/22/17	11/30/24	9	10	.	0	.	AD	FS	N	FS		
	Low pH	pH	03/22/17	11/30/24	6.5	10	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	03/22/17	11/30/24	1.95	10	.	0	.	AD	NC	N	NC		
		Total phosphorus	11/28/16	11/30/24	0.69	10	.	1	0.87	AD	NC	N	NC		
		Chlorophyll-a	02/06/17	11/30/24	14.1	10	.	0	.	AD	NC	N	NC		
		Ammonia	02/06/17	11/30/24	0.33	10	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	03/22/17	11/30/24	35	10	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	6	53.38	0	.	ID	NA	N	NA		

Seg ID: 0103A - East Amarillo Creek AU ID: 0103A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	1.5	54	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	2	54	.	0	.	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 1 - Canadian River

Seg ID: 0103A - East Amarillo Creek AU ID: 0103A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	47	.	13	1.84	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	52	.	27	23.36	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	54	.	21	60.05	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.33	52	.	4	3.19	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	52	89.75	0	.	AD	FS	N	FS		

Seg ID: 0103A - East Amarillo Creek AU ID: 0103A_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	1.5	21	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	2	21	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	16	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	21	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	21	.	18	75.53	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.33	21	.	4	0.46	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	21	66.81	0	.	AD	FS	N	FS		

Seg ID: 0103C - Unnamed Tributary of West Amarillo Creek AU ID: 0103C_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	19	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	19	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	16	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	19	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	19	.	8	30.85	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.33	19	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	10/10/17	11/30/24	126	20	64.08	0	.	AD	FS	N	FS		

Seg ID: 0104 - Wolf Creek AU ID: 0104_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	10	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	10	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1125	50	549.35	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	125	46	35.6	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	420	46	137.71	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	10	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	10	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	07/05/16	11/30/24	0.69	10	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	11	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	11	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	11	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	33.9	10	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 1 - Canadian River

Seg ID: 0104 - Wolf Creek AU ID: 0104_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	10	14.98	0	.	LD	NC	N	NC		

Seg ID: 0104 - Wolf Creek AU ID: 0104_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	17	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	17	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1125	50	549.35	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	125	46	35.6	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	420	46	137.71	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	17	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	17	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	18	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	20	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	20	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	20	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	33.9	17	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	10/03/17	11/30/24	126	20	13.09	0	.	AD	FS	N	FS		

Seg ID: 0104 - Wolf Creek AU ID: 0104_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	22	.	1	1.9	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	22	.	3	3.34	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1125	50	549.35	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	125	46	35.6	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	420	46	137.71	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	21	.	4	9.39	AD	NS	N	NS	High pH in water	5c
	Low pH	pH	12/01/17	11/30/24	6.5	21	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	1.95	19	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	21	.	18	84.52	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.33	20	.	3	4.02	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.69	20	.	3	3.26	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	33.9	22	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	10/24/17	11/30/24	126	20	3.15	0	.	AD	FS	N	FS		

Seg ID: 0105 - Rita Blanca Lake AU ID: 0105_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	03/15/17	11/30/24	2	10	.	0	.	AD	FS	Y	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	03/15/17	11/30/24	3	10	.	1	2.9	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 1 - Canadian River

Seg ID: 0105 - Rita Blanca Lake AU ID: 0105_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
General Use	Dissolved Solids	Total dissolved solids	07/12/17	11/30/24	1000	10	727.61	0	.	AD	FS	N	FS			
		Sulfate	10/18/17	11/30/24	200	10	81.85	0	.	AD	FS	N	FS			
		Chloride	10/18/17	11/30/24	200	10	164.16	0	.	AD	FS	N	FS			
	High pH	pH	03/15/17	11/30/24	9	10	.	8	9.65	AD	NS	N	NS	High pH in water	5c	
	Low pH	pH	03/15/17	11/30/24	6.5	10	.	0	.	AD	FS	N	FS			
	Nutrient Screening Levels	Total phosphorus	10/18/17	11/30/24	0.2	10	.	10	1.81	JQ	NA	N	NA			
		Nitrate	07/12/17	11/30/24	0.37	10	.	2	1.87	JQ	NA	N	NA			
		Chlorophyll-a	10/12/16	11/30/24	26.7	10	.	10	502.23	JQ	NA	N	NA			
		Ammonia	10/18/17	11/30/24	0.11	10	.	5	1.04	JQ	NA	N	NA			
	Water Temperature	Water temperature	03/15/17	11/30/24	29.4	10	.	0	.	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	8	11.79	0	.	LD	NC	N	NC			

Seg ID: 0199A - Palo Duro Reservoir AU ID: 0199A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	05/08/17	11/30/24	3	10	.	1	0.4	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	05/08/17	11/30/24	5	10	.	1	0.4	AD	NC	N	NC		
General Use	Nutrient Reservoir Narrative Criteria	Nutrients	07/12/16	11/30/24	.	0	.	.	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	5	2.28	0	.	ID	NA	N	NA		

Seg ID: 0199B - Kiowa Creek AU ID: 0199B_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	04/05/16	11/30/24	2	10	.	0	.	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	04/05/16	11/30/24	3	10	.	0	.	AD	NC	N	NC			
General Use	Nutrient Screening Levels	Total phosphorus	01/05/16	11/30/24	0.69	10	.	0	.	AD	NC	N	NC			
		Nitrate	04/05/16	11/30/24	1.95	10	.	0	.	AD	NC	N	NC			
		Chlorophyll-a	04/05/16	11/30/24	14.1	10	.	3	45.63	AD	NC	N	NC			
		Ammonia	04/05/16	11/30/24	0.33	10	.	1	0.72	AD	NC	N	NC			
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	8	85.74	0	.	LD	NC	Y	CN	Bacteria in water		