



















































**Draft 2026 Texas Integrated Report - Assessment Results for Basin 2 - Red River**

**Seg ID: 0214A - Beaver Creek  
AU ID: 0214A\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	19	.	1	0.81	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	20	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	19	.	3	55.47	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	20	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	08/14/17	11/30/24	126	20	94.94	0	.	AD	FS	N	FS		

**Seg ID: 0214A - Beaver Creek  
AU ID: 0214A\_02**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	15	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	15	.	2	4.35	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	19	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	19	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	19	.	2	18.25	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	19	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	08/02/16	11/30/24	126	20	292.82	1	.	AD	NS	N	NS	Bacteria in water	5c

**Seg ID: 0214B - Buffalo Creek  
AU ID: 0214B\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	30	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	30	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	26	.	8	1.12	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	28	.	9	4.08	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	30	.	11	46.01	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.33	30	.	9	1.43	AD	CS	N	CS	Ammonia in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	630	30	324.31	0	.	AD	FS	N	FS		

**Seg ID: 0214C - Holliday Creek  
AU ID: 0214C\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	41	.	4	1.93	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	41	.	11	3.24	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	38	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	40	.	1	4.86	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	42	.	30	56.62	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.33	42	.	3	0.63	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	41	122.74	0	.	AD	FS	N	FS		

**Draft 2026 Texas Integrated Report - Assessment Results for Basin 2 - Red River**

**Seg ID: 0214E - Wichita Valley Irrigation Project  
AU ID: 0214E\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	20	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	20	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	20	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	21	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	21	.	4	27.8	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	21	.	0	.	AD	NC	N	NC		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	21	0.02	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	11/27/17	11/30/24	126	20	5.3	0	.	AD	FS	N	FS		

**Seg ID: 0214F - Unnamed tributary of Buffalo Creek  
AU ID: 0214F\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	20	.	2	2.3	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	20	.	6	3.55	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	19	.	19	3.74	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	20	.	15	12.22	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	21	.	1	16.7	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	21	.	20	12.48	AD	CS	N	CS	Ammonia in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	20	690.79	1	.	AD	NS	N	NS	Bacteria in water	5b

**Seg ID: 0214G - Lake Iowa Park  
AU ID: 0214G\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	20	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	20	.	2	4.05	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.2	16	.	0	.	JQ	NA	N	NA		
		Nitrate	12/01/17	11/30/24	0.37	18	.	2	0.63	JQ	NA	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	26.7	19	.	4	35.98	JQ	NA	N	NA		
		Ammonia	12/01/17	11/30/24	0.11	19	.	3	0.26	JQ	NA	N	NA		
Recreation Use	Bacteria Geomean	E. coli	08/17/17	11/30/24	126	20	13.75	0	.	AD	FS	N	FS		

**Seg ID: 0214H - North Fork Buffalo Creek Reservoir  
AU ID: 0214H\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	18	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	18	.	1	4.8	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.2	16	.	1	0.23	JQ	NA	N	NA		
		Nitrate	12/01/17	11/30/24	0.37	19	.	2	0.59	JQ	NA	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	26.7	19	.	2	36.05	JQ	NA	N	NA		
		Ammonia	12/01/17	11/30/24	0.11	19	.	4	0.22	JQ	NA	N	NA		

**Draft 2026 Texas Integrated Report - Assessment Results for Basin 2 - Red River**

**Seg ID: 0214H - North Fork Buffalo Creek Reservoir  
AU ID: 0214H\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	18	5.78	0	.	LD	NC	N	NC		

**Seg ID: 0215 - Diversion Lake  
AU ID: 0215\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	15	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	15	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	5000	15	3060.03	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	1100	14	636.29	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	1800	14	1205.21	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	15	.	0	.	AD	FS	N	FS		
		Low pH	pH	12/01/17	11/30/24	6.5	15	.	0	.	AD	FS	N	FS	
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.2	12	.	0	.	JQ	NA	N	NA		
		Nitrate	12/01/17	11/30/24	0.37	15	.	0	.	JQ	NA	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	26.7	15	.	1	50.6	JQ	NA	N	NA		
		Ammonia	12/01/17	11/30/24	0.11	15	.	0	.	JQ	NA	N	NA		
Water Temperature	Water temperature	12/01/17	11/30/24	32.2	15	.	0	.	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	E. coli	03/07/16	11/30/24	126	20	2.76	0	.	AD	FS	N	FS		

**Seg ID: 0216 - Wichita River Below Lake Kemp Dam  
AU ID: 0216\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	18	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	18	.	3	4.23	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	5000	20	3014.2	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	960	20	599.8	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	1925	20	1180.65	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	18	.	0	.	AD	FS	N	FS		
		Low pH	pH	12/01/17	11/30/24	6.5	18	.	0	.	AD	FS	N	FS	
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	20	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	21	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	21	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	21	.	1	0.42	AD	NC	N	NC		
Water Temperature	Water temperature	12/01/17	11/30/24	32.2	18	.	0	.	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	19	42.09	0	.	LD	NC	N	NC		

**Seg ID: 0217 - Lake Kemp  
AU ID: 0217\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	21	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	21	.	0	.	AD	NC	N	NC		

**Draft 2026 Texas Integrated Report - Assessment Results for Basin 2 - Red River**

**Seg ID: 0217 - Lake Kemp  
AU ID: 0217\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	15000	21	3043.36	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	2500	18	617.56	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	7000	18	1184.78	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	21	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	21	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	NS	N	NS	Excessive algal growth in water	5c
	Water Temperature	Water temperature	12/01/17	11/30/24	33.9	21	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	33	21	6.46	0	.	AD	FS	N	FS		

**Seg ID: 0217 - Lake Kemp  
AU ID: 0217\_02**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	15000	21	3043.36	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	2500	18	617.56	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	7000	18	1184.78	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	NS	N	NS	Excessive algal growth in water	5c

**Seg ID: 0218 - Wichita/North Fork Wichita River  
AU ID: 0218\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	20	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	20	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	16250	50	13571.68	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	2800	49	2118.87	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	7500	49	5654.39	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	20	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	20	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	16	.	4	2.89	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	19	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	20	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	20	.	0	.	AD	NC	N	NC		
Water Temperature	Water temperature	12/01/17	11/30/24	33.9	20	.	1	35	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	33	20	45.83	1	.	AD	CN	N	CN	Bacteria in water	

**Seg ID: 0218 - Wichita/North Fork Wichita River  
AU ID: 0218\_02**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	18	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	18	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	16250	50	13571.68	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	2800	49	2118.87	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	7500	49	5654.39	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	18	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	18	.	0	.	AD	FS	N	FS		

**Draft 2026 Texas Integrated Report - Assessment Results for Basin 2 - Red River**

**Seg ID: 0218 - Wichita/North Fork Wichita River  
AU ID: 0218\_02**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	16	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	18	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	18	.	4	15.88	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	19	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	33.9	18	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	11/16/17	11/30/24	33	20	42.94	1	.	AD	NS	N	NS	Bacteria in water	5c

**Seg ID: 0218 - Wichita/North Fork Wichita River  
AU ID: 0218\_03**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Chronic Toxic Substances in water	Selenium	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CN	Selenium in water	
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	11	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	11	.	4	4.53	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	16250	50	13571.68	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	2800	49	2118.87	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	7500	49	5654.39	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	11	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	11	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	10	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	11	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	11	.	4	27.65	AD	CS	N	CS	Chlorophyll-a in water	
Ammonia		12/01/17	11/30/24	0.33	11	.	0	.	AD	NC	N	NC			
Water Temperature	Water temperature	12/01/17	11/30/24	33.9	11	.	0	.	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	Enterococcus	05/19/15	11/30/24	33	20	102.24	1	.	AD	NS	N	NS	Bacteria in water	5c

**Seg ID: 0218 - Wichita/North Fork Wichita River  
AU ID: 0218\_04**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Chronic Toxic Substances in water	Selenium	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CN	Selenium in water	
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	16250	50	13571.68	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	2800	49	2118.87	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	7500	49	5654.39	0	.	AD	FS	N	FS		

**Seg ID: 0218A - Middle Fork Wichita River  
AU ID: 0218A\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Chronic Toxic Substances in water	Selenium	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CN	Selenium in water	
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	17	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	17	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	16	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	18	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	19	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	19	.	0	.	AD	NC	N	NC		

**Draft 2026 Texas Integrated Report - Assessment Results for Basin 2 - Red River**

**Seg ID: 0218A - Middle Fork Wichita River**

**AU ID: 0218A\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	Enterococcus	05/17/17	11/30/24	33	20	23.69	0	.	AD	FS	N	FS		

**Seg ID: 0219 - Lake Wichita**

**AU ID: 0219\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	21	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	21	.	1	3.9	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1800	21	1192.55	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	400	20	70.56	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	1000	20	546.15	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	21	.	4	9.63	AD	NS	N	NS	High pH in water	5c
	Low pH	pH	12/01/17	11/30/24	6.5	21	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.2	18	.	9	0.52	JQ	NA	N	NA		
		Nitrate	12/01/17	11/30/24	0.37	21	.	1	0.54	JQ	NA	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	26.7	20	.	17	128.71	JQ	NA	N	NA		
		Ammonia	12/01/17	11/30/24	0.11	21	.	4	0.46	JQ	NA	N	NA		
Water Temperature	Water temperature	12/01/17	11/30/24	32.2	21	.	1	32.9	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	21	17.3	0	.	AD	FS	N	FS		

**Seg ID: 0220 - Upper Pease/North Fork Pease River**

**AU ID: 0220\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	21	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	21	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	30000	43	19660.35	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	3500	39	2759.36	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	12000	39	9322.56	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	21	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	21	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	20	.	1	0.71	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	22	.	1	2.95	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	20	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	20	.	0	.	AD	NC	N	NC		
Water Temperature	Water temperature	12/01/17	11/30/24	32.8	21	.	0	.	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	33	21	24.81	0	.	AD	FS	N	FS		

**Seg ID: 0220 - Upper Pease/North Fork Pease River**

**AU ID: 0220\_02**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	20	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	20	.	0	.	AD	NC	N	NC		

**Draft 2026 Texas Integrated Report - Assessment Results for Basin 2 - Red River**

**Seg ID: 0220 - Upper Pease/North Fork Pease River**

**AU ID: 0220\_02**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	30000	43	19660.35	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	3500	39	2759.36	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	12000	39	9322.56	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	20	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	20	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	21	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	21	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	19	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	21	.	0	.	AD	NC	N	NC		
Water Temperature	Water temperature	12/01/17	11/30/24	32.8	20	.	1	34	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	33	19	27.53	0	.	LD	NC	N	NC		

**Seg ID: 0221 - Middle Fork Pease River**

**AU ID: 0221\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	4	.	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	4	.	0	.	LD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	2800	4	5735	1	.	LD	CN	Y	NS	Total dissolved solids in water	5c
		Sulfate	12/01/17	11/30/24	1400	4	1282.5	0	.	LD	NC	Y	NS	Sulfate in water	5c
		Chloride	12/01/17	11/30/24	870	4	957.25	1	.	LD	CN	Y	NS	Chloride in water	5c
	High pH	pH	12/01/17	11/30/24	9	4	.	0	.	LD	NC	N	NC		
	Low pH	pH	12/01/17	11/30/24	6.5	4	.	0	.	LD	NC	N	NC		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	2	.	0	.	ID	NA	N	NA		
		Nitrate	12/01/17	11/30/24	1.95	4	.	0	.	LD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	4	.	0	.	LD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	4	.	0	.	LD	NC	N	NC		
Water Temperature	Water temperature	12/01/17	11/30/24	32.8	4	.	0	.	LD	NC	N	NC			

**Seg ID: 0221 - Middle Fork Pease River**

**AU ID: 0221\_02**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	2800	4	5735	1	.	LD	CN	N	CN	Total dissolved solids in water	
		Sulfate	12/01/17	11/30/24	1400	4	1282.5	0	.	LD	NC	N	NC		
		Chloride	12/01/17	11/30/24	870	4	957.25	1	.	LD	CN	N	CN	Chloride in water	

**Seg ID: 0222 - Salt Fork Red River**

**AU ID: 0222\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	19	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	19	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	3000	31	2504.69	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	1400	29	1177.64	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	400	29	284.71	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	19	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	19	.	0	.	AD	FS	N	FS		

**Draft 2026 Texas Integrated Report - Assessment Results for Basin 2 - Red River**

**Seg ID: 0222 - Salt Fork Red River**

**AU ID: 0222\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	19	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	21	.	10	2.36	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	21	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	21	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	33.9	19	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	19	79.2	0	.	LD	NC	N	NC		

**Seg ID: 0222 - Salt Fork Red River**

**AU ID: 0222\_02**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	10/23/17	11/30/24	3	10	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	10/23/17	11/30/24	5	10	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	3000	31	2504.69	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	1400	29	1177.64	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	400	29	284.71	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	10	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	10	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	10	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	10	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	10/23/17	11/30/24	14.1	10	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	10	.	0	.	AD	NC	N	NC		
Water Temperature	Water temperature	10/23/17	11/30/24	33.9	10	.	0	.	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	8	51.83	0	.	LD	NC	N	NC		

**Seg ID: 0222A - Lelia Lake Creek**

**AU ID: 0222A\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	12	.	3	2.3	AD	NS	N	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	12	.	4	2.5	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	15	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	15	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	14	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	15	.	1	0.75	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	03/14/16	11/30/24	126	20	61.99	0	.	AD	FS	N	FS		

**Seg ID: 0223 - Greenbelt Lake**

**AU ID: 0223\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	11	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	11	.	0	.	AD	NC	N	NC		

**Draft 2026 Texas Integrated Report - Assessment Results for Basin 2 - Red River**

**Seg ID: 0223 - Greenbelt Lake**

**AU ID: 0223\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	750	15	717.99	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	200	12	211.83	1	.	AD	NS	N	NS	Sulfate in water	5c
		Chloride	12/01/17	11/30/24	250	12	124.33	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	12	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	12	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	NS	N	NS	Excessive algal growth in water	5n
	Water Temperature	Water temperature	12/01/17	11/30/24	33.9	14	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	12	0.03	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	12	1.06	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	11/30/15	11/30/24	126	20	1.85	0	.	AD	FS	N	FS		

**Seg ID: 0224 - North Fork Red River**

**AU ID: 0224\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	40	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	40	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	2500	40	1497.33	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	1200	39	423.28	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	800	39	456.97	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	40	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	40	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	35	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	41	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	40	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	41	.	0	.	AD	NC	N	NC		
Water Temperature	Water temperature	12/01/17	11/30/24	32.8	40	.	0	.	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	39	44.98	0	.	AD	FS	N	FS		

**Seg ID: 0224 - North Fork Red River**

**AU ID: 0224\_02**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	2500	40	1497.33	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	1200	39	423.28	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	800	39	456.97	0	.	AD	FS	N	FS		

**Seg ID: 0224A - McClellan Creek**

**AU ID: 0224A\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	21	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	21	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	19	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	21	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	21	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	21	.	0	.	AD	NC	N	NC		

**Draft 2026 Texas Integrated Report - Assessment Results for Basin 2 - Red River**

**Seg ID: 0224A - McClellan Creek  
AU ID: 0224A\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	21	80.8	0	.	AD	FS	N	FS		

**Seg ID: 0226 - South Fork Wichita River  
AU ID: 0226\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	16	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	16	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	31000	24	30271.67	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	3650	23	2895.65	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	12000	24	16032.08	1	.	AD	NS	N	NS	Chloride in water	5c
	High pH	pH	12/01/17	11/30/24	9	16	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	16	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	14	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	16	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	16	.	2	21.15	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	16	.	0	.	AD	NC	N	NC		
Water Temperature	Water temperature	12/01/17	11/30/24	33.9	16	.	0	.	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	Enterococcus	08/07/15	11/30/24	33	20	80.09	1	.	AD	NS	N	NS	Bacteria in water	5c

**Seg ID: 0226 - South Fork Wichita River  
AU ID: 0226\_02**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	31000	24	30271.67	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	3650	23	2895.65	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	12000	24	16032.08	1	.	AD	NS	N	NS	Chloride in water	5c
	Nutrient Screening Levels	Ammonia	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Ammonia in water	

**Seg ID: 0226 - South Fork Wichita River  
AU ID: 0226\_03**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	5	.	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	5	.	0	.	LD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	31000	24	30271.67	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	3650	23	2895.65	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	12000	24	16032.08	1	.	AD	NS	N	NS	Chloride in water	5c
	High pH	pH	12/01/17	11/30/24	9	5	.	0	.	LD	NC	N	NC		
	Low pH	pH	12/01/17	11/30/24	6.5	5	.	0	.	LD	NC	N	NC		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	15	.	1	0.69	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	17	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	18	.	2	32.15	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	18	.	16	1.56	AD	CS	N	CS	Ammonia in water	
Water Temperature	Water temperature	12/01/17	11/30/24	33.9	5	.	0	.	LD	NC	N	NC			
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	33	8	16.37	0	.	LD	NC	N	NC		

**Draft 2026 Texas Integrated Report - Assessment Results for Basin 2 - Red River**

**Seg ID: 0226 - South Fork Wichita River**

**AU ID: 0226\_04**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	31000	24	30271.67	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	3650	23	2895.65	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	12000	24	16032.08	1	.	AD	NS	N	NS	Chloride in water	5c

**Seg ID: 0228 - Mackenzie Reservoir**

**AU ID: 0228\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	11/28/17	11/30/24	3	10	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	11/28/17	11/30/24	5	10	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	06/28/17	11/30/24	500	10	541.84	1	.	AD	NS	N	NS	Total dissolved solids in water	5c
		Sulfate	11/28/17	11/30/24	200	10	218.1	1	.	AD	NS	N	NS	Sulfate in water	5c
		Chloride	11/28/17	11/30/24	50	10	25.94	0	.	AD	FS	N	FS		
	High pH	pH	11/28/17	11/30/24	9	10	.	0	.	AD	FS	N	FS		
	Low pH	pH	11/28/17	11/30/24	6.5	10	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.2	10	.	0	.	JQ	NA	N	NA		
		Nitrate	11/28/17	11/30/24	0.37	10	.	0	.	JQ	NA	N	NA		
		Chlorophyll-a	11/28/17	11/30/24	26.7	10	.	1	30.1	JQ	NA	N	NA		
Ammonia	12/01/17	11/30/24	0.11	10	.	1	0.12	JQ	NA	N	NA				
Water Temperature	Water temperature	11/28/17	11/30/24	32.2	10	.	0	.	AD	FS	N	FS			
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	11/28/17	11/30/24	10	10	0.02	0	.	AD	FS	N	FS		
		Fluoride	11/28/17	11/30/24	4	10	2.15	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	8	0.73	0	.	LD	NC	N	NC		

**Seg ID: 0229 - Upper Prairie Dog Town Fork Red River**

**AU ID: 0229\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	18	.	0	.	AD	FS	Y	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	18	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	2000	20	1284.73	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	675	20	360.6	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	350	20	292.7	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	17	.	3	9.4	AD	CN	Y	NS	High pH in water	5c
	Low pH	pH	12/01/17	11/30/24	6.5	17	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	1.95	22	.	12	5.17	AD	CS	N	CS	Nitrate in water	
		Total phosphorus	12/01/17	11/30/24	0.69	23	.	13	0.96	AD	CS	N	CS	Total Phosphorus in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	19	.	11	88.72	AD	CS	N	CS	Chlorophyll-a in water	
Ammonia	12/01/17	11/30/24	0.33	23	.	1	0.39	AD	NC	N	NC				
Water Temperature	Water temperature	12/01/17	11/30/24	33.9	18	.	0	.	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	E. coli	10/09/17	11/30/24	126	20	99.85	0	.	AD	FS	N	FS		

**Draft 2026 Texas Integrated Report - Assessment Results for Basin 2 - Red River**

**Seg ID: 0229A - Lake Tanglewood  
AU ID: 0229A\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	12	.	1	0.96	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	12	.	2	2.36	AD	NC	N	NC			
	Toxic Substances in sediment	Zinc		12/01/17	11/30/24	459	1	.	0	.	ID	NA	N	NA		
		Silver		12/01/17	11/30/24	1.7	1	.	0	.	ID	NA	N	NA		
		Nickel		12/01/17	11/30/24	48.6	1	.	0	.	ID	NA	N	NA		
		Mercury		12/01/17	11/30/24	1.06	1	.	0	.	ID	NA	N	NA		
		Manganese		12/01/17	11/30/24	1100	1	.	0	.	ID	NA	N	NA		
		Lead		12/01/17	11/30/24	128	1	.	0	.	ID	NA	N	NA		
		Iron		12/01/17	11/30/24	40000	1	.	0	.	ID	NA	N	NA		
		Copper		12/01/17	11/30/24	149	1	.	0	.	ID	NA	N	NA		
		Chromium		12/01/17	11/30/24	111	1	.	0	.	ID	NA	N	NA		
		Cadmium		12/01/17	11/30/24	4.98	1	.	0	.	ID	NA	N	NA		
Arsenic		12/01/17	11/30/24	33	1	.	0	.	ID	NA	N	NA				
General Use	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	NC	N	NC			
Recreation Use	Bacteria Geomean	E. coli	09/09/15	11/30/24	126	20	0.89	0	.	AD	FS	N	FS			

**Seg ID: 0230 - Pease River  
AU ID: 0230\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	30000	40	9172.7	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	3500	40	1620.03	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	12000	40	3621.55	0	.	AD	FS	N	FS		

**Seg ID: 0230 - Pease River  
AU ID: 0230\_02**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	40	.	0	.	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	40	.	0	.	AD	NC	N	NC			
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	30000	40	9172.7	0	.	AD	FS	N	FS			
		Sulfate	12/01/17	11/30/24	3500	40	1620.03	0	.	AD	FS	N	FS			
		Chloride	12/01/17	11/30/24	12000	40	3621.55	0	.	AD	FS	N	FS			
	High pH	pH	12/01/17	11/30/24	9	40	.	0	.	AD	FS	N	FS			
	Low pH	pH	12/01/17	11/30/24	6.5	40	.	0	.	AD	FS	N	FS			
	Nutrient Screening Levels	Total phosphorus		12/01/17	11/30/24	0.69	36	.	4	2.18	AD	NC	N	NC		
		Nitrate		12/01/17	11/30/24	1.95	39	.	5	7.97	AD	NC	N	NC		
		Chlorophyll-a		12/01/17	11/30/24	14.1	38	.	5	59.16	AD	NC	N	NC		
		Ammonia		12/01/17	11/30/24	0.33	40	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature		12/01/17	11/30/24	32.8	40	.	3	33.97	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	33	37	34.46	1	.	AD	CN	N	CN	Bacteria in water		

**Draft 2026 Texas Integrated Report - Assessment Results for Basin 2 - Red River**

**Seg ID: 0230A - Paradise Creek**

**AU ID: 0230A\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	17	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	17	.	1	2.7	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	16	.	1	1.18	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	17	.	8	2.86	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	17	.	13	110.45	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.33	17	.	1	0.35	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	05/11/17	11/30/24	630	20	313.87	0	.	AD	FS	N	FS		

**Seg ID: 0299A - Sweetwater Creek**

**AU ID: 0299A\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	41	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	41	.	1	3.9	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	38	.	1	1.22	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	42	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	42	.	1	46	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	42	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	42	104.84	0	.	AD	FS	N	FS		

**Seg ID: 0299B - Washita River**

**AU ID: 0299B\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	1.5	7	.	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	2	7	.	0	.	LD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	5	.	0	.	LD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	7	.	0	.	LD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	7	.	0	.	LD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	7	.	0	.	LD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	7	19.73	0	.	LD	NC	N	NC		