

Explanation of Column Headings

SEGID: The unique identifier (SegID), segment name, and location of the water body. Items may be one of three types of numbers for SegID. The first type is a classified segment number (4 digits, e.g., 0218), as defined in the Texas Surface Water Quality Standards. The second type is an unclassified water body (e.g., 0218A), not defined in the Standards and associated with a classified water body because it is in the same watershed. The third type includes special Segments for Oyster Water Use (e.g., 2421OW) and Beach Watch Use (e.g., 2481CB) special areas. The segment name and description follow SegID.

AU ID: Identifies the assessment unit (AU_ID, six or seven digits, e.g., 0101A_01) and describes the location of the specific area within a classified or unclassified water body for which one or more water quality standards are not met.

Start Date: The start date of the period of record data for this method was selected; the official Draft 2026 period of record is from 12/1/2017 to 11/30/2024. In some cases it may be necessary to extend the period of record back 10 years (12/1/2014) to select more data, according to assessment guidance.

End Date: The end date of the period of record data for this method was selected; the official Draft 2026 period of record dates are 12/1/2017 to 11/30/2024. In some cases more recently collected data than 12/01/2024 can be included, if available

#Data Assessed: Number of samples assessed some data are averaged, as with profile data, some are eliminated because criteria do not apply during certain conditions such a s low flow.

Mean Data Assessed: Mean of samples assessed includes averaged methods like chronic criteria as well as geometric mean calculations for bacteria.

Exceedances: Number of samples that exceed criteria for single sample, or binomial, methods (not averaged data).

Mean Exceedances: Mean of the samples that exceeded criteria for the single sample, or binomial, methods (not averaged data).

Criteria: Value that the data is compared to determine the level of support; Note: for acute metals in water, each value is compared to a calculated criterion and not all criteria could be reported here, only the minimum in the range of criteria calculated are included.

DS Qual: Dataset Qualifier - indicates characteristics of the methods or dataset used in the assessment:

- AD:** Adequate Data (10 or more samples).
- LD:** Limited Data (less than 9, greater than 3).
- ID:** Inadequate Data (less than 4).
- JQ:** Level of support is based on judgment of the assessor.
- SM:** This assessment method is superseded by another method.
- TR:** Temporally Not Representative, used with NA.
- SR:** Spatially Not Representative, used with NA.
- OE:** Other information than ambient samples evaluated.
- OS:** Assessment area outside state boundaries.

LOS: Level of support for this use, method, assessment parameter:

- FS:** Fully Supporting.
- NC:** No Concern.
- NA:** Not Assessed.
- NS:** Nonsupport.
- CS:** Screening Level Concern.
- CN:** Use Concern.

CF: Carry Forward indicates that the Integrated level of support of CS, CN, or NS was carried forward from a previous assessment due to inadequate data for this method in this assessment.

Int LOS: Integrated level of support. This is the overall level of support for this use, method, parameter group, which could be different from the LOS (described above) due to carry forward information or other types of changes. New Code added in 2010: PI = Pending Issue

TCEQ Cause: This is the impairment description (e.g., bacteria, depressed dissolved oxygen, etc.).

Cat:

- Category 3:** There is insufficient or unreliable available data and/or information to make a use support determination.
- Category 4:** Available data and/or information indicate that at least one designated use is not being supported or is threatened, but a TMDL is not needed.
 - Category 4a:** A state-developed TMDL has been approved by EPA or a TMDL has been established by EPA for any water-pollutant combination.
 - Category 4b:** Other required control measures are expected to result in the attainment of an applicable water quality standard in a reasonable period of time.
 - Category 4c:** The impairment or threat is not caused by a pollutant.
- Category 5:** Available data and/or information indicate that at least one designated use is not being supported or is threatened, and a TMDL is needed.
 - Category 5a:** A TMDL is underway, scheduled, or will be scheduled.
 - Category 5b:** A review of the standards for the water body will be conducted before a management strategy is selected.
 - Category 5c:** Additional data and information will be collected or evaluated before a management strategy is selected.
 - Category 5n:** Water body does not meet its applicable Chl a criterion, but additional study is needed to verify whether exceedance is associated with causal nutrient parameters or impacts to response variables.
 - Category 5r:** A WPP is under development or accepted by EPA for this parameter.

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1001 - San Jacinto River Tidal AU ID: 1001_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	160	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	160	.	1	3.06	AD	NC	N	NC		
Fish Consumption Use	DSHS No Consumption Advisory	Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
		PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
General Use	High pH	pH	12/01/17	11/30/24	9	160	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	160	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.66	162	.	1	1.22	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.46	162	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.1	140	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	160	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	160	16.62	0	.	AD	FS	N	FS		

Seg ID: 1001 - San Jacinto River Tidal AU ID: 1001_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	331	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	331	.	1	3.89	AD	NC	N	NC		
Fish Consumption Use	DSHS No Consumption Advisory	Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
		PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
General Use	High pH	pH	12/01/17	11/30/24	9	331	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	331	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Ammonia	12/01/17	11/30/24	0.46	335	.	2	0.57	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.1	291	.	20	1.45	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	21	37	.	13	31.15	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/17	11/30/24	0.66	334	.	3	1.21	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	331	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	330	17.25	0	.	AD	FS	N	FS		

Seg ID: 1001D - Bear Lake AU ID: 1001D_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Fish Consumption Use	DSHS No Consumption Advisory	Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
		PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c

Seg ID: 1002 - Lake Houston AU ID: 1002_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	242	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	242	.	15	4.35	AD	NC	N	NC		
	Toxic Substances in sediment	Dieldrin	12/01/17	11/30/24	61.8	6	.	0	.	LD	NC	N	NC		
		Copper	12/01/17	11/30/24	149	6	.	0	.	LD	NC	N	NC		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4950	6	.	0	.	LD	NC	N	NC		
		Benzo(a)pyrene	12/01/17	11/30/24	1450	6	.	0	.	LD	NC	N	NC		
		Aldrin	12/01/17	11/30/24	80	6	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1002 - Lake Houston AU ID: 1002_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Zinc	12/01/17	11/30/24	459	6	.	0	.	LD	NC	N	NC		
		beta-BHC	12/01/17	11/30/24	210	6	.	0	.	LD	NC	N	NC		
		Arachlor 1016	12/01/17	11/30/24	530	6	.	0	.	LD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	22000	6	.	0	.	LD	NC	N	NC		
		Diethyl phthalate	12/01/17	11/30/24	11000	6	.	0	.	LD	NC	N	NC		
		Arsenic	12/01/17	11/30/24	33	6	.	0	.	LD	NC	N	NC		
		Toxaphene	12/01/17	11/30/24	32	6	.	0	.	LD	NC	N	NC		
		Dimethyl phthalate	12/01/17	11/30/24	8900	6	.	0	.	LD	NC	N	NC		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1590	4	.	0	.	LD	NC	N	NC		
		DDT	12/01/17	11/30/24	62.9	6	.	0	.	LD	NC	N	NC		
		Acenaphthylene	12/01/17	11/30/24	128	6	.	0	.	LD	NC	N	NC		
		Diazinon	12/01/17	11/30/24	7.3	6	.	0	.	LD	NC	N	NC		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	5310	6	.	0	.	LD	NC	N	NC		
		Chromium	12/01/17	11/30/24	111	6	.	0	.	LD	NC	N	NC		
		Di-n-octyl phthalate	12/01/17	11/30/24	1100	6	.	0	.	LD	NC	N	NC		
		Phenanthrene	12/01/17	11/30/24	1170	6	.	0	.	LD	NC	N	NC		
		Fluorene	12/01/17	11/30/24	536	6	.	0	.	LD	NC	N	NC		
		Nickel	12/01/17	11/30/24	48.6	6	.	0	.	LD	NC	N	NC		
		Iron	12/01/17	11/30/24	40000	6	.	0	.	LD	NC	N	NC		
		Pentachlorobenzene	12/01/17	11/30/24	2660	4	.	0	.	LD	NC	N	NC		
		Naphthalene	12/01/17	11/30/24	561	6	.	0	.	LD	NC	N	NC		
		Arachlor 1254	12/01/17	11/30/24	340	6	.	0	.	LD	NC	N	NC		
		gamma-BHC (Lindane)	12/01/17	11/30/24	4.99	6	.	0	.	LD	NC	N	NC		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	150000	6	.	0	.	LD	NC	N	NC		
		Silver	12/01/17	11/30/24	1.7	6	.	0	.	LD	NC	N	NC		
		Endosulfan II (beta)	12/01/17	11/30/24	35	6	.	0	.	LD	NC	N	NC		
		Arachlor1260	12/01/17	11/30/24	240	6	.	0	.	LD	NC	N	NC		
		Hexachlorobenzene (HCB)	12/01/17	11/30/24	240	6	.	0	.	LD	NC	N	NC		
		Benzo(a)anthracene	12/01/17	11/30/24	1050	6	.	0	.	LD	NC	N	NC		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	1200	6	.	0	.	LD	NC	N	NC		
		Heptachlor epoxide	12/01/17	11/30/24	16	6	.	0	.	LD	NC	N	NC		
		Anthracene	12/01/17	11/30/24	845	6	.	0	.	LD	NC	N	NC		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4650	6	.	0	.	LD	NC	N	NC		
		Hexachlorobutadiene (HCBd)	12/01/17	11/30/24	550	6	.	0	.	LD	NC	N	NC		
		Acenaphthene	12/01/17	11/30/24	88.9	6	.	0	.	LD	NC	N	NC		
		Endrin	12/01/17	11/30/24	207	6	.	0	.	LD	NC	N	NC		
		Arachlor 1248	12/01/17	11/30/24	1500	6	.	0	.	LD	NC	N	NC		
		Nitrobenzene	12/01/17	11/30/24	6290	6	.	0	.	LD	NC	N	NC		
		Di-n-butyl phthalate	12/01/17	11/30/24	80000	6	.	0	.	LD	NC	N	NC		
		3-Methyl-4-chlorophenol	12/01/17	11/30/24	5620	6	.	0	.	LD	NC	N	NC		
		alpha-BHC	12/01/17	11/30/24	100	6	.	0	.	LD	NC	N	NC		
		PCBs	12/01/17	11/30/24	676	6	.	0	.	LD	NC	N	NC		
		Malathion	12/01/17	11/30/24	6.2	6	.	0	.	LD	NC	N	NC		
		Manganese	12/01/17	11/30/24	1100	6	.	0	.	LD	NC	N	NC		
		2,4-Dinitrotoluene	12/01/17	11/30/24	8020	6	.	0	.	LD	NC	N	NC		
		Lead	12/01/17	11/30/24	128	6	.	0	.	LD	NC	N	NC		
		Endosulfan I (alpha)	12/01/17	11/30/24	7.4	6	.	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	1.06	5	.	0	.	LD	NC	N	NC		
		Cadmium	12/01/17	11/30/24	4.98	6	.	0	.	LD	NC	N	NC		
		1,3-Dichlorobenzene	12/01/17	11/30/24	350	6	.	0	.	LD	NC	N	NC		
		Pyrene	12/01/17	11/30/24	1520	6	.	0	.	LD	NC	N	NC		
		Heptachlor	12/01/17	11/30/24	2.74	6	.	0	.	LD	NC	N	NC		
		Fluoranthene	12/01/17	11/30/24	2230	6	.	0	.	LD	NC	N	NC		
		Chlordane	12/01/17	11/30/24	17.6	6	.	0	.	LD	NC	N	NC		
		Hexachloroethane	12/01/17	11/30/24	3945	6	.	0	.	LD	NC	N	NC		
		Chrysene	12/01/17	11/30/24	1290	6	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1002 - Lake Houston AU ID: 1002_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Dibenz(a,h)anthracene	12/01/17	11/30/24	135	6	.	0	.	LD	NC	N	NC		
		DDD	12/01/17	11/30/24	28	6	.	0	.	LD	NC	N	NC		
		DDE	12/01/17	11/30/24	31.3	6	.	0	.	LD	NC	N	NC		
		delta-BHC	12/01/17	11/30/24	2300	6	.	0	.	LD	NC	N	NC		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	202	6	.	0	.	LD	NC	N	NC		
		Benzoic acid	12/01/17	11/30/24	3800	4	.	0	.	LD	NC	N	NC		
		Parathion (ethyl)	12/01/17	11/30/24	3.7	6	.	0	.	LD	NC	N	NC		
		Methoxychlor	12/01/17	11/30/24	95	6	.	0	.	LD	NC	N	NC		
		Phenol (single compound)	12/01/17	11/30/24	210	6	.	0	.	LD	NC	N	NC		
		2-Methylnaphthalene	12/01/17	11/30/24	201	6	.	0	.	LD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/17	11/30/24	1.15	10	0.27	0	.	AD	FS	N	FS		
		Nickel (dissolved)	12/01/17	11/30/24	332	10	2.5	0	.	AD	FS	N	FS		
		Mercury	12/01/17	11/30/24	0.01	7	0	0	.	LD	NC	N	NC		
General Use	Dissolved Solids	Chloride	12/01/17	11/30/24	100	788	28.03	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	789	12.12	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/17	11/30/24	400	792	157.31	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	234	.	9	9.24	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	234	.	6	6.35	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.2	242	.	78	0.29	JQ	NA	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	26.7	29	.	5	56	JQ	NA	N	NA		
		Nitrate	12/01/17	11/30/24	0.37	242	.	33	0.71	JQ	NA	N	NA		
		Ammonia	12/01/17	11/30/24	0.11	242	.	13	0.18	JQ	NA	N	NA		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	242	.	14	33.22	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Fluoride	12/01/17	11/30/24	4	56	0.13	0	.	AD	FS	N	FS		
		Nitrate	12/01/17	11/30/24	10	792	0.62	0	.	AD	FS	N	FS		
		Mercury	12/01/17	11/30/24	0.01	7	0	0	.	LD	NC	N	NC		
		Arsenic (dissolved)	12/01/17	11/30/24	10	10	1.99	0	.	AD	FS	N	FS		
		Cadmium (dissolved)	12/01/17	11/30/24	5	10	0.07	0	.	AD	FS	N	FS		
		Lead (dissolved)	12/01/17	11/30/24	1.15	10	0.27	0	.	AD	FS	N	FS		
		Selenium	12/01/17	11/30/24	50	10	0.73	0	.	AD	FS	N	FS		
		Nickel (dissolved)	12/01/17	11/30/24	332	10	2.5	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	242	23.35	0	.	AD	FS	N	FS		

Seg ID: 1002 - Lake Houston AU ID: 1002_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	165	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	165	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	1,2,4-Trichlorobenzene	12/01/17	11/30/24	5310	6	.	0	.	LD	NC	N	NC		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4650	6	.	0	.	LD	NC	N	NC		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1590	4	.	0	.	LD	NC	N	NC		
		1,3-Dichlorobenzene	12/01/17	11/30/24	350	6	.	0	.	LD	NC	N	NC		
		Zinc	12/01/17	11/30/24	459	6	.	0	.	LD	NC	N	NC		
		Toxaphene	12/01/17	11/30/24	32	6	.	0	.	LD	NC	N	NC		
		Di-n-butyl phthalate	12/01/17	11/30/24	80000	6	.	0	.	LD	NC	N	NC		
		Iron	12/01/17	11/30/24	40000	6	.	0	.	LD	NC	N	NC		
		Phenol (single compound)	12/01/17	11/30/24	210	6	.	0	.	LD	NC	N	NC		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	1200	6	.	0	.	LD	NC	N	NC		
		Nitrobenzene	12/01/17	11/30/24	6290	6	.	0	.	LD	NC	N	NC		
		Naphthalene	12/01/17	11/30/24	561	6	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1002 - Lake Houston AU ID: 1002_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	PCBs	12/01/17	11/30/24	676	6	.	0	.	LD	NC	N	NC		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	150000	6	.	0	.	LD	NC	N	NC		
		Lead	12/01/17	11/30/24	128	6	.	0	.	LD	NC	N	NC		
		Diethyl phthalate	12/01/17	11/30/24	11000	6	.	0	.	LD	NC	N	NC		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	202	6	.	0	.	LD	NC	N	NC		
		Pyrene	12/01/17	11/30/24	1520	6	.	0	.	LD	NC	N	NC		
		Nickel	12/01/17	11/30/24	48.6	6	.	0	.	LD	NC	N	NC		
		Parathion (ethyl)	12/01/17	11/30/24	3.7	6	.	0	.	LD	NC	N	NC		
		Heptachlor epoxide	12/01/17	11/30/24	16	6	.	0	.	LD	NC	N	NC		
		Fluorene	12/01/17	11/30/24	536	6	.	0	.	LD	NC	N	NC		
		Pentachlorobenzene	12/01/17	11/30/24	2660	4	.	0	.	LD	NC	N	NC		
		Fluoranthene	12/01/17	11/30/24	2230	6	.	0	.	LD	NC	N	NC		
		Di-n-octyl phthalate	12/01/17	11/30/24	1100	6	.	0	.	LD	NC	N	NC		
		Hexachlorobenzene (HCB)	12/01/17	11/30/24	240	6	.	0	.	LD	NC	N	NC		
		Endosulfan II (beta)	12/01/17	11/30/24	35	6	.	0	.	LD	NC	N	NC		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	135	6	.	0	.	LD	NC	N	NC		
		Phenanthrene	12/01/17	11/30/24	1170	6	.	0	.	LD	NC	N	NC		
		Malathion	12/01/17	11/30/24	6.2	6	.	0	.	LD	NC	N	NC		
		Silver	12/01/17	11/30/24	1.7	6	.	0	.	LD	NC	N	NC		
		Endrin	12/01/17	11/30/24	207	6	.	0	.	LD	NC	N	NC		
		delta-BHC	12/01/17	11/30/24	2300	6	.	0	.	LD	NC	N	NC		
		Heptachlor	12/01/17	11/30/24	2.74	6	.	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	1.06	5	.	0	.	LD	NC	N	NC		
		Endosulfan I (alpha)	12/01/17	11/30/24	7.4	6	.	0	.	LD	NC	N	NC		
		Benzoic acid	12/01/17	11/30/24	3800	4	.	0	.	LD	NC	N	NC		
		Dieldrin	12/01/17	11/30/24	61.8	6	.	0	.	LD	NC	N	NC		
		Hexachloroethane	12/01/17	11/30/24	3945	6	.	0	.	LD	NC	N	NC		
		Hexachlorobutadiene (HCBd)	12/01/17	11/30/24	550	6	.	0	.	LD	NC	N	NC		
		gamma-BHC (Lindane)	12/01/17	11/30/24	4.99	6	.	0	.	LD	NC	N	NC		
		3-Methyl-4-chlorophenol	12/01/17	11/30/24	5620	6	.	0	.	LD	NC	N	NC		
		Arachlor 1016	12/01/17	11/30/24	530	6	.	0	.	LD	NC	N	NC		
		Chlordane	12/01/17	11/30/24	17.6	6	.	0	.	LD	NC	N	NC		
		DDD	12/01/17	11/30/24	28	6	.	0	.	LD	NC	N	NC		
		Manganese	12/01/17	11/30/24	1100	6	.	0	.	LD	NC	N	NC		
		2,4-Dinitrotoluene	12/01/17	11/30/24	8020	6	.	0	.	LD	NC	N	NC		
		Arachlor 1248	12/01/17	11/30/24	1500	6	.	0	.	LD	NC	N	NC		
		Diazinon	12/01/17	11/30/24	7.3	6	.	0	.	LD	NC	N	NC		
		Arachlor 1254	12/01/17	11/30/24	340	6	.	0	.	LD	NC	N	NC		
		Arachlor1260	12/01/17	11/30/24	240	6	.	0	.	LD	NC	N	NC		
		Benzo(a)anthracene	12/01/17	11/30/24	1050	6	.	0	.	LD	NC	N	NC		
		Chromium	12/01/17	11/30/24	111	6	.	0	.	LD	NC	N	NC		
		Arsenic	12/01/17	11/30/24	33	6	.	0	.	LD	NC	N	NC		
		Copper	12/01/17	11/30/24	149	6	.	0	.	LD	NC	N	NC		
		Aldrin	12/01/17	11/30/24	80	6	.	0	.	LD	NC	N	NC		
		DDT	12/01/17	11/30/24	62.9	6	.	0	.	LD	NC	N	NC		
		2-Methylnaphthalene	12/01/17	11/30/24	201	6	.	0	.	LD	NC	N	NC		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4950	6	.	0	.	LD	NC	N	NC		
		Acenaphthene	12/01/17	11/30/24	88.9	6	.	0	.	LD	NC	N	NC		
		DDE	12/01/17	11/30/24	31.3	6	.	0	.	LD	NC	N	NC		
		Benzo(a)pyrene	12/01/17	11/30/24	1450	6	.	0	.	LD	NC	N	NC		
		Acenaphthylene	12/01/17	11/30/24	128	6	.	0	.	LD	NC	N	NC		
		Cadmium	12/01/17	11/30/24	4.98	6	.	0	.	LD	NC	N	NC		
		alpha-BHC	12/01/17	11/30/24	100	6	.	0	.	LD	NC	N	NC		
		beta-BHC	12/01/17	11/30/24	210	6	.	0	.	LD	NC	N	NC		
		Chrysene	12/01/17	11/30/24	1290	6	.	0	.	LD	NC	N	NC		
		Anthracene	12/01/17	11/30/24	845	6	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1002 - Lake Houston AU ID: 1002_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Methoxychlor	12/01/17	11/30/24	95	6	.	0	.	LD	NC	N	NC		
		Dimethyl phthalate	12/01/17	11/30/24	8900	6	.	0	.	LD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	22000	6	.	0	.	LD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/17	11/30/24	332	10	2.5	0	.	AD	FS	N	FS		
		Lead (dissolved)	12/01/17	11/30/24	1.15	10	0.27	0	.	AD	FS	N	FS		
		Mercury	12/01/17	11/30/24	0.01	7	0	0	.	LD	NC	N	NC		
General Use	Dissolved Solids	Chloride	12/01/17	11/30/24	100	788	28.03	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/17	11/30/24	400	792	157.31	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	789	12.12	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	157	.	20	9.26	AD	NS	N	NS	High pH in water	5c
	Low pH	pH	12/01/17	11/30/24	6.5	157	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.2	165	.	154	0.43	JQ	NA	N	NA		
		Ammonia	12/01/17	11/30/24	0.11	165	.	15	0.19	JQ	NA	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	26.7	29	.	11	46.64	JQ	NA	N	NA		
		Nitrate	12/01/17	11/30/24	0.37	165	.	112	1.14	JQ	NA	N	NA		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	165	.	4	32.48	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Arsenic (dissolved)	12/01/17	11/30/24	10	10	1.99	0	.	AD	FS	N	FS		
		Cadmium (dissolved)	12/01/17	11/30/24	5	10	0.07	0	.	AD	FS	N	FS		
		Nitrate	12/01/17	11/30/24	10	792	0.62	0	.	AD	FS	N	FS		
		Selenium	12/01/17	11/30/24	50	10	0.73	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	56	0.13	0	.	AD	FS	N	FS		
		Nickel (dissolved)	12/01/17	11/30/24	332	10	2.5	0	.	AD	FS	N	FS		
		Mercury	12/01/17	11/30/24	0.01	7	0	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/17	11/30/24	1.15	10	0.27	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	165	22.1	0	.	AD	FS	N	FS		

Seg ID: 1002 - Lake Houston AU ID: 1002_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	83	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	83	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Diethyl phthalate	12/01/17	11/30/24	11000	6	.	0	.	LD	NC	N	NC		
		delta-BHC	12/01/17	11/30/24	2300	6	.	0	.	LD	NC	N	NC		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	135	6	.	0	.	LD	NC	N	NC		
		DDT	12/01/17	11/30/24	62.9	6	.	0	.	LD	NC	N	NC		
		Chrysene	12/01/17	11/30/24	1290	6	.	0	.	LD	NC	N	NC		
		Chromium	12/01/17	11/30/24	111	6	.	0	.	LD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	22000	6	.	0	.	LD	NC	N	NC		
		Cadmium	12/01/17	11/30/24	4.98	6	.	0	.	LD	NC	N	NC		
		Benzo(a)anthracene	12/01/17	11/30/24	1050	6	.	0	.	LD	NC	N	NC		
		Arachlor1260	12/01/17	11/30/24	240	6	.	0	.	LD	NC	N	NC		
		Arachlor 1248	12/01/17	11/30/24	1500	6	.	0	.	LD	NC	N	NC		
		Anthracene	12/01/17	11/30/24	845	6	.	0	.	LD	NC	N	NC		
		Acenaphthylene	12/01/17	11/30/24	128	6	.	0	.	LD	NC	N	NC		
		Acenaphthene	12/01/17	11/30/24	88.9	6	.	0	.	LD	NC	N	NC		
		Arachlor 1016	12/01/17	11/30/24	530	6	.	0	.	LD	NC	N	NC		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	5310	6	.	0	.	LD	NC	N	NC		
		2-Methylnaphthalene	12/01/17	11/30/24	201	6	.	0	.	LD	NC	N	NC		
		3-Methyl-4-chlorophenol	12/01/17	11/30/24	5620	6	.	0	.	LD	NC	N	NC		
		alpha-BHC	12/01/17	11/30/24	100	6	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1002 - Lake Houston AU ID: 1002_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Benzo(a)pyrene	12/01/17	11/30/24	1450	6	.	0	.	LD	NC	N	NC		
		2,4-Dinitrotoluene	12/01/17	11/30/24	8020	6	.	0	.	LD	NC	N	NC		
		Arsenic	12/01/17	11/30/24	33	6	.	0	.	LD	NC	N	NC		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4950	6	.	0	.	LD	NC	N	NC		
		1,3-Dichlorobenzene	12/01/17	11/30/24	350	6	.	0	.	LD	NC	N	NC		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4650	6	.	0	.	LD	NC	N	NC		
		beta-BHC	12/01/17	11/30/24	210	6	.	0	.	LD	NC	N	NC		
		Benzoic acid	12/01/17	11/30/24	3800	4	.	0	.	LD	NC	N	NC		
		Chlordane	12/01/17	11/30/24	17.6	6	.	0	.	LD	NC	N	NC		
		Arachlor 1254	12/01/17	11/30/24	340	6	.	0	.	LD	NC	N	NC		
		Dieldrin	12/01/17	11/30/24	61.8	6	.	0	.	LD	NC	N	NC		
		Copper	12/01/17	11/30/24	149	6	.	0	.	LD	NC	N	NC		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1590	4	.	0	.	LD	NC	N	NC		
		DDD	12/01/17	11/30/24	28	6	.	0	.	LD	NC	N	NC		
		Diazinon	12/01/17	11/30/24	7.3	6	.	0	.	LD	NC	N	NC		
		Dimethyl phthalate	12/01/17	11/30/24	8900	6	.	0	.	LD	NC	N	NC		
		DDE	12/01/17	11/30/24	31.3	6	.	0	.	LD	NC	N	NC		
		Aldrin	12/01/17	11/30/24	80	6	.	0	.	LD	NC	N	NC		
		Di-n-butyl phthalate	12/01/17	11/30/24	80000	6	.	0	.	LD	NC	N	NC		
		Endosulfan I (alpha)	12/01/17	11/30/24	7.4	6	.	0	.	LD	NC	N	NC		
		Di-n-octyl phthalate	12/01/17	11/30/24	1100	6	.	0	.	LD	NC	N	NC		
		Fluoranthene	12/01/17	11/30/24	2230	6	.	0	.	LD	NC	N	NC		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	1200	6	.	0	.	LD	NC	N	NC		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	202	6	.	0	.	LD	NC	N	NC		
		Pyrene	12/01/17	11/30/24	1520	6	.	0	.	LD	NC	N	NC		
		Toxaphene	12/01/17	11/30/24	32	6	.	0	.	LD	NC	N	NC		
		Methoxychlor	12/01/17	11/30/24	95	6	.	0	.	LD	NC	N	NC		
		Pentachlorobenzene	12/01/17	11/30/24	2660	4	.	0	.	LD	NC	N	NC		
		Malathion	12/01/17	11/30/24	6.2	6	.	0	.	LD	NC	N	NC		
		PCBs	12/01/17	11/30/24	676	6	.	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	1.06	5	.	0	.	LD	NC	N	NC		
		Lead	12/01/17	11/30/24	128	6	.	0	.	LD	NC	N	NC		
		Nitrobenzene	12/01/17	11/30/24	6290	6	.	0	.	LD	NC	N	NC		
		Nickel	12/01/17	11/30/24	48.6	6	.	0	.	LD	NC	N	NC		
		Silver	12/01/17	11/30/24	1.7	6	.	0	.	LD	NC	N	NC		
		Iron	12/01/17	11/30/24	40000	6	.	0	.	LD	NC	N	NC		
		Naphthalene	12/01/17	11/30/24	561	6	.	0	.	LD	NC	N	NC		
		Zinc	12/01/17	11/30/24	459	6	.	0	.	LD	NC	N	NC		
		Parathion (ethyl)	12/01/17	11/30/24	3.7	6	.	0	.	LD	NC	N	NC		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	150000	6	.	0	.	LD	NC	N	NC		
		Manganese	12/01/17	11/30/24	1100	6	.	0	.	LD	NC	N	NC		
		Phenanthrene	12/01/17	11/30/24	1170	6	.	0	.	LD	NC	N	NC		
		Hexachloroethane	12/01/17	11/30/24	3945	6	.	0	.	LD	NC	N	NC		
		Phenol (single compound)	12/01/17	11/30/24	210	6	.	0	.	LD	NC	N	NC		
		Hexachlorobenzene (HCB)	12/01/17	11/30/24	240	6	.	0	.	LD	NC	N	NC		
		Endrin	12/01/17	11/30/24	207	6	.	0	.	LD	NC	N	NC		
		Hexachlorobutadiene (HCBd)	12/01/17	11/30/24	550	6	.	0	.	LD	NC	N	NC		
		Heptachlor	12/01/17	11/30/24	2.74	6	.	0	.	LD	NC	N	NC		
		Heptachlor epoxide	12/01/17	11/30/24	16	6	.	0	.	LD	NC	N	NC		
		gamma-BHC (Lindane)	12/01/17	11/30/24	4.99	6	.	0	.	LD	NC	N	NC		
		Fluorene	12/01/17	11/30/24	536	6	.	0	.	LD	NC	N	NC		
		Endosulfan II (beta)	12/01/17	11/30/24	35	6	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1002 - Lake Houston AU ID: 1002_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Fish Consumption Use	HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/17	11/30/24	1.15	10	0.27	0	.	AD	FS	N	FS		
		Nickel (dissolved)	12/01/17	11/30/24	332	10	2.5	0	.	AD	FS	N	FS		
		Mercury	12/01/17	11/30/24	0.01	7	0	0	.	LD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/17	11/30/24	50	789	12.12	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/17	11/30/24	400	792	157.31	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	788	28.03	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	79	.	6	9.25	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	79	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Ammonia	12/01/17	11/30/24	0.11	83	.	2	0.17	JQ	NA	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	26.7	29	.	16	37.44	JQ	NA	N	NA		
		Total phosphorus	12/01/17	11/30/24	0.2	83	.	67	0.29	JQ	NA	N	NA		
		Nitrate	12/01/17	11/30/24	0.37	83	.	32	0.9	JQ	NA	N	NA		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	83	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Selenium	12/01/17	11/30/24	50	10	0.73	0	.	AD	FS	N	FS		
		Nitrate	12/01/17	11/30/24	10	792	0.62	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	12/01/17	11/30/24	10	10	1.99	0	.	AD	FS	N	FS		
		Cadmium (dissolved)	12/01/17	11/30/24	5	10	0.07	0	.	AD	FS	N	FS		
		Lead (dissolved)	12/01/17	11/30/24	1.15	10	0.27	0	.	AD	FS	N	FS		
		Mercury	12/01/17	11/30/24	0.01	7	0	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/17	11/30/24	332	10	2.5	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	56	0.13	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	82	14.21	0	.	AD	FS	N	FS		

Seg ID: 1002 - Lake Houston AU ID: 1002_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	101	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	101	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Toxaphene	12/01/17	11/30/24	32	6	.	0	.	LD	NC	N	NC		
		Silver	12/01/17	11/30/24	1.7	6	.	0	.	LD	NC	N	NC		
		Pyrene	12/01/17	11/30/24	1520	6	.	0	.	LD	NC	N	NC		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	1200	6	.	0	.	LD	NC	N	NC		
		Phenanthrene	12/01/17	11/30/24	1170	6	.	0	.	LD	NC	N	NC		
		Pentachlorobenzene	12/01/17	11/30/24	2660	4	.	0	.	LD	NC	N	NC		
		Nitrobenzene	12/01/17	11/30/24	6290	6	.	0	.	LD	NC	N	NC		
		Nickel	12/01/17	11/30/24	48.6	6	.	0	.	LD	NC	N	NC		
		Parathion (ethyl)	12/01/17	11/30/24	3.7	6	.	0	.	LD	NC	N	NC		
		Naphthalene	12/01/17	11/30/24	561	6	.	0	.	LD	NC	N	NC		
		Methoxychlor	12/01/17	11/30/24	95	6	.	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	1.06	5	.	0	.	LD	NC	N	NC		
		Malathion	12/01/17	11/30/24	6.2	6	.	0	.	LD	NC	N	NC		
		Lead	12/01/17	11/30/24	128	6	.	0	.	LD	NC	N	NC		
		Iron	12/01/17	11/30/24	40000	6	.	0	.	LD	NC	N	NC		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	202	6	.	0	.	LD	NC	N	NC		
		Hexachlorobutadiene (HCBd)	12/01/17	11/30/24	550	6	.	0	.	LD	NC	N	NC		
		Hexachlorobenzene (HCB)	12/01/17	11/30/24	240	6	.	0	.	LD	NC	N	NC		
		Fluorene	12/01/17	11/30/24	536	6	.	0	.	LD	NC	N	NC		
		DDD	12/01/17	11/30/24	28	6	.	0	.	LD	NC	N	NC		
		Endosulfan II (beta)	12/01/17	11/30/24	35	6	.	0	.	LD	NC	N	NC		
		gamma-BHC (Lindane)	12/01/17	11/30/24	4.99	6	.	0	.	LD	NC	N	NC		
		Fluoranthene	12/01/17	11/30/24	2230	6	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1002 - Lake Houston AU ID: 1002_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	DDT	12/01/17	11/30/24	62.9	6	.	0	.	LD	NC	N	NC		
		Endrin	12/01/17	11/30/24	207	6	.	0	.	LD	NC	N	NC		
		Endosulfan I (alpha)	12/01/17	11/30/24	7.4	6	.	0	.	LD	NC	N	NC		
		Heptachlor epoxide	12/01/17	11/30/24	16	6	.	0	.	LD	NC	N	NC		
		Hexachloroethane	12/01/17	11/30/24	3945	6	.	0	.	LD	NC	N	NC		
		Di-n-butyl phthalate	12/01/17	11/30/24	80000	6	.	0	.	LD	NC	N	NC		
		Dieldrin	12/01/17	11/30/24	61.8	6	.	0	.	LD	NC	N	NC		
		Diethyl phthalate	12/01/17	11/30/24	11000	6	.	0	.	LD	NC	N	NC		
		delta-BHC	12/01/17	11/30/24	2300	6	.	0	.	LD	NC	N	NC		
		Manganese	12/01/17	11/30/24	1100	6	.	0	.	LD	NC	N	NC		
		Copper	12/01/17	11/30/24	149	6	.	0	.	LD	NC	N	NC		
		Chromium	12/01/17	11/30/24	111	6	.	0	.	LD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	22000	6	.	0	.	LD	NC	N	NC		
		Cadmium	12/01/17	11/30/24	4.98	6	.	0	.	LD	NC	N	NC		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	150000	6	.	0	.	LD	NC	N	NC		
		Benzoic acid	12/01/17	11/30/24	3800	4	.	0	.	LD	NC	N	NC		
		PCBs	12/01/17	11/30/24	676	6	.	0	.	LD	NC	N	NC		
		Benzo(a)anthracene	12/01/17	11/30/24	1050	6	.	0	.	LD	NC	N	NC		
		Anthracene	12/01/17	11/30/24	845	6	.	0	.	LD	NC	N	NC		
		Benzo(a)pyrene	12/01/17	11/30/24	1450	6	.	0	.	LD	NC	N	NC		
		Arachlor 1254	12/01/17	11/30/24	340	6	.	0	.	LD	NC	N	NC		
		Phenol (single compound)	12/01/17	11/30/24	210	6	.	0	.	LD	NC	N	NC		
		Zinc	12/01/17	11/30/24	459	6	.	0	.	LD	NC	N	NC		
		Arachlor 1248	12/01/17	11/30/24	1500	6	.	0	.	LD	NC	N	NC		
		Arachlor1260	12/01/17	11/30/24	240	6	.	0	.	LD	NC	N	NC		
		Arachlor 1016	12/01/17	11/30/24	530	6	.	0	.	LD	NC	N	NC		
		Arsenic	12/01/17	11/30/24	33	6	.	0	.	LD	NC	N	NC		
		Aldrin	12/01/17	11/30/24	80	6	.	0	.	LD	NC	N	NC		
		alpha-BHC	12/01/17	11/30/24	100	6	.	0	.	LD	NC	N	NC		
		Acenaphthylene	12/01/17	11/30/24	128	6	.	0	.	LD	NC	N	NC		
		Chlordane	12/01/17	11/30/24	17.6	6	.	0	.	LD	NC	N	NC		
		Acenaphthene	12/01/17	11/30/24	88.9	6	.	0	.	LD	NC	N	NC		
		3-Methyl-4-chlorophenol	12/01/17	11/30/24	5620	6	.	0	.	LD	NC	N	NC		
		Chrysene	12/01/17	11/30/24	1290	6	.	0	.	LD	NC	N	NC		
		Heptachlor	12/01/17	11/30/24	2.74	6	.	0	.	LD	NC	N	NC		
		2,4-Dinitrotoluene	12/01/17	11/30/24	8020	6	.	0	.	LD	NC	N	NC		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	135	6	.	0	.	LD	NC	N	NC		
		Di-n-octyl phthalate	12/01/17	11/30/24	1100	6	.	0	.	LD	NC	N	NC		
		1,3-Dichlorobenzene	12/01/17	11/30/24	350	6	.	0	.	LD	NC	N	NC		
		Diazinon	12/01/17	11/30/24	7.3	6	.	0	.	LD	NC	N	NC		
		Dimethyl phthalate	12/01/17	11/30/24	8900	6	.	0	.	LD	NC	N	NC		
		2-Methylnaphthalene	12/01/17	11/30/24	201	6	.	0	.	LD	NC	N	NC		
		beta-BHC	12/01/17	11/30/24	210	6	.	0	.	LD	NC	N	NC		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4650	6	.	0	.	LD	NC	N	NC		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1590	4	.	0	.	LD	NC	N	NC		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	5310	6	.	0	.	LD	NC	N	NC		
		DDE	12/01/17	11/30/24	31.3	6	.	0	.	LD	NC	N	NC		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4950	6	.	0	.	LD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/17	11/30/24	1.15	10	0.27	0	.	AD	FS	N	FS		
		Nickel (dissolved)	12/01/17	11/30/24	332	10	2.5	0	.	AD	FS	N	FS		
		Mercury	12/01/17	11/30/24	0.01	7	0	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1002 - Lake Houston AU ID: 1002_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	792	157.31	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	789	12.12	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	788	28.03	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	97	.	3	9.1	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	97	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	0.37	101	.	37	0.77	JQ	NA	N	NA		
		Ammonia	12/01/17	11/30/24	0.11	101	.	2	0.23	JQ	NA	N	NA		
		Total phosphorus	12/01/17	11/30/24	0.2	101	.	55	0.26	JQ	NA	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	26.7	18	.	12	47.15	JQ	NA	N	NA		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	101	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Selenium	12/01/17	11/30/24	50	10	0.73	0	.	AD	FS	N	FS		
		Nitrate	12/01/17	11/30/24	10	792	0.62	0	.	AD	FS	N	FS		
		Nickel (dissolved)	12/01/17	11/30/24	332	10	2.5	0	.	AD	FS	N	FS		
		Cadmium (dissolved)	12/01/17	11/30/24	5	10	0.07	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	12/01/17	11/30/24	10	10	1.99	0	.	AD	FS	N	FS		
		Mercury	12/01/17	11/30/24	0.01	7	0	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/17	11/30/24	1.15	10	0.27	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	56	0.13	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	100	30.71	0	.	AD	FS	N	FS		

Seg ID: 1002 - Lake Houston AU ID: 1002_05															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Nickel (dissolved)	12/01/17	11/30/24	278.19	10	.	0	.	AD	FS	N	FS		
		Zinc (dissolved)	12/01/17	11/30/24	69.56	10	.	0	.	AD	FS	N	FS		
		Selenium	12/01/17	11/30/24	20	10	.	0	.	AD	FS	N	FS		
		Mercury	12/01/17	11/30/24	2.4	7	.	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/17	11/30/24	32.85	10	.	0	.	AD	FS	N	FS		
		Copper (dissolved)	12/01/17	11/30/24	7.95	9	.	0	.	LD	NC	N	NC		
		Chromium (Tri)(dissolved)	12/01/17	11/30/24	344.18	10	.	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	12/01/17	11/30/24	340	10	.	0	.	AD	FS	N	FS		
		Cadmium (dissolved)	12/01/17	11/30/24	4.72	10	.	0	.	AD	FS	N	FS		
		Aluminum (dissolved)	12/01/17	11/30/24	991	10	.	0	.	AD	FS	N	FS		
	Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/17	11/30/24	39.24	10	2	0	.	AD	FS	N	FS		
		Nickel (dissolved)	12/01/17	11/30/24	26.96	10	2.5	0	.	AD	FS	N	FS		
		Selenium	12/01/17	11/30/24	5	10	0.48	0	.	AD	FS	N	FS		
		Mercury	12/01/17	11/30/24	1.3	7	0	0	.	LD	NC	N	NC		
		Zinc (dissolved)	12/01/17	11/30/24	61.19	10	2	0	.	AD	FS	N	FS		
		Lead (dissolved)	12/01/17	11/30/24	1.07	10	0.27	0	.	AD	FS	N	FS		
		Copper (dissolved)	12/01/17	11/30/24	4.88	9	1.73	0	.	LD	NC	N	NC		
		Cadmium (dissolved)	12/01/17	11/30/24	0.14	10	0.05	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	12/01/17	11/30/24	150	10	2.12	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	20	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	20	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Zinc	12/01/17	11/30/24	459	6	.	0	.	LD	NC	N	NC		
		Toxaphene	12/01/17	11/30/24	32	6	.	0	.	LD	NC	N	NC		
		Pyrene	12/01/17	11/30/24	1520	6	.	0	.	LD	NC	N	NC		
		Phenanthrene	12/01/17	11/30/24	1170	6	.	0	.	LD	NC	N	NC		
		Pentachlorobenzene	12/01/17	11/30/24	2660	4	.	0	.	LD	NC	N	NC		
		PCBs	12/01/17	11/30/24	676	6	.	0	.	LD	NC	N	NC		
		Parathion (ethyl)	12/01/17	11/30/24	3.7	6	.	0	.	LD	NC	N	NC		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	150000	6	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1002 - Lake Houston AU ID: 1002_05															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Naphthalene	12/01/17	11/30/24	561	6	.	0	.	LD	NC	N	NC		
		Nitrobenzene	12/01/17	11/30/24	6290	6	.	0	.	LD	NC	N	NC		
		Methoxychlor	12/01/17	11/30/24	95	6	.	0	.	LD	NC	N	NC		
		Nickel	12/01/17	11/30/24	48.6	6	.	0	.	LD	NC	N	NC		
		Manganese	12/01/17	11/30/24	1100	6	.	0	.	LD	NC	N	NC		
		Malathion	12/01/17	11/30/24	6.2	6	.	0	.	LD	NC	N	NC		
		Iron	12/01/17	11/30/24	40000	6	.	0	.	LD	NC	N	NC		
		Hexachlorobutadiene (HCBd)	12/01/17	11/30/24	550	6	.	0	.	LD	NC	N	NC		
		Fluoranthene	12/01/17	11/30/24	2230	6	.	0	.	LD	NC	N	NC		
		Heptachlor	12/01/17	11/30/24	2.74	6	.	0	.	LD	NC	N	NC		
		Fluorene	12/01/17	11/30/24	536	6	.	0	.	LD	NC	N	NC		
		gamma-BHC (Lindane)	12/01/17	11/30/24	4.99	6	.	0	.	LD	NC	N	NC		
		Endrin	12/01/17	11/30/24	207	6	.	0	.	LD	NC	N	NC		
		Di-n-butyl phthalate	12/01/17	11/30/24	80000	6	.	0	.	LD	NC	N	NC		
		Di-n-octyl phthalate	12/01/17	11/30/24	1100	6	.	0	.	LD	NC	N	NC		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	135	6	.	0	.	LD	NC	N	NC		
		delta-BHC	12/01/17	11/30/24	2300	6	.	0	.	LD	NC	N	NC		
		Dieldrin	12/01/17	11/30/24	61.8	6	.	0	.	LD	NC	N	NC		
		DDT	12/01/17	11/30/24	62.9	6	.	0	.	LD	NC	N	NC		
		DDE	12/01/17	11/30/24	31.3	6	.	0	.	LD	NC	N	NC		
		Diazinon	12/01/17	11/30/24	7.3	6	.	0	.	LD	NC	N	NC		
		Diethyl phthalate	12/01/17	11/30/24	11000	6	.	0	.	LD	NC	N	NC		
		Chromium	12/01/17	11/30/24	111	6	.	0	.	LD	NC	N	NC		
		Chrysene	12/01/17	11/30/24	1290	6	.	0	.	LD	NC	N	NC		
		DDD	12/01/17	11/30/24	28	6	.	0	.	LD	NC	N	NC		
		Chlordane	12/01/17	11/30/24	17.6	6	.	0	.	LD	NC	N	NC		
		Copper	12/01/17	11/30/24	149	6	.	0	.	LD	NC	N	NC		
		Endosulfan I (alpha)	12/01/17	11/30/24	7.4	6	.	0	.	LD	NC	N	NC		
		Cadmium	12/01/17	11/30/24	4.98	6	.	0	.	LD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	22000	6	.	0	.	LD	NC	N	NC		
		beta-BHC	12/01/17	11/30/24	210	6	.	0	.	LD	NC	N	NC		
		Dimethyl phthalate	12/01/17	11/30/24	8900	6	.	0	.	LD	NC	N	NC		
		Benzoic acid	12/01/17	11/30/24	3800	4	.	0	.	LD	NC	N	NC		
		Heptachlor epoxide	12/01/17	11/30/24	16	6	.	0	.	LD	NC	N	NC		
		Benzo(a)pyrene	12/01/17	11/30/24	1450	6	.	0	.	LD	NC	N	NC		
		Lead	12/01/17	11/30/24	128	6	.	0	.	LD	NC	N	NC		
		Benzo(a)anthracene	12/01/17	11/30/24	1050	6	.	0	.	LD	NC	N	NC		
		Arsenic	12/01/17	11/30/24	33	6	.	0	.	LD	NC	N	NC		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	202	6	.	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	1.06	5	.	0	.	LD	NC	N	NC		
		Arachlor 1254	12/01/17	11/30/24	340	6	.	0	.	LD	NC	N	NC		
		Arachlor 1248	12/01/17	11/30/24	1500	6	.	0	.	LD	NC	N	NC		
		Hexachlorobenzene (HCB)	12/01/17	11/30/24	240	6	.	0	.	LD	NC	N	NC		
		Hexachloroethane	12/01/17	11/30/24	3945	6	.	0	.	LD	NC	N	NC		
		Arachlor 1016	12/01/17	11/30/24	530	6	.	0	.	LD	NC	N	NC		
		Anthracene	12/01/17	11/30/24	845	6	.	0	.	LD	NC	N	NC		
		Arachlor1260	12/01/17	11/30/24	240	6	.	0	.	LD	NC	N	NC		
		alpha-BHC	12/01/17	11/30/24	100	6	.	0	.	LD	NC	N	NC		
		Acenaphthylene	12/01/17	11/30/24	128	6	.	0	.	LD	NC	N	NC		
		Acenaphthene	12/01/17	11/30/24	88.9	6	.	0	.	LD	NC	N	NC		
		3-Methyl-4-chlorophenol	12/01/17	11/30/24	5620	6	.	0	.	LD	NC	N	NC		
		2-Methylnaphthalene	12/01/17	11/30/24	201	6	.	0	.	LD	NC	N	NC		
		Aldrin	12/01/17	11/30/24	80	6	.	0	.	LD	NC	N	NC		
		2,4-Dinitrotoluene	12/01/17	11/30/24	8020	6	.	0	.	LD	NC	N	NC		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4650	6	.	0	.	LD	NC	N	NC		
		1,3-Dichlorobenzene	12/01/17	11/30/24	350	6	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1002 - Lake Houston AU ID: 1002_05															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	1,2-Dichlorobenzene	12/01/17	11/30/24	4950	6	.	0	.	LD	NC	N	NC		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1590	4	.	0	.	LD	NC	N	NC		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	1200	6	.	0	.	LD	NC	N	NC		
		Phenol (single compound)	12/01/17	11/30/24	210	6	.	0	.	LD	NC	N	NC		
		Silver	12/01/17	11/30/24	1.7	6	.	0	.	LD	NC	N	NC		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	5310	6	.	0	.	LD	NC	N	NC		
		Endosulfan II (beta)	12/01/17	11/30/24	35	6	.	0	.	LD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Mercury	12/01/17	11/30/24	0.01	7	0	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/17	11/30/24	332	10	2.5	0	.	AD	FS	N	FS		
		Lead (dissolved)	12/01/17	11/30/24	1.15	10	0.27	0	.	AD	FS	N	FS		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	792	157.31	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	789	12.12	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	788	28.03	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	20	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	20	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	0.37	20	.	12	0.9	JQ	NA	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	26.7	18	.	10	51	JQ	NA	N	NA		
		Total phosphorus	12/01/17	11/30/24	0.2	20	.	7	0.3	JQ	NA	N	NA		
		Ammonia	12/01/17	11/30/24	0.11	19	.	0	.	JQ	NA	N	NA		
		Water Temperature	Water temperature	12/01/17	11/30/24	32.2	20	.	0	.	AD	FS	N	FS	
Public Water Supply Use	Surface Water HH criteria for PWS average	Arsenic (dissolved)	12/01/17	11/30/24	10	10	1.99	0	.	AD	FS	N	FS		
		Selenium	12/01/17	11/30/24	50	10	0.73	0	.	AD	FS	N	FS		
		Nitrate	12/01/17	11/30/24	10	792	0.62	0	.	AD	FS	N	FS		
		Nickel (dissolved)	12/01/17	11/30/24	332	10	2.5	0	.	AD	FS	N	FS		
		Mercury	12/01/17	11/30/24	0.01	7	0	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/17	11/30/24	1.15	10	0.27	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	56	0.13	0	.	AD	FS	N	FS		
		Cadmium (dissolved)	12/01/17	11/30/24	5	10	0.07	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	19	55.95	0	.	LD	NC	N	NC		

Seg ID: 1002 - Lake Houston AU ID: 1002_06															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	99	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	99	.	2	4.35	AD	NC	N	NC		
	Toxic Substances in sediment	Lead	12/01/17	11/30/24	128	6	.	0	.	LD	NC	N	NC		
		Parathion (ethyl)	12/01/17	11/30/24	3.7	6	.	0	.	LD	NC	N	NC		
		Zinc	12/01/17	11/30/24	459	6	.	0	.	LD	NC	N	NC		
		Silver	12/01/17	11/30/24	1.7	6	.	0	.	LD	NC	N	NC		
		Pyrene	12/01/17	11/30/24	1520	6	.	0	.	LD	NC	N	NC		
		Phenol (single compound)	12/01/17	11/30/24	210	6	.	0	.	LD	NC	N	NC		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	1200	6	.	0	.	LD	NC	N	NC		
		Pentachlorobenzene	12/01/17	11/30/24	2660	4	.	0	.	LD	NC	N	NC		
		PCBs	12/01/17	11/30/24	676	6	.	0	.	LD	NC	N	NC		
		Nitrobenzene	12/01/17	11/30/24	6290	6	.	0	.	LD	NC	N	NC		
		Nickel	12/01/17	11/30/24	48.6	6	.	0	.	LD	NC	N	NC		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	150000	6	.	0	.	LD	NC	N	NC		
		Naphthalene	12/01/17	11/30/24	561	6	.	0	.	LD	NC	N	NC		
		Methoxychlor	12/01/17	11/30/24	95	6	.	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	1.06	5	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1002 - Lake Houston AU ID: 1002_06															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Manganese	12/01/17	11/30/24	1100	6	.	0	.	LD	NC	N	NC		
		Malathion	12/01/17	11/30/24	6.2	6	.	0	.	LD	NC	N	NC		
		Iron	12/01/17	11/30/24	40000	6	.	0	.	LD	NC	N	NC		
		Hexachloroethane	12/01/17	11/30/24	3945	6	.	0	.	LD	NC	N	NC		
		Hexachlorobutadiene (HCBd)	12/01/17	11/30/24	550	6	.	0	.	LD	NC	N	NC		
		Hexachlorobenzene (HCB)	12/01/17	11/30/24	240	6	.	0	.	LD	NC	N	NC		
		Heptachlor epoxide	12/01/17	11/30/24	16	6	.	0	.	LD	NC	N	NC		
		Arachlor 1254	12/01/17	11/30/24	340	6	.	0	.	LD	NC	N	NC		
		Fluoranthene	12/01/17	11/30/24	2230	6	.	0	.	LD	NC	N	NC		
		Endrin	12/01/17	11/30/24	207	6	.	0	.	LD	NC	N	NC		
		Endosulfan II (beta)	12/01/17	11/30/24	35	6	.	0	.	LD	NC	N	NC		
		Di-n-octyl phthalate	12/01/17	11/30/24	1100	6	.	0	.	LD	NC	N	NC		
		Dieldrin	12/01/17	11/30/24	61.8	6	.	0	.	LD	NC	N	NC		
		DDT	12/01/17	11/30/24	62.9	6	.	0	.	LD	NC	N	NC		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	202	6	.	0	.	LD	NC	N	NC		
		DDE	12/01/17	11/30/24	31.3	6	.	0	.	LD	NC	N	NC		
		DDD	12/01/17	11/30/24	28	6	.	0	.	LD	NC	N	NC		
		Copper	12/01/17	11/30/24	149	6	.	0	.	LD	NC	N	NC		
		Diazinon	12/01/17	11/30/24	7.3	6	.	0	.	LD	NC	N	NC		
		Chrysene	12/01/17	11/30/24	1290	6	.	0	.	LD	NC	N	NC		
		delta-BHC	12/01/17	11/30/24	2300	6	.	0	.	LD	NC	N	NC		
		Chlordane	12/01/17	11/30/24	17.6	6	.	0	.	LD	NC	N	NC		
		Cadmium	12/01/17	11/30/24	4.98	6	.	0	.	LD	NC	N	NC		
		Chromium	12/01/17	11/30/24	111	6	.	0	.	LD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	22000	6	.	0	.	LD	NC	N	NC		
		Phenanthrene	12/01/17	11/30/24	1170	6	.	0	.	LD	NC	N	NC		
		Toxaphene	12/01/17	11/30/24	32	6	.	0	.	LD	NC	N	NC		
		Di-n-butyl phthalate	12/01/17	11/30/24	80000	6	.	0	.	LD	NC	N	NC		
		Dimethyl phthalate	12/01/17	11/30/24	8900	6	.	0	.	LD	NC	N	NC		
		Benzoic acid	12/01/17	11/30/24	3800	4	.	0	.	LD	NC	N	NC		
		Benzo(a)anthracene	12/01/17	11/30/24	1050	6	.	0	.	LD	NC	N	NC		
		beta-BHC	12/01/17	11/30/24	210	6	.	0	.	LD	NC	N	NC		
		Endosulfan I (alpha)	12/01/17	11/30/24	7.4	6	.	0	.	LD	NC	N	NC		
		Arsenic	12/01/17	11/30/24	33	6	.	0	.	LD	NC	N	NC		
		Fluorene	12/01/17	11/30/24	536	6	.	0	.	LD	NC	N	NC		
		Arachlor1260	12/01/17	11/30/24	240	6	.	0	.	LD	NC	N	NC		
		gamma-BHC (Lindane)	12/01/17	11/30/24	4.99	6	.	0	.	LD	NC	N	NC		
		Benzo(a)pyrene	12/01/17	11/30/24	1450	6	.	0	.	LD	NC	N	NC		
		Arachlor 1248	12/01/17	11/30/24	1500	6	.	0	.	LD	NC	N	NC		
		Arachlor 1016	12/01/17	11/30/24	530	6	.	0	.	LD	NC	N	NC		
		alpha-BHC	12/01/17	11/30/24	100	6	.	0	.	LD	NC	N	NC		
		Heptachlor	12/01/17	11/30/24	2.74	6	.	0	.	LD	NC	N	NC		
		Anthracene	12/01/17	11/30/24	845	6	.	0	.	LD	NC	N	NC		
		Aldrin	12/01/17	11/30/24	80	6	.	0	.	LD	NC	N	NC		
		Diethyl phthalate	12/01/17	11/30/24	11000	6	.	0	.	LD	NC	N	NC		
		2-Methylnaphthalene	12/01/17	11/30/24	201	6	.	0	.	LD	NC	N	NC		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4950	6	.	0	.	LD	NC	N	NC		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	5310	6	.	0	.	LD	NC	N	NC		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1590	4	.	0	.	LD	NC	N	NC		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4650	6	.	0	.	LD	NC	N	NC		
		2,4-Dinitrotoluene	12/01/17	11/30/24	8020	6	.	0	.	LD	NC	N	NC		
		Acenaphthylene	12/01/17	11/30/24	128	6	.	0	.	LD	NC	N	NC		
		1,3-Dichlorobenzene	12/01/17	11/30/24	350	6	.	0	.	LD	NC	N	NC		
		Acenaphthene	12/01/17	11/30/24	88.9	6	.	0	.	LD	NC	N	NC		
		3-Methyl-4-chlorophenol	12/01/17	11/30/24	5620	6	.	0	.	LD	NC	N	NC		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	135	6	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1002 - Lake Houston AU ID: 1002_06															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Fish Consumption Use	HH Bioaccumulative Toxics in water	Mercury	12/01/17	11/30/24	0.01	7	0	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/17	11/30/24	1.15	10	0.27	0	.	AD	FS	N	FS		
		Nickel (dissolved)	12/01/17	11/30/24	332	10	2.5	0	.	AD	FS	N	FS		
General Use	Dissolved Solids	Chloride	12/01/17	11/30/24	100	788	28.03	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	789	12.12	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/17	11/30/24	400	792	157.31	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	95	.	4	9.2	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	95	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	0.37	99	.	93	2.38	JQ	NA	N	NA		
		Total phosphorus	12/01/17	11/30/24	0.2	98	.	95	0.71	JQ	NA	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	26.7	18	.	5	34.68	JQ	NA	N	NA		
		Ammonia	12/01/17	11/30/24	0.11	98	.	27	0.17	JQ	NA	N	NA		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	99	.	3	32.47	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Lead (dissolved)	12/01/17	11/30/24	1.15	10	0.27	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	56	0.13	0	.	AD	FS	N	FS		
		Selenium	12/01/17	11/30/24	50	10	0.73	0	.	AD	FS	N	FS		
		Nickel (dissolved)	12/01/17	11/30/24	332	10	2.5	0	.	AD	FS	N	FS		
		Nitrate	12/01/17	11/30/24	10	792	0.62	0	.	AD	FS	N	FS		
		Mercury	12/01/17	11/30/24	0.01	7	0	0	.	LD	NC	N	NC		
		Cadmium (dissolved)	12/01/17	11/30/24	5	10	0.07	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	12/01/17	11/30/24	10	10	1.99	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	98	97.33	0	.	AD	FS	N	FS		

Seg ID: 1002 - Lake Houston AU ID: 1002_07															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	82	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	82	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Zinc	12/01/17	11/30/24	459	6	.	0	.	LD	NC	N	NC		
		Toxaphene	12/01/17	11/30/24	32	6	.	0	.	LD	NC	N	NC		
		Pyrene	12/01/17	11/30/24	1520	6	.	0	.	LD	NC	N	NC		
		Phenanthrene	12/01/17	11/30/24	1170	6	.	0	.	LD	NC	N	NC		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	1200	6	.	0	.	LD	NC	N	NC		
		Pentachlorobenzene	12/01/17	11/30/24	2660	4	.	0	.	LD	NC	N	NC		
		Parathion (ethyl)	12/01/17	11/30/24	3.7	6	.	0	.	LD	NC	N	NC		
		Nitrobenzene	12/01/17	11/30/24	6290	6	.	0	.	LD	NC	N	NC		
		Nickel	12/01/17	11/30/24	48.6	6	.	0	.	LD	NC	N	NC		
		Methoxychlor	12/01/17	11/30/24	95	6	.	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	1.06	5	.	0	.	LD	NC	N	NC		
		Iron	12/01/17	11/30/24	40000	6	.	0	.	LD	NC	N	NC		
		Hexachlorobenzene (HCB)	12/01/17	11/30/24	240	6	.	0	.	LD	NC	N	NC		
		gamma-BHC (Lindane)	12/01/17	11/30/24	4.99	6	.	0	.	LD	NC	N	NC		
		Fluorene	12/01/17	11/30/24	536	6	.	0	.	LD	NC	N	NC		
		Endosulfan II (beta)	12/01/17	11/30/24	35	6	.	0	.	LD	NC	N	NC		
		Endosulfan I (alpha)	12/01/17	11/30/24	7.4	6	.	0	.	LD	NC	N	NC		
		Di-n-octyl phthalate	12/01/17	11/30/24	1100	6	.	0	.	LD	NC	N	NC		
		Dimethyl phthalate	12/01/17	11/30/24	8900	6	.	0	.	LD	NC	N	NC		
		Di-n-butyl phthalate	12/01/17	11/30/24	80000	6	.	0	.	LD	NC	N	NC		
		Diethyl phthalate	12/01/17	11/30/24	11000	6	.	0	.	LD	NC	N	NC		
		Dieldrin	12/01/17	11/30/24	61.8	6	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1002 - Lake Houston AU ID: 1002_07															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Endrin	12/01/17	11/30/24	207	6	.	0	.	LD	NC	N	NC		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	135	6	.	0	.	LD	NC	N	NC		
		Fluoranthene	12/01/17	11/30/24	2230	6	.	0	.	LD	NC	N	NC		
		Diazinon	12/01/17	11/30/24	7.3	6	.	0	.	LD	NC	N	NC		
		delta-BHC	12/01/17	11/30/24	2300	6	.	0	.	LD	NC	N	NC		
		Heptachlor	12/01/17	11/30/24	2.74	6	.	0	.	LD	NC	N	NC		
		Heptachlor epoxide	12/01/17	11/30/24	16	6	.	0	.	LD	NC	N	NC		
		DDE	12/01/17	11/30/24	31.3	6	.	0	.	LD	NC	N	NC		
		Hexachlorobutadiene (HCBD)	12/01/17	11/30/24	550	6	.	0	.	LD	NC	N	NC		
		DDD	12/01/17	11/30/24	28	6	.	0	.	LD	NC	N	NC		
		Copper	12/01/17	11/30/24	149	6	.	0	.	LD	NC	N	NC		
		Chrysene	12/01/17	11/30/24	1290	6	.	0	.	LD	NC	N	NC		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	202	6	.	0	.	LD	NC	N	NC		
		Chromium	12/01/17	11/30/24	111	6	.	0	.	LD	NC	N	NC		
		DDT	12/01/17	11/30/24	62.9	6	.	0	.	LD	NC	N	NC		
		Chlordane	12/01/17	11/30/24	17.6	6	.	0	.	LD	NC	N	NC		
		Cadmium	12/01/17	11/30/24	4.98	6	.	0	.	LD	NC	N	NC		
		PCBs	12/01/17	11/30/24	676	6	.	0	.	LD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	22000	6	.	0	.	LD	NC	N	NC		
		Manganese	12/01/17	11/30/24	1100	6	.	0	.	LD	NC	N	NC		
		beta-BHC	12/01/17	11/30/24	210	6	.	0	.	LD	NC	N	NC		
		Phenol (single compound)	12/01/17	11/30/24	210	6	.	0	.	LD	NC	N	NC		
		Silver	12/01/17	11/30/24	1.7	6	.	0	.	LD	NC	N	NC		
		Naphthalene	12/01/17	11/30/24	561	6	.	0	.	LD	NC	N	NC		
		Benzoic acid	12/01/17	11/30/24	3800	4	.	0	.	LD	NC	N	NC		
		Benzo(a)pyrene	12/01/17	11/30/24	1450	6	.	0	.	LD	NC	N	NC		
		Benzo(a)anthracene	12/01/17	11/30/24	1050	6	.	0	.	LD	NC	N	NC		
		Arsenic	12/01/17	11/30/24	33	6	.	0	.	LD	NC	N	NC		
		Malathion	12/01/17	11/30/24	6.2	6	.	0	.	LD	NC	N	NC		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	150000	6	.	0	.	LD	NC	N	NC		
		Arachlor1260	12/01/17	11/30/24	240	6	.	0	.	LD	NC	N	NC		
		Arachlor 1254	12/01/17	11/30/24	340	6	.	0	.	LD	NC	N	NC		
		Arachlor 1016	12/01/17	11/30/24	530	6	.	0	.	LD	NC	N	NC		
		Arachlor 1248	12/01/17	11/30/24	1500	6	.	0	.	LD	NC	N	NC		
		Anthracene	12/01/17	11/30/24	845	6	.	0	.	LD	NC	N	NC		
		alpha-BHC	12/01/17	11/30/24	100	6	.	0	.	LD	NC	N	NC		
		Hexachloroethane	12/01/17	11/30/24	3945	6	.	0	.	LD	NC	N	NC		
		Acenaphthylene	12/01/17	11/30/24	128	6	.	0	.	LD	NC	N	NC		
		Acenaphthene	12/01/17	11/30/24	88.9	6	.	0	.	LD	NC	N	NC		
		Aldrin	12/01/17	11/30/24	80	6	.	0	.	LD	NC	N	NC		
		Lead	12/01/17	11/30/24	128	6	.	0	.	LD	NC	N	NC		
		3-Methyl-4-chlorophenol	12/01/17	11/30/24	5620	6	.	0	.	LD	NC	N	NC		
		1,3-Dichlorobenzene	12/01/17	11/30/24	350	6	.	0	.	LD	NC	N	NC		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4650	6	.	0	.	LD	NC	N	NC		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4950	6	.	0	.	LD	NC	N	NC		
		2,4-Dinitrotoluene	12/01/17	11/30/24	8020	6	.	0	.	LD	NC	N	NC		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	5310	6	.	0	.	LD	NC	N	NC		
		2-Methylnaphthalene	12/01/17	11/30/24	201	6	.	0	.	LD	NC	N	NC		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1590	4	.	0	.	LD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/17	11/30/24	332	10	2.5	0	.	AD	FS	N	FS		
		Mercury	12/01/17	11/30/24	0.01	7	0	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/17	11/30/24	1.15	10	0.27	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1002 - Lake Houston AU ID: 1002_07															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	792	157.31	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	789	12.12	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	788	28.03	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	78	.	1	9.2	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	78	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Ammonia	12/01/17	11/30/24	0.11	82	.	3	0.17	JQ	NA	N	NA		
		Nitrate	12/01/17	11/30/24	0.37	82	.	9	0.43	JQ	NA	N	NA		
		Total phosphorus	12/01/17	11/30/24	0.2	82	.	10	0.27	JQ	NA	N	NA		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	82	.	4	33.2	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	792	0.62	0	.	AD	FS	N	FS		
		Nickel (dissolved)	12/01/17	11/30/24	332	10	2.5	0	.	AD	FS	N	FS		
		Mercury	12/01/17	11/30/24	0.01	7	0	0	.	LD	NC	N	NC		
		Fluoride	12/01/17	11/30/24	4	56	0.13	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	12/01/17	11/30/24	10	10	1.99	0	.	AD	FS	N	FS		
		Selenium	12/01/17	11/30/24	50	10	0.73	0	.	AD	FS	N	FS		
		Lead (dissolved)	12/01/17	11/30/24	1.15	10	0.27	0	.	AD	FS	N	FS		
		Cadmium (dissolved)	12/01/17	11/30/24	5	10	0.07	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	82	31.33	0	.	AD	FS	N	FS		

Seg ID: 1002A - Tarkington Bayou AU ID: 1002A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	35	.	4	2.6	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	35	.	8	3.16	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	1.95	32	.	17	10.46	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	31	.	1	0.81	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.69	32	.	15	2.13	AD	CS	N	CS	Total Phosphorus in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	35	206.18	1	.	AD	NS	N	NS	Bacteria in water	5a

Seg ID: 1002A - Tarkington Bayou AU ID: 1002A_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	4	.	2	2.2	TR	CN	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	4	.	2	2.2	TR	CS	N	NA		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	7	.	0	.	TR	NC	N	NA		
		Nitrate	12/01/17	11/30/24	1.95	7	.	0	.	TR	NC	N	NA		
		Ammonia	12/01/17	11/30/24	0.33	6	.	2	1.37	TR	NC	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	4	139.05	1	.	TR	NA	N	NA		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1002B - Luce Bayou AU ID: 1002B_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	6	.	0	.	TR	NC	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	6	.	2	4.45	TR	CS	N	NA		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	6	.	1	1.24	TR	NC	N	NA		
		Nitrate	12/01/17	11/30/24	1.95	6	.	2	5.54	TR	NC	N	NA		
		Ammonia	12/01/17	11/30/24	0.33	6	.	0	.	TR	NC	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	6	409.31	1	.	TR	NA	N	NA		

Seg ID: 1002B - Luce Bayou AU ID: 1002B_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	3	.	0	.	TR	NA	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	3	.	1	3.3	TR	NA	N	NA		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	5	.	0	.	TR	NC	N	NA		
		Nitrate	12/01/17	11/30/24	1.95	4	.	0	.	TR	NC	N	NA		
		Ammonia	12/01/17	11/30/24	0.33	4	.	0	.	TR	NC	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	3	1503.99	1	.	ID	NA	N	NA		

Seg ID: 1002C - Lake Isabell AU ID: 1002C_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Fish Consumption Use	DSHS Limited Consumption Advisory	Mercury	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Mercury in edible tissue	5c

Seg ID: 1003 - East Fork San Jacinto River AU ID: 1003_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	65	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	65	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	207	124.21	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	207	5.45	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	80	207	29.89	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	8.5	64	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6	64	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	68	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	68	.	1	1.98	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	68	.	3	0.71	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.8	65	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	205	0.25	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	68	174.91	1	.	AD	NS	N	NS	Bacteria in water	4a

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1003 - East Fork San Jacinto River AU ID: 1003_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	87	.	2	2.6	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	87	.	6	3.85	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	207	124.21	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	207	5.45	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	80	207	29.89	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	8.5	86	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6	86	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	96	.	1	0.84	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	95	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	96	.	4	0.42	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.8	87	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	205	0.25	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	90	161.38	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1003 - East Fork San Jacinto River AU ID: 1003_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	48	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	48	.	3	4.73	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	207	124.21	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	207	5.45	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	80	207	29.89	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	8.5	48	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6	48	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	55	.	4	1.22	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	54	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	55	.	1	0.4	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.8	49	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	205	0.25	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	49	220.34	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1003A - Winters Bayou AU ID: 1003A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	89	.	1	2.7	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	89	.	4	3.78	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	129	.	3	1.29	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	125	.	2	2.81	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	129	.	8	0.84	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	95	281.58	1	.	AD	NS	N	NS	Bacteria in water	4a

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1003B - Nebletts Creek AU ID: 1003B_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	28	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	28	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	1.95	27	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.69	28	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	28	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	28	128.3	1	.	AD	CN	N	CN	Bacteria in water	

Seg ID: 1003C - Boswell Creek AU ID: 1003C_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	27	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	27	.	2	2.5	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	27	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	26	.	1	2.58	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	27	.	1	0.4	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	25	137.42	1	.	AD	CN	N	CN	Bacteria in water	

Seg ID: 1004 - West Fork San Jacinto River AU ID: 1004_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	61	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	61	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/17	11/30/24	50	101	19.76	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/17	11/30/24	400	119	258.55	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	101	51.92	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	61	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	61	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	43	.	10	1.07	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	43	.	1	0.37	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	43	.	13	2.78	AD	CS	N	CS	Nitrate in water	
	Water Temperature	Water temperature	12/01/17	11/30/24	35	61	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	101	0.87	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	18	0.12	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	43	159.4	1	.	AD	NS	N	NS	Bacteria in water	4a

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1004 - West Fork San Jacinto River AU ID: 1004_02																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	57	.	0	.	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	57	.	5	4.4	AD	NC	N	NC			
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CN	Impaired macrobenthic community in water		
General Use	Dissolved Solids	Chloride	12/01/17	11/30/24	100	101	51.92	0	.	AD	FS	N	FS			
		Sulfate	12/01/17	11/30/24	50	101	19.76	0	.	AD	FS	N	FS			
		Total dissolved solids	12/01/17	11/30/24	400	119	258.55	0	.	AD	FS	N	FS			
	High pH	pH	12/01/17	11/30/24	9	58	.	0	.	AD	FS	N	FS			
	Low pH	pH	12/01/17	11/30/24	6.5	58	.	0	.	AD	FS	N	FS			
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	58	.	1	4.87	AD	NC	N	NC			
		Nitrate	12/01/17	11/30/24	1.95	58	.	1	2.22	AD	NC	N	NC			
		Chlorophyll-a	12/01/17	11/30/24	14.1	17	.	5	20.88	AD	NC	N	NC			
		Ammonia	12/01/17	11/30/24	0.33	58	.	1	0.4	AD	NC	N	NC			
	Water Temperature	Water temperature	12/01/17	11/30/24	35	58	.	0	.	AD	FS	N	FS			
Public Water Supply Use	Surface Water HH criteria for PWS average	Fluoride	12/01/17	11/30/24	4	18	0.12	0	.	AD	FS	N	FS			
		Nitrate	12/01/17	11/30/24	10	101	0.87	0	.	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	57	180.72	1	.	AD	NS	N	NS	Bacteria in water	4a	

Seg ID: 1004D - Crystal Creek AU ID: 1004D_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	62	.	0	.	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	62	.	0	.	AD	NC	N	NC			
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	42	.	0	.	AD	NC	N	NC			
		Nitrate	12/01/17	11/30/24	1.95	42	.	2	2.2	AD	NC	N	NC			
		Ammonia	12/01/17	11/30/24	0.33	42	.	0	.	AD	NC	N	NC			
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	42	192.38	1	.	AD	NS	N	NS	Bacteria in water	4a	

Seg ID: 1004E - Stewarts Creek AU ID: 1004E_02																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	63	.	1	2.6	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	63	.	2	3.65	AD	NC	N	NC			
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	43	.	13	2.67	AD	CS	N	CS	Total Phosphorus in water		
		Nitrate	12/01/17	11/30/24	1.95	43	.	13	4.19	AD	CS	N	CS	Nitrate in water		
		Ammonia	12/01/17	11/30/24	0.33	43	.	2	2.18	AD	NC	N	NC			
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	43	377.83	1	.	AD	NS	N	NS	Bacteria in water	4a	

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1004J - White Oak Creek AU ID: 1004J_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	28	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	28	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	28	.	2	1	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	28	.	14	2.31	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	28	.	2	0.55	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	28	1680.41	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1005 - Houston Ship Channel/San Jacinto River Tidal AU ID: 1005_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	159	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	159	.	13	3.6	AD	NC	N	NC		
Fish Consumption Use	DSHS No Consumption Advisory	Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
		PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
General Use	High pH	pH	12/01/17	11/30/24	9	160	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	160	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Ammonia	12/01/17	11/30/24	0.46	162	.	6	0.67	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.1	144	.	82	1.49	AD	CS	N	CS	Nitrate in water	
		Total phosphorus	12/01/17	11/30/24	0.66	162	.	3	0.82	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	160	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	161	26.42	0	.	AD	FS	N	FS		

Seg ID: 1005 - Houston Ship Channel/San Jacinto River Tidal AU ID: 1005_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	15	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	15	.	0	.	AD	NC	N	NC		
Fish Consumption Use	DSHS No Consumption Advisory	Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
		PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
General Use	High pH	pH	12/01/17	11/30/24	9	15	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	15	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Ammonia	12/01/17	11/30/24	0.46	15	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	21	15	.	1	24.5	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.1	14	.	7	1.27	AD	CS	N	CS	Nitrate in water	
		Total phosphorus	12/01/17	11/30/24	0.66	13	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	15	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	03/01/16	11/30/24	35	20	10.96	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1005 - Houston Ship Channel/San Jacinto River Tidal AU ID: 1005_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	160	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	160	.	3	3.73	AD	NC	N	NC		
Fish Consumption Use	DSHS No Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
General Use	High pH	pH	12/01/17	11/30/24	9	162	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	162	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.66	164	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.1	150	.	44	1.56	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.46	164	.	6	0.63	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	162	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	162	17.93	0	.	AD	FS	N	FS		

Seg ID: 1005 - Houston Ship Channel/San Jacinto River Tidal AU ID: 1005_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Zinc (dissolved)	12/01/17	11/30/24	92.7	4	.	0	.	LD	NC	N	NC		
		Selenium	12/01/17	11/30/24	564	4	.	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/17	11/30/24	118	4	.	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	2.1	4	.	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/17	11/30/24	133	4	.	0	.	LD	NC	N	NC		
		Copper (dissolved)	12/01/17	11/30/24	24.3	4	.	0	.	LD	NC	N	NC		
		Cadmium (dissolved)	12/01/17	11/30/24	40	4	.	0	.	LD	NC	N	NC		
		Arsenic (dissolved)	12/01/17	11/30/24	149	4	.	0	.	LD	NC	N	NC		
	Chronic Toxic Substances in water	Zinc (dissolved)	12/01/17	11/30/24	84.2	4	12.03	0	.	LD	NC	N	NC		
		Selenium	12/01/17	11/30/24	136	4	3.75	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/17	11/30/24	13.1	4	4.53	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	1.1	4	0	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/17	11/30/24	5.3	4	0.38	0	.	LD	NC	N	NC		
		Copper (dissolved)	12/01/17	11/30/24	6.48	4	2.41	0	.	LD	NC	N	NC		
		Cadmium (dissolved)	12/01/17	11/30/24	8.75	4	0.75	0	.	LD	NC	N	NC		
		Arsenic (dissolved)	12/01/17	11/30/24	78	4	18.75	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	12	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	12	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Zinc	12/01/17	11/30/24	410	3	.	0	.	ID	NA	N	NA		
		Silver	12/01/17	11/30/24	3.7	3	.	0	.	ID	NA	N	NA		
		Pyrene	12/01/17	11/30/24	2600	3	.	0	.	ID	NA	N	NA		
		Phenanthrene	12/01/17	11/30/24	1500	3	.	0	.	ID	NA	N	NA		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	690	3	.	0	.	ID	NA	N	NA		
		Pentachlorobenzene	12/01/17	11/30/24	44350	2	.	0	.	ID	NA	N	NA		
		Parathion (ethyl)	12/01/17	11/30/24	300	2	.	0	.	ID	NA	N	NA		
		Nitrobenzene	12/01/17	11/30/24	8000	3	.	0	.	ID	NA	N	NA		
		Nickel	12/01/17	11/30/24	51.6	3	.	0	.	ID	NA	N	NA		
		Naphthalene	12/01/17	11/30/24	2100	3	.	0	.	ID	NA	N	NA		
		Mercury	12/01/17	11/30/24	0.71	3	.	0	.	ID	NA	N	NA		
		Lead	12/01/17	11/30/24	218	3	.	0	.	ID	NA	N	NA		
		Hexachloroethane	12/01/17	11/30/24	5640	3	.	0	.	ID	NA	N	NA		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	1060	3	.	0	.	ID	NA	N	NA		
		Hexachlorobutadiene (HCBd)	12/01/17	11/30/24	670	3	.	0	.	ID	NA	N	NA		
		Heptachlor	12/01/17	11/30/24	2.74	2	.	0	.	ID	NA	N	NA		
		Fluorene	12/01/17	11/30/24	540	3	.	0	.	ID	NA	N	NA		
		Fluoranthene	12/01/17	11/30/24	5100	3	.	0	.	ID	NA	N	NA		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1005 - Houston Ship Channel/San Jacinto River Tidal AU ID: 1005_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Endrin	12/01/17	11/30/24	62.4	2	.	0	.	ID	NA	N	NA		
		Di-n-butyl phthalate	12/01/17	11/30/24	17000	3	.	0	.	ID	NA	N	NA		
		Dimethyl phthalate	12/01/17	11/30/24	530	3	.	0	.	ID	NA	N	NA		
		Diethyl phthalate	12/01/17	11/30/24	1100	3	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	260	3	.	0	.	ID	NA	N	NA		
		DDT	12/01/17	11/30/24	4.77	2	.	0	.	ID	NA	N	NA		
		DDE	12/01/17	11/30/24	374	2	.	0	.	ID	NA	N	NA		
		DDD	12/01/17	11/30/24	7.81	2	.	0	.	ID	NA	N	NA		
		Copper	12/01/17	11/30/24	270	3	.	0	.	ID	NA	N	NA		
		Chrysene	12/01/17	11/30/24	2800	3	.	0	.	ID	NA	N	NA		
		Chromium	12/01/17	11/30/24	370	3	.	0	.	ID	NA	N	NA		
		Dieldrin	12/01/17	11/30/24	4.3	2	.	0	.	ID	NA	N	NA		
		Di-n-octyl phthalate	12/01/17	11/30/24	45000	3	.	0	.	ID	NA	N	NA		
		Chlordane	12/01/17	11/30/24	4.79	2	.	0	.	ID	NA	N	NA		
		Cadmium	12/01/17	11/30/24	9.6	3	.	0	.	ID	NA	N	NA		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	2647	3	.	0	.	ID	NA	N	NA		
		Benzyl alcohol	12/01/17	11/30/24	73	2	.	0	.	ID	NA	N	NA		
		gamma-BHC (Lindane)	12/01/17	11/30/24	0.99	2	.	0	.	ID	NA	N	NA		
		Benzoic acid	12/01/17	11/30/24	650	2	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	12/01/17	11/30/24	1600	3	.	0	.	ID	NA	N	NA		
		Benzo(a)anthracene	12/01/17	11/30/24	1600	3	.	0	.	ID	NA	N	NA		
		Arsenic	12/01/17	11/30/24	70	3	.	0	.	ID	NA	N	NA		
		Arachlor 1254	12/01/17	11/30/24	709	2	.	0	.	ID	NA	N	NA		
		Anthracene	12/01/17	11/30/24	1100	3	.	0	.	ID	NA	N	NA		
		Acenaphthylene	12/01/17	11/30/24	640	3	.	0	.	ID	NA	N	NA		
		Acenaphthene	12/01/17	11/30/24	500	3	.	0	.	ID	NA	N	NA		
		2-Methylphenol (o-cresol)	12/01/17	11/30/24	63	3	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	12/01/17	11/30/24	670	3	.	0	.	ID	NA	N	NA		
		2,4-Dinitrotoluene	12/01/17	11/30/24	14960	3	.	0	.	ID	NA	N	NA		
		2,4-Dimethylphenol	12/01/17	11/30/24	29	3	.	0	.	ID	NA	N	NA		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	640	3	.	0	.	ID	NA	N	NA		
		PCBs	12/01/17	11/30/24	180	2	.	0	.	ID	NA	N	NA		
		Phenol (single compound)	12/01/17	11/30/24	1200	3	.	0	.	ID	NA	N	NA		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4210	3	.	0	.	ID	NA	N	NA		
		1,3-Dichlorobenzene	12/01/17	11/30/24	1950	3	.	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4440	3	.	0	.	ID	NA	N	NA		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	2320	3	.	0	.	ID	NA	N	NA		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1640	2	.	0	.	ID	NA	N	NA		
Fish Consumption Use	DSHS Limited Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
	HH Bioaccumulative Toxics in water	Mercury	12/01/17	11/30/24	0.03	4	0	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/17	11/30/24	3.83	4	0.38	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/17	11/30/24	1140	4	13.75	0	.	LD	NC	N	NC		
General Use	High pH	pH	12/01/17	11/30/24	9	12	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	12	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	1.1	12	.	1	1.11	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.46	12	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.66	11	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	21	12	.	1	22.4	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	12	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	10	7.58	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1006 - Houston Ship Channel Tidal AU ID: 1006_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	167	.	3	1.53	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	2	167	.	3	1.53	AD	NC	N	NC		
Fish Consumption Use	Bioaccumulative Toxics in fish tissue	PCBs	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	PCBs in edible tissue	
	DSHS No Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
	HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/17	11/30/24	1140	11	9.11	0	.	AD	FS	N	FS		
		Mercury	12/01/17	11/30/24	0.03	7	0.02	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/17	11/30/24	3.83	9	0.29	0	.	LD	NC	N	NC		
General Use	Enterococci (1006, 1007) geometric mean	Enterococcus	12/01/17	11/30/24	168	171	54.23	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	169	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	169	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.66	171	.	28	0.79	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.1	157	.	140	2.44	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	21	13	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.46	171	.	50	0.83	AD	CS	N	CS	Ammonia in water	
	Water Temperature	Water temperature	12/01/17	11/30/24	35	169	.	0	.	AD	FS	N	FS		

Seg ID: 1006 - Houston Ship Channel Tidal AU ID: 1006_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Zinc (dissolved)	12/01/17	11/30/24	92.7	2	.	0	.	ID	NA	N	NA		
		Selenium	12/01/17	11/30/24	564	2	.	0	.	ID	NA	N	NA		
		Nickel (dissolved)	12/01/17	11/30/24	118	2	.	0	.	ID	NA	N	NA		
		Mercury	12/01/17	11/30/24	2.1	2	.	0	.	ID	NA	N	NA		
		Lead (dissolved)	12/01/17	11/30/24	133	2	.	0	.	ID	NA	N	NA		
		Copper (dissolved)	12/01/17	11/30/24	24.3	2	.	0	.	ID	NA	N	NA		
		Cadmium (dissolved)	12/01/17	11/30/24	40	2	.	0	.	ID	NA	N	NA		
		Arsenic (dissolved)	12/01/17	11/30/24	149	2	.	0	.	ID	NA	N	NA		
	Chronic Toxic Substances in water	Zinc (dissolved)	12/01/17	11/30/24	84.2	2	7.94	0	.	ID	NA	N	NA		
		Selenium	12/01/17	11/30/24	136	2	4.71	0	.	ID	NA	N	NA		
		Nickel (dissolved)	12/01/17	11/30/24	13.1	2	4.53	0	.	ID	NA	N	NA		
		Mercury	12/01/17	11/30/24	1.1	2	0	0	.	ID	NA	N	NA		
		Lead (dissolved)	12/01/17	11/30/24	5.3	2	0.03	0	.	ID	NA	N	NA		
		Copper (dissolved)	12/01/17	11/30/24	6.48	2	4.55	0	.	ID	NA	N	NA		
		Cadmium (dissolved)	12/01/17	11/30/24	8.75	2	0.05	0	.	ID	NA	N	NA		
		Arsenic (dissolved)	12/01/17	11/30/24	78	2	20.13	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	88	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	2	88	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Dieldrin	12/01/17	11/30/24	4.3	4	.	0	.	LD	NC	N	NC		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	260	5	.	0	.	LD	NC	N	NC		
		DDT	12/01/17	11/30/24	4.77	4	.	0	.	LD	NC	N	NC		
		DDD	12/01/17	11/30/24	7.81	4	.	0	.	LD	NC	N	NC		
		Copper	12/01/17	11/30/24	270	5	.	0	.	LD	NC	N	NC		
		Chrysene	12/01/17	11/30/24	2800	5	.	0	.	LD	NC	N	NC		
		Chlordane	12/01/17	11/30/24	4.79	4	.	0	.	LD	NC	N	NC		
		Cadmium	12/01/17	11/30/24	9.6	5	.	0	.	LD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	2647	5	.	0	.	LD	NC	N	NC		
		Benzyl alcohol	12/01/17	11/30/24	73	3	.	0	.	ID	NA	N	NA		
		Benzoic acid	12/01/17	11/30/24	650	3	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	12/01/17	11/30/24	1600	5	.	0	.	LD	NC	N	NC		
		Benzo(a)anthracene	12/01/17	11/30/24	1600	5	.	0	.	LD	NC	N	NC		
		Arachlor 1254	12/01/17	11/30/24	709	4	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1006 - Houston Ship Channel Tidal AU ID: 1006_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Anthracene	12/01/17	11/30/24	1100	5	.	0	.	LD	NC	N	NC		
		Acenaphthylene	12/01/17	11/30/24	640	5	.	0	.	LD	NC	N	NC		
		2-Methylphenol (o-cresol)	12/01/17	11/30/24	63	4	.	0	.	LD	NC	N	NC		
		2-Methylnaphthalene	12/01/17	11/30/24	670	5	.	0	.	LD	NC	N	NC		
		2,4-Dinitrotoluene	12/01/17	11/30/24	14960	5	.	0	.	LD	NC	N	NC		
		Acenaphthene	12/01/17	11/30/24	500	5	.	0	.	LD	NC	N	NC		
		2,4-Dimethylphenol	12/01/17	11/30/24	29	5	.	0	.	LD	NC	N	NC		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4210	5	.	0	.	LD	NC	N	NC		
		Arsenic	12/01/17	11/30/24	70	5	.	0	.	LD	NC	N	NC		
		1,3-Dichlorobenzene	12/01/17	11/30/24	1950	5	.	0	.	LD	NC	N	NC		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4440	5	.	0	.	LD	NC	N	NC		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	2320	5	.	0	.	LD	NC	N	NC		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1640	3	.	0	.	ID	NA	N	NA		
		Chromium	12/01/17	11/30/24	370	5	.	0	.	LD	NC	N	NC		
		DDE	12/01/17	11/30/24	374	4	.	0	.	LD	NC	N	NC		
		Diethyl phthalate	12/01/17	11/30/24	1100	5	.	0	.	LD	NC	N	NC		
		Silver	12/01/17	11/30/24	3.7	5	.	0	.	LD	NC	N	NC		
		Pyrene	12/01/17	11/30/24	2600	5	.	0	.	LD	NC	N	NC		
		Phenol (single compound)	12/01/17	11/30/24	1200	5	.	0	.	LD	NC	N	NC		
		Phenanthrene	12/01/17	11/30/24	1500	5	.	0	.	LD	NC	N	NC		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	690	5	.	0	.	LD	NC	N	NC		
		Pentachlorobenzene	12/01/17	11/30/24	44350	3	.	0	.	ID	NA	N	NA		
		Parathion (ethyl)	12/01/17	11/30/24	300	4	.	0	.	LD	NC	N	NC		
		Zinc	12/01/17	11/30/24	410	5	.	0	.	LD	NC	N	NC		
		Nitrobenzene	12/01/17	11/30/24	8000	5	.	0	.	LD	NC	N	NC		
		Nickel	12/01/17	11/30/24	51.6	5	.	0	.	LD	NC	N	NC		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	640	5	.	0	.	LD	NC	N	NC		
		Naphthalene	12/01/17	11/30/24	2100	5	.	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	0.71	5	.	0	.	LD	NC	N	NC		
		Lead	12/01/17	11/30/24	218	5	.	0	.	LD	NC	N	NC		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	1060	5	.	0	.	LD	NC	N	NC		
		Hexachlorobutadiene (HCBd)	12/01/17	11/30/24	670	5	.	1	1080	LD	NC	N	NC		
		Heptachlor	12/01/17	11/30/24	2.74	4	.	0	.	LD	NC	N	NC		
		gamma-BHC (Lindane)	12/01/17	11/30/24	0.99	4	.	0	.	LD	NC	N	NC		
		Hexachloroethane	12/01/17	11/30/24	5640	5	.	0	.	LD	NC	N	NC		
		Fluorene	12/01/17	11/30/24	540	5	.	0	.	LD	NC	N	NC		
		Fluoranthene	12/01/17	11/30/24	5100	5	.	0	.	LD	NC	N	NC		
		Endrin	12/01/17	11/30/24	62.4	4	.	0	.	LD	NC	N	NC		
		PCBs	12/01/17	11/30/24	180	4	.	0	.	LD	NC	N	NC		
		Di-n-octyl phthalate	12/01/17	11/30/24	45000	5	.	0	.	LD	NC	N	NC		
		Di-n-butyl phthalate	12/01/17	11/30/24	17000	5	.	0	.	LD	NC	N	NC		
		Dimethyl phthalate	12/01/17	11/30/24	530	5	.	0	.	LD	NC	N	NC		
Fish Consumption Use	Bioaccumulative Toxics in fish tissue	PCBs	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	PCBs in edible tissue	
	DSHS No Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
	HH Bioaccumulative Toxics in water	Mercury	12/01/17	11/30/24	0.03	7	0.02	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/17	11/30/24	3.83	9	0.29	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/17	11/30/24	1140	11	9.11	0	.	AD	FS	N	FS		
General Use	Enterococci (1006, 1007) geometric mean	Enterococcus	12/01/17	11/30/24	168	89	36.31	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	89	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	89	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1006 - Houston Ship Channel Tidal AU ID: 1006_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.66	89	.	2	0.69	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.1	83	.	72	1.92	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	21	12	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.46	90	.	11	0.78	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	89	.	0	.	AD	FS	N	FS		

Seg ID: 1006 - Houston Ship Channel Tidal AU ID: 1006_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	126	.	5	0.69	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	2	126	.	5	0.69	AD	NC	N	NC		
	Toxic Substances in sediment	Zinc	12/01/17	11/30/24	410	6	.	0	.	LD	NC	N	NC		
		Silver	12/01/17	11/30/24	3.7	6	.	0	.	LD	NC	N	NC		
		Phenol (single compound)	12/01/17	11/30/24	1200	6	.	0	.	LD	NC	N	NC		
		Phenanthrene	12/01/17	11/30/24	1500	6	.	0	.	LD	NC	N	NC		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	690	6	.	0	.	LD	NC	N	NC		
		PCBs	12/01/17	11/30/24	180	5	.	0	.	LD	NC	N	NC		
		Parathion (ethyl)	12/01/17	11/30/24	300	5	.	0	.	LD	NC	N	NC		
		Nitrobenzene	12/01/17	11/30/24	8000	6	.	0	.	LD	NC	N	NC		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	640	6	.	0	.	LD	NC	N	NC		
		Naphthalene	12/01/17	11/30/24	2100	6	.	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	0.71	6	.	0	.	LD	NC	N	NC		
		Lead	12/01/17	11/30/24	218	6	.	0	.	LD	NC	N	NC		
		Hexachloroethane	12/01/17	11/30/24	5640	6	.	0	.	LD	NC	N	NC		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	1060	6	.	0	.	LD	NC	N	NC		
		Hexachlorobutadiene (HCBd)	12/01/17	11/30/24	670	6	.	0	.	LD	NC	N	NC		
		Heptachlor	12/01/17	11/30/24	2.74	5	.	0	.	LD	NC	N	NC		
		Fluorene	12/01/17	11/30/24	540	6	.	0	.	LD	NC	N	NC		
		Fluoranthene	12/01/17	11/30/24	5100	6	.	0	.	LD	NC	N	NC		
		Endrin	12/01/17	11/30/24	62.4	5	.	0	.	LD	NC	N	NC		
		Di-n-octyl phthalate	12/01/17	11/30/24	45000	6	.	0	.	LD	NC	N	NC		
		gamma-BHC (Lindane)	12/01/17	11/30/24	0.99	5	.	0	.	LD	NC	N	NC		
		Di-n-butyl phthalate	12/01/17	11/30/24	17000	6	.	0	.	LD	NC	N	NC		
		Dimethyl phthalate	12/01/17	11/30/24	530	6	.	0	.	LD	NC	N	NC		
		Diethyl phthalate	12/01/17	11/30/24	1100	6	.	0	.	LD	NC	N	NC		
		Dieldrin	12/01/17	11/30/24	4.3	5	.	0	.	LD	NC	N	NC		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	260	6	.	0	.	LD	NC	N	NC		
		DDT	12/01/17	11/30/24	4.77	5	.	1	5.48	LD	NC	Y	CS	DDT in sediment	
		DDE	12/01/17	11/30/24	374	5	.	0	.	LD	NC	N	NC		
		DDD	12/01/17	11/30/24	7.81	5	.	0	.	LD	NC	Y	CS	DDD in sediment	
		Copper	12/01/17	11/30/24	270	6	.	0	.	LD	NC	N	NC		
		Chrysene	12/01/17	11/30/24	2800	6	.	0	.	LD	NC	N	NC		
		Nickel	12/01/17	11/30/24	51.6	5	.	0	.	LD	NC	N	NC		
		Pentachlorobenzene	12/01/17	11/30/24	44350	4	.	0	.	LD	NC	N	NC		
		Pyrene	12/01/17	11/30/24	2600	6	.	0	.	LD	NC	N	NC		
		Chromium	12/01/17	11/30/24	370	5	.	0	.	LD	NC	N	NC		
		Chlordane	12/01/17	11/30/24	4.79	5	.	0	.	LD	NC	N	NC		
		Cadmium	12/01/17	11/30/24	9.6	6	.	0	.	LD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	2647	6	.	0	.	LD	NC	N	NC		
		Benzo(a)pyrene	12/01/17	11/30/24	1600	6	.	0	.	LD	NC	N	NC		
		Benzoic acid	12/01/17	11/30/24	650	4	.	0	.	LD	NC	N	NC		
		Benzo(a)anthracene	12/01/17	11/30/24	1600	6	.	0	.	LD	NC	N	NC		
		Arsenic	12/01/17	11/30/24	70	5	.	0	.	LD	NC	N	NC		
		Arachlor 1254	12/01/17	11/30/24	709	5	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1006 - Houston Ship Channel Tidal AU ID: 1006_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Benzyl alcohol	12/01/17	11/30/24	73	4	.	0	.	LD	NC	N	NC		
		Anthracene	12/01/17	11/30/24	1100	6	.	0	.	LD	NC	N	NC		
		Acenaphthylene	12/01/17	11/30/24	640	6	.	0	.	LD	NC	N	NC		
		2-Methylphenol (o-cresol)	12/01/17	11/30/24	63	5	.	0	.	LD	NC	N	NC		
		2-Methylnaphthalene	12/01/17	11/30/24	670	6	.	0	.	LD	NC	N	NC		
		Acenaphthene	12/01/17	11/30/24	500	6	.	0	.	LD	NC	N	NC		
		2,4-Dinitrotoluene	12/01/17	11/30/24	14960	6	.	0	.	LD	NC	N	NC		
		2,4-Dimethylphenol	12/01/17	11/30/24	29	6	.	0	.	LD	NC	N	NC		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4210	6	.	0	.	LD	NC	N	NC		
		1,3-Dichlorobenzene	12/01/17	11/30/24	1950	6	.	0	.	LD	NC	N	NC		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4440	6	.	0	.	LD	NC	N	NC		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	2320	6	.	0	.	LD	NC	N	NC		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1640	4	.	0	.	LD	NC	N	NC		
Fish Consumption Use	Bioaccumulative Toxics in fish tissue	PCBs	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	PCBs in edible tissue	
	DSHS No Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
	HH Bioaccumulative Toxics in water	Mercury	12/01/17	11/30/24	0.03	7	0.02	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/17	11/30/24	3.83	9	0.29	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/17	11/30/24	1140	11	9.11	0	.	AD	FS	N	FS		
General Use	Enterococci (1006, 1007) geometric mean	Enterococcus	12/01/17	11/30/24	168	29	87.18	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	128	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	128	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.66	130	.	96	1.52	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.1	128	.	121	5.47	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	21	32	.	1	25.7	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.46	129	.	7	0.54	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	130	.	0	.	AD	FS	N	FS		

Seg ID: 1006 - Houston Ship Channel Tidal AU ID: 1006_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Zinc (dissolved)	12/01/17	11/30/24	92.7	6	.	0	.	LD	NC	N	NC		
		Selenium	12/01/17	11/30/24	564	6	.	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/17	11/30/24	118	5	.	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	2.1	3	.	0	.	ID	NA	N	NA		
		Lead (dissolved)	12/01/17	11/30/24	133	4	.	0	.	LD	NC	N	NC		
		Copper (dissolved)	12/01/17	11/30/24	24.3	5	.	0	.	LD	NC	N	NC		
		Cadmium (dissolved)	12/01/17	11/30/24	40	6	.	0	.	LD	NC	N	NC		
		Arsenic (dissolved)	12/01/17	11/30/24	149	5	.	0	.	LD	NC	N	NC		
	Acute Toxicity tests in whole sediment	Sediment Acute toxicity in saltwater (L. plumulosas)	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Toxicity in sediment	5c
	Chronic Toxic Substances in water	Zinc (dissolved)	12/01/17	11/30/24	84.2	6	13.1	0	.	LD	NC	N	NC		
		Selenium	12/01/17	11/30/24	136	6	6.01	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/17	11/30/24	13.1	5	5.66	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	1.1	3	0.03	0	.	ID	NA	N	NA		
		Lead (dissolved)	12/01/17	11/30/24	5.3	4	0.17	0	.	LD	NC	N	NC		
		Copper (dissolved)	12/01/17	11/30/24	6.48	5	2.62	0	.	LD	NC	N	NC		
		Cadmium (dissolved)	12/01/17	11/30/24	8.75	6	0.6	0	.	LD	NC	N	NC		
		Arsenic (dissolved)	12/01/17	11/30/24	78	5	20.55	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	12	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	2	12	.	0	.	AD	NC	N	NC		
	LOE Toxic Sediment condition	Sediment toxicity (LOE)	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Toxicity in sediment	5c

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1006 - Houston Ship Channel Tidal AU ID: 1006_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Zinc	12/01/17	11/30/24	410	5	.	0	.	LD	NC	N	NC		
		Xylene	12/01/17	11/30/24	7620	4	.	0	.	LD	NC	N	NC		
		Trichloroethene	12/01/17	11/30/24	7300	4	.	0	.	LD	NC	N	NC		
		Tetrachloroethene	12/01/17	11/30/24	3210	4	.	0	.	LD	NC	N	NC		
		Styrene	12/01/17	11/30/24	22310	4	.	0	.	LD	NC	N	NC		
		Silver	12/01/17	11/30/24	3.7	5	.	0	.	LD	NC	N	NC		
		Phenol (single compound)	12/01/17	11/30/24	1200	4	.	0	.	LD	NC	N	NC		
		Phenanthrene	12/01/17	11/30/24	1500	4	.	0	.	LD	NC	N	NC		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	690	4	.	0	.	LD	NC	N	NC		
		Pentachlorobenzene	12/01/17	11/30/24	44350	2	.	0	.	ID	NA	N	NA		
		PCBs	12/01/17	11/30/24	180	4	.	0	.	LD	NC	N	NC		
		Nitrobenzene	12/01/17	11/30/24	8000	4	.	0	.	LD	NC	N	NC		
		Nickel	12/01/17	11/30/24	51.6	5	.	0	.	LD	NC	N	NC		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	640	4	.	0	.	LD	NC	N	NC		
		Naphthalene	12/01/17	11/30/24	2100	4	.	0	.	LD	NC	N	NC		
		Methylene chloride	12/01/17	11/30/24	22940	4	.	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	0.71	4	.	4	2.38	LD	CS	N	CS	Mercury in sediment	
		Lead	12/01/17	11/30/24	218	5	.	0	.	LD	NC	N	NC		
		Hexachloroethane	12/01/17	11/30/24	5640	4	.	0	.	LD	NC	N	NC		
		Hexachlorobutadiene (HCBD)	12/01/17	11/30/24	670	4	.	0	.	LD	NC	Y	CS	Hexachlorobutadiene (HCBD) in sediment	
		Heptachlor	12/01/17	11/30/24	2.74	4	.	0	.	LD	NC	N	NC		
		gamma-BHC (Lindane)	12/01/17	11/30/24	0.99	4	.	0	.	LD	NC	N	NC		
		Fluoranthene	12/01/17	11/30/24	5100	4	.	0	.	LD	NC	N	NC		
		Ethylbenzene	12/01/17	11/30/24	4100	4	.	0	.	LD	NC	N	NC		
		Endrin	12/01/17	11/30/24	62.4	4	.	0	.	LD	NC	N	NC		
		Di-n-octyl phthalate	12/01/17	11/30/24	45000	4	.	0	.	LD	NC	N	NC		
		Di-n-butyl phthalate	12/01/17	11/30/24	17000	4	.	0	.	LD	NC	N	NC		
		Dimethyl phthalate	12/01/17	11/30/24	530	4	.	0	.	LD	NC	N	NC		
		Diethyl phthalate	12/01/17	11/30/24	1100	4	.	0	.	LD	NC	N	NC		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	260	4	.	0	.	LD	NC	N	NC		
		DDT	12/01/17	11/30/24	4.77	4	.	0	.	LD	NC	N	NC		
		DDE	12/01/17	11/30/24	374	4	.	0	.	LD	NC	N	NC		
		Copper	12/01/17	11/30/24	270	5	.	0	.	LD	NC	N	NC		
		Chrysene	12/01/17	11/30/24	2800	4	.	0	.	LD	NC	N	NC		
		Chromium	12/01/17	11/30/24	370	5	.	0	.	LD	NC	N	NC		
		Chloromethane	12/01/17	11/30/24	52430	4	.	0	.	LD	NC	N	NC		
		Chloroform	12/01/17	11/30/24	8860	4	.	0	.	LD	NC	N	NC		
		Chlorobenzene	12/01/17	11/30/24	8180	4	.	0	.	LD	NC	N	NC		
		Chlordane	12/01/17	11/30/24	4.79	4	.	0	.	LD	NC	N	NC		
		Carbon tetrachloride	12/01/17	11/30/24	36740	4	.	0	.	LD	NC	N	NC		
		Cadmium	12/01/17	11/30/24	9.6	5	.	0	.	LD	NC	N	NC		
		Bromoform	12/01/17	11/30/24	10670	4	.	0	.	LD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	2647	4	.	0	.	LD	NC	N	NC		
		DDD	12/01/17	11/30/24	7.81	4	.	0	.	LD	NC	N	NC		
		Dieldrin	12/01/17	11/30/24	4.3	4	.	0	.	LD	NC	N	NC		
		Benzyl alcohol	12/01/17	11/30/24	73	2	.	0	.	ID	NA	N	NA		
		Benzoic acid	12/01/17	11/30/24	650	2	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	12/01/17	11/30/24	1600	4	.	0	.	LD	NC	N	NC		
		Benzo(a)anthracene	12/01/17	11/30/24	1600	4	.	0	.	LD	NC	N	NC		
		Benzene	12/01/17	11/30/24	4080	4	.	0	.	LD	NC	N	NC		
		Arsenic	12/01/17	11/30/24	70	5	.	0	.	LD	NC	N	NC		
		Anthracene	12/01/17	11/30/24	1100	4	.	0	.	LD	NC	N	NC		
		Fluorene	12/01/17	11/30/24	540	4	.	0	.	LD	NC	N	NC		
		Acrylonitrile	12/01/17	11/30/24	3240	4	.	0	.	LD	NC	N	NC		
		Acetone	12/01/17	11/30/24	1003360	4	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1006 - Houston Ship Channel Tidal AU ID: 1006_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Hexachlorocyclopentadiene	12/01/17	11/30/24	1060	4	.	0	.	LD	NC	N	NC		
		Acenaphthylene	12/01/17	11/30/24	640	4	.	0	.	LD	NC	N	NC		
		Acenaphthene	12/01/17	11/30/24	500	4	.	0	.	LD	NC	N	NC		
		Methyl bromide	12/01/17	11/30/24	2490	2	.	0	.	ID	NA	N	NA		
		4-Methyl-2-Pentanone (MIBK)	12/01/17	11/30/24	272060	4	.	0	.	LD	NC	N	NC		
		2-Methylphenol (o-cresol)	12/01/17	11/30/24	63	3	.	0	.	ID	NA	N	NA		
		Arachlor 1254	12/01/17	11/30/24	709	4	.	0	.	LD	NC	N	NC		
		2-Methylnaphthalene	12/01/17	11/30/24	670	4	.	0	.	LD	NC	N	NC		
		2,4-Dinitrotoluene	12/01/17	11/30/24	14960	4	.	0	.	LD	NC	N	NC		
		Parathion (ethyl)	12/01/17	11/30/24	300	4	.	0	.	LD	NC	N	NC		
		2,4-Dimethylphenol	12/01/17	11/30/24	29	4	.	0	.	LD	NC	N	NC		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4210	4	.	0	.	LD	NC	N	NC		
		1,3-Dichlorobenzene	12/01/17	11/30/24	1950	4	.	0	.	LD	NC	N	NC		
		1,2-Dichloropropane	12/01/17	11/30/24	21520	4	.	0	.	LD	NC	N	NC		
		1,2-Dichloroethane	12/01/17	11/30/24	26260	4	.	0	.	LD	NC	N	NC		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4440	4	.	0	.	LD	NC	N	NC		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	2320	4	.	0	.	LD	NC	N	NC		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1640	2	.	0	.	ID	NA	N	NA		
		Pyrene	12/01/17	11/30/24	2600	4	.	0	.	LD	NC	Y	CS	Pyrene in sediment	
		Toluene	12/01/17	11/30/24	7750	4	.	0	.	LD	NC	N	NC		
		1,1-Dichloroethylene	12/01/17	11/30/24	92470	4	.	0	.	LD	NC	N	NC		
		1,1,2-Trichloroethane	12/01/17	11/30/24	1800	4	.	0	.	LD	NC	N	NC		
		1,1,2,2-Tetrachloroethane	12/01/17	11/30/24	3690	4	.	0	.	LD	NC	N	NC		
		1,1,1-Trichloroethane	12/01/17	11/30/24	35860	4	.	0	.	LD	NC	N	NC		
Fish Consumption Use	Bioaccumulative Toxics in fish tissue	PCBs	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	PCBs in edible tissue	
	DSHS No Consumption Advisory	Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
		PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
	HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/17	11/30/24	1140	11	9.11	0	.	AD	FS	N	FS		
		Lead (dissolved)	12/01/17	11/30/24	3.83	9	0.29	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	0.03	7	0.02	0	.	LD	NC	N	NC		
General Use	Enterococci (1006, 1007) geometric mean	Enterococcus	11/01/15	11/30/24	168	20	20.56	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	12	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	12	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	1.1	12	.	12	2.31	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.46	12	.	3	0.63	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	21	12	.	2	45.2	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.66	12	.	3	0.69	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	12	.	0	.	AD	FS	N	FS		

Seg ID: 1006 - Houston Ship Channel Tidal AU ID: 1006_05															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	46	.	5	1.18	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	2	46	.	5	1.18	AD	NC	N	NC		
Fish Consumption Use	Bioaccumulative Toxics in fish tissue	PCBs	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	PCBs in edible tissue	
	DSHS No Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1006 - Houston Ship Channel Tidal AU ID: 1006_05															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Fish Consumption Use	HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/17	11/30/24	1140	11	9.11	0	.	AD	FS	N	FS		
		Mercury	12/01/17	11/30/24	0.03	7	0.02	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/17	11/30/24	3.83	9	0.29	0	.	LD	NC	N	NC		
General Use	Enterococci (1006, 1007) geometric mean	Enterococcus	12/01/17	11/30/24	168	48	151.18	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	47	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	47	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.66	48	.	28	1.08	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.1	48	.	38	4	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.46	48	.	3	1.36	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	48	.	0	.	AD	FS	N	FS		

Seg ID: 1006 - Houston Ship Channel Tidal AU ID: 1006_06															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Zinc (dissolved)	12/01/17	11/30/24	92.7	4	.	0	.	LD	NC	N	NC		
		Selenium	12/01/17	11/30/24	564	4	.	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/17	11/30/24	118	4	.	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	2.1	2	.	0	.	ID	NA	N	NA		
		Lead (dissolved)	12/01/17	11/30/24	133	3	.	0	.	ID	NA	N	NA		
		Copper (dissolved)	12/01/17	11/30/24	31.05	4	.	0	.	LD	NC	N	NC		
		Cadmium (dissolved)	12/01/17	11/30/24	40	4	.	0	.	LD	NC	N	NC		
		Arsenic (dissolved)	12/01/17	11/30/24	149	4	.	0	.	LD	NC	N	NC		
	Chronic Toxic Substances in water	Zinc (dissolved)	12/01/17	11/30/24	84.2	4	8.73	0	.	LD	NC	N	NC		
		Selenium	12/01/17	11/30/24	136	4	5.94	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/17	11/30/24	13.1	4	3.51	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	1.1	2	0.01	0	.	ID	NA	N	NA		
		Lead (dissolved)	12/01/17	11/30/24	5.3	3	0.63	0	.	ID	NA	N	NA		
		Copper (dissolved)	12/01/17	11/30/24	8.28	4	3.6	0	.	LD	NC	N	NC		
		Cadmium (dissolved)	12/01/17	11/30/24	8.75	4	1.19	0	.	LD	NC	N	NC		
		Arsenic (dissolved)	12/01/17	11/30/24	78	4	23.81	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	6	.	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	2	6	.	0	.	LD	NC	N	NC		
	Toxic Substances in sediment	Zinc	12/01/17	11/30/24	410	4	.	0	.	LD	NC	N	NC		
		Silver	12/01/17	11/30/24	3.7	4	.	0	.	LD	NC	N	NC		
		Phenol (single compound)	12/01/17	11/30/24	1200	4	.	0	.	LD	NC	N	NC		
		Phenanthrene	12/01/17	11/30/24	1500	4	.	0	.	LD	NC	N	NC		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	690	4	.	0	.	LD	NC	N	NC		
		Pentachlorobenzene	12/01/17	11/30/24	44350	3	.	0	.	ID	NA	N	NA		
		PCBs	12/01/17	11/30/24	180	3	.	0	.	ID	NA	N	NA		
		Parathion (ethyl)	12/01/17	11/30/24	300	3	.	0	.	ID	NA	N	NA		
		Nitrobenzene	12/01/17	11/30/24	8000	4	.	0	.	LD	NC	N	NC		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	640	4	.	0	.	LD	NC	N	NC		
		Naphthalene	12/01/17	11/30/24	2100	4	.	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	0.71	4	.	0	.	LD	NC	N	NC		
		Hexachloroethane	12/01/17	11/30/24	5640	4	.	0	.	LD	NC	N	NC		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	1060	4	.	0	.	LD	NC	N	NC		
		Hexachlorobutadiene (HCBD)	12/01/17	11/30/24	670	4	.	0	.	LD	NC	N	NC		
		gamma-BHC (Lindane)	12/01/17	11/30/24	0.99	3	.	0	.	ID	NA	N	NA		
		Fluorene	12/01/17	11/30/24	540	4	.	0	.	LD	NC	N	NC		
		Fluoranthene	12/01/17	11/30/24	5100	4	.	0	.	LD	NC	N	NC		
		Endrin	12/01/17	11/30/24	62.4	3	.	0	.	ID	NA	N	NA		
		Di-n-octyl phthalate	12/01/17	11/30/24	45000	4	.	0	.	LD	NC	N	NC		
		Di-n-butyl phthalate	12/01/17	11/30/24	17000	4	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1006 - Houston Ship Channel Tidal AU ID: 1006_06															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Dimethyl phthalate	12/01/17	11/30/24	530	4	.	0	.	LD	NC	N	NC		
		Dieldrin	12/01/17	11/30/24	4.3	3	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	260	4	.	0	.	LD	NC	N	NC		
		DDT	12/01/17	11/30/24	4.77	3	.	0	.	ID	NA	N	NA		
		Diethyl phthalate	12/01/17	11/30/24	1100	4	.	0	.	LD	NC	N	NC		
		DDE	12/01/17	11/30/24	374	3	.	0	.	ID	NA	N	NA		
		DDD	12/01/17	11/30/24	7.81	3	.	0	.	ID	NA	N	NA		
		Copper	12/01/17	11/30/24	270	4	.	0	.	LD	NC	N	NC		
		Chrysene	12/01/17	11/30/24	2800	4	.	0	.	LD	NC	N	NC		
		Chromium	12/01/17	11/30/24	370	4	.	0	.	LD	NC	N	NC		
		Chlordane	12/01/17	11/30/24	4.79	3	.	0	.	ID	NA	N	NA		
		Cadmium	12/01/17	11/30/24	9.6	4	.	0	.	LD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	2647	4	.	0	.	LD	NC	N	NC		
		Heptachlor	12/01/17	11/30/24	2.74	3	.	0	.	ID	NA	N	NA		
		Benzyl alcohol	12/01/17	11/30/24	73	3	.	0	.	ID	NA	N	NA		
		Benzoic acid	12/01/17	11/30/24	650	3	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	12/01/17	11/30/24	1600	4	.	0	.	LD	NC	N	NC		
		Benzo(a)anthracene	12/01/17	11/30/24	1600	4	.	0	.	LD	NC	N	NC		
		Lead	12/01/17	11/30/24	218	4	.	0	.	LD	NC	N	NC		
		Arsenic	12/01/17	11/30/24	70	4	.	0	.	LD	NC	N	NC		
		Arachlor 1254	12/01/17	11/30/24	709	3	.	0	.	ID	NA	N	NA		
		Nickel	12/01/17	11/30/24	51.6	4	.	0	.	LD	NC	N	NC		
		Anthracene	12/01/17	11/30/24	1100	4	.	0	.	LD	NC	N	NC		
		Acenaphthylene	12/01/17	11/30/24	640	4	.	0	.	LD	NC	N	NC		
		Acenaphthene	12/01/17	11/30/24	500	4	.	0	.	LD	NC	N	NC		
		2-Methylphenol (o-cresol)	12/01/17	11/30/24	63	4	.	0	.	LD	NC	N	NC		
		2-Methylnaphthalene	12/01/17	11/30/24	670	4	.	0	.	LD	NC	N	NC		
		2,4-Dinitrotoluene	12/01/17	11/30/24	14960	4	.	0	.	LD	NC	N	NC		
		2,4-Dimethylphenol	12/01/17	11/30/24	29	4	.	0	.	LD	NC	N	NC		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4210	4	.	0	.	LD	NC	N	NC		
		1,3-Dichlorobenzene	12/01/17	11/30/24	1950	4	.	0	.	LD	NC	N	NC		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4440	4	.	0	.	LD	NC	N	NC		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	2320	4	.	0	.	LD	NC	N	NC		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1640	3	.	0	.	ID	NA	N	NA		
		Pyrene	12/01/17	11/30/24	2600	4	.	0	.	LD	NC	N	NC		
Fish Consumption Use	Bioaccumulative Toxics in fish tissue	PCBs	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	PCBs in edible tissue	
	DSHS No Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
	HH Bioaccumulative Toxics in water	Mercury	12/01/17	11/30/24	0.03	7	0.02	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/17	11/30/24	3.83	9	0.29	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/17	11/30/24	1140	11	9.11	0	.	AD	FS	N	FS		
General Use	Enterococci (1006, 1007) geometric mean	Enterococcus	12/01/17	11/30/24	168	5	23.76	0	.	ID	NA	N	NA		
	High pH	pH	11/01/16	11/30/24	9	10	.	0	.	AD	FS	N	FS		
	Low pH	pH	11/01/16	11/30/24	6.5	10	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	11/01/16	11/30/24	0.66	10	.	0	.	AD	NC	N	NC		
		Nitrate	11/01/16	11/30/24	1.1	10	.	8	1.88	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	11/01/16	11/30/24	21	9	.	0	.	LD	NC	N	NC		
		Ammonia	11/01/16	11/30/24	0.46	10	.	1	1.06	AD	NC	N	NC		
Water Temperature	Water temperature	11/01/16	11/30/24	35	10	.	0	.	AD	FS	N	FS			

Seg ID: 1006 - Houston Ship Channel Tidal AU ID: 1006_07															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	99	.	1	1.73	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	2	99	.	1	1.73	AD	NC	N	NC		
	Toxic Substances in sediment	Xylene	12/01/17	11/30/24	7620	1	.	0	.	ID	NA	N	NA		
		Trichloroethene	12/01/17	11/30/24	7300	1	.	0	.	ID	NA	N	NA		
		Tetrachloroethene	12/01/17	11/30/24	3210	1	.	0	.	ID	NA	N	NA		
		Styrene	12/01/17	11/30/24	22310	1	.	0	.	ID	NA	N	NA		
		Silver	12/01/17	11/30/24	3.7	1	.	0	.	ID	NA	N	NA		
		Phenol (single compound)	12/01/17	11/30/24	1200	1	.	0	.	ID	NA	N	NA		
		Phenanthrene	12/01/17	11/30/24	1500	1	.	0	.	ID	NA	N	NA		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	690	1	.	0	.	ID	NA	N	NA		
		PCBs	12/01/17	11/30/24	180	1	.	0	.	ID	NA	N	NA		
		Parathion (ethyl)	12/01/17	11/30/24	300	1	.	0	.	ID	NA	N	NA		
		Nitrobenzene	12/01/17	11/30/24	8000	1	.	0	.	ID	NA	N	NA		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	640	1	.	0	.	ID	NA	N	NA		
		Methylene chloride	12/01/17	11/30/24	22940	1	.	0	.	ID	NA	N	NA		
		Mercury	12/01/17	11/30/24	0.71	1	.	0	.	ID	NA	N	NA		
		Lead	12/01/17	11/30/24	218	1	.	0	.	ID	NA	N	NA		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	1060	1	.	0	.	ID	NA	N	NA		
		Hexachlorobutadiene (HCBd)	12/01/17	11/30/24	670	1	.	0	.	ID	NA	N	NA		
		Heptachlor	12/01/17	11/30/24	2.74	1	.	0	.	ID	NA	N	NA		
		Fluorene	12/01/17	11/30/24	540	1	.	0	.	ID	NA	N	NA		
		Fluoranthene	12/01/17	11/30/24	5100	1	.	0	.	ID	NA	N	NA		
		Ethylbenzene	12/01/17	11/30/24	4100	1	.	0	.	ID	NA	N	NA		
		Endrin	12/01/17	11/30/24	62.4	1	.	0	.	ID	NA	N	NA		
		Di-n-octyl phthalate	12/01/17	11/30/24	45000	1	.	0	.	ID	NA	N	NA		
		Di-n-butyl phthalate	12/01/17	11/30/24	17000	1	.	0	.	ID	NA	N	NA		
		Dimethyl phthalate	12/01/17	11/30/24	530	1	.	0	.	ID	NA	N	NA		
		gamma-BHC (Lindane)	12/01/17	11/30/24	0.99	1	.	0	.	ID	NA	N	NA		
		Diethyl phthalate	12/01/17	11/30/24	1100	1	.	0	.	ID	NA	N	NA		
		Dieldrin	12/01/17	11/30/24	4.3	1	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	260	1	.	0	.	ID	NA	N	NA		
		DDT	12/01/17	11/30/24	4.77	1	.	0	.	ID	NA	N	NA		
		Hexachloroethane	12/01/17	11/30/24	5640	1	.	0	.	ID	NA	N	NA		
		DDE	12/01/17	11/30/24	374	1	.	0	.	ID	NA	N	NA		
		DDD	12/01/17	11/30/24	7.81	1	.	0	.	ID	NA	N	NA		
		Chrysene	12/01/17	11/30/24	2800	1	.	0	.	ID	NA	N	NA		
		Chloromethane	12/01/17	11/30/24	52430	1	.	0	.	ID	NA	N	NA		
		Naphthalene	12/01/17	11/30/24	2100	1	.	0	.	ID	NA	N	NA		
		Chloroform	12/01/17	11/30/24	8860	1	.	0	.	ID	NA	N	NA		
		Chlorobenzene	12/01/17	11/30/24	8180	1	.	0	.	ID	NA	N	NA		
		Chlordane	12/01/17	11/30/24	4.79	1	.	1	9.6	ID	NA	N	NA		
		Carbon tetrachloride	12/01/17	11/30/24	36740	1	.	0	.	ID	NA	N	NA		
		Cadmium	12/01/17	11/30/24	9.6	1	.	0	.	ID	NA	N	NA		
		Bromoform	12/01/17	11/30/24	10670	1	.	0	.	ID	NA	N	NA		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	2647	1	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	12/01/17	11/30/24	1600	1	.	0	.	ID	NA	N	NA		
		Pyrene	12/01/17	11/30/24	2600	1	.	0	.	ID	NA	N	NA		
		Toluene	12/01/17	11/30/24	7750	1	.	0	.	ID	NA	N	NA		
		Benzo(a)anthracene	12/01/17	11/30/24	1600	1	.	0	.	ID	NA	N	NA		
		Benzene	12/01/17	11/30/24	4080	1	.	0	.	ID	NA	N	NA		
		Arachlor 1254	12/01/17	11/30/24	709	1	.	0	.	ID	NA	N	NA		
		Anthracene	12/01/17	11/30/24	1100	1	.	0	.	ID	NA	N	NA		
		Acrylonitrile	12/01/17	11/30/24	3240	1	.	0	.	ID	NA	N	NA		
		Acetone	12/01/17	11/30/24	1003360	1	.	0	.	ID	NA	N	NA		
		Acenaphthylene	12/01/17	11/30/24	640	1	.	0	.	ID	NA	N	NA		
		Acenaphthene	12/01/17	11/30/24	500	1	.	0	.	ID	NA	N	NA		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1006 - Houston Ship Channel Tidal AU ID: 1006_07															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	4-Methyl-2-Pentanone (MIBK)	12/01/17	11/30/24	272060	1	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	12/01/17	11/30/24	670	1	.	0	.	ID	NA	N	NA		
		2,4-Dinitrotoluene	12/01/17	11/30/24	14960	1	.	0	.	ID	NA	N	NA		
		2,4-Dimethylphenol	12/01/17	11/30/24	29	1	.	0	.	ID	NA	N	NA		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4210	1	.	0	.	ID	NA	N	NA		
		1,3-Dichlorobenzene	12/01/17	11/30/24	1950	1	.	0	.	ID	NA	N	NA		
		1,2-Dichloropropane	12/01/17	11/30/24	21520	1	.	0	.	ID	NA	N	NA		
		1,2-Dichloroethane	12/01/17	11/30/24	26260	1	.	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4440	1	.	0	.	ID	NA	N	NA		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	2320	1	.	0	.	ID	NA	N	NA		
		1,1-Dichloroethylene	12/01/17	11/30/24	92470	1	.	0	.	ID	NA	N	NA		
		1,1,2-Trichloroethane	12/01/17	11/30/24	1800	1	.	0	.	ID	NA	N	NA		
		1,1,2,2-Tetrachloroethane	12/01/17	11/30/24	3690	1	.	0	.	ID	NA	N	NA		
		1,1,1-Trichloroethane	12/01/17	11/30/24	35860	1	.	0	.	ID	NA	N	NA		
Fish Consumption Use	Bioaccumulative Toxics in fish tissue	PCBs	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	PCBs in edible tissue	
	DSHS No Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
	HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/17	11/30/24	1140	11	9.11	0	.	AD	FS	N	FS		
		Mercury	12/01/17	11/30/24	0.03	7	0.02	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/17	11/30/24	3.83	9	0.29	0	.	LD	NC	N	NC		
General Use	Enterococci (1006, 1007) geometric mean	Enterococcus	12/01/17	11/30/24	168	96	80.82	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	99	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	99	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.66	99	.	3	1.26	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.1	89	.	66	1.77	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	21	17	.	4	42.73	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.46	99	.	18	0.67	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	99	.	0	.	AD	FS	N	FS		

Seg ID: 1006B - Carpenters Bayou AU ID: 1006B_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	20	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	20	.	1	3.4	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	19	.	11	1.77	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	19	.	11	5.34	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	19	.	2	20.4	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	18	.	7	1.44	AD	CS	N	CS	Ammonia in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	7	1437.35	1	.	LD	CN	N	CN	Bacteria in water	

Seg ID: 1006D - Halls Bayou AU ID: 1006D_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	175	.	3	1.77	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	175	.	9	3	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1006D - Halls Bayou AU ID: 1006D_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	189	.	173	1.86	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	189	.	171	6.99	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	189	.	18	0.63	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	189	714.13	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1006D - Halls Bayou AU ID: 1006D_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	129	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	129	.	2	2.7	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	141	.	129	2.82	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	141	.	121	8.69	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	141	.	30	0.66	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	141	1296.02	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1006F - Big Gulch Above Tidal AU ID: 1006F_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	45	.	3	1.03	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	45	.	3	1.03	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	16	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	16	.	4	3.03	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	16	.	1	0.47	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	48	346.11	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1006H - Spring Gully Above Tidal AU ID: 1006H_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	44	.	1	2	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	44	.	1	2	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	46	.	3	0.93	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	46	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	46	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	46	243.2	1	.	AD	NS	N	NS	Bacteria in water	4a

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1006I - Unnamed Tributary of Halls Bayou AU ID: 1006I_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	46	.	5	1.74	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	46	.	7	2.31	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	15	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	15	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	15	.	1	0.42	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	47	1543.75	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1006J - Unnamed Tributary of Halls Bayou AU ID: 1006J_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	41	.	4	2.68	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	41	.	12	3.18	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	46	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	46	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	46	.	4	0.39	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	46	487.43	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1006L - Kennedy Gully AU ID: 1006L_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	45	.	6	2.37	AD	CN	Y	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	45	.	24	3.67	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	14	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	14	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	14	.	1	3.75	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	46	419.61	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1007 - Houston Ship Channel/Buffalo Bayou Tidal AU ID: 1007_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	182	.	3	1.37	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	182	.	19	2.29	AD	CS	N	CS	Depressed dissolved oxygen in water	
Fish Consumption Use	DSHS No Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
	HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/17	11/30/24	1140	10	2.5	0	.	AD	FS	N	FS		
		Mercury	04/01/17	11/30/24	0.03	11	0	0	.	AD	FS	N	FS		
		Lead (dissolved)	04/01/17	11/30/24	3.83	11	0.18	0	.	AD	FS	N	FS		
General Use	Enterococci (1006, 1007) geometric mean	Enterococcus	12/01/17	11/30/24	168	186	68.06	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	184	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	184	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1007 - Houston Ship Channel/Bufalo Bayou Tidal AU ID: 1007_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.66	186	.	76	0.81	AD	CS	N	CS	Total Phosphorus in water		
		Nitrate	12/01/17	11/30/24	1.1	172	.	163	3.01	AD	CS	N	CS	Nitrate in water		
		Chlorophyll-a	12/01/17	11/30/24	21	26	.	2	26.35	AD	NC	N	NC			
		Ammonia	12/01/17	11/30/24	0.46	186	.	72	0.72	AD	CS	N	CS	Ammonia in water		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	184	.	0	.	AD	FS	N	FS			

Seg ID: 1007 - Houston Ship Channel/Bufalo Bayou Tidal AU ID: 1007_02																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	1	117	.	6	0.57	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	1	117	.	6	0.57	AD	NC	N	NC			
Fish Consumption Use	DSHS No Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c	
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c	
	HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/17	11/30/24	1140	10	2.5	0	.	AD	FS	N	FS			
		Mercury	04/01/17	11/30/24	0.03	11	0	0	.	AD	FS	N	FS			
		Lead (dissolved)	04/01/17	11/30/24	3.83	11	0.18	0	.	AD	FS	N	FS			
General Use	Enterococci (1006, 1007) geometric mean	Enterococcus	12/01/17	11/30/24	168	111	91.36	0	.	AD	FS	N	FS			
	High pH	pH	12/01/17	11/30/24	9	114	.	0	.	AD	FS	N	FS			
	Low pH	pH	12/01/17	11/30/24	6.5	114	.	0	.	AD	FS	N	FS			
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.66	117	.	86	1.28	AD	CS	N	CS	Total Phosphorus in water		
		Nitrate	12/01/17	11/30/24	1.1	115	.	103	4.26	AD	CS	N	CS	Nitrate in water		
		Chlorophyll-a	12/01/17	11/30/24	21	20	.	1	24.6	AD	NC	N	NC			
		Ammonia	12/01/17	11/30/24	0.46	116	.	20	0.84	AD	NC	N	NC			
	Water Temperature	Water temperature	12/01/17	11/30/24	35	117	.	0	.	AD	FS	N	FS			

Seg ID: 1007 - Houston Ship Channel/Bufalo Bayou Tidal AU ID: 1007_03																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	1	62	.	1	0.2	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	1	62	.	1	0.2	AD	NC	N	NC			
Fish Consumption Use	DSHS No Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c	
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c	
	HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/17	11/30/24	1140	10	2.5	0	.	AD	FS	N	FS			
		Mercury	04/01/17	11/30/24	0.03	11	0	0	.	AD	FS	N	FS			
		Lead (dissolved)	04/01/17	11/30/24	3.83	11	0.18	0	.	AD	FS	N	FS			
General Use	Enterococci (1006, 1007) geometric mean	Enterococcus	12/01/17	11/30/24	168	61	49.63	0	.	AD	FS	N	FS			
	High pH	pH	12/01/17	11/30/24	9	63	.	0	.	AD	FS	N	FS			
	Low pH	pH	12/01/17	11/30/24	6.5	63	.	0	.	AD	FS	N	FS			
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.66	64	.	0	.	AD	NC	N	NC			
		Nitrate	12/01/17	11/30/24	1.1	62	.	35	1.84	AD	CS	N	CS	Nitrate in water		
		Chlorophyll-a	12/01/17	11/30/24	21	17	.	1	23.3	AD	NC	N	NC			
		Ammonia	12/01/17	11/30/24	0.46	63	.	21	0.81	AD	CS	N	CS	Ammonia in water		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	63	.	0	.	AD	FS	N	FS			

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1007 - Houston Ship Channel/Buffalo Bayou Tidal AU ID: 1007_04																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	1	159	.	5	0.21	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	1	159	.	5	0.21	AD	NC	N	NC			
Fish Consumption Use	DSHS No Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c	
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c	
	HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/17	11/30/24	1140	10	2.5	0	.	AD	FS	N	FS			
		Mercury	04/01/17	11/30/24	0.03	11	0	0	.	AD	FS	N	FS			
		Lead (dissolved)	04/01/17	11/30/24	3.83	11	0.18	0	.	AD	FS	N	FS			
General Use	Enterococci (1006, 1007) geometric mean	Enterococcus	12/01/17	11/30/24	168	106	112.27	0	.	AD	FS	N	FS			
	High pH	pH	12/01/17	11/30/24	9	162	.	0	.	AD	FS	N	FS			
	Low pH	pH	12/01/17	11/30/24	6.5	162	.	0	.	AD	FS	N	FS			
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.66	162	.	138	1.03	AD	CS	N	CS	Total Phosphorus in water		
		Nitrate	12/01/17	11/30/24	1.1	160	.	156	5.38	AD	CS	N	CS	Nitrate in water		
		Chlorophyll-a	12/01/17	11/30/24	21	17	.	1	25	AD	NC	N	NC			
		Ammonia	12/01/17	11/30/24	0.46	161	.	47	0.79	AD	CS	N	CS	Ammonia in water		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	162	.	0	.	AD	FS	N	FS			

Seg ID: 1007 - Houston Ship Channel/Buffalo Bayou Tidal AU ID: 1007_05																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Acute Toxic Substances in water	Zinc (dissolved)	12/01/17	11/30/24	92.7	3	.	0	.	ID	NA	N	NA			
		Selenium	12/01/17	11/30/24	564	3	.	0	.	ID	NA	N	NA			
		Nickel (dissolved)	12/01/17	11/30/24	118	3	.	0	.	ID	NA	N	NA			
		Mercury	12/01/17	11/30/24	2.1	2	.	0	.	ID	NA	N	NA			
		Lead (dissolved)	12/01/17	11/30/24	133	3	.	0	.	ID	NA	N	NA			
		Copper (dissolved)	12/01/17	11/30/24	24.3	3	.	0	.	ID	NA	N	NA			
		Cadmium (dissolved)	12/01/17	11/30/24	40	3	.	0	.	ID	NA	N	NA			
		Arsenic (dissolved)	12/01/17	11/30/24	149	2	.	0	.	ID	NA	N	NA			
	Acute Toxicity tests in whole sediment	Sediment Acute toxicity in saltwater (L. plumulosas)	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Toxicity in sediment	5c	
	Chronic Toxic Substances in water	Zinc (dissolved)	12/01/17	11/30/24	84.2	3	14.13	0	.	ID	NA	N	NA			
		Selenium	12/01/17	11/30/24	136	3	2.17	0	.	ID	NA	N	NA			
		Nickel (dissolved)	12/01/17	11/30/24	13.1	3	2.5	0	.	ID	NA	N	NA			
		Mercury	12/01/17	11/30/24	1.1	2	0	0	.	ID	NA	N	NA			
		Lead (dissolved)	12/01/17	11/30/24	5.3	3	0.23	0	.	ID	NA	N	NA			
		Copper (dissolved)	12/01/17	11/30/24	6.48	3	3.3	0	.	ID	NA	N	NA			
		Cadmium (dissolved)	12/01/17	11/30/24	8.75	3	0.37	0	.	ID	NA	N	NA			
		Arsenic (dissolved)	12/01/17	11/30/24	78	2	20.13	0	.	ID	NA	N	NA			
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	1	34	.	4	0.63	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	1	34	.	4	0.63	AD	NC	N	NC			
	LOE Toxic Sediment condition	Sediment toxicity (LOE)	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Toxicity in sediment	5c	
	Toxic Substances in sediment	Phenol (single compound)	12/01/17	11/30/24	1200	4	.	0	.	LD	NC	N	NC			
		Phenanthrene	12/01/17	11/30/24	1500	4	.	0	.	LD	NC	N	NC			
		Pentachlorophenol (PCP)	12/01/17	11/30/24	690	4	.	0	.	LD	NC	N	NC			
		PCBs	12/01/17	11/30/24	180	3	.	0	.	ID	NA	N	NA			
		Parathion (ethyl)	12/01/17	11/30/24	300	3	.	0	.	ID	NA	N	NA			
		Nitrobenzene	12/01/17	11/30/24	8000	4	.	0	.	LD	NC	N	NC			
		N-Butyl benzyl phthalate	12/01/17	11/30/24	640	4	.	0	.	LD	NC	N	NC			
		Naphthalene	12/01/17	11/30/24	2100	4	.	0	.	LD	NC	N	NC			
		Hexachloroethane	12/01/17	11/30/24	5640	4	.	0	.	LD	NC	N	NC			
		Hexachlorocyclopentadiene	12/01/17	11/30/24	1060	4	.	0	.	LD	NC	N	NC			
		Heptachlor	12/01/17	11/30/24	2.74	3	.	0	.	ID	NA	N	NA			
		gamma-BHC (Lindane)	12/01/17	11/30/24	0.99	3	.	0	.	ID	NA	N	NA			
		Fluorene	12/01/17	11/30/24	540	4	.	0	.	LD	NC	N	NC			

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1007 - Houston Ship Channel/Bufalo Bayou Tidal AU ID: 1007_05															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Endrin	12/01/17	11/30/24	62.4	3	.	0	.	ID	NA	N	NA		
		Di-n-octyl phthalate	12/01/17	11/30/24	45000	4	.	0	.	LD	NC	N	NC		
		Di-n-butyl phthalate	12/01/17	11/30/24	17000	4	.	0	.	LD	NC	N	NC		
		Diethyl phthalate	12/01/17	11/30/24	1100	4	.	0	.	LD	NC	N	NC		
		Dieldrin	12/01/17	11/30/24	4.3	3	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	260	4	.	0	.	LD	NC	N	NC		
		DDT	12/01/17	11/30/24	4.77	3	.	0	.	ID	NA	N	NA		
		DDE	12/01/17	11/30/24	374	3	.	0	.	ID	NA	N	NA		
		DDD	12/01/17	11/30/24	7.81	3	.	0	.	ID	NA	N	NA		
		Chrysene	12/01/17	11/30/24	2800	4	.	0	.	LD	NC	N	NC		
		Chlordane	12/01/17	11/30/24	4.79	3	.	0	.	ID	NA	N	NA		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	2647	4	.	0	.	LD	NC	N	NC		
		Dimethyl phthalate	12/01/17	11/30/24	530	4	.	0	.	LD	NC	N	NC		
		Benzyl alcohol	12/01/17	11/30/24	73	2	.	0	.	ID	NA	N	NA		
		Benzoic acid	12/01/17	11/30/24	650	2	.	0	.	ID	NA	N	NA		
		Fluoranthene	12/01/17	11/30/24	5100	4	.	0	.	LD	NC	N	NC		
		Benzo(a)pyrene	12/01/17	11/30/24	1600	4	.	0	.	LD	NC	N	NC		
		Benzo(a)anthracene	12/01/17	11/30/24	1600	4	.	0	.	LD	NC	N	NC		
		Arachlor 1254	12/01/17	11/30/24	709	3	.	0	.	ID	NA	N	NA		
		Anthracene	12/01/17	11/30/24	1100	4	.	0	.	LD	NC	N	NC		
		Hexachlorobutadiene (HCBd)	12/01/17	11/30/24	670	4	.	0	.	LD	NC	N	NC		
		Acenaphthylene	12/01/17	11/30/24	640	4	.	0	.	LD	NC	N	NC		
		Acenaphthene	12/01/17	11/30/24	500	4	.	0	.	LD	NC	N	NC		
		2-Methylphenol (o-cresol)	12/01/17	11/30/24	63	4	.	0	.	LD	NC	N	NC		
		2-Methylnaphthalene	12/01/17	11/30/24	670	4	.	0	.	LD	NC	N	NC		
		2,4-Dinitrotoluene	12/01/17	11/30/24	14960	4	.	0	.	LD	NC	N	NC		
		2,4-Dimethylphenol	12/01/17	11/30/24	29	4	.	0	.	LD	NC	N	NC		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4210	4	.	0	.	LD	NC	N	NC		
		1,3-Dichlorobenzene	12/01/17	11/30/24	1950	4	.	0	.	LD	NC	N	NC		
		Pentachlorobenzene	12/01/17	11/30/24	44350	2	.	0	.	ID	NA	N	NA		
1,2-Dichlorobenzene	12/01/17	11/30/24	4440	4	.	0	.	LD	NC	N	NC				
1,2,4-Trichlorobenzene	12/01/17	11/30/24	2320	4	.	0	.	LD	NC	N	NC				
Pyrene	12/01/17	11/30/24	2600	4	.	0	.	LD	NC	N	NC				
1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1640	2	.	0	.	ID	NA	N	NA				
Fish Consumption Use	DSHS No Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
	HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/17	11/30/24	1140	10	2.5	0	.	AD	FS	N	FS		
		Lead (dissolved)	04/01/17	11/30/24	3.83	11	0.18	0	.	AD	FS	N	FS		
		Mercury	04/01/17	11/30/24	0.03	11	0	0	.	AD	FS	N	FS		
General Use	Enterococci (1006, 1007) geometric mean	Enterococcus	12/01/17	11/30/24	168	30	279.69	1	.	AD	NS	N	NS	Bacteria in water	5c
	High pH	pH	12/01/17	11/30/24	9	34	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	34	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	1.1	32	.	26	4.64	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	21	32	.	5	33.08	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.46	33	.	11	2.73	AD	CS	N	CS	Ammonia in water	
		Total phosphorus	12/01/17	11/30/24	0.66	34	.	30	1.77	AD	CS	N	CS	Total Phosphorus in water	
Water Temperature	Water temperature	12/01/17	11/30/24	35	34	.	0	.	AD	FS	N	FS			

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1007 - Houston Ship Channel/Buffalo Bayou Tidal AU ID: 1007_06															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	1	48	.	3	0.43	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	1	48	.	3	0.43	AD	NC	N	NC		
Fish Consumption Use	DSHS No Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
	HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/17	11/30/24	1140	10	2.5	0	.	AD	FS	N	FS		
		Mercury	04/01/17	11/30/24	0.03	11	0	0	.	AD	FS	N	FS		
		Lead (dissolved)	04/01/17	11/30/24	3.83	11	0.18	0	.	AD	FS	N	FS		
General Use	Enterococci (1006, 1007) geometric mean	Enterococcus	12/01/17	11/30/24	168	48	181.87	1	.	AD	NS	N	NS	Bacteria in water	5r
	High pH	pH	12/01/17	11/30/24	9	47	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	47	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.66	48	.	34	1.49	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.1	48	.	45	5.5	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.46	48	.	4	1.39	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	48	.	0	.	AD	FS	N	FS		

Seg ID: 1007 - Houston Ship Channel/Buffalo Bayou Tidal AU ID: 1007_07															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Zinc (dissolved)	05/01/16	11/30/24	92.7	11	.	0	.	AD	FS	N	FS		
		Selenium	05/01/16	11/30/24	564	11	.	0	.	AD	FS	N	FS		
		Nickel (dissolved)	05/01/16	11/30/24	118	10	.	0	.	AD	FS	N	FS		
		Mercury	05/01/16	11/30/24	2.1	9	.	0	.	LD	NC	N	NC		
		Lead (dissolved)	05/01/16	11/30/24	133	9	.	0	.	LD	NC	N	NC		
		Copper (dissolved)	05/01/16	11/30/24	24.3	9	.	0	.	LD	NC	N	NC		
		Cadmium (dissolved)	05/01/16	11/30/24	40	10	.	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	05/01/16	11/30/24	149	10	.	0	.	AD	FS	N	FS		
	Chronic Toxic Substances in water	Zinc (dissolved)	05/01/16	11/30/24	84.2	11	10.52	0	.	AD	FS	N	FS		
		Selenium	05/01/16	11/30/24	136	11	1.03	0	.	AD	FS	N	FS		
		Nickel (dissolved)	05/01/16	11/30/24	13.1	10	2.75	0	.	AD	FS	N	FS		
		Mercury	05/01/16	11/30/24	1.1	9	0	0	.	LD	NC	N	NC		
		Lead (dissolved)	05/01/16	11/30/24	5.3	9	0.1	0	.	LD	NC	N	NC		
		Copper (dissolved)	05/01/16	11/30/24	6.48	9	2.25	0	.	LD	NC	N	NC		
		Cadmium (dissolved)	05/01/16	11/30/24	8.75	10	0.16	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	05/01/16	11/30/24	78	10	4.43	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	1	144	.	2	0.75	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	1	144	.	2	0.75	AD	NC	N	NC		
	Toxic Substances in sediment	Zinc	12/01/17	11/30/24	410	6	.	0	.	LD	NC	N	NC		
		Pyrene	12/01/17	11/30/24	2600	6	.	0	.	LD	NC	N	NC		
		Phenol (single compound)	12/01/17	11/30/24	1200	6	.	0	.	LD	NC	N	NC		
		Phenanthrene	12/01/17	11/30/24	1500	6	.	0	.	LD	NC	N	NC		
		Pentachlorobenzene	12/01/17	11/30/24	44350	3	.	0	.	ID	NA	N	NA		
		PCBs	12/01/17	11/30/24	180	5	.	0	.	LD	NC	N	NC		
		Parathion (ethyl)	12/01/17	11/30/24	300	5	.	0	.	LD	NC	N	NC		
		Nickel	12/01/17	11/30/24	51.6	6	.	0	.	LD	NC	N	NC		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	640	6	.	0	.	LD	NC	N	NC		
		Naphthalene	12/01/17	11/30/24	2100	6	.	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	0.71	5	.	0	.	LD	NC	N	NC		
		Lead	12/01/17	11/30/24	218	6	.	0	.	LD	NC	N	NC		
		Hexachloroethane	12/01/17	11/30/24	5640	6	.	0	.	LD	NC	N	NC		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	1060	6	.	0	.	LD	NC	N	NC		
		Heptachlor	12/01/17	11/30/24	2.74	5	.	0	.	LD	NC	N	NC		
		gamma-BHC (Lindane)	12/01/17	11/30/24	0.99	5	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1007 - Houston Ship Channel/Buffalo Bayou Tidal AU ID: 1007_07															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Fluorene	12/01/17	11/30/24	540	6	.	0	.	LD	NC	N	NC		
		Endrin	12/01/17	11/30/24	62.4	5	.	0	.	LD	NC	N	NC		
		Di-n-octyl phthalate	12/01/17	11/30/24	45000	6	.	0	.	LD	NC	N	NC		
		Di-n-butyl phthalate	12/01/17	11/30/24	17000	6	.	0	.	LD	NC	N	NC		
		Diethyl phthalate	12/01/17	11/30/24	1100	6	.	0	.	LD	NC	N	NC		
		Dieldrin	12/01/17	11/30/24	4.3	5	.	0	.	LD	NC	N	NC		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	260	6	.	0	.	LD	NC	N	NC		
		DDT	12/01/17	11/30/24	4.77	5	.	0	.	LD	NC	N	NC		
		DDE	12/01/17	11/30/24	374	5	.	0	.	LD	NC	N	NC		
		DDD	12/01/17	11/30/24	7.81	5	.	0	.	LD	NC	N	NC		
		Copper	12/01/17	11/30/24	270	6	.	0	.	LD	NC	N	NC		
		Dimethyl phthalate	12/01/17	11/30/24	530	6	.	0	.	LD	NC	N	NC		
		Chrysene	12/01/17	11/30/24	2800	6	.	0	.	LD	NC	N	NC		
		Chromium	12/01/17	11/30/24	370	6	.	0	.	LD	NC	N	NC		
		Chlordane	12/01/17	11/30/24	4.79	5	.	0	.	LD	NC	N	NC		
		Cadmium	12/01/17	11/30/24	9.6	6	.	0	.	LD	NC	N	NC		
		Fluoranthene	12/01/17	11/30/24	5100	6	.	0	.	LD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	2647	6	.	0	.	LD	NC	N	NC		
		Benzyl alcohol	12/01/17	11/30/24	73	3	.	0	.	ID	NA	N	NA		
		Benzoic acid	12/01/17	11/30/24	650	3	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	12/01/17	11/30/24	1600	6	.	0	.	LD	NC	N	NC		
		Hexachlorobutadiene (HCBd)	12/01/17	11/30/24	670	6	.	0	.	LD	NC	N	NC		
		Benzo(a)anthracene	12/01/17	11/30/24	1600	6	.	0	.	LD	NC	N	NC		
		Arsenic	12/01/17	11/30/24	70	6	.	0	.	LD	NC	N	NC		
		Arachlor 1254	12/01/17	11/30/24	709	5	.	0	.	LD	NC	N	NC		
		Anthracene	12/01/17	11/30/24	1100	6	.	0	.	LD	NC	N	NC		
		Acenaphthylene	12/01/17	11/30/24	640	6	.	0	.	LD	NC	N	NC		
		Acenaphthene	12/01/17	11/30/24	500	6	.	0	.	LD	NC	N	NC		
		2-Methylphenol (o-cresol)	12/01/17	11/30/24	63	5	.	0	.	LD	NC	N	NC		
		2-Methylnaphthalene	12/01/17	11/30/24	670	6	.	0	.	LD	NC	N	NC		
		Nitrobenzene	12/01/17	11/30/24	8000	6	.	0	.	LD	NC	N	NC		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	690	6	.	0	.	LD	NC	N	NC		
		2,4-Dinitrotoluene	12/01/17	11/30/24	14960	6	.	0	.	LD	NC	N	NC		
		2,4-Dimethylphenol	12/01/17	11/30/24	29	6	.	0	.	LD	NC	N	NC		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4210	6	.	0	.	LD	NC	N	NC		
		1,3-Dichlorobenzene	12/01/17	11/30/24	1950	6	.	0	.	LD	NC	N	NC		
		Silver	12/01/17	11/30/24	3.7	6	.	0	.	LD	NC	N	NC		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4440	6	.	0	.	LD	NC	N	NC		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	2320	6	.	0	.	LD	NC	N	NC		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1640	3	.	0	.	ID	NA	N	NA		
Fish Consumption Use	DSHS No Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
	HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/17	11/30/24	1140	10	2.5	0	.	AD	FS	N	FS		
		Mercury	04/01/17	11/30/24	0.03	11	0	0	.	AD	FS	N	FS		
		Lead (dissolved)	04/01/17	11/30/24	3.83	11	0.18	0	.	AD	FS	N	FS		
General Use	Enterococci (1006, 1007) geometric mean		Enterococcus	12/01/17	11/30/24	168	150	107.79	0	.	AD	FS	N	FS	
	High pH		pH	12/01/17	11/30/24	9	149	.	0	.	AD	FS	N	FS	
	Low pH		pH	12/01/17	11/30/24	6.5	149	.	0	.	AD	FS	N	FS	
	Nutrient Screening Levels	Total phosphorus		12/01/17	11/30/24	0.66	150	.	112	1.1	AD	CS	N	CS	Total Phosphorus in water
		Chlorophyll-a		12/01/17	11/30/24	21	25	.	1	27.6	AD	NC	N	NC	
		Ammonia		12/01/17	11/30/24	0.46	150	.	51	1.03	AD	CS	N	CS	Ammonia in water
		Nitrate		12/01/17	11/30/24	1.1	142	.	128	4.61	AD	CS	N	CS	Nitrate in water

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1007 - Houston Ship Channel/Buffalo Bayou Tidal AU ID: 1007_07															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Water Temperature	Water temperature	12/01/17	11/30/24	35	149	.	0	.	AD	FS	N	FS		

Seg ID: 1007 - Houston Ship Channel/Buffalo Bayou Tidal AU ID: 1007_08															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	1	47	.	1	0.9	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	1	47	.	1	0.9	AD	NC	N	NC		
Fish Consumption Use	DSHS Limited Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
	HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/17	11/30/24	1140	10	2.5	0	.	AD	FS	N	FS		
		Mercury	04/01/17	11/30/24	0.03	11	0	0	.	AD	FS	N	FS		
		Lead (dissolved)	04/01/17	11/30/24	3.83	11	0.18	0	.	AD	FS	N	FS		
General Use	High pH	pH	12/01/17	11/30/24	9	48	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	48	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.66	48	.	44	3.19	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.1	48	.	30	10.59	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.46	48	.	12	3.95	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	48	.	0	.	AD	FS	N	FS		

Seg ID: 1007A - Canal C-147 AU ID: 1007A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	44	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	44	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	16	.	14	1.9	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	16	.	16	8.36	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	16	.	2	0.94	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	48	121.27	0	.	AD	FS	N	FS		

Seg ID: 1007B - Brays Bayou Above Tidal AU ID: 1007B_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	393	.	2	1.15	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	393	.	2	1.15	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	427	.	389	1.37	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	427	.	378	6.91	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	426	.	106	0.99	AD	CS	N	CS	Ammonia in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	426	2166.24	1	.	AD	NS	N	NS	Bacteria in water	4a

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1007B - Brays Bayou Above Tidal AU ID: 1007B_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	43	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	43	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	47	.	47	2.02	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	47	.	45	8.94	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	47	.	9	1.48	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	47	781.06	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1007C - Keegans Bayou Above Tidal AU ID: 1007C_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	86	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	86	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	95	.	91	2.5	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	95	.	91	10.57	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	95	.	14	0.85	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	95	940.36	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1007D - Sims Bayou Above Tidal AU ID: 1007D_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	81	.	3	1.27	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	81	.	3	1.27	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	96	.	52	1.93	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	96	.	49	6.23	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	96	.	6	0.94	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	96	544.67	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1007D - Sims Bayou Above Tidal AU ID: 1007D_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	92	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	92	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	96	.	78	2.12	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	96	.	72	5.33	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	96	.	19	0.75	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	96	331.73	1	.	AD	NS	N	NS	Bacteria in water	4a

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1007D - Sims Bayou Above Tidal AU ID: 1007D_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	140	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	140	.	4	2.43	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	143	.	113	2.28	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	143	.	111	5.06	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	143	.	24	0.61	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	143	750.25	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1007E - Willow Waterhole Bayou Above Tidal AU ID: 1007E_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	45	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	45	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	16	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	16	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	16	.	2	0.87	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	46	1353.18	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1007F - Berry Bayou Above Tidal AU ID: 1007F_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	48	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	48	.	1	2.7	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	48	.	40	2.22	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	48	.	43	9.62	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	48	.	12	0.84	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	48	3275.43	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1007G - Kuhlman Gully Above Tidal AU ID: 1007G_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	46	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	46	.	12	4.28	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	47	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	47	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	47	.	4	0.99	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	47	754.04	1	.	AD	NS	N	NS	Bacteria in water	4a

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1007H - Pine Gully Above Tidal AU ID: 1007H_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	47	.	23	1.79	AD	NS	N	NS	Depressed dissolved oxygen in water	5r	
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	47	.	30	2.18	AD	CS	N	CS	Depressed dissolved oxygen in water		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	47	.	0	.	AD	NC	N	NC			
		Nitrate	12/01/17	11/30/24	1.95	47	.	0	.	AD	NC	N	NC			
		Ammonia	12/01/17	11/30/24	0.33	47	.	11	0.89	AD	NC	N	NC			
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	46	1898.75	1	.	AD	NS	N	NS	Bacteria in water	4a	

Seg ID: 1007I - Plum Creek Above Tidal AU ID: 1007I_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Depressed dissolved oxygen in water	5r	
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Depressed dissolved oxygen in water	5r	
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	46	.	26	1.38	SM	NS	N	NA			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	46	.	29	1.59	SM	CS	N	NA			
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	48	.	1	1.61	AD	NC	N	NC			
		Nitrate	12/01/17	11/30/24	1.95	48	.	1	9.4	AD	NC	N	NC			
		Ammonia	12/01/17	11/30/24	0.33	48	.	21	0.63	AD	CS	N	CS	Ammonia in water		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	47	2265.63	1	.	AD	NS	N	NS	Bacteria in water	4a	

Seg ID: 1007K - Country Club Bayou Above Tidal AU ID: 1007K_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CN	Depressed dissolved oxygen in water		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Depressed dissolved oxygen in water	5r	
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	91	.	38	1.6	SM	NS	N	NA			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	91	.	45	1.9	SM	CS	N	NA			
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	95	.	3	0.83	AD	NC	N	NC			
		Nitrate	12/01/17	11/30/24	1.95	95	.	0	.	AD	NC	N	NC			
		Ammonia	12/01/17	11/30/24	0.33	95	.	27	0.85	AD	CS	N	CS	Ammonia in water		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	94	1515.66	1	.	AD	NS	N	NS	Bacteria in water	4a	

Seg ID: 1007L - Unnamed Non-Tidal Tributary of Brays Bayou AU ID: 1007L_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	46	.	1	0.9	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	46	.	1	0.9	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	47	.	2	0.85	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	47	.	13	2.97	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	46	.	1	0.35	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	47	1278.1	1	.	AD	NS	N	NS	Bacteria in water	4a

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1007M - Unnamed Non-tidal Tributary of Hunting Bayou AU ID: 1007M_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	45	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	45	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	16	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	16	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	16	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	48	302.26	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1007N - Unnamed Non-Tidal Tributary of Sims Bayou AU ID: 1007N_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	46	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	46	.	5	2.26	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	48	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	48	.	2	2.69	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	48	.	32	2.27	AD	CS	N	CS	Ammonia in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	48	189.03	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1007O - Unnamed Non-Tidal Tributary of Buffalo Bayou AU ID: 1007O_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	43	.	2	0.6	AD	FS	Y	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	43	.	5	2.86	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	46	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	46	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	46	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	46	743.75	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1007R - Hunting Bayou Above Tidal AU ID: 1007R_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	44	.	6	1.55	AD	CN	Y	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	44	.	6	1.55	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	48	.	2	1.9	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	48	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	48	.	30	3.15	AD	CS	N	CS	Ammonia in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	48	521.39	1	.	AD	NS	N	NS	Bacteria in water	4a

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1007R - Hunting Bayou Above Tidal AU ID: 1007R_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	45	.	5	2.58	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	45	.	13	3.08	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	48	.	1	1.09	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	48	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	48	.	4	0.53	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	48	262.95	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1007R - Hunting Bayou Above Tidal AU ID: 1007R_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	90	.	8	1.96	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	90	.	17	2.76	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	96	.	4	3.12	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	96	.	26	3.15	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	96	.	16	2.43	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	96	772.68	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1007R - Hunting Bayou Above Tidal AU ID: 1007R_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	4	1	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	3	1	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	45	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	45	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	48	.	1	0.95	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	48	.	18	3.16	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	48	.	3	1.3	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	48	680.05	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1007S - Poor Farm Ditch AU ID: 1007S_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	41	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	41	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	16	.	8	1.08	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	16	.	11	4.59	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	16	.	1	1.63	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	48	955.71	1	.	AD	NS	N	NS	Bacteria in water	4a

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1007T - Bintliff Ditch AU ID: 1007T_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	45	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	45	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	16	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	16	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	16	.	5	0.59	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	47	9082.63	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1007U - Mimosa Ditch AU ID: 1007U_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	46	.	1	2.8	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	46	.	1	2.8	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	16	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	16	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	16	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	48	1220.58	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1007V - Unnamed Tributary of Hunting Bayou AU ID: 1007V_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	38	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	38	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	15	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	15	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	15	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	45	495.32	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1007W - Harris County Flood Control Ditch D 138 AU ID: 1007W_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	3	1	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	2	1	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	46	.	11	1.32	AD	NS	N	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	46	.	19	1.78	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	48	.	2	1.31	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	48	.	2	5.41	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	48	.	21	1.64	AD	CS	N	CS	Ammonia in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	48	1069.66	1	.	AD	NS	N	NS	Bacteria in water	4a

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1008 - Spring Creek AU ID: 1008_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	111	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	111	.	9	4.17	AD	NC	N	NC		
	Fish Community (Regional)	Fish community	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CN	Impaired fish community in water	
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	450	250	219.61	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	250	10.78	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	250	46.22	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	110	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	110	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	117	.	2	1.56	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	117	.	3	2.54	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	116	.	1	0.8	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	112	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	250	1.93	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	112	321.99	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1008 - Spring Creek AU ID: 1008_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	88	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	88	.	2	4.8	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	450	250	219.61	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	250	10.78	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	250	46.22	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	88	.	1	9.7	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	88	.	1	5.8	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	90	.	31	1.16	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	90	.	34	4.77	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	90	.	3	0.67	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	88	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	250	1.93	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	90	310.03	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1008 - Spring Creek AU ID: 1008_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	47	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	47	.	1	3.9	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	450	250	219.61	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	250	10.78	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	250	46.22	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	47	.	1	9.7	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	47	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1008 - Spring Creek AU ID: 1008_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	47	.	32	1.27	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	47	.	35	5.45	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	47	.	1	0.42	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	47	.	2	33.95	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	250	1.93	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	47	370.15	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1008A - Mill Creek AU ID: 1008A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	4	7	.	0	.	SM	NC	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	3	7	.	0	.	SM	NC	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	28	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	28	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	28	.	4	1.54	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	28	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	27	.	1	0.4	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	28	214.1	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1008B - Upper Panther Branch AU ID: 1008B_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Selenium	12/01/17	11/30/24	20	3	.	0	.	ID	NA	N	NA		
	Chronic Toxic Substances in water	Selenium	12/01/17	11/30/24	5	3	1	0	.	ID	NA	N	NA		
		Cadmium (dissolved)	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CN	Cadmium in water	
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	80	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	80	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	28	.	23	3.37	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	27	.	24	21.44	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	28	.	9	0.7	AD	CS	N	CS	Ammonia in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	28	75.61	0	.	AD	FS	N	FS		

Seg ID: 1008B - Upper Panther Branch AU ID: 1008B_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Selenium	12/01/17	11/30/24	20	3	.	0	.	ID	NA	N	NA		
	Chronic Toxic Substances in water	Selenium	12/01/17	11/30/24	5	3	1	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	79	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	79	.	0	.	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1008B - Upper Panther Branch AU ID: 1008B_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	27	.	6	3.18	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	26	.	4	21.13	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	27	.	2	1.05	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	27	107.23	0	.	AD	FS	N	FS		

Seg ID: 1008C - Lower Panther Branch AU ID: 1008C_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Selenium	12/01/17	11/30/24	20	1	.	0	.	ID	NA	N	NA		
	Chronic Toxic Substances in water	Selenium	12/01/17	11/30/24	5	1	1	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	81	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	81	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	28	.	22	1.82	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	27	.	21	7.69	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	28	.	3	0.87	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	28	157.33	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1008C - Lower Panther Branch AU ID: 1008C_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Selenium	12/01/17	11/30/24	20	3	.	0	.	ID	NA	N	NA		
	Chronic Toxic Substances in water	Selenium	12/01/17	11/30/24	5	3	1	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	78	.	3	2.2	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	78	.	12	3.17	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	27	.	9	1.5	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	26	.	5	2.78	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	27	.	5	0.56	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	27	143.49	1	.	AD	CN	N	CN	Bacteria in water	

Seg ID: 1008E - Bear Branch AU ID: 1008E_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Selenium	12/01/17	11/30/24	20	3	.	0	.	ID	NA	N	NA		
	Chronic Toxic Substances in water	Selenium	12/01/17	11/30/24	5	3	1	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	80	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	80	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	28	.	3	3.61	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	27	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	28	.	4	0.53	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	28	85.75	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1008F - Lake Woodlands AU ID: 1008F_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	80	.	0	.	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	80	.	13	4.05	AD	CS	N	CS	Depressed dissolved oxygen in water		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.2	28	.	27	1.33	JQ	NA	N	NA			
		Nitrate	12/01/17	11/30/24	0.37	27	.	25	6.96	JQ	NA	N	NA			
		Ammonia	12/01/17	11/30/24	0.11	28	.	16	0.5	JQ	NA	N	NA			
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	27	65.16	0	.	AD	FS	N	FS			

Seg ID: 1008F - Lake Woodlands AU ID: 1008F_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	80	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	80	.	4	4.13	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.2	28	.	26	0.84	JQ	NA	N	NA		
		Nitrate	12/01/17	11/30/24	0.37	27	.	23	2.05	JQ	NA	N	NA		
		Ammonia	12/01/17	11/30/24	0.11	28	.	11	0.34	JQ	NA	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	28	29.99	0	.	AD	FS	N	FS		

Seg ID: 1008F - Lake Woodlands AU ID: 1008F_03																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	79	.	1	1.8	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	79	.	8	3.61	AD	NC	N	NC			
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.2	28	.	24	0.84	JQ	NA	N	NA			
		Nitrate	12/01/17	11/30/24	0.37	27	.	22	1.87	JQ	NA	N	NA			
		Chlorophyll-a	12/01/17	11/30/24	26.7	28	.	20	45.2	JQ	NA	N	NA			
		Ammonia	12/01/17	11/30/24	0.11	28	.	11	0.37	JQ	NA	N	NA			
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	28	23.86	0	.	AD	FS	N	FS			

Seg ID: 1008F - Lake Woodlands AU ID: 1008F_04																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	79	.	1	2.47	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	79	.	5	3.74	AD	NC	N	NC			
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.2	28	.	27	0.76	JQ	NA	N	NA			
		Nitrate	12/01/17	11/30/24	0.37	27	.	22	1.68	JQ	NA	N	NA			
		Ammonia	12/01/17	11/30/24	0.11	28	.	9	0.43	JQ	NA	N	NA			
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	28	20.85	0	.	AD	FS	N	FS			

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1008H - Willow Creek AU ID: 1008H_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	86	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	86	.	8	4.04	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	87	.	71	2.49	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	87	.	72	8.67	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	87	.	25	1.64	AD	CS	N	CS	Ammonia in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	87	503.97	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1008I - Walnut Creek AU ID: 1008I_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	5	3	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	3	3	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	22	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	22	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	27	.	1	1.13	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	27	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	26	.	2	0.55	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	24	422.38	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1008J - Brushy Creek AU ID: 1008J_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	5	2	.	1	4.6	ID	NA	Y	CN	Depressed dissolved oxygen in water	
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	3	2	.	0	.	SM	NA	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	24	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	24	.	6	4.53	SM	CS	N	NA		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	28	.	1	1.85	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	28	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	27	.	3	0.43	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	25	300.52	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1009 - Cypress Creek AU ID: 1009_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	64	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	64	.	12	3.98	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	600	256	313.21	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	260	16.51	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	260	60.92	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	64	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	64	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1009 - Cypress Creek AU ID: 1009_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	1.95	69	.	31	6.09	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	69	.	8	0.71	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.69	70	.	38	2.01	AD	CS	N	CS	Total Phosphorus in water	
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	65	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	260	4.46	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	18	0.22	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	66	354.63	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1009 - Cypress Creek AU ID: 1009_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	5	1	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	3	1	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	92	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	92	.	2	4.35	AD	NC	N	NC		
	Fish Community (Regional)	Fish community	12/01/17	11/30/24	39	1	49	.	.	LD	NC	N	NC		
	Habitat	Habitat	12/01/17	11/30/24	20	1	19	.	.	LD	CS	N	CS	Impaired habitat in water	
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/17	11/30/24	29	1	23	.	.	LD	CN	N	CN	Impaired macrobenthic community in water	
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	600	256	313.21	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	260	16.51	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	260	60.92	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	93	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	93	.	1	6.4	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	94	.	72	1.78	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	94	.	70	5.49	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	94	.	16	0.51	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	93	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	260	4.46	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	18	0.22	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	94	601.78	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1009 - Cypress Creek AU ID: 1009_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	79	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	79	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	600	256	313.21	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	260	16.51	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	260	60.92	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	80	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	80	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1009 - Cypress Creek AU ID: 1009_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	83	.	73	1.85	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	83	.	68	6.37	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	83	.	21	0.47	AD	CS	N	CS	Ammonia in water	
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	80	.	1	32.4	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	260	4.46	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	18	0.22	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	83	496.47	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1009 - Cypress Creek AU ID: 1009_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	19	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	19	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	600	256	313.21	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	260	16.51	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	260	60.92	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	19	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	19	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	18	.	16	1.7	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	18	.	14	6.41	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	18	.	10	24.39	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.33	17	.	2	0.41	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	19	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	260	4.46	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	18	0.22	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	09/01/16	11/30/24	126	20	1346.62	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1009C - Faulkey Gully AU ID: 1009C_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	46	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	46	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	47	.	44	2.1	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	47	.	37	5.68	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	47	.	22	1.92	AD	CS	N	CS	Ammonia in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	47	404.16	1	.	AD	NS	N	NS	Bacteria in water	4a

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1009D - Spring Gully AU ID: 1009D_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	47	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	47	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	47	.	41	2.5	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	47	.	36	7.71	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	47	.	9	1.73	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	47	321.42	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1009E - Little Cypress Creek AU ID: 1009E_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	73	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	73	.	1	3.9	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	74	.	47	1.81	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	73	.	45	5.8	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	73	.	4	0.93	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	74	353.84	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1010 - Caney Creek AU ID: 1010_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	300	178	114.95	0	.	AD	FS	N	FS			
		Sulfate	12/01/17	11/30/24	50	179	4.63	0	.	AD	FS	N	FS			
		Chloride	12/01/17	11/30/24	50	179	19.68	0	.	AD	FS	N	FS			
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	179	0.48	0	.	AD	FS	N	FS			
		Fluoride	12/01/17	11/30/24	4	18	0.12	0	.	AD	FS	N	FS			

Seg ID: 1010 - Caney Creek AU ID: 1010_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	69	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	69	.	1	4.9	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	300	178	114.95	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	179	4.63	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	179	19.68	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	8.5	68	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6	68	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	70	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	70	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	69	.	2	0.4	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	69	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1010 - Caney Creek AU ID: 1010_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	179	0.48	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	18	0.12	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	70	245.47	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1010 - Caney Creek AU ID: 1010_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	18	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	18	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	300	178	114.95	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	179	4.63	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	179	19.68	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	8.5	18	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6	18	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	21	.	3	1.44	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	21	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	21	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	18	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	179	0.48	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	18	0.12	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	20	518.55	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1010 - Caney Creek AU ID: 1010_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	88	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	88	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	300	178	114.95	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	179	4.63	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	179	19.68	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	8.5	88	.	1	8.8	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6	88	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	89	.	3	2.96	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	89	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	18	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	89	.	2	0.4	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	89	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	179	0.48	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	18	0.12	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	88	285.73	1	.	AD	NS	N	NS	Bacteria in water	4a

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1010C - Spring Branch AU ID: 1010C_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	5	14	.	1	4.9	AD	FS	N	FS		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	3	14	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	25	.	0	.	SM	FS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	25	.	1	3.9	SM	NC	N	NA		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	28	.	7	2.02	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	28	.	1	8.45	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	28	.	4	0.9	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	25	354.23	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1011 - Peach Creek AU ID: 1011_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	103	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	103	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	300	130	54.01	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	129	3.05	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	129	12.67	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	8.5	103	.	1	8.8	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6	103	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	107	.	1	2.92	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	108	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	108	.	1	0.5	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	104	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	129	0.23	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	20	0.12	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	108	140.63	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1011 - Peach Creek AU ID: 1011_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	5	3	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	3	3	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	21	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	21	.	0	.	AD	NC	N	NC		
	Habitat	Habitat	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Impaired habitat in water	
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	300	130	54.01	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	129	3.05	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	129	12.67	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	8.5	22	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6	22	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	20	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	21	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	19	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	21	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	22	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1011 - Peach Creek AU ID: 1011_02																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	129	0.23	0	.	AD	FS	N	FS			
		Fluoride	12/01/17	11/30/24	4	20	0.12	0	.	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	20	267.08	1	.	AD	NS	N	NS	Bacteria in water	4a	

Seg ID: 1012 - Lake Conroe AU ID: 1012_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	60	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	60	.	5	4.08	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	300	608	123.59	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	740	4.59	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	790	18.07	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	60	.	6	9.3	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	60	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	61	.	5	32.84	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	790	0.07	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	73	5.29	0	.	AD	FS	N	FS		

Seg ID: 1012 - Lake Conroe AU ID: 1012_02																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	60	.	1	2.97	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	60	.	3	3.49	AD	NC	N	NC			
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	300	608	123.59	0	.	AD	FS	N	FS			
		Sulfate	12/01/17	11/30/24	50	740	4.59	0	.	AD	FS	N	FS			
		Chloride	12/01/17	11/30/24	50	790	18.07	0	.	AD	FS	N	FS			
	High pH	pH	12/01/17	11/30/24	9	60	.	5	9.26	AD	FS	N	FS			
	Low pH	pH	12/01/17	11/30/24	6.5	60	.	0	.	AD	FS	N	FS			
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	NC	N	NC			
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	61	.	3	32.87	AD	FS	N	FS			
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	790	0.07	0	.	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	72	1.62	0	.	AD	FS	N	FS			

Seg ID: 1012 - Lake Conroe AU ID: 1012_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	60	.	1	2.67	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	60	.	1	2.67	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1012 - Lake Conroe AU ID: 1012_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	300	608	123.59	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	740	4.59	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	790	18.07	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	60	.	10	9.24	AD	NS	N	NS	High pH in water	5c
	Low pH	pH	12/01/17	11/30/24	6.5	60	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	61	.	2	32.75	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	790	0.07	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	73	2.77	0	.	AD	FS	N	FS		

Seg ID: 1012 - Lake Conroe AU ID: 1012_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	60	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	60	.	3	4.37	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	300	608	123.59	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	740	4.59	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	790	18.07	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	60	.	3	9.5	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	60	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	61	.	2	32.3	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	790	0.07	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	73	1.53	0	.	AD	FS	N	FS		

Seg ID: 1012 - Lake Conroe AU ID: 1012_05															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	60	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	60	.	3	4.61	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	300	608	123.59	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	740	4.59	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	790	18.07	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	60	.	5	9.2	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	60	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	61	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	790	0.07	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	73	2.07	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1012 - Lake Conroe AU ID: 1012_06															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	60	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	60	.	1	4.03	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	300	608	123.59	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	740	4.59	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	790	18.07	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	60	.	2	9.18	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	60	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	61	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	790	0.07	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	73	2.1	0	.	AD	FS	N	FS		

Seg ID: 1012 - Lake Conroe AU ID: 1012_07															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	59	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	59	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	300	608	123.59	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	740	4.59	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	790	18.07	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	59	.	6	9.25	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	59	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	60	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	790	0.07	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	73	3.24	0	.	AD	FS	N	FS		

Seg ID: 1012 - Lake Conroe AU ID: 1012_08															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	60	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	60	.	4	3.87	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	300	608	123.59	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	740	4.59	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	790	18.07	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	60	.	2	9.15	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	60	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	61	.	1	32.3	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	790	0.07	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	73	2.4	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1012 - Lake Conroe AU ID: 1012_09															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	300	608	123.59	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	740	4.59	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	790	18.07	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	NC	N	NC		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	790	0.07	0	.	AD	FS	N	FS		

Seg ID: 1012 - Lake Conroe AU ID: 1012_10															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	300	608	123.59	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	740	4.59	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	790	18.07	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	NC	N	NC		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	790	0.07	0	.	AD	FS	N	FS		

Seg ID: 1012 - Lake Conroe AU ID: 1012_11															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	119	.	3	1.89	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	119	.	7	2.9	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	300	608	123.59	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	740	4.59	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	790	18.07	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	119	.	9	9.21	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	119	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria		Nutrients	12/01/17	11/30/24	.	0	.	.	AD	NC	N	NC		
	Water Temperature		Water temperature	12/01/17	11/30/24	32.2	121	.	2	32.65	AD	FS	N	FS	
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	790	0.07	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	145	1.88	0	.	AD	FS	N	FS		

Seg ID: 1013 - Buffalo Bayou Tidal AU ID: 1013_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	192	.	1	0.7	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	192	.	1	0.7	AD	NC	N	NC		
General Use	High pH	pH	12/01/17	11/30/24	9	208	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	208	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.66	208	.	153	1.32	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.1	206	.	179	5.68	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	21	19	.	2	41.25	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.46	208	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	33.3	208	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1013 - Buffalo Bayou Tidal AU ID: 1013_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	205	177.77	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1013A - Little White Oak Bayou AU ID: 1013A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	86	.	2	2.9	SM	FS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	86	.	11	3.35	SM	CS	N	NA		
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CN	Impaired macrobenthic community in water	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	96	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	96	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	96	.	3	0.44	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	96	1578.06	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1013C - Unnamed Non-Tidal Tributary of Buffalo Bayou Tidal AU ID: 1013C_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	3	6	.	0	.	TR	NC	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	2	6	.	3	1.3	TR	NS	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	41	.	1	1.4	AD	FS	Y	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	41	.	1	1.4	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	46	.	26	1.13	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	46	.	31	4.71	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	46	.	10	1.1	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	45	1903.63	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1014 - Buffalo Bayou Above Tidal AU ID: 1014_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	437	.	2	0.95	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	437	.	2	0.95	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	600	459	362.53	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	65	464	26.07	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	110	464	74.35	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	449	.	1	9.5	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	449	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	468	.	350	1.62	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	463	.	345	7.18	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	38	.	17	27.16	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.33	465	.	17	0.49	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	33.3	462	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1014 - Buffalo Bayou Above Tidal AU ID: 1014_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	460	504.39	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1014A - Bear Creek AU ID: 1014A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	44	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	44	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	48	.	40	3.24	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	48	.	42	12.27	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	48	.	11	1.38	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	48	553.79	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1014B - Buffalo Bayou/Barker Reservoir AU ID: 1014B_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	67	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	67	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	70	.	57	1.68	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	69	.	59	7.1	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	69	.	25	0.57	AD	CS	N	CS	Ammonia in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	70	427.85	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1014C - Horsepen Creek AU ID: 1014C_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	28	.	1	2.8	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	28	.	1	2.8	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	28	.	24	2.3	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	27	.	25	9.58	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	27	.	12	0.85	AD	CS	N	CS	Ammonia in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	28	460.8	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1014E - Langham Creek AU ID: 1014E_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	44	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	44	.	0	.	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1014E - Langham Creek AU ID: 1014E_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	48	.	43	2.5	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	48	.	41	10.43	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	48	.	17	1.03	AD	CS	N	CS	Ammonia in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	48	545.91	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1014H - South Mayde Creek AU ID: 1014H_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	44	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	44	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	47	.	37	2.25	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	47	.	36	9.03	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	47	.	4	0.46	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	47	396.55	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1014H - South Mayde Creek AU ID: 1014H_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	45	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	45	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	48	.	40	2.46	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	48	.	41	9.5	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	48	.	19	0.96	AD	CS	N	CS	Ammonia in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	48	587.23	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1014K - Turkey Creek AU ID: 1014K_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	43	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	43	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	47	.	4	1.28	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	47	.	15	4.17	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	47	.	2	0.48	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	47	328.72	1	.	AD	NS	N	NS	Bacteria in water	4a

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1014K - Turkey Creek AU ID: 1014K_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	42	.	3	2.53	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	42	.	4	2.73	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	45	.	2	0.82	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	45	.	1	15.8	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	45	.	1	0.6	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	45	129.31	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1014L - Mason Creek AU ID: 1014L_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	45	.	1	1.9	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	45	.	4	3.15	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	48	.	43	2.8	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	48	.	42	6.78	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	48	.	19	0.85	AD	CS	N	CS	Ammonia in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	48	475.59	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1014M - Newman Branch (Neimans Bayou) AU ID: 1014M_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	44	.	7	1.69	SM	NS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	44	.	25	3.36	SM	CS	N	NA		
	Fish Community (Regional)	Fish community	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Impaired fish community in water	5c
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Impaired macrobenthic community in water	5c
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	46	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	46	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	46	.	5	0.49	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	46	203.82	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1014N - Rummel Creek AU ID: 1014N_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	44	.	3	1.73	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	44	.	7	2.74	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	48	.	1	2.18	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	48	.	6	2.89	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	48	.	4	0.58	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	48	508.58	1	.	AD	NS	N	NS	Bacteria in water	4a

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1014O - Spring Branch AU ID: 1014O_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	45	.	1	2.7	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	45	.	3	3.3	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	48	.	2	1.46	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	48	.	1	9.57	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	48	.	2	0.92	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	48	910.42	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1015 - Lake Creek AU ID: 1015_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	5	5	.	0	.	SM	NC	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	3	5	.	0	.	SM	NC	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	26	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	26	.	0	.	AD	NC	N	NC		
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CN	Impaired macrobenthic community in water	
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	300	49	225.07	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	46	9.46	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	80	46	51.04	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	8.5	25	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6	25	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	31	.	3	1.65	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	31	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	30	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	26	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	46	0.2	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	30	135.02	1	.	AD	CN	N	CN	Bacteria in water	

Seg ID: 1015 - Lake Creek AU ID: 1015_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	16	.	1	1.5	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	16	.	7	3.64	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	300	49	225.07	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	46	9.46	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	80	46	51.04	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	8.5	15	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6	15	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	23	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	23	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	22	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	16	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	46	0.2	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1015 - Lake Creek AU ID: 1015_02																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	16	333.34	1	.	LD	CN	N	CN	Bacteria in water		

Seg ID: 1015A - Mound Creek AU ID: 1015A_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	24	.	0	.	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	24	.	0	.	AD	NC	N	NC			
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	24	.	3	1.33	AD	NC	N	NC			
		Nitrate	12/01/17	11/30/24	1.95	24	.	0	.	AD	NC	N	NC			
		Ammonia	12/01/17	11/30/24	0.33	24	.	0	.	AD	NC	N	NC			
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	24	299.41	1	.	AD	NS	N	NS	Bacteria in water	4a	

Seg ID: 1016 - Greens Bayou Above Tidal AU ID: 1016_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	92	.	0	.	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	92	.	2	2.8	AD	NC	N	NC			
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1000	284	388.24	0	.	AD	FS	N	FS			
		Sulfate	12/01/17	11/30/24	150	289	35.74	0	.	AD	FS	N	FS			
		Chloride	12/01/17	11/30/24	150	289	71.89	0	.	AD	FS	N	FS			
	High pH	pH	12/01/17	11/30/24	9	96	.	2	9.8	AD	FS	N	FS			
	Low pH	pH	12/01/17	11/30/24	6.5	96	.	0	.	AD	FS	N	FS			
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	96	.	90	1.74	AD	CS	N	CS	Total Phosphorus in water		
		Nitrate	12/01/17	11/30/24	1.95	96	.	91	7.81	AD	CS	N	CS	Nitrate in water		
		Ammonia	12/01/17	11/30/24	0.33	96	.	15	1.01	AD	NC	N	NC			
	Water Temperature	Water temperature	12/01/17	11/30/24	33.3	94	.	0	.	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	96	371.4	1	.	AD	NS	N	NS	Bacteria in water	4a	

Seg ID: 1016 - Greens Bayou Above Tidal AU ID: 1016_02																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	89	.	1	1.2	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	89	.	1	1.2	AD	NC	N	NC			
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1000	284	388.24	0	.	AD	FS	N	FS			
		Sulfate	12/01/17	11/30/24	150	289	35.74	0	.	AD	FS	N	FS			
		Chloride	12/01/17	11/30/24	150	289	71.89	0	.	AD	FS	N	FS			
	High pH	pH	12/01/17	11/30/24	9	93	.	0	.	AD	FS	N	FS			
	Low pH	pH	12/01/17	11/30/24	6.5	93	.	0	.	AD	FS	N	FS			
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	96	.	89	1.77	AD	CS	N	CS	Total Phosphorus in water		
		Nitrate	12/01/17	11/30/24	1.95	96	.	92	6.71	AD	CS	N	CS	Nitrate in water		
		Ammonia	12/01/17	11/30/24	0.33	96	.	50	0.64	AD	CS	N	CS	Ammonia in water		
	Water Temperature	Water temperature	12/01/17	11/30/24	33.3	91	.	0	.	AD	FS	N	FS			

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1016 - Greens Bayou Above Tidal AU ID: 1016_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	96	611.3	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1016 - Greens Bayou Above Tidal AU ID: 1016_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	95	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	95	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1000	284	388.24	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	150	289	35.74	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	150	289	71.89	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	95	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	95	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	97	.	79	1.78	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	98	.	86	7.04	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	13	.	2	15.5	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	96	.	7	0.54	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	33.3	97	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	97	444.33	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1016A - Garners Bayou AU ID: 1016A_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	44	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	44	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	48	.	42	1.92	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	48	.	39	5.78	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	48	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	48	146.25	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1016A - Garners Bayou AU ID: 1016A_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	37	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	37	.	2	4.35	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	41	.	40	2.83	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	41	.	41	9.32	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	41	.	21	0.75	AD	CS	N	CS	Ammonia in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	41	567.14	1	.	AD	NS	N	NS	Bacteria in water	4a

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1016B - Unnamed Tributary of Greens Bayou AU ID: 1016B_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	47	.	1	0.8	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	47	.	1	0.8	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	48	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	48	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	48	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	48	207.65	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1016C - Unnamed Tributary of Greens Bayou AU ID: 1016C_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	46	.	3	1.73	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	46	.	14	2.3	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	48	.	24	1.25	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	48	.	24	5.64	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	48	.	24	0.72	AD	CS	N	CS	Ammonia in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	48	2854.35	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1016D - Unnamed Tributary of Greens Bayou AU ID: 1016D_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	3	8	.	1	1.6	SM	NC	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	2	8	.	1	0.7	SM	NC	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	45	.	6	1.27	AD	CN	Y	NS	Depressed dissolved oxygen in water	5r
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	45	.	13	1.88	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	48	.	16	1.23	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	48	.	3	3.07	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	48	.	26	4.63	AD	CS	N	CS	Ammonia in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	48	1548.52	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1017 - Whiteoak Bayou Above Tidal AU ID: 1017_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	94	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	94	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	600	276	445.96	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	65	277	35.81	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	110	277	80.96	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	94	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	94	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1017 - Whiteoak Bayou Above Tidal AU ID: 1017_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	96	.	85	2.52	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	96	.	86	8.9	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	96	.	20	0.8	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	33.3	96	.	1	34.9	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	96	405.96	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1017 - Whiteoak Bayou Above Tidal AU ID: 1017_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	46	.	1	0.5	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	46	.	1	0.5	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	600	276	445.96	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	65	277	35.81	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	110	277	80.96	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	46	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	46	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	47	.	40	1.93	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	47	.	40	6.64	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	47	.	8	0.6	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	33.3	47	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	47	1373.38	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1017 - Whiteoak Bayou Above Tidal AU ID: 1017_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	43	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	43	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	600	276	445.96	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	65	277	35.81	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	110	277	80.96	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	46	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	46	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	47	.	31	1.47	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	47	.	40	5.83	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	47	.	10	0.83	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	33.3	47	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	47	1849.96	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1017 - Whiteoak Bayou Above Tidal AU ID: 1017_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	85	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	85	.	0	.	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 10 - San Jacinto River

Seg ID: 1017 - Whiteoak Bayou Above Tidal AU ID: 1017_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	600	276	445.96	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	65	277	35.81	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	110	277	80.96	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	89	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	89	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	91	.	65	1.27	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	87	.	73	5.31	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	40	.	4	25.4	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	88	.	17	0.7	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	33.3	90	.	2	34.25	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	83	3556.93	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1017A - Brickhouse Gully/Bayou AU ID: 1017A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	43	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	43	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	16	.	1	0.79	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	16	.	7	2.94	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	16	.	2	0.55	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	630	48	1537.35	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1017B - Cole Creek AU ID: 1017B_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	47	.	2	0.75	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	47	.	8	3.4	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	48	.	11	0.94	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	48	.	19	3.38	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	48	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	48	3330.79	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1017C - Vogel Creek AU ID: 1017C_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	46	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	46	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	47	.	37	1.82	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	47	.	29	5.34	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	47	.	8	2.65	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	47	438.8	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1017D - Unnamed Tributary of Whiteoak Bayou AU ID: 1017D_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	47	.	0	.	SM	FS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	47	.	0	.	SM	NC	N	NA		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	47	.	1	9.5	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	47	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	47	.	15	0.61	AD	CS	N	CS	Ammonia in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	630	48	844.12	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1017E - Unnamed Tributary of White Oak Bayou AU ID: 1017E_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	43	.	3	2.27	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	43	.	4	2.6	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	48	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	48	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	48	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	630	48	1719.77	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1017F - Rolling Fork Creek AU ID: 1017F_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	47	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	47	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	16	.	15	2.22	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	16	.	15	8.28	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	16	.	5	1.18	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	48	690.37	1	.	AD	NS	N	NS	Bacteria in water	4a