

Explanation of Column Headings

SEGID: The unique identifier (SegID), segment name, and location of the water body. Items may be one of three types of numbers for SegID. The first type is a classified segment number (4 digits, e.g., 0218), as defined in the Texas Surface Water Quality Standards. The second type is an unclassified water body (e.g., 0218A), not defined in the Standards and associated with a classified water body because it is in the same watershed. The third type includes special Segments for Oyster Water Use (e.g., 2421OW) and Beach Watch Use (e.g., 2481CB) special areas. The segment name and description follow SegID.

AU ID: Identifies the assessment unit (AU_ID, six or seven digits, e.g., 0101A_01) and describes the location of the specific area within a classified or unclassified water body for which one or more water quality standards are not met.

Start Date: The start date of the period of record data for this method was selected; the official Draft 2026 period of record is from 12/1/2017 to 11/30/2024. In some cases it may be necessary to extend the period of record back 10 years (12/1/2014) to select more data, according to assessment guidance.

End Date: The end date of the period of record data for this method was selected; the official Draft 2026 period of record dates are 12/1/2017 to 11/30/2024. In some cases more recently collected data than 12/01/2024 can be included, if available

#Data Assessed: Number of samples assessed some data are averaged, as with profile data, some are eliminated because criteria do not apply during certain conditions such a s low flow.

Mean Data Assessed: Mean of samples assessed includes averaged methods like chronic criteria as well as geometric mean calculations for bacteria.

Exceedances: Number of samples that exceed criteria for single sample, or binomial, methods (not averaged data).

Mean Exceedances: Mean of the samples that exceeded criteria for the single sample, or binomial, methods (not averaged data).

Criteria: Value that the data is compared to determine the level of support; Note: for acute metals in water, each value is compared to a calculated criterion and not all criteria could be reported here, only the minimum in the range of criteria calculated are included.

DS Qual: Dataset Qualifier - indicates characteristics of the methods or dataset used in the assessment:

- AD:** Adequate Data (10 or more samples).
- LD:** Limited Data (less than 9, greater than 3).
- ID:** Inadequate Data (less than 4).
- JQ:** Level of support is based on judgment of the assessor.
- SM:** This assessment method is superseded by another method.
- TR:** Temporally Not Representative, used with NA.
- SR:** Spatially Not Representative, used with NA.
- OE:** Other information than ambient samples evaluated.
- OS:** Assessment area outside state boundaries.

LOS: Level of support for this use, method, assessment parameter:

- FS:** Fully Supporting.
- NC:** No Concern.
- NA:** Not Assessed.
- NS:** Nonsupport.
- CS:** Screening Level Concern.
- CN:** Use Concern.

CF: Carry Forward indicates that the Integrated level of support of CS, CN, or NS was carried forward from a previous assessment due to inadequate data for this method in this assessment.

Int LOS: Integrated level of support. This is the overall level of support for this use, method, parameter group, which could be different from the LOS (described above) due to carry forward information or other types of changes. New Code added in 2010: PI = Pending Issue

TCEQ Cause: This is the impairment description (e.g., bacteria, depressed dissolved oxygen, etc.).

Cat:

- Category 3:** There is insufficient or unreliable available data and/or information to make a use support determination.
- Category 4:** Available data and/or information indicate that at least one designated use is not being supported or is threatened, but a TMDL is not needed.
 - Category 4a:** A state-developed TMDL has been approved by EPA or a TMDL has been established by EPA for any water-pollutant combination.
 - Category 4b:** Other required control measures are expected to result in the attainment of an applicable water quality standard in a reasonable period of time.
 - Category 4c:** The impairment or threat is not caused by a pollutant.
- Category 5:** Available data and/or information indicate that at least one designated use is not being supported or is threatened, and a TMDL is needed.
 - Category 5a:** A TMDL is underway, scheduled, or will be scheduled.
 - Category 5b:** A review of the standards for the water body will be conducted before a management strategy is selected.
 - Category 5c:** Additional data and information will be collected or evaluated before a management strategy is selected.
 - Category 5n:** Water body does not meet its applicable Chl a criterion, but additional study is needed to verify whether exceedance is associated with causal nutrient parameters or impacts to response variables.
 - Category 5r:** A WPP is under development or accepted by EPA for this parameter.

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1401 - Colorado River Tidal AU ID: 1401_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	39	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	39	.	0	.	AD	NC	N	NC		
General Use	High pH	pH	12/01/17	11/30/24	9	39	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	39	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Ammonia	12/01/17	11/30/24	0.46	39	.	1	0.51	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.1	34	.	15	2.29	AD	CS	N	CS	Nitrate in water	
		Total phosphorus	12/01/17	11/30/24	0.66	38	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	21	39	.	22	36.12	AD	CS	N	CS	Chlorophyll-a in water	
	Water Temperature	Water temperature	12/01/17	11/30/24	35	39	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	38	31.75	0	.	AD	FS	N	FS		

Seg ID: 1402 - Colorado River below La Grange AU ID: 1402_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	39	.	2	2	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	39	.	3	2.63	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	500	233	412.23	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	152	50.65	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	100	153	53.19	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	39	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	39	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/17	11/30/24	14.1	39	.	30	41.97	AD	CS	N	CS	Chlorophyll-a in water	
		Nitrate	12/01/17	11/30/24	1.95	38	.	12	3.46	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	39	.	1	0.34	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.69	39	.	1	0.75	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	39	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	145	2.43	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	39	66.6	0	.	AD	FS	N	FS		

Seg ID: 1402 - Colorado River below La Grange AU ID: 1402_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	72	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	72	.	1	4.8	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	500	233	412.23	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	100	153	53.19	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	152	50.65	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	72	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	72	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	38	.	6	0.96	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	36	.	15	3.88	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	38	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	38	.	27	54	AD	CS	N	CS	Chlorophyll-a in water	
	Water Temperature	Water temperature	12/01/17	11/30/24	35	72	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1402 - Colorado River below La Grange AU ID: 1402_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	145	2.43	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	78	78.26	0	.	AD	FS	N	FS		

Seg ID: 1402 - Colorado River below La Grange AU ID: 1402_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	39	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	39	.	2	4.6	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/17	11/30/24	100	153	53.19	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	152	50.65	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/17	11/30/24	500	233	412.23	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	39	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	39	.	0	.	AD	FS	N	FS		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	39	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	145	2.43	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	39	89.16	0	.	AD	FS	N	FS		

Seg ID: 1402 - Colorado River below La Grange AU ID: 1402_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	500	233	412.23	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	152	50.65	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	100	153	53.19	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	145	2.43	0	.	AD	FS	N	FS		

Seg ID: 1402 - Colorado River below La Grange AU ID: 1402_05															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	39	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	39	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	500	233	412.23	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	100	153	53.19	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	152	50.65	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	39	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	39	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	1.95	37	.	19	4.55	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	39	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.69	39	.	14	0.84	AD	CS	N	CS	Total Phosphorus in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	39	.	20	59.13	AD	CS	N	CS	Chlorophyll-a in water	
	Water Temperature	Water temperature	12/01/17	11/30/24	35	39	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	145	2.43	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1402 - Colorado River below La Grange AU ID: 1402_05															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	39	52.28	0	.	AD	FS	N	FS		

Seg ID: 1402 - Colorado River below La Grange AU ID: 1402_06															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	38	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	38	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	500	233	412.23	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	152	50.65	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	100	153	53.19	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	38	.	1	9.3	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	38	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Ammonia	12/01/17	11/30/24	0.33	38	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.69	38	.	17	0.89	AD	CS	N	CS	Total Phosphorus in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	38	.	16	69.37	AD	CS	N	CS	Chlorophyll-a in water	
		Nitrate	12/01/17	11/30/24	1.95	34	.	23	4.23	AD	CS	N	CS	Nitrate in water	
	Water Temperature	Water temperature	12/01/17	11/30/24	35	38	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	145	2.43	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	38	74.24	0	.	AD	FS	N	FS		

Seg ID: 1402 - Colorado River below La Grange AU ID: 1402_07															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	500	233	412.23	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	100	153	53.19	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	152	50.65	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Nitrate in water	
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	145	2.43	0	.	AD	FS	N	FS		

Seg ID: 1402A - Cummins Creek AU ID: 1402A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	6	1	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	4	1	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	2	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	2	.	1	5.9	ID	NA	N	NA		
	Fish Community (Regional)	Fish community	12/01/17	11/30/24	52	2	48	.	.	AD	NS	N	NS	Impaired fish community in water	5c
	Habitat	Habitat	12/01/17	11/30/24	26	2	20	.	.	AD	CS	N	CS	Impaired habitat in water	
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/17	11/30/24	35	2	27	.	.	AD	NS	N	NS	Impaired macrobenthic community in water	5c
General Use	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	1.95	1	.	0	.	ID	NA	N	NA		
		Ammonia	12/01/17	11/30/24	0.33	2	.	0	.	ID	NA	N	NA		
		Total phosphorus	12/01/17	11/30/24	0.69	1	.	0	.	ID	NA	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	14.1	2	.	1	22.3	ID	NA	N	NA		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1402A - Cummins Creek AU ID: 1402A_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause		Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	2	44.27	0	.	ID	NA	N	NA			

Seg ID: 1402C - Buckners Creek AU ID: 1402C_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause		Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	5	8	.	1	3.9	LD	NC	Y	NS	Depressed dissolved oxygen in water		5c
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	3	8	.	2	1.35	LD	CN	Y	NS	Depressed dissolved oxygen in water		5c
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	8	.	0	.	SM	NC	N	NA			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	8	.	1	4	SM	NC	N	NA			
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Chlorophyll-a in water		

Seg ID: 1402G - Cedar Creek Reservoir / Lake Fayette AU ID: 1402G_03																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	39	.	0	.	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	39	.	3	4.67	AD	NC	N	NC			
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/17	11/30/24	26.7	39	.	35	53.73	JQ	NA	N	NA			
		Nitrate	12/01/17	11/30/24	0.37	38	.	4	0.58	JQ	NA	N	NA			
		Ammonia	12/01/17	11/30/24	0.11	39	.	0	.	JQ	NA	N	NA			
		Total phosphorus	12/01/17	11/30/24	0.2	37	.	4	0.6	JQ	NA	N	NA			
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	39	1.97	0	.	AD	FS	N	FS			

Seg ID: 1402H - Skull Creek AU ID: 1402H_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause		Cat
Aquatic Life Use	Acute Toxic Substances in water	Phenanthrene	12/01/17	11/30/24	30	4	.	0	.	LD	NC	N	NC			
		Zinc (dissolved)	12/01/17	11/30/24	80.29	5	.	0	.	LD	NC	N	NC			
		Mercury	12/01/17	11/30/24	2.4	5	.	0	.	LD	NC	N	NC			
		Lead (dissolved)	12/01/17	11/30/24	24.96	3	.	0	.	ID	NA	N	NA			
		Arsenic (dissolved)	12/01/17	11/30/24	340	5	.	0	.	LD	NC	N	NC			
		Cadmium (dissolved)	12/01/17	11/30/24	5.56	5	.	0	.	LD	NC	N	NC			
		Chromium (Tri)(dissolved)	12/01/17	11/30/24	395.35	5	.	0	.	LD	NC	N	NC			
		Pentachlorophenol (PCP)	12/01/17	11/30/24	7.13	4	.	0	.	LD	NC	N	NC			
		Nickel (dissolved)	12/01/17	11/30/24	321.01	5	.	0	.	LD	NC	N	NC			
		2,4,5-Trichlorophenol	12/01/17	11/30/24	136	4	.	0	.	LD	NC	N	NC			
		Copper (dissolved)	12/01/17	11/30/24	9.33	5	.	0	.	LD	NC	N	NC			
		Aluminum (dissolved)	12/01/17	11/30/24	991	4	.	0	.	LD	NC	N	NC			
		Selenium	12/01/17	11/30/24	20	5	.	0	.	LD	NC	N	NC			
	Chronic Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/17	11/30/24	130.75	5	2	0	.	LD	NC	N	NC			
		Arsenic (dissolved)	12/01/17	11/30/24	150	5	1.25	0	.	LD	NC	N	NC			
		Cadmium (dissolved)	12/01/17	11/30/24	0.4	5	0.05	0	.	LD	NC	N	NC			
		2,4,5-Trichlorophenol	12/01/17	11/30/24	64	4	1.99	0	.	LD	NC	N	NC			
		Copper (dissolved)	12/01/17	11/30/24	17.12	5	1.04	0	.	LD	NC	N	NC			
		Zinc (dissolved)	12/01/17	11/30/24	212.55	5	2	0	.	LD	NC	N	NC			
		Selenium	12/01/17	11/30/24	5	5	0.25	0	.	LD	NC	N	NC			
		Phenanthrene	12/01/17	11/30/24	30	4	1.94	0	.	LD	NC	N	NC			
		Pentachlorophenol (PCP)	12/01/17	11/30/24	11.06	4	1.95	0	.	LD	NC	N	NC			

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1402H - Skull Creek AU ID: 1402H_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Chronic Toxic Substances in water	Mercury	12/01/17	11/30/24	1.3	5	0.01	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/17	11/30/24	93.48	5	2.5	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/17	11/30/24	5.31	3	0.08	0	.	ID	NA	N	NA		
	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	3	6	.	0	.	LD	NC	Y	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	2	6	.	0	.	LD	NC	Y	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	20	.	1	0.7	SM	FS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	20	.	5	2.32	SM	CS	N	NA		
	Toxic Substances in sediment	Trichloroethene	12/01/17	11/30/24	13690	2	.	0	.	ID	NA	N	NA		
		Vinyl chloride	12/01/17	11/30/24	4180	2	.	0	.	ID	NA	N	NA		
		Xylene	12/01/17	11/30/24	12010	2	.	0	.	ID	NA	N	NA		
		Zinc	06/01/17	11/30/24	459	10	.	0	.	AD	NC	N	NC		
		Toluene	12/01/17	11/30/24	20290	2	.	0	.	ID	NA	N	NA		
		Toxaphene	06/01/17	11/30/24	32	7	.	0	.	LD	NC	N	NC		
		Pyrene	06/01/17	11/30/24	1520	10	.	0	.	AD	NC	N	NC		
		Phenanthrene	06/01/17	11/30/24	1170	10	.	0	.	AD	NC	N	NC		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	1200	6	.	0	.	LD	NC	N	NC		
		Nickel	06/01/17	11/30/24	48.6	10	.	0	.	AD	NC	N	NC		
		Methyl ethyl ketone	12/01/17	11/30/24	154260	2	.	0	.	ID	NA	N	NA		
		Manganese	06/01/17	11/30/24	1100	9	.	0	.	LD	NC	N	NC		
		Mercury	06/01/17	11/30/24	1.06	9	.	0	.	LD	NC	N	NC		
		Pentachlorobenzene	12/01/17	11/30/24	2660	4	.	0	.	LD	NC	N	NC		
		Methylene chloride	12/01/17	11/30/24	46520	2	.	0	.	ID	NA	N	NA		
		Methoxychlor	12/01/17	11/30/24	95	5	.	0	.	LD	NC	N	NC		
		Styrene	12/01/17	11/30/24	61420	2	.	0	.	ID	NA	N	NA		
		gamma-BHC (Lindane)	12/01/17	11/30/24	4.99	5	.	0	.	LD	NC	N	NC		
		Lead	06/01/17	11/30/24	128	10	.	0	.	AD	NC	N	NC		
		Heptachlor	06/01/17	11/30/24	2.74	7	.	0	.	LD	NC	N	NC		
		Silver	06/01/17	11/30/24	1.7	10	.	0	.	AD	NC	N	NC		
		Iron	06/01/17	11/30/24	40000	8	.	0	.	LD	NC	N	NC		
		Hexachlorobutadiene (HCBd)	12/01/17	11/30/24	550	6	.	0	.	LD	NC	N	NC		
		Heptachlor epoxide	06/01/17	11/30/24	16	7	.	0	.	LD	NC	N	NC		
		Ethylbenzene	12/01/17	11/30/24	7880	2	.	0	.	ID	NA	N	NA		
		Endosulfan II (beta)	12/01/17	11/30/24	35	5	.	0	.	LD	NC	N	NC		
		Di-n-octyl phthalate	12/01/17	11/30/24	1100	6	.	0	.	LD	NC	N	NC		
		Endrin	12/01/17	11/30/24	207	5	.	0	.	LD	NC	N	NC		
		Hexachlorobenzene (HCB)	12/01/17	11/30/24	240	6	.	0	.	LD	NC	N	NC		
		Dimethyl phthalate	12/01/17	11/30/24	8900	6	.	0	.	LD	NC	N	NC		
		Dieldrin	12/01/17	11/30/24	61.8	5	.	0	.	LD	NC	N	NC		
		Diethyl phthalate	12/01/17	11/30/24	11000	6	.	0	.	LD	NC	N	NC		
		Dibenz(a,h)anthracene	06/01/17	11/30/24	135	10	.	0	.	AD	NC	N	NC		
		Fluoranthene	06/01/17	11/30/24	2230	10	.	0	.	AD	NC	N	NC		
		Dibromochloromethane	12/01/17	11/30/24	940	2	.	0	.	ID	NA	N	NA		
		Diazinon	12/01/17	11/30/24	7.3	5	.	0	.	LD	NC	N	NC		
		delta-BHC	12/01/17	11/30/24	2300	5	.	0	.	LD	NC	N	NC		
		Bromoform	12/01/17	11/30/24	1310	2	.	0	.	ID	NA	N	NA		
		Dichlorodifluoromethane	12/01/17	11/30/24	22090	2	.	0	.	ID	NA	N	NA		
		Chromium	06/01/17	11/30/24	111	10	.	0	.	AD	NC	N	NC		
		Chloroform	12/01/17	11/30/24	5670	2	.	0	.	ID	NA	N	NA		
		Chlordane	06/01/17	11/30/24	17.6	7	.	0	.	LD	NC	N	NC		
		Acetone	12/01/17	11/30/24	360180	2	.	0	.	ID	NA	N	NA		
		Cadmium	06/01/17	11/30/24	4.98	10	.	0	.	AD	NC	N	NC		
		Copper	06/01/17	11/30/24	149	10	.	0	.	AD	NC	N	NC		
		Acenaphthylene	06/01/17	11/30/24	128	10	.	0	.	AD	NC	N	NC		
		Chrysene	06/01/17	11/30/24	1290	10	.	0	.	AD	NC	N	NC		
		Chlorobenzene	12/01/17	11/30/24	3000	2	.	0	.	ID	NA	N	NA		
		Carbon tetrachloride	12/01/17	11/30/24	21000	2	.	0	.	ID	NA	N	NA		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1402H - Skull Creek AU ID: 1402H_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	DDE	12/01/17	11/30/24	31.3	5	.	0	.	LD	NC	N	NC		
		Chloromethane	12/01/17	11/30/24	106800	2	.	0	.	ID	NA	N	NA		
		DDT	12/01/17	11/30/24	62.9	5	.	0	.	LD	NC	N	NC		
		DDD	12/01/17	11/30/24	28	5	.	0	.	LD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	06/01/17	11/30/24	22000	10	.	0	.	AD	NC	N	NC		
		Benzoic acid	12/01/17	11/30/24	3800	4	.	0	.	LD	NC	N	NC		
		Carbon disulfide	12/01/17	11/30/24	780	2	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	06/01/17	11/30/24	1450	10	.	0	.	AD	NC	N	NC		
		Bromodichloromethane	12/01/17	11/30/24	14740	2	.	0	.	ID	NA	N	NA		
		Benzene	12/01/17	11/30/24	2870	2	.	0	.	ID	NA	N	NA		
		Arachlor1260	12/01/17	11/30/24	240	5	.	0	.	LD	NC	N	NC		
		Benzo(a)anthracene	06/01/17	11/30/24	1050	10	.	0	.	AD	NC	N	NC		
		Arachlor 1254	12/01/17	11/30/24	340	5	.	0	.	LD	NC	N	NC		
		alpha-BHC	12/01/17	11/30/24	100	5	.	0	.	LD	NC	N	NC		
		Arachlor 1016	12/01/17	11/30/24	530	5	.	0	.	LD	NC	N	NC		
		Arsenic	06/01/17	11/30/24	33	10	.	0	.	AD	NC	N	NC		
		Di-n-butyl phthalate	12/01/17	11/30/24	80000	6	.	0	.	LD	NC	N	NC		
		Endosulfan I (alpha)	12/01/17	11/30/24	7.4	5	.	0	.	LD	NC	N	NC		
		Anthracene	06/01/17	11/30/24	845	10	.	0	.	AD	NC	N	NC		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	202	6	.	0	.	LD	NC	N	NC		
		Fluorene	06/01/17	11/30/24	536	10	.	0	.	AD	NC	N	NC		
		Aldrin	12/01/17	11/30/24	80	5	.	0	.	LD	NC	N	NC		
		Acrylonitrile	12/01/17	11/30/24	1650	2	.	0	.	ID	NA	N	NA		
		Hexachloroethane	06/01/17	11/30/24	3945	10	.	0	.	AD	NC	N	NC		
		Malathion	12/01/17	11/30/24	6.2	5	.	0	.	LD	NC	N	NC		
		Methyl bromide	12/01/17	11/30/24	460	2	.	0	.	ID	NA	N	NA		
		Arachlor 1248	12/01/17	11/30/24	1500	5	.	0	.	LD	NC	N	NC		
		2-Methylnaphthalene	12/01/17	11/30/24	201	6	.	0	.	LD	NC	N	NC		
		Acenaphthene	06/01/17	11/30/24	88.9	10	.	0	.	AD	NC	N	NC		
		3-Methyl-4-chlorophenol	12/01/17	11/30/24	5620	6	.	0	.	LD	NC	N	NC		
		p-Cymene	12/01/17	11/30/24	5980	2	.	0	.	ID	NA	N	NA		
		Parathion (ethyl)	12/01/17	11/30/24	3.7	5	.	0	.	LD	NC	N	NC		
		2-Hexanone	12/01/17	11/30/24	28200	2	.	0	.	ID	NA	N	NA		
		Naphthalene	12/01/17	11/30/24	561	6	.	0	.	LD	NC	N	NC		
		2,4-Dinitrotoluene	12/01/17	11/30/24	8020	6	.	0	.	LD	NC	N	NC		
		Phenol (single compound)	12/01/17	11/30/24	210	6	.	0	.	LD	NC	N	NC		
		PCBs	12/01/17	11/30/24	676	5	.	0	.	LD	NC	N	NC		
		4-Methyl-2-Pentanone (MIBK)	12/01/17	11/30/24	116590	2	.	0	.	ID	NA	N	NA		
		1,2-Dichloropropane	12/01/17	11/30/24	21120	2	.	0	.	ID	NA	N	NA		
		1,3-Dichlorobenzene	12/01/17	11/30/24	350	6	.	0	.	LD	NC	N	NC		
		Nitrobenzene	12/01/17	11/30/24	6290	6	.	0	.	LD	NC	N	NC		
		1,2-Dichloroethene (trans)	12/01/17	11/30/24	71840	2	.	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4950	6	.	0	.	LD	NC	N	NC		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	5310	6	.	0	.	LD	NC	N	NC		
		beta-BHC	12/01/17	11/30/24	210	5	.	0	.	LD	NC	N	NC		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1590	4	.	0	.	LD	NC	N	NC		
		Tetrachloroethene	12/01/17	11/30/24	8210	2	.	0	.	ID	NA	N	NA		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	150000	6	.	0	.	LD	NC	N	NC		
		1,1-Dichloroethylene	12/01/17	11/30/24	11200	2	.	0	.	ID	NA	N	NA		
		1,1,2-Trichloroethane	12/01/17	11/30/24	5880	2	.	0	.	ID	NA	N	NA		
		1,1,1-Trichloroethane	12/01/17	11/30/24	24790	2	.	0	.	ID	NA	N	NA		
		1,1,2,2-Tetrachloroethane	12/01/17	11/30/24	3800	2	.	0	.	ID	NA	N	NA		
		1,1-Dichloroethane	12/01/17	11/30/24	13890	2	.	0	.	ID	NA	N	NA		
		1,2-Dichloroethane	12/01/17	11/30/24	28680	2	.	0	.	ID	NA	N	NA		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4650	6	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1402H - Skull Creek AU ID: 1402H_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Fish Consumption Use	HH Bioaccumulative Toxics in water	2,4-Dimethylphenol	12/01/17	11/30/24	8436	4	1.95	0	.	LD	NC	N	NC		
		1,2-Dichlorobenzene	12/01/17	11/30/24	3299	4	1.93	0	.	LD	NC	N	NC		
		1,2-Dibromoethane	12/01/17	11/30/24	4.24	4	1.75	0	.	LD	NC	N	NC		
		1,1-Dichloroethylene	12/01/17	11/30/24	55114	4	1.96	0	.	LD	NC	N	NC		
		1,2-Dichloroethane	12/01/17	11/30/24	364	4	2.01	0	.	LD	NC	N	NC		
		3,3-dichlorobenzidine	12/01/17	11/30/24	2.24	3	0.91	0	.	ID	NA	N	NA		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	0.24	4	0.12	0	.	LD	NC	N	NC		
		1,1,2,2-Tetrachloroethane	12/01/17	11/30/24	26.35	4	1.98	0	.	LD	NC	N	NC		
		Bromodichloromethane	12/01/17	11/30/24	275	4	1.96	0	.	LD	NC	N	NC		
		Acrylonitrile	12/01/17	11/30/24	115	4	2.18	0	.	LD	NC	N	NC		
		Trichloroethene	12/01/17	11/30/24	71.9	4	1.97	0	.	LD	NC	N	NC		
		Vinyl chloride	12/01/17	11/30/24	16.5	4	1.98	0	.	LD	NC	N	NC		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	0.29	4	0.15	0	.	LD	NC	N	NC		
		1,1,2-Trichloroethane	12/01/17	11/30/24	166	4	2.06	0	.	LD	NC	N	NC		
		1,1,1-Trichloroethane	12/01/17	11/30/24	784354	4	1.97	0	.	LD	NC	N	NC		
		2,4,5-Trichlorophenol	12/01/17	11/30/24	1867	4	1.99	0	.	LD	NC	N	NC		
		1,2-Dichloropropane	12/01/17	11/30/24	259	4	1.97	0	.	LD	NC	N	NC		
		N-Nitrosodiethylamine	12/01/17	11/30/24	2.1	3	1.05	0	.	ID	NA	N	NA		
		Nitrobenzene	12/01/17	11/30/24	1873	4	2	0	.	LD	NC	N	NC		
		1,3-Dichlorobenzene	12/01/17	11/30/24	595	4	1.95	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	0.01	5	0.01	0	.	LD	NC	N	NC		
		Methyl ethyl ketone	12/01/17	11/30/24	992000	4	2.23	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/17	11/30/24	1140	5	2.5	0	.	LD	NC	N	NC		
		MTBE	12/01/17	11/30/24	10482	4	1.98	0	.	LD	NC	N	NC		
		Hexachlorobutadiene (HCBd)	12/01/17	11/30/24	0.22	4	0.11	0	.	LD	NC	N	NC		
		Di-n-butyl phthalate	12/01/17	11/30/24	92.4	4	2.05	0	.	LD	NC	N	NC		
		Ethylbenzene	12/01/17	11/30/24	1867	4	2	0	.	LD	NC	N	NC		
		Chloroform	12/01/17	11/30/24	7697	4	1.97	0	.	LD	NC	N	NC		
		Chrysene	12/01/17	11/30/24	2.52	4	1.03	0	.	LD	NC	N	NC		
		Hexachloroethane	12/01/17	11/30/24	2.33	4	0.94	0	.	LD	NC	N	NC		
		Chlorobenzene	12/01/17	11/30/24	2737	4	1.96	0	.	LD	NC	N	NC		
		Dibromochloromethane	12/01/17	11/30/24	183	4	2.03	0	.	LD	NC	N	NC		
		Hexachlorobenzene (HCB)	12/01/17	11/30/24	0	3	0	0	.	ID	NA	N	NA		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	11.6	4	3.32	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/17	11/30/24	3.83	3	0.08	0	.	ID	NA	N	NA		
		Carbon tetrachloride	12/01/17	11/30/24	46	4	2.09	0	.	LD	NC	N	NC		
		Cresols	12/01/17	11/30/24	9301	4	2.38	0	.	LD	NC	N	NC		
		N-Nitroso-di-n-butylamine	12/01/17	11/30/24	4.2	3	1.73	0	.	ID	NA	N	NA		
		Benzidine	12/01/17	11/30/24	0.11	3	0.05	0	.	ID	NA	N	NA		
		Pentachlorobenzene	12/01/17	11/30/24	0.36	4	0.18	0	.	LD	NC	N	NC		
Pyridine	12/01/17	11/30/24	947	4	1.92	0	.	LD	NC	N	NC				
Tetrachloroethene	12/01/17	11/30/24	280	4	1.96	0	.	LD	NC	N	NC				
Dichloromethane	12/01/17	11/30/24	13333	4	2.48	0	.	LD	NC	N	NC				
Bis(2-chloroethyl)ether	12/01/17	11/30/24	42.83	4	1.98	0	.	LD	NC	N	NC				
Benzo(a)pyrene	12/01/17	11/30/24	0	4	0	0	.	LD	NC	N	NC				
Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	7.55	4	2.18	0	.	LD	NC	N	NC				
Benzo(a)anthracene	12/01/17	11/30/24	0.03	4	0.01	0	.	LD	NC	N	NC				
Benzene	12/01/17	11/30/24	581	4	1.95	0	.	LD	NC	N	NC				
Bromoform	12/01/17	11/30/24	1060	4	2.09	0	.	LD	NC	N	NC				
Anthracene	12/01/17	11/30/24	1317	4	1.92	0	.	LD	NC	N	NC				
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/17	11/30/24	14.1	34	.	9	23.18	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	36	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	34	.	1	1.33	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.69	36	.	0	.	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1402H - Skull Creek AU ID: 1402H_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	22	90.06	0	.	AD	FS	N	FS		

Seg ID: 1403 - Lake Austin AU ID: 1403_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	54	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	54	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Zinc	12/01/17	11/30/24	459	3	.	0	.	ID	NA	N	NA		
		Toxaphene	12/01/17	11/30/24	32	3	.	0	.	ID	NA	N	NA		
		Silver	12/01/17	11/30/24	1.7	3	.	0	.	ID	NA	N	NA		
		Phenanthrene	12/01/17	11/30/24	1170	3	.	0	.	ID	NA	N	NA		
		PCBs	12/01/17	11/30/24	676	2	.	0	.	ID	NA	N	NA		
		Nickel	12/01/17	11/30/24	48.6	3	.	0	.	ID	NA	N	NA		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	1200	3	.	0	.	ID	NA	N	NA		
		Naphthalene	12/01/17	11/30/24	561	3	.	0	.	ID	NA	N	NA		
		Mercury	12/01/17	11/30/24	1.06	3	.	0	.	ID	NA	N	NA		
		Manganese	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Manganese in sediment	
		Lead	12/01/17	11/30/24	128	3	.	0	.	ID	NA	N	NA		
		Iron	12/01/17	11/30/24	40000	3	.	0	.	ID	NA	N	NA		
		Fluorene	12/01/17	11/30/24	536	3	.	0	.	ID	NA	N	NA		
		Fluoranthene	12/01/17	11/30/24	2230	3	.	0	.	ID	NA	N	NA		
		Endrin	12/01/17	11/30/24	207	3	.	0	.	ID	NA	N	NA		
		Diazinon	12/01/17	11/30/24	7.3	2	.	0	.	ID	NA	N	NA		
		Pyrene	12/01/17	11/30/24	1520	3	.	0	.	ID	NA	N	NA		
		Copper	12/01/17	11/30/24	149	3	.	0	.	ID	NA	N	NA		
		Arsenic	12/01/17	11/30/24	33	3	.	0	.	ID	NA	N	NA		
		Chrysene	12/01/17	11/30/24	1290	3	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	135	3	.	0	.	ID	NA	N	NA		
		Chlordane	12/01/17	11/30/24	17.6	3	.	0	.	ID	NA	N	NA		
		Chromium	12/01/17	11/30/24	111	3	.	0	.	ID	NA	N	NA		
		Cadmium	12/01/17	11/30/24	4.98	3	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	12/01/17	11/30/24	1450	3	.	0	.	ID	NA	N	NA		
		Dieldrin	12/01/17	11/30/24	61.8	3	.	0	.	ID	NA	N	NA		
		Anthracene	12/01/17	11/30/24	845	3	.	0	.	ID	NA	N	NA		
		Acenaphthylene	12/01/17	11/30/24	128	3	.	0	.	ID	NA	N	NA		
		Aldrin	12/01/17	11/30/24	80	3	.	0	.	ID	NA	N	NA		
		Acenaphthene	12/01/17	11/30/24	88.9	3	.	0	.	ID	NA	N	NA		
		alpha-BHC	12/01/17	11/30/24	100	3	.	0	.	ID	NA	N	NA		
General Use	Dissolved Solids	Sulfate	12/01/17	11/30/24	75	102	24.27	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/17	11/30/24	400	104	308.76	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	90	39.35	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	54	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	54	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	54	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	137	0.12	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	51	3.29	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1403 - Lake Austin AU ID: 1403_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	51	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	51	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	104	308.76	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	75	102	24.27	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	90	39.35	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	51	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	51	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	51	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	137	0.12	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	49	4.99	0	.	AD	FS	N	FS		

Seg ID: 1403 - Lake Austin AU ID: 1403_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	1	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	1	.	0	.	ID	NA	N	NA		
General Use	Dissolved Solids	Sulfate	12/01/17	11/30/24	75	102	24.27	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	90	39.35	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/17	11/30/24	400	104	308.76	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	1	.	0	.	ID	NA	N	NA		
	Low pH	pH	12/01/17	11/30/24	6.5	1	.	0	.	ID	NA	N	NA		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	1	.	0	.	ID	NA	N	NA		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	137	0.12	0	.	AD	FS	N	FS		

Seg ID: 1403A - Bull Creek AU ID: 1403A_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	10	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	10	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	1.95	10	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	10	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.69	10	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	10	59.99	0	.	LD	NC	Y	CN	Bacteria in water	

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1403A - Bull Creek AU ID: 1403A_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	5	15	.	1	4.8	AD	FS	N	FS		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	3	15	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	17	.	0	.	SM	FS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	17	.	1	4.1	SM	NC	N	NA		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	16	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	10	.	1	14.7	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	16	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	15	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	01/26/16	11/30/24	126	20	32.36	0	.	AD	FS	N	FS		

Seg ID: 1403A - Bull Creek AU ID: 1403A_05															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	01/26/16	11/30/24	3	9	.	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	01/26/16	11/30/24	5	9	.	0	.	LD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	01/26/16	11/30/24	0.69	9	.	0	.	LD	NC	N	NC		
		Nitrate	01/26/16	11/30/24	1.95	9	.	0	.	LD	NC	N	NC		
		Ammonia	01/26/16	11/30/24	0.33	9	.	0	.	LD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	6	19.97	0	.	ID	NA	N	NA		

Seg ID: 1403B - West Bull Creek AU ID: 1403B_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CN	Bacteria in water	

Seg ID: 1403D - Barrow Preserve Tributary AU ID: 1403D_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Nitrate in water	

Seg ID: 1403E - Stillhouse Hollow AU ID: 1403E_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Nitrate in water	

Seg ID: 1403H - Bull Creek Tributary 6 AU ID: 1403H_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/24	3	10	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/24	5	10	.	0	.	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1403H - Bull Creek Tributary 6 AU ID: 1403H_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/15	11/30/24	0.69	10	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/24	1.95	10	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/24	0.33	10	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/24	126	10	46.08	0	.	LD	NC	N	NC		

Seg ID: 1403I - Bull Creek Tributary 5 AU ID: 1403I_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/24	2	10	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/24	3	10	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/24	1.95	10	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/24	0.33	10	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/24	0.69	10	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/24	126	10	59.28	0	.	LD	NC	N	NC		

Seg ID: 1403J - Spicewood Tributary to Shoal Creek AU ID: 1403J_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	18	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	18	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	19	.	1	1.01	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	19	.	17	2.71	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	19	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	09/01/17	11/30/24	126	20	179.02	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1403K - Taylor Slough South AU ID: 1403K_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	09/01/17	11/30/24	3	10	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	09/01/17	11/30/24	5	10	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	1.95	22	.	22	3.88	AD	CS	N	CS	Nitrate in water	
		Total phosphorus	12/01/17	11/30/24	0.69	22	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	22	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	8	419.88	1	.	LD	CN	Y	NS	Bacteria in water	4a

Seg ID: 1403R - Westlake-Davenport Tributary to Lake Austin AU ID: 1403R_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CN	Bacteria in water	

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1404 - Lake Travis AU ID: 1404_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	49	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	49	.	1	5.18	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	335	293.36	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	335	36.74	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	75	335	21.94	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	49	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	49	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	49	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	398	0.11	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	49	0.81	0	.	AD	FS	N	FS		

Seg ID: 1404 - Lake Travis AU ID: 1404_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	49	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	49	.	2	5.83	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	335	293.36	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	75	335	21.94	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	335	36.74	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	49	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	49	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	49	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	398	0.11	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	49	1.13	0	.	AD	FS	N	FS		

Seg ID: 1404 - Lake Travis AU ID: 1404_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	49	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	49	.	7	5.51	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	335	293.36	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	335	36.74	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	75	335	21.94	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	49	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	49	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	49	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	398	0.11	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	49	0.81	0	.	AD	FS	N	FS		

Seg ID: 1404 - Lake Travis AU ID: 1404_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	335	293.36	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	335	36.74	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	75	335	21.94	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	398	0.11	0	.	AD	FS	N	FS		

Seg ID: 1404 - Lake Travis AU ID: 1404_05															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	49	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	49	.	10	5.14	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	335	293.36	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	335	36.74	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	75	335	21.94	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	49	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	49	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	49	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	398	0.11	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	49	0.8	0	.	AD	FS	N	FS		

Seg ID: 1404 - Lake Travis AU ID: 1404_06															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	41	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	41	.	3	5.33	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/17	11/30/24	75	335	21.94	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/17	11/30/24	400	335	293.36	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	335	36.74	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	41	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	41	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	41	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	398	0.11	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	41	0.97	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1404 - Lake Travis AU ID: 1404_07															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	335	293.36	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	335	36.74	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	75	335	21.94	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	398	0.11	0	.	AD	FS	N	FS		

Seg ID: 1404 - Lake Travis AU ID: 1404_08															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	335	293.36	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	75	335	21.94	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	335	36.74	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	398	0.11	0	.	AD	FS	N	FS		

Seg ID: 1404 - Lake Travis AU ID: 1404_09															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Sulfate	12/01/17	11/30/24	75	335	21.94	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	335	36.74	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/17	11/30/24	400	335	293.36	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	398	0.11	0	.	AD	FS	N	FS		

Seg ID: 1404 - Lake Travis AU ID: 1404_10															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	49	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	49	.	8	5.21	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	335	293.36	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	75	335	21.94	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	335	36.74	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	49	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	49	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	49	.	1	32.5	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	398	0.11	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	49	1.27	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1404 - Lake Travis AU ID: 1404_11															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	49	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	49	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/17	11/30/24	75	335	21.94	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/17	11/30/24	400	335	293.36	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	335	36.74	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	49	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	49	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	49	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	398	0.11	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	49	1.07	0	.	AD	FS	N	FS		

Seg ID: 1404A - Hamilton Creek AU ID: 1404A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	12	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	12	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Ammonia	12/01/17	11/30/24	0.33	24	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	23	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	23	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.69	24	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	03/01/16	11/30/24	126	20	32.44	0	.	AD	FS	N	FS		

Seg ID: 1404B - Cow Creek AU ID: 1404B_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	21	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	21	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	1.95	19	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	21	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.69	21	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	21	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	20	23.37	0	.	AD	FS	N	FS		

Seg ID: 1405 - Marble Falls Lake AU ID: 1405_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	46	.	1	2.11	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	46	.	4	3.88	AD	NC	N	NC		

Seg ID: 1405 - Marble Falls Lake AU ID: 1405_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	500	46	292.54	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	75	45	18.52	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	125	46	38.9	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	46	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	46	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	NS	N	NS	Excessive algal growth in water	5c
	Water Temperature	Water temperature	12/01/17	11/30/24	34.4	46	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	61	0.12	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	46	2.5	0	.	AD	FS	N	FS		

Seg ID: 1405 - Marble Falls Lake AU ID: 1405_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Sulfate	12/01/17	11/30/24	75	45	18.52	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	125	46	38.9	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/17	11/30/24	500	46	292.54	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	NS	N	NS	Excessive algal growth in water	5c
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	61	0.12	0	.	AD	FS	N	FS		

Seg ID: 1406 - Lake Lyndon B. Johnson AU ID: 1406_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	48	.	2	2.1	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	48	.	6	3.55	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	500	144	287.52	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	75	140	19.22	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	125	143	38.73	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	48	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	48	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	NS	N	NS	Excessive algal growth in water	5c
	Water Temperature	Water temperature	12/01/17	11/30/24	34.4	48	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	170	0.09	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	48	1.29	0	.	AD	FS	N	FS		

Seg ID: 1406 - Lake Lyndon B. Johnson AU ID: 1406_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	48	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	48	.	1	4.41	AD	NC	N	NC		

Seg ID: 1406 - Lake Lyndon B. Johnson AU ID: 1406_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	500	144	287.52	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	75	140	19.22	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	125	143	38.73	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	48	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	48	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	NS	N	NS	Excessive algal growth in water	5c
	Water Temperature	Water temperature	12/01/17	11/30/24	34.4	48	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	170	0.09	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	48	1.28	0	.	AD	FS	N	FS		

Seg ID: 1406 - Lake Lyndon B. Johnson AU ID: 1406_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	48	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	48	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	500	144	287.52	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	75	140	19.22	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	125	143	38.73	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	48	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	48	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	NS	N	NS	Excessive algal growth in water	5c
	Water Temperature	Water temperature	12/01/17	11/30/24	34.4	48	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	170	0.09	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	48	6.76	0	.	AD	FS	N	FS		

Seg ID: 1406 - Lake Lyndon B. Johnson AU ID: 1406_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	500	144	287.52	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	75	140	19.22	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	125	143	38.73	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	NS	N	NS	Excessive algal growth in water	5c
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	170	0.09	0	.	AD	FS	N	FS		

Seg ID: 1406 - Lake Lyndon B. Johnson AU ID: 1406_05															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	500	144	287.52	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	75	140	19.22	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	125	143	38.73	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	NS	N	NS	Excessive algal growth in water	5c

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1406 - Lake Lyndon B. Johnson AU ID: 1406_05																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	170	0.09	0	.	AD	FS	N	FS			

Seg ID: 1406 - Lake Lyndon B. Johnson AU ID: 1406_06																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
General Use	Dissolved Solids	Sulfate	12/01/17	11/30/24	75	140	19.22	0	.	AD	FS	N	FS			
		Total dissolved solids	12/01/17	11/30/24	500	144	287.52	0	.	AD	FS	N	FS			
		Chloride	12/01/17	11/30/24	125	143	38.73	0	.	AD	FS	N	FS			
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	NS	N	NS	Excessive algal growth in water	5c	
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	170	0.09	0	.	AD	FS	N	FS			

Seg ID: 1406A - Sandy Creek AU ID: 1406A_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	1.5	35	.	0	.	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	2	35	.	0	.	AD	NC	N	NC			
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	35	.	0	.	AD	NC	N	NC			
		Nitrate	12/01/17	11/30/24	1.95	35	.	0	.	AD	NC	N	NC			
		Chlorophyll-a	12/01/17	11/30/24	14.1	35	.	2	46.6	AD	NC	N	NC			
		Ammonia	12/01/17	11/30/24	0.33	34	.	0	.	AD	NC	N	NC			
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	35	60.56	0	.	AD	FS	N	FS			

Seg ID: 1407 - Inks Lake AU ID: 1407_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	48	.	0	.	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	48	.	3	4.71	AD	NC	N	NC			
	Toxic Substances in sediment	Manganese	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Manganese in sediment		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	600	48	308.67	0	.	AD	FS	N	FS			
		Sulfate	12/01/17	11/30/24	100	47	24.69	0	.	AD	FS	N	FS			
		Chloride	12/01/17	11/30/24	150	47	50.2	0	.	AD	FS	N	FS			
	High pH	pH	12/01/17	11/30/24	9	48	.	0	.	AD	FS	N	FS			
	Low pH	pH	12/01/17	11/30/24	6.5	48	.	0	.	AD	FS	N	FS			
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.2	48	.	2	0.56	JQ	NA	N	NA			
		Nitrate	12/01/17	11/30/24	0.37	48	.	6	0.42	JQ	NA	N	NA			
		Chlorophyll-a	12/01/17	11/30/24	26.7	48	.	1	29.4	JQ	NA	N	NA			
		Ammonia	12/01/17	11/30/24	0.11	48	.	1	0.18	JQ	NA	N	NA			
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	48	.	0	.	AD	FS	N	FS			
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	54	0.1	0	.	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	48	1.28	0	.	AD	FS	N	FS			

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1407 - Inks Lake AU ID: 1407_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	600	48	308.67	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	100	47	24.69	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	150	47	50.2	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	54	0.1	0	.	AD	FS	N	FS		

Seg ID: 1407A - Clear Creek AU ID: 1407A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Zinc (dissolved)	12/01/17	11/30/24	38.52	5	.	1	62.3	TR	CN	N	NA		
		Nickel (dissolved)	12/01/17	11/30/24	154.18	5	.	0	.	TR	NC	N	NA		
		Copper (dissolved)	12/01/17	11/30/24	4.12	5	.	0	.	TR	NC	N	NA		
		Chromium (Tri)(dissolved)	12/01/17	11/30/24	194.38	5	.	0	.	TR	NC	N	NA		
		Arsenic (dissolved)	12/01/17	11/30/24	340	5	.	0	.	TR	NC	N	NA		
		Aluminum (dissolved)	12/01/17	11/30/24	991	5	.	1	1180	TR	CN	Y	NS	Aluminum in water	5c
	Chronic Toxic Substances in water	Zinc (dissolved)	12/01/17	11/30/24	194.4	5	28.42	0	.	TR	NC	Y	NS	Zinc in water	5c
		Nickel (dissolved)	12/01/17	11/30/24	85.51	5	27.09	0	.	TR	NC	Y	NS	Nickel in water	5c
		Copper (dissolved)	12/01/17	11/30/24	15.65	5	2.05	0	.	TR	NC	Y	NS	Copper in water	5c
		Arsenic (dissolved)	12/01/17	11/30/24	150	5	0.74	0	.	TR	NC	N	NA		
		Cadmium (dissolved)	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CN	Cadmium in water	
		Chromium (Tri)(dissolved)	12/01/17	11/30/24	119.94	5	0.63	0	.	TR	NC	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	24	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	24	.	0	.	AD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/17	11/30/24	11400	5	27.09	0	.	TR	NC	N	NA		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	600	24	705	.	.	JQ	NS	N	NS	Total dissolved solids in water	5c
		Sulfate	12/01/17	11/30/24	100	4	254.5	.	.	JQ	CN	Y	NS	Sulfate in water	5c
	High pH	pH	12/01/17	11/30/24	9	24	.	0	.	JQ	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	24	.	11	4.25	JQ	NS	N	NS	Low pH in water	5c

Seg ID: 1408 - Lake Buchanan AU ID: 1408_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	49	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	49	.	3	3.84	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	600	235	322.86	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	100	235	24.26	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	150	235	53.37	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	49	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	49	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	49	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	267	0.14	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	49	0.84	0	.	AD	FS	N	FS		

Seg ID: 1408 - Lake Buchanan AU ID: 1408_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	49	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	49	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	600	235	322.86	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	100	235	24.26	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	150	235	53.37	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	49	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	49	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	49	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	267	0.14	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	49	0.73	0	.	AD	FS	N	FS		

Seg ID: 1408 - Lake Buchanan AU ID: 1408_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	600	235	322.86	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	100	235	24.26	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	150	235	53.37	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	267	0.14	0	.	AD	FS	N	FS		

Seg ID: 1408 - Lake Buchanan AU ID: 1408_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	49	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	49	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	600	235	322.86	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	100	235	24.26	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	150	235	53.37	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	49	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	49	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	49	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	267	0.14	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	49	0.96	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1408 - Lake Buchanan AU ID: 1408_05															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	39	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	39	.	1	3.3	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	600	235	322.86	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	100	235	24.26	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	150	235	53.37	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	39	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	39	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	39	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	267	0.14	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	39	3.02	0	.	AD	FS	N	FS		

Seg ID: 1408 - Lake Buchanan AU ID: 1408_06															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	49	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	49	.	4	4.5	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	600	235	322.86	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	100	235	24.26	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	150	235	53.37	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	49	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	49	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	49	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	267	0.14	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	49	1.42	0	.	AD	FS	N	FS		

Seg ID: 1409 - Colorado River Above Lake Buchanan AU ID: 1409_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	900	38	378.71	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	200	38	20.45	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	200	38	44.54	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	38	0.28	0	.	AD	FS	N	FS		

Seg ID: 1409 - Colorado River Above Lake Buchanan AU ID: 1409_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	33	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	33	.	0	.	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1409 - Colorado River Above Lake Buchanan AU ID: 1409_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	900	38	378.71	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	200	38	20.45	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	200	38	44.54	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	33	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	33	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	39	.	1	0.79	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	39	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	39	.	15	34.25	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.33	38	.	1	0.44	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.8	33	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	38	0.28	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	38	67.34	0	.	AD	FS	N	FS		

Seg ID: 1409A - Cherokee Creek AU ID: 1409A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	13	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	13	.	2	4.85	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	13	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	13	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	13	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	13	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/14	11/30/24	126	19	96.06	0	.	LD	NC	Y	CN	Bacteria in water	

Seg ID: 1410 - Colorado River Below O. H. Ivie Reservoir AU ID: 1410_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1475	58	927.91	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	455	55	192.4	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	500	54	256	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	55	0.12	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	28	0.32	0	.	AD	FS	N	FS		

Seg ID: 1410 - Colorado River Below O. H. Ivie Reservoir AU ID: 1410_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1475	58	927.91	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	455	55	192.4	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	500	54	256	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	55	0.12	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	28	0.32	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1410 - Colorado River Below O. H. Ivie Reservoir AU ID: 1410_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	26	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	26	.	2	4.65	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1475	58	927.91	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	455	55	192.4	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	500	54	256	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	26	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	26	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	39	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	38	.	1	2.3	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	39	.	16	30.91	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.33	39	.	1	0.46	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.8	26	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	55	0.12	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	28	0.32	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	28	55.96	0	.	AD	FS	N	FS		

Seg ID: 1410 - Colorado River Below O. H. Ivie Reservoir AU ID: 1410_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	27	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	27	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1475	58	927.91	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	455	55	192.4	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	500	54	256	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	27	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	27	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	28	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	28	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	25	.	6	42.77	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	27	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.8	27	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	55	0.12	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	28	0.32	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	25	13.51	0	.	AD	FS	N	FS		

Seg ID: 1411 - E. V. Spence Reservoir AU ID: 1411_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	26	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	26	.	1	4.59	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1411 - E. V. Spence Reservoir AU ID: 1411_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1500	47	2613.97	1	.	AD	NS	N	NS	Total dissolved solids in water	4a
		Sulfate	12/01/17	11/30/24	450	48	763.35	1	.	AD	NS	N	NS	Sulfate in water	4a
		Chloride	12/01/17	11/30/24	950	48	984.21	1	.	AD	NS	N	NS	Chloride in water	5b
	Fish Kill Reports	Fish Kill Reports	12/01/17	11/30/24	.	0	.	.	.	OE	CN	N	CN	Fish kill in water	
	High pH	pH	12/01/17	11/30/24	9	24	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	24	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.2	26	.	0	.	JQ	NA	N	NA		
		Nitrate	12/01/17	11/30/24	0.37	26	.	2	0.69	JQ	NA	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	26.7	26	.	6	46.13	JQ	NA	N	NA		
	Water Temperature	Water temperature	12/01/17	11/30/24	33.9	26	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	48	0.07	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	24	0.67	0	.	AD	FS	N	FS		

Seg ID: 1411 - E. V. Spence Reservoir AU ID: 1411_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	24	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	24	.	1	4.8	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1500	47	2613.97	1	.	AD	NS	N	NS	Total dissolved solids in water	4a
		Sulfate	12/01/17	11/30/24	450	48	763.35	1	.	AD	NS	N	NS	Sulfate in water	4a
		Chloride	12/01/17	11/30/24	950	48	984.21	1	.	AD	NS	N	NS	Chloride in water	5b
	Fish Kill Reports	Fish Kill Reports	12/01/17	11/30/24	.	0	.	.	.	OE	CN	N	CN	Fish kill in water	
	High pH	pH	12/01/17	11/30/24	9	24	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	24	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.2	22	.	3	0.22	JQ	NA	N	NA		
		Nitrate	12/01/17	11/30/24	0.37	22	.	1	0.59	JQ	NA	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	26.7	1	.	0	.	JQ	NA	N	NA		
	Water Temperature	Water temperature	12/01/17	11/30/24	33.9	24	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	48	0.07	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	24	147.77	1	.	AD	NS	N	NS	Bacteria in water	5c

Seg ID: 1412 - Colorado River Below Lake J. B. Thomas AU ID: 1412_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	18	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	18	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	20000	64	4491.46	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	2500	62	957.11	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	11000	61	1825.02	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	18	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	18	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1412 - Colorado River Below Lake J. B. Thomas AU ID: 1412_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	21	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	21	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	21	.	16	138.82	AD	CS	N	CS	Chlorophyll-a in water	
	Water Temperature	Water temperature	12/01/17	11/30/24	33.9	18	.	0	.	AD	FS	N	FS		

Seg ID: 1412 - Colorado River Below Lake J. B. Thomas AU ID: 1412_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	24	.	1	2.3	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	24	.	3	3.9	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	20000	64	4491.46	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	2500	62	957.11	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	11000	61	1825.02	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	24	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	24	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	28	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	25	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	25	.	20	75.94	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.33	28	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	33.9	24	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	33	24	212.89	1	.	AD	NS	N	NS	Bacteria in water	5c

Seg ID: 1412 - Colorado River Below Lake J. B. Thomas AU ID: 1412_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	20	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	20	.	1	4.4	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	20000	64	4491.46	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	2500	62	957.11	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	11000	61	1825.02	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	20	.	1	9.4	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	20	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	26	.	2	1.18	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	23	.	4	4.12	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	26	.	1	0.4	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	24	.	18	63.09	AD	CS	N	CS	Chlorophyll-a in water	
	Water Temperature	Water temperature	12/01/17	11/30/24	33.9	20	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	33	22	140.19	1	.	AD	NS	N	NS	Bacteria in water	5c

Seg ID: 1412 - Colorado River Below Lake J. B. Thomas AU ID: 1412_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	20000	64	4491.46	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	11000	61	1825.02	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	2500	62	957.11	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1412 - Colorado River Below Lake J. B. Thomas AU ID: 1412_05															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	20000	64	4491.46	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	2500	62	957.11	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	11000	61	1825.02	0	.	AD	FS	N	FS		

Seg ID: 1412A - Lake Colorado City AU ID: 1412A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Fish Kill Reports	Fish Kill Reports	12/01/17	11/30/24	.	0	.	.	.	OE	CN	N	CN	Fish kill in water	

Seg ID: 1412B - Beals Creek AU ID: 1412B_01																	
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat		
Aquatic Life Use	Dissolved Oxygen grab minimum		Dissolved oxygen Grab		12/01/17	11/30/24	2	19	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level		Dissolved oxygen Grab		12/01/17	11/30/24	3	19	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels		Total phosphorus		12/01/17	11/30/24	0.69	19	.	0	.	AD	NC	N	NC		
			Nitrate		12/01/17	11/30/24	1.95	19	.	2	3.34	AD	NC	N	NC		
			Chlorophyll-a		12/01/17	11/30/24	14.1	19	.	11	83.58	AD	CS	N	CS	Chlorophyll-a in water	
Recreation Use	Bacteria Geomean		E. coli		12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CN	Bacteria in water	

Seg ID: 1412B - Beals Creek AU ID: 1412B_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	48	.	1	0.3	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	48	.	3	1.63	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	46	.	24	2.35	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	46	.	27	14.5	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	45	.	24	71.69	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.33	45	.	8	0.89	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	43	249.57	1	.	AD	NS	N	NS	Bacteria in water	5b

Seg ID: 1412C - Deep Creek AU ID: 1412C_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum		Dissolved oxygen Grab		12/01/17	11/30/24	3	6	.	0	.	LD	NC	N	NC	
	Dissolved Oxygen grab screening level		Dissolved oxygen Grab		12/01/17	11/30/24	5	6	.	2	4.8	LD	CS	N	CS	Depressed dissolved oxygen in water
General Use	Nutrient Screening Levels		Total phosphorus		12/01/17	11/30/24	0.69	8	.	3	0.82	LD	NC	N	NC	
			Nitrate		12/01/17	11/30/24	1.95	6	.	2	5.02	LD	NC	N	NC	
			Chlorophyll-a		12/01/17	11/30/24	14.1	7	.	2	46.5	LD	NC	N	NC	
			Ammonia		12/01/17	11/30/24	0.33	8	.	0	.	LD	NC	N	NC	
Recreation Use	Bacteria Geomean		E. coli		12/01/17	11/30/24	126	7	235.45	1	.	LD	CN	N	CN	Bacteria in water

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1413 - Lake J. B. Thomas AU ID: 1413_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	13	.	0	.	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	13	.	1	4.04	AD	NC	N	NC			
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	500	13	452.35	0	.	AD	FS	N	FS			
		Sulfate	12/01/17	11/30/24	110	13	68.87	0	.	AD	FS	N	FS			
		Chloride	12/01/17	11/30/24	80	10	69.83	.	.	AD	FS	N	FS	Chloride in water	3	
	High pH	pH	12/01/17	11/30/24	9	12	.	0	.	AD	FS	N	FS			
	Low pH	pH	12/01/17	11/30/24	6.5	12	.	0	.	AD	FS	N	FS			
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.2	13	.	0	.	JQ	NA	N	NA			
		Nitrate	12/01/17	11/30/24	0.37	13	.	1	0.4	JQ	NA	N	NA			
		Chlorophyll-a	12/01/17	11/30/24	26.7	12	.	0	.	JQ	NA	N	NA			
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	13	.	0	.	AD	FS	N	FS			
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	13	0.05	0	.	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	12	0.84	0	.	LD	NC	N	NC			

Seg ID: 1414 - Pedernales River AU ID: 1414_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	37	.	1	0.7	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	37	.	1	0.7	AD	NC	N	NC			
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	525	182	411.41	0	.	AD	FS	N	FS			
		Sulfate	12/01/17	11/30/24	75	181	30.04	0	.	AD	FS	N	FS			
		Chloride	12/01/17	11/30/24	125	179	59.69	0	.	AD	FS	N	FS			
	High pH	pH	12/01/17	11/30/24	9	37	.	0	.	AD	FS	N	FS			
	Low pH	pH	12/01/17	11/30/24	6.5	37	.	0	.	AD	FS	N	FS			
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	39	.	0	.	AD	NC	N	NC			
		Nitrate	12/01/17	11/30/24	1.95	39	.	0	.	AD	NC	N	NC			
		Chlorophyll-a	12/01/17	11/30/24	14.1	39	.	0	.	AD	NC	N	NC			
		Ammonia	12/01/17	11/30/24	0.33	38	.	0	.	AD	NC	N	NC			
	Water Temperature	Water temperature	12/01/17	11/30/24	32.8	37	.	0	.	AD	FS	N	FS			
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	180	0.33	0	.	AD	FS	N	FS			
		Fluoride	12/01/17	11/30/24	4	4	0.22	0	.	TR	NC	N	NA			
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	39	20.98	0	.	AD	FS	N	FS			

Seg ID: 1414 - Pedernales River AU ID: 1414_02																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	29	.	0	.	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	29	.	0	.	AD	NC	N	NC			
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	525	182	411.41	0	.	AD	FS	N	FS			
		Sulfate	12/01/17	11/30/24	75	181	30.04	0	.	AD	FS	N	FS			
		Chloride	12/01/17	11/30/24	125	179	59.69	0	.	AD	FS	N	FS			
	High pH	pH	12/01/17	11/30/24	9	30	.	0	.	AD	FS	N	FS			
	Low pH	pH	12/01/17	11/30/24	6.5	30	.	0	.	AD	FS	N	FS			

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1414 - Pedernales River AU ID: 1414_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	31	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	30	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	31	.	1	19.8	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	31	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.8	30	.	1	32.9	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	180	0.33	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	4	0.22	0	.	TR	NC	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	31	10.94	0	.	AD	FS	N	FS		

Seg ID: 1414 - Pedernales River AU ID: 1414_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	34	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	34	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	525	182	411.41	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	75	181	30.04	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	125	179	59.69	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	34	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	34	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	38	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	38	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	38	.	2	44.8	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	38	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.8	34	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Fluoride	12/01/17	11/30/24	4	4	0.22	0	.	TR	NC	N	NA		
		Nitrate	12/01/17	11/30/24	10	180	0.33	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	36	28.17	0	.	AD	FS	N	FS		

Seg ID: 1414 - Pedernales River AU ID: 1414_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Chloride	12/01/17	11/30/24	125	179	59.69	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	75	181	30.04	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/17	11/30/24	525	182	411.41	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Ammonia	12/01/17	11/30/24	0.33	1	.	0	.	ID	NA	N	NA		
		Total phosphorus	12/01/17	11/30/24	0.69	1	.	0	.	ID	NA	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	14.1	1	.	0	.	ID	NA	N	NA		
		Nitrate	12/01/17	11/30/24	1.95	1	.	0	.	ID	NA	N	NA		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	180	0.33	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	4	0.22	0	.	TR	NC	N	NA		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1414 - Pedernales River AU ID: 1414_05															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	66	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	66	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	525	182	411.41	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	125	179	59.69	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	75	181	30.04	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	66	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	66	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	76	.	1	7.13	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	76	.	3	3.07	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	77	.	18	46.19	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	77	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.8	66	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Fluoride	12/01/17	11/30/24	4	4	0.22	0	.	TR	NC	N	NA		
		Nitrate	12/01/17	11/30/24	10	180	0.33	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	72	86.32	0	.	AD	FS	N	FS		

Seg ID: 1414 - Pedernales River AU ID: 1414_06															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	4	.	0	.	TR	NC	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	4	.	3	4.8	TR	CS	N	NA		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	525	182	411.41	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	75	181	30.04	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	125	179	59.69	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	3	.	0	.	TR	NA	N	NA		
	Low pH	pH	12/01/17	11/30/24	6.5	3	.	0	.	TR	NA	N	NA		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	4	.	0	.	TR	NC	N	NA		
		Nitrate	12/01/17	11/30/24	1.95	4	.	0	.	TR	NC	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	14.1	4	.	0	.	TR	NC	N	NA		
		Ammonia	12/01/17	11/30/24	0.33	4	.	0	.	TR	NC	N	NA		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.8	4	.	0	.	TR	NC	N	NA		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	180	0.33	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	4	0.22	0	.	TR	NC	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	4	42.57	0	.	TR	NA	N	NA		

Seg ID: 1414B - Cypress Creek AU ID: 1414B_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	11	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	11	.	0	.	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1414B - Cypress Creek AU ID: 1414B_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	22	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	21	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	23	.	3	17.97	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	22	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	11/01/15	11/30/24	126	20	104.8	0	.	AD	FS	N	FS		

Seg ID: 1415 - Llano River AU ID: 1415_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	73	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	73	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	350	182	268.04	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	180	11.87	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	180	18.91	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	73	.	1	9.1	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	73	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	78	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	76	.	1	2.19	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	75	.	2	25.15	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	77	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.8	73	.	2	33.2	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	177	0.2	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	23	0.19	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	76	9.69	0	.	AD	FS	N	FS		

Seg ID: 1415 - Llano River AU ID: 1415_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	23	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	23	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Chloride	12/01/17	11/30/24	50	180	18.91	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/17	11/30/24	350	182	268.04	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	180	11.87	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	23	.	1	9.3	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	23	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	23	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	20	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	22	.	1	25.1	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	23	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.8	23	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	177	0.2	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	23	0.19	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	06/01/17	11/30/24	126	20	7.29	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1415 - Llano River AU ID: 1415_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	6	.	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	6	.	0	.	LD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	350	182	268.04	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	180	11.87	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	180	18.91	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	6	.	0	.	LD	NC	N	NC		
	Low pH	pH	12/01/17	11/30/24	6.5	6	.	0	.	LD	NC	N	NC		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	6	.	0	.	LD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	6	.	0	.	LD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	6	.	0	.	LD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	6	.	0	.	LD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.8	6	.	0	.	LD	NC	N	NC		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	177	0.2	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	23	0.19	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	6	90.91	0	.	ID	NA	N	NA		

Seg ID: 1415 - Llano River AU ID: 1415_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	26	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	26	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	350	182	268.04	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	180	11.87	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	180	18.91	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	26	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	26	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	27	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	27	.	1	2.61	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	27	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	26	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.8	26	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	177	0.2	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	23	0.19	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	27	25.33	0	.	AD	FS	N	FS		

Seg ID: 1415 - Llano River AU ID: 1415_05															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	21	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	21	.	0	.	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1415 - Llano River AU ID: 1415_05															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	350	182	268.04	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	180	11.87	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	180	18.91	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	21	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	21	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	26	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	26	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	26	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	26	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.8	21	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Fluoride	12/01/17	11/30/24	4	23	0.19	0	.	AD	FS	N	FS		
		Nitrate	12/01/17	11/30/24	10	177	0.2	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	22	32.44	0	.	AD	FS	N	FS		

Seg ID: 1415 - Llano River AU ID: 1415_06															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	26	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	26	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	350	182	268.04	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	180	11.87	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	180	18.91	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	26	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	26	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	26	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	26	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	26	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	26	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.8	26	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Fluoride	12/01/17	11/30/24	4	23	0.19	0	.	AD	FS	N	FS		
		Nitrate	12/01/17	11/30/24	10	177	0.2	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	26	26.19	0	.	AD	FS	N	FS		

Seg ID: 1415A - Johnson Fork Creek AU ID: 1415A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	26	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	26	.	1	4.4	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	26	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	26	.	1	3.7	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	26	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	25	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	26	52.77	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1415C - James River AU ID: 1415C_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	26	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	26	.	1	4.8	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	26	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	26	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	26	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	26	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	26	47.32	0	.	AD	FS	N	FS		

Seg ID: 1416 - San Saba River AU ID: 1416_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	30	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	30	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	425	95	337.54	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	91	15.1	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	92	26.45	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	30	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	30	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	39	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	39	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	39	.	4	28.55	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	38	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	30	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	93	0.41	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	24	0.18	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	39	232.86	1	.	AD	NS	N	NS	Bacteria in water	5c

Seg ID: 1416 - San Saba River AU ID: 1416_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	425	95	337.54	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	91	15.1	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	92	26.45	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	93	0.41	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	24	0.18	0	.	AD	FS	N	FS		

Seg ID: 1416 - San Saba River AU ID: 1416_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	30	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	30	.	0	.	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1416 - San Saba River AU ID: 1416_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	425	95	337.54	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	91	15.1	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	92	26.45	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	30	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	30	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	31	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	31	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	31	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	31	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	30	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	93	0.41	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	24	0.18	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	29	86.47	0	.	AD	FS	N	FS		

Seg ID: 1416 - San Saba River AU ID: 1416_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	425	95	337.54	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	91	15.1	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	92	26.45	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	93	0.41	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	24	0.18	0	.	AD	FS	N	FS		

Seg ID: 1416 - San Saba River AU ID: 1416_05															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	26	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	26	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	425	95	337.54	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	91	15.1	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	92	26.45	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	25	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	25	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	25	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	25	.	2	2.18	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	25	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	25	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	26	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	93	0.41	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	24	0.18	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	25	42.52	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1416A - Brady Creek AU ID: 1416A_02																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	24	.	2	2.25	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	24	.	6	2.8	AD	CS	N	CS	Depressed dissolved oxygen in water		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	24	.	20	2.82	AD	CS	N	CS	Total Phosphorus in water		
		Nitrate	12/01/17	11/30/24	1.95	24	.	13	9.25	AD	CS	N	CS	Nitrate in water		
		Chlorophyll-a	12/01/17	11/30/24	14.1	24	.	19	64.88	AD	CS	N	CS	Chlorophyll-a in water		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	24	56.48	0	.	AD	FS	N	FS			

Seg ID: 1416A - Brady Creek AU ID: 1416A_03																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Depressed dissolved oxygen in water	5r	
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Depressed dissolved oxygen in water	5r	
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Chlorophyll-a in water		

Seg ID: 1416B - Brady Creek Reservoir AU ID: 1416B_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	22	.	0	.	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	22	.	2	3.57	AD	NC	N	NC			
General Use	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	NC	N	NC			
Recreation Use	Bacteria Geomean	E. coli	08/01/17	11/30/24	126	20	2.6	0	.	AD	FS	N	FS			

Seg ID: 1416C - Brady Creek above Brady Creek Reservoir AU ID: 1416C_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Nitrate in water	

Seg ID: 1417 - Lower Pecan Bayou AU ID: 1417_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	28	.	1	2	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	28	.	1	2	AD	NC	N	NC			
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1025	30	402.39	0	.	AD	FS	N	FS			
		Sulfate	12/01/17	11/30/24	120	30	50.38	0	.	AD	FS	N	FS			
		Chloride	12/01/17	11/30/24	310	30	72.04	0	.	AD	FS	N	FS			
	High pH	pH	12/01/17	11/30/24	9	28	.	0	.	AD	FS	N	FS			
	Low pH	pH	12/01/17	11/30/24	6.5	28	.	0	.	AD	FS	N	FS			
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	38	.	1	0.87	AD	NC	N	NC			
		Nitrate	12/01/17	11/30/24	1.95	38	.	7	8.68	AD	NC	N	NC			
		Chlorophyll-a	12/01/17	11/30/24	14.1	38	.	26	61.69	AD	CS	N	CS	Chlorophyll-a in water		
		Ammonia	12/01/17	11/30/24	0.33	38	.	1	0.6	AD	NC	N	NC			
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	28	.	0	.	AD	FS	N	FS			

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1417 - Lower Pecan Bayou AU ID: 1417_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	30	74.78	0	.	AD	FS	N	FS		

Seg ID: 1418 - Lake Brownwood AU ID: 1418_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	16	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	16	.	2	4.61	AD	NC	N	NC		
	Toxic Substances in sediment	Manganese	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Manganese in sediment	
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	500	55	282.7	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	100	55	28.28	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	150	55	46.26	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	16	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	16	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.2	16	.	0	.	JQ	NA	N	NA		
		Nitrate	12/01/17	11/30/24	0.37	16	.	0	.	JQ	NA	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	26.7	11	.	0	.	JQ	NA	N	NA		
		Ammonia	12/01/17	11/30/24	0.11	15	.	0	.	JQ	NA	N	NA		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	16	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Fluoride	12/01/17	11/30/24	4	55	0.13	0	.	AD	FS	N	FS		
		Nitrate	12/01/17	11/30/24	10	55	0.05	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	08/01/15	11/30/24	126	20	2.16	0	.	AD	FS	N	FS		

Seg ID: 1418 - Lake Brownwood AU ID: 1418_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	16	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	16	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	500	55	282.7	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	100	55	28.28	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	150	55	46.26	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	16	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	16	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.2	16	.	0	.	JQ	NA	N	NA		
		Nitrate	12/01/17	11/30/24	0.37	16	.	0	.	JQ	NA	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	26.7	11	.	0	.	JQ	NA	N	NA		
		Ammonia	12/01/17	11/30/24	0.11	15	.	0	.	JQ	NA	N	NA		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	16	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	55	0.05	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	55	0.13	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	08/01/15	11/30/24	126	20	4	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1418 - Lake Brownwood AU ID: 1418_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	23	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	23	.	2	4.49	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	500	55	282.7	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	100	55	28.28	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	150	55	46.26	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	23	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	23	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.2	23	.	1	0.24	JQ	NA	N	NA		
		Nitrate	12/01/17	11/30/24	0.37	23	.	0	.	JQ	NA	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	26.7	18	.	4	64.33	JQ	NA	N	NA		
		Ammonia	12/01/17	11/30/24	0.11	22	.	3	0.18	JQ	NA	N	NA		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	23	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	55	0.05	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	55	0.13	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	20	6.13	0	.	AD	FS	N	FS		

Seg ID: 1418A - Hords Creek AU ID: 1418A_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	21	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	21	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	29	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	29	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	26	.	11	37.64	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.33	28	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	21	58.77	0	.	AD	FS	N	FS		

Seg ID: 1418A - Hords Creek AU ID: 1418A_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	14	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	14	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	29	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	29	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	25	.	7	34.46	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	28	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	03/01/17	11/30/24	126	20	32.86	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1418B - Jim Ned Creek AU ID: 1418B_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	7	.	0	.	LD	NC	N	NC			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	7	.	0	.	LD	NC	N	NC			
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	7	.	0	.	LD	NC	N	NC			
		Nitrate	12/01/17	11/30/24	1.95	7	.	0	.	LD	NC	N	NC			
		Chlorophyll-a	12/01/17	11/30/24	14.1	7	.	6	56.3	LD	CS	N	CS	Chlorophyll-a in water		
		Ammonia	12/01/17	11/30/24	0.33	7	.	0	.	LD	NC	N	NC			
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	6	40.19	0	.	ID	NA	N	NA			

Seg ID: 1418C - Hords Creek Reservoir AU ID: 1418C_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	19	.	0	.	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	19	.	1	4.85	AD	NC	N	NC			
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.2	19	.	0	.	JQ	NA	N	NA			
		Nitrate	12/01/17	11/30/24	0.37	19	.	0	.	JQ	NA	N	NA			
		Chlorophyll-a	12/01/17	11/30/24	26.7	17	.	2	34.25	JQ	NA	N	NA			
		Ammonia	12/01/17	11/30/24	0.11	19	.	5	0.15	JQ	NA	N	NA			
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	19	0.07	0	.	AD	FS	N	FS			
		Fluoride	12/01/17	11/30/24	4	19	0.21	0	.	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	E. coli	06/01/17	11/30/24	126	20	2.72	0	.	AD	FS	N	FS			

Seg ID: 1419 - Lake Coleman AU ID: 1419_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	17	.	0	.	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	17	.	1	4.87	AD	NC	N	NC			
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	500	17	315.4	0	.	AD	FS	N	FS			
		Sulfate	12/01/17	11/30/24	100	16	37.19	0	.	AD	FS	N	FS			
		Chloride	12/01/17	11/30/24	150	16	54.1	0	.	AD	FS	N	FS			
	High pH	pH	12/01/17	11/30/24	9	17	.	0	.	AD	FS	N	FS			
	Low pH	pH	12/01/17	11/30/24	6.5	17	.	0	.	AD	FS	N	FS			
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	NS	N	NS	Excessive algal growth in water	5c	
	Water Temperature	Water temperature	12/01/17	11/30/24	33.9	17	.	0	.	AD	FS	N	FS			
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	17	0.06	0	.	AD	FS	N	FS			
		Fluoride	12/01/17	11/30/24	4	16	0.17	0	.	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	13	0.97	0	.	LD	NC	N	NC			

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1420 - Pecan Bayou Above Lake Brownwood AU ID: 1420_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	10	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	10	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1500	18	392.78	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	500	17	72.41	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	500	17	54.71	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	10	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	10	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	27	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	27	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	25	.	8	32.79	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.33	27	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	10	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	17	0.11	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	17	0.15	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	02/01/16	11/30/24	126	20	43.51	0	.	AD	FS	N	FS		

Seg ID: 1420 - Pecan Bayou Above Lake Brownwood AU ID: 1420_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1500	18	392.78	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	500	17	72.41	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	500	17	54.71	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	17	0.11	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	17	0.15	0	.	AD	FS	N	FS		

Seg ID: 1421 - Concho River AU ID: 1421_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	18	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	18	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1600	194	1205.43	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	425	161	185.5	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	775	161	393.42	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	18	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	18	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	21	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	22	.	8	10.05	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	19	.	15	38.29	AD	CS	N	CS	Chlorophyll-a in water	
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	18	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	160	2.93	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	10/01/17	11/30/24	126	20	20.1	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1421 - Concho River AU ID: 1421_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	20	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	20	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1600	194	1205.43	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	425	161	185.5	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	775	161	393.42	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	20	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	20	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	22	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	21	.	15	8.86	AD	CS	N	CS	Nitrate in water	
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	20	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	160	2.93	0	.	AD	FS	N	FS		

Seg ID: 1421 - Concho River AU ID: 1421_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	21	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	21	.	4	4.53	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1600	194	1205.43	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	425	161	185.5	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	775	161	393.42	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	21	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	21	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	24	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	24	.	13	11.31	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	23	.	10	33.05	AD	CS	N	CS	Chlorophyll-a in water	
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	21	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	160	2.93	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	23	42.77	0	.	AD	FS	N	FS		

Seg ID: 1421 - Concho River AU ID: 1421_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1600	194	1205.43	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	425	161	185.5	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	775	161	393.42	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Chlorophyll-a in water	
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	160	2.93	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1421 - Concho River AU ID: 1421_05															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	1	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	.	1	.	0	.	ID	NA	Y	CS	Depressed dissolved oxygen in water	
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1600	194	1205.43	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	425	161	185.5	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	775	161	393.42	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	1	.	0	.	ID	NA	N	NA		
	Low pH	pH	12/01/17	11/30/24	6.5	1	.	0	.	ID	NA	N	NA		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	1	.	0	.	ID	NA	N	NA		
		Nitrate	12/01/17	11/30/24	1.95	1	.	0	.	ID	NA	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	14.1	1	.	1	25.8	ID	NA	N	NA		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	1	.	0	.	ID	NA	N	NA		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	160	2.93	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	1	9	0	.	ID	NA	N	NA		

Seg ID: 1421 - Concho River AU ID: 1421_06															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	22	.	1	2.4	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	22	.	4	4	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1600	194	1205.43	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	425	161	185.5	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	775	161	393.42	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	22	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	22	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	24	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	24	.	8	3.36	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	1	.	0	.	ID	NA	N	NA		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	22	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	160	2.93	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	22	23.99	0	.	AD	FS	N	FS		

Seg ID: 1421 - Concho River AU ID: 1421_07															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	5	11	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	3	11	.	2	2.55	AD	FS	N	FS		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	23	.	0	.	SM	FS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	23	.	0	.	SM	NC	N	NA		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1600	194	1205.43	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	425	161	185.5	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	775	161	393.42	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	23	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	23	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1421 - Concho River AU ID: 1421_07															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	25	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	25	.	1	2.44	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	25	.	18	29.09	AD	CS	N	CS	Chlorophyll-a in water	
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	23	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	160	2.93	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	25	46.1	0	.	AD	FS	N	FS		

Seg ID: 1421 - Concho River AU ID: 1421_08															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	5	22	.	3	2.93	AD	FS	Y	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	3	22	.	6	1.15	AD	NS	N	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	18	.	0	.	SM	FS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	18	.	3	4.13	SM	CS	N	NA		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1600	194	1205.43	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	425	161	185.5	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	775	161	393.42	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	18	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	18	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	25	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	25	.	9	4.11	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Chlorophyll-a in water	
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	18	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	160	2.93	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	23	152.67	1	.	AD	CN	N	CN	Bacteria in water	

Seg ID: 1421 - Concho River AU ID: 1421_09															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	24	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	24	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1600	194	1205.43	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	425	161	185.5	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	775	161	393.42	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	24	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	24	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	24	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	24	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	24	.	1	32.5	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	160	2.93	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	24	17.25	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1421A - Dry Hollow Creek AU ID: 1421A_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	17	.	1	2	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	17	.	1	2	AD	NC	N	NC			
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	17	.	0	.	AD	NC	N	NC			
		Nitrate	12/01/17	11/30/24	1.95	17	.	13	16.12	AD	CS	N	CS	Nitrate in water		

Seg ID: 1421B - Kickapoo Creek AU ID: 1421B_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	08/01/16	11/30/24	1.5	10	.	0	.	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	08/01/16	11/30/24	2	10	.	0	.	AD	NC	N	NC			
General Use	Nutrient Screening Levels	Total phosphorus	08/01/16	11/30/24	0.69	10	.	0	.	AD	NC	N	NC			
		Nitrate	08/01/16	11/30/24	1.95	10	.	7	7.22	AD	CS	N	CS	Nitrate in water		

Seg ID: 1421C - Lipan Creek AU ID: 1421C_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	10/01/17	11/30/24	1.5	10	.	0	.	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	10/01/17	11/30/24	2	10	.	0	.	AD	NC	N	NC			
General Use	Nutrient Screening Levels	Total phosphorus	10/01/17	11/30/24	0.69	10	.	0	.	AD	NC	N	NC			
		Nitrate	10/01/17	11/30/24	1.95	10	.	9	37.54	AD	CS	N	CS	Nitrate in water		
		Chlorophyll-a	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Chlorophyll-a in water		

Seg ID: 1422 - Lake Nasworthy AU ID: 1422_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	44	.	0	.	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	44	.	1	4.95	AD	NC	N	NC			
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1500	70	638.33	0	.	AD	FS	N	FS			
		Sulfate	12/01/17	11/30/24	400	66	51.33	0	.	AD	FS	N	FS			
		Chloride	12/01/17	11/30/24	450	62	169.92	0	.	AD	FS	N	FS			
	High pH	pH	12/01/17	11/30/24	9	42	.	0	.	AD	FS	N	FS			
	Low pH	pH	12/01/17	11/30/24	6.5	42	.	0	.	AD	FS	N	FS			
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS			
	Water Temperature	Water temperature	12/01/17	11/30/24	33.9	46	.	0	.	AD	FS	N	FS			
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	67	0.03	0	.	AD	FS	N	FS			
		Fluoride	12/01/17	11/30/24	4	20	0.3	0	.	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	42	5.03	0	.	AD	FS	N	FS			

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1422 - Lake Nasworthy AU ID: 1422_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	23	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	23	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1500	70	638.33	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	400	66	51.33	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	450	62	169.92	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	22	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	22	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS		
	Water Temperature	Water temperature	12/01/17	11/30/24	33.9	24	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	67	0.03	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	20	0.3	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	22	4.49	0	.	AD	FS	N	FS		

Seg ID: 1423 - Twin Buttes Reservoir AU ID: 1423_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	22	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	22	.	1	3.91	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	700	39	477.15	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	100	38	35.94	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	200	38	110.29	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	21	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	21	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	22	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	38	0.22	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	13	0.22	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	18	1.04	0	.	LD	NC	N	NC		

Seg ID: 1423 - Twin Buttes Reservoir AU ID: 1423_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	17	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	17	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	700	39	477.15	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	100	38	35.94	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	200	38	110.29	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	16	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	16	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	17	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1423 - Twin Buttes Reservoir AU ID: 1423_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	38	0.22	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	13	0.22	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	16	2.77	0	.	LD	NC	N	NC		

Seg ID: 1423A - Spring Creek AU ID: 1423A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	24	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	24	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	24	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	24	.	1	2.32	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	24	.	5	38.26	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	24	49.45	0	.	AD	FS	N	FS		

Seg ID: 1423A - Spring Creek AU ID: 1423A_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	25	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	25	.	1	4.1	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	25	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	25	.	9	2.36	AD	CS	N	CS	Nitrate in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	25	26.53	0	.	AD	FS	N	FS		

Seg ID: 1423B - Dove Creek AU ID: 1423B_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	17	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	17	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	23	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	23	.	3	3.56	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	23	.	1	27.9	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	23	44.63	0	.	AD	FS	N	FS		

Seg ID: 1424 - Middle Concho/South Concho River AU ID: 1424_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	47	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	47	.	0	.	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1424 - Middle Concho/South Concho River AU ID: 1424_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	700	54	428.07	0	.	AD	FS	N	FS			
		Sulfate	12/01/17	11/30/24	150	54	24.71	0	.	AD	FS	N	FS			
		Chloride	12/01/17	11/30/24	150	54	39.01	0	.	AD	FS	N	FS			
	High pH	pH	12/01/17	11/30/24	9	47	.	0	.	AD	FS	N	FS			
	Low pH	pH	12/01/17	11/30/24	6.5	47	.	0	.	AD	FS	N	FS			
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	48	.	1	0.79	AD	NC	N	NC			
		Nitrate	12/01/17	11/30/24	1.95	47	.	21	2.32	AD	CS	N	CS	Nitrate in water		
		Chlorophyll-a	12/01/17	11/30/24	14.1	24	.	0	.	AD	NC	N	NC			
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	47	.	0	.	AD	FS	N	FS			
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	53	1.6	0	.	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	24	30.37	0	.	AD	FS	N	FS			

Seg ID: 1424 - Middle Concho/South Concho River AU ID: 1424_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	6	.	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	6	.	0	.	LD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	700	54	428.07	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	150	54	24.71	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	150	54	39.01	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	6	.	0	.	LD	NC	N	NC		
	Low pH	pH	12/01/17	11/30/24	6.5	6	.	0	.	LD	NC	N	NC		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	5	.	0	.	LD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	6	.	0	.	LD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	6	.	0	.	LD	NC	N	NC		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	53	1.6	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	5	51.47	0	.	ID	NA	N	NA		

Seg ID: 1424 - Middle Concho/South Concho River AU ID: 1424_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	700	54	428.07	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	150	54	24.71	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	150	54	39.01	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	53	1.6	0	.	AD	FS	N	FS		

Seg ID: 1424A - West Rocky Creek AU ID: 1424A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	12	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	12	.	4	4.33	AD	CS	N	CS	Depressed dissolved oxygen in water	

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1424A - West Rocky Creek AU ID: 1424A_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	16	.	0	.	AD	NC	N	NC			
		Nitrate	12/01/17	11/30/24	1.95	16	.	0	.	AD	NC	N	NC			

Seg ID: 1424B - Cold Creek AU ID: 1424B_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	11	.	0	.	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	11	.	0	.	AD	NC	N	NC			
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	11	.	0	.	AD	NC	N	NC			
		Nitrate	12/01/17	11/30/24	1.95	11	.	6	2.17	AD	CS	N	CS	Nitrate in water		

Seg ID: 1425 - O. C. Fisher Lake AU ID: 1425_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum		Dissolved oxygen Grab	12/01/17	11/30/24	3	15	.	1	2.95	AD	FS	N	FS		
	Dissolved Oxygen grab screening level		Dissolved oxygen Grab	12/01/17	11/30/24	5	15	.	1	2.95	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	700	15	387.18	0	.	AD	FS	N	FS			
		Sulfate	12/01/17	11/30/24	150	15	31.73	0	.	AD	FS	N	FS			
		Chloride	12/01/17	11/30/24	150	15	76.71	0	.	AD	FS	N	FS			
	High pH		pH	12/01/17	11/30/24	9	14	.	0	.	AD	FS	N	FS		
	Low pH		pH	12/01/17	11/30/24	6.5	14	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria		Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	NC	N	NC		
	Water Temperature		Water temperature	12/01/17	11/30/24	32.2	16	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	15	0.03	0	.	AD	FS	N	FS			
		Fluoride	12/01/17	11/30/24	4	5	0.2	0	.	LD	NC	N	NC			
Recreation Use	Bacteria Geomean	E. coli	07/01/15	11/30/24	126	20	3.86	0	.	AD	FS	N	FS			

Seg ID: 1425A - North Concho River AU ID: 1425A_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum		Dissolved oxygen Grab		12/01/17	11/30/24	2	31	.	0	.	AD	FS	N	FS	
	Dissolved Oxygen grab screening level		Dissolved oxygen Grab		12/01/17	11/30/24	3	31	.	0	.	AD	NC	N	NC	
General Use	Nutrient Screening Levels		Total phosphorus		12/01/17	11/30/24	0.69	31	.	0	.	AD	NC	N	NC	
			Nitrate		12/01/17	11/30/24	1.95	30	.	0	.	AD	NC	N	NC	
			Chlorophyll-a		12/01/17	11/30/24	14.1	21	.	12	25.73	AD	CS	N	CS	Chlorophyll-a in water
Recreation Use	Bacteria Geomean		E. coli		12/01/17	11/30/24	126	31	20.28	0	.	AD	FS	N	FS	

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1425A - North Concho River AU ID: 1425A_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	10	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	10	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	9	.	0	.	LD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	10	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	1	.	0	.	ID	NA	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	10	87.37	0	.	LD	NC	N	NC		

Seg ID: 1425A - North Concho River AU ID: 1425A_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	05/01/17	11/30/24	2	11	.	1	1.5	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	05/01/17	11/30/24	3	11	.	2	2	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	05/01/17	11/30/24	0.69	10	.	0	.	AD	NC	N	NC		
		Nitrate	05/01/17	11/30/24	1.95	10	.	0	.	AD	NC	N	NC		

Seg ID: 1426 - Colorado River Below E. V. Spence Reservoir AU ID: 1426_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	13	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	13	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	2000	74	2332.23	1	.	AD	NS	N	NS	Total dissolved solids in water	4a
		Sulfate	12/01/17	11/30/24	980	72	1121.54	1	.	AD	NS	N	NS	Sulfate in water	5b
		Chloride	12/01/17	11/30/24	610	71	523.37	0	.	AD	FS	N	FS		
	Fish Kill Reports	Fish Kill Reports	12/01/17	11/30/24	.	0	.	.	.	OE	CN	N	CN	Fish kill in water	
	High pH	pH	12/01/17	11/30/24	9	13	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	13	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	16	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	16	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	.	1	.	1	21.3	ID	NA	Y	CS	Chlorophyll-a in water	
	Water Temperature	Water temperature	12/01/17	11/30/24	32.8	13	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	70	0.88	0	.	AD	FS	N	FS		

Seg ID: 1426 - Colorado River Below E. V. Spence Reservoir AU ID: 1426_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	41	.	1	2.8	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	41	.	1	2.8	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	2000	74	2332.23	1	.	AD	NS	N	NS	Total dissolved solids in water	4a
		Sulfate	12/01/17	11/30/24	980	72	1121.54	1	.	AD	NS	N	NS	Sulfate in water	5b
		Chloride	12/01/17	11/30/24	610	71	523.37	0	.	AD	FS	N	FS		
	Fish Kill Reports	Fish Kill Reports	12/01/17	11/30/24	.	0	.	.	.	OE	CN	N	CN	Fish kill in water	
	High pH	pH	12/01/17	11/30/24	9	41	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	41	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1426 - Colorado River Below E. V. Spence Reservoir AU ID: 1426_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	46	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	44	.	3	12.28	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	23	.	9	35.56	AD	CS	N	CS	Chlorophyll-a in water	
	Water Temperature	Water temperature	12/01/17	11/30/24	32.8	41	.	2	34.3	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	70	0.88	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	46	59.21	0	.	AD	FS	N	FS		

Seg ID: 1426 - Colorado River Below E. V. Spence Reservoir AU ID: 1426_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	2000	74	2332.23	1	.	AD	NS	N	NS	Total dissolved solids in water	4a
		Sulfate	12/01/17	11/30/24	980	72	1121.54	1	.	AD	NS	N	NS	Sulfate in water	5b
		Chloride	12/01/17	11/30/24	610	71	523.37	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Chlorophyll-a in water	
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	70	0.88	0	.	AD	FS	N	FS		

Seg ID: 1426 - Colorado River Below E. V. Spence Reservoir AU ID: 1426_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	12	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	12	.	1	4.3	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	2000	74	2332.23	1	.	AD	NS	N	NS	Total dissolved solids in water	4a
		Sulfate	12/01/17	11/30/24	980	72	1121.54	1	.	AD	NS	N	NS	Sulfate in water	5b
		Chloride	12/01/17	11/30/24	610	71	523.37	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	12	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	12	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	13	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	13	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Chlorophyll-a in water	
	Water Temperature	Water temperature	12/01/17	11/30/24	32.8	12	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	70	0.88	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	2	87.12	0	.	ID	NA	N	NA		

Seg ID: 1426A - Oak Creek Reservoir AU ID: 1426A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	23	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	23	.	0	.	AD	NC	N	NC		
General Use	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1426A - Oak Creek Reservoir AU ID: 1426A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	23	0.07	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	7	0.33	0	.	LD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	23	0.9	0	.	AD	FS	N	FS		

Seg ID: 1426B - Elm Creek AU ID: 1426B_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	6	.	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	6	.	0	.	LD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	02/01/17	11/30/24	0.69	10	.	0	.	AD	NC	N	NC		
		Nitrate	02/01/17	11/30/24	1.95	10	.	1	3.92	AD	NC	N	NC		
		Chlorophyll-a	02/01/17	11/30/24	14.1	10	.	8	25.76	AD	CS	N	CS	Chlorophyll-a in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	6	63.56	0	.	ID	NA	N	NA		

Seg ID: 1426B - Elm Creek AU ID: 1426B_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	20	.	1	1.9	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	20	.	2	2.4	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	20	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	19	.	4	4.15	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	20	.	11	41.09	AD	CS	N	CS	Chlorophyll-a in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	20	7.3	0	.	AD	FS	N	FS		

Seg ID: 1426C - Bluff Creek AU ID: 1426C_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	22	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	22	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	25	.	1	5.59	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	25	.	18	7.46	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	1	.	1	34	ID	NA	N	NA		
		Ammonia	12/01/17	11/30/24	0.33	1	.	0	.	ID	NA	N	NA		

Seg ID: 1426D - Coyote Creek AU ID: 1426D_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	22	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	22	.	0	.	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1426D - Coyote Creek AU ID: 1426D_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	24	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	24	.	12	5.48	AD	CS	N	CS	Nitrate in water	

Seg ID: 1427 - Onion Creek AU ID: 1427_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	39	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	39	.	1	4.9	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	500	89	361.17	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	100	53	53.49	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	52	32.35	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	39	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	39	.	1	5.7	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	42	.	1	1.14	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	40	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	37	.	2	18.6	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	41	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	39	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	87	0.28	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	18	0.14	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	40	36.09	0	.	AD	FS	N	FS		

Seg ID: 1427 - Onion Creek AU ID: 1427_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	25	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	25	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	500	89	361.17	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	100	53	53.49	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	52	32.35	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	25	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	25	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	42	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	42	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	22	.	6	38.35	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	42	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	25	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	87	0.28	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	18	0.14	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	25	27.63	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1427 - Onion Creek AU ID: 1427_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	20	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	20	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	89	361.16	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	53	53.49	1	.	AD	NS	N	NS	Sulfate in water	5c
		Chloride	12/01/17	11/30/24	50	52	32.35	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	21	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	21	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	25	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	24	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	11	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	25	.	1	0.81	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	21	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Fluoride	12/01/17	11/30/24	4	18	0.14	0	.	AD	FS	N	FS		
		Nitrate	12/01/17	11/30/24	10	87	0.28	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	10/01/17	11/30/24	126	20	25.2	0	.	AD	FS	N	FS		

Seg ID: 1427 - Onion Creek AU ID: 1427_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	3	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	3	.	0	.	ID	NA	N	NA		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	89	361.16	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	53	53.49	0	.	AD	NS	N	NS	Sulfate in water	5c
		Chloride	12/01/17	11/30/24	50	52	32.35	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	3	.	0	.	ID	NA	N	NA		
	Low pH	pH	12/01/17	11/30/24	6.5	3	.	0	.	ID	NA	N	NA		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	6	.	0	.	LD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	6	.	0	.	LD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	6	.	0	.	LD	NC	N	NC		
		Water Temperature	12/01/17	11/30/24	32.2	3	.	0	.	ID	NA	N	NA		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	87	0.28	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	18	0.14	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	3	30.95	0	.	ID	NA	N	NA		

Seg ID: 1427A - Slaughter Creek AU ID: 1427A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	5	4	.	2	2.7	TR	CN	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	3	4	.	2	1.45	TR	CN	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	26	.	1	2.9	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	26	.	7	3.81	AD	CS	N	CS	Depressed dissolved oxygen in water	
	Fish Community (Regional)	Fish community	12/01/17	11/30/24	42	4	43	.	.	AD	FS	N	FS		
	Habitat	Habitat	12/01/17	11/30/24	20	4	20.5	.	.	AD	NC	N	NC		
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/17	11/30/24	31	4	33	.	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1427A - Slaughter Creek AU ID: 1427A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	25	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	25	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	25	.	3	118.9	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	24	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	23	101.05	0	.	AD	FS	N	FS		

Seg ID: 1427C - Bear Creek AU ID: 1427C_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	23	.	1	0.1	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	23	.	1	0.1	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	23	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	20	.	1	2.28	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	23	.	1	26.4	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	22	.	1	0.45	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	22	93.4	0	.	AD	FS	N	FS		

Seg ID: 1427G - Granada Hills Tributary to Slaughter Creek AU ID: 1427G_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Nitrate in water	

Seg ID: 1428 - Colorado River Below Lady Bird Lake (formerly Town Lake) AU ID: 1428_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	38	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	38	.	2	5.8	AD	NC	N	NC		
	Fish Community (Regional)	Fish community	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CN	Impaired fish community in water	
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CN	Impaired macrobenthic community in water	
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	500	125	408.58	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	100	125	55.15	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	125	50.75	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	125	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	38	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	38	.	25	1.44	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	38	.	36	7.18	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	38	.	3	21.83	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	37	.	1	0.34	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	38	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	123	4.31	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	38	60.38	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1428 - Colorado River Below Lady Bird Lake (formerly Town Lake) AU ID: 1428_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	48	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	48	.	4	5.6	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	500	125	408.58	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	100	125	55.15	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	125	50.75	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	125	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	48	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	48	.	29	1.3	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	46	.	40	6.27	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	48	.	2	31.4	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	48	.	11	0.4	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	48	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	123	4.31	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	48	55.13	0	.	AD	FS	N	FS		

Seg ID: 1428 - Colorado River Below Lady Bird Lake (formerly Town Lake) AU ID: 1428_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	39	.	1	3.8	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	39	.	5	4.56	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	500	125	408.58	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	100	125	55.15	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	125	50.75	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	125	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	39	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	38	.	1	1.17	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	39	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	39	.	4	39.85	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	39	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	39	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	123	4.31	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	39	57.6	0	.	AD	FS	N	FS		

Seg ID: 1428B - Walnut Creek AU ID: 1428B_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	5	.	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	5	.	0	.	LD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	8	.	0	.	LD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	8	.	1	2.06	LD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	8	.	0	.	LD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	8	40.1	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1428B - Walnut Creek AU ID: 1428B_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CN	Bacteria in water	

Seg ID: 1428B - Walnut Creek AU ID: 1428B_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	4	.	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	4	.	1	4.4	LD	NC	N	NC		
	Habitat	Habitat	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Impaired habitat in water	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	4	.	0	.	LD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	4	.	1	2.48	LD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	4	.	0	.	LD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	3	102.98	0	.	ID	NA	N	NA		

Seg ID: 1428B - Walnut Creek AU ID: 1428B_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	4	.	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	4	.	0	.	LD	NC	N	NC		
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CN	Impaired macrobenthic community in water	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	4	.	0	.	LD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	4	.	1	2.52	LD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	4	.	0	.	LD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	3	90.7	0	.	ID	NA	Y	CN	Bacteria in water	

Seg ID: 1428B - Walnut Creek AU ID: 1428B_05															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	11	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	11	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	12	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	12	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	12	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	12	68.09	0	.	LD	NC	N	NC		

Seg ID: 1428C - Gilleland Creek AU ID: 1428C_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	39	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	39	.	0	.	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1428C - Gilleland Creek AU ID: 1428C_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	39	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	37	.	32	5.73	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	39	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	38	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	39	190.49	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1428C - Gilleland Creek AU ID: 1428C_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	12	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	12	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	12	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	12	.	12	6.51	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	12	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	01/01/15	11/30/24	126	20	87.42	0	.	AD	FS	N	FS		

Seg ID: 1428C - Gilleland Creek AU ID: 1428C_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	12	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	12	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	12	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	12	.	9	7.29	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.33	12	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	01/01/15	11/30/24	126	20	149.54	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1428C - Gilleland Creek AU ID: 1428C_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	36	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	36	.	4	4.15	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	37	.	1	3.76	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	35	.	16	5.65	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	35	.	1	24.1	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	37	.	5	2.56	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	35	483.52	1	.	AD	NS	N	NS	Bacteria in water	4a

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1428K - Walter E. Long Lake AU ID: 1428K_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	50	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	50	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Zinc	12/01/17	11/30/24	459	2	.	0	.	ID	NA	N	NA		
		Toxaphene	12/01/17	11/30/24	32	2	.	0	.	ID	NA	N	NA		
		Silver	12/01/17	11/30/24	1.7	2	.	0	.	ID	NA	N	NA		
		Pyrene	12/01/17	11/30/24	1520	2	.	0	.	ID	NA	N	NA		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	1200	2	.	0	.	ID	NA	N	NA		
		PCBs	12/01/17	11/30/24	676	2	.	0	.	ID	NA	N	NA		
		Nickel	12/01/17	11/30/24	48.6	2	.	0	.	ID	NA	N	NA		
		Mercury	12/01/17	11/30/24	1.06	2	.	0	.	ID	NA	N	NA		
		Lead	12/01/17	11/30/24	128	2	.	0	.	ID	NA	N	NA		
		Iron	12/01/17	11/30/24	40000	2	.	0	.	ID	NA	N	NA		
		Naphthalene	12/01/17	11/30/24	561	2	.	0	.	ID	NA	N	NA		
		Fluorene	12/01/17	11/30/24	536	2	.	0	.	ID	NA	N	NA		
		Fluoranthene	12/01/17	11/30/24	2230	2	.	0	.	ID	NA	N	NA		
		Phenanthrene	12/01/17	11/30/24	1170	2	.	0	.	ID	NA	N	NA		
		Endrin	12/01/17	11/30/24	207	2	.	0	.	ID	NA	N	NA		
		Dieldrin	12/01/17	11/30/24	61.8	2	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	135	2	.	0	.	ID	NA	N	NA		
		Diazinon	12/01/17	11/30/24	7.3	1	.	0	.	ID	NA	N	NA		
		Copper	12/01/17	11/30/24	149	2	.	0	.	ID	NA	N	NA		
		Chrysene	12/01/17	11/30/24	1290	2	.	0	.	ID	NA	N	NA		
		Chromium	12/01/17	11/30/24	111	2	.	0	.	ID	NA	N	NA		
		Chlordane	12/01/17	11/30/24	17.6	2	.	0	.	ID	NA	N	NA		
		Cadmium	12/01/17	11/30/24	4.98	2	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	12/01/17	11/30/24	1450	2	.	0	.	ID	NA	N	NA		
		Arsenic	12/01/17	11/30/24	33	2	.	0	.	ID	NA	N	NA		
		Anthracene	12/01/17	11/30/24	845	2	.	0	.	ID	NA	N	NA		
		alpha-BHC	12/01/17	11/30/24	100	2	.	0	.	ID	NA	N	NA		
		Aldrin	12/01/17	11/30/24	80	2	.	0	.	ID	NA	N	NA		
		Acenaphthylene	12/01/17	11/30/24	128	2	.	0	.	ID	NA	N	NA		
	Acenaphthene	12/01/17	11/30/24	88.9	2	.	0	.	ID	NA	N	NA			
General Use	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	0.37	47	.	1	0.45	JQ	NA	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	26.7	43	.	19	39.09	JQ	NA	N	NA		
		Ammonia	12/01/17	11/30/24	0.11	47	.	1	0.12	JQ	NA	N	NA		
		Total phosphorus	12/01/17	11/30/24	0.2	46	.	0	.	JQ	NA	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	47	3.64	0	.	AD	FS	N	FS		

Seg ID: 1429 - Lady Bird Lake (formerly Town Lake) AU ID: 1429_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	66	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	66	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Zinc	12/01/17	11/30/24	459	3	.	0	.	ID	NA	N	NA		
		Silver	12/01/17	11/30/24	1.7	3	.	0	.	ID	NA	N	NA		
		Pyrene	12/01/17	11/30/24	1520	3	.	0	.	ID	NA	N	NA		
		Phenanthrene	12/01/17	11/30/24	1170	3	.	0	.	ID	NA	N	NA		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	1200	3	.	0	.	ID	NA	N	NA		
		PCBs	12/01/17	11/30/24	676	2	.	0	.	ID	NA	N	NA		
		Nickel	12/01/17	11/30/24	48.6	3	.	0	.	ID	NA	N	NA		
		Naphthalene	12/01/17	11/30/24	561	3	.	0	.	ID	NA	N	NA		
		Mercury	12/01/17	11/30/24	1.06	3	.	0	.	ID	NA	N	NA		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1429 - Lady Bird Lake (formerly Town Lake) AU ID: 1429_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Lead	12/01/17	11/30/24	128	3	.	0	.	ID	NA	N	NA		
		Iron	12/01/17	11/30/24	40000	3	.	0	.	ID	NA	N	NA		
		Fluorene	12/01/17	11/30/24	536	3	.	0	.	ID	NA	N	NA		
		Fluoranthene	12/01/17	11/30/24	2230	3	.	0	.	ID	NA	N	NA		
		Endrin	12/01/17	11/30/24	207	3	.	0	.	ID	NA	N	NA		
		Dieldrin	12/01/17	11/30/24	61.8	3	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	135	3	.	0	.	ID	NA	N	NA		
		Toxaphene	12/01/17	11/30/24	32	3	.	0	.	ID	NA	N	NA		
		Diazinon	12/01/17	11/30/24	7.3	2	.	0	.	ID	NA	N	NA		
		Copper	12/01/17	11/30/24	149	3	.	0	.	ID	NA	N	NA		
		Chrysene	12/01/17	11/30/24	1290	3	.	0	.	ID	NA	N	NA		
		Chromium	12/01/17	11/30/24	111	3	.	0	.	ID	NA	N	NA		
		Chlordane	12/01/17	11/30/24	17.6	3	.	0	.	ID	NA	N	NA		
		Cadmium	12/01/17	11/30/24	4.98	3	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	12/01/17	11/30/24	1450	3	.	0	.	ID	NA	N	NA		
		Arsenic	12/01/17	11/30/24	33	3	.	0	.	ID	NA	N	NA		
		Anthracene	12/01/17	11/30/24	845	3	.	0	.	ID	NA	N	NA		
		alpha-BHC	12/01/17	11/30/24	100	3	.	0	.	ID	NA	N	NA		
		Aldrin	12/01/17	11/30/24	80	3	.	0	.	ID	NA	N	NA		
		Acenaphthylene	12/01/17	11/30/24	128	3	.	0	.	ID	NA	N	NA		
		Acenaphthene	12/01/17	11/30/24	88.9	3	.	0	.	ID	NA	N	NA		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	88	316.95	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	75	85	27.72	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	66	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	66	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	66	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	108	0.31	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	63	16.51	0	.	AD	FS	N	FS		

Seg ID: 1429 - Lady Bird Lake (formerly Town Lake) AU ID: 1429_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	22	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	22	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	88	316.95	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	75	85	27.72	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	22	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	22	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	22	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	108	0.31	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	21	6.36	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1429C - Waller Creek AU ID: 1429C_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	19	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	19	.	0	.	AD	NC	N	NC		
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Impaired macrobenthic community in water	5c
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	19	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	19	.	2	2.29	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	19	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	07/01/17	11/30/24	126	21	692.75	1	.	AD	NS	N	NS	Bacteria in water	5c

Seg ID: 1429C - Waller Creek AU ID: 1429C_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	23	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	23	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Pyrene	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Pyrene in sediment	
		Phenanthrene	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Phenanthrene in sediment	
		Lead	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Lead in sediment	
		Fluoranthene	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Fluoranthene in sediment	
		Dibenz(a,h)anthracene	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Dibenz(a,h)anthracene in sediment	
		Chrysene	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Chrysene in sediment	
		Benzo(a)pyrene	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Benzo(a)pyrene in sediment	
		Benzo(a)anthracene	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Benzo(a)anthracene in sediment	
General Use	Fish Kill Reports	Fish Kill Reports	12/01/17	11/30/24	.	0	.	.	.	OE	CN	N	CN	Fish kill in water	
	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	1.95	22	.	5	2.8	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	22	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.69	22	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	22	620.55	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1429C - Waller Creek AU ID: 1429C_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	1.5	17	.	1	0.4	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	2	17	.	1	0.4	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	18	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	18	.	1	2.04	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	18	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	07/01/17	11/30/24	126	20	775.21	1	.	AD	NS	N	NS	Bacteria in water	4a

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1429D - East Bouldin Creek AU ID: 1429D_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Pyrene	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Pyrene in sediment	
		Phenanthrene	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Phenanthrene in sediment	
		Lead	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Lead in sediment	
		Fluoranthene	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Fluoranthene in sediment	
		Dibenz(a,h)anthracene	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Dibenz(a,h)anthracene in sediment	
		Chrysene	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Chrysene in sediment	
		Cadmium	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Cadmium in sediment	
		Benzo(a)anthracene	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Benzo(a)anthracene in sediment	

Seg ID: 1430 - Barton Creek AU ID: 1430_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	500	33	430.44	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	28	0.44	0	.	AD	FS	N	FS		

Seg ID: 1430 - Barton Creek AU ID: 1430_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	5	.	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	5	.	0	.	LD	NC	N	NC		
	LOE Toxic Sediment condition	Sediment toxicity (LOE)	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CN	Toxicity in sediment	
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	500	33	430.44	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	5	.	0	.	LD	NC	N	NC		
	Low pH	pH	12/01/17	11/30/24	6.5	5	.	0	.	LD	NC	N	NC		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	4	.	0	.	LD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	4	.	0	.	LD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	4	.	0	.	LD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	5	.	0	.	LD	NC	N	NC		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	28	0.44	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	4	50.75	0	.	ID	NA	N	NA		

Seg ID: 1430 - Barton Creek AU ID: 1430_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	22	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	22	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	500	33	430.44	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	23	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	23	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	20	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	20	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	20	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	23	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	28	0.44	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1430 - Barton Creek AU ID: 1430_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	19	14.39	0	.	LD	NC	N	NC		

Seg ID: 1430 - Barton Creek AU ID: 1430_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	5	.	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	5	.	0	.	LD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	500	33	430.44	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	5	.	0	.	LD	NC	N	NC		
	Low pH	pH	12/01/17	11/30/24	6.5	5	.	0	.	LD	NC	N	NC		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	4	.	0	.	LD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	4	.	0	.	LD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	4	.	0	.	LD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	5	.	0	.	LD	NC	N	NC		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	28	0.44	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	4	7.93	0	.	ID	NA	N	NA		

Seg ID: 1430 - Barton Creek AU ID: 1430_05															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	500	33	430.44	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	28	0.44	0	.	AD	FS	N	FS		

Seg ID: 1430A - Barton Springs AU ID: 1430A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	33	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	33	.	0	.	AD	NC	N	NC		
	LOE Toxic Sediment condition	Sediment toxicity (LOE)	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CN	Toxicity in sediment	
	Toxic Substances in sediment	Zinc	12/01/17	11/30/24	459	4	.	0	.	LD	NC	N	NC		
		Toxaphene	12/01/17	11/30/24	32	4	.	0	.	LD	NC	N	NC		
		Silver	12/01/17	11/30/24	1.7	4	.	0	.	LD	NC	N	NC		
		Pyrene	12/01/17	11/30/24	1520	4	.	0	.	LD	NC	N	NC		
		Phenanthrene	12/01/17	11/30/24	1170	4	.	0	.	LD	NC	N	NC		
		PCBs	12/01/17	11/30/24	676	2	.	0	.	ID	NA	N	NA		
		Nickel	12/01/17	11/30/24	48.6	4	.	0	.	LD	NC	N	NC		
		Naphthalene	12/01/17	11/30/24	561	4	.	0	.	LD	NC	N	NC		
		Lead	12/01/17	11/30/24	128	4	.	0	.	LD	NC	N	NC		
		Iron	12/01/17	11/30/24	40000	4	.	0	.	LD	NC	N	NC		
		Fluorene	12/01/17	11/30/24	536	4	.	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	1.06	4	.	0	.	LD	NC	N	NC		
		Fluoranthene	12/01/17	11/30/24	2230	4	.	0	.	LD	NC	N	NC		
		Endrin	12/01/17	11/30/24	207	4	.	0	.	LD	NC	N	NC		
		Dieldrin	12/01/17	11/30/24	61.8	4	.	0	.	LD	NC	N	NC		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	135	4	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1430A - Barton Springs AU ID: 1430A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Copper	12/01/17	11/30/24	149	4	.	0	.	LD	NC	N	NC		
		Chrysene	12/01/17	11/30/24	1290	4	.	0	.	LD	NC	N	NC		
		Chromium	12/01/17	11/30/24	111	4	.	0	.	LD	NC	N	NC		
		Chlordane	12/01/17	11/30/24	17.6	4	.	0	.	LD	NC	N	NC		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	1200	2	.	0	.	ID	NA	N	NA		
		Cadmium	12/01/17	11/30/24	4.98	4	.	0	.	LD	NC	N	NC		
		Benzo(a)pyrene	12/01/17	11/30/24	1450	4	.	0	.	LD	NC	N	NC		
		Arsenic	12/01/17	11/30/24	33	4	.	0	.	LD	NC	N	NC		
		Anthracene	12/01/17	11/30/24	845	4	.	0	.	LD	NC	N	NC		
		alpha-BHC	12/01/17	11/30/24	100	4	.	0	.	LD	NC	N	NC		
		Aldrin	12/01/17	11/30/24	80	4	.	0	.	LD	NC	N	NC		
		Acenaphthylene	12/01/17	11/30/24	128	4	.	0	.	LD	NC	N	NC		
Acenaphthene	12/01/17	11/30/24	88.9	4	.	0	.	LD	NC	N	NC				
General Use	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	1.95	33	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	33	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	33	7.4	0	.	AD	FS	N	FS		

Seg ID: 1430B - Tributaries to Barton Creek (unclassified water bodies) AU ID: 1430B_05															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	5	.	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	5	.	0	.	LD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	4	.	0	.	LD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	4	.	0	.	LD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	4	.	0	.	LD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	4	102.42	0	.	ID	NA	N	NA		

Seg ID: 1431 - Mid Pecan Bayou AU ID: 1431_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	1.5	51	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	2	51	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1100	54	485.01	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	120	53	62.23	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	410	53	93.47	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	51	.	3	9.2	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	51	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	56	.	38	2.35	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	56	.	40	15.95	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	52	.	33	62.57	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.33	56	.	1	0.38	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	51	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	42	76.05	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1432 - Upper Pecan Bayou AU ID: 1432_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	29	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	29	.	2	4.08	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	800	33	310.58	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	150	32	32.98	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	200	32	43.31	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	29	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	29	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	34	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	34	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	32	.	15	44.13	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.33	34	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	29	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	32	0.15	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	32	0.13	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	28	20.75	0	.	AD	FS	N	FS		

Seg ID: 1433 - O. H. Ivie Reservoir AU ID: 1433_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	12	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	12	.	1	4.42	AD	NC	N	NC		
General Use	High pH	pH	12/01/17	11/30/24	9	11	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	11	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS		
	Water Temperature	Water temperature	12/01/17	11/30/24	33.9	12	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	36	0.21	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	10	0.54	0	.	LD	NC	N	NC		

Seg ID: 1433 - O. H. Ivie Reservoir AU ID: 1433_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	12	.	1	0.84	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	12	.	4	3.72	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	High pH	pH	12/01/17	11/30/24	9	11	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	11	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS		
	Water Temperature	Water temperature	12/01/17	11/30/24	33.9	12	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	36	0.21	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	10	0.94	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1433 - O. H. Ivie Reservoir AU ID: 1433_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	12	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	12	.	2	4.39	AD	NC	N	NC		
General Use	High pH	pH	12/01/17	11/30/24	9	11	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	11	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS		
	Water Temperature	Water temperature	12/01/17	11/30/24	33.9	12	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	36	0.21	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	10	1.03	0	.	LD	NC	N	NC		

Seg ID: 1433 - O. H. Ivie Reservoir AU ID: 1433_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	36	0.21	0	.	AD	FS	N	FS		

Seg ID: 1434 - Colorado River above La Grange AU ID: 1434_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	38	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	38	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	500	114	422.85	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	100	114	62.8	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	114	55.16	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	38	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	38	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	38	.	19	0.94	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	36	.	31	4.28	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	38	.	7	52.89	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	37	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	38	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	106	4.83	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	38	52.48	0	.	AD	FS	N	FS		

Seg ID: 1434 - Colorado River above La Grange AU ID: 1434_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	38	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	38	.	1	5.8	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1434 - Colorado River above La Grange AU ID: 1434_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	500	114	422.85	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	100	114	62.8	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	114	55.16	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	38	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	38	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	38	.	22	1.09	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	35	.	31	5.53	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	38	.	3	33.13	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	38	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	38	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	106	4.83	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	38	61.73	0	.	AD	FS	N	FS		

Seg ID: 1434 - Colorado River above La Grange AU ID: 1434_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	38	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	38	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	500	114	422.85	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	100	114	62.8	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	114	55.16	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	38	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	38	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	38	.	21	1.26	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	35	.	32	5.97	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	38	.	1	19.3	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	38	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	38	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	106	4.83	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	38	47.33	0	.	AD	FS	N	FS		

Seg ID: 1434B - Cedar Creek AU ID: 1434B_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Depressed dissolved oxygen in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CN	Bacteria in water	

Seg ID: 1434C - Lake Bastrop AU ID: 1434C_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	39	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	39	.	0	.	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 14 - Colorado River

Seg ID: 1434C - Lake Bastrop AU ID: 1434C_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.2	39	.	3	0.85	JQ	NA	N	NA		
		Nitrate	12/01/17	11/30/24	0.37	35	.	0	.	JQ	NA	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	26.7	39	.	2	51.2	JQ	NA	N	NA		
		Ammonia	12/01/17	11/30/24	0.11	38	.	0	.	JQ	NA	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	39	1.81	0	.	AD	FS	N	FS		

Seg ID: 1434D - Wilbarger Creek AU ID: 1434D_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	0	.	.	.	ID	NA	Y	CN	Bacteria in water	

Seg ID: 1434D - Wilbarger Creek AU ID: 1434D_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	0	.	.	.	ID	NA	Y	CN	Bacteria in water	

Seg ID: 1434E - Big Sandy Creek AU ID: 1434E_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Chlorophyll-a in water	

Seg ID: 1434G - Alum Creek AU ID: 1434G_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	18	.	3	1.3	AD	CN	N	CN	Depressed dissolved oxygen in water	
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	18	.	4	1.65	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	17	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	15	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	17	.	3	58.93	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	17	.	1	1.16	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	07/01/17	11/30/24	126	20	82.02	0	.	AD	FS	N	FS		

Seg ID: 1434I - Buescher State Park Lake AU ID: 1434I_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/16	11/30/24	3	10	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/16	11/30/24	5	10	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/16	11/30/24	0.2	8	.	0	.	JQ	NA	N	NA		
		Nitrate	12/01/16	11/30/24	0.37	9	.	0	.	JQ	NA	N	NA		
		Chlorophyll-a	12/01/16	11/30/24	26.7	7	.	0	.	JQ	NA	N	NA		
		Ammonia	12/01/16	11/30/24	0.11	10	.	1	0.13	JQ	NA	N	NA		

Seg ID: 1434I - Buescher State Park Lake AU ID: 1434I_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/16	11/30/24	126	9	4.43	0	.	LD	NC	N	NC		

Seg ID: 1434J - Piney Creek AU ID: 1434J_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	5	2	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	3	2	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	2	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	2	.	1	4.8	ID	NA	N	NA		
	Fish Community (Regional)	Fish community	12/01/17	11/30/24	42	2	40	.	.	AD	NS	N	NS	Impaired fish community in water	5c
	Habitat	Habitat	12/01/17	11/30/24	20	2	21	.	.	AD	NC	N	NC		
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/17	11/30/24	30	2	29	.	.	AD	NS	N	NS	Impaired macrobenthic community in water	5c
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	2	.	1	1.02	ID	NA	N	NA		
		Nitrate	12/01/17	11/30/24	1.95	2	.	0	.	ID	NA	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	14.1	2	.	0	.	ID	NA	N	NA		
		Ammonia	12/01/17	11/30/24	0.33	2	.	0	.	ID	NA	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	2	31.4	0	.	ID	NA	N	NA		