

Explanation of Column Headings

SEGID: The unique identifier (SegID), segment name, and location of the water body. Items may be one of three types of numbers for SegID. The first type is a classified segment number (4 digits, e.g., 0218), as defined in the Texas Surface Water Quality Standards. The second type is an unclassified water body (e.g., 0218A), not defined in the Standards and associated with a classified water body because it is in the same watershed. The third type includes special Segments for Oyster Water Use (e.g., 2421OW) and Beach Watch Use (e.g., 2481CB) special areas. The segment name and description follow SegID.

AU ID: Identifies the assessment unit (AU_ID, six or seven digits, e.g., 0101A_01) and describes the location of the specific area within a classified or unclassified water body for which one or more water quality standards are not met.

Start Date: The start date of the period of record data for this method was selected; the official Draft 2026 period of record is from 12/1/2017 to 11/30/2024. In some cases it may be necessary to extend the period of record back 10 years (12/1/2014) to select more data, according to assessment guidance.

End Date: The end date of the period of record data for this method was selected; the official Draft 2026 period of record dates are 12/1/2017 to 11/30/2024. In some cases more recently collected data than 12/01/2024 can be included, if available

#Data Assessed: Number of samples assessed some data are averaged, as with profile data, some are eliminated because criteria do not apply during certain conditions such a s low flow.

Mean Data Assessed: Mean of samples assessed includes averaged methods like chronic criteria as well as geometric mean calculations for bacteria.

Exceedances: Number of samples that exceed criteria for single sample, or binomial, methods (not averaged data).

Mean Exceedances: Mean of the samples that exceeded criteria for the single sample, or binomial, methods (not averaged data).

Criteria: Value that the data is compared to determine the level of support; Note: for acute metals in water, each value is compared to a calculated criterion and not all criteria could be reported here, only the minimum in the range of criteria calculated are included.

DS Qual: Dataset Qualifier - indicates characteristics of the methods or dataset used in the assessment:

- AD:** Adequate Data (10 or more samples).
- LD:** Limited Data (less than 9, greater than 3).
- ID:** Inadequate Data (less than 4).
- JQ:** Level of support is based on judgment of the assessor.
- SM:** This assessment method is superseded by another method.
- TR:** Temporally Not Representative, used with NA.
- SR:** Spatially Not Representative, used with NA.
- OE:** Other information than ambient samples evaluated.
- OS:** Assessment area outside state boundaries.

LOS: Level of support for this use, method, assessment parameter:

- FS:** Fully Supporting.
- NC:** No Concern.
- NA:** Not Assessed.
- NS:** Nonsupport.
- CS:** Screening Level Concern.
- CN:** Use Concern.

CF: Carry Forward indicates that the Integrated level of support of CS, CN, or NS was carried forward from a previous assessment due to inadequate data for this method in this assessment.

Int LOS: Integrated level of support. This is the overall level of support for this use, method, parameter group, which could be different from the LOS (described above) due to carry forward information or other types of changes. New Code added in 2010: PI = Pending Issue

TCEQ Cause: This is the impairment description (e.g., bacteria, depressed dissolved oxygen, etc.).

Cat:

- Category 3:** There is insufficient or unreliable available data and/or information to make a use support determination.
- Category 4:** Available data and/or information indicate that at least one designated use is not being supported or is threatened, but a TMDL is not needed.
 - Category 4a:** A state-developed TMDL has been approved by EPA or a TMDL has been established by EPA for any water-pollutant combination.
 - Category 4b:** Other required control measures are expected to result in the attainment of an applicable water quality standard in a reasonable period of time.
 - Category 4c:** The impairment or threat is not caused by a pollutant.
- Category 5:** Available data and/or information indicate that at least one designated use is not being supported or is threatened, and a TMDL is needed.
 - Category 5a:** A TMDL is underway, scheduled, or will be scheduled.
 - Category 5b:** A review of the standards for the water body will be conducted before a management strategy is selected.
 - Category 5c:** Additional data and information will be collected or evaluated before a management strategy is selected.
 - Category 5n:** Water body does not meet its applicable Chl a criterion, but additional study is needed to verify whether exceedance is associated with causal nutrient parameters or impacts to response variables.
 - Category 5r:** A WPP is under development or accepted by EPA for this parameter.

Draft 2026 Texas Integrated Report - Assessment Results for Basin 18 - Guadalupe River

Seg ID: 1801 - Guadalupe River Tidal AU ID: 1801_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	17	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	17	.	2	4.8	AD	NC	N	NC		
General Use	High pH	pH	12/01/17	11/30/24	9	17	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	17	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Ammonia	12/01/17	11/30/24	0.46	16	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.66	16	.	2	1.02	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.1	16	.	16	3.24	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	21	16	.	2	23.35	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	17	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	06/01/16	11/30/24	35	20	71.04	1	.	AD	NS	N	NS	Bacteria in water	5c

Seg ID: 1802 - Guadalupe River Below San Antonio River AU ID: 1802_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	82	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	82	.	2	4.25	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	700	82	509.83	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	100	82	60.73	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	150	82	92.31	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	82	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	82	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/17	11/30/24	14.1	82	.	4	25.48	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	42	.	1	0.82	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.69	82	.	6	0.8	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	82	.	62	3.62	AD	CS	N	CS	Nitrate in water	
	Water Temperature	Water temperature	12/01/17	11/30/24	33.9	83	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	82	3.08	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	82	67.3	0	.	AD	FS	N	FS		

Seg ID: 1803 - Guadalupe River Below San Marcos River AU ID: 1803_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Chloride	12/01/17	11/30/24	100	136	39.73	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/17	11/30/24	500	136	360.39	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	100	136	36.87	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Nitrate in water	
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	136	0.97	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 18 - Guadalupe River

Seg ID: 1803 - Guadalupe River Below San Marcos River AU ID: 1803_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Chloride	12/01/17	11/30/24	100	136	39.73	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	100	136	36.87	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/17	11/30/24	500	136	360.39	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	136	0.97	0	.	AD	FS	N	FS		

Seg ID: 1803 - Guadalupe River Below San Marcos River AU ID: 1803_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	108	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	108	.	2	4.4	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/17	11/30/24	100	136	36.87	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/17	11/30/24	500	136	360.39	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	136	39.73	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	108	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	108	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	1.95	108	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	108	.	6	25.67	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	67	.	1	1.27	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.69	108	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	33.9	108	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	136	0.97	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	108	64.53	0	.	AD	FS	N	FS		

Seg ID: 1803 - Guadalupe River Below San Marcos River AU ID: 1803_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	28	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	28	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/17	11/30/24	100	136	36.87	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/17	11/30/24	500	136	360.39	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	136	39.73	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	28	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	28	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	1.95	28	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	28	.	1	18.3	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	28	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.69	28	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	33.9	28	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	136	0.97	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	28	98.32	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 18 - Guadalupe River

Seg ID: 1803 - Guadalupe River Below San Marcos River AU ID: 1803_05															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	500	136	360.39	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	136	39.73	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	100	136	36.87	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	136	0.97	0	.	AD	FS	N	FS		

Seg ID: 1803A - Elm Creek AU ID: 1803A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	3	11	.	1	2.8	AD	FS	N	FS		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	2	11	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	9	.	0	.	SM	NC	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	9	.	0	.	SM	NC	N	NA		
	Fish Community (Regional)	Fish community	12/01/17	11/30/24	36	2	41	.	.	AD	FS	N	FS		
	Habitat	Habitat	12/01/17	11/30/24	14	2	20	.	.	AD	NC	N	NC		
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/17	11/30/24	23	2	26	.	.	AD	FS	N	FS		
General Use	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	1.95	22	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	22	.	12	44.34	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/17	11/30/24	0.69	22	.	1	0.98	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	22	.	1	0.95	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	9	611.85	1	.	LD	CN	N	CN	Bacteria in water	

Seg ID: 1803B - Sandies Creek AU ID: 1803B_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	3	12	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	2	12	.	1	1.7	AD	FS	N	FS		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	64	.	7	1.5	SM	FS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	64	.	10	1.8	SM	CS	N	NA		
	Fish Community (Regional)	Fish community	12/01/17	11/30/24	35	2	43	.	.	AD	FS	N	FS		
	Habitat	Habitat	12/01/17	11/30/24	14	2	19	.	.	AD	NC	N	NC		
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/17	11/30/24	22	2	31	.	.	AD	FS	N	FS		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	81	.	8	0.85	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	43	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	81	.	21	31.62	AD	CS	N	CS	Chlorophyll-a in water	
		Nitrate	12/01/17	11/30/24	1.95	81	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	72	207.11	1	.	AD	NS	N	NS	Bacteria in water	5c

Seg ID: 1803B - Sandies Creek AU ID: 1803B_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	3	4	.	0	.	TR	NC	Y	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	2	4	.	0	.	TR	NC	Y	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	8	.	0	.	LD	NC	Y	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	8	.	0	.	LD	NC	Y	CS	Depressed dissolved oxygen in water	

Draft 2026 Texas Integrated Report - Assessment Results for Basin 18 - Guadalupe River

Seg ID: 1803B - Sandies Creek AU ID: 1803B_02																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	8	348.77	1	.	LD	CN	Y	NS	Bacteria in water	5c	

Seg ID: 1803C - Peach Creek AU ID: 1803C_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Acute Toxic Substances in water	Aluminum (dissolved)	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	PI			
	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	5	14	.	4	2.7	AD	NS	N	NS	Depressed dissolved oxygen in water	5b	
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	3	14	.	4	1.15	AD	NS	N	NS	Depressed dissolved oxygen in water	5b	
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	64	.	2	1.9	SM	FS	N	NA			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	64	.	7	3.49	SM	NC	N	NA			
	Fish Community (Regional)	Fish community	12/01/17	11/30/24	42	2	42	.	.	AD	FS	N	FS			
	Habitat	Habitat	12/01/17	11/30/24	20	2	23.5	.	.	AD	NC	N	NC			
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/17	11/30/24	30	2	25	.	.	ID	NA	Y	CN	Impaired macrobenthic community in water		
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/17	11/30/24	14.1	80	.	4	34.33	AD	NC	N	NC			
		Total phosphorus	12/01/17	11/30/24	0.69	81	.	2	0.82	AD	NC	N	NC			
		Ammonia	12/01/17	11/30/24	0.33	42	.	1	0.67	AD	NC	N	NC			
		Nitrate	12/01/17	11/30/24	1.95	81	.	0	.	AD	NC	N	NC			
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	62	138.72	1	.	AD	NS	N	NS	Bacteria in water	5c	

Seg ID: 1803C - Peach Creek AU ID: 1803C_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	5	3	.	2	3.15	ID	NA	Y	NS	Depressed dissolved oxygen in water	5b
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	3	3	.	1	1.2	ID	NA	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	9	.	4	2.7	SM	NS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	9	.	7	3.17	SM	CS	N	NA		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Total Phosphorus in water	
		Chlorophyll-a	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Chlorophyll-a in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	9	514.33	1	.	LD	CN	Y	NS	Bacteria in water	5c

Seg ID: 1804 - Guadalupe River Below Comal River AU ID: 1804_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	28	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	28	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	238	348.35	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	238	31.21	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	238	27.76	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	28	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	28	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	28	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	28	.	2	2.06	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	28	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	28	.	2	16	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	28	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 18 - Guadalupe River

Seg ID: 1804 - Guadalupe River Below Comal River AU ID: 1804_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	238	1.42	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	28	22.99	0	.	AD	FS	N	FS		

Seg ID: 1804 - Guadalupe River Below Comal River AU ID: 1804_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	18	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	18	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	238	348.35	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	238	31.21	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	238	27.76	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	18	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	18	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	28	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	28	.	7	2.16	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	28	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	28	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	18	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	238	1.42	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	28	51.81	0	.	AD	FS	N	FS		

Seg ID: 1804 - Guadalupe River Below Comal River AU ID: 1804_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	77	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	77	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/17	11/30/24	50	238	31.21	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	238	27.76	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/17	11/30/24	400	238	348.35	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	77	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	77	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	1.95	82	.	3	2.28	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	82	.	21	22.92	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.33	41	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.69	82	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	77	.	2	32.8	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	238	1.42	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	77	28.76	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 18 - Guadalupe River

Seg ID: 1804 - Guadalupe River Below Comal River AU ID: 1804_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	77	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	77	.	1	4.2	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/17	11/30/24	50	238	31.21	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	100	238	27.76	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/17	11/30/24	400	238	348.35	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	77	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	77	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	1.95	82	.	16	2.09	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.69	82	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	82	.	6	22.6	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	41	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	77	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	238	1.42	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	77	142.24	1	.	AD	NS	N	NS	Bacteria in water	5c

Seg ID: 1804 - Guadalupe River Below Comal River AU ID: 1804_05															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	28	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	28	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Chloride	12/01/17	11/30/24	100	238	27.76	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/17	11/30/24	400	238	348.35	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	238	31.21	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	28	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	28	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	28	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	28	.	1	2.22	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	28	.	1	19.5	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	28	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	28	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	238	1.42	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	28	28.22	0	.	AD	FS	N	FS		

Seg ID: 1804A - Geronimo Creek AU ID: 1804A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	130	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	130	.	4	4.8	AD	NC	N	NC		
	Fish Community (Regional)	Fish community	12/01/17	11/30/24	41	2	51	.	.	AD	FS	N	FS		
	Habitat	Habitat	12/01/17	11/30/24	20	2	21.5	.	.	AD	NC	N	NC		
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/17	11/30/24	29	2	41	.	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 18 - Guadalupe River

Seg ID: 1804A - Geronimo Creek AU ID: 1804A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	133	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	133	.	132	8.24	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	133	.	1	19	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	97	.	2	0.41	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	131	239.9	1	.	AD	NS	N	NS	Bacteria in water	5r

Seg ID: 1804C - Alligator Creek AU ID: 1804C_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	1.5	6	.	0	.	TR	NC	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	2	6	.	0	.	TR	NC	N	NA		
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/17	11/30/24	14.1	6	.	6	47.97	TR	CS	N	NA		
		Ammonia	12/01/17	11/30/24	0.33	6	.	4	1.25	TR	CS	N	NA		
		Nitrate	12/01/17	11/30/24	1.95	6	.	0	.	TR	NC	N	NA		
		Total phosphorus	12/01/17	11/30/24	0.69	6	.	0	.	TR	NC	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	6	77.67	0	.	TR	NA	N	NA		

Seg ID: 1804D - Bear Creek AU ID: 1804D_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CN	Bacteria in water	

Seg ID: 1805 - Canyon Lake AU ID: 1805_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	93	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	93	.	0	.	AD	NC	N	NC		
Fish Consumption Use	DSHS Limited Consumption Advisory	Mercury	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Mercury in edible tissue	5c
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	151	257.52	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	138	22.23	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	138	22.39	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	93	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	93	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	93	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Fluoride	12/01/17	11/30/24	4	42	0.14	0	.	AD	FS	N	FS		
		Nitrate	12/01/17	11/30/24	10	138	0.09	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	93	4.06	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 18 - Guadalupe River

Seg ID: 1805 - Canyon Lake AU ID: 1805_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	15	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	15	.	0	.	AD	NC	N	NC		
Fish Consumption Use	DSHS Limited Consumption Advisory	Mercury	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Mercury in edible tissue	5c
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	151	257.52	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	138	22.39	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	138	22.23	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	14	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	14	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	19	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	138	0.09	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	42	0.14	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	07/01/16	11/30/24	126	20	0.59	0	.	AD	FS	N	FS		

Seg ID: 1805 - Canyon Lake AU ID: 1805_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	15	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	15	.	1	5.45	AD	NC	N	NC		
Fish Consumption Use	DSHS Limited Consumption Advisory	Mercury	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Mercury in edible tissue	5c
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	151	257.52	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	138	22.23	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	138	22.39	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	14	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	14	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	19	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	138	0.09	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	42	0.14	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	07/01/16	11/30/24	126	20	0.71	0	.	AD	FS	N	FS		

Seg ID: 1805 - Canyon Lake AU ID: 1805_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	15	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	15	.	0	.	AD	NC	N	NC		
Fish Consumption Use	DSHS Limited Consumption Advisory	Mercury	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Mercury in edible tissue	5c

Draft 2026 Texas Integrated Report - Assessment Results for Basin 18 - Guadalupe River

Seg ID: 1805 - Canyon Lake AU ID: 1805_04																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	151	257.52	0	.	AD	FS	N	FS			
		Sulfate	12/01/17	11/30/24	50	138	22.23	0	.	AD	FS	N	FS			
		Chloride	12/01/17	11/30/24	50	138	22.39	0	.	AD	FS	N	FS			
	High pH	pH	12/01/17	11/30/24	9	15	.	0	.	AD	FS	N	FS			
	Low pH	pH	12/01/17	11/30/24	6.5	15	.	0	.	AD	FS	N	FS			
	Nutrient Reservoir Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	FS	N	FS			
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	20	.	0	.	AD	FS	N	FS			
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	138	0.09	0	.	AD	FS	N	FS			
		Fluoride	12/01/17	11/30/24	4	42	0.14	0	.	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	E. coli	07/01/16	11/30/24	126	21	0.85	0	.	AD	FS	N	FS			

Seg ID: 1805A - Rebecca Creek AU ID: 1805A_02																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	2	2	.	0	.	ID	NA	N	NA			
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	1.5	2	.	0	.	ID	NA	N	NA			
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	1.5	2	.	0	.	ID	NA	N	NA			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	2	2	.	0	.	ID	NA	N	NA			
	Fish Community (Regional)	Fish community	12/01/17	11/30/24	11	2	47	.	.	AD	FS	N	FS			
	Habitat	Habitat	12/01/17	11/30/24	5	2	23.5	.	.	AD	NC	N	NC			
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/17	11/30/24	11	2	29	.	.	AD	FS	N	FS			

Seg ID: 1806 - Guadalupe River Above Canyon Lake AU ID: 1806_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	46	.	1	3	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	46	.	1	3	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/17	11/30/24	50	322	18.61	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	323	25.95	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/17	11/30/24	400	647	306.74	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	46	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	46	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	76	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	76	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	76	.	1	22.5	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	39	.	1	0.52	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	46	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	323	0.26	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	71	62.87	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 18 - Guadalupe River

Seg ID: 1806 - Guadalupe River Above Canyon Lake AU ID: 1806_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	6	4	.	0	.	SM	NC	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	4	4	.	0	.	SM	NC	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	113	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	113	.	7	5.26	AD	NC	N	NC		
	Fish Community (Regional)	Fish community	12/01/17	11/30/24	52	4	50	.	.	AD	NS	N	CN	Impaired fish community in water	
	Habitat	Habitat	12/01/17	11/30/24	26	4	25.25	.	.	AD	CS	N	CS	Impaired habitat in water	
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/17	11/30/24	36	4	37	.	.	AD	FS	N	FS		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	647	306.74	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	322	18.61	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	323	25.95	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	113	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	113	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/17	11/30/24	14.1	107	.	2	24.7	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	27	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.69	111	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	108	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	113	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	323	0.26	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	109	59.45	0	.	AD	FS	N	FS		

Seg ID: 1806 - Guadalupe River Above Canyon Lake AU ID: 1806_08															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	6	2	.	1	4.9	ID	NA	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	4	2	.	1	3.4	ID	NA	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	47	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	47	.	0	.	AD	NC	N	NC		
	Fish Community (Regional)	Fish community	12/01/17	11/30/24	52	2	53	.	.	AD	FS	N	FS		
	Habitat	Habitat	12/01/17	11/30/24	26	2	24	.	.	AD	CS	N	CS	Impaired habitat in water	
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/17	11/30/24	36	2	36	.	.	AD	FS	N	FS		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	647	306.74	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	322	18.61	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	323	25.95	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	47	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	47	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	51	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	51	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	51	.	2	28.85	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	51	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	46	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	323	0.26	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	45	136.32	1	.	AD	NS	N	NS	Bacteria in water	5c

Draft 2026 Texas Integrated Report - Assessment Results for Basin 18 - Guadalupe River

Seg ID: 1806 - Guadalupe River Above Canyon Lake AU ID: 1806_09															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	83	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	83	.	2	5.6	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	647	306.74	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	323	25.95	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	322	18.61	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	83	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	83	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	1.95	27	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	27	.	2	25.6	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.69	28	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	83	.	1	32.3	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	323	0.26	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	83	125.48	0	.	AD	FS	N	FS		

Seg ID: 1806 - Guadalupe River Above Canyon Lake AU ID: 1806_10															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	280	.	2	3.7	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	280	.	35	5.09	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	647	306.74	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	322	18.61	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	323	25.95	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	280	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	280	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	28	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	27	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	27	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	280	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	323	0.26	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	280	64.38	0	.	AD	FS	N	FS		

Seg ID: 1806 - Guadalupe River Above Canyon Lake AU ID: 1806_11															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	13	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	13	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	647	306.74	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	322	18.61	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	323	25.95	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	13	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	13	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 18 - Guadalupe River

Seg ID: 1806 - Guadalupe River Above Canyon Lake AU ID: 1806_11															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	21	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	20	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	21	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	13	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	323	0.26	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	21	30.37	0	.	AD	FS	N	FS		

Seg ID: 1806 - Guadalupe River Above Canyon Lake AU ID: 1806_12															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	6	2	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	4	2	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	30	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	30	.	2	5.7	AD	NC	N	NC		
	Fish Community (Regional)	Fish community	12/01/17	11/30/24	52	2	50	.	.	AD	NS	N	CN	Impaired fish community in water	
	Habitat	Habitat	12/01/17	11/30/24	26	2	24	.	.	AD	CS	N	CS	Impaired habitat in water	
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/17	11/30/24	36	2	38	.	.	AD	FS	N	FS		
General Use	Dissolved Solids	Sulfate	12/01/17	11/30/24	50	322	18.61	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	323	25.95	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/17	11/30/24	400	647	306.74	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	30	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	30	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	1.95	27	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	27	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.69	28	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	30	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	323	0.26	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	28	44.46	0	.	AD	FS	N	FS		

Seg ID: 1806A - Camp Meeting Creek AU ID: 1806A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	53	.	7	1.79	AD	CN	N	CN	Depressed dissolved oxygen in water	
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	53	.	15	3.06	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	28	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	27	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	27	.	1	22.1	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	53	191.27	1	.	AD	NS	N	NS	Bacteria in water	4a

Draft 2026 Texas Integrated Report - Assessment Results for Basin 18 - Guadalupe River

Seg ID: 1806B - Cypress Creek AU ID: 1806B_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	4	.	1	1	TR	NC	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	4	.	2	1.6	TR	CS	N	NA		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	4	.	0	.	TR	NC	N	NA		
		Nitrate	12/01/17	11/30/24	1.95	3	.	0	.	ID	NA	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	14.1	2	.	2	22.75	ID	NA	N	NA		
		Ammonia	12/01/17	11/30/24	0.33	4	.	0	.	TR	NC	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	1	110	0	.	ID	NA	N	NA		

Seg ID: 1806D - Quinlan Creek AU ID: 1806D_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	33	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	33	.	1	2.9	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	28	341.66	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1806E - Town Creek AU ID: 1806E_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	54	.	1	2.3	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	54	.	9	4.07	AD	CS	N	CS	Depressed dissolved oxygen in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	54	373.39	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1806F - Turtle Creek AU ID: 1806F_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	3	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	3	.	0	.	ID	NA	N	NA		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	4	.	0	.	TR	NC	N	NA		
		Nitrate	12/01/17	11/30/24	1.95	4	.	0	.	TR	NC	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	14.1	4	.	0	.	TR	NC	N	NA		
		Ammonia	12/01/17	11/30/24	0.33	4	.	0	.	TR	NC	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	3	52.23	0	.	ID	NA	N	NA		

Seg ID: 1806H - Big Joshua Creek AU ID: 1806H_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	1	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	1	.	0	.	ID	NA	N	NA		
	Fish Community (Regional)	Fish community	12/01/17	11/30/24	42	2	52	.	.	AD	FS	N	FS		
	Habitat	Habitat	12/01/17	11/30/24	20	2	23.5	.	.	AD	NC	N	NC		
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/17	11/30/24	31	2	29	.	.	AD	NS	N	CN	Impaired macrobenthic community in water	

Draft 2026 Texas Integrated Report - Assessment Results for Basin 18 - Guadalupe River

Seg ID: 1806H - Big Joshua Creek AU ID: 1806H_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	4	.	0	.	LD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	3	.	0	.	ID	NA	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	14.1	3	.	1	362	ID	NA	N	NA		
		Ammonia	12/01/17	11/30/24	0.33	3	.	0	.	ID	NA	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	1	230	1	.	ID	NA	N	NA		

Seg ID: 1806I - Honey Creek AU ID: 1806I_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	5	2	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	3	2	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	13	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	13	.	1	3.9	AD	NC	N	NC		
	Fish Community (Regional)	Fish community	12/01/17	11/30/24	42	2	49	.	.	AD	FS	N	FS		
	Habitat	Habitat	12/01/17	11/30/24	20	2	25	.	.	AD	NC	N	NC		
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/17	11/30/24	31	2	24	.	.	AD	NS	N	CN	Impaired macrobenthic community in water	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	15	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	15	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	15	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	15	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	11	67.22	0	.	LD	NC	N	NC		

Seg ID: 1807 - Coleta Creek AU ID: 1807_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Sulfate	12/01/17	11/30/24	100	82	14.16	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/17	11/30/24	500	82	243.47	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	250	82	32.96	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Chlorophyll-a in water	
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	82	0.03	0	.	AD	FS	N	FS		

Seg ID: 1807 - Coleta Creek AU ID: 1807_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	82	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	82	.	3	4.4	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	500	82	243.47	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	100	82	14.16	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	250	82	32.96	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	82	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	82	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 18 - Guadalupe River

Seg ID: 1807 - Coleta Creek AU ID: 1807_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	81	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	82	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	82	.	49	20.42	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.33	47	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	33.9	82	.	5	35.02	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	82	0.03	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	82	4.75	0	.	AD	FS	N	FS		

Seg ID: 1807A - Perdido Creek AU ID: 1807A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	3	2	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	2	2	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	3	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	3	.	0	.	ID	NA	N	NA		
	Fish Community (Regional)	Fish community	12/01/17	11/30/24	11	2	35	.	.	AD	FS	N	FS		
	Habitat	Habitat	12/01/17	11/30/24	5	2	18.5	.	.	AD	NC	N	NC		
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/17	11/30/24	11	2	28	.	.	AD	FS	N	FS		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	2	.	0	.	ID	NA	N	NA		
		Nitrate	12/01/17	11/30/24	1.95	2	.	0	.	ID	NA	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	14.1	2	.	0	.	ID	NA	N	NA		
		Ammonia	12/01/17	11/30/24	0.33	2	.	0	.	ID	NA	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	2	338.23	1	.	ID	NA	N	NA		

Seg ID: 1808 - Lower San Marcos River AU ID: 1808_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	27	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	27	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	134	372.57	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	133	34.9	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	60	134	33.23	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	27	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	27	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	28	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	28	.	1	2.28	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	28	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	28	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	27	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Fluoride	12/01/17	11/30/24	4	23	0.17	0	.	AD	FS	N	FS		
		Nitrate	12/01/17	11/30/24	10	130	1.28	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	28	140.98	1	.	AD	CN	N	CN	Bacteria in water	

Draft 2026 Texas Integrated Report - Assessment Results for Basin 18 - Guadalupe River

Seg ID: 1808 - Lower San Marcos River AU ID: 1808_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	134	372.57	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	133	34.9	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	60	134	33.23	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	130	1.28	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	23	0.17	0	.	AD	FS	N	FS		

Seg ID: 1808 - Lower San Marcos River AU ID: 1808_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	71	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	71	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	134	372.57	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	133	34.9	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	60	134	33.23	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	71	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	71	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	82	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	82	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	81	.	1	25.7	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	42	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	71	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	130	1.28	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	23	0.17	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	82	58.77	0	.	AD	FS	N	FS		

Seg ID: 1808 - Lower San Marcos River AU ID: 1808_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	24	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	24	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	134	372.57	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	133	34.9	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	60	134	33.23	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	25	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	25	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	23	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	20	.	6	2.26	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	24	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	22	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	25	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	130	1.28	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	23	0.17	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	22	112.67	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 18 - Guadalupe River

Seg ID: 1809 - Lower Blanco River AU ID: 1809_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	5	2	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	3	2	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	15	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	15	.	1	4.3	AD	NC	N	NC		
	Fish Community (Regional)	Fish community	12/01/17	11/30/24	41	2	46	.	.	AD	FS	N	FS		
	Habitat	Habitat	12/01/17	11/30/24	20	2	25	.	.	AD	NC	N	NC		
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/17	11/30/24	29	2	34	.	.	AD	FS	N	FS		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	25	329.58	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	21	30.49	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	23	19.47	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	15	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	15	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	22	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	19	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	22	.	2	20.35	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	21	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	33.3	15	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	18	0.37	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	21	0.14	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	05/01/16	11/30/24	126	20	46.42	0	.	AD	FS	N	FS		

Seg ID: 1809 - Lower Blanco River AU ID: 1809_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	8	.	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	8	.	0	.	LD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	25	329.58	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	21	30.49	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	23	19.47	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	8	.	0	.	LD	NC	N	NC		
	Low pH	pH	12/01/17	11/30/24	6.5	8	.	0	.	LD	NC	N	NC		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	22	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	18	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	23	.	3	37.9	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	23	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	33.3	8	.	0	.	LD	NC	N	NC		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	18	0.37	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	21	0.14	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	9	29.97	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 18 - Guadalupe River

Seg ID: 1810 - Plum Creek AU ID: 1810_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	82	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	82	.	2	4.45	AD	NC	N	NC		
	Fish Community (Regional)	Fish community	12/01/17	11/30/24	42	2	34	.	.	AD	NS	N	CN	Impaired fish community in water	
	Habitat	Habitat	12/01/17	11/30/24	20	2	22	.	.	AD	NC	N	NC		
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/17	11/30/24	30	2	31	.	.	AD	FS	N	FS		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1120	240	650.9	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	150	241	82.65	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	350	241	139.4	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	83	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	83	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	82	.	43	1.14	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	82	.	61	3.65	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	81	.	1	18.7	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	47	.	1	0.81	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	84	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	241	4.94	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	82	224.43	1	.	AD	NS	N	NS	Bacteria in water	4b

Seg ID: 1810 - Plum Creek AU ID: 1810_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	79	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	79	.	0	.	AD	NC	N	NC		
	Fish Community (Regional)	Fish community	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CN	Impaired fish community in water	
	Habitat	Habitat	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Impaired habitat in water	
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1120	240	650.9	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	150	241	82.65	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	350	241	139.4	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	79	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	79	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	80	.	59	1.34	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	80	.	73	6.11	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	78	.	1	23.1	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	46	.	1	1.67	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	79	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	241	4.94	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	80	268.33	1	.	AD	NS	N	NS	Bacteria in water	4b

Draft 2026 Texas Integrated Report - Assessment Results for Basin 18 - Guadalupe River

Seg ID: 1810 - Plum Creek AU ID: 1810_03																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	79	.	3	2.5	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	79	.	11	3.38	AD	CS	N	CS	Depressed dissolved oxygen in water		
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CN	Impaired macrobenthic community in water		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	1120	240	650.9	0	.	AD	FS	N	FS			
		Sulfate	12/01/17	11/30/24	150	241	82.65	0	.	AD	FS	N	FS			
		Chloride	12/01/17	11/30/24	350	241	139.4	0	.	AD	FS	N	FS			
	Fish Kill Reports	Fish Kill Reports	12/01/17	11/30/24	.	0	.	.	.	OE	CN	N	CN	Fish kill in water		
	High pH	pH	12/01/17	11/30/24	9	79	.	0	.	AD	FS	N	FS			
	Low pH	pH	12/01/17	11/30/24	6.5	79	.	0	.	AD	FS	N	FS			
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	79	.	62	1.98	AD	CS	N	CS	Total Phosphorus in water		
		Nitrate	12/01/17	11/30/24	1.95	79	.	69	6.88	AD	CS	N	CS	Nitrate in water		
		Chlorophyll-a	12/01/17	11/30/24	14.1	78	.	3	16.13	AD	NC	N	NC			
		Ammonia	12/01/17	11/30/24	0.33	44	.	11	2.75	AD	NC	N	NC			
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	79	.	0	.	AD	FS	N	FS			
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	241	4.94	0	.	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	79	296.57	1	.	AD	NS	N	NS	Bacteria in water	4b	

Seg ID: 1810A - Town Branch AU ID: 1810A_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	3	.	0	.	ID	NA	N	NA			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	3	.	0	.	ID	NA	Y	CS	Depressed dissolved oxygen in water		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	3	.	0	.	ID	NA	N	NA			
		Nitrate	12/01/17	11/30/24	.	3	.	3	13	ID	NA	Y	CS	Nitrate in water		
		Ammonia	12/01/17	11/30/24	0.33	3	.	0	.	ID	NA	N	NA			
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	.	3	322.88	1	.	ID	NA	Y	CN	Bacteria in water		

Seg ID: 1810B - Clear Fork Plum Creek AU ID: 1810B_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	9	.	0	.	TR	NC	N	NA			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	9	.	0	.	TR	NC	N	NA			
	Fish Community (Regional)	Fish community	12/01/17	11/30/24	42	2	43	.	.	AD	FS	N	FS			
	Habitat	Habitat	12/01/17	11/30/24	20	2	22.5	.	.	AD	NC	N	NC			
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/17	11/30/24	30	2	31	.	.	AD	FS	N	FS			
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	14	.	0	.	TR	NC	N	NA			
		Nitrate	12/01/17	11/30/24	1.95	14	.	4	7.22	TR	NC	N	NA			
		Chlorophyll-a	12/01/17	11/30/24	14.1	10	.	1	64.5	TR	NC	N	NA			
		Ammonia	12/01/17	11/30/24	0.33	14	.	2	0.76	TR	NC	N	NA			
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	7	393.75	1	.	TR	CN	N	NA			

Draft 2026 Texas Integrated Report - Assessment Results for Basin 18 - Guadalupe River

Seg ID: 1810C - West Fork Plum Creek AU ID: 1810C_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	1.5	7	.	1	1.1	TR	NC	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	2	7	.	1	1.1	TR	NC	N	NA		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	7	.	2	0.78	TR	NC	N	NA		
		Nitrate	12/01/17	11/30/24	1.95	7	.	0	.	TR	NC	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	14.1	7	.	4	37.93	TR	CS	N	NA		
		Ammonia	12/01/17	11/30/24	0.33	7	.	0	.	TR	NC	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	7	64.3	0	.	TR	NC	N	NA		

Seg ID: 1810D - Brushy Creek AU ID: 1810D_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	9	.	0	.	TR	NC	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	9	.	0	.	TR	NC	N	NA		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	9	.	0	.	TR	NC	N	NA		
		Nitrate	12/01/17	11/30/24	1.95	9	.	4	4.88	TR	CS	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	14.1	9	.	5	27.52	TR	CS	N	NA		
		Ammonia	12/01/17	11/30/24	0.33	9	.	0	.	TR	NC	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	9	210.11	1	.	TR	CN	N	NA		

Seg ID: 1810E - Elm Creek AU ID: 1810E_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	1.5	7	.	1	0.3	TR	NC	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	2	7	.	1	0.3	TR	NC	N	NA		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	7	.	0	.	TR	NC	N	NA		
		Nitrate	12/01/17	11/30/24	1.95	7	.	0	.	TR	NC	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	14.1	7	.	6	49.72	TR	CS	N	NA		
		Ammonia	12/01/17	11/30/24	0.33	7	.	0	.	TR	NC	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	5	17.45	0	.	TR	NA	N	NA		

Seg ID: 1811 - Comal River AU ID: 1811_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	81	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	81	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	164	376.27	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	164	28.24	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	164	19.52	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	81	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	81	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 18 - Guadalupe River

Seg ID: 1811 - Comal River AU ID: 1811_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	82	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	82	.	3	2.01	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	82	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	41	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	81	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	164	1.82	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	82	219.89	1	.	AD	NS	N	NS	Bacteria in water	5r

Seg ID: 1811 - Comal River AU ID: 1811_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	72	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	72	.	8	4.56	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	164	376.27	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	164	28.24	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	164	19.52	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	72	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	72	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	82	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	82	.	6	2.02	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	82	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	41	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	72	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	164	1.82	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	82	98.65	0	.	AD	FS	N	FS		

Seg ID: 1811A - Dry Comal Creek AU ID: 1811A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	82	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	82	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	82	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	82	.	3	2.04	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	81	.	3	56.77	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	41	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	82	461.68	1	.	AD	NS	N	NS	Bacteria in water	5r

Draft 2026 Texas Integrated Report - Assessment Results for Basin 18 - Guadalupe River

Seg ID: 1812 - Guadalupe River Below Canyon Dam AU ID: 1812_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	17	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	17	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	116	279.42	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	116	25.23	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	116	22.38	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	17	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	17	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	28	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	28	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	28	.	1	21.2	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	26	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	17	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	116	0.25	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	28	65.29	0	.	AD	FS	N	FS		

Seg ID: 1812 - Guadalupe River Below Canyon Dam AU ID: 1812_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	82	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	82	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	116	279.42	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	116	25.23	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	116	22.38	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	82	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	82	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	82	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	82	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	82	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	41	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	32.2	82	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	116	0.25	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	82	56.42	0	.	AD	FS	N	FS		

Seg ID: 1812 - Guadalupe River Below Canyon Dam AU ID: 1812_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/16	11/30/24	4	10	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/16	11/30/24	6	10	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	116	279.42	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	116	25.23	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	116	22.38	0	.	AD	FS	N	FS		
	High pH	pH	12/01/16	11/30/24	9	10	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/16	11/30/24	6.5	10	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 18 - Guadalupe River

Seg ID: 1812 - Guadalupe River Below Canyon Dam AU ID: 1812_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/16	11/30/24	0.69	10	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/16	11/30/24	1.95	10	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/16	11/30/24	14.1	10	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/16	11/30/24	0.33	10	.	1	0.39	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/16	11/30/24	32.2	10	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	116	0.25	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/16	11/30/24	126	10	73.58	0	.	LD	NC	N	NC		

Seg ID: 1813 - Upper Blanco River AU ID: 1813_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	25	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	25	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	217	314.62	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	24	58.02	1	.	AD	NS	N	NS	Sulfate in water	5c
		Chloride	12/01/17	11/30/24	50	25	22.34	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	25	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	25	.	1	6.2	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	25	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	25	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	25	.	1	0.48	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	33.3	25	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	215	0.21	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	24	0.18	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	25	20.56	0	.	AD	FS	N	FS		

Seg ID: 1813 - Upper Blanco River AU ID: 1813_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	30	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	30	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	217	314.62	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	24	58.02	1	.	AD	NS	N	NS	Sulfate in water	5c
		Chloride	12/01/17	11/30/24	50	25	22.34	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	30	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	30	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	33	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	33	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	33	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	33.3	30	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 18 - Guadalupe River

Seg ID: 1813 - Upper Blanco River AU ID: 1813_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	215	0.21	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	24	0.18	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	33	58.69	0	.	AD	FS	N	FS		

Seg ID: 1813 - Upper Blanco River AU ID: 1813_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	108	.	1	2.9	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	108	.	5	4.94	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	217	314.62	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	24	58.02	1	.	AD	NS	N	NS	Sulfate in water	5c
		Chloride	12/01/17	11/30/24	50	25	22.34	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	108	.	1	9.1	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	108	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	153	.	1	6.94	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	152	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	29	.	2	65.45	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	153	.	2	0.69	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	33.3	108	.	2	34.9	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	215	0.21	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	24	0.18	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	106	20.64	0	.	AD	FS	N	FS		

Seg ID: 1813 - Upper Blanco River AU ID: 1813_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	217	314.62	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	24	58.02	1	.	AD	NS	N	NS	Sulfate in water	5c
		Chloride	12/01/17	11/30/24	50	25	22.34	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	215	0.21	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	24	0.18	0	.	AD	FS	N	FS		

Seg ID: 1813 - Upper Blanco River AU ID: 1813_05															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	48	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	48	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	217	314.62	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	24	58.02	1	.	AD	NS	N	NS	Sulfate in water	5c
		Chloride	12/01/17	11/30/24	50	25	22.34	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	48	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	48	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 18 - Guadalupe River

Seg ID: 1813 - Upper Blanco River AU ID: 1813_05															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	50	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	50	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	50	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	33.3	48	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	215	0.21	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	24	0.18	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	49	25.59	0	.	AD	FS	N	FS		

Seg ID: 1814 - Upper San Marcos River AU ID: 1814_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	26	408.9	1	.	AD	NS	N	NS	Total dissolved solids in water	5r
		Sulfate	12/01/17	11/30/24	50	26	30.96	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	26	22.43	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	26	1.31	0	.	AD	FS	N	FS		

Seg ID: 1814 - Upper San Marcos River AU ID: 1814_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	26	408.9	1	.	AD	NS	N	NS	Total dissolved solids in water	5r
		Sulfate	12/01/17	11/30/24	50	26	30.96	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	26	22.43	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	26	1.31	0	.	AD	FS	N	FS		

Seg ID: 1814 - Upper San Marcos River AU ID: 1814_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	26	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	26	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	26	408.9	1	.	AD	NS	N	NS	Total dissolved solids in water	5r
		Sulfate	12/01/17	11/30/24	50	26	30.96	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	26	22.43	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	26	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	26	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	26	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	26	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	25	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	26	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	26.7	26	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	26	1.31	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	26	93.68	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 18 - Guadalupe River

Seg ID: 1814 - Upper San Marcos River AU ID: 1814_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	26	408.9	1	.	AD	NS	N	NS	Total dissolved solids in water	5r
		Sulfate	12/01/17	11/30/24	50	26	30.96	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	26	22.43	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	26	1.31	0	.	AD	FS	N	FS		

Seg ID: 1815 - Cypress Creek AU ID: 1815_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	6	28	.	9	4.18	AD	NS	N	NS	Depressed dissolved oxygen in water	5r
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	4	28	.	6	2.78	AD	NS	N	NS	Depressed dissolved oxygen in water	5r
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	149	.	13	2.63	SM	FS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	149	.	34	4.23	SM	CS	N	NA		
	Fish Community (Regional)	Fish community	12/01/17	11/30/24	52	4	45	.	.	AD	NS	N	NS	Impaired fish community in water	5c
	Habitat	Habitat	12/01/17	11/30/24	26	4	24	.	.	AD	CS	N	CS	Impaired habitat in water	
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/17	11/30/24	36	4	31	.	.	AD	NS	N	NS	Impaired macrobenthic community in water	5c
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	168	396.74	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	26	28.5	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	26	28.93	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	149	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	149	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	169	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	169	.	1	2.13	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	32	.	1	24.7	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	169	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	30	149	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	149	0.3	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	4	0.13	0	.	LD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	145	39.04	0	.	AD	FS	N	FS		

Seg ID: 1815 - Cypress Creek AU ID: 1815_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	168	396.74	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	26	28.5	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	26	28.93	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	149	0.3	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	4	0.13	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 18 - Guadalupe River

Seg ID: 1816 - Johnson Creek AU ID: 1816_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	28	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	28	.	0	.	AD	NC	N	NC		
	Habitat	Habitat	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Impaired habitat in water	
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	28	302.32	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	27	11.94	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	27	26.45	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	28	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	28	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	28	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	27	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	27	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	30	28	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	27	0.22	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	28	73.11	0	.	AD	FS	N	FS		

Seg ID: 1817 - North Fork Guadalupe River AU ID: 1817_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	6	4	.	0	.	SM	NC	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	4	4	.	0	.	SM	NC	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	32	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	32	.	0	.	AD	NC	N	NC		
	Fish Community (Regional)	Fish community	12/01/17	11/30/24	52	4	50	.	.	AD	NS	N	NS	Impaired fish community in water	5c
	Habitat	Habitat	12/01/17	11/30/24	26	4	24	.	.	AD	CS	N	CS	Impaired habitat in water	
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/17	11/30/24	36	4	33	.	.	AD	NS	N	NS	Impaired macrobenthic community in water	5c
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	32	248	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	27	6.29	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	27	10.5	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	32	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	32	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	28	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	14.1	27	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	8	.	0	.	LD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	27	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	30	32	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	27	0.2	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	28	32.5	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 18 - Guadalupe River

Seg ID: 1818 - South Fork Guadalupe River AU ID: 1818_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	6	4	.	2	5.1	TR	CN	N	NA			
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	4	4	.	0	.	TR	NC	N	NA			
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	32	.	0	.	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	32	.	6	4.7	AD	CS	N	CS	Depressed dissolved oxygen in water		
	Fish Community (Regional)	Fish community	12/01/17	11/30/24	52	4	54	.	.	AD	FS	N	FS			
	Habitat	Habitat	12/01/17	11/30/24	26	4	23	.	.	AD	CS	N	CS	Impaired habitat in water		
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/17	11/30/24	36	4	37	.	.	AD	FS	N	FS			
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	38	280	0	.	AD	FS	N	FS			
		Sulfate	12/01/17	11/30/24	50	35	6.77	0	.	AD	FS	N	FS			
		Chloride	12/01/17	11/30/24	50	35	10.98	0	.	AD	FS	N	FS			
	High pH	pH	12/01/17	11/30/24	9	32	.	0	.	AD	FS	N	FS			
	Low pH	pH	12/01/17	11/30/24	6.5	32	.	0	.	AD	FS	N	FS			
	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	1.95	27	.	0	.	AD	NC	N	NC			
		Chlorophyll-a	12/01/17	11/30/24	14.1	27	.	0	.	AD	NC	N	NC			
		Ammonia	12/01/17	11/30/24	0.33	5	.	0	.	LD	NC	N	NC			
		Total phosphorus	12/01/17	11/30/24	0.69	28	.	0	.	AD	NC	N	NC			
	Water Temperature	Water temperature	12/01/17	11/30/24	30	32	.	0	.	AD	FS	N	FS			
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	34	0.13	0	.	AD	FS	N	FS			
		Fluoride	12/01/17	11/30/24	4	8	0.13	0	.	TR	NC	N	NA			
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	28	34.6	0	.	AD	FS	N	FS			

Seg ID: 1818 - South Fork Guadalupe River AU ID: 1818_03																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	38	280	0	.	AD	FS	N	FS			
		Sulfate	12/01/17	11/30/24	50	35	6.77	0	.	AD	FS	N	FS			
		Chloride	12/01/17	11/30/24	50	35	10.98	0	.	AD	FS	N	FS			
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	34	0.13	0	.	AD	FS	N	FS			
		Fluoride	12/01/17	11/30/24	4	8	0.13	0	.	TR	NC	N	NA			

Seg ID: 1818 - South Fork Guadalupe River AU ID: 1818_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	4	.	0	.	TR	NC	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	4	.	0	.	TR	NC	N	NA		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	38	280	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	35	6.77	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	35	10.98	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	3	.	0	.	ID	NA	N	NA		
	Low pH	pH	12/01/17	11/30/24	6.5	3	.	0	.	ID	NA	N	NA		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	4	.	0	.	TR	NC	N	NA		
		Nitrate	12/01/17	11/30/24	1.95	4	.	0	.	TR	NC	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	14.1	4	.	0	.	TR	NC	N	NA		
		Ammonia	12/01/17	11/30/24	0.33	3	.	0	.	ID	NA	N	NA		
	Water Temperature	Water temperature	12/01/17	11/30/24	30	4	.	1	32.6	TR	NC	N	NA		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 18 - Guadalupe River

Seg ID: 1818 - South Fork Guadalupe River AU ID: 1818_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	34	0.13	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	8	0.13	0	.	TR	NC	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	4	7	0	.	ID	NA	N	NA		

Seg ID: 1818 - South Fork Guadalupe River AU ID: 1818_05															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	4	.	0	.	TR	NC	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	6	4	.	0	.	TR	NC	N	NA		
General Use	Dissolved Solids	Total dissolved solids	12/01/17	11/30/24	400	38	280	0	.	AD	FS	N	FS		
		Sulfate	12/01/17	11/30/24	50	35	6.77	0	.	AD	FS	N	FS		
		Chloride	12/01/17	11/30/24	50	35	10.98	0	.	AD	FS	N	FS		
	High pH	pH	12/01/17	11/30/24	9	3	.	0	.	ID	NA	N	NA		
	Low pH	pH	12/01/17	11/30/24	6.5	3	.	0	.	ID	NA	N	NA		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	4	.	0	.	TR	NC	N	NA		
		Nitrate	12/01/17	11/30/24	1.95	3	.	0	.	ID	NA	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	14.1	4	.	0	.	TR	NC	N	NA		
		Ammonia	12/01/17	11/30/24	0.33	4	.	0	.	TR	NC	N	NA		
	Water Temperature	Water temperature	12/01/17	11/30/24	30	4	.	1	31.8	TR	NC	N	NA		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	34	0.13	0	.	AD	FS	N	FS		
		Fluoride	12/01/17	11/30/24	4	8	0.13	0	.	TR	NC	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	4	1.78	0	.	ID	NA	N	NA		