

Explanation of Column Headings

SEGID: The unique identifier (SegID), segment name, and location of the water body. Items may be one of three types of numbers for SegID. The first type is a classified segment number (4 digits, e.g., 0218), as defined in the Texas Surface Water Quality Standards. The second type is an unclassified water body (e.g., 0218A), not defined in the Standards and associated with a classified water body because it is in the same watershed. The third type includes special Segments for Oyster Water Use (e.g., 2421OW) and Beach Watch Use (e.g., 2481CB) special areas. The segment name and description follow SegID.

AU ID: Identifies the assessment unit (AU_ID, six or seven digits, e.g., 0101A_01) and describes the location of the specific area within a classified or unclassified water body for which one or more water quality standards are not met.

Start Date: The start date of the period of record data for this method was selected; the official Draft 2026 period of record is from 12/1/2017 to 11/30/2024. In some cases it may be necessary to extend the period of record back 10 years (12/1/2014) to select more data, according to assessment guidance.

End Date: The end date of the period of record data for this method was selected; the official Draft 2026 period of record dates are 12/1/2017 to 11/30/2024. In some cases more recently collected data than 12/01/2024 can be included, if available

#Data Assessed: Number of samples assessed some data are averaged, as with profile data, some are eliminated because criteria do not apply during certain conditions such a s low flow.

Mean Data Assessed: Mean of samples assessed includes averaged methods like chronic criteria as well as geometric mean calculations for bacteria.

Exceedances: Number of samples that exceed criteria for single sample, or binomial, methods (not averaged data).

Mean Exceedances: Mean of the samples that exceeded criteria for the single sample, or binomial, methods (not averaged data).

Criteria: Value that the data is compared to determine the level of support; Note: for acute metals in water, each value is compared to a calculated criterion and not all criteria could be reported here, only the minimum in the range of criteria calculated are included.

DS Qual: Dataset Qualifier - indicates characteristics of the methods or dataset used in the assessment:

- AD:** Adequate Data (10 or more samples).
- LD:** Limited Data (less than 9, greater than 3).
- ID:** Inadequate Data (less than 4).
- JQ:** Level of support is based on judgment of the assessor.
- SM:** This assessment method is superseded by another method.
- TR:** Temporally Not Representative, used with NA.
- SR:** Spatially Not Representative, used with NA.
- OE:** Other information than ambient samples evaluated.
- OS:** Assessment area outside state boundaries.

LOS: Level of support for this use, method, assessment parameter:

- FS:** Fully Supporting.
- NC:** No Concern.
- NA:** Not Assessed.
- NS:** Nonsupport.
- CS:** Screening Level Concern.
- CN:** Use Concern.

CF: Carry Forward indicates that the Integrated level of support of CS, CN, or NS was carried forward from a previous assessment due to inadequate data for this method in this assessment.

Int LOS: Integrated level of support. This is the overall level of support for this use, method, parameter group, which could be different from the LOS (described above) due to carry forward information or other types of changes. New Code added in 2010: PI = Pending Issue

TCEQ Cause: This is the impairment description (e.g., bacteria, depressed dissolved oxygen, etc.).

Cat:

- Category 3:** There is insufficient or unreliable available data and/or information to make a use support determination.
- Category 4:** Available data and/or information indicate that at least one designated use is not being supported or is threatened, but a TMDL is not needed.
 - Category 4a:** A state-developed TMDL has been approved by EPA or a TMDL has been established by EPA for any water-pollutant combination.
 - Category 4b:** Other required control measures are expected to result in the attainment of an applicable water quality standard in a reasonable period of time.
 - Category 4c:** The impairment or threat is not caused by a pollutant.
- Category 5:** Available data and/or information indicate that at least one designated use is not being supported or is threatened, and a TMDL is needed.
 - Category 5a:** A TMDL is underway, scheduled, or will be scheduled.
 - Category 5b:** A review of the standards for the water body will be conducted before a management strategy is selected.
 - Category 5c:** Additional data and information will be collected or evaluated before a management strategy is selected.
 - Category 5n:** Water body does not meet its applicable Chl a criterion, but additional study is needed to verify whether exceedance is associated with causal nutrient parameters or impacts to response variables.
 - Category 5r:** A WPP is under development or accepted by EPA for this parameter.

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2411 - Sabine Pass AU ID: 2411_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	25	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	25	.	0	.	AD	NC	N	NC		
Fish Consumption Use	DSHS Limited Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
General Use	High pH	pH	12/01/17	11/30/24	9	26	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	26	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	26	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	24	.	2	12.8	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	24	.	1	0.18	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.1	26	.	2	0.17	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	26	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	26	10.75	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	26	.	0	.	AD	FS	N	FS		

Seg ID: 2411OW- Sabine Pass (Oyster Waters) AU ID: 2411OW_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	No oyster waters closure	12/01/17	11/30/24	.	0	.	.	.	OE	NA	N	NA		

Seg ID: 2412 - Sabine Lake AU ID: 2412_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	77	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	77	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Cadmium	12/01/17	11/30/24	9.6	50	.	0	.	AD	NC	N	NC		
		Chromium	12/01/17	11/30/24	370	48	.	0	.	AD	NC	N	NC		
		Arsenic	12/01/17	11/30/24	70	50	.	0	.	AD	NC	N	NC		
		Mercury	12/01/17	11/30/24	0.71	45	.	0	.	AD	NC	N	NC		
		Copper	12/01/17	11/30/24	270	50	.	0	.	AD	NC	N	NC		
		Lead	12/01/17	11/30/24	218	50	.	0	.	AD	NC	N	NC		
		Nickel	12/01/17	11/30/24	51.6	50	.	0	.	AD	NC	N	NC		
		Zinc	12/01/17	11/30/24	410	50	.	0	.	AD	NC	N	NC		
		Silver	12/01/17	11/30/24	3.7	49	.	0	.	AD	NC	N	NC		
Fish Consumption Use	DSHS Limited Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
General Use	High pH	pH	12/01/17	11/30/24	9	78	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	78	.	1	6.4	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	78	.	1	0.22	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	71	.	9	17.78	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	74	.	3	0.2	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.1	78	.	3	0.17	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	78	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	77	9.58	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	77	.	3	180	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2412OW- Sabine Lake (Oyster Waters) AU ID: 2412OW_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	No oyster waters closure	12/01/17	11/30/24	.	0	.	.	.	OE	NA	N	NA		

Seg ID: 2421 - Upper Galveston Bay AU ID: 2421_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	24	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	24	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Xylene	12/01/17	11/30/24	7620	1	.	0	.	ID	NA	N	NA		
		Zinc	07/28/16	11/30/24	410	10	.	0	.	AD	NC	N	NC		
		Toluene	12/01/17	11/30/24	7750	1	.	0	.	ID	NA	N	NA		
		2-Methylphenol (o-cresol)	12/01/17	11/30/24	63	3	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	12/01/17	11/30/24	1600	3	.	0	.	ID	NA	N	NA		
		Cadmium	07/28/16	11/30/24	9.6	10	.	0	.	AD	NC	N	NC		
		Arachlor 1254	12/01/17	11/30/24	709	1	.	0	.	ID	NA	N	NA		
		Phenanthrene	12/01/17	11/30/24	1500	3	.	0	.	ID	NA	N	NA		
		PCBs	12/01/17	11/30/24	180	1	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	12/01/17	11/30/24	670	3	.	0	.	ID	NA	N	NA		
		DDD	12/01/17	11/30/24	7.81	1	.	0	.	ID	NA	N	NA		
		Pentachlorobenzene	12/01/17	11/30/24	44350	3	.	0	.	ID	NA	N	NA		
		Nitrobenzene	12/01/17	11/30/24	8000	3	.	0	.	ID	NA	N	NA		
		Methyl bromide	12/01/17	11/30/24	2490	1	.	0	.	ID	NA	N	NA		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1640	3	.	0	.	ID	NA	N	NA		
		Arsenic	07/28/16	11/30/24	70	10	.	0	.	AD	NC	N	NC		
		Pyrene	12/01/17	11/30/24	2600	3	.	0	.	ID	NA	N	NA		
		Dieldrin	12/01/17	11/30/24	4.3	1	.	0	.	ID	NA	N	NA		
		Naphthalene	12/01/17	11/30/24	2100	3	.	0	.	ID	NA	N	NA		
		Benzoic acid	12/01/17	11/30/24	650	3	.	0	.	ID	NA	N	NA		
		Tetrachloroethene	12/01/17	11/30/24	3210	1	.	0	.	ID	NA	N	NA		
		Di-n-octyl phthalate	12/01/17	11/30/24	45000	3	.	0	.	ID	NA	N	NA		
		Anthracene	12/01/17	11/30/24	1100	3	.	0	.	ID	NA	N	NA		
		DDE	12/01/17	11/30/24	374	1	.	0	.	ID	NA	N	NA		
		Chlordane	12/01/17	11/30/24	4.79	1	.	0	.	ID	NA	N	NA		
		1,2-Dichloropropane	12/01/17	11/30/24	21520	1	.	0	.	ID	NA	N	NA		
		1,2-Dichloroethane	12/01/17	11/30/24	26260	1	.	0	.	ID	NA	N	NA		
		2,4-Dinitrotoluene	12/01/17	11/30/24	14960	3	.	0	.	ID	NA	N	NA		
		Endrin	12/01/17	11/30/24	62.4	1	.	0	.	ID	NA	N	NA		
		Acenaphthene	12/01/17	11/30/24	500	3	.	0	.	ID	NA	N	NA		
		2,4-Dimethylphenol	12/01/17	11/30/24	29	3	.	0	.	ID	NA	N	NA		
		Nickel	07/28/16	11/30/24	51.6	10	.	0	.	AD	NC	N	NC		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4210	3	.	0	.	ID	NA	N	NA		
		Carbon tetrachloride	12/01/17	11/30/24	36740	1	.	0	.	ID	NA	N	NA		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	1060	3	.	0	.	ID	NA	N	NA		
		DDT	12/01/17	11/30/24	4.77	1	.	0	.	ID	NA	N	NA		
		1,3-Dichlorobenzene	12/01/17	11/30/24	1950	3	.	0	.	ID	NA	N	NA		
		Hexachlorobutadiene (HCBD)	12/01/17	11/30/24	670	3	.	0	.	ID	NA	N	NA		
		Fluorene	12/01/17	11/30/24	540	3	.	0	.	ID	NA	N	NA		
		Hexachloroethane	12/01/17	11/30/24	5640	3	.	0	.	ID	NA	N	NA		
		1,1-Dichloroethylene	12/01/17	11/30/24	92470	1	.	0	.	ID	NA	N	NA		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	690	3	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	260	3	.	0	.	ID	NA	N	NA		
		Chlorobenzene	12/01/17	11/30/24	8180	1	.	0	.	ID	NA	N	NA		
		1,1,1-Trichloroethane	12/01/17	11/30/24	35860	1	.	0	.	ID	NA	N	NA		
		Chloromethane	12/01/17	11/30/24	52430	1	.	0	.	ID	NA	N	NA		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	2320	3	.	0	.	ID	NA	N	NA		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2421 - Upper Galveston Bay AU ID: 2421_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Copper	07/28/16	11/30/24	270	10	.	0	.	AD	NC	N	NC		
		Parathion (ethyl)	12/01/17	11/30/24	300	1	.	0	.	ID	NA	N	NA		
		Diethyl phthalate	12/01/17	11/30/24	1100	3	.	0	.	ID	NA	N	NA		
		Benzyl alcohol	12/01/17	11/30/24	73	3	.	0	.	ID	NA	N	NA		
		Fluoranthene	12/01/17	11/30/24	5100	3	.	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4440	3	.	0	.	ID	NA	N	NA		
		Silver	07/28/16	11/30/24	3.7	10	.	0	.	AD	NC	N	NC		
		gamma-BHC (Lindane)	12/01/17	11/30/24	0.99	1	.	0	.	ID	NA	N	NA		
		1,1,2-Trichloroethane	12/01/17	11/30/24	1800	1	.	0	.	ID	NA	N	NA		
		Chromium	07/28/16	11/30/24	370	10	.	0	.	AD	NC	N	NC		
		Bromoform	12/01/17	11/30/24	10670	1	.	0	.	ID	NA	N	NA		
		Chloroform	12/01/17	11/30/24	8860	1	.	0	.	ID	NA	N	NA		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	640	3	.	0	.	ID	NA	N	NA		
		4-Methyl-2-Pentanone (MIBK)	12/01/17	11/30/24	272060	1	.	0	.	ID	NA	N	NA		
		1,1,2,2-Tetrachloroethane	12/01/17	11/30/24	3690	1	.	0	.	ID	NA	N	NA		
		Methylene chloride	12/01/17	11/30/24	22940	1	.	0	.	ID	NA	N	NA		
		Styrene	12/01/17	11/30/24	22310	1	.	0	.	ID	NA	N	NA		
		Acrylonitrile	12/01/17	11/30/24	3240	1	.	0	.	ID	NA	N	NA		
		Phenol (single compound)	12/01/17	11/30/24	1200	3	.	0	.	ID	NA	N	NA		
		Ethylbenzene	12/01/17	11/30/24	4100	1	.	0	.	ID	NA	N	NA		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	2647	3	.	0	.	ID	NA	N	NA		
		Trichloroethene	12/01/17	11/30/24	7300	1	.	0	.	ID	NA	N	NA		
		Benzene	12/01/17	11/30/24	4080	1	.	0	.	ID	NA	N	NA		
		Dimethyl phthalate	12/01/17	11/30/24	530	3	.	0	.	ID	NA	N	NA		
		Acetone	12/01/17	11/30/24	1003360	1	.	0	.	ID	NA	N	NA		
		Heptachlor	12/01/17	11/30/24	2.74	1	.	0	.	ID	NA	N	NA		
		Lead	07/28/16	11/30/24	218	10	.	0	.	AD	NC	N	NC		
		Mercury	07/28/16	11/30/24	0.71	10	.	0	.	AD	NC	N	NC		
		Acenaphthylene	12/01/17	11/30/24	640	3	.	0	.	ID	NA	N	NA		
		Benzo(a)anthracene	12/01/17	11/30/24	1600	3	.	0	.	ID	NA	N	NA		
		Chrysene	12/01/17	11/30/24	2800	3	.	0	.	ID	NA	N	NA		
		Di-n-butyl phthalate	12/01/17	11/30/24	17000	3	.	0	.	ID	NA	N	NA		
Fish Consumption Use	DSHS Limited Consumption Advisory	Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
		PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
General Use	High pH	pH	12/01/17	11/30/24	9	24	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	24	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/17	11/30/24	11.6	24	.	18	37.09	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.1	24	.	4	0.18	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.21	24	.	8	0.28	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	0.17	24	.	8	0.52	AD	CS	N	CS	Nitrate in water	
Water Temperature	Water temperature	12/01/17	11/30/24	35	24	.	0	.	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	23	8.64	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	23	.	2	260	AD	FS	N	FS		

Seg ID: 2421 - Upper Galveston Bay AU ID: 2421_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	16	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	16	.	0	.	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2421 - Upper Galveston Bay AU ID: 2421_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Zinc	07/28/16	11/30/24	410	10	.	0	.	AD	NC	N	NC		
		1,1-Dichloroethylene	12/01/17	11/30/24	92470	1	.	0	.	ID	NA	N	NA		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	640	3	.	0	.	ID	NA	N	NA		
		Toluene	12/01/17	11/30/24	7750	1	.	0	.	ID	NA	N	NA		
		Trichloroethene	12/01/17	11/30/24	7300	1	.	0	.	ID	NA	N	NA		
		Xylene	12/01/17	11/30/24	7620	1	.	0	.	ID	NA	N	NA		
		Silver	07/28/16	11/30/24	3.7	10	.	0	.	AD	NC	N	NC		
		Pyrene	12/01/17	11/30/24	2600	3	.	0	.	ID	NA	N	NA		
		Nickel	07/28/16	11/30/24	51.6	10	.	0	.	AD	NC	N	NC		
		Nitrobenzene	12/01/17	11/30/24	8000	3	.	0	.	ID	NA	N	NA		
		Parathion (ethyl)	12/01/17	11/30/24	300	1	.	0	.	ID	NA	N	NA		
		Styrene	12/01/17	11/30/24	22310	1	.	0	.	ID	NA	N	NA		
		Phenanthrene	12/01/17	11/30/24	1500	3	.	0	.	ID	NA	N	NA		
		DDE	12/01/17	11/30/24	374	1	.	0	.	ID	NA	N	NA		
		Naphthalene	12/01/17	11/30/24	2100	3	.	0	.	ID	NA	N	NA		
		Diethyl phthalate	12/01/17	11/30/24	1100	3	.	0	.	ID	NA	N	NA		
		Dimethyl phthalate	12/01/17	11/30/24	530	3	.	0	.	ID	NA	N	NA		
		Di-n-octyl phthalate	12/01/17	11/30/24	45000	3	.	0	.	ID	NA	N	NA		
		Ethylbenzene	12/01/17	11/30/24	4100	1	.	0	.	ID	NA	N	NA		
		Hexachlorobutadiene (HCBD)	12/01/17	11/30/24	670	3	.	0	.	ID	NA	N	NA		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	1060	3	.	0	.	ID	NA	N	NA		
		DDT	12/01/17	11/30/24	4.77	1	.	0	.	ID	NA	N	NA		
		gamma-BHC (Lindane)	12/01/17	11/30/24	0.99	1	.	0	.	ID	NA	N	NA		
		Pentachlorobenzene	12/01/17	11/30/24	44350	3	.	0	.	ID	NA	N	NA		
		Methylene chloride	12/01/17	11/30/24	22940	1	.	0	.	ID	NA	N	NA		
		Endrin	12/01/17	11/30/24	62.4	1	.	0	.	ID	NA	N	NA		
		Phenol (single compound)	12/01/17	11/30/24	1200	3	.	0	.	ID	NA	N	NA		
		Acrylonitrile	12/01/17	11/30/24	3240	1	.	0	.	ID	NA	N	NA		
		Carbon tetrachloride	12/01/17	11/30/24	36740	1	.	0	.	ID	NA	N	NA		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	690	3	.	0	.	ID	NA	N	NA		
		Dieldrin	12/01/17	11/30/24	4.3	1	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	260	3	.	0	.	ID	NA	N	NA		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1640	3	.	0	.	ID	NA	N	NA		
		Tetrachloroethene	12/01/17	11/30/24	3210	1	.	0	.	ID	NA	N	NA		
		Anthracene	12/01/17	11/30/24	1100	3	.	0	.	ID	NA	N	NA		
		Benzoic acid	12/01/17	11/30/24	650	3	.	0	.	ID	NA	N	NA		
		1,3-Dichlorobenzene	12/01/17	11/30/24	1950	3	.	0	.	ID	NA	N	NA		
		Mercury	07/28/16	11/30/24	0.71	10	.	0	.	AD	NC	N	NC		
		Heptachlor	12/01/17	11/30/24	2.74	1	.	0	.	ID	NA	N	NA		
		Chloroform	12/01/17	11/30/24	8860	1	.	0	.	ID	NA	N	NA		
		Chlorobenzene	12/01/17	11/30/24	8180	1	.	0	.	ID	NA	N	NA		
		Chrysene	12/01/17	11/30/24	2800	3	.	0	.	ID	NA	N	NA		
		Copper	07/28/16	11/30/24	270	10	.	0	.	AD	NC	N	NC		
		Chromium	07/28/16	11/30/24	370	10	.	0	.	AD	NC	N	NC		
Bromoform	12/01/17	11/30/24	10670	1	.	0	.	ID	NA	N	NA				
Chloromethane	12/01/17	11/30/24	52430	1	.	0	.	ID	NA	N	NA				
Lead	07/28/16	11/30/24	218	10	.	0	.	AD	NC	N	NC				
Benzo(a)pyrene	12/01/17	11/30/24	1600	3	.	0	.	ID	NA	N	NA				
Benzyl alcohol	12/01/17	11/30/24	73	3	.	0	.	ID	NA	N	NA				
1,4-Dichlorobenzene	12/01/17	11/30/24	4210	3	.	0	.	ID	NA	N	NA				
Fluoranthene	12/01/17	11/30/24	5100	3	.	0	.	ID	NA	N	NA				
Benzene	12/01/17	11/30/24	4080	1	.	0	.	ID	NA	N	NA				
2,4-Dinitrotoluene	12/01/17	11/30/24	14960	3	.	0	.	ID	NA	N	NA				
Di-n-butyl phthalate	12/01/17	11/30/24	17000	3	.	0	.	ID	NA	N	NA				
Arachlor 1254	12/01/17	11/30/24	709	1	.	0	.	ID	NA	N	NA				
Acetone	12/01/17	11/30/24	1003360	1	.	0	.	ID	NA	N	NA				

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2421 - Upper Galveston Bay AU ID: 2421_02																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Toxic Substances in sediment	2-Methylnaphthalene	12/01/17	11/30/24	670	3	.	0	.	ID	NA	N	NA			
		DDD	12/01/17	11/30/24	7.81	1	.	0	.	ID	NA	N	NA			
		Acenaphthylene	12/01/17	11/30/24	640	3	.	0	.	ID	NA	N	NA			
		2-Methylphenol (o-cresol)	12/01/17	11/30/24	63	3	.	0	.	ID	NA	N	NA			
		Cadmium	07/28/16	11/30/24	9.6	10	.	0	.	AD	NC	N	NC			
		PCBs	12/01/17	11/30/24	180	1	.	0	.	ID	NA	N	NA			
		1,1,2-Trichloroethane	12/01/17	11/30/24	1800	1	.	0	.	ID	NA	N	NA			
		1,1,2,2-Tetrachloroethane	12/01/17	11/30/24	3690	1	.	0	.	ID	NA	N	NA			
		Arsenic	07/28/16	11/30/24	70	10	.	0	.	AD	NC	N	NC			
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	2320	3	.	0	.	ID	NA	N	NA			
		Fluorene	12/01/17	11/30/24	540	3	.	0	.	ID	NA	N	NA			
		1,1,1-Trichloroethane	12/01/17	11/30/24	35860	1	.	0	.	ID	NA	N	NA			
		Benzo(a)anthracene	12/01/17	11/30/24	1600	3	.	0	.	ID	NA	N	NA			
		1,2-Dichloropropane	12/01/17	11/30/24	21520	1	.	0	.	ID	NA	N	NA			
		4-Methyl-2-Pentanone (MIBK)	12/01/17	11/30/24	272060	1	.	0	.	ID	NA	N	NA			
		1,2-Dichloroethane	12/01/17	11/30/24	26260	1	.	0	.	ID	NA	N	NA			
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	2647	3	.	0	.	ID	NA	N	NA			
		Methyl bromide	12/01/17	11/30/24	2490	1	.	0	.	ID	NA	N	NA			
		Acenaphthene	12/01/17	11/30/24	500	3	.	0	.	ID	NA	N	NA			
		1,2-Dichlorobenzene	12/01/17	11/30/24	4440	3	.	0	.	ID	NA	N	NA			
		Hexachloroethane	12/01/17	11/30/24	5640	3	.	0	.	ID	NA	N	NA			
		2,4-Dimethylphenol	12/01/17	11/30/24	29	3	.	0	.	ID	NA	N	NA			
		Chlordane	12/01/17	11/30/24	4.79	1	.	0	.	ID	NA	N	NA			
Fish Consumption Use	DSHS Limited Consumption Advisory	Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c	
		PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c	
General Use	High pH	pH	12/01/17	11/30/24	9	16	.	0	.	AD	FS	N	FS			
	Low pH	pH	12/01/17	11/30/24	6.5	16	.	0	.	AD	FS	N	FS			
	Nutrient Screening Levels	Chlorophyll-a	12/01/17	11/30/24	11.6	16	.	13	45.07	AD	CS	N	CS	Chlorophyll-a in water		
		Total phosphorus	12/01/17	11/30/24	0.21	16	.	1	0.33	AD	NC	N	NC			
		Ammonia	12/01/17	11/30/24	0.1	14	.	1	0.24	AD	NC	N	NC			
		Nitrate	12/01/17	11/30/24	0.17	16	.	4	0.38	AD	NC	N	NC			
	Water Temperature	Water temperature	12/01/17	11/30/24	35	16	.	0	.	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	Enterococcus	10/29/15	11/30/24	35	20	7.79	0	.	AD	FS	N	FS			
	Bacteria Single Sample	Enterococcus	10/29/15	11/30/24	130	20	.	1	140	AD	FS	N	FS			

Seg ID: 2421 - Upper Galveston Bay AU ID: 2421_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	39	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	39	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Acrylonitrile	12/01/17	11/30/24	3240	1	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	12/01/17	11/30/24	670	3	.	0	.	ID	NA	N	NA		
		4-Methyl-2-Pentanone (MIBK)	12/01/17	11/30/24	272060	1	.	0	.	ID	NA	N	NA		
		Anthracene	12/01/17	11/30/24	1100	3	.	0	.	ID	NA	N	NA		
		Benzo(a)anthracene	12/01/17	11/30/24	1600	3	.	0	.	ID	NA	N	NA		
		Benzene	12/01/17	11/30/24	4080	1	.	0	.	ID	NA	N	NA		
		Acetone	12/01/17	11/30/24	1003360	1	.	0	.	ID	NA	N	NA		
		Benzyl alcohol	12/01/17	11/30/24	73	3	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	12/01/17	11/30/24	1600	3	.	0	.	ID	NA	N	NA		
		Benzoic acid	12/01/17	11/30/24	650	3	.	0	.	ID	NA	N	NA		
		Chlordane	12/01/17	11/30/24	4.79	1	.	0	.	ID	NA	N	NA		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2421 - Upper Galveston Bay AU ID: 2421_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	2-Methylphenol (o-cresol)	12/01/17	11/30/24	63	3	.	0	.	ID	NA	N	NA		
		2,4-Dimethylphenol	12/01/17	11/30/24	29	3	.	0	.	ID	NA	N	NA		
		Chlorobenzene	12/01/17	11/30/24	8180	1	.	0	.	ID	NA	N	NA		
		Arachlor 1254	12/01/17	11/30/24	709	1	.	0	.	ID	NA	N	NA		
		1,1,2-Trichloroethane	12/01/17	11/30/24	1800	1	.	0	.	ID	NA	N	NA		
		Cadmium	07/28/16	11/30/24	9.6	10	.	0	.	AD	NC	N	NC		
		Arsenic	07/28/16	11/30/24	70	10	.	0	.	AD	NC	N	NC		
		1,1,1-Trichloroethane	12/01/17	11/30/24	35860	1	.	0	.	ID	NA	N	NA		
		Acenaphthene	12/01/17	11/30/24	500	3	.	0	.	ID	NA	N	NA		
		Acenaphthylene	12/01/17	11/30/24	640	3	.	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4440	3	.	0	.	ID	NA	N	NA		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1640	3	.	0	.	ID	NA	N	NA		
		1,1-Dichloroethylene	12/01/17	11/30/24	92470	1	.	0	.	ID	NA	N	NA		
		1,2-Dichloropropane	12/01/17	11/30/24	21520	1	.	0	.	ID	NA	N	NA		
		2,4-Dinitrotoluene	12/01/17	11/30/24	14960	3	.	0	.	ID	NA	N	NA		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4210	3	.	0	.	ID	NA	N	NA		
		Carbon tetrachloride	12/01/17	11/30/24	36740	1	.	0	.	ID	NA	N	NA		
		1,3-Dichlorobenzene	12/01/17	11/30/24	1950	3	.	0	.	ID	NA	N	NA		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	2320	3	.	0	.	ID	NA	N	NA		
		Chrysene	12/01/17	11/30/24	2800	3	.	0	.	ID	NA	N	NA		
		Bromoform	12/01/17	11/30/24	10670	1	.	0	.	ID	NA	N	NA		
		1,1,2,2-Tetrachloroethane	12/01/17	11/30/24	3690	1	.	0	.	ID	NA	N	NA		
		1,2-Dichloroethane	12/01/17	11/30/24	26260	1	.	0	.	ID	NA	N	NA		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	2647	3	.	0	.	ID	NA	N	NA		
		Mercury	07/28/16	11/30/24	0.71	10	.	0	.	AD	NC	N	NC		
		Hexachloroethane	12/01/17	11/30/24	5640	3	.	0	.	ID	NA	N	NA		
		Xylene	12/01/17	11/30/24	7620	1	.	0	.	ID	NA	N	NA		
		Zinc	07/28/16	11/30/24	410	10	.	0	.	AD	NC	N	NC		
		Methylene chloride	12/01/17	11/30/24	22940	1	.	0	.	ID	NA	N	NA		
		Trichloroethene	12/01/17	11/30/24	7300	1	.	0	.	ID	NA	N	NA		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	640	3	.	0	.	ID	NA	N	NA		
		PCBs	12/01/17	11/30/24	180	1	.	0	.	ID	NA	N	NA		
		Pentachlorobenzene	12/01/17	11/30/24	44350	3	.	0	.	ID	NA	N	NA		
		Phenol (single compound)	12/01/17	11/30/24	1200	3	.	0	.	ID	NA	N	NA		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	690	3	.	0	.	ID	NA	N	NA		
		Pyrene	12/01/17	11/30/24	2600	3	.	0	.	ID	NA	N	NA		
		Nickel	07/28/16	11/30/24	51.6	10	.	0	.	AD	NC	N	NC		
		Naphthalene	12/01/17	11/30/24	2100	3	.	0	.	ID	NA	N	NA		
		gamma-BHC (Lindane)	12/01/17	11/30/24	0.99	1	.	0	.	ID	NA	N	NA		
		Di-n-octyl phthalate	12/01/17	11/30/24	45000	3	.	0	.	ID	NA	N	NA		
		Chromium	07/28/16	11/30/24	370	10	.	0	.	AD	NC	N	NC		
		Fluorene	12/01/17	11/30/24	540	3	.	0	.	ID	NA	N	NA		
		Chloromethane	12/01/17	11/30/24	52430	1	.	0	.	ID	NA	N	NA		
		Heptachlor	12/01/17	11/30/24	2.74	1	.	0	.	ID	NA	N	NA		
		Dimethyl phthalate	12/01/17	11/30/24	530	3	.	0	.	ID	NA	N	NA		
		Fluoranthene	12/01/17	11/30/24	5100	3	.	0	.	ID	NA	N	NA		
		Endrin	12/01/17	11/30/24	62.4	1	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	260	3	.	0	.	ID	NA	N	NA		
		Di-n-butyl phthalate	12/01/17	11/30/24	17000	3	.	0	.	ID	NA	N	NA		
		DDT	12/01/17	11/30/24	4.77	1	.	0	.	ID	NA	N	NA		
		Lead	07/28/16	11/30/24	218	10	.	0	.	AD	NC	N	NC		
		Phenanthrene	12/01/17	11/30/24	1500	3	.	0	.	ID	NA	N	NA		
		Methyl bromide	12/01/17	11/30/24	2490	1	.	0	.	ID	NA	N	NA		
		DDD	12/01/17	11/30/24	7.81	1	.	0	.	ID	NA	N	NA		
		Parathion (ethyl)	12/01/17	11/30/24	300	1	.	0	.	ID	NA	N	NA		
		Copper	07/28/16	11/30/24	270	10	.	0	.	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2421 - Upper Galveston Bay AU ID: 2421_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Diethyl phthalate	12/01/17	11/30/24	1100	3	.	0	.	ID	NA	N	NA		
		Styrene	12/01/17	11/30/24	22310	1	.	0	.	ID	NA	N	NA		
		DDE	12/01/17	11/30/24	374	1	.	0	.	ID	NA	N	NA		
		Silver	07/28/16	11/30/24	3.7	10	.	0	.	AD	NC	N	NC		
		Tetrachloroethene	12/01/17	11/30/24	3210	1	.	0	.	ID	NA	N	NA		
		Ethylbenzene	12/01/17	11/30/24	4100	1	.	0	.	ID	NA	N	NA		
		Hexachlorobutadiene (HCBD)	12/01/17	11/30/24	670	3	.	0	.	ID	NA	N	NA		
		Toluene	12/01/17	11/30/24	7750	1	.	0	.	ID	NA	N	NA		
		Dieldrin	12/01/17	11/30/24	4.3	1	.	0	.	ID	NA	N	NA		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	1060	3	.	0	.	ID	NA	N	NA		
		Nitrobenzene	12/01/17	11/30/24	8000	3	.	0	.	ID	NA	N	NA		
Chloroform	12/01/17	11/30/24	8860	1	.	0	.	ID	NA	N	NA				
Fish Consumption Use	DSHS Limited Consumption Advisory	Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
		PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
General Use	High pH	pH	12/01/17	11/30/24	9	39	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	39	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Ammonia	12/01/17	11/30/24	0.1	37	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	39	.	3	0.39	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.21	39	.	3	0.24	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	39	.	25	17.13	AD	CS	N	CS	Chlorophyll-a in water	
	Water Temperature	Water temperature	12/01/17	11/30/24	35	39	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	35	5.82	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	35	.	0	.	AD	FS	N	FS		

Seg ID: 2421A - Clear Lake Channel AU ID: 2421A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	42	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	42	.	1	3.61	AD	NC	N	NC		
Fish Consumption Use	DSHS Limited Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
General Use	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	0.17	34	.	15	0.4	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	11.6	26	.	20	26.39	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/17	11/30/24	0.21	42	.	23	0.28	AD	CS	N	CS	Total Phosphorus in water	
		Ammonia	12/01/17	11/30/24	0.1	42	.	8	0.18	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	39	19.5	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	39	.	4	1542.5	AD	FS	N	FS		

Seg ID: 2421B - Little Cedar Bayou AU ID: 2421B_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	22	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	22	.	1	3.43	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2421B - Little Cedar Bayou AU ID: 2421B_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.66	21	.	15	2.12	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.1	21	.	20	5.63	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	21	22	.	14	75.77	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.46	21	.	2	1.19	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	Enterococcus	08/02/17	11/30/24	35	21	144.46	1	.	AD	NS	N	NS	Bacteria in water	5c

Seg ID: 2421C - Pine Gully AU ID: 2421C_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	22	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	22	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Ammonia	12/01/17	11/30/24	0.46	22	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	21	22	.	16	39.37	AD	CS	N	CS	Chlorophyll-a in water	
		Nitrate	12/01/17	11/30/24	1.1	22	.	2	1.96	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.66	22	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	Enterococcus	11/14/17	11/30/24	35	20	29.52	0	.	AD	FS	N	FS		

Seg ID: 2421HC- Sylvan Beach Park (Recreational Beaches) AU ID: 2421HC_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreational Beaches	Texas Beach Watch Program Advisories	Enterococcus	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in water	5c

Seg ID: 2421OW- Upper Galveston Bay (Oyster Waters) AU ID: 2421OW_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Fecal coliform	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in oyster waters	4a

Seg ID: 2421OW- Upper Galveston Bay (Oyster Waters) AU ID: 2421OW_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	No oyster waters closure	12/01/17	11/30/24	.	0	.	.	.	OE	FS	N	FS		

Seg ID: 2422 - Trinity Bay AU ID: 2422_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	44	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	44	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Hexachloroethane	12/01/17	11/30/24	5640	3	.	0	.	ID	NA	N	NA		
		Naphthalene	12/01/17	11/30/24	2100	3	.	0	.	ID	NA	N	NA		
		Phenanthrene	12/01/17	11/30/24	1500	3	.	0	.	ID	NA	N	NA		
		Parathion (ethyl)	12/01/17	11/30/24	300	3	.	0	.	ID	NA	N	NA		
		Phenol (single compound)	12/01/17	11/30/24	1200	3	.	0	.	ID	NA	N	NA		
		Zinc	12/01/17	11/30/24	410	11	.	0	.	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2422 - Trinity Bay AU ID: 2422_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Silver	12/01/17	11/30/24	3.7	11	.	0	.	AD	NC	N	NC		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	640	3	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	260	3	.	0	.	ID	NA	N	NA		
		PCBs	12/01/17	11/30/24	180	3	.	0	.	ID	NA	N	NA		
		Pyrene	12/01/17	11/30/24	2600	3	.	0	.	ID	NA	N	NA		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	690	3	.	0	.	ID	NA	N	NA		
		Nitrobenzene	12/01/17	11/30/24	8000	3	.	0	.	ID	NA	N	NA		
		Heptachlor	12/01/17	11/30/24	2.74	3	.	0	.	ID	NA	N	NA		
		Hexachlorobutadiene (HCBD)	12/01/17	11/30/24	670	3	.	0	.	ID	NA	N	NA		
		1,3-Dichlorobenzene	12/01/17	11/30/24	1950	3	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	12/01/17	11/30/24	1600	3	.	0	.	ID	NA	N	NA		
		Fluorene	12/01/17	11/30/24	540	3	.	0	.	ID	NA	N	NA		
		Dieldrin	12/01/17	11/30/24	4.3	3	.	0	.	ID	NA	N	NA		
		Endrin	12/01/17	11/30/24	62.4	3	.	0	.	ID	NA	N	NA		
		Dibenzofuran	12/01/17	11/30/24	580	1	.	0	.	ID	NA	N	NA		
		DDD	12/01/17	11/30/24	7.81	3	.	0	.	ID	NA	N	NA		
		Di-n-octyl phthalate	12/01/17	11/30/24	45000	3	.	0	.	ID	NA	N	NA		
		Dimethyl phthalate	12/01/17	11/30/24	530	3	.	0	.	ID	NA	N	NA		
		Diethyl phthalate	12/01/17	11/30/24	1100	3	.	0	.	ID	NA	N	NA		
		DDE	12/01/17	11/30/24	374	3	.	0	.	ID	NA	N	NA		
		DDT	12/01/17	11/30/24	4.77	3	.	0	.	ID	NA	N	NA		
		2-Methylphenol (o-cresol)	12/01/17	11/30/24	63	3	.	0	.	ID	NA	N	NA		
		Chromium	12/01/17	11/30/24	370	11	.	0	.	AD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	2647	3	.	0	.	ID	NA	N	NA		
		Di-n-butyl phthalate	12/01/17	11/30/24	17000	3	.	0	.	ID	NA	N	NA		
		Benzyl alcohol	12/01/17	11/30/24	73	3	.	0	.	ID	NA	N	NA		
		Acenaphthene	12/01/17	11/30/24	500	3	.	0	.	ID	NA	N	NA		
		gamma-BHC (Lindane)	12/01/17	11/30/24	0.99	3	.	0	.	ID	NA	N	NA		
		Arachlor 1254	12/01/17	11/30/24	709	3	.	0	.	ID	NA	N	NA		
		Copper	12/01/17	11/30/24	270	11	.	0	.	AD	NC	N	NC		
		Mercury	07/25/17	11/30/24	0.71	11	.	0	.	AD	NC	N	NC		
		Pentachlorobenzene	12/01/17	11/30/24	44350	3	.	0	.	ID	NA	N	NA		
		Arsenic	12/01/17	11/30/24	70	11	.	0	.	AD	NC	N	NC		
		Benzo(a)anthracene	12/01/17	11/30/24	1600	3	.	0	.	ID	NA	N	NA		
		Chlordane	12/01/17	11/30/24	4.79	3	.	0	.	ID	NA	N	NA		
		Anthracene	12/01/17	11/30/24	1100	3	.	0	.	ID	NA	N	NA		
		2,4-Dimethylphenol	12/01/17	11/30/24	29	3	.	0	.	ID	NA	N	NA		
		Chrysene	12/01/17	11/30/24	2800	3	.	0	.	ID	NA	N	NA		
		Nickel	12/01/17	11/30/24	51.6	11	.	0	.	AD	NC	N	NC		
		2-Methylnaphthalene	12/01/17	11/30/24	670	3	.	0	.	ID	NA	N	NA		
		Benzoic acid	12/01/17	11/30/24	650	3	.	0	.	ID	NA	N	NA		
		Fluoranthene	12/01/17	11/30/24	5100	3	.	0	.	ID	NA	N	NA		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4210	3	.	0	.	ID	NA	N	NA		
		2,4-Dinitrotoluene	12/01/17	11/30/24	14960	3	.	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4440	3	.	0	.	ID	NA	N	NA		
		Lead	12/01/17	11/30/24	218	11	.	0	.	AD	NC	N	NC		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	1060	3	.	0	.	ID	NA	N	NA		
		Acenaphthylene	12/01/17	11/30/24	640	3	.	0	.	ID	NA	N	NA		
		Cadmium	12/01/17	11/30/24	9.6	11	.	0	.	AD	NC	N	NC		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	2320	3	.	0	.	ID	NA	N	NA		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1640	3	.	0	.	ID	NA	N	NA		
Fish Consumption Use	DSHS Limited Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2422 - Trinity Bay AU ID: 2422_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	High pH	pH	12/01/17	11/30/24	9	44	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	44	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/17	11/30/24	11.6	44	.	38	19.83	AD	CS	N	CS	Chlorophyll-a in water	
		Nitrate	12/01/17	11/30/24	0.17	44	.	5	0.63	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.21	44	.	5	0.24	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.1	44	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	44	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	43	4.95	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	43	.	0	.	AD	FS	N	FS		

Seg ID: 2422 - Trinity Bay AU ID: 2422_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	25	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	25	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Hexachlorobutadiene (HCBd)	12/01/17	11/30/24	670	3	.	0	.	ID	NA	N	NA		
		gamma-BHC (Lindane)	12/01/17	11/30/24	0.99	3	.	0	.	ID	NA	N	NA		
		Pentachlorobenzene	12/01/17	11/30/24	44350	3	.	0	.	ID	NA	N	NA		
		Lead	12/01/17	11/30/24	218	11	.	0	.	AD	NC	N	NC		
		Zinc	12/01/17	11/30/24	410	11	.	0	.	AD	NC	N	NC		
		Nitrobenzene	12/01/17	11/30/24	8000	3	.	0	.	ID	NA	N	NA		
		Phenol (single compound)	12/01/17	11/30/24	1200	3	.	0	.	ID	NA	N	NA		
		Silver	12/01/17	11/30/24	3.7	11	.	0	.	AD	NC	N	NC		
		Parathion (ethyl)	12/01/17	11/30/24	300	3	.	0	.	ID	NA	N	NA		
		Nickel	12/01/17	11/30/24	51.6	11	.	0	.	AD	NC	N	NC		
		Pyrene	12/01/17	11/30/24	2600	3	.	0	.	ID	NA	N	NA		
		Mercury	07/25/17	11/30/24	0.71	11	.	0	.	AD	NC	N	NC		
		Naphthalene	12/01/17	11/30/24	2100	3	.	0	.	ID	NA	N	NA		
		Hexachloroethane	12/01/17	11/30/24	5640	3	.	0	.	ID	NA	N	NA		
		Fluoranthene	12/01/17	11/30/24	5100	3	.	0	.	ID	NA	N	NA		
		Fluorene	12/01/17	11/30/24	540	3	.	0	.	ID	NA	N	NA		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	1060	3	.	0	.	ID	NA	N	NA		
		Dieldrin	12/01/17	11/30/24	4.3	3	.	0	.	ID	NA	N	NA		
		Dimethyl phthalate	12/01/17	11/30/24	530	3	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	260	3	.	0	.	ID	NA	N	NA		
		DDE	12/01/17	11/30/24	374	3	.	0	.	ID	NA	N	NA		
		DDD	12/01/17	11/30/24	7.81	3	.	0	.	ID	NA	N	NA		
		Dibenzofuran	12/01/17	11/30/24	580	1	.	0	.	ID	NA	N	NA		
		DDT	12/01/17	11/30/24	4.77	3	.	0	.	ID	NA	N	NA		
		Diethyl phthalate	12/01/17	11/30/24	1100	3	.	0	.	ID	NA	N	NA		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	690	3	.	0	.	ID	NA	N	NA		
		Heptachlor	12/01/17	11/30/24	2.74	3	.	0	.	ID	NA	N	NA		
		Di-n-butyl phthalate	12/01/17	11/30/24	17000	3	.	0	.	ID	NA	N	NA		
		Phenanthrene	12/01/17	11/30/24	1500	3	.	0	.	ID	NA	N	NA		
		Cadmium	12/01/17	11/30/24	9.6	11	.	0	.	AD	NC	N	NC		
		Arachlor 1254	12/01/17	11/30/24	709	3	.	0	.	ID	NA	N	NA		
		Copper	12/01/17	11/30/24	270	11	.	0	.	AD	NC	N	NC		
		Chlordane	12/01/17	11/30/24	4.79	3	.	0	.	ID	NA	N	NA		
		Arsenic	12/01/17	11/30/24	70	11	.	0	.	AD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	2647	3	.	0	.	ID	NA	N	NA		
		Benzo(a)anthracene	12/01/17	11/30/24	1600	3	.	0	.	ID	NA	N	NA		
		PCBs	12/01/17	11/30/24	180	3	.	0	.	ID	NA	N	NA		
		Benzoic acid	12/01/17	11/30/24	650	3	.	0	.	ID	NA	N	NA		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2422 - Trinity Bay AU ID: 2422_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	2-Methylnaphthalene	12/01/17	11/30/24	670	3	.	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4440	3	.	0	.	ID	NA	N	NA		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	2320	3	.	0	.	ID	NA	N	NA		
		Chrysene	12/01/17	11/30/24	2800	3	.	0	.	ID	NA	N	NA		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1640	3	.	0	.	ID	NA	N	NA		
		Acenaphthene	12/01/17	11/30/24	500	3	.	0	.	ID	NA	N	NA		
		2-Methylphenol (o-cresol)	12/01/17	11/30/24	63	3	.	0	.	ID	NA	N	NA		
		1,3-Dichlorobenzene	12/01/17	11/30/24	1950	3	.	0	.	ID	NA	N	NA		
		2,4-Dinitrotoluene	12/01/17	11/30/24	14960	3	.	0	.	ID	NA	N	NA		
		Anthracene	12/01/17	11/30/24	1100	3	.	0	.	ID	NA	N	NA		
		Acenaphthylene	12/01/17	11/30/24	640	3	.	0	.	ID	NA	N	NA		
		Di-n-octyl phthalate	12/01/17	11/30/24	45000	3	.	0	.	ID	NA	N	NA		
		Benzyl alcohol	12/01/17	11/30/24	73	3	.	0	.	ID	NA	N	NA		
		2,4-Dimethylphenol	12/01/17	11/30/24	29	3	.	0	.	ID	NA	N	NA		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	640	3	.	0	.	ID	NA	N	NA		
		Endrin	12/01/17	11/30/24	62.4	3	.	0	.	ID	NA	N	NA		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4210	3	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	12/01/17	11/30/24	1600	3	.	0	.	ID	NA	N	NA		
		Chromium	12/01/17	11/30/24	370	11	.	0	.	AD	NC	N	NC		
Fish Consumption Use	DSHS Limited Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
General Use	High pH	pH	12/01/17	11/30/24	9	25	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	25	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	0.17	25	.	4	0.59	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.1	24	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	25	.	22	21.22	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/17	11/30/24	0.21	25	.	2	0.28	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	25	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	25	5.59	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	25	.	0	.	AD	FS	N	FS		

Seg ID: 2422B - Double Bayou West Fork AU ID: 2422B_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Depressed dissolved oxygen in water	5r
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Depressed dissolved oxygen in water	5r
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	30	.	4	2.43	SM	FS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	30	.	9	3.09	SM	CS	N	NA		
Fish Consumption Use	DSHS Limited Consumption Advisory	Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
		PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
General Use	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	1.1	30	.	5	1.46	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.46	30	.	1	1.23	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	21	29	.	10	50.37	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/17	11/30/24	0.66	29	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	Enterococcus	05/03/16	11/30/24	35	20	57.42	1	.	AD	NS	N	NS	Bacteria in water	5r

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2422D - Double Bayou East Fork Tidal AU ID: 2422D_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	28	.	1	2.3	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	28	.	3	3.09	AD	NC	N	NC		
Fish Consumption Use	DSHS Limited Consumption Advisory	Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
		PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.66	28	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	21	28	.	3	59.8	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.46	28	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.1	28	.	1	1.4	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	Enterococcus	12/02/15	11/30/24	35	20	56.55	1	.	AD	NS	N	NS	Bacteria in water	5r

Seg ID: 2422OW- Trinity Bay (Oyster Waters) AU ID: 2422OW_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Fecal coliform	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in oyster waters	4a

Seg ID: 2422OW- Trinity Bay (Oyster Waters) AU ID: 2422OW_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	No oyster waters closure	12/01/17	11/30/24	.	0	.	.	.	.	OE	FS	N	FS	

Seg ID: 2423 - East Bay AU ID: 2423_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	12	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	12	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	1,2-Dichloropropane	12/01/17	11/30/24	21520	1	.	0	.	ID	NA	N	NA		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	2320	4	.	0	.	LD	NC	N	NC		
		1,1,2-Trichloroethane	12/01/17	11/30/24	1800	1	.	0	.	ID	NA	N	NA		
		1,1,2,2-Tetrachloroethane	12/01/17	11/30/24	3690	1	.	0	.	ID	NA	N	NA		
		1,2-Dichloroethane	12/01/17	11/30/24	26260	1	.	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4440	4	.	0	.	LD	NC	N	NC		
		1,1-Dichloroethylene	12/01/17	11/30/24	92470	1	.	0	.	ID	NA	N	NA		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1640	2	.	0	.	ID	NA	N	NA		
		1,1,1-Trichloroethane	12/01/17	11/30/24	35860	1	.	0	.	ID	NA	N	NA		
		Tetrachloroethene	12/01/17	11/30/24	3210	1	.	0	.	ID	NA	N	NA		
		Silver	12/01/17	11/30/24	3.7	7	.	0	.	LD	NC	N	NC		
		Nitrobenzene	12/01/17	11/30/24	8000	4	.	0	.	LD	NC	N	NC		
		Toluene	12/01/17	11/30/24	7750	1	.	0	.	ID	NA	N	NA		
		Xylene	12/01/17	11/30/24	7620	1	.	0	.	ID	NA	N	NA		
		Trichloroethene	12/01/17	11/30/24	7300	1	.	0	.	ID	NA	N	NA		
		Styrene	12/01/17	11/30/24	22310	1	.	0	.	ID	NA	N	NA		
		Pyrene	12/01/17	11/30/24	2600	4	.	0	.	LD	NC	N	NC		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	690	4	.	0	.	LD	NC	N	NC		
		Fluoranthene	12/01/17	11/30/24	5100	4	.	0	.	LD	NC	N	NC		
		PCBs	12/01/17	11/30/24	180	4	.	0	.	LD	NC	N	NC		
		Hexachlorobutadiene (HCBd)	12/01/17	11/30/24	670	4	.	0	.	LD	NC	N	NC		
		Hexachloroethane	12/01/17	11/30/24	5640	4	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2423 - East Bay AU ID: 2423_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Nickel	12/01/17	11/30/24	51.6	7	.	0	.	LD	NC	N	NC		
		Methyl bromide	12/01/17	11/30/24	2490	1	.	0	.	ID	NA	N	NA		
		Naphthalene	12/01/17	11/30/24	2100	4	.	0	.	LD	NC	N	NC		
		Methylene chloride	12/01/17	11/30/24	22940	1	.	0	.	ID	NA	N	NA		
		Lead	12/01/17	11/30/24	218	7	.	0	.	LD	NC	N	NC		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	1060	4	.	0	.	LD	NC	N	NC		
		Heptachlor	12/01/17	11/30/24	2.74	4	.	0	.	LD	NC	N	NC		
		Fluorene	12/01/17	11/30/24	540	4	.	0	.	LD	NC	N	NC		
		Zinc	12/01/17	11/30/24	410	7	.	0	.	LD	NC	N	NC		
		Ethylbenzene	12/01/17	11/30/24	4100	1	.	0	.	ID	NA	N	NA		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	2647	4	.	0	.	LD	NC	N	NC		
		Dimethyl phthalate	12/01/17	11/30/24	530	4	.	0	.	LD	NC	N	NC		
		Phenanthrene	12/01/17	11/30/24	1500	4	.	0	.	LD	NC	N	NC		
		Chlordane	12/01/17	11/30/24	4.79	4	.	0	.	LD	NC	N	NC		
		DDT	12/01/17	11/30/24	4.77	4	.	0	.	LD	NC	N	NC		
		Phenol (single compound)	12/01/17	11/30/24	1200	4	.	0	.	LD	NC	N	NC		
		DDD	12/01/17	11/30/24	7.81	4	.	0	.	LD	NC	N	NC		
		Chromium	12/01/17	11/30/24	370	6	.	0	.	LD	NC	N	NC		
		Chrysene	12/01/17	11/30/24	2800	4	.	0	.	LD	NC	N	NC		
		Chloromethane	12/01/17	11/30/24	52430	1	.	0	.	ID	NA	N	NA		
		Chlorobenzene	12/01/17	11/30/24	8180	1	.	0	.	ID	NA	N	NA		
		Mercury	12/01/17	11/30/24	0.71	6	.	0	.	LD	NC	N	NC		
		Bromoform	12/01/17	11/30/24	10670	1	.	0	.	ID	NA	N	NA		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	640	4	.	0	.	LD	NC	N	NC		
		Benzene	12/01/17	11/30/24	4080	1	.	0	.	ID	NA	N	NA		
		Benzoic acid	12/01/17	11/30/24	650	2	.	0	.	ID	NA	N	NA		
		Parathion (ethyl)	12/01/17	11/30/24	300	4	.	0	.	LD	NC	N	NC		
		Pentachlorobenzene	12/01/17	11/30/24	44350	2	.	0	.	ID	NA	N	NA		
		gamma-BHC (Lindane)	12/01/17	11/30/24	0.99	4	.	0	.	LD	NC	N	NC		
		Carbon tetrachloride	12/01/17	11/30/24	36740	1	.	0	.	ID	NA	N	NA		
		Acenaphthene	12/01/17	11/30/24	500	4	.	0	.	LD	NC	N	NC		
		Acetone	12/01/17	11/30/24	1003360	1	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	12/01/17	11/30/24	1600	4	.	0	.	LD	NC	N	NC		
		Benzo(a)anthracene	12/01/17	11/30/24	1600	4	.	0	.	LD	NC	N	NC		
		Anthracene	12/01/17	11/30/24	1100	4	.	0	.	LD	NC	N	NC		
		Arsenic	12/01/17	11/30/24	70	7	.	0	.	LD	NC	N	NC		
		Cadmium	12/01/17	11/30/24	9.6	7	.	0	.	LD	NC	N	NC		
		DDE	12/01/17	11/30/24	374	4	.	0	.	LD	NC	N	NC		
		Arachlor 1254	12/01/17	11/30/24	709	4	.	0	.	LD	NC	N	NC		
		Copper	12/01/17	11/30/24	270	7	.	0	.	LD	NC	N	NC		
		Chloroform	12/01/17	11/30/24	8860	1	.	0	.	ID	NA	N	NA		
		Acrylonitrile	12/01/17	11/30/24	3240	1	.	0	.	ID	NA	N	NA		
		Benzyl alcohol	12/01/17	11/30/24	73	2	.	0	.	ID	NA	N	NA		
		Acenaphthylene	12/01/17	11/30/24	640	4	.	0	.	LD	NC	N	NC		
		Di-n-butyl phthalate	12/01/17	11/30/24	17000	4	.	0	.	LD	NC	N	NC		
		4-Methyl-2-Pentanone (MIBK)	12/01/17	11/30/24	272060	1	.	0	.	ID	NA	N	NA		
		Dieldrin	12/01/17	11/30/24	4.3	4	.	0	.	LD	NC	N	NC		
		2,4-Dimethylphenol	12/01/17	11/30/24	29	4	.	0	.	LD	NC	N	NC		
		2-Methylphenol (o-cresol)	12/01/17	11/30/24	63	3	.	0	.	ID	NA	N	NA		
		Endrin	12/01/17	11/30/24	62.4	4	.	0	.	LD	NC	N	NC		
		2,4-Dinitrotoluene	12/01/17	11/30/24	14960	4	.	0	.	LD	NC	N	NC		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4210	4	.	0	.	LD	NC	N	NC		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	260	4	.	0	.	LD	NC	N	NC		
		Diethyl phthalate	12/01/17	11/30/24	1100	4	.	0	.	LD	NC	N	NC		
		Di-n-octyl phthalate	12/01/17	11/30/24	45000	4	.	0	.	LD	NC	N	NC		
		2-Methylnaphthalene	12/01/17	11/30/24	670	4	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2423 - East Bay AU ID: 2423_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	1,3-Dichlorobenzene	12/01/17	11/30/24	1950	4	.	0	.	LD	NC	N	NC		
Fish Consumption Use	DSHS Limited Consumption Advisory	Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
		PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
General Use	High pH	pH	12/01/17	11/30/24	9	12	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	12	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	0.17	12	.	1	0.21	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	11	.	3	19.8	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.21	11	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.1	11	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	12	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	12	4.53	0	.	LD	NC	N	NC		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	12	.	0	.	LD	NC	N	NC		

Seg ID: 2423 - East Bay AU ID: 2423_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	30	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	30	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Dieldrin	12/01/17	11/30/24	4.3	4	.	0	.	LD	NC	N	NC		
		Xylene	12/01/17	11/30/24	7620	1	.	0	.	ID	NA	N	NA		
		Trichloroethene	12/01/17	11/30/24	7300	1	.	0	.	ID	NA	N	NA		
		Hexachloroethane	12/01/17	11/30/24	5640	4	.	0	.	LD	NC	N	NC		
		Styrene	12/01/17	11/30/24	22310	1	.	0	.	ID	NA	N	NA		
		Phenanthrene	12/01/17	11/30/24	1500	4	.	0	.	LD	NC	N	NC		
		Phenol (single compound)	12/01/17	11/30/24	1200	4	.	0	.	LD	NC	N	NC		
		Pyrene	12/01/17	11/30/24	2600	4	.	0	.	LD	NC	N	NC		
		Methylene chloride	12/01/17	11/30/24	22940	1	.	0	.	ID	NA	N	NA		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	640	4	.	0	.	LD	NC	N	NC		
		Parathion (ethyl)	12/01/17	11/30/24	300	4	.	0	.	LD	NC	N	NC		
		PCBs	12/01/17	11/30/24	180	4	.	0	.	LD	NC	N	NC		
		Pentachlorobenzene	12/01/17	11/30/24	44350	2	.	0	.	ID	NA	N	NA		
		Nitrobenzene	12/01/17	11/30/24	8000	4	.	0	.	LD	NC	N	NC		
		Nickel	12/01/17	11/30/24	51.6	7	.	0	.	LD	NC	N	NC		
		Naphthalene	12/01/17	11/30/24	2100	4	.	0	.	LD	NC	N	NC		
		Methyl bromide	12/01/17	11/30/24	2490	1	.	0	.	ID	NA	N	NA		
		Toluene	12/01/17	11/30/24	7750	1	.	0	.	ID	NA	N	NA		
		Lead	12/01/17	11/30/24	218	7	.	0	.	LD	NC	N	NC		
		Heptachlor	12/01/17	11/30/24	2.74	4	.	0	.	LD	NC	N	NC		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	690	4	.	0	.	LD	NC	N	NC		
		Fluorene	12/01/17	11/30/24	540	4	.	0	.	LD	NC	N	NC		
		Di-n-butyl phthalate	12/01/17	11/30/24	17000	4	.	0	.	LD	NC	N	NC		
		Ethylbenzene	12/01/17	11/30/24	4100	1	.	0	.	ID	NA	N	NA		
		Fluoranthene	12/01/17	11/30/24	5100	4	.	0	.	LD	NC	N	NC		
		Zinc	12/01/17	11/30/24	410	7	.	0	.	LD	NC	N	NC		
		Chloroform	12/01/17	11/30/24	8860	1	.	0	.	ID	NA	N	NA		
		Dimethyl phthalate	12/01/17	11/30/24	530	4	.	0	.	LD	NC	N	NC		
		Diethyl phthalate	12/01/17	11/30/24	1100	4	.	0	.	LD	NC	N	NC		
		Chromium	12/01/17	11/30/24	370	6	.	0	.	LD	NC	N	NC		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	260	4	.	0	.	LD	NC	N	NC		
		DDT	12/01/17	11/30/24	4.77	4	.	0	.	LD	NC	N	NC		
		DDD	12/01/17	11/30/24	7.81	4	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2423 - East Bay AU ID: 2423_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Hexachlorobutadiene (HCBD)	12/01/17	11/30/24	670	4	.	0	.	LD	NC	N	NC		
		gamma-BHC (Lindane)	12/01/17	11/30/24	0.99	4	.	0	.	LD	NC	N	NC		
		Chlorobenzene	12/01/17	11/30/24	8180	1	.	0	.	ID	NA	N	NA		
		Copper	12/01/17	11/30/24	270	7	.	0	.	LD	NC	N	NC		
		Chrysene	12/01/17	11/30/24	2800	4	.	0	.	LD	NC	N	NC		
		DDE	12/01/17	11/30/24	374	4	.	0	.	LD	NC	N	NC		
		Chloromethane	12/01/17	11/30/24	52430	1	.	0	.	ID	NA	N	NA		
		Di-n-octyl phthalate	12/01/17	11/30/24	45000	4	.	0	.	LD	NC	N	NC		
		Chlordane	12/01/17	11/30/24	4.79	4	.	0	.	LD	NC	N	NC		
		Carbon tetrachloride	12/01/17	11/30/24	36740	1	.	0	.	ID	NA	N	NA		
		Cadmium	12/01/17	11/30/24	9.6	7	.	0	.	LD	NC	N	NC		
		Bromoform	12/01/17	11/30/24	10670	1	.	0	.	ID	NA	N	NA		
		Endrin	12/01/17	11/30/24	62.4	4	.	0	.	LD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	2647	4	.	0	.	LD	NC	N	NC		
		Benzyl alcohol	12/01/17	11/30/24	73	2	.	0	.	ID	NA	N	NA		
		Benzoic acid	12/01/17	11/30/24	650	2	.	0	.	ID	NA	N	NA		
		Benzene	12/01/17	11/30/24	4080	1	.	0	.	ID	NA	N	NA		
		1,2-Dichloropropane	12/01/17	11/30/24	21520	1	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	12/01/17	11/30/24	1600	4	.	0	.	LD	NC	N	NC		
		Benzo(a)anthracene	12/01/17	11/30/24	1600	4	.	0	.	LD	NC	N	NC		
		Arachlor 1254	12/01/17	11/30/24	709	4	.	0	.	LD	NC	N	NC		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4210	4	.	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	0.71	6	.	0	.	LD	NC	N	NC		
		Silver	12/01/17	11/30/24	3.7	7	.	0	.	LD	NC	N	NC		
		Tetrachloroethene	12/01/17	11/30/24	3210	1	.	0	.	ID	NA	N	NA		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	1060	4	.	0	.	LD	NC	N	NC		
		Anthracene	12/01/17	11/30/24	1100	4	.	0	.	LD	NC	N	NC		
		2,4-Dinitrotoluene	12/01/17	11/30/24	14960	4	.	0	.	LD	NC	N	NC		
		Acrylonitrile	12/01/17	11/30/24	3240	1	.	0	.	ID	NA	N	NA		
		Acenaphthene	12/01/17	11/30/24	500	4	.	0	.	LD	NC	N	NC		
		2-Methylphenol (o-cresol)	12/01/17	11/30/24	63	3	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	12/01/17	11/30/24	670	4	.	0	.	LD	NC	N	NC		
		1,3-Dichlorobenzene	12/01/17	11/30/24	1950	4	.	0	.	LD	NC	N	NC		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	2320	4	.	0	.	LD	NC	N	NC		
		Acetone	12/01/17	11/30/24	1003360	1	.	0	.	ID	NA	N	NA		
		2,4-Dimethylphenol	12/01/17	11/30/24	29	4	.	0	.	LD	NC	N	NC		
		Acenaphthylene	12/01/17	11/30/24	640	4	.	0	.	LD	NC	N	NC		
		1,1,2,2-Tetrachloroethane	12/01/17	11/30/24	3690	1	.	0	.	ID	NA	N	NA		
		1,1,2-Trichloroethane	12/01/17	11/30/24	1800	1	.	0	.	ID	NA	N	NA		
		1,1-Dichloroethylene	12/01/17	11/30/24	92470	1	.	0	.	ID	NA	N	NA		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1640	2	.	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4440	4	.	0	.	LD	NC	N	NC		
		1,2-Dichloroethane	12/01/17	11/30/24	26260	1	.	0	.	ID	NA	N	NA		
		Arsenic	12/01/17	11/30/24	70	7	.	0	.	LD	NC	N	NC		
		4-Methyl-2-Pentanone (MIBK)	12/01/17	11/30/24	272060	1	.	0	.	ID	NA	N	NA		
		1,1,1-Trichloroethane	12/01/17	11/30/24	35860	1	.	0	.	ID	NA	N	NA		
Fish Consumption Use	DSHS Limited Consumption Advisory	Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
		PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
General Use	High pH	pH	12/01/17	11/30/24	9	30	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	30	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2423 - East Bay AU ID: 2423_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	0.17	30	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	27	.	12	24.4	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.1	27	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.21	30	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	30	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	29	4.89	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	29	.	0	.	AD	FS	N	FS		

Seg ID: 2423A - Oyster Bayou AU ID: 2423A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	15	.	2	0.93	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	15	.	3	1.9	AD	CS	N	CS	Depressed dissolved oxygen in water	
Fish Consumption Use	DSHS Limited Consumption Advisory	Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
		PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/17	11/30/24	21	15	.	8	33.31	AD	CS	N	CS	Chlorophyll-a in water	
		Nitrate	12/01/17	11/30/24	1.1	15	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.66	14	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.46	15	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	Enterococcus	12/02/14	11/30/24	35	20	38.54	1	.	AD	CN	N	CN	Bacteria in water	

Seg ID: 2423OW- East Bay (Oyster Waters) AU ID: 2423OW_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Fecal coliform	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in oyster waters	4a

Seg ID: 2423OW- East Bay (Oyster Waters) AU ID: 2423OW_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	No oyster waters closure	12/01/17	11/30/24	.	0	.	.	.	OE	FS	N	FS		

Seg ID: 2424 - West Bay AU ID: 2424_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	31	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	31	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Silver	12/01/17	11/30/24	3.7	4	.	0	.	LD	NC	N	NC		
		Zinc	12/01/17	11/30/24	410	4	.	0	.	LD	NC	N	NC		
		Phenol (single compound)	12/01/17	11/30/24	1200	3	.	0	.	ID	NA	N	NA		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	690	3	.	0	.	ID	NA	N	NA		
		PCBs	12/01/17	11/30/24	180	2	.	0	.	ID	NA	N	NA		
		Parathion (ethyl)	12/01/17	11/30/24	300	2	.	0	.	ID	NA	N	NA		
		Nitrobenzene	12/01/17	11/30/24	8000	3	.	0	.	ID	NA	N	NA		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	640	3	.	0	.	ID	NA	N	NA		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2424 - West Bay AU ID: 2424_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Mercury	12/01/17	11/30/24	0.71	3	.	0	.	ID	NA	N	NA		
		Lead	12/01/17	11/30/24	218	4	.	0	.	LD	NC	N	NC		
		Hexachloroethane	12/01/17	11/30/24	5640	3	.	0	.	ID	NA	N	NA		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	1060	3	.	0	.	ID	NA	N	NA		
		Hexachlorobutadiene (HCBD)	12/01/17	11/30/24	670	3	.	0	.	ID	NA	N	NA		
		gamma-BHC (Lindane)	12/01/17	11/30/24	0.99	2	.	0	.	ID	NA	N	NA		
		Fluorene	12/01/17	11/30/24	540	3	.	0	.	ID	NA	N	NA		
		Fluoranthene	12/01/17	11/30/24	5100	3	.	0	.	ID	NA	N	NA		
		Di-n-octyl phthalate	12/01/17	11/30/24	45000	3	.	0	.	ID	NA	N	NA		
		Endrin	12/01/17	11/30/24	62.4	2	.	0	.	ID	NA	N	NA		
		Di-n-butyl phthalate	12/01/17	11/30/24	17000	3	.	0	.	ID	NA	N	NA		
		Dimethyl phthalate	12/01/17	11/30/24	530	3	.	0	.	ID	NA	N	NA		
		Heptachlor	12/01/17	11/30/24	2.74	2	.	0	.	ID	NA	N	NA		
		Diethyl phthalate	12/01/17	11/30/24	1100	3	.	0	.	ID	NA	N	NA		
		Dieldrin	12/01/17	11/30/24	4.3	2	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	260	3	.	0	.	ID	NA	N	NA		
		DDT	12/01/17	11/30/24	4.77	2	.	0	.	ID	NA	N	NA		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	2320	3	.	0	.	ID	NA	N	NA		
		DDD	12/01/17	11/30/24	7.81	2	.	0	.	ID	NA	N	NA		
		Chrysene	12/01/17	11/30/24	2800	3	.	0	.	ID	NA	N	NA		
		Naphthalene	12/01/17	11/30/24	2100	3	.	0	.	ID	NA	N	NA		
		Phenanthrene	12/01/17	11/30/24	1500	3	.	0	.	ID	NA	N	NA		
		Nickel	12/01/17	11/30/24	51.6	4	.	0	.	LD	NC	N	NC		
		1,3-Dichlorobenzene	12/01/17	11/30/24	1950	3	.	0	.	ID	NA	N	NA		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4210	3	.	0	.	ID	NA	N	NA		
		Chromium	12/01/17	11/30/24	370	4	.	0	.	LD	NC	N	NC		
		Benzo(a)anthracene	12/01/17	11/30/24	1600	3	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	12/01/17	11/30/24	670	3	.	0	.	ID	NA	N	NA		
		Arachlor 1254	12/01/17	11/30/24	709	2	.	0	.	ID	NA	N	NA		
		2,4-Dinitrotoluene	12/01/17	11/30/24	14960	3	.	0	.	ID	NA	N	NA		
		Pentachlorobenzene	12/01/17	11/30/24	44350	2	.	0	.	ID	NA	N	NA		
		Pyrene	12/01/17	11/30/24	2600	3	.	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4440	3	.	0	.	ID	NA	N	NA		
		DDE	12/01/17	11/30/24	374	2	.	0	.	ID	NA	N	NA		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1640	2	.	0	.	ID	NA	N	NA		
		2,4-Dimethylphenol	12/01/17	11/30/24	29	3	.	0	.	ID	NA	N	NA		
		Copper	12/01/17	11/30/24	270	4	.	0	.	LD	NC	N	NC		
		2-Methylphenol (o-cresol)	12/01/17	11/30/24	63	3	.	0	.	ID	NA	N	NA		
		Anthracene	12/01/17	11/30/24	1100	3	.	0	.	ID	NA	N	NA		
		Acenaphthene	12/01/17	11/30/24	500	3	.	0	.	ID	NA	N	NA		
		Acenaphthylene	12/01/17	11/30/24	640	3	.	0	.	ID	NA	N	NA		
		Arsenic	12/01/17	11/30/24	70	4	.	0	.	LD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	2647	3	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	12/01/17	11/30/24	1600	3	.	0	.	ID	NA	N	NA		
		Cadmium	12/01/17	11/30/24	9.6	4	.	0	.	LD	NC	N	NC		
		Chlordane	12/01/17	11/30/24	4.79	2	.	0	.	ID	NA	N	NA		
		Benzyl alcohol	12/01/17	11/30/24	73	2	.	0	.	ID	NA	N	NA		
		Benzoic acid	12/01/17	11/30/24	650	2	.	0	.	ID	NA	N	NA		
Fish Consumption Use	DSHS Limited Consumption Advisory	Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
		PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
General Use	High pH	pH	12/01/17	11/30/24	9	31	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	31	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2424 - West Bay AU ID: 2424_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	29	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	26	.	3	17.63	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	29	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.1	29	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	31	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	29	5	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	29	.	0	.	AD	FS	N	FS		

Seg ID: 2424 - West Bay AU ID: 2424_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	28	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	28	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Pyrene	12/01/17	11/30/24	2600	3	.	0	.	ID	NA	N	NA		
		Silver	12/01/17	11/30/24	3.7	4	.	0	.	LD	NC	N	NC		
		Zinc	12/01/17	11/30/24	410	4	.	0	.	LD	NC	N	NC		
		PCBs	12/01/17	11/30/24	180	2	.	0	.	ID	NA	N	NA		
		Phenanthrene	12/01/17	11/30/24	1500	3	.	0	.	ID	NA	N	NA		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	690	3	.	0	.	ID	NA	N	NA		
		Phenol (single compound)	12/01/17	11/30/24	1200	3	.	0	.	ID	NA	N	NA		
		Pentachlorobenzene	12/01/17	11/30/24	44350	2	.	0	.	ID	NA	N	NA		
		Naphthalene	12/01/17	11/30/24	2100	3	.	0	.	ID	NA	N	NA		
		gamma-BHC (Lindane)	12/01/17	11/30/24	0.99	2	.	0	.	ID	NA	N	NA		
		Hexachlorobutadiene (HCBd)	12/01/17	11/30/24	670	3	.	0	.	ID	NA	N	NA		
		Fluorene	12/01/17	11/30/24	540	3	.	0	.	ID	NA	N	NA		
		Mercury	12/01/17	11/30/24	0.71	3	.	0	.	ID	NA	N	NA		
		Cadmium	12/01/17	11/30/24	9.6	4	.	0	.	LD	NC	N	NC		
		Di-n-butyl phthalate	12/01/17	11/30/24	17000	3	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	12/01/17	11/30/24	1600	3	.	0	.	ID	NA	N	NA		
		Endrin	12/01/17	11/30/24	62.4	2	.	0	.	ID	NA	N	NA		
		Dieldrin	12/01/17	11/30/24	4.3	2	.	0	.	ID	NA	N	NA		
		Diethyl phthalate	12/01/17	11/30/24	1100	3	.	0	.	ID	NA	N	NA		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4210	3	.	0	.	ID	NA	N	NA		
		DDT	12/01/17	11/30/24	4.77	2	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	12/01/17	11/30/24	670	3	.	0	.	ID	NA	N	NA		
		Chrysene	12/01/17	11/30/24	2800	3	.	0	.	ID	NA	N	NA		
		DDD	12/01/17	11/30/24	7.81	2	.	0	.	ID	NA	N	NA		
		DDE	12/01/17	11/30/24	374	2	.	0	.	ID	NA	N	NA		
		2-Methylphenol (o-cresol)	12/01/17	11/30/24	63	3	.	0	.	ID	NA	N	NA		
		Chromium	12/01/17	11/30/24	370	4	.	0	.	LD	NC	N	NC		
		Heptachlor	12/01/17	11/30/24	2.74	2	.	0	.	ID	NA	N	NA		
		Lead	12/01/17	11/30/24	218	4	.	0	.	LD	NC	N	NC		
		Chlordane	12/01/17	11/30/24	4.79	2	.	0	.	ID	NA	N	NA		
		Acenaphthylene	12/01/17	11/30/24	640	3	.	0	.	ID	NA	N	NA		
		Arachlor 1254	12/01/17	11/30/24	709	2	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	260	3	.	0	.	ID	NA	N	NA		
		Dimethyl phthalate	12/01/17	11/30/24	530	3	.	0	.	ID	NA	N	NA		
		2,4-Dinitrotoluene	12/01/17	11/30/24	14960	3	.	0	.	ID	NA	N	NA		
		Benzyl alcohol	12/01/17	11/30/24	73	2	.	0	.	ID	NA	N	NA		
		Benzoic acid	12/01/17	11/30/24	650	2	.	0	.	ID	NA	N	NA		
		Benzo(a)anthracene	12/01/17	11/30/24	1600	3	.	0	.	ID	NA	N	NA		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	1060	3	.	0	.	ID	NA	N	NA		
		Hexachloroethane	12/01/17	11/30/24	5640	3	.	0	.	ID	NA	N	NA		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2424 - West Bay AU ID: 2424_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Arsenic	12/01/17	11/30/24	70	4	.	0	.	LD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	2647	3	.	0	.	ID	NA	N	NA		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	640	3	.	0	.	ID	NA	N	NA		
		Anthracene	12/01/17	11/30/24	1100	3	.	0	.	ID	NA	N	NA		
		Parathion (ethyl)	12/01/17	11/30/24	300	2	.	0	.	ID	NA	N	NA		
		Acenaphthene	12/01/17	11/30/24	500	3	.	0	.	ID	NA	N	NA		
		Copper	12/01/17	11/30/24	270	4	.	0	.	LD	NC	N	NC		
		Nickel	12/01/17	11/30/24	51.6	4	.	0	.	LD	NC	N	NC		
		Di-n-octyl phthalate	12/01/17	11/30/24	45000	3	.	0	.	ID	NA	N	NA		
		2,4-Dimethylphenol	12/01/17	11/30/24	29	3	.	0	.	ID	NA	N	NA		
		Fluoranthene	12/01/17	11/30/24	5100	3	.	0	.	ID	NA	N	NA		
		1,3-Dichlorobenzene	12/01/17	11/30/24	1950	3	.	0	.	ID	NA	N	NA		
		Nitrobenzene	12/01/17	11/30/24	8000	3	.	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4440	3	.	0	.	ID	NA	N	NA		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	2320	3	.	0	.	ID	NA	N	NA		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1640	2	.	0	.	ID	NA	N	NA		
Fish Consumption Use	DSHS Limited Consumption Advisory	Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
		PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
General Use	High pH	pH	12/01/17	11/30/24	9	28	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	28	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Ammonia	12/01/17	11/30/24	0.1	25	.	3	0.67	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.21	28	.	5	1.25	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	27	.	3	3.87	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	28	.	0	.	AD	NC	N	NC		
Water Temperature	Water temperature	12/01/17	11/30/24	35	28	.	0	.	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	28	7.26	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	28	.	0	.	AD	FS	N	FS		

Seg ID: 2424A - Highland Bayou AU ID: 2424A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	28	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	28	.	1	3.43	AD	NC	N	NC		
Fish Consumption Use	DSHS Limited Consumption Advisory	Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
		PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
General Use	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	1.1	27	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.46	28	.	1	1	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.66	28	.	1	0.96	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	21	28	.	1	26	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	28	39.93	1	.	AD	CN	N	CN	Bacteria in water	

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2424A - Highland Bayou AU ID: 2424A_02																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CN	Depressed dissolved oxygen in water		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	28	.	0	.	SM	FS	N	NA			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	28	.	1	3.4	AD	NC	N	NC			
Fish Consumption Use	DSHS Limited Consumption Advisory	Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c	
		PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c	
General Use	Nutrient Screening Levels	Ammonia	12/01/17	11/30/24	0.46	28	.	1	0.8	AD	NC	N	NC			
		Nitrate	12/01/17	11/30/24	1.1	27	.	2	1.39	AD	NC	N	NC			
		Total phosphorus	12/01/17	11/30/24	0.66	28	.	1	0.68	AD	NC	N	NC			
		Chlorophyll-a	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Chlorophyll-a in water		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	28	78.01	1	.	AD	NS	N	NS	Bacteria in water	5r	

Seg ID: 2424A - Highland Bayou AU ID: 2424A_03																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	28	.	5	1.68	AD	NS	N	NS	Depressed dissolved oxygen in water	5r	
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	28	.	7	2.24	AD	CS	N	CS	Depressed dissolved oxygen in water		
Fish Consumption Use	DSHS Limited Consumption Advisory	Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c	
		PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c	
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Chlorophyll-a in water		
		Ammonia	12/01/17	11/30/24	0.46	28	.	1	0.9	AD	NC	N	NC			
		Total phosphorus	12/01/17	11/30/24	0.66	28	.	2	0.89	AD	NC	N	NC			
		Nitrate	12/01/17	11/30/24	1.1	27	.	8	2.43	AD	CS	N	CS	Nitrate in water		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	28	120.62	1	.	AD	NS	N	NS	Bacteria in water	5r	

Seg ID: 2424A - Highland Bayou AU ID: 2424A_04																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	27	.	9	1.52	AD	NS	N	NS	Depressed dissolved oxygen in water	5r	
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	27	.	18	2.44	AD	CS	N	CS	Depressed dissolved oxygen in water		
Fish Consumption Use	DSHS Limited Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c	
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.66	27	.	3	0.98	AD	NC	N	NC			
		Ammonia	12/01/17	11/30/24	0.46	27	.	4	1.15	AD	NC	N	NC			
		Nitrate	12/01/17	11/30/24	1.1	26	.	0	.	AD	NC	N	NC			
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	27	238.01	1	.	AD	NS	N	NS	Bacteria in water	5r	

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2424A - Highland Bayou AU ID: 2424A_05															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Depressed dissolved oxygen in water	5r
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Depressed dissolved oxygen in water	5r
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	28	.	14	1.76	SM	NS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	28	.	17	2.09	SM	CS	N	NA		
Fish Consumption Use	DSHS Limited Consumption Advisory	Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
		PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
General Use	Nutrient Screening Levels	Ammonia	12/01/17	11/30/24	0.46	28	.	2	2.25	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Chlorophyll-a in water	
		Nitrate	12/01/17	11/30/24	1.1	27	.	1	2.77	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.66	28	.	2	0.72	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	27	133.35	1	.	AD	NS	N	NS	Bacteria in water	5r

Seg ID: 2424B - Lake Madeline AU ID: 2424B_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	4	5	.	0	.	TR	NC	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	3	5	.	0	.	TR	NC	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	28	.	8	1.85	AD	NS	N	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	28	.	13	2.5	AD	CS	N	CS	Depressed dissolved oxygen in water	
Fish Consumption Use	DSHS Limited Consumption Advisory	Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
		PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
General Use	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	0.17	27	.	7	1.57	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.21	28	.	15	0.5	AD	CS	N	CS	Total Phosphorus in water	
		Ammonia	12/01/17	11/30/24	0.1	25	.	2	0.7	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	28	.	24	38.13	AD	CS	N	CS	Chlorophyll-a in water	
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	27	13.06	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	27	.	2	305	AD	FS	N	FS		

Seg ID: 2424C - Marchand Bayou AU ID: 2424C_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CN	Depressed dissolved oxygen in water	
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Depressed dissolved oxygen in water	5r
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	28	.	6	1.89	SM	NS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	28	.	10	2.53	SM	CS	N	NA		
General Use	Nutrient Screening Levels	Ammonia	12/01/17	11/30/24	0.46	28	.	4	0.68	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.1	27	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.66	28	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	28	177.86	1	.	AD	NS	N	NS	Bacteria in water	5r

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2424D - Offatts Bayou AU ID: 2424D_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Fish Consumption Use	DSHS Limited Consumption Advisory	Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
		PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c

Seg ID: 2424D - Offatts Bayou AU ID: 2424D_02																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	28	.	0	.	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	28	.	4	3.64	AD	CS	N	CS	Depressed dissolved oxygen in water		
Fish Consumption Use	DSHS Limited Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c	
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c	
General Use	Nutrient Screening Levels	Ammonia	12/01/17	11/30/24	0.1	25	.	4	0.45	AD	NC	N	NC			
		Nitrate	12/01/17	11/30/24	0.17	27	.	3	3.14	AD	NC	N	NC			
		Chlorophyll-a	12/01/17	11/30/24	11.6	28	.	14	47.36	AD	CS	N	CS	Chlorophyll-a in water		
		Total phosphorus	12/01/17	11/30/24	0.21	28	.	7	1	AD	NC	N	NC			
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	27	7.74	0	.	AD	FS	N	FS			
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	27	.	0	.	AD	FS	N	FS			

Seg ID: 2424D - Offatts Bayou AU ID: 2424D_03																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	28	.	0	.	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	28	.	0	.	AD	NC	N	NC			
Fish Consumption Use	DSHS Limited Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c	
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c	
General Use	Nutrient Screening Levels	Ammonia	12/01/17	11/30/24	0.1	25	.	1	1.4	AD	NC	N	NC			
		Nitrate	12/01/17	11/30/24	0.17	27	.	3	3.77	AD	NC	N	NC			
		Total phosphorus	12/01/17	11/30/24	0.21	28	.	4	1.26	AD	NC	N	NC			
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	28	8.81	0	.	AD	FS	N	FS			
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	28	.	1	620	AD	FS	N	FS			

Seg ID: 2424E - English Bayou AU ID: 2424E_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	28	.	3	2.32	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	28	.	6	3.04	AD	CS	N	CS	Depressed dissolved oxygen in water		
Fish Consumption Use	DSHS Limited Consumption Advisory	Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c	
		PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c	

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2424E - English Bayou AU ID: 2424E_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Ammonia	12/01/17	11/30/24	0.1	25	.	4	0.5	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.21	28	.	5	0.79	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	27	.	1	10.3	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	28	.	11	21.45	AD	CS	N	CS	Chlorophyll-a in water	
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	28	13.46	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	28	.	3	1496.67	AD	FS	N	FS		

Seg ID: 2424F - Crash Basin AU ID: 2424F_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Fish Consumption Use	DSHS Limited Consumption Advisory	Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
		PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c

Seg ID: 2424G - Highland Bayou Diversion Canal AU ID: 2424G_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	28	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	28	.	1	3.9	AD	NC	N	NC		
Fish Consumption Use	DSHS Limited Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
General Use	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	1.1	27	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.46	28	.	3	0.6	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.66	28	.	1	1.59	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	27	25.48	0	.	AD	FS	N	FS		

Seg ID: 2424H - Intercoastal Waterway AU ID: 2424H_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Lead (dissolved)	12/01/17	11/30/24	133	2	.	0	.	ID	NA	N	NA		
		Nickel (dissolved)	12/01/17	11/30/24	118	3	.	0	.	ID	NA	N	NA		
		Cadmium (dissolved)	12/01/17	11/30/24	40	3	.	0	.	ID	NA	N	NA		
		Selenium	12/01/17	11/30/24	564	3	.	0	.	ID	NA	N	NA		
		Mercury	12/01/17	11/30/24	2.1	2	.	0	.	ID	NA	N	NA		
		Zinc (dissolved)	12/01/17	11/30/24	92.7	3	.	0	.	ID	NA	N	NA		
		Copper (dissolved)	12/01/17	11/30/24	13.5	3	.	0	.	ID	NA	N	NA		
		Arsenic (dissolved)	12/01/17	11/30/24	149	3	.	0	.	ID	NA	N	NA		
	Chronic Toxic Substances in water	Arsenic (dissolved)	12/01/17	11/30/24	78	3	27.08	0	.	ID	NA	N	NA		
		Selenium	12/01/17	11/30/24	136	3	5.42	0	.	ID	NA	N	NA		
		Copper (dissolved)	12/01/17	11/30/24	3.6	3	1.53	0	.	ID	NA	N	NA		
		Cadmium (dissolved)	12/01/17	11/30/24	8.75	3	1.08	0	.	ID	NA	N	NA		
		Nickel (dissolved)	12/01/17	11/30/24	13.1	3	5.2	0	.	ID	NA	N	NA		
		Lead (dissolved)	12/01/17	11/30/24	5.3	2	0.44	0	.	ID	NA	N	NA		
		Zinc (dissolved)	12/01/17	11/30/24	84.2	3	14	0	.	ID	NA	N	NA		
		Mercury	12/01/17	11/30/24	1.1	2	0	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	4	.	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	4	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2424H - Intercoastal Waterway AU ID: 2424H_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Zinc	12/01/17	11/30/24	410	4	.	0	.	LD	NC	N	NC		
		Silver	12/01/17	11/30/24	3.7	4	.	0	.	LD	NC	N	NC		
		Phenol (single compound)	12/01/17	11/30/24	1200	3	.	0	.	ID	NA	N	NA		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	690	3	.	0	.	ID	NA	N	NA		
		Pentachlorobenzene	12/01/17	11/30/24	44350	2	.	0	.	ID	NA	N	NA		
		PCBs	12/01/17	11/30/24	180	3	.	0	.	ID	NA	N	NA		
		Nitrobenzene	12/01/17	11/30/24	8000	3	.	0	.	ID	NA	N	NA		
		Nickel	12/01/17	11/30/24	51.6	4	.	0	.	LD	NC	N	NC		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	640	3	.	0	.	ID	NA	N	NA		
		Mercury	12/01/17	11/30/24	0.71	3	.	0	.	ID	NA	N	NA		
		Lead	12/01/17	11/30/24	218	4	.	0	.	LD	NC	N	NC		
		Hexachloroethane	12/01/17	11/30/24	5640	3	.	0	.	ID	NA	N	NA		
		gamma-BHC (Lindane)	12/01/17	11/30/24	0.99	3	.	0	.	ID	NA	N	NA		
		Fluorene	12/01/17	11/30/24	540	3	.	0	.	ID	NA	N	NA		
		Endrin	12/01/17	11/30/24	62.4	3	.	0	.	ID	NA	N	NA		
		Di-n-octyl phthalate	12/01/17	11/30/24	45000	3	.	0	.	ID	NA	N	NA		
		Diethyl phthalate	12/01/17	11/30/24	1100	3	.	0	.	ID	NA	N	NA		
		Dimethyl phthalate	12/01/17	11/30/24	530	3	.	0	.	ID	NA	N	NA		
		Dieldrin	12/01/17	11/30/24	4.3	3	.	0	.	ID	NA	N	NA		
		DDT	12/01/17	11/30/24	4.77	3	.	0	.	ID	NA	N	NA		
		DDD	12/01/17	11/30/24	7.81	3	.	0	.	ID	NA	N	NA		
		Chrysene	12/01/17	11/30/24	2800	3	.	0	.	ID	NA	N	NA		
		Chromium	12/01/17	11/30/24	370	4	.	0	.	LD	NC	N	NC		
		Chlordane	12/01/17	11/30/24	4.79	3	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	260	3	.	0	.	ID	NA	N	NA		
		DDE	12/01/17	11/30/24	374	3	.	0	.	ID	NA	N	NA		
		Copper	12/01/17	11/30/24	270	4	.	0	.	LD	NC	N	NC		
		Di-n-butyl phthalate	12/01/17	11/30/24	17000	3	.	0	.	ID	NA	N	NA		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	2647	3	.	0	.	ID	NA	N	NA		
		Benzyl alcohol	12/01/17	11/30/24	73	2	.	0	.	ID	NA	N	NA		
		Benzoic acid	12/01/17	11/30/24	650	2	.	0	.	ID	NA	N	NA		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	2320	3	.	0	.	ID	NA	N	NA		
		Fluoranthene	12/01/17	11/30/24	5100	3	.	0	.	ID	NA	N	NA		
		Benzo(a)anthracene	12/01/17	11/30/24	1600	3	.	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4440	3	.	0	.	ID	NA	N	NA		
		Arsenic	12/01/17	11/30/24	70	4	.	0	.	LD	NC	N	NC		
		1,3-Dichlorobenzene	12/01/17	11/30/24	1950	3	.	0	.	ID	NA	N	NA		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4210	3	.	0	.	ID	NA	N	NA		
		Arachlor 1254	12/01/17	11/30/24	709	3	.	0	.	ID	NA	N	NA		
		Acenaphthylene	12/01/17	11/30/24	640	3	.	0	.	ID	NA	N	NA		
		Acenaphthene	12/01/17	11/30/24	500	3	.	0	.	ID	NA	N	NA		
		2,4-Dimethylphenol	12/01/17	11/30/24	29	3	.	0	.	ID	NA	N	NA		
		2-Methylphenol (o-cresol)	12/01/17	11/30/24	63	3	.	0	.	ID	NA	N	NA		
		Heptachlor	12/01/17	11/30/24	2.74	3	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	12/01/17	11/30/24	670	3	.	0	.	ID	NA	N	NA		
		Cadmium	12/01/17	11/30/24	9.6	4	.	0	.	LD	NC	N	NC		
		Anthracene	12/01/17	11/30/24	1100	3	.	0	.	ID	NA	N	NA		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1640	2	.	0	.	ID	NA	N	NA		
		Naphthalene	12/01/17	11/30/24	2100	3	.	0	.	ID	NA	N	NA		
		Parathion (ethyl)	12/01/17	11/30/24	300	3	.	0	.	ID	NA	N	NA		
		Phenanthrene	12/01/17	11/30/24	1500	3	.	0	.	ID	NA	N	NA		
		Pyrene	12/01/17	11/30/24	2600	3	.	0	.	ID	NA	N	NA		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	1060	3	.	0	.	ID	NA	N	NA		
		2,4-Dinitrotoluene	12/01/17	11/30/24	14960	3	.	0	.	ID	NA	N	NA		
		Hexachlorobutadiene (HCBD)	12/01/17	11/30/24	670	3	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	12/01/17	11/30/24	1600	3	.	0	.	ID	NA	N	NA		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2424H - Intercoastal Waterway AU ID: 2424H_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Fish Consumption Use	HH Bioaccumulative Toxics in water	Mercury	12/01/17	11/30/24	0.03	2	0	0	.	ID	NA	N	NA		
		Lead (dissolved)	12/01/17	11/30/24	3.83	2	0.44	0	.	ID	NA	N	NA		
		Nickel (dissolved)	12/01/17	11/30/24	1140	3	17.5	0	.	ID	NA	N	NA		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.66	4	.	0	.	LD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	21	3	.	0	.	ID	NA	N	NA		
		Ammonia	12/01/17	11/30/24	0.46	4	.	0	.	LD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.1	4	.	0	.	LD	NC	N	NC		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	3	15.57	0	.	ID	NA	N	NA		

Seg ID: 2424I - McGinnes Canal AU ID: 2424I_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Zinc (dissolved)	12/01/17	11/30/24	92.7	3	.	0	.	ID	NA	N	NA		
		Selenium	12/01/17	11/30/24	564	3	.	0	.	ID	NA	N	NA		
		Nickel (dissolved)	12/01/17	11/30/24	118	3	.	0	.	ID	NA	N	NA		
		Mercury	12/01/17	11/30/24	2.1	2	.	0	.	ID	NA	N	NA		
		Lead (dissolved)	12/01/17	11/30/24	133	3	.	0	.	ID	NA	N	NA		
		Copper (dissolved)	12/01/17	11/30/24	13.5	3	.	0	.	ID	NA	N	NA		
		Cadmium (dissolved)	12/01/17	11/30/24	40	3	.	0	.	ID	NA	N	NA		
		Arsenic (dissolved)	12/01/17	11/30/24	149	3	.	0	.	ID	NA	N	NA		
	Chronic Toxic Substances in water	Zinc (dissolved)	12/01/17	11/30/24	84.2	3	14	0	.	ID	NA	N	NA		
		Selenium	12/01/17	11/30/24	136	3	5.42	0	.	ID	NA	N	NA		
		Nickel (dissolved)	12/01/17	11/30/24	13.1	3	5.2	0	.	ID	NA	N	NA		
		Mercury	12/01/17	11/30/24	1.1	2	0	0	.	ID	NA	N	NA		
		Arsenic (dissolved)	12/01/17	11/30/24	78	3	27.08	0	.	ID	NA	N	NA		
		Cadmium (dissolved)	12/01/17	11/30/24	8.75	3	1.08	0	.	ID	NA	N	NA		
		Copper (dissolved)	12/01/17	11/30/24	3.6	3	1.53	0	.	ID	NA	N	NA		
		Lead (dissolved)	12/01/17	11/30/24	5.3	3	0.54	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	4	.	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	4	.	1	3.33	LD	NC	N	NC		
	Toxic Substances in sediment	Zinc	12/01/17	11/30/24	410	4	.	0	.	LD	NC	N	NC		
		Silver	12/01/17	11/30/24	3.7	4	.	0	.	LD	NC	N	NC		
		Pentachlorobenzene	12/01/17	11/30/24	44350	2	.	0	.	ID	NA	N	NA		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	690	3	.	0	.	ID	NA	N	NA		
		PCBs	12/01/17	11/30/24	180	3	.	0	.	ID	NA	N	NA		
		Phenanthrene	12/01/17	11/30/24	1500	3	.	0	.	ID	NA	N	NA		
		Parathion (ethyl)	12/01/17	11/30/24	300	3	.	0	.	ID	NA	N	NA		
		Nitrobenzene	12/01/17	11/30/24	8000	3	.	0	.	ID	NA	N	NA		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	640	3	.	0	.	ID	NA	N	NA		
		Mercury	12/01/17	11/30/24	0.71	3	.	0	.	ID	NA	N	NA		
		Lead	12/01/17	11/30/24	218	4	.	0	.	LD	NC	N	NC		
		Hexachlorobutadiene (HCBd)	12/01/17	11/30/24	670	3	.	0	.	ID	NA	N	NA		
		gamma-BHC (Lindane)	12/01/17	11/30/24	0.99	3	.	0	.	ID	NA	N	NA		
		Fluorene	12/01/17	11/30/24	540	3	.	0	.	ID	NA	N	NA		
		Fluoranthene	12/01/17	11/30/24	5100	3	.	0	.	ID	NA	N	NA		
		Di-n-octyl phthalate	12/01/17	11/30/24	45000	3	.	0	.	ID	NA	N	NA		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	1060	3	.	0	.	ID	NA	N	NA		
		Di-n-butyl phthalate	12/01/17	11/30/24	17000	3	.	0	.	ID	NA	N	NA		
		Dimethyl phthalate	12/01/17	11/30/24	530	3	.	0	.	ID	NA	N	NA		
		Dieldrin	12/01/17	11/30/24	4.3	3	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	260	3	.	0	.	ID	NA	N	NA		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2424I - McGinnes Canal AU ID: 2424I_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	DDT	12/01/17	11/30/24	4.77	3	.	0	.	ID	NA	N	NA		
		DDD	12/01/17	11/30/24	7.81	3	.	0	.	ID	NA	N	NA		
		Copper	12/01/17	11/30/24	270	4	.	0	.	LD	NC	N	NC		
		Chrysene	12/01/17	11/30/24	2800	3	.	0	.	ID	NA	N	NA		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	2647	3	.	0	.	ID	NA	N	NA		
		Benzyl alcohol	12/01/17	11/30/24	73	2	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	12/01/17	11/30/24	1600	3	.	0	.	ID	NA	N	NA		
		Benzo(a)anthracene	12/01/17	11/30/24	1600	3	.	0	.	ID	NA	N	NA		
		DDE	12/01/17	11/30/24	374	3	.	0	.	ID	NA	N	NA		
		Pyrene	12/01/17	11/30/24	2600	3	.	0	.	ID	NA	N	NA		
		Phenol (single compound)	12/01/17	11/30/24	1200	3	.	0	.	ID	NA	N	NA		
		Diethyl phthalate	12/01/17	11/30/24	1100	3	.	0	.	ID	NA	N	NA		
		Arsenic	12/01/17	11/30/24	70	4	.	0	.	LD	NC	N	NC		
		Acenaphthylene	12/01/17	11/30/24	640	3	.	0	.	ID	NA	N	NA		
		Nickel	12/01/17	11/30/24	51.6	4	.	0	.	LD	NC	N	NC		
		Endrin	12/01/17	11/30/24	62.4	3	.	0	.	ID	NA	N	NA		
		Naphthalene	12/01/17	11/30/24	2100	3	.	0	.	ID	NA	N	NA		
		Hexachloroethane	12/01/17	11/30/24	5640	3	.	0	.	ID	NA	N	NA		
		Heptachlor	12/01/17	11/30/24	2.74	3	.	0	.	ID	NA	N	NA		
		2-Methylphenol (o-cresol)	12/01/17	11/30/24	63	3	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	12/01/17	11/30/24	670	3	.	0	.	ID	NA	N	NA		
		Acenaphthene	12/01/17	11/30/24	500	3	.	0	.	ID	NA	N	NA		
		2,4-Dinitrotoluene	12/01/17	11/30/24	14960	3	.	0	.	ID	NA	N	NA		
		2,4-Dimethylphenol	12/01/17	11/30/24	29	3	.	0	.	ID	NA	N	NA		
		Arachlor 1254	12/01/17	11/30/24	709	3	.	0	.	ID	NA	N	NA		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4210	3	.	0	.	ID	NA	N	NA		
		Anthracene	12/01/17	11/30/24	1100	3	.	0	.	ID	NA	N	NA		
		1,3-Dichlorobenzene	12/01/17	11/30/24	1950	3	.	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4440	3	.	0	.	ID	NA	N	NA		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	2320	3	.	0	.	ID	NA	N	NA		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1640	2	.	0	.	ID	NA	N	NA		
		Benzoic acid	12/01/17	11/30/24	650	2	.	0	.	ID	NA	N	NA		
		Cadmium	12/01/17	11/30/24	9.6	4	.	0	.	LD	NC	N	NC		
		Chromium	12/01/17	11/30/24	370	4	.	0	.	LD	NC	N	NC		
		Chlordane	12/01/17	11/30/24	4.79	3	.	0	.	ID	NA	N	NA		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/17	11/30/24	1140	3	17.5	0	.	ID	NA	N	NA		
		Lead (dissolved)	12/01/17	11/30/24	3.83	3	0.54	0	.	ID	NA	N	NA		
		Mercury	12/01/17	11/30/24	0.03	2	0	0	.	ID	NA	N	NA		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.66	3	.	0	.	ID	NA	N	NA		
		Chlorophyll-a	12/01/17	11/30/24	21	3	.	0	.	ID	NA	N	NA		
		Ammonia	12/01/17	11/30/24	0.46	4	.	0	.	LD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.1	4	.	0	.	LD	NC	N	NC		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	4	7.35	0	.	ID	NA	N	NA		

Seg ID: 2424OW- West Bay (Oyster Waters) AU ID: 2424OW_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	No oyster waters closure	12/01/17	11/30/24	.	0	.	.	.	OE	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2424OW- West Bay (Oyster Waters) AU ID: 2424OW_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Fecal coliform	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in oyster waters	4a

Seg ID: 2424SP- Galveston Island State Park - Bayside (Recreational Beaches) AU ID: 2424SP_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreational Beaches	Texas Beach Watch Program Advisories	Enterococcus	12/01/17	11/30/24	.	0	.	.	.	OE	FS	N	FS		

Seg ID: 2425 - Clear Lake AU ID: 2425_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Zinc (dissolved)	12/01/17	11/30/24	92.7	8	.	0	.	LD	NC	N	NC		
		Selenium	07/28/16	11/30/24	564	10	.	0	.	AD	FS	N	FS		
		Nickel (dissolved)	07/28/16	11/30/24	118	10	.	0	.	AD	FS	N	FS		
		Mercury	12/01/17	11/30/24	2.1	6	.	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/17	11/30/24	133	8	.	0	.	LD	NC	N	NC		
		Copper (dissolved)	12/01/17	11/30/24	13.5	8	.	0	.	LD	NC	N	NC		
		Cadmium (dissolved)	07/28/16	11/30/24	40	10	.	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	12/01/17	11/30/24	149	8	.	0	.	LD	NC	N	NC		
	Chronic Toxic Substances in water	Zinc (dissolved)	12/01/17	11/30/24	84.2	8	8.75	0	.	LD	NC	N	NC		
		Selenium	07/28/16	11/30/24	136	10	3.85	0	.	AD	FS	N	FS		
		Nickel (dissolved)	07/28/16	11/30/24	13.1	10	3.72	0	.	AD	FS	N	FS		
		Mercury	12/01/17	11/30/24	1.1	6	0	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/17	11/30/24	5.3	8	0.26	0	.	LD	NC	N	NC		
		Copper (dissolved)	12/01/17	11/30/24	3.6	8	3.28	0	.	LD	NC	Y	NS	Copper in water	5c
		Cadmium (dissolved)	07/28/16	11/30/24	8.75	10	0.48	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	12/01/17	11/30/24	78	8	13.13	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	64	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	64	.	1	3.33	AD	NC	N	NC		
	Toxic Substances in sediment	Zinc	12/01/17	11/30/24	410	8	.	0	.	LD	NC	N	NC		
		Xylene	12/01/17	11/30/24	7620	1	.	0	.	ID	NA	N	NA		
		Trichloroethene	12/01/17	11/30/24	7300	1	.	0	.	ID	NA	N	NA		
		Toluene	12/01/17	11/30/24	7750	1	.	0	.	ID	NA	N	NA		
		Tetrachloroethene	12/01/17	11/30/24	3210	1	.	0	.	ID	NA	N	NA		
		Styrene	12/01/17	11/30/24	22310	1	.	0	.	ID	NA	N	NA		
		Silver	12/01/17	11/30/24	3.7	8	.	0	.	LD	NC	N	NC		
		Phenol (single compound)	12/01/17	11/30/24	1200	5	.	0	.	LD	NC	N	NC		
		Phenanthrene	12/01/17	11/30/24	1500	5	.	0	.	LD	NC	N	NC		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	690	5	.	0	.	LD	NC	N	NC		
		Pentachlorobenzene	12/01/17	11/30/24	44350	4	.	0	.	LD	NC	N	NC		
		PCBs	12/01/17	11/30/24	180	3	.	0	.	ID	NA	N	NA		
		Nitrobenzene	12/01/17	11/30/24	8000	5	.	0	.	LD	NC	N	NC		
		Methylene chloride	12/01/17	11/30/24	22940	1	.	0	.	ID	NA	N	NA		
		Methyl bromide	12/01/17	11/30/24	2490	1	.	0	.	ID	NA	N	NA		
		Hexachloroethane	12/01/17	11/30/24	5640	5	.	0	.	LD	NC	N	NC		
		Hexachlorobutadiene (HCBD)	12/01/17	11/30/24	670	5	.	0	.	LD	NC	N	NC		
		Lead	12/01/17	11/30/24	218	8	.	0	.	LD	NC	N	NC		
		gamma-BHC (Lindane)	12/01/17	11/30/24	0.99	3	.	0	.	ID	NA	N	NA		
		Fluorene	12/01/17	11/30/24	540	5	.	0	.	LD	NC	N	NC		
		Dimethyl phthalate	12/01/17	11/30/24	530	5	.	0	.	LD	NC	N	NC		
		Endrin	12/01/17	11/30/24	62.4	3	.	0	.	ID	NA	N	NA		
		Di-n-octyl phthalate	12/01/17	11/30/24	45000	5	.	0	.	LD	NC	N	NC		
		Diethyl phthalate	12/01/17	11/30/24	1100	5	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2425 - Clear Lake AU ID: 2425_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Dibenzofuran	12/01/17	11/30/24	580	1	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	260	5	.	0	.	LD	NC	N	NC		
		Dieldrin	12/01/17	11/30/24	4.3	3	.	0	.	ID	NA	N	NA		
		DDT	12/01/17	11/30/24	4.77	3	.	0	.	ID	NA	N	NA		
		DDD	12/01/17	11/30/24	7.81	3	.	0	.	ID	NA	N	NA		
		Copper	12/01/17	11/30/24	270	8	.	0	.	LD	NC	N	NC		
		Chrysene	12/01/17	11/30/24	2800	5	.	0	.	LD	NC	N	NC		
		Chromium	12/01/17	11/30/24	370	7	.	0	.	LD	NC	N	NC		
		Chloromethane	12/01/17	11/30/24	52430	1	.	0	.	ID	NA	N	NA		
		Ethylbenzene	12/01/17	11/30/24	4100	1	.	0	.	ID	NA	N	NA		
		Di-n-butyl phthalate	12/01/17	11/30/24	17000	5	.	0	.	LD	NC	N	NC		
		DDE	12/01/17	11/30/24	374	3	.	0	.	ID	NA	N	NA		
		Chloroform	12/01/17	11/30/24	8860	1	.	0	.	ID	NA	N	NA		
		Fluoranthene	12/01/17	11/30/24	5100	5	.	0	.	LD	NC	N	NC		
		Heptachlor	12/01/17	11/30/24	2.74	3	.	0	.	ID	NA	N	NA		
		Chlorobenzene	12/01/17	11/30/24	8180	1	.	0	.	ID	NA	N	NA		
		Chlordane	12/01/17	11/30/24	4.79	3	.	0	.	ID	NA	N	NA		
		Carbon tetrachloride	12/01/17	11/30/24	36740	1	.	0	.	ID	NA	N	NA		
		Cadmium	12/01/17	11/30/24	9.6	8	.	0	.	LD	NC	N	NC		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	1060	5	.	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	0.71	6	.	0	.	LD	NC	N	NC		
		Bromoform	12/01/17	11/30/24	10670	1	.	0	.	ID	NA	N	NA		
		Naphthalene	12/01/17	11/30/24	2100	5	.	0	.	LD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	2647	5	.	0	.	LD	NC	N	NC		
		Benzyl alcohol	12/01/17	11/30/24	73	4	.	0	.	LD	NC	N	NC		
		Benzoic acid	12/01/17	11/30/24	650	4	.	0	.	LD	NC	N	NC		
		Benzo(a)pyrene	12/01/17	11/30/24	1600	5	.	0	.	LD	NC	N	NC		
		Benzo(a)anthracene	12/01/17	11/30/24	1600	5	.	0	.	LD	NC	N	NC		
		Parathion (ethyl)	12/01/17	11/30/24	300	3	.	0	.	ID	NA	N	NA		
		Benzene	12/01/17	11/30/24	4080	1	.	0	.	ID	NA	N	NA		
		Arsenic	12/01/17	11/30/24	70	8	.	0	.	LD	NC	N	NC		
		Arachlor 1254	12/01/17	11/30/24	709	3	.	0	.	ID	NA	N	NA		
		Anthracene	12/01/17	11/30/24	1100	5	.	0	.	LD	NC	N	NC		
		Acrylonitrile	12/01/17	11/30/24	3240	1	.	0	.	ID	NA	N	NA		
		Acetone	12/01/17	11/30/24	1003360	1	.	0	.	ID	NA	N	NA		
		Acenaphthylene	12/01/17	11/30/24	640	5	.	0	.	LD	NC	N	NC		
		4-Methyl-2-Pentanone (MIBK)	12/01/17	11/30/24	272060	1	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	12/01/17	11/30/24	670	5	.	0	.	LD	NC	N	NC		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4210	5	.	0	.	LD	NC	N	NC		
		1,3-Dichlorobenzene	12/01/17	11/30/24	1950	5	.	0	.	LD	NC	N	NC		
		1,2-Dichloropropane	12/01/17	11/30/24	21520	1	.	0	.	ID	NA	N	NA		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1640	4	.	0	.	LD	NC	N	NC		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	2320	5	.	0	.	LD	NC	N	NC		
		1,1,2,2-Tetrachloroethane	12/01/17	11/30/24	3690	1	.	0	.	ID	NA	N	NA		
		Pyrene	12/01/17	11/30/24	2600	5	.	0	.	LD	NC	N	NC		
		1,1,1-Trichloroethane	12/01/17	11/30/24	35860	1	.	0	.	ID	NA	N	NA		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	640	5	.	0	.	LD	NC	N	NC		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4440	5	.	0	.	LD	NC	N	NC		
		1,2-Dichloroethane	12/01/17	11/30/24	26260	1	.	0	.	ID	NA	N	NA		
		2,4-Dimethylphenol	12/01/17	11/30/24	29	5	.	0	.	LD	NC	N	NC		
		1,1-Dichloroethylene	12/01/17	11/30/24	92470	1	.	0	.	ID	NA	N	NA		
		2,4-Dinitrotoluene	12/01/17	11/30/24	14960	5	.	0	.	LD	NC	N	NC		
		2-Methylphenol (o-cresol)	12/01/17	11/30/24	63	5	.	0	.	LD	NC	N	NC		
		Acenaphthene	12/01/17	11/30/24	500	5	.	0	.	LD	NC	N	NC		
		Nickel	12/01/17	11/30/24	51.6	8	.	0	.	LD	NC	N	NC		
		1,1,2-Trichloroethane	12/01/17	11/30/24	1800	1	.	0	.	ID	NA	N	NA		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2425 - Clear Lake AU ID: 2425_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Fish Consumption Use	DSHS Limited Consumption Advisory	Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
		PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
	HH Bioaccumulative Toxics in water	Mercury	12/01/17	11/30/24	0.03	6	0	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/17	11/30/24	3.83	8	0.26	0	.	LD	NC	N	NC		
		Nickel (dissolved)	07/28/16	11/30/24	1140	10	9.25	0	.	AD	FS	N	FS		
General Use	High pH	pH	12/01/17	11/30/24	9	64	.	3	9.2	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	64	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Ammonia	12/01/17	11/30/24	0.1	62	.	7	0.15	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.21	64	.	52	0.32	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	0.17	56	.	21	0.42	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	11.6	22	.	20	68.52	AD	CS	N	CS	Chlorophyll-a in water	
	Water Temperature	Water temperature	12/01/17	11/30/24	35	64	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	58	21.06	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	58	.	8	1195	AD	FS	N	FS		

Seg ID: 2425A - Taylor Lake AU ID: 2425A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	42	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	42	.	0	.	AD	NC	N	NC		
Fish Consumption Use	DSHS Limited Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	42	.	29	0.31	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	0.17	34	.	7	0.3	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	27	.	25	31.86	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.1	42	.	2	0.27	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	39	17.46	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	39	.	4	560	AD	FS	N	FS		

Seg ID: 2425A - Taylor Lake AU ID: 2425A_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	42	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	42	.	0	.	AD	NC	N	NC		
Fish Consumption Use	DSHS Limited Consumption Advisory	Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
		PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
General Use	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	0.17	34	.	6	0.24	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.1	42	.	5	0.22	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.21	42	.	19	0.3	AD	CS	N	CS	Total Phosphorus in water	
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	39	21.13	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	39	.	5	2628	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2425A - Taylor Lake AU ID: 2425A_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Fish Consumption Use	DSHS Limited Consumption Advisory	Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
		PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c

Seg ID: 2425B - Jarbo Bayou AU ID: 2425B_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	20	.	0	.	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	20	.	2	3.18	AD	NC	N	NC			
Fish Consumption Use	DSHS Limited Consumption Advisory	Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c	
		PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.66	19	.	3	1.24	AD	NC	N	NC			
		Nitrate	12/01/17	11/30/24	1.1	19	.	0	.	AD	NC	N	NC			
		Chlorophyll-a	12/01/17	11/30/24	21	19	.	7	34.91	AD	CS	N	CS	Chlorophyll-a in water		
		Ammonia	12/01/17	11/30/24	0.46	19	.	0	.	AD	NC	N	NC			
Recreation Use	Bacteria Geomean	Enterococcus	04/04/17	11/30/24	35	20	64.91	1	.	AD	NS	N	NS	Bacteria in water	4a	

Seg ID: 2425B - Jarbo Bayou AU ID: 2425B_02																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	19	.	4	1.81	AD	NS	N	NS	Depressed dissolved oxygen in water	5c	
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	19	.	6	2.37	AD	CS	N	CS	Depressed dissolved oxygen in water		
Fish Consumption Use	DSHS Limited Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c	
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.66	19	.	2	1.77	AD	NC	N	NC			
		Nitrate	12/01/17	11/30/24	1.1	19	.	0	.	AD	NC	N	NC			
		Chlorophyll-a	12/01/17	11/30/24	21	11	.	4	35.23	AD	CS	N	CS	Chlorophyll-a in water		
		Ammonia	12/01/17	11/30/24	0.46	18	.	0	.	AD	NC	N	NC			
Recreation Use	Bacteria Geomean	Enterococcus	04/04/17	11/30/24	35	20	194.31	1	.	AD	NS	N	NS	Bacteria in water	4a	

Seg ID: 2425E - Harris County Flood Control Ditch A AU ID: 2425E_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	42	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	42	.	1	3.5	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.66	42	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.1	34	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.46	42	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	39	23.91	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2426 -Tabbs Bay AU ID: 2426_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	42	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	42	.	1	3.6	AD	NC	N	NC		
Fish Consumption Use	DSHS Limited Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
General Use	High pH	pH	12/01/17	11/30/24	9	42	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	42	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	0.17	39	.	23	0.72	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.1	42	.	17	0.23	AD	CS	N	CS	Ammonia in water	
		Chlorophyll-a	12/01/17	11/30/24	11.6	28	.	14	21.36	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/17	11/30/24	0.21	40	.	24	0.27	AD	CS	N	CS	Total Phosphorus in water	
	Water Temperature	Water temperature	12/01/17	11/30/24	35	42	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	39	13.33	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	39	.	2	12200	AD	FS	N	FS		

Seg ID: 2426C - Goose Creek Tidal AU ID: 2426C_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	41	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	41	.	2	3.25	AD	NC	N	NC		
Fish Consumption Use	DSHS Limited Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
General Use	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	1.1	38	.	7	1.42	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.46	41	.	4	0.55	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.66	39	.	1	0.68	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	38	49.07	1	.	AD	NS	N	NS	Bacteria in water	5c

Seg ID: 2427 - San Jacinto Bay AU ID: 2427_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	85	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	85	.	0	.	AD	NC	N	NC		
Fish Consumption Use	DSHS No Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
General Use	High pH	pH	12/01/17	11/30/24	9	85	.	1	9.1	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	85	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	81	.	75	0.31	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	0.17	79	.	77	0.82	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	11.6	59	.	23	32.53	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.1	85	.	34	0.35	AD	CS	N	CS	Ammonia in water	
	Water Temperature	Water temperature	12/01/17	11/30/24	35	85	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2427 - San Jacinto Bay AU ID: 2427_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	79	16.73	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	79	.	6	6461.67	AD	FS	N	FS		

Seg ID: 2428 - Black Duck Bay AU ID: 2428_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	41	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	41	.	0	.	AD	NC	N	NC		
Fish Consumption Use	DSHS No Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
General Use	High pH	pH	12/01/17	11/30/24	9	41	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	41	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/17	11/30/24	11.6	28	.	25	32.23	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/17	11/30/24	0.21	39	.	21	0.27	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	0.17	38	.	17	0.46	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.1	41	.	3	0.19	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	41	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	38	13.22	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	38	.	3	8286.67	AD	FS	N	FS		

Seg ID: 2429 - Scott Bay AU ID: 2429_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	41	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	41	.	0	.	AD	NC	N	NC		
Fish Consumption Use	DSHS No Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
General Use	High pH	pH	12/01/17	11/30/24	9	41	.	1	9.05	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	41	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/17	11/30/24	11.6	26	.	8	30	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.1	41	.	15	0.21	AD	CS	N	CS	Ammonia in water	
		Nitrate	12/01/17	11/30/24	0.17	38	.	36	1.02	AD	CS	N	CS	Nitrate in water	
		Total phosphorus	12/01/17	11/30/24	0.21	39	.	36	0.31	AD	CS	N	CS	Total Phosphorus in water	
	Water Temperature	Water temperature	12/01/17	11/30/24	35	41	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	38	10.29	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	38	.	1	150	AD	FS	N	FS		

Seg ID: 2430 - Burnet Bay AU ID: 2430_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	44	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	44	.	0	.	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2430 - Burnet Bay AU ID: 2430_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Fish Consumption Use	DSHS No Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
General Use	High pH	pH	12/01/17	11/30/24	9	44	.	1	9.1	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	44	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Ammonia	12/01/17	11/30/24	0.1	44	.	8	0.24	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	41	.	33	0.85	AD	CS	N	CS	Nitrate in water	
		Total phosphorus	12/01/17	11/30/24	0.21	42	.	38	0.31	AD	CS	N	CS	Total Phosphorus in water	
		Chlorophyll-a	12/01/17	11/30/24	11.6	30	.	24	38.74	AD	CS	N	CS	Chlorophyll-a in water	
	Water Temperature	Water temperature	12/01/17	11/30/24	35	44	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	41	11.73	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	41	.	1	480	AD	FS	N	FS		

Seg ID: 2430A - Crystal Bay AU ID: 2430A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	43	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	43	.	0	.	AD	NC	N	NC		
Fish Consumption Use	DSHS No Consumption Advisory	Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
		PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	41	.	38	0.33	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	0.17	40	.	39	0.95	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	11.6	2	.	0	.	ID	NA	N	NA		
		Ammonia	12/01/17	11/30/24	0.1	43	.	16	0.21	AD	CS	N	CS	Ammonia in water	
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	40	11.71	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	40	.	1	180	AD	FS	N	FS		

Seg ID: 2431 - Moses Lake AU ID: 2431_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Zinc (dissolved)	12/01/17	11/30/24	92.7	3	.	0	.	ID	NA	N	NA		
		Selenium	12/01/17	11/30/24	564	3	.	0	.	ID	NA	N	NA		
		Nickel (dissolved)	12/01/17	11/30/24	118	3	.	0	.	ID	NA	N	NA		
		Mercury	12/01/17	11/30/24	2.1	2	.	0	.	ID	NA	N	NA		
		Lead (dissolved)	12/01/17	11/30/24	133	3	.	0	.	ID	NA	N	NA		
		Copper (dissolved)	12/01/17	11/30/24	13.5	3	.	0	.	ID	NA	N	NA		
		Cadmium (dissolved)	12/01/17	11/30/24	40	3	.	0	.	ID	NA	N	NA		
		Arsenic (dissolved)	12/01/17	11/30/24	149	3	.	0	.	ID	NA	N	NA		
	Chronic Toxic Substances in water	Zinc (dissolved)	12/01/17	11/30/24	84.2	3	15.05	0	.	ID	NA	N	NA		
		Selenium	12/01/17	11/30/24	136	3	3.33	0	.	ID	NA	N	NA		
		Nickel (dissolved)	12/01/17	11/30/24	13.1	3	5.2	0	.	ID	NA	N	NA		
		Mercury	12/01/17	11/30/24	1.1	2	0	0	.	ID	NA	N	NA		
		Lead (dissolved)	12/01/17	11/30/24	5.3	3	0.33	0	.	ID	NA	N	NA		
		Copper (dissolved)	12/01/17	11/30/24	3.6	3	1.27	0	.	ID	NA	N	NA		
		Cadmium (dissolved)	12/01/17	11/30/24	8.75	3	0.67	0	.	ID	NA	N	NA		
		Arsenic (dissolved)	12/01/17	11/30/24	78	3	16.67	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	10	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	10	.	0	.	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2431 - Moses Lake AU ID: 2431_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Zinc	12/01/17	11/30/24	410	4	.	0	.	LD	NC	N	NC		
		Phenol (single compound)	12/01/17	11/30/24	1200	4	.	0	.	LD	NC	N	NC		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	690	4	.	0	.	LD	NC	N	NC		
		Pentachlorobenzene	12/01/17	11/30/24	44350	3	.	0	.	ID	NA	N	NA		
		Phenanthrene	12/01/17	11/30/24	1500	4	.	0	.	LD	NC	N	NC		
		PCBs	12/01/17	11/30/24	180	4	.	0	.	LD	NC	N	NC		
		Nitrobenzene	12/01/17	11/30/24	8000	4	.	0	.	LD	NC	N	NC		
		Nickel	12/01/17	11/30/24	51.6	4	.	0	.	LD	NC	N	NC		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	640	4	.	0	.	LD	NC	N	NC		
		Naphthalene	12/01/17	11/30/24	2100	4	.	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	0.71	2	.	0	.	ID	NA	N	NA		
		Lead	12/01/17	11/30/24	218	4	.	0	.	LD	NC	N	NC		
		Hexachloroethane	12/01/17	11/30/24	5640	4	.	0	.	LD	NC	N	NC		
		Hexachlorobutadiene (HCBD)	12/01/17	11/30/24	670	4	.	0	.	LD	NC	N	NC		
		gamma-BHC (Lindane)	12/01/17	11/30/24	0.99	4	.	0	.	LD	NC	N	NC		
		Fluoranthene	12/01/17	11/30/24	5100	4	.	0	.	LD	NC	N	NC		
		Endrin	12/01/17	11/30/24	62.4	4	.	0	.	LD	NC	N	NC		
		Di-n-octyl phthalate	12/01/17	11/30/24	45000	4	.	0	.	LD	NC	N	NC		
		Dimethyl phthalate	12/01/17	11/30/24	530	4	.	0	.	LD	NC	N	NC		
		Diethyl phthalate	12/01/17	11/30/24	1100	4	.	0	.	LD	NC	N	NC		
		Dieldrin	12/01/17	11/30/24	4.3	4	.	0	.	LD	NC	N	NC		
		Dibenzofuran	12/01/17	11/30/24	580	1	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	260	4	.	0	.	LD	NC	N	NC		
		DDT	12/01/17	11/30/24	4.77	4	.	0	.	LD	NC	N	NC		
		DDE	12/01/17	11/30/24	374	4	.	0	.	LD	NC	N	NC		
		Copper	12/01/17	11/30/24	270	4	.	0	.	LD	NC	N	NC		
		Chromium	12/01/17	11/30/24	370	4	.	0	.	LD	NC	N	NC		
		Cadmium	12/01/17	11/30/24	9.6	4	.	0	.	LD	NC	N	NC		
		Benzyl alcohol	12/01/17	11/30/24	73	3	.	0	.	ID	NA	N	NA		
		Di-n-butyl phthalate	12/01/17	11/30/24	17000	4	.	0	.	LD	NC	N	NC		
		Arsenic	12/01/17	11/30/24	70	4	.	0	.	LD	NC	N	NC		
		Acenaphthylene	12/01/17	11/30/24	640	4	.	0	.	LD	NC	N	NC		
		Benzo(a)anthracene	12/01/17	11/30/24	1600	4	.	0	.	LD	NC	N	NC		
		Acenaphthene	12/01/17	11/30/24	500	4	.	0	.	LD	NC	N	NC		
		Fluorene	12/01/17	11/30/24	540	4	.	0	.	LD	NC	N	NC		
		Heptachlor	12/01/17	11/30/24	2.74	4	.	0	.	LD	NC	N	NC		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	1060	4	.	0	.	LD	NC	N	NC		
		2,4-Dimethylphenol	12/01/17	11/30/24	29	4	.	0	.	LD	NC	N	NC		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4210	4	.	0	.	LD	NC	N	NC		
		1,3-Dichlorobenzene	12/01/17	11/30/24	1950	4	.	0	.	LD	NC	N	NC		
		Pyrene	12/01/17	11/30/24	2600	4	.	0	.	LD	NC	N	NC		
		Silver	12/01/17	11/30/24	3.7	4	.	0	.	LD	NC	N	NC		
		Parathion (ethyl)	12/01/17	11/30/24	300	3	.	0	.	ID	NA	N	NA		
		2,4-Dinitrotoluene	12/01/17	11/30/24	14960	4	.	0	.	LD	NC	N	NC		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4440	4	.	0	.	LD	NC	N	NC		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	2320	4	.	0	.	LD	NC	N	NC		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1640	3	.	0	.	ID	NA	N	NA		
		2-Methylphenol (o-cresol)	12/01/17	11/30/24	63	4	.	0	.	LD	NC	N	NC		
		Anthracene	12/01/17	11/30/24	1100	4	.	0	.	LD	NC	N	NC		
		Benzo(a)pyrene	12/01/17	11/30/24	1600	4	.	0	.	LD	NC	N	NC		
		2-Methylnaphthalene	12/01/17	11/30/24	670	4	.	0	.	LD	NC	N	NC		
		Arachlor 1254	12/01/17	11/30/24	709	4	.	0	.	LD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	2647	4	.	0	.	LD	NC	N	NC		
		Chlordane	12/01/17	11/30/24	4.79	4	.	0	.	LD	NC	N	NC		
		DDD	12/01/17	11/30/24	7.81	4	.	0	.	LD	NC	N	NC		
		Chrysene	12/01/17	11/30/24	2800	4	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2431 - Moses Lake AU ID: 2431_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Benzoic acid	12/01/17	11/30/24	650	3	.	0	.	ID	NA	N	NA		
Fish Consumption Use	DSHS Limited Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
	HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/17	11/30/24	1140	3	17.5	0	.	ID	NA	N	NA		
		Mercury	12/01/17	11/30/24	0.03	2	0	0	.	ID	NA	N	NA		
		Lead (dissolved)	12/01/17	11/30/24	3.83	3	0.33	0	.	ID	NA	N	NA		
General Use	High pH	pH	12/01/17	11/30/24	9	10	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	10	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/17	11/30/24	11.6	10	.	8	19.5	AD	CS	N	CS	Chlorophyll-a in water	
		Nitrate	12/01/17	11/30/24	0.17	10	.	1	0.36	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.21	10	.	0	.	AD	NC	N	NC		
		Ammonia	07/27/17	11/30/24	0.1	10	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	10	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	8	5.45	0	.	LD	NC	N	NC		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	8	.	0	.	LD	NC	N	NC		

Seg ID: 2431A - Moses Bayou Tidal AU ID: 2431A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	28	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	28	.	0	.	AD	NC	N	NC		
Fish Consumption Use	DSHS Limited Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.66	28	.	1	1.35	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.46	28	.	1	0.5	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.1	27	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	28	44.96	1	.	AD	NS	N	NS	Bacteria in water	5r

Seg ID: 2431C - Unnamed Tributary to the Southern Arm of Moses Lake (West) AU ID: 2431C_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	28	.	1	1.63	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	28	.	5	3.18	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.66	28	.	1	1.04	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.1	27	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.46	28	.	1	0.7	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	28	105.25	1	.	AD	NS	N	NS	Bacteria in water	5r

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2431D - Unnamed Tributary to the Southern Arm of Moses Lake (East) AU ID: 2431D_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CN	Bacteria in water	

Seg ID: 2431E - Moses Bayou Above Tidal AU ID: 2431E_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum		Dissolved oxygen Grab	12/01/17	11/30/24	3	17	.	1	2.5	AD	FS	N	FS	
	Dissolved Oxygen grab screening level		Dissolved oxygen Grab	12/01/17	11/30/24	5	17	.	7	3.97	AD	CS	N	CS	Depressed dissolved oxygen in water
General Use	Nutrient Screening Levels		Total phosphorus	12/01/17	11/30/24	0.69	28	.	2	0.85	AD	NC	N	NC	
			Nitrate	12/01/17	11/30/24	1.95	28	.	0	.	AD	NC	N	NC	
			Ammonia	12/01/17	11/30/24	0.33	27	.	1	0.4	AD	NC	N	NC	
Recreation Use	Bacteria Geomean		E. coli	10/12/16	11/30/24	126	20	678.14	1	.	AD	NS	N	NS	Bacteria in water

Seg ID: 2432 - Chocolate Bay AU ID: 2432_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	49	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	49	.	0	.	AD	NC	N	NC		
Fish Consumption Use	DSHS Limited Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
General Use	High pH	pH	12/01/17	11/30/24	9	49	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	49	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	31	.	6	0.74	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	31	.	4	0.76	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	30	.	9	17.32	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.1	28	.	3	0.3	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	49	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	31	8.96	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	31	.	0	.	AD	FS	N	FS		

Seg ID: 2432A - Mustang Bayou AU ID: 2432A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum		Dissolved oxygen Grab	12/01/17	11/30/24	3	21	.	2	1.45	AD	FS	N	FS	
	Dissolved Oxygen grab screening level		Dissolved oxygen Grab	12/01/17	11/30/24	5	21	.	10	3.53	AD	CS	N	CS	Depressed dissolved oxygen in water
General Use	Nutrient Screening Levels		Total phosphorus	12/01/17	11/30/24	0.69	28	.	6	0.86	AD	NC	N	NC	
			Nitrate	12/01/17	11/30/24	1.95	28	.	3	2.63	AD	NC	N	NC	
			Ammonia	12/01/17	11/30/24	0.33	28	.	5	0.6	AD	NC	N	NC	
Recreation Use	Bacteria Geomean		E. coli	12/01/17	11/30/24	126	20	266.36	1	.	AD	NS	N	NS	Bacteria in water

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2432A - Mustang Bayou AU ID: 2432A_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	27	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	27	.	2	3.15	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	28	.	1	0.91	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	27	.	1	2.95	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	28	.	5	0.54	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	27	1320.42	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 2432A - Mustang Bayou AU ID: 2432A_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	28	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	28	.	5	4.1	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	28	.	1	0.74	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	27	.	1	2.44	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	28	.	1	0.6	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	28	191.59	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 2432B - Willow Bayou AU ID: 2432B_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	13	.	3	1.47	AD	NS	N	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	13	.	7	3.17	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	28	.	2	1.51	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	27	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.33	28	.	2	0.45	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	13	374.74	1	.	LD	CN	Y	NS	Bacteria in water	4a

Seg ID: 2432C - Halls Bayou Tidal AU ID: 2432C_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	16	.	4	2.63	AD	NS	N	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	16	.	6	2.95	AD	CS	N	CS	Depressed dissolved oxygen in water	
Fish Consumption Use	DSHS Limited Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.66	16	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.1	16	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	21	13	.	5	30.02	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.46	16	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	Enterococcus	03/21/17	11/30/24	35	20	79.08	1	.	AD	NS	N	NS	Bacteria in water	4a

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2432D - Persimmon Bayou AU ID: 2432D_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	28	.	3	2.5	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	28	.	6	2.87	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.66	28	.	6	1.15	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.1	28	.	6	1.96	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.46	28	.	3	0.77	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	27	131.83	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 2432E - New Bayou AU ID: 2432E_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	28	.	3	2.77	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	28	.	7	3.17	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.66	28	.	2	0.75	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.1	28	.	1	1.13	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.46	28	.	4	0.65	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	27	123.53	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 2432OW- Chocolate Bay (Oyster Waters) AU ID: 2432OW_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Fecal coliform	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in oyster waters	4a

Seg ID: 2433OW- Bastrop Bay/Oyster Lake (Oyster Waters) AU ID: 2433OW_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Fecal coliform	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in oyster waters	4a

Seg ID: 2433OW- Bastrop Bay/Oyster Lake (Oyster Waters) AU ID: 2433OW_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Fecal coliform	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in oyster waters	4a

Seg ID: 2434 - Christmas Bay AU ID: 2434_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	10	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	10	.	0	.	AD	NC	N	NC		
General Use	High pH	pH	12/01/17	11/30/24	9	10	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	10	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2434 - Christmas Bay AU ID: 2434_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Ammonia	12/01/17	11/30/24	0.1	10	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	06/19/17	11/30/24	11.6	10	.	4	15.63	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/17	11/30/24	0.21	10	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	10	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	10	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	10	10.89	0	.	LD	NC	N	NC		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	10	.	1	520	LD	NC	N	NC		

Seg ID: 2434OW- Christmas Bay (Oyster Waters) AU ID: 2434OW_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Fecal coliform	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in oyster waters	4a

Seg ID: 2434OW- Christmas Bay (Oyster Waters) AU ID: 2434OW_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	No oyster waters closure	12/01/17	11/30/24	.	0	.	.	.	OE	NA	N	NA		

Seg ID: 2435OW- Drum Bay (Oyster Waters) AU ID: 2435OW_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Fecal coliform	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in oyster waters	4a

Seg ID: 2435OW- Drum Bay (Oyster Waters) AU ID: 2435OW_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Fecal coliform	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in oyster waters	4a

Seg ID: 2436 - Barbours Cut AU ID: 2436_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	41	.	1	2.6	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	41	.	2	3.15	AD	NC	N	NC		
Fish Consumption Use	DSHS Limited Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
General Use	High pH	pH	12/01/17	11/30/24	9	41	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	41	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	39	.	23	0.27	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	0.17	38	.	36	0.73	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/17	11/30/24	0.1	41	.	18	0.22	AD	CS	N	CS	Ammonia in water	
	Water Temperature	Water temperature	12/01/17	11/30/24	35	41	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2436 - Barbours Cut AU ID: 2436_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	38	12.5	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	38	.	3	1076.67	AD	FS	N	FS		

Seg ID: 2437 - Texas City Ship Channel AU ID: 2437_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Zinc (dissolved)	12/01/17	11/30/24	92.7	6	.	0	.	LD	NC	N	NC		
		Selenium	12/01/17	11/30/24	564	6	.	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/17	11/30/24	118	6	.	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	2.1	3	.	0	.	ID	NA	N	NA		
		Lead (dissolved)	12/01/17	11/30/24	133	5	.	0	.	LD	NC	N	NC		
		Copper (dissolved)	12/01/17	11/30/24	13.5	5	.	0	.	LD	NC	N	NC		
		Cadmium (dissolved)	12/01/17	11/30/24	40	6	.	0	.	LD	NC	N	NC		
		Arsenic (dissolved)	12/01/17	11/30/24	149	6	.	0	.	LD	NC	N	NC		
	Chronic Toxic Substances in water	Zinc (dissolved)	12/01/17	11/30/24	84.2	6	24.25	0	.	LD	NC	N	NC		
		Selenium	12/01/17	11/30/24	136	6	4.92	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/17	11/30/24	13.1	6	6.55	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	1.1	3	0	0	.	ID	NA	N	NA		
		Lead (dissolved)	12/01/17	11/30/24	5.3	5	0.42	0	.	LD	NC	N	NC		
		Copper (dissolved)	12/01/17	11/30/24	3.6	5	1.5	0	.	LD	NC	N	NC		
		Cadmium (dissolved)	12/01/17	11/30/24	8.75	6	0.93	0	.	LD	NC	N	NC		
		Arsenic (dissolved)	12/01/17	11/30/24	78	6	19.42	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	15	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	15	.	1	3.97	AD	NC	N	NC		
	Toxic Substances in sediment	Zinc	11/19/15	11/30/24	410	10	.	0	.	AD	NC	N	NC		
		Phenol (single compound)	12/01/17	11/30/24	1200	7	.	0	.	LD	NC	N	NC		
		Phenanthrene	12/01/17	11/30/24	1500	7	.	0	.	LD	NC	N	NC		
		Pentachlorobenzene	12/01/17	11/30/24	44350	4	.	0	.	LD	NC	N	NC		
		PCBs	12/01/17	11/30/24	180	6	.	0	.	LD	NC	N	NC		
		Parathion (ethyl)	12/01/17	11/30/24	300	6	.	0	.	LD	NC	N	NC		
		Nickel	11/19/15	11/30/24	51.6	10	.	0	.	AD	NC	N	NC		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	640	7	.	0	.	LD	NC	N	NC		
		Naphthalene	12/01/17	11/30/24	2100	7	.	0	.	LD	NC	N	NC		
		Lead	11/19/15	11/30/24	218	10	.	0	.	AD	NC	N	NC		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	1060	7	.	0	.	LD	NC	N	NC		
		Hexachlorobutadiene (HCBd)	12/01/17	11/30/24	670	7	.	0	.	LD	NC	N	NC		
		Heptachlor	12/01/17	11/30/24	2.74	6	.	0	.	LD	NC	N	NC		
		gamma-BHC (Lindane)	12/01/17	11/30/24	0.99	6	.	0	.	LD	NC	N	NC		
		Fluorene	12/01/17	11/30/24	540	7	.	0	.	LD	NC	N	NC		
		Endrin	12/01/17	11/30/24	62.4	6	.	0	.	LD	NC	N	NC		
		Di-n-octyl phthalate	12/01/17	11/30/24	45000	7	.	0	.	LD	NC	N	NC		
		Di-n-butyl phthalate	12/01/17	11/30/24	17000	7	.	0	.	LD	NC	N	NC		
		Diethyl phthalate	12/01/17	11/30/24	1100	7	.	0	.	LD	NC	N	NC		
		Dieldrin	12/01/17	11/30/24	4.3	6	.	0	.	LD	NC	N	NC		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	260	7	.	0	.	LD	NC	N	NC		
		Copper	11/19/15	11/30/24	270	10	.	0	.	AD	NC	N	NC		
		Chlordane	12/01/17	11/30/24	4.79	6	.	0	.	LD	NC	N	NC		
		Cadmium	11/19/15	11/30/24	9.6	10	.	0	.	AD	NC	N	NC		
		Benzyl alcohol	12/01/17	11/30/24	73	4	.	0	.	LD	NC	N	NC		
		Benzo(a)pyrene	12/01/17	11/30/24	1600	7	.	0	.	LD	NC	N	NC		
		Benzo(a)anthracene	12/01/17	11/30/24	1600	7	.	0	.	LD	NC	N	NC		
		Anthracene	12/01/17	11/30/24	1100	7	.	0	.	LD	NC	N	NC		
		Dimethyl phthalate	12/01/17	11/30/24	530	7	.	0	.	LD	NC	N	NC		
		Acenaphthylene	12/01/17	11/30/24	640	7	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2437 - Texas City Ship Channel AU ID: 2437_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	2-Methylnaphthalene	12/01/17	11/30/24	670	7	.	0	.	LD	NC	N	NC		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4210	7	.	0	.	LD	NC	N	NC		
		1,3-Dichlorobenzene	12/01/17	11/30/24	1950	7	.	0	.	LD	NC	N	NC		
		Fluoranthene	12/01/17	11/30/24	5100	7	.	0	.	LD	NC	N	NC		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1640	4	.	0	.	LD	NC	N	NC		
		Hexachloroethane	12/01/17	11/30/24	5640	7	.	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	0.71	7	.	0	.	LD	NC	N	NC		
		Silver	11/19/15	11/30/24	3.7	10	.	0	.	AD	NC	N	NC		
		Nitrobenzene	12/01/17	11/30/24	8000	7	.	0	.	LD	NC	N	NC		
		Pyrene	12/01/17	11/30/24	2600	7	.	0	.	LD	NC	N	NC		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	2320	7	.	0	.	LD	NC	N	NC		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	690	7	.	0	.	LD	NC	N	NC		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4440	7	.	0	.	LD	NC	N	NC		
		2,4-Dinitrotoluene	12/01/17	11/30/24	14960	7	.	0	.	LD	NC	N	NC		
		Acenaphthene	12/01/17	11/30/24	500	7	.	0	.	LD	NC	N	NC		
		2,4-Dimethylphenol	12/01/17	11/30/24	29	7	.	0	.	LD	NC	N	NC		
		2-Methylphenol (o-cresol)	12/01/17	11/30/24	63	4	.	0	.	LD	NC	N	NC		
		Arsenic	11/19/15	11/30/24	70	10	.	0	.	AD	NC	N	NC		
		Benzoic acid	12/01/17	11/30/24	650	4	.	0	.	LD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	2647	7	.	0	.	LD	NC	N	NC		
		Chromium	11/19/15	11/30/24	370	10	.	0	.	AD	NC	N	NC		
		DDD	12/01/17	11/30/24	7.81	6	.	0	.	LD	NC	N	NC		
		DDE	12/01/17	11/30/24	374	6	.	0	.	LD	NC	N	NC		
		DDT	12/01/17	11/30/24	4.77	6	.	0	.	LD	NC	N	NC		
		Arachlor 1254	12/01/17	11/30/24	709	6	.	0	.	LD	NC	N	NC		
		Chrysene	12/01/17	11/30/24	2800	7	.	0	.	LD	NC	N	NC		
Fish Consumption Use	DSHS Limited Consumption Advisory	Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
		PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
	HH Bioaccumulative Toxics in water	Mercury	12/01/17	11/30/24	0.03	3	0	0	.	ID	NA	N	NA		
		Lead (dissolved)	12/01/17	11/30/24	3.83	5	0.42	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/17	11/30/24	1140	6	25	0	.	LD	NC	N	NC		
General Use	High pH	pH	12/01/17	11/30/24	9	15	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	15	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	15	.	2	0.62	AD	NC	N	NC	Chlorophyll-a in water	
		Chlorophyll-a	12/01/17	11/30/24	11.6	15	.	11	19.25	AD	CS	N	CS		
		Ammonia	12/01/17	11/30/24	0.1	15	.	1	0.12	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	13	.	3	0.38	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	15	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	11/19/15	11/30/24	35	20	4.89	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	11/19/15	11/30/24	130	20	.	0	.	AD	FS	N	FS		

Seg ID: 2438 - Bayport Channel AU ID: 2438_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Zinc (dissolved)	12/01/17	11/30/24	92.7	9	.	0	.	LD	NC	N	NC		
		Selenium	12/01/17	11/30/24	564	9	.	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/17	11/30/24	118	9	.	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	2.1	6	.	0	.	LD	NC	N	NC		
		Cadmium (dissolved)	12/01/17	11/30/24	40	9	.	0	.	LD	NC	N	NC		
		Arsenic (dissolved)	12/01/17	11/30/24	149	9	.	0	.	LD	NC	N	NC		
		Copper (dissolved)	12/01/17	11/30/24	13.5	8	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2438 - Bayport Channel AU ID: 2438_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Lead (dissolved)	12/01/17	11/30/24	133	8	.	0	.	LD	NC	N	NC		
	Chronic Toxic Substances in water	Zinc (dissolved)	12/01/17	11/30/24	84.2	9	13.86	0	.	LD	NC	N	NC		
		Selenium	12/01/17	11/30/24	136	9	6.32	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/17	11/30/24	13.1	9	5.65	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	1.1	6	0	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/17	11/30/24	5.3	8	0.24	0	.	LD	NC	N	NC		
		Copper (dissolved)	12/01/17	11/30/24	3.6	8	4	1	.	LD	CN	Y	NS	Copper in water	5c
		Cadmium (dissolved)	12/01/17	11/30/24	8.75	9	0.63	0	.	LD	NC	N	NC		
		Arsenic (dissolved)	12/01/17	11/30/24	78	9	19.78	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	13	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	13	.	3	3.48	AD	CS	N	CS	Depressed dissolved oxygen in water	
	Toxic Substances in sediment	Zinc	12/01/17	11/30/24	410	7	.	0	.	LD	NC	N	NC		
		Xylene	12/01/17	11/30/24	7620	1	.	0	.	ID	NA	N	NA		
		Trichloroethene	12/01/17	11/30/24	7300	1	.	0	.	ID	NA	N	NA		
		Toluene	12/01/17	11/30/24	7750	1	.	0	.	ID	NA	N	NA		
		Tetrachloroethene	12/01/17	11/30/24	3210	1	.	0	.	ID	NA	N	NA		
		Silver	12/01/17	11/30/24	3.7	7	.	0	.	LD	NC	N	NC		
		Phenol (single compound)	12/01/17	11/30/24	1200	7	.	0	.	LD	NC	N	NC		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	690	7	.	0	.	LD	NC	N	NC		
		PCBs	12/01/17	11/30/24	180	4	.	0	.	LD	NC	N	NC		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	640	7	.	0	.	LD	NC	N	NC		
		Nickel	12/01/17	11/30/24	51.6	7	.	0	.	LD	NC	N	NC		
		Methyl bromide	12/01/17	11/30/24	2490	1	.	0	.	ID	NA	N	NA		
		Mercury	12/01/17	11/30/24	0.71	5	.	0	.	LD	NC	N	NC		
		Hexachlorobutadiene (HCBd)	12/01/17	11/30/24	670	7	.	0	.	LD	NC	N	NC		
		gamma-BHC (Lindane)	12/01/17	11/30/24	0.99	4	.	0	.	LD	NC	N	NC		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	1060	7	.	0	.	LD	NC	N	NC		
		Fluorene	12/01/17	11/30/24	540	7	.	0	.	LD	NC	N	NC		
		Fluoranthene	12/01/17	11/30/24	5100	7	.	0	.	LD	NC	N	NC		
		Endrin	12/01/17	11/30/24	62.4	4	.	0	.	LD	NC	N	NC		
		Di-n-octyl phthalate	12/01/17	11/30/24	45000	7	.	0	.	LD	NC	N	NC		
		Di-n-butyl phthalate	12/01/17	11/30/24	17000	7	.	0	.	LD	NC	N	NC		
		Diethyl phthalate	12/01/17	11/30/24	1100	7	.	0	.	LD	NC	N	NC		
		Hexachloroethane	12/01/17	11/30/24	5640	7	.	0	.	LD	NC	N	NC		
		Naphthalene	12/01/17	11/30/24	2100	7	.	0	.	LD	NC	N	NC		
		Dieldrin	12/01/17	11/30/24	4.3	4	.	0	.	LD	NC	N	NC		
		Dibenzofuran	12/01/17	11/30/24	580	1	.	0	.	ID	NA	N	NA		
		DDT	12/01/17	11/30/24	4.77	4	.	0	.	LD	NC	N	NC		
		Phenanthrene	12/01/17	11/30/24	1500	7	.	0	.	LD	NC	N	NC		
		DDD	12/01/17	11/30/24	7.81	4	.	0	.	LD	NC	N	NC		
		Chrysene	12/01/17	11/30/24	2800	7	.	0	.	LD	NC	N	NC		
		Pyrene	12/01/17	11/30/24	2600	7	.	0	.	LD	NC	N	NC		
		Chromium	12/01/17	11/30/24	370	7	.	0	.	LD	NC	N	NC		
		Chloromethane	12/01/17	11/30/24	52430	1	.	0	.	ID	NA	N	NA		
		Styrene	12/01/17	11/30/24	22310	1	.	0	.	ID	NA	N	NA		
		Copper	12/01/17	11/30/24	270	7	.	0	.	LD	NC	N	NC		
		DDE	12/01/17	11/30/24	374	4	.	0	.	LD	NC	N	NC		
		Pentachlorobenzene	12/01/17	11/30/24	44350	5	.	0	.	LD	NC	N	NC		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	260	7	.	0	.	LD	NC	N	NC		
		Chloroform	12/01/17	11/30/24	8860	1	.	0	.	ID	NA	N	NA		
		Chlorobenzene	12/01/17	11/30/24	8180	1	.	0	.	ID	NA	N	NA		
		Carbon tetrachloride	12/01/17	11/30/24	36740	1	.	0	.	ID	NA	N	NA		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	2647	7	.	0	.	LD	NC	N	NC		
		Benzyl alcohol	12/01/17	11/30/24	73	5	.	0	.	LD	NC	N	NC		
		Nitrobenzene	12/01/17	11/30/24	8000	7	.	0	.	LD	NC	N	NC		
		Dimethyl phthalate	12/01/17	11/30/24	530	7	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2438 - Bayport Channel AU ID: 2438_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Methylene chloride	12/01/17	11/30/24	22940	1	.	0	.	ID	NA	N	NA		
		Lead	12/01/17	11/30/24	218	7	.	0	.	LD	NC	N	NC		
		Ethylbenzene	12/01/17	11/30/24	4100	1	.	0	.	ID	NA	N	NA		
		Arsenic	12/01/17	11/30/24	70	7	.	0	.	LD	NC	N	NC		
		Benzene	12/01/17	11/30/24	4080	1	.	0	.	ID	NA	N	NA		
		Arachlor 1254	12/01/17	11/30/24	709	4	.	0	.	LD	NC	N	NC		
		Acrylonitrile	12/01/17	11/30/24	3240	1	.	0	.	ID	NA	N	NA		
		Heptachlor	12/01/17	11/30/24	2.74	4	.	0	.	LD	NC	N	NC		
		Acetone	12/01/17	11/30/24	1003360	1	.	0	.	ID	NA	N	NA		
		4-Methyl-2-Pentanone (MIBK)	12/01/17	11/30/24	272060	1	.	0	.	ID	NA	N	NA		
		Parathion (ethyl)	12/01/17	11/30/24	300	4	.	0	.	LD	NC	N	NC		
		2-Methylnaphthalene	12/01/17	11/30/24	670	7	.	0	.	LD	NC	N	NC		
		2,4-Dinitrotoluene	12/01/17	11/30/24	14960	7	.	0	.	LD	NC	N	NC		
		2,4-Dimethylphenol	12/01/17	11/30/24	29	7	.	0	.	LD	NC	N	NC		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4210	7	.	0	.	LD	NC	N	NC		
		1,3-Dichlorobenzene	12/01/17	11/30/24	1950	7	.	0	.	LD	NC	N	NC		
		1,2-Dichloropropane	12/01/17	11/30/24	21520	1	.	0	.	ID	NA	N	NA		
		1,2-Dichloroethane	12/01/17	11/30/24	26260	1	.	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4440	7	.	0	.	LD	NC	N	NC		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	2320	7	.	0	.	LD	NC	N	NC		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1640	5	.	0	.	LD	NC	N	NC		
		1,1-Dichloroethylene	12/01/17	11/30/24	92470	1	.	0	.	ID	NA	N	NA		
		1,1,2-Trichloroethane	12/01/17	11/30/24	1800	1	.	0	.	ID	NA	N	NA		
		1,1,2,2-Tetrachloroethane	12/01/17	11/30/24	3690	1	.	0	.	ID	NA	N	NA		
		1,1,1-Trichloroethane	12/01/17	11/30/24	35860	1	.	0	.	ID	NA	N	NA		
		Acenaphthylene	12/01/17	11/30/24	640	7	.	0	.	LD	NC	N	NC		
		Anthracene	12/01/17	11/30/24	1100	7	.	0	.	LD	NC	N	NC		
		Benzo(a)anthracene	12/01/17	11/30/24	1600	7	.	0	.	LD	NC	N	NC		
		Acenaphthene	12/01/17	11/30/24	500	7	.	0	.	LD	NC	N	NC		
		Benzo(a)pyrene	12/01/17	11/30/24	1600	7	.	0	.	LD	NC	N	NC		
		Bromoform	12/01/17	11/30/24	10670	1	.	0	.	ID	NA	N	NA		
		Cadmium	12/01/17	11/30/24	9.6	7	.	0	.	LD	NC	N	NC		
		Chlordane	12/01/17	11/30/24	4.79	4	.	0	.	LD	NC	N	NC		
		Benzoic acid	12/01/17	11/30/24	650	5	.	0	.	LD	NC	N	NC		
		2-Methylphenol (o-cresol)	12/01/17	11/30/24	63	6	.	0	.	LD	NC	N	NC		
Fish Consumption Use	DSHS Limited Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
	HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/17	11/30/24	1140	9	15.17	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	0.03	6	0	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/17	11/30/24	3.83	8	0.24	0	.	LD	NC	N	NC		
General Use	High pH	pH	12/01/17	11/30/24	9	13	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	13	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	13	.	4	0.27	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	13	.	4	0.41	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	13	.	10	27.02	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.1	12	.	4	0.2	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	13	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	10/29/15	11/30/24	35	20	21	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	10/29/15	11/30/24	130	20	.	1	690	AD	FS	N	FS		

Seg ID: 2439 - Lower Galveston Bay AU ID: 2439_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	12	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	12	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Silver	08/11/16	11/30/24	3.7	10	.	0	.	AD	NC	N	NC		
		Pyrene	08/11/16	11/30/24	2600	1	.	0	.	ID	NA	N	NA		
		Phenol (single compound)	08/11/16	11/30/24	1200	1	.	0	.	ID	NA	N	NA		
		Phenanthrene	08/11/16	11/30/24	1500	1	.	0	.	ID	NA	N	NA		
		Pentachlorophenol (PCP)	08/11/16	11/30/24	690	1	.	0	.	ID	NA	N	NA		
		PCBs	08/11/16	11/30/24	180	1	.	0	.	ID	NA	N	NA		
		Parathion (ethyl)	08/11/16	11/30/24	300	1	.	0	.	ID	NA	N	NA		
		Nickel	08/11/16	11/30/24	51.6	10	.	0	.	AD	NC	N	NC		
		N-Butyl benzyl phthalate	08/11/16	11/30/24	640	1	.	0	.	ID	NA	N	NA		
		Naphthalene	08/11/16	11/30/24	2100	1	.	0	.	ID	NA	N	NA		
		Hexachlorocyclopentadiene	08/11/16	11/30/24	1060	1	.	0	.	ID	NA	N	NA		
		Fluorene	08/11/16	11/30/24	540	1	.	0	.	ID	NA	N	NA		
		Di-n-octyl phthalate	08/11/16	11/30/24	45000	1	.	0	.	ID	NA	N	NA		
		Di-n-butyl phthalate	08/11/16	11/30/24	17000	1	.	0	.	ID	NA	N	NA		
		Diethyl phthalate	08/11/16	11/30/24	1100	1	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	08/11/16	11/30/24	260	1	.	0	.	ID	NA	N	NA		
		DDT	08/11/16	11/30/24	4.77	1	.	0	.	ID	NA	N	NA		
		Copper	08/11/16	11/30/24	270	10	.	0	.	AD	NC	N	NC		
		Chlordane	08/11/16	11/30/24	4.79	1	.	0	.	ID	NA	N	NA		
		Chromium	08/11/16	11/30/24	370	10	.	0	.	AD	NC	N	NC		
		Cadmium	08/11/16	11/30/24	9.6	10	.	0	.	AD	NC	N	NC		
		Benzo(a)anthracene	08/11/16	11/30/24	1600	1	.	0	.	ID	NA	N	NA		
		Arsenic	08/11/16	11/30/24	70	10	.	0	.	AD	NC	N	NC		
		Arachlor 1254	08/11/16	11/30/24	709	1	.	0	.	ID	NA	N	NA		
		Nitrobenzene	08/11/16	11/30/24	8000	1	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	08/11/16	11/30/24	1600	1	.	0	.	ID	NA	N	NA		
		Anthracene	08/11/16	11/30/24	1100	1	.	0	.	ID	NA	N	NA		
		Bis(2-ethylhexyl)phthalate	08/11/16	11/30/24	2647	1	.	0	.	ID	NA	N	NA		
		Acenaphthylene	08/11/16	11/30/24	640	1	.	0	.	ID	NA	N	NA		
		Acenaphthene	08/11/16	11/30/24	500	1	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	08/11/16	11/30/24	670	1	.	0	.	ID	NA	N	NA		
		Chrysene	08/11/16	11/30/24	2800	1	.	0	.	ID	NA	N	NA		
		2,4-Dinitrotoluene	08/11/16	11/30/24	14960	1	.	0	.	ID	NA	N	NA		
		2,4-Dimethylphenol	08/11/16	11/30/24	29	1	.	0	.	ID	NA	N	NA		
		1,4-Dichlorobenzene	08/11/16	11/30/24	4210	1	.	0	.	ID	NA	N	NA		
		Zinc	08/11/16	11/30/24	410	10	.	0	.	AD	NC	N	NC		
		1,3-Dichlorobenzene	08/11/16	11/30/24	1950	1	.	0	.	ID	NA	N	NA		
		DDE	08/11/16	11/30/24	374	1	.	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	08/11/16	11/30/24	4440	1	.	0	.	ID	NA	N	NA		
		Dieldrin	08/11/16	11/30/24	4.3	1	.	0	.	ID	NA	N	NA		
		1,2,4-Trichlorobenzene	08/11/16	11/30/24	2320	1	.	0	.	ID	NA	N	NA		
		DDD	08/11/16	11/30/24	7.81	1	.	0	.	ID	NA	N	NA		
		Dimethyl phthalate	08/11/16	11/30/24	530	1	.	0	.	ID	NA	N	NA		
		gamma-BHC (Lindane)	08/11/16	11/30/24	0.99	1	.	0	.	ID	NA	N	NA		
		Heptachlor	08/11/16	11/30/24	2.74	1	.	0	.	ID	NA	N	NA		
		Fluoranthene	08/11/16	11/30/24	5100	1	.	0	.	ID	NA	N	NA		
		Hexachlorobutadiene (HCBd)	08/11/16	11/30/24	670	1	.	0	.	ID	NA	N	NA		
		Hexachloroethane	08/11/16	11/30/24	5640	1	.	0	.	ID	NA	N	NA		
		Lead	08/11/16	11/30/24	218	10	.	0	.	AD	NC	N	NC		
		Mercury	08/11/16	11/30/24	0.71	7	.	0	.	LD	NC	N	NC		
		Endrin	08/11/16	11/30/24	62.4	1	.	0	.	ID	NA	N	NA		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2439 - Lower Galveston Bay AU ID: 2439_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Fish Consumption Use	DSHS Limited Consumption Advisory	PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
		Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
General Use	High pH	pH	12/01/17	11/30/24	9	12	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	12	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	0.17	12	.	1	0.44	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.1	12	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	12	.	7	23.79	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/17	11/30/24	0.21	12	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	12	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	9	5.4	0	.	LD	NC	N	NC		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	9	.	0	.	LD	NC	N	NC		

Seg ID: 2439 - Lower Galveston Bay AU ID: 2439_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	108	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	108	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Phenol (single compound)	08/11/16	11/30/24	1200	1	.	0	.	ID	NA	N	NA		
		Phenanthrene	08/11/16	11/30/24	1500	1	.	0	.	ID	NA	N	NA		
		Pentachlorophenol (PCP)	08/11/16	11/30/24	690	1	.	0	.	ID	NA	N	NA		
		PCBs	08/11/16	11/30/24	180	1	.	0	.	ID	NA	N	NA		
		Pyrene	08/11/16	11/30/24	2600	1	.	0	.	ID	NA	N	NA		
		Parathion (ethyl)	08/11/16	11/30/24	300	1	.	0	.	ID	NA	N	NA		
		Nickel	08/11/16	11/30/24	51.6	10	.	0	.	AD	NC	N	NC		
		Naphthalene	08/11/16	11/30/24	2100	1	.	0	.	ID	NA	N	NA		
		Lead	08/11/16	11/30/24	218	10	.	0	.	AD	NC	N	NC		
		Hexachloroethane	08/11/16	11/30/24	5640	1	.	0	.	ID	NA	N	NA		
		Hexachlorocyclopentadiene	08/11/16	11/30/24	1060	1	.	0	.	ID	NA	N	NA		
		Heptachlor	08/11/16	11/30/24	2.74	1	.	0	.	ID	NA	N	NA		
		Fluorene	08/11/16	11/30/24	540	1	.	0	.	ID	NA	N	NA		
		Fluoranthene	08/11/16	11/30/24	5100	1	.	0	.	ID	NA	N	NA		
		Endrin	08/11/16	11/30/24	62.4	1	.	0	.	ID	NA	N	NA		
		Di-n-octyl phthalate	08/11/16	11/30/24	45000	1	.	0	.	ID	NA	N	NA		
		Di-n-butyl phthalate	08/11/16	11/30/24	17000	1	.	0	.	ID	NA	N	NA		
		gamma-BHC (Lindane)	08/11/16	11/30/24	0.99	1	.	0	.	ID	NA	N	NA		
		Zinc	08/11/16	11/30/24	410	10	.	0	.	AD	NC	N	NC		
		Hexachlorobutadiene (HCBd)	08/11/16	11/30/24	670	1	.	0	.	ID	NA	N	NA		
		Mercury	08/11/16	11/30/24	0.71	7	.	0	.	LD	NC	N	NC		
		N-Butyl benzyl phthalate	08/11/16	11/30/24	640	1	.	0	.	ID	NA	N	NA		
		Nitrobenzene	08/11/16	11/30/24	8000	1	.	0	.	ID	NA	N	NA		
		Dimethyl phthalate	08/11/16	11/30/24	530	1	.	0	.	ID	NA	N	NA		
		Diethyl phthalate	08/11/16	11/30/24	1100	1	.	0	.	ID	NA	N	NA		
		Dieldrin	08/11/16	11/30/24	4.3	1	.	0	.	ID	NA	N	NA		
		Silver	08/11/16	11/30/24	3.7	10	.	0	.	AD	NC	N	NC		
		Dibenz(a,h)anthracene	08/11/16	11/30/24	260	1	.	0	.	ID	NA	N	NA		
		DDT	08/11/16	11/30/24	4.77	1	.	0	.	ID	NA	N	NA		
		DDE	08/11/16	11/30/24	374	1	.	0	.	ID	NA	N	NA		
		DDD	08/11/16	11/30/24	7.81	1	.	0	.	ID	NA	N	NA		
		Copper	08/11/16	11/30/24	270	10	.	0	.	AD	NC	N	NC		
		Chrysene	08/11/16	11/30/24	2800	1	.	0	.	ID	NA	N	NA		
		Chromium	08/11/16	11/30/24	370	10	.	0	.	AD	NC	N	NC		
		Cadmium	08/11/16	11/30/24	9.6	10	.	0	.	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2439 - Lower Galveston Bay AU ID: 2439_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Bis(2-ethylhexyl)phthalate	08/11/16	11/30/24	2647	1	.	0	.	ID	NA	N	NA		
		Chlordane	08/11/16	11/30/24	4.79	1	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	08/11/16	11/30/24	1600	1	.	0	.	ID	NA	N	NA		
		Benzo(a)anthracene	08/11/16	11/30/24	1600	1	.	0	.	ID	NA	N	NA		
		Arsenic	08/11/16	11/30/24	70	10	.	0	.	AD	NC	N	NC		
		Arachlor 1254	08/11/16	11/30/24	709	1	.	0	.	ID	NA	N	NA		
		Anthracene	08/11/16	11/30/24	1100	1	.	0	.	ID	NA	N	NA		
		Acenaphthene	08/11/16	11/30/24	500	1	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	08/11/16	11/30/24	670	1	.	0	.	ID	NA	N	NA		
		2,4-Dimethylphenol	08/11/16	11/30/24	29	1	.	0	.	ID	NA	N	NA		
		1,4-Dichlorobenzene	08/11/16	11/30/24	4210	1	.	0	.	ID	NA	N	NA		
		1,3-Dichlorobenzene	08/11/16	11/30/24	1950	1	.	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	08/11/16	11/30/24	4440	1	.	0	.	ID	NA	N	NA		
		1,2,4-Trichlorobenzene	08/11/16	11/30/24	2320	1	.	0	.	ID	NA	N	NA		
		2,4-Dinitrotoluene	08/11/16	11/30/24	14960	1	.	0	.	ID	NA	N	NA		
		Acenaphthylene	08/11/16	11/30/24	640	1	.	0	.	ID	NA	N	NA		
Fish Consumption Use	DSHS Limited Consumption Advisory	Dioxins	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Dioxin in edible tissue	5c
		PCBs	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	PCBs in edible tissue	5c
General Use	High pH	pH	12/01/17	11/30/24	9	108	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	108	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	108	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.1	107	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	108	.	45	17.83	AD	CS	N	CS	Chlorophyll-a in water	
		Nitrate	12/01/17	11/30/24	0.17	101	.	5	0.35	AD	NC	N	NC		
Water Temperature	Water temperature	12/01/17	11/30/24	35	108	.	0	.	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	102	5.61	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	102	.	1	200	AD	FS	N	FS		

Seg ID: 2439OW- Lower Galveston Bay (Oyster Waters) AU ID: 2439OW_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Fecal coliform	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in oyster waters	4a

Seg ID: 2439OW- Lower Galveston Bay (Oyster Waters) AU ID: 2439OW_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Fecal coliform	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in oyster waters	4a

Seg ID: 2439TC- Texas City Dike (Recreational Beaches) AU ID: 2439TC_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreational Beaches	Texas Beach Watch Program Advisories	Enterococcus	12/01/17	11/30/24	.	0	.	.	.	OE	CN	N	CN	Bacteria in water	

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2441 - East Matagorda Bay AU ID: 2441_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Zinc	12/01/17	11/30/24	410	4	.	0	.	LD	NC	N	NC		
		Silver	12/01/17	11/30/24	3.7	4	.	0	.	LD	NC	N	NC		
		Phenol (single compound)	12/01/17	11/30/24	1200	3	.	0	.	ID	NA	N	NA		
		Phenanthrene	12/01/17	11/30/24	1500	3	.	0	.	ID	NA	N	NA		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	690	3	.	0	.	ID	NA	N	NA		
		PCBs	12/01/17	11/30/24	180	3	.	0	.	ID	NA	N	NA		
		Parathion (ethyl)	12/01/17	11/30/24	300	3	.	0	.	ID	NA	N	NA		
		Nitrobenzene	12/01/17	11/30/24	8000	3	.	0	.	ID	NA	N	NA		
		Nickel	12/01/17	11/30/24	51.6	4	.	0	.	LD	NC	N	NC		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	640	3	.	0	.	ID	NA	N	NA		
		Naphthalene	12/01/17	11/30/24	2100	3	.	0	.	ID	NA	N	NA		
		Mercury	12/01/17	11/30/24	0.71	4	.	0	.	LD	NC	N	NC		
		Hexachloroethane	12/01/17	11/30/24	5640	3	.	0	.	ID	NA	N	NA		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	1060	3	.	0	.	ID	NA	N	NA		
		Hexachlorobutadiene (HCBd)	12/01/17	11/30/24	670	3	.	0	.	ID	NA	N	NA		
		Heptachlor	12/01/17	11/30/24	2.74	3	.	0	.	ID	NA	N	NA		
		Di-n-butyl phthalate	12/01/17	11/30/24	17000	3	.	0	.	ID	NA	N	NA		
		Fluoranthene	12/01/17	11/30/24	5100	3	.	0	.	ID	NA	N	NA		
		Endrin	12/01/17	11/30/24	62.4	3	.	0	.	ID	NA	N	NA		
		Dimethyl phthalate	12/01/17	11/30/24	530	3	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	260	3	.	0	.	ID	NA	N	NA		
		DDT	12/01/17	11/30/24	4.77	3	.	0	.	ID	NA	N	NA		
		Chromium	12/01/17	11/30/24	370	4	.	0	.	LD	NC	N	NC		
		Chrysene	12/01/17	11/30/24	2800	3	.	0	.	ID	NA	N	NA		
		Chlordane	12/01/17	11/30/24	4.79	3	.	0	.	ID	NA	N	NA		
		Copper	12/01/17	11/30/24	270	4	.	0	.	LD	NC	N	NC		
		Cadmium	12/01/17	11/30/24	9.6	4	.	0	.	LD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	2647	3	.	0	.	ID	NA	N	NA		
		Benzyl alcohol	12/01/17	11/30/24	73	2	.	0	.	ID	NA	N	NA		
		DDD	12/01/17	11/30/24	7.81	3	.	0	.	ID	NA	N	NA		
		Benzoic acid	12/01/17	11/30/24	650	2	.	0	.	ID	NA	N	NA		
		Lead	12/01/17	11/30/24	218	4	.	0	.	LD	NC	N	NC		
		DDE	12/01/17	11/30/24	374	3	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	12/01/17	11/30/24	1600	3	.	0	.	ID	NA	N	NA		
		Benzo(a)anthracene	12/01/17	11/30/24	1600	3	.	0	.	ID	NA	N	NA		
		Arsenic	12/01/17	11/30/24	70	4	.	0	.	LD	NC	N	NC		
		Arachlor 1254	12/01/17	11/30/24	709	3	.	0	.	ID	NA	N	NA		
		Dieldrin	12/01/17	11/30/24	4.3	3	.	0	.	ID	NA	N	NA		
		Anthracene	12/01/17	11/30/24	1100	3	.	0	.	ID	NA	N	NA		
		Acenaphthylene	12/01/17	11/30/24	640	3	.	0	.	ID	NA	N	NA		
		Pentachlorobenzene	12/01/17	11/30/24	44350	2	.	0	.	ID	NA	N	NA		
		Acenaphthene	12/01/17	11/30/24	500	3	.	0	.	ID	NA	N	NA		
		Pyrene	12/01/17	11/30/24	2600	3	.	0	.	ID	NA	N	NA		
		Di-n-octyl phthalate	12/01/17	11/30/24	45000	3	.	0	.	ID	NA	N	NA		
		2-Methylphenol (o-cresol)	12/01/17	11/30/24	63	2	.	0	.	ID	NA	N	NA		
		Fluorene	12/01/17	11/30/24	540	3	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	12/01/17	11/30/24	670	3	.	0	.	ID	NA	N	NA		
		2,4-Dinitrotoluene	12/01/17	11/30/24	14960	3	.	0	.	ID	NA	N	NA		
		2,4-Dimethylphenol	12/01/17	11/30/24	29	3	.	0	.	ID	NA	N	NA		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4210	3	.	0	.	ID	NA	N	NA		
		1,3-Dichlorobenzene	12/01/17	11/30/24	1950	3	.	0	.	ID	NA	N	NA		
		gamma-BHC (Lindane)	12/01/17	11/30/24	0.99	3	.	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4440	3	.	0	.	ID	NA	N	NA		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	2320	3	.	0	.	ID	NA	N	NA		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1640	2	.	0	.	ID	NA	N	NA		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2441 - East Matagorda Bay AU ID: 2441_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Diethyl phthalate	12/01/17	11/30/24	1100	3	.	0	.	ID	NA	N	NA		

Seg ID: 2441 - East Matagorda Bay AU ID: 2441_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	12	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	12	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Silver	12/01/17	11/30/24	3.7	4	.	0	.	LD	NC	N	NC		
		Pyrene	12/01/17	11/30/24	2600	3	.	0	.	ID	NA	N	NA		
		Phenol (single compound)	12/01/17	11/30/24	1200	3	.	0	.	ID	NA	N	NA		
		Phenanthrene	12/01/17	11/30/24	1500	3	.	0	.	ID	NA	N	NA		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	690	3	.	0	.	ID	NA	N	NA		
		Pentachlorobenzene	12/01/17	11/30/24	44350	2	.	0	.	ID	NA	N	NA		
		PCBs	12/01/17	11/30/24	180	3	.	0	.	ID	NA	N	NA		
		Nitrobenzene	12/01/17	11/30/24	8000	3	.	0	.	ID	NA	N	NA		
		Nickel	12/01/17	11/30/24	51.6	4	.	0	.	LD	NC	N	NC		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	640	3	.	0	.	ID	NA	N	NA		
		Mercury	12/01/17	11/30/24	0.71	4	.	0	.	LD	NC	N	NC		
		Lead	12/01/17	11/30/24	218	4	.	0	.	LD	NC	N	NC		
		Hexachloroethane	12/01/17	11/30/24	5640	3	.	0	.	ID	NA	N	NA		
		Hexachlorobutadiene (HCBd)	12/01/17	11/30/24	670	3	.	0	.	ID	NA	N	NA		
		gamma-BHC (Lindane)	12/01/17	11/30/24	0.99	3	.	0	.	ID	NA	N	NA		
		Fluoranthene	12/01/17	11/30/24	5100	3	.	0	.	ID	NA	N	NA		
		Heptachlor	12/01/17	11/30/24	2.74	3	.	0	.	ID	NA	N	NA		
		Endrin	12/01/17	11/30/24	62.4	3	.	0	.	ID	NA	N	NA		
		Di-n-octyl phthalate	12/01/17	11/30/24	45000	3	.	0	.	ID	NA	N	NA		
		Fluorene	12/01/17	11/30/24	540	3	.	0	.	ID	NA	N	NA		
		Di-n-butyl phthalate	12/01/17	11/30/24	17000	3	.	0	.	ID	NA	N	NA		
		Dimethyl phthalate	12/01/17	11/30/24	530	3	.	0	.	ID	NA	N	NA		
		Diethyl phthalate	12/01/17	11/30/24	1100	3	.	0	.	ID	NA	N	NA		
		Dieldrin	12/01/17	11/30/24	4.3	3	.	0	.	ID	NA	N	NA		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	1060	3	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	260	3	.	0	.	ID	NA	N	NA		
		DDT	12/01/17	11/30/24	4.77	3	.	0	.	ID	NA	N	NA		
		DDE	12/01/17	11/30/24	374	3	.	0	.	ID	NA	N	NA		
		DDD	12/01/17	11/30/24	7.81	3	.	0	.	ID	NA	N	NA		
		Naphthalene	12/01/17	11/30/24	2100	3	.	0	.	ID	NA	N	NA		
		Copper	12/01/17	11/30/24	270	4	.	0	.	LD	NC	N	NC		
		Chrysene	12/01/17	11/30/24	2800	3	.	0	.	ID	NA	N	NA		
		Parathion (ethyl)	12/01/17	11/30/24	300	3	.	0	.	ID	NA	N	NA		
		Chromium	12/01/17	11/30/24	370	4	.	0	.	LD	NC	N	NC		
		Chlordane	12/01/17	11/30/24	4.79	3	.	0	.	ID	NA	N	NA		
		Cadmium	12/01/17	11/30/24	9.6	4	.	0	.	LD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	2647	3	.	0	.	ID	NA	N	NA		
		Benzyl alcohol	12/01/17	11/30/24	73	2	.	0	.	ID	NA	N	NA		
		Benzoic acid	12/01/17	11/30/24	650	2	.	0	.	ID	NA	N	NA		
		Arachlor 1254	12/01/17	11/30/24	709	3	.	0	.	ID	NA	N	NA		
		2-Methylphenol (o-cresol)	12/01/17	11/30/24	63	2	.	0	.	ID	NA	N	NA		
		Zinc	12/01/17	11/30/24	410	4	.	0	.	LD	NC	N	NC		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4210	3	.	0	.	ID	NA	N	NA		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	2320	3	.	0	.	ID	NA	N	NA		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1640	2	.	0	.	ID	NA	N	NA		
		1,3-Dichlorobenzene	12/01/17	11/30/24	1950	3	.	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4440	3	.	0	.	ID	NA	N	NA		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2441 - East Matagorda Bay AU ID: 2441_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	2,4-Dimethylphenol	12/01/17	11/30/24	29	3	.	0	.	ID	NA	N	NA		
		2,4-Dinitrotoluene	12/01/17	11/30/24	14960	3	.	0	.	ID	NA	N	NA		
		Acenaphthene	12/01/17	11/30/24	500	3	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	12/01/17	11/30/24	670	3	.	0	.	ID	NA	N	NA		
		Acenaphthylene	12/01/17	11/30/24	640	3	.	0	.	ID	NA	N	NA		
		Anthracene	12/01/17	11/30/24	1100	3	.	0	.	ID	NA	N	NA		
		Arsenic	12/01/17	11/30/24	70	4	.	0	.	LD	NC	N	NC		
		Benzo(a)pyrene	12/01/17	11/30/24	1600	3	.	0	.	ID	NA	N	NA		
		Benzo(a)anthracene	12/01/17	11/30/24	1600	3	.	0	.	ID	NA	N	NA		
General Use	High pH	pH	12/01/17	11/30/24	9	12	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	12	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	12	.	1	0.3	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	12	.	1	0.67	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.1	12	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	11	.	1	13.2	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	12	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/04/14	11/30/24	35	20	5.91	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	12/04/14	11/30/24	130	20	.	1	180	AD	FS	N	FS		

Seg ID: 2441OW- East Matagorda Bay (Oyster Waters) AU ID: 2441OW_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Fecal coliform	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in oyster waters	5c

Seg ID: 2441OW- East Matagorda Bay (Oyster Waters) AU ID: 2441OW_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	No oyster waters closure	12/01/17	11/30/24	.	0	.	.	.	OE	FS	N	FS		

Seg ID: 2442OW- Cedar Lakes (Oyster Waters) AU ID: 2442OW_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	No oyster waters closure	12/01/17	11/30/24	.	0	.	.	.	OE	NA	N	NA		

Seg ID: 2451 - Matagorda Bay/Powderhorn Lake AU ID: 2451_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	32	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	32	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Hexachloroethane	12/01/17	11/30/24	5640	2	.	0	.	ID	NA	N	NA		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	1060	2	.	0	.	ID	NA	N	NA		
		Hexachlorobutadiene (HCBD)	12/01/17	11/30/24	670	2	.	0	.	ID	NA	N	NA		
		gamma-BHC (Lindane)	12/01/17	11/30/24	0.99	2	.	0	.	ID	NA	N	NA		
		Fluorene	12/01/17	11/30/24	540	2	.	0	.	ID	NA	N	NA		
		Fluoranthene	12/01/17	11/30/24	5100	2	.	0	.	ID	NA	N	NA		
		Di-n-octyl phthalate	12/01/17	11/30/24	45000	2	.	0	.	ID	NA	N	NA		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2451 - Matagorda Bay/Powderhorn Lake AU ID: 2451_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Di-n-butyl phthalate	12/01/17	11/30/24	17000	2	.	0	.	ID	NA	N	NA		
		Dimethyl phthalate	12/01/17	11/30/24	530	2	.	0	.	ID	NA	N	NA		
		Diethyl phthalate	12/01/17	11/30/24	1100	2	.	0	.	ID	NA	N	NA		
		Dieldrin	12/01/17	11/30/24	4.3	2	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	260	2	.	0	.	ID	NA	N	NA		
		DDT	12/01/17	11/30/24	4.77	2	.	0	.	ID	NA	N	NA		
		DDD	12/01/17	11/30/24	7.81	2	.	0	.	ID	NA	N	NA		
		Copper	12/01/17	11/30/24	270	2	.	0	.	ID	NA	N	NA		
		Chrysene	12/01/17	11/30/24	2800	2	.	0	.	ID	NA	N	NA		
		DDE	12/01/17	11/30/24	374	2	.	0	.	ID	NA	N	NA		
		Chromium	12/01/17	11/30/24	370	2	.	0	.	ID	NA	N	NA		
		Chlordane	12/01/17	11/30/24	4.79	2	.	0	.	ID	NA	N	NA		
		Cadmium	12/01/17	11/30/24	9.6	2	.	0	.	ID	NA	N	NA		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	2647	2	.	0	.	ID	NA	N	NA		
		Benzyl alcohol	12/01/17	11/30/24	73	2	.	0	.	ID	NA	N	NA		
		Benzoic acid	12/01/17	11/30/24	650	2	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	12/01/17	11/30/24	1600	2	.	0	.	ID	NA	N	NA		
		Benzo(a)anthracene	12/01/17	11/30/24	1600	2	.	0	.	ID	NA	N	NA		
		Arsenic	12/01/17	11/30/24	70	2	.	0	.	ID	NA	N	NA		
		Arachlor 1254	12/01/17	11/30/24	709	2	.	0	.	ID	NA	N	NA		
		Anthracene	12/01/17	11/30/24	1100	2	.	0	.	ID	NA	N	NA		
		Acenaphthylene	12/01/17	11/30/24	640	2	.	0	.	ID	NA	N	NA		
		Endrin	12/01/17	11/30/24	62.4	2	.	0	.	ID	NA	N	NA		
		Heptachlor	12/01/17	11/30/24	2.74	2	.	0	.	ID	NA	N	NA		
		Acenaphthene	12/01/17	11/30/24	500	2	.	0	.	ID	NA	N	NA		
		2-Methylphenol (o-cresol)	12/01/17	11/30/24	63	2	.	0	.	ID	NA	N	NA		
		Lead	12/01/17	11/30/24	218	2	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	12/01/17	11/30/24	670	2	.	0	.	ID	NA	N	NA		
		2,4-Dinitrotoluene	12/01/17	11/30/24	14960	2	.	0	.	ID	NA	N	NA		
		2,4-Dimethylphenol	12/01/17	11/30/24	29	2	.	0	.	ID	NA	N	NA		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4210	2	.	0	.	ID	NA	N	NA		
		1,3-Dichlorobenzene	12/01/17	11/30/24	1950	2	.	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4440	2	.	0	.	ID	NA	N	NA		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	2320	2	.	0	.	ID	NA	N	NA		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1640	2	.	0	.	ID	NA	N	NA		
		Zinc	12/01/17	11/30/24	410	2	.	0	.	ID	NA	N	NA		
		Silver	12/01/17	11/30/24	3.7	2	.	0	.	ID	NA	N	NA		
		Pyrene	12/01/17	11/30/24	2600	2	.	0	.	ID	NA	N	NA		
		Phenol (single compound)	12/01/17	11/30/24	1200	2	.	0	.	ID	NA	N	NA		
		Phenanthrene	12/01/17	11/30/24	1500	2	.	0	.	ID	NA	N	NA		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	690	2	.	0	.	ID	NA	N	NA		
		Pentachlorobenzene	12/01/17	11/30/24	44350	2	.	0	.	ID	NA	N	NA		
		PCBs	12/01/17	11/30/24	180	2	.	0	.	ID	NA	N	NA		
		Parathion (ethyl)	12/01/17	11/30/24	300	2	.	0	.	ID	NA	N	NA		
		Nitrobenzene	12/01/17	11/30/24	8000	2	.	0	.	ID	NA	N	NA		
		Nickel	12/01/17	11/30/24	51.6	2	.	0	.	ID	NA	N	NA		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	640	2	.	0	.	ID	NA	N	NA		
		Naphthalene	12/01/17	11/30/24	2100	2	.	0	.	ID	NA	N	NA		
		Mercury	12/01/17	11/30/24	0.71	2	.	0	.	ID	NA	N	NA		
General Use	High pH	pH	12/01/17	11/30/24	9	32	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	32	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2451 - Matagorda Bay/Powderhorn Lake AU ID: 2451_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	32	.	1	0.42	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	32	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	27	.	5	14.88	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.1	32	.	2	0.42	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	32	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	29	6.21	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	29	.	0	.	AD	FS	N	FS		

Seg ID: 2451 - Matagorda Bay/Powderhorn Lake AU ID: 2451_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Zinc	12/01/17	11/30/24	410	2	.	0	.	ID	NA	N	NA		
		Silver	12/01/17	11/30/24	3.7	2	.	0	.	ID	NA	N	NA		
		Pyrene	12/01/17	11/30/24	2600	2	.	0	.	ID	NA	N	NA		
		Phenanthrene	12/01/17	11/30/24	1500	2	.	0	.	ID	NA	N	NA		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	690	2	.	0	.	ID	NA	N	NA		
		Pentachlorobenzene	12/01/17	11/30/24	44350	2	.	0	.	ID	NA	N	NA		
		Parathion (ethyl)	12/01/17	11/30/24	300	2	.	0	.	ID	NA	N	NA		
		Nitrobenzene	12/01/17	11/30/24	8000	2	.	0	.	ID	NA	N	NA		
		Nickel	12/01/17	11/30/24	51.6	2	.	0	.	ID	NA	N	NA		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	640	2	.	0	.	ID	NA	N	NA		
		Naphthalene	12/01/17	11/30/24	2100	2	.	0	.	ID	NA	N	NA		
		Mercury	12/01/17	11/30/24	0.71	2	.	0	.	ID	NA	N	NA		
		Lead	12/01/17	11/30/24	218	2	.	0	.	ID	NA	N	NA		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	1060	2	.	0	.	ID	NA	N	NA		
		Hexachlorobutadiene (HCBD)	12/01/17	11/30/24	670	2	.	0	.	ID	NA	N	NA		
		Heptachlor	12/01/17	11/30/24	2.74	2	.	0	.	ID	NA	N	NA		
		Fluorene	12/01/17	11/30/24	540	2	.	0	.	ID	NA	N	NA		
		Fluoranthene	12/01/17	11/30/24	5100	2	.	0	.	ID	NA	N	NA		
		Endrin	12/01/17	11/30/24	62.4	2	.	0	.	ID	NA	N	NA		
		Di-n-butyl phthalate	12/01/17	11/30/24	17000	2	.	0	.	ID	NA	N	NA		
		Dimethyl phthalate	12/01/17	11/30/24	530	2	.	0	.	ID	NA	N	NA		
		Diethyl phthalate	12/01/17	11/30/24	1100	2	.	0	.	ID	NA	N	NA		
		Di-n-octyl phthalate	12/01/17	11/30/24	45000	2	.	0	.	ID	NA	N	NA		
		Dieldrin	12/01/17	11/30/24	4.3	2	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	260	2	.	0	.	ID	NA	N	NA		
		DDT	12/01/17	11/30/24	4.77	2	.	0	.	ID	NA	N	NA		
		DDE	12/01/17	11/30/24	374	2	.	0	.	ID	NA	N	NA		
		gamma-BHC (Lindane)	12/01/17	11/30/24	0.99	2	.	0	.	ID	NA	N	NA		
		Hexachloroethane	12/01/17	11/30/24	5640	2	.	0	.	ID	NA	N	NA		
		DDD	12/01/17	11/30/24	7.81	2	.	0	.	ID	NA	N	NA		
		Copper	12/01/17	11/30/24	270	2	.	0	.	ID	NA	N	NA		
		Chrysene	12/01/17	11/30/24	2800	2	.	0	.	ID	NA	N	NA		
		Chromium	12/01/17	11/30/24	370	2	.	0	.	ID	NA	N	NA		
		Chlordane	12/01/17	11/30/24	4.79	2	.	0	.	ID	NA	N	NA		
		Cadmium	12/01/17	11/30/24	9.6	2	.	0	.	ID	NA	N	NA		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	2647	2	.	0	.	ID	NA	N	NA		
		Benzyl alcohol	12/01/17	11/30/24	73	2	.	0	.	ID	NA	N	NA		
		PCBs	12/01/17	11/30/24	180	2	.	0	.	ID	NA	N	NA		
		Benzoic acid	12/01/17	11/30/24	650	2	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	12/01/17	11/30/24	1600	2	.	0	.	ID	NA	N	NA		
		Benzo(a)anthracene	12/01/17	11/30/24	1600	2	.	0	.	ID	NA	N	NA		
		Arsenic	12/01/17	11/30/24	70	2	.	0	.	ID	NA	N	NA		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2451 - Matagorda Bay/Powderhorn Lake AU ID: 2451_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Phenol (single compound)	12/01/17	11/30/24	1200	2	.	0	.	ID	NA	N	NA		
		Arachlor 1254	12/01/17	11/30/24	709	2	.	0	.	ID	NA	N	NA		
		Anthracene	12/01/17	11/30/24	1100	2	.	0	.	ID	NA	N	NA		
		Acenaphthylene	12/01/17	11/30/24	640	2	.	0	.	ID	NA	N	NA		
		Acenaphthene	12/01/17	11/30/24	500	2	.	0	.	ID	NA	N	NA		
		2-Methylphenol (o-cresol)	12/01/17	11/30/24	63	2	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	12/01/17	11/30/24	670	2	.	0	.	ID	NA	N	NA		
		2,4-Dinitrotoluene	12/01/17	11/30/24	14960	2	.	0	.	ID	NA	N	NA		
		2,4-Dimethylphenol	12/01/17	11/30/24	29	2	.	0	.	ID	NA	N	NA		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4210	2	.	0	.	ID	NA	N	NA		
		1,3-Dichlorobenzene	12/01/17	11/30/24	1950	2	.	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4440	2	.	0	.	ID	NA	N	NA		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	2320	2	.	0	.	ID	NA	N	NA		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1640	2	.	0	.	ID	NA	N	NA		

Seg ID: 2451 - Matagorda Bay/Powderhorn Lake AU ID: 2451_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	16	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	16	.	1	4	AD	NC	N	NC		
	Toxic Substances in sediment	Zinc	12/01/17	11/30/24	410	2	.	0	.	ID	NA	N	NA		
		Pyrene	12/01/17	11/30/24	2600	2	.	0	.	ID	NA	N	NA		
		Phenol (single compound)	12/01/17	11/30/24	1200	2	.	0	.	ID	NA	N	NA		
		Phenanthrene	12/01/17	11/30/24	1500	2	.	0	.	ID	NA	N	NA		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	690	2	.	0	.	ID	NA	N	NA		
		Pentachlorobenzene	12/01/17	11/30/24	44350	2	.	0	.	ID	NA	N	NA		
		PCBs	12/01/17	11/30/24	180	2	.	0	.	ID	NA	N	NA		
		Parathion (ethyl)	12/01/17	11/30/24	300	2	.	0	.	ID	NA	N	NA		
		Nickel	12/01/17	11/30/24	51.6	2	.	0	.	ID	NA	N	NA		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	640	2	.	0	.	ID	NA	N	NA		
		Naphthalene	12/01/17	11/30/24	2100	2	.	0	.	ID	NA	N	NA		
		Lead	12/01/17	11/30/24	218	2	.	0	.	ID	NA	N	NA		
		Hexachloroethane	12/01/17	11/30/24	5640	2	.	0	.	ID	NA	N	NA		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	1060	2	.	0	.	ID	NA	N	NA		
		Heptachlor	12/01/17	11/30/24	2.74	2	.	0	.	ID	NA	N	NA		
		gamma-BHC (Lindane)	12/01/17	11/30/24	0.99	2	.	0	.	ID	NA	N	NA		
		Fluorene	12/01/17	11/30/24	540	2	.	0	.	ID	NA	N	NA		
		Fluoranthene	12/01/17	11/30/24	5100	2	.	0	.	ID	NA	N	NA		
		Endrin	12/01/17	11/30/24	62.4	2	.	0	.	ID	NA	N	NA		
		Di-n-octyl phthalate	12/01/17	11/30/24	45000	2	.	0	.	ID	NA	N	NA		
		Di-n-butyl phthalate	12/01/17	11/30/24	17000	2	.	0	.	ID	NA	N	NA		
		Hexachlorobutadiene (HCBd)	12/01/17	11/30/24	670	2	.	0	.	ID	NA	N	NA		
		Dimethyl phthalate	12/01/17	11/30/24	530	2	.	0	.	ID	NA	N	NA		
		Diethyl phthalate	12/01/17	11/30/24	1100	2	.	0	.	ID	NA	N	NA		
		Dieldrin	12/01/17	11/30/24	4.3	2	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	260	2	.	0	.	ID	NA	N	NA		
		Mercury	12/01/17	11/30/24	0.71	2	.	0	.	ID	NA	N	NA		
		DDT	12/01/17	11/30/24	4.77	2	.	0	.	ID	NA	N	NA		
		DDE	12/01/17	11/30/24	374	2	.	0	.	ID	NA	N	NA		
		DDD	12/01/17	11/30/24	7.81	2	.	0	.	ID	NA	N	NA		
		Copper	12/01/17	11/30/24	270	2	.	0	.	ID	NA	N	NA		
		Nitrobenzene	12/01/17	11/30/24	8000	2	.	0	.	ID	NA	N	NA		
		Chrysene	12/01/17	11/30/24	2800	2	.	0	.	ID	NA	N	NA		
		Chromium	12/01/17	11/30/24	370	2	.	0	.	ID	NA	N	NA		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2451 - Matagorda Bay/Powderhorn Lake AU ID: 2451_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Chlordane	12/01/17	11/30/24	4.79	2	.	0	.	ID	NA	N	NA		
		Cadmium	12/01/17	11/30/24	9.6	2	.	0	.	ID	NA	N	NA		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	2647	2	.	0	.	ID	NA	N	NA		
		Benzyl alcohol	12/01/17	11/30/24	73	2	.	0	.	ID	NA	N	NA		
		Benzoic acid	12/01/17	11/30/24	650	2	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	12/01/17	11/30/24	1600	2	.	0	.	ID	NA	N	NA		
		Silver	12/01/17	11/30/24	3.7	2	.	0	.	ID	NA	N	NA		
		Benzo(a)anthracene	12/01/17	11/30/24	1600	2	.	0	.	ID	NA	N	NA		
		Arsenic	12/01/17	11/30/24	70	2	.	0	.	ID	NA	N	NA		
		Arachlor 1254	12/01/17	11/30/24	709	2	.	0	.	ID	NA	N	NA		
		Anthracene	12/01/17	11/30/24	1100	2	.	0	.	ID	NA	N	NA		
		Acenaphthylene	12/01/17	11/30/24	640	2	.	0	.	ID	NA	N	NA		
		Acenaphthene	12/01/17	11/30/24	500	2	.	0	.	ID	NA	N	NA		
		2-Methylphenol (o-cresol)	12/01/17	11/30/24	63	2	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	12/01/17	11/30/24	670	2	.	0	.	ID	NA	N	NA		
		2,4-Dinitrotoluene	12/01/17	11/30/24	14960	2	.	0	.	ID	NA	N	NA		
		2,4-Dimethylphenol	12/01/17	11/30/24	29	2	.	0	.	ID	NA	N	NA		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4210	2	.	0	.	ID	NA	N	NA		
		1,3-Dichlorobenzene	12/01/17	11/30/24	1950	2	.	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4440	2	.	0	.	ID	NA	N	NA		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	2320	2	.	0	.	ID	NA	N	NA		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1640	2	.	0	.	ID	NA	N	NA		
General Use	High pH	pH	12/01/17	11/30/24	9	16	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	16	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	15	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	15	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	14	.	3	18.03	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.1	15	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	16	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	02/04/16	11/30/24	35	20	6.37	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	02/04/16	11/30/24	130	20	.	0	.	AD	FS	N	FS		

Seg ID: 2451OW- Matagorda Bay/Powderhorn Lake (Oyster Waters) AU ID: 2451OW_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	No oyster waters closure	12/01/17	11/30/24	.	0	.	.	.	OE	FS	N	FS		

Seg ID: 2451OW- Matagorda Bay/Powderhorn Lake (Oyster Waters) AU ID: 2451OW_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	No oyster waters closure	12/01/17	11/30/24	.	0	.	.	.	OE	FS	N	FS		

Seg ID: 2451OW- Matagorda Bay/Powderhorn Lake (Oyster Waters) AU ID: 2451OW_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Fecal coliform	12/01/17	11/30/24	.	0	.	.	.	OE	NA	Y	NS	Bacteria in oyster waters	5c

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2452 - Tres Palacios Bay/Turtle Bay AU ID: 2452_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	10/24/16	11/30/24	4	13	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	10/24/16	11/30/24	5	13	.	0	.	AD	NC	N	NC		
General Use	High pH	pH	10/24/16	11/30/24	9	13	.	0	.	AD	FS	N	FS		
	Low pH	pH	10/24/16	11/30/24	6.5	13	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	10/24/16	11/30/24	0.21	13	.	1	0.26	AD	NC	N	NC		
		Nitrate	10/24/16	11/30/24	0.17	13	.	3	0.4	AD	NC	N	NC		
		Chlorophyll-a	10/24/16	11/30/24	11.6	10	.	8	19.05	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	10/24/16	11/30/24	0.1	13	.	2	0.13	AD	NC	N	NC		
	Water Temperature	Water temperature	10/24/16	11/30/24	35	12	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	9	14.79	0	.	LD	NC	N	NC		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	9	.	1	260	LD	NC	N	NC		

Seg ID: 2452A - Tres Palacios Harbor AU ID: 2452A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Zinc (dissolved)	12/01/17	11/30/24	92.7	2	.	0	.	ID	NA	N	NA		
		Selenium	12/01/17	11/30/24	564	2	.	0	.	ID	NA	N	NA		
		Nickel (dissolved)	12/01/17	11/30/24	118	2	.	0	.	ID	NA	N	NA		
		Mercury	12/01/17	11/30/24	2.1	2	.	0	.	ID	NA	N	NA		
		Lead (dissolved)	12/01/17	11/30/24	133	2	.	0	.	ID	NA	N	NA		
		Copper (dissolved)	12/01/17	11/30/24	13.5	2	.	0	.	ID	NA	N	NA		
		Cadmium (dissolved)	12/01/17	11/30/24	40	2	.	0	.	ID	NA	N	NA		
		Arsenic (dissolved)	12/01/17	11/30/24	149	2	.	0	.	ID	NA	N	NA		
	Chronic Toxic Substances in water	Zinc (dissolved)	12/01/17	11/30/24	84.2	2	20	0	.	ID	NA	N	NA		
		Selenium	12/01/17	11/30/24	136	2	4.38	0	.	ID	NA	N	NA		
		Nickel (dissolved)	12/01/17	11/30/24	13.1	2	6.55	0	.	ID	NA	N	NA		
		Mercury	12/01/17	11/30/24	1.1	2	0	0	.	ID	NA	N	NA		
		Lead (dissolved)	12/01/17	11/30/24	5.3	2	0.44	0	.	ID	NA	N	NA		
		Copper (dissolved)	12/01/17	11/30/24	3.6	2	1.94	0	.	ID	NA	N	NA		
		Cadmium (dissolved)	12/01/17	11/30/24	8.75	2	0.88	0	.	ID	NA	N	NA		
		Arsenic (dissolved)	12/01/17	11/30/24	78	2	21.88	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	10/24/16	11/30/24	3	13	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	10/24/16	11/30/24	4	13	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Zinc	12/01/17	11/30/24	410	2	.	0	.	ID	NA	N	NA		
		Silver	12/01/17	11/30/24	3.7	2	.	0	.	ID	NA	N	NA		
		Phenol (single compound)	12/01/17	11/30/24	1200	2	.	0	.	ID	NA	N	NA		
		Phenanthrene	12/01/17	11/30/24	1500	2	.	0	.	ID	NA	N	NA		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	690	2	.	0	.	ID	NA	N	NA		
		Pentachlorobenzene	12/01/17	11/30/24	44350	2	.	0	.	ID	NA	N	NA		
		PCBs	12/01/17	11/30/24	180	2	.	0	.	ID	NA	N	NA		
		Parathion (ethyl)	12/01/17	11/30/24	300	2	.	0	.	ID	NA	N	NA		
		Nitrobenzene	12/01/17	11/30/24	8000	2	.	0	.	ID	NA	N	NA		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	640	2	.	0	.	ID	NA	N	NA		
		Naphthalene	12/01/17	11/30/24	2100	2	.	0	.	ID	NA	N	NA		
		Mercury	12/01/17	11/30/24	0.71	2	.	0	.	ID	NA	N	NA		
		Hexachloroethane	12/01/17	11/30/24	5640	2	.	0	.	ID	NA	N	NA		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	1060	2	.	0	.	ID	NA	N	NA		
		Hexachlorobutadiene (HCBd)	12/01/17	11/30/24	670	2	.	0	.	ID	NA	N	NA		
		gamma-BHC (Lindane)	12/01/17	11/30/24	0.99	2	.	0	.	ID	NA	N	NA		
		Fluorene	12/01/17	11/30/24	540	2	.	0	.	ID	NA	N	NA		
		Fluoranthene	12/01/17	11/30/24	5100	2	.	0	.	ID	NA	N	NA		
		Endrin	12/01/17	11/30/24	62.4	2	.	0	.	ID	NA	N	NA		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2452A - Tres Palacios Harbor AU ID: 2452A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Di-n-octyl phthalate	12/01/17	11/30/24	45000	2	.	0	.	ID	NA	N	NA		
		Di-n-butyl phthalate	12/01/17	11/30/24	17000	2	.	0	.	ID	NA	N	NA		
		Dimethyl phthalate	12/01/17	11/30/24	530	2	.	0	.	ID	NA	N	NA		
		Dieldrin	12/01/17	11/30/24	4.3	2	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	260	2	.	0	.	ID	NA	N	NA		
		DDT	12/01/17	11/30/24	4.77	2	.	0	.	ID	NA	N	NA		
		DDE	12/01/17	11/30/24	374	2	.	0	.	ID	NA	N	NA		
		DDD	12/01/17	11/30/24	7.81	2	.	0	.	ID	NA	N	NA		
		Copper	12/01/17	11/30/24	270	2	.	0	.	ID	NA	N	NA		
		Chrysene	12/01/17	11/30/24	2800	2	.	0	.	ID	NA	N	NA		
		Diethyl phthalate	12/01/17	11/30/24	1100	2	.	0	.	ID	NA	N	NA		
		Chromium	12/01/17	11/30/24	370	2	.	0	.	ID	NA	N	NA		
		Chlordane	12/01/17	11/30/24	4.79	2	.	0	.	ID	NA	N	NA		
		Cadmium	12/01/17	11/30/24	9.6	2	.	0	.	ID	NA	N	NA		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	2647	2	.	0	.	ID	NA	N	NA		
		Benzyl alcohol	12/01/17	11/30/24	73	2	.	0	.	ID	NA	N	NA		
		Benzoic acid	12/01/17	11/30/24	650	2	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	12/01/17	11/30/24	1600	2	.	0	.	ID	NA	N	NA		
		Benzo(a)anthracene	12/01/17	11/30/24	1600	2	.	0	.	ID	NA	N	NA		
		Heptachlor	12/01/17	11/30/24	2.74	2	.	0	.	ID	NA	N	NA		
		Arsenic	12/01/17	11/30/24	70	2	.	0	.	ID	NA	N	NA		
		Arachlor 1254	12/01/17	11/30/24	709	2	.	0	.	ID	NA	N	NA		
		Lead	12/01/17	11/30/24	218	2	.	0	.	ID	NA	N	NA		
		Anthracene	12/01/17	11/30/24	1100	2	.	0	.	ID	NA	N	NA		
		Acenaphthylene	12/01/17	11/30/24	640	2	.	0	.	ID	NA	N	NA		
		Nickel	12/01/17	11/30/24	51.6	2	.	0	.	ID	NA	N	NA		
		Acenaphthene	12/01/17	11/30/24	500	2	.	0	.	ID	NA	N	NA		
		2-Methylphenol (o-cresol)	12/01/17	11/30/24	63	2	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	12/01/17	11/30/24	670	2	.	0	.	ID	NA	N	NA		
		2,4-Dinitrotoluene	12/01/17	11/30/24	14960	2	.	0	.	ID	NA	N	NA		
		2,4-Dimethylphenol	12/01/17	11/30/24	29	2	.	0	.	ID	NA	N	NA		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4210	2	.	0	.	ID	NA	N	NA		
		1,3-Dichlorobenzene	12/01/17	11/30/24	1950	2	.	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4440	2	.	0	.	ID	NA	N	NA		
		Pyrene	12/01/17	11/30/24	2600	2	.	0	.	ID	NA	N	NA		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	2320	2	.	0	.	ID	NA	N	NA		
		1,2,4,5-Tetrachlorobenzene	12/01/17	11/30/24	1640	2	.	0	.	ID	NA	N	NA		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/17	11/30/24	1140	2	25	0	.	ID	NA	N	NA		
		Lead (dissolved)	12/01/17	11/30/24	3.83	2	0.44	0	.	ID	NA	N	NA		
		Mercury	12/01/17	11/30/24	0.03	2	0	0	.	ID	NA	N	NA		
General Use	Nutrient Screening Levels	Total phosphorus	10/24/16	11/30/24	0.21	13	.	1	0.28	AD	NC	N	NC	Chlorophyll-a in water	
		Chlorophyll-a	10/24/16	11/30/24	11.6	10	.	8	19.59	AD	CS	N	CS		
		Ammonia	10/24/16	11/30/24	0.1	13	.	1	0.47	AD	NC	N	NC		
		Nitrate	10/24/16	11/30/24	0.17	13	.	3	0.45	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	9	8.97	0	.	LD	NC	N	NC		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	9	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2452OW- Tres Palacios Bay/Turtle Bay (Oyster Waters) AU ID: 2452OW_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Fecal coliform	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in oyster waters	5c

Seg ID: 2452OW- Tres Palacios Bay/Turtle Bay (Oyster Waters) AU ID: 2452OW_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Fecal coliform	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in oyster waters	5c

Seg ID: 2452TP- Tres Palacios Bay (Recreational Beaches) AU ID: 2452TP_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreational Beaches	Texas Beach Watch Program Advisories	Enterococcus	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in water	5a

Seg ID: 2453 - Lavaca Bay/Chocolate Bay AU ID: 2453_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	31	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	31	.	2	4.78	AD	NC	N	NC		
	Toxic Substances in sediment	Xylene	01/08/15	11/30/24	7620	11	.	0	.	AD	NC	N	NC		
		Trichloroethene	01/08/15	11/30/24	7300	12	.	0	.	AD	NC	N	NC		
		Toluene	01/08/15	11/30/24	7750	12	.	0	.	AD	NC	N	NC		
		Tetrachloroethene	01/08/15	11/30/24	3210	12	.	0	.	AD	NC	N	NC		
		Styrene	01/08/15	11/30/24	22310	12	.	0	.	AD	NC	N	NC		
		Silver	01/08/15	11/30/24	3.7	12	.	0	.	AD	NC	N	NC		
		Pyrene	01/08/15	11/30/24	2600	12	.	0	.	AD	NC	N	NC		
		Phenanthrene	01/08/15	11/30/24	1500	12	.	0	.	AD	NC	N	NC		
		Pentachlorophenol (PCP)	01/08/15	11/30/24	690	11	.	0	.	AD	NC	N	NC		
		Pentachlorobenzene	01/08/15	11/30/24	44350	5	.	0	.	LD	NC	N	NC		
		Parathion (ethyl)	01/08/15	11/30/24	300	11	.	0	.	AD	NC	N	NC		
		Nitrobenzene	01/08/15	11/30/24	8000	10	.	0	.	AD	NC	N	NC		
		Nickel	01/08/15	11/30/24	51.6	12	.	0	.	AD	NC	N	NC		
		Naphthalene	01/08/15	11/30/24	2100	11	.	0	.	AD	NC	N	NC		
		Methylene chloride	01/08/15	11/30/24	22940	11	.	0	.	AD	NC	N	NC		
		Methyl bromide	01/08/15	11/30/24	2490	4	.	0	.	LD	NC	N	NC		
		Mercury	01/08/15	11/30/24	0.71	11	.	0	.	AD	NC	N	NC		
		Lead	01/08/15	11/30/24	218	12	.	0	.	AD	NC	N	NC		
		Hexachloroethane	01/08/15	11/30/24	5640	10	.	0	.	AD	NC	N	NC		
		Hexachlorocyclopentadiene	01/08/15	11/30/24	1060	10	.	0	.	AD	NC	N	NC		
		Heptachlor	01/08/15	11/30/24	2.74	11	.	0	.	AD	NC	N	NC		
		gamma-BHC (Lindane)	01/08/15	11/30/24	0.99	10	.	0	.	AD	NC	N	NC		
		Fluorene	01/08/15	11/30/24	540	12	.	0	.	AD	NC	N	NC		
		Ethylbenzene	01/08/15	11/30/24	4100	12	.	0	.	AD	NC	N	NC		
		Endrin	01/08/15	11/30/24	62.4	10	.	0	.	AD	NC	N	NC		
		Di-n-octyl phthalate	01/08/15	11/30/24	45000	11	.	0	.	AD	NC	N	NC		
		Dimethyl phthalate	01/08/15	11/30/24	530	12	.	0	.	AD	NC	N	NC		
		Diethyl phthalate	01/08/15	11/30/24	1100	12	.	0	.	AD	NC	N	NC		
		Dieldrin	01/08/15	11/30/24	4.3	10	.	0	.	AD	NC	N	NC		
		Di-n-butyl phthalate	01/08/15	11/30/24	17000	12	.	0	.	AD	NC	N	NC		
		Dibenzofuran	01/08/15	11/30/24	580	1	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	01/08/15	11/30/24	260	12	.	0	.	AD	NC	N	NC		
		DDT	01/08/15	11/30/24	4.77	7	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2453 - Lavaca Bay/Chocolate Bay AU ID: 2453_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	DDE	01/08/15	11/30/24	374	8	.	0	.	LD	NC	N	NC		
		Fluoranthene	01/08/15	11/30/24	5100	12	.	0	.	AD	NC	N	NC		
		Hexachlorobutadiene (HCBD)	01/08/15	11/30/24	670	11	.	0	.	AD	NC	N	NC		
		DDD	01/08/15	11/30/24	7.81	8	.	0	.	LD	NC	N	NC		
		Copper	01/08/15	11/30/24	270	12	.	0	.	AD	NC	N	NC		
		Chrysene	01/08/15	11/30/24	2800	12	.	0	.	AD	NC	N	NC		
		Chromium	01/08/15	11/30/24	370	12	.	0	.	AD	NC	N	NC		
		Chloromethane	01/08/15	11/30/24	52430	12	.	0	.	AD	NC	N	NC		
		Chloroform	01/08/15	11/30/24	8860	10	.	0	.	AD	NC	N	NC		
		Chlorobenzene	01/08/15	11/30/24	8180	12	.	0	.	AD	NC	N	NC		
		Chlordane	01/08/15	11/30/24	4.79	9	.	0	.	LD	NC	N	NC		
		N-Butyl benzyl phthalate	01/08/15	11/30/24	640	12	.	0	.	AD	NC	N	NC		
		Carbon tetrachloride	01/08/15	11/30/24	36740	11	.	0	.	AD	NC	N	NC		
		Cadmium	01/08/15	11/30/24	9.6	12	.	0	.	AD	NC	N	NC		
		Bromoform	01/08/15	11/30/24	10670	11	.	0	.	AD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	01/08/15	11/30/24	2647	12	.	0	.	AD	NC	N	NC		
		PCBs	01/08/15	11/30/24	180	11	.	0	.	AD	NC	N	NC		
		Benzyl alcohol	01/08/15	11/30/24	73	4	.	0	.	LD	NC	N	NC		
		Benzoic acid	01/08/15	11/30/24	650	3	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	01/08/15	11/30/24	1600	12	.	0	.	AD	NC	N	NC		
		Benzo(a)anthracene	01/08/15	11/30/24	1600	12	.	0	.	AD	NC	N	NC		
		Phenol (single compound)	01/08/15	11/30/24	1200	11	.	0	.	AD	NC	N	NC		
		Benzene	01/08/15	11/30/24	4080	12	.	0	.	AD	NC	N	NC		
		Arsenic	01/08/15	11/30/24	70	12	.	0	.	AD	NC	N	NC		
		Arachlor 1254	01/08/15	11/30/24	709	12	.	0	.	AD	NC	N	NC		
		Anthracene	01/08/15	11/30/24	1100	12	.	0	.	AD	NC	N	NC		
		Zinc	01/08/15	11/30/24	410	12	.	0	.	AD	NC	N	NC		
		Acrylonitrile	01/08/15	11/30/24	3240	11	.	0	.	AD	NC	N	NC		
		Acetone	01/08/15	11/30/24	1003360	10	.	0	.	AD	NC	N	NC		
		Acenaphthylene	01/08/15	11/30/24	640	12	.	0	.	AD	NC	N	NC		
		Acenaphthene	01/08/15	11/30/24	500	12	.	0	.	AD	NC	N	NC		
		4-Methyl-2-Pentanone (MIBK)	01/08/15	11/30/24	272060	12	.	0	.	AD	NC	N	NC		
		2-Methylphenol (o-cresol)	01/08/15	11/30/24	63	4	.	0	.	LD	NC	N	NC		
		2-Methylnaphthalene	01/08/15	11/30/24	670	12	.	0	.	AD	NC	N	NC		
		2,4-Dinitrotoluene	01/08/15	11/30/24	14960	12	.	0	.	AD	NC	N	NC		
		2,4-Dimethylphenol	01/08/15	11/30/24	29	12	.	0	.	AD	NC	N	NC		
		1,4-Dichlorobenzene	01/08/15	11/30/24	4210	11	.	0	.	AD	NC	N	NC		
		1,3-Dichlorobenzene	01/08/15	11/30/24	1950	11	.	0	.	AD	NC	N	NC		
		1,2-Dichloropropane	01/08/15	11/30/24	21520	12	.	0	.	AD	NC	N	NC		
		1,2-Dichloroethane	01/08/15	11/30/24	26260	12	.	0	.	AD	NC	N	NC		
		1,2-Dichlorobenzene	01/08/15	11/30/24	4440	11	.	0	.	AD	NC	N	NC		
		1,2,4-Trichlorobenzene	01/08/15	11/30/24	2320	11	.	0	.	AD	NC	N	NC		
		1,2,4,5-Tetrachlorobenzene	01/08/15	11/30/24	1640	5	.	0	.	LD	NC	N	NC		
		1,1-Dichloroethylene	01/08/15	11/30/24	92470	12	.	0	.	AD	NC	N	NC		
		1,1,2-Trichloroethane	01/08/15	11/30/24	1800	12	.	0	.	AD	NC	N	NC		
		1,1,2,2-Tetrachloroethane	01/08/15	11/30/24	3690	12	.	0	.	AD	NC	N	NC		
		1,1,1-Trichloroethane	01/08/15	11/30/24	35860	12	.	0	.	AD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Nickel (dissolved)	01/08/15	11/30/24	1140	14	10.56	0	.	AD	FS	N	FS		
		Mercury	01/08/15	11/30/24	0.03	12	0	0	.	AD	FS	N	FS		
		Lead (dissolved)	01/08/15	11/30/24	3.83	13	0.48	0	.	AD	FS	N	FS		
General Use	High pH	pH	12/01/17	11/30/24	9	31	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	31	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2453 - Lavaca Bay/Chocolate Bay AU ID: 2453_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	27	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	28	.	4	18.03	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.1	25	.	1	0.17	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	27	.	2	0.31	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	31	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	25	9.04	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	25	.	2	380	AD	FS	N	FS		

Seg ID: 2453 - Lavaca Bay/Chocolate Bay AU ID: 2453_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Zinc (dissolved)	08/27/15	11/30/24	92.7	12	.	0	.	AD	FS	N	FS		
		Selenium	08/27/15	11/30/24	564	11	.	0	.	AD	FS	N	FS		
		Nickel (dissolved)	08/27/15	11/30/24	118	13	.	0	.	AD	FS	N	FS		
		Mercury	08/27/15	11/30/24	2.1	12	.	0	.	AD	FS	N	FS		
		Lead (dissolved)	08/27/15	11/30/24	133	12	.	0	.	AD	FS	N	FS		
		Copper (dissolved)	08/27/15	11/30/24	13.5	10	.	0	.	AD	FS	N	FS		
		Cadmium (dissolved)	08/27/15	11/30/24	40	12	.	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	08/27/15	11/30/24	149	12	.	0	.	AD	FS	N	FS		
	Chronic Toxic Substances in water	Zinc (dissolved)	08/27/15	11/30/24	84.2	12	8	0	.	AD	FS	N	FS		
		Selenium	08/27/15	11/30/24	136	11	5.94	0	.	AD	FS	N	FS		
		Nickel (dissolved)	08/27/15	11/30/24	13.1	13	4.74	0	.	AD	FS	N	FS		
		Mercury	08/27/15	11/30/24	1.1	12	0	0	.	AD	FS	N	FS		
		Lead (dissolved)	08/27/15	11/30/24	5.3	12	0.36	0	.	AD	FS	N	FS		
		Copper (dissolved)	08/27/15	11/30/24	3.6	10	2.26	0	.	AD	FS	N	FS		
		Cadmium (dissolved)	08/27/15	11/30/24	8.75	12	0.55	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	08/27/15	11/30/24	78	12	11.68	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	15	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	15	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Zinc	01/08/15	11/30/24	410	12	.	0	.	AD	NC	N	NC		
		Xylene	01/08/15	11/30/24	7620	11	.	0	.	AD	NC	N	NC		
		Trichloroethene	01/08/15	11/30/24	7300	12	.	0	.	AD	NC	N	NC		
		Toluene	01/08/15	11/30/24	7750	12	.	0	.	AD	NC	N	NC		
		Tetrachloroethene	01/08/15	11/30/24	3210	12	.	0	.	AD	NC	N	NC		
		Styrene	01/08/15	11/30/24	22310	12	.	0	.	AD	NC	N	NC		
		Pyrene	01/08/15	11/30/24	2600	12	.	0	.	AD	NC	N	NC		
		Phenol (single compound)	01/08/15	11/30/24	1200	11	.	0	.	AD	NC	N	NC		
		Phenanthrene	01/08/15	11/30/24	1500	12	.	0	.	AD	NC	N	NC		
		Pentachlorobenzene	01/08/15	11/30/24	44350	5	.	0	.	LD	NC	N	NC		
		PCBs	01/08/15	11/30/24	180	11	.	0	.	AD	NC	N	NC		
		Parathion (ethyl)	01/08/15	11/30/24	300	11	.	0	.	AD	NC	N	NC		
		Nickel	01/08/15	11/30/24	51.6	12	.	0	.	AD	NC	N	NC		
		N-Butyl benzyl phthalate	01/08/15	11/30/24	640	12	.	0	.	AD	NC	N	NC		
		Naphthalene	01/08/15	11/30/24	2100	11	.	0	.	AD	NC	N	NC		
		Methylene chloride	01/08/15	11/30/24	22940	11	.	0	.	AD	NC	N	NC		
		Methyl bromide	01/08/15	11/30/24	2490	4	.	0	.	LD	NC	N	NC		
		Mercury	01/08/15	11/30/24	0.71	11	.	0	.	AD	NC	N	NC		
		Lead	01/08/15	11/30/24	218	12	.	0	.	AD	NC	N	NC		
		Hexachlorocyclopentadiene	01/08/15	11/30/24	1060	10	.	0	.	AD	NC	N	NC		
		Hexachlorobutadiene (HCBd)	01/08/15	11/30/24	670	11	.	0	.	AD	NC	N	NC		
		Heptachlor	01/08/15	11/30/24	2.74	11	.	0	.	AD	NC	N	NC		
		Fluorene	01/08/15	11/30/24	540	12	.	0	.	AD	NC	N	NC		
		Fluoranthene	01/08/15	11/30/24	5100	12	.	0	.	AD	NC	N	NC		

Seg ID: 2453 - Lavaca Bay/Chocolate Bay AU ID: 2453_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Ethylbenzene	01/08/15	11/30/24	4100	12	.	0	.	AD	NC	N	NC		
		Di-n-octyl phthalate	01/08/15	11/30/24	45000	11	.	0	.	AD	NC	N	NC		
		Di-n-butyl phthalate	01/08/15	11/30/24	17000	12	.	0	.	AD	NC	N	NC		
		Dimethyl phthalate	01/08/15	11/30/24	530	12	.	0	.	AD	NC	N	NC		
		Diethyl phthalate	01/08/15	11/30/24	1100	12	.	0	.	AD	NC	N	NC		
		Dieldrin	01/08/15	11/30/24	4.3	10	.	0	.	AD	NC	N	NC		
		Dibenzofuran	01/08/15	11/30/24	580	1	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	01/08/15	11/30/24	260	12	.	0	.	AD	NC	N	NC		
		DDE	01/08/15	11/30/24	374	8	.	0	.	LD	NC	N	NC		
		DDD	01/08/15	11/30/24	7.81	8	.	0	.	LD	NC	N	NC		
		Copper	01/08/15	11/30/24	270	12	.	0	.	AD	NC	N	NC		
		Chrysene	01/08/15	11/30/24	2800	12	.	0	.	AD	NC	N	NC		
		Chromium	01/08/15	11/30/24	370	12	.	0	.	AD	NC	N	NC		
		Chloromethane	01/08/15	11/30/24	52430	12	.	0	.	AD	NC	N	NC		
		Chloroform	01/08/15	11/30/24	8860	10	.	0	.	AD	NC	N	NC		
		DDT	01/08/15	11/30/24	4.77	7	.	0	.	LD	NC	N	NC		
		Chlorobenzene	01/08/15	11/30/24	8180	12	.	0	.	AD	NC	N	NC		
		Chlordane	01/08/15	11/30/24	4.79	9	.	0	.	LD	NC	N	NC		
		Carbon tetrachloride	01/08/15	11/30/24	36740	11	.	0	.	AD	NC	N	NC		
		Cadmium	01/08/15	11/30/24	9.6	12	.	0	.	AD	NC	N	NC		
		Bromoform	01/08/15	11/30/24	10670	11	.	0	.	AD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	01/08/15	11/30/24	2647	12	.	0	.	AD	NC	N	NC		
		Benzyl alcohol	01/08/15	11/30/24	73	4	.	0	.	LD	NC	N	NC		
		Benzoic acid	01/08/15	11/30/24	650	3	.	0	.	ID	NA	N	NA		
		Endrin	01/08/15	11/30/24	62.4	10	.	0	.	AD	NC	N	NC		
		Benzo(a)pyrene	01/08/15	11/30/24	1600	12	.	0	.	AD	NC	N	NC		
		Benzo(a)anthracene	01/08/15	11/30/24	1600	12	.	0	.	AD	NC	N	NC		
		gamma-BHC (Lindane)	01/08/15	11/30/24	0.99	10	.	0	.	AD	NC	N	NC		
		Benzene	01/08/15	11/30/24	4080	12	.	0	.	AD	NC	N	NC		
		Arsenic	01/08/15	11/30/24	70	12	.	0	.	AD	NC	N	NC		
		Hexachloroethane	01/08/15	11/30/24	5640	10	.	0	.	AD	NC	N	NC		
		Arachlor 1254	01/08/15	11/30/24	709	12	.	0	.	AD	NC	N	NC		
		Anthracene	01/08/15	11/30/24	1100	12	.	0	.	AD	NC	N	NC		
		Acrylonitrile	01/08/15	11/30/24	3240	11	.	0	.	AD	NC	N	NC		
		Acetone	01/08/15	11/30/24	1003360	10	.	0	.	AD	NC	N	NC		
		Acenaphthylene	01/08/15	11/30/24	640	12	.	0	.	AD	NC	N	NC		
		Acenaphthene	01/08/15	11/30/24	500	12	.	0	.	AD	NC	N	NC		
		4-Methyl-2-Pentanone (MIBK)	01/08/15	11/30/24	272060	12	.	0	.	AD	NC	N	NC		
		2-Methylphenol (o-cresol)	01/08/15	11/30/24	63	4	.	0	.	LD	NC	N	NC		
		Nitrobenzene	01/08/15	11/30/24	8000	10	.	0	.	AD	NC	N	NC		
		2-Methylnaphthalene	01/08/15	11/30/24	670	12	.	0	.	AD	NC	N	NC		
		2,4-Dinitrotoluene	01/08/15	11/30/24	14960	12	.	0	.	AD	NC	N	NC		
		2,4-Dimethylphenol	01/08/15	11/30/24	29	12	.	0	.	AD	NC	N	NC		
		1,4-Dichlorobenzene	01/08/15	11/30/24	4210	11	.	0	.	AD	NC	N	NC		
		Pentachlorophenol (PCP)	01/08/15	11/30/24	690	11	.	0	.	AD	NC	N	NC		
		1,3-Dichlorobenzene	01/08/15	11/30/24	1950	11	.	0	.	AD	NC	N	NC		
		1,2-Dichloropropane	01/08/15	11/30/24	21520	12	.	0	.	AD	NC	N	NC		
		Silver	01/08/15	11/30/24	3.7	12	.	0	.	AD	NC	N	NC		
		1,2-Dichloroethane	01/08/15	11/30/24	26260	12	.	0	.	AD	NC	N	NC		
		1,2-Dichlorobenzene	01/08/15	11/30/24	4440	11	.	0	.	AD	NC	N	NC		
		1,2,4-Trichlorobenzene	01/08/15	11/30/24	2320	11	.	0	.	AD	NC	N	NC		
		1,2,4,5-Tetrachlorobenzene	01/08/15	11/30/24	1640	5	.	0	.	LD	NC	N	NC		
		1,1-Dichloroethylene	01/08/15	11/30/24	92470	12	.	0	.	AD	NC	N	NC		
		1,1,2-Trichloroethane	01/08/15	11/30/24	1800	12	.	0	.	AD	NC	N	NC		
		1,1,2,2-Tetrachloroethane	01/08/15	11/30/24	3690	12	.	0	.	AD	NC	N	NC		
		1,1,1-Trichloroethane	01/08/15	11/30/24	35860	12	.	0	.	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2453 - Lavaca Bay/Chocolate Bay AU ID: 2453_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Fish Consumption Use	HH Bioaccumulative Toxics in water	Nickel (dissolved)	01/08/15	11/30/24	1140	14	10.56	0	.	AD	FS	N	FS		
		Lead (dissolved)	01/08/15	11/30/24	3.83	13	0.48	0	.	AD	FS	N	FS		
		Mercury	01/08/15	11/30/24	0.03	12	0	0	.	AD	FS	N	FS		
General Use	High pH	pH	12/01/17	11/30/24	9	15	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	15	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	13	.	2	0.22	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	13	.	3	0.29	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	12	.	5	14.34	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.1	12	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	15	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	11	10.95	0	.	LD	NC	N	NC		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	11	.	1	140	LD	NC	N	NC		

Seg ID: 2453 - Lavaca Bay/Chocolate Bay AU ID: 2453_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Zinc	01/08/15	11/30/24	410	12	.	0	.	AD	NC	N	NC		
		Xylene	01/08/15	11/30/24	7620	11	.	0	.	AD	NC	N	NC		
		Toluene	01/08/15	11/30/24	7750	12	.	0	.	AD	NC	N	NC		
		Tetrachloroethene	01/08/15	11/30/24	3210	12	.	0	.	AD	NC	N	NC		
		Styrene	01/08/15	11/30/24	22310	12	.	0	.	AD	NC	N	NC		
		Pyrene	01/08/15	11/30/24	2600	12	.	0	.	AD	NC	N	NC		
		Phenol (single compound)	01/08/15	11/30/24	1200	11	.	0	.	AD	NC	N	NC		
		Phenanthrene	01/08/15	11/30/24	1500	12	.	0	.	AD	NC	N	NC		
		Pentachlorophenol (PCP)	01/08/15	11/30/24	690	11	.	0	.	AD	NC	N	NC		
		Pentachlorobenzene	01/08/15	11/30/24	44350	5	.	0	.	LD	NC	N	NC		
		PCBs	01/08/15	11/30/24	180	11	.	0	.	AD	NC	N	NC		
		Parathion (ethyl)	01/08/15	11/30/24	300	11	.	0	.	AD	NC	N	NC		
		Nitrobenzene	01/08/15	11/30/24	8000	10	.	0	.	AD	NC	N	NC		
		Nickel	01/08/15	11/30/24	51.6	12	.	0	.	AD	NC	N	NC		
		N-Butyl benzyl phthalate	01/08/15	11/30/24	640	12	.	0	.	AD	NC	N	NC		
		Naphthalene	01/08/15	11/30/24	2100	11	.	0	.	AD	NC	N	NC		
		Methyl bromide	01/08/15	11/30/24	2490	4	.	0	.	LD	NC	N	NC		
		Mercury	01/08/15	11/30/24	0.71	11	.	0	.	AD	NC	N	NC		
		Lead	01/08/15	11/30/24	218	12	.	0	.	AD	NC	N	NC		
		Hexachlorocyclopentadiene	01/08/15	11/30/24	1060	10	.	0	.	AD	NC	N	NC		
		Hexachlorobutadiene (HCBd)	01/08/15	11/30/24	670	11	.	0	.	AD	NC	N	NC		
		Heptachlor	01/08/15	11/30/24	2.74	11	.	0	.	AD	NC	N	NC		
		Fluorene	01/08/15	11/30/24	540	12	.	0	.	AD	NC	N	NC		
		Fluoranthene	01/08/15	11/30/24	5100	12	.	0	.	AD	NC	N	NC		
		Ethylbenzene	01/08/15	11/30/24	4100	12	.	0	.	AD	NC	N	NC		
		Endrin	01/08/15	11/30/24	62.4	10	.	0	.	AD	NC	N	NC		
		Di-n-octyl phthalate	01/08/15	11/30/24	45000	11	.	0	.	AD	NC	N	NC		
		Di-n-butyl phthalate	01/08/15	11/30/24	17000	12	.	0	.	AD	NC	N	NC		
		Dimethyl phthalate	01/08/15	11/30/24	530	12	.	0	.	AD	NC	N	NC		
		Dieldrin	01/08/15	11/30/24	4.3	10	.	0	.	AD	NC	N	NC		
		Dibenzofuran	01/08/15	11/30/24	580	1	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	01/08/15	11/30/24	260	12	.	0	.	AD	NC	N	NC		
		Diethyl phthalate	01/08/15	11/30/24	1100	12	.	0	.	AD	NC	N	NC		
		DDT	01/08/15	11/30/24	4.77	7	.	0	.	LD	NC	N	NC		
		DDE	01/08/15	11/30/24	374	8	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2453 - Lavaca Bay/Chocolate Bay AU ID: 2453_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	DDD	01/08/15	11/30/24	7.81	8	.	0	.	LD	NC	N	NC		
		Copper	01/08/15	11/30/24	270	12	.	0	.	AD	NC	N	NC		
		Chrysene	01/08/15	11/30/24	2800	12	.	0	.	AD	NC	N	NC		
		Chromium	01/08/15	11/30/24	370	12	.	0	.	AD	NC	N	NC		
		gamma-BHC (Lindane)	01/08/15	11/30/24	0.99	10	.	0	.	AD	NC	N	NC		
		Chloromethane	01/08/15	11/30/24	52430	12	.	0	.	AD	NC	N	NC		
		Chloroform	01/08/15	11/30/24	8860	10	.	0	.	AD	NC	N	NC		
		Chlorobenzene	01/08/15	11/30/24	8180	12	.	0	.	AD	NC	N	NC		
		Chlordane	01/08/15	11/30/24	4.79	9	.	0	.	LD	NC	N	NC		
		Carbon tetrachloride	01/08/15	11/30/24	36740	11	.	0	.	AD	NC	N	NC		
		Cadmium	01/08/15	11/30/24	9.6	12	.	0	.	AD	NC	N	NC		
		Hexachloroethane	01/08/15	11/30/24	5640	10	.	0	.	AD	NC	N	NC		
		Methylene chloride	01/08/15	11/30/24	22940	11	.	0	.	AD	NC	N	NC		
		Bromoform	01/08/15	11/30/24	10670	11	.	0	.	AD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	01/08/15	11/30/24	2647	12	.	0	.	AD	NC	N	NC		
		Benzyl alcohol	01/08/15	11/30/24	73	4	.	0	.	LD	NC	N	NC		
		Benzoic acid	01/08/15	11/30/24	650	3	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	01/08/15	11/30/24	1600	12	.	0	.	AD	NC	N	NC		
		Benzo(a)anthracene	01/08/15	11/30/24	1600	12	.	0	.	AD	NC	N	NC		
		Benzene	01/08/15	11/30/24	4080	12	.	0	.	AD	NC	N	NC		
		Arsenic	01/08/15	11/30/24	70	12	.	0	.	AD	NC	N	NC		
		Arachlor 1254	01/08/15	11/30/24	709	12	.	0	.	AD	NC	N	NC		
		Anthracene	01/08/15	11/30/24	1100	12	.	0	.	AD	NC	N	NC		
		Acrylonitrile	01/08/15	11/30/24	3240	11	.	0	.	AD	NC	N	NC		
		Acetone	01/08/15	11/30/24	1003360	10	.	0	.	AD	NC	N	NC		
		Silver	01/08/15	11/30/24	3.7	12	.	0	.	AD	NC	N	NC		
		Acenaphthylene	01/08/15	11/30/24	640	12	.	0	.	AD	NC	N	NC		
		Acenaphthene	01/08/15	11/30/24	500	12	.	0	.	AD	NC	N	NC		
		4-Methyl-2-Pentanone (MIBK)	01/08/15	11/30/24	272060	12	.	0	.	AD	NC	N	NC		
		2-Methylphenol (o-cresol)	01/08/15	11/30/24	63	4	.	0	.	LD	NC	N	NC		
		Trichloroethene	01/08/15	11/30/24	7300	12	.	0	.	AD	NC	N	NC		
		2-Methylnaphthalene	01/08/15	11/30/24	670	12	.	0	.	AD	NC	N	NC		
		2,4-Dinitrotoluene	01/08/15	11/30/24	14960	12	.	0	.	AD	NC	N	NC		
		2,4-Dimethylphenol	01/08/15	11/30/24	29	12	.	0	.	AD	NC	N	NC		
		1,4-Dichlorobenzene	01/08/15	11/30/24	4210	11	.	0	.	AD	NC	N	NC		
		1,3-Dichlorobenzene	01/08/15	11/30/24	1950	11	.	0	.	AD	NC	N	NC		
		1,2-Dichloropropane	01/08/15	11/30/24	21520	12	.	0	.	AD	NC	N	NC		
		1,2-Dichloroethane	01/08/15	11/30/24	26260	12	.	0	.	AD	NC	N	NC		
		1,2-Dichlorobenzene	01/08/15	11/30/24	4440	11	.	0	.	AD	NC	N	NC		
		1,2,4-Trichlorobenzene	01/08/15	11/30/24	2320	11	.	0	.	AD	NC	N	NC		
		1,2,4,5-Tetrachlorobenzene	01/08/15	11/30/24	1640	5	.	0	.	LD	NC	N	NC		
		1,1-Dichloroethylene	01/08/15	11/30/24	92470	12	.	0	.	AD	NC	N	NC		
		1,1,2-Trichloroethane	01/08/15	11/30/24	1800	12	.	0	.	AD	NC	N	NC		
		1,1,2,2-Tetrachloroethane	01/08/15	11/30/24	3690	12	.	0	.	AD	NC	N	NC		
		1,1,1-Trichloroethane	01/08/15	11/30/24	35860	12	.	0	.	AD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Nickel (dissolved)	01/08/15	11/30/24	1140	14	10.56	0	.	AD	FS	N	FS		
		Mercury	01/08/15	11/30/24	0.03	12	0	0	.	AD	FS	N	FS		
		Lead (dissolved)	01/08/15	11/30/24	3.83	13	0.48	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2453A - Garcitas Creek Tidal AU ID: 2453A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Depressed dissolved oxygen in water	5r

Seg ID: 2453C - Arenosa Creek AU ID: 2453C_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	11	.	1	1.6	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	11	.	4	3.53	AD	CS	N	CS	Depressed dissolved oxygen in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	13	208.63	1	.	LD	CN	Y	NS	Bacteria in water	4a

Seg ID: 2453D - Lavaca Bay Ship Channel Area AU ID: 2453D_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Zinc (dissolved)	08/27/15	11/30/24	92.7	12	.	0	.	AD	FS	N	FS		
		Selenium	08/27/15	11/30/24	564	11	.	0	.	AD	FS	N	FS		
		Nickel (dissolved)	08/27/15	11/30/24	118	12	.	0	.	AD	FS	N	FS		
		Mercury	08/27/15	11/30/24	2.1	10	.	0	.	AD	FS	N	FS		
		Lead (dissolved)	08/27/15	11/30/24	133	10	.	0	.	AD	FS	N	FS		
		Copper (dissolved)	08/27/15	11/30/24	13.5	7	.	0	.	LD	NC	N	NC		
		Cadmium (dissolved)	08/27/15	11/30/24	40	10	.	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	08/27/15	11/30/24	149	11	.	0	.	AD	FS	N	FS		
	Chronic Toxic Substances in water	Zinc (dissolved)	08/27/15	11/30/24	84.2	12	8.64	0	.	AD	FS	N	FS		
		Selenium	08/27/15	11/30/24	136	11	10.46	0	.	AD	FS	N	FS		
		Nickel (dissolved)	08/27/15	11/30/24	13.1	12	4.7	0	.	AD	FS	N	FS		
		Mercury	08/27/15	11/30/24	1.1	10	0	0	.	AD	FS	N	FS		
		Lead (dissolved)	08/27/15	11/30/24	5.3	10	0.47	0	.	AD	FS	N	FS		
		Copper (dissolved)	08/27/15	11/30/24	3.6	7	2.26	0	.	LD	NC	Y	NS	Copper in water	5c
		Cadmium (dissolved)	08/27/15	11/30/24	8.75	10	0.58	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	08/27/15	11/30/24	78	11	14.24	0	.	AD	FS	N	FS		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	15	.	0	.	SM	FS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	15	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Xylene	01/06/15	11/30/24	7620	10	.	0	.	AD	NC	N	NC		
		Trichloroethene	01/06/15	11/30/24	7300	11	.	0	.	AD	NC	N	NC		
		Toluene	01/06/15	11/30/24	7750	11	.	0	.	AD	NC	N	NC		
		Styrene	01/06/15	11/30/24	22310	11	.	0	.	AD	NC	N	NC		
		Silver	01/06/15	11/30/24	3.7	11	.	0	.	AD	NC	N	NC		
		Pyrene	01/06/15	11/30/24	2600	11	.	0	.	AD	NC	N	NC		
		Phenol (single compound)	01/06/15	11/30/24	1200	11	.	0	.	AD	NC	N	NC		
		Phenanthrene	01/06/15	11/30/24	1500	11	.	0	.	AD	NC	N	NC		
		Pentachlorophenol (PCP)	01/06/15	11/30/24	690	10	.	0	.	AD	NC	N	NC		
		Pentachlorobenzene	01/06/15	11/30/24	44350	4	.	0	.	LD	NC	N	NC		
		Parathion (ethyl)	01/06/15	11/30/24	300	11	.	0	.	AD	NC	N	NC		
		Nitrobenzene	01/06/15	11/30/24	8000	10	.	0	.	AD	NC	N	NC		
		Nickel	01/06/15	11/30/24	51.6	11	.	0	.	AD	NC	N	NC		
		Naphthalene	01/06/15	11/30/24	2100	11	.	0	.	AD	NC	N	NC		
		Methylene chloride	01/06/15	11/30/24	22940	10	.	0	.	AD	NC	N	NC		
		Methyl bromide	01/06/15	11/30/24	2490	3	.	0	.	ID	NA	N	NA		
		Lead	01/06/15	11/30/24	218	11	.	0	.	AD	NC	N	NC		
		Hexachloroethane	01/06/15	11/30/24	5640	10	.	0	.	AD	NC	N	NC		
		Hexachlorocyclopentadiene	01/06/15	11/30/24	1060	11	.	0	.	AD	NC	N	NC		
		Hexachlorobutadiene (HCBD)	01/06/15	11/30/24	670	11	.	0	.	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2453D - Lavaca Bay Ship Channel Area AU ID: 2453D_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Heptachlor	01/06/15	11/30/24	2.74	11	.	0	.	AD	NC	N	NC		
		gamma-BHC (Lindane)	01/06/15	11/30/24	0.99	10	.	0	.	AD	NC	N	NC		
		Fluorene	01/06/15	11/30/24	540	11	.	0	.	AD	NC	N	NC		
		Ethylbenzene	01/06/15	11/30/24	4100	11	.	0	.	AD	NC	N	NC		
		Endrin	01/06/15	11/30/24	62.4	11	.	0	.	AD	NC	N	NC		
		Di-n-octyl phthalate	01/06/15	11/30/24	45000	11	.	0	.	AD	NC	N	NC		
		Dimethyl phthalate	01/06/15	11/30/24	530	11	.	0	.	AD	NC	N	NC		
		Diethyl phthalate	01/06/15	11/30/24	1100	11	.	0	.	AD	NC	N	NC		
		Dieldrin	01/06/15	11/30/24	4.3	10	.	0	.	AD	NC	N	NC		
		Dibenz(a,h)anthracene	01/06/15	11/30/24	260	11	.	0	.	AD	NC	N	NC		
		DDT	01/06/15	11/30/24	4.77	10	.	0	.	AD	NC	N	NC		
		DDE	01/06/15	11/30/24	374	10	.	0	.	AD	NC	N	NC		
		DDD	01/06/15	11/30/24	7.81	10	.	0	.	AD	NC	N	NC		
		Copper	01/06/15	11/30/24	270	11	.	0	.	AD	NC	N	NC		
		Chrysene	01/06/15	11/30/24	2800	11	.	0	.	AD	NC	N	NC		
		Chromium	01/06/15	11/30/24	370	11	.	0	.	AD	NC	N	NC		
		Chloromethane	01/06/15	11/30/24	52430	10	.	0	.	AD	NC	N	NC		
		Chloroform	01/06/15	11/30/24	8860	9	.	0	.	LD	NC	N	NC		
		Chlorobenzene	01/06/15	11/30/24	8180	11	.	0	.	AD	NC	N	NC		
		Chlordane	01/06/15	11/30/24	4.79	9	.	0	.	LD	NC	N	NC		
		Carbon tetrachloride	01/06/15	11/30/24	36740	10	.	0	.	AD	NC	N	NC		
		Cadmium	01/06/15	11/30/24	9.6	11	.	0	.	AD	NC	N	NC		
		Bromoform	01/06/15	11/30/24	10670	11	.	0	.	AD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	01/06/15	11/30/24	2647	11	.	0	.	AD	NC	N	NC		
		Dibenzofuran	01/06/15	11/30/24	580	1	.	0	.	ID	NA	N	NA		
		Di-n-butyl phthalate	01/06/15	11/30/24	17000	11	.	0	.	AD	NC	N	NC		
		Benzyl alcohol	01/06/15	11/30/24	73	3	.	0	.	ID	NA	N	NA		
		Benzoic acid	01/06/15	11/30/24	650	2	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	01/06/15	11/30/24	1600	11	.	0	.	AD	NC	N	NC		
		Benzo(a)anthracene	01/06/15	11/30/24	1600	11	.	0	.	AD	NC	N	NC		
		Benzene	01/06/15	11/30/24	4080	11	.	0	.	AD	NC	N	NC		
		Arsenic	01/06/15	11/30/24	70	11	.	0	.	AD	NC	N	NC		
		Arachlor 1254	01/06/15	11/30/24	709	11	.	0	.	AD	NC	N	NC		
		Anthracene	01/06/15	11/30/24	1100	11	.	0	.	AD	NC	N	NC		
		Fluoranthene	01/06/15	11/30/24	5100	11	.	0	.	AD	NC	N	NC		
		Acrylonitrile	01/06/15	11/30/24	3240	10	.	0	.	AD	NC	N	NC		
		Acetone	01/06/15	11/30/24	1003360	9	.	0	.	LD	NC	N	NC		
		Acenaphthylene	01/06/15	11/30/24	640	11	.	0	.	AD	NC	N	NC		
		Acenaphthene	01/06/15	11/30/24	500	11	.	0	.	AD	NC	N	NC		
		Mercury	01/06/15	11/30/24	0.71	10	.	0	.	AD	NC	N	NC		
		4-Methyl-2-Pentanone (MIBK)	01/06/15	11/30/24	272060	11	.	0	.	AD	NC	N	NC		
		2-Methylphenol (o-cresol)	01/06/15	11/30/24	63	3	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	01/06/15	11/30/24	670	11	.	0	.	AD	NC	N	NC		
		2,4-Dinitrotoluene	01/06/15	11/30/24	14960	11	.	0	.	AD	NC	N	NC		
		N-Butyl benzyl phthalate	01/06/15	11/30/24	640	11	.	0	.	AD	NC	N	NC		
		PCBs	01/06/15	11/30/24	180	10	.	0	.	AD	NC	N	NC		
		2,4-Dimethylphenol	01/06/15	11/30/24	29	11	.	0	.	AD	NC	N	NC		
		1,4-Dichlorobenzene	01/06/15	11/30/24	4210	11	.	0	.	AD	NC	N	NC		
		1,3-Dichlorobenzene	01/06/15	11/30/24	1950	11	.	0	.	AD	NC	N	NC		
		1,2-Dichloropropane	01/06/15	11/30/24	21520	11	.	0	.	AD	NC	N	NC		
		1,2-Dichloroethane	01/06/15	11/30/24	26260	11	.	0	.	AD	NC	N	NC		
		1,2-Dichlorobenzene	01/06/15	11/30/24	4440	11	.	0	.	AD	NC	N	NC		
		1,2,4-Trichlorobenzene	01/06/15	11/30/24	2320	11	.	0	.	AD	NC	N	NC		
		1,2,4,5-Tetrachlorobenzene	01/06/15	11/30/24	1640	4	.	0	.	LD	NC	N	NC		
		Tetrachloroethene	01/06/15	11/30/24	3210	11	.	0	.	AD	NC	N	NC		
		1,1-Dichloroethylene	01/06/15	11/30/24	92470	11	.	0	.	AD	NC	N	NC		

Seg ID: 2453D - Lavaca Bay Ship Channel Area AU ID: 2453D_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	1,1,2-Trichloroethane	01/06/15	11/30/24	1800	11	.	0	.	AD	NC	N	NC		
		1,1,2,2-Tetrachloroethane	01/06/15	11/30/24	3690	11	.	0	.	AD	NC	N	NC		
		1,1,1-Trichloroethane	01/06/15	11/30/24	35860	11	.	0	.	AD	NC	N	NC		
		Zinc	01/06/15	11/30/24	410	11	.	0	.	AD	NC	N	NC		
Fish Consumption Use	DSHS Aquatic Life Closure	Mercury	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Mercury in edible tissue	4b
	HH Bioaccumulative Toxics in water	Mercury	08/27/15	11/30/24	0.03	10	0	0	.	AD	FS	N	FS		
		Lead (dissolved)	08/27/15	11/30/24	3.83	10	0.47	0	.	AD	FS	N	FS		
		Nickel (dissolved)	08/27/15	11/30/24	1140	12	10.85	0	.	AD	FS	N	FS		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	13	.	1	0.23	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	13	.	2	0.32	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	12	.	1	15.3	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.1	12	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	12	7.33	0	.	LD	NC	N	NC		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	12	.	0	.	LD	NC	N	NC		

Seg ID: 2453E - Garcitas Creek Above Tidal AU ID: 2453E_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	19	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	19	.	2	2.4	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	18	68.08	0	.	LD	NC	N	NC		

Seg ID: 2453OW- Lavaca Bay/Chocolate Bay (Oyster Waters) AU ID: 2453OW_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	No oyster waters closure	12/01/17	11/30/24	.	0	.	.	.	OE	FS	N	FS		

Seg ID: 2453OW- Lavaca Bay/Chocolate Bay (Oyster Waters) AU ID: 2453OW_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Fecal coliform	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in oyster waters	5c

Seg ID: 2453OW- Lavaca Bay/Chocolate Bay (Oyster Waters) AU ID: 2453OW_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Fecal coliform	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in oyster waters	5c

Seg ID: 2454 - Cox Bay AU ID: 2454_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Xylene	01/06/15	11/30/24	7620	9	.	0	.	LD	NC	N	NC		
		Trichloroethene	01/06/15	11/30/24	7300	10	.	0	.	AD	NC	N	NC		
		Toluene	01/06/15	11/30/24	7750	10	.	0	.	AD	NC	N	NC		
		Styrene	01/06/15	11/30/24	22310	10	.	0	.	AD	NC	N	NC		
		Silver	01/06/15	11/30/24	3.7	9	.	0	.	LD	NC	N	NC		
		Pyrene	01/06/15	11/30/24	2600	10	.	0	.	AD	NC	N	NC		
		Phenol (single compound)	01/06/15	11/30/24	1200	10	.	0	.	AD	NC	N	NC		
		Phenanthrene	01/06/15	11/30/24	1500	10	.	0	.	AD	NC	N	NC		
		Pentachlorophenol (PCP)	01/06/15	11/30/24	690	9	.	0	.	LD	NC	N	NC		
		Pentachlorobenzene	01/06/15	11/30/24	44350	4	.	0	.	LD	NC	N	NC		
		Parathion (ethyl)	01/06/15	11/30/24	300	10	.	0	.	AD	NC	N	NC		
		Nitrobenzene	01/06/15	11/30/24	8000	9	.	0	.	LD	NC	N	NC		
		Nickel	01/06/15	11/30/24	51.6	9	.	0	.	LD	NC	N	NC		
		Naphthalene	01/06/15	11/30/24	2100	10	.	0	.	AD	NC	N	NC		
		Methylene chloride	01/06/15	11/30/24	22940	9	.	0	.	LD	NC	N	NC		
		Methyl bromide	01/06/15	11/30/24	2490	3	.	0	.	ID	NA	N	NA		
		Lead	01/06/15	11/30/24	218	9	.	0	.	LD	NC	N	NC		
		Hexachloroethane	01/06/15	11/30/24	5640	9	.	0	.	LD	NC	N	NC		
		Hexachlorocyclopentadiene	01/06/15	11/30/24	1060	10	.	0	.	AD	NC	N	NC		
		Hexachlorobutadiene (HCBd)	01/06/15	11/30/24	670	10	.	0	.	AD	NC	N	NC		
		Heptachlor	01/06/15	11/30/24	2.74	9	.	0	.	LD	NC	N	NC		
		gamma-BHC (Lindane)	01/06/15	11/30/24	0.99	8	.	0	.	LD	NC	N	NC		
		Fluorene	01/06/15	11/30/24	540	10	.	0	.	AD	NC	N	NC		
		Ethylbenzene	01/06/15	11/30/24	4100	10	.	0	.	AD	NC	N	NC		
		Endrin	01/06/15	11/30/24	62.4	10	.	0	.	AD	NC	N	NC		
		Di-n-octyl phthalate	01/06/15	11/30/24	45000	10	.	0	.	AD	NC	N	NC		
		Dimethyl phthalate	01/06/15	11/30/24	530	10	.	0	.	AD	NC	N	NC		
		Diethyl phthalate	01/06/15	11/30/24	1100	10	.	0	.	AD	NC	N	NC		
		Dieldrin	01/06/15	11/30/24	4.3	10	.	0	.	AD	NC	N	NC		
		Dibenzofuran	01/06/15	11/30/24	580	1	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	01/06/15	11/30/24	260	10	.	0	.	AD	NC	N	NC		
		DDT	01/06/15	11/30/24	4.77	8	.	0	.	LD	NC	N	NC		
		DDE	01/06/15	11/30/24	374	9	.	0	.	LD	NC	N	NC		
		Di-n-butyl phthalate	01/06/15	11/30/24	17000	10	.	0	.	AD	NC	N	NC		
		DDD	01/06/15	11/30/24	7.81	9	.	0	.	LD	NC	N	NC		
		Copper	01/06/15	11/30/24	270	9	.	0	.	LD	NC	N	NC		
		Chrysene	01/06/15	11/30/24	2800	10	.	0	.	AD	NC	N	NC		
		Chromium	01/06/15	11/30/24	370	8	.	0	.	LD	NC	N	NC		
		Fluoranthene	01/06/15	11/30/24	5100	10	.	0	.	AD	NC	N	NC		
		Chloromethane	01/06/15	11/30/24	52430	10	.	0	.	AD	NC	N	NC		
		Chloroform	01/06/15	11/30/24	8860	9	.	0	.	LD	NC	N	NC		
		Chlorobenzene	01/06/15	11/30/24	8180	10	.	0	.	AD	NC	N	NC		
		Chlordane	01/06/15	11/30/24	4.79	8	.	0	.	LD	NC	N	NC		
		Carbon tetrachloride	01/06/15	11/30/24	36740	9	.	0	.	LD	NC	N	NC		
		Cadmium	01/06/15	11/30/24	9.6	9	.	0	.	LD	NC	N	NC		
		Bromoform	01/06/15	11/30/24	10670	10	.	0	.	AD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	01/06/15	11/30/24	2647	10	.	0	.	AD	NC	N	NC		
		Mercury	01/06/15	11/30/24	0.71	8	.	0	.	LD	NC	N	NC		
		N-Butyl benzyl phthalate	01/06/15	11/30/24	640	10	.	0	.	AD	NC	N	NC		
		Benzyl alcohol	01/06/15	11/30/24	73	3	.	0	.	ID	NA	N	NA		
		Benzoic acid	01/06/15	11/30/24	650	2	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	01/06/15	11/30/24	1600	10	.	0	.	AD	NC	N	NC		
		Benzo(a)anthracene	01/06/15	11/30/24	1600	10	.	0	.	AD	NC	N	NC		
		Benzene	01/06/15	11/30/24	4080	10	.	0	.	AD	NC	N	NC		
		Arsenic	01/06/15	11/30/24	70	9	.	0	.	LD	NC	N	NC		
		Arachlor 1254	01/06/15	11/30/24	709	10	.	0	.	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2454 - Cox Bay AU ID: 2454_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Anthracene	01/06/15	11/30/24	1100	10	.	0	.	AD	NC	N	NC		
		PCBs	01/06/15	11/30/24	180	9	.	0	.	LD	NC	N	NC		
		Acrylonitrile	01/06/15	11/30/24	3240	9	.	0	.	LD	NC	N	NC		
		Acetone	01/06/15	11/30/24	1003360	8	.	0	.	LD	NC	N	NC		
		Acenaphthylene	01/06/15	11/30/24	640	10	.	0	.	AD	NC	N	NC		
		Acenaphthene	01/06/15	11/30/24	500	10	.	0	.	AD	NC	N	NC		
		Tetrachloroethene	01/06/15	11/30/24	3210	10	.	0	.	AD	NC	N	NC		
		4-Methyl-2-Pentanone (MIBK)	01/06/15	11/30/24	272060	10	.	0	.	AD	NC	N	NC		
		2-Methylphenol (o-cresol)	01/06/15	11/30/24	63	3	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	01/06/15	11/30/24	670	10	.	0	.	AD	NC	N	NC		
		2,4-Dinitrotoluene	01/06/15	11/30/24	14960	10	.	0	.	AD	NC	N	NC		
		Zinc	01/06/15	11/30/24	410	9	.	0	.	LD	NC	N	NC		
		2,4-Dimethylphenol	01/06/15	11/30/24	29	10	.	0	.	AD	NC	N	NC		
		1,4-Dichlorobenzene	01/06/15	11/30/24	4210	10	.	0	.	AD	NC	N	NC		
		1,3-Dichlorobenzene	01/06/15	11/30/24	1950	10	.	0	.	AD	NC	N	NC		
		1,2-Dichloropropane	01/06/15	11/30/24	21520	10	.	0	.	AD	NC	N	NC		
		1,2-Dichloroethane	01/06/15	11/30/24	26260	10	.	0	.	AD	NC	N	NC		
		1,2-Dichlorobenzene	01/06/15	11/30/24	4440	10	.	0	.	AD	NC	N	NC		
		1,2,4-Trichlorobenzene	01/06/15	11/30/24	2320	10	.	0	.	AD	NC	N	NC		
		1,2,4,5-Tetrachlorobenzene	01/06/15	11/30/24	1640	4	.	0	.	LD	NC	N	NC		
		1,1-Dichloroethylene	01/06/15	11/30/24	92470	10	.	0	.	AD	NC	N	NC		
		1,1,2-Trichloroethane	01/06/15	11/30/24	1800	10	.	0	.	AD	NC	N	NC		
		1,1,2,2-Tetrachloroethane	01/06/15	11/30/24	3690	10	.	0	.	AD	NC	N	NC		
		1,1,1-Trichloroethane	01/06/15	11/30/24	35860	10	.	0	.	AD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Nickel (dissolved)	01/06/15	11/30/24	1140	11	12.5	0	.	AD	FS	N	FS		
		Mercury	01/06/15	11/30/24	0.03	9	0	0	.	LD	NC	N	NC		
		Lead (dissolved)	01/06/15	11/30/24	3.83	11	0.6	0	.	AD	FS	N	FS		

Seg ID: 2454 - Cox Bay AU ID: 2454_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Zinc (dissolved)	01/06/15	11/30/24	92.7	12	.	0	.	AD	FS	N	FS		
		Selenium	01/06/15	11/30/24	564	9	.	0	.	LD	NC	N	NC		
		Nickel (dissolved)	01/06/15	11/30/24	118	11	.	0	.	AD	FS	N	FS		
		Mercury	01/06/15	11/30/24	2.1	9	.	0	.	LD	NC	N	NC		
		Lead (dissolved)	01/06/15	11/30/24	133	11	.	0	.	AD	FS	N	FS		
		Copper (dissolved)	01/06/15	11/30/24	13.5	8	.	0	.	LD	NC	N	NC		
		Cadmium (dissolved)	01/06/15	11/30/24	40	10	.	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	01/06/15	11/30/24	149	11	.	0	.	AD	FS	N	FS		
	Chronic Toxic Substances in water	Zinc (dissolved)	01/06/15	11/30/24	84.2	12	9.38	0	.	AD	FS	N	FS		
		Selenium	01/06/15	11/30/24	136	9	13.13	0	.	LD	NC	N	NC		
		Nickel (dissolved)	01/06/15	11/30/24	13.1	11	4.71	0	.	AD	FS	N	FS		
		Mercury	01/06/15	11/30/24	1.1	9	0	0	.	LD	NC	N	NC		
		Lead (dissolved)	01/06/15	11/30/24	5.3	11	0.65	0	.	AD	FS	N	FS		
		Copper (dissolved)	01/06/15	11/30/24	3.6	8	2.49	0	.	LD	NC	Y	NS	Copper in water	5c
		Cadmium (dissolved)	01/06/15	11/30/24	8.75	10	0.78	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	01/06/15	11/30/24	78	11	14.29	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	15	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	15	.	0	.	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2454 - Cox Bay AU ID: 2454_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Zinc	01/06/15	11/30/24	410	9	.	0	.	LD	NC	N	NC		
		Trichloroethene	01/06/15	11/30/24	7300	10	.	0	.	AD	NC	N	NC		
		Toluene	01/06/15	11/30/24	7750	10	.	0	.	AD	NC	N	NC		
		Tetrachloroethene	01/06/15	11/30/24	3210	10	.	0	.	AD	NC	N	NC		
		Silver	01/06/15	11/30/24	3.7	9	.	0	.	LD	NC	N	NC		
		Pyrene	01/06/15	11/30/24	2600	10	.	0	.	AD	NC	N	NC		
		Phenol (single compound)	01/06/15	11/30/24	1200	10	.	0	.	AD	NC	N	NC		
		Pentachlorophenol (PCP)	01/06/15	11/30/24	690	9	.	0	.	LD	NC	N	NC		
		Pentachlorobenzene	01/06/15	11/30/24	44350	4	.	0	.	LD	NC	N	NC		
		PCBs	01/06/15	11/30/24	180	9	.	0	.	LD	NC	N	NC		
		Parathion (ethyl)	01/06/15	11/30/24	300	10	.	0	.	AD	NC	N	NC		
		Nitrobenzene	01/06/15	11/30/24	8000	9	.	0	.	LD	NC	N	NC		
		Nickel	01/06/15	11/30/24	51.6	9	.	0	.	LD	NC	N	NC		
		N-Butyl benzyl phthalate	01/06/15	11/30/24	640	10	.	0	.	AD	NC	N	NC		
		Methylene chloride	01/06/15	11/30/24	22940	9	.	0	.	LD	NC	N	NC		
		Methyl bromide	01/06/15	11/30/24	2490	3	.	0	.	ID	NA	N	NA		
		Mercury	01/06/15	11/30/24	0.71	8	.	0	.	LD	NC	N	NC		
		Hexachloroethane	01/06/15	11/30/24	5640	9	.	0	.	LD	NC	N	NC		
		Hexachlorocyclopentadiene	01/06/15	11/30/24	1060	10	.	0	.	AD	NC	N	NC		
		Hexachlorobutadiene (HCBD)	01/06/15	11/30/24	670	10	.	0	.	AD	NC	N	NC		
		gamma-BHC (Lindane)	01/06/15	11/30/24	0.99	8	.	0	.	LD	NC	N	NC		
		Fluorene	01/06/15	11/30/24	540	10	.	0	.	AD	NC	N	NC		
		Fluoranthene	01/06/15	11/30/24	5100	10	.	0	.	AD	NC	N	NC		
		Ethylbenzene	01/06/15	11/30/24	4100	10	.	0	.	AD	NC	N	NC		
		Endrin	01/06/15	11/30/24	62.4	10	.	0	.	AD	NC	N	NC		
		Di-n-octyl phthalate	01/06/15	11/30/24	45000	10	.	0	.	AD	NC	N	NC		
		Di-n-butyl phthalate	01/06/15	11/30/24	17000	10	.	0	.	AD	NC	N	NC		
		Diethyl phthalate	01/06/15	11/30/24	1100	10	.	0	.	AD	NC	N	NC		
		Dieldrin	01/06/15	11/30/24	4.3	10	.	0	.	AD	NC	N	NC		
		Dibenzofuran	01/06/15	11/30/24	580	1	.	0	.	ID	NA	N	NA		
		DDT	01/06/15	11/30/24	4.77	8	.	0	.	LD	NC	N	NC		
		DDE	01/06/15	11/30/24	374	9	.	0	.	LD	NC	N	NC		
		DDD	01/06/15	11/30/24	7.81	9	.	0	.	LD	NC	N	NC		
		Chrysene	01/06/15	11/30/24	2800	10	.	0	.	AD	NC	N	NC		
		Chromium	01/06/15	11/30/24	370	8	.	0	.	LD	NC	N	NC		
		Chloromethane	01/06/15	11/30/24	52430	10	.	0	.	AD	NC	N	NC		
		Copper	01/06/15	11/30/24	270	9	.	0	.	LD	NC	N	NC		
		Chloroform	01/06/15	11/30/24	8860	9	.	0	.	LD	NC	N	NC		
		Chlorobenzene	01/06/15	11/30/24	8180	10	.	0	.	AD	NC	N	NC		
		Chlordane	01/06/15	11/30/24	4.79	8	.	0	.	LD	NC	N	NC		
		Carbon tetrachloride	01/06/15	11/30/24	36740	9	.	0	.	LD	NC	N	NC		
		Dibenz(a,h)anthracene	01/06/15	11/30/24	260	10	.	0	.	AD	NC	N	NC		
		Dimethyl phthalate	01/06/15	11/30/24	530	10	.	0	.	AD	NC	N	NC		
		Cadmium	01/06/15	11/30/24	9.6	9	.	0	.	LD	NC	N	NC		
		Bromoform	01/06/15	11/30/24	10670	10	.	0	.	AD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	01/06/15	11/30/24	2647	10	.	0	.	AD	NC	N	NC		
		Benzyl alcohol	01/06/15	11/30/24	73	3	.	0	.	ID	NA	N	NA		
		Benzoic acid	01/06/15	11/30/24	650	2	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	01/06/15	11/30/24	1600	10	.	0	.	AD	NC	N	NC		
		Benzo(a)anthracene	01/06/15	11/30/24	1600	10	.	0	.	AD	NC	N	NC		
		Benzene	01/06/15	11/30/24	4080	10	.	0	.	AD	NC	N	NC		
		Heptachlor	01/06/15	11/30/24	2.74	9	.	0	.	LD	NC	N	NC		
		Arsenic	01/06/15	11/30/24	70	9	.	0	.	LD	NC	N	NC		
		Arachlor 1254	01/06/15	11/30/24	709	10	.	0	.	AD	NC	N	NC		
		Anthracene	01/06/15	11/30/24	1100	10	.	0	.	AD	NC	N	NC		
		Acrylonitrile	01/06/15	11/30/24	3240	9	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2454 - Cox Bay AU ID: 2454_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Acetone	01/06/15	11/30/24	1003360	8	.	0	.	LD	NC	N	NC		
		Acenaphthylene	01/06/15	11/30/24	640	10	.	0	.	AD	NC	N	NC		
		Acenaphthene	01/06/15	11/30/24	500	10	.	0	.	AD	NC	N	NC		
		4-Methyl-2-Pentanone (MIBK)	01/06/15	11/30/24	272060	10	.	0	.	AD	NC	N	NC		
		Lead	01/06/15	11/30/24	218	9	.	0	.	LD	NC	N	NC		
		Naphthalene	01/06/15	11/30/24	2100	10	.	0	.	AD	NC	N	NC		
		2-Methylphenol (o-cresol)	01/06/15	11/30/24	63	3	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	01/06/15	11/30/24	670	10	.	0	.	AD	NC	N	NC		
		2,4-Dinitrotoluene	01/06/15	11/30/24	14960	10	.	0	.	AD	NC	N	NC		
		2,4-Dimethylphenol	01/06/15	11/30/24	29	10	.	0	.	AD	NC	N	NC		
		Phenanthrene	01/06/15	11/30/24	1500	10	.	0	.	AD	NC	N	NC		
		1,4-Dichlorobenzene	01/06/15	11/30/24	4210	10	.	0	.	AD	NC	N	NC		
		1,3-Dichlorobenzene	01/06/15	11/30/24	1950	10	.	0	.	AD	NC	N	NC		
		1,2-Dichloropropane	01/06/15	11/30/24	21520	10	.	0	.	AD	NC	N	NC		
		1,2-Dichloroethane	01/06/15	11/30/24	26260	10	.	0	.	AD	NC	N	NC		
		Styrene	01/06/15	11/30/24	22310	10	.	0	.	AD	NC	N	NC		
		1,2-Dichlorobenzene	01/06/15	11/30/24	4440	10	.	0	.	AD	NC	N	NC		
		1,2,4-Trichlorobenzene	01/06/15	11/30/24	2320	10	.	0	.	AD	NC	N	NC		
		1,2,4,5-Tetrachlorobenzene	01/06/15	11/30/24	1640	4	.	0	.	LD	NC	N	NC		
		1,1-Dichloroethylene	01/06/15	11/30/24	92470	10	.	0	.	AD	NC	N	NC		
		Xylene	01/06/15	11/30/24	7620	9	.	0	.	LD	NC	N	NC		
		1,1,2-Trichloroethane	01/06/15	11/30/24	1800	10	.	0	.	AD	NC	N	NC		
		1,1,2,2-Tetrachloroethane	01/06/15	11/30/24	3690	10	.	0	.	AD	NC	N	NC		
		1,1,1-Trichloroethane	01/06/15	11/30/24	35860	10	.	0	.	AD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Nickel (dissolved)	01/06/15	11/30/24	1140	11	12.5	0	.	AD	FS	N	FS		
		Mercury	01/06/15	11/30/24	0.03	9	0	0	.	LD	NC	N	NC		
		Lead (dissolved)	01/06/15	11/30/24	3.83	11	0.6	0	.	AD	FS	N	FS		
General Use	High pH	pH	12/01/17	11/30/24	9	15	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	15	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	13	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	13	.	1	0.23	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.1	12	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	12	.	2	18.15	AD	NC	N	NC		
Water Temperature	Water temperature	12/01/17	11/30/24	35	15	.	0	.	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	12	6.3	0	.	LD	NC	N	NC		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	12	.	0	.	LD	NC	N	NC		

Seg ID: 2454A - Cox Lake AU ID: 2454A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	17	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	17	.	2	4.1	AD	NC	N	NC		
General Use	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/17	11/30/24	.	0	.	.	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	8	37.61	0	.	LD	NC	N	NC		

Seg ID: 2454OW- Cox Bay (Oyster Waters) AU ID: 2454OW_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Fecal coliform	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in oyster waters	5c

Seg ID: 2454OW- Cox Bay (Oyster Waters) AU ID: 2454OW_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Fecal coliform	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in oyster waters	5c

Seg ID: 2455 - Keller Bay AU ID: 2455_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	15	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	15	.	0	.	AD	NC	N	NC		
General Use	High pH	pH	12/01/17	11/30/24	9	15	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	15	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	13	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	13	.	1	0.33	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	13	.	1	12.1	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.1	12	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	15	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	12	6.92	0	.	LD	NC	N	NC		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	12	.	0	.	LD	NC	N	NC		

Seg ID: 2455OW- Keller Bay (Oyster Waters) AU ID: 2455OW_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Fecal coliform	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in oyster waters	5c

Seg ID: 2455OW- Keller Bay (Oyster Waters) AU ID: 2455OW_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	No oyster waters closure	12/01/17	11/30/24	.	0	.	.	.	OE	FS	N	FS		

Seg ID: 2456 - Carancahua Bay AU ID: 2456_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	26	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	26	.	5	4.56	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	High pH	pH	12/01/17	11/30/24	9	26	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	26	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2456 - Carancahua Bay AU ID: 2456_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	24	.	5	0.42	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	24	.	1	0.26	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	15	.	11	29.55	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.1	24	.	5	0.14	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	26	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	24	30.7	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	24	.	4	640	AD	FS	N	FS		

Seg ID: 2456A - West Carancahua Creek Tidal AU ID: 2456A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Depressed dissolved oxygen in water	5r
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Depressed dissolved oxygen in water	5r
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Chlorophyll-a in water	

Seg ID: 2456OW- Carancahua Bay (Oyster Waters) AU ID: 2456OW_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Fecal coliform	12/01/17	11/30/24	.	0	.	.	.	OE	NA	Y	NS	Bacteria in oyster waters	5c

Seg ID: 2456OW- Carancahua Bay (Oyster Waters) AU ID: 2456OW_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Fecal coliform	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in oyster waters	5c

Seg ID: 2461 - Espiritu Santo Bay AU ID: 2461_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	14	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	14	.	0	.	AD	NC	N	NC		
General Use	High pH	pH	12/01/17	11/30/24	9	14	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	14	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	16	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	15	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	15	.	3	17.73	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.1	16	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	14	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	12	5.95	0	.	LD	NC	N	NC		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	12	.	0	.	LD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2461OW- Espiritu Santo Bay (Oyster Waters) AU ID: 2461OW_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	No oyster waters closure	12/01/17	11/30/24	.	0	.	.	.	OE	FS	N	FS		

Seg ID: 2462 - San Antonio Bay/Hynes Bay/Guadalupe Bay/Mission Lake AU ID: 2462_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	14	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	14	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Zinc	12/01/17	11/30/24	410	5	.	0	.	LD	NC	N	NC		
		Silver	12/01/17	11/30/24	3.7	5	.	0	.	LD	NC	N	NC		
		Nickel	12/01/17	11/30/24	51.6	5	.	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	0.71	4	.	0	.	LD	NC	N	NC		
		Lead	12/01/17	11/30/24	218	5	.	0	.	LD	NC	N	NC		
		Copper	12/01/17	11/30/24	270	5	.	0	.	LD	NC	N	NC		
		Chromium	12/01/17	11/30/24	370	5	.	0	.	LD	NC	N	NC		
		Cadmium	12/01/17	11/30/24	9.6	5	.	0	.	LD	NC	N	NC		
		Arsenic	12/01/17	11/30/24	70	5	.	0	.	LD	NC	N	NC		
General Use	High pH	pH	12/01/17	11/30/24	9	14	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	14	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	16	.	1	0.27	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	14	.	7	24.43	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.1	16	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	15	.	2	0.4	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	14	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	12	5	0	.	LD	NC	N	NC		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	12	.	0	.	LD	NC	N	NC		

Seg ID: 2462OW- San Antonio Bay/Hynes Bay/Guadalupe Bay/Mission Lake (Oyster Waters)															
AU ID: 2462OW_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Fecal coliform	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in oyster waters	5c

Seg ID: 2462OW- San Antonio Bay/Hynes Bay/Guadalupe Bay/Mission Lake (Oyster Waters) AU ID: 2462OW_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	No oyster waters closure	12/01/17	11/30/24	.	0	.	.	.	OE	NA	N	NA		

Seg ID: 2462OW- San Antonio Bay/Hynes Bay/Guadalupe Bay/Mission Lake (Oyster Waters)															
AU ID: 2462OW_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	No oyster waters closure	12/01/17	11/30/24	.	0	.	.	.	OE	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2462OW- San Antonio Bay/Hynes Bay/Guadalupe Bay/Mission Lake (Oyster Waters)
AU ID: 2462OW_04

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	No oyster waters closure	12/01/17	11/30/24	.	0	.	.	.	OE	FS	N	FS		

Seg ID: 2463 - Mesquite Bay/Carlos Bay/Ayres Bay
AU ID: 2463_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	15	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	15	.	0	.	AD	NC	N	NC		
General Use	High pH	pH	12/01/17	11/30/24	9	14	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	14	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	16	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	15	.	1	0.19	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	16	.	6	13.77	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.1	16	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	15	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	11/19/15	11/30/24	35	20	5.36	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	11/19/15	11/30/24	130	20	.	0	.	AD	FS	N	FS		

Seg ID: 2463OW- Mesquite Bay/Carlos Bay/Ayres Bay (Oyster Waters)
AU ID: 2463OW_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Fecal coliform	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in oyster waters	5c

Seg ID: 2463OW- Mesquite Bay/Carlos Bay/Ayres Bay (Oyster Waters)
AU ID: 2463OW_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	No oyster waters closure	12/01/17	11/30/24	.	0	.	.	.	OE	NA	N	NA		

Seg ID: 2471 - Aransas Bay
AU ID: 2471_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	17	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	17	.	0	.	AD	NC	N	NC		
General Use	High pH	pH	12/01/17	11/30/24	9	17	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	17	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	16	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	15	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	14	.	2	26.2	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.1	16	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	17	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	07/13/16	11/30/24	35	20	5	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	07/13/16	11/30/24	130	20	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2471A - Little Bay AU ID: 2471A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	17	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	17	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	17	.	6	0.43	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	0.17	17	.	4	1.01	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	17	.	7	34.91	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.1	17	.	5	0.45	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	Enterococcus	10/05/16	11/30/24	35	20	14.81	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	10/05/16	11/30/24	130	20	.	2	165	AD	FS	N	FS		

Seg ID: 2471OW- Aransas Bay (Oyster Waters) AU ID: 2471OW_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Fecal coliform	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in oyster waters	5c

Seg ID: 2471OW- Aransas Bay (Oyster Waters) AU ID: 2471OW_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	No oyster waters closure	12/01/17	11/30/24	.	0	.	.	.	OE	FS	N	FS		

Seg ID: 2471RB- Rockport Beach Park (Recreational Beaches) AU ID: 2471RB_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreational Beaches	Texas Beach Watch Program Advisories	Enterococcus	12/01/17	11/30/24	.	0	.	.	.	OE	FS	N	FS		

Seg ID: 2472 - Copano Bay/Port Bay/Mission Bay AU ID: 2472_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	16	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	16	.	0	.	AD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Thallium	12/01/17	11/30/24	0.23	5	0.12	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/17	11/30/24	1140	5	3.94	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	0.03	5	0.01	0	.	LD	NC	N	NC		
		Antimony	12/01/17	11/30/24	1071	5	1.81	0	.	LD	NC	N	NC		
General Use	High pH	pH	12/01/17	11/30/24	9	15	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	15	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	16	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	16	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	17	.	4	14.63	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.1	17	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	16	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	03/31/16	11/30/24	35	20	6.83	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	03/31/16	11/30/24	130	20	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2472 - Copano Bay/Port Bay/Mission Bay AU ID: 2472_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	16	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	16	.	0	.	AD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Thallium	12/01/17	11/30/24	0.23	5	0.12	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/17	11/30/24	1140	5	3.94	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	0.03	5	0.01	0	.	LD	NC	N	NC		
		Antimony	12/01/17	11/30/24	1071	5	1.81	0	.	LD	NC	N	NC		
General Use	High pH	pH	12/01/17	11/30/24	9	15	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	15	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	17	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	17	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	17	.	5	22.32	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.1	17	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	16	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	03/31/16	11/30/24	35	20	5.36	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	03/31/16	11/30/24	130	20	.	0	.	AD	FS	N	FS		

Seg ID: 2472 - Copano Bay/Port Bay/Mission Bay AU ID: 2472_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Zinc (dissolved)	12/01/17	11/30/24	92.7	5	.	0	.	LD	NC	N	NC		
		Selenium	12/01/17	11/30/24	564	5	.	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/17	11/30/24	118	5	.	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	2.1	5	.	0	.	LD	NC	N	NC		
		Copper (dissolved)	12/01/17	11/30/24	13.5	5	.	0	.	LD	NC	N	NC		
		Cadmium (dissolved)	12/01/17	11/30/24	40	5	.	0	.	LD	NC	N	NC		
		Arsenic (dissolved)	12/01/17	11/30/24	149	5	.	0	.	LD	NC	N	NC		
	Chronic Toxic Substances in water	Zinc (dissolved)	12/01/17	11/30/24	84.2	5	9.37	0	.	LD	NC	N	NC		
		Selenium	12/01/17	11/30/24	136	5	37.74	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/17	11/30/24	13.1	5	3.94	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	1.1	5	0.02	0	.	LD	NC	N	NC		
		Copper (dissolved)	12/01/17	11/30/24	3.6	5	3.59	0	.	LD	NC	N	NC		
		Cadmium (dissolved)	12/01/17	11/30/24	8.75	5	0.04	0	.	LD	NC	N	NC		
		Arsenic (dissolved)	12/01/17	11/30/24	78	5	13.32	0	.	LD	NC	N	NC		
Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	15	.	1	3.4	AD	FS	N	FS			
Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	15	.	2	3.73	AD	NC	N	NC			
Fish Consumption Use	HH Bioaccumulative Toxics in water	Thallium	12/01/17	11/30/24	0.23	5	0.12	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/17	11/30/24	1140	5	3.94	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	0.03	5	0.01	0	.	LD	NC	N	NC		
		Antimony	12/01/17	11/30/24	1071	5	1.81	0	.	LD	NC	N	NC		
General Use	High pH	pH	12/01/17	11/30/24	9	15	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	15	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	14	.	1	4.09	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	15	.	7	4.4	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	11.6	15	.	6	18.9	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.1	14	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	15	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2472 - Copano Bay/Port Bay/Mission Bay AU ID: 2472_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	5	13.84	0	.	ID	NA	Y	CN	Bacteria in water	
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	5	.	0	.	ID	NA	Y	NS	Bacteria in water	5c

Seg ID: 2472OW- Copano Bay/Port Bay/Mission Bay (Oyster Waters) AU ID: 2472OW_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Fecal coliform	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in oyster waters	5c

Seg ID: 2472OW- Copano Bay/Port Bay/Mission Bay (Oyster Waters) AU ID: 2472OW_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	No oyster waters closure	12/01/17	11/30/24	.	0	.	.	.	OE	FS	N	FS		

Seg ID: 2472OW- Copano Bay/Port Bay/Mission Bay (Oyster Waters) AU ID: 2472OW_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	No oyster waters closure	12/01/17	11/30/24	.	0	.	.	.	OE	NA	N	NA		

Seg ID: 2473 - St. Charles Bay AU ID: 2473_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	15	.	0	.	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	15	.	1	4.6	AD	NC	N	NC			
General Use	High pH	pH	12/01/17	11/30/24	9	14	.	0	.	AD	FS	N	FS			
	Low pH	pH	12/01/17	11/30/24	6.5	14	.	0	.	AD	FS	N	FS			
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	16	.	0	.	AD	NC	N	NC			
		Nitrate	12/01/17	11/30/24	0.17	16	.	0	.	AD	NC	N	NC			
		Chlorophyll-a	12/01/17	11/30/24	11.6	16	.	3	16.1	AD	NC	N	NC			
		Ammonia	12/01/17	11/30/24	0.1	16	.	0	.	AD	NC	N	NC			
	Water Temperature	Water temperature	12/01/17	11/30/24	35	15	.	0	.	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	Enterococcus	11/19/15	11/30/24	35	20	5.36	0	.	AD	FS	N	FS			
	Bacteria Single Sample	Enterococcus	11/19/15	11/30/24	130	20	.	0	.	AD	FS	N	FS			

Seg ID: 2473OW- St. Charles Bay (Oyster Waters) AU ID: 2473OW_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	No oyster waters closure	12/01/17	11/30/24	.	0	.	.	.	OE	NA	N	NA		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2473OW- St. Charles Bay (Oyster Waters) AU ID: 2473OW_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Fecal coliform	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in oyster waters	5c

Seg ID: 2481 - Corpus Christi Bay AU ID: 2481_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Zinc (dissolved)	06/09/16	11/30/24	92.7	12	.	0	.	AD	FS	N	FS		
		Selenium	06/09/16	11/30/24	564	11	.	0	.	AD	FS	N	FS		
		Nickel (dissolved)	06/09/16	11/30/24	118	10	.	0	.	AD	FS	N	FS		
		Mercury	06/09/16	11/30/24	2.1	11	.	0	.	AD	FS	N	FS		
		Lead (dissolved)	06/09/16	11/30/24	133	10	.	0	.	AD	FS	N	FS		
		Copper (dissolved)	06/09/16	11/30/24	13.5	7	.	1	18.1	LD	NC	N	NC		
		Cadmium (dissolved)	06/09/16	11/30/24	40	11	.	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	06/09/16	11/30/24	149	10	.	0	.	AD	FS	N	FS		
	Chronic Toxic Substances in water	Zinc (dissolved)	06/09/16	11/30/24	84.2	12	12.37	0	.	AD	FS	N	FS		
		Selenium	06/09/16	11/30/24	136	11	14.69	0	.	AD	FS	N	FS		
		Nickel (dissolved)	06/09/16	11/30/24	13.1	10	5.82	0	.	AD	FS	N	FS		
		Mercury	06/09/16	11/30/24	1.1	11	0	0	.	AD	FS	N	FS		
		Lead (dissolved)	06/09/16	11/30/24	5.3	10	0.49	0	.	AD	FS	N	FS		
		Copper (dissolved)	06/09/16	11/30/24	3.6	7	4.46	1	.	LD	CN	N	CN	Copper in water	
		Cadmium (dissolved)	06/09/16	11/30/24	8.75	11	0.94	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	06/09/16	11/30/24	78	10	20.61	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	17	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	17	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Zinc	02/18/15	11/30/24	410	11	.	0	.	AD	NC	N	NC		
		Xylene	02/18/15	11/30/24	7620	9	.	0	.	LD	NC	N	NC		
		Trichloroethene	02/18/15	11/30/24	7300	11	.	0	.	AD	NC	N	NC		
		Toluene	02/18/15	11/30/24	7750	11	.	0	.	AD	NC	N	NC		
		Styrene	02/18/15	11/30/24	22310	11	.	0	.	AD	NC	N	NC		
		Silver	02/18/15	11/30/24	3.7	11	.	0	.	AD	NC	N	NC		
		Pyrene	02/18/15	11/30/24	2600	11	.	0	.	AD	NC	N	NC		
		Phenanthrene	02/18/15	11/30/24	1500	11	.	0	.	AD	NC	N	NC		
		Pentachlorophenol (PCP)	02/18/15	11/30/24	690	9	.	0	.	LD	NC	N	NC		
		Pentachlorobenzene	02/18/15	11/30/24	44350	2	.	0	.	ID	NA	N	NA		
		Parathion (ethyl)	02/18/15	11/30/24	300	9	.	0	.	LD	NC	N	NC		
		Nitrobenzene	02/18/15	11/30/24	8000	11	.	0	.	AD	NC	N	NC		
		Nickel	02/18/15	11/30/24	51.6	11	.	0	.	AD	NC	N	NC		
		N-Butyl benzyl phthalate	02/18/15	11/30/24	640	11	.	0	.	AD	NC	N	NC		
		Naphthalene	02/18/15	11/30/24	2100	11	.	0	.	AD	NC	N	NC		
		Methylene chloride	02/18/15	11/30/24	22940	9	.	0	.	LD	NC	N	NC		
		Methyl bromide	02/18/15	11/30/24	2490	3	.	0	.	ID	NA	N	NA		
		Lead	02/18/15	11/30/24	218	11	.	0	.	AD	NC	N	NC		
		Hexachloroethane	02/18/15	11/30/24	5640	11	.	0	.	AD	NC	N	NC		
		Hexachlorocyclopentadiene	02/18/15	11/30/24	1060	11	.	0	.	AD	NC	N	NC		
		Heptachlor	02/18/15	11/30/24	2.74	10	.	0	.	AD	NC	N	NC		
		gamma-BHC (Lindane)	02/18/15	11/30/24	0.99	10	.	0	.	AD	NC	N	NC		
		Fluorene	02/18/15	11/30/24	540	11	.	0	.	AD	NC	N	NC		
		Ethylbenzene	02/18/15	11/30/24	4100	11	.	0	.	AD	NC	N	NC		
		Endrin	02/18/15	11/30/24	62.4	10	.	0	.	AD	NC	N	NC		
		Di-n-octyl phthalate	02/18/15	11/30/24	45000	11	.	0	.	AD	NC	N	NC		
		Di-n-butyl phthalate	02/18/15	11/30/24	17000	11	.	0	.	AD	NC	N	NC		
		Dimethyl phthalate	02/18/15	11/30/24	530	11	.	0	.	AD	NC	N	NC		
		Diethyl phthalate	02/18/15	11/30/24	1100	11	.	0	.	AD	NC	N	NC		
		Dieldrin	02/18/15	11/30/24	4.3	10	.	0	.	AD	NC	N	NC		
		Dibenz(a,h)anthracene	02/18/15	11/30/24	260	11	.	0	.	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2481 - Corpus Christi Bay AU ID: 2481_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	DDT	02/18/15	11/30/24	4.77	10	.	0	.	AD	NC	N	NC		
		DDE	02/18/15	11/30/24	374	11	.	0	.	AD	NC	N	NC		
		Copper	02/18/15	11/30/24	270	11	.	0	.	AD	NC	N	NC		
		Chrysene	02/18/15	11/30/24	2800	11	.	0	.	AD	NC	N	NC		
		Chromium	02/18/15	11/30/24	370	11	.	0	.	AD	NC	N	NC		
		DDD	02/18/15	11/30/24	7.81	9	.	1	15.3	LD	NC	N	NC		
		Chloromethane	02/18/15	11/30/24	52430	11	.	0	.	AD	NC	N	NC		
		Chloroform	02/18/15	11/30/24	8860	9	.	0	.	LD	NC	N	NC		
		Chlorobenzene	02/18/15	11/30/24	8180	11	.	0	.	AD	NC	N	NC		
		Chlordane	02/18/15	11/30/24	4.79	9	.	0	.	LD	NC	N	NC		
		Dibenzofuran	02/18/15	11/30/24	580	1	.	0	.	ID	NA	N	NA		
		Carbon tetrachloride	02/18/15	11/30/24	36740	11	.	0	.	AD	NC	N	NC		
		Cadmium	02/18/15	11/30/24	9.6	11	.	0	.	AD	NC	N	NC		
		Bromoform	02/18/15	11/30/24	10670	10	.	0	.	AD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	02/18/15	11/30/24	2647	11	.	0	.	AD	NC	N	NC		
		Benzyl alcohol	02/18/15	11/30/24	73	3	.	0	.	ID	NA	N	NA		
		Benzoic acid	02/18/15	11/30/24	650	3	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	02/18/15	11/30/24	1600	11	.	0	.	AD	NC	N	NC		
		Benzo(a)anthracene	02/18/15	11/30/24	1600	11	.	0	.	AD	NC	N	NC		
		Fluoranthene	02/18/15	11/30/24	5100	11	.	0	.	AD	NC	N	NC		
		Benzene	02/18/15	11/30/24	4080	11	.	0	.	AD	NC	N	NC		
		Arsenic	02/18/15	11/30/24	70	11	.	0	.	AD	NC	N	NC		
		Arachlor 1254	02/18/15	11/30/24	709	11	.	0	.	AD	NC	N	NC		
		Anthracene	02/18/15	11/30/24	1100	11	.	0	.	AD	NC	N	NC		
		Hexachlorobutadiene (HCBd)	02/18/15	11/30/24	670	11	.	0	.	AD	NC	N	NC		
		Mercury	02/18/15	11/30/24	0.71	10	.	0	.	AD	NC	N	NC		
		Acrylonitrile	02/18/15	11/30/24	3240	10	.	0	.	AD	NC	N	NC		
		Acetone	02/18/15	11/30/24	1003360	10	.	0	.	AD	NC	N	NC		
		Acenaphthylene	02/18/15	11/30/24	640	11	.	0	.	AD	NC	N	NC		
		Acenaphthene	02/18/15	11/30/24	500	11	.	0	.	AD	NC	N	NC		
		4-Methyl-2-Pentanone (MIBK)	02/18/15	11/30/24	272060	11	.	0	.	AD	NC	N	NC		
		2-Methylphenol (o-cresol)	02/18/15	11/30/24	63	3	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	02/18/15	11/30/24	670	11	.	0	.	AD	NC	N	NC		
		2,4-Dinitrotoluene	02/18/15	11/30/24	14960	11	.	0	.	AD	NC	N	NC		
		PCBs	02/18/15	11/30/24	180	11	.	0	.	AD	NC	N	NC		
		2,4-Dimethylphenol	02/18/15	11/30/24	29	11	.	0	.	AD	NC	N	NC		
		1,4-Dichlorobenzene	02/18/15	11/30/24	4210	11	.	0	.	AD	NC	N	NC		
		1,3-Dichlorobenzene	02/18/15	11/30/24	1950	11	.	0	.	AD	NC	N	NC		
		1,2-Dichloropropane	02/18/15	11/30/24	21520	11	.	0	.	AD	NC	N	NC		
		Phenol (single compound)	02/18/15	11/30/24	1200	11	.	0	.	AD	NC	N	NC		
		1,2-Dichloroethane	02/18/15	11/30/24	26260	11	.	0	.	AD	NC	N	NC		
		1,2-Dichlorobenzene	02/18/15	11/30/24	4440	11	.	0	.	AD	NC	N	NC		
		1,2,4-Trichlorobenzene	02/18/15	11/30/24	2320	11	.	0	.	AD	NC	N	NC		
		1,2,4,5-Tetrachlorobenzene	02/18/15	11/30/24	1640	3	.	0	.	ID	NA	N	NA		
		Tetrachloroethene	02/18/15	11/30/24	3210	11	.	0	.	AD	NC	N	NC		
		1,1-Dichloroethylene	02/18/15	11/30/24	92470	11	.	0	.	AD	NC	N	NC		
		1,1,2-Trichloroethane	02/18/15	11/30/24	1800	11	.	0	.	AD	NC	N	NC		
		1,1,2,2-Tetrachloroethane	02/18/15	11/30/24	3690	11	.	0	.	AD	NC	N	NC		
		1,1,1-Trichloroethane	02/18/15	11/30/24	35860	11	.	0	.	AD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Nickel (dissolved)	02/18/15	11/30/24	1140	11	12.71	0	.	AD	FS	N	FS		
		Mercury	02/18/15	11/30/24	0.03	12	0	0	.	AD	FS	N	FS		
		Lead (dissolved)	02/18/15	11/30/24	3.83	11	0.62	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2481 - Corpus Christi Bay AU ID: 2481_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	High pH	pH	12/01/17	11/30/24	9	16	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	16	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	16	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	17	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.1	17	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	17	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	17	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	06/09/16	11/30/24	35	21	5.78	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	06/09/16	11/30/24	130	21	.	0	.	AD	FS	N	FS		

Seg ID: 2481 - Corpus Christi Bay AU ID: 2481_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	16	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	16	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Zinc	02/18/15	11/30/24	410	11	.	0	.	AD	NC	N	NC		
		Xylene	02/18/15	11/30/24	7620	9	.	0	.	LD	NC	N	NC		
		Toluene	02/18/15	11/30/24	7750	11	.	0	.	AD	NC	N	NC		
		Tetrachloroethene	02/18/15	11/30/24	3210	11	.	0	.	AD	NC	N	NC		
		Styrene	02/18/15	11/30/24	22310	11	.	0	.	AD	NC	N	NC		
		Pyrene	02/18/15	11/30/24	2600	11	.	0	.	AD	NC	N	NC		
		Phenol (single compound)	02/18/15	11/30/24	1200	11	.	0	.	AD	NC	N	NC		
		Phenanthrene	02/18/15	11/30/24	1500	11	.	0	.	AD	NC	N	NC		
		Pentachlorobenzene	02/18/15	11/30/24	44350	2	.	0	.	ID	NA	N	NA		
		PCBs	02/18/15	11/30/24	180	11	.	0	.	AD	NC	N	NC		
		Parathion (ethyl)	02/18/15	11/30/24	300	9	.	0	.	LD	NC	N	NC		
		Nitrobenzene	02/18/15	11/30/24	8000	11	.	0	.	AD	NC	N	NC		
		Nickel	02/18/15	11/30/24	51.6	11	.	0	.	AD	NC	N	NC		
		N-Butyl benzyl phthalate	02/18/15	11/30/24	640	11	.	0	.	AD	NC	N	NC		
		Naphthalene	02/18/15	11/30/24	2100	11	.	0	.	AD	NC	N	NC		
		Methyl bromide	02/18/15	11/30/24	2490	3	.	0	.	ID	NA	N	NA		
		Mercury	02/18/15	11/30/24	0.71	10	.	0	.	AD	NC	N	NC		
		Lead	02/18/15	11/30/24	218	11	.	0	.	AD	NC	N	NC		
		Hexachlorocyclopentadiene	02/18/15	11/30/24	1060	11	.	0	.	AD	NC	N	NC		
		Hexachlorobutadiene (HCBD)	02/18/15	11/30/24	670	11	.	0	.	AD	NC	N	NC		
		Heptachlor	02/18/15	11/30/24	2.74	10	.	0	.	AD	NC	N	NC		
		Fluorene	02/18/15	11/30/24	540	11	.	0	.	AD	NC	N	NC		
		Fluoranthene	02/18/15	11/30/24	5100	11	.	0	.	AD	NC	N	NC		
		Ethylbenzene	02/18/15	11/30/24	4100	11	.	0	.	AD	NC	N	NC		
		Endrin	02/18/15	11/30/24	62.4	10	.	0	.	AD	NC	N	NC		
		Di-n-octyl phthalate	02/18/15	11/30/24	45000	11	.	0	.	AD	NC	N	NC		
		Di-n-butyl phthalate	02/18/15	11/30/24	17000	11	.	0	.	AD	NC	N	NC		
		Dimethyl phthalate	02/18/15	11/30/24	530	11	.	0	.	AD	NC	N	NC		
		Diethyl phthalate	02/18/15	11/30/24	1100	11	.	0	.	AD	NC	N	NC		
		Dieldrin	02/18/15	11/30/24	4.3	10	.	0	.	AD	NC	N	NC		
		Dibenzofuran	02/18/15	11/30/24	580	1	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	02/18/15	11/30/24	260	11	.	0	.	AD	NC	N	NC		
		DDT	02/18/15	11/30/24	4.77	10	.	0	.	AD	NC	N	NC		
		DDE	02/18/15	11/30/24	374	11	.	0	.	AD	NC	N	NC		
		DDD	02/18/15	11/30/24	7.81	9	.	1	15.3	LD	NC	N	NC		
		Copper	02/18/15	11/30/24	270	11	.	0	.	AD	NC	N	NC		
		gamma-BHC (Lindane)	02/18/15	11/30/24	0.99	10	.	0	.	AD	NC	N	NC		
		Hexachloroethane	02/18/15	11/30/24	5640	11	.	0	.	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2481 - Corpus Christi Bay AU ID: 2481_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Chrysene	02/18/15	11/30/24	2800	11	.	0	.	AD	NC	N	NC		
		Chromium	02/18/15	11/30/24	370	11	.	0	.	AD	NC	N	NC		
		Chloromethane	02/18/15	11/30/24	52430	11	.	0	.	AD	NC	N	NC		
		Chloroform	02/18/15	11/30/24	8860	9	.	0	.	LD	NC	N	NC		
		Methylene chloride	02/18/15	11/30/24	22940	9	.	0	.	LD	NC	N	NC		
		Chlorobenzene	02/18/15	11/30/24	8180	11	.	0	.	AD	NC	N	NC		
		Chlordane	02/18/15	11/30/24	4.79	9	.	0	.	LD	NC	N	NC		
		Carbon tetrachloride	02/18/15	11/30/24	36740	11	.	0	.	AD	NC	N	NC		
		Cadmium	02/18/15	11/30/24	9.6	11	.	0	.	AD	NC	N	NC		
		Bromoform	02/18/15	11/30/24	10670	10	.	0	.	AD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	02/18/15	11/30/24	2647	11	.	0	.	AD	NC	N	NC		
		Benzyl alcohol	02/18/15	11/30/24	73	3	.	0	.	ID	NA	N	NA		
		Benzoic acid	02/18/15	11/30/24	650	3	.	0	.	ID	NA	N	NA		
		Pentachlorophenol (PCP)	02/18/15	11/30/24	690	9	.	0	.	LD	NC	N	NC		
		Benzo(a)pyrene	02/18/15	11/30/24	1600	11	.	0	.	AD	NC	N	NC		
		Benzo(a)anthracene	02/18/15	11/30/24	1600	11	.	0	.	AD	NC	N	NC		
		Benzene	02/18/15	11/30/24	4080	11	.	0	.	AD	NC	N	NC		
		Arsenic	02/18/15	11/30/24	70	11	.	0	.	AD	NC	N	NC		
		Silver	02/18/15	11/30/24	3.7	11	.	0	.	AD	NC	N	NC		
		Trichloroethene	02/18/15	11/30/24	7300	11	.	0	.	AD	NC	N	NC		
		Arachlor 1254	02/18/15	11/30/24	709	11	.	0	.	AD	NC	N	NC		
		Anthracene	02/18/15	11/30/24	1100	11	.	0	.	AD	NC	N	NC		
		Acrylonitrile	02/18/15	11/30/24	3240	10	.	0	.	AD	NC	N	NC		
		Acetone	02/18/15	11/30/24	1003360	10	.	0	.	AD	NC	N	NC		
		Acenaphthylene	02/18/15	11/30/24	640	11	.	0	.	AD	NC	N	NC		
		Acenaphthene	02/18/15	11/30/24	500	11	.	0	.	AD	NC	N	NC		
		4-Methyl-2-Pentanone (MIBK)	02/18/15	11/30/24	272060	11	.	0	.	AD	NC	N	NC		
		2-Methylphenol (o-cresol)	02/18/15	11/30/24	63	3	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	02/18/15	11/30/24	670	11	.	0	.	AD	NC	N	NC		
		2,4-Dinitrotoluene	02/18/15	11/30/24	14960	11	.	0	.	AD	NC	N	NC		
		2,4-Dimethylphenol	02/18/15	11/30/24	29	11	.	0	.	AD	NC	N	NC		
		1,4-Dichlorobenzene	02/18/15	11/30/24	4210	11	.	0	.	AD	NC	N	NC		
		1,3-Dichlorobenzene	02/18/15	11/30/24	1950	11	.	0	.	AD	NC	N	NC		
		1,2-Dichloropropane	02/18/15	11/30/24	21520	11	.	0	.	AD	NC	N	NC		
		1,2-Dichloroethane	02/18/15	11/30/24	26260	11	.	0	.	AD	NC	N	NC		
		1,2-Dichlorobenzene	02/18/15	11/30/24	4440	11	.	0	.	AD	NC	N	NC		
		1,2,4-Trichlorobenzene	02/18/15	11/30/24	2320	11	.	0	.	AD	NC	N	NC		
		1,2,4,5-Tetrachlorobenzene	02/18/15	11/30/24	1640	3	.	0	.	ID	NA	N	NA		
		1,1-Dichloroethylene	02/18/15	11/30/24	92470	11	.	0	.	AD	NC	N	NC		
		1,1,2-Trichloroethane	02/18/15	11/30/24	1800	11	.	0	.	AD	NC	N	NC		
		1,1,2,2-Tetrachloroethane	02/18/15	11/30/24	3690	11	.	0	.	AD	NC	N	NC		
		1,1,1-Trichloroethane	02/18/15	11/30/24	35860	11	.	0	.	AD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Nickel (dissolved)	02/18/15	11/30/24	1140	11	12.71	0	.	AD	FS	N	FS		
		Mercury	02/18/15	11/30/24	0.03	12	0	0	.	AD	FS	N	FS		
		Lead (dissolved)	02/18/15	11/30/24	3.83	11	0.62	0	.	AD	FS	N	FS		
General Use	High pH	pH	12/01/17	11/30/24	9	16	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	16	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	16	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	16	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	15	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.1	16	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	16	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2481 - Corpus Christi Bay AU ID: 2481_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	Enterococcus	06/09/16	11/30/24	35	20	5.91	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	06/09/16	11/30/24	130	20	.	1	140	AD	FS	N	FS		

Seg ID: 2481 - Corpus Christi Bay AU ID: 2481_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	17	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	17	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Xylene	02/18/15	11/30/24	7620	9	.	0	.	LD	NC	N	NC		
		Trichloroethene	02/18/15	11/30/24	7300	11	.	0	.	AD	NC	N	NC		
		Toluene	02/18/15	11/30/24	7750	11	.	0	.	AD	NC	N	NC		
		Styrene	02/18/15	11/30/24	22310	11	.	0	.	AD	NC	N	NC		
		Silver	02/18/15	11/30/24	3.7	11	.	0	.	AD	NC	N	NC		
		Pyrene	02/18/15	11/30/24	2600	11	.	0	.	AD	NC	N	NC		
		Phenanthrene	02/18/15	11/30/24	1500	11	.	0	.	AD	NC	N	NC		
		Pentachlorophenol (PCP)	02/18/15	11/30/24	690	9	.	0	.	LD	NC	N	NC		
		Pentachlorobenzene	02/18/15	11/30/24	44350	2	.	0	.	ID	NA	N	NA		
		PCBs	02/18/15	11/30/24	180	11	.	0	.	AD	NC	N	NC		
		Parathion (ethyl)	02/18/15	11/30/24	300	9	.	0	.	LD	NC	N	NC		
		Nitrobenzene	02/18/15	11/30/24	8000	11	.	0	.	AD	NC	N	NC		
		Nickel	02/18/15	11/30/24	51.6	11	.	0	.	AD	NC	N	NC		
		Naphthalene	02/18/15	11/30/24	2100	11	.	0	.	AD	NC	N	NC		
		Methylene chloride	02/18/15	11/30/24	22940	9	.	0	.	LD	NC	N	NC		
		Methyl bromide	02/18/15	11/30/24	2490	3	.	0	.	ID	NA	N	NA		
		Lead	02/18/15	11/30/24	218	11	.	0	.	AD	NC	N	NC		
		Hexachloroethane	02/18/15	11/30/24	5640	11	.	0	.	AD	NC	N	NC		
		Hexachlorocyclopentadiene	02/18/15	11/30/24	1060	11	.	0	.	AD	NC	N	NC		
		Hexachlorobutadiene (HCBd)	02/18/15	11/30/24	670	11	.	0	.	AD	NC	N	NC		
		Heptachlor	02/18/15	11/30/24	2.74	10	.	0	.	AD	NC	N	NC		
		gamma-BHC (Lindane)	02/18/15	11/30/24	0.99	10	.	0	.	AD	NC	N	NC		
		Fluorene	02/18/15	11/30/24	540	11	.	0	.	AD	NC	N	NC		
		Fluoranthene	02/18/15	11/30/24	5100	11	.	0	.	AD	NC	N	NC		
		Ethylbenzene	02/18/15	11/30/24	4100	11	.	0	.	AD	NC	N	NC		
		Endrin	02/18/15	11/30/24	62.4	10	.	0	.	AD	NC	N	NC		
		Di-n-octyl phthalate	02/18/15	11/30/24	45000	11	.	0	.	AD	NC	N	NC		
		Dimethyl phthalate	02/18/15	11/30/24	530	11	.	0	.	AD	NC	N	NC		
		Di-n-butyl phthalate	02/18/15	11/30/24	17000	11	.	0	.	AD	NC	N	NC		
		Diethyl phthalate	02/18/15	11/30/24	1100	11	.	0	.	AD	NC	N	NC		
		Dieldrin	02/18/15	11/30/24	4.3	10	.	0	.	AD	NC	N	NC		
		Dibenzofuran	02/18/15	11/30/24	580	1	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	02/18/15	11/30/24	260	11	.	0	.	AD	NC	N	NC		
		DDT	02/18/15	11/30/24	4.77	10	.	0	.	AD	NC	N	NC		
		DDE	02/18/15	11/30/24	374	11	.	0	.	AD	NC	N	NC		
		DDD	02/18/15	11/30/24	7.81	9	.	1	15.3	LD	NC	N	NC		
		Copper	02/18/15	11/30/24	270	11	.	0	.	AD	NC	N	NC		
		Chrysene	02/18/15	11/30/24	2800	11	.	0	.	AD	NC	N	NC		
		Chromium	02/18/15	11/30/24	370	11	.	0	.	AD	NC	N	NC		
		Chloromethane	02/18/15	11/30/24	52430	11	.	0	.	AD	NC	N	NC		
		Chloroform	02/18/15	11/30/24	8860	9	.	0	.	LD	NC	N	NC		
		Chlorobenzene	02/18/15	11/30/24	8180	11	.	0	.	AD	NC	N	NC		
		Chlordane	02/18/15	11/30/24	4.79	9	.	0	.	LD	NC	N	NC		
		Mercury	02/18/15	11/30/24	0.71	10	.	0	.	AD	NC	N	NC		
		N-Butyl benzyl phthalate	02/18/15	11/30/24	640	11	.	0	.	AD	NC	N	NC		
		Carbon tetrachloride	02/18/15	11/30/24	36740	11	.	0	.	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2481 - Corpus Christi Bay AU ID: 2481_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Cadmium	02/18/15	11/30/24	9.6	11	.	0	.	AD	NC	N	NC		
		Bromoform	02/18/15	11/30/24	10670	10	.	0	.	AD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	02/18/15	11/30/24	2647	11	.	0	.	AD	NC	N	NC		
		Benzyl alcohol	02/18/15	11/30/24	73	3	.	0	.	ID	NA	N	NA		
		Benzoic acid	02/18/15	11/30/24	650	3	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	02/18/15	11/30/24	1600	11	.	0	.	AD	NC	N	NC		
		Benzo(a)anthracene	02/18/15	11/30/24	1600	11	.	0	.	AD	NC	N	NC		
		Phenol (single compound)	02/18/15	11/30/24	1200	11	.	0	.	AD	NC	N	NC		
		Benzene	02/18/15	11/30/24	4080	11	.	0	.	AD	NC	N	NC		
		Arsenic	02/18/15	11/30/24	70	11	.	0	.	AD	NC	N	NC		
		Tetrachloroethene	02/18/15	11/30/24	3210	11	.	0	.	AD	NC	N	NC		
		Arachlor 1254	02/18/15	11/30/24	709	11	.	0	.	AD	NC	N	NC		
		Anthracene	02/18/15	11/30/24	1100	11	.	0	.	AD	NC	N	NC		
		Acrylonitrile	02/18/15	11/30/24	3240	10	.	0	.	AD	NC	N	NC		
		Acetone	02/18/15	11/30/24	1003360	10	.	0	.	AD	NC	N	NC		
		Acenaphthylene	02/18/15	11/30/24	640	11	.	0	.	AD	NC	N	NC		
		Acenaphthene	02/18/15	11/30/24	500	11	.	0	.	AD	NC	N	NC		
		Zinc	02/18/15	11/30/24	410	11	.	0	.	AD	NC	N	NC		
		4-Methyl-2-Pentanone (MIBK)	02/18/15	11/30/24	272060	11	.	0	.	AD	NC	N	NC		
		2-Methylphenol (o-cresol)	02/18/15	11/30/24	63	3	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	02/18/15	11/30/24	670	11	.	0	.	AD	NC	N	NC		
		2,4-Dinitrotoluene	02/18/15	11/30/24	14960	11	.	0	.	AD	NC	N	NC		
		2,4-Dimethylphenol	02/18/15	11/30/24	29	11	.	0	.	AD	NC	N	NC		
		1,4-Dichlorobenzene	02/18/15	11/30/24	4210	11	.	0	.	AD	NC	N	NC		
		1,3-Dichlorobenzene	02/18/15	11/30/24	1950	11	.	0	.	AD	NC	N	NC		
		1,2-Dichloropropane	02/18/15	11/30/24	21520	11	.	0	.	AD	NC	N	NC		
		1,2-Dichloroethane	02/18/15	11/30/24	26260	11	.	0	.	AD	NC	N	NC		
		1,2-Dichlorobenzene	02/18/15	11/30/24	4440	11	.	0	.	AD	NC	N	NC		
		1,2,4-Trichlorobenzene	02/18/15	11/30/24	2320	11	.	0	.	AD	NC	N	NC		
		1,2,4,5-Tetrachlorobenzene	02/18/15	11/30/24	1640	3	.	0	.	ID	NA	N	NA		
		1,1-Dichloroethylene	02/18/15	11/30/24	92470	11	.	0	.	AD	NC	N	NC		
		1,1,2-Trichloroethane	02/18/15	11/30/24	1800	11	.	0	.	AD	NC	N	NC		
		1,1,2,2-Tetrachloroethane	02/18/15	11/30/24	3690	11	.	0	.	AD	NC	N	NC		
		1,1,1-Trichloroethane	02/18/15	11/30/24	35860	11	.	0	.	AD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Nickel (dissolved)	02/18/15	11/30/24	1140	11	12.71	0	.	AD	FS	N	FS		
		Mercury	02/18/15	11/30/24	0.03	12	0	0	.	AD	FS	N	FS		
		Lead (dissolved)	02/18/15	11/30/24	3.83	11	0.62	0	.	AD	FS	N	FS		
General Use	High pH	pH	12/01/17	11/30/24	9	17	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	17	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	17	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	16	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.1	17	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	17	.	1	0.18	AD	NC	N	NC		
Water Temperature	Water temperature	12/01/17	11/30/24	35	17	.	0	.	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	Enterococcus	06/09/16	11/30/24	35	21	6.74	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	06/09/16	11/30/24	130	21	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2481 - Corpus Christi Bay AU ID: 2481_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Xylene	02/18/15	11/30/24	7620	9	.	0	.	LD	NC	N	NC		
		Trichloroethene	02/18/15	11/30/24	7300	11	.	0	.	AD	NC	N	NC		
		Toluene	02/18/15	11/30/24	7750	11	.	0	.	AD	NC	N	NC		
		Styrene	02/18/15	11/30/24	22310	11	.	0	.	AD	NC	N	NC		
		Silver	02/18/15	11/30/24	3.7	11	.	0	.	AD	NC	N	NC		
		Pyrene	02/18/15	11/30/24	2600	11	.	0	.	AD	NC	N	NC		
		Phenol (single compound)	02/18/15	11/30/24	1200	11	.	0	.	AD	NC	N	NC		
		Phenanthrene	02/18/15	11/30/24	1500	11	.	0	.	AD	NC	N	NC		
		Pentachlorophenol (PCP)	02/18/15	11/30/24	690	9	.	0	.	LD	NC	N	NC		
		Pentachlorobenzene	02/18/15	11/30/24	44350	2	.	0	.	ID	NA	N	NA		
		Parathion (ethyl)	02/18/15	11/30/24	300	9	.	0	.	LD	NC	N	NC		
		Nitrobenzene	02/18/15	11/30/24	8000	11	.	0	.	AD	NC	N	NC		
		Nickel	02/18/15	11/30/24	51.6	11	.	0	.	AD	NC	N	NC		
		Naphthalene	02/18/15	11/30/24	2100	11	.	0	.	AD	NC	N	NC		
		Methylene chloride	02/18/15	11/30/24	22940	9	.	0	.	LD	NC	N	NC		
		Methyl bromide	02/18/15	11/30/24	2490	3	.	0	.	ID	NA	N	NA		
		Lead	02/18/15	11/30/24	218	11	.	0	.	AD	NC	N	NC		
		Hexachloroethane	02/18/15	11/30/24	5640	11	.	0	.	AD	NC	N	NC		
		Hexachlorocyclopentadiene	02/18/15	11/30/24	1060	11	.	0	.	AD	NC	N	NC		
		Hexachlorobutadiene (HCBD)	02/18/15	11/30/24	670	11	.	0	.	AD	NC	N	NC		
		Heptachlor	02/18/15	11/30/24	2.74	10	.	0	.	AD	NC	N	NC		
		gamma-BHC (Lindane)	02/18/15	11/30/24	0.99	10	.	0	.	AD	NC	N	NC		
		Fluorene	02/18/15	11/30/24	540	11	.	0	.	AD	NC	N	NC		
		Ethylbenzene	02/18/15	11/30/24	4100	11	.	0	.	AD	NC	N	NC		
		Endrin	02/18/15	11/30/24	62.4	10	.	0	.	AD	NC	N	NC		
		Di-n-octyl phthalate	02/18/15	11/30/24	45000	11	.	0	.	AD	NC	N	NC		
		Dimethyl phthalate	02/18/15	11/30/24	530	11	.	0	.	AD	NC	N	NC		
		Diethyl phthalate	02/18/15	11/30/24	1100	11	.	0	.	AD	NC	N	NC		
		Dieldrin	02/18/15	11/30/24	4.3	10	.	0	.	AD	NC	N	NC		
		Dibenzofuran	02/18/15	11/30/24	580	1	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	02/18/15	11/30/24	260	11	.	0	.	AD	NC	N	NC		
		DDT	02/18/15	11/30/24	4.77	10	.	0	.	AD	NC	N	NC		
		DDE	02/18/15	11/30/24	374	11	.	0	.	AD	NC	N	NC		
		Di-n-butyl phthalate	02/18/15	11/30/24	17000	11	.	0	.	AD	NC	N	NC		
		DDD	02/18/15	11/30/24	7.81	9	.	1	15.3	LD	NC	N	NC		
		Copper	02/18/15	11/30/24	270	11	.	0	.	AD	NC	N	NC		
		Chrysene	02/18/15	11/30/24	2800	11	.	0	.	AD	NC	N	NC		
		Chromium	02/18/15	11/30/24	370	11	.	0	.	AD	NC	N	NC		
		Fluoranthene	02/18/15	11/30/24	5100	11	.	0	.	AD	NC	N	NC		
		Chloromethane	02/18/15	11/30/24	52430	11	.	0	.	AD	NC	N	NC		
		Chloroform	02/18/15	11/30/24	8860	9	.	0	.	LD	NC	N	NC		
		Chlorobenzene	02/18/15	11/30/24	8180	11	.	0	.	AD	NC	N	NC		
		Chlordane	02/18/15	11/30/24	4.79	9	.	0	.	LD	NC	N	NC		
		Carbon tetrachloride	02/18/15	11/30/24	36740	11	.	0	.	AD	NC	N	NC		
		Cadmium	02/18/15	11/30/24	9.6	11	.	0	.	AD	NC	N	NC		
		Bromoform	02/18/15	11/30/24	10670	10	.	0	.	AD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	02/18/15	11/30/24	2647	11	.	0	.	AD	NC	N	NC		
		Mercury	02/18/15	11/30/24	0.71	10	.	0	.	AD	NC	N	NC		
		N-Butyl benzyl phthalate	02/18/15	11/30/24	640	11	.	0	.	AD	NC	N	NC		
		Benzyl alcohol	02/18/15	11/30/24	73	3	.	0	.	ID	NA	N	NA		
		Benzoic acid	02/18/15	11/30/24	650	3	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	02/18/15	11/30/24	1600	11	.	0	.	AD	NC	N	NC		
		Benzo(a)anthracene	02/18/15	11/30/24	1600	11	.	0	.	AD	NC	N	NC		
		Benzene	02/18/15	11/30/24	4080	11	.	0	.	AD	NC	N	NC		
		Arsenic	02/18/15	11/30/24	70	11	.	0	.	AD	NC	N	NC		
		Arachlor 1254	02/18/15	11/30/24	709	11	.	0	.	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2481 - Corpus Christi Bay AU ID: 2481_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Anthracene	02/18/15	11/30/24	1100	11	.	0	.	AD	NC	N	NC		
		PCBs	02/18/15	11/30/24	180	11	.	0	.	AD	NC	N	NC		
		Acrylonitrile	02/18/15	11/30/24	3240	10	.	0	.	AD	NC	N	NC		
		Acetone	02/18/15	11/30/24	1003360	10	.	0	.	AD	NC	N	NC		
		Acenaphthylene	02/18/15	11/30/24	640	11	.	0	.	AD	NC	N	NC		
		Acenaphthene	02/18/15	11/30/24	500	11	.	0	.	AD	NC	N	NC		
		Tetrachloroethene	02/18/15	11/30/24	3210	11	.	0	.	AD	NC	N	NC		
		4-Methyl-2-Pentanone (MIBK)	02/18/15	11/30/24	272060	11	.	0	.	AD	NC	N	NC		
		2-Methylphenol (o-cresol)	02/18/15	11/30/24	63	3	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	02/18/15	11/30/24	670	11	.	0	.	AD	NC	N	NC		
		2,4-Dinitrotoluene	02/18/15	11/30/24	14960	11	.	0	.	AD	NC	N	NC		
		Zinc	02/18/15	11/30/24	410	11	.	0	.	AD	NC	N	NC		
		2,4-Dimethylphenol	02/18/15	11/30/24	29	11	.	0	.	AD	NC	N	NC		
		1,4-Dichlorobenzene	02/18/15	11/30/24	4210	11	.	0	.	AD	NC	N	NC		
		1,3-Dichlorobenzene	02/18/15	11/30/24	1950	11	.	0	.	AD	NC	N	NC		
		1,2-Dichloropropane	02/18/15	11/30/24	21520	11	.	0	.	AD	NC	N	NC		
		1,2-Dichloroethane	02/18/15	11/30/24	26260	11	.	0	.	AD	NC	N	NC		
		1,2-Dichlorobenzene	02/18/15	11/30/24	4440	11	.	0	.	AD	NC	N	NC		
		1,2,4-Trichlorobenzene	02/18/15	11/30/24	2320	11	.	0	.	AD	NC	N	NC		
		1,2,4,5-Tetrachlorobenzene	02/18/15	11/30/24	1640	3	.	0	.	ID	NA	N	NA		
		1,1-Dichloroethylene	02/18/15	11/30/24	92470	11	.	0	.	AD	NC	N	NC		
		1,1,2-Trichloroethane	02/18/15	11/30/24	1800	11	.	0	.	AD	NC	N	NC		
		1,1,2,2-Tetrachloroethane	02/18/15	11/30/24	3690	11	.	0	.	AD	NC	N	NC		
		1,1,1-Trichloroethane	02/18/15	11/30/24	35860	11	.	0	.	AD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Nickel (dissolved)	02/18/15	11/30/24	1140	11	12.71	0	.	AD	FS	N	FS		
		Mercury	02/18/15	11/30/24	0.03	12	0	0	.	AD	FS	N	FS		
		Lead (dissolved)	02/18/15	11/30/24	3.83	11	0.62	0	.	AD	FS	N	FS		

Seg ID: 2481CB- Corpus Christi Bay (Recreational Beaches) AU ID: 2481CB_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreational Beaches	Texas Beach Watch Program Advisories	Enterococcus	12/01/17	11/30/24	.	0	.	.	.	OE	FS	N	FS		

Seg ID: 2481CB- Corpus Christi Bay (Recreational Beaches) AU ID: 2481CB_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreational Beaches	Texas Beach Watch Program Advisories	Enterococcus	12/01/17	11/30/24	.	0	.	.	.	OE	FS	N	FS		

Seg ID: 2481CB- Corpus Christi Bay (Recreational Beaches) AU ID: 2481CB_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreational Beaches	Texas Beach Watch Program Advisories	Enterococcus	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in water	4a

Seg ID: 2481CB- Corpus Christi Bay (Recreational Beaches) AU ID: 2481CB_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreational Beaches	Texas Beach Watch Program Advisories	Enterococcus	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in water	4a

Seg ID: 2481CB- Corpus Christi Bay (Recreational Beaches) AU ID: 2481CB_05															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreational Beaches	Texas Beach Watch Program Advisories	Enterococcus	12/01/17	11/30/24	.	0	.	.	.	OE	FS	N	FS		

Seg ID: 2481CB- Corpus Christi Bay (Recreational Beaches) AU ID: 2481CB_06															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreational Beaches	Texas Beach Watch Program Advisories	Enterococcus	12/01/17	11/30/24	.	0	.	.	.	OE	CN	Y	NS	Bacteria in water	4a

Seg ID: 2481CB- Corpus Christi Bay (Recreational Beaches) AU ID: 2481CB_07															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreational Beaches	Texas Beach Watch Program Advisories	Enterococcus	12/01/17	11/30/24	.	0	.	.	.	OE	FS	N	FS		

Seg ID: 2481CB- Corpus Christi Bay (Recreational Beaches) AU ID: 2481CB_08															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreational Beaches	Texas Beach Watch Program Advisories	Enterococcus	12/01/17	11/30/24	.	0	.	.	.	OE	FS	N	FS		

Seg ID: 2481CB- Corpus Christi Bay (Recreational Beaches) AU ID: 2481CB_09															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreational Beaches	Texas Beach Watch Program Advisories	Enterococcus	12/01/17	11/30/24	.	0	.	.	.	OE	FS	N	FS		

Seg ID: 2481OW- Corpus Christi Bay (Oyster Waters) AU ID: 2481OW_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Fecal coliform	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in oyster waters	5c

Seg ID: 2481OW- Corpus Christi Bay (Oyster Waters) AU ID: 2481OW_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	No oyster waters closure	12/01/17	11/30/24	.	0	.	.	.	OE	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2482 - Nueces Bay AU ID: 2482_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Zinc (dissolved)	02/26/15	11/30/24	29	13	.	0	.	AD	FS	N	FS		
		Selenium	02/26/15	11/30/24	564	10	.	0	.	AD	FS	N	FS		
		Nickel (dissolved)	02/26/15	11/30/24	118	12	.	0	.	AD	FS	N	FS		
		Mercury	02/26/15	11/30/24	2.1	10	.	0	.	AD	FS	N	FS		
		Lead (dissolved)	02/26/15	11/30/24	133	11	.	0	.	AD	FS	N	FS		
		Copper (dissolved)	02/26/15	11/30/24	13.5	10	.	1	17.6	AD	FS	Y	NS	Copper in water	5c
		Cadmium (dissolved)	02/26/15	11/30/24	40	10	.	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	02/26/15	11/30/24	149	12	.	0	.	AD	FS	N	FS		
	Chronic Toxic Substances in water	Zinc (dissolved)	02/26/15	11/30/24	84.2	13	8.53	0	.	AD	FS	N	FS		
		Selenium	02/26/15	11/30/24	136	10	8.15	0	.	AD	FS	N	FS		
		Nickel (dissolved)	02/26/15	11/30/24	13.1	12	5.75	0	.	AD	FS	N	FS		
		Mercury	02/26/15	11/30/24	1.1	10	0.01	0	.	AD	FS	N	FS		
		Lead (dissolved)	02/26/15	11/30/24	5.3	11	0.6	0	.	AD	FS	N	FS		
		Copper (dissolved)	02/26/15	11/30/24	3.6	10	4.62	1	.	AD	NS	N	NS	Copper in water	5c
		Cadmium (dissolved)	02/26/15	11/30/24	8.75	10	0.81	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	02/26/15	11/30/24	78	12	10.89	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	17	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	17	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Zinc	02/26/15	11/30/24	410	13	.	0	.	AD	NC	N	NC		
		Xylene	02/26/15	11/30/24	7620	11	.	0	.	AD	NC	N	NC		
		Trichloroethene	02/26/15	11/30/24	7300	12	.	0	.	AD	NC	N	NC		
		Tetrachloroethene	02/26/15	11/30/24	3210	12	.	0	.	AD	NC	N	NC		
		Styrene	02/26/15	11/30/24	22310	12	.	0	.	AD	NC	N	NC		
		Silver	02/26/15	11/30/24	3.7	13	.	0	.	AD	NC	N	NC		
		Pyrene	02/26/15	11/30/24	2600	10	.	0	.	AD	NC	N	NC		
		Phenol (single compound)	02/26/15	11/30/24	1200	11	.	0	.	AD	NC	N	NC		
		Phenanthrene	02/26/15	11/30/24	1500	12	.	0	.	AD	NC	N	NC		
		Pentachlorophenol (PCP)	02/26/15	11/30/24	690	8	.	0	.	LD	NC	N	NC		
		PCBs	02/26/15	11/30/24	180	12	.	0	.	AD	NC	N	NC		
		Parathion (ethyl)	02/26/15	11/30/24	300	11	.	0	.	AD	NC	N	NC		
		Nitrobenzene	02/26/15	11/30/24	8000	12	.	0	.	AD	NC	N	NC		
		N-Butyl benzyl phthalate	02/26/15	11/30/24	640	12	.	0	.	AD	NC	N	NC		
		Naphthalene	02/26/15	11/30/24	2100	11	.	0	.	AD	NC	N	NC		
		Methylene chloride	02/26/15	11/30/24	22940	9	.	0	.	LD	NC	N	NC		
		Mercury	02/26/15	11/30/24	0.71	13	.	0	.	AD	NC	N	NC		
		Lead	02/26/15	11/30/24	218	13	.	0	.	AD	NC	N	NC		
		Hexachloroethane	02/26/15	11/30/24	5640	12	.	0	.	AD	NC	N	NC		
		Hexachlorocyclopentadiene	02/26/15	11/30/24	1060	11	.	0	.	AD	NC	N	NC		
		Hexachlorobutadiene (HCBD)	02/26/15	11/30/24	670	12	.	0	.	AD	NC	N	NC		
		Heptachlor	02/26/15	11/30/24	2.74	10	.	0	.	AD	NC	N	NC		
		gamma-BHC (Lindane)	02/26/15	11/30/24	0.99	9	.	0	.	LD	NC	N	NC		
		Fluoranthene	02/26/15	11/30/24	5100	12	.	0	.	AD	NC	N	NC		
		Ethylbenzene	02/26/15	11/30/24	4100	12	.	0	.	AD	NC	N	NC		
		Endrin	02/26/15	11/30/24	62.4	11	.	0	.	AD	NC	N	NC		
		Di-n-butyl phthalate	02/26/15	11/30/24	17000	12	.	0	.	AD	NC	N	NC		
		Dimethyl phthalate	02/26/15	11/30/24	530	12	.	0	.	AD	NC	N	NC		
		Diethyl phthalate	02/26/15	11/30/24	1100	12	.	0	.	AD	NC	N	NC		
		Dibenz(a,h)anthracene	02/26/15	11/30/24	260	11	.	0	.	AD	NC	N	NC		
		DDT	02/26/15	11/30/24	4.77	8	.	0	.	LD	NC	N	NC		
		DDE	02/26/15	11/30/24	374	11	.	0	.	AD	NC	N	NC		
		DDD	02/26/15	11/30/24	7.81	10	.	0	.	AD	NC	N	NC		
		Copper	02/26/15	11/30/24	270	13	.	0	.	AD	NC	N	NC		
		Chrysene	02/26/15	11/30/24	2800	11	.	0	.	AD	NC	N	NC		
		Chromium	02/26/15	11/30/24	370	13	.	0	.	AD	NC	N	NC		
		Chloromethane	02/26/15	11/30/24	52430	12	.	0	.	AD	NC	N	NC		
		Chloroform	02/26/15	11/30/24	8860	10	.	0	.	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2482 - Nueces Bay AU ID: 2482_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Chlorobenzene	02/26/15	11/30/24	8180	12	.	0	.	AD	NC	N	NC		
		Chlordane	02/26/15	11/30/24	4.79	10	.	0	.	AD	NC	N	NC		
		Dieldrin	02/26/15	11/30/24	4.3	11	.	0	.	AD	NC	N	NC		
		Carbon tetrachloride	02/26/15	11/30/24	36740	12	.	0	.	AD	NC	N	NC		
		Cadmium	02/26/15	11/30/24	9.6	13	.	0	.	AD	NC	N	NC		
		Bromoform	02/26/15	11/30/24	10670	12	.	0	.	AD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	02/26/15	11/30/24	2647	11	.	0	.	AD	NC	N	NC		
		Di-n-octyl phthalate	02/26/15	11/30/24	45000	12	.	0	.	AD	NC	N	NC		
		Benzyl alcohol	02/26/15	11/30/24	73	2	.	0	.	ID	NA	N	NA		
		Benzoic acid	02/26/15	11/30/24	650	2	.	0	.	ID	NA	N	NA		
		Fluorene	02/26/15	11/30/24	540	12	.	0	.	AD	NC	N	NC		
		Benzo(a)pyrene	02/26/15	11/30/24	1600	12	.	0	.	AD	NC	N	NC		
		Benzo(a)anthracene	02/26/15	11/30/24	1600	12	.	0	.	AD	NC	N	NC		
		Benzene	02/26/15	11/30/24	4080	12	.	0	.	AD	NC	N	NC		
		Arsenic	02/26/15	11/30/24	70	13	.	0	.	AD	NC	N	NC		
		Arachlor 1254	02/26/15	11/30/24	709	12	.	0	.	AD	NC	N	NC		
		Anthracene	02/26/15	11/30/24	1100	11	.	0	.	AD	NC	N	NC		
		Methyl bromide	02/26/15	11/30/24	2490	3	.	0	.	ID	NA	N	NA		
		Acrylonitrile	02/26/15	11/30/24	3240	12	.	0	.	AD	NC	N	NC		
		Acetone	02/26/15	11/30/24	1003360	9	.	0	.	LD	NC	N	NC		
		Acenaphthylene	02/26/15	11/30/24	640	12	.	0	.	AD	NC	N	NC		
		Acenaphthene	02/26/15	11/30/24	500	12	.	0	.	AD	NC	N	NC		
		Nickel	02/26/15	11/30/24	51.6	13	.	0	.	AD	NC	N	NC		
		4-Methyl-2-Pentanone (MIBK)	02/26/15	11/30/24	272060	12	.	0	.	AD	NC	N	NC		
		2-Methylphenol (o-cresol)	02/26/15	11/30/24	63	3	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	02/26/15	11/30/24	670	12	.	0	.	AD	NC	N	NC		
		2,4-Dinitrotoluene	02/26/15	11/30/24	14960	12	.	0	.	AD	NC	N	NC		
		Pentachlorobenzene	02/26/15	11/30/24	44350	2	.	0	.	ID	NA	N	NA		
		2,4-Dimethylphenol	02/26/15	11/30/24	29	12	.	0	.	AD	NC	N	NC		
		1,4-Dichlorobenzene	02/26/15	11/30/24	4210	12	.	0	.	AD	NC	N	NC		
		1,3-Dichlorobenzene	02/26/15	11/30/24	1950	12	.	0	.	AD	NC	N	NC		
		1,2-Dichloropropane	02/26/15	11/30/24	21520	12	.	0	.	AD	NC	N	NC		
		1,2-Dichloroethane	02/26/15	11/30/24	26260	12	.	0	.	AD	NC	N	NC		
		1,2-Dichlorobenzene	02/26/15	11/30/24	4440	12	.	0	.	AD	NC	N	NC		
		1,2,4-Trichlorobenzene	02/26/15	11/30/24	2320	12	.	0	.	AD	NC	N	NC		
		1,2,4,5-Tetrachlorobenzene	02/26/15	11/30/24	1640	2	.	0	.	ID	NA	N	NA		
		Toluene	02/26/15	11/30/24	7750	12	.	0	.	AD	NC	N	NC		
		1,1-Dichloroethylene	02/26/15	11/30/24	92470	12	.	0	.	AD	NC	N	NC		
		1,1,2-Trichloroethane	02/26/15	11/30/24	1800	12	.	0	.	AD	NC	N	NC		
		1,1,2,2-Tetrachloroethane	02/26/15	11/30/24	3690	12	.	0	.	AD	NC	N	NC		
		1,1,1-Trichloroethane	02/26/15	11/30/24	35860	12	.	0	.	AD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Nickel (dissolved)	02/26/15	11/30/24	1140	12	10.81	0	.	AD	FS	N	FS		
		Mercury	02/26/15	11/30/24	0.03	10	0.01	0	.	AD	FS	N	FS		
		Lead (dissolved)	02/26/15	11/30/24	3.83	11	0.54	0	.	AD	FS	N	FS		
General Use	High pH	pH	12/01/17	11/30/24	9	17	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	17	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	17	.	1	8.7	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	17	.	1	0.58	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	15	.	4	14.85	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.1	16	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	17	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2482 - Nueces Bay AU ID: 2482_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	Enterococcus	03/16/16	11/30/24	35	20	7.31	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	03/16/16	11/30/24	130	20	.	1	620	AD	FS	N	FS		

Seg ID: 2482NB- Nueces Bay (Recreational Beaches) AU ID: 2482NB_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreational Beaches	Texas Beach Watch Program Advisories	Enterococcus	12/01/17	11/30/24	.	0	.	.	.	OE	FS	N	FS		

Seg ID: 2482OW- Nueces Bay (Oyster Waters) AU ID: 2482OW_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Zinc	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Zinc in oyster tissue	4a

Seg ID: 2483 - Redfish Bay AU ID: 2483_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	25	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	25	.	0	.	AD	NC	N	NC		
General Use	High pH	pH	12/01/17	11/30/24	9	25	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	25	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	24	.	3	0.31	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	25	.	14	5.78	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	11.6	25	.	2	34.9	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.1	24	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	25	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	6	39.08	1	.	ID	NA	Y	NS	Bacteria in water	5c
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	6	.	2	285	ID	NA	Y	NS	Bacteria in water	5c

Seg ID: 2483A - Conn Brown Harbor AU ID: 2483A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Zinc (dissolved)	12/01/17	11/30/24	92.7	5	.	0	.	LD	NC	N	NC		
		Selenium	12/01/17	11/30/24	564	5	.	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/17	11/30/24	118	5	.	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	2.1	5	.	0	.	LD	NC	N	NC		
		Copper (dissolved)	12/01/17	11/30/24	13.5	5	.	0	.	LD	NC	Y	CN	Copper in water	
		Cadmium (dissolved)	12/01/17	11/30/24	40	5	.	0	.	LD	NC	N	NC		
		Arsenic (dissolved)	12/01/17	11/30/24	149	5	.	0	.	LD	NC	N	NC		
	Chronic Toxic Substances in water	Zinc (dissolved)	12/01/17	11/30/24	84.2	5	13.46	0	.	LD	NC	N	NC		
		Selenium	12/01/17	11/30/24	136	5	41.38	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/17	11/30/24	13.1	5	4.22	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	1.1	5	0.02	0	.	LD	NC	N	NC		
		Copper (dissolved)	12/01/17	11/30/24	3.6	5	6.03	1	.	LD	CN	N	CN	Copper in water	
		Cadmium (dissolved)	12/01/17	11/30/24	8.75	5	0.07	0	.	LD	NC	N	NC		
		Arsenic (dissolved)	12/01/17	11/30/24	78	5	11.06	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	15	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2483A - Conn Brown Harbor AU ID: 2483A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	15	.	1	3.06	AD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/17	11/30/24	1140	5	4.22	0	.	LD	NC	N	NC		
		Mercury	12/01/17	11/30/24	0.03	5	0	0	.	LD	NC	N	NC		
		Antimony	12/01/17	11/30/24	1071	5	2.16	0	.	LD	NC	N	NC		
		Thallium	12/01/17	11/30/24	0.23	5	0.12	0	.	LD	NC	N	NC		
General Use	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	0.17	15	.	7	5.24	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	11.6	15	.	5	17.94	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.1	14	.	1	0.2	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.21	14	.	2	0.28	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	5	31.54	0	.	ID	NA	Y	NS	Bacteria in water	5c
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	5	.	1	2400	ID	NA	Y	NS	Bacteria in water	5c

Seg ID: 2483OW- Redfish Bay (Oyster Waters) AU ID: 2483OW_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Fecal coliform	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in oyster waters	5c

Seg ID: 2483RB- Redfish Bay (Recreational Beaches) AU ID: 2483RB_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreational Beaches	Texas Beach Watch Program Advisories	Enterococcus	12/01/17	11/30/24	.	0	.	.	.	OE	FS	N	FS		

Seg ID: 2484 - Corpus Christi Inner Harbor AU ID: 2484_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Zinc (dissolved)	02/24/15	11/30/24	92.7	13	.	0	.	AD	FS	N	FS		
		Selenium	02/24/15	11/30/24	564	13	.	0	.	AD	FS	N	FS		
		Nickel (dissolved)	02/24/15	11/30/24	118	13	.	0	.	AD	FS	N	FS		
		Mercury	02/24/15	11/30/24	2.1	13	.	0	.	AD	FS	N	FS		
		Lead (dissolved)	02/24/15	11/30/24	133	11	.	0	.	AD	FS	N	FS		
		Copper (dissolved)	02/24/15	11/30/24	13.5	10	.	1	16.7	AD	FS	N	FS		
		Cadmium (dissolved)	02/24/15	11/30/24	40	11	.	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	02/24/15	11/30/24	149	11	.	0	.	AD	FS	N	FS		
	Chronic Toxic Substances in water	Zinc (dissolved)	02/24/15	11/30/24	84.2	13	12.88	0	.	AD	FS	N	FS		
		Selenium	02/24/15	11/30/24	136	13	10.51	0	.	AD	FS	N	FS		
		Nickel (dissolved)	02/24/15	11/30/24	13.1	13	5.31	0	.	AD	FS	N	FS		
		Mercury	02/24/15	11/30/24	1.1	13	0	0	.	AD	FS	N	FS		
		Lead (dissolved)	02/24/15	11/30/24	5.3	11	0.63	0	.	AD	FS	N	FS		
		Copper (dissolved)	02/24/15	11/30/24	3.6	10	5.27	1	.	AD	NS	N	NS	Copper in water	5c
		Cadmium (dissolved)	02/24/15	11/30/24	8.75	11	0.81	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	02/24/15	11/30/24	78	11	15.58	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	34	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	34	.	0	.	AD	NC	N	NC		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2484 - Corpus Christi Inner Harbor AU ID: 2484_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Fish Consumption Use	HH Bioaccumulative Toxics in water	Nickel (dissolved)	02/24/15	11/30/24	1140	13	13.27	0	.	AD	FS	N	FS		
		Mercury	02/24/15	11/30/24	0.03	13	0	0	.	AD	FS	N	FS		
		Lead (dissolved)	02/24/15	11/30/24	3.83	11	0.58	0	.	AD	FS	N	FS		
General Use	High pH	pH	12/01/17	11/30/24	9	34	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	34	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	34	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	34	.	30	0.47	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	11.6	32	.	5	25.06	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.1	34	.	10	0.16	AD	CS	N	CS	Ammonia in water	
	Water Temperature	Water temperature	12/01/17	11/30/24	35	34	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	28	6.93	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	28	.	1	370	AD	FS	N	FS		

Seg ID: 2485 - Oso Bay AU ID: 2485_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Chlorophyll-a in water	

Seg ID: 2485 - Oso Bay AU ID: 2485_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3.5	24	.	0	.	SM	FS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4.5	24	.	3	4.4	AD	NC	N	NC		
General Use	High pH	pH	12/01/17	11/30/24	9	24	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	24	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	23	.	1	0.47	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	23	.	11	5.51	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	11.6	24	.	16	27.77	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.1	24	.	4	0.45	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	24	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	7	133.37	1	.	LD	CN	Y	NS	Bacteria in water	4a
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	7	.	3	856.67	LD	CN	Y	NS	Bacteria in water	4a

Seg ID: 2485 - Oso Bay AU ID: 2485_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3.5	17	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4.5	17	.	0	.	AD	NC	N	NC		
General Use	High pH	pH	12/01/17	11/30/24	9	17	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	17	.	0	.	AD	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2485 - Oso Bay AU ID: 2485_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	16	.	1	0.36	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	16	.	10	5.07	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	11.6	17	.	11	23.73	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.1	17	.	2	0.6	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	17	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	2	3.16	0	.	ID	NA	Y	NS	Bacteria in water	4a
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	2	.	0	.	ID	NA	Y	NS	Bacteria in water	4a

Seg ID: 2485A - Oso Creek AU ID: 2485A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	48	.	1	2.8	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	48	.	6	3.23	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.66	47	.	40	2.02	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.1	47	.	38	6.43	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	21	47	.	19	104.66	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.46	47	.	6	1.41	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	Enterococcus	01/04/17	11/30/24	35	20	199.66	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 2485B - Unnamed trib of Oso Creek AU ID: 2485B_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Total Phosphorus in water	

Seg ID: 2485D - West Oso Creek AU ID: 2485D_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	CS	Total Phosphorus in water	

Seg ID: 2485OW- Oso Bay (Oyster Waters) AU ID: 2485OW_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Fecal coliform	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in oyster waters	5c

Seg ID: 2486OW- Blind Oso Bay (Oyster Waters) AU ID: 2486OW_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	No oyster waters closure	12/01/17	11/30/24	.	0	.	.	.	OE	NA	N	NA		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2491 - Laguna Madre AU ID: 2491_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Depressed dissolved oxygen in water	5b
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	25	.	0	.	SM	FS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	25	.	4	4.58	AD	CS	N	CS	Depressed dissolved oxygen in water	
	Toxic Substances in sediment	Xylene	12/01/17	11/30/24	7620	1	.	0	.	ID	NA	N	NA		
		Trichloroethene	12/01/17	11/30/24	7300	1	.	0	.	ID	NA	N	NA		
		Toluene	12/01/17	11/30/24	7750	1	.	0	.	ID	NA	N	NA		
		Tetrachloroethene	12/01/17	11/30/24	3210	1	.	0	.	ID	NA	N	NA		
		Pyrene	12/01/17	11/30/24	2600	1	.	0	.	ID	NA	N	NA		
		Phenol (single compound)	12/01/17	11/30/24	1200	1	.	0	.	ID	NA	N	NA		
		Phenanthrene	12/01/17	11/30/24	1500	1	.	0	.	ID	NA	N	NA		
		PCBs	12/01/17	11/30/24	180	1	.	0	.	ID	NA	N	NA		
		Parathion (ethyl)	12/01/17	11/30/24	300	1	.	0	.	ID	NA	N	NA		
		Nitrobenzene	12/01/17	11/30/24	8000	1	.	0	.	ID	NA	N	NA		
		Naphthalene	12/01/17	11/30/24	2100	1	.	0	.	ID	NA	N	NA		
		Methylene chloride	12/01/17	11/30/24	22940	1	.	0	.	ID	NA	N	NA		
		Hexachloroethane	12/01/17	11/30/24	5640	1	.	0	.	ID	NA	N	NA		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	1060	1	.	0	.	ID	NA	N	NA		
		Hexachlorobutadiene (HCBD)	12/01/17	11/30/24	670	1	.	0	.	ID	NA	N	NA		
		Heptachlor	12/01/17	11/30/24	2.74	1	.	0	.	ID	NA	N	NA		
		gamma-BHC (Lindane)	12/01/17	11/30/24	0.99	1	.	0	.	ID	NA	N	NA		
		Fluoranthene	12/01/17	11/30/24	5100	1	.	0	.	ID	NA	N	NA		
		Ethylbenzene	12/01/17	11/30/24	4100	1	.	0	.	ID	NA	N	NA		
		Endrin	12/01/17	11/30/24	62.4	1	.	0	.	ID	NA	N	NA		
		Di-n-butyl phthalate	12/01/17	11/30/24	17000	1	.	0	.	ID	NA	N	NA		
		Dimethyl phthalate	12/01/17	11/30/24	530	1	.	0	.	ID	NA	N	NA		
		Diethyl phthalate	12/01/17	11/30/24	1100	1	.	0	.	ID	NA	N	NA		
		Di-n-octyl phthalate	12/01/17	11/30/24	45000	1	.	0	.	ID	NA	N	NA		
		Dieldrin	12/01/17	11/30/24	4.3	1	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	260	1	.	0	.	ID	NA	N	NA		
		DDT	12/01/17	11/30/24	4.77	1	.	0	.	ID	NA	N	NA		
		DDE	12/01/17	11/30/24	374	1	.	0	.	ID	NA	N	NA		
		DDD	12/01/17	11/30/24	7.81	1	.	0	.	ID	NA	N	NA		
		Chrysene	12/01/17	11/30/24	2800	1	.	0	.	ID	NA	N	NA		
		Chloromethane	12/01/17	11/30/24	52430	1	.	0	.	ID	NA	N	NA		
		Chloroform	12/01/17	11/30/24	8860	1	.	0	.	ID	NA	N	NA		
		Fluorene	12/01/17	11/30/24	540	1	.	0	.	ID	NA	N	NA		
		Chlorobenzene	12/01/17	11/30/24	8180	1	.	0	.	ID	NA	N	NA		
		Chlordane	12/01/17	11/30/24	4.79	1	.	0	.	ID	NA	N	NA		
		Carbon tetrachloride	12/01/17	11/30/24	36740	1	.	0	.	ID	NA	N	NA		
		Bromoform	12/01/17	11/30/24	10670	1	.	0	.	ID	NA	N	NA		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	640	1	.	0	.	ID	NA	N	NA		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	2647	1	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	12/01/17	11/30/24	1600	1	.	0	.	ID	NA	N	NA		
		Benzo(a)anthracene	12/01/17	11/30/24	1600	1	.	0	.	ID	NA	N	NA		
		Benzene	12/01/17	11/30/24	4080	1	.	0	.	ID	NA	N	NA		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	690	1	.	0	.	ID	NA	N	NA		
		Styrene	12/01/17	11/30/24	22310	1	.	0	.	ID	NA	N	NA		
		Arachlor 1254	12/01/17	11/30/24	709	1	.	0	.	ID	NA	N	NA		
		Anthracene	12/01/17	11/30/24	1100	1	.	0	.	ID	NA	N	NA		
		Acrylonitrile	12/01/17	11/30/24	3240	1	.	0	.	ID	NA	N	NA		
		Acetone	12/01/17	11/30/24	1003360	1	.	0	.	ID	NA	N	NA		
		Acenaphthylene	12/01/17	11/30/24	640	1	.	0	.	ID	NA	N	NA		
		Acenaphthene	12/01/17	11/30/24	500	1	.	0	.	ID	NA	N	NA		
		4-Methyl-2-Pentanone (MIBK)	12/01/17	11/30/24	272060	1	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	12/01/17	11/30/24	670	1	.	0	.	ID	NA	N	NA		
		2,4-Dinitrotoluene	12/01/17	11/30/24	14960	1	.	0	.	ID	NA	N	NA		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2491 - Laguna Madre AU ID: 2491_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	2,4-Dimethylphenol	12/01/17	11/30/24	29	1	.	0	.	ID	NA	N	NA		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4210	1	.	0	.	ID	NA	N	NA		
		1,3-Dichlorobenzene	12/01/17	11/30/24	1950	1	.	0	.	ID	NA	N	NA		
		1,2-Dichloropropane	12/01/17	11/30/24	21520	1	.	0	.	ID	NA	N	NA		
		1,2-Dichloroethane	12/01/17	11/30/24	26260	1	.	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4440	1	.	0	.	ID	NA	N	NA		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	2320	1	.	0	.	ID	NA	N	NA		
		1,1-Dichloroethylene	12/01/17	11/30/24	92470	1	.	0	.	ID	NA	N	NA		
		1,1,2-Trichloroethane	12/01/17	11/30/24	1800	1	.	0	.	ID	NA	N	NA		
		1,1,2,2-Tetrachloroethane	12/01/17	11/30/24	3690	1	.	0	.	ID	NA	N	NA		
		1,1,1-Trichloroethane	12/01/17	11/30/24	35860	1	.	0	.	ID	NA	N	NA		
General Use	High pH	pH	12/01/17	11/30/24	9	25	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	25	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	25	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	25	.	1	0.24	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.1	24	.	3	0.17	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	23	.	7	17.71	AD	CS	N	CS	Chlorophyll-a in water	
	Water Temperature	Water temperature	12/01/17	11/30/24	35	25	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	03/17/16	11/30/24	35	20	6	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	03/17/16	11/30/24	130	20	.	0	.	AD	FS	N	FS		

Seg ID: 2491 - Laguna Madre AU ID: 2491_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Depressed dissolved oxygen in water	5b
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	05/16/17	11/30/24	4	12	.	0	.	SM	FS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	05/16/17	11/30/24	5	12	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Trichloroethene	12/01/17	11/30/24	7300	1	.	0	.	ID	NA	N	NA		
		Toluene	12/01/17	11/30/24	7750	1	.	0	.	ID	NA	N	NA		
		Tetrachloroethene	12/01/17	11/30/24	3210	1	.	0	.	ID	NA	N	NA		
		Pyrene	12/01/17	11/30/24	2600	1	.	0	.	ID	NA	N	NA		
		Phenol (single compound)	12/01/17	11/30/24	1200	1	.	0	.	ID	NA	N	NA		
		Phenanthrene	12/01/17	11/30/24	1500	1	.	0	.	ID	NA	N	NA		
		PCBs	12/01/17	11/30/24	180	1	.	0	.	ID	NA	N	NA		
		Parathion (ethyl)	12/01/17	11/30/24	300	1	.	0	.	ID	NA	N	NA		
		Nitrobenzene	12/01/17	11/30/24	8000	1	.	0	.	ID	NA	N	NA		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	640	1	.	0	.	ID	NA	N	NA		
		Naphthalene	12/01/17	11/30/24	2100	1	.	0	.	ID	NA	N	NA		
		Methylene chloride	12/01/17	11/30/24	22940	1	.	0	.	ID	NA	N	NA		
		Hexachloroethane	12/01/17	11/30/24	5640	1	.	0	.	ID	NA	N	NA		
		Hexachlorobutadiene (HCBD)	12/01/17	11/30/24	670	1	.	0	.	ID	NA	N	NA		
		Heptachlor	12/01/17	11/30/24	2.74	1	.	0	.	ID	NA	N	NA		
		gamma-BHC (Lindane)	12/01/17	11/30/24	0.99	1	.	0	.	ID	NA	N	NA		
		Fluoranthene	12/01/17	11/30/24	5100	1	.	0	.	ID	NA	N	NA		
		Ethylbenzene	12/01/17	11/30/24	4100	1	.	0	.	ID	NA	N	NA		
		Endrin	12/01/17	11/30/24	62.4	1	.	0	.	ID	NA	N	NA		
		Di-n-butyl phthalate	12/01/17	11/30/24	17000	1	.	0	.	ID	NA	N	NA		
		Dimethyl phthalate	12/01/17	11/30/24	530	1	.	0	.	ID	NA	N	NA		
		Diethyl phthalate	12/01/17	11/30/24	1100	1	.	0	.	ID	NA	N	NA		
		Dieldrin	12/01/17	11/30/24	4.3	1	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	260	1	.	0	.	ID	NA	N	NA		
		DDT	12/01/17	11/30/24	4.77	1	.	0	.	ID	NA	N	NA		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2491 - Laguna Madre AU ID: 2491_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	DDE	12/01/17	11/30/24	374	1	.	0	.	ID	NA	N	NA		
		Di-n-octyl phthalate	12/01/17	11/30/24	45000	1	.	0	.	ID	NA	N	NA		
		Fluorene	12/01/17	11/30/24	540	1	.	0	.	ID	NA	N	NA		
		DDD	12/01/17	11/30/24	7.81	1	.	0	.	ID	NA	N	NA		
		Chrysene	12/01/17	11/30/24	2800	1	.	0	.	ID	NA	N	NA		
		Chloromethane	12/01/17	11/30/24	52430	1	.	0	.	ID	NA	N	NA		
		Chloroform	12/01/17	11/30/24	8860	1	.	0	.	ID	NA	N	NA		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	1060	1	.	0	.	ID	NA	N	NA		
		Chlorobenzene	12/01/17	11/30/24	8180	1	.	0	.	ID	NA	N	NA		
		Chlordane	12/01/17	11/30/24	4.79	1	.	0	.	ID	NA	N	NA		
		Carbon tetrachloride	12/01/17	11/30/24	36740	1	.	0	.	ID	NA	N	NA		
		Bromoform	12/01/17	11/30/24	10670	1	.	0	.	ID	NA	N	NA		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	2647	1	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	12/01/17	11/30/24	1600	1	.	0	.	ID	NA	N	NA		
		Benzo(a)anthracene	12/01/17	11/30/24	1600	1	.	0	.	ID	NA	N	NA		
		Benzene	12/01/17	11/30/24	4080	1	.	0	.	ID	NA	N	NA		
		Arachlor 1254	12/01/17	11/30/24	709	1	.	0	.	ID	NA	N	NA		
		Anthracene	12/01/17	11/30/24	1100	1	.	0	.	ID	NA	N	NA		
		Acrylonitrile	12/01/17	11/30/24	3240	1	.	0	.	ID	NA	N	NA		
		Acetone	12/01/17	11/30/24	1003360	1	.	0	.	ID	NA	N	NA		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	690	1	.	0	.	ID	NA	N	NA		
		Styrene	12/01/17	11/30/24	22310	1	.	0	.	ID	NA	N	NA		
		Xylene	12/01/17	11/30/24	7620	1	.	0	.	ID	NA	N	NA		
		Acenaphthylene	12/01/17	11/30/24	640	1	.	0	.	ID	NA	N	NA		
		Acenaphthene	12/01/17	11/30/24	500	1	.	0	.	ID	NA	N	NA		
		4-Methyl-2-Pentanone (MIBK)	12/01/17	11/30/24	272060	1	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	12/01/17	11/30/24	670	1	.	0	.	ID	NA	N	NA		
		2,4-Dinitrotoluene	12/01/17	11/30/24	14960	1	.	0	.	ID	NA	N	NA		
		2,4-Dimethylphenol	12/01/17	11/30/24	29	1	.	0	.	ID	NA	N	NA		
		1,4-Dichlorobenzene	12/01/17	11/30/24	4210	1	.	0	.	ID	NA	N	NA		
		1,3-Dichlorobenzene	12/01/17	11/30/24	1950	1	.	0	.	ID	NA	N	NA		
		1,2-Dichloropropane	12/01/17	11/30/24	21520	1	.	0	.	ID	NA	N	NA		
		1,2-Dichloroethane	12/01/17	11/30/24	26260	1	.	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4440	1	.	0	.	ID	NA	N	NA		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	2320	1	.	0	.	ID	NA	N	NA		
		1,1-Dichloroethylene	12/01/17	11/30/24	92470	1	.	0	.	ID	NA	N	NA		
		1,1,2-Trichloroethane	12/01/17	11/30/24	1800	1	.	0	.	ID	NA	N	NA		
		1,1,2,2-Tetrachloroethane	12/01/17	11/30/24	3690	1	.	0	.	ID	NA	N	NA		
		1,1,1-Trichloroethane	12/01/17	11/30/24	35860	1	.	0	.	ID	NA	N	NA		
General Use	High pH	pH	05/16/17	11/30/24	9	12	.	0	.	AD	FS	N	FS		
	Low pH	pH	05/16/17	11/30/24	6.5	12	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	05/16/17	11/30/24	0.21	12	.	2	0.26	AD	NC	N	NC		
		Nitrate	05/16/17	11/30/24	0.17	11	.	7	0.75	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	05/16/17	11/30/24	11.6	12	.	5	20.16	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	05/16/17	11/30/24	0.1	10	.	2	0.16	AD	NC	N	NC		
	Water Temperature	Water temperature	05/16/17	11/30/24	35	12	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Bacteria in water	5r

Seg ID: 2491 - Laguna Madre AU ID: 2491_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	14	.	1	3.6	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	14	.	1	3.6	AD	NC	N	NC		
	Toxic Substances in sediment	Xylene	12/01/17	11/30/24	7620	1	.	0	.	ID	NA	N	NA		
		Trichloroethene	12/01/17	11/30/24	7300	1	.	0	.	ID	NA	N	NA		
		Tetrachloroethene	12/01/17	11/30/24	3210	1	.	0	.	ID	NA	N	NA		
		Styrene	12/01/17	11/30/24	22310	1	.	0	.	ID	NA	N	NA		
		Pyrene	12/01/17	11/30/24	2600	1	.	0	.	ID	NA	N	NA		
		Phenol (single compound)	12/01/17	11/30/24	1200	1	.	0	.	ID	NA	N	NA		
		Phenanthrene	12/01/17	11/30/24	1500	1	.	0	.	ID	NA	N	NA		
		Pentachlorophenol (PCP)	12/01/17	11/30/24	690	1	.	0	.	ID	NA	N	NA		
		PCBs	12/01/17	11/30/24	180	1	.	0	.	ID	NA	N	NA		
		Nitrobenzene	12/01/17	11/30/24	8000	1	.	0	.	ID	NA	N	NA		
		N-Butyl benzyl phthalate	12/01/17	11/30/24	640	1	.	0	.	ID	NA	N	NA		
		Naphthalene	12/01/17	11/30/24	2100	1	.	0	.	ID	NA	N	NA		
		Hexachloroethane	12/01/17	11/30/24	5640	1	.	0	.	ID	NA	N	NA		
		Hexachlorocyclopentadiene	12/01/17	11/30/24	1060	1	.	0	.	ID	NA	N	NA		
		Hexachlorobutadiene (HCBd)	12/01/17	11/30/24	670	1	.	0	.	ID	NA	N	NA		
		gamma-BHC (Lindane)	12/01/17	11/30/24	0.99	1	.	0	.	ID	NA	N	NA		
		Fluorene	12/01/17	11/30/24	540	1	.	0	.	ID	NA	N	NA		
		Fluoranthene	12/01/17	11/30/24	5100	1	.	0	.	ID	NA	N	NA		
		Ethylbenzene	12/01/17	11/30/24	4100	1	.	0	.	ID	NA	N	NA		
		Endrin	12/01/17	11/30/24	62.4	1	.	0	.	ID	NA	N	NA		
		Di-n-octyl phthalate	12/01/17	11/30/24	45000	1	.	0	.	ID	NA	N	NA		
		Di-n-butyl phthalate	12/01/17	11/30/24	17000	1	.	0	.	ID	NA	N	NA		
		Dimethyl phthalate	12/01/17	11/30/24	530	1	.	0	.	ID	NA	N	NA		
		Diethyl phthalate	12/01/17	11/30/24	1100	1	.	0	.	ID	NA	N	NA		
		Dieldrin	12/01/17	11/30/24	4.3	1	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	12/01/17	11/30/24	260	1	.	0	.	ID	NA	N	NA		
		DDT	12/01/17	11/30/24	4.77	1	.	0	.	ID	NA	N	NA		
		DDE	12/01/17	11/30/24	374	1	.	0	.	ID	NA	N	NA		
		DDD	12/01/17	11/30/24	7.81	1	.	0	.	ID	NA	N	NA		
		Chrysene	12/01/17	11/30/24	2800	1	.	0	.	ID	NA	N	NA		
		Heptachlor	12/01/17	11/30/24	2.74	1	.	0	.	ID	NA	N	NA		
		Chloromethane	12/01/17	11/30/24	52430	1	.	0	.	ID	NA	N	NA		
		Chloroform	12/01/17	11/30/24	8860	1	.	0	.	ID	NA	N	NA		
		Chlorobenzene	12/01/17	11/30/24	8180	1	.	0	.	ID	NA	N	NA		
		Chlordane	12/01/17	11/30/24	4.79	1	.	0	.	ID	NA	N	NA		
		Methylene chloride	12/01/17	11/30/24	22940	1	.	0	.	ID	NA	N	NA		
		Carbon tetrachloride	12/01/17	11/30/24	36740	1	.	0	.	ID	NA	N	NA		
		Bromoform	12/01/17	11/30/24	10670	1	.	0	.	ID	NA	N	NA		
		Bis(2-ethylhexyl)phthalate	12/01/17	11/30/24	2647	1	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	12/01/17	11/30/24	1600	1	.	0	.	ID	NA	N	NA		
		Parathion (ethyl)	12/01/17	11/30/24	300	1	.	0	.	ID	NA	N	NA		
		Benzo(a)anthracene	12/01/17	11/30/24	1600	1	.	0	.	ID	NA	N	NA		
		Benzene	12/01/17	11/30/24	4080	1	.	0	.	ID	NA	N	NA		
		Arachlor 1254	12/01/17	11/30/24	709	1	.	0	.	ID	NA	N	NA		
		Anthracene	12/01/17	11/30/24	1100	1	.	0	.	ID	NA	N	NA		
		Toluene	12/01/17	11/30/24	7750	1	.	0	.	ID	NA	N	NA		
		Acrylonitrile	12/01/17	11/30/24	3240	1	.	0	.	ID	NA	N	NA		
		Acetone	12/01/17	11/30/24	1003360	1	.	0	.	ID	NA	N	NA		
		Acenaphthylene	12/01/17	11/30/24	640	1	.	0	.	ID	NA	N	NA		
		Acenaphthene	12/01/17	11/30/24	500	1	.	0	.	ID	NA	N	NA		
		4-Methyl-2-Pentanone (MIBK)	12/01/17	11/30/24	272060	1	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	12/01/17	11/30/24	670	1	.	0	.	ID	NA	N	NA		
		2,4-Dinitrotoluene	12/01/17	11/30/24	14960	1	.	0	.	ID	NA	N	NA		
		2,4-Dimethylphenol	12/01/17	11/30/24	29	1	.	0	.	ID	NA	N	NA		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2491 - Laguna Madre AU ID: 2491_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	1,4-Dichlorobenzene	12/01/17	11/30/24	4210	1	.	0	.	ID	NA	N	NA		
		1,3-Dichlorobenzene	12/01/17	11/30/24	1950	1	.	0	.	ID	NA	N	NA		
		1,2-Dichloropropane	12/01/17	11/30/24	21520	1	.	0	.	ID	NA	N	NA		
		1,2-Dichloroethane	12/01/17	11/30/24	26260	1	.	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	12/01/17	11/30/24	4440	1	.	0	.	ID	NA	N	NA		
		1,2,4-Trichlorobenzene	12/01/17	11/30/24	2320	1	.	0	.	ID	NA	N	NA		
		1,1-Dichloroethylene	12/01/17	11/30/24	92470	1	.	0	.	ID	NA	N	NA		
		1,1,2-Trichloroethane	12/01/17	11/30/24	1800	1	.	0	.	ID	NA	N	NA		
		1,1,2,2-Tetrachloroethane	12/01/17	11/30/24	3690	1	.	0	.	ID	NA	N	NA		
		1,1,1-Trichloroethane	12/01/17	11/30/24	35860	1	.	0	.	ID	NA	N	NA		
General Use	High pH	pH	12/01/17	11/30/24	9	13	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	13	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/17	11/30/24	0.17	17	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	17	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.1	17	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/17	11/30/24	0.21	17	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	14	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	0	.	.	.	ID	NA	Y	CN	Bacteria in water	

Seg ID: 2491B - North Floodway AU ID: 2491B_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	17	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	17	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	22	.	3	0.83	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	21	.	17	3.34	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	21	.	15	60.99	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.33	21	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	11/29/17	11/30/24	126	20	217.46	1	.	AD	NS	N	NS	Bacteria in water	5r

Seg ID: 2491C - Drainage ditches flowing into Lower Laguna Madre AU ID: 2491C_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	24	.	1	1.2	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	24	.	1	1.2	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	24	.	2	0.97	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.95	23	.	7	3.45	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	24	.	19	45.76	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.33	23	.	2	0.45	AD	NC	N	NC		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	50	2.72	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	24	277.13	1	.	AD	NS	N	NS	Bacteria in water	5r

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2491C - Drainage ditches flowing into Lower Laguna Madre AU ID: 2491C_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	50	2.72	0	.	AD	FS	N	FS		

Seg ID: 2491C - Drainage ditches flowing into Lower Laguna Madre AU ID: 2491C_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	2	27	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	3	27	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	28	.	18	0.96	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	28	.	19	4.9	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	24	.	18	141.66	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.33	23	.	0	.	AD	NC	N	NC		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	50	2.72	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	27	152.97	1	.	AD	CN	N	CN	Bacteria in water	

Seg ID: 2491C - Drainage ditches flowing into Lower Laguna Madre AU ID: 2491C_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/17	11/30/24	10	50	2.72	0	.	AD	FS	N	FS		

Seg ID: 2491OW- Laguna Madre (Oyster Waters) AU ID: 2491OW_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	No oyster waters closure	12/01/17	11/30/24	.	0	.	.	.	OE	NA	N	NA		

Seg ID: 2491OW- Laguna Madre (Oyster Waters) AU ID: 2491OW_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	Fecal coliform	12/01/17	11/30/24	.	0	.	.	.	OE	NS	N	NS	Bacteria in oyster waters	5c

Seg ID: 2491OW- Laguna Madre (Oyster Waters) AU ID: 2491OW_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	No oyster waters closure	12/01/17	11/30/24	.	0	.	.	.	OE	FS	N	FS		

Seg ID: 2491OW- Laguna Madre (Oyster Waters) AU ID: 2491OW_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	No oyster waters closure	12/01/17	11/30/24	.	0	.	.	.	OE	FS	N	FS		

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2491UL- Upper Laguna Madre (Recreational Beaches) AU ID: 2491UL_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreational Beaches	Texas Beach Watch Program Advisories	Enterococcus	12/01/17	11/30/24	.	0	.	.	.	OE	FS	N	FS		

Seg ID: 2492 - Baffin Bay/Alazan Bay/Cayo del Grullo/Laguna Salada AU ID: 2492_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	27	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	27	.	0	.	AD	NC	N	NC		
General Use	High pH	pH	12/01/17	11/30/24	9	27	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	27	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	25	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	25	.	1	0.21	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	22	.	16	18.57	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.1	23	.	2	0.22	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	27	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	20	6.51	0	.	AD	FS	N	FS		
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	20	.	0	.	AD	FS	N	FS		

Seg ID: 2492A - San Fernando Creek AU ID: 2492A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	83	.	2	2.8	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	83	.	13	4.05	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.69	83	.	77	2.76	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	1.95	78	.	23	6.03	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	14.1	25	.	13	48.66	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.33	72	.	5	1.13	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/17	11/30/24	126	84	567.35	1	.	AD	NS	N	NS	Bacteria in water	5r

Seg ID: 2492B - Los Olmos Creek Tidal AU ID: 2492B_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	29	.	3	2.67	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	29	.	5	2.86	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.66	29	.	2	0.77	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	1.1	28	.	10	14.8	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	21	29	.	22	114.4	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.46	28	.	2	0.69	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	6	115.75	1	.	ID	NA	Y	NS	Bacteria in water	5c

Draft 2026 Texas Integrated Report - Assessment Results for Basin 24 - Bays and Estuaries

Seg ID: 2492OW- Baffin Bay/Alazan Bay/Cayo del Grullo/Laguna Salada (Oyster Waters) AU ID: 2492OW_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	No oyster waters closure	12/01/17	11/30/24	.	0	.	.	.	OE	NA	N	NA		

Seg ID: 2492OW- Baffin Bay/Alazan Bay/Cayo del Grullo/Laguna Salada (Oyster Waters) AU ID: 2492OW_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	No oyster waters closure	12/01/17	11/30/24	.	0	.	.	.	OE	NA	N	NA		

Seg ID: 2493 - South Bay AU ID: 2493_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	16	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	16	.	0	.	AD	NC	N	NC		
General Use	High pH	pH	12/01/17	11/30/24	9	16	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	16	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	18	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	18	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	18	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.1	18	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	16	.	0	.	AD	FS	N	FS		

Seg ID: 2493OW- South Bay (Oyster Waters) AU ID: 2493OW_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Oyster Waters Use	DSHS Shellfish Harvesting Restrictions Maps	No oyster waters closure	12/01/17	11/30/24	.	0	.	.	.	OE	NA	N	NA		

Seg ID: 2494 - Brownsville Ship Channel AU ID: 2494_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	4	24	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	5	24	.	1	4.37	AD	NC	N	NC		
General Use	High pH	pH	12/01/17	11/30/24	9	24	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/17	11/30/24	6.5	24	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	20	.	1	0.29	AD	NC	N	NC		
		Nitrate	12/01/17	11/30/24	0.17	21	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/17	11/30/24	11.6	21	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/17	11/30/24	0.1	21	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/17	11/30/24	35	24	.	0	.	AD	FS	N	FS		

Seg ID: 2494A - Port Isabel Fishing Harbor AU ID: 2494A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	05/18/17	11/30/24	3	10	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	05/18/17	11/30/24	4	10	.	1	3.2	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	05/18/17	11/30/24	0.21	11	.	0	.	AD	NC	N	NC		
		Nitrate	05/18/17	11/30/24	0.17	12	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	05/18/17	11/30/24	11.6	12	.	1	32.9	AD	NC	N	NC		
		Ammonia	05/18/17	11/30/24	0.1	11	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	.	0	.	.	.	ID	NA	Y	NS	Bacteria in water	5r

Seg ID: 2494C - San Martin Lakes AU ID: 2494C_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/17	11/30/24	3	15	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/17	11/30/24	4	15	.	1	3.8	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/17	11/30/24	0.21	15	.	9	0.49	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/17	11/30/24	0.17	15	.	6	5.02	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/17	11/30/24	11.6	15	.	12	22.87	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/17	11/30/24	0.1	15	.	2	2.46	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/17	11/30/24	35	0	.	.	.	ID	NA	Y	CN	Bacteria in water	
	Bacteria Single Sample	Enterococcus	12/01/17	11/30/24	130	0	.	.	.	ID	NA	Y	NS	Bacteria in water	5r