

**Explanation of Column Headings**

**SEGID:** The unique identifier (SegID), segment name, and location of the water body. Items may be one of three types of numbers for SegID. The first type is a classified segment number (4 digits, e.g., 0218), as defined in the Texas Surface Water Quality Standards. The second type is an unclassified water body (e.g., 0218A), not defined in the Standards and associated with a classified water body because it is in the same watershed. The third type includes special Segments for Oyster Water Use (e.g., 2421OW) and Beach Watch Use (e.g., 2481CB) special areas. The segment name and description follow SegID.

**AU ID:** Identifies the assessment unit (AU\_ID, six or seven digits, e.g., 0101A\_01) and describes the location of the specific area within a classified or unclassified water body for which one or more water quality standards are not met.

**Start Date:** The start date of the period of record data for this method was selected; the official 2022 period of record is from 12/1/2013 to 11/30/2020. In some cases it may be necessary to extend the period of record back 10 years (12/1/2010) to select more data, according to assessment guidance.

**End Date:** The end date of the period of record data for this method was selected; the official 2022 period of record dates are 12/1/2013 to 11/30/2020. In some cases more recently collected data than 12/01/2020 can be included, if available

**#Data Assessed:** Number of samples assessed some data are averaged, as with profile data, some are eliminated because criteria do not apply during certain conditions such as a s low flow.

**Mean Data Assessed:** Mean of samples assessed includes averaged methods like chronic criteria as well as geometric mean calculations for bacteria.

**# Exceedances:** Number of samples that exceed criteria for single sample, or binomial, methods (not averaged data).

**Mean Exceedances:** Mean of the samples that exceeded criteria for the single sample, or binomial, methods (not averaged data).

**Criteria:** Value that the data is compared to determine the level of support; Note: for acute metals in water, each value is compared to a calculated criterion and not all criteria could be reported here, only the minimum in the range of criteria calculated are included.

**DS Qual:** Dataset Qualifier - indicates characteristics of the methods or dataset used in the assessment:

- AD:** Adequate Data (10 or more samples).
- LD:** Limited Data (less than 9, greater than 3).
- ID:** Inadequate Data (less than 4).
- JQ:** Level of support is based on judgment of the assessor.
- SM:** This assessment method is superseded by another method.
- TR:** Temporally Not Representative, used with NA.
- SR:** Spatially Not Representative, used with NA.
- OE:** Other information than ambient samples evaluated.
- OS:** Assessment area outside state boundaries.

**LOS:** Level of support for this use, method, assessment parameter:

- FS:** Fully Supporting.
- NC:** No Concern.
- NA:** Not Assessed.
- NS:** Nonsupport.
- CS:** Screening Level Concern.
- CN:** Use Concern.

**CF:** Carry Forward indicates that the Integrated level of support of CS, CN, or NS was carried forward from a previous assessment due to inadequate data for this method in this assessment.

**Int LOS:** Integrated level of support. This is the overall level of support for this use, method, parameter group, which could be different from the LOS (described above) due to carry forward information or other types of changes. New Code added in 2010: PI = Pending Issue

**TCEQ Cause:** This is the impairment description (e.g., bacteria, depressed dissolved oxygen, etc.).

**Cat:**

**Category 3:** There is insufficient or unreliable available data and/or information to make a use support determination.

**Category 4:** Available data and/or information indicate that at least one designated use is not being supported or is threatened, but a TMDL is not needed.

**Category 4a:** A state-developed TMDL has been approved by EPA or a TMDL has been established by EPA for any water-pollutant combination.

**Category 4b:** Other required control measures are expected to result in the attainment of an applicable water quality standard in a reasonable period of time.

**Category 4c:** The impairment or threat is not caused by a pollutant.

**Category 5:** Available data and/or information indicate that at least one designated use is not being supported or is threatened, and a TMDL is needed.

**Category 5a:** A TMDL is underway, scheduled, or will be scheduled.

**Category 5b:** A review of the standards for the water body will be conducted before a management strategy is selected.

**Category 5c:** Additional data and information will be collected or evaluated before a management strategy is selected.

**Category 5n:** Water body does not meet its applicable Chl a criterion, but additional study is needed to verify whether exceedance is associated with causal nutrient parameters or impacts to response variables.

**Draft 2022 Texas Integrated Report - Assessment Results for Basin 1 - Canadian River**

**Seg ID: 0101 - Canadian River Below Lake Meredith  
AU ID: 0101\_01**

| Use                  | Method                                | Parameter              | Start Date | End Date | Criteria | #Data Assessed | Mean Data Assessed | #Exceedances | Mean Exceedances | DS Qualifier | LOS | CF | Int LOS | TCEQ Cause | Cat |
|----------------------|---------------------------------------|------------------------|------------|----------|----------|----------------|--------------------|--------------|------------------|--------------|-----|----|---------|------------|-----|
| Aquatic Life Use     | Dissolved Oxygen grab minimum         | Dissolved oxygen Grab  | 12/01/13   | 11/30/20 | 3        | 25             | .                  | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                      | Dissolved Oxygen grab screening level | Dissolved oxygen Grab  | 12/01/13   | 11/30/20 | 5        | 25             | .                  | 0            | .                | AD           | NC  | N  | NC      |            |     |
| Fish Consumption Use | HH Bioaccumulative Toxics in water    | Mercury                | 12/01/10   | 11/30/20 | 0.01     | 9              | 0                  | 0            | .                | LD           | NC  | N  | NC      |            |     |
|                      |                                       | Nickel (dissolved)     | 12/01/10   | 11/30/20 | 1140     | 8              | 2.87               | 0            | .                | LD           | NC  | N  | NC      |            |     |
|                      |                                       | Lead (dissolved)       | 12/01/10   | 11/30/20 | 3.83     | 6              | 0.29               | 0            | .                | LD           | NC  | N  | NC      |            |     |
| General Use          | Dissolved Solids                      | Sulfate                | 12/01/13   | 11/30/20 | 760      | 96             | 465.65             | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                      |                                       | Chloride               | 12/01/13   | 11/30/20 | 1975     | 96             | 1535.33            | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                      |                                       | Total dissolved solids | 12/01/13   | 11/30/20 | 5000     | 99             | 3314.65            | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                      | High pH                               | pH                     | 12/01/13   | 11/30/20 | 9        | 25             | .                  | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                      | Low pH                                | pH                     | 12/01/13   | 11/30/20 | 6.5      | 25             | .                  | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                      | Nutrient Screening Levels             | Chlorophyll-a          | 12/01/13   | 11/30/20 | 14.1     | 25             | .                  | 2            | 28.15            | AD           | NC  | N  | NC      |            |     |
|                      |                                       | Nitrate                | 12/01/13   | 11/30/20 | 1.95     | 25             | .                  | 0            | .                | AD           | NC  | N  | NC      |            |     |
|                      |                                       | Total phosphorus       | 12/01/13   | 11/30/20 | 0.69     | 24             | .                  | 0            | .                | AD           | NC  | N  | NC      |            |     |
| Ammonia              |                                       | 12/01/13               | 11/30/20   | 0.33     | 25       | .              | 0                  | .            | AD               | NC           | N   | NC |         |            |     |
| Water Temperature    | Water temperature                     | 12/01/13               | 11/30/20   | 35       | 25       | .              | 1                  | 35.3         | AD               | FS           | N   | FS |         |            |     |
| Recreation Use       | Bacteria Geomean                      | E. coli                | 12/01/13   | 11/30/20 | 126      | 25             | 19.4               | 0            | .                | AD           | FS  | N  | FS      |            |     |

**Seg ID: 0101 - Canadian River Below Lake Meredith  
AU ID: 0101\_02**

| Use                  | Method                                | Parameter              | Start Date | End Date | Criteria | #Data Assessed | Mean Data Assessed | #Exceedances | Mean Exceedances | DS Qualifier | LOS | CF | Int LOS | TCEQ Cause | Cat |
|----------------------|---------------------------------------|------------------------|------------|----------|----------|----------------|--------------------|--------------|------------------|--------------|-----|----|---------|------------|-----|
| Aquatic Life Use     | Dissolved Oxygen grab minimum         | Dissolved oxygen Grab  | 12/01/13   | 11/30/20 | 3        | 25             | .                  | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                      | Dissolved Oxygen grab screening level | Dissolved oxygen Grab  | 12/01/13   | 11/30/20 | 5        | 25             | .                  | 0            | .                | AD           | NC  | N  | NC      |            |     |
| Fish Consumption Use | HH Bioaccumulative Toxics in water    | Lead (dissolved)       | 12/01/10   | 11/30/20 | 3.83     | 6              | 0.29               | 0            | .                | LD           | NC  | N  | NC      |            |     |
|                      |                                       | Mercury                | 12/01/10   | 11/30/20 | 0.01     | 9              | 0                  | 0            | .                | LD           | NC  | N  | NC      |            |     |
|                      |                                       | Nickel (dissolved)     | 12/01/10   | 11/30/20 | 1140     | 8              | 2.87               | 0            | .                | LD           | NC  | N  | NC      |            |     |
| General Use          | Dissolved Solids                      | Sulfate                | 12/01/13   | 11/30/20 | 760      | 96             | 465.65             | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                      |                                       | Chloride               | 12/01/13   | 11/30/20 | 1975     | 96             | 1535.33            | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                      |                                       | Total dissolved solids | 12/01/13   | 11/30/20 | 5000     | 99             | 3314.65            | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                      | High pH                               | pH                     | 12/01/13   | 11/30/20 | 9        | 25             | .                  | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                      | Low pH                                | pH                     | 12/01/13   | 11/30/20 | 6.5      | 25             | .                  | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                      | Nutrient Screening Levels             | Chlorophyll-a          | 12/01/13   | 11/30/20 | 14.1     | 25             | .                  | 5            | 30.94            | AD           | NC  | N  | NC      |            |     |
|                      |                                       | Total phosphorus       | 12/01/13   | 11/30/20 | 0.69     | 24             | .                  | 0            | .                | AD           | NC  | N  | NC      |            |     |
|                      |                                       | Nitrate                | 12/01/13   | 11/30/20 | 1.95     | 25             | .                  | 0            | .                | AD           | NC  | N  | NC      |            |     |
| Ammonia              |                                       | 12/01/13               | 11/30/20   | 0.33     | 25       | .              | 0                  | .            | AD               | NC           | N   | NC |         |            |     |
| Water Temperature    | Water temperature                     | 12/01/13               | 11/30/20   | 35       | 25       | .              | 0                  | .            | AD               | FS           | N   | FS |         |            |     |
| Recreation Use       | Bacteria Geomean                      | E. coli                | 12/01/13   | 11/30/20 | 126      | 23             | 55.04              | 0            | .                | AD           | FS  | N  | FS      |            |     |

**Seg ID: 0101 - Canadian River Below Lake Meredith  
AU ID: 0101\_03**

| Use              | Method                                | Parameter             | Start Date | End Date | Criteria | #Data Assessed | Mean Data Assessed | #Exceedances | Mean Exceedances | DS Qualifier | LOS | CF | Int LOS | TCEQ Cause | Cat |
|------------------|---------------------------------------|-----------------------|------------|----------|----------|----------------|--------------------|--------------|------------------|--------------|-----|----|---------|------------|-----|
| Aquatic Life Use | Dissolved Oxygen grab minimum         | Dissolved oxygen Grab | 12/01/13   | 11/30/20 | 3        | 27             | .                  | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                  | Dissolved Oxygen grab screening level | Dissolved oxygen Grab | 12/01/13   | 11/30/20 | 5        | 27             | .                  | 1            | 4.5              | AD           | NC  | N  | NC      |            |     |

**Draft 2022 Texas Integrated Report - Assessment Results for Basin 1 - Canadian River**

**Seg ID: 0101 - Canadian River Below Lake Meredith**

**AU ID: 0101\_03**

| Use                  | Method                             | Parameter              | Start Date | End Date | Criteria | #Data Assessed | Mean Data Assessed | #Exceedances | Mean Exceedances | DS Qualifier | LOS | CF | Int LOS | TCEQ Cause       | Cat |
|----------------------|------------------------------------|------------------------|------------|----------|----------|----------------|--------------------|--------------|------------------|--------------|-----|----|---------|------------------|-----|
| Fish Consumption Use | HH Bioaccumulative Toxics in water | Nickel (dissolved)     | 12/01/10   | 11/30/20 | 1140     | 8              | 2.87               | 0            | .                | LD           | NC  | N  | NC      |                  |     |
|                      |                                    | Mercury                | 12/01/10   | 11/30/20 | 0.01     | 9              | 0                  | 0            | .                | LD           | NC  | N  | NC      |                  |     |
|                      |                                    | Lead (dissolved)       | 12/01/10   | 11/30/20 | 3.83     | 6              | 0.29               | 0            | .                | LD           | NC  | N  | NC      |                  |     |
| General Use          | Dissolved Solids                   | Total dissolved solids | 12/01/13   | 11/30/20 | 5000     | 99             | 3314.65            | 0            | .                | AD           | FS  | N  | FS      |                  |     |
|                      |                                    | Sulfate                | 12/01/13   | 11/30/20 | 760      | 96             | 465.65             | 0            | .                | AD           | FS  | N  | FS      |                  |     |
|                      |                                    | Chloride               | 12/01/13   | 11/30/20 | 1975     | 96             | 1535.33            | 0            | .                | AD           | FS  | N  | FS      |                  |     |
|                      | High pH                            | pH                     | 12/01/13   | 11/30/20 | 9        | 27             | .                  | 0            | .                | AD           | FS  | N  | FS      |                  |     |
|                      | Low pH                             | pH                     | 12/01/13   | 11/30/20 | 6.5      | 27             | .                  | 0            | .                | AD           | FS  | N  | FS      |                  |     |
|                      | Nutrient Screening Levels          | Total phosphorus       | 12/01/13   | 11/30/20 | 0.69     | 24             | .                  | 0            | .                | AD           | NC  | N  | NC      |                  |     |
|                      |                                    | Ammonia                | 12/01/13   | 11/30/20 | 0.33     | 25             | .                  | 11           | 0.42             | AD           | CS  | N  | CS      | Ammonia in water |     |
|                      |                                    | Nitrate                | 12/01/13   | 11/30/20 | 1.95     | 26             | .                  | 7            | 4.2              | AD           | NC  | N  | NC      |                  |     |
| Chlorophyll-a        | 12/01/13                           | 11/30/20               | 14.1       | 24       | .        | 6              | 49.43              | AD           | NC               | N            | NC  |    |         |                  |     |
| Water Temperature    | Water temperature                  | 12/01/13               | 11/30/20   | 35       | 27       | .              | 0                  | .            | AD               | FS           | N   | FS |         |                  |     |
| Recreation Use       | Bacteria Geomean                   | E. coli                | 12/01/13   | 11/30/20 | 126      | 23             | 102.27             | 0            | .                | AD           | FS  | N  | FS      |                  |     |

**Seg ID: 0101 - Canadian River Below Lake Meredith**

**AU ID: 0101\_04**

| Use                                   | Method                             | Parameter                 | Start Date | End Date | Criteria | #Data Assessed | Mean Data Assessed | #Exceedances | Mean Exceedances | DS Qualifier | LOS | CF | Int LOS                             | TCEQ Cause | Cat |
|---------------------------------------|------------------------------------|---------------------------|------------|----------|----------|----------------|--------------------|--------------|------------------|--------------|-----|----|-------------------------------------|------------|-----|
| Aquatic Life Use                      | Acute Toxic Substances in water    | Cadmium (dissolved)       | 12/01/10   | 11/30/20 | 117.73   | 8              | .                  | 0            | .                | LD           | NC  | N  | NC                                  |            |     |
|                                       |                                    | Arsenic (dissolved)       | 12/01/10   | 11/30/20 | 340      | 9              | .                  | 0            | .                | LD           | NC  | N  | NC                                  |            |     |
|                                       |                                    | Chromium (Tri)(dissolved) | 12/01/10   | 11/30/20 | 5206.36  | 10             | .                  | 0            | .                | AD           | FS  | N  | FS                                  |            |     |
|                                       |                                    | Aluminum (dissolved)      | 12/01/10   | 11/30/20 | 991      | 10             | .                  | 0            | .                | AD           | FS  | N  | FS                                  |            |     |
|                                       |                                    | Copper (dissolved)        | 12/01/10   | 11/30/20 | 181.02   | 7              | .                  | 0            | .                | LD           | NC  | N  | NC                                  |            |     |
|                                       |                                    | Silver (ionic)            | 12/01/13   | 11/30/20 | 0.8      | 9              | .                  | 0            | .                | LD           | NC  | N  | NC                                  |            |     |
|                                       |                                    | Nickel (dissolved)        | 12/01/10   | 11/30/20 | 4602.36  | 10             | .                  | 0            | .                | AD           | FS  | N  | FS                                  |            |     |
|                                       |                                    | Zinc (dissolved)          | 12/01/10   | 11/30/20 | 1155.84  | 10             | .                  | 0            | .                | AD           | FS  | N  | FS                                  |            |     |
|                                       |                                    | Mercury                   | 12/01/10   | 11/30/20 | 2.4      | 11             | .                  | 0            | .                | AD           | FS  | N  | FS                                  |            |     |
|                                       |                                    | Selenium                  | 12/01/10   | 11/30/20 | 20       | 8              | .                  | 0            | .                | LD           | NC  | N  | NC                                  |            |     |
|                                       | Lead (dissolved)                   | 12/01/10                  | 11/30/20   | 1010.66  | 8        | .              | 0                  | .            | LD               | NC           | N   | NC |                                     |            |     |
|                                       | Chronic Toxic Substances in water  | Cadmium (dissolved)       | 12/01/10   | 11/30/20 | 0.44     | 6              | 0.14               | 0            | .                | LD           | NC  | N  | NC                                  |            |     |
|                                       |                                    | Arsenic (dissolved)       | 12/01/10   | 11/30/20 | 150      | 7              | 13.8               | 0            | .                | LD           | NC  | N  | NC                                  |            |     |
|                                       |                                    | Copper (dissolved)        | 12/01/10   | 11/30/20 | 19.51    | 5              | 3.39               | 0            | .                | LD           | NC  | N  | NC                                  |            |     |
|                                       |                                    | Zinc (dissolved)          | 12/01/10   | 11/30/20 | 241.91   | 8              | 2                  | 0            | .                | LD           | NC  | N  | NC                                  |            |     |
|                                       |                                    | Selenium                  | 12/01/10   | 11/30/20 | 5        | 6              | 4.91               | 0            | .                | LD           | NC  | N  | NC                                  |            |     |
|                                       |                                    | Nickel (dissolved)        | 12/01/10   | 11/30/20 | 106.38   | 8              | 2.87               | 0            | .                | LD           | NC  | N  | NC                                  |            |     |
|                                       |                                    | Mercury                   | 12/01/10   | 11/30/20 | 1.3      | 9              | 0                  | 0            | .                | LD           | NC  | N  | NC                                  |            |     |
|                                       |                                    | Chromium (Tri)(dissolved) | 12/01/10   | 11/30/20 | 148.17   | 8              | 2                  | 0            | .                | LD           | NC  | N  | NC                                  |            |     |
|                                       | Lead (dissolved)                   | 12/01/10                  | 11/30/20   | 6.24     | 6        | 0.29           | 0                  | .            | LD               | NC           | N   | NC |                                     |            |     |
| Dissolved Oxygen grab minimum         | Dissolved oxygen Grab              | 12/01/13                  | 11/30/20   | 3        | 21       | .              | 1                  | 2.3          | AD               | FS           | N   | FS |                                     |            |     |
| Dissolved Oxygen grab screening level | Dissolved oxygen Grab              | 12/01/13                  | 11/30/20   | 5        | 21       | .              | 4                  | 3.65         | AD               | CS           | N   | CS | Depressed dissolved oxygen in water |            |     |
| Fish Consumption Use                  | HH Bioaccumulative Toxics in water | Nickel (dissolved)        | 12/01/10   | 11/30/20 | 1140     | 8              | 2.87               | 0            | .                | LD           | NC  | N  | NC                                  |            |     |
|                                       |                                    | Mercury                   | 12/01/10   | 11/30/20 | 0.01     | 9              | 0                  | 0            | .                | LD           | NC  | N  | NC                                  |            |     |
|                                       |                                    | Lead (dissolved)          | 12/01/10   | 11/30/20 | 3.83     | 6              | 0.29               | 0            | .                | LD           | NC  | N  | NC                                  |            |     |
| General Use                           | Dissolved Solids                   | Chloride                  | 12/01/13   | 11/30/20 | 1975     | 96             | 1535.33            | 0            | .                | AD           | FS  | N  | FS                                  |            |     |
|                                       |                                    | Total dissolved solids    | 12/01/13   | 11/30/20 | 5000     | 99             | 3314.65            | 0            | .                | AD           | FS  | N  | FS                                  |            |     |
|                                       |                                    | Sulfate                   | 12/01/13   | 11/30/20 | 760      | 96             | 465.65             | 0            | .                | AD           | FS  | N  | FS                                  |            |     |
|                                       | High pH                            | pH                        | 12/01/13   | 11/30/20 | 9        | 21             | .                  | 0            | .                | AD           | FS  | N  | FS                                  |            |     |
|                                       | Low pH                             | pH                        | 12/01/13   | 11/30/20 | 6.5      | 21             | .                  | 1            | 3.8              | AD           | FS  | N  | FS                                  |            |     |

**Draft 2022 Texas Integrated Report - Assessment Results for Basin 1 - Canadian River**

**Seg ID: 0101 - Canadian River Below Lake Meredith**

**AU ID: 0101\_04**

| Use            | Method                    | Parameter         | Start Date | End Date | Criteria | #Data Assessed | Mean Data Assessed | #Exceedances | Mean Exceedances | DS Qualifier | LOS | CF | Int LOS | TCEQ Cause             | Cat |
|----------------|---------------------------|-------------------|------------|----------|----------|----------------|--------------------|--------------|------------------|--------------|-----|----|---------|------------------------|-----|
| General Use    | Nutrient Screening Levels | Chlorophyll-a     | 12/01/13   | 11/30/20 | 14.1     | 20             | .                  | 11           | 83.02            | AD           | CS  | N  | CS      | Chlorophyll-a in water |     |
|                |                           | Ammonia           | 12/01/13   | 11/30/20 | 0.33     | 21             | .                  | 12           | 1.34             | AD           | CS  | N  | CS      | Ammonia in water       |     |
|                |                           | Total phosphorus  | 12/01/13   | 11/30/20 | 0.69     | 21             | .                  | 0            | .                | AD           | NC  | N  | NC      |                        |     |
|                |                           | Nitrate           | 12/01/13   | 11/30/20 | 1.95     | 21             | .                  | 1            | 2.57             | AD           | NC  | N  | NC      |                        |     |
|                | Water Temperature         | Water temperature | 12/01/13   | 11/30/20 | 35       | 22             | .                  | 0            | .                | AD           | FS  | N  | FS      |                        |     |
| Recreation Use | Bacteria Geomean          | E. coli           | 12/01/13   | 11/30/20 | 126      | 21             | 51.95              | 0            | .                | AD           | FS  | N  | FS      |                        |     |

**Seg ID: 0101A - Dixon Creek**

**AU ID: 0101A\_01**

| Use                  | Method                             | Parameter                             | Start Date                | End Date | Criteria | #Data Assessed | Mean Data Assessed | #Exceedances | Mean Exceedances | DS Qualifier | LOS | CF | Int LOS | TCEQ Cause        | Cat                                 |    |
|----------------------|------------------------------------|---------------------------------------|---------------------------|----------|----------|----------------|--------------------|--------------|------------------|--------------|-----|----|---------|-------------------|-------------------------------------|----|
| Aquatic Life Use     | Acute Toxic Substances in water    | Lead (dissolved)                      | 12/01/10                  | 11/30/20 | 427.4    | 15             | .                  | 0            | .                | AD           | FS  | N  | FS      |                   |                                     |    |
|                      |                                    | Copper (dissolved)                    | 12/01/10                  | 11/30/20 | 77.52    | 14             | .                  | 0            | .                | AD           | FS  | N  | FS      |                   |                                     |    |
|                      |                                    | Chromium (Tri)(dissolved)             | 12/01/10                  | 11/30/20 | 2490.98  | 15             | .                  | 0            | .                | AD           | FS  | N  | FS      |                   |                                     |    |
|                      |                                    | Cadmium (dissolved)                   | 12/01/10                  | 11/30/20 | 49.29    | 15             | .                  | 0            | .                | AD           | FS  | N  | FS      |                   |                                     |    |
|                      |                                    | Arsenic (dissolved)                   | 12/01/10                  | 11/30/20 | 340      | 14             | .                  | 0            | .                | AD           | FS  | N  | FS      |                   |                                     |    |
|                      |                                    | Aluminum (dissolved)                  | 12/01/10                  | 11/30/20 | 991      | 14             | .                  | 0            | .                | AD           | FS  | N  | FS      |                   |                                     |    |
|                      |                                    | Zinc (dissolved)                      | 12/01/10                  | 11/30/20 | 539.1    | 14             | .                  | 0            | .                | AD           | FS  | N  | FS      |                   |                                     |    |
|                      |                                    | Selenium                              | 12/01/10                  | 11/30/20 | 20       | 15             | .                  | 0            | .                | AD           | FS  | N  | FS      |                   |                                     |    |
|                      |                                    | Silver (ionic)                        | 12/01/13                  | 11/30/20 | 0.8      | 3              | .                  | 0            | .                | ID           | NA  | N  | NA      |                   |                                     |    |
|                      |                                    | Nickel (dissolved)                    | 12/01/10                  | 11/30/20 | 2149.13  | 14             | .                  | 0            | .                | AD           | FS  | N  | FS      |                   |                                     |    |
|                      | Mercury                            | 12/01/10                              | 11/30/20                  | 2.4      | 15       | .              | 0                  | .            | AD               | FS           | N   | FS |         |                   |                                     |    |
|                      | Chronic Toxic Substances in water  | Copper (dissolved)                    | 12/01/10                  | 11/30/20 | 19.51    | 14             | 1.96               | 0            | .                | AD           | FS  | N  | FS      |                   |                                     |    |
|                      |                                    | Chromium (Tri)(dissolved)             | 12/01/10                  | 11/30/20 | 148.17   | 15             | 1.93               | 0            | .                | AD           | FS  | N  | FS      |                   |                                     |    |
|                      |                                    | Cadmium (dissolved)                   | 12/01/10                  | 11/30/20 | 0.44     | 15             | 0.16               | 0            | .                | AD           | FS  | N  | FS      |                   |                                     |    |
|                      |                                    | Arsenic (dissolved)                   | 12/01/10                  | 11/30/20 | 150      | 14             | 14.76              | 0            | .                | AD           | FS  | N  | FS      |                   |                                     |    |
|                      |                                    | Lead (dissolved)                      | 12/01/10                  | 11/30/20 | 6.24     | 15             | 0.32               | 0            | .                | AD           | FS  | N  | FS      |                   |                                     |    |
|                      |                                    | Zinc (dissolved)                      | 12/01/10                  | 11/30/20 | 241.91   | 14             | 5.43               | 0            | .                | AD           | FS  | N  | FS      |                   |                                     |    |
|                      |                                    | Selenium                              | 12/01/10                  | 11/30/20 | 5        | 15             | 6.59               | 1            | .                | AD           | NS  | N  | NS      | Selenium in water | 5c                                  |    |
|                      |                                    | Nickel (dissolved)                    | 12/01/10                  | 11/30/20 | 106.38   | 14             | 5.18               | 0            | .                | AD           | FS  | N  | FS      |                   |                                     |    |
|                      | Mercury                            | 12/01/10                              | 11/30/20                  | 1.3      | 15       | 0              | 0                  | .            | AD               | FS           | N   | FS |         |                   |                                     |    |
|                      | Dissolved Oxygen                   | Dissolved Oxygen 24hr average         | Dissolved oxygen 24hr Avg | 12/01/13 | 11/30/20 | 4              | 8                  | .            | 1                | 3.1          | SM  | NC | N       | NA                |                                     |    |
|                      |                                    | Dissolved Oxygen 24hr minimum         | Dissolved oxygen 24hr Min | 12/01/13 | 11/30/20 | 2              | 8                  | .            | 0                | .            | SM  | NC | N       | NA                |                                     |    |
|                      |                                    | Dissolved Oxygen grab minimum         | Dissolved oxygen Grab     | 12/01/13 | 11/30/20 | 2              | 23                 | .            | 0                | .            | AD  | FS | Y       | NS                | Depressed dissolved oxygen in water | 5c |
|                      |                                    | Dissolved Oxygen grab screening level | Dissolved oxygen Grab     | 12/01/13 | 11/30/20 | 4              | 23                 | .            | 0                | .            | AD  | NC | N       | NC                |                                     |    |
|                      | Toxic Substances in sediment       | Lead                                  | 12/01/10                  | 11/30/20 | 128      | 6              | .                  | 0            | .                | LD           | NC  | N  | NC      |                   |                                     |    |
|                      |                                    | Iron                                  | 12/01/10                  | 11/30/20 | 40000    | 5              | .                  | 0            | .                | LD           | NC  | N  | NC      |                   |                                     |    |
|                      |                                    | Copper                                | 12/01/10                  | 11/30/20 | 149      | 6              | .                  | 0            | .                | LD           | NC  | N  | NC      |                   |                                     |    |
|                      |                                    | Chromium                              | 12/01/10                  | 11/30/20 | 111      | 6              | .                  | 0            | .                | LD           | NC  | N  | NC      |                   |                                     |    |
|                      |                                    | Cadmium                               | 12/01/10                  | 11/30/20 | 4.98     | 6              | .                  | 0            | .                | LD           | NC  | N  | NC      |                   |                                     |    |
|                      |                                    | Arsenic                               | 12/01/10                  | 11/30/20 | 33       | 6              | .                  | 0            | .                | LD           | NC  | N  | NC      |                   |                                     |    |
| Zinc                 |                                    | 12/01/10                              | 11/30/20                  | 459      | 6        | .              | 0                  | .            | LD               | NC           | N   | NC |         |                   |                                     |    |
| Silver               |                                    | 12/01/10                              | 11/30/20                  | 1.7      | 6        | .              | 0                  | .            | LD               | NC           | N   | NC |         |                   |                                     |    |
| Mercury              |                                    | 12/01/10                              | 11/30/20                  | 1.06     | 5        | .              | 0                  | .            | LD               | NC           | N   | NC |         |                   |                                     |    |
| Nickel               |                                    | 12/01/10                              | 11/30/20                  | 48.6     | 6        | .              | 0                  | .            | LD               | NC           | N   | NC |         |                   |                                     |    |
| Manganese            | 12/01/10                           | 11/30/20                              | 1100                      | 5        | .        | 0              | .                  | LD           | NC               | N            | NC  |    |         |                   |                                     |    |
| Fish Consumption Use | HH Bioaccumulative Toxics in water | Ethylbenzene                          | 12/01/10                  | 11/30/20 | 18670    | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |                   |                                     |    |
|                      |                                    | Dichloromethane                       | 12/01/10                  | 11/30/20 | 133330   | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |                   |                                     |    |
|                      |                                    | Dibromochloromethane                  | 12/01/10                  | 11/30/20 | 1830     | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |                   |                                     |    |
|                      |                                    | Chloroform                            | 12/01/10                  | 11/30/20 | 76970    | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |                   |                                     |    |
|                      |                                    | Chlorobenzene                         | 12/01/10                  | 11/30/20 | 27370    | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |                   |                                     |    |
|                      |                                    | Carbon tetrachloride                  | 12/01/10                  | 11/30/20 | 460      | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |                   |                                     |    |
|                      |                                    | Bromoform                             | 12/01/10                  | 11/30/20 | 10600    | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |                   |                                     |    |



**Draft 2022 Texas Integrated Report - Assessment Results for Basin 1 - Canadian River**

**Seg ID: 0101A - Dixon Creek  
AU ID: 0101A\_01**

| Use                  | Method                             | Parameter                 | Start Date | End Date | Criteria | #Data Assessed | Mean Data Assessed | #Exceedances | Mean Exceedances | DS Qualifier | LOS | CF | Int LOS | TCEQ Cause                | Cat |
|----------------------|------------------------------------|---------------------------|------------|----------|----------|----------------|--------------------|--------------|------------------|--------------|-----|----|---------|---------------------------|-----|
| Fish Consumption Use | HH Bioaccumulative Toxics in water | Bromodichloromethane      | 12/01/10   | 11/30/20 | 2750     | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |                           |     |
|                      |                                    | Benzene                   | 12/01/10   | 11/30/20 | 5810     | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |                           |     |
|                      |                                    | 1,2-Dichloropropane       | 12/01/10   | 11/30/20 | 2590     | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |                           |     |
|                      |                                    | 1,1-Dichloroethylene      | 12/01/10   | 11/30/20 | 551140   | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |                           |     |
|                      |                                    | 1,2-Dibromoethane         | 12/01/10   | 11/30/20 | 42.4     | 13             | 9.69               | 0            | .                | AD           | FS  | N  | FS      |                           |     |
|                      |                                    | 1,1,2-Trichloroethane     | 12/01/10   | 11/30/20 | 1660     | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |                           |     |
|                      |                                    | 1,1,1-Trichloroethane     | 12/01/10   | 11/30/20 | 7843540  | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |                           |     |
|                      |                                    | 1,2-Dichlorobenzene       | 12/01/10   | 11/30/20 | 32990    | 1              | 0.5                | 0            | .                | ID           | NA  | N  | NA      |                           |     |
|                      |                                    | 1,2-Dichloroethane        | 12/01/10   | 11/30/20 | 3640     | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |                           |     |
|                      |                                    | 1,1,2,2-Tetrachloroethane | 12/01/10   | 11/30/20 | 263.5    | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |                           |     |
|                      |                                    | Vinyl chloride            | 12/01/10   | 11/30/20 | 165      | 12             | 11.88              | 0            | .                | AD           | FS  | N  | FS      |                           |     |
|                      |                                    | Trichloroethene           | 12/01/10   | 11/30/20 | 719      | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |                           |     |
|                      |                                    | Tetrachloroethene         | 12/01/10   | 11/30/20 | 2800     | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |                           |     |
|                      |                                    | Nickel (dissolved)        | 12/01/10   | 11/30/20 | 11400    | 14             | 5.18               | 0            | .                | AD           | FS  | N  | FS      |                           |     |
|                      |                                    | Acrylonitrile             | 12/01/10   | 11/30/20 | 1150     | 6              | 21.25              | 0            | .                | LD           | NC  | N  | NC      |                           |     |
|                      |                                    | Methyl ethyl ketone       | 12/01/10   | 11/30/20 | 9920000  | 12             | 15                 | 0            | .                | AD           | FS  | N  | FS      |                           |     |
|                      |                                    | Mercury                   | 12/01/10   | 11/30/20 | 0.12     | 15             | 0                  | 0            | .                | AD           | FS  | N  | FS      |                           |     |
| 1,3-Dichlorobenzene  | 12/01/10                           | 11/30/20                  | 5950       | 1        | 0.5      | 0              | .                  | ID           | NA               | N            | NA  |    |         |                           |     |
| Lead (dissolved)     | 12/01/10                           | 11/30/20                  | 38.3       | 15       | 0.32     | 0              | .                  | AD           | FS               | N            | FS  |    |         |                           |     |
| General Use          | Nutrient Screening Levels          | Chlorophyll-a             | 12/01/13   | 11/30/20 | 14.1     | 20             | .                  | 2            | 14.25            | AD           | NC  | N  | NC      |                           |     |
|                      |                                    | Ammonia                   | 12/01/13   | 11/30/20 | 0.33     | 20             | .                  | 0            | .                | AD           | NC  | N  | NC      |                           |     |
|                      |                                    | Total phosphorus          | 12/01/13   | 11/30/20 | 0.69     | 21             | .                  | 7            | 0.87             | AD           | CS  | N  | CS      | Total Phosphorus in water |     |
|                      |                                    | Nitrate                   | 12/01/13   | 11/30/20 | 1.95     | 23             | .                  | 16           | 8.43             | AD           | CS  | N  | CS      | Nitrate in water          |     |
| Recreation Use       | Bacteria Geomean                   | E. coli                   | 12/01/13   | 11/30/20 | 630      | 20             | 393.31             | 0            | .                | AD           | FS  | N  | FS      |                           |     |

**Seg ID: 0101A - Dixon Creek  
AU ID: 0101A\_02**

| Use                  | Method                             | Parameter                             | Start Date            | End Date | Criteria | #Data Assessed | Mean Data Assessed | #Exceedances | Mean Exceedances | DS Qualifier | LOS | CF | Int LOS | TCEQ Cause | Cat |
|----------------------|------------------------------------|---------------------------------------|-----------------------|----------|----------|----------------|--------------------|--------------|------------------|--------------|-----|----|---------|------------|-----|
| Aquatic Life Use     | Dissolved Oxygen grab minimum      | Dissolved oxygen Grab                 | 12/01/13              | 11/30/20 | 2        | 12             | .                  | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                      |                                    | Dissolved Oxygen grab screening level | Dissolved oxygen Grab | 12/01/13 | 11/30/20 | 4              | 12                 | .            | 0                | .            | AD  | NC | N       | NC         |     |
|                      | Toxic Substances in sediment       | Zinc                                  | 12/01/10              | 11/30/20 | 459      | 6              | .                  | 0            | .                | LD           | NC  | N  | NC      |            |     |
|                      |                                    | Silver                                | 12/01/10              | 11/30/20 | 1.7      | 6              | .                  | 0            | .                | LD           | NC  | N  | NC      |            |     |
|                      |                                    | Nickel                                | 12/01/10              | 11/30/20 | 48.6     | 6              | .                  | 0            | .                | LD           | NC  | N  | NC      |            |     |
|                      |                                    | Mercury                               | 12/01/10              | 11/30/20 | 1.06     | 5              | .                  | 0            | .                | LD           | NC  | N  | NC      |            |     |
|                      |                                    | Manganese                             | 12/01/10              | 11/30/20 | 1100     | 5              | .                  | 0            | .                | LD           | NC  | N  | NC      |            |     |
|                      |                                    | Lead                                  | 12/01/10              | 11/30/20 | 128      | 6              | .                  | 0            | .                | LD           | NC  | N  | NC      |            |     |
|                      |                                    | Iron                                  | 12/01/10              | 11/30/20 | 40000    | 5              | .                  | 0            | .                | LD           | NC  | N  | NC      |            |     |
|                      |                                    | Copper                                | 12/01/10              | 11/30/20 | 149      | 6              | .                  | 0            | .                | LD           | NC  | N  | NC      |            |     |
|                      |                                    | Chromium                              | 12/01/10              | 11/30/20 | 111      | 6              | .                  | 0            | .                | LD           | NC  | N  | NC      |            |     |
|                      |                                    | Cadmium                               | 12/01/10              | 11/30/20 | 4.98     | 6              | .                  | 0            | .                | LD           | NC  | N  | NC      |            |     |
|                      |                                    | Arsenic                               | 12/01/10              | 11/30/20 | 33       | 6              | .                  | 0            | .                | LD           | NC  | N  | NC      |            |     |
| Fish Consumption Use | HH Bioaccumulative Toxics in water | Vinyl chloride                        | 12/01/10              | 11/30/20 | 165      | 12             | 11.88              | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                      |                                    | Trichloroethene                       | 12/01/10              | 11/30/20 | 719      | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                      |                                    | Tetrachloroethene                     | 12/01/10              | 11/30/20 | 2800     | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                      |                                    | Methyl ethyl ketone                   | 12/01/10              | 11/30/20 | 9920000  | 12             | 15                 | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                      |                                    | Lead (dissolved)                      | 12/01/10              | 11/30/20 | 38.3     | 15             | 0.32               | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                      |                                    | Ethylbenzene                          | 12/01/10              | 11/30/20 | 18670    | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                      |                                    | Dichloromethane                       | 12/01/10              | 11/30/20 | 133330   | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                      |                                    | Dibromochloromethane                  | 12/01/10              | 11/30/20 | 1830     | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                      |                                    | Chloroform                            | 12/01/10              | 11/30/20 | 76970    | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                      |                                    | Chlorobenzene                         | 12/01/10              | 11/30/20 | 27370    | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |            |     |

**Draft 2022 Texas Integrated Report - Assessment Results for Basin 1 - Canadian River**

**Seg ID: 0101A - Dixon Creek  
AU ID: 0101A\_02**

| Use                   | Method                             | Parameter                 | Start Date | End Date | Criteria | #Data Assessed | Mean Data Assessed | #Exceedances | Mean Exceedances | DS Qualifier | LOS | CF | Int LOS | TCEQ Cause | Cat |
|-----------------------|------------------------------------|---------------------------|------------|----------|----------|----------------|--------------------|--------------|------------------|--------------|-----|----|---------|------------|-----|
| Fish Consumption Use  | HH Bioaccumulative Toxics in water | Mercury                   | 12/01/10   | 11/30/20 | 0.12     | 15             | 0                  | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                       |                                    | Carbon tetrachloride      | 12/01/10   | 11/30/20 | 460      | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                       |                                    | Bromodichloromethane      | 12/01/10   | 11/30/20 | 2750     | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                       |                                    | Benzene                   | 12/01/10   | 11/30/20 | 5810     | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                       |                                    | Bromoform                 | 12/01/10   | 11/30/20 | 10600    | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                       |                                    | Acrylonitrile             | 12/01/10   | 11/30/20 | 1150     | 6              | 21.25              | 0            | .                | LD           | NC  | N  | NC      |            |     |
|                       |                                    | Nickel (dissolved)        | 12/01/10   | 11/30/20 | 11400    | 14             | 5.18               | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                       |                                    | 1,3-Dichlorobenzene       | 12/01/10   | 11/30/20 | 5950     | 1              | 0.5                | 0            | .                | ID           | NA  | N  | NA      |            |     |
|                       |                                    | 1,2-Dichloroethane        | 12/01/10   | 11/30/20 | 3640     | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                       |                                    | 1,2-Dichloropropane       | 12/01/10   | 11/30/20 | 2590     | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                       |                                    | 1,2-Dichlorobenzene       | 12/01/10   | 11/30/20 | 32990    | 1              | 0.5                | 0            | .                | ID           | NA  | N  | NA      |            |     |
|                       |                                    | 1,2-Dibromoethane         | 12/01/10   | 11/30/20 | 42.4     | 13             | 9.69               | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                       |                                    | 1,1-Dichloroethylene      | 12/01/10   | 11/30/20 | 551140   | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                       |                                    | 1,1,2-Trichloroethane     | 12/01/10   | 11/30/20 | 1660     | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                       |                                    | 1,1,2,2-Tetrachloroethane | 12/01/10   | 11/30/20 | 263.5    | 13             | 11.15              | 0            | .                | AD           | FS  | N  | FS      |            |     |
| 1,1,1-Trichloroethane | 12/01/10                           | 11/30/20                  | 7843540    | 13       | 11.15    | 0              | .                  | AD           | FS               | N            | FS  |    |         |            |     |
| General Use           | Nutrient Screening Levels          | Nitrate                   | 12/01/13   | 11/30/20 | 1.95     | 12             | .                  | 0            | .                | AD           | NC  | N  | NC      |            |     |
|                       |                                    | Chlorophyll-a             | 12/01/13   | 11/30/20 | 14.1     | 12             | .                  | 4            | 24.75            | AD           | NC  | N  | NC      |            |     |
|                       |                                    | Ammonia                   | 12/01/13   | 11/30/20 | 0.33     | 12             | .                  | 0            | .                | AD           | NC  | N  | NC      |            |     |
|                       |                                    | Total phosphorus          | 12/01/13   | 11/30/20 | 0.69     | 11             | .                  | 0            | .                | AD           | NC  | N  | NC      |            |     |
| Recreation Use        | Bacteria Geomean                   | E. coli                   | 12/01/10   | 11/30/20 | 630      | 13             | 22.14              | 0            | .                | LD           | NC  | N  | NC      |            |     |

**Seg ID: 0101B - Rock Creek  
AU ID: 0101B\_01**

| Use              | Method                                | Parameter             | Start Date | End Date | Criteria | #Data Assessed | Mean Data Assessed | #Exceedances | Mean Exceedances | DS Qualifier | LOS | CF | Int LOS | TCEQ Cause        | Cat |
|------------------|---------------------------------------|-----------------------|------------|----------|----------|----------------|--------------------|--------------|------------------|--------------|-----|----|---------|-------------------|-----|
| Aquatic Life Use | Dissolved Oxygen grab minimum         | Dissolved oxygen Grab | 12/01/13   | 11/30/20 | 2        | 24             | .                  | 0            | .                | AD           | FS  | N  | FS      |                   |     |
|                  | Dissolved Oxygen grab screening level | Dissolved oxygen Grab | 12/01/13   | 11/30/20 | 3        | 24             | .                  | 0            | .                | AD           | NC  | N  | NC      |                   |     |
| General Use      | Nutrient Screening Levels             | Total phosphorus      | 12/01/13   | 11/30/20 | 0.69     | 24             | .                  | 3            | 1.01             | AD           | NC  | N  | NC      |                   |     |
|                  |                                       | Nitrate               | 12/01/13   | 11/30/20 | 1.95     | 25             | .                  | 11           | 5                | AD           | CS  | N  | CS      | Nitrate in water  |     |
|                  |                                       | Chlorophyll-a         | 12/01/13   | 11/30/20 | 14.1     | 25             | .                  | 7            | 68.19            | AD           | NC  | N  | NC      |                   |     |
|                  |                                       | Ammonia               | 12/01/13   | 11/30/20 | 0.33     | 25             | .                  | 1            | 0.35             | AD           | NC  | N  | NC      |                   |     |
| Recreation Use   | Bacteria Geomean                      | E. coli               | 12/01/13   | 11/30/20 | 126      | 22             | 133.61             | 1            | .                | AD           | NS  | N  | NS      | Bacteria in water | 5c  |

**Seg ID: 0101C - White Deer Creek  
AU ID: 0101C\_01**

| Use              | Method                                | Parameter             | Start Date | End Date | Criteria | #Data Assessed | Mean Data Assessed | #Exceedances | Mean Exceedances | DS Qualifier | LOS | CF | Int LOS | TCEQ Cause | Cat |
|------------------|---------------------------------------|-----------------------|------------|----------|----------|----------------|--------------------|--------------|------------------|--------------|-----|----|---------|------------|-----|
| Aquatic Life Use | Dissolved Oxygen grab minimum         | Dissolved oxygen Grab | 12/01/13   | 11/30/20 | 2        | 25             | .                  | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                  | Dissolved Oxygen grab screening level | Dissolved oxygen Grab | 12/01/13   | 11/30/20 | 3        | 25             | .                  | 0            | .                | AD           | NC  | N  | NC      |            |     |
| General Use      | Nutrient Screening Levels             | Total phosphorus      | 12/01/13   | 11/30/20 | 0.69     | 24             | .                  | 1            | 1.75             | AD           | NC  | N  | NC      |            |     |
|                  |                                       | Nitrate               | 12/01/13   | 11/30/20 | 1.95     | 25             | .                  | 0            | .                | AD           | NC  | N  | NC      |            |     |
|                  |                                       | Chlorophyll-a         | 12/01/13   | 11/30/20 | 14.1     | 25             | .                  | 4            | 19.93            | AD           | NC  | N  | NC      |            |     |
|                  |                                       | Ammonia               | 12/01/13   | 11/30/20 | 0.33     | 25             | .                  | 0            | .                | AD           | NC  | N  | NC      |            |     |
| Recreation Use   | Bacteria Geomean                      | E. coli               | 12/01/13   | 11/30/20 | 126      | 24             | 36.8               | 0            | .                | AD           | FS  | N  | FS      |            |     |

**Draft 2022 Texas Integrated Report - Assessment Results for Basin 1 - Canadian River**

**Seg ID: 0102 - Lake Meredith  
AU ID: 0102\_01**

| Use                     | Method                                    | Parameter              | Start Date | End Date | Criteria | #Data Assessed | Mean Data Assessed | #Exceedances | Mean Exceedances | DS Qualifier | LOS | CF | Int LOS | TCEQ Cause                      | Cat |
|-------------------------|---|------------------------|------------|----------|----------|----------------|--------------------|--------------|------------------|--------------|-----|----|---------|---------------------------------|-----|
| Aquatic Life Use        | Dissolved Oxygen grab minimum             | Dissolved oxygen Grab  | 12/01/13   | 11/30/20 | 4        | 22             | .                  | 0            | .                | AD           | FS  | N  | FS      |                                 |     |
|                         | Dissolved Oxygen grab screening level     | Dissolved oxygen Grab  | 12/01/13   | 11/30/20 | 6        | 22             | .                  | 0            | .                | AD           | NC  | N  | NC      |                                 |     |
| Fish Consumption Use    | DSHS Limited Consumption Advisory         | Mercury                | 12/01/13   | 11/30/20 | .        | 0              | .                  | .            | .                | OE           | NS  | N  | NS      | Mercury in edible tissue        | 5c  |
| General Use             | Dissolved Solids                          | Total dissolved solids | 12/01/13   | 11/30/20 | 1300     | 22             | 2091.82            | 1            | .                | AD           | NS  | N  | NS      | Total dissolved solids in water | 5c  |
|                         |   | Sulfate                | 12/01/13   | 11/30/20 | 350      | 23             | 355.13             | 1            | .                | AD           | NS  | N  | NS      | Sulfate in water                | 5c  |
|                         |   | Chloride               | 12/01/13   | 11/30/20 | 400      | 22             | 727.77             | 1            | .                | AD           | NS  | N  | NS      | Chloride in water               | 5c  |
|                         | High pH                                   | pH                     | 12/01/13   | 11/30/20 | 9        | 21             | .                  | 2            | 10.6             | AD           | FS  | N  | FS      |                                 |     |
|                         | Low pH                                    | pH                     | 12/01/13   | 11/30/20 | 6.5      | 21             | .                  | 0            | .                | AD           | FS  | N  | FS      |                                 |     |
|                         | Nutrient Screening Levels                 | Nitrate                | 12/01/13   | 11/30/20 | 0.37     | 24             | .                  | 0            | .                | JQ           | NA  | N  | NA      |                                 |     |
|                         |   | Total phosphorus       | 12/01/13   | 11/30/20 | 0.2      | 22             | .                  | 0            | .                | JQ           | NA  | N  | NA      |                                 |     |
|                         |   | Chlorophyll-a          | 12/01/13   | 11/30/20 | 26.7     | 21             | .                  | 2            | 38.7             | JQ           | NA  | N  | NA      |                                 |     |
| Ammonia                 | 12/01/13                                  | 11/30/20               | 0.11       | 22       | .        | 0              | .                  | JQ           | NA               | N            | NA  |    |         |                                 |     |
| Water Temperature       | Water temperature                         | 12/01/13               | 11/30/20   | 29.4     | 22       | .              | 0                  | .            | AD               | FS           | N   | FS |         |                                 |     |
| Public Water Supply Use | Surface Water HH criteria for PWS average | Nitrate                | 12/01/13   | 11/30/20 | 10       | 24             | 0.04               | 0            | .                | AD           | FS  | N  | FS      |                                 |     |
|                         |   | Fluoride               | 12/01/13   | 11/30/20 | 4        | 24             | 0.52               | 0            | .                | AD           | FS  | N  | FS      |                                 |     |
| Recreation Use          | Bacteria Geomean                          | E. coli                | 12/01/13   | 11/30/20 | 126      | 21             | 1.97               | 0            | .                | AD           | FS  | N  | FS      |                                 |     |

**Seg ID: 0102 - Lake Meredith  
AU ID: 0102\_02**

| Use                     | Method                                    | Parameter              | Start Date | End Date | Criteria | #Data Assessed | Mean Data Assessed | #Exceedances | Mean Exceedances | DS Qualifier | LOS | CF | Int LOS | TCEQ Cause                      | Cat |
|-------------------------|---|------------------------|------------|----------|----------|----------------|--------------------|--------------|------------------|--------------|-----|----|---------|---------------------------------|-----|
| Fish Consumption Use    | DSHS Limited Consumption Advisory         | Mercury                | 12/01/13   | 11/30/20 | .        | 0              | .                  | .            | .                | OE           | NS  | N  | NS      | Mercury in edible tissue        | 5c  |
| General Use             | Dissolved Solids                          | Total dissolved solids | 12/01/13   | 11/30/20 | 1300     | 22             | 2091.82            | 1            | .                | AD           | NS  | N  | NS      | Total dissolved solids in water | 5c  |
|                         |   | Sulfate                | 12/01/13   | 11/30/20 | 350      | 23             | 355.13             | 1            | .                | AD           | NS  | N  | NS      | Sulfate in water                | 5c  |
|                         |   | Chloride               | 12/01/13   | 11/30/20 | 400      | 22             | 727.77             | 1            | .                | AD           | NS  | N  | NS      | Chloride in water               | 5c  |
| Public Water Supply Use | Surface Water HH criteria for PWS average | Nitrate                | 12/01/13   | 11/30/20 | 10       | 24             | 0.04               | 0            | .                | AD           | FS  | N  | FS      |                                 |     |
|                         |   | Fluoride               | 12/01/13   | 11/30/20 | 4        | 24             | 0.52               | 0            | .                | AD           | FS  | N  | FS      |                                 |     |

**Seg ID: 0102A - Big Blue Creek  
AU ID: 0102A\_01**

| Use              | Method                                | Parameter             | Start Date | End Date | Criteria | #Data Assessed | Mean Data Assessed | #Exceedances | Mean Exceedances | DS Qualifier | LOS | CF | Int LOS | TCEQ Cause | Cat |
|------------------|---------------------------------------|-----------------------|------------|----------|----------|----------------|--------------------|--------------|------------------|--------------|-----|----|---------|------------|-----|
| Aquatic Life Use | Dissolved Oxygen grab minimum         | Dissolved oxygen Grab | 12/01/13   | 11/30/20 | 1.5      | 19             | .                  | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                  | Dissolved Oxygen grab screening level | Dissolved oxygen Grab | 12/01/13   | 11/30/20 | 2        | 19             | .                  | 0            | .                | AD           | NC  | N  | NC      |            |     |
| General Use      | Nutrient Screening Levels             | Total phosphorus      | 12/01/13   | 11/30/20 | 0.69     | 18             | .                  | 0            | .                | AD           | NC  | N  | NC      |            |     |
|                  |                                       | Nitrate               | 12/01/13   | 11/30/20 | 1.95     | 19             | .                  | 0            | .                | AD           | NC  | N  | NC      |            |     |
|                  |                                       | Chlorophyll-a         | 12/01/13   | 11/30/20 | 14.1     | 19             | .                  | 0            | .                | AD           | NC  | N  | NC      |            |     |
|                  |                                       | Ammonia               | 12/01/13   | 11/30/20 | 0.33     | 19             | .                  | 0            | .                | AD           | NC  | N  | NC      |            |     |
| Recreation Use   | Bacteria Geomean                      | E. coli               | 12/01/12   | 11/30/20 | 126      | 20             | 8.72               | 0            | .                | AD           | FS  | N  | FS      |            |     |



**Draft 2022 Texas Integrated Report - Assessment Results for Basin 1 - Canadian River**

**Seg ID: 0103 - Canadian River Above Lake Meredith  
AU ID: 0103\_01**

| Use              | Method                                | Parameter              | Start Date | End Date | Criteria | #Data Assessed | Mean Data Assessed | #Exceedances | Mean Exceedances | DS Qualifier | LOS | CF | Int LOS | TCEQ Cause        | Cat |
|------------------|---------------------------------------|------------------------|------------|----------|----------|----------------|--------------------|--------------|------------------|--------------|-----|----|---------|-------------------|-----|
| Aquatic Life Use | Dissolved Oxygen grab minimum         | Dissolved oxygen Grab  | 12/01/13   | 11/30/20 | 3        | 25             | .                  | 0            | .                | AD           | FS  | N  | FS      |                   |     |
|                  | Dissolved Oxygen grab screening level | Dissolved oxygen Grab  | 12/01/13   | 11/30/20 | 5        | 25             | .                  | 1            | 3.8              | AD           | NC  | N  | NC      |                   |     |
| General Use      | Dissolved Solids                      | Total dissolved solids | 12/01/13   | 11/30/20 | 4500     | 73             | 3662.14            | 0            | .                | AD           | FS  | N  | FS      |                   |     |
|                  |                                       | Sulfate                | 12/01/13   | 11/30/20 | 540      | 46             | 416.18             | 0            | .                | AD           | FS  | N  | FS      |                   |     |
|                  |                                       | Chloride               | 12/01/13   | 11/30/20 | 1050     | 46             | 1747.26            | 1            | .                | AD           | NS  | N  | NS      | Chloride in water | 5c  |
|                  | High pH                               | pH                     | 12/01/13   | 11/30/20 | 9        | 25             | .                  | 0            | .                | AD           | FS  | N  | FS      |                   |     |
|                  | Low pH                                | pH                     | 12/01/13   | 11/30/20 | 6.5      | 25             | .                  | 0            | .                | AD           | FS  | N  | FS      |                   |     |
|                  | Water Temperature                     | Water temperature      | 12/01/13   | 11/30/20 | 35       | 25             | .                  | 1            | 36.2             | AD           | FS  | N  | FS      |                   |     |
| Recreation Use   | Bacteria Geomean                      | E. coli                | 12/01/13   | 11/30/20 | 126      | 24             | 64.75              | 0            | .                | AD           | FS  | N  | FS      |                   |     |

**Seg ID: 0103 - Canadian River Above Lake Meredith  
AU ID: 0103\_02**

| Use               | Method                                | Parameter              | Start Date | End Date | Criteria | #Data Assessed | Mean Data Assessed | #Exceedances | Mean Exceedances | DS Qualifier | LOS | CF | Int LOS | TCEQ Cause        | Cat |
|-------------------|---------------------------------------|------------------------|------------|----------|----------|----------------|--------------------|--------------|------------------|--------------|-----|----|---------|-------------------|-----|
| Aquatic Life Use  | Dissolved Oxygen grab minimum         | Dissolved oxygen Grab  | 12/01/13   | 11/30/20 | 3        | 23             | .                  | 0            | .                | AD           | FS  | N  | FS      |                   |     |
|                   | Dissolved Oxygen grab screening level | Dissolved oxygen Grab  | 12/01/13   | 11/30/20 | 5        | 23             | .                  | 0            | .                | AD           | NC  | N  | NC      |                   |     |
| General Use       | Dissolved Solids                      | Chloride               | 12/01/13   | 11/30/20 | 1050     | 46             | 1747.26            | 1            | .                | AD           | NS  | N  | NS      | Chloride in water | 5c  |
|                   |                                       | Total dissolved solids | 12/01/13   | 11/30/20 | 4500     | 73             | 3662.14            | 0            | .                | AD           | FS  | N  | FS      |                   |     |
|                   |                                       | Sulfate                | 12/01/13   | 11/30/20 | 540      | 46             | 416.18             | 0            | .                | AD           | FS  | N  | FS      |                   |     |
|                   | High pH                               | pH                     | 12/01/13   | 11/30/20 | 9        | 25             | .                  | 0            | .                | AD           | FS  | N  | FS      |                   |     |
|                   | Low pH                                | pH                     | 12/01/13   | 11/30/20 | 6.5      | 25             | .                  | 0            | .                | AD           | FS  | N  | FS      |                   |     |
|                   | Nutrient Screening Levels             | Nitrate                | 12/01/13   | 11/30/20 | 1.95     | 24             | .                  | 0            | .                | AD           | NC  | N  | NC      |                   |     |
|                   |                                       | Chlorophyll-a          | 12/01/13   | 11/30/20 | 14.1     | 23             | .                  | 2            | 53.7             | AD           | NC  | N  | NC      |                   |     |
|                   |                                       | Ammonia                | 12/01/13   | 11/30/20 | 0.33     | 24             | .                  | 0            | .                | AD           | NC  | N  | NC      |                   |     |
|                   |                                       | Total phosphorus       | 12/01/13   | 11/30/20 | 0.69     | 21             | .                  | 4            | 1.74             | AD           | NC  | N  | NC      |                   |     |
| Water Temperature | Water temperature                     | 12/01/13               | 11/30/20   | 35       | 23       | .              | 0                  | .            | AD               | FS           | N   | FS |         |                   |     |
| Recreation Use    | Bacteria Geomean                      | E. coli                | 12/01/13   | 11/30/20 | 126      | 23             | 76.1               | 0            | .                | AD           | FS  | N  | FS      |                   |     |

**Seg ID: 0103 - Canadian River Above Lake Meredith  
AU ID: 0103\_03**

| Use               | Method                                | Parameter              | Start Date | End Date | Criteria | #Data Assessed | Mean Data Assessed | #Exceedances | Mean Exceedances | DS Qualifier | LOS | CF | Int LOS | TCEQ Cause        | Cat |
|-------------------|---------------------------------------|------------------------|------------|----------|----------|----------------|--------------------|--------------|------------------|--------------|-----|----|---------|-------------------|-----|
| Aquatic Life Use  | Dissolved Oxygen grab minimum         | Dissolved oxygen Grab  | 12/01/13   | 11/30/20 | 3        | 23             | .                  | 0            | .                | AD           | FS  | N  | FS      |                   |     |
|                   | Dissolved Oxygen grab screening level | Dissolved oxygen Grab  | 12/01/13   | 11/30/20 | 5        | 23             | .                  | 0            | .                | AD           | NC  | N  | NC      |                   |     |
| General Use       | Dissolved Solids                      | Total dissolved solids | 12/01/13   | 11/30/20 | 4500     | 73             | 3662.14            | 0            | .                | AD           | FS  | N  | FS      |                   |     |
|                   |                                       | Sulfate                | 12/01/13   | 11/30/20 | 540      | 46             | 416.18             | 0            | .                | AD           | FS  | N  | FS      |                   |     |
|                   |                                       | Chloride               | 12/01/13   | 11/30/20 | 1050     | 46             | 1747.26            | 1            | .                | AD           | NS  | N  | NS      | Chloride in water | 5c  |
|                   | High pH                               | pH                     | 12/01/13   | 11/30/20 | 9        | 23             | .                  | 0            | .                | AD           | FS  | N  | FS      |                   |     |
|                   | Low pH                                | pH                     | 12/01/13   | 11/30/20 | 6.5      | 23             | .                  | 0            | .                | AD           | FS  | N  | FS      |                   |     |
|                   | Nutrient Screening Levels             | Total phosphorus       | 12/01/13   | 11/30/20 | 0.69     | 19             | .                  | 1            | 0.87             | AD           | NC  | N  | NC      |                   |     |
|                   |                                       | Nitrate                | 12/01/13   | 11/30/20 | 1.95     | 23             | .                  | 0            | .                | AD           | NC  | N  | NC      |                   |     |
|                   |                                       | Chlorophyll-a          | 12/01/13   | 11/30/20 | 14.1     | 21             | .                  | 1            | 19.3             | AD           | NC  | N  | NC      |                   |     |
|                   |                                       | Ammonia                | 12/01/13   | 11/30/20 | 0.33     | 21             | .                  | 0            | .                | AD           | NC  | N  | NC      |                   |     |
| Water Temperature | Water temperature                     | 12/01/13               | 11/30/20   | 35       | 23       | .              | 0                  | .            | AD               | FS           | N   | FS |         |                   |     |
| Recreation Use    | Bacteria Geomean                      | E. coli                | 07/01/13   | 11/30/20 | 126      | 20             | 33.38              | 0            | .                | AD           | FS  | N  | FS      |                   |     |

**Draft 2022 Texas Integrated Report - Assessment Results for Basin 1 - Canadian River**

**Seg ID: 0103A - East Amarillo Creek  
AU ID: 0103A\_01**

| Use              | Method                                | Parameter             | Start Date | End Date | Criteria | #Data Assessed | Mean Data Assessed | #Exceedances | Mean Exceedances | DS Qualifier | LOS | CF | Int LOS | TCEQ Cause             | Cat |
|------------------|---------------------------------------|-----------------------|------------|----------|----------|----------------|--------------------|--------------|------------------|--------------|-----|----|---------|------------------------|-----|
| Aquatic Life Use | Dissolved Oxygen grab minimum         | Dissolved oxygen Grab | 12/01/13   | 11/30/20 | 1.5      | 67             | .                  | 0            | .                | AD           | FS  | N  | FS      |                        |     |
|                  | Dissolved Oxygen grab screening level | Dissolved oxygen Grab | 12/01/13   | 11/30/20 | 2        | 67             | .                  | 0            | .                | AD           | NC  | N  | NC      |                        |     |
| General Use      | Nutrient Screening Levels             | Total phosphorus      | 12/01/13   | 11/30/20 | 0.69     | 64             | .                  | 12           | 1.15             | AD           | NC  | N  | NC      |                        |     |
|                  |                                       | Nitrate               | 12/01/13   | 11/30/20 | 1.95     | 67             | .                  | 27           | 26.64            | AD           | CS  | N  | CS      | Nitrate in water       |     |
|                  |                                       | Chlorophyll-a         | 12/01/13   | 11/30/20 | 14.1     | 66             | .                  | 27           | 51.07            | AD           | CS  | N  | CS      | Chlorophyll-a in water |     |
|                  |                                       | Ammonia               | 12/01/13   | 11/30/20 | 0.33     | 67             | .                  | 3            | 3.13             | AD           | NC  | N  | NC      |                        |     |
| Recreation Use   | Bacteria Geomean                      | E. coli               | 12/01/13   | 11/30/20 | 126      | 64             | 204.05             | 1            | .                | AD           | NS  | N  | NS      | Bacteria in water      | 5b  |

**Seg ID: 0103A - East Amarillo Creek  
AU ID: 0103A\_02**

| Use              | Method                                | Parameter             | Start Date | End Date | Criteria | #Data Assessed | Mean Data Assessed | #Exceedances | Mean Exceedances | DS Qualifier | LOS | CF | Int LOS | TCEQ Cause             | Cat |
|------------------|---------------------------------------|-----------------------|------------|----------|----------|----------------|--------------------|--------------|------------------|--------------|-----|----|---------|------------------------|-----|
| Aquatic Life Use | Dissolved Oxygen grab minimum         | Dissolved oxygen Grab | 12/01/13   | 11/30/20 | 1.5      | 25             | .                  | 0            | .                | AD           | FS  | N  | FS      |                        |     |
|                  | Dissolved Oxygen grab screening level | Dissolved oxygen Grab | 12/01/13   | 11/30/20 | 2        | 25             | .                  | 0            | .                | AD           | NC  | N  | NC      |                        |     |
| General Use      | Nutrient Screening Levels             | Total phosphorus      | 12/01/13   | 11/30/20 | 0.69     | 24             | .                  | 0            | .                | AD           | NC  | N  | NC      |                        |     |
|                  |                                       | Nitrate               | 12/01/13   | 11/30/20 | 1.95     | 25             | .                  | 0            | .                | AD           | NC  | N  | NC      |                        |     |
|                  |                                       | Chlorophyll-a         | 12/01/13   | 11/30/20 | 14.1     | 25             | .                  | 20           | 79.26            | AD           | CS  | N  | CS      | Chlorophyll-a in water |     |
|                  |                                       | Ammonia               | 12/01/13   | 11/30/20 | 0.33     | 25             | .                  | 8            | 0.49             | AD           | CS  | N  | CS      | Ammonia in water       |     |
| Recreation Use   | Bacteria Geomean                      | E. coli               | 12/01/13   | 11/30/20 | 126      | 24             | 121.8              | 0            | .                | AD           | FS  | N  | FS      |                        |     |

**Seg ID: 0103C - Unnamed Tributary of West Amarillo Creek  
AU ID: 0103C\_01**

| Use              | Method                                | Parameter             | Start Date | End Date | Criteria | #Data Assessed | Mean Data Assessed | #Exceedances | Mean Exceedances | DS Qualifier | LOS | CF | Int LOS | TCEQ Cause             | Cat |
|------------------|---------------------------------------|-----------------------|------------|----------|----------|----------------|--------------------|--------------|------------------|--------------|-----|----|---------|------------------------|-----|
| Aquatic Life Use | Dissolved Oxygen grab minimum         | Dissolved oxygen Grab | 12/01/13   | 11/30/20 | 2        | 26             | .                  | 0            | .                | AD           | FS  | N  | FS      |                        |     |
|                  | Dissolved Oxygen grab screening level | Dissolved oxygen Grab | 12/01/13   | 11/30/20 | 3        | 26             | .                  | 0            | .                | AD           | NC  | N  | NC      |                        |     |
| General Use      | Nutrient Screening Levels             | Total phosphorus      | 12/01/13   | 11/30/20 | 0.69     | 25             | .                  | 0            | .                | AD           | NC  | N  | NC      |                        |     |
|                  |                                       | Nitrate               | 12/01/13   | 11/30/20 | 1.95     | 26             | .                  | 0            | .                | AD           | NC  | N  | NC      |                        |     |
|                  |                                       | Chlorophyll-a         | 12/01/13   | 11/30/20 | 14.1     | 26             | .                  | 12           | 30.11            | AD           | CS  | N  | CS      | Chlorophyll-a in water |     |
|                  |                                       | Ammonia               | 12/01/13   | 11/30/20 | 0.33     | 26             | .                  | 1            | 0.42             | AD           | NC  | N  | NC      |                        |     |
| Recreation Use   | Bacteria Geomean                      | E. coli               | 12/01/13   | 11/30/20 | 126      | 24             | 73.85              | 0            | .                | AD           | FS  | N  | FS      |                        |     |

**Seg ID: 0104 - Wolf Creek  
AU ID: 0104\_01**

| Use              | Method                                | Parameter              | Start Date | End Date | Criteria | #Data Assessed | Mean Data Assessed | #Exceedances | Mean Exceedances | DS Qualifier | LOS | CF | Int LOS | TCEQ Cause | Cat |
|------------------|---------------------------------------|------------------------|------------|----------|----------|----------------|--------------------|--------------|------------------|--------------|-----|----|---------|------------|-----|
| Aquatic Life Use | Dissolved Oxygen grab minimum         | Dissolved oxygen Grab  | 12/01/13   | 11/30/20 | 3        | 12             | .                  | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                  | Dissolved Oxygen grab screening level | Dissolved oxygen Grab  | 12/01/13   | 11/30/20 | 5        | 12             | .                  | 0            | .                | AD           | NC  | N  | NC      |            |     |
| General Use      | Dissolved Solids                      | Total dissolved solids | 12/01/13   | 11/30/20 | 1125     | 58             | 534.93             | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                  |                                       | Sulfate                | 12/01/13   | 11/30/20 | 125      | 56             | 37.21              | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                  |                                       | Chloride               | 12/01/13   | 11/30/20 | 420      | 56             | 135.56             | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                  | High pH                               | pH                     | 12/01/13   | 11/30/20 | 9        | 12             | .                  | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                  | Low pH                                | pH                     | 12/01/13   | 11/30/20 | 6.5      | 12             | .                  | 0            | .                | AD           | FS  | N  | FS      |            |     |

**Draft 2022 Texas Integrated Report - Assessment Results for Basin 1 - Canadian River**

**Seg ID: 0104 - Wolf Creek  
AU ID: 0104\_01**

| Use            | Method                    | Parameter         | Start Date | End Date | Criteria | #Data Assessed | Mean Data Assessed | #Exceedances | Mean Exceedances | DS Qualifier | LOS | CF | Int LOS | TCEQ Cause           | Cat |
|----------------|---------------------------|-------------------|------------|----------|----------|----------------|--------------------|--------------|------------------|--------------|-----|----|---------|----------------------|-----|
| General Use    | Nutrient Screening Levels | Total phosphorus  | 12/01/13   | 11/30/20 | 0.69     | 12             | .                  | 0            | .                | AD           | NC  | N  | NC      |                      |     |
|                |                           | Nitrate           | 12/01/13   | 11/30/20 | 1.95     | 13             | .                  | 0            | .                | AD           | NC  | N  | NC      |                      |     |
|                |                           | Chlorophyll-a     | 12/01/13   | 11/30/20 | 14.1     | 13             | .                  | 0            | .                | AD           | NC  | N  | NC      |                      |     |
|                |                           | Ammonia           | 12/01/13   | 11/30/20 | 0.33     | 13             | .                  | 0            | .                | AD           | NC  | N  | NC      |                      |     |
|                | Water Temperature         | Water temperature | 12/01/13   | 11/30/20 | 33.9     | 12             | .                  | 3            | 34.63            | AD           | NS  | N  | NS      | Temperature in water | 5c  |
| Recreation Use | Bacteria Geomean          | E. coli           | 12/01/10   | 11/30/20 | 126      | 16             | 19.77              | 0            | .                | LD           | NC  | N  | NC      |                      |     |

**Seg ID: 0104 - Wolf Creek  
AU ID: 0104\_02**

| Use               | Method                                | Parameter              | Start Date | End Date | Criteria | #Data Assessed | Mean Data Assessed | #Exceedances | Mean Exceedances | DS Qualifier | LOS | CF | Int LOS | TCEQ Cause | Cat |
|-------------------|---------------------------------------|------------------------|------------|----------|----------|----------------|--------------------|--------------|------------------|--------------|-----|----|---------|------------|-----|
| Aquatic Life Use  | Dissolved Oxygen grab minimum         | Dissolved oxygen Grab  | 12/01/10   | 11/30/20 | 3        | 27             | .                  | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                   | Dissolved Oxygen grab screening level | Dissolved oxygen Grab  | 12/01/10   | 11/30/20 | 5        | 27             | .                  | 0            | .                | AD           | NC  | N  | NC      |            |     |
| General Use       | Dissolved Solids                      | Total dissolved solids | 12/01/13   | 11/30/20 | 1125     | 58             | 534.93             | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                   |                                       | Sulfate                | 12/01/13   | 11/30/20 | 125      | 56             | 37.21              | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                   |                                       | Chloride               | 12/01/13   | 11/30/20 | 420      | 56             | 135.56             | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                   | High pH                               | pH                     | 12/01/10   | 11/30/20 | 9        | 27             | .                  | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                   | Low pH                                | pH                     | 12/01/10   | 11/30/20 | 6.5      | 27             | .                  | 0            | .                | AD           | FS  | N  | FS      |            |     |
|                   | Nutrient Screening Levels             | Total phosphorus       | 12/01/10   | 11/30/20 | 0.69     | 34             | .                  | 0            | .                | AD           | NC  | N  | NC      |            |     |
|                   |                                       | Nitrate                | 12/01/10   | 11/30/20 | 1.95     | 34             | .                  | 0            | .                | AD           | NC  | N  | NC      |            |     |
|                   |                                       | Chlorophyll-a          | 12/01/10   | 11/30/20 | 14.1     | 35             | .                  | 5            | 23.24            | AD           | NC  | N  | NC      |            |     |
| Ammonia           |                                       | 12/01/10               | 11/30/20   | 0.33     | 35       | .              | 0                  | .            | AD               | NC           | N   | NC |         |            |     |
| Water Temperature | Water temperature                     | 12/01/10               | 11/30/20   | 33.9     | 27       | .              | 0                  | .            | AD               | FS           | N   | FS |         |            |     |
| Recreation Use    | Bacteria Geomean                      | E. coli                | 12/01/10   | 11/30/20 | 126      | 34             | 25.16              | 0            | .                | AD           | FS  | N  | FS      |            |     |

**Seg ID: 0104 - Wolf Creek  
AU ID: 0104\_03**

| Use               | Method                                | Parameter              | Start Date | End Date | Criteria | #Data Assessed | Mean Data Assessed | #Exceedances | Mean Exceedances | DS Qualifier | LOS | CF | Int LOS | TCEQ Cause             | Cat |
|-------------------|---------------------------------------|------------------------|------------|----------|----------|----------------|--------------------|--------------|------------------|--------------|-----|----|---------|------------------------|-----|
| Aquatic Life Use  | Dissolved Oxygen grab minimum         | Dissolved oxygen Grab  | 12/01/13   | 11/30/20 | 3        | 22             | .                  | 0            | .                | AD           | FS  | N  | FS      |                        |     |
|                   | Dissolved Oxygen grab screening level | Dissolved oxygen Grab  | 12/01/13   | 11/30/20 | 5        | 22             | .                  | 2            | 4.07             | AD           | NC  | N  | NC      |                        |     |
| General Use       | Dissolved Solids                      | Total dissolved solids | 12/01/13   | 11/30/20 | 1125     | 58             | 534.93             | 0            | .                | AD           | FS  | N  | FS      |                        |     |
|                   |                                       | Sulfate                | 12/01/13   | 11/30/20 | 125      | 56             | 37.21              | 0            | .                | AD           | FS  | N  | FS      |                        |     |
|                   |                                       | Chloride               | 12/01/13   | 11/30/20 | 420      | 56             | 135.56             | 0            | .                | AD           | FS  | N  | FS      |                        |     |
|                   | High pH                               | pH                     | 12/01/13   | 11/30/20 | 9        | 22             | .                  | 1            | 9.1              | AD           | FS  | N  | FS      |                        |     |
|                   | Low pH                                | pH                     | 12/01/13   | 11/30/20 | 6.5      | 22             | .                  | 0            | .                | AD           | FS  | N  | FS      |                        |     |
|                   | Nutrient Screening Levels             | Total phosphorus       | 12/01/13   | 11/30/20 | 0.69     | 20             | .                  | 0            | .                | AD           | NC  | N  | NC      |                        |     |
|                   |                                       | Nitrate                | 12/01/13   | 11/30/20 | 1.95     | 22             | .                  | 1            | 14.4             | AD           | NC  | N  | NC      |                        |     |
|                   |                                       | Chlorophyll-a          | 12/01/13   | 11/30/20 | 14.1     | 22             | .                  | 17           | 64.01            | AD           | CS  | N  | CS      | Chlorophyll-a in water |     |
| Ammonia           |                                       | 12/01/13               | 11/30/20   | 0.33     | 20       | .              | 1                  | 0.58         | AD               | NC           | N   | NC |         |                        |     |
| Water Temperature | Water temperature                     | 12/01/13               | 11/30/20   | 33.9     | 23       | .              | 0                  | .            | AD               | FS           | N   | FS |         |                        |     |
| Recreation Use    | Bacteria Geomean                      | E. coli                | 12/01/13   | 11/30/20 | 126      | 20             | 4.02               | 0            | .                | AD           | FS  | N  | FS      |                        |     |

**Draft 2022 Texas Integrated Report - Assessment Results for Basin 1 - Canadian River**

**Seg ID: 0105 - Rita Blanca Lake  
AU ID: 0105\_01**

| Use               | Method                                | Parameter              | Start Date | End Date | Criteria | #Data Assessed | Mean Data Assessed | #Exceedances | Mean Exceedances | DS Qualifier | LOS | CF | Int LOS | TCEQ Cause                          | Cat |
|-------------------|---------------------------------------|------------------------|------------|----------|----------|----------------|--------------------|--------------|------------------|--------------|-----|----|---------|-------------------------------------|-----|
| Aquatic Life Use  | Dissolved Oxygen grab minimum         | Dissolved oxygen Grab  | 12/01/13   | 11/30/20 | 2        | 18             | .                  | 1            | 1.4              | AD           | FS  | Y  | NS      | Depressed dissolved oxygen in water | 5c  |
|                   | Dissolved Oxygen grab screening level | Dissolved oxygen Grab  | 12/01/13   | 11/30/20 | 3        | 18             | .                  | 2            | 2.15             | AD           | NC  | N  | NC      |                                     |     |
| General Use       | Dissolved Solids                      | Total dissolved solids | 12/01/13   | 11/30/20 | 1000     | 20             | 684.97             | 0            | .                | AD           | FS  | N  | FS      |                                     |     |
|                   |                                       | Sulfate                | 12/01/13   | 11/30/20 | 200      | 20             | 72.72              | 0            | .                | AD           | FS  | N  | FS      |                                     |     |
|                   |                                       | Chloride               | 12/01/13   | 11/30/20 | 200      | 19             | 144.82             | 0            | .                | AD           | FS  | N  | FS      |                                     |     |
|                   | High pH                               | pH                     | 12/01/13   | 11/30/20 | 9        | 20             | .                  | 17           | 9.68             | AD           | NS  | N  | NS      | High pH in water                    | 5c  |
|                   | Low pH                                | pH                     | 12/01/13   | 11/30/20 | 6.5      | 20             | .                  | 0            | .                | AD           | FS  | N  | FS      |                                     |     |
|                   | Nutrient Screening Levels             | Total phosphorus       | 12/01/13   | 11/30/20 | 0.2      | 18             | .                  | 18           | 2.51             | JQ           | NA  | N  | NA      |                                     |     |
|                   |                                       | Nitrate                | 12/01/13   | 11/30/20 | 0.37     | 19             | .                  | 6            | 1.77             | JQ           | NA  | N  | NA      |                                     |     |
|                   |                                       | Chlorophyll-a          | 12/01/13   | 11/30/20 | 26.7     | 16             | .                  | 15           | 685.11           | JQ           | NA  | N  | NA      |                                     |     |
| Ammonia           |                                       | 12/01/13               | 11/30/20   | 0.11     | 19       | .              | 14                 | 1.37         | JQ               | NA           | N   | NA |         |                                     |     |
| Water Temperature | Water temperature                     | 12/01/13               | 11/30/20   | 29.4     | 19       | .              | 0                  | .            | AD               | FS           | N   | FS |         |                                     |     |
| Recreation Use    | Bacteria Geomean                      | E. coli                | 07/01/12   | 11/30/20 | 126      | 20             | 14.31              | 0            | .                | AD           | FS  | N  | FS      |                                     |     |

**Seg ID: 0199A - Palo Duro Reservoir  
AU ID: 0199A\_01**

| Use              | Method                                | Parameter             | Start Date | End Date | Criteria | #Data Assessed | Mean Data Assessed | #Exceedances | Mean Exceedances | DS Qualifier | LOS | CF | Int LOS | TCEQ Cause                      | Cat |
|------------------|---------------------------------------|-----------------------|------------|----------|----------|----------------|--------------------|--------------|------------------|--------------|-----|----|---------|---------------------------------|-----|
| Aquatic Life Use | Dissolved Oxygen grab minimum         | Dissolved oxygen Grab | 12/01/13   | 11/30/20 | 3        | 15             | .                  | 1            | 0.4              | AD           | FS  | N  | FS      |                                 |     |
|                  | Dissolved Oxygen grab screening level | Dissolved oxygen Grab | 12/01/13   | 11/30/20 | 5        | 15             | .                  | 1            | 0.4              | AD           | NC  | N  | NC      |                                 |     |
| General Use      | Nutrient Reservoir Narrative Criteria | Nutrients             | 12/01/13   | 11/30/20 | .        | .              | .                  | .            | .                | AD           | CS  | N  | CS      | Excessive algal growth in water |     |
| Recreation Use   | Bacteria Geomean                      | E. coli               | 12/01/10   | 11/30/20 | 126      | 19             | 10.59              | 0            | .                | LD           | NC  | N  | NC      |                                 |     |

**Seg ID: 0199B - Kiowa Creek  
AU ID: 0199B\_01**

| Use              | Method                                | Parameter             | Start Date | End Date | Criteria | #Data Assessed | Mean Data Assessed | #Exceedances | Mean Exceedances | DS Qualifier | LOS | CF | Int LOS | TCEQ Cause             | Cat |
|------------------|---------------------------------------|-----------------------|------------|----------|----------|----------------|--------------------|--------------|------------------|--------------|-----|----|---------|------------------------|-----|
| Aquatic Life Use | Dissolved Oxygen grab minimum         | Dissolved oxygen Grab | 12/01/13   | 11/30/20 | 2        | 15             | .                  | 0            | .                | AD           | FS  | N  | FS      |                        |     |
|                  | Dissolved Oxygen grab screening level | Dissolved oxygen Grab | 12/01/13   | 11/30/20 | 3        | 15             | .                  | 1            | 2                | AD           | NC  | N  | NC      |                        |     |
| General Use      | Nutrient Screening Levels             | Total phosphorus      | 12/01/13   | 11/30/20 | 0.69     | 13             | .                  | 0            | .                | AD           | NC  | N  | NC      |                        |     |
|                  |                                       | Nitrate               | 12/01/13   | 11/30/20 | 1.95     | 14             | .                  | 0            | .                | AD           | NC  | N  | NC      |                        |     |
|                  |                                       | Chlorophyll-a         | 12/01/13   | 11/30/20 | 14.1     | 14             | .                  | 5            | 41.7             | AD           | CS  | N  | CS      | Chlorophyll-a in water |     |
|                  |                                       | Ammonia               | 12/01/13   | 11/30/20 | 0.33     | 15             | .                  | 1            | 0.72             | AD           | NC  | N  | NC      |                        |     |
| Recreation Use   | Bacteria Geomean                      | E. coli               | 12/01/10   | 11/30/20 | 126      | 15             | 137.78             | 1            | .                | LD           | CN  | N  | CN      | Bacteria in water      |     |