

**Explanation of Column Headings**

**SEGID:** The unique identifier (SegID), segment name, and location of the water body. Items may be one of three types of numbers for SegID. The first type is a classified segment number (4 digits, e.g., 0218), as defined in the Texas Surface Water Quality Standards. The second type is an unclassified water body (e.g., 0218A), not defined in the Standards and associated with a classified water body because it is in the same watershed. The third type includes special Segments for Oyster Water Use (e.g., 2421OW) and Beach Watch Use (e.g., 2481CB) special areas. The segment name and description follow SegID.

**AU ID:** Identifies the assessment unit (AU\_ID, six or seven digits, e.g., 0101A\_01) and describes the location of the specific area within a classified or unclassified water body for which one or more water quality standards are not met.

**Start Date:** The start date of the period of record data for this method was selected; the official 2022 period of record is from 12/1/2013 to 11/30/2020. In some cases it may be necessary to extend the period of record back 10 years (12/1/2010) to select more data, according to assessment guidance.

**End Date:** The end date of the period of record data for this method was selected; the official 2022 period of record dates are 12/1/2013 to 11/30/2020. In some cases more recently collected data than 12/01/2020 can be included, if available

**#Data Assessed:** Number of samples assessed some data are averaged, as with profile data, some are eliminated because criteria do not apply during certain conditions such as a low flow.

**Mean Data Assessed:** Mean of samples assessed includes averaged methods like chronic criteria as well as geometric mean calculations for bacteria.

**# Exceedances:** Number of samples that exceed criteria for single sample, or binomial, methods (not averaged data).

**Mean Exceedances:** Mean of the samples that exceeded criteria for the single sample, or binomial, methods (not averaged data).

**Criteria:** Value that the data is compared to determine the level of support; Note: for acute metals in water, each value is compared to a calculated criterion and not all criteria could be reported here, only the minimum in the range of criteria calculated are included.

**DS Qual:** Dataset Qualifier - indicates characteristics of the methods or dataset used in the assessment:

- AD:** Adequate Data (10 or more samples).
- LD:** Limited Data (less than 9, greater than 3).
- ID:** Inadequate Data (less than 4).
- JQ:** Level of support is based on judgment of the assessor.
- SM:** This assessment method is superseded by another method.
- TR:** Temporally Not Representative, used with NA.
- SR:** Spatially Not Representative, used with NA.
- OE:** Other information than ambient samples evaluated.
- OS:** Assessment area outside state boundaries.

**LOS:** Level of support for this use, method, assessment parameter:

- FS:** Fully Supporting.
- NC:** No Concern.
- NA:** Not Assessed.
- NS:** Nonsupport.
- CS:** Screening Level Concern.
- CN:** Use Concern.

**CF:** Carry Forward indicates that the Integrated level of support of CS, CN, or NS was carried forward from a previous assessment due to inadequate data for this method in this assessment.

**Int LOS:** Integrated level of support. This is the overall level of support for this use, method, parameter group, which could be different from the LOS (described above) due to carry forward information or other types of changes. New Code added in 2010: PI = Pending Issue

**TCEQ Cause:** This is the impairment description (e.g., bacteria, depressed dissolved oxygen, etc.).

**Cat:**

**Category 3:** There is insufficient or unreliable available data and/or information to make a use support determination.

**Category 4:** Available data and/or information indicate that at least one designated use is not being supported or is threatened, but a TMDL is not needed.

**Category 4a:** A state-developed TMDL has been approved by EPA or a TMDL has been established by EPA for any water-pollutant combination.

**Category 4b:** Other required control measures are expected to result in the attainment of an applicable water quality standard in a reasonable period of time.

**Category 4c:** The impairment or threat is not caused by a pollutant.

**Category 5:** Available data and/or information indicate that at least one designated use is not being supported or is threatened, and a TMDL is needed.

**Category 5a:** A TMDL is underway, scheduled, or will be scheduled.

**Category 5b:** A review of the standards for the water body will be conducted before a management strategy is selected.

**Category 5c:** Additional data and information will be collected or evaluated before a management strategy is selected.

**Category 5n:** Water body does not meet its applicable Chl a criterion, but additional study is needed to verify whether exceedance is associated with causal nutrient parameters or impacts to response variables.

**Draft 2022 Texas Integrated Report - Assessment Results for Basin 15 - Colorado-Lavaca Coastal**

**Seg ID: 1501 - Tres Palacios Creek Tidal  
AU ID: 1501\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/13	11/30/20	5	0	.	.	.	ID	NA	Y	NS	Depressed dissolved oxygen in water	5b	
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/13	11/30/20	4	0	.	.	.	ID	NA	Y	NS	Depressed dissolved oxygen in water	5b	
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/13	11/30/20	4	21	.	3	3.29	SM	FS	N	NA			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/13	11/30/20	5	21	.	5	3.65	SM	CS	N	NA			
General Use	High pH	pH	12/01/13	11/30/20	9	21	.	0	.	AD	FS	N	FS			
	Low pH	pH	12/01/13	11/30/20	6.5	21	.	0	.	AD	FS	N	FS			
	Nutrient Screening Levels	Chlorophyll-a	Chlorophyll-a	12/01/13	11/30/20	21	20	.	12	37.77	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	Total phosphorus	12/01/13	11/30/20	0.66	18	.	0	.	AD	NC	N	NC		
		Ammonia	Ammonia	12/01/13	11/30/20	0.46	19	.	0	.	AD	NC	N	NC		
		Nitrate	Nitrate	12/01/13	11/30/20	1.1	20	.	7	4.41	AD	CS	N	CS	Nitrate in water	
	Water Temperature	Water temperature	12/01/13	11/30/20	35	20	.	0	.	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	Enterococcus	12/01/13	11/30/20	35	19	36	1	.	LD	CN	Y	NS	Bacteria in water	4a	

**Seg ID: 1502 - Tres Palacios Creek Above Tidal  
AU ID: 1502\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/13	11/30/20	3	20	.	0	.	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/13	11/30/20	5	20	.	0	.	AD	NC	N	NC			
	Toxic Substances in sediment	Fluorene	Fluorene	12/01/13	11/30/20	536	1	.	0	.	ID	NA	N	NA		
		Arachlor 1254	Arachlor 1254	12/01/13	11/30/20	340	1	.	0	.	ID	NA	N	NA		
		Endosulfan I (alpha)	Endosulfan I (alpha)	12/01/13	11/30/20	7.4	1	.	0	.	ID	NA	N	NA		
		Di-n-octyl phthalate	Di-n-octyl phthalate	12/01/13	11/30/20	1100	1	.	0	.	ID	NA	N	NA		
		Diethyl phthalate	Diethyl phthalate	12/01/13	11/30/20	11000	1	.	0	.	ID	NA	N	NA		
		Dieldrin	Dieldrin	12/01/13	11/30/20	61.8	1	.	0	.	ID	NA	N	NA		
		alpha-BHC	alpha-BHC	12/01/13	11/30/20	100	1	.	0	.	ID	NA	N	NA		
		Dimethyl phthalate	Dimethyl phthalate	12/01/13	11/30/20	8900	1	.	0	.	ID	NA	N	NA		
		Arachlor 1016	Arachlor 1016	12/01/13	11/30/20	530	1	.	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	1,2-Dichlorobenzene	12/01/13	11/30/20	4950	1	.	0	.	ID	NA	N	NA		
		Endrin	Endrin	12/01/13	11/30/20	207	1	.	0	.	ID	NA	N	NA		
		Arsenic	Arsenic	12/01/13	11/30/20	33	1	.	0	.	ID	NA	N	NA		
		Heptachlor	Heptachlor	12/01/13	11/30/20	2.74	1	.	0	.	ID	NA	N	NA		
		DDT	DDT	12/01/13	11/30/20	62.9	1	.	0	.	ID	NA	N	NA		
		Phenanthrene	Phenanthrene	12/01/13	11/30/20	1170	1	.	0	.	ID	NA	N	NA		
		Acenaphthene	Acenaphthene	12/01/13	11/30/20	88.9	1	.	0	.	ID	NA	N	NA		
		Chrysene	Chrysene	12/01/13	11/30/20	1290	1	.	0	.	ID	NA	N	NA		
		PCBs	PCBs	12/01/13	11/30/20	676	1	.	0	.	ID	NA	N	NA		
		Pentachlorophenol (PCP)	Pentachlorophenol (PCP)	12/01/13	11/30/20	1200	1	.	0	.	ID	NA	N	NA		
		DDD	DDD	12/01/13	11/30/20	28	1	.	0	.	ID	NA	N	NA		
		Pyrene	Pyrene	12/01/13	11/30/20	1520	1	.	0	.	ID	NA	N	NA		
		Aldrin	Aldrin	12/01/13	11/30/20	80	1	.	0	.	ID	NA	N	NA		
		Diazinon	Diazinon	12/01/13	11/30/20	7.3	1	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	Dibenz(a,h)anthracene	12/01/13	11/30/20	135	1	.	0	.	ID	NA	N	NA		
		Nitrobenzene	Nitrobenzene	12/01/13	11/30/20	6290	1	.	0	.	ID	NA	N	NA		
		Anthracene	Anthracene	12/01/13	11/30/20	845	1	.	0	.	ID	NA	N	NA		
		Di-n-butyl phthalate	Di-n-butyl phthalate	12/01/13	11/30/20	80000	1	.	0	.	ID	NA	N	NA		
		1,2,4-Trichlorobenzene	1,2,4-Trichlorobenzene	12/01/13	11/30/20	5310	1	.	0	.	ID	NA	N	NA		
		Arachlor 1248	Arachlor 1248	12/01/13	11/30/20	1500	1	.	0	.	ID	NA	N	NA		
		Nickel	Nickel	12/01/13	11/30/20	48.6	1	.	0	.	ID	NA	N	NA		
	Endosulfan II (beta)	Endosulfan II (beta)	12/01/13	11/30/20	35	1	.	0	.	ID	NA	N	NA			
Arachlor1260	Arachlor1260	12/01/13	11/30/20	240	1	.	0	.	ID	NA	N	NA				
Fluoranthene	Fluoranthene	12/01/13	11/30/20	2230	1	.	0	.	ID	NA	N	NA				
1,3-Dichlorobenzene	1,3-Dichlorobenzene	12/01/13	11/30/20	350	1	.	0	.	ID	NA	N	NA				

**Draft 2022 Texas Integrated Report - Assessment Results for Basin 15 - Colorado-Lavaca Coastal**

**Seg ID: 1502 - Tres Palacios Creek Above Tidal  
AU ID: 1502\_01**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	gamma-BHC (Lindane)	12/01/13	11/30/20	4.99	1	.	0	.	ID	NA	N	NA		
		Benzo(a)anthracene	12/01/13	11/30/20	1050	1	.	0	.	ID	NA	N	NA		
		Heptachlor epoxide	12/01/13	11/30/20	16	1	.	0	.	ID	NA	N	NA		
		Naphthalene	12/01/13	11/30/20	561	1	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	12/01/13	11/30/20	201	1	.	0	.	ID	NA	N	NA		
		Chlordane	12/01/13	11/30/20	17.6	1	.	0	.	ID	NA	N	NA		
		Mercury	12/01/13	11/30/20	1.06	2	.	0	.	ID	NA	N	NA		
		Malathion	12/01/13	11/30/20	6.2	1	.	0	.	ID	NA	N	NA		
		Cadmium	12/01/13	11/30/20	4.98	2	.	0	.	ID	NA	N	NA		
		Manganese	12/01/13	11/30/20	1100	1	.	0	.	ID	NA	N	NA		
		Methoxychlor	12/01/13	11/30/20	95	1	.	0	.	ID	NA	N	NA		
		N-Butyl benzyl phthalate	12/01/13	11/30/20	150000	1	.	0	.	ID	NA	N	NA		
		3-Methyl-4-chlorophenol	12/01/13	11/30/20	5620	1	.	0	.	ID	NA	N	NA		
		Chromium	12/01/13	11/30/20	111	2	.	0	.	ID	NA	N	NA		
		Parathion (ethyl)	12/01/13	11/30/20	3.7	1	.	0	.	ID	NA	N	NA		
		Lead	12/01/13	11/30/20	128	1	.	0	.	ID	NA	N	NA		
		2,4-Dinitrotoluene	12/01/13	11/30/20	8020	1	.	0	.	ID	NA	N	NA		
		Bis(2-ethylhexyl)phthalate	12/01/13	11/30/20	22000	1	.	0	.	ID	NA	N	NA		
		Iron	12/01/13	11/30/20	40000	1	.	0	.	ID	NA	N	NA		
		Copper	12/01/13	11/30/20	149	2	.	0	.	ID	NA	N	NA		
		Acenaphthylene	12/01/13	11/30/20	128	1	.	0	.	ID	NA	N	NA		
		Phenol (single compound)	12/01/13	11/30/20	210	1	.	0	.	ID	NA	N	NA		
		DDE	12/01/13	11/30/20	31.3	1	.	0	.	ID	NA	N	NA		
		Silver	12/01/13	11/30/20	1.7	2	.	0	.	ID	NA	N	NA		
		delta-BHC	12/01/13	11/30/20	2300	1	.	0	.	ID	NA	N	NA		
		Toxaphene	12/01/13	11/30/20	32	1	.	0	.	ID	NA	N	NA		
		Zinc	12/01/13	11/30/20	459	2	.	0	.	ID	NA	N	NA		
		Hexachloroethane	12/01/13	11/30/20	3945	1	.	0	.	ID	NA	N	NA		
beta-BHC	12/01/13	11/30/20	210	1	.	0	.	ID	NA	N	NA				
Hexachlorocyclopentadiene	12/01/13	11/30/20	202	1	.	0	.	ID	NA	N	NA				
Hexachlorobutadiene (HCBd)	12/01/13	11/30/20	550	1	.	0	.	ID	NA	N	NA				
1,4-Dichlorobenzene	12/01/13	11/30/20	4650	1	.	0	.	ID	NA	N	NA				
Benzo(a)pyrene	12/01/13	11/30/20	1450	1	.	0	.	ID	NA	N	NA				
Hexachlorobenzene (HCB)	12/01/13	11/30/20	240	1	.	0	.	ID	NA	N	NA				
General Use	Dissolved Solids	Sulfate	12/01/13	11/30/20	100	19	37.09	0	.	AD	FS	N	FS		
		Chloride	12/01/13	11/30/20	250	18	123.2	.	.	AD	FS	N	FS		
		Total dissolved solids	12/01/13	11/30/20	800	20	504.4	0	.	AD	FS	N	FS		
	High pH	pH	12/01/13	11/30/20	9	20	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/13	11/30/20	6.5	20	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Ammonia	12/01/13	11/30/20	0.33	19	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/13	11/30/20	0.69	18	.	2	0.83	AD	NC	N	NC		
		Chlorophyll-a	12/01/13	11/30/20	14.1	20	.	5	72.88	AD	NC	N	NC		
Water Temperature	Nitrate	12/01/13	11/30/20	1.95	20	.	4	4.15	AD	NC	N	NC			
	Water temperature	12/01/13	11/30/20	32.2	20	.	0	.	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	E. coli	12/01/13	11/30/20	126	17	104.44	0	.	LD	NC	N	NC		

**Draft 2022 Texas Integrated Report - Assessment Results for Basin 15 - Colorado-Lavaca Coastal**

**Seg ID: 1502 - Tres Palacios Creek Above Tidal  
AU ID: 1502\_02**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/13	11/30/20	800	20	504.4	0	.	AD	FS	N	FS		
		Sulfate	12/01/13	11/30/20	100	19	37.09	0	.	AD	FS	N	FS		
		Chloride	12/01/13	11/30/20	250	18	123.2	.	.	AD	FS	N	FS		

**Seg ID: 1502 - Tres Palacios Creek Above Tidal  
AU ID: 1502\_03**

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/13	11/30/20	5	0	.	.	.	ID	NA	Y	CS	Depressed dissolved oxygen in water	
General Use	Dissolved Solids	Total dissolved solids	12/01/13	11/30/20	800	20	504.4	0	.	AD	FS	N	FS		
		Sulfate	12/01/13	11/30/20	100	19	37.09	0	.	AD	FS	N	FS		
		Chloride	12/01/13	11/30/20	250	18	123.2	.	.	AD	FS	N	FS		