

Explanation of Column Headings

SEGID: The unique identifier (SegID), segment name, and location of the water body. Items may be one of three types of numbers for SegID. The first type is a classified segment number (4 digits, e.g., 0218), as defined in the Texas Surface Water Quality Standards. The second type is an unclassified water body (e.g., 0218A), not defined in the Standards and associated with a classified water body because it is in the same watershed. The third type includes special Segments for Oyster Water Use (e.g., 2421OW) and Beach Watch Use (e.g., 2481CB) special areas. The segment name and description follow SegID.

AU ID: Identifies the assessment unit (AU_ID, six or seven digits, e.g., 0101A_01) and describes the location of the specific area within a classified or unclassified water body for which one or more water quality standards are not met.

Start Date: The start date of the period of record data for this method was selected; the official 2022 period of record is from 12/1/2013 to 11/30/2020. In some cases it may be necessary to extend the period of record back 10 years (12/1/2010) to select more data, according to assessment guidance.

End Date: The end date of the period of record data for this method was selected; the official 2022 period of record dates are 12/1/2013 to 11/30/2020. In some cases more recently collected data than 12/01/2020 can be included, if available

#Data Assessed: Number of samples assessed some data are averaged, as with profile data, some are eliminated because criteria do not apply during certain conditions such as a s low flow.

Mean Data Assessed: Mean of samples assessed includes averaged methods like chronic criteria as well as geometric mean calculations for bacteria.

Exceedances: Number of samples that exceed criteria for single sample, or binomial, methods (not averaged data).

Mean Exceedances: Mean of the samples that exceeded criteria for the single sample, or binomial, methods (not averaged data).

Criteria: Value that the data is compared to determine the level of support; Note: for acute metals in water, each value is compared to a calculated criterion and not all criteria could be reported here, only the minimum in the range of criteria calculated are included.

DS Qual: Dataset Qualifier - indicates characteristics of the methods or dataset used in the assessment:

- AD:** Adequate Data (10 or more samples).
- LD:** Limited Data (less than 9, greater than 3).
- ID:** Inadequate Data (less than 4).
- JQ:** Level of support is based on judgment of the assessor.
- SM:** This assessment method is superseded by another method.
- TR:** Temporally Not Representative, used with NA.
- SR:** Spatially Not Representative, used with NA.
- OE:** Other information than ambient samples evaluated.
- OS:** Assessment area outside state boundaries.

LOS: Level of support for this use, method, assessment parameter:

- FS:** Fully Supporting.
- NC:** No Concern.
- NA:** Not Assessed.
- NS:** Nonsupport.
- CS:** Screening Level Concern.
- CN:** Use Concern.

CF: Carry Forward indicates that the Integrated level of support of CS, CN, or NS was carried forward from a previous assessment due to inadequate data for this method in this assessment.

Int LOS: *Integrated level of support. This is the overall level of support for this use, method, parameter group, which could be different from the LOS (described above) due to carry forward information or other types of changes. New Code added in 2010: PI = Pending Issue*

TCEQ Cause: *This is the impairment description (e.g., bacteria, depressed dissolved oxygen, etc.).*

Cat:

Category 3: There is insufficient or unreliable available data and/or information to make a use support determination.

Category 4: Available data and/or information indicate that at least one designated use is not being supported or is threatened, but a TMDL is not needed.

Category 4a: A state-developed TMDL has been approved by EPA or a TMDL has been established by EPA for any water-pollutant combination.

Category 4b: Other required control measures are expected to result in the attainment of an applicable water quality standard in a reasonable period of time.

Category 4c: The impairment or threat is not caused by a pollutant.

Category 5: Available data and/or information indicate that at least one designated use is not being supported or is threatened, and a TMDL is needed.

Category 5a: A TMDL is underway, scheduled, or will be scheduled.

Category 5b: A review of the standards for the water body will be conducted before a management strategy is selected.

Category 5c: Additional data and information will be collected or evaluated before a management strategy is selected.

Category 5n: Water body does not meet its applicable Chl a criterion, but additional study is needed to verify whether exceedance is associated with causal nutrient parameters or impacts to response variables.

Draft 2022 Texas Integrated Report - Assessment Results for Basin 20 - San Antonio–Nueces Coastal

Seg ID: 2001 - Mission River Tidal

AU ID: 2001_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/13	11/30/20	3	28	.	1	2.73	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/13	11/30/20	4	28	.	1	2.73	AD	NC	N	NC			
General Use	High pH	pH	12/01/13	11/30/20	9	28	.	0	.	AD	FS	N	FS			
	Low pH	pH	12/01/13	11/30/20	6.5	28	.	0	.	AD	FS	N	FS			
	Nutrient Screening Levels	Ammonia	Ammonia	12/01/13	11/30/20	0.46	28	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	Chlorophyll-a	12/01/13	11/30/20	21	28	.	13	52.06	AD	CS	N	CS	Chlorophyll-a in water	
		Nitrate	Nitrate	12/01/13	11/30/20	1.1	28	.	0	.	AD	NC	N	NC		
		Total phosphorus	Total phosphorus	12/01/13	11/30/20	0.66	28	.	2	1.35	AD	NC	N	NC		
Water Temperature	Water temperature	12/01/13	11/30/20	35	28	.	0	.	AD	FS	N	FS				
Recreation Use	Bacteria Geomean	Enterococcus	12/01/13	11/30/20	35	28	58.39	1	.	AD	NS	N	NS	Bacteria in water	4a	

Seg ID: 2002 - Mission River Above Tidal

AU ID: 2002_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/13	11/30/20	3	18	.	0	.	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/13	11/30/20	5	18	.	4	4.33	AD	CS	N	CS	Depressed dissolved oxygen in water		
General Use	Dissolved Solids	Chloride	12/01/13	11/30/20	850	24	517.95	0	.	AD	FS	N	FS			
		Sulfate	12/01/13	11/30/20	100	24	32.28	0	.	AD	FS	N	FS			
		Total dissolved solids	12/01/13	11/30/20	2000	24	1256.58	0	.	AD	FS	N	FS			
	High pH	pH	12/01/13	11/30/20	9	18	.	0	.	AD	FS	N	FS			
	Low pH	pH	12/01/13	11/30/20	6.5	18	.	0	.	AD	FS	N	FS			
	Nutrient Screening Levels	Chlorophyll-a	Chlorophyll-a	12/01/13	11/30/20	14.1	28	.	8	69.26	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	Total phosphorus	12/01/13	11/30/20	0.69	28	.	2	1.67	AD	NC	N	NC		
		Ammonia	Ammonia	12/01/13	11/30/20	0.33	28	.	0	.	AD	NC	N	NC		
Nitrate		Nitrate	12/01/13	11/30/20	1.95	28	.	0	.	AD	NC	N	NC			
Water Temperature	Water temperature	12/01/13	11/30/20	35	18	.	0	.	AD	FS	N	FS				
Recreation Use	Bacteria Geomean	E. coli	12/01/13	11/30/20	126	24	79.2	0	.	AD	FS	N	FS			

Seg ID: 2003 - Aransas River Tidal

AU ID: 2003_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/13	11/30/20	3	36	.	0	.	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/13	11/30/20	4	36	.	0	.	AD	NC	N	NC			
General Use	High pH	pH	12/01/13	11/30/20	9	36	.	0	.	AD	FS	N	FS			
	Low pH	pH	12/01/13	11/30/20	6.5	36	.	0	.	AD	FS	N	FS			
	Nutrient Screening Levels	Nitrate	Nitrate	12/01/13	11/30/20	1.1	36	.	1	1.46	AD	NC	N	NC		
		Chlorophyll-a	Chlorophyll-a	12/01/13	11/30/20	21	36	.	14	87.13	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	Ammonia	12/01/13	11/30/20	0.46	36	.	0	.	AD	NC	N	NC		
		Total phosphorus	Total phosphorus	12/01/13	11/30/20	0.66	36	.	8	0.99	AD	NC	N	NC		
Water Temperature	Water temperature	12/01/13	11/30/20	35	36	.	0	.	AD	FS	N	FS				
Recreation Use	Bacteria Geomean	Enterococcus	12/01/13	11/30/20	35	36	49.67	1	.	AD	NS	N	NS	Bacteria in water	4a	

Draft 2022 Texas Integrated Report - Assessment Results for Basin 20 - San Antonio–Nueces Coastal

Seg ID: 2004 - Aransas River Above Tidal

AU ID: 2004_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/13	11/30/20	1700	28	688.71	0	.	AD	FS	N	FS		
		Sulfate	12/01/13	11/30/20	100	28	80.98	0	.	AD	FS	N	FS		
		Chloride	12/01/13	11/30/20	450	28	203.72	0	.	AD	FS	N	FS		

Seg ID: 2004 - Aransas River Above Tidal

AU ID: 2004_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/13	11/30/20	3	18	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/13	11/30/20	5	18	.	5	4.4	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Dissolved Solids	Sulfate	12/01/13	11/30/20	100	28	80.98	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/13	11/30/20	1700	28	688.71	0	.	AD	FS	N	FS		
		Chloride	12/01/13	11/30/20	450	28	203.72	0	.	AD	FS	N	FS		
	High pH	pH	12/01/13	11/30/20	9	18	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/13	11/30/20	6.5	18	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/13	11/30/20	0.69	28	.	25	2.09	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/13	11/30/20	1.95	28	.	13	6.48	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/13	11/30/20	14.1	28	.	4	48.68	AD	NC	N	NC		
Ammonia		12/01/13	11/30/20	0.33	28	.	0	.	AD	NC	N	NC			
Water Temperature	Water temperature	12/01/13	11/30/20	35	18	.	0	.	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	E. coli	12/01/13	11/30/20	126	28	176.11	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 2004A - Aransas Creek

AU ID: 2004A_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/13	11/30/20	3	3	.	0	.	SM	NA	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/13	11/30/20	2	3	.	1	1.6	SM	NA	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/13	11/30/20	2	2	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/13	11/30/20	3	2	.	1	2.3	ID	NA	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/13	11/30/20	630	2	157.16	0	.	ID	NA	Y	NS	Bacteria in water	5c

Seg ID: 2004B - Poesta Creek

AU ID: 2004B_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/13	11/30/20	2	21	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/13	11/30/20	3	21	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/13	11/30/20	0.69	18	.	16	3.33	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/13	11/30/20	1.95	18	.	15	15.14	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/13	11/30/20	14.1	18	.	3	50.14	AD	NC	N	NC		
		Ammonia	12/01/13	11/30/20	0.33	18	.	3	0.69	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/13	11/30/20	126	21	269.79	1	.	AD	NS	N	NS	Bacteria in water	5c

Draft 2022 Texas Integrated Report - Assessment Results for Basin 20 - San Antonio–Nueces Coastal

Seg ID: 2004B - Poesta Creek

AU ID: 2004B_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/13	11/30/20	2	4	.	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/13	11/30/20	3	4	.	1	2	LD	NC	Y	CS	Depressed dissolved oxygen in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/13	11/30/20	126	4	399.67	1	.	ID	NA	Y	NS	Bacteria in water	4a