

Explanation of Column Headings

SEGID: The unique identifier (SegID), segment name, and location of the water body. Items may be one of three types of numbers for SegID. The first type is a classified segment number (4 digits, e.g., 0218), as defined in the Texas Surface Water Quality Standards. The second type is an unclassified water body (e.g., 0218A), not defined in the Standards and associated with a classified water body because it is in the same watershed. The third type includes special Segments for Oyster Water Use (e.g., 2421OW) and Beach Watch Use (e.g., 2481CB) special areas. The segment name and description follow SegID.

AU ID: Identifies the assessment unit (AU_ID, six or seven digits, e.g., 0101A_01) and describes the location of the specific area within a classified or unclassified water body for which one or more water quality standards are not met.

Start Date: The start date of the period of record data for this method was selected; the official 2024 period of record is from 12/1/2015 to 11/30/2022. In some cases it may be necessary to extend the period of record back 10 years (12/1/2012) to select more data, according to assessment guidance.

End Date: The end date of the period of record data for this method was selected; the official 2024 period of record dates are 12/1/2015 to 11/30/2022. In some cases more recently collected data than 12/01/2022 can be included, if available

#Data Assessed: Number of samples assessed some data are averaged, as with profile data, some are eliminated because criteria do not apply during certain conditions such a s low flow.

Mean Data Assessed: Mean of samples assessed includes averaged methods like chronic criteria as well as geometric mean calculations for bacteria.

Exceedances: Number of samples that exceed criteria for single sample, or binomial, methods (not averaged data).

Mean Exceedances: Mean of the samples that exceeded criteria for the single sample, or binomial, methods (not averaged data).

Criteria: Value that the data is compared to determine the level of support; Note: for acute metals in water, each value is compared to a calculated criterion and not all criteria could be reported here, only the minimum in the range of criteria calculated are included.

DS Qual: Dataset Qualifier - indicates characteristics of the methods or dataset used in the assessment:

- AD:** Adequate Data (10 or more samples).
- LD:** Limited Data (less than 9, greater than 3).
- ID:** Inadequate Data (less than 4).
- JQ:** Level of support is based on judgment of the assessor.
- SM:** This assessment method is superseded by another method.
- TR:** Temporally Not Representative, used with NA.
- SR:** Spatially Not Representative, used with NA.
- OE:** Other information than ambient samples evaluated.
- OS:** Assessment area outside state boundaries.

LOS: Level of support for this use, method, assessment parameter:

- FS:** Fully Supporting.
- NC:** No Concern.
- NA:** Not Assessed.
- NS:** Nonsupport.
- CS:** Screening Level Concern.
- CN:** Use Concern.

CF: Carry Forward indicates that the Integrated level of support of CS, CN, or NS was carried forward from a previous assessment due to inadequate data for this method in this assessment.

Int LOS: Integrated level of support. This is the overall level of support for this use, method, parameter group, which could be different from the LOS (described above) due to carry forward information or other types of changes. New Code added in 2010: PI = Pending Issue

TCEQ Cause: This is the impairment description (e.g., bacteria, depressed dissolved oxygen, etc.).

Cat:

- Category 3:** There is insufficient or unreliable available data and/or information to make a use support determination.
- Category 4:** Available data and/or information indicate that at least one designated use is not being supported or is threatened, but a TMDL is not needed.
 - Category 4a:** A state-developed TMDL has been approved by EPA or a TMDL has been established by EPA for any water-pollutant combination.
 - Category 4b:** Other required control measures are expected to result in the attainment of an applicable water quality standard in a reasonable period of time.
 - Category 4c:** The impairment or threat is not caused by a pollutant.
- Category 5:** Available data and/or information indicate that at least one designated use is not being supported or is threatened, and a TMDL is needed.
 - Category 5a:** A TMDL is underway, scheduled, or will be scheduled.
 - Category 5b:** A review of the standards for the water body will be conducted before a management strategy is selected.
 - Category 5c:** Additional data and information will be collected or evaluated before a management strategy is selected.
 - Category 5n:** Water body does not meet its applicable Chl a criterion, but additional study is needed to verify whether exceedance is associated with causal nutrient parameters or impacts to response variables.
 - Category 5r:** A WPP is under development or accepted by EPA for this parameter.

2024 Texas Integrated Report - Assessment Results for Basin 1 - Canadian River

Seg ID: 0101 - Canadian River Below Lake Meredith AU ID: 0101_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	24	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	24	.	0	.	AD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Nickel (dissolved)	02/04/15	11/30/22	1140	10	5.05	0	.	AD	FS	N	FS		
		Lead (dissolved)	02/04/15	11/30/22	3.83	8	0.31	0	.	LD	NC	N	NC		
		Mercury	02/04/15	11/30/22	0.01	10	0	0	.	AD	FS	N	FS		
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	1975	84	1445.25	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	760	84	439	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	5000	89	3186.33	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	24	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	24	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	24	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	24	.	1	18.5	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	22	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	24	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	35	24	.	1	35.3	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	24	7.12	0	.	AD	FS	N	FS		

Seg ID: 0101 - Canadian River Below Lake Meredith AU ID: 0101_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	24	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	24	.	0	.	AD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Mercury	02/04/15	11/30/22	0.01	10	0	0	.	AD	FS	N	FS		
		Nickel (dissolved)	02/04/15	11/30/22	1140	10	5.05	0	.	AD	FS	N	FS		
		Lead (dissolved)	02/04/15	11/30/22	3.83	8	0.31	0	.	LD	NC	N	NC		
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	1975	84	1445.25	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	760	84	439	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	5000	89	3186.33	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	24	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	24	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	24	.	4	28.5	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	24	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	22	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	24	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	35	24	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	23	35.79	0	.	AD	FS	N	FS		

Seg ID: 0101 - Canadian River Below Lake Meredith AU ID: 0101_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	23	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	23	.	1	4.5	AD	NC	N	NC		

2024 Texas Integrated Report - Assessment Results for Basin 1 - Canadian River

Seg ID: 0101 - Canadian River Below Lake Meredith AU ID: 0101_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Fish Consumption Use	HH Bioaccumulative Toxics in water	Mercury	02/04/15	11/30/22	0.01	10	0	0	.	AD	FS	N	FS		
		Nickel (dissolved)	02/04/15	11/30/22	1140	10	5.05	0	.	AD	FS	N	FS		
		Lead (dissolved)	02/04/15	11/30/22	3.83	8	0.31	0	.	LD	NC	N	NC		
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	1975	84	1445.25	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	5000	89	3186.33	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	760	84	439	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	23	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	23	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/15	11/30/22	0.69	21	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	22	.	4	3.43	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	21	.	13	0.63	AD	CS	N	CS	Ammonia in water	
		Chlorophyll-a	12/01/15	11/30/22	14.1	20	.	5	49.54	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	35	23	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	11/18/15	11/30/22	126	20	86.32	0	.	AD	FS	N	FS		

Seg ID: 0101 - Canadian River Below Lake Meredith AU ID: 0101_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Cadmium (dissolved)	11/17/14	11/30/22	267.12	10	.	0	.	AD	FS	N	FS		
		Selenium	11/17/14	11/30/22	20	10	.	0	.	AD	FS	N	FS		
		Nickel (dissolved)	12/01/15	11/30/22	9438.11	10	.	0	.	AD	FS	N	FS		
		Lead (dissolved)	11/17/14	11/30/22	2051.05	10	.	0	.	AD	FS	N	FS		
		Mercury	08/26/15	11/30/22	2.4	10	.	0	.	AD	FS	N	FS		
		Chromium (Tri)(dissolved)	12/01/15	11/30/22	10434.81	10	.	0	.	AD	FS	N	FS		
		Copper (dissolved)	12/01/15	11/30/22	402.8	8	.	0	.	LD	NC	N	NC		
		Aluminum (dissolved)	12/01/15	11/30/22	991	10	.	0	.	AD	FS	N	FS		
		Zinc (dissolved)	12/01/15	11/30/22	2372.9	10	.	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	02/04/15	11/30/22	340	10	.	0	.	AD	FS	N	FS		
	Chronic Toxic Substances in water	Lead (dissolved)	12/01/15	11/30/22	6.24	7	0.28	0	.	LD	NC	N	NC		
		Chromium (Tri)(dissolved)	02/04/15	11/30/22	148.17	10	3.8	0	.	AD	FS	N	FS		
		Copper (dissolved)	12/01/15	11/30/22	19.51	7	3.28	0	.	LD	NC	N	NC		
		Zinc (dissolved)	02/04/15	11/30/22	241.91	10	3.8	0	.	AD	FS	N	FS		
		Mercury	02/04/15	11/30/22	1.3	10	0	0	.	AD	FS	N	FS		
		Cadmium (dissolved)	12/01/15	11/30/22	0.44	7	0.15	0	.	LD	NC	N	NC		
		Selenium	12/01/15	11/30/22	5	7	2.37	0	.	LD	NC	N	NC		
		Nickel (dissolved)	02/04/15	11/30/22	106.38	10	5.05	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	12/01/15	11/30/22	150	8	16.14	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	17	.	1	2.3	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	17	.	2	3.3	AD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Lead (dissolved)	02/04/15	11/30/22	3.83	8	0.31	0	.	LD	NC	N	NC		
		Mercury	02/04/15	11/30/22	0.01	10	0	0	.	AD	FS	N	FS		
		Nickel (dissolved)	02/04/15	11/30/22	1140	10	5.05	0	.	AD	FS	N	FS		
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	5000	89	3186.33	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	1975	84	1445.25	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	760	84	439	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	17	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	17	.	0	.	AD	FS	N	FS		

2024 Texas Integrated Report - Assessment Results for Basin 1 - Canadian River

Seg ID: 0101 - Canadian River Below Lake Meredith AU ID: 0101_04															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	19	.	12	1.2	AD	CS	N	CS	Ammonia in water	
		Total phosphorus	12/01/15	11/30/22	0.69	20	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	17	.	6	113.1	AD	CS	N	CS	Chlorophyll-a in water	
		Nitrate	12/01/15	11/30/22	1.95	19	.	1	2.57	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	35	18	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	02/04/15	11/30/22	126	20	36.55	0	.	AD	FS	N	FS		

Seg ID: 0101A - Dixon Creek AU ID: 0101A_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Chronic Toxic Substances in water	Selenium	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	NS	Selenium in water	5c	
	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/15	11/30/22	4	4	.	0	.	SM	NC	N	NA			
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/15	11/30/22	2	4	.	0	.	SM	NC	N	NA			
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	17	.	0	.	AD	FS	Y	NS	Depressed dissolved oxygen in water	5c	
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	4	17	.	0	.	AD	NC	N	NC			
	Toxic Substances in sediment	Mercury	12/01/15	11/30/22	1.06	4	.	0	.	.	LD	NC	N	NC		
		Iron	12/01/15	11/30/22	40000	4	.	0	.	.	LD	NC	N	NC		
		Lead	12/01/15	11/30/22	128	5	.	0	.	.	LD	NC	N	NC		
		Zinc	12/01/15	11/30/22	459	5	.	0	.	.	LD	NC	N	NC		
		Silver	12/01/15	11/30/22	1.7	5	.	0	.	.	LD	NC	N	NC		
		Nickel	12/01/15	11/30/22	48.6	5	.	0	.	.	LD	NC	N	NC		
		Copper	12/01/15	11/30/22	149	5	.	0	.	.	LD	NC	N	NC		
		Manganese	12/01/15	11/30/22	1100	4	.	0	.	.	LD	NC	N	NC		
		Chromium	12/01/15	11/30/22	111	5	.	0	.	.	LD	NC	N	NC		
		Cadmium	12/01/15	11/30/22	4.98	5	.	0	.	.	LD	NC	N	NC		
	Arsenic	12/01/15	11/30/22	33	5	.	0	.	.	LD	NC	N	NC			
Fish Consumption Use	HH Bioaccumulative Toxics in water	Chlorobenzene	12/01/15	11/30/22	27370	3	2.5	0	.	ID	NA	N	NA			
		1,1,1-Trichloroethane	12/01/15	11/30/22	7843540	3	2.5	0	.	ID	NA	N	NA			
		Carbon tetrachloride	12/01/15	11/30/22	460	3	2.5	0	.	ID	NA	N	NA			
		Benzene	12/01/15	11/30/22	5810	3	2.5	0	.	ID	NA	N	NA			
		1,2-Dichloropropane	12/01/15	11/30/22	2590	3	2.5	0	.	ID	NA	N	NA			
		Dibromochloromethane	12/01/15	11/30/22	1830	3	2.5	0	.	ID	NA	N	NA			
		Dichloromethane	12/01/15	11/30/22	133330	3	2.5	0	.	ID	NA	N	NA			
		Tetrachloroethene	12/01/15	11/30/22	2800	3	2.5	0	.	ID	NA	N	NA			
		1,2-Dichlorobenzene	12/01/15	11/30/22	32990	1	0.5	0	.	ID	NA	N	NA			
		Acrylonitrile	12/01/15	11/30/22	1150	1	2.5	0	.	ID	NA	N	NA			
		1,1,2-Trichloroethane	12/01/15	11/30/22	1660	3	2.5	0	.	ID	NA	N	NA			
		Methyl ethyl ketone	12/01/15	11/30/22	9920000	3	10	0	.	ID	NA	N	NA			
		Bromoform	12/01/15	11/30/22	10600	3	2.5	0	.	ID	NA	N	NA			
		Trichloroethene	12/01/15	11/30/22	719	3	2.5	0	.	ID	NA	N	NA			
		1,2-Dibromoethane	12/01/15	11/30/22	42.4	3	2.5	0	.	ID	NA	N	NA			
		1,3-Dichlorobenzene	12/01/15	11/30/22	5950	1	0.5	0	.	ID	NA	N	NA			
		Chloroform	12/01/15	11/30/22	76970	3	2.5	0	.	ID	NA	N	NA			
		MTBE	12/01/15	11/30/22	104820	3	2.5	0	.	ID	NA	N	NA			
		1,1-Dichloroethylene	12/01/15	11/30/22	551140	3	2.5	0	.	ID	NA	N	NA			
		Ethylbenzene	12/01/15	11/30/22	18670	3	2.5	0	.	ID	NA	N	NA			
		Vinyl chloride	12/01/15	11/30/22	165	3	2.5	0	.	ID	NA	N	NA			
		Bromodichloromethane	12/01/15	11/30/22	2750	3	2.5	0	.	ID	NA	N	NA			
		1,1,2,2-Tetrachloroethane	12/01/15	11/30/22	263.5	3	2.5	0	.	ID	NA	N	NA			
		1,2-Dichloroethane	12/01/15	11/30/22	3640	3	2.5	0	.	ID	NA	N	NA			

2024 Texas Integrated Report - Assessment Results for Basin 1 - Canadian River

Seg ID: 0101A - Dixon Creek AU ID: 0101A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/15	11/30/22	0.69	17	.	3	0.83	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	14	.	2	14.25	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	14	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	17	.	10	8.83	AD	CS	N	CS	Nitrate in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	630	14	482.27	0	.	LD	NC	N	NC		

Seg ID: 0101A - Dixon Creek AU ID: 0101A_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	11	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	4	11	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Iron	12/01/15	11/30/22	40000	4	.	0	.	LD	NC	N	NC		
		Zinc	12/01/15	11/30/22	459	5	.	0	.	LD	NC	N	NC		
		Silver	12/01/15	11/30/22	1.7	5	.	0	.	LD	NC	N	NC		
		Nickel	12/01/15	11/30/22	48.6	5	.	0	.	LD	NC	N	NC		
		Mercury	12/01/15	11/30/22	1.06	4	.	0	.	LD	NC	N	NC		
		Manganese	12/01/15	11/30/22	1100	4	.	0	.	LD	NC	N	NC		
		Lead	12/01/15	11/30/22	128	5	.	0	.	LD	NC	N	NC		
		Copper	12/01/15	11/30/22	149	5	.	0	.	LD	NC	N	NC		
		Chromium	12/01/15	11/30/22	111	5	.	0	.	LD	NC	N	NC		
		Cadmium	12/01/15	11/30/22	4.98	5	.	0	.	LD	NC	N	NC		
		Arsenic	12/01/15	11/30/22	33	5	.	0	.	LD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Benzene	12/01/15	11/30/22	5810	3	2.5	0	.	ID	NA	N	NA		
		Trichloroethene	12/01/15	11/30/22	719	3	2.5	0	.	ID	NA	N	NA		
		Acrylonitrile	12/01/15	11/30/22	1150	1	2.5	0	.	ID	NA	N	NA		
		Dichloromethane	12/01/15	11/30/22	133330	3	2.5	0	.	ID	NA	N	NA		
		MTBE	12/01/15	11/30/22	104820	3	2.5	0	.	ID	NA	N	NA		
		Dibromochloromethane	12/01/15	11/30/22	1830	3	2.5	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	12/01/15	11/30/22	32990	1	0.5	0	.	ID	NA	N	NA		
		1,3-Dichlorobenzene	12/01/15	11/30/22	5950	1	0.5	0	.	ID	NA	N	NA		
		1,1,2-Trichloroethane	12/01/15	11/30/22	1660	3	2.5	0	.	ID	NA	N	NA		
		Bromoform	12/01/15	11/30/22	10600	3	2.5	0	.	ID	NA	N	NA		
		1,1,2,2-Tetrachloroethane	12/01/15	11/30/22	263.5	3	2.5	0	.	ID	NA	N	NA		
		Ethylbenzene	12/01/15	11/30/22	18670	3	2.5	0	.	ID	NA	N	NA		
		1,2-Dichloropropane	12/01/15	11/30/22	2590	3	2.5	0	.	ID	NA	N	NA		
		Bromodichloromethane	12/01/15	11/30/22	2750	3	2.5	0	.	ID	NA	N	NA		
		Methyl ethyl ketone	12/01/15	11/30/22	9920000	3	10	0	.	ID	NA	N	NA		
		1,2-Dibromoethane	12/01/15	11/30/22	42.4	3	2.5	0	.	ID	NA	N	NA		
		Chloroform	12/01/15	11/30/22	76970	3	2.5	0	.	ID	NA	N	NA		
		Vinyl chloride	12/01/15	11/30/22	165	3	2.5	0	.	ID	NA	N	NA		
		1,1,1-Trichloroethane	12/01/15	11/30/22	7843540	3	2.5	0	.	ID	NA	N	NA		
		Tetrachloroethene	12/01/15	11/30/22	2800	3	2.5	0	.	ID	NA	N	NA		
		1,2-Dichloroethane	12/01/15	11/30/22	3640	3	2.5	0	.	ID	NA	N	NA		
		1,1-Dichloroethylene	12/01/15	11/30/22	551140	3	2.5	0	.	ID	NA	N	NA		
		Chlorobenzene	12/01/15	11/30/22	27370	3	2.5	0	.	ID	NA	N	NA		
		Carbon tetrachloride	12/01/15	11/30/22	460	3	2.5	0	.	ID	NA	N	NA		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/15	11/30/22	0.69	10	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	11	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	11	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	11	.	3	22.17	AD	NC	N	NC		

2024 Texas Integrated Report - Assessment Results for Basin 1 - Canadian River

Seg ID: 0101A - Dixon Creek AU ID: 0101A_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	630	11	17.48	0	.	LD	NC	N	NC		

Seg ID: 0101B - Rock Creek AU ID: 0101B_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	21	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	3	21	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	22	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	22	.	6	69.37	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	19	.	4	1.26	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	22	.	13	5.68	AD	CS	N	CS	Nitrate in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	20	90.55	0	.	AD	FS	N	FS		

Seg ID: 0101C - White Deer Creek AU ID: 0101C_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	24	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	3	24	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	24	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	24	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	21	.	1	1.75	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	24	.	3	21.77	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	23	21.68	0	.	AD	FS	N	FS		

Seg ID: 0102 - Lake Meredith AU ID: 0102_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	4	15	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	6	15	.	1	5.07	AD	NC	N	NC		
Fish Consumption Use	DSHS Limited Consumption Advisory	Mercury	12/01/15	11/30/22	.	0	.	.	.	OE	NS	N	NS	Mercury in edible tissue	5c
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	350	16	315.81	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	400	15	662.87	1	.	AD	NS	N	NS	Chloride in water	5c
		Total dissolved solids	12/01/15	11/30/22	1300	15	1881.97	1	.	AD	NS	N	NS	Total dissolved solids in water	5c
	High pH	pH	12/01/15	11/30/22	9	14	.	1	10.2	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	14	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	26.7	14	.	0	.	JQ	NA	N	NA		
		Total phosphorus	12/01/15	11/30/22	0.2	17	.	0	.	JQ	NA	N	NA		
		Ammonia	12/01/15	11/30/22	0.11	16	.	0	.	JQ	NA	N	NA		
		Nitrate	12/01/15	11/30/22	0.37	17	.	0	.	JQ	NA	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	29.4	15	.	0	.	AD	FS	N	FS		

2024 Texas Integrated Report - Assessment Results for Basin 1 - Canadian River

Seg ID: 0102 - Lake Meredith AU ID: 0102_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Public Water Supply Use	Surface Water HH criteria for PWS average	Fluoride	12/01/15	11/30/22	4	17	0.53	0	.	AD	FS	N	FS			
		Nitrate	12/01/15	11/30/22	10	17	0.05	0	.	AD	FS	N	FS			
Recreation Use	Bacteria Geomean	E. coli	08/06/14	11/30/22	126	20	1.68	0	.	AD	FS	N	FS			

Seg ID: 0102 - Lake Meredith AU ID: 0102_02																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Fish Consumption Use	DSHS Limited Consumption Advisory	Mercury	12/01/15	11/30/22	.	0	.	.	.	OE	NS	N	NS	Mercury in edible tissue	5c	
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	400	15	662.87	1	.	AD	NS	N	NS	Chloride in water	5c	
		Sulfate	12/01/15	11/30/22	350	16	315.81	0	.	AD	FS	N	FS			
		Total dissolved solids	12/01/15	11/30/22	1300	15	1881.97	1	.	AD	NS	N	NS	Total dissolved solids in water	5c	
Public Water Supply Use	Surface Water HH criteria for PWS average	Fluoride	12/01/15	11/30/22	4	17	0.53	0	.	AD	FS	N	FS			
		Nitrate	12/01/15	11/30/22	10	17	0.05	0	.	AD	FS	N	FS			

Seg ID: 0102A - Big Blue Creek AU ID: 0102A_01																
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat	
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	1.5	17	.	0	.	AD	FS	N	FS			
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	2	17	.	0	.	AD	NC	N	NC			
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	17	.	0	.	AD	NC	N	NC			
		Chlorophyll-a	12/01/15	11/30/22	14.1	17	.	0	.	AD	NC	N	NC			
		Total phosphorus	12/01/15	11/30/22	0.69	14	.	0	.	AD	NC	N	NC			
		Nitrate	12/01/15	11/30/22	1.95	17	.	0	.	AD	NC	N	NC			
Recreation Use	Bacteria Geomean	E. coli	07/14/14	11/30/22	126	20	9.4	0	.	AD	FS	N	FS			

Seg ID: 0103 - Canadian River Above Lake Meredith AU ID: 0103_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	24	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	24	.	1	3.8	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	540	30	436	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	1050	31	1735.55	1	.	AD	NS	N	NS	Chloride in water	5c
		Total dissolved solids	12/01/15	11/30/22	4500	56	3557.17	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	24	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	24	.	0	.	AD	FS	N	FS		
	Water Temperature	Water temperature	12/01/15	11/30/22	35	24	.	2	35.8	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	23	50.23	0	.	AD	FS	N	FS		

2024 Texas Integrated Report - Assessment Results for Basin 1 - Canadian River

Seg ID: 0103 - Canadian River Above Lake Meredith AU ID: 0103_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	15	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	15	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	4500	56	3557.17	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	540	30	436	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	1050	31	1735.55	1	.	AD	NS	N	NS	Chloride in water	5c
	High pH	pH	12/01/15	11/30/22	9	17	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	17	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	15	.	2	53.7	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	15	.	3	1.96	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	16	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	16	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	35	15	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	15	71.18	0	.	LD	NC	N	NC		

Seg ID: 0103 - Canadian River Above Lake Meredith AU ID: 0103_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	15	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	15	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	540	30	436	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	1050	31	1735.55	1	.	AD	NS	N	NS	Chloride in water	5c
		Total dissolved solids	12/01/15	11/30/22	4500	56	3557.17	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	15	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	15	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	14	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	13	.	1	0.87	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	14	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	15	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	35	15	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	13	37.01	0	.	LD	NC	N	NC		

Seg ID: 0103A - East Amarillo Creek AU ID: 0103A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	1.5	62	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	2	62	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	60	.	29	15.49	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/15	11/30/22	0.33	62	.	4	3.19	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	62	.	24	53.88	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	55	.	13	1.44	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	60	112.48	0	.	AD	FS	N	FS		

2024 Texas Integrated Report - Assessment Results for Basin 1 - Canadian River

Seg ID: 0103A - East Amarillo Creek AU ID: 0103A_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	1.5	24	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	2	24	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	24	.	6	0.47	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	24	.	20	67.88	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	20	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	24	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	24	58.29	0	.	AD	FS	N	FS		

Seg ID: 0103C - Unnamed Tributary of West Amarillo Creek AU ID: 0103C_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	22	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	3	22	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	22	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	22	.	10	30.94	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	19	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	22	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	22	52.33	0	.	AD	FS	N	FS		

Seg ID: 0104 - Wolf Creek AU ID: 0104_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	12	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	12	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	125	53	37.98	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	420	53	141.69	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	1125	56	554.56	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	12	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	12	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	13	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	11	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	13	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	13	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	12	.	1	34.1	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	12	15.75	0	.	LD	NC	N	NC		

Seg ID: 0104 - Wolf Creek AU ID: 0104_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	17	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	17	.	0	.	AD	NC	N	NC		

2024 Texas Integrated Report - Assessment Results for Basin 1 - Canadian River

Seg ID: 0104 - Wolf Creek AU ID: 0104_02															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	125	53	37.98	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	420	53	141.69	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	1125	56	554.56	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	17	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	17	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	23	.	1	23.7	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	21	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	23	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	23	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	17	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	22	17.88	0	.	AD	FS	N	FS		

Seg ID: 0104 - Wolf Creek AU ID: 0104_03															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	23	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	23	.	2	4.07	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	1125	56	554.56	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	420	53	141.69	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	125	53	37.98	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	22	.	2	9.5	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	22	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	22	.	18	61.12	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	21	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	19	.	1	0.58	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	22	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	23	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	20	3.1	0	.	AD	FS	N	FS		

Seg ID: 0105 - Rita Blanca Lake AU ID: 0105_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	14	.	0	.	AD	FS	Y	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	3	14	.	1	2.9	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	200	16	76.84	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	200	16	142.79	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	1000	15	662.65	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	15	.	13	9.72	AD	NS	N	NS	High pH in water	5c
	Low pH	pH	12/01/15	11/30/22	6.5	15	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	26.7	12	.	11	654.75	JQ	NA	N	NA		
		Total phosphorus	12/01/15	11/30/22	0.2	15	.	15	1.74	JQ	NA	N	NA		
		Ammonia	12/01/15	11/30/22	0.11	15	.	9	0.95	JQ	NA	N	NA		
		Nitrate	12/01/15	11/30/22	0.37	15	.	5	1.57	JQ	NA	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	29.4	14	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	13	13.73	0	.	LD	NC	N	NC		

2024 Texas Integrated Report - Assessment Results for Basin 1 - Canadian River

Seg ID: 0199A - Palo Duro Reservoir AU ID: 0199A_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	11	.	1	0.4	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	11	.	1	0.4	AD	NC	N	NC		
General Use	Nutrient Reservoir Narrative Criteria	Nutrients	04/01/15	11/30/22	.	.	.	.	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	10	13.58	0	.	LD	NC	N	NC		

Seg ID: 0199B - Kiowa Creek AU ID: 0199B_01															
Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	11	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	3	11	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	11	.	1	0.72	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	11	.	3	45.63	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	10	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	11	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	11	113	0	.	LD	NC	Y	CN	Bacteria in water	