Explanation of Column Headings

SEGID: *The unique identifier (SegID), segment name, and location of the water body. Items may be one of three types of numbers for SegID. The first type is a classified segment number (4 digits, e.g., 0218), as defined in the Texas Surface Water Quality Standards. The second type is an unclassified water body (e.g., 0218A), not defined in the Standards and associated with a classified water body because it is in the same watershed. The third type includes special Segments for Oyster Water Use (e.g., 2421OW) and Beach Watch Use (e.g., 2481CB) special areas. The segment name and description follow SegID.*

AU ID: *Identifies the assessment unit (AU_ID, six or seven digits, e.g., 0101A_01) and describes the location of the specific area within a classified or unclassified water body for which one or more water quality standards are not met.*

Start Date: *The start date of the period of record data for this method was selected; the official 2024 period of record is from 12/1/2015 to 11/30/2022. In some cases it may be necessary to extend the period of record back 10 years (12/1/2012) to select more data, according to assessment guidance.*

End Date: *The end date of the period of record data for this method was selected; the official 2024 period of record dates are 12/1/2015 to 11/30/2022. In some cases more recently collected data than 12/01/2022 can be included, if available*

#Data Assessed: *Number of samples assessed some data are averaged, as with profile data, some are eliminated because criteria do not apply during certain conditions such a s low flow.*

Mean Data Assessed: *Mean of samples assessed includes averaged methods like chronic criteria as well as geometric mean calculations for bacteria.*

 # Exceedances: *Number of samples that exceed criteria for single sample, or binomial, methods (not averaged data).*

Mean Exceedances: *Mean of the samples that exceeded criteria for the single sample, or binomial, methods (not averaged data).*

Criteria: *Value that the data is compared to determine the level of support; Note: for acute metals in water, each value is compared to a calculated criterion and not all criteria could be reported here, only the minimum in the range of criteria calculated are included.*

DS Qual: *Dataset Qualifier - indicates characteristics of the methods or dataset used in the assessment:*

- **AD:** Adequate Data (10 or more samples).
- **LD:** Limited Data (less than 9, greater than 3).
- **ID:** Inadequate Data (less than 4).
- **JQ:** Level of support is based on judgment of the assessor.
- **SM:** This assessment method is superseded by another method.
- **TR:** Temporally Not Representative, used with NA.
- **SR:** Spatially Not Representative, used with NA.
- **OE:** Other information than ambient samples evaluated.
- **OS:** Assessment area outside state boundaries.

LOS: *Level of support for this use, method, assessment parameter:*

- **FS:** Fully Supporting.
- **NC:** No Concern.
- **NA:** Not Assessed.
- **NS:** Nonsupport.
- **CS:** Screening Level Concern.
- **CN:** Use Concern.

CF: *Carry Forward indicates that the Integrated level of support of CS, CN, or NS was carried forward from a previous assessment due to inadequate data for this method in this assessment.*

Int LOS: *Integrated level of support. This is the overall level of support for this use, method, parameter group, which could be different from the LOS (described above) due to carry forward information or other types of changes. New Code added in 2010: PI = Pending Issue*

TCEQ Cause: *This is the impairment description (e.g., bacteria, depressed dissolved oxygen, etc.).*

Cat:

Category 3: There is insufficient or unreliable available data and/or information to make a use support determination.

Category 4: Available data and/or information indicate that at least one designated use is not being supported or is threatened, but a TMDL is not needed.
- **Category 4a:** A state-developed TMDL has been approved by EPA or a TMDL has been established by EPA for any water-pollutant combination.
- **Category 4b:** Other required control measures are expected to result in the attainment of an applicable water quality standard in a reasonable period of time.
- **Category 4c:** The impairment or threat is not caused by a pollutant.

Category 5: Available data and/or information indicate that at least one designated use is not being supported or is threatened, and a TMDL is needed.
- **Category 5a:** A TMDL is underway, scheduled, or will be scheduled.
- **Category 5b:** A review of the standards for the water body will be conducted before a management strategy is selected.
- **Category 5c:** Additional data and information will be collected or evaluated before a management strategy is selected.
- **Category 5n:** Water body does not meet its applicable Chl a criterion, but additional study is needed to verify whether exceedance is associated with causal nutrient parameters or impacts to response variables.
- **Category 5r:** A WPP is under development or accepted by EPA for this parameter.

Seg ID: 1201 - Brazos River Tidal
AU ID: 1201_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	18	.	1	2.5	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	4	18	.	1	2.5	AD	NC	N	NC		
	Toxic Substances in sediment	Chromium	12/01/15	11/30/22	370	2	.	0	.	ID	NA	N	NA		
		Cadmium	12/01/15	11/30/22	9.6	2	.	0	.	ID	NA	N	NA		
		Mercury	12/01/15	11/30/22	0.71	2	.	0	.	ID	NA	N	NA		
		Arsenic	12/01/15	11/30/22	70	2	.	0	.	ID	NA	N	NA		
		Copper	12/01/15	11/30/22	270	2	.	0	.	ID	NA	N	NA		
		Zinc	12/01/15	11/30/22	410	2	.	0	.	ID	NA	N	NA		
		Nickel	12/01/15	11/30/22	51.6	2	.	0	.	ID	NA	N	NA		
		Lead	12/01/15	11/30/22	218	2	.	0	.	ID	NA	N	NA		
		Silver	12/01/15	11/30/22	3.7	2	.	0	.	ID	NA	N	NA		
General Use	High pH	pH	12/01/15	11/30/22	9	18	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	18	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/15	11/30/22	0.66	17	.	1	0.68	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.46	15	.	1	0.49	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	21	15	.	1	22.7	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.1	17	.	2	1.34	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	35	18	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	09/24/14	11/30/22	35	20	21.68	0	.	AD	FS	N	FS		

Seg ID: 1202 - Brazos River Below Navasota River
AU ID: 1202_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/15	11/30/22	5	11	.	0	.	SM	FS	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/15	11/30/22	3	11	.	0	.	SM	FS	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	81	.	1	2.1	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	81	.	4	3.9	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	750	399	388.78	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	300	348	73.98	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	200	353	54.84	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	81	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	81	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	85	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	82	.	3	2.23	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	87	.	66	74.88	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	87	.	13	0.85	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	35	82	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	340	0.53	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	42	0.2	0	.	TR	FS	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	73	96	0	.	AD	FS	N	FS		

Seg ID: 1202 - Brazos River Below Navasota River
AU ID: 1202_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/15	11/30/22	5	9	.	0	.	SM	NC	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/15	11/30/22	3	9	.	0	.	SM	NC	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	83	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	83	.	1	4.9	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	200	353	54.84	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	300	348	73.98	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	750	399	388.78	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	84	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	84	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	87	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	89	.	10	1	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	84	.	2	2.96	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	89	.	65	68.41	AD	CS	N	CS	Chlorophyll-a in water	
	Water Temperature	Water temperature	12/01/15	11/30/22	35	84	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	340	0.53	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	42	0.2	0	.	TR	FS	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	76	78.55	0	.	AD	FS	N	FS		

Seg ID: 1202 - Brazos River Below Navasota River
AU ID: 1202_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/15	11/30/22	5	10	.	0	.	SM	FS	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/15	11/30/22	3	10	.	0	.	SM	FS	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	93	.	1	0.7	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	93	.	4	3.45	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	200	353	54.84	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	300	348	73.98	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	750	399	388.78	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	94	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	94	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	81	.	62	74.19	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	81	.	3	0.78	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	79	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	89	.	2	2.12	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	35	94	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	340	0.53	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	42	0.2	0	.	TR	FS	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	82	45.24	0	.	AD	FS	N	FS		

Seg ID: 1202 - Brazos River Below Navasota River
AU ID: 1202_04

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	300	348	73.98	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	750	399	388.78	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	200	353	54.84	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	340	0.53	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	42	0.2	0	.	TR	FS	N	NA		

Seg ID: 1202 - Brazos River Below Navasota River
AU ID: 1202_05

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/15	11/30/22	5	10	.	0	.	SM	FS	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/15	11/30/22	3	10	.	0	.	SM	FS	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	87	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	87	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	750	399	388.78	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	300	348	73.98	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	200	353	54.84	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	88	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	88	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	89	.	59	92.22	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	90	.	7	1.09	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	89	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	85	.	3	2.35	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	35	88	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	340	0.53	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	42	0.2	0	.	TR	FS	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	77	89.31	0	.	AD	FS	N	FS		

Seg ID: 1202H - Allen's Creek
AU ID: 1202H_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/15	11/30/22	3	2	.	0	.	SM	NA	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/15	11/30/22	2	2	.	0	.	SM	NA	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	51	.	1	1.8	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	3	51	.	3	2.27	AD	NC	N	NC		
	Fish Community (Regional)	Fish community	12/01/15	11/30/22	11	3	47.33	.	.	TR	FS	N	NA		
	Habitat	Habitat	12/01/15	11/30/22	14	2	18	.	.	AD	NC	N	NC		
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/15	11/30/22	10	2	21.48	.	.	TR	FS	N	NA		
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	50	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	49	.	11	28.95	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	50	.	36	2.71	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/15	11/30/22	1.95	47	.	31	10.36	AD	CS	N	CS	Nitrate in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	630	48	375.36	0	.	AD	FS	N	FS		

Seg ID: 1202I - Bessie's Creek
AU ID: 1202I_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	25	.	3	2.3	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	25	.	8	3.39	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	22	.	7	5.62	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/15	11/30/22	14.1	23	.	9	29.2	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	23	.	13	1.01	AD	CS	N	CS	Total Phosphorus in water	
		Ammonia	12/01/15	11/30/22	0.33	23	.	3	3.06	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	23	195.1	1	.	AD	NS	N	NS	Bacteria in water	5a

Seg ID: 1202J - Big Creek
AU ID: 1202J_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	52	.	1	2.5	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	52	.	14	4.13	AD	CS	N	CS	Depressed dissolved oxygen in water	
	Fish Community (Regional)	Fish community	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CN	Impaired fish community in water	
	Habitat	Habitat	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Impaired habitat in water	
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	51	.	1	0.49	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	51	.	3	4.3	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	50	.	11	27.44	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	52	.	5	0.92	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	48	270.54	1	.	AD	NS	N	NS	Bacteria in water	5a

Seg ID: 1202J - Big Creek
AU ID: 1202J_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Nitrate in water	
		Total phosphorus	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Total Phosphorus in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	NS	Bacteria in water	5a

Seg ID: 1202K - Mill Creek
AU ID: 1202K_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	27	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	27	.	3	4.3	AD	NC	N	NC		
	Habitat	Habitat	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Impaired habitat in water	
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	21	.	1	15.3	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	26	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	24	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	27	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	27	132.94	1	.	AD	NS	N	NS	Bacteria in water	5r

Seg ID: 1202S - Bullhead Bayou East
AU ID: 1202S_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	10	.	1	0.8	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	3	10	.	2	1.65	AD	CS	N	CS	Depressed dissolved oxygen in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	630	9	201.13	0	.	LD	NC	Y	NS	Bacteria in water	5c

Seg ID: 1202T - Unnamed Tributary of Bullhead Bayou East
AU ID: 1202T_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	10	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	3	10	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	630	9	320.38	0	.	LD	NC	Y	NS	Bacteria in water	5c

Seg ID: 1202U - Alcorn Bayou
AU ID: 1202U_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	5	.	0	.	TR	NC	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	3	5	.	0	.	TR	NC	N	NA		
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Nitrate in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	4	790.25	1	.	TR	NA	Y	NS	Bacteria in water	5b

Seg ID: 1202V - East Fork Mill Creek
AU ID: 1202V_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	4	.	0	.	TR	NC	N	NA		
		Total phosphorus	12/01/15	11/30/22	0.69	4	.	0	.	TR	NC	N	NA		
		Ammonia	12/01/15	11/30/22	0.33	4	.	0	.	TR	NC	N	NA		

Seg ID: 1202W - West Fork Mill Creek
AU ID: 1202W_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	3	.	0	.	TR	NA	N	NA		
		Ammonia	12/01/15	11/30/22	0.33	3	.	0	.	TR	NA	N	NA		
		Total phosphorus	12/01/15	11/30/22	0.69	3	.	0	.	TR	NA	N	NA		

Seg ID: 1202X - Sandy Creek
AU ID: 1202X_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	4	.	0	.	TR	NC	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	4	.	0	.	TR	NC	N	NA		

Seg ID: 1202X - Sandy Creek
AU ID: 1202X_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	4	.	0	.	TR	NC	N	NA		
		Ammonia	12/01/15	11/30/22	0.33	4	.	0	.	TR	NC	N	NA		
		Total phosphorus	12/01/15	11/30/22	0.69	4	.	0	.	TR	NC	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	4	253.88	1	.	TR	NA	N	NA		

Seg ID: 1203 - Whitney Lake
AU ID: 1203_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	22	.	1	2.15	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	22	.	5	3.7	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	670	102	248.71	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	320	104	120.08	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	1500	110	831.58	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	22	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	22	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	11/03/15	11/30/22	.	.	.	.	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	22	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Fluoride	12/01/15	11/30/22	4	105	0.19	0	.	AD	FS	N	FS		
		Nitrate	12/01/15	11/30/22	10	109	0.1	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	21	1.88	0	.	AD	FS	N	FS		

Seg ID: 1203 - Whitney Lake
AU ID: 1203_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	22	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	22	.	1	4.98	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	1500	110	831.58	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	670	102	248.71	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	320	104	120.08	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	22	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	22	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	11/03/15	11/30/22	.	.	.	.	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	22	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	109	0.1	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	105	0.19	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	21	1.8	0	.	AD	FS	N	FS		

Seg ID: 1203 - Whitney Lake
AU ID: 1203_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	22	.	1	2.94	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	22	.	2	3.84	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	1500	110	831.58	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	670	102	248.71	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	320	104	120.08	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	22	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	22	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	11/03/15	11/30/22	.	.	.	.	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	22	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Fluoride	12/01/15	11/30/22	4	105	0.19	0	.	AD	FS	N	FS		
		Nitrate	12/01/15	11/30/22	10	109	0.1	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	21	1.84	0	.	AD	FS	N	FS		

Seg ID: 1203 - Whitney Lake
AU ID: 1203_04

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	1500	110	831.58	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	320	104	120.08	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	670	102	248.71	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	11/03/15	11/30/22	.	.	.	.	.	AD	NC	N	NC		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	109	0.1	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	105	0.19	0	.	AD	FS	N	FS		

Seg ID: 1203 - Whitney Lake
AU ID: 1203_05

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	22	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	22	.	1	3.83	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	320	104	120.08	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	1500	110	831.58	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	670	102	248.71	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	22	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	22	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	11/03/15	11/30/22	.	.	.	.	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	22	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	109	0.1	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	105	0.19	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	21	3.83	0	.	AD	FS	N	FS		

Seg ID: 1203 - Whitney Lake
AU ID: 1203_06

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	22	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	22	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	670	102	248.71	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	1500	110	831.58	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	320	104	120.08	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	22	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	22	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	11/03/15	11/30/22	.	.	.	.	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	22	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	109	0.1	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	105	0.19	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	21	3.5	0	.	AD	FS	N	FS		

Seg ID: 1204 - Brazos River Below Lake Granbury
AU ID: 1204_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	380	77	155.85	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	1600	79	898.39	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	750	76	307.69	0	.	AD	FS	N	FS		

Seg ID: 1204 - Brazos River Below Lake Granbury
AU ID: 1204_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	73	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	73	.	0	.	AD	NC	N	NC		
	Habitat	Habitat	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Impaired habitat in water	
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	1600	79	898.39	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	750	76	307.69	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	380	77	155.85	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	72	.	1	9.4	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	72	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	71	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	77	.	24	25.37	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/15	11/30/22	0.33	76	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	78	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.8	73	.	2	34.45	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	78	15.41	0	.	AD	FS	N	FS		

Seg ID: 1204A - Camp Creek
AU ID: 1204A_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	12	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	3	12	.	0	.	AD	NC	N	NC		

Seg ID: 1204A - Camp Creek
AU ID: 1204A_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	12	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	11	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	11	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	11	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	9	79.94	0	.	LD	NC	Y	NS	Bacteria in water	5c

Seg ID: 1205 - Lake Granbury
AU ID: 1205_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	600	275	139.6	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	2500	279	920.68	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	1000	272	287.4	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	268	0.12	0	.	AD	FS	N	FS		

Seg ID: 1205 - Lake Granbury
AU ID: 1205_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	78	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	78	.	1	4.94	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	2500	279	920.68	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	600	275	139.6	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	1000	272	287.4	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	77	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	77	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	78	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	268	0.12	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	78	4.67	0	.	AD	FS	N	FS		

Seg ID: 1205 - Lake Granbury
AU ID: 1205_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	78	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	78	.	4	4.29	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	600	275	139.6	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	1000	272	287.4	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	2500	279	920.68	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	77	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	77	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	78	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	268	0.12	0	.	AD	FS	N	FS		

Seg ID: 1205 - Lake Granbury
AU ID: 1205_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	78	6.68	0	.	AD	FS	N	FS		

Seg ID: 1205 - Lake Granbury
AU ID: 1205_04

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	1000	272	287.4	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	2500	279	920.68	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	600	275	139.6	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	268	0.12	0	.	AD	FS	N	FS		

Seg ID: 1205 - Lake Granbury
AU ID: 1205_05

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	78	.	3	2.58	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	78	.	9	3.56	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	2500	279	920.68	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	600	275	139.6	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	1000	272	287.4	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	77	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	77	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	78	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	268	0.12	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	78	2.66	0	.	AD	FS	N	FS		

Seg ID: 1205 - Lake Granbury
AU ID: 1205_SA1

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	2500	279	920.68	0	.	TR	FS	N	NA		
		Chloride	12/01/15	11/30/22	1000	272	287.4	0	.	TR	FS	N	NA		
		Sulfate	12/01/15	11/30/22	600	275	139.6	0	.	TR	FS	N	NA		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	268	0.12	0	.	TR	FS	N	NA		

Seg ID: 1205 - Lake Granbury
AU ID: 1205_SA2

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	18	.	2	2.6	TR	FS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	18	.	6	3.37	TR	CS	N	NA		

Seg ID: 1205 - Lake Granbury
AU ID: 1205_SA2

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	1000	272	287.4	0	.	TR	FS	N	NA		
		Sulfate	12/01/15	11/30/22	600	275	139.6	0	.	TR	FS	N	NA		
		Total dissolved solids	12/01/15	11/30/22	2500	279	920.68	0	.	TR	FS	N	NA		
	High pH	pH	12/01/15	11/30/22	9	16	.	0	.	TR	FS	N	NA		
	Low pH	pH	12/01/15	11/30/22	6.5	16	.	0	.	TR	FS	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	18	.	0	.	TR	FS	N	NA		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	268	0.12	0	.	TR	FS	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	18	67.88	0	.	TR	NC	N	NA		

Seg ID: 1205 - Lake Granbury
AU ID: 1205_SA3

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	9	.	0	.	TR	NC	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	9	.	0	.	TR	NC	N	NA		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	600	275	139.6	0	.	TR	FS	N	NA		
		Total dissolved solids	12/01/15	11/30/22	2500	279	920.68	0	.	TR	FS	N	NA		
		Chloride	12/01/15	11/30/22	1000	272	287.4	0	.	TR	FS	N	NA		
	High pH	pH	12/01/15	11/30/22	9	8	.	1	9.6	TR	NC	N	NA		
	Low pH	pH	12/01/15	11/30/22	6.5	8	.	0	.	TR	NC	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	9	.	0	.	TR	NC	N	NA		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	268	0.12	0	.	TR	FS	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	9	21.65	0	.	TR	NC	N	NA		

Seg ID: 1205 - Lake Granbury
AU ID: 1205_SA4

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	18	.	0	.	TR	FS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	18	.	0	.	TR	NC	N	NA		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	600	275	139.6	0	.	TR	FS	N	NA		
		Total dissolved solids	12/01/15	11/30/22	2500	279	920.68	0	.	TR	FS	N	NA		
		Chloride	12/01/15	11/30/22	1000	272	287.4	0	.	TR	FS	N	NA		
	High pH	pH	12/01/15	11/30/22	9	16	.	0	.	TR	FS	N	NA		
	Low pH	pH	12/01/15	11/30/22	6.5	16	.	0	.	TR	FS	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	18	.	0	.	TR	FS	N	NA		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	268	0.12	0	.	TR	FS	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	18	29.8	0	.	TR	NC	N	NA		

Seg ID: 1205 - Lake Granbury
AU ID: 1205_SA5

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	1000	272	287.4	0	.	TR	FS	N	NA		
		Total dissolved solids	12/01/15	11/30/22	2500	279	920.68	0	.	TR	FS	N	NA		
		Sulfate	12/01/15	11/30/22	600	275	139.6	0	.	TR	FS	N	NA		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	268	0.12	0	.	TR	FS	N	NA		

Seg ID: 1205C - Walnut Creek
AU ID: 1205C_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Nitrate in water	

Seg ID: 1205E - Rucker Creek
AU ID: 1205E_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	1.5	7	.	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	2	7	.	0	.	LD	NC	N	NC		

Seg ID: 1206 - Brazos River Below Possum Kingdom Lake
AU ID: 1206_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	78	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	78	.	0	.	AD	NC	N	NC		
	Habitat	Habitat	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Impaired habitat in water	
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CN	Impaired macrobenthic community in water	
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	1020	188	370.97	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	2300	197	1106.52	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	500	191	184.96	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	76	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	76	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	70	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	75	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	76	.	22	22.56	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	77	.	1	0.79	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.2	78	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	179	0.1	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	77	32.53	0	.	AD	FS	N	FS		

Seg ID: 1206 - Brazos River Below Possum Kingdom Lake
AU ID: 1206_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	28	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	28	.	0	.	AD	NC	N	NC		
	Habitat	Habitat	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Impaired habitat in water	
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CN	Impaired macrobenthic community in water	

Seg ID: 1206 - Brazos River Below Possum Kingdom Lake
AU ID: 1206_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	1020	188	370.97	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	2300	197	1106.52	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	500	191	184.96	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	28	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	28	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	26	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.2	28	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	179	0.1	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	26	25.24	0	.	AD	FS	N	FS		

Seg ID: 1206 - Brazos River Below Possum Kingdom Lake
AU ID: 1206_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	90	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	90	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	500	191	184.96	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	1020	188	370.97	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	2300	197	1106.52	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	88	.	1	9.2	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	88	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	83	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	74	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	75	.	10	30.83	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	77	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.2	90	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	179	0.1	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	88	9.21	0	.	AD	FS	N	FS		

Seg ID: 1206D - Palo Pinto Creek
AU ID: 1206D_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	14	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	14	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	13	.	0	.	AD	NC	N	NC		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	13	0.09	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	05/01/13	11/30/22	126	20	30.52	0	.	AD	FS	N	FS		

Seg ID: 1207 - Possum Kingdom Lake
AU ID: 1207_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	1200	381	385.53	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	3500	395	1171.9	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	500	390	193.96	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
Public Water Supply Use	Surface Water HH criteria for PWS average	Cadmium (dissolved)	12/01/15	11/30/22	5	39	0.14	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	12/01/15	11/30/22	10	38	2.04	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	78	0.23	0	.	AD	FS	N	FS		
		Lead (dissolved)	12/01/15	11/30/22	1.15	32	0.14	0	.	AD	FS	N	FS		
		Mercury	12/01/15	11/30/22	0.01	40	0	0	.	AD	FS	N	FS		
		Selenium	12/01/15	11/30/22	50	41	0.74	0	.	AD	FS	N	FS		
		Nitrate	12/01/15	11/30/22	10	373	0.09	0	.	AD	FS	N	FS		
		Nickel (dissolved)	12/01/15	11/30/22	332	42	2.53	0	.	AD	FS	N	FS		

Seg ID: 1207 - Possum Kingdom Lake
AU ID: 1207_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	77	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	77	.	4	4.07	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	500	390	193.96	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	3500	395	1171.9	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	1200	381	385.53	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	77	.	1	9.1	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	77	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	77	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Lead (dissolved)	12/01/15	11/30/22	1.15	32	0.14	0	.	AD	FS	N	FS		
		Selenium	12/01/15	11/30/22	50	41	0.74	0	.	AD	FS	N	FS		
		Mercury	12/01/15	11/30/22	0.01	40	0	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	78	0.23	0	.	AD	FS	N	FS		
		Nickel (dissolved)	12/01/15	11/30/22	332	42	2.53	0	.	AD	FS	N	FS		
		Cadmium (dissolved)	12/01/15	11/30/22	5	39	0.14	0	.	AD	FS	N	FS		
		Nitrate	12/01/15	11/30/22	10	373	0.09	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	12/01/15	11/30/22	10	38	2.04	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	77	3.91	0	.	AD	FS	N	FS		

Seg ID: 1207 - Possum Kingdom Lake
AU ID: 1207_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	1200	381	385.53	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	3500	395	1171.9	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	500	390	193.96	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
Public Water Supply Use	Surface Water HH criteria for PWS average	Lead (dissolved)	12/01/15	11/30/22	1.15	32	0.14	0	.	AD	FS	N	FS		
		Selenium	12/01/15	11/30/22	50	41	0.74	0	.	AD	FS	N	FS		
		Nickel (dissolved)	12/01/15	11/30/22	332	42	2.53	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	12/01/15	11/30/22	10	38	2.04	0	.	AD	FS	N	FS		
		Mercury	12/01/15	11/30/22	0.01	40	0	0	.	AD	FS	N	FS		

Seg ID: 1207 - Possum Kingdom Lake
AU ID: 1207_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Public Water Supply Use	Surface Water HH criteria for PWS average	Cadmium (dissolved)	12/01/15	11/30/22	5	39	0.14	0	.	AD	FS	N	FS		
		Nitrate	12/01/15	11/30/22	10	373	0.09	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	78	0.23	0	.	AD	FS	N	FS		

Seg ID: 1207 - Possum Kingdom Lake
AU ID: 1207_04

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	500	390	193.96	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	1200	381	385.53	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	3500	395	1171.9	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
Public Water Supply Use	Surface Water HH criteria for PWS average	Cadmium (dissolved)	12/01/15	11/30/22	5	39	0.14	0	.	AD	FS	N	FS		
		Mercury	12/01/15	11/30/22	0.01	40	0	0	.	AD	FS	N	FS		
		Nitrate	12/01/15	11/30/22	10	373	0.09	0	.	AD	FS	N	FS		
		Lead (dissolved)	12/01/15	11/30/22	1.15	32	0.14	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	12/01/15	11/30/22	10	38	2.04	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	78	0.23	0	.	AD	FS	N	FS		
		Nickel (dissolved)	12/01/15	11/30/22	332	42	2.53	0	.	AD	FS	N	FS		
		Selenium	12/01/15	11/30/22	50	41	0.74	0	.	AD	FS	N	FS		

Seg ID: 1207 - Possum Kingdom Lake
AU ID: 1207_05

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	78	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	78	.	2	4.47	AD	NC	N	NC		
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	1200	381	385.53	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	500	390	193.96	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	3500	395	1171.9	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	78	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	78	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	78	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Cadmium (dissolved)	12/01/15	11/30/22	5	39	0.14	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	78	0.23	0	.	AD	FS	N	FS		
		Selenium	12/01/15	11/30/22	50	41	0.74	0	.	AD	FS	N	FS		
		Nitrate	12/01/15	11/30/22	10	373	0.09	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	12/01/15	11/30/22	10	38	2.04	0	.	AD	FS	N	FS		
		Nickel (dissolved)	12/01/15	11/30/22	332	42	2.53	0	.	AD	FS	N	FS		
		Lead (dissolved)	12/01/15	11/30/22	1.15	32	0.14	0	.	AD	FS	N	FS		
		Mercury	12/01/15	11/30/22	0.01	40	0	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	77	3.01	0	.	AD	FS	N	FS		

Seg ID: 1207 - Possum Kingdom Lake
AU ID: 1207_06

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Nickel (dissolved)	12/01/15	11/30/22	1354.7	42	.	0	.	AD	FS	N	FS		
		Chromium (Tri)(dissolved)	12/01/15	11/30/22	1593.49	43	.	0	.	AD	FS	N	FS		
		Mercury	12/01/15	11/30/22	2.4	40	.	0	.	AD	FS	N	FS		
		Cadmium (dissolved)	12/01/15	11/30/22	29.05	39	.	0	.	AD	FS	N	FS		
		Aluminum (dissolved)	12/01/15	11/30/22	991	42	.	0	.	AD	FS	N	FS		
		Copper (dissolved)	12/01/15	11/30/22	46.36	38	.	0	.	AD	FS	N	FS		
		Lead (dissolved)	12/01/15	11/30/22	245.53	32	.	0	.	AD	FS	N	FS		
		Zinc (dissolved)	12/01/15	11/30/22	339.58	43	.	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	12/01/15	11/30/22	340	38	.	0	.	AD	FS	N	FS		
		Selenium	12/01/15	11/30/22	20	41	.	0	.	AD	FS	N	FS		
	Chronic Toxic Substances in water	Mercury	12/01/15	11/30/22	1.3	40	0	0	.	AD	FS	N	FS		
		Copper (dissolved)	12/01/15	11/30/22	19.29	38	0.73	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	12/01/15	11/30/22	150	38	1.91	0	.	AD	FS	N	FS		
		Selenium	12/01/15	11/30/22	5	41	1.23	0	.	AD	FS	N	FS		
		Nickel (dissolved)	12/01/15	11/30/22	105.22	42	2.53	0	.	AD	FS	N	FS		
		Cadmium (dissolved)	12/01/15	11/30/22	0.44	39	0.09	0	.	AD	FS	N	FS		
		Lead (dissolved)	12/01/15	11/30/22	6.15	32	0.14	0	.	AD	FS	N	FS		
		Chromium (Tri)(dissolved)	12/01/15	11/30/22	146.61	43	1.86	0	.	AD	FS	N	FS		
		Zinc (dissolved)	12/01/15	11/30/22	239.27	43	2.05	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	83	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	83	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Zinc	12/01/15	11/30/22	459	27	.	0	.	AD	NC	N	NC		
		Silver	12/01/15	11/30/22	1.7	27	.	0	.	AD	NC	N	NC		
		Copper	12/01/15	11/30/22	149	27	.	0	.	AD	NC	N	NC		
		Lead	12/01/15	11/30/22	128	27	.	0	.	AD	NC	N	NC		
		Manganese	12/01/15	11/30/22	1100	27	.	0	.	AD	NC	N	NC		
		Arsenic	12/01/15	11/30/22	33	27	.	0	.	AD	NC	N	NC		
		Cadmium	12/01/15	11/30/22	4.98	27	.	0	.	AD	NC	N	NC		
		Nickel	12/01/15	11/30/22	48.6	27	.	0	.	AD	NC	N	NC		
		Chromium	12/01/15	11/30/22	111	27	.	0	.	AD	NC	N	NC		
		Iron	12/01/15	11/30/22	40000	27	.	0	.	AD	NC	N	NC		
		Mercury	12/01/15	11/30/22	1.06	27	.	0	.	AD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/15	11/30/22	332	42	2.53	0	.	AD	FS	N	FS		
		Mercury	12/01/15	11/30/22	0.01	40	0	0	.	AD	FS	N	FS		
		Lead (dissolved)	12/01/15	11/30/22	1.15	32	0.14	0	.	AD	FS	N	FS		
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	1200	381	385.53	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	3500	395	1171.9	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	500	390	193.96	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	83	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	83	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	83	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Selenium	12/01/15	11/30/22	50	41	0.74	0	.	AD	FS	N	FS		
		Nitrate	12/01/15	11/30/22	10	373	0.09	0	.	AD	FS	N	FS		
		Cadmium (dissolved)	12/01/15	11/30/22	5	39	0.14	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	12/01/15	11/30/22	10	38	2.04	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	78	0.23	0	.	AD	FS	N	FS		
		Mercury	12/01/15	11/30/22	0.01	40	0	0	.	AD	FS	N	FS		
		Nickel (dissolved)	12/01/15	11/30/22	332	42	2.53	0	.	AD	FS	N	FS		
		Lead (dissolved)	12/01/15	11/30/22	1.15	32	0.14	0	.	AD	FS	N	FS		

Seg ID: 1207 - Possum Kingdom Lake
AU ID: 1207_06

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	81	1.56	0	.	AD	FS	N	FS		

Seg ID: 1207 - Possum Kingdom Lake
AU ID: 1207_07

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	1200	381	385.53	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	3500	395	1171.9	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	500	390	193.96	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	373	0.09	0	.	AD	FS	N	FS		
		Lead (dissolved)	12/01/15	11/30/22	1.15	32	0.14	0	.	AD	FS	N	FS		
		Selenium	12/01/15	11/30/22	50	41	0.74	0	.	AD	FS	N	FS		
		Nickel (dissolved)	12/01/15	11/30/22	332	42	2.53	0	.	AD	FS	N	FS		
		Mercury	12/01/15	11/30/22	0.01	40	0	0	.	AD	FS	N	FS		
		Cadmium (dissolved)	12/01/15	11/30/22	5	39	0.14	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	78	0.23	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	12/01/15	11/30/22	10	38	2.04	0	.	AD	FS	N	FS		

Seg ID: 1207 - Possum Kingdom Lake
AU ID: 1207_08

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	500	390	193.96	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	1200	381	385.53	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	3500	395	1171.9	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
Public Water Supply Use	Surface Water HH criteria for PWS average	Cadmium (dissolved)	12/01/15	11/30/22	5	39	0.14	0	.	AD	FS	N	FS		
		Selenium	12/01/15	11/30/22	50	41	0.74	0	.	AD	FS	N	FS		
		Nitrate	12/01/15	11/30/22	10	373	0.09	0	.	AD	FS	N	FS		
		Lead (dissolved)	12/01/15	11/30/22	1.15	32	0.14	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	78	0.23	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	12/01/15	11/30/22	10	38	2.04	0	.	AD	FS	N	FS		
		Mercury	12/01/15	11/30/22	0.01	40	0	0	.	AD	FS	N	FS		
		Nickel (dissolved)	12/01/15	11/30/22	332	42	2.53	0	.	AD	FS	N	FS		

Seg ID: 1207 - Possum Kingdom Lake
AU ID: 1207_09

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	1200	381	385.53	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	3500	395	1171.9	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	500	390	193.96	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
Public Water Supply Use	Surface Water HH criteria for PWS average	Arsenic (dissolved)	12/01/15	11/30/22	10	38	2.04	0	.	AD	FS	N	FS		
		Nickel (dissolved)	12/01/15	11/30/22	332	42	2.53	0	.	AD	FS	N	FS		
		Cadmium (dissolved)	12/01/15	11/30/22	5	39	0.14	0	.	AD	FS	N	FS		
		Nitrate	12/01/15	11/30/22	10	373	0.09	0	.	AD	FS	N	FS		
		Lead (dissolved)	12/01/15	11/30/22	1.15	32	0.14	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	78	0.23	0	.	AD	FS	N	FS		

Seg ID: 1207 - Possum Kingdom Lake
AU ID: 1207_09

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Public Water Supply Use	Surface Water HH criteria for PWS average	Selenium	12/01/15	11/30/22	50	41	0.74	0	.	AD	FS	N	FS		
		Mercury	12/01/15	11/30/22	0.01	40	0	0	.	AD	FS	N	FS		

Seg ID: 1207 - Possum Kingdom Lake
AU ID: 1207_10

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	77	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	77	.	1	4.93	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	500	390	193.96	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	1200	381	385.53	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	3500	395	1171.9	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	77	.	1	9.05	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	77	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	77	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nickel (dissolved)	12/01/15	11/30/22	332	42	2.53	0	.	AD	FS	N	FS		
		Mercury	12/01/15	11/30/22	0.01	40	0	0	.	AD	FS	N	FS		
		Selenium	12/01/15	11/30/22	50	41	0.74	0	.	AD	FS	N	FS		
		Nitrate	12/01/15	11/30/22	10	373	0.09	0	.	AD	FS	N	FS		
		Lead (dissolved)	12/01/15	11/30/22	1.15	32	0.14	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	78	0.23	0	.	AD	FS	N	FS		
		Cadmium (dissolved)	12/01/15	11/30/22	5	39	0.14	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	12/01/15	11/30/22	10	38	2.04	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	77	2.67	0	.	AD	FS	N	FS		

Seg ID: 1207 - Possum Kingdom Lake
AU ID: 1207_11

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	500	390	193.96	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	1200	381	385.53	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	3500	395	1171.9	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
Public Water Supply Use	Surface Water HH criteria for PWS average	Cadmium (dissolved)	12/01/15	11/30/22	5	39	0.14	0	.	AD	FS	N	FS		
		Mercury	12/01/15	11/30/22	0.01	40	0	0	.	AD	FS	N	FS		
		Selenium	12/01/15	11/30/22	50	41	0.74	0	.	AD	FS	N	FS		
		Nitrate	12/01/15	11/30/22	10	373	0.09	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	78	0.23	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	12/01/15	11/30/22	10	38	2.04	0	.	AD	FS	N	FS		
		Nickel (dissolved)	12/01/15	11/30/22	332	42	2.53	0	.	AD	FS	N	FS		
		Lead (dissolved)	12/01/15	11/30/22	1.15	32	0.14	0	.	AD	FS	N	FS		

Seg ID: 1207 - Possum Kingdom Lake
AU ID: 1207_12

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	79	.	2	2.72	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	79	.	4	3.77	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	500	390	193.96	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	1200	381	385.53	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	3500	395	1171.9	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	79	.	1	9.2	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	79	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	79	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	373	0.09	0	.	AD	FS	N	FS		
		Cadmium (dissolved)	12/01/15	11/30/22	5	39	0.14	0	.	AD	FS	N	FS		
		Mercury	12/01/15	11/30/22	0.01	40	0	0	.	AD	FS	N	FS		
		Selenium	12/01/15	11/30/22	50	41	0.74	0	.	AD	FS	N	FS		
		Lead (dissolved)	12/01/15	11/30/22	1.15	32	0.14	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	78	0.23	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	12/01/15	11/30/22	10	38	2.04	0	.	AD	FS	N	FS		
		Nickel (dissolved)	12/01/15	11/30/22	332	42	2.53	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	79	2.52	0	.	AD	FS	N	FS		

Seg ID: 1208 - Brazos River Above Possum Kingdom Lake
AU ID: 1208_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	28	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	28	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	12000	255	5456.6	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	2000	245	949.69	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	5000	241	2475.07	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	28	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	28	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	27	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	27	.	22	45.25	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	26	.	2	1.27	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	25	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	35	28	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/15	11/30/22	33	27	26.7	0	.	AD	FS	N	FS		

Seg ID: 1208 - Brazos River Above Possum Kingdom Lake
AU ID: 1208_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	72	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	72	.	0	.	AD	NC	N	NC		

Seg ID: 1208 - Brazos River Above Possum Kingdom Lake
AU ID: 1208_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	2000	245	949.69	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	5000	241	2475.07	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	12000	255	5456.6	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	70	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	70	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	75	.	51	26.39	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	77	.	5	1.14	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	73	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	70	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	35	72	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/15	11/30/22	33	70	49.96	1	.	AD	NS	N	NS	Bacteria in water	5c

Seg ID: 1208 - Brazos River Above Possum Kingdom Lake
AU ID: 1208_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	12000	255	5456.6	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	2000	245	949.69	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	5000	241	2475.07	0	.	AD	FS	N	FS		

Seg ID: 1208 - Brazos River Above Possum Kingdom Lake
AU ID: 1208_04

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	29	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	29	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	2000	245	949.69	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	5000	241	2475.07	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	12000	255	5456.6	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	29	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	29	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	27	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	27	.	13	27.26	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/15	11/30/22	0.33	25	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	26	.	2	1.09	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	35	29	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/15	11/30/22	33	28	42.05	1	.	AD	NS	N	NS	Bacteria in water	5c

Seg ID: 1208 - Brazos River Above Possum Kingdom Lake
AU ID: 1208_05

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Mercury	12/01/15	11/30/22	2.4	1	.	0	.	ID	NA	N	NA		
		Cadmium (dissolved)	12/01/15	11/30/22	88.44	1	.	0	.	ID	NA	N	NA		
		Selenium	12/01/15	11/30/22	20	19	.	1	20.5	AD	FS	N	FS		
		Arsenic (dissolved)	12/01/15	11/30/22	340	1	.	0	.	ID	NA	N	NA		
		Zinc (dissolved)	12/01/15	11/30/22	899.51	1	.	0	.	ID	NA	N	NA		
		Nickel (dissolved)	12/01/15	11/30/22	3583.09	1	.	0	.	ID	NA	N	NA		
		Lead (dissolved)	12/01/15	11/30/22	768.68	1	.	0	.	ID	NA	N	NA		
		Chromium (Tri)(dissolved)	12/01/15	11/30/22	4085.84	1	.	0	.	ID	NA	N	NA		

Seg ID: 1208 - Brazos River Above Possum Kingdom Lake
AU ID: 1208_05

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Aluminum (dissolved)	12/01/15	11/30/22	991	1	.	0	.	ID	NA	N	NA		
		Copper (dissolved)	12/01/15	11/30/22	136.97	1	.	0	.	ID	NA	N	NA		
	Chronic Toxic Substances in water	Mercury	12/01/15	11/30/22	1.3	1	0.02	0	.	ID	NA	N	NA		
		Nickel (dissolved)	12/01/15	11/30/22	193.64	1	2.5	0	.	ID	NA	N	NA		
		Selenium	12/01/15	11/30/22	5	19	3.78	0	.	AD	FS	N	FS		
		Zinc (dissolved)	12/01/15	11/30/22	440.76	1	2	0	.	ID	NA	N	NA		
		Lead (dissolved)	12/01/15	11/30/22	12.99	1	0.25	0	.	ID	NA	N	NA		
		Copper (dissolved)	12/01/15	11/30/22	35.72	1	4.9	0	.	ID	NA	N	NA		
		Chromium (Tri)(dissolved)	12/01/15	11/30/22	264.62	1	2	0	.	ID	NA	N	NA		
		Arsenic (dissolved)	12/01/15	11/30/22	150	1	12.5	0	.	ID	NA	N	NA		
		Cadmium (dissolved)	12/01/15	11/30/22	0.72	1	0.36	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	96	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	96	.	2	3.7	AD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Mercury	12/01/15	11/30/22	0.01	1	0.02	1	.	ID	NA	N	NA		
		Lead (dissolved)	12/01/15	11/30/22	3.83	1	0.25	0	.	ID	NA	N	NA		
		Nickel (dissolved)	12/01/15	11/30/22	1140	1	2.5	0	.	ID	NA	N	NA		
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	12000	255	5456.6	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	5000	241	2475.07	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	2000	245	949.69	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	94	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	94	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	95	.	36	26.14	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/15	11/30/22	0.33	66	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	89	.	1	2.42	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	97	.	10	2.16	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	35	96	.	3	36.4	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/15	11/30/22	33	90	60.89	1	.	AD	NS	N	NS	Bacteria in water	5c

Seg ID: 1208 - Brazos River Above Possum Kingdom Lake
AU ID: 1208_06

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	28	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	28	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	5000	241	2475.07	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	12000	255	5456.6	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	2000	245	949.69	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	28	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	28	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	25	.	9	32.11	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/15	11/30/22	0.33	28	.	1	0.45	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	28	.	3	1.04	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	28	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	35	28	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/15	11/30/22	33	26	29.61	0	.	AD	FS	N	FS		

Seg ID: 1208A - Millers Creek Reservoir
AU ID: 1208A_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Depressed dissolved oxygen in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CN	Bacteria in water	

Seg ID: 1209 - Navasota River Below Lake Limestone
AU ID: 1209_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	28	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	28	.	3	4.2	AD	NC	N	NC		
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	140	95	46.93	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	100	95	46.83	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	600	156	258.81	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	28	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	28	.	1	6.2	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/15	11/30/22	0.69	27	.	8	1.15	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/15	11/30/22	1.95	27	.	14	4.47	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/15	11/30/22	14.1	26	.	1	18.1	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	28	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	28	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	94	0.96	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	28	126.15	1	.	AD	CN	N	CN	Bacteria in water	

Seg ID: 1209 - Navasota River Below Lake Limestone
AU ID: 1209_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	47	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	47	.	3	4.6	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	600	156	258.81	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	100	95	46.83	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	140	95	46.93	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	47	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	47	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	25	.	5	18.42	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	26	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	27	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	26	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	47	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	94	0.96	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	47	122.82	0	.	AD	FS	N	FS		

Seg ID: 1209 - Navasota River Below Lake Limestone
AU ID: 1209_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	35	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	35	.	1	4.9	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	100	95	46.83	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	140	95	46.93	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	600	156	258.81	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	35	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	35	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	13	.	2	19.05	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	15	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	15	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	14	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	35	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	94	0.96	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	35	52.75	0	.	AD	FS	N	FS		

Seg ID: 1209 - Navasota River Below Lake Limestone
AU ID: 1209_04

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	100	95	46.83	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	140	95	46.93	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	600	156	258.81	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	94	0.96	0	.	AD	FS	N	FS		

Seg ID: 1209 - Navasota River Below Lake Limestone
AU ID: 1209_05

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	44	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	44	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	600	156	258.81	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	140	95	46.93	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	100	95	46.83	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	43	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	43	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	26	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	26	.	1	0.74	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	26	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	26	.	4	21.73	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	44	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	94	0.96	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	46	183.11	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1209A - Country Club Lake
AU ID: 1209A_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Aluminum (dissolved)	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	PI		
	LOE Toxic Sediment condition	Sediment toxicity (LOE)	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	NS	Toxicity in sediment	5c
	Toxic Substances in sediment	Arsenic	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Arsenic in sediment	

Seg ID: 1209B - Fin Feather Lake
AU ID: 1209B_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	LOE Toxic Sediment condition	Sediment toxicity (LOE)	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	NS	Toxicity in sediment	5c
	Toxic Substances in sediment	DDD	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	DDD in sediment	
		Copper	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Copper in sediment	
		Chromium	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Chromium in sediment	
		Arsenic	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Arsenic in sediment	
		DDE	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	DDE in sediment	
		Zinc	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Zinc in sediment	

Seg ID: 1209C - Carters Creek
AU ID: 1209C_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	51	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	4	51	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Total Phosphorus in water	
		Nitrate	12/01/15	11/30/22	1.95	26	.	26	15	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Chlorophyll-a in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	51	757.21	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1209D - Country Club Branch
AU ID: 1209D_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Copper (dissolved)	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	PI		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	NS	Bacteria in water	4a

Seg ID: 1209E - Wickson Creek
AU ID: 1209E_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	NS	Bacteria in water	5b

Seg ID: 1209G - Cedar Creek
AU ID: 1209G_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Depressed dissolved oxygen in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CN	Bacteria in water	

Seg ID: 1209H - Duck Creek
AU ID: 1209H_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/15	11/30/22	5	10	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/15	11/30/22	3	10	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	11	.	0	.	SM	FS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	11	.	0	.	SM	NC	N	NA		

Seg ID: 1209H - Duck Creek
AU ID: 1209H_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/15	11/30/22	5	10	.	3	4.3	AD	NS	N	NS	Depressed dissolved oxygen in water	5r
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/15	11/30/22	3	10	.	2	2.4	AD	CN	N	CN	Depressed dissolved oxygen in water	
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	10	.	0	.	SM	FS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	10	.	1	4.7	SM	NC	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	630	10	279.86	0	.	LD	NC	Y	NS	Bacteria in water	5r

Seg ID: 1209I - Gibbons Creek
AU ID: 1209I_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	NS	Depressed dissolved oxygen in water	5r
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Depressed dissolved oxygen in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	NS	Bacteria in water	5b

Seg ID: 1209I - Gibbons Creek
AU ID: 1209I_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	25	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	3	25	.	1	2.2	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	24	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	25	190.36	1	.	AD	NS	N	NS	Bacteria in water	5b

Seg ID: 1209J - Shepherd Creek
AU ID: 1209J_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	1.5	3	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	2	3	.	0	.	ID	NA	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	630	3	49.46	0	.	ID	NA	Y	NS	Bacteria in water	5r

Seg ID: 1209K - Steele Creek
AU ID: 1209K_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	NS	Bacteria in water	5b

Seg ID: 1209L - Burton Creek
AU ID: 1209L_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	9	.	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	3	9	.	0	.	LD	NC	N	NC		
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Nitrate in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	9	938.65	1	.	LD	CN	Y	NS	Bacteria in water	4a

Seg ID: 1209O - Normangee Lake
AU ID: 1209O_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Arsenic	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Arsenic in sediment	

Seg ID: 1210 - Lake Mexia
AU ID: 1210_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/15	11/30/22	5	4	.	0	.	SM	NC	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/15	11/30/22	3	4	.	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Depressed dissolved oxygen in water	
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	400	37	148.62	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	100	23	9.36	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	50	23	10.55	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Fluoride	12/01/15	11/30/22	4	23	0.13	0	.	AD	FS	N	FS		
		Nitrate	12/01/15	11/30/22	10	24	0.1	0	.	AD	FS	N	FS		

Seg ID: 1210 - Lake Mexia
AU ID: 1210_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/15	11/30/22	5	8	.	0	.	SM	NC	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/15	11/30/22	3	8	.	0	.	SM	NC	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	24	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	24	.	2	4.6	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	50	23	10.55	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	100	23	9.36	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	400	37	148.62	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	24	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	24	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	26.7	24	.	15	47.63	JQ	NA	N	NA		
		Ammonia	12/01/15	11/30/22	0.11	23	.	3	0.36	JQ	NA	N	NA		
		Nitrate	12/01/15	11/30/22	0.37	24	.	1	0.75	JQ	NA	N	NA		
		Total phosphorus	12/01/15	11/30/22	0.2	24	.	5	0.27	JQ	NA	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.2	24	.	0	.	AD	FS	N	FS		

Seg ID: 1210 - Lake Mexia
AU ID: 1210_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	24	0.1	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	23	0.13	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	24	6.97	0	.	AD	FS	N	FS		

Seg ID: 1210A - Navasota River Above Lake Mexia
AU ID: 1210A_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	1.5	19	.	1	1.4	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	2	19	.	2	1.45	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	19	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	19	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	19	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	19	.	4	19.38	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	630	19	155.17	0	.	LD	NC	Y	NS	Bacteria in water	5c

Seg ID: 1211 - Yegua Creek
AU ID: 1211_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	28	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	28	.	1	4.9	AD	NC	N	NC		
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	140	25	62.01	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	640	28	346.14	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	130	26	64.03	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	28	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	28	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	26	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	25	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	26	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	26	.	13	26.95	AD	CS	N	CS	Chlorophyll-a in water	
	Water Temperature	Water temperature	12/01/15	11/30/22	32.8	28	.	1	33.1	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	25	0.16	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	26	150.25	1	.	AD	CN	N	CN	Bacteria in water	

Seg ID: 1211A - Davidson Creek
AU ID: 1211A_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/15	11/30/22	4	11	.	2	1.6	AD	FS	Y	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/15	11/30/22	3	11	.	2	0.7	AD	FS	Y	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	141	.	37	1.96	SM	NS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	4	141	.	44	2.18	SM	CS	N	NA		

Seg ID: 1211A - Davidson Creek
AU ID: 1211A_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	13	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	12	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	13	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	13	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	133	374.81	1	.	AD	NS	N	NS	Bacteria in water	5c

Seg ID: 1212 - Somerville Lake
AU ID: 1212_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	22	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	22	.	1	4.6	AD	NC	N	NC		
General Use	Continuous pH Daily Maximum	Continuous pH	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	NS	High pH in water	5c
	Dissolved Solids	Sulfate	12/01/15	11/30/22	100	77	47.5	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	100	73	36.59	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	400	77	217.74	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	22	.	1	9.2	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	22	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	22	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	77	0.05	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	75	0.12	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	22	1.09	0	.	AD	FS	N	FS		

Seg ID: 1212 - Somerville Lake
AU ID: 1212_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	11	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	11	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	100	73	36.59	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	400	77	217.74	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	100	77	47.5	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	11	.	1	9.1	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	11	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	11	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Fluoride	12/01/15	11/30/22	4	75	0.12	0	.	AD	FS	N	FS		
		Nitrate	12/01/15	11/30/22	10	77	0.05	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	10	1.12	0	.	LD	NC	N	NC		

Seg ID: 1212 - Somerville Lake
AU ID: 1212_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	33	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	33	.	1	4.71	AD	NC	N	NC		
General Use	Continuous pH Daily Maximum	Continuous pH	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	NS	High pH in water	5c
	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	400	77	217.74	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	100	77	47.5	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	100	73	36.59	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	33	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	33	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	33	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Fluoride	12/01/15	11/30/22	4	75	0.12	0	.	AD	FS	N	FS		
		Nitrate	12/01/15	11/30/22	10	77	0.05	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	33	0.97	0	.	AD	FS	N	FS		

Seg ID: 1212 - Somerville Lake
AU ID: 1212_04

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	11	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	11	.	0	.	AD	NC	N	NC		
General Use	Continuous pH Daily Maximum	Continuous pH	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	NS	High pH in water	5c
	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	400	77	217.74	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	100	73	36.59	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	100	77	47.5	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	11	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	11	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	11	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	77	0.05	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	75	0.12	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	11	1.55	0	.	LD	NC	N	NC		

Seg ID: 1212A - Middle Yegua Creek
AU ID: 1212A_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	33	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	33	.	4	4.63	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	33	128.61	1	.	AD	CN	N	CN	Bacteria in water	

Seg ID: 1212A - Middle Yegua Creek
AU ID: 1212A_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/15	11/30/22	5	3	.	0	.	SM	NA	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/15	11/30/22	3	3	.	0	.	SM	NA	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	74	.	2	2	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	74	.	15	3.88	AD	CS	N	CS	Depressed dissolved oxygen in water	
	Habitat	Habitat	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Impaired habitat in water	
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	6	.	0	.	LD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	6	.	1	56.7	LD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	6	.	0	.	LD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	6	.	0	.	LD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	74	317.97	1	.	AD	NS	N	NS	Bacteria in water	5r

Seg ID: 1212B - East Yegua Creek
AU ID: 1212B_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	14	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	14	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	21	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	21	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	21	.	3	22.83	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	20	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	630	20	399.51	0	.	AD	FS	N	FS		

Seg ID: 1212L - Yegua Creek
AU ID: 1212L_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Chlorophyll-a in water	

Seg ID: 1213 - Little River
AU ID: 1213_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	90	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	90	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	75	128	45.39	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	75	126	36.01	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	400	154	350.79	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	90	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	90	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	77	.	31	35.42	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/15	11/30/22	0.33	77	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	76	.	4	0.81	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	74	.	51	3.56	AD	CS	N	CS	Nitrate in water	
	Water Temperature	Water temperature	12/01/15	11/30/22	32.2	90	.	0	.	AD	FS	N	FS		

Seg ID: 1213 - Little River
AU ID: 1213_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Public Water Supply Use	Surface Water HH criteria for PWS average	Fluoride	12/01/15	11/30/22	4	24	0.22	0	.	AD	FS	N	FS		
		Nitrate	12/01/15	11/30/22	10	123	2.88	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	89	110.13	0	.	AD	FS	N	FS		

Seg ID: 1213 - Little River
AU ID: 1213_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	75	126	36.01	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	400	154	350.79	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	75	128	45.39	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Nitrate in water	
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	123	2.88	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	24	0.22	0	.	AD	FS	N	FS		

Seg ID: 1213 - Little River
AU ID: 1213_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	23	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	23	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	400	154	350.79	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	75	126	36.01	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	75	128	45.39	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	23	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	23	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	23	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	23	.	2	3.69	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	24	.	14	3.8	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/15	11/30/22	14.1	24	.	7	26.61	AD	CS	N	CS	Chlorophyll-a in water	
	Water Temperature	Water temperature	12/01/15	11/30/22	32.2	23	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	123	2.88	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	24	0.22	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	23	63.36	0	.	AD	FS	N	FS		

Seg ID: 1213 - Little River
AU ID: 1213_04

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	39	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	39	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	75	128	45.39	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	75	126	36.01	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	400	154	350.79	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	39	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	39	.	0	.	AD	FS	N	FS		

Seg ID: 1213 - Little River
AU ID: 1213_04

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/15	11/30/22	0.69	26	.	10	0.88	AD	CS	N	CS	Total Phosphorus in water	
		Chlorophyll-a	12/01/15	11/30/22	14.1	26	.	1	29.3	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	26	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	25	.	18	4.53	AD	CS	N	CS	Nitrate in water	
	Water Temperature	Water temperature	12/01/15	11/30/22	32.2	39	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Fluoride	12/01/15	11/30/22	4	24	0.22	0	.	AD	FS	N	FS		
		Nitrate	12/01/15	11/30/22	10	123	2.88	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	38	96.91	0	.	AD	FS	N	FS		

Seg ID: 1213A - Big Elm Creek
AU ID: 1213A_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	49	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	49	.	1	4.9	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	21	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	23	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	21	.	3	35.83	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	23	.	5	3.18	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	47	149.79	1	.	AD	NS	N	NS	Bacteria in water	5r

Seg ID: 1213B - Little Elm Creek
AU ID: 1213B_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CN	Depressed dissolved oxygen in water	
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CN	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Nitrate in water	

Seg ID: 1213C - Unnamed Tributary of Little Elm Creek
AU ID: 1213C_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Nitrate in water	

Seg ID: 1214 - San Gabriel River
AU ID: 1214_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	24	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	24	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	45	48	38.04	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	50	48	32.04	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	500	48	348.78	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	24	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	24	.	0	.	AD	FS	N	FS		

Seg ID: 1214 - San Gabriel River
AU ID: 1214_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	22	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	24	.	9	3.56	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/15	11/30/22	14.1	24	.	1	20.6	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	22	.	1	12.4	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.8	24	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Fluoride	12/01/15	11/30/22	4	48	0.21	0	.	AD	FS	N	FS		
		Nitrate	12/01/15	11/30/22	10	48	2.41	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	23	106.51	0	.	AD	FS	N	FS		

Seg ID: 1214 - San Gabriel River
AU ID: 1214_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	18	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	18	.	1	4.9	AD	NC	N	NC		
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	50	48	32.04	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	500	48	348.78	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	45	48	38.04	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	18	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	18	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	24	.	4	19.65	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	24	.	11	5.61	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/15	11/30/22	0.33	22	.	1	1.85	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	23	.	1	11	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.8	18	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	48	2.41	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	48	0.21	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	24	43.57	0	.	AD	FS	N	FS		

Seg ID: 1215 - Lampasas River Below Stillhouse Hollow Lake
AU ID: 1215_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	24	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	24	.	2	4.25	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	75	23	19.88	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	100	23	30.23	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	500	24	320.04	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	24	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	24	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	22	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	24	.	1	2.17	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	24	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	22	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.8	24	.	0	.	AD	FS	N	FS		

Seg ID: 1215 - Lampasas River Below Stillhouse Hollow Lake
AU ID: 1215_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	24	1.03	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	22	0.22	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	23	69.41	0	.	AD	FS	N	FS		

Seg ID: 1216 - Stillhouse Hollow Lake
AU ID: 1216_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	4	81	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	6	81	.	6	5.51	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	75	95	21.81	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	100	98	52.42	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	500	106	324.36	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	81	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	81	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	81	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	98	0.15	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	75	1.75	0	.	AD	FS	N	FS		

Seg ID: 1216 - Stillhouse Hollow Lake
AU ID: 1216_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	100	98	52.42	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	75	95	21.81	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	500	106	324.36	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	98	0.15	0	.	AD	FS	N	FS		

Seg ID: 1216 - Stillhouse Hollow Lake
AU ID: 1216_SA1

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	4	25	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	6	25	.	2	5.6	AD	NC	N	NC		
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	100	98	52.42	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	500	106	324.36	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	75	95	21.81	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	25	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	25	.	0	.	AD	FS	N	FS		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	25	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	98	0.15	0	.	AD	FS	N	FS		

Seg ID: 1216 - Stillhouse Hollow Lake
AU ID: 1216_SA1

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	23	10.98	0	.	AD	FS	N	FS		

Seg ID: 1216A - Trimmier Creek
AU ID: 1216A_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	27	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	27	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	27	.	1	2.28	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	27	119.17	0	.	AD	FS	N	FS		

Seg ID: 1216C - Pleasant Branch
AU ID: 1216C_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	1.5	18	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	2	18	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	17	326.27	1	.	LD	CN	N	CN	Bacteria in water	

Seg ID: 1216D - Unnamed tributary of Trimmier Creek
AU ID: 1216D_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	27	.	3	2.63	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	27	.	7	3.4	AD	CS	N	CS	Depressed dissolved oxygen in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	27	269.17	1	.	AD	NS	N	NS	Bacteria in water	5c

Seg ID: 1217 - Lampasas River Above Stillhouse Hollow Lake
AU ID: 1217_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	64	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	64	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	100	2	31.2	0	.	ID	NA	N	NA		
		Chloride	12/01/15	11/30/22	500	2	31.3	0	.	ID	NA	N	NA		
		Total dissolved solids	12/01/15	11/30/22	1200	261	537.88	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	64	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	64	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	62	.	1	22.3	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	63	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	1	.	0	.	ID	NA	N	NA		
		Nitrate	12/01/15	11/30/22	1.95	64	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.8	64	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	61	40.57	0	.	AD	FS	N	FS		

Seg ID: 1217 - Lampasas River Above Stillhouse Hollow Lake
AU ID: 1217_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	54	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	54	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	100	2	31.2	0	.	ID	NA	N	NA		
		Chloride	12/01/15	11/30/22	500	2	31.3	0	.	ID	NA	N	NA		
		Total dissolved solids	12/01/15	11/30/22	1200	261	537.88	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	54	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	54	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	61	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	60	.	1	16.1	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	61	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.8	54	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	59	24.35	0	.	AD	FS	N	FS		

Seg ID: 1217 - Lampasas River Above Stillhouse Hollow Lake
AU ID: 1217_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	63	.	2	1.9	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	63	.	2	1.9	AD	NC	N	NC		
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	500	2	31.3	0	.	ID	NA	N	NA		
		Total dissolved solids	12/01/15	11/30/22	1200	261	537.88	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	100	2	31.2	0	.	ID	NA	N	NA		
	High pH	pH	12/01/15	11/30/22	9	63	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	63	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	62	.	1	28.8	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	62	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	1	.	0	.	ID	NA	N	NA		
		Nitrate	12/01/15	11/30/22	1.95	63	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.8	63	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	61	50.63	0	.	AD	FS	N	FS		

Seg ID: 1217 - Lampasas River Above Stillhouse Hollow Lake
AU ID: 1217_04

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	41	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	41	.	2	3.25	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	100	2	31.2	0	.	ID	NA	N	NA		
		Chloride	12/01/15	11/30/22	500	2	31.3	0	.	ID	NA	N	NA		
		Total dissolved solids	12/01/15	11/30/22	1200	261	537.88	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	41	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	41	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	57	.	10	23.7	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	55	.	1	0.76	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	56	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.8	41	.	0	.	AD	FS	N	FS		

Seg ID: 1217 - Lampasas River Above Stillhouse Hollow Lake
AU ID: 1217_04

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	40	102.32	0	.	AD	FS	N	FS		

Seg ID: 1217 - Lampasas River Above Stillhouse Hollow Lake
AU ID: 1217_05

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	28	.	1	1.9	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	28	.	3	3.53	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	100	2	31.2	0	.	ID	NA	N	NA		
		Chloride	12/01/15	11/30/22	500	2	31.3	0	.	ID	NA	N	NA		
		Total dissolved solids	12/01/15	11/30/22	1200	261	537.88	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	28	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	28	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	48	.	17	61.97	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	48	.	1	1.52	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	49	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.8	28	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	28	144	1	.	AD	NS	N	NS	Bacteria in water	5r

Seg ID: 1217A - Rocky Creek
AU ID: 1217A_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	27	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	3	27	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	27	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	1	.	0	.	ID	NA	N	NA		
		Ammonia	12/01/15	11/30/22	0.33	1	.	0	.	ID	NA	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	26	109.39	0	.	AD	FS	N	FS		

Seg ID: 1217B - Sulphur Creek
AU ID: 1217B_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	123	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	123	.	1	4.8	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	125	.	1	2.54	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	122	.	1	14.5	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	123	.	1	0.82	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	119	54.55	0	.	AD	FS	N	FS		

Seg ID: 1217B - Sulphur Creek
AU ID: 1217B_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	63	.	3	2.3	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	63	.	13	3.54	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	63	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	62	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	62	.	6	32.7	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	61	59.74	0	.	AD	FS	N	FS		

Seg ID: 1217D - North Fork Rocky Creek
AU ID: 1217D_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/15	11/30/22	4	10	.	1	1.4	AD	FS	N	FS		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/15	11/30/22	3	10	.	1	0.4	AD	FS	N	FS		

Seg ID: 1217F - Reese Creek
AU ID: 1217F_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	59	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	59	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/15	11/30/22	0.69	58	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	57	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	59	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	56	63.26	0	.	AD	FS	N	FS		

Seg ID: 1217G - Clear Creek
AU ID: 1217G_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	58	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	58	.	2	4.25	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	63	.	5	2.22	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	62	.	7	0.9	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	62	.	4	66.78	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	56	33.82	0	.	AD	FS	N	FS		

Seg ID: 1218 - Nolan Creek/ South Nolan Creek
AU ID: 1218_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	24	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	24	.	0	.	AD	NC	N	NC		

Seg ID: 1218 - Nolan Creek/ South Nolan Creek
AU ID: 1218_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	100	27	66.24	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	75	27	42.44	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	500	195	427	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	24	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	24	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	24	.	23	11.56	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/15	11/30/22	14.1	22	.	1	79.7	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	24	.	23	2.15	AD	CS	N	CS	Total Phosphorus in water	
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	24	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	24	283.29	1	.	AD	NS	N	NS	Bacteria in water	5r

Seg ID: 1218 - Nolan Creek/ South Nolan Creek
AU ID: 1218_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	171	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	171	.	1	3.9	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	500	195	427	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	75	27	42.44	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	100	27	66.24	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	171	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	171	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	1	.	0	.	ID	NA	N	NA		
		Nitrate	12/01/15	11/30/22	1.95	166	.	159	14.45	AD	CS	N	CS	Nitrate in water	
		Total phosphorus	12/01/15	11/30/22	0.69	144	.	132	2.92	AD	CS	N	CS	Total Phosphorus in water	
		Chlorophyll-a	12/01/15	11/30/22	14.1	130	.	2	168.45	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	171	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	171	355.19	1	.	AD	NS	N	NS	Bacteria in water	5r

Seg ID: 1218 - Nolan Creek/ South Nolan Creek
AU ID: 1218_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	75	27	42.44	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	500	195	427	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	100	27	66.24	0	.	AD	FS	N	FS		

Seg ID: 1218A - Unnamed Tributary to Little Nolan Creek
AU ID: 1218A_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CN	Bacteria in water	

Seg ID: 1218C - Little Nolan Creek
AU ID: 1218C_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	41	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	3	41	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	22	.	1	19.5	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	23	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	40	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	40	510.26	1	.	AD	NS	N	NS	Bacteria in water	5r

Seg ID: 1218D - Long Branch
AU ID: 1218D_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	NS	Bacteria in water	5c

Seg ID: 1219 - Leon River Below Belton Lake
AU ID: 1219_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	24	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	24	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	75	23	31.35	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	150	23	46.5	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	500	24	364.76	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	24	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	24	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	21	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	23	.	18	5.78	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/15	11/30/22	14.1	22	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	24	.	15	1.14	AD	CS	N	CS	Total Phosphorus in water	
	Water Temperature	Water temperature	12/01/15	11/30/22	32.8	24	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	23	4.65	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	23	0.17	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	23	87.48	0	.	AD	FS	N	FS		

Seg ID: 1220 - Belton Lake
AU ID: 1220_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	55	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	55	.	3	3.99	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	75	136	22.43	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	100	136	28.87	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	500	139	257	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	55	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	55	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	55	.	0	.	AD	FS	N	FS		

Seg ID: 1220 - Belton Lake
AU ID: 1220_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	135	0.19	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	52	1.52	0	.	AD	FS	N	FS		

Seg ID: 1220 - Belton Lake
AU ID: 1220_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	29	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	29	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	75	136	22.43	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	100	136	28.87	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	500	139	257	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	29	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	29	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	29	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	135	0.19	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	29	1.86	0	.	AD	FS	N	FS		

Seg ID: 1220 - Belton Lake
AU ID: 1220_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	55	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	55	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	75	136	22.43	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	100	136	28.87	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	500	139	257	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	55	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	55	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	55	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	135	0.19	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	55	1.86	0	.	AD	FS	N	FS		

Seg ID: 1220A - Cowhouse Creek
AU ID: 1220A_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	26	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	3	26	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	26	.	0	.	AD	NC	N	NC		

Seg ID: 1220A - Cowhouse Creek
AU ID: 1220A_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	26	97.22	0	.	AD	FS	N	FS		

Seg ID: 1221 - Leon River Below Proctor Lake
AU ID: 1221_04

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	101	.	1	2.1	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	101	.	2	3.35	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	100	270	51.76	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	150	270	81.66	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	900	298	479.81	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	101	.	1	9.1	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	101	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	103	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Chlorophyll-a in water	
	Water Temperature	Water temperature	12/01/15	11/30/22	32.2	101	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	270	0.27	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	99	168.99	1	.	AD	NS	N	NS	Bacteria in water	5r

Seg ID: 1221 - Leon River Below Proctor Lake
AU ID: 1221_05

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	103	.	4	1.93	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	103	.	14	3.7	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	100	270	51.76	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	150	270	81.66	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	900	298	479.81	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	103	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	103	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	78	.	62	39.84	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	78	.	1	1.16	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	4	.	0	.	LD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	103	.	3	2.68	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.2	103	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	270	0.27	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	100	118.48	0	.	AD	FS	N	FS		

Seg ID: 1221 - Leon River Below Proctor Lake
AU ID: 1221_06

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	23	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	23	.	0	.	AD	NC	N	NC		

Seg ID: 1221 - Leon River Below Proctor Lake
AU ID: 1221_06

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	100	270	51.76	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	150	270	81.66	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	900	298	479.81	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	23	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	23	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Chlorophyll-a in water	
	Water Temperature	Water temperature	12/01/15	11/30/22	32.2	23	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	270	0.27	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	19	236.03	1	.	LD	CN	Y	NS	Bacteria in water	5r

Seg ID: 1221 - Leon River Below Proctor Lake
AU ID: 1221_07

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	68	.	5	2.42	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	68	.	21	3.79	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	100	270	51.76	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	150	270	81.66	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	900	298	479.81	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	68	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	68	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	72	.	64	28.37	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	71	.	1	0.91	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	70	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.2	68	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	270	0.27	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	68	95.42	0	.	AD	FS	N	FS		

Seg ID: 1221A - Resley Creek
AU ID: 1221A_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Continuous Dissolved Oxygen Daily 24hr Average	Continuous dissolved oxygen 24hr	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	NS	Depressed dissolved oxygen in water	5r
	Continuous Dissolved Oxygen Daily 24hr Minimum	Continuous dissolved oxygen 24hr	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	NS	Depressed dissolved oxygen in water	5r
	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/15	11/30/22	2	8	.	2	1.15	SM	CN	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/15	11/30/22	1.5	8	.	2	0.55	SM	CN	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	1.5	50	.	1	1.3	SM	FS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	2	50	.	1	1.3	SM	NC	N	NA		
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	46	.	22	65.45	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	46	.	5	0.96	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	46	.	2	3.08	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	45	246.87	1	.	AD	NS	N	NS	Bacteria in water	5b

Seg ID: 1221A - Resley Creek
AU ID: 1221A_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Chlorophyll-a in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	NS	Bacteria in water	5b

Seg ID: 1221B - South Leon River
AU ID: 1221B_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	17	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	17	.	1	3.6	AD	NC	N	NC		
	Habitat	Habitat	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Impaired habitat in water	
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	18	.	1	24	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	06/13/13	11/30/22	126	20	205.64	1	.	AD	NS	N	NS	Bacteria in water	5b

Seg ID: 1221C - Pecan Creek
AU ID: 1221C_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	21	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	4	21	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	25	.	1	4.5	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Chlorophyll-a in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	21	182.77	1	.	AD	NS	N	NS	Bacteria in water	5b

Seg ID: 1221D - Indian Creek
AU ID: 1221D_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	15	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	15	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	14	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	16	.	11	40.83	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	16	.	3	0.94	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	15	.	4	4.25	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	14	692.93	1	.	LD	CN	Y	NS	Bacteria in water	5b

Seg ID: 1221D - Indian Creek
AU ID: 1221D_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	26	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	4	26	.	0	.	AD	NC	N	NC		

Seg ID: 1221D - Indian Creek
AU ID: 1221D_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	25	.	6	0.49	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	27	.	15	45.74	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	28	.	17	1.19	AD	CS	N	CS	Total Phosphorus in water	
		Nitrate	12/01/15	11/30/22	1.95	27	.	27	9.76	AD	CS	N	CS	Nitrate in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	24	197.03	1	.	AD	NS	N	NS	Bacteria in water	5b

Seg ID: 1221E - Plum Creek
AU ID: 1221E_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	25	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	25	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	26	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	25	57.21	0	.	AD	FS	N	FS		

Seg ID: 1221F - Walnut Creek
AU ID: 1221F_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	25	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	3	25	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	24	.	2	0.58	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	23	.	4	28.15	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	25	.	2	1.35	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	25	.	9	2.9	AD	CS	N	CS	Nitrate in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	1030	24	394.84	0	.	AD	FS	N	FS		

Seg ID: 1221G - Coryell Creek
AU ID: 1221G_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	21	.	2	2.45	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	21	.	2	2.45	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	25	.	3	3.08	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	22	241.6	1	.	AD	NS	N	NS	Bacteria in water	5r

Seg ID: 1222 - Proctor Lake
AU ID: 1222_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	15	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	15	.	1	4.79	AD	NC	N	NC		

Seg ID: 1222 - Proctor Lake
AU ID: 1222_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	75	39	38.13	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	200	39	71.8	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	500	46	359.94	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	15	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	15	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	15	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	39	0.1	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	13	2.37	0	.	LD	NC	N	NC		

Seg ID: 1222 - Proctor Lake
AU ID: 1222_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	15	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	15	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	75	39	38.13	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	200	39	71.8	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	500	46	359.94	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	15	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	15	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	15	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	39	0.1	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	13	2.33	0	.	LD	NC	N	NC		

Seg ID: 1222 - Proctor Lake
AU ID: 1222_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	16	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	16	.	2	3.98	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	75	39	38.13	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	200	39	71.8	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	500	46	359.94	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	16	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	16	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	16	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	39	0.1	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	13	7.03	0	.	LD	NC	N	NC		

Seg ID: 1222A - Duncan Creek
AU ID: 1222A_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	1.5	14	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	2	14	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Chlorophyll-a in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	630	12	218.09	0	.	LD	NC	Y	NS	Bacteria in water	5c

Seg ID: 1222B - Rush-Copperas Creek
AU ID: 1222B_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	19	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	3	19	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	19	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	19	.	2	32.05	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	19	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	18	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	18	137.37	1	.	LD	CN	Y	NS	Bacteria in water	5c

Seg ID: 1222C - Sabana River
AU ID: 1222C_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	1.5	26	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	2	26	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	24	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	24	.	2	15.3	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	26	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	25	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	26	248.74	1	.	AD	NS	N	NS	Bacteria in water	5c

Seg ID: 1222D - Sowells Creek
AU ID: 1222D_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CN	Bacteria in water	

Seg ID: 1222E - Sweetwater Creek
AU ID: 1222E_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	1.5	15	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	2	15	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	13	240.34	1	.	LD	CN	Y	NS	Bacteria in water	5c

Seg ID: 1222F - Hackberry Creek
AU ID: 1222F_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CN	Depressed dissolved oxygen in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CN	Bacteria in water	

Seg ID: 1223 - Leon River Below Leon Reservoir
AU ID: 1223_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/15	11/30/22	5	16	.	3	3.37	AD	CN	Y	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/15	11/30/22	3	16	.	4	1.98	AD	NS	N	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	30	.	0	.	SM	FS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	30	.	4	3.53	SM	NC	N	NA		
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	1240	32	758.47	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	130	18	76.38	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	480	17	197.33	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	30	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	30	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	25	.	9	50.79	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	26	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	25	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	25	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	30	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	17	0.08	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	18	0.2	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	06/29/15	11/30/22	126	20	305.73	1	.	AD	NS	N	NS	Bacteria in water	5c

Seg ID: 1223A - Armstrong Creek
AU ID: 1223A_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	1.5	48	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	2	48	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	45	.	4	0.76	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	45	.	9	28.61	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	47	.	1	0.86	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	47	.	42	6.78	AD	CS	N	CS	Nitrate in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	1030	47	470.47	0	.	AD	FS	N	FS		

Seg ID: 1223B - Cow Creek
AU ID: 1223B_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CN	Bacteria in water	

Seg ID: 1224 - Leon Reservoir
AU ID: 1224_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	19	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	19	.	3	3.89	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	75	36	24.77	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	150	36	39.83	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	500	38	254.32	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	19	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	19	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	26.7	17	.	6	37.05	JQ	NA	N	NA		
		Total phosphorus	12/01/15	11/30/22	0.2	18	.	0	.	JQ	NA	N	NA		
		Ammonia	12/01/15	11/30/22	0.11	17	.	2	0.16	JQ	NA	N	NA		
		Nitrate	12/01/15	11/30/22	0.37	17	.	0	.	JQ	NA	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	19	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	35	0.07	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	34	0.13	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	08/18/14	11/30/22	126	20	1.32	0	.	AD	FS	N	FS		

Seg ID: 1224 - Leon Reservoir
AU ID: 1224_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	19	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	19	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	75	36	24.77	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	150	36	39.83	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	500	38	254.32	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	19	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	19	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	26.7	17	.	9	38.63	JQ	NA	N	NA		
		Total phosphorus	12/01/15	11/30/22	0.2	17	.	0	.	JQ	NA	N	NA		
		Ammonia	12/01/15	11/30/22	0.11	17	.	0	.	JQ	NA	N	NA		
		Nitrate	12/01/15	11/30/22	0.37	18	.	0	.	JQ	NA	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	19	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	35	0.07	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	34	0.13	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	08/18/14	11/30/22	126	20	1.53	0	.	AD	FS	N	FS		

Seg ID: 1225 - Waco Lake
AU ID: 1225_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	24	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	24	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Mercury	12/01/15	11/30/22	1.06	4	.	0	.	LD	NC	N	NC		
		Manganese	12/01/15	11/30/22	1100	5	.	0	.	LD	NC	N	NC		
		Lead	12/01/15	11/30/22	128	5	.	0	.	LD	NC	N	NC		
		Copper	12/01/15	11/30/22	149	5	.	0	.	LD	NC	N	NC		
		Chromium	12/01/15	11/30/22	111	5	.	0	.	LD	NC	N	NC		

Seg ID: 1225 - Waco Lake
AU ID: 1225_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Cadmium	12/01/15	11/30/22	4.98	5	.	0	.	LD	NC	N	NC		
		Arsenic	12/01/15	11/30/22	33	5	.	0	.	LD	NC	N	NC		
		Heptachlor	12/01/15	11/30/22	2.74	3	.	0	.	ID	NA	N	NA		
		Methyl methacrylate	12/01/15	11/30/22	56980	2	.	0	.	ID	NA	N	NA		
		p-Cymene	12/01/15	11/30/22	5980	2	.	0	.	ID	NA	N	NA		
		Cumene	12/01/15	11/30/22	53950	2	.	0	.	ID	NA	N	NA		
		N-Butylbenzene	12/01/15	11/30/22	6570	2	.	0	.	ID	NA	N	NA		
		Bis(2-ethylhexyl)phthalate	12/01/15	11/30/22	22000	4	.	0	.	LD	NC	N	NC		
		2-Hexanone	12/01/15	11/30/22	28200	2	.	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	12/01/15	11/30/22	4950	4	.	0	.	LD	NC	N	NC		
		Methyl ethyl ketone	12/01/15	11/30/22	154260	2	.	0	.	ID	NA	N	NA		
		Arachlor 1248	12/01/15	11/30/22	1500	4	.	0	.	LD	NC	N	NC		
		Arachlor1260	12/01/15	11/30/22	240	4	.	0	.	LD	NC	N	NC		
		Arachlor 1016	12/01/15	11/30/22	530	4	.	0	.	LD	NC	N	NC		
		Arachlor 1254	12/01/15	11/30/22	340	4	.	0	.	LD	NC	N	NC		
		Bromodichloromethane	12/01/15	11/30/22	14740	2	.	0	.	ID	NA	N	NA		
		Vinyl chloride	12/01/15	11/30/22	4180	2	.	0	.	ID	NA	N	NA		
		1,1,2-Trichloroethane	12/01/15	11/30/22	5880	2	.	0	.	ID	NA	N	NA		
		1,1,1-Trichloroethane	12/01/15	11/30/22	24790	2	.	0	.	ID	NA	N	NA		
		1,2,4-Trichlorobenzene	12/01/15	11/30/22	5310	4	.	0	.	LD	NC	N	NC		
		Bromoform	12/01/15	11/30/22	1310	2	.	0	.	ID	NA	N	NA		
		Methylene chloride	12/01/15	11/30/22	46520	2	.	0	.	ID	NA	N	NA		
		Methyl bromide	12/01/15	11/30/22	460	2	.	0	.	ID	NA	N	NA		
		4-Methyl-2-Pentanone (MIBK)	12/01/15	11/30/22	116590	2	.	0	.	ID	NA	N	NA		
		Ethylbenzene	12/01/15	11/30/22	7880	2	.	0	.	ID	NA	N	NA		
		1,2-Dichloropropane	12/01/15	11/30/22	21120	2	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	12/01/15	11/30/22	201	4	.	0	.	LD	NC	N	NC		
		Chloroform	12/01/15	11/30/22	5670	2	.	0	.	ID	NA	N	NA		
		Xylene	12/01/15	11/30/22	12010	2	.	0	.	ID	NA	N	NA		
		Toluene	12/01/15	11/30/22	20290	2	.	0	.	ID	NA	N	NA		
		Tetrachloroethene	12/01/15	11/30/22	8210	2	.	0	.	ID	NA	N	NA		
		1,1,2,2-Tetrachloroethane	12/01/15	11/30/22	3800	2	.	0	.	ID	NA	N	NA		
		Styrene	12/01/15	11/30/22	61420	2	.	0	.	ID	NA	N	NA		
		Nitrobenzene	12/01/15	11/30/22	6290	4	.	0	.	LD	NC	N	NC		
		1,2-Dichloroethane	12/01/15	11/30/22	28680	2	.	0	.	ID	NA	N	NA		
		1,2-Dichloroethene (trans)	12/01/15	11/30/22	71840	2	.	0	.	ID	NA	N	NA		
		1,1-Dichloroethane	12/01/15	11/30/22	13890	2	.	0	.	ID	NA	N	NA		
		Dichlorodifluoromethane	12/01/15	11/30/22	22090	2	.	0	.	ID	NA	N	NA		
		Chlorobenzene	12/01/15	11/30/22	3000	2	.	0	.	ID	NA	N	NA		
		Carbon tetrachloride	12/01/15	11/30/22	21000	2	.	0	.	ID	NA	N	NA		
		Carbon disulfide	12/01/15	11/30/22	780	2	.	0	.	ID	NA	N	NA		
		Benzene	12/01/15	11/30/22	2870	2	.	0	.	ID	NA	N	NA		
		Acetone	12/01/15	11/30/22	360180	2	.	0	.	ID	NA	N	NA		
		Di-n-butyl phthalate	12/01/15	11/30/22	80000	4	.	0	.	LD	NC	N	NC		
		Toxaphene	12/01/15	11/30/22	32	4	.	0	.	LD	NC	N	NC		
		gamma-BHC (Lindane)	12/01/15	11/30/22	4.99	2	.	0	.	ID	NA	N	NA		
		beta-BHC	12/01/15	11/30/22	210	4	.	0	.	LD	NC	N	NC		
		alpha-BHC	12/01/15	11/30/22	100	3	.	0	.	ID	NA	N	NA		
		Benzo(a)anthracene	12/01/15	11/30/22	1050	4	.	0	.	LD	NC	N	NC		
		1,3-Dichlorobenzene	12/01/15	11/30/22	350	4	.	0	.	LD	NC	N	NC		
		Trichloroethene	12/01/15	11/30/22	13690	2	.	0	.	ID	NA	N	NA		
		Pyrene	12/01/15	11/30/22	1520	4	.	0	.	LD	NC	N	NC		
		Phenanthrene	12/01/15	11/30/22	1170	4	.	0	.	LD	NC	N	NC		
		PCBs	12/01/15	11/30/22	676	4	.	0	.	LD	NC	N	NC		
		Naphthalene	12/01/15	11/30/22	561	4	.	0	.	LD	NC	N	NC		
		Hexachloroethane	12/01/15	11/30/22	3945	4	.	0	.	LD	NC	N	NC		

Seg ID: 1225 - Waco Lake
AU ID: 1225_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Hexachlorobutadiene (HCBD)	12/01/15	11/30/22	550	4	.	0	.	LD	NC	N	NC		
		Hexachlorobenzene (HCB)	12/01/15	11/30/22	240	4	.	0	.	LD	NC	N	NC		
		Heptachlor epoxide	12/01/15	11/30/22	16	3	.	0	.	ID	NA	N	NA		
		Endosulfan I (alpha)	12/01/15	11/30/22	7.4	3	.	0	.	ID	NA	N	NA		
		Parathion (ethyl)	12/01/15	11/30/22	3.7	1	.	0	.	ID	NA	N	NA		
		Methoxychlor	12/01/15	11/30/22	95	3	.	0	.	ID	NA	N	NA		
		Malathion	12/01/15	11/30/22	6.2	2	.	0	.	ID	NA	N	NA		
		delta-BHC	12/01/15	11/30/22	2300	3	.	0	.	ID	NA	N	NA		
		3-Methyl-4-chlorophenol	12/01/15	11/30/22	5620	4	.	0	.	LD	NC	N	NC		
		Phenol (single compound)	12/01/15	11/30/22	210	4	.	0	.	LD	NC	N	NC		
		Dimethyl phthalate	12/01/15	11/30/22	8900	4	.	0	.	LD	NC	N	NC		
		Diethyl phthalate	12/01/15	11/30/22	11000	4	.	0	.	LD	NC	N	NC		
		N-Butyl benzyl phthalate	12/01/15	11/30/22	150000	4	.	0	.	LD	NC	N	NC		
		Di-n-octyl phthalate	12/01/15	11/30/22	1100	4	.	0	.	LD	NC	N	NC		
		2,4-Dinitrotoluene	12/01/15	11/30/22	8020	4	.	0	.	LD	NC	N	NC		
		Diazinon	12/01/15	11/30/22	7.3	2	.	0	.	ID	NA	N	NA		
		Hexachlorocyclopentadiene	12/01/15	11/30/22	202	3	.	0	.	ID	NA	N	NA		
		1,1-Dichloroethylene	12/01/15	11/30/22	11200	2	.	0	.	ID	NA	N	NA		
		Dibromochloromethane	12/01/15	11/30/22	940	2	.	0	.	ID	NA	N	NA		
		tert-Butylbenzene	12/01/15	11/30/22	7260	2	.	0	.	ID	NA	N	NA		
		sec-Butylbenzene	12/01/15	11/30/22	5280	2	.	0	.	ID	NA	N	NA		
		n-Propylbenzene	12/01/15	11/30/22	4350	2	.	0	.	ID	NA	N	NA		
		Pentachlorophenol (PCP)	12/01/15	11/30/22	1200	4	.	0	.	LD	NC	N	NC		
		Endosulfan II (beta)	12/01/15	11/30/22	35	3	.	0	.	ID	NA	N	NA		
		Fluorene	12/01/15	11/30/22	536	4	.	0	.	LD	NC	N	NC		
		Fluoranthene	12/01/15	11/30/22	2230	4	.	0	.	LD	NC	N	NC		
		Endrin	12/01/15	11/30/22	207	3	.	0	.	ID	NA	N	NA		
		Dieldrin	12/01/15	11/30/22	61.8	2	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	12/01/15	11/30/22	135	4	.	0	.	LD	NC	N	NC		
		DDT	12/01/15	11/30/22	62.9	3	.	0	.	ID	NA	N	NA		
		DDE	12/01/15	11/30/22	31.3	3	.	0	.	ID	NA	N	NA		
		DDD	12/01/15	11/30/22	28	2	.	0	.	ID	NA	N	NA		
		Chrysene	12/01/15	11/30/22	1290	4	.	0	.	LD	NC	N	NC		
		Chloromethane	12/01/15	11/30/22	106800	2	.	0	.	ID	NA	N	NA		
		Chlordane	12/01/15	11/30/22	17.6	4	.	0	.	LD	NC	N	NC		
		Benzo(a)pyrene	12/01/15	11/30/22	1450	4	.	0	.	LD	NC	N	NC		
		Anthracene	12/01/15	11/30/22	845	4	.	0	.	LD	NC	N	NC		
		Aldrin	12/01/15	11/30/22	80	3	.	0	.	ID	NA	N	NA		
		Acrylonitrile	12/01/15	11/30/22	1650	2	.	0	.	ID	NA	N	NA		
		Acenaphthylene	12/01/15	11/30/22	128	4	.	0	.	LD	NC	N	NC		
		Acenaphthene	12/01/15	11/30/22	88.9	4	.	0	.	LD	NC	N	NC		
		1,4-Dichlorobenzene	12/01/15	11/30/22	4650	4	.	0	.	LD	NC	N	NC		
		Iron	12/01/15	11/30/22	40000	4	.	0	.	LD	NC	N	NC		
		Zinc	12/01/15	11/30/22	459	5	.	0	.	LD	NC	N	NC		
		Silver	12/01/15	11/30/22	1.7	5	.	0	.	LD	NC	N	NC		
		Nickel	12/01/15	11/30/22	48.6	5	.	0	.	LD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Mercury	12/01/15	11/30/22	0.01	9	0	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/15	11/30/22	1.15	9	0.16	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/15	11/30/22	332	10	2.38	0	.	AD	FS	N	FS		
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	400	71	218.58	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	60	63	19.97	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	60	60	15.14	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	24	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	24	.	0	.	AD	FS	N	FS		

Seg ID: 1225 - Waco Lake
AU ID: 1225_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	24	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Mercury	12/01/15	11/30/22	0.01	9	0	0	.	LD	NC	N	NC		
		Selenium	12/01/15	11/30/22	50	9	1	0	.	LD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	10	66	0.35	0	.	AD	FS	N	FS		
		Lead (dissolved)	12/01/15	11/30/22	1.15	9	0.16	0	.	LD	NC	N	NC		
		Fluoride	12/01/15	11/30/22	4	63	0.16	0	.	AD	FS	N	FS		
		Cadmium (dissolved)	12/01/15	11/30/22	5	9	0.15	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/15	11/30/22	332	10	2.38	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	12/01/15	11/30/22	10	10	2.69	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	21	6.08	0	.	AD	FS	N	FS		

Seg ID: 1225 - Waco Lake
AU ID: 1225_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Zinc (dissolved)	12/01/15	11/30/22	121.56	10	.	0	.	AD	FS	N	FS		
		Selenium	12/01/15	11/30/22	20	9	.	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/15	11/30/22	485.69	10	.	0	.	AD	FS	N	FS		
		Mercury	12/01/15	11/30/22	2.4	9	.	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/15	11/30/22	67.69	9	.	0	.	LD	NC	N	NC		
		Copper (dissolved)	12/01/15	11/30/22	14.89	9	.	0	.	LD	NC	N	NC		
		Chromium (Tri)(dissolved)	12/01/15	11/30/22	590.32	10	.	0	.	AD	FS	N	FS		
		Cadmium (dissolved)	12/01/15	11/30/22	9.01	9	.	0	.	LD	NC	N	NC		
		Arsenic (dissolved)	12/01/15	11/30/22	340	10	.	0	.	AD	FS	N	FS		
		Aluminum (dissolved)	12/01/15	11/30/22	991	10	.	0	.	AD	FS	N	FS		
	Chronic Toxic Substances in water	Zinc (dissolved)	12/01/15	11/30/22	141.76	10	2.05	0	.	AD	FS	N	FS		
		Selenium	12/01/15	11/30/22	5	9	1.83	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/15	11/30/22	62.39	10	2.38	0	.	AD	FS	N	FS		
		Mercury	12/01/15	11/30/22	1.3	9	0	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/15	11/30/22	3.18	9	0.16	0	.	LD	NC	N	NC		
		Copper (dissolved)	12/01/15	11/30/22	11.38	9	0.42	0	.	LD	NC	N	NC		
		Chromium (Tri)(dissolved)	12/01/15	11/30/22	88.39	10	1.85	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	12/01/15	11/30/22	150	10	3.44	0	.	AD	FS	N	FS		
		Cadmium (dissolved)	12/01/15	11/30/22	0.29	9	0.07	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	23	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	23	.	4	4.15	AD	CS	N	CS	Depressed dissolved oxygen in water	
	Toxic Substances in sediment	Mercury	12/01/15	11/30/22	1.06	4	.	0	.	LD	NC	N	NC		
		Vinyl chloride	12/01/15	11/30/22	4180	2	.	0	.	ID	NA	N	NA		
		Tetrachloroethene	12/01/15	11/30/22	8210	2	.	0	.	ID	NA	N	NA		
		1,1,2,2-Tetrachloroethane	12/01/15	11/30/22	3800	2	.	0	.	ID	NA	N	NA		
		Styrene	12/01/15	11/30/22	61420	2	.	0	.	ID	NA	N	NA		
		Nitrobenzene	12/01/15	11/30/22	6290	4	.	0	.	LD	NC	N	NC		
		Methylene chloride	12/01/15	11/30/22	46520	2	.	0	.	ID	NA	N	NA		
		1,2-Dichloroethene (trans)	12/01/15	11/30/22	71840	2	.	0	.	ID	NA	N	NA		
		1,1-Dichloroethane	12/01/15	11/30/22	13890	2	.	0	.	ID	NA	N	NA		
		Dichlorodifluoromethane	12/01/15	11/30/22	22090	2	.	0	.	ID	NA	N	NA		
		Chlorobenzene	12/01/15	11/30/22	3000	2	.	0	.	ID	NA	N	NA		
		Carbon tetrachloride	12/01/15	11/30/22	21000	2	.	0	.	ID	NA	N	NA		
		gamma-BHC (Lindane)	12/01/15	11/30/22	4.99	2	.	0	.	ID	NA	N	NA		
		beta-BHC	12/01/15	11/30/22	210	4	.	0	.	LD	NC	N	NC		
		alpha-BHC	12/01/15	11/30/22	100	3	.	0	.	ID	NA	N	NA		
		Benzo(a)anthracene	12/01/15	11/30/22	1050	4	.	0	.	LD	NC	N	NC		

Seg ID: 1225 - Waco Lake
AU ID: 1225_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	1,3-Dichlorobenzene	12/01/15	11/30/22	350	4	.	0	.	LD	NC	N	NC		
		Trichloroethene	12/01/15	11/30/22	13690	2	.	0	.	ID	NA	N	NA		
		Pyrene	12/01/15	11/30/22	1520	4	.	0	.	LD	NC	N	NC		
		Phenanthrene	12/01/15	11/30/22	1170	4	.	0	.	LD	NC	N	NC		
		PCBs	12/01/15	11/30/22	676	4	.	0	.	LD	NC	N	NC		
		Naphthalene	12/01/15	11/30/22	561	4	.	0	.	LD	NC	N	NC		
		Hexachloroethane	12/01/15	11/30/22	3945	4	.	0	.	LD	NC	N	NC		
		Hexachlorobutadiene (HCBD)	12/01/15	11/30/22	550	4	.	0	.	LD	NC	N	NC		
		Hexachlorobenzene (HCB)	12/01/15	11/30/22	240	4	.	0	.	LD	NC	N	NC		
		Heptachlor epoxide	12/01/15	11/30/22	16	3	.	0	.	ID	NA	N	NA		
		Fluorene	12/01/15	11/30/22	536	4	.	0	.	LD	NC	N	NC		
		Fluoranthene	12/01/15	11/30/22	2230	4	.	0	.	LD	NC	N	NC		
		Endrin	12/01/15	11/30/22	207	3	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	12/01/15	11/30/22	135	4	.	0	.	LD	NC	N	NC		
		DDT	12/01/15	11/30/22	62.9	3	.	0	.	ID	NA	N	NA		
		DDE	12/01/15	11/30/22	31.3	3	.	0	.	ID	NA	N	NA		
		DDD	12/01/15	11/30/22	28	2	.	0	.	ID	NA	N	NA		
		Chrysene	12/01/15	11/30/22	1290	4	.	0	.	LD	NC	N	NC		
		Chloromethane	12/01/15	11/30/22	106800	2	.	0	.	ID	NA	N	NA		
		Chlordane	12/01/15	11/30/22	17.6	4	.	0	.	LD	NC	N	NC		
		Benzo(a)pyrene	12/01/15	11/30/22	1450	4	.	0	.	LD	NC	N	NC		
		Anthracene	12/01/15	11/30/22	845	4	.	0	.	LD	NC	N	NC		
		Diethyl phthalate	12/01/15	11/30/22	11000	4	.	0	.	LD	NC	N	NC		
		1,1-Dichloroethylene	12/01/15	11/30/22	11200	2	.	0	.	ID	NA	N	NA		
		Dibromochloromethane	12/01/15	11/30/22	940	2	.	0	.	ID	NA	N	NA		
		tert-Butylbenzene	12/01/15	11/30/22	7260	2	.	0	.	ID	NA	N	NA		
		sec-Butylbenzene	12/01/15	11/30/22	5280	2	.	0	.	ID	NA	N	NA		
		Methoxychlor	12/01/15	11/30/22	95	3	.	0	.	ID	NA	N	NA		
		Malathion	12/01/15	11/30/22	6.2	2	.	0	.	ID	NA	N	NA		
		Heptachlor	12/01/15	11/30/22	2.74	3	.	0	.	ID	NA	N	NA		
		Methyl methacrylate	12/01/15	11/30/22	56980	2	.	0	.	ID	NA	N	NA		
		p-Cymene	12/01/15	11/30/22	5980	2	.	0	.	ID	NA	N	NA		
		Methyl ethyl ketone	12/01/15	11/30/22	154260	2	.	0	.	ID	NA	N	NA		
		Arachlor 1248	12/01/15	11/30/22	1500	4	.	0	.	LD	NC	N	NC		
		Arachlor1260	12/01/15	11/30/22	240	4	.	0	.	LD	NC	N	NC		
		Arachlor 1016	12/01/15	11/30/22	530	4	.	0	.	LD	NC	N	NC		
		Arachlor 1254	12/01/15	11/30/22	340	4	.	0	.	LD	NC	N	NC		
		N-Butyl benzyl phthalate	12/01/15	11/30/22	150000	4	.	0	.	LD	NC	N	NC		
		Di-n-octyl phthalate	12/01/15	11/30/22	1100	4	.	0	.	LD	NC	N	NC		
		2,4-Dinitrotoluene	12/01/15	11/30/22	8020	4	.	0	.	LD	NC	N	NC		
		Diazinon	12/01/15	11/30/22	7.3	2	.	0	.	ID	NA	N	NA		
		Hexachlorocyclopentadiene	12/01/15	11/30/22	202	3	.	0	.	ID	NA	N	NA		
		n-Propylbenzene	12/01/15	11/30/22	4350	2	.	0	.	ID	NA	N	NA		
		Pentachlorophenol (PCP)	12/01/15	11/30/22	1200	4	.	0	.	LD	NC	N	NC		
		Endosulfan II (beta)	12/01/15	11/30/22	35	3	.	0	.	ID	NA	N	NA		
		Parathion (ethyl)	12/01/15	11/30/22	3.7	1	.	0	.	ID	NA	N	NA		
		1,1,2-Trichloroethane	12/01/15	11/30/22	5880	2	.	0	.	ID	NA	N	NA		
		1,1,1-Trichloroethane	12/01/15	11/30/22	24790	2	.	0	.	ID	NA	N	NA		
		1,2,4-Trichlorobenzene	12/01/15	11/30/22	5310	4	.	0	.	LD	NC	N	NC		
		Bromoform	12/01/15	11/30/22	1310	2	.	0	.	ID	NA	N	NA		
		Toluene	12/01/15	11/30/22	20290	2	.	0	.	ID	NA	N	NA		
		Methyl bromide	12/01/15	11/30/22	460	2	.	0	.	ID	NA	N	NA		
		4-Methyl-2-Pentanone (MIBK)	12/01/15	11/30/22	116590	2	.	0	.	ID	NA	N	NA		
		Ethylbenzene	12/01/15	11/30/22	7880	2	.	0	.	ID	NA	N	NA		
		1,2-Dichloropropane	12/01/15	11/30/22	21120	2	.	0	.	ID	NA	N	NA		
		1,2-Dichloroethane	12/01/15	11/30/22	28680	2	.	0	.	ID	NA	N	NA		

Seg ID: 1225 - Waco Lake
AU ID: 1225_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Carbon disulfide	12/01/15	11/30/22	780	2	.	0	.	ID	NA	N	NA		
		Benzene	12/01/15	11/30/22	2870	2	.	0	.	ID	NA	N	NA		
		Acetone	12/01/15	11/30/22	360180	2	.	0	.	ID	NA	N	NA		
		Endosulfan I (alpha)	12/01/15	11/30/22	7.4	3	.	0	.	ID	NA	N	NA		
		Cumene	12/01/15	11/30/22	53950	2	.	0	.	ID	NA	N	NA		
		N-Butylbenzene	12/01/15	11/30/22	6570	2	.	0	.	ID	NA	N	NA		
		Bis(2-ethylhexyl)phthalate	12/01/15	11/30/22	22000	4	.	0	.	LD	NC	N	NC		
		2-Hexanone	12/01/15	11/30/22	28200	2	.	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	12/01/15	11/30/22	4950	4	.	0	.	LD	NC	N	NC		
		Phenol (single compound)	12/01/15	11/30/22	210	4	.	0	.	LD	NC	N	NC		
		Dimethyl phthalate	12/01/15	11/30/22	8900	4	.	0	.	LD	NC	N	NC		
		2-Methylnaphthalene	12/01/15	11/30/22	201	4	.	0	.	LD	NC	N	NC		
		Xylene	12/01/15	11/30/22	12010	2	.	0	.	ID	NA	N	NA		
		Di-n-butyl phthalate	12/01/15	11/30/22	80000	4	.	0	.	LD	NC	N	NC		
		Toxaphene	12/01/15	11/30/22	32	4	.	0	.	LD	NC	N	NC		
		Aldrin	12/01/15	11/30/22	80	3	.	0	.	ID	NA	N	NA		
		Acrylonitrile	12/01/15	11/30/22	1650	2	.	0	.	ID	NA	N	NA		
		Acenaphthylene	12/01/15	11/30/22	128	4	.	0	.	LD	NC	N	NC		
		Acenaphthene	12/01/15	11/30/22	88.9	4	.	0	.	LD	NC	N	NC		
		Iron	12/01/15	11/30/22	40000	4	.	0	.	LD	NC	N	NC		
		Zinc	12/01/15	11/30/22	459	5	.	0	.	LD	NC	N	NC		
		Silver	12/01/15	11/30/22	1.7	5	.	0	.	LD	NC	N	NC		
		Nickel	12/01/15	11/30/22	48.6	5	.	0	.	LD	NC	N	NC		
		Manganese	12/01/15	11/30/22	1100	5	.	0	.	LD	NC	N	NC		
		Lead	12/01/15	11/30/22	128	5	.	0	.	LD	NC	N	NC		
		Copper	12/01/15	11/30/22	149	5	.	0	.	LD	NC	N	NC		
		Chromium	12/01/15	11/30/22	111	5	.	0	.	LD	NC	N	NC		
		Cadmium	12/01/15	11/30/22	4.98	5	.	0	.	LD	NC	N	NC		
		Arsenic	12/01/15	11/30/22	33	5	.	0	.	LD	NC	N	NC		
		Dieldrin	12/01/15	11/30/22	61.8	2	.	0	.	ID	NA	N	NA		
		delta-BHC	12/01/15	11/30/22	2300	3	.	0	.	ID	NA	N	NA		
		Bromodichloromethane	12/01/15	11/30/22	14740	2	.	0	.	ID	NA	N	NA		
		3-Methyl-4-chlorophenol	12/01/15	11/30/22	5620	4	.	0	.	LD	NC	N	NC		
		Chloroform	12/01/15	11/30/22	5670	2	.	0	.	ID	NA	N	NA		
		1,4-Dichlorobenzene	12/01/15	11/30/22	4650	4	.	0	.	LD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/15	11/30/22	332	10	2.38	0	.	AD	FS	N	FS		
		Mercury	12/01/15	11/30/22	0.01	9	0	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/15	11/30/22	1.15	9	0.16	0	.	LD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	60	63	19.97	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	60	60	15.14	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	400	71	218.58	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	23	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	23	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	23	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nickel (dissolved)	12/01/15	11/30/22	332	10	2.38	0	.	AD	FS	N	FS		
		Mercury	12/01/15	11/30/22	0.01	9	0	0	.	LD	NC	N	NC		
		Selenium	12/01/15	11/30/22	50	9	1	0	.	LD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	10	66	0.35	0	.	AD	FS	N	FS		
		Lead (dissolved)	12/01/15	11/30/22	1.15	9	0.16	0	.	LD	NC	N	NC		
		Fluoride	12/01/15	11/30/22	4	63	0.16	0	.	AD	FS	N	FS		
		Cadmium (dissolved)	12/01/15	11/30/22	5	9	0.15	0	.	LD	NC	N	NC		
		Arsenic (dissolved)	12/01/15	11/30/22	10	10	2.69	0	.	AD	FS	N	FS		

Seg ID: 1225 - Waco Lake
AU ID: 1225_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	21	3.06	0	.	AD	FS	N	FS		

Seg ID: 1225 - Waco Lake
AU ID: 1225_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	24	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	24	.	3	4.66	AD	NC	N	NC		
	Toxic Substances in sediment	Acetone	12/01/15	11/30/22	360180	2	.	0	.	ID	NA	N	NA		
		Trichloroethene	12/01/15	11/30/22	13690	2	.	0	.	ID	NA	N	NA		
		Hexachloroethane	12/01/15	11/30/22	3945	4	.	0	.	LD	NC	N	NC		
		DDT	12/01/15	11/30/22	62.9	3	.	0	.	ID	NA	N	NA		
		DDE	12/01/15	11/30/22	31.3	3	.	0	.	ID	NA	N	NA		
		DDD	12/01/15	11/30/22	28	2	.	0	.	ID	NA	N	NA		
		Acenaphthylene	12/01/15	11/30/22	128	4	.	0	.	LD	NC	N	NC		
		Zinc	12/01/15	11/30/22	459	5	.	0	.	LD	NC	N	NC		
		gamma-BHC (Lindane)	12/01/15	11/30/22	4.99	2	.	0	.	ID	NA	N	NA		
		1,3-Dichlorobenzene	12/01/15	11/30/22	350	4	.	0	.	LD	NC	N	NC		
		Fluorene	12/01/15	11/30/22	536	4	.	0	.	LD	NC	N	NC		
		Fluoranthene	12/01/15	11/30/22	2230	4	.	0	.	LD	NC	N	NC		
		Chlordane	12/01/15	11/30/22	17.6	4	.	0	.	LD	NC	N	NC		
		Silver	12/01/15	11/30/22	1.7	5	.	0	.	LD	NC	N	NC		
		Lead	12/01/15	11/30/22	128	5	.	0	.	LD	NC	N	NC		
		Arachlor 1254	12/01/15	11/30/22	340	4	.	0	.	LD	NC	N	NC		
		Bromodichloromethane	12/01/15	11/30/22	14740	2	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	12/01/15	11/30/22	201	4	.	0	.	LD	NC	N	NC		
		Chloroform	12/01/15	11/30/22	5670	2	.	0	.	ID	NA	N	NA		
		Xylene	12/01/15	11/30/22	12010	2	.	0	.	ID	NA	N	NA		
		Vinyl chloride	12/01/15	11/30/22	4180	2	.	0	.	ID	NA	N	NA		
		Tetrachloroethene	12/01/15	11/30/22	8210	2	.	0	.	ID	NA	N	NA		
		1,1,2,2-Tetrachloroethane	12/01/15	11/30/22	3800	2	.	0	.	ID	NA	N	NA		
		Styrene	12/01/15	11/30/22	61420	2	.	0	.	ID	NA	N	NA		
		Nitrobenzene	12/01/15	11/30/22	6290	4	.	0	.	LD	NC	N	NC		
		Methylene chloride	12/01/15	11/30/22	46520	2	.	0	.	ID	NA	N	NA		
		1,2-Dichloroethene (trans)	12/01/15	11/30/22	71840	2	.	0	.	ID	NA	N	NA		
		1,1-Dichloroethane	12/01/15	11/30/22	13890	2	.	0	.	ID	NA	N	NA		
		Dichlorodifluoromethane	12/01/15	11/30/22	22090	2	.	0	.	ID	NA	N	NA		
		Chlorobenzene	12/01/15	11/30/22	3000	2	.	0	.	ID	NA	N	NA		
		Carbon tetrachloride	12/01/15	11/30/22	21000	2	.	0	.	ID	NA	N	NA		
		1,1,2-Trichloroethane	12/01/15	11/30/22	5880	2	.	0	.	ID	NA	N	NA		
		1,1,1-Trichloroethane	12/01/15	11/30/22	24790	2	.	0	.	ID	NA	N	NA		
		1,2,4-Trichlorobenzene	12/01/15	11/30/22	5310	4	.	0	.	LD	NC	N	NC		
		Bromoform	12/01/15	11/30/22	1310	2	.	0	.	ID	NA	N	NA		
		Toluene	12/01/15	11/30/22	20290	2	.	0	.	ID	NA	N	NA		
		Methyl bromide	12/01/15	11/30/22	460	2	.	0	.	ID	NA	N	NA		
		4-Methyl-2-Pentanone (MIBK)	12/01/15	11/30/22	116590	2	.	0	.	ID	NA	N	NA		
		Ethylbenzene	12/01/15	11/30/22	7880	2	.	0	.	ID	NA	N	NA		
		1,2-Dichloropropane	12/01/15	11/30/22	21120	2	.	0	.	ID	NA	N	NA		
		1,2-Dichloroethane	12/01/15	11/30/22	28680	2	.	0	.	ID	NA	N	NA		
		Carbon disulfide	12/01/15	11/30/22	780	2	.	0	.	ID	NA	N	NA		
		Benzene	12/01/15	11/30/22	2870	2	.	0	.	ID	NA	N	NA		
		delta-BHC	12/01/15	11/30/22	2300	3	.	0	.	ID	NA	N	NA		
		3-Methyl-4-chlorophenol	12/01/15	11/30/22	5620	4	.	0	.	LD	NC	N	NC		
		Phenol (single compound)	12/01/15	11/30/22	210	4	.	0	.	LD	NC	N	NC		

Seg ID: 1225 - Waco Lake
AU ID: 1225_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Dimethyl phthalate	12/01/15	11/30/22	8900	4	.	0	.	LD	NC	N	NC		
		Hexachlorocyclopentadiene	12/01/15	11/30/22	202	3	.	0	.	ID	NA	N	NA		
		1,1-Dichloroethylene	12/01/15	11/30/22	11200	2	.	0	.	ID	NA	N	NA		
		Dibromochloromethane	12/01/15	11/30/22	940	2	.	0	.	ID	NA	N	NA		
		tert-Butylbenzene	12/01/15	11/30/22	7260	2	.	0	.	ID	NA	N	NA		
		Parathion (ethyl)	12/01/15	11/30/22	3.7	1	.	0	.	ID	NA	N	NA		
		Methoxychlor	12/01/15	11/30/22	95	3	.	0	.	ID	NA	N	NA		
		Malathion	12/01/15	11/30/22	6.2	2	.	0	.	ID	NA	N	NA		
		Heptachlor	12/01/15	11/30/22	2.74	3	.	0	.	ID	NA	N	NA		
		Methyl methacrylate	12/01/15	11/30/22	56980	2	.	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	12/01/15	11/30/22	4950	4	.	0	.	LD	NC	N	NC		
		Methyl ethyl ketone	12/01/15	11/30/22	154260	2	.	0	.	ID	NA	N	NA		
		Arachlor 1248	12/01/15	11/30/22	1500	4	.	0	.	LD	NC	N	NC		
		Arachlor1260	12/01/15	11/30/22	240	4	.	0	.	LD	NC	N	NC		
		Arachlor 1016	12/01/15	11/30/22	530	4	.	0	.	LD	NC	N	NC		
		Diethyl phthalate	12/01/15	11/30/22	11000	4	.	0	.	LD	NC	N	NC		
		N-Butyl benzyl phthalate	12/01/15	11/30/22	150000	4	.	0	.	LD	NC	N	NC		
		Di-n-octyl phthalate	12/01/15	11/30/22	1100	4	.	0	.	LD	NC	N	NC		
		2,4-Dinitrotoluene	12/01/15	11/30/22	8020	4	.	0	.	LD	NC	N	NC		
		Diazinon	12/01/15	11/30/22	7.3	2	.	0	.	ID	NA	N	NA		
		sec-Butylbenzene	12/01/15	11/30/22	5280	2	.	0	.	ID	NA	N	NA		
		n-Propylbenzene	12/01/15	11/30/22	4350	2	.	0	.	ID	NA	N	NA		
		Endosulfan II (beta)	12/01/15	11/30/22	35	3	.	0	.	ID	NA	N	NA		
		Endosulfan I (alpha)	12/01/15	11/30/22	7.4	3	.	0	.	ID	NA	N	NA		
		p-Cymene	12/01/15	11/30/22	5980	2	.	0	.	ID	NA	N	NA		
		Cumene	12/01/15	11/30/22	53950	2	.	0	.	ID	NA	N	NA		
		N-Butylbenzene	12/01/15	11/30/22	6570	2	.	0	.	ID	NA	N	NA		
		Bis(2-ethylhexyl)phthalate	12/01/15	11/30/22	22000	4	.	0	.	LD	NC	N	NC		
		2-Hexanone	12/01/15	11/30/22	28200	2	.	0	.	ID	NA	N	NA		
		Toxaphene	12/01/15	11/30/22	32	4	.	0	.	LD	NC	N	NC		
		Di-n-butyl phthalate	12/01/15	11/30/22	80000	4	.	0	.	LD	NC	N	NC		
		alpha-BHC	12/01/15	11/30/22	100	3	.	0	.	ID	NA	N	NA		
		beta-BHC	12/01/15	11/30/22	210	4	.	0	.	LD	NC	N	NC		
		Chromium	12/01/15	11/30/22	111	5	.	0	.	LD	NC	N	NC		
		Cadmium	12/01/15	11/30/22	4.98	5	.	0	.	LD	NC	N	NC		
		Iron	12/01/15	11/30/22	40000	4	.	0	.	LD	NC	N	NC		
		Acenaphthene	12/01/15	11/30/22	88.9	4	.	0	.	LD	NC	N	NC		
		Benzo(a)anthracene	12/01/15	11/30/22	1050	4	.	0	.	LD	NC	N	NC		
		Arsenic	12/01/15	11/30/22	33	5	.	0	.	LD	NC	N	NC		
		1,4-Dichlorobenzene	12/01/15	11/30/22	4650	4	.	0	.	LD	NC	N	NC		
		Acrylonitrile	12/01/15	11/30/22	1650	2	.	0	.	ID	NA	N	NA		
		Dibenz(a,h)anthracene	12/01/15	11/30/22	135	4	.	0	.	LD	NC	N	NC		
		Endrin	12/01/15	11/30/22	207	3	.	0	.	ID	NA	N	NA		
		Dieldrin	12/01/15	11/30/22	61.8	2	.	0	.	ID	NA	N	NA		
		Phenanthrene	12/01/15	11/30/22	1170	4	.	0	.	LD	NC	N	NC		
		PCBs	12/01/15	11/30/22	676	4	.	0	.	LD	NC	N	NC		
		Pyrene	12/01/15	11/30/22	1520	4	.	0	.	LD	NC	N	NC		
		Copper	12/01/15	11/30/22	149	5	.	0	.	LD	NC	N	NC		
		Naphthalene	12/01/15	11/30/22	561	4	.	0	.	LD	NC	N	NC		
		Nickel	12/01/15	11/30/22	48.6	5	.	0	.	LD	NC	N	NC		
		Mercury	12/01/15	11/30/22	1.06	4	.	0	.	LD	NC	N	NC		
		Aldrin	12/01/15	11/30/22	80	3	.	0	.	ID	NA	N	NA		
		Manganese	12/01/15	11/30/22	1100	5	.	0	.	LD	NC	N	NC		
		Anthracene	12/01/15	11/30/22	845	4	.	0	.	LD	NC	N	NC		
		Benzo(a)pyrene	12/01/15	11/30/22	1450	4	.	0	.	LD	NC	N	NC		
		Chrysene	12/01/15	11/30/22	1290	4	.	0	.	LD	NC	N	NC		

Seg ID: 1225 - Waco Lake
AU ID: 1225_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Heptachlor epoxide	12/01/15	11/30/22	16	3	.	0	.	ID	NA	N	NA		
		Chloromethane	12/01/15	11/30/22	106800	2	.	0	.	ID	NA	N	NA		
		Hexachlorobenzene (HCB)	12/01/15	11/30/22	240	4	.	0	.	LD	NC	N	NC		
		Hexachlorobutadiene (HCBD)	12/01/15	11/30/22	550	4	.	0	.	LD	NC	N	NC		
		Pentachlorophenol (PCP)	12/01/15	11/30/22	1200	4	.	0	.	LD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/15	11/30/22	332	10	2.38	0	.	AD	FS	N	FS		
		Lead (dissolved)	12/01/15	11/30/22	1.15	9	0.16	0	.	LD	NC	N	NC		
		Mercury	12/01/15	11/30/22	0.01	9	0	0	.	LD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	60	63	19.97	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	60	60	15.14	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	400	71	218.58	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	24	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	24	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	24	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Selenium	12/01/15	11/30/22	50	9	1	0	.	LD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	10	66	0.35	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	63	0.16	0	.	AD	FS	N	FS		
		Cadmium (dissolved)	12/01/15	11/30/22	5	9	0.15	0	.	LD	NC	N	NC		
		Arsenic (dissolved)	12/01/15	11/30/22	10	10	2.69	0	.	AD	FS	N	FS		
		Mercury	12/01/15	11/30/22	0.01	9	0	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/15	11/30/22	332	10	2.38	0	.	AD	FS	N	FS		
		Lead (dissolved)	12/01/15	11/30/22	1.15	9	0.16	0	.	LD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	21	5.42	0	.	AD	FS	N	FS		

Seg ID: 1225A - Hog Creek
AU ID: 1225A_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	24	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	3	24	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	23	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	23	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	22	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	24	.	1	2.24	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	22	38.39	0	.	AD	FS	N	FS		

Seg ID: 1226 - North Bosque River
AU ID: 1226_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/15	11/30/22	5	2	.	0	.	SM	NA	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/15	11/30/22	3	2	.	0	.	SM	NA	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	178	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	178	.	2	4.05	AD	NC	N	NC		
	Fish Community (Regional)	Fish community	12/01/15	11/30/22	41	4	55.75	.	.	TR	FS	N	NA		
	Habitat	Habitat	12/01/15	11/30/22	20	2	22.5	.	.	AD	NC	N	NC		

Seg ID: 1226 - North Bosque River
AU ID: 1226_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/15	11/30/22	29	2	37.44	.	.	AD	FS	N	FS		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	100	88	31.29	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	100	87	33.96	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	540	623	363.71	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	178	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	178	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/15	11/30/22	0.69	186	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	186	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	176	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	183	.	41	36.6	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.8	178	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Selenium	12/01/15	11/30/22	50	6	1.67	0	.	LD	NC	N	NC		
		Cadmium (dissolved)	12/01/15	11/30/22	5	5	0.32	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/15	11/30/22	332	4	2.22	0	.	LD	NC	N	NC		
		Arsenic (dissolved)	12/01/15	11/30/22	10	5	1.84	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/15	11/30/22	1.15	5	0.31	0	.	LD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	10	611	0.29	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	19	0.23	0	.	AD	FS	N	FS		
		Mercury	12/01/15	11/30/22	0.01	6	0	0	.	LD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	104	58.56	0	.	AD	FS	N	FS		

Seg ID: 1226 - North Bosque River
AU ID: 1226_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	139	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	139	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	100	88	31.29	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	100	87	33.96	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	540	623	363.71	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	139	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	139	.	0	.	AD	FS	N	FS		
	Nutrient Enrichment	Algae	12/01/15	11/30/22	.	0	.	.	.	OE	NS	N	NS	Excessive algal growth in water	4a
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	152	.	41	32.95	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	154	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	155	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	145	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.8	139	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Cadmium (dissolved)	12/01/15	11/30/22	5	5	0.32	0	.	LD	NC	N	NC		
		Mercury	12/01/15	11/30/22	0.01	6	0	0	.	LD	NC	N	NC		
		Selenium	12/01/15	11/30/22	50	6	1.67	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/15	11/30/22	1.15	5	0.31	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/15	11/30/22	332	4	2.22	0	.	LD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	10	611	0.29	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	19	0.23	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	12/01/15	11/30/22	10	5	1.84	0	.	LD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	77	26.93	0	.	AD	FS	N	FS		

Seg ID: 1226 - North Bosque River
AU ID: 1226_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Mercury	12/01/15	11/30/22	2.4	6	.	0	.	TR	NC	N	NA		
		Copper (dissolved)	12/01/15	11/30/22	24.43	5	.	0	.	TR	NC	N	NA		
		Chromium (Tri)(dissolved)	12/01/15	11/30/22	913.11	4	.	0	.	TR	NC	N	NA		
		Cadmium (dissolved)	12/01/15	11/30/22	15.02	5	.	0	.	TR	NC	N	NA		
		Arsenic (dissolved)	12/01/15	11/30/22	340	5	.	0	.	TR	NC	N	NA		
		Aluminum (dissolved)	12/01/15	11/30/22	991	5	.	0	.	TR	NC	N	NA		
		Selenium	12/01/15	11/30/22	20	6	.	0	.	TR	NC	N	NA		
		Nickel (dissolved)	12/01/15	11/30/22	762.16	4	.	0	.	TR	NC	N	NA		
		Lead (dissolved)	12/01/15	11/30/22	120.16	5	.	0	.	TR	NC	N	NA		
		Zinc (dissolved)	12/01/15	11/30/22	190.88	5	.	0	.	TR	NC	N	NA		
	Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/15	11/30/22	0.34	5	0.12	0	.	TR	NC	N	NA		
		Nickel (dissolved)	12/01/15	11/30/22	77.4	4	2.22	0	.	TR	NC	N	NA		
		Chromium (Tri)(dissolved)	12/01/15	11/30/22	108.91	4	1.88	0	.	TR	NC	N	NA		
		Zinc (dissolved)	12/01/15	11/30/22	175.93	5	2	0	.	TR	NC	N	NA		
		Arsenic (dissolved)	12/01/15	11/30/22	150	5	1.84	0	.	TR	NC	N	NA		
		Mercury	12/01/15	11/30/22	1.3	6	0	0	.	TR	NC	N	NA		
		Lead (dissolved)	12/01/15	11/30/22	4.18	5	0.31	0	.	TR	NC	N	NA		
		Copper (dissolved)	12/01/15	11/30/22	14.15	5	0.92	0	.	TR	NC	N	NA		
		Selenium	12/01/15	11/30/22	5	6	2.92	0	.	TR	NC	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	159	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	159	.	2	4.65	AD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/15	11/30/22	332	4	2.22	0	.	TR	NC	N	NA		
		Lead (dissolved)	12/01/15	11/30/22	1.15	5	0.31	0	.	TR	NC	N	NA		
		Mercury	12/01/15	11/30/22	0.01	6	0	0	.	TR	NC	N	NA		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	100	88	31.29	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	100	87	33.96	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	540	623	363.71	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	159	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	159	.	0	.	AD	FS	N	FS		
	Nutrient Enrichment	Algae	12/01/15	11/30/22	.	0	.	.	.	OE	NS	N	NS	Excessive algal growth in water	4a
	Nutrient Screening Levels	Total phosphorus	12/01/15	11/30/22	0.69	170	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	172	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	160	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	170	.	58	31.57	AD	CS	N	CS	Chlorophyll-a in water	
	Water Temperature	Water temperature	12/01/15	11/30/22	32.8	159	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nickel (dissolved)	12/01/15	11/30/22	332	4	2.22	0	.	TR	NC	N	NA		
		Mercury	12/01/15	11/30/22	0.01	6	0	0	.	TR	NC	N	NA		
		Selenium	12/01/15	11/30/22	50	6	1.67	0	.	TR	NC	N	NA		
		Fluoride	12/01/15	11/30/22	4	19	0.23	0	.	AD	FS	N	FS		
		Cadmium (dissolved)	12/01/15	11/30/22	5	5	0.32	0	.	TR	NC	N	NA		
		Lead (dissolved)	12/01/15	11/30/22	1.15	5	0.31	0	.	TR	NC	N	NA		
		Nitrate	12/01/15	11/30/22	10	611	0.29	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	12/01/15	11/30/22	10	5	1.84	0	.	TR	NC	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	92	42.22	0	.	AD	FS	N	FS		

Seg ID: 1226 - North Bosque River
AU ID: 1226_04

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	136	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	136	.	1	4.4	AD	NC	N	NC		
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CN	Impaired macrobenthic community in water	
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	100	88	31.29	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	100	87	33.96	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	540	623	363.71	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	136	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	136	.	0	.	AD	FS	N	FS		
	Nutrient Enrichment	Algae	12/01/15	11/30/22	.	0	.	.	.	OE	NS	N	NS	Excessive algal growth in water	4a
	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	150	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	145	.	62	42.56	AD	CS	N	CS	Chlorophyll-a in water	
		Nitrate	12/01/15	11/30/22	1.95	138	.	1	4.13	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	148	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.8	136	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nickel (dissolved)	12/01/15	11/30/22	332	4	2.22	0	.	LD	NC	N	NC		
		Mercury	12/01/15	11/30/22	0.01	6	0	0	.	LD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	10	611	0.29	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	12/01/15	11/30/22	10	5	1.84	0	.	LD	NC	N	NC		
		Cadmium (dissolved)	12/01/15	11/30/22	5	5	0.32	0	.	LD	NC	N	NC		
		Fluoride	12/01/15	11/30/22	4	19	0.23	0	.	AD	FS	N	FS		
		Selenium	12/01/15	11/30/22	50	6	1.67	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/15	11/30/22	1.15	5	0.31	0	.	LD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	73	83.96	0	.	AD	FS	N	FS		

Seg ID: 1226A - Duffau Creek
AU ID: 1226A_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	21	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	21	.	3	4.47	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	22	.	5	29.06	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	22	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	21	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	23	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	21	99.94	0	.	AD	FS	N	FS		

Seg ID: 1226B - Green Creek
AU ID: 1226B_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Continuous Dissolved Oxygen Daily 24hr Average	Continuous dissolved oxygen 24hr	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	NS	Depressed dissolved oxygen in water	5c
	Continuous Dissolved Oxygen Daily 24hr Minimum	Continuous dissolved oxygen 24hr	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	125	.	2	1.1	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	3	125	.	5	2	AD	NC	N	NC		

Seg ID: 1226B - Green Creek
AU ID: 1226B_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	111	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	122	.	1	0.76	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	122	.	34	37.09	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	122	.	1	0.76	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	56	124.59	0	.	AD	FS	N	FS		

Seg ID: 1226C - Meridian Creek
AU ID: 1226C_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	28	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	3	28	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	26	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	25	50.11	0	.	AD	FS	N	FS		

Seg ID: 1226D - Neils Creek
AU ID: 1226D_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	59	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	3	59	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	64	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	64	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	63	.	2	22.9	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	64	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	30	89.94	0	.	AD	FS	N	FS		

Seg ID: 1226E - Indian Creek
AU ID: 1226E_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Chlorophyll-a in water	

Seg ID: 1226F - Sims Creek
AU ID: 1226F_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	1.5	20	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	2	20	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	19	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	19	.	2	18.2	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	18	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	20	.	6	2.87	AD	CS	N	CS	Nitrate in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	630	20	403.83	0	.	AD	FS	N	FS		

Seg ID: 1226G - Spring Creek
AU ID: 1226G_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	NS	Bacteria in water	5b

Seg ID: 1226H - Alarm Creek
AU ID: 1226H_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Chlorophyll-a in water	

Seg ID: 1226K - Little Duffau Creek
AU ID: 1226K_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Total Phosphorus in water	
		Nitrate	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Nitrate in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	NS	Bacteria in water	5c

Seg ID: 1226O - Sims Creek Reservoir
AU ID: 1226O_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Depressed dissolved oxygen in water	

Seg ID: 1227 - Nolan River
AU ID: 1227_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	27	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	4	27	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	75	54	161.75	1	.	AD	NS	N	NS	Sulfate in water	5b
		Chloride	12/01/15	11/30/22	75	52	88.44	1	.	AD	NS	N	NS	Chloride in water	5b
		Total dissolved solids	12/01/15	11/30/22	500	56	596.55	1	.	AD	NS	N	NS	Total dissolved solids in water	5b
	High pH	pH	12/01/15	11/30/22	9	27	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	27	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	26	.	5	30.3	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	25	.	4	1.29	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	26	.	4	1.17	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	26	.	7	3.34	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	35	27	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	26	229.77	1	.	AD	NS	N	NS	Bacteria in water	5c

Seg ID: 1227 - Nolan River
AU ID: 1227_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	28	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	4	28	.	4	3.55	AD	CS	N	CS	Depressed dissolved oxygen in water	

Seg ID: 1227 - Nolan River
AU ID: 1227_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	75	52	88.44	1	.	AD	NS	N	NS	Chloride in water	5b
		Total dissolved solids	12/01/15	11/30/22	500	56	596.55	1	.	AD	NS	N	NS	Total dissolved solids in water	5b
		Sulfate	12/01/15	11/30/22	75	54	161.75	1	.	AD	NS	N	NS	Sulfate in water	5b
	High pH	pH	12/01/15	11/30/22	9	28	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	28	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	26	.	10	4.84	AD	CS	N	CS	Nitrate in water	
		Total phosphorus	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Total Phosphorus in water	
		Chlorophyll-a	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Chlorophyll-a in water	
	Water Temperature	Water temperature	12/01/15	11/30/22	35	28	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	26	161.07	1	.	AD	NS	N	NS	Bacteria in water	5c

Seg ID: 1227A - Buffalo Creek
AU ID: 1227A_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Total phosphorus	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Total Phosphorus in water	
		Nitrate	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Nitrate in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CN	Bacteria in water	

Seg ID: 1228 - Lake Pat Cleburne
AU ID: 1228_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	29	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	29	.	1	3.69	AD	NC	N	NC		
Fish Consumption Use	Bioaccumulative Toxics in fish tissue	Lead	12/01/15	11/30/22	0.6	2	.	0	.	ID	NA	N	NA		
		Heptachlor epoxide	12/01/15	11/30/22	0.01	2	.	0	.	ID	NA	N	NA		
		Heptachlor	12/01/15	11/30/22	0.01	2	.	0	.	ID	NA	N	NA		
		Dieldrin	12/01/15	11/30/22	0	2	.	0	.	ID	NA	N	NA		
		DDT	12/01/15	11/30/22	0.16	2	.	0	.	ID	NA	N	NA		
		DDD	12/01/15	11/30/22	0.23	2	.	0	.	ID	NA	N	NA		
		Copper	12/01/15	11/30/22	250.5	2	.	0	.	ID	NA	N	NA		
		Chromium	12/01/15	11/30/22	5.25	2	.	0	.	ID	NA	N	NA		
		Cadmium	12/01/15	11/30/22	0.18	2	.	1	0.21	ID	NA	N	NA		
		Arsenic	12/01/15	11/30/22	0.04	2	.	0	.	ID	NA	N	NA		
		Endosulfan sulfate	12/01/15	11/30/22	3.5	2	.	0	.	ID	NA	N	NA		
		Endosulfan II (beta)	12/01/15	11/30/22	3.5	2	.	0	.	ID	NA	N	NA		
		Endosulfan I (alpha)	12/01/15	11/30/22	3.5	2	.	0	.	ID	NA	N	NA		
		Endrin	12/01/15	11/30/22	0.53	2	.	0	.	ID	NA	N	NA		
		Toxaphene	12/01/15	11/30/22	0.05	1	.	0	.	ID	NA	N	NA		
		gamma-BHC (Lindane)	12/01/15	11/30/22	0.53	2	.	0	.	ID	NA	N	NA		
		PCBs	12/01/15	11/30/22	0.03	2	.	0	.	ID	NA	N	NA		
		Hexachlorobenzene (HCB)	12/01/15	11/30/22	0.03	2	.	0	.	ID	NA	N	NA		
		Chlordane	12/01/15	11/30/22	0.16	2	.	0	.	ID	NA	N	NA		
		Aldrin	12/01/15	11/30/22	0	2	.	0	.	ID	NA	N	NA		
		Selenium	12/01/15	11/30/22	4.38	2	.	0	.	ID	NA	N	NA		
		Mercury	12/01/15	11/30/22	0.53	2	.	0	.	ID	NA	N	NA		
		Methoxychlor	12/01/15	11/30/22	8.75	2	.	0	.	ID	NA	N	NA		

Seg ID: 1228 - Lake Pat Cleburne
AU ID: 1228_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	100	28	14.68	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	100	27	15.91	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	300	29	187.18	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	29	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	29	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	AD	NS	N	NS	Excessive algal growth in water	5c
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	29	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	27	0.1	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	27	0.17	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	25	4.11	0	.	AD	FS	N	FS		

Seg ID: 1229 - Paluxy River /North Paluxy River
AU ID: 1229_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	28	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	28	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	100	54	42.41	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	50	54	25.6	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	500	54	383.64	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	28	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	28	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	2	.	0	.	ID	NA	N	NA		
		Nitrate	12/01/15	11/30/22	1.95	26	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.8	28	.	1	33.5	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	52	0.11	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	27	0.26	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	26	51.18	0	.	AD	FS	N	FS		

Seg ID: 1229 - Paluxy River /North Paluxy River
AU ID: 1229_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	27	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	27	.	1	3.6	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	100	54	42.41	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	50	54	25.6	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	500	54	383.64	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	26	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	26	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	25	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	25	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	25	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	26	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.8	27	.	0	.	AD	FS	N	FS		

Seg ID: 1229 - Paluxy River /North Paluxy River
AU ID: 1229_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	52	0.11	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	27	0.26	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	25	43.89	0	.	AD	FS	N	FS		

Seg ID: 1229 - Paluxy River /North Paluxy River
AU ID: 1229_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	500	54	383.64	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	100	54	42.41	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	50	54	25.6	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Fluoride	12/01/15	11/30/22	4	27	0.26	0	.	AD	FS	N	FS		
		Nitrate	12/01/15	11/30/22	10	52	0.11	0	.	AD	FS	N	FS		

Seg ID: 1230 - Lake Palo Pinto
AU ID: 1230_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	17	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	17	.	1	3.4	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	100	15	39.47	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	100	15	39.43	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	450	17	293.26	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	17	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	17	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	26.7	16	.	0	.	JQ	NA	N	NA		
		Total phosphorus	12/01/15	11/30/22	0.2	16	.	0	.	JQ	NA	N	NA		
		Ammonia	12/01/15	11/30/22	0.11	16	.	0	.	JQ	NA	N	NA		
		Nitrate	12/01/15	11/30/22	0.37	15	.	0	.	JQ	NA	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	17	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	15	0.12	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	14	0.13	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	15	1.33	0	.	LD	NC	N	NC		

Seg ID: 1231 - Lake Graham
AU ID: 1231_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	16	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	16	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	75	16	21.29	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	200	16	75.52	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	500	16	319.64	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	16	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	16	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	AD	NS	N	NS	Excessive algal growth in water	5c
	Water Temperature	Water temperature	12/01/15	11/30/22	35	16	.	0	.	AD	FS	N	FS		

Seg ID: 1231 - Lake Graham
AU ID: 1231_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	16	0.07	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	16	0.17	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	15	1.75	0	.	LD	NC	N	NC		

Seg ID: 1232 - Clear Fork Brazos River
AU ID: 1232_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	1250	128	751.62	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	2200	127	1028.93	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	4900	146	2615.32	0	.	AD	FS	N	FS		

Seg ID: 1232 - Clear Fork Brazos River
AU ID: 1232_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	79	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	79	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	1250	128	751.62	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	4900	146	2615.32	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	2200	127	1028.93	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	79	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	79	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	75	.	53	57.22	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	80	.	5	0.9	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	74	.	2	0.65	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	80	.	17	4.01	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	79	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	73	34.58	0	.	AD	FS	N	FS		

Seg ID: 1232 - Clear Fork Brazos River
AU ID: 1232_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	27	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	27	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	2200	127	1028.93	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	1250	128	751.62	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	4900	146	2615.32	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	27	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	27	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	25	.	13	48.32	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	27	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	25	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	26	.	4	2.56	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	27	.	0	.	AD	FS	N	FS		

Seg ID: 1232 - Clear Fork Brazos River
AU ID: 1232_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	24	66.17	0	.	AD	FS	N	FS		

Seg ID: 1232 - Clear Fork Brazos River
AU ID: 1232_04

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	38	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	38	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	2200	127	1028.93	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	1250	128	751.62	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	4900	146	2615.32	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	38	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	38	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	35	.	29	70.23	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	37	.	2	1.03	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	36	.	1	0.49	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	36	.	17	7.16	AD	CS	N	CS	Nitrate in water	
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	38	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	34	387.79	1	.	AD	NS	N	NS	Bacteria in water	5c

Seg ID: 1232A - California Creek
AU ID: 1232A_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/15	11/30/22	5	5	.	0	.	SM	NC	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/15	11/30/22	3	5	.	0	.	SM	NC	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	30	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	30	.	2	4.8	AD	NC	N	NC		
	Fish Community (Regional)	Fish community	12/01/15	11/30/22	41	4	37.43	.	.	TR	NS	Y	NS	Impaired fish community in water	5c
	Habitat	Habitat	12/01/15	11/30/22	20	4	23	.	.	AD	NC	N	NC		
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/15	11/30/22	29	4	28.09	.	.	TR	NS	Y	CN	Impaired macrobenthic community in water	
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	26	.	23	126.08	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	29	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	27	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	29	.	12	3.03	AD	CS	N	CS	Nitrate in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	27	155.95	1	.	AD	NS	N	NS	Bacteria in water	5c

Seg ID: 1232B - Deadman Creek
AU ID: 1232B_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Cadmium (dissolved)	12/01/15	11/30/22	26.16	23	.	0	.	AD	FS	N	FS		
		Zinc (dissolved)	12/01/15	11/30/22	309.85	24	.	0	.	AD	FS	N	FS		
		Selenium	12/01/15	11/30/22	20	22	.	0	.	AD	FS	N	FS		
		Nickel (dissolved)	12/01/15	11/30/22	1236.28	24	.	0	.	AD	FS	N	FS		
		Mercury	12/01/15	11/30/22	2.4	18	.	0	.	AD	FS	N	FS		
		Aluminum (dissolved)	12/01/15	11/30/22	991	23	.	0	.	AD	FS	N	FS		
		Lead (dissolved)	12/01/15	11/30/22	219.5	22	.	0	.	AD	FS	N	FS		
		Copper (dissolved)	12/01/15	11/30/22	41.87	22	.	0	.	AD	FS	N	FS		

Seg ID: 1232B - Deadman Creek
AU ID: 1232B_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/15	11/30/22	1458.44	24	.	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	12/01/15	11/30/22	340	22	.	0	.	AD	FS	N	FS		
	Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/15	11/30/22	0.84	23	0.21	0	.	AD	FS	N	FS		
		Zinc (dissolved)	12/01/15	11/30/22	526.96	24	11.09	0	.	AD	FS	N	FS		
		Selenium	12/01/15	11/30/22	5	22	1.86	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	12/01/15	11/30/22	150	22	2.38	0	.	AD	FS	N	FS		
		Nickel (dissolved)	12/01/15	11/30/22	231.44	24	2.7	0	.	AD	FS	N	FS		
		Mercury	12/01/15	11/30/22	1.3	18	0	0	.	AD	FS	N	FS		
		Lead (dissolved)	12/01/15	11/30/22	16.06	22	0.32	0	.	AD	FS	N	FS		
		Copper (dissolved)	12/01/15	11/30/22	42.78	22	1.85	0	.	AD	FS	N	FS		
		Chromium (Tri)(dissolved)	12/01/15	11/30/22	314.48	24	1.83	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	28	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	4	28	.	0	.	AD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/15	11/30/22	38.3	22	0.32	0	.	AD	FS	N	FS		
		Mercury	12/01/15	11/30/22	0.12	18	0	0	.	AD	FS	N	FS		
		Nickel (dissolved)	12/01/15	11/30/22	11400	24	2.7	0	.	AD	FS	N	FS		
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	24	.	2	18.15	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	27	.	15	1.61	AD	CS	N	CS	Total Phosphorus in water	
		Ammonia	12/01/15	11/30/22	0.33	26	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	27	.	27	10.6	AD	CS	N	CS	Nitrate in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	25	49.4	0	.	AD	FS	N	FS		

Seg ID: 1232B - Deadman Creek
AU ID: 1232B_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Fish Consumption Use	HH Bioaccumulative Toxics in water	Lead (dissolved)	12/01/15	11/30/22	38.3	22	0.32	0	.	AD	FS	N	FS		
		Mercury	12/01/15	11/30/22	0.12	18	0	0	.	AD	FS	N	FS		
		Nickel (dissolved)	12/01/15	11/30/22	11400	24	2.7	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CN	Bacteria in water	

Seg ID: 1232D - Lake Daniel
AU ID: 1232D_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Zinc (dissolved)	12/01/15	11/30/22	172.55	5	.	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/15	11/30/22	689.06	4	.	0	.	LD	NC	N	NC		
		Mercury	12/01/15	11/30/22	2.4	4	.	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/15	11/30/22	105.79	4	.	0	.	LD	NC	N	NC		
		Chromium (Tri)(dissolved)	12/01/15	11/30/22	828.2	5	.	0	.	LD	NC	N	NC		
		Cadmium (dissolved)	12/01/15	11/30/22	13.38	4	.	0	.	LD	NC	N	NC		
		Aluminum (dissolved)	12/01/15	11/30/22	991	5	.	0	.	LD	NC	N	NC		
		Arsenic (dissolved)	12/01/15	11/30/22	340	4	.	0	.	LD	NC	N	NC		
		Selenium	12/01/15	11/30/22	20	3	.	0	.	ID	NA	N	NA		
		Copper (dissolved)	12/01/15	11/30/22	21.84	4	.	0	.	LD	NC	N	NC		
	Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/15	11/30/22	0.84	4	0.23	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/15	11/30/22	16.06	4	0.18	0	.	LD	NC	N	NC		
		Copper (dissolved)	12/01/15	11/30/22	42.78	4	1.36	0	.	LD	NC	N	NC		
		Chromium (Tri)(dissolved)	12/01/15	11/30/22	314.48	5	2	0	.	LD	NC	N	NC		
		Zinc (dissolved)	12/01/15	11/30/22	526.96	5	3.29	0	.	LD	NC	N	NC		

Seg ID: 1232D - Lake Daniel
AU ID: 1232D_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Chronic Toxic Substances in water	Selenium	12/01/15	11/30/22	5	3	1	0	.	ID	NA	N	NA		
		Nickel (dissolved)	12/01/15	11/30/22	231.44	4	3.2	0	.	LD	NC	N	NC		
		Mercury	12/01/15	11/30/22	1.3	4	0	0	.	LD	NC	N	NC		
		Arsenic (dissolved)	12/01/15	11/30/22	150	4	4.38	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	22	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	22	.	1	4.65	AD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/15	11/30/22	332	4	3.2	0	.	LD	NC	N	NC		
		Mercury	12/01/15	11/30/22	0.01	4	0	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/15	11/30/22	1.15	4	0.18	0	.	LD	NC	N	NC		
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	26.7	20	.	3	33.9	JQ	NA	N	NA		
		Total phosphorus	12/01/15	11/30/22	0.2	21	.	0	.	JQ	NA	N	NA		
		Ammonia	12/01/15	11/30/22	0.11	21	.	0	.	JQ	NA	N	NA		
		Nitrate	12/01/15	11/30/22	0.37	22	.	1	0.38	JQ	NA	N	NA		
Public Water Supply Use	Surface Water HH criteria for PWS average	Selenium	12/01/15	11/30/22	50	3	1.83	0	.	ID	NA	N	NA		
		Nitrate	12/01/15	11/30/22	10	22	0.07	0	.	AD	FS	N	FS		
		Lead (dissolved)	12/01/15	11/30/22	1.15	4	0.18	0	.	LD	NC	N	NC		
		Fluoride	12/01/15	11/30/22	4	21	0.12	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	12/01/15	11/30/22	10	4	2.5	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/15	11/30/22	332	4	3.2	0	.	LD	NC	N	NC		
		Mercury	12/01/15	11/30/22	0.01	4	0	0	.	LD	NC	N	NC		
		Cadmium (dissolved)	12/01/15	11/30/22	5	4	0.25	0	.	LD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	10/05/15	11/30/22	126	20	1.67	0	.	AD	FS	N	FS		

Seg ID: 1233 - Hubbard Creek Reservoir
AU ID: 1233_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	20	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	20	.	2	4.64	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	150	19	40.73	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	350	19	101.73	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	900	20	431.83	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	20	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	20	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	AD	FS	N	FS		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	20	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	19	0.04	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	19	0.16	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	06/24/14	11/30/22	126	20	0.84	0	.	AD	FS	N	FS		

Seg ID: 1233 - Hubbard Creek Reservoir
AU ID: 1233_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	900	20	431.83	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	150	19	40.73	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	350	19	101.73	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Fluoride	12/01/15	11/30/22	4	19	0.16	0	.	AD	FS	N	FS		
		Nitrate	12/01/15	11/30/22	10	19	0.04	0	.	AD	FS	N	FS		

Seg ID: 1233 - Hubbard Creek Reservoir
AU ID: 1233_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	350	19	101.73	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	150	19	40.73	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	900	20	431.83	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Fluoride	12/01/15	11/30/22	4	19	0.16	0	.	AD	FS	N	FS		
		Nitrate	12/01/15	11/30/22	10	19	0.04	0	.	AD	FS	N	FS		

Seg ID: 1233A - Big Sandy Creek
AU ID: 1233A_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	28	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	3	28	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	26	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	26	.	14	33.27	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	28	.	1	1.96	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	27	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	24	58.61	0	.	AD	FS	N	FS		

Seg ID: 1234 - Lake Cisco
AU ID: 1234_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	19	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	19	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	75	18	37.03	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	75	18	15.34	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	350	19	211.35	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	19	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	19	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	AD	FS	N	FS		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	19	.	0	.	AD	FS	N	FS		

Seg ID: 1234 - Lake Cisco
AU ID: 1234_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	19	0.07	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	18	0.16	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	01/14/15	11/30/22	126	20	1.58	0	.	AD	FS	N	FS		

Seg ID: 1235 - Lake Stamford
AU ID: 1235_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	17	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	17	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	400	17	89.09	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	580	17	125.18	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	2100	17	573.34	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	17	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	17	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	AD	FS	N	FS		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	17	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	17	0.08	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	17	0.21	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	08/21/13	11/30/22	126	20	3.07	0	.	AD	FS	N	FS		

Seg ID: 1236 - Fort Phantom Hill Reservoir
AU ID: 1236_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	23	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	23	.	1	4.66	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	150	23	38.86	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	130	22	74.89	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	550	23	389.32	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	23	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	23	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	0.37	23	.	1	0.39	JQ	NA	N	NA		
		Chlorophyll-a	12/01/15	11/30/22	26.7	22	.	6	38.15	JQ	NA	N	NA		
		Total phosphorus	12/01/15	11/30/22	0.2	23	.	0	.	JQ	NA	N	NA		
		Ammonia	12/01/15	11/30/22	0.11	23	.	0	.	JQ	NA	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	23	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	23	0.06	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	22	0.19	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	20	1.76	0	.	AD	FS	N	FS		

Seg ID: 1236B - Kirby Lake
AU ID: 1236B_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Arsenic (dissolved)	12/01/15	11/30/22	340	14	.	0	.	AD	FS	N	FS		
		Mercury	12/01/15	11/30/22	2.4	13	.	0	.	AD	FS	N	FS		
		Lead (dissolved)	12/01/15	11/30/22	142.57	13	.	0	.	AD	FS	N	FS		
		Chromium (Tri)(dissolved)	12/01/15	11/30/22	1041.59	14	.	0	.	AD	FS	N	FS		
		Cadmium (dissolved)	12/01/15	11/30/22	17.55	14	.	0	.	AD	FS	N	FS		
		Zinc (dissolved)	12/01/15	11/30/22	218.73	14	.	0	.	AD	FS	N	FS		
		Selenium	12/01/15	11/30/22	20	14	.	0	.	AD	FS	N	FS		
		Nickel (dissolved)	12/01/15	11/30/22	873.18	14	.	0	.	AD	FS	N	FS		
		Aluminum (dissolved)	12/01/15	11/30/22	991	14	.	0	.	AD	FS	N	FS		
		Copper (dissolved)	12/01/15	11/30/22	28.43	14	.	0	.	AD	FS	N	FS		
	Chronic Toxic Substances in water	Selenium	12/01/15	11/30/22	5	14	1.95	0	.	AD	FS	N	FS		
		Nickel (dissolved)	12/01/15	11/30/22	77.4	14	2.56	0	.	AD	FS	N	FS		
		Mercury	12/01/15	11/30/22	1.3	13	0	0	.	AD	FS	N	FS		
		Lead (dissolved)	12/01/15	11/30/22	4.18	13	0.19	0	.	AD	FS	N	FS		
		Copper (dissolved)	12/01/15	11/30/22	14.15	14	0.83	0	.	AD	FS	N	FS		
		Chromium (Tri)(dissolved)	12/01/15	11/30/22	108.91	14	1.89	0	.	AD	FS	N	FS		
		Arsenic (dissolved)	12/01/15	11/30/22	150	14	2.61	0	.	AD	FS	N	FS		
		Cadmium (dissolved)	12/01/15	11/30/22	0.34	14	0.09	0	.	AD	FS	N	FS		
		Zinc (dissolved)	12/01/15	11/30/22	175.93	14	2.04	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	17	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	17	.	1	4.28	AD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Mercury	12/01/15	11/30/22	0.01	13	0	0	.	AD	FS	N	FS		
		Lead (dissolved)	12/01/15	11/30/22	3.83	13	0.19	0	.	AD	FS	N	FS		
		Nickel (dissolved)	12/01/15	11/30/22	1140	14	2.56	0	.	AD	FS	N	FS		
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	26.7	15	.	15	118.7	JQ	NA	N	NA		
		Total phosphorus	12/01/15	11/30/22	0.2	17	.	5	0.26	JQ	NA	N	NA		
		Ammonia	12/01/15	11/30/22	0.11	16	.	4	0.21	JQ	NA	N	NA		
		Nitrate	12/01/15	11/30/22	0.37	17	.	3	0.92	JQ	NA	N	NA		
Recreation Use	Bacteria Geomean	E. coli	02/13/13	11/30/22	126	20	5.51	0	.	AD	FS	N	FS		

Seg ID: 1237 - Lake Sweetwater
AU ID: 1237_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Chromium (Tri)(dissolved)	12/01/15	11/30/22	3834.53	6	.	0	.	LD	NC	N	NC		
		Zinc (dissolved)	12/01/15	11/30/22	842.33	6	.	0	.	LD	NC	N	NC		
		Selenium	12/01/15	11/30/22	20	7	.	0	.	LD	NC	N	NC		
		Cadmium (dissolved)	12/01/15	11/30/22	82.05	6	.	0	.	LD	NC	N	NC		
		Aluminum (dissolved)	12/01/15	11/30/22	991	6	.	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/15	11/30/22	3355.67	6	.	0	.	LD	NC	N	NC		
		Mercury	12/01/15	11/30/22	2.4	4	.	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/15	11/30/22	624.42	5	.	0	.	LD	NC	N	NC		
		Copper (dissolved)	12/01/15	11/30/22	127.33	6	.	0	.	LD	NC	N	NC		
		Arsenic (dissolved)	12/01/15	11/30/22	340	6	.	0	.	LD	NC	N	NC		
	Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/15	11/30/22	0.28	6	0.11	0	.	LD	NC	N	NC		
		Copper (dissolved)	12/01/15	11/30/22	11.07	6	1.9	0	.	LD	NC	N	NC		
		Chromium (Tri)(dissolved)	12/01/15	11/30/22	86.05	6	1.96	0	.	LD	NC	N	NC		
		Selenium	12/01/15	11/30/22	5	7	2	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/15	11/30/22	60.68	6	2.55	0	.	LD	NC	N	NC		
		Mercury	12/01/15	11/30/22	1.3	4	0	0	.	LD	NC	N	NC		
		Arsenic (dissolved)	12/01/15	11/30/22	150	6	6.27	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/15	11/30/22	3.07	5	0.36	0	.	LD	NC	N	NC		

Seg ID: 1237 - Lake Sweetwater
AU ID: 1237_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Chronic Toxic Substances in water	Zinc (dissolved)	12/01/15	11/30/22	137.87	6	2.61	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	22	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	22	.	0	.	AD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Mercury	12/01/15	11/30/22	0.01	4	0	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/15	11/30/22	1.15	5	0.36	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/15	11/30/22	332	6	2.55	0	.	LD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	730	20	1341.93	1	.	AD	NS	N	NS	Total dissolved solids in water	5c
		Sulfate	12/01/15	11/30/22	225	19	317.42	1	.	AD	NS	N	NS	Sulfate in water	5c
		Chloride	12/01/15	11/30/22	250	18	344.44	1	.	AD	NS	N	NS	Chloride in water	5c
	High pH	pH	12/01/15	11/30/22	9	22	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	22	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	22	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Mercury	12/01/15	11/30/22	0.01	4	0	0	.	LD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	10	22	0.05	0	.	AD	FS	N	FS		
		Lead (dissolved)	12/01/15	11/30/22	1.15	5	0.36	0	.	LD	NC	N	NC		
		Fluoride	12/01/15	11/30/22	4	21	0.37	0	.	AD	FS	N	FS		
		Cadmium (dissolved)	12/01/15	11/30/22	5	6	0.35	0	.	LD	NC	N	NC		
		Arsenic (dissolved)	12/01/15	11/30/22	10	6	5.02	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/15	11/30/22	332	6	2.55	0	.	LD	NC	N	NC		
		Selenium	12/01/15	11/30/22	50	7	1.29	0	.	LD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	08/12/15	11/30/22	126	20	2.49	0	.	AD	FS	N	FS		

Seg ID: 1238 - Salt Fork Brazos River
AU ID: 1238_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	27	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	27	.	2	4.9	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	4000	52	2957.63	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	23000	52	23273.94	1	.	AD	NS	N	NS	Chloride in water	5c
		Total dissolved solids	12/01/15	11/30/22	40000	55	36108.09	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	27	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	27	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/15	11/30/22	0.69	26	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	26	.	5	0.51	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	28	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	26	.	2	25.55	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	27	.	3	35.6	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/15	11/30/22	33	23	26.29	0	.	AD	FS	N	FS		

Seg ID: 1238 - Salt Fork Brazos River
AU ID: 1238_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	4000	52	2957.63	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	23000	52	23273.94	1	.	AD	NS	N	NS	Chloride in water	5c
		Total dissolved solids	12/01/15	11/30/22	40000	55	36108.09	0	.	AD	FS	N	FS		

Seg ID: 1238 - Salt Fork Brazos River
AU ID: 1238_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	28	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	28	.	1	4.3	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	4000	52	2957.63	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	23000	52	23273.94	1	.	AD	NS	N	NS	Chloride in water	5c
		Total dissolved solids	12/01/15	11/30/22	40000	55	36108.09	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	28	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	28	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	27	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	27	.	5	23.98	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	28	.	1	2.92	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	26	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	28	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/15	11/30/22	33	27	84.63	1	.	AD	NS	N	NS	Bacteria in water	5c

Seg ID: 1238A - Croton Creek
AU ID: 1238A_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CN	Bacteria in water	

Seg ID: 1238B - Duck Creek
AU ID: 1238B_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	26	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	3	26	.	1	2	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	23	.	4	42.03	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	26	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	26	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	25	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/15	11/30/22	33	25	166.68	1	.	AD	NS	N	NS	Bacteria in water	5b

Seg ID: 1240 - White River Lake
AU ID: 1240_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	29	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	29	.	0	.	AD	NC	N	NC		

Seg ID: 1240 - White River Lake
AU ID: 1240_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	100	28	67.06	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	150	28	181.87	1	.	AD	NS	N	NS	Chloride in water	5b
		Total dissolved solids	12/01/15	11/30/22	650	29	787.91	1	.	AD	NS	N	NS	Total dissolved solids in water	5b
	High pH	pH	12/01/15	11/30/22	9	29	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	29	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	AD	FS	N	FS		
	Water Temperature	Water temperature	12/01/15	11/30/22	31.7	29	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	28	0.05	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	28	1.68	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	27	1.61	0	.	AD	FS	N	FS		

Seg ID: 1241 - Double Mountain Fork Brazos River
AU ID: 1241_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	28	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	28	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	2400	27	878.59	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	2500	27	1073.41	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	5500	28	3054.77	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	28	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	28	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	25	.	16	40.17	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	28	.	3	3.03	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	26	.	1	0.6	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	27	.	1	2.24	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	35	28	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	Enterococcus	12/01/15	11/30/22	33	25	68.49	1	.	AD	NS	N	NS	Bacteria in water	5c

Seg ID: 1241 - Double Mountain Fork Brazos River
AU ID: 1241_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	2500	27	1073.41	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	2400	27	878.59	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	5500	28	3054.77	0	.	AD	FS	N	FS		

Seg ID: 1241A - North Fork Double Mountain Fork Brazos River
AU ID: 1241A_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	85	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	3	85	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	82	.	30	3.37	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/15	11/30/22	14.1	71	.	57	59.96	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	79	.	5	3.14	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	73	.	6	0.5	AD	NC	N	NC		

Seg ID: 1241A - North Fork Double Mountain Fork Brazos River
AU ID: 1241A_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	76	137.99	1	.	AD	CN	N	CN	Bacteria in water	

Seg ID: 1241A - North Fork Double Mountain Fork Brazos River
AU ID: 1241A_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	29	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	29	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	24	.	12	1.59	AD	CS	N	CS	Ammonia in water	
		Chlorophyll-a	12/01/15	11/30/22	14.1	24	.	20	43.78	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	26	.	2	0.9	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	28	.	18	5.83	AD	CS	N	CS	Nitrate in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	25	306.01	1	.	AD	NS	N	NS	Bacteria in water	5c

Seg ID: 1241B - Lake Alan Henry
AU ID: 1241B_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	17	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	17	.	0	.	AD	NC	N	NC		
Fish Consumption Use	DSHS Limited Consumption Advisory	Mercury	12/01/15	11/30/22	.	0	.	.	.	OE	NS	N	NS	Mercury in edible tissue	5c
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.11	14	.	0	.	JQ	NA	N	NA		
		Chlorophyll-a	12/01/15	11/30/22	26.7	12	.	0	.	JQ	NA	N	NA		
		Total phosphorus	12/01/15	11/30/22	0.2	14	.	1	1.3	JQ	NA	N	NA		
		Nitrate	12/01/15	11/30/22	0.37	15	.	0	.	JQ	NA	N	NA		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	15	0.03	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	16	1.07	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	01/30/13	11/30/22	126	20	0.86	0	.	AD	FS	N	FS		

Seg ID: 1241C - Buffalo Springs Lake
AU ID: 1241C_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	17	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	17	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.11	14	.	3	0.28	JQ	NA	N	NA		
		Chlorophyll-a	12/01/15	11/30/22	26.7	13	.	10	73.47	JQ	NA	N	NA		
		Total phosphorus	12/01/15	11/30/22	0.2	15	.	1	0.21	JQ	NA	N	NA		
		Nitrate	12/01/15	11/30/22	0.37	16	.	8	1.27	JQ	NA	N	NA		
Recreation Use	Bacteria Geomean	E. coli	01/30/13	11/30/22	126	20	1.54	0	.	AD	FS	N	FS		

Seg ID: 1242 - Brazos River Above Navasota River
AU ID: 1242_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/15	11/30/22	5	9	.	0	.	SM	NC	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/15	11/30/22	3	9	.	0	.	SM	NC	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	87	.	2	2.75	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	87	.	2	2.75	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	200	347	77.75	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	350	348	119.07	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	1000	371	522.32	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	88	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	88	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	87	.	66	76.57	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	88	.	4	0.93	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	86	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	83	.	6	2.37	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	35	88	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	335	0.85	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	45	0.22	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	76	66.43	0	.	AD	FS	N	FS		

Seg ID: 1242 - Brazos River Above Navasota River
AU ID: 1242_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/15	11/30/22	5	12	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/15	11/30/22	3	12	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	88	.	0	.	SM	FS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	88	.	0	.	SM	NC	N	NA		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	200	347	77.75	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	350	348	119.07	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	1000	371	522.32	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	88	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	88	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	91	.	66	58	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	88	.	8	1.13	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	88	.	1	0.37	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	86	.	17	2.7	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	35	88	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	335	0.85	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	45	0.22	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	77	64.86	0	.	AD	FS	N	FS		

Seg ID: 1242 - Brazos River Above Navasota River
AU ID: 1242_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	200	347	77.75	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	350	348	119.07	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	1000	371	522.32	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Fluoride	12/01/15	11/30/22	4	45	0.22	0	.	AD	FS	N	FS		
		Nitrate	12/01/15	11/30/22	10	335	0.85	0	.	AD	FS	N	FS		

Seg ID: 1242 - Brazos River Above Navasota River
AU ID: 1242_04

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	71	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	71	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	350	348	119.07	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	1000	371	522.32	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	200	347	77.75	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	71	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	71	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	76	.	60	64.75	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	75	.	1	0.94	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	72	.	4	2.64	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	75	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	35	71	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	335	0.85	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	45	0.22	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	75	63.61	0	.	AD	FS	N	FS		

Seg ID: 1242 - Brazos River Above Navasota River
AU ID: 1242_05

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	22	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	22	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	200	347	77.75	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	350	348	119.07	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	1000	371	522.32	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	22	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	22	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	18	.	10	33.75	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	22	.	2	1.06	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	21	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	20	.	8	3.3	AD	CS	N	CS	Nitrate in water	
	Water Temperature	Water temperature	12/01/15	11/30/22	35	22	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	335	0.85	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	45	0.22	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	05/18/15	11/30/22	126	20	40.99	0	.	AD	FS	N	FS		

Seg ID: 1242 - Brazos River Above Navasota River
AU ID: 1242_06

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	70	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	70	.	1	3.2	AD	NC	N	NC		
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	350	348	119.07	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	200	347	77.75	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	1000	371	522.32	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	70	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	70	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	78	.	35	26.48	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/15	11/30/22	0.33	77	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	74	.	2	2.93	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	77	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	35	70	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Fluoride	12/01/15	11/30/22	4	45	0.22	0	.	AD	FS	N	FS		
		Nitrate	12/01/15	11/30/22	10	335	0.85	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	77	132.11	1	.	AD	CN	N	CN	Bacteria in water	

Seg ID: 1242A - Marlin City Lake System
AU ID: 1242A_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Zinc (dissolved)	12/01/15	11/30/22	129.78	9	.	0	.	LD	NC	N	NC		
		Selenium	12/01/15	11/30/22	20	8	.	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/15	11/30/22	518.5	9	.	0	.	LD	NC	N	NC		
		Mercury	12/01/15	11/30/22	2.4	8	.	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/15	11/30/22	73.62	9	.	0	.	LD	NC	N	NC		
		Copper (dissolved)	12/01/15	11/30/22	15.91	8	.	0	.	LD	NC	N	NC		
		Chromium (Tri)(dissolved)	12/01/15	11/30/22	628.88	8	.	0	.	LD	NC	N	NC		
		Cadmium (dissolved)	12/01/15	11/30/22	9.65	9	.	0	.	LD	NC	N	NC		
		Arsenic (dissolved)	12/01/15	11/30/22	340	9	.	0	.	LD	NC	N	NC		
		Aluminum (dissolved)	12/01/15	11/30/22	991	9	.	0	.	LD	NC	N	NC		
	Chronic Toxic Substances in water	Zinc (dissolved)	12/01/15	11/30/22	231.31	9	2	0	.	LD	NC	N	NC		
		Selenium	12/01/15	11/30/22	5	8	1.91	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/15	11/30/22	101.72	9	2.22	0	.	LD	NC	N	NC		
		Mercury	12/01/15	11/30/22	1.3	8	0	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/15	11/30/22	5.9	9	0.18	0	.	LD	NC	N	NC		
		Copper (dissolved)	12/01/15	11/30/22	18.65	8	0.86	0	.	LD	NC	N	NC		
		Chromium (Tri)(dissolved)	12/01/15	11/30/22	141.89	8	1.81	0	.	LD	NC	N	NC		
		Arsenic (dissolved)	12/01/15	11/30/22	150	9	2.77	0	.	LD	NC	N	NC		
		Cadmium (dissolved)	12/01/15	11/30/22	0.43	9	0.1	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	23	.	1	1.83	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	23	.	3	3.5	AD	NC	N	NC		
	Toxic Substances in sediment	Toluene	12/01/15	11/30/22	20290	6	.	0	.	LD	NC	N	NC		
		Methyl bromide	12/01/15	11/30/22	460	2	.	0	.	ID	NA	N	NA		
		4-Methyl-2-Pentanone (MIBK)	12/01/15	11/30/22	116590	6	.	0	.	LD	NC	N	NC		
		Ethylbenzene	12/01/15	11/30/22	7880	6	.	0	.	LD	NC	N	NC		
		1,2-Dichloropropane	12/01/15	11/30/22	21120	6	.	0	.	LD	NC	N	NC		
		1,2-Dichloroethane	12/01/15	11/30/22	28680	6	.	0	.	LD	NC	N	NC		
		Carbon disulfide	12/01/15	11/30/22	780	6	.	0	.	LD	NC	N	NC		
		Benzene	12/01/15	11/30/22	2870	6	.	0	.	LD	NC	N	NC		
		Acetone	12/01/15	11/30/22	360180	4	.	0	.	LD	NC	N	NC		
		Di-n-butyl phthalate	12/01/15	11/30/22	80000	12	.	0	.	AD	NC	N	NC		
		Toxaphene	12/01/15	11/30/22	32	12	.	0	.	AD	NC	N	NC		

Seg ID: 1242A - Marlin City Lake System
AU ID: 1242A_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Trichloroethene	12/01/15	11/30/22	13690	6	.	0	.	LD	NC	N	NC		
		Pyrene	12/01/15	11/30/22	1520	12	.	0	.	AD	NC	N	NC		
		Phenanthrene	12/01/15	11/30/22	1170	12	.	0	.	AD	NC	N	NC		
		PCBs	12/01/15	11/30/22	676	10	.	0	.	AD	NC	N	NC		
		Naphthalene	12/01/15	11/30/22	561	12	.	0	.	AD	NC	N	NC		
		Fluoranthene	12/01/15	11/30/22	2230	11	.	0	.	AD	NC	N	NC		
		Endrin	12/01/15	11/30/22	207	11	.	0	.	AD	NC	N	NC		
		Dieldrin	12/01/15	11/30/22	61.8	12	.	0	.	AD	NC	N	NC		
		Dibenz(a,h)anthracene	12/01/15	11/30/22	135	12	.	0	.	AD	NC	N	NC		
		DDT	12/01/15	11/30/22	62.9	8	.	0	.	LD	NC	N	NC		
		DDE	12/01/15	11/30/22	31.3	12	.	0	.	AD	NC	N	NC		
		DDD	12/01/15	11/30/22	28	9	.	0	.	LD	NC	N	NC		
		Chrysene	12/01/15	11/30/22	1290	12	.	0	.	AD	NC	N	NC		
		Chloromethane	12/01/15	11/30/22	106800	6	.	0	.	LD	NC	N	NC		
		Chlordane	12/01/15	11/30/22	17.6	9	.	0	.	LD	NC	N	NC		
		Benzo(a)pyrene	12/01/15	11/30/22	1450	12	.	0	.	AD	NC	N	NC		
		Anthracene	12/01/15	11/30/22	845	12	.	0	.	AD	NC	N	NC		
		Aldrin	12/01/15	11/30/22	80	11	.	0	.	AD	NC	N	NC		
		Acrylonitrile	12/01/15	11/30/22	1650	6	.	0	.	LD	NC	N	NC		
		Acenaphthylene	12/01/15	11/30/22	128	11	.	0	.	AD	NC	N	NC		
		Acenaphthene	12/01/15	11/30/22	88.9	12	.	0	.	AD	NC	N	NC		
		1,4-Dichlorobenzene	12/01/15	11/30/22	4650	12	.	0	.	AD	NC	N	NC		
		Iron	12/01/15	11/30/22	40000	10	.	0	.	AD	NC	N	NC		
		Zinc	12/01/15	11/30/22	459	11	.	0	.	AD	NC	N	NC		
		Silver	12/01/15	11/30/22	1.7	11	.	0	.	AD	NC	N	NC		
		Nickel	12/01/15	11/30/22	48.6	11	.	0	.	AD	NC	N	NC		
		Mercury	12/01/15	11/30/22	1.06	11	.	0	.	AD	NC	N	NC		
		Manganese	12/01/15	11/30/22	1100	10	.	0	.	AD	NC	N	NC		
		Lead	12/01/15	11/30/22	128	11	.	0	.	AD	NC	N	NC		
		Diethyl phthalate	12/01/15	11/30/22	11000	12	.	0	.	AD	NC	N	NC		
		N-Butyl benzyl phthalate	12/01/15	11/30/22	150000	12	.	0	.	AD	NC	N	NC		
		Di-n-octyl phthalate	12/01/15	11/30/22	1100	12	.	0	.	AD	NC	N	NC		
		2,4-Dinitrotoluene	12/01/15	11/30/22	8020	11	.	0	.	AD	NC	N	NC		
		Diazinon	12/01/15	11/30/22	7.3	9	.	0	.	LD	NC	N	NC		
		delta-BHC	12/01/15	11/30/22	2300	9	.	0	.	LD	NC	N	NC		
		3-Methyl-4-chlorophenol	12/01/15	11/30/22	5620	12	.	0	.	AD	NC	N	NC		
		Phenol (single compound)	12/01/15	11/30/22	210	12	.	0	.	AD	NC	N	NC		
		Dimethyl phthalate	12/01/15	11/30/22	8900	12	.	0	.	AD	NC	N	NC		
		Hexachlorocyclopentadiene	12/01/15	11/30/22	202	11	.	0	.	AD	NC	N	NC		
		1,1-Dichloroethylene	12/01/15	11/30/22	11200	6	.	0	.	LD	NC	N	NC		
		Dibromochloromethane	12/01/15	11/30/22	940	6	.	0	.	LD	NC	N	NC		
		tert-Butylbenzene	12/01/15	11/30/22	7260	2	.	0	.	ID	NA	N	NA		
		Parathion (ethyl)	12/01/15	11/30/22	3.7	11	.	0	.	AD	NC	N	NC		
		Methoxychlor	12/01/15	11/30/22	95	8	.	0	.	LD	NC	N	NC		
		Malathion	12/01/15	11/30/22	6.2	9	.	0	.	LD	NC	N	NC		
		Heptachlor	12/01/15	11/30/22	2.74	10	.	0	.	AD	NC	N	NC		
		Methyl methacrylate	12/01/15	11/30/22	56980	2	.	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	12/01/15	11/30/22	4950	12	.	0	.	AD	NC	N	NC		
		Methyl ethyl ketone	12/01/15	11/30/22	154260	2	.	0	.	ID	NA	N	NA		
		Arachlor 1248	12/01/15	11/30/22	1500	12	.	0	.	AD	NC	N	NC		
		Arachlor1260	12/01/15	11/30/22	240	11	.	0	.	AD	NC	N	NC		
		Arachlor 1016	12/01/15	11/30/22	530	11	.	0	.	AD	NC	N	NC		
		sec-Butylbenzene	12/01/15	11/30/22	5280	2	.	0	.	ID	NA	N	NA		
		Methylene chloride	12/01/15	11/30/22	46520	6	.	0	.	LD	NC	N	NC		
		1,2-Dichloroethene (trans)	12/01/15	11/30/22	71840	6	.	0	.	LD	NC	N	NC		
		1,1-Dichloroethane	12/01/15	11/30/22	13890	6	.	0	.	LD	NC	N	NC		

Seg ID: 1242A - Marlin City Lake System
AU ID: 1242A_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	Dichlorodifluoromethane	12/01/15	11/30/22	22090	5	.	0	.	LD	NC	N	NC		
		Chlorobenzene	12/01/15	11/30/22	3000	6	.	0	.	LD	NC	N	NC		
		Carbon tetrachloride	12/01/15	11/30/22	21000	6	.	0	.	LD	NC	N	NC		
		gamma-BHC (Lindane)	12/01/15	11/30/22	4.99	8	.	0	.	LD	NC	N	NC		
		beta-BHC	12/01/15	11/30/22	210	11	.	0	.	AD	NC	N	NC		
		alpha-BHC	12/01/15	11/30/22	100	8	.	0	.	LD	NC	N	NC		
		Benzo(a)anthracene	12/01/15	11/30/22	1050	12	.	0	.	AD	NC	N	NC		
		1,3-Dichlorobenzene	12/01/15	11/30/22	350	12	.	0	.	AD	NC	N	NC		
		Hexachloroethane	12/01/15	11/30/22	3945	12	.	0	.	AD	NC	N	NC		
		Hexachlorobutadiene (HCBD)	12/01/15	11/30/22	550	12	.	0	.	AD	NC	N	NC		
		Hexachlorobenzene (HCB)	12/01/15	11/30/22	240	12	.	0	.	AD	NC	N	NC		
		Heptachlor epoxide	12/01/15	11/30/22	16	10	.	0	.	AD	NC	N	NC		
		Fluorene	12/01/15	11/30/22	536	12	.	0	.	AD	NC	N	NC		
		Copper	12/01/15	11/30/22	149	11	.	0	.	AD	NC	N	NC		
		Chromium	12/01/15	11/30/22	111	10	.	0	.	AD	NC	N	NC		
		Cadmium	12/01/15	11/30/22	4.98	11	.	0	.	AD	NC	N	NC		
		Arsenic	12/01/15	11/30/22	33	11	.	0	.	AD	NC	N	NC		
		n-Propylbenzene	12/01/15	11/30/22	4350	2	.	0	.	ID	NA	N	NA		
		Pentachlorophenol (PCP)	12/01/15	11/30/22	1200	11	.	0	.	AD	NC	N	NC		
		Endosulfan II (beta)	12/01/15	11/30/22	35	8	.	0	.	LD	NC	N	NC		
		Endosulfan I (alpha)	12/01/15	11/30/22	7.4	10	.	0	.	AD	NC	N	NC		
		p-Cymene	12/01/15	11/30/22	5980	2	.	0	.	ID	NA	N	NA		
		Cumene	12/01/15	11/30/22	53950	2	.	0	.	ID	NA	N	NA		
		N-Butylbenzene	12/01/15	11/30/22	6570	2	.	0	.	ID	NA	N	NA		
		Bis(2-ethylhexyl)phthalate	12/01/15	11/30/22	22000	12	.	0	.	AD	NC	N	NC		
		2-Hexanone	12/01/15	11/30/22	28200	6	.	0	.	LD	NC	N	NC		
		Arachlor 1254	12/01/15	11/30/22	340	12	.	0	.	AD	NC	N	NC		
		Bromodichloromethane	12/01/15	11/30/22	14740	6	.	0	.	LD	NC	N	NC		
		1,1,2-Trichloroethane	12/01/15	11/30/22	5880	6	.	0	.	LD	NC	N	NC		
		1,1,1-Trichloroethane	12/01/15	11/30/22	24790	6	.	0	.	LD	NC	N	NC		
		1,2,4-Trichlorobenzene	12/01/15	11/30/22	5310	12	.	0	.	AD	NC	N	NC		
		Bromoform	12/01/15	11/30/22	1310	5	.	0	.	LD	NC	N	NC		
		2-Methylnaphthalene	12/01/15	11/30/22	201	12	.	0	.	AD	NC	N	NC		
		Chloroform	12/01/15	11/30/22	5670	4	.	0	.	LD	NC	N	NC		
		Xylene	12/01/15	11/30/22	12010	5	.	0	.	LD	NC	N	NC		
		Vinyl chloride	12/01/15	11/30/22	4180	6	.	0	.	LD	NC	N	NC		
		Tetrachloroethene	12/01/15	11/30/22	8210	6	.	0	.	LD	NC	N	NC		
		1,1,2,2-Tetrachloroethane	12/01/15	11/30/22	3800	5	.	0	.	LD	NC	N	NC		
		Styrene	12/01/15	11/30/22	61420	6	.	0	.	LD	NC	N	NC		
		Nitrobenzene	12/01/15	11/30/22	6290	12	.	0	.	AD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Nickel (dissolved)	12/01/15	11/30/22	332	9	2.22	0	.	LD	NC	N	NC		
		Mercury	12/01/15	11/30/22	0.01	8	0	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/15	11/30/22	1.15	9	0.18	0	.	LD	NC	N	NC		
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	26.7	23	.	18	64.64	JQ	NA	N	NA		
		Total phosphorus	12/01/15	11/30/22	0.2	20	.	11	0.33	JQ	NA	N	NA		
		Ammonia	12/01/15	11/30/22	0.11	20	.	7	0.28	JQ	NA	N	NA		
		Nitrate	12/01/15	11/30/22	0.37	21	.	4	0.81	JQ	NA	N	NA		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nickel (dissolved)	12/01/15	11/30/22	332	9	2.22	0	.	LD	NC	N	NC		
		Cadmium (dissolved)	12/01/15	11/30/22	5	9	0.2	0	.	LD	NC	N	NC		
		Arsenic (dissolved)	12/01/15	11/30/22	10	9	2.77	0	.	LD	NC	N	NC		
		Mercury	12/01/15	11/30/22	0.01	8	0	0	.	LD	NC	N	NC		
		Selenium	12/01/15	11/30/22	50	8	1.28	0	.	LD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	10	21	0.22	0	.	AD	FS	N	FS		

Seg ID: 1242A - Marlin City Lake System
AU ID: 1242A_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Public Water Supply Use	Surface Water HH criteria for PWS average	Lead (dissolved)	12/01/15	11/30/22	1.15	9	0.18	0	.	LD	NC	N	NC		
		Fluoride	12/01/15	11/30/22	4	22	0.16	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	23	14.21	0	.	AD	FS	N	FS		

Seg ID: 1242B - Cottonwood Branch
AU ID: 1242B_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	44	.	1	2.6	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	4	44	.	1	2.6	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	23	.	23	66	AD	CS	N	CS	Nitrate in water	
		Total phosphorus	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Total Phosphorus in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	630	43	1773.62	1	.	AD	NS	N	NS	Bacteria in water	5r

Seg ID: 1242B - Cottonwood Branch
AU ID: 1242B_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	42	.	1	0.6	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	3	42	.	1	0.6	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	21	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	630	42	144.2	0	.	AD	FS	N	FS		

Seg ID: 1242C - Still Creek
AU ID: 1242C_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	81	.	3	1.87	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	81	.	12	3.53	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	47	.	22	16.89	AD	CS	N	CS	Nitrate in water	
		Total phosphorus	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Total Phosphorus in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	81	363.72	1	.	AD	NS	N	NS	Bacteria in water	5r

Seg ID: 1242D - Thompsons Creek
AU ID: 1242D_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	46	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	46	.	1	4.9	AD	NC	N	NC		
	Fish Community (Regional)	Fish community	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CN	Impaired fish community in water	

Seg ID: 1242D - Thompsons Creek
AU ID: 1242D_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	26	.	25	32.27	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/15	11/30/22	14.1	26	.	6	21.9	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	25	.	24	5.53	AD	CS	N	CS	Total Phosphorus in water	
		Ammonia	12/01/15	11/30/22	0.33	26	.	7	1.48	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	46	1505.13	1	.	AD	NS	N	NS	Bacteria in water	5b

Seg ID: 1242D - Thompsons Creek
AU ID: 1242D_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/15	11/30/22	4	10	.	5	1.42	AD	NS	N	NS	Depressed dissolved oxygen in water	5b
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/15	11/30/22	3	10	.	5	0.86	AD	NS	N	NS	Depressed dissolved oxygen in water	5b
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	29	.	13	1.55	SM	NS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	4	29	.	15	1.81	SM	CS	N	NA		
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CN	Impaired macrobenthic community in water	
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Chlorophyll-a in water	
		Ammonia	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Ammonia in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	28	411.42	1	.	AD	NS	N	NS	Bacteria in water	5b

Seg ID: 1242E - Little Brazos River
AU ID: 1242E_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	28	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	28	.	1	4.2	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	27	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	27	.	4	22.28	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	27	.	1	2.5	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	26	.	1	0.94	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	27	82.91	0	.	AD	FS	N	FS		

Seg ID: 1242F - Pond Creek
AU ID: 1242F_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	67	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	3	67	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	24	.	8	5.15	AD	CS	N	CS	Nitrate in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	67	242.04	1	.	AD	NS	N	NS	Bacteria in water	5c

Seg ID: 1242H - Tradinghouse Reservoir
AU ID: 1242H_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	22	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	22	.	1	4.95	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Total phosphorus	12/01/15	11/30/22	0.2	22	.	1	0.21	JQ	NA	N	NA		
		Ammonia	12/01/15	11/30/22	0.11	21	.	8	0.22	JQ	NA	N	NA		
		Nitrate	12/01/15	11/30/22	0.37	23	.	0	.	JQ	NA	N	NA		
		Chlorophyll-a	12/01/15	11/30/22	26.7	23	.	6	39.52	JQ	NA	N	NA		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	23	0.07	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	23	0.23	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	22	2.89	0	.	AD	FS	N	FS		

Seg ID: 1242I - Campbells Creek
AU ID: 1242I_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	1.5	9	.	1	0.6	TR	NA	Y	CN	Depressed dissolved oxygen in water	
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	2	9	.	1	0.6	TR	NA	Y	CS	Depressed dissolved oxygen in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	630	8	581.28	0	.	TR	NA	Y	NS	Bacteria in water	5c

Seg ID: 1242J - Deer Creek
AU ID: 1242J_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	97	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	97	.	3	4	AD	NC	N	NC		
	Macrobenthic community (Qualitative)	Macrobenthic community	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CN	Impaired macrobenthic community in water	
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	22	.	7	5.15	AD	CS	N	CS	Nitrate in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	105	187.1	1	.	AD	NS	N	NS	Bacteria in water	5c

Seg ID: 1242K - Mud Creek
AU ID: 1242K_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	21	.	0	.	TR	FS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	3	21	.	0	.	TR	NC	N	NA		
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	6	.	0	.	TR	NC	N	NA		
		Chlorophyll-a	12/01/15	11/30/22	14.1	6	.	0	.	TR	NC	N	NA		
		Total phosphorus	12/01/15	11/30/22	0.69	6	.	0	.	TR	NC	N	NA		
		Nitrate	12/01/15	11/30/22	1.95	6	.	0	.	TR	NC	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	22	182.96	1	.	TR	NA	Y	NS	Bacteria in water	5b

Seg ID: 1242L - Pin Oak Creek
AU ID: 1242L_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	21	.	1	1.3	TR	FS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	3	21	.	1	1.3	TR	NC	N	NA		
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	6	.	0	.	TR	NC	N	NA		
		Total phosphorus	12/01/15	11/30/22	0.69	6	.	0	.	TR	NC	N	NA		
		Ammonia	12/01/15	11/30/22	0.33	6	.	0	.	TR	NC	N	NA		
		Nitrate	12/01/15	11/30/22	1.95	6	.	0	.	TR	NC	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	22	193.13	1	.	TR	NA	Y	NS	Bacteria in water	5b

Seg ID: 1242M - Spring Creek
AU ID: 1242M_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	15	.	2	1.55	TR	FS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	3	15	.	3	1.77	TR	NA	Y	CS	Depressed dissolved oxygen in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	15	455.43	1	.	TR	NA	Y	NS	Bacteria in water	5b

Seg ID: 1242N - Tehuacana Creek
AU ID: 1242N_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Nickel (dissolved)	12/01/15	11/30/22	601.33	9	.	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/15	11/30/22	88.98	9	.	0	.	LD	NC	N	NC		
		Copper (dissolved)	12/01/15	11/30/22	18.77	8	.	0	.	LD	NC	N	NC		
		Chromium (Tri)(dissolved)	12/01/15	11/30/22	725.9	9	.	0	.	LD	NC	N	NC		
		Zinc (dissolved)	12/01/15	11/30/22	150.55	9	.	0	.	LD	NC	N	NC		
		Selenium	12/01/15	11/30/22	20	8	.	0	.	LD	NC	N	NC		
		Cadmium (dissolved)	12/01/15	11/30/22	11.44	9	.	0	.	LD	NC	N	NC		
		Aluminum (dissolved)	12/01/15	11/30/22	991	9	.	0	.	LD	NC	N	NC		
		Mercury	12/01/15	11/30/22	2.4	9	.	0	.	LD	NC	N	NC		
		Arsenic (dissolved)	12/01/15	11/30/22	340	9	.	0	.	LD	NC	N	NC		
	Chronic Toxic Substances in water	Cadmium (dissolved)	12/01/15	11/30/22	0.43	9	0.12	0	.	LD	NC	N	NC		
		Zinc (dissolved)	12/01/15	11/30/22	231.31	9	2.4	0	.	LD	NC	N	NC		
		Selenium	12/01/15	11/30/22	5	8	2.31	0	.	LD	NC	N	NC		
		Mercury	12/01/15	11/30/22	1.3	9	0	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/15	11/30/22	5.9	9	0.26	0	.	LD	NC	N	NC		
		Copper (dissolved)	12/01/15	11/30/22	18.65	8	2.42	0	.	LD	NC	N	NC		
		Chromium (Tri)(dissolved)	12/01/15	11/30/22	141.89	9	1.67	0	.	LD	NC	N	NC		
		Arsenic (dissolved)	12/01/15	11/30/22	150	9	4.11	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/15	11/30/22	101.72	9	3.54	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	24	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	24	.	0	.	AD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Mercury	12/01/15	11/30/22	0.12	9	0	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/15	11/30/22	38.3	9	0.26	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/15	11/30/22	11400	9	3.54	0	.	LD	NC	N	NC		

Seg ID: 1242N - Tehuacana Creek
AU ID: 1242N_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	24	.	15	65.75	AD	CS	N	CS	Chlorophyll-a in water	
		Ammonia	12/01/15	11/30/22	0.33	20	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	24	.	16	14.36	AD	CS	N	CS	Nitrate in water	
		Total phosphorus	12/01/15	11/30/22	0.69	22	.	18	5.89	AD	CS	N	CS	Total Phosphorus in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	23	184.5	1	.	AD	NS	N	NS	Bacteria in water	5b

Seg ID: 1242N - Tehuacana Creek
AU ID: 1242N_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Fish Consumption Use	HH Bioaccumulative Toxics in water	Mercury	12/01/15	11/30/22	0.12	9	0	0	.	LD	NC	N	NC		
		Nickel (dissolved)	12/01/15	11/30/22	11400	9	3.54	0	.	LD	NC	N	NC		
		Lead (dissolved)	12/01/15	11/30/22	38.3	9	0.26	0	.	LD	NC	N	NC		

Seg ID: 1242O - Walnut Creek
AU ID: 1242O_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	15	.	0	.	TR	FS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	15	.	0	.	TR	NC	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	15	359.94	1	.	TR	NA	Y	NS	Bacteria in water	5b

Seg ID: 1242P - Big Creek
AU ID: 1242P_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	NS	Bacteria in water	5b

Seg ID: 1242Q - Bull Hide Creek
AU ID: 1242Q_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	3	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	3	.	0	.	ID	NA	N	NA		
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	2	.	0	.	ID	NA	N	NA		
		Nitrate	12/01/15	11/30/22	1.95	3	.	1	2.13	ID	NA	Y	CS	Nitrate in water	
		Total phosphorus	12/01/15	11/30/22	0.69	3	.	0	.	ID	NA	N	NA		
		Chlorophyll-a	12/01/15	11/30/22	14.1	3	.	0	.	ID	NA	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	2	73.01	0	.	ID	NA	N	NA		

Seg ID: 1243 - Salado Creek
AU ID: 1243_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	29	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	29	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	50	26	19.35	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	50	27	14.84	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	400	29	363.08	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	29	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	29	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	2	.	0	.	ID	NA	N	NA		
		Nitrate	12/01/15	11/30/22	1.95	25	.	25	3.75	AD	CS	N	CS	Nitrate in water	
	Water Temperature	Water temperature	12/01/15	11/30/22	32.2	29	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	25	3.75	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	26	10.89	0	.	AD	FS	N	FS		

Seg ID: 1243 - Salado Creek
AU ID: 1243_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	50	26	19.35	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	400	29	363.08	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	50	27	14.84	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Nitrate in water	
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	25	3.75	0	.	AD	FS	N	FS		

Seg ID: 1244 - Brushy Creek
AU ID: 1244_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	24	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	24	.	1	4.9	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	800	108	418	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	150	102	45.5	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	200	102	70.37	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	24	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	24	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/15	11/30/22	0.69	23	.	3	5.39	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	24	.	3	17.53	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	22	.	1	0.45	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	24	.	22	6.19	AD	CS	N	CS	Nitrate in water	
	Water Temperature	Water temperature	12/01/15	11/30/22	32.8	23	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	23	147.54	1	.	AD	NS	N	NS	Bacteria in water	5r

Seg ID: 1244 - Brushy Creek
AU ID: 1244_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	32	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	32	.	1	3.1	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	800	108	418	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	150	102	45.5	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	200	102	70.37	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	32	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	32	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	25	.	21	6.88	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/15	11/30/22	0.33	25	.	5	2.83	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	25	.	1	16.2	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	23	.	4	0.84	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.8	32	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	29	322.69	1	.	AD	NS	N	NS	Bacteria in water	5r

Seg ID: 1244 - Brushy Creek
AU ID: 1244_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	25	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	25	.	1	4.2	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	150	102	45.5	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	200	102	70.37	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	800	108	418	0	.	AD	FS	N	FS		
	Fish Kill Reports	Fish Kill Reports	12/01/15	11/30/22	.	0	.	.	.	OE	CN	N	CN	Fish kill in water	
	High pH	pH	12/01/15	11/30/22	9	25	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	25	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	22	.	1	24.1	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	21	.	3	0.75	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	22	.	5	3.6	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	22	.	18	7.21	AD	CS	N	CS	Nitrate in water	
	Water Temperature	Water temperature	12/01/15	11/30/22	32.8	25	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	22	515.4	1	.	AD	NS	N	NS	Bacteria in water	5r

Seg ID: 1244 - Brushy Creek
AU ID: 1244_04

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	28	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	28	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	150	102	45.5	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	200	102	70.37	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	800	108	418	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	28	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	28	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	25	.	1	42.8	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	24	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	25	.	1	0.5	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	25	.	5	2.31	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.8	28	.	0	.	AD	FS	N	FS		

Seg ID: 1244 - Brushy Creek
AU ID: 1244_04

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	25	1.32	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	25	89.32	0	.	AD	FS	N	FS		

Seg ID: 1245 - Upper Oyster Creek
AU ID: 1245_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	1	58	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	4	58	.	2	3.75	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	75	59	38.47	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	140	59	70.78	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	1070	217	358.29	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	58	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	58	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	19	.	13	40.3	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	21	.	16	1.23	AD	CS	N	CS	Total Phosphorus in water	
		Ammonia	12/01/15	11/30/22	0.33	20	.	1	0.43	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	20	.	17	5.68	AD	CS	N	CS	Nitrate in water	
	Water Temperature	Water temperature	12/01/15	11/30/22	35	58	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	57	145.4	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1245 - Upper Oyster Creek
AU ID: 1245_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/15	11/30/22	4	40	.	5	2.88	AD	FS	N	FS		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/15	11/30/22	3	40	.	7	2.17	AD	NS	N	NS	Depressed dissolved oxygen in water	4a
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	60	.	9	2.32	SM	NS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	4	60	.	15	2.72	SM	CS	N	NA		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	75	59	38.47	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	140	59	70.78	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	1070	217	358.29	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	60	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	60	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	55	.	19	41.01	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	60	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	59	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	59	.	1	12.5	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	35	60	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	156	0.88	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	39	0.17	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	58	110.91	0	.	AD	FS	N	FS		

Seg ID: 1245 - Upper Oyster Creek
AU ID: 1245_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/15	11/30/22	4	80	.	9	3.57	AD	CN	Y	NS	Depressed dissolved oxygen in water	4a
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/15	11/30/22	3	80	.	4	2.43	AD	FS	N	FS		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	99	.	1	2.9	SM	FS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	4	99	.	7	3.48	SM	NC	N	NA		
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	1070	217	358.29	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	75	59	38.47	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	140	59	70.78	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	99	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	99	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	93	.	32	33.73	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	99	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	98	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	97	.	4	2.4	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	35	99	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	156	0.88	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	39	0.17	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	97	208.6	1	.	AD	NS	N	NS	Bacteria in water	4a

Seg ID: 1245A - Red Gully
AU ID: 1245A_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Nitrate in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CN	Bacteria in water	

Seg ID: 1245E - Flewellen Creek
AU ID: 1245E_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CN	Bacteria in water	

Seg ID: 1245I - Steep Bank Creek
AU ID: 1245I_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Nitrate in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	NS	Bacteria in water	5a

Seg ID: 1245J - Stafford Run
AU ID: 1245J_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CN	Bacteria in water	

Seg ID: 1246 - Middle Bosque/South Bosque River
AU ID: 1246_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	22	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	22	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	260	36	32.92	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	50	36	14.12	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	700	40	283.56	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	22	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	22	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	22	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	21	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	22	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	22	.	11	2.9	AD	CS	N	CS	Nitrate in water	
	Water Temperature	Water temperature	12/01/15	11/30/22	32.8	22	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	20	17.84	0	.	AD	FS	N	FS		

Seg ID: 1246 - Middle Bosque/South Bosque River
AU ID: 1246_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	17	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	17	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	260	36	32.92	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	50	36	14.12	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	700	40	283.56	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	17	.	1	9.8	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	17	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	19	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	18	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	19	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	19	.	9	4.76	AD	CS	N	CS	Nitrate in water	
	Water Temperature	Water temperature	12/01/15	11/30/22	32.8	17	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/16/14	11/30/22	126	20	36.44	0	.	AD	FS	N	FS		

Seg ID: 1246D - Tonk Creek
AU ID: 1246D_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Nitrate in water	

Seg ID: 1246E - Wasp Creek
AU ID: 1246E_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	1.5	18	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	2	18	.	1	1.9	AD	NC	N	NC		

Seg ID: 1246E - Wasp Creek
AU ID: 1246E_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	16	.	12	5.65	AD	CS	N	CS	Nitrate in water	
		Ammonia	12/01/15	11/30/22	0.33	2	.	0	.	ID	NA	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	16	188.08	1	.	LD	CN	Y	NS	Bacteria in water	5b

Seg ID: 1247 - Granger Lake
AU ID: 1247_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	26	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	26	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	50	78	35.3	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	50	78	30.51	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	400	78	275.03	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	26	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	26	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.2	26	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	75	0.66	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	26	1.75	0	.	AD	FS	N	FS		

Seg ID: 1247 - Granger Lake
AU ID: 1247_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	26	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	26	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	50	78	30.51	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	50	78	35.3	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	400	78	275.03	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	26	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	26	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.2	26	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	75	0.66	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	26	2.68	0	.	AD	FS	N	FS		

Seg ID: 1247 - Granger Lake
AU ID: 1247_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	26	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	26	.	2	4.85	AD	NC	N	NC		

Seg ID: 1247 - Granger Lake
AU ID: 1247_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	50	78	30.51	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	50	78	35.3	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	400	78	275.03	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	26	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	26	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.2	26	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	75	0.66	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	26	2.96	0	.	AD	FS	N	FS		

Seg ID: 1247A - Willis Creek
AU ID: 1247A_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	26	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	26	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	24	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	24	.	1	42	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	24	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	24	.	21	7.72	AD	CS	N	CS	Nitrate in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	630	23	745.44	1	.	AD	NS	N	NS	Bacteria in water	5c

Seg ID: 1248 - San Gabriel/North Fork San Gabriel River
AU ID: 1248_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	86	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	86	.	1	4.8	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	50	79	32.9	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	50	81	51.18	1	.	AD	NS	N	NS	Chloride in water	5c
		Total dissolved solids	12/01/15	11/30/22	350	86	348.56	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	86	.	1	9.1	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	86	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	77	.	4	34.63	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	75	.	1	0.81	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	77	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	74	.	21	2.87	AD	CS	N	CS	Nitrate in water	
	Water Temperature	Water temperature	12/01/15	11/30/22	35	86	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	74	1.49	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	77	56.16	0	.	AD	FS	N	FS		

Seg ID: 1248A - Berry Creek
AU ID: 1248A_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	29	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	29	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	25	.	2	3.17	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	26	75.18	0	.	AD	FS	N	FS		

Seg ID: 1248B - Huddleston Branch
AU ID: 1248B_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Nitrate in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CN	Bacteria in water	

Seg ID: 1248C - Mankins Branch
AU ID: 1248C_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	29	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	29	.	0	.	AD	NC	N	NC		
	Habitat	Habitat	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Impaired habitat in water	
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	25	.	24	11.89	AD	CS	N	CS	Nitrate in water	
		Chlorophyll-a	12/01/15	11/30/22	14.1	26	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	26	.	22	2.49	AD	CS	N	CS	Total Phosphorus in water	
		Ammonia	12/01/15	11/30/22	0.33	26	.	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	26	550.07	1	.	AD	NS	N	NS	Bacteria in water	5c

Seg ID: 1248D - Middle Fork San Gabriel River
AU ID: 1248D_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	8	.	0	.	LD	NC	N	NC		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	3	8	.	0	.	LD	NC	N	NC		

Seg ID: 1249 - Lake Georgetown
AU ID: 1249_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	26	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	26	.	2	3.45	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	50	50	19.09	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	50	50	33.47	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	350	52	273.41	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	26	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	26	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.2	26	.	0	.	AD	FS	N	FS		

Seg ID: 1249 - Lake Georgetown
AU ID: 1249_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	50	0.11	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	26	0.71	0	.	AD	FS	N	FS		

Seg ID: 1249 - Lake Georgetown
AU ID: 1249_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	26	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	26	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	350	52	273.41	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	50	50	33.47	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	50	50	19.09	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	26	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	26	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.2	26	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	50	0.11	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	26	0.81	0	.	AD	FS	N	FS		

Seg ID: 1250 - South Fork San Gabriel River
AU ID: 1250_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	79	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	79	.	1	4.4	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	50	99	32.78	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	50	101	49.68	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	350	106	370.12	1	.	AD	NS	N	NS	Total dissolved solids in water	5c
	High pH	pH	12/01/15	11/30/22	9	80	.	1	9.2	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	80	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	70	.	3	31.57	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	73	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	72	.	1	0.6	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	70	.	8	2.92	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	35	80	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	93	0.79	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	22	0.15	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	71	27.8	0	.	AD	FS	N	FS		

Seg ID: 1250 - South Fork San Gabriel River
AU ID: 1250_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	26	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	26	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	50	99	32.78	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	50	101	49.68	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	350	106	370.12	1	.	AD	NS	N	NS	Total dissolved solids in water	5c
	High pH	pH	12/01/15	11/30/22	9	26	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	26	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	24	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	25	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	25	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	26	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	35	26	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	93	0.79	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	22	0.15	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	24	44.82	0	.	AD	FS	N	FS		

Seg ID: 1250 - South Fork San Gabriel River
AU ID: 1250_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Depressed dissolved oxygen in water	
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	50	101	49.68	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	50	99	32.78	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	350	106	370.12	1	.	AD	NS	N	NS	Total dissolved solids in water	5c
Public Water Supply Use	Surface Water HH criteria for PWS average	Fluoride	12/01/15	11/30/22	4	22	0.15	0	.	AD	FS	N	FS		
		Nitrate	12/01/15	11/30/22	10	93	0.79	0	.	AD	FS	N	FS		

Seg ID: 1251 - North Fork San Gabriel River
AU ID: 1251_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	21	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	21	.	1	4.8	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	50	20	25.74	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	50	22	32.16	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	400	23	333.42	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	22	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	22	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	22	.	0	.	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	22	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	23	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	19	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.8	22	.	0	.	AD	FS	N	FS		

Seg ID: 1251 - North Fork San Gabriel River
AU ID: 1251_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	18	0.21	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	21	0.2	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	21	45.7	0	.	AD	FS	N	FS		

Seg ID: 1251 - North Fork San Gabriel River
AU ID: 1251_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	50	20	25.74	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	50	22	32.16	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	400	23	333.42	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Fluoride	12/01/15	11/30/22	4	21	0.2	0	.	AD	FS	N	FS		
		Nitrate	12/01/15	11/30/22	10	18	0.21	0	.	AD	FS	N	FS		

Seg ID: 1252 - Lake Limestone
AU ID: 1252_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	75	.	3	2.57	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	75	.	11	3.61	AD	CS	N	CS	Depressed dissolved oxygen in water	
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	300	303	132.41	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	50	293	16.89	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	50	291	16.27	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	74	.	1	9.15	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	74	.	1	5.6	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.2	75	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	288	0.09	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	71	2.1	0	.	AD	FS	N	FS		

Seg ID: 1252 - Lake Limestone
AU ID: 1252_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	76	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	76	.	5	4.2	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	300	303	132.41	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	50	291	16.27	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	50	293	16.89	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	75	.	2	9.1	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	75	.	1	5.8	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.2	76	.	2	32.55	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	288	0.09	0	.	AD	FS	N	FS		

Seg ID: 1252 - Lake Limestone
AU ID: 1252_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	71	3.07	0	.	AD	FS	N	FS		

Seg ID: 1252 - Lake Limestone
AU ID: 1252_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	76	.	1	1.46	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	76	.	7	3.7	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	50	293	16.89	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	50	291	16.27	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	300	303	132.41	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	75	.	7	9.12	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	75	.	1	5.9	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.2	76	.	1	32.6	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	288	0.09	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	72	2.49	0	.	AD	FS	N	FS		

Seg ID: 1252 - Lake Limestone
AU ID: 1252_04

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	50	291	16.27	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	50	293	16.89	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	300	303	132.41	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	288	0.09	0	.	AD	FS	N	FS		

Seg ID: 1252 - Lake Limestone
AU ID: 1252_05

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	76	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	76	.	4	4.74	AD	NC	N	NC		
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	50	291	16.27	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	50	293	16.89	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	300	303	132.41	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	75	.	4	9.18	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	75	.	1	5.75	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	ID	NA	N	NA		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.2	76	.	1	32.4	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	288	0.09	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	72	3.89	0	.	AD	FS	N	FS		

Seg ID: 1253 - Navasota River Below Lake Mexia
AU ID: 1253_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/15	11/30/22	5	4	.	0	.	SM	NC	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/15	11/30/22	3	4	.	0	.	SM	NC	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	33	.	2	2.7	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	33	.	3	3.1	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	150	33	47.1	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	440	32	64.54	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	1350	41	330.64	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	32	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	32	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	33	.	22	48.76	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	33	.	2	1.39	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	33	.	2	0.39	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	33	.	1	2.13	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	33.9	33	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	33	0.28	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	33	63.57	0	.	AD	FS	N	FS		

Seg ID: 1253 - Navasota River Below Lake Mexia
AU ID: 1253_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/15	11/30/22	5	4	.	3	4.5	TR	NS	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/15	11/30/22	3	4	.	0	.	TR	NC	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Depressed dissolved oxygen in water	
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	1350	41	330.64	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	150	33	47.1	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	440	32	64.54	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	33	0.28	0	.	AD	FS	N	FS		

Seg ID: 1253 - Navasota River Below Lake Mexia
AU ID: 1253_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	440	32	64.54	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	150	33	47.1	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	1350	41	330.64	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	33	0.28	0	.	AD	FS	N	FS		

Seg ID: 1253A - Springfield Lake
AU ID: 1253A_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/15	11/30/22	5	8	.	1	4.8	SM	NC	N	NA		
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/15	11/30/22	3	8	.	0	.	LD	NC	Y	CN	Depressed dissolved oxygen in water	
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	24	.	3	2.66	SM	FS	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	24	.	5	3.17	AD	CS	N	CS	Depressed dissolved oxygen in water	

Seg ID: 1253A - Springfield Lake
AU ID: 1253A_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	0.37	24	.	0	.	JQ	NA	N	NA		
		Chlorophyll-a	12/01/15	11/30/22	26.7	24	.	22	87.1	JQ	NA	N	NA		
		Total phosphorus	12/01/15	11/30/22	0.2	24	.	12	0.32	JQ	NA	N	NA		
		Ammonia	12/01/15	11/30/22	0.11	23	.	1	0.53	JQ	NA	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	24	5.97	0	.	AD	FS	N	FS		

Seg ID: 1254 - Aquilla Reservoir
AU ID: 1254_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	23	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	23	.	1	4.63	AD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Pentachlorophenol (PCP)	12/01/15	11/30/22	0.22	4	0.11	0	.	LD	NC	N	NC		
		gamma-BHC (Lindane)	12/01/15	11/30/22	0.2	4	0.05	0	.	LD	NC	N	NC		
		Methoxychlor	12/01/15	11/30/22	2.92	4	0.05	0	.	LD	NC	N	NC		
		Hexachlorobenzene (HCB)	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Heptachlor epoxide	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Heptachlor	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Endrin	12/01/15	11/30/22	0.02	4	0.01	0	.	LD	NC	N	NC		
		Dieldrin	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Benzo(a)pyrene	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Aldrin	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	12/01/15	11/30/22	6	4	1.05	0	.	LD	NC	N	NC		
		Hexachlorocyclopentadiene	12/01/15	11/30/22	10.7	4	0.05	0	.	LD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	310	65	41.55	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	110	66	15.43	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	600	80	213.34	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	23	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	23	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.2	23	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Bis(2-ethylhexyl)phthalate	12/01/15	11/30/22	6	4	1.05	0	.	LD	NC	N	NC		
		Hexachlorocyclopentadiene	12/01/15	11/30/22	10.7	4	0.05	0	.	LD	NC	N	NC		
		Pentachlorophenol (PCP)	12/01/15	11/30/22	0.22	4	0.11	0	.	LD	NC	N	NC		
		gamma-BHC (Lindane)	12/01/15	11/30/22	0.2	4	0.05	0	.	LD	NC	N	NC		
		Methoxychlor	12/01/15	11/30/22	2.92	4	0.05	0	.	LD	NC	N	NC		
		Hexachlorobenzene (HCB)	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Heptachlor epoxide	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Heptachlor	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Endrin	12/01/15	11/30/22	0.02	4	0.01	0	.	LD	NC	N	NC		
		Dieldrin	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Benzo(a)pyrene	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Aldrin	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	10	66	0.82	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	65	0.3	0	.	AD	FS	N	FS		
	Surface Water Toxic Substances average concern	Atrazine	12/01/15	11/30/22	3	20	0.96	0	.	AD	NC	N	NC		
		Alachlor	12/01/15	11/30/22	2	20	0.05	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	21	1.8	0	.	AD	FS	N	FS		

Seg ID: 1254 - Aquilla Reservoir
AU ID: 1254_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Pentachlorophenol (PCP)	12/01/15	11/30/22	39.39	2	.	0	.	ID	NA	N	NA		
		gamma-BHC (Lindane)	12/01/15	11/30/22	1.13	2	.	0	.	ID	NA	N	NA		
		Heptachlor	12/01/15	11/30/22	0.52	2	.	0	.	ID	NA	N	NA		
		Endrin	12/01/15	11/30/22	0.09	2	.	0	.	ID	NA	N	NA		
		Dieldrin	12/01/15	11/30/22	0.24	2	.	0	.	ID	NA	N	NA		
		Aldrin	12/01/15	11/30/22	3	2	.	0	.	ID	NA	N	NA		
	Chronic Toxic Substances in water	Pentachlorophenol (PCP)	12/01/15	11/30/22	16.54	2	0.53	0	.	ID	NA	N	NA		
		gamma-BHC (Lindane)	12/01/15	11/30/22	0.08	2	0.04	0	.	ID	NA	N	NA		
		Methoxychlor	12/01/15	11/30/22	0.03	2	0.02	0	.	ID	NA	N	NA		
		Heptachlor	12/01/15	11/30/22	0	2	0	0	.	ID	NA	N	NA		
		Endrin	12/01/15	11/30/22	0	2	0	0	.	ID	NA	N	NA		
		Dieldrin	12/01/15	11/30/22	0	2	0	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	23	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	23	.	0	.	AD	NC	N	NC		
Fish Consumption Use	HH Bioaccumulative Toxics in water	Pentachlorophenol (PCP)	12/01/15	11/30/22	0.22	4	0.11	0	.	LD	NC	N	NC		
		gamma-BHC (Lindane)	12/01/15	11/30/22	0.2	4	0.05	0	.	LD	NC	N	NC		
		Methoxychlor	12/01/15	11/30/22	2.92	4	0.05	0	.	LD	NC	N	NC		
		Hexachlorobenzene (HCB)	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Heptachlor epoxide	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Heptachlor	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Endrin	12/01/15	11/30/22	0.02	4	0.01	0	.	LD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	12/01/15	11/30/22	6	4	1.05	0	.	LD	NC	N	NC		
		Dieldrin	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Benzo(a)pyrene	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Aldrin	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Hexachlorocyclopentadiene	12/01/15	11/30/22	10.7	4	0.05	0	.	LD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	310	65	41.55	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	110	66	15.43	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	600	80	213.34	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	23	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	23	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.2	23	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Methoxychlor	12/01/15	11/30/22	2.92	4	0.05	0	.	LD	NC	N	NC		
		Hexachlorobenzene (HCB)	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Heptachlor epoxide	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Heptachlor	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Endrin	12/01/15	11/30/22	0.02	4	0.01	0	.	LD	NC	N	NC		
		Dieldrin	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Benzo(a)pyrene	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Aldrin	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	10	66	0.82	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	65	0.3	0	.	AD	FS	N	FS		
		Bis(2-ethylhexyl)phthalate	12/01/15	11/30/22	6	4	1.05	0	.	LD	NC	N	NC		
		Hexachlorocyclopentadiene	12/01/15	11/30/22	10.7	4	0.05	0	.	LD	NC	N	NC		
		Pentachlorophenol (PCP)	12/01/15	11/30/22	0.22	4	0.11	0	.	LD	NC	N	NC		
		gamma-BHC (Lindane)	12/01/15	11/30/22	0.2	4	0.05	0	.	LD	NC	N	NC		
	Surface Water Toxic Substances average concern	Atrazine	12/01/15	11/30/22	3	20	0.96	0	.	AD	NC	N	NC		
		Alachlor	12/01/15	11/30/22	2	20	0.05	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	21	2.09	0	.	AD	FS	N	FS		

Seg ID: 1254 - Aquilla Reservoir
AU ID: 1254_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Acute Toxic Substances in water	Pentachlorophenol (PCP)	12/01/15	11/30/22	39.39	2	.	0	.	ID	NA	N	NA		
		gamma-BHC (Lindane)	12/01/15	11/30/22	1.13	2	.	0	.	ID	NA	N	NA		
		Heptachlor	12/01/15	11/30/22	0.52	2	.	0	.	ID	NA	N	NA		
		Endrin	12/01/15	11/30/22	0.09	2	.	0	.	ID	NA	N	NA		
		Dieldrin	12/01/15	11/30/22	0.24	2	.	0	.	ID	NA	N	NA		
		Aldrin	12/01/15	11/30/22	3	2	.	0	.	ID	NA	N	NA		
	Chronic Toxic Substances in water	Pentachlorophenol (PCP)	12/01/15	11/30/22	16.54	2	0.53	0	.	ID	NA	N	NA		
		gamma-BHC (Lindane)	12/01/15	11/30/22	0.08	2	0.04	0	.	ID	NA	N	NA		
		Methoxychlor	12/01/15	11/30/22	0.03	2	0.02	0	.	ID	NA	N	NA		
		Heptachlor	12/01/15	11/30/22	0	2	0	0	.	ID	NA	N	NA		
		Endrin	12/01/15	11/30/22	0	2	0	0	.	ID	NA	N	NA		
		Dieldrin	12/01/15	11/30/22	0	2	0	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	34	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	34	.	0	.	AD	NC	N	NC		
	Toxic Substances in sediment	Bromoform	12/01/15	11/30/22	1310	1	.	0	.	ID	NA	N	NA		
		Toluene	12/01/15	11/30/22	20290	2	.	0	.	ID	NA	N	NA		
		Tetrachloroethene	12/01/15	11/30/22	8210	2	.	0	.	ID	NA	N	NA		
		1,1,2,2-Tetrachloroethane	12/01/15	11/30/22	3800	2	.	0	.	ID	NA	N	NA		
		Ethylbenzene	12/01/15	11/30/22	7880	2	.	0	.	ID	NA	N	NA		
		1,2-Dichloropropane	12/01/15	11/30/22	21120	2	.	0	.	ID	NA	N	NA		
		2-Methylnaphthalene	12/01/15	11/30/22	201	5	.	0	.	LD	NC	N	NC		
		Vinyl chloride	12/01/15	11/30/22	4180	2	.	0	.	ID	NA	N	NA		
		1,1,2-Trichloroethane	12/01/15	11/30/22	5880	2	.	0	.	ID	NA	N	NA		
		1,1,1-Trichloroethane	12/01/15	11/30/22	24790	2	.	0	.	ID	NA	N	NA		
		1,2,4-Trichlorobenzene	12/01/15	11/30/22	5310	5	.	0	.	LD	NC	N	NC		
		Nitrobenzene	12/01/15	11/30/22	6290	5	.	0	.	LD	NC	N	NC		
		Methylene chloride	12/01/15	11/30/22	46520	2	.	0	.	ID	NA	N	NA		
		4-Methyl-2-Pentanone (MIBK)	12/01/15	11/30/22	116590	2	.	0	.	ID	NA	N	NA		
		Carbon disulfide	12/01/15	11/30/22	780	2	.	0	.	ID	NA	N	NA		
		Benzene	12/01/15	11/30/22	2870	2	.	0	.	ID	NA	N	NA		
		Acetone	12/01/15	11/30/22	360180	1	.	0	.	ID	NA	N	NA		
		Di-n-butyl phthalate	12/01/15	11/30/22	80000	5	.	0	.	LD	NC	N	NC		
		Toxaphene	12/01/15	11/30/22	32	5	.	0	.	LD	NC	N	NC		
		Trichloroethene	12/01/15	11/30/22	13690	2	.	0	.	ID	NA	N	NA		
		Pyrene	12/01/15	11/30/22	1520	5	.	0	.	LD	NC	N	NC		
		Phenanthrene	12/01/15	11/30/22	1170	5	.	0	.	LD	NC	N	NC		
		PCBs	12/01/15	11/30/22	676	4	.	0	.	LD	NC	N	NC		
		Naphthalene	12/01/15	11/30/22	561	5	.	0	.	LD	NC	N	NC		
		Hexachloroethane	12/01/15	11/30/22	3945	5	.	0	.	LD	NC	N	NC		
		2-Hexanone	12/01/15	11/30/22	28200	2	.	0	.	ID	NA	N	NA		
		1,2-Dichlorobenzene	12/01/15	11/30/22	4950	5	.	0	.	LD	NC	N	NC		
		Arachlor 1248	12/01/15	11/30/22	1500	5	.	0	.	LD	NC	N	NC		
		Arachlor1260	12/01/15	11/30/22	240	5	.	0	.	LD	NC	N	NC		
		Arachlor 1016	12/01/15	11/30/22	530	5	.	0	.	LD	NC	N	NC		
		Parathion (ethyl)	12/01/15	11/30/22	3.7	5	.	0	.	LD	NC	N	NC		
		Methoxychlor	12/01/15	11/30/22	95	5	.	0	.	LD	NC	N	NC		
		Malathion	12/01/15	11/30/22	6.2	4	.	0	.	LD	NC	N	NC		
		Heptachlor	12/01/15	11/30/22	2.74	5	.	0	.	LD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	12/01/15	11/30/22	22000	5	.	0	.	LD	NC	N	NC		
		Arachlor 1254	12/01/15	11/30/22	340	5	.	0	.	LD	NC	N	NC		
		Bromodichloromethane	12/01/15	11/30/22	14740	2	.	0	.	ID	NA	N	NA		
		1,1-Dichloroethane	12/01/15	11/30/22	13890	2	.	0	.	ID	NA	N	NA		
		Dichlorodifluoromethane	12/01/15	11/30/22	22090	2	.	0	.	ID	NA	N	NA		
		Chlorobenzene	12/01/15	11/30/22	3000	2	.	0	.	ID	NA	N	NA		
		Carbon tetrachloride	12/01/15	11/30/22	21000	2	.	0	.	ID	NA	N	NA		
		gamma-BHC (Lindane)	12/01/15	11/30/22	4.99	5	.	0	.	LD	NC	N	NC		

Seg ID: 1254 - Aquilla Reservoir
AU ID: 1254_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Toxic Substances in sediment	beta-BHC	12/01/15	11/30/22	210	5	.	0	.	LD	NC	N	NC		
		alpha-BHC	12/01/15	11/30/22	100	5	.	0	.	LD	NC	N	NC		
		Benzo(a)anthracene	12/01/15	11/30/22	1050	5	.	0	.	LD	NC	N	NC		
		1,3-Dichlorobenzene	12/01/15	11/30/22	350	5	.	0	.	LD	NC	N	NC		
		Hexachlorobutadiene (HCBD)	12/01/15	11/30/22	550	5	.	0	.	LD	NC	N	NC		
		Hexachlorobenzene (HCB)	12/01/15	11/30/22	240	5	.	0	.	LD	NC	N	NC		
		Heptachlor epoxide	12/01/15	11/30/22	16	5	.	0	.	LD	NC	N	NC		
		Fluorene	12/01/15	11/30/22	536	5	.	0	.	LD	NC	N	NC		
		Fluoranthene	12/01/15	11/30/22	2230	5	.	0	.	LD	NC	N	NC		
		Endrin	12/01/15	11/30/22	207	5	.	0	.	LD	NC	N	NC		
		Dieldrin	12/01/15	11/30/22	61.8	5	.	0	.	LD	NC	N	NC		
		Dibenz(a,h)anthracene	12/01/15	11/30/22	135	5	.	0	.	LD	NC	N	NC		
		DDT	12/01/15	11/30/22	62.9	4	.	0	.	LD	NC	N	NC		
		DDE	12/01/15	11/30/22	31.3	4	.	0	.	LD	NC	N	NC		
		DDD	12/01/15	11/30/22	28	4	.	0	.	LD	NC	N	NC		
		Chrysene	12/01/15	11/30/22	1290	5	.	0	.	LD	NC	N	NC		
		Chloromethane	12/01/15	11/30/22	106800	2	.	0	.	ID	NA	N	NA		
		Chlordane	12/01/15	11/30/22	17.6	3	.	0	.	ID	NA	N	NA		
		Benzo(a)pyrene	12/01/15	11/30/22	1450	5	.	0	.	LD	NC	N	NC		
		Anthracene	12/01/15	11/30/22	845	5	.	0	.	LD	NC	N	NC		
		Aldrin	12/01/15	11/30/22	80	4	.	0	.	LD	NC	N	NC		
		Acrylonitrile	12/01/15	11/30/22	1650	2	.	0	.	ID	NA	N	NA		
		Acenaphthylene	12/01/15	11/30/22	128	4	.	0	.	LD	NC	N	NC		
		Acenaphthene	12/01/15	11/30/22	88.9	5	.	0	.	LD	NC	N	NC		
		1,4-Dichlorobenzene	12/01/15	11/30/22	4650	5	.	0	.	LD	NC	N	NC		
		Iron	12/01/15	11/30/22	40000	10	.	0	.	AD	NC	N	NC		
		Zinc	12/01/15	11/30/22	459	11	.	0	.	AD	NC	N	NC		
		Silver	12/01/15	11/30/22	1.7	11	.	0	.	AD	NC	N	NC		
		Nickel	12/01/15	11/30/22	48.6	11	.	0	.	AD	NC	N	NC		
		Mercury	12/01/15	11/30/22	1.06	11	.	0	.	AD	NC	N	NC		
		Manganese	12/01/15	11/30/22	1100	11	.	1	2000	AD	NC	N	NC		
		Lead	12/01/15	11/30/22	128	11	.	0	.	AD	NC	N	NC		
		Copper	12/01/15	11/30/22	149	11	.	0	.	AD	NC	N	NC		
		Chromium	12/01/15	11/30/22	111	10	.	0	.	AD	NC	N	NC		
		Cadmium	12/01/15	11/30/22	4.98	11	.	0	.	AD	NC	N	NC		
		Arsenic	12/01/15	11/30/22	33	10	.	0	.	AD	NC	N	NC		
		delta-BHC	12/01/15	11/30/22	2300	4	.	0	.	LD	NC	N	NC		
		3-Methyl-4-chlorophenol	12/01/15	11/30/22	5620	5	.	0	.	LD	NC	N	NC		
		Di-n-octyl phthalate	12/01/15	11/30/22	1100	5	.	0	.	LD	NC	N	NC		
		2,4-Dinitrotoluene	12/01/15	11/30/22	8020	5	.	0	.	LD	NC	N	NC		
		Diazinon	12/01/15	11/30/22	7.3	3	.	0	.	ID	NA	N	NA		
		Hexachlorocyclopentadiene	12/01/15	11/30/22	202	4	.	0	.	LD	NC	N	NC		
		Phenol (single compound)	12/01/15	11/30/22	210	5	.	0	.	LD	NC	N	NC		
		Dimethyl phthalate	12/01/15	11/30/22	8900	5	.	0	.	LD	NC	N	NC		
		Diethyl phthalate	12/01/15	11/30/22	11000	5	.	0	.	LD	NC	N	NC		
		N-Butyl benzyl phthalate	12/01/15	11/30/22	150000	5	.	0	.	LD	NC	N	NC		
		1,1-Dichloroethylene	12/01/15	11/30/22	11200	2	.	0	.	ID	NA	N	NA		
		Dibromochloromethane	12/01/15	11/30/22	940	2	.	0	.	ID	NA	N	NA		
		Pentachlorophenol (PCP)	12/01/15	11/30/22	1200	3	.	0	.	ID	NA	N	NA		
		Endosulfan II (beta)	12/01/15	11/30/22	35	4	.	0	.	LD	NC	N	NC		
		Endosulfan I (alpha)	12/01/15	11/30/22	7.4	5	.	0	.	LD	NC	N	NC		
		Styrene	12/01/15	11/30/22	61420	2	.	0	.	ID	NA	N	NA		
		1,2-Dichloroethane	12/01/15	11/30/22	28680	2	.	0	.	ID	NA	N	NA		

Seg ID: 1254 - Aquilla Reservoir
AU ID: 1254_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Fish Consumption Use	HH Bioaccumulative Toxics in water	Heptachlor	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Endrin	12/01/15	11/30/22	0.02	4	0.01	0	.	LD	NC	N	NC		
		Dieldrin	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Benzo(a)pyrene	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Aldrin	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Pentachlorophenol (PCP)	12/01/15	11/30/22	0.22	4	0.11	0	.	LD	NC	N	NC		
		gamma-BHC (Lindane)	12/01/15	11/30/22	0.2	4	0.05	0	.	LD	NC	N	NC		
		Methoxychlor	12/01/15	11/30/22	2.92	4	0.05	0	.	LD	NC	N	NC		
		Hexachlorobenzene (HCB)	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Heptachlor epoxide	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	12/01/15	11/30/22	6	4	1.05	0	.	LD	NC	N	NC		
		Hexachlorocyclopentadiene	12/01/15	11/30/22	10.7	4	0.05	0	.	LD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	310	65	41.55	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	110	66	15.43	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	600	80	213.34	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	34	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	34	.	0	.	AD	FS	N	FS		
	Nutrient Reservoir Narrative Criteria	Nutrients	12/01/15	11/30/22	.	.	.	.	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.2	34	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Pentachlorophenol (PCP)	12/01/15	11/30/22	0.22	4	0.11	0	.	LD	NC	N	NC		
		gamma-BHC (Lindane)	12/01/15	11/30/22	0.2	4	0.05	0	.	LD	NC	N	NC		
		Dieldrin	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Benzo(a)pyrene	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Aldrin	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	10	66	0.82	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	65	0.3	0	.	AD	FS	N	FS		
		Bis(2-ethylhexyl)phthalate	12/01/15	11/30/22	6	4	1.05	0	.	LD	NC	N	NC		
		Hexachlorocyclopentadiene	12/01/15	11/30/22	10.7	4	0.05	0	.	LD	NC	N	NC		
		Methoxychlor	12/01/15	11/30/22	2.92	4	0.05	0	.	LD	NC	N	NC		
		Hexachlorobenzene (HCB)	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Heptachlor epoxide	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Heptachlor	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Endrin	12/01/15	11/30/22	0.02	4	0.01	0	.	LD	NC	N	NC		
	Surface Water Toxic Substances average concern	Atrazine	12/01/15	11/30/22	3	20	0.96	0	.	AD	NC	N	NC		
		Alachlor	12/01/15	11/30/22	2	20	0.05	0	.	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	21	3.64	0	.	AD	FS	N	FS		

Seg ID: 1254 - Aquilla Reservoir
AU ID: 1254_SA2

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Fish Consumption Use	HH Bioaccumulative Toxics in water	Benzo(a)pyrene	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Aldrin	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Hexachlorobenzene (HCB)	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Heptachlor epoxide	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Heptachlor	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Endrin	12/01/15	11/30/22	0.02	4	0.01	0	.	LD	NC	N	NC		
		Dieldrin	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	12/01/15	11/30/22	6	4	1.05	0	.	LD	NC	N	NC		
		Pentachlorophenol (PCP)	12/01/15	11/30/22	0.22	4	0.11	0	.	LD	NC	N	NC		
		gamma-BHC (Lindane)	12/01/15	11/30/22	0.2	4	0.05	0	.	LD	NC	N	NC		
		Methoxychlor	12/01/15	11/30/22	2.92	4	0.05	0	.	LD	NC	N	NC		

Seg ID: 1254 - Aquilla Reservoir
AU ID: 1254_SA2

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Fish Consumption Use	HH Bioaccumulative Toxics in water	Hexachlorocyclopentadiene	12/01/15	11/30/22	10.7	4	0.05	0	.	LD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	310	65	41.55	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	110	66	15.43	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	600	80	213.34	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Dieldrin	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Benzo(a)pyrene	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Aldrin	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	10	66	0.82	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	65	0.3	0	.	AD	FS	N	FS		
		Bis(2-ethylhexyl)phthalate	12/01/15	11/30/22	6	4	1.05	0	.	LD	NC	N	NC		
		Hexachlorocyclopentadiene	12/01/15	11/30/22	10.7	4	0.05	0	.	LD	NC	N	NC		
		Pentachlorophenol (PCP)	12/01/15	11/30/22	0.22	4	0.11	0	.	LD	NC	N	NC		
		gamma-BHC (Lindane)	12/01/15	11/30/22	0.2	4	0.05	0	.	LD	NC	N	NC		
		Methoxychlor	12/01/15	11/30/22	2.92	4	0.05	0	.	LD	NC	N	NC		
		Hexachlorobenzene (HCB)	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Heptachlor epoxide	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Heptachlor	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Endrin	12/01/15	11/30/22	0.02	4	0.01	0	.	LD	NC	N	NC		
	Surface Water Toxic Substances average concern	Atrazine	12/01/15	11/30/22	3	20	0.96	0	.	AD	NC	N	NC		
		Alachlor	12/01/15	11/30/22	2	20	0.05	0	.	AD	NC	N	NC		

Seg ID: 1254 - Aquilla Reservoir
AU ID: 1254_SA3

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Fish Consumption Use	HH Bioaccumulative Toxics in water	Pentachlorophenol (PCP)	12/01/15	11/30/22	0.22	4	0.11	0	.	LD	NC	N	NC		
		gamma-BHC (Lindane)	12/01/15	11/30/22	0.2	4	0.05	0	.	LD	NC	N	NC		
		Methoxychlor	12/01/15	11/30/22	2.92	4	0.05	0	.	LD	NC	N	NC		
		Hexachlorobenzene (HCB)	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Heptachlor epoxide	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Heptachlor	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Endrin	12/01/15	11/30/22	0.02	4	0.01	0	.	LD	NC	N	NC		
		Dieldrin	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Benzo(a)pyrene	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Aldrin	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	12/01/15	11/30/22	6	4	1.05	0	.	LD	NC	N	NC		
		Hexachlorocyclopentadiene	12/01/15	11/30/22	10.7	4	0.05	0	.	LD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	310	65	41.55	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	110	66	15.43	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	600	80	213.34	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	gamma-BHC (Lindane)	12/01/15	11/30/22	0.2	4	0.05	0	.	LD	NC	N	NC		
		Bis(2-ethylhexyl)phthalate	12/01/15	11/30/22	6	4	1.05	0	.	LD	NC	N	NC		
		Methoxychlor	12/01/15	11/30/22	2.92	4	0.05	0	.	LD	NC	N	NC		
		Hexachlorobenzene (HCB)	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Heptachlor epoxide	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Heptachlor	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Endrin	12/01/15	11/30/22	0.02	4	0.01	0	.	LD	NC	N	NC		
		Dieldrin	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Benzo(a)pyrene	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Aldrin	12/01/15	11/30/22	0	4	0	0	.	LD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	10	66	0.82	0	.	AD	FS	N	FS		

Seg ID: 1254 - Aquilla Reservoir
AU ID: 1254_SA3

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Public Water Supply Use	Surface Water HH criteria for PWS average	Fluoride	12/01/15	11/30/22	4	65	0.3	0	.	AD	FS	N	FS		
		Hexachlorocyclopentadiene	12/01/15	11/30/22	10.7	4	0.05	0	.	LD	NC	N	NC		
		Pentachlorophenol (PCP)	12/01/15	11/30/22	0.22	4	0.11	0	.	LD	NC	N	NC		
	Surface Water Toxic Substances average concern	Atrazine	12/01/15	11/30/22	3	20	0.96	0	.	AD	NC	N	NC		
		Alachlor	12/01/15	11/30/22	2	20	0.05	0	.	AD	NC	N	NC		

Seg ID: 1254A - Hackberry Creek
AU ID: 1254A_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Depressed dissolved oxygen in water	
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Ammonia in water	
		Nitrate	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Nitrate in water	

Seg ID: 1255 - Upper North Bosque River
AU ID: 1255_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	150	.	1	2.4	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	4	150	.	3	3.1	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	150	19	111.59	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	200	19	147.23	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	1000	283	669.69	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	150	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	150	.	0	.	AD	FS	N	FS		
	Nutrient Enrichment	Algae	12/01/15	11/30/22	.	0	.	.	.	OE	NS	N	NS	Excessive algal growth in water	4a
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	153	.	60	36.88	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	157	.	20	1.04	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	158	.	21	2.63	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	150	.	134	7.18	AD	CS	N	CS	Nitrate in water	
	Water Temperature	Water temperature	12/01/15	11/30/22	32.8	150	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	78	136.05	1	.	AD	NS	N	NS	Bacteria in water	5c

Seg ID: 1255 - Upper North Bosque River
AU ID: 1255_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen 24hr average	Dissolved oxygen 24hr Avg	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CN	Depressed dissolved oxygen in water	
	Dissolved Oxygen 24hr minimum	Dissolved oxygen 24hr Min	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	NS	Depressed dissolved oxygen in water	5c
	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	133	.	16	2.03	SM	CN	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	4	133	.	26	2.53	SM	CS	N	NA		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	150	19	111.59	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	200	19	147.23	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	1000	283	669.69	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	133	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	133	.	0	.	AD	FS	N	FS		
	Nutrient Enrichment	Algae	12/01/15	11/30/22	.	0	.	.	.	OE	NS	N	NS	Excessive algal growth in water	4a

Seg ID: 1255 - Upper North Bosque River
AU ID: 1255_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	134	.	83	48.74	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	136	.	7	1.04	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	137	.	2	1.23	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	126	.	12	2.94	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.8	133	.	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	66	139.46	1	.	AD	NS	N	NS	Bacteria in water	5c

Seg ID: 1255A - Goose Branch
AU ID: 1255A_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	1.5	2	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	2	2	.	0	.	ID	NA	N	NA		
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	2	.	1	0.98	ID	NA	Y	CS	Ammonia in water	
		Chlorophyll-a	12/01/15	11/30/22	14.1	2	.	1	18.8	ID	NA	Y	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	2	.	1	1.04	ID	NA	Y	CS	Total Phosphorus in water	
		Nitrate	12/01/15	11/30/22	1.95	2	.	0	.	ID	NA	Y	CS	Nitrate in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	1030	2	579.66	0	.	ID	NA	Y	NS	Bacteria in water	5c

Seg ID: 1255B - North Fork Upper North Bosque River
AU ID: 1255B_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Chlorophyll-a in water	

Seg ID: 1255C - Scarborough Creek
AU ID: 1255C_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	1.5	2	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	2	2	.	0	.	ID	NA	N	NA		
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	2	.	0	.	ID	NA	Y	CS	Nitrate in water	
		Chlorophyll-a	12/01/15	11/30/22	14.1	2	.	1	68.6	ID	NA	Y	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	2	.	2	1.14	ID	NA	Y	CS	Total Phosphorus in water	
		Ammonia	12/01/15	11/30/22	0.33	2	.	1	0.7	ID	NA	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	1030	2	558.57	0	.	ID	NA	Y	NS	Bacteria in water	5c

Seg ID: 1255D - South Fork Upper North Bosque River
AU ID: 1255D_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Chlorophyll-a in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	NS	Bacteria in water	5c

Seg ID: 1255E - Unnamed Tributary of Goose Branch
AU ID: 1255E_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	1.5	3	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	2	3	.	0	.	ID	NA	N	NA		
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	3	.	3	1.71	ID	NA	Y	CS	Ammonia in water	
		Chlorophyll-a	12/01/15	11/30/22	14.1	3	.	2	48.05	ID	NA	N	NA		
		Total phosphorus	12/01/15	11/30/22	0.69	3	.	3	3.88	ID	NA	Y	CS	Total Phosphorus in water	
		Nitrate	12/01/15	11/30/22	1.95	3	.	1	2.1	ID	NA	Y	CS	Nitrate in water	
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	1030	3	494.75	0	.	ID	NA	Y	NS	Bacteria in water	5c

Seg ID: 1255G - Woodhollow Branch
AU ID: 1255G_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	1.5	1	.	0	.	ID	NA	N	NA		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	2	1	.	0	.	ID	NA	N	NA		
General Use	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	1.95	1	.	0	.	ID	NA	N	NA		
		Chlorophyll-a	12/01/15	11/30/22	14.1	1	.	0	.	ID	NA	N	NA		
		Total phosphorus	12/01/15	11/30/22	0.69	1	.	1	0.82	ID	NA	N	NA		
		Ammonia	12/01/15	11/30/22	0.33	1	.	1	1.13	ID	NA	N	NA		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	1030	1	2400	1	.	ID	NA	Y	NS	Bacteria in water	5c

Seg ID: 1255H - South Fork Upper North Bosque River Reservoir
AU ID: 1255H_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Depressed dissolved oxygen in water	

Seg ID: 1256 - Brazos River/Lake Brazos
AU ID: 1256_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	200	45	62.24	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	400	44	106.55	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	1150	46	483.19	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Fluoride	12/01/15	11/30/22	4	45	0.17	0	.	AD	FS	N	FS		
		Nitrate	12/01/15	11/30/22	10	42	0.46	0	.	AD	FS	N	FS		

Seg ID: 1256 - Brazos River/Lake Brazos
AU ID: 1256_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	23	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	23	.	1	4.48	AD	NC	N	NC		

Seg ID: 1256 - Brazos River/Lake Brazos
AU ID: 1256_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	200	45	62.24	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	400	44	106.55	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	1150	46	483.19	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	23	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	23	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	20	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	21	.	1	2.46	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	19	.	6	23.02	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	23	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	35	23	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Fluoride	12/01/15	11/30/22	4	45	0.17	0	.	AD	FS	N	FS		
		Nitrate	12/01/15	11/30/22	10	42	0.46	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	11/17/15	11/30/22	126	20	45.73	0	.	AD	FS	N	FS		

Seg ID: 1256 - Brazos River/Lake Brazos
AU ID: 1256_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	23	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	23	.	0	.	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	200	45	62.24	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	400	44	106.55	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	1150	46	483.19	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	23	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	23	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	19	.	8	26.34	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	23	.	0	.	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	22	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	21	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	35	23	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Fluoride	12/01/15	11/30/22	4	45	0.17	0	.	AD	FS	N	FS		
		Nitrate	12/01/15	11/30/22	10	42	0.46	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	20	16.21	0	.	AD	FS	N	FS		

Seg ID: 1256A - Aquilla Creek
AU ID: 1256A_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	2	28	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	3	28	.	0	.	AD	NC	N	NC		
General Use	Nutrient Screening Levels	Ammonia	12/01/15	11/30/22	0.33	26	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	26	.	4	18.1	AD	NC	N	NC		
		Total phosphorus	12/01/15	11/30/22	0.69	26	.	1	0.95	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	26	.	5	3.01	AD	NC	N	NC		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	26	125.99	0	.	AD	FS	N	FS		

Seg ID: 1257 - Brazos River Below Lake Whitney
AU ID: 1257_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	101	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	101	.	2	4.2	AD	NC	N	NC		
General Use	Dissolved Solids	Total dissolved solids	12/01/15	11/30/22	1450	102	723.77	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	450	97	230.78	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	250	100	118.89	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	99	.	1	9.1	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	99	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Total phosphorus	12/01/15	11/30/22	0.69	100	.	0	.	AD	NC	N	NC		
		Chlorophyll-a	12/01/15	11/30/22	14.1	96	.	3	20.5	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	97	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	95	.	0	.	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	35	101	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	95	0.12	0	.	AD	FS	N	FS		
		Fluoride	12/01/15	11/30/22	4	22	0.17	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	97	24.81	0	.	AD	FS	N	FS		

Seg ID: 1257 - Brazos River Below Lake Whitney
AU ID: 1257_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	250	100	118.89	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	450	97	230.78	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	1450	102	723.77	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Fluoride	12/01/15	11/30/22	4	22	0.17	0	.	AD	FS	N	FS		
		Nitrate	12/01/15	11/30/22	10	95	0.12	0	.	AD	FS	N	FS		

Seg ID: 1259 - Leon River Above Belton Lake
AU ID: 1259_01

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
Aquatic Life Use	Dissolved Oxygen grab minimum	Dissolved oxygen Grab	12/01/15	11/30/22	3	77	.	0	.	AD	FS	N	FS		
	Dissolved Oxygen grab screening level	Dissolved oxygen Grab	12/01/15	11/30/22	5	77	.	2	4.1	AD	NC	N	NC		
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	100	76	35.45	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	150	76	53.15	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	900	77	367.94	0	.	AD	FS	N	FS		
	High pH	pH	12/01/15	11/30/22	9	77	.	0	.	AD	FS	N	FS		
	Low pH	pH	12/01/15	11/30/22	6.5	77	.	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	14.1	77	.	56	40.51	AD	CS	N	CS	Chlorophyll-a in water	
		Total phosphorus	12/01/15	11/30/22	0.69	77	.	2	1.02	AD	NC	N	NC		
		Ammonia	12/01/15	11/30/22	0.33	77	.	0	.	AD	NC	N	NC		
		Nitrate	12/01/15	11/30/22	1.95	75	.	7	2.5	AD	NC	N	NC		
	Water Temperature	Water temperature	12/01/15	11/30/22	32.2	77	.	0	.	AD	FS	N	FS		
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	75	0.89	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	126	74	159.78	1	.	AD	NS	N	NS	Bacteria in water	5r

Seg ID: 1259 - Leon River Above Belton Lake
AU ID: 1259_02

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Chloride	12/01/15	11/30/22	150	76	53.15	0	.	AD	FS	N	FS		
		Sulfate	12/01/15	11/30/22	100	76	35.45	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	900	77	367.94	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Nitrate	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Nitrate in water	
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	75	0.89	0	.	AD	FS	N	FS		

Seg ID: 1259 - Leon River Above Belton Lake
AU ID: 1259_03

Use	Method	Parameter	Start Date	End Date	Criteria	#Data Assessed	Mean Data Assessed	#Exceedances	Mean Exceedances	DS Qualifier	LOS	CF	Int LOS	TCEQ Cause	Cat
General Use	Dissolved Solids	Sulfate	12/01/15	11/30/22	100	76	35.45	0	.	AD	FS	N	FS		
		Total dissolved solids	12/01/15	11/30/22	900	77	367.94	0	.	AD	FS	N	FS		
		Chloride	12/01/15	11/30/22	150	76	53.15	0	.	AD	FS	N	FS		
	Nutrient Screening Levels	Chlorophyll-a	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	CS	Chlorophyll-a in water	
Public Water Supply Use	Surface Water HH criteria for PWS average	Nitrate	12/01/15	11/30/22	10	75	0.89	0	.	AD	FS	N	FS		
Recreation Use	Bacteria Geomean	E. coli	12/01/15	11/30/22	.	0	.	.	.	ID	NA	Y	NS	Bacteria in water	5r