

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Explanation of Column Headings

SegID and Name: The unique identifier (SegID), segment name, and location of the water body. The SegID may be one of three types of numbers. The first type is a classified segment number (4 digits, e.g., 0218), as defined in the Texas Surface Water Quality Standards (TSWQS). The second type is a water body described in Appendix D of the TSWQS, or an unclassified water body, not defined in the TSWQS, though associated with a classified water body in the same watershed. The third type include special Segments for Oyster Water Use (e.g., 2421OW) and Beach Watch Use (e.g., 2481CB) special areas.

Segment Description: Describes a specific location of the water body

Segment Type: The type of water body (e.g., Reservoir, Estuary, Freshwater Stream, Tidal Stream etc).

AU_ID and Description: Identifies the assessment unit (AU_ID, six or seven digits, e.g., 0101A_01) and describes a specific area within a classified or unclassified water body. This report includes all Assessment Units (AUs) identified for each Segment, including those without assessments.

Flow Type: Type of flow regime (perennial, intermittent, intermittent with perennial pools) for streams. For non-stream water bodies, Flow type and Segment Type are typically the same.

Flow Type Source: This is the reference source used to determine the flow type of an AU.

ALU Designation: This is the designated Aquatic Life Use (ALU) associated with the AU (exceptional, high, intermediate, limited, and minimal).

ALU Designation Source: This is the reference source of the ALU designation.

Station ID(s): Station IDs are the numbers that identify specific monitoring sites associated an AU ID, but do not necessarily indicate data were available from that station for the period of record. Some assessment units do not have monitoring stations; other information may have been evaluated to determine support status for those AUs.

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0101	Canadian River Below Lake Meredith	From the Oklahoma State Line in Hemphill County to Sanford Dam in Hutchinson County	Freshwater Stream	0101_01	From the Oklahoma state line upstream to the confluence with Red Deer Creek east of Canadian	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10032
				0101_02	From the confluence with Red Deer Creek upstream to the confluence with White Deer Creek in Hutchinson County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10033
				0101_03	From the confluence with White Deer Creek upstream to the confluence with Dixon Creek east of Borger	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	20702
				0101_04	From the confluence with Dixon Creek upstream to Sanford Dam in Hutchinson County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10035

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0101A	Dixon Creek	Dixon Creek - intermittent stream with perennial pools from the confluence with the Canadian River in Hutchinson County upstream to the confluence with Middle and East Dixon creeks in Carson County	Freshwater Stream	0101A_01	Dixon Creek from the confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	10016
				0101A_02	Dixon Creek from the confluence with the permitted outfall receiving waters tributary upstream to the confluence with Middle and East Dixon creeks	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	17045

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0101B	Rock Creek	Rock Creek - perennial stream from the confluence with the Canadian River upstream to the headwaters in Carson County	Freshwater Stream	0101B_01	Perennial stream from the confluence with the Canadian River upstream to SH 136 in the City of Borger	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	10024
				0101B_02	From SH 136 in the City of Borger upstream to the headwaters in Carson County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0101C	White Deer Creek	White Deer Creek - from the confluence of the Canadian River upstream to the headwater near Ranch Road 294 north of White Deer	Freshwater Stream	0101C_01	White Deer Creek from the confluence of the Canadian River upstream to the headwater near Ranch Road 294 north of White Deer	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	21174

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0102	Lake Meredith	Lake Meredith - from Sanford Dam in Hutchinson County to a point immediately upstream of the confluence of Camp Creek in Potter County, up to the normal pool elevation of 2936.5 feet (impounds Canadian River)	Reservoir	0102_01	Lake Meredith downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A	10036
				0102_02	Lake Meredith upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0102A	Big Blue Creek	Big Blue Creek - from the confluence of Lake Meredith upstream to the headwater 500m upstream of Moore CR 2202	Freshwater Stream	0102A_01	Big Blue Creek from the confluence of Lake Meredith upstream to the headwater 500 m upstream of Moore CR 2202	Intermittent	Flow Questionnaire	Minimal	Presumption from flow type	15270

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0103	Canadian River Above Lake Meredith	From a point immediately upstream of the confluence of Camp Creek in Potter County to the New Mexico State Line in Oldham County	Freshwater Stream	0103_01	From the headwaters of Lake Meredith upstream to the confluence with Sand Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10054
				0103_02	From the confluence with Sand Creek upstream to the confluence with Punta de Agua Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10056
				0103_03	From the confluence with Punta de Agua Creek upstream to the New Mexico State Line	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	16344

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0103A	East Amarillo Creek	From the confluence of the Canadian River to the headwaters of Thompson Park Lake in Amarillo	Freshwater Stream	0103A_01	From the confluence with the Canadian River upstream to the Thompson Park Lake spillway	Intermittent	Flow Questionnaire	Minimal	Presumption from flow type	10017; 10018; 21024
				0103A_02	From the Thompson Park Lake spillway upstream to the headwaters of the lake	Intermittent	Flow Questionnaire	Minimal	Presumption from flow type	15775

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0103B	Punta De Agua Creek	From the confluence of the Canadian River to the New Mexico State Line in Hartley County	Freshwater Stream	0103B_01	From the confluence with Canadian River upstream to the confluence with Rita Blanca Creek	Intermittent	Flow Questionnaire	Minimal	Presumption from flow type	No Stations
				0103B_02	From the confluence with Rita Blanca Creek upstream to the New Mexico state line	Intermittent	Flow Questionnaire	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0103C	Unnamed Tributary of West Amarillo Creek	Unnamed tributary of West Amarillo Creek - from the confluence of West Amarillo Creek upstream to the confluence of two unnamed streams near Amarillo Blvd	Freshwater Stream	0103C_01	Unnamed tributary from the confluence of West Amarillo Creek upstream to the confluence of two unnamed streams near Amarillo Blvd	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	17056

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0104	Wolf Creek	From the Oklahoma State Line in Lipscomb County to a point 2.0 km (1.2 mi) upstream of FM 3045 in Ochiltree County	Freshwater Stream	0104_01	From the Oklahoma State Line upstream to the confluence with Plum Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10059
				0104_02	From the confluence with Plum Creek upstream to Lake Fryer Dam	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10058
				0104_03	From the Lake Fryer Dam to a point 2.0 km (1.2 mi) upstream of FM 3045 in Ochiltree County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	17465

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0105	Rita Blanca Lake	Rita Blanca Lake - from Rita Blanca Dam in Hartley County up to the normal pool elevation of 3860 feet (impounds Rita Blanca Creek)	Reservoir	0105_01	Rita Blanca Lake from Rita Blanca Dam up to the normal pool elevation of 3860 feet	Reservoir	TSWQS Appendix A	Limited	TSWQS Appendix A	10060

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0199A	Palo Duro Reservoir	Palo Duro Reservoir - from Palo Duro dam up to the normal pool elevation of 2892 feet north of Spearman	Reservoir	0199A_01	Palo Duro Reservoir from Palo Duro dam up to the normal pool elevation of 2892 feet north of Spearman	Reservoir	Water body description	High	Presumption from Flow Type	10005

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0199B	Kiowa Creek	Kiowa Creek - from the Oklahoma State Line upstream to the headwater 500m upstream of Ochiltree CR 23 east of Perryton	Freshwater Stream	0199B_01	Kiowa Creek from the Oklahoma State Line upstream to the headwater 500m upstream of Ochiltree CR 23 east of Perryton	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	10009

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0201	Lower Red River	From the Arkansas State Line in Bowie County to the Arkansas-Oklahoma State Line in Bowie County	Freshwater Stream	0201_01	From the Arkansas state line upstream to the confluence with Walnut Bayou (Oklahoma stream)	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10123
				0201_02	From the confluence with Walnut Bayou (Oklahoma stream) upstream to the Arkansas-Oklahoma state line	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0201A	Mud Creek	Mud Creek - from the confluence of the Red River upstream to the headwater near the intersection of US 82 and Bowie CR 3403	Freshwater Stream	0201A_01	Mud Creek from the confluence of the Red River upstream to the headwater near the intersection of US 82 and Bowie CR 3403	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	15319

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0201B	Jones Creek	Jones Creek - intermittent stream with perennial pools from the confluence with Barkman Creek upstream to the western most crossing of FM 1398 near the City of Hooks	Freshwater Stream	0201B_01	Jones Creek - intermittent stream with perennial pools from the confluence with Barkman Creek upstream to the western most crossing of FM 1398 near the City of Hooks	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0201C	Panther Creek	Panther Creek - from the confluence of Barkman Creek upstream to the headwater 500 m upstream of US 82 west of Hooks	Freshwater Stream	0201C_01	Panther Creek from the confluence of Barkman Creek upstream to the confluence of an unnamed tributary 1.4 km north of IH 30 northwest of Hooks	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				0201C_02	Panther Creek from the confluence of an unnamed tributary 1.4 km north of IH 30 northwest of Hooks upstream to the headwater 500 m upstream of US 82 west of Hooks	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0201D	Barkman Creek	Barkman Creek - from the confluence of the Red River upstream to the headwater 1.3 km north of IH 30 east of Hooks	Freshwater Stream	0201D_01	Barkman Creek from the confluence of the Red River upstream to the confluence of Jones Creek 5.0 km northeast of Texarkana	Perennial	Routine Flow Data	High	Presumption from flow type	15059
				0201D_02	Barkman Creek from the confluence of Jones Creek 5.0 km northeast of Texarkana upstream to the headwater 1.3 km north of IH 30 east of Hooks	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0202	Red River Below Lake Texoma	From the Arkansas-Oklahoma State Line in Bowie County to Denison Dam in Grayson County	Freshwater Stream	0202_01	From the Oklahoma/Arkansas state line upstream to the confluence with Pecan Bayou	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10125
				0202_02	From the confluence with Pecan Bayou upstream to the confluence with Pine Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	15779
				0202_03	From the confluence with Pine Creek upstream to the confluence with Bois d'Arc Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10126
				0202_04	From the confluence with Bois d'Arc upstream to the confluence with Choctaw Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10127
				0202_05	From the confluence with Choctaw Creek upstream to Denison Dam	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	21031

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0202A	Bois D' Arc Creek	Bois D' Arc Creek - from the confluence of the Red River upstream to the headwater northwest of Whitewright	Freshwater Stream	0202A_01	Intermittent stream with perennial pools from the confluence with Sandy Creek near Davy Crockett Lake upstream to the confluence with Sandy Creek north of the City of Dodd City	Intermittent w/pools	TSWQS Appendix D	High	TSWQS Appendix D	20167; 21029
				0202A_02	Intermittent stream with perennial pools from the confluence with Sandy Creek north of the City of Dodd City upstream to the confluence with Pace Creek	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	18652; 21706; 22105
				0202A_03	Bois D' Arc Creek from the confluence of Pace Creek upstream to the headwater northwest of Whitewright	Intermittent	WQS/Permits program	Minimal	Previous TCEQ permit decision	15036
				0202A_04	Bois D' Arc Creek from the confluence of the Red River upstream to the confluence of Sandy Creek near Davy Crockett Lake	Perennial	Flow Questionnaire	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0202B	Corneliason Creek	Corneliason Creek - intermittent stream with perennial pools from the confluence with Mill Creek upstream to FM 1897 in the City of Bells	Freshwater Stream	0202B_01	Corneliason Creek - intermittent stream with perennial pools from the confluence with Mill Creek upstream to FM 1897 in the City of Bells	Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D	10117

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0202C	Pecan Bayou	Pecan Bayou - from the confluence of the Red River upstream to the headwater south of Red River CR 2242-S	Freshwater Stream	0202C_01	Pecan Bayou from the confluence of the Red River upstream to the headwater south of Red River CR 2242-S	Perennial	Flow Questionnaire	High	Presumption from flow type	14472; 16001

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0202D	Pine Creek	Pine Creek - perennial and intermittent stream from the confluence with the Red River upstream to the dam forming Lake Crook	Freshwater Stream	0202D_01	Pine Creek - perennial and intermittent stream from the confluence with the Red River upstream to the dam forming Lake Crook	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	10120
Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0202E	Post Oak Creek	Post Oak Creek - from the confluence of Choctaw Creek upstream to the headwater east of Shadow St northwest of Sherman	Freshwater Stream	0202E_01	Post Oak Creek from the confluence of Choctaw Creek upstream to the confluence of Sand Creek	Perennial	Flow Questionnaire	High	Presumption from flow type	10114; 10115
				0202E_02	Post Oak Creek from the confluence of Sand Creek upstream to the headwater east of Shadow St northwest of Sherman	Perennial	Routine Flow Data	High	Presumption from flow type	17599; 21130
Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0202F	Choctaw Creek	From the confluence with the Red River east of Denison to the upstream perennial portion near the intersection of SH 56 and SH 289 in Grayson County	Freshwater Stream	0202F_01	From the confluence with the Red River upstream to the confluence with Post Oak Creek	Perennial	Flow Questionnaire	High	Presumption from flow type	10111; 18370
				0202F_02	From the confluence with Post Oak Creek upstream to the headwaters near the intersection of SH 56 and SH 289 in Grayson County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	10112
Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0202G	Smith Creek	Smith Creek - from the confluence of Pine Creek upstream to the confluence of two unnamed streams south of Loop 286 in Paris	Freshwater Stream	0202G_01	Smith Creek from the confluence of Pine Creek upstream to the confluence of two unnamed streams south of Loop 286 in Paris	Intermittent	WQS/Permits program	Minimal	Previous TCEQ permit decision	17044; 21026; 21027

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0202H	Big Pine Creek	Big Pine Creek - from the confluence of the Red River upstream to the confluence of Little Pine Creek and an unnamed stream	Freshwater Stream	0202H_01	Big Pine Creek from the confluence of the Red River upstream to the confluence of Little Pine Creek and an unnamed stream	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	18513

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0202I	Little Pine Creek	Little Pine Creek - from the confluence of Big Pine Creek upstream to the headwater north of Detroit, TX	Freshwater Stream	0202I_01	Little Pine Creek from the confluence of Big Pine Creek upstream to the headwater north of Detroit, TX	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	18514

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0202J	Sand Creek	Sand Creek - from the confluence of Post Oak Creek upstream to the headwater north of US82 northwest of Sherman	Freshwater Stream	0202J_01	Sand Creek from the confluence of Post Oak Creek upstream to the headwater north of US82 northwest of Sherman	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	15446

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0202K	Iron Ore Creek	Iron Ore Creek - from the confluence of Choctaw Creek upstream to the headwater south of FM 120 east of Denison	Freshwater Stream	0202K_01	Iron Ore Creek from the confluence of Choctaw Creek upstream to the headwater south of FM 120 east of Denison	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	18653

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0202L	Honey Grove Creek	Honey Grove Creek - from the confluence of Bois d'Arc Creek upstream to the headwater east of Honey Grove	Freshwater Stream	0202L_01	Honey Grove Creek from the confluence of Bois d'Arc Creek upstream to the headwater east of Honey Grove	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	21030

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0202M	Lake Bonham (Bonham City Lake)	Lake Bonham - from the dam up to the normal pool elevation of 565 feet	Reservoir	0202M_01	Lake Bonham from the dam up to the normal pool elevation of 565 feet	Reservoir	Water body description	High	Presumption from Flow Type	16943; 21032

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0202N	Hicks Creek	Hicks Creek - from the confluence of Pine Creek upstream to the headwater 520 m south of Gate 2 Rd on Camp Maxey	Freshwater Stream	0202N_01	Hicks Creek from the confluence of Pine Creek upstream to the confluence of an unnamed tributary 135 m downstream of US 271 north of Paris	Perennial	Flow Questionnaire	High	Presumption from flow type	10121
				0202N_02	Hicks Creek from the confluence of an unnamed tributary 135 m downstream of US 271 north of Paris upstream to the headwater 520 m south of Gate 2 Rd on Camp Maxey	Perennial	Flow Questionnaire	High	Presumption from flow type	10122

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0202O	Unnamed tributary of Sand Creek	Unnamed tributary of Sand Creek - from the confluence of Sand Creek upstream to the dam forming Pickens Lake at Herman Baker Park in Sherman, TX	Freshwater Stream	0202O_01	Unnamed tributary of Sand Creek - from the confluence of Sand Creek upstream to the dam forming Pickens Lake at Herman Baker Park in Sherman, TX	Perennial	Water body description	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0202P	Six Mile Creek	Six Mile Creek - from the confluence of Pine Creek northwest of Paris upstream to the headwaters near Mansfield Rd east of Paris	Freshwater Stream	0202P_01	Six mi Creek - from the confluence of Pine Creek northwest of Paris upstream to the headwaters near Mansfield Rd east of Paris	Perennial	Routine Flow Data	High	Presumption from flow type	21298

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0202Q	Pickens Lake	Pickens Lake - in Herman Baker Park in Sherman, TX	Reservoir	0202Q_01	Pickens Lake - in Herman Baker Park in Sherman, TX	Reservoir	Water body description	High	Presumption from Flow Type	16945

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0203	Lake Texoma	Lake Texoma - from Denison Dam in Grayson County to a point immediately upstream of the confluence of Sycamore Creek in Cooke County, up to the normal pool elevation of 617 feet (impounds Red River)	Reservoir	0203_01	Lake Texoma lower lake from Denison Dam upstream to a line from Rock Point (TX) to Burns West Recreational Area (OK)	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	15388; 20545
				0203_02	Lake Texoma Little Mineral Arm from a line from Rocky point to the Episcopal Recreation Center on Preston peninsula	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	17480
				0203_03	Lake Texoma mid-lake area bounded upstream by a line from East Juniper Point to Cardinal Cove (OK) and downstream by a line from Treasure Island to Mill Creek picnic area	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10130
				0203_04	Lake Texoma upper-lake area bounded downstream by a line from East Juniper Point to Cardinal Cove (OK) upstream to headwaters	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10131
				0203_05	Remainder of Lake Texoma not assessed	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0203A	Big Mineral Creek	Big Mineral Creek -intermittent stream with perennial pools from the normal pool elevation of Lake Texoma upstream to the confluence with unnamed second order tributaries on the North and South Branch, 2.4 km and 1.1 km upstream of US 377, respectively	Freshwater Stream	0203A_01	Big Mineral Creek -intermittent stream with perennial pools from the normal pool elevation of Lake Texoma upstream to the confluence with unnamed second order tributaries on the North and South Branch, 2.4 km and 1.1 km upstream of US 377, respectively	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	17505

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0203B	Little Mineral Creek	Little Mineral Creek -intermittent stream with perennial pools from the normal pool elevation of Lake Texoma upstream to the confluence of an unnamed tributary approximately 0.7 km upstream of Reeves Road	Freshwater Stream	0203B_01	Little Mineral Creek an Appendix D Intermittent stream with perennial pools from the normal pool elevation of Lake Texoma upstream to the confluence of an unnamed tributary approximately 0.7 km upstream of Reeves Road	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0203C	Mustang Creek	Mustang Creek - from the confluence of Big Mineral Creek upstream to the headwater near Old Sandborn Ranch Rd southeast of Whitesboro	Freshwater Stream	0203C_01	Mustang Creek from the confluence of Big Mineral Creek upstream to the headwater near Old Sandborn Ranch Rd southeast of Whitesboro	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	17504

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0203D	Deaver Creek	Deaver Creek - from the confluence with Big Mineral Creek upstream to headwater in Southmayd	Freshwater Stream	0203D_01	Deaver Creek from the confluence with Big Mineral Creek upstream to headwater in Southmayd	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	17503

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0204	Red River Above Lake Texoma	From a point immediately upstream of the confluence of Sycamore Creek in Cooke County to the confluence of the Wichita River in Clay County	Freshwater Stream	0204_01	From the normal pool elevation of Lake Texoma upstream to the confluence with Fish Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10132
				0204_02	From the confluence with Fish Creek upstream to the confluence with Farmers Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	20168
				0204_03	From the confluence with Farmers Creek upstream to the confluence with the Little Wichita River	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10133
				0204_04	From the confluence with the Little Wichita River upstream to the confluence with the Wichita River	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0204A	Ritchie Creek	Intermittent stream with perennial pools from the confluence with Salt Creek upstream to SH 59 east of the City of Montague	Freshwater Stream	0204A_01	Intermittent stream with perennial pools from the confluence with Salt Creek upstream to SH 59 east of the City of Montague	Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0204B	Moss Lake	Moss Lake - from Fish Creek Dam up to spillway elevation of 715 feet	Reservoir	0204B_01	Moss Lake from Fish Creek Dam up to spillway elevation of 715 feet	Reservoir	Water body description	High	Presumption from Flow Type	15447

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0205	Red River Below Pease River	From the confluence of the Wichita River in Clay County to the confluence of the Pease River in Wilbarger County	Freshwater Stream	0205_01	From the confluence with the Wichita River upstream to IH 44 in Burkburnett	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10134
				0205_02	From IH 44 in Burkburnett upstream to the confluence with the Pease River	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	16733

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0205A	Wildhorse Creek	Wildhorse Creek - from the confluence of Red River east of Burkburnett upstream to the headwater 1.9 km south of SH 240 and 11 km west of Burkburnett in Wichita County	Freshwater Stream	0205A_01	Wildhorse Creek from the confluence of Red River east of Burkburnett upstream to the headwater 1.9 km south of SH 240 and 11 km west of Burkburnett in Wichita County	Perennial	Routine Flow Data	High	Presumption from flow type	10096

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0206	Red River Above Pease River	From the confluence of the Pease River in Wilbarger County to a point immediately upstream of the confluence of Buck Creek in Hardeman County	Freshwater Stream	0206_01	From the confluence with the Pease River upstream to the confluence with Groesbeck Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0206_02	From the confluence with the Groesbeck Creek upstream to the confluence with Buck Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10135

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0206A	Groesbeck Creek	Groesbeck Creek - from the confluence of the Red River upstream to the confluence of the North and South branches north of Quanah	Freshwater Stream	0206A_01	Groesbeck Creek from the confluence of the Red River upstream to the confluence of the North and South branches north of Quanah	Perennial	Routine Flow Data	High	Presumption from flow type	20166

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0206B	South Groesbeck Creek	South Groesbeck Creek - from the confluence of Groesbeck Creek and North Groesbeck Creek upstream to the headwater 12.6 km southwest of Childress	Freshwater Stream	0206B_01	South Groesbeck Creek from the confluence of Groesbeck Creek and North Groesbeck Creek upstream to the headwater 12.6 km southwest of Childress	Perennial	Routine Flow Data	High	Presumption from flow type	16000

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0206C	North Groesbeck Creek	North Groesbeck Creek - from the confluence of Groesbeck Creek north of Quanah upstream to the headwater east of Childress	Freshwater Stream	0206C_01	North Groesbeck Creek from the confluence of Groesbeck Creek north of Quanah upstream to the headwater east of Childress	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	21297

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0207	Lower Prairie Dog Town Fork Red River	Lower Prairie Dog Town Fork Red River - from a point immediately upstream of the confluence of Buck Creek in Hardeman County to a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County	Freshwater Stream	0207_01	Lower Prairie Dog Town Fork Red River from a point immediately upstream of the confluence of Buck Creek upstream to the confluence of Baylor Creek 9.2 km (5.6 mi) NNW of Childress	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10136
				0207_03	Lower Prairie Dog Town Fork Red River from the confluence of Baylor Creek 9.2 km (5.6 mi) NNW of Childress upstream to the confluence of Battle Creek near SH 70 north of Turkey	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	16037
				0207_04	Lower Prairie Dog Town Fork Red River from the confluence of Battle Creek upstream to the confluence of Salt Fork Creek upstream of SH 207 south of Claude	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13637

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0207A	Buck Creek	Buck Creek - from Oklahoma State Line upstream to the headwater south of Hedley	Freshwater Stream	0207A_01	Buck Creek from Oklahoma State Line upstream to the confluence of House Log Creek	Intermittent w/pools	Flow Questionnaire	High	Presumption from flow type	15811
				0207A_02	Buck Creek from the confluence of House Log Creek upstream to the headwater south of Hedley	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	20366

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0208	Lake Crook	Lake Crook - from Lake Crook Dam in Lamar County up to the normal pool elevation of 476 feet (impounds Pine Creek)	Reservoir	0208_01	Lake Crook from the dam in Lamar County up to the normal pool elevation of 476 feet	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10137

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0209	Pat Mayse Lake	Pat Mayse Lake - from Pat Mayse Dam in Lamar County up to the normal pool elevation of 451 feet (impounds Sanders Creek)	Reservoir	0209_01	Pat Mayse Lake lower half from the dam upstream to the easternmost point of Pat Mayse West campground	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16343
				0209_02	Pat Mayse Lake upper half from the easternmost point of Pat Mayse West campground up to normal pool elevation of 451 feet	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16342

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0210	Farmers Creek Reservoir	Farmers Creek Reservoir (also known as Lake Nocona) - from Farmers Creek Dam in Montague County up to the normal pool elevation of 827.5 feet (impounds Farmers Creek)	Reservoir	0210_01	Farmers Creek Reservoir from the dam up to the normal pool elevation of 827.5 feet	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10139

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0211	Little Wichita River	From the confluence with the Red River in Clay County to Lake Arrowhead Dam in Clay County	Freshwater Stream	0211_01	From the confluence with the Red River upstream to the confluence with the East Fork Little Wichita River	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10140
				0211_02	From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13633

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0211A	East Fork Little Wichita River	East Fork Little Wichita River - from the confluence of Little Wichita River upstream to the headwater 2.7 km west of the intersection of SH 148 and FM 174 and east of Windthorst	Freshwater Stream	0211A_01	East Fork Little Wichita River from the confluence of Little Wichita River upstream to the headwater 2.7 km west of the intersection of SH 148 and FM 174 and east of Windthorst	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	10105

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0212	Lake Arrowhead	Lake Arrowhead - from Lake Arrowhead Dam in Clay County up to the normal pool elevation of 926 feet (impounds the Little Wichita River)	Reservoir	0212_01	Lake Arrowhead from Lake Arrowhead Dam in Clay County up to normal pool elevation of 926 feet	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10142

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0212A	Little Wichita River above Lake Arrowhead	Little Wichita River - from the headwater of Lake Arrowhead at normal pool elevation of 926 feet upstream to the confluence of the North and South Forks of Little Wichita River north of Archer City	Freshwater Stream	0212A_01	Little Wichita River from the headwater of Lake Arrowhead at normal pool elevation of 926 feet upstream to the confluence of the North and South Forks of Little Wichita River north of Archer City	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	16038

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0213	Lake Kickapoo	Lake Kickapoo - from Kickapoo Dam in Archer County up to the normal pool elevation of 1045 feet (impounds North Fork Little Wichita River)	Reservoir	0213_01	Lake Kickapoo from the dam in Archer County up to normal pool elevation of 1045 feet	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10143

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0214	Wichita River Below Diversion Lake Dam	From the confluence with the Red River in Clay County to Diversion Dam in Archer County	Freshwater Stream	0214_01	From the confluence with the Red River upstream to the confluence with an un-named tributary immediately upstream of FM 2393	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10145
				0214_02	From an un-named tributary immediately upstream of FM 2393 upstream to the River Road WWTP	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10148
				0214_03	From the River Road WWTP upstream to the confluence with Buffalo Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10150
				0214_04	From the confluence with Buffalo Creek upstream to the confluence with Beaver Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10154
				0214_05	From the confluence with Beaver Creek upstream to the Diversion Lake Dam	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10155

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0214A	Beaver Creek	From the confluence of the Wichita River west of Wichita Falls in Wichita County upstream to the headwaters west of Crowell in Foard County	Freshwater Stream	0214A_01	From the confluence with the Wichita River upstream to the confluence with Bull Creek	Perennial	Routine Flow Data	High	Presumption from flow type	15120
				0214A_02	From the confluence with Bull Creek upstream to the Santa Rosa Lake dam	Perennial	Flow Questionnaire	High	Presumption from flow type	15121
				0214A_03	From the Santa Rosa Lake dam upstream to the headwaters west of Crowell in Foard County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0214B	Buffalo Creek	Buffalo Creek - from the confluence of the Wichita River upstream to the headwater east of Electra	Freshwater Stream	0214B_01	Buffalo Creek from the confluence of the Wichita River upstream to the headwater east of Electra	Intermittent w/pools	Routine Flow Data	Intermediate	Presumption from flow type	10097; 16036

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0214C	Holliday Creek	Holliday Creek - from the confluence of the Wichita River in Wichita Falls upstream to the Lake Wichita dam	Freshwater Stream	0214C_01	Holliday Creek from the confluence of the Wichita River in Wichita Falls upstream to the Lake Wichita dam	Perennial	Routine Flow Data	High	Presumption from flow type	10095; 21025

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0214D	Gordon Lake	Gordon Lake - from the dam upstream to the US 287 frontage road	Reservoir	0214D_01	Gordon Lake from the dam upstream to the US 287 frontage road	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0214E	Wichita Valley Irrigation Project	From northeast of Wichita Falls (North Side Canal) and southwest of Wichita Falls (Call Field Canal) upstream to Lake Diversion Dam	Freshwater Stream	0214E_01	South Side Canal	Perennial	Routine Flow Data	High	Presumption from flow type	18831
				0214E_02	Call Field Canal	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations
				0214E_03	North Side Canal	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0214F	Unnamed tributary of Buffalo Creek	Unnamed tributary of Buffalo Creek - from the confluence of Buffalo Creek upstream to the headwater at eastbound frontage road of US 287 in Iowa Park	Freshwater Stream	0214F_01	Unnamed tributary of Buffalo Creek - from the confluence of Buffalo Creek upstream to the headwater at eastbound frontage road of US 287 in Iowa Park	Perennial	Routine Flow Data	High	Presumption from flow type	21172

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0214G	Lake Iowa Park	Lake Iowa Park - community lake in northwest Iowa Park	Reservoir	0214G_01	Lake Iowa Park - community lake in northwest Iowa Park	Reservoir	Water body description	High	Presumption from Flow Type	17947

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0214H	North Fork Buffalo Creek Reservoir	North Fork Buffalo Creek Reservoir - water supply reservoir northwest of Iowa Park	Reservoir	0214H_01	North Fork Buffalo Creek Reservoir - water supply reservoir northwest of Iowa Park	Reservoir	Water body description	High	Presumption from Flow Type	20162

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0215	Diversion Lake	Diversion Lake - from Diversion Dam in Archer County to a point 1.5 km (0.9 mi) downstream of the confluence of Cottonwood Creek in Baylor County, up to the normal pool elevation of 1052 feet (impounds Wichita River)	Reservoir	0215_01	Diversion Lake from Diversion Dam to a point 1.5 km downstream of the confluence of Cottonwood Creek, to the normal pool elevation of 1052 feet	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10157

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0216	Wichita River Below Lake Kemp Dam	Wichita River Below Lake Kemp - from a point 1.5 km (0.9 mi) downstream of the confluence of Cottonwood Creek in Baylor County to Lake Kemp Dam in Baylor County	Freshwater Stream	0216_01	Wichita River Below Lake Kemp - from a point 1.5 km (0.9 mi) downstream of the confluence of Cottonwood Creek in Baylor County to Lake Kemp Dam in Baylor County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10158

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0217	Lake Kemp	Lake Kemp - from Lake Kemp Dam in Baylor County to a point 9.4 km (5.8 mi) downstream of the confluence of Crooked Creek in Baylor County, up to the normal pool elevation of 1144 feet (impounds Wichita River)	Reservoir	0217_01	Lake Kemp from the dam upstream to Cattle Island	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10159
				0217_02	Lake Kemp from Cattle Island up to a point 9.4 km downstream of the confluence of Crooked Creek, up to the normal pool elevation of 1144 feet	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0218	Wichita/North Fork Wichita River	Wichita/North Fork Wichita River - from a point 9.4 km (5.8 mi) downstream of the confluence of Crooked Creek in Baylor County to a point 8.5 km (5.3 mi) downstream of the most upstream crossing of FM 193 in Dickens County	Freshwater Stream	0218_01	Wichita River from a point 9.4 km downstream of the confluence of Crooked Creek upstream to the confluence of the South Fork Wichita River	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10161
				0218_02	North Fork Wichita River from the confluence of the South Fork Wichita River upstream to the confluence of the Middle Fork Wichita River	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10162
				0218_03	North Fork Wichita River from the confluence of the Middle Fork Wichita River upstream to the confluence of Salt Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	15119
				0218_04	North Fork Wichita River from the confluence of Salt Creek upstream to a point 8.5 km downstream of the uppermost crossing of FM 193	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0218A	Middle Fork Wichita River	Middle Fork Wichita River - from the confluence of the North Wichita River upstream to the headwater 15 km north of Guthrie in King County	Freshwater Stream	0218A_01	Middle Fork Wichita River from the confluence of the North Wichita River upstream to the headwater 15 km north of Guthrie in King County	Perennial	Routine Flow Data	High	Presumption from flow type	14900

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0219	Lake Wichita	Lake Wichita - from Lake Wichita Dam in Wichita County up to the normal pool elevation of 980.5 feet (impounds Holliday Creek)	Reservoir	0219_01	Lake Wichita from the dam up to the normal pool elevation of 980.5 feet	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10163

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0219A	Holliday Creek above Lake Wichita	Holliday Creek - from the headwaters of Lake Wichita upstream to the headwater near the intersection of US 277 and an unnamed Rd southwest of Dundee	Freshwater Stream	0219A_01	Holliday Creek from the headwaters of Lake Wichita upstream to the headwater near the intersection of US 277 and an unnamed Rd southwest of Dundee	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0220	Upper Pease/North Fork Pease River	Upper Pease/North Fork Pease River - from the confluence with Canal Creek at the Hardeman-Foard county line to 6.0 km (3.7 mi) upstream of the confluence of Dick Moore Canyon in Floyd County	Freshwater Stream	0220_01	Pease River from the confluence of Canal Creek upstream to the confluence of the Middle Fork Pease River	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10167
				0220_02	North Fork Pease River from the confluence of the Middle Fork Pease River upstream to a point 6.0 km upstream of Dick Moore Canyon	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10168

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0221	Middle Fork Pease River	Middle Fork Pease River - from the confluence with the North Fork Pease River in Cottle County to the confluence of Boggy Creek and Mott Creek in Motley County	Freshwater Stream	0221_01	Middle Fork Pease River from the confluence of the North Fork Pease River upstream to the confluence of the South Fork Pease River	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10169; 10170
				0221_02	Middle Fork Pease River from the confluence of the South Fork Pease River upstream to the confluence of Boggy Creek and Mott Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0222	Salt Fork Red River	Salt Fork Red River - from the Oklahoma State Line in Collingsworth County to Greenbelt Dam in Donley County	Freshwater Stream	0222_01	Salt Fork Red River from the Oklahoma State Line upstream to the confluence of Lake Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10171
				0222_02	Salt Fork Red River from the confluence of Lake Creek upstream to Greenbelt Dam	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10172

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0222A	Lelia Lake Creek	Lelia Lake Creek - from the confluence of the Salt Fork Red River upstream to the confluence of East Lelia Lake Creek and West Lelia Lake Creek	Freshwater Stream	0222A_01	Lelia Lake Creek from the confluence of the Salt Fork Red River upstream to the confluence of East Lelia Lake Creek and West Lelia Lake Creek	Perennial	Routine Flow Data	High	Presumption from flow type	10076

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0223	Greenbelt Lake	Greenbelt Lake - from Greenbelt Dam in Donley County up to the normal pool elevation of 2664 feet (impounds Salt Fork Red River)	Reservoir	0223_01	Greenbelt Lake from the dam up to normal pool elevation of 2664 feet	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10173

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0224	North Fork Red River	North Fork Red River - from the Oklahoma State Line in Wheeler County to a point 4.0 km (2.5 mi) upstream of FM 2300 in Gray County	Freshwater Stream	0224_01	North Fork Red River from the Oklahoma State Line upstream to the confluence of McClellan Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10178; 10179
				0224_02	North Fork Red River from the confluence of McClellan Creek upstream to a point 4.0 km upstream of FM 2300	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0224A	McClellan Creek	McClellan Creek - from the confluence of the North Fork Red River upstream to the headwater near Carson CR I, 12.4 km southwest of Panhandle	Freshwater Stream	0224A_01	McClellan Creek from the confluence of the North Fork Red River upstream to the Lake McClellan dam	Perennial	Routine Flow Data	High	Presumption from flow type	10064
				0224A_02	McClellan Creek from the Lake McClellan dam upstream to the headwaters southwest of Panhandle in Carson County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0225	McKinney Bayou	McKinney Bayou - from the Arkansas State Line in Bowie County to a point 100 meters (110 yards) upstream of the most upstream crossing of FM 1397 near King Lake in Bowie County	Freshwater Stream	0225_01	McKinney Bayou from the Arkansas State Line upstream to a point 100m upstream of the uppermost crossing of FM 1397	Perennial	TSWQS Appendix A	Limited	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0226	South Fork Wichita River	South Fork Wichita River - from the confluence with the North Fork Wichita River in Knox County to a point 15.0 km (9.3 mi) upstream of US 82 in Dickens County	Freshwater Stream	0226_01	South Fork Wichita River from the confluence of the North Fork Wichita River upstream to SH 6	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10185
				0226_02	South Fork Wichita River from SH 6 upstream to the confluence of Willow Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0226_03	South Fork Wichita River from confluence of Willow Creek upstream to the confluence of Long Canyon Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13636
				0226_04	South Fork Wichita River from the confluence of Long Canyon Creek upstream to a point 15.0 km upstream of US 82	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0227	South Fork Pease River	South Fork Pease River - from the confluence with the Middle Fork Pease River in Cottle County to the confluence of Wolf Creek and Rustler Creek in Motley County	Freshwater Stream	0227_01	South Fork Pease River from the confluence of the Middle Fork Pease River upstream to the confluence of Wolf Creek and Rustler Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0228	Mackenzie Reservoir	Mackenzie Reservoir - from Mackenzie Dam in Briscoe County up to the normal pool elevation of 3100 feet (impounds Tule Creek)	Reservoir	0228_01	Mackenzie Reservoir from the dam up to the normal pool elevation of 3100 feet	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10188

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0229	Upper Prairie Dog Town Fork Red River	Upper Prairie Dog Town Fork Red River - from a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County to Lake Tanglewood Dam in Randall County	Freshwater Stream	0229_01	Upper Prairie Dog Town Fork Red River from a point 100 m (110 yds) upstream of the confluence of Salt Creek upstream to the Palo Duro Canyon State Park northern boundary	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10191
				0229_02	Upper Prairie Dog Town Fork Red River from the Palo Duro Canyon State Park northern boundary upstream to Tanglewood Dam	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	20801

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0229A	Lake Tanglewood	Lake Tanglewood - from the dam up to the Palisades neighborhood	Reservoir	0229A_01	Lake Tanglewood from the dam up to the Palisades neighborhood	Reservoir	Water body description	High	Presumption from Flow Type	10192

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0229B	Tierra Blanca Creek	Tierra Blanca Creek - from the confluence of Palo Duro Creek east of Canyon upstream to the New Mexico State Line	Freshwater Stream	0229B_01	Tierra Blanca Creek from the confluence of Palo Duro Creek east of Canyon upstream to the New Mexico State Line	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0230	Pease River	Pease River - from the confluence with the Red River in Wilbarger County upstream to the confluence with Canal Creek at the Hardeman-Foard county line	Freshwater Stream	0230_01	Pease River from the confluence of the Red River upstream to the confluence of Paradise Creek	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	No Stations
				0230_02	Pease River from the confluence of Paradise Creek upstream to the confluence of Canal Creek	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	10165; 10166

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0230A	Paradise Creek	Paradise Creek - from the confluence of the Pease River east of Vernon upstream to the headwater 500m west of the intersection of US 70 and Foard CR 233	Freshwater Stream	0230A_01	Paradise Creek from the confluence of the Pease River east of Vernon upstream to a point 400m upstream of the intersection of FM 433 and Wilbarger CR 97	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	10094
				0230A_02	Paradise Creek from a point 400m upstream of the intersection of FM 433 and Wilbarger CR 97 upstream to the headwater 500m west of the intersection of US 70 and Foard CR 233	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0299A	Sweetwater Creek	Sweetwater Creek - from the Oklahoma State Line upstream to the headwaters SW of the intersection of Gray CR 1268 and CR 748	Freshwater Stream	0299A_01	Sweetwater Creek from the Oklahoma State Line upstream to the confluence of Graham Creek south of Mobeetie	Perennial	Routine Flow Data	High	Presumption from flow type	10070; 10072
				0299A_02	Sweetwater Creek from the confluence of Graham Creek south of Mobeetie upstream to the headwaters SW of the intersection of Gray CR 1268 and CR 748	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0299B	Washita River	Washita River - from the Texas/Oklahoma state line upstream to the headwaters 7.5 km (4.6 mi) southeast of Miami in Roberts County	Freshwater Stream	0299B_01	Washita River - from the Texas/Oklahoma state line upstream to the headwaters 7.5 km (4.6 mi) southeast of Miami in Roberts County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	10067

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0301	Sulphur River Below Wright Patman Lake	From the Arkansas State Line in Bowie/Cass County to Wright Patman Lake Dam in Bowie/Cass County	Freshwater Stream	0301_01	From the Arkansas state line approximately 9 mi upstream to the unnamed creek at NHD RC 11140302004559	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13783
				0301_02	From the unnamed creek at NHD RC 11140302004559 approximately 10 mi to Wright Patman Lake Dam	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10212

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0301A	Akin Creek	From the confluence with the Sulphur River in Bowie County below Lake Wright Patman to 1 km (.6 mi) south of US HWY 82	Freshwater Stream	0301A_01	From the confluence with the Sulphur River in Bowie County below Lake Wright Patman to 1 km (.6 mi) south of US HWY 82	Perennial	Flow Questionnaire	High	Presumption from flow type	18356

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0302	Wright Patman Lake	From Wright Patman Lake Dam in Bowie/Cass County to a point 1.5 km (0.9 mi) downstream of Bassett Creek in Bowie/Cass County, up to the normal pool elevation of 226.4 feet (impounds the Sulphur River)	Reservoir	0302_11	2700 acres near dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10213; 14097; 16859
				0302_12	Big Creek arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16860
				0302_13	5600 acres in mid-reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	14103
				0302_14	9000 acres in upper portion of reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16205
				0302_15	1400 acres in the northeast corner of lake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	15061

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0302A	Big Creek	Intermittent stream with perennial pools from Wright Patman Lake upstream to I 30	Freshwater Stream	0302A_01	From Wright Patman Lake upstream to FM 2149	Perennial	Flow Questionnaire	High	Presumption from flow type	No Stations
				0302A_02	Intermittent stream with perennial pools from FM 2149 upstream to 1.3 km south of US 82 southeast of the City of New Boston; App D	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	21701
				0302A_03	From 1.3 km south of US 82 southeast of the City of New Boston upstream to the headwaters near I30	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0302B	Boone Creek	From the confluence with Wright Patman Lake upstream to approximately 3.5 mi north of highway 67 in Bowie County	Freshwater Stream	0302B_01	From the confluence with Wright Patman Lake upstream to approximately 3.5 mi north of highway 67 in Bowie County	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0302C	Anderson Creek	From Lake Wright Patman upstream 88.6 km (55 mi) to the headwaters near US HWY 82	Freshwater Stream	0302C_01	From Wright Patman Lake upstream to confluence with unnamed tributary approximately 4.2 km downstream of SH 992	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	20765
				0302C_02	Intermittent stream with perennial pools from the confluence with an unnamed tributary approximately 4.2 km downstream of SH 992 upstream to the confluence with an unnamed tributary approximately 2.2 km upstream of CR 4320; App D	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations
				0302C_03	From confluence with an unnamed tributary approximately 2.2 km upstream of CR 4320 to headwaters 0.2 km south of US 82	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0302D	Caney Creek	From the confluence with Big Creek in Bowie County to approximately 1.5 km south of US HWY 82	Freshwater Stream	0302D_01	From the confluence with Big Creek in Bowie County to approximately 1.5 km south of US HWY 82	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	21700

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0302E	Rice Creek	From the confluence with Anderson Creek in Bowie County upstream to the dam of TP Lake west of New Boston	Freshwater Stream	0302E_01	From the confluence with Anderson Creek in Bowie County upstream to the dam of TP Lake west of New Boston	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	15947

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0302G	TP Lake	Impounds the portion of Rice Creek 0.02 km south of US 82 in Bowie County extending to the dam	Reservoir	0302G_01	Impounds the portion of Rice Creek 0.02 km south of US 82 in Bowie County extending to the dam	Reservoir	Water body description	High	Presumption from Flow Type	20813

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0302H	Elliott Creek	Elliott Creek from the confluence with Wright Patman Lake east of Redwater, upstream to the Elliott Creek Reservoir dam in Bowie County	Freshwater Stream	0302H_01	Elliott Creek from the confluence with Wright Patman Lake east of Redwater, upstream to the Elliott Creek Reservoir dam in Bowie County	Perennial	Routine Flow Data	High	Presumption from flow type	21699

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0302I	East Fork Elliott Creek	East Fork Elliott Creek from the confluence with Elliott Creek east of Redwater, upstream to the headwaters 4.5 km (2.8 mi) south of Leary in Bowie County	Freshwater Stream	0302I_01	East Fork Elliott Creek from the confluence with Elliott Creek east of Redwater, upstream to the headwaters 4.5 km (2.8 mi) south of Leary in Bowie County	Perennial	Flow Questionnaire	High	Presumption from flow type	15946

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0303	Sulphur/South Sulphur River	From a point 1.5 km (0.9 mi) downstream of Bassett Creek in Bowie/Cass County to Jim L. Chapman Dam (formerly Cooper Lake dam) in Delta/Hopkins County	Freshwater Stream	0303_01	Portion of the Sulphur/South Sulphur River from Lake Wright Patman upstream approximately 29 km (18 mi) to the confluence with White Oak Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10215
				0303_02	Portion of the Sulphur/South Sulphur River from the confluence of White Oak Creek approximately 44 km (27 mi) upstream to the confluence with the Roden Creek.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10216
				0303_03	Portion of the Sulphur/South Sulphur River from the confluence with Roden Creek approximately 44 km (27 mi) upstream to the confluence with the Cottonwood Slough .	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0303_04	Portion of the Sulphur/South Sulphur River from the confluence with Cottonwood Slough approximately 41.5 km (26 mi) upstream to the confluence with the North Sulphur River.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10218
				0303_05	Portion of the Sulphur/South Sulphur River from the confluence with the North Sulphur River approximately 43 km (26.5 mi) upstream to Jim L. Chapman Dam (formerly Cooper Lake dam)	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10222

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0303A	Big Creek Lake	From Big Creek Dam up to normal pool elevation of 458 feet north of Cooper (impounds Big Creek)	Reservoir	0303A_01	From Big Creek Dam up to normal pool elevation of 458 feet north of Cooper (impounds Big Creek)	Reservoir	Water body description	High	Presumption from Flow Type	16856

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0303B	White Oak Creek	From the confluence of the Sulphur River north of Naples in Morris County to Lake Sulphur Springs in Hopkins County	Freshwater Stream	0303B_01	Portion of White Oak Creek from the confluence with the South Sulphur River approximately 40 km (25 mi) upstream to the confluence with Lacy Creek; App D	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	10198
				0303B_02	Portion of White Oak Creek from the confluence with the Lacy Creek approximately 42 km (26 mi) upstream to the confluence with Ripley Creek; App D	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	21412
				0303B_03	Portion of White Oak Creek from the confluence with the Ripley Creek to approximately 0.26 km upstream of FM 900 in northeast Hopkins County; App D	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	10199; 10201
				0303B_04	Portion of White Oak Creek from approximately 0.26 km upstream of FM 900 in northeast Hopkins County upstream to Lake Sulphur Springs.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0303C	Morrison Branch	Intermittent stream with perennial pools from the confluence with Little Mustang Creek upstream to headwaters approximately 0.2 km west of TX 37 and northeast of the City of Bogata	Freshwater Stream	0303C_01	Intermittent stream with perennial pools from the confluence with Little Mustang Creek upstream to approximately 0.7 km south of FM 909 southeast of the City of Bogata; App D	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations
				0303C_02	From approximately 0.7 km south of FM 909 southeast of the City of Bogata to the headwaters 0.2 km east of TX 37	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0303D	Rock Creek	From the confluence with White Oak Creek to the southwest corner of Sulphur Springs approximately 2 mi southeast of the intersection of I-30 and State Hwy 19	Freshwater Stream	0303D_01	From the confluence with White Oak Creek to the southwest corner of Sulphur Springs approximately 2 mi southeast of the intersection of I-30 and State Hwy 19	Intermittent w/pools	WQS/Permits program	Intermediate	Previous TCEQ permit decision	10200

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0303E	East Caney Creek	From the confluence with White Oak Creek to just east of Como in southeastern Hopkins County	Freshwater Stream	0303E_01	From the confluence with White Oak Creek to just east of Como in southeastern Hopkins County	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0303F	Stouts Creek	From the confluence with White Oak Creek to approximately 7 mi due east of Como in Hopkins County	Freshwater Stream	0303F_01	From the confluence with White Oak Creek to approximately 7 mi due east of Como in Hopkins County	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	18189

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0303G	North Caney Creek	From the confluence with White Oak Creek in Hopkins County to Farm Road 71	Freshwater Stream	0303G_01	From the confluence with White Oak Creek in Hopkins County to Farm Road 71	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0303H	Big Creek	From the confluence with Sulphur/South Sulphur River in Delta County northwest to just south of FM 128	Freshwater Stream	0303H_01	From the confluence with Sulphur/South Sulphur River in Delta County northwest to just south of FM 128	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0303I	Big Creek	From the confluence with White Oak Creek south to approximately 0.5 mi north of FM 900 in Hopkins County	Freshwater Stream	0303I_01	From the confluence with White Oak Creek south to approximately .5 mi north of FM 900 in Hopkins County	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0303J	Cuthand Creek	From the confluence with the Sulphur River in Titus County to 2.5 km (1.7 mi) north of the intersection of Farm Road 196 and US HWY 82	Freshwater Stream	0303J_01	From the confluence with the Sulphur River in Titus County to 2.5 km (1.7 mi) north of the intersection of Farm Road 196 and US HWY 82	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	10202; 21696

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0303K	Little Mustang Creek	From the confluence with the Sulphur River in Red River County to 1.3 km (0.8 mi) north of the intersection of US HWY 271 and HW 37	Freshwater Stream	0303K_01	From the confluence with the Sulphur River in Red River County to 1.3 km (.8 mi) north of the intersection of US HWY 271 and HW 37	Perennial	Flow Questionnaire	Limited	Presumption from flow type	17343

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0303L	Kickapoo Creek	From the confluence with Cuthand Creek in Titus County to 1.6 km (1 mi) south of FM 114	Freshwater Stream	0303L_01	From the confluence with Cuthand Creek in Titus County to 1.6 km (1 mi) south of FM 114	Perennial	Routine Flow Data	High	Presumption from flow type	17342; 21698

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0303M	Smackover Creek	From the confluence of White Oak Creek upstream to the headwaters at an impoundment 1.8 km upstream of FM1001 in Titus County	Freshwater Stream	0303M_01	From the confluence of White Oak Creek upstream to the headwaters at an impoundment 1.8 km upstream of FM1001 in Titus County	Perennial	Routine Flow Data	High	Presumption from flow type	20101

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0303N	Horse Creek	From the confluence of White Oak Creek upstream to a small impoundment 0.2 km northeast of the intersection of Highway 67 and FM 1993 in Titus County	Freshwater Stream	0303N_01	From the confluence of White Oak Creek upstream to a small impoundment 0.2 km northeast of the intersection of Highway 67 and FM 1993 in Titus County	Perennial	Routine Flow Data	High	Presumption from flow type	20100

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0303O	Scatter Creek	Scatter Creek from the confluence with Cuthand Creek south of Clarksville, upstream to the headwaters northwest of Detroit, in Red River County	Freshwater Stream	0303O_01	Scatter Creek from the confluence with Cuthand Creek south of Clarksville, upstream to the headwaters northwest of Detroit, in Red River County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	21702

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0303P	Mustang Creek	Mustang Creek from the confluence with the Sulphur River northeast of Talco upstream to the headwaters north of Deport	Freshwater Stream	0303P_01	Mustang Creek from the confluence with the Sulphur River northeast of Talco upstream to the headwaters north of Deport	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	21695

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0304	Days Creek	From the Arkansas State Line in Bowie County to the confluence of Swampoodle Creek and Nix Creek in Bowie County	Freshwater Stream	0304_01	From the Arkansas State Line in Bowie County to the confluence of Swampoodle Creek and Nix Creek in Bowie County	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	10226

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0304A	Swampoodle Creek	From the confluence of Days Creek in central Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County	Freshwater Stream	0304A_01	From the confluence of Days Creek in central Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County	Perennial	Flow Questionnaire	High	Presumption from flow type	15342

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0304B	Cowhorn Creek	From the confluence of Wagner Creek in southern Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County	Freshwater Stream	0304B_01	From the confluence of Wagner Creek in southern Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County	Perennial	Flow Questionnaire	High	Presumption from flow type	15254

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0304C	Wagner Creek	Perennial stream from the confluence with Days Creek upstream to the headwaters 0.3 km west of Birdwell Davis Road	Freshwater Stream	0304C_01	Perennial stream from the confluence with Days Creek upstream to a point 1.5 km upstream of IH 30; App D	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	14475; 21176
				0304C_02	From a point 1.5 km upstream of IH 30 to the headwaters 0.3 km west of Birdwell Davis Road	Perennial	Flow Questionnaire	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0304D	Nix Creek	From the confluence with Swampoodle Creek to 1.6 km (1 mi) directly east of the intersection of US HWY 271 and I30	Freshwater Stream	0304D_01	From the confluence with Swampoodle Creek to 1.6 km (1 mi) directly east of the intersection of US HWY 271 and I30	Perennial	Flow Questionnaire	High	Presumption from flow type	10210

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0305	North Sulphur River	From the confluence with the South Sulphur River in Lamar County to a point 6.7 km (4.2 mi) upstream of FM 68 in Fannin County	Freshwater Stream	0305_01	Portion of the North Sulphur River from the confluence with the Sulphur/South Sulphur upstream approximately 41 km (25 mi) to Morrison Creek	Intermittent w/pools	TSWQS Appendix A	Intermediate	TSWQS Appendix A	10231
				0305_02	Portion of the North Sulphur River from the confluence with Morrison Creek upstream approximately 37 km (23 mi) to the headwaters.	Intermittent w/pools	TSWQS Appendix A	Intermediate	TSWQS Appendix A	17613; 18844

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0305A	Rowdy Creek	From the confluence with the North Sulphur River in Lamar county, northwest to US HWY 82	Freshwater Stream	0305A_01	From the confluence with the North Sulphur River in Lamar county, northwest to US HWY 82	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0305B	Auds Creek	From the confluence with the North Sulphur River in Lamar County to 2 km (1.2 mi) south of US HWY 82	Freshwater Stream	0305B_01	From the confluence with the North Sulphur River in Lamar County to 2 km (1.2 mi) south of US HWY 82	Perennial	Flow Questionnaire	High	Presumption from flow type	10197

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0305C	Hickory Creek	From the confluence with the North Sulphur River in Lamar County to 0.4 km (.2 mi) east of FM 1497	Freshwater Stream	0305C_01	From the confluence with the North Sulphur River in Lamar County to .4 km (.2 mi) east of FM 1497	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	17344

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0305D	Big Sandy Creek	From the confluence with the North Sulphur River in Lamar County to 0.4 km (.2 mi) Of US HWY 82 Business in Paris	Freshwater Stream	0305D_01	From the confluence with the North Sulphur River in Lamar County to .4 km (.2 mi) Of US HWY 82 Business in Paris	Perennial	Flow Questionnaire	High	Presumption from flow type	10205

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0306	Upper South Sulphur River	From a point 1.0 km (0.7 mi) upstream of SH 71 in Delta/Hopkins County to SH 78 in Fannin County	Freshwater Stream	0306_01	Portion of the Upper South Sulphur River from a point 1 km (0.7 mi) upstream of SH 71 upstream approximately 10 km (6 mi) to Dunbar Creek	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	10238
				0306_02	Portion of the Upper South Sulphur River from the confluence with Dunbar Creek approximately 42 km (26 mi) to Hickory Creek	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	No Stations
				0306_03	Portion of the Upper South Sulphur River from the confluence with Hickory Creek approximately 19 km (12 mi) to SH 78	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	17513

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0307	Jim L. Chapman Lake (formerly Cooper Lake)	Jim L. Chapman Lake (formerly Cooper Lake) - from Jim L. Chapman Dam . to a point 1.0 km (0.7 mi) upstream of SH 71 on the South Sulphur River arm . and 300 meters (275 yards) below the confluence of Barnett Creek on the Middle Sulphur River arm ., up to	Reservoir	0307_01	Lower 4500 acres near dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	13855; 21712; 21714; 21715
				0307_02	Lower 1000 acre Doctors Creek arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	17075
				0307_03	Middle 5700 acres	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	21713
				0307_04	Middle 1300 acre Johns Creek arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	21810
				0307_05	Middle 600 acres near Finley Branch	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	15211
				0307_06	Upper 5000 Acres in the headwaters	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0307A	Middle Sulphur River	From the confluence Cooper Lake in Hopkins County to the upstream perennial portion of the stream east of Wolfe City in Hunt County	Freshwater Stream	0307A_01	From the confluence Cooper Lake in Hopkins County to the upstream perennial portion of the stream east of Wolfe City in Hunt County	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	10223; 13632; 17616

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0307B	Jernigan Creek	From the confluence with Cooper Lake to the confluence with the east and west forks of Jernigan Creek in Delta County	Freshwater Stream	0307B_01	From the confluence with Cooper Lake to the confluence with the east and west forks of Jernigan Creek in Delta County	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0307C	Pecan Creek	From the confluence with the Middle Sulphur River to 2.5 mi below Ladonia discharge in Hunt County	Freshwater Stream	0307C_01	From the confluence with the Middle Sulphur River to 2.5 mi below Ladonia discharge in Hunt County	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0307D	East Fork Jernigan Creek	Intermittent stream w/pools from the confluence with the West Fork Jernigan Creek upstream 15.6 km (9.7 mi) to the headwaters at FM 64	Freshwater Stream	0307D_01	From the confluence with the West Fork Jernigan Creek upstream 15.6 km (9.7 mi) to the headwaters at FM 64	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	21711

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0401	Caddo Lake	From the Louisiana State Line in Harrison/Marion County to a point 12.3 km (7.6 mi) downstream of SH 43 in Harrison/Marion County, up to the normal pool elevation of 168.5 feet (impounds Big Cypress Creek)	Reservoir	0401_01	Lower 5000 acres	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10283
				0401_02	Harrison Bayou arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10286
				0401_03	Goose Prairie arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10288
				0401_05	Clinton Lake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	14236
				0401_07	Mid-lake near Uncertain	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	15249

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0401A	Harrison Bayou	From the confluence of Caddo Lake east of Karnack in Harrison County to the upstream perennial portion of the stream east of Marshall in Harrison County	Freshwater Stream	0401A_01	Intermittent stream with perennial pools from the confluence with Caddo Lake within the Caddo Lake National Wildlife Refuge east of the City of Karnack upstream to FM 1998 east of the City of Marshall. App D	Intermittent w/pools	TSWQS Appendix D	High	TSWQS Appendix D	15508
				0401A_02	FM 1998 east of the City of Marshall to near the headwaters 0.4 km south of US 80	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0401B	Kitchen Creek	From the confluence with Clinton Lake to near Payne in Marion County	Freshwater Stream	0401B_01	From the confluence with Clinton Lake to near Payne in Marion County	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	14998

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0402	Big Cypress Creek Below Lake O' the Pines	From a point 12.3 km (7.6 mi) downstream of SH 43 in Harrison/Marion County to Ferrell's Bridge Dam in Marion County	Freshwater Stream	0402_01	From the confluence with Caddo Lake upstream 15 km (9 mi) to Haggerty Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10295; 15022
				0402_02	From the confluence with Haggerty Creek upstream 25 km (15.5 mi) to the confluence with Black Cypress Bayou.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0402_03	From the confluence with Black Cypress Bayou upstream 23.8 km (14.7 mi) to French Creek.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	15511
				0402_04	From the confluence with French Creek upstream 13 km (8 mi) to Lake O' the Pines	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0402B	Hughes Creek	Perennial stream from the confluence with Black Cypress Creek upstream to the headwaters 0.2 km east of CR 2115	Freshwater Stream	0402B_01	Perennial stream from the confluence with Black Cypress Creek upstream to the confluence with an unnamed first order tributary approximately 0.5 km downstream of FM 250; App D	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	22321
				0402B_02	From the confluence with an unnamed first order tributary approximately 0.5 km downstream of FM 250 to the headwaters 0.2 km east of CR 2115	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0402C	Haggerty Creek	From the confluence with Big Cypress Bayou to approximately 6 mi east of Marshall in Harrison County	Freshwater Stream	0402C_01	From the confluence with Big Cypress Bayou to approximately 6 mi east of Marshall in Harrison County	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0402D	Flat Creek	From the confluence with Black Cypress Creek in Cass County, north to approximately 2 mi south of State HWY 77	Freshwater Stream	0402D_01	From the confluence with Black Cypress Creek in Cass County, north to approximately 2 mi south of State HWY 77	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0402E	Kelly Creek	From the confluence with Black Cypress Creek in Cass County, north to approximately 2 mi southwest of where State HWY 338 and US HWY 259 merge	Freshwater Stream	0402E_01	From the confluence with Black Cypress Creek in Cass County, north to approximately 2 mi southwest of where State HWY 338 and US HWY 259 merge	Perennial	Flow Questionnaire	High	Presumption from flow type	16934

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0403	Lake O' the Pines	From Ferrell's Bridge Dam in Marion County to a point 1.0 km (0.6 mi) downstream of US 259 in Morris/Upshur County, up to the normal pool elevation of 228.5 feet (impounds Big Cypress Creek)	Reservoir	0403_01	Lower 5000 acres	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10296
				0403_02	Middle 5000 acres	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16156
				0403_03	Middle 5000 acres below Hwy 155	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10297
				0403_04	Upper 3700 acres	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	17087

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0404	Big Cypress Creek Below Lake Bob Sandlin	From a point 1.0 km (0.6 mi) downstream of US 259 in Morris/Upshur County to Fort Sherman Dam in Camp/Titus County	Freshwater Stream	0404_01	From the confluence with Lake O' the Pines upstream 24 km (14.9 mi) to the confluence with an unnamed tributary NHD RC 11140305002717	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	13631; 16458
				0404_02	From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	10308; 10310

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0404A	Ellison Creek Reservoir	From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)	Reservoir	0404A_01	From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)	Reservoir	Water body description	High	Presumption from Flow Type	14473

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0404B	Tankersley Creek	Perennial stream from the confluence with Big Cypress Creek upstream to the headwaters in Titus County	Freshwater Stream	0404B_01	From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to Tankersley Lake. WQS Appendix D portion of the creek.	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	10261; 10263; 10264
				0404B_02	Impounded 2.7 km (1.7 mi) in length portion of Tankersley Creek	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				0404B_03	From the confluence with Tankersley Lake upstream 5.9 km (3.7 mi) to the headwaters	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0404C	Hart Creek	Perennial stream from the confluence with Big Cypress Creek upstream to the headwaters 0.2 km south of CR 1635, Titus County	Freshwater Stream	0404C_01	Perennial stream from the confluence with Big Cypress Creek upstream to 0.2 km upstream of FM 1402; App D	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	10266; 10272
				0404C_02	From 0.2 km upstream of FM 1402 to the headwaters 0.2 km south of CR 1635	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0404D	Welsh Reservoir	From Titus County Dam up to normal pool level located between Mt. Pleasant and Daingerfield in Titus County (impounds Swauano and Justiss Creeks)	Reservoir	0404D_01	From Titus County Dam up to normal pool level located between Mt. Pleasant and Daingerfield in Titus County (impounds Swauano and Justiss Creeks)	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0404E	Dry Creek	Perennial stream from the confluence with Big Cypress Creek upstream to the headwaters near the intersection of Texas and Fred roads, Camp County	Freshwater Stream	0404E_01	Perennial stream from the confluence with Big Cypress Creek upstream to the confluence of Mile Branch and Little Creek; App D	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	10274
				0404E_02	From the confluence of Mile Branch and Little Creek to the headwaters near the intersection of Texas and Fred roads, Camp County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0404F	Sparks Branch	Perennial stream from the confluence with Dry Creek upstream to the headwaters 0.4 km west of the intersection of Texas Street and Park Road (CR 2106)	Freshwater Stream	0404F_01	Perennial stream from the confluence with Dry Creek upstream to US 271; App D	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	10276
				0404F_02	From US 271 upstream to the headwaters 0.4 km west of the intersection of Texas Street and Park Road (CR 2106)	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0404G	Brutons Creek	Perennial stream from the headwaters of Ellison Reservoir to the headwaters 0.9 km northwest of CR 4103, Morris County	Freshwater Stream	0404G_01	Perennial stream from the headwaters of Ellison Reservoir upstream to SH 49 near the City of Daingerfield; App D	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations
				0404G_02	From SH 49 near the City of Daingerfield to the headwaters 0.9 km northwest of Morris CR 4104	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0404H	Unnamed Tributary of Okry Creek	Perennial stream from the confluence with Okry Creek upstream to a point 0.26 km upstream of US 259 south of the City of Omaha	Freshwater Stream	0404H_01	Perennial stream from the confluence with Okry Creek upstream to a point 0.26 km upstream of US 259 south of the City of Omaha	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0404I	Boggy Creek	From the confluence with Big Cypress Creek in Morris County to a point near SH 67 west of Omaha.	Freshwater Stream	0404I_01	From the confluence with Big Cypress Creek in Morris County to a point near SH 67 west of Omaha.	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	15895

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0404J	Prairie Creek	From the confluence with Big Cypress Creek to Bennett Lake, south of Pittsburg in Camp County	Freshwater Stream	0404J_01	From the confluence with Big Cypress Creek to Bennett Lake, south of Pittsburg in Camp County	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	15836

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0404K	Walkers Creek	From the confluence with Big Cypress Creek to approximately 2 mi west of Pittsburg in Camp County	Freshwater Stream	0404K_01	From the confluence with Big Cypress Creek to approximately 2 mi west of Pittsburg in Camp County	Intermittent	Flow Questionnaire	Minimal	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0404L	Swauano Creek	From the confluence of Big Cypress Creek below Lake Bob Sandlin to approximately 6 mi north of SH 49.	Freshwater Stream	0404L_01	From the confluence with Big Cypress Creek upstream 9.8 km (6.1 mi) to Welsh Reservoir.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations
				0404L_02	From Welsh Reservoir upstream 23.2 km (14.4 mi) to the headwaters.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0404M	Greasy Creek	From the confluence of Big Cypress Creek below Lake Bob Sandlin to approximately 4 mi SW of FM 557.	Freshwater Stream	0404M_01	From the confluence of Big Cypress Creek below Lake Bob Sandlin to approximately 4 mi SW of FM 557.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	16016

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0404N	Lake Daingerfield	Southeast of the City of Daingerfield in Daingerfield State Park in Morris County	Reservoir	0404N_01	Southeast of the City of Daingerfield in Daingerfield State Park in Morris County	Reservoir	Water body description	High	Presumption from Flow Type	17337

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0404O	Dragoo Creek	From the confluence with Tankersley Creek to the headwaters approximately 2 mi NW of US 67	Freshwater Stream	0404O_01	From the confluence with Tankersley Creek to the headwaters approximately 2 mi NW of US 67	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0404P	Unnamed Tributary to Tankersley Creek	From the confluence with Tankersley Creek approximately 2 mi upstream to NHD RC 11140305001088..	Freshwater Stream	0404P_01	From the confluence with Tankersley Creek approximately 2 mi upstream to NHD RC 11140305001088	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0404Q	Unnamed Tributary to Tankersley Creek	From the confluence with Tankersley Creek upstream approximately 4 mi upstream to the headwaters near the end of 26th Street in Mt. Pleasant.	Freshwater Stream	0404Q_01	From the confluence with Tankersley Creek upstream approximately 4 mi upstream to the headwaters near the end of 26th Street in Mt. Pleasant.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0404R	Unnamed Tributary to Dragoo Creek	From the confluence with Dragoo Creek upstream approximately 1.4 km (0.8 mi) southwest to the headwaters	Freshwater Stream	0404R_01	From the confluence with Dragoo Creek upstream approximately 1.4 km (.8 mi) southwest to the headwaters	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0404S	Unnamed tributary to Big Cypress Creek	Unnamed tributary from the confluence with Big Cypress Creek extending to J H Milligan Estate Lake near the intersection of Highway 271 and D H Abernathy Blvd northeast of Pittsburg	Freshwater Stream	0404S_01	Unnamed tributary from the confluence with Big Cypress Creek extending to J H Milligan Estate Lake near the intersection of Highway 271 and D H Abernathy Blvd northeast of Pittsburg	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0404T	Prairie Branch	Intermittent stream with perennial pools extending from the confluence with Big Cypress Creek to a small impoundment 0.06 km north of County Road 4715 northeast of Pittsburg	Freshwater Stream	0404T_01	Intermittent stream with perennial pools extending from the confluence with Big Cypress Creek to a small impoundment 0.06 km north of County Road 4715 northeast of Pittsburg	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0404U	Evans Creek	From the confluence with Hart Creek in Titus County to the small impoundment 0.4 km upstream of FM 1001	Freshwater Stream	0404U_01	From the confluence with Hart Creek in Titus County to the small impoundment .40 km upstream of FM 1001	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0404V	Hayes Creek	From the confluence with Hart Creek in Titus County upstream to New City Lake	Freshwater Stream	0404V_01	From the confluence with Hart Creek in Titus County upstream to New City Lake	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0405	Lake Cypress Springs	From Franklin County Dam in Franklin County up to the normal pool elevation of 378 feet (impounds Big Cypress Creek)	Reservoir	0405_01	From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10312
				0405_02	Upper 2600 acres	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10313
				0405_03	Panther Arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	17548

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0405A	Big Cypress Creek	From the confluence with Lake Cypress Springs in Franklin County, to approximately 5 mi west of State HWY 37	Freshwater Stream	0405A_01	From the confluence with Lake Cypress springs in Franklin County, to approximately 5 mi west of State HWY 37	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	22151

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0405B	Panther Creek	From the confluence with Lake Cypress Springs in Franklin County, to approximately 0.25 mi west of State HWY 37	Freshwater Stream	0405B_01	From the confluence with Lake Cypress springs in Franklin County, to approximately .25 mi west of State HWY 37	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0405C	Blair Creek	From the confluence with Lake Cypress Springs in Franklin County, to approximately 0.5 mi south of FM 900	Freshwater Stream	0405C_01	From the confluence with Lake Cypress springs in Franklin County, to approximately .5 mi south of FM 900	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0406	Black Bayou	From the Louisiana State Line in Cass County to FM 96 in Cass County	Freshwater Stream	0406_01	Black Bayou from the LA state line upstream 19.1 km (11.8 mi) to the confluence with Hurricane Creek	Intermittent w/pools	TSWQS Appendix A	High	TSWQS Appendix A	10314
				0406_02	From the confluence with Hurricane Creek upstream 28.6 km (17.7 mi) to NHD RC 11140304000881 near FM 96	Intermittent w/pools	TSWQS Appendix A	High	TSWQS Appendix A	10318

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0407	James' Bayou	From the Louisiana State Line in Marion County to Club Lake Road northwest of Linden in Cass County	Freshwater Stream	0407_01	From the LA state line upstream 31.6 km (19.6 mi) to the confluence with Bear Creek.	Intermittent w/pools	TSWQS Appendix A	High	TSWQS Appendix A	10319; 14976
				0407_02	From the confluence with Bear Creek upstream 29.8 km (18.5 mi) to approximately 2 km north of HWY 11	Intermittent w/pools	TSWQS Appendix A	High	TSWQS Appendix A	10320; 10321

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0407A	Beach Creek	Perennial stream from Iron Ore Lake (James' Bayou) upstream to the headwater at Cass CR 1244 north of Linden	Freshwater Stream	0407A_01	Perennial stream from Iron Ore Lake upstream to the confluence with an unnamed tributary 0.48 km upstream of Hwy 59	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations
				0407A_02	From the confluence with an unnamed tributary 0.48 km upstream of Hwy 59 upstream to the headwater at Cass CR 1244 north of Linden	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0407B	Frazier Creek	From the confluence with James Bayou to approximately 4 mi northwest of SH 8 near Red Hill in Cass County	Freshwater Stream	0407B_01	From the confluence with James' Bayou upstream 38.6 km (23.9 mi) to the confluence with NHD RC 11140306000019 near HWY 59	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				0407B_02	From the confluence with the confluence with NHD RC 11140306000019 near HWY 59 upstream 24.7 km (15.3 mi) to the headwaters	Perennial	Flow Questionnaire	High	Presumption from flow type	10259

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0408	Lake Bob Sandlin	From Fort Sherman Dam in Camp/Titus County to Franklin County Dam in Franklin County, up to the normal pool elevation of 337.5 feet (impounds Big Cypress Creek)	Reservoir	0408_01	Lower 2500 acres near dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10329; 17059; 17060
				0408_02	Middle 3000 acres	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0408_03	Upper 3000 acres	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16158

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0408A	Lake Monticello	Reservoir southwest of Mt. Pleasant in Titus County	Reservoir	0408A_01	Reservoir southwest of Mt. Pleasant in Titus County	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0408B	Andy's Creek	From the confluence with Lake Bob Sandlin in Titus County to the headwaters in Franklin County approximately 0.4 mi south of Farm Road 21	Freshwater Stream	0408B_01	From the confluence with Lake Bob Sandlin in Titus County to the headwaters in Franklin County approximately .4 mi south of Farm Road 21	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0408C	Brushy Creek	From the confluence with Lake Bob Sandlin in Franklin County to Winnsboro at State HWY 37	Freshwater Stream	0408C_01	From the confluence with Lake Bob Sandlin in Franklin County to Winnsboro at State HWY 37	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0408D	Blundell Creek	From the confluence with Lake Bob Sandlin in Titus County to the headwaters in Franklin County approximately 0.75 mi south of Farm Road 21	Freshwater Stream	0408D_01	From the confluence with Lake Bob Sandlin in Titus County to the headwaters in Franklin County approximately .75 mi south of Farm Road 21	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0409	Little Cypress Bayou (Creek)	From the confluence with Big Cypress Creek in Harrison County to a point 1.0 km (0.6 mi) upstream of FM 2088 in Wood County	Freshwater Stream	0409_01	From the confluence with Big Cypress Creek upstream 41 km (25.4 mi) to the confluence with Lawrence Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10331; 10332
				0409_02	From the confluence with Lawrence Creek upstream 29.2 km (18.1 mi) to the confluence with NHD RC 11140307000368	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0409_03	From the confluence with NHD RC 11140307000368 upstream 52.2 km (32.6 mi) to the confluence with Kelsey Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	16861
				0409_04	From the confluence with Lilly Creek upstream to a point 1.0 km (0.6 mi) upstream of FM 2088 in Wood County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	14975; 16017

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0409A	Lilly Creek	From the confluence with Little Cypress Creek to the Camp County line near Lawton in Upshur County.	Freshwater Stream	0409A_01	From the confluence with Little Cypress Creek to the Camp County line near Lawton in Upshur County.	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	20153

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0409B	South Lilly Creek	From the confluence of Lilly Creek to approximately 2 mi west of FM 1647	Freshwater Stream	0409B_01	From the confluence of Lilly Creek to approximately 2 mi west of FM 1647	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	17954

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0409C	Kelsey Creek	From the confluence of Little Cypress Creek to the headwaters near SH 154 west of Gilmer.	Freshwater Stream	0409C_01	From the confluence with Little Cypress Bayou to the dam at Lake Gilmer	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations
				0409C_02	From Lake Gilmer upstream to the headwaters 0.2 km south of TX 154	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0409D	Lake Gilmer	Unclassified reservoir bisecting Kelsey Creek, approximately 2 mi west of US Hwy 271 and 1 mi south of Little Cypress Bayou.	Reservoir	0409D_01	Unclassified reservoir bisecting Kelsey Creek, approximately 2 mi west of US Hwy 271 and 1 mi south of Little Cypress Bayou.	Reservoir	Water body description	High	Presumption from Flow Type	17478; 18825

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0409E	Clear Creek	From the confluence with Little Cypress Creek in Upshur County to 1 km (0.6 mi) west of US HWY 271	Freshwater Stream	0409E_01	From the confluence with Little Cypress Creek in Upshur County to 1 km (.6 mi) west of US HWY 271	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0410	Black Cypress Bayou (Creek)	From the confluence with Big Cypress Creek in Marion County to the confluence with Kelly Creek in Cass County	Freshwater Stream	0410_01	From the confluence with Big Cypress Creek upstream 25 km (15.5 mi) to the confluence with White Oak Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10243; 10245
				0410_02	From the confluence with White Oak Creek upstream 31.3 km (19.4 mi) to Pruitt Lake	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10244
				0410_03	Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10246
				0410_04	From Pruitt Lake 26.4 km (16.4 mi) upstream to the confluence with Kelly Creek in Cass County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10247

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0410A	Black Cypress Creek/Bayou	An Appendix D intermittent stream with perennial pools from the confluence with Kelly Creek upstream to FM 250 north of the City of Hughes Springs	Freshwater Stream	0410A_01	Intermittent stream with perennial pools from the confluence with Kelly Creek upstream to FM 250 north of the City of Hughes Springs; App D	Intermittent w/pools	TSWQS Appendix D	High	TSWQS Appendix D	21729

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0499A	Cross Bayou	Perennial stream from the Texas/Louisiana border upstream to the headwaters approximately 0.2 km south of the cemetery at Stricklen Springs	Freshwater Stream	0499A_01	Perennial stream from the Texas/Louisiana border upstream to the headwaters approximately 0.2 km south of the cemetery at Stricklen Springs; App D	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0501	Sabine River Tidal	Sabine River Tidal - from the confluence with Sabine Lake in Orange County to Morgans Bluff in Orange County	Tidal Stream	0501_01	Sabine River Tidal from the confluence of Sabine Lake upstream to confluence of Adams Bayou Tidal	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	10391
				0501_02	Sabine River Tidal from the confluence of Adams Bayou Tidal upstream to the confluence of Little Cypress Bayou	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	10394
				0501_03	Sabine River Tidal from the confluence of Little Cypress Bayou upstream to Morgans Bluff in Orange County	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	10395

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0501B	Little Cypress Bayou	Little Cypress Bayou - from the confluence of the Sabine River upstream to the headwater near the intersection of S Teal Rd and Dunromin Rd north of Orange	Tidal Stream	0501B_01	Little Cypress Bayou from the confluence of the Sabine River upstream to a point 340m downstream of 16th St in Orange	Tidal Stream	Flow Questionnaire	High	Presumption from flow type	No Stations
				0501B_02	Little Cypress Bayou from a point 340m downstream of 16th St in Orange upstream to the confluence of an unnamed stream 100m downstream of Little Cypress Dr	Tidal Stream	Flow Questionnaire	High	Presumption from flow type	No Stations
				0501B_03	Little Cypress Bayou from the confluence of an unnamed stream 100m downstream of Little Cypress Dr upstream to the headwater near the intersection of S Teal Rd and Dunromin Rd north of Orange	Tidal Stream	Flow Questionnaire	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0501C	County Relief Ditch	County Relief Ditch - Perennial ditch from the confluence with the Sabine River upstream to SH 87	Freshwater Stream	0501C_01	County Relief Ditch - Perennial ditch from the confluence with the Sabine River upstream to SH 87	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0502	Sabine River Above Tidal	Sabine River Above Tidal - from Morgans Bluff in Orange County to the confluence with Caney Creek in Newton County	Freshwater Stream	0502_02	Sabine River from Morgans Bluff upstream to the confluence of Cypress Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10397
				0502_03	Sabine River from the confluence of Cypress Creek upstream to the confluence of Nichols Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0502_04	Sabine River from the confluence of Nichols Creek upstream to the confluence of Big Cow Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0502_05	Sabine River from the confluence of Big Cow Creek upstream to the confluence of Caney Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0502A	Nichols Creek	Nichols Creek from the confluence of the Sabine River upstream to the headwater at FM 1013 northwest of Kirbyville	Freshwater Stream	0502A_01	Nichols Creek from the confluence of the Sabine River upstream to the headwater at FM 1013 northwest of Kirbyville	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	15652

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0502B	Caney Creek	Caney Creek - perennial stream from the Sabine River upstream to the confluence with Martin Branch	Freshwater Stream	0502B_01	Caney Creek an Appendix D perennial stream from the confluence of the Sabine River upstream to the Davison St crossing in Newton	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations
				0502B_02	Caney Creek an Appendix D perennial stream from the Davison St crossing in Newton upstream to the confluence of Martin Branch	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	17464

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0502C	Sabine River Authority Canal	Sabine River Authority Canal - from the confluence of the Sabine River upstream to the terminus 650m west of US87 south of Deweyville	Freshwater Stream	0502C_01	Sabine River Authority Canal from the confluence of the Sabine River upstream to the terminus 650m west of US87 south of Deweyville	Intermittent w/pools	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0502D	Dempsey Creek	Dempsey Creek - from the confluence of the Sabine River up to the headwater near FM 363 southeast of Newton	Freshwater Stream	0502D_01	Dempsey Creek from the confluence of the Sabine River up to the headwater near FM 363 southeast of Newton	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0502E	Cypress Creek	Cypress Creek - from the confluence of the Sabine River up to the headwater 500m south of FM 82 east of Kirbyville	Freshwater Stream	0502E_01	Cypress Creek from the confluence of the Sabine River up to the headwater 500m south of FM 82 east of Kirbyville	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0502G	Unnamed Tributary of Dempsey Creek	Unnamed tributary of Dempsey Creek - perennial stream from the confluence of Dempsey Creek to a headwater swamp near the City of Bon Weir	Freshwater Stream	0502G_01	Unnamed tributary an Appendix D perennial stream from the confluence of Dempsey Creek to a headwater swamp near the City of Bon Weir	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0503	Sabine River Above Caney Creek	Sabine River Above Caney Creek - from a point immediately upstream of the confluence with Caney Creek in Newton County up to Toledo Bend Dam in Newton County	Freshwater Stream	0503_01	Sabine River from the confluence of Caney Creek upstream to the confluence of Anacoco Bayou	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10398
				0503_02	Sabine River from the confluence of Anacoco Bayou upstream to the confluence of Little Cow Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0503_03	Sabine River from the confluence of Little Cow Creek upstream to the Toledo Bend Dam	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10399; 10401

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0503D	Little Cow Creek	Little Cow Creek - from the confluence of the Sabine River upstream to the headwater 4.4 km upstream of SH 255 crossing	Freshwater Stream	0503D_01	Little Cow Creek from the confluence of the Sabine River upstream to the confluence of McGraw Creek	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				0503D_02	Little Cow Creek from the confluence of McGraw Creek upstream to the headwater 4.4 km upstream of SH 255 crossing	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0504	Toledo Bend Reservoir	Toledo Bend Reservoir - from Toledo Bend Dam in Newton County to a point immediately upstream of the confluence of Murvaul Creek in Panola County, up to the normal pool elevation of 172 feet (impounds Sabine River)	Reservoir	0504_01	Toledo Bend Reservoir from the dam up to a line from Louisiana State Park #15 (LA) west to near Pleasure Bend Rd (TX)	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10404
				0504_02	Toledo Bend Reservoir Six Mile Bay, including Sandy Creek arm, from near Lakeview Rd on the northside peninsula to near Pleasure Bend Rd on the southside peninsula	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10406
				0504_03	Toledo Bend Reservoir Sunshine Bay arm, including Spring Hill Bay, from Alpine Marina on the northside peninsula to New Haven Rd on the southside peninsula	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10411
				0504_04	Toledo Bend Reservoir from a line from Cypress Bend Golf Resort (LA) west to Alpine Marina (TX) up to a line from North Toledo Bend State Park (LA) southwest to Carter's Ferry Rd north of Patroon Bayou (TX)	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10402
				0504_05	Toledo Bend Reservoir Patroon Bayou arm from Carter's Ferry Rd on northside peninsula to Elma Ln on southside peninsula	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	15655

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0504	Toledo Bend Reservoir	Toledo Bend Reservoir - from Toledo Bend Dam in Newton County to a point immediately upstream of the confluence of Murvaul Creek in Panola County, up to the normal pool elevation of 172 feet (impounds Sabine River)	Reservoir	0504_06	Toledo Bend Reservoir from a line from the confluence of Ten Acre Creek (LA) west to Shelby CR 2000 near Huxley, TX up to a line from the confluence of Pen Bayou (LA) west to the confluence of Tenaha Bayou (TX)	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0504_07	Toledo Bend Reservoir from a line from the confluence of Pen Bayou (LA) west to the confluence of Tenaha Bayou (TX) up to a point immediately upstream of the confluence of Murvaul Creek, up to the normal pool elevation of 172 feet	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0504_08	Toledo Bend Reservoir Bayou Negreet (Louisiana) from Lake Vista Dr on the northside peninsula to Laura Ln on the southside peninsula	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0504_09	Toledo Bend Reservoir Bayou San Miguel (Louisiana) from North Toledo Bend State Park Rd on northside peninsula to Aspen St on southside peninsula	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0504_10	Toledo Bend Reservoir Bayou San Patricio (Louisiana)	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0504	Toledo Bend Reservoir	Toledo Bend Reservoir - from Toledo Bend Dam in Newton County to a point immediately upstream of the confluence of Murvaul Creek in Panola County, up to the normal pool elevation of 172 feet (impounds Sabine River)	Reservoir	0504_11	Toledo Bend Reservoir from a line from North Toledo Bend State Park (LA) southwest to Carter's Ferry Rd north of Patroon Bayou (TX) up to a line from the confluence of Ten Acre Creek (LA) west to Shelby CR 2000 near Huxley, TX	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	18052
				0504_12	Toledo Bend Reservoir from a line from Louisiana State Park #15 (LA) west to Pleasure Bend Rd (TX) up to Cypress Bend Golf Resort (LA) west to Alpine Marina (TX)	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0504_13	Toledo Bend reservoir Bayou La Nana (Louisiana) from Aspen St on the northside peninsula to Jamie Ln near Merritt Mountain on the southside peninsula	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0504A	Unnamed Tributary of Flat Fork Creek	Unnamed tributary of Flat Fork Creek - intermittent stream with perennial pools from the confluence of an unnamed tributary 1.0 km upstream of FM 1645 upstream to 0.4 km upstream of SH 87	Freshwater Stream	0504A_01	Unnamed tributary of Flat Fork Creek - intermittent stream with perennial pools from the confluence of an unnamed tributary 1.0 km upstream of FM 1645 upstream to 0.4 km upstream of SH 87	Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0504C	Palo Gaucho Bayou	Palo Gaucho Bayou - from the confluence of Toledo Bend Reservoir upstream to the headwater 300 m south of FM 353 northeast of San Augustine	Freshwater Stream	0504C_01	Palo Gaucho Bayou from the confluence of Toledo Bend Reservoir upstream to the headwater 300 m south of FM 353 northeast of San Augustine	Perennial	Flow Questionnaire	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0504D	Tenaha Creek	Tenaha Creek - from the confluence of Flat Fork Creek northwest of Huxley upstream to the confluence of Porter and Huana Creeks 5.5 km southeast of Center, TX	Freshwater Stream	0504D_01	Tenaha Creek from the confluence of Flat Fork Creek northwest of Huxley upstream to the confluence of Porter and Huana Creeks 5.5 km southeast of Center, TX	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0504E	Clear Lake	Clear Lake - an oxbow lake 12 mi northwest of Logansport, LA	Reservoir	0504E_01	Clear Lake an oxbow lake 12 mi northwest of Logansport, LA	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0504F	Prairie Creek	Prairie Creek - perennial stream from the confluence of Cedar Creek upstream to SH 7	Freshwater Stream	0504F_01	Prairie Creek - perennial stream from the confluence of Cedar Creek upstream to SH 7	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0505	Sabine River Above Toledo Bend Reservoir	Sabine River Above Toledo Bend Reservoir - from a point immediately upstream of the confluence of Murvaul Creek in Panola County to a point 100 meters (110 yards) downstream of US 271 in Gregg County	Freshwater Stream	0505_01	Sabine River from a point immediately upstream of the confluence of Murvaul Creek in Panola County upstream to the confluence of Hoggs Bayou 9 km east of Carthage	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10415
				0505_02	Sabine River from the confluence of Hoggs Bayou 9 km east of Carthage upstream to the confluence of Irons Bayou 5.9 km north of Carthage	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0505_03	Sabine River from the confluence of Irons Bayou 5.9 km north of Carthage upstream to the confluence of Hatley Creek 7.7 km north of Tatum	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13628
				0505_04	Sabine River from the confluence of Hatley Creek 7.7 km north of Tatum upstream to the confluence of Grace Creek near IH 20 west of Longview	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0505_05	Sabine River from the confluence of Grace Creek near IH 20 west of Longview upstream to a point 100 m downstream of US 271 in Gladewater	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10427

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0505A	Bighead Creek	Bighead Creek - from the confluence of Rabbit Creek on the northside of Kilgore upstream to the headwater 1.2 km northeast of New London	Freshwater Stream	0505A_01	Bighead Creek from the confluence of Rabbit Creek on the northside of Kilgore upstream to the headwater 1.2 km northeast of New London	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0505B	Grace Creek	Grace Creek - perennial stream from the confluence of the Sabine River upstream to the headwater at FM 1844	Freshwater Stream	0505B_01	Grace Creek an Appendix D perennial stream from the confluence of the Sabine River upstream to an unnamed tributary from Longview WWTP south of Loop 281	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations
				0505B_02	Grace Creek an Appendix D perennial stream from an unnamed tributary from Longview WWTP south of Loop 281 upstream to the headwater at FM 1844	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0505C	Hawkins Creek	Hawkins Creek - perennial stream from the confluence of the Sabine River upstream to the headwater at SH 300 in East Mountain	Freshwater Stream	0505C_01	Hawkins Creek an Appendix D perennial stream from the confluence of the Sabine River upstream to FM 2605 (Tenneryville Rd) at White Oak and Longview city limits	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations
				0505C_02	Hawkins Creek from FM 2605 (Tenneryville Rd) at White Oak and Longview city limits upstream to the headwater at SH 300 in East Mountain	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0505D	Rabbit Creek	Rabbit Creek - perennial stream from the confluence of the Sabine River upstream to the headwater at Smith CR 246 5.7 km northwest of Overton	Freshwater Stream	0505D_01	Rabbit Creek an Appendix D perennial stream from the confluence of the Sabine River upstream to the confluence of Bighead Creek on the north side of Kilgore	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations
				0505D_02	Rabbit Creek an Appendix D perennial stream from the confluence of Bighead Creek on the north side of Kilgore upstream to the confluence of Little Rabbit Creek 6.5 km southwest of Kilgore	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations
				0505D_03	Rabbit Creek from the confluence of Little Rabbit Creek 6.5 km southwest of Kilgore upstream to the headwater at Smith CR 246 5.7 km northwest of Overton	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0505E	Brandy Branch Reservoir	Brandy Branch Reservoir - from the Harrison County Dam up to normal pool elevation of 340 feet southwest of Marshall	Reservoir	0505E_01	Brandy Branch Reservoir from the Harrison County Dam up to normal pool elevation of 340 feet southwest of Marshall	Reservoir	Water body description	High	Presumption from Flow Type	13703

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0505F	Martin Creek Reservoir	Martin Creek Reservoir - from Rusk County Dam up to normal pool elevation of 306 feet northeast of Henderson	Reservoir	0505F_01	Martin Creek Reservoir from Rusk County Dam up to normal pool elevation of 306 feet northeast of Henderson	Reservoir	Water body description	High	Presumption from Flow Type	13601

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0505G	Wards Creek	Wards Creek - intermittent stream with perennial pools from the confluence of Sewell Creek upstream to the confluence of an unnamed second order tributary approximately 0.6 km upstream of US 80	Freshwater Stream	0505G_01	Wards Creek an Appendix D intermittent stream with perennial pools from the confluence of Sewell Creek upstream to the confluence of an unnamed second order tributary approximately 0.6 km upstream of US 80	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0505H	Hatley Creek	Hatley Creek - from the confluence of the Sabine River upstream to the confluence of Sewell Creek and Wards Creek 3.3 km southeast of Hallsville	Freshwater Stream	0505H_01	Hatley Creek from the confluence of the Sabine River upstream to the confluence of Sewell Creek and Wards Creek 3.3 km southeast of Hallsville	Perennial	Water body description	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0505I	Eightmile Creek	Eightmile Creek - perennial stream from the confluence of the Sabine River upstream to FM 31 south of Marshall	Freshwater Stream	0505I_01	Eightmile Creek an Appendix D perennial stream from the confluence of the Sabine River upstream to FM 31 south of Marshall	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0505J	Mason Creek	Mason Creek - intermittent stream with perennial pools from the confluence of a swamp 3.1 km downstream of IH 20 upstream to 0.2 km above IH 20 near the intersection with FM 968	Freshwater Stream	0505J_01	Mason Creek an Appendix D intermittent stream with perennial pools from the confluence of a swamp 3.1 km downstream of IH 20 upstream to 0.2 km above IH 20 near the intersection with FM 968	Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0505K	Little Rabbit Creek	Little Rabbit Creek - perennial stream from the confluence with Rabbit Creek upstream to the confluence with an unnamed tributary 0.15 km upstream of FM 850 east of the City of Overton	Freshwater Stream	0505K_01	Little Rabbit Creek an Appendix D perennial stream from the confluence with Rabbit Creek upstream to the confluence with an unnamed tributary 0.15 km upstream of FM 850 east of the City of Overton	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0505L	Rocky Creek	Rocky Creek - intermittent stream with perennial pools from the confluence of Prairie Creek upstream to the confluence of an unnamed first order tributary 0.6 km west of SH 135	Freshwater Stream	0505L_01	Rocky Creek an Appendix D intermittent stream with perennial pools from the confluence of Prairie Creek upstream to the confluence of an unnamed first order tributary 0.6 km west of SH 135	Intermittent w/pools	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0505M	Wall Branch	Wall Branch - perennial stream from the confluence with Irons Bayou upstream to the confluence with an unnamed tributary 400 m upstream of the City of Beckville wastewater treatment plant	Freshwater Stream	0505M_01	Wall Branch an Appendix D perennial stream from the confluence with Irons Bayou upstream to the confluence with an unnamed tributary 400 m upstream of the City of Beckville wastewater treatment plant	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0505N	Unnamed Tributary of Sabine River	Unnamed tributary of the Sabine River - perennial stream from the confluence of the Sabine River upstream 0.7 km above the Santa Fe Railroad crossing in the City of Easton	Freshwater Stream	0505N_01	Unnamed tributary an Appendix D perennial stream from the confluence of the Sabine River upstream 0.7 km above the Santa Fe Railroad crossing in the City of Easton	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0505O	Hills Lake	Hills Lake - an oxbow lake 13 mi east of Carthage	Reservoir	0505O_01	Hills Lake an oxbow lake 13 mi east of Carthage	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0505P	Irons Bayou	Irons Bayou - from the confluence of the Sabine River upstream to the headwater 12 km southeast of Henderson	Freshwater Stream	0505P_01	Irons Bayou from the confluence of the Sabine River upstream to the headwater 12 km southeast of Henderson	Intermittent	Water body description	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0505Q	Campbells Creek	Campbells Creek - intermittent stream with perennial pools from the confluence of Moody Creek upstream to the dam forming Lake Devernia	Freshwater Stream	0505Q_01	Campbells Creek an Appendix D intermittent stream with perennial pools from the confluence of Moody Creek upstream to the dam forming Lake Devernia	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0506	Sabine River Below Lake Tawakoni	Sabine River Below Lake Tawakoni - from a point 100 meters (110 yards) downstream of US 271 in Gregg County to Iron Bridge Dam in Rains County	Freshwater Stream	0506_01	Sabine River from a point 100 m downstream of US 271 in Gladewater upstream to the confluence of Big Sandy Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10428
				0506_02	Sabine River from the confluence of Big Sandy Creek upstream to the confluence of Lake Fork Creek 12 km southeast of Mineola	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10429
				0506_03	Sabine River from the confluence of Lake Fork Creek 12 km southeast of Mineola upstream to the confluence of Grand Saline Creek 7 km west of Mineola	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10430
				0506_04	Sabine River from the confluence of Grand Saline Creek 7 km west of Mineola upstream to the confluence of Mill Creek 9 km northwest of Grand Saline	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0506_05	Sabine River from the confluence of Mill Creek 9 km northwest of Grand saline upstream to the Iron Bridge Dam on Lake Tawakoni	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0506A	Harris Creek	Harris Creek - from the confluence of the Sabine River 5.7 km north of Winona upstream to the headwater near SH 64 east of Tyler	Freshwater Stream	0506A_01	Harris Creek from the confluence of the Sabine River 5.7 km north of Winona upstream to the headwater near SH 64 east of Tyler	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0506B	Sandy Creek	Sandy Creek - perennial stream from the confluence of Glade Creek upstream to the confluence of an unnamed tributary 0.3 km below SH 19	Freshwater Stream	0506B_01	Sandy Creek an Appendix D perennial stream from the confluence of Glade Creek upstream to the confluence of an unnamed tributary 0.3 km below SH 19	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0506C	Wiggins Creek	Wiggins Creek - perennial stream from the confluence with Harris Creek upstream to the dam impounding an unnamed reservoir located approximately 3.8 km upstream of FM 2015 northeast of the City of Tyler	Freshwater Stream	0506C_01	Wiggins Creek an Appendix D perennial stream from the confluence with Harris Creek upstream to the dam impounding an unnamed reservoir located approximately 3.8 km upstream of FM 2015 northeast of the City of Tyler	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0506D	Giladon Creek	Giladon Creek - perennial stream from the confluence of Mill Creek upstream to the confluence of an unnamed tributary approximately 0.4 km upstream of FM 859 near the City of Edgewood	Freshwater Stream	0506D_01	Giladon Creek an Appendix D perennial stream from the confluence of Mill Creek upstream to the confluence of an unnamed tributary approximately 0.4 km upstream of FM 859 near the City of Edgewood	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0506E	Unnamed Tributary of Grand Saline Creek	Unnamed tributary of Grand Saline Creek - perennial stream from the confluence of Grand Saline Creek upstream to the confluence of an unnamed tributary approximately 0.2 km downstream of US 80	Freshwater Stream	0506E_01	Unnamed tributary an Appendix D perennial stream from the confluence of Grand Saline Creek upstream to the confluence of an unnamed tributary approximately 0.2 km downstream of US 80	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0506F	Ninemile Creek	Ninemile Creek - perennial stream from the confluence of the Sabine River upstream to the confluence of an unnamed tributary immediately upstream of US 80 southeast of the City of Mineola	Freshwater Stream	0506F_01	Ninemile Creek an Appendix D perennial stream from the confluence of the Sabine River upstream to the confluence of an unnamed tributary immediately upstream of US 80 southeast of the City of Mineola	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0506G	Little White Oak Creek	Little White Oak Creek - from the confluence of the Sabine River upstream to the headwater upstream of SH 155 and southwest of Gilmer	Freshwater Stream	0506G_01	Little White Oak Creek from the confluence of the Sabine River upstream to the headwater upstream of SH 155 and southwest of Gilmer	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0506H	Lake Gladewater	Lake Gladewater - from the dam up to the normal pool elevation of 300.2 feet in north Gladewater	Reservoir	0506H_01	Lake Gladewater from the dam up to the normal pool elevation of 300.2 feet in north Gladewater	Reservoir	Water body description	High	Presumption from Flow Type	17062

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0506I	Lake Hawkins	Lake Hawkins - from the dam upstream to the normal pool elevation of approximately 346 feet northwest of Hawkins	Reservoir	0506I_01	Lake Hawkins from the dam upstream to the normal pool elevation of approximately 346 feet northwest of Hawkins	Reservoir	Water body description	High	Presumption from Flow Type	14422; 18512

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0506J	Mill Creek	Mill Creek - spring-fed perennial stream from the confluence of the Old Sabine River Channel upstream to the spring source at or above FM 2710	Freshwater Stream	0506J_01	Mill Creek an Appendix D spring-fed perennial stream from the confluence of the Old Sabine River Channel upstream to the spring source at or above FM 2710	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0506K	No. 5 Branch	No. 5 Branch - intermittent stream with perennial pools from the confluence of Simpkins Creek upstream to US 69	Freshwater Stream	0506K_01	No. 5 Branch an Appendix D intermittent stream with perennial pools from the confluence of Simpkins Creek upstream to US 69	Intermittent w/pools	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0506L	Lake Holbrook	Lake Holbrook - from the dam up to the normal pool elevation of 370 feet	Reservoir	0506L_01	Lake Holbrook - from the dam up to the normal pool elevation of 370 feet	Reservoir	Water body description	High	Presumption from Flow Type	16956; 18847

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0506M	Tyler State Park Lake	Tyler State Park Lake - on Park Road 16 approximately 5.8 mi (9.4 km) north of Tyler	Reservoir	0506M_01	Tyler State Park Lake - on Park Road 16 approximately 5.8 mi (9.4 km) north of Tyler	Reservoir	Water body description	High	Presumption from Flow Type	21823

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0507	Lake Tawakoni	Lake Tawakoni - from Iron Bridge Dam in Rains County up to the normal pool elevation of 437.5 feet (impounds Sabine River)	Reservoir	0507_01	Lake Tawakoni lowermost area of reservoir, including Cedar Cove, from Iron Bridge Dam up to a line from Sun Point near East Tawakoni to Autumn Point near the Hunt/Van Zandt County Line on the west side	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10434
				0507_02	Lake Tawakoni from a line from Sun Point in East Tawakoni to Autumn Point near the Hunt/Van Zandt County Line on the west side up to a line from Cloud Point in East Tawakoni to Arm Point near West Tawakoni, including Oak Cove	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0507_03	Lake Tawakoni from a line from Cloud Point in East Tawakoni to Arm Point near West Tawakoni up to a line from Thunder Point on the east side to Ice point on the west side, including Wichita Bay	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10437
				0507_04	Lake Tawakoni Cowleech Fork of Sabine River arm, including Pawnee Inlet, from a line from Thunder Point on the east side to Ice Point on the west side up to the confluence of the Cowleech Fork of the Sabine River at the normal pool elevation of 437.5 ft	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0507	Lake Tawakoni	Lake Tawakoni - from Iron Bridge Dam in Rains County up to the normal pool elevation of 437.5 feet (impounds Sabine River)	Reservoir	0507_05	Lake Tawakoni South Fork Sabine arm, including Kitsee Inlet and Waco Bay, to a line from Finger Point on the north side to Spring Point in Tawakoni State Park on the south side	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	21173
				0507_06	Lake Tawakoni Caddo Creek arm, including Caddo Inlet and Hickory Cove, to a line from Ice point on the north side to Rainbow Point near West Tawakoni on the south side	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0507A	Cowleech Fork Sabine River	Cowleech Fork - from the confluence of Lake Tawakoni upstream to the headwater northwest of Celeste	Freshwater Stream	0507A_01	Cowleech Fork from the confluence of Lake Tawakoni upstream to the confluence of Long Branch east of Greenville	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations
				0507A_02	Cowleech Fork from the confluence of Long Branch east of Greenville upstream to the headwater northwest of Celeste	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0507B	Long Branch	Long Branch - from the confluence with Cowleech Fork Sabine River east of Greenville upstream to the headwater northeast of Greenville	Freshwater Stream	0507B_01	Long Branch from the confluence with Cowleech Fork Sabine River east of Greenville upstream to the headwater northeast of Greenville	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0507C	West Caddo Creek	West Caddo Creek - intermittent stream with perennial pools from the confluence of Brushy Creek upstream to the confluence of Middle Caddo Creek northwest of Caddo Mills	Freshwater Stream	0507C_01	West Caddo Creek an Appendix D intermittent stream with perennial pools from the confluence of Brushy Creek upstream to the confluence of Middle Caddo Creek northwest of Caddo Mills	Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0507D	Hickory Creek	Hickory Creek - from the confluence of the Cowleech Fork Sabine River upstream to the headwater upstream of FM 272 north of Celeste	Freshwater Stream	0507D_01	Hickory Creek from the confluence of the Cowleech Fork Sabine River upstream to the headwater upstream of FM 272 north of Celeste	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0507E	Horse Creek	Horse Creek - from the confluence of Cowleech Fork Sabine River upstream to the headwater to 0.95 km upstream of SH 34 north of Greenville	Freshwater Stream	0507E_01	Horse Creek from the confluence of Cowleech Fork Sabine River upstream to the headwater to 0.95 km upstream of SH 34 north of Greenville	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0507F	Tidwell Creek	Tidwell Creek - from the confluence of Cowleech Fork Sabine River upstream to the headwater 0.8 km (0.5 mi) upstream of FM 1566 east of Celeste	Freshwater Stream	0507F_01	Tidwell Creek from the confluence of Cowleech Fork Sabine River upstream to the headwater 0.8 km (0.5 mi) upstream of FM 1566 east of Celeste	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0507G	South Fork of Sabine River	South Fork of Sabine River - from the confluence of Lake Tawakoni upstream to the confluence of Parker and Sabine Creeks	Freshwater Stream	0507G_01	South Fork of Sabine River from the confluence of Lake Tawakoni upstream to the confluence of Parker and Sabine Creeks	Perennial	Routine Flow Data	High	Presumption from flow type	14967

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0507H	Caddo Creek	Caddo Creek - from the confluence of Lake Tawakoni at Caddo Inlet upstream to the confluence of East Caddo and West Caddo Creeks	Freshwater Stream	0507H_01	Caddo Creek from the confluence of Lake Tawakoni at Caddo Inlet upstream to the confluence of East Caddo and West Caddo Creeks	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0508	Adams Bayou Tidal	From the confluence with the Sabine River in Orange County to a point 1.1 km (0.7 mi) upstream of IH 10 in Orange County	Tidal Stream	0508_01	From the confluence with the Sabine River in Orange County upstream to a point approximately 387 m (0.24 mi) downstream of Western Avenue in Orange	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	10441
				0508_02	From a point approximately 387 m (0.24 mi) downstream of Western Avenue upstream to a point approximately 693 m (0.43 mi) upstream of Western Avenue in Orange	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	10442
				0508_03	From a point approximately 693 m (0.43 mi) upstream of Western Avenue in Orange upstream to the confluence with Hudson Gully in Pinehurst	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	16059
				0508_04	From the confluence with Hudson Gully in Pinehurst upstream to a point 1.1 km (0.7 mi) upstream of IH 10 in Orange County	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	14990

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0508A	Adams Bayou Above Tidal	From a point 1.1 km (0.7 mi) upstream of IH 10 in Orange County upstream to the Orange County Line Relief Ditch east of Mauriceville	Freshwater Stream	0508A_01	From a point 1.1 km (0.7 mi) upstream of IH 10 in Orange County upstream to the Orange County Line Relief Ditch east of Mauriceville	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	14964; 15107

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0508B	Gum Gully	From the confluence of Adams Bayou to the upstream perennial portion of the stream northwest of Orange in Orange County	Freshwater Stream	0508B_01	From the confluence of Adams Bayou to the upstream perennial portion of the stream northwest of Orange in Orange County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	16049

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0508C	Hudson Gully	From the confluence with Adams Bayou to the headwaters near US 890 in Pinehurst in Orange County	Tidal Stream	0508C_01	From the confluence with Adams Bayou to the headwaters near US 890 in Pinehurst in Orange County	Tidal Stream	Water body description	High	Presumption from flow type	16041

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0508D	Adams Bayou Above Tidal West Branch	From the confluence with Adams Bayou Above Tidal upstream to County Road 3141	Freshwater Stream	0508D_01	From the confluence with Adams Bayou Above Tidal upstream to County Road 3141	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0509	Murvaul Lake	Murvaul Lake - from Murvaul Dam in Panola County up to the normal pool elevation of 265.3 feet (impounds Murvaul Bayou)	Reservoir	0509_01	Murvaul Lake from the dam up to the normal pool elevation of 265.3 feet	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10444; 16954

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0510	Lake Cherokee	Lake Cherokee - from Cherokee Dam in Gregg/Rusk County up to the normal pool elevation of 280 feet (impounds Cherokee Bayou)	Reservoir	0510_01	Lake Cherokee from the dam in Gregg/Rusk county up to a line at the East Texas Regional Airport runway	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	15514
				0510_02	Lake Cherokee from a line at the East Texas Regional Airport runway up to the normal pool elevation of 280 feet	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	15195

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0510A	Mill Creek	Mill Creek - perennial stream from the confluence of Beaver Run upstream to the confluence of an unnamed tributary 50 m upstream of FM 2276 north of the City of Henderson	Freshwater Stream	0510A_01	Mill Creek an Appendix D perennial stream from the confluence of Beaver Run upstream to the confluence of an unnamed tributary 50 m upstream of FM 2276 north of the City of Henderson	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0510B	Adaway Creek	Adaway Creek - intermittent stream with perennial pools from the confluence of Mill Creek upstream to the confluence of an unnamed tributary 0.36 km upstream of FM 782 north of the City of Henderson	Freshwater Stream	0510B_01	Adaway Creek an Appendix D intermittent stream with perennial pools from the confluence of Mill Creek upstream to the confluence of an unnamed tributary 0.36 km upstream of FM 782 north of the City of Henderson	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0511	Cow Bayou Tidal	From the confluence with the Sabine River in Orange County to a point 4.8 km (3.0 mi) upstream of IH 10 in Orange County	Tidal Stream	0511_01	Lower 5 miles	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	10449
				0511_02	6 mile reach near FM 105	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	10453
				0511_03	5 mile reach near FM 1442 (north crossing)	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	13781
				0511_04	Upper 4 miles	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	10457

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0511A	Cow Bayou Above Tidal	From a point 4.8 km (3.0 mi) upstream of IH 10 in Orange County to the upstream perennial portion of the stream northeast of Vidor in Orange County	Freshwater Stream	0511A_01	Lower 5.3 miles of above-tidal reach	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations
				0511A_02	Upper 5.3 miles of above-tidal reach	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0511B	Coon Bayou	From the confluence with Cow Bayou up to the extent of tidal limit in Orange County	Tidal Stream	0511B_01	From the confluence with Cow Bayou up to the extent of tidal limit in Orange County	Tidal Stream	TSWQS Appendix D	High	TSWQS Appendix D	16052

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0511C	Cole Creek	From the confluence of Cow Bayou west of Orange in Orange County to the upstream perennial portion of the stream south of Mauriceville in Orange County	Tidal Stream	0511C_01	From the confluence of Cow Bayou west of Orange in Orange County to the upstream perennial portion of the stream south of Mauriceville in Orange County	Tidal Stream	Water body description	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0511D	Unnamed Tributary of Cow Bayou	Unnamed tributary of Cow Bayou - from the confluence with Cow Bayou (north bank approximately 1.6 km from the Sabine River confluence) up to the extent of tidal limits	Tidal Stream	0511D_01	Unnamed tributary of Cow Bayou - from the confluence with Cow Bayou (north bank approximately 1.6 km from the Sabine River confluence) up to the extent of tidal limits	Tidal Stream	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0511E	Terry Gully	From the confluence with Cow Bayou in Orange County to the headwaters northeast of Vidor in Orange County	Freshwater Stream	0511E_01	From the confluence with Cow Bayou in Orange County to the headwaters northeast of Vidor in Orange County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	16040; 18377

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0512	Lake Fork Reservoir	Lake Fork Reservoir - from Lake Fork Dam in Wood County up to the normal pool elevation of 403 feet (impounds Lake Fork Creek)	Reservoir	0512_01	Lake Fork from the dam up to the Wood County Electric Cooperative transmission lines on the Lake Fork Creek arm and up to the SH 154 crossing on the Caney Creek arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10458
				0512_02	Lake Fork from the SH 154 crossing on the Caney Creek arm up to the normal pool elevation of 403 feet	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10461
				0512_03	Lake Fork Running Creek arm west of Yantis	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0512_04	Lower Lake Fork Creek arm from the Wood County Electric Cooperative transmission lines up to the FM 2946 crossing	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10462
				0512_05	Upper Lake Fork Creek arm from the FM 2946 crossing up to the normal pool elevation of 403 feet	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16691
				0512_06	Lake Fork Little Caney Creek arm south of Yantis	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0512_07	Lake Fork Birch Creek arm east of Yantis	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0512A	Running Creek	Running Creek - from the confluence of Lake Fork at the Hopkins/Wood County line upstream to the headwater 400 m south of SH 11 southeast of Sulphur Springs	Freshwater Stream	0512A_01	Running Creek from the confluence of Lake Fork at the Hopkins/Wood County line upstream to the headwater 400 m south of SH 11 southeast of Sulphur Springs	Perennial	Flow Questionnaire	High	Presumption from flow type	14275

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0512B	Elm Creek	Elm Creek - from the confluence of Lake Fork 375 m downstream of FM 514 upstream to the headwater at Hopkins CR 1110 southwest of Sulphur Springs	Freshwater Stream	0512B_01	Elm Creek from the confluence of Lake Fork 375 m downstream of FM 514 upstream to the headwater at Hopkins CR 1110 southwest of Sulphur Springs	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	14263

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0512C	Dry Creek	Dry Creek - from the confluence of Running Creek 450 m upstream of FM 1567 E upstream to the headwater 250 m south of SH 11 southeast of Sulphur Springs	Freshwater Stream	0512C_01	Dry Creek from the confluence of Running Creek 450 m upstream of FM 1567 E upstream to the headwater 250 m south of SH 11 southeast of Sulphur Springs	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0513	Big Cow Creek	Big Cow Creek - from the confluence with the Sabine River in Newton County to a point 4.6 km (2.9 mi) upstream of Recreational Road 255 in Newton County	Freshwater Stream	0513_01	Big Cow Creek from the confluence with the Sabine River southeast of Kirbyville upstream to the confluence of White Oak Creek east of Kirbyville	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10465
				0513_02	Big Cow Creek from the confluence of White Oak Creek east of Kirbyville upstream to the headwater 4.6 km (2.9 mi) upstream of Recreational Road 255 in Newton County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0513A	Trout Creek	Trout Creek - perennial stream from the confluence of Big Cow Creek in Newton County upstream to the confluence of Boggy Creek and Davis Creek in Jasper County	Freshwater Stream	0513A_01	Trout Creek an Appendix D perennial stream from the confluence of Big Cow Creek in Newton County upstream to the confluence of Boggy Creek and Davis Creek in Jasper County	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0514	Big Sandy Creek	Big Sandy Creek - from the confluence with the Sabine River in Upshur County to a point 2.6 km (1.6 mi) upstream of SH 11 in Hopkins County	Freshwater Stream	0514_01	Big Sandy Creek from the confluence with the Sabine River in Upshur County upstream to the Lake Winnsboro Dam (Wood County Dam No. 4)	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10468
				0514_02	Big Sandy Creek from the Lake Winnsboro Dam (Wood County Dam No. 4) upstream to a point 2.6 km (1.6 mi) upstream of SH 11 in Hopkins County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	17950

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0515	Lake Fork Creek	Lake Fork Creek - from the confluence with the Sabine River in Wood County to Lake Fork Dam in Wood County	Freshwater Stream	0515_01	Lake Fork Creek from the confluence of the Sabine River in Wood County upstream to Lake Fork Dam in Wood County east of Quitman	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10469

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0515A	Lake Quitman	Lake Quitman - from the dam up to the normal pool elevation of 400 feet	Reservoir	0515A_01	Lake Quitman - from the dam up to the normal pool elevation of 400 feet	Reservoir	Water body description	High	Presumption from Flow Type	17948

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0601	Neches River Tidal	From the confluence with Sabine Lake in Orange County to the Neches River Saltwater Barrier, which is at a point 0.8 km (0.5 mi) downstream of the confluence of Pine Island Bayou, in Orange County	Tidal Stream	0601_01	Lower boundary to top of first oxbow, above Bird Island Bayou confluence at NHD RC 12020003000004	Tidal Stream	TSWQS Appendix A	Intermediate	TSWQS Appendix A	10563
				0601_02	Top of first oxbow to top of U.S. Nat'l Defense Reserve Fleet Basin at top of NHD RC 12020003008459	Tidal Stream	TSWQS Appendix A	Intermediate	TSWQS Appendix A	10566
				0601_03	Top of U.S. Nat'l Defense Reserve Fleet Basin to top of last oxbow below Kansas City Southern Railroad bridge 0.44km upstream of NHD RC 12020003000013	Tidal Stream	TSWQS Appendix A	Intermediate	TSWQS Appendix A	10570
				0601_04	Top of last oxbow below Kansas City Southern Railroad bridge to saltwater barrier at NHD RC 12020003000017	Tidal Stream	TSWQS Appendix A	Intermediate	TSWQS Appendix A	10575; 20774

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0601A	Star Lake Canal	North of Groves in Jefferson County	Tidal Stream	0601A_01	North of Groves in Jefferson County	Tidal Stream	Water body description	High	Presumption from flow type	10485

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0601B	Tiger Creek	Perennial stream from the confluence with Meyer Bayou to the confluence of Caney Creek near the City Vidor	Freshwater Stream	0601B_01	Perennial stream from the confluence with Meyer Bayou to the confluence of Caney Creek near the City Vidor	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0602	Neches River Below B. A. Steinhagen Lake	From the Neches River Saltwater Barrier, which is at a point 0.8 km (0.5 mi) downstream of the confluence of Pine Island Bayou, in Orange County to Town Bluff Dam in Jasper/Tyler County	Freshwater Stream	0602_01	From the saltwater barrier upstream to confluence with Village Creek 0608 at NHD RC 12020003000025	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10579; 15343
				0602_02	From the confluence with Village Creek 0608 upstream to the confluence with Black Branch NHD RC 120200030000695	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10580
				0602_03	From the confluence with Black Branch upstream to confluence with unnamed tributary at NHD RC 120200030000058	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10581
				0602_04	From the confluence with unnamed tributary at NHD RC 120200030000058 upstream to Town Bluff Dam	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0602A	Booger Branch	From the confluence of Massey Lake Slough south of Silsbee to a point 0.6 mi (1.0 km) upstream of US 96 in Hardin County	Freshwater Stream	0602A_01	Unnamed tributary southeast of City of Silsbee from the confluence with Massey Lake Slough, per WQS App. D, upstream to the Santa Fe railroad crossing in south City of Silsbee, WQS App. D.	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations
				0602A_02	From a point immediately upstream of the Santa Fe railroad crossing upstream to the Maxwell Drive crossing in City of Silsbee.	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0602B	Big Walnut Run	From the confluence with Walnut Creek southwest of City of Jasper in Jasper County upstream to confluence with unnamed tributary about 0.40 km (0.25 mi) north of Dorgan Road east of the City of Jasper.	Freshwater Stream	0602B_01	From the confluence with Walnut Creek southwest of City of Jasper in Jasper County upstream to confluence with unnamed tributary about 0.40 km (0.25 mi) north of Dorgan Road east of the City of Jasper.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0603	B. A. Steinhagen Lake	From Town Bluff Dam ... to a point immediately upstream of the confluence of Hopson Mill Creek on the Neches River Arm ... and to a point immediately upstream of the confluence of Indian Creek on the Angelina River Arm ..., up to the normal pool elevation	Reservoir	0603_01	Main pool by dam to include all the area below the US HWY 190 bridge	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10582
				0603_02	Area above the US HWY 190 bridge to the upper boundaries of the segment at points immediately upstream of confluences Hopson Mill Creek (Neches Arm) and Indian Creek (Angelina Arm)	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0603A	Sandy Creek	From the confluence with B. A. Steinhagen Lake southwest of the City of Jasper in Jasper County upstream to the headwaters at Recreational Road 255 north of Jasper in Jasper County	Freshwater Stream	0603A_01	From the confluence with B.A. Steinhagen Lake upstream to 0.5 km below FM 776 east of the City of Jasper, App. D	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	10484
				0603A_02	From 0.5 km below FM 776 east of the City of Jasper upstream to the headwaters at Recreational Road 255 north of the City of Jasper	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0603B	Wolf Creek	From the confluence of B. A. Steinhagen Lake southeast of Colmesneil in Tyler County to the upstream perennial portion of the stream south of Colmesneil in Tyler County	Freshwater Stream	0603B_01	From the confluence of B.A. Steinhagen Lake upstream to Lake Amanda Dam.	Perennial	Routine Flow Data	High	Presumption from flow type	15344
				0603B_02	From the confluence with Lake Amanda upstream to the headwaters	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0604	Neches River Below Lake Palestine	From a point immediately upstream of the confluence of Hopson Mill Creek in Jasper/Tyler County to Blackburn Crossing Dam in Anderson/Cherokee County	Freshwater Stream	0604_01	Lower boundary to a point immediately upstream of confluence of Biloxi Creek 0604M at NHD RC 12020002001061	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10585
				0604_02	From the confluence of Biloxi Creek (0604M) upstream to the upper confluence of Old River at NHD RC 12020002000037	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10586
				0604_03	From the upper confluence of Old River upstream to the confluence with Cedar Creek in Cherokee County at NHD RC 12020002000085 near Hargrove Lake	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	17067
				0604_04	From the confluence with Cedar Creek in Cherokee County near Hargrove lake upstream to the confluence with Beech Creek in Anderson County at NHD RC 12020001006717	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	14794
				0604_05	From the confluence with Beech Creek in Anderson County upstream to the Blackburn Crossing Dam	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13627

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0604A	Cedar Creek	From the confluence of the Neches River southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County	Freshwater Stream	0604A_01	From the confluence with the Neches River upstream to the confluence with Jack Creek (0604C)	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				0604A_02	Perennial stream from the confluence with Jack Creek upstream to the confluence with unnamed tributary adjacent to SH Loop 287	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	10478; 13528
				0604A_03	From the confluence with unnamed tributary adjacent to SH Loop 287 upstream to headwaters near Hoo Hoo Ave in the City of Lufkin	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	10479; 21434

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0604B	Hurricane Creek	From the confluence with Cedar Creek upstream to the headwaters near Groesbeck Ave in the City of Lufkin	Freshwater Stream	0604B_01	From the confluence with Cedar Creek (0604A) upstream to confluence with unnamed tributary 100m above State Loop 287 in Lufkin, per WQS App. D, at NHD RC 12020002000043	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	10487; 13529
				0604B_02	From the confluence with unnamed tributary 100 meters upstream of SH Loop 287 in the City of Lufkin upstream to headwaters near Groesbeck Ave in Lufkin	Perennial	Routine Flow Data	High	Presumption from flow type	21433

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0604C	Jack Creek	From the confluence of Cedar Creek southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in northeast Lufkin in Angelina County	Freshwater Stream	0604C_01	From the confluence with Cedar Creek (0604A) upstream to confluence with unnamed tributary 1.6km SW of US Hwy 69 NW of Lufkin at NHD RC 12020002012470.	Perennial	Routine Flow Data	High	Presumption from flow type	10492; 10493; 10494

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0604D	Piney Creek	From the confluence of the Neches River at the Polk/Tyler/Angelina County lines east of Corrigan to the upstream perennial portion of the stream east of Crockett in Houston County	Freshwater Stream	0604D_01	Middle portion of the stream from the confluence with Bear Creek (0604L) in Polk County upstream to the confluence with Caney Creek (0604O) in Trinity County at NHD RC 12020002000163.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				0604D_02	Upper portion of stream from the confluence with Caney Creek (0604O) in Trinity County upstream to confluence with unnamed tributary at NHD RC 12020002000181 in Houston County 0.75km west of FM 2781.	Perennial	Routine Flow Data	High	Presumption from flow type	16096
				0604D_03	Lower portion of stream from the confluence with the Neches River (0604) upstream to the confluence with Bear Creek (0604L) in Polk County at NHD RC 12020002000145.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0604E	Graham Creek	Perennial stream from the confluence with the Neches River in Jasper County upstream to the confluence with Mill Creek in Angelina County	Freshwater Stream	0604E_01	From the confluence with Neches River (0604) upstream to confluence with Mill Creek, per WQS App. D, at NHD RC 12020003000159.	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0604F	Alto Branch	Perennial stream from the confluence of Larrison Creek up to FM 851 north of Alto	Freshwater Stream	0604F_01	From the confluence with Larrison Creek (0604G), per WQS App. D, upstream to confluence with unnamed tributary 35m south of State Hwy 21 in City of Alto at NHD RC 12020002000336.	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations
				0604F_02	From the confluence with unnamed tributary 35m south of State Hwy 21 in City of Alto upstream to FM 851 crossing, per WQS App. D.	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0604G	Larrison Creek	From the confluence with the Neches River (0604) upstream to unnamed tributary 1.0 km above SH 21 east of City of Alto.	Freshwater Stream	0604G_01	From the confluence with Neches River (0604) upstream to US Hwy 69 bridge at NHD RC 12020002000334.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				0604G_02	From the crossing of US Hwy 69, per WQS App. D, upstream to unnamed tributary 1.0km above SH 21 east of City of Alto, per WQS App. D, at NHD RC 12020002000457.	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0604H	One Eye Creek in Cherokee County	Perennial stream from the confluence with Beans Creek upstream to confluence with College Creek in City of Rusk in Cherokee County.	Freshwater Stream	0604H_01	From the confluence with Beans Creek at NHD RC 12020001001103 upstream to confluence with McCann Creek at NHD RC 12020001000454.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				0604H_02	From the confluence with McCann Creek, per WQS App. D, at NHD RC 12020001000455 upstream to the confluence with College Creek, per WQS App. D, at NHD RC 12020001000458.	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0604I	Dabbs Creek	Perennial stream from the confluence of Caney Creek up to the confluence of Dabbs Branch approximately 4.5 km above FM 942 in Polk County	Freshwater Stream	0604I_01	From the confluence with Caney Creek in Polk County 35m south of US Hwy 287 west of City of Chester, per WQS App. D, upstream to confluence with unnamed tributary that originates in Camden (0604U) at NHD RC 12020002000256.	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations
				0604I_02	From the confluence with unnamed tributary that originates in Camden (0604U) upstream to the confluence with Dabbs Branch, per WQS App. D, at NHD RC 12020002012459	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0604J	Caddo Creek	Perennial stream from the confluence with the Neches River below Lake Palestine upstream to the dam of Caddo Creek Lake in Henderson County	Freshwater Stream	0604J_01	From the confluence with Neches River (0604), per WQS App. D, upstream to confluence with unnamed tributary (that originates in east Frankston) at NHD RC 12020001000818, about 90m east of Kickapoo Street.	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations
				0604J_02	From the confluence with unnamed tributary about 90m east of Kickapoo Street, upstream to dam of Caddo Creek, per WQS App. D, at NHD RC 12020001001880.	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0604K	Unnamed Tributary of Caddo Creek	Perennial stream from the confluence with Caddo Creek approximately 1.0 km south of SH 175 upstream to its headwaters 0.6 km north of SH 175	Freshwater Stream	0604K_01	From confluence with Caddo Creek at NHD RC 12020001003011 upstream to headwaters, per App. D, about 0.75km upstream of US Hwy 175 at NHD RC 12020001008982.	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0604L	Bear Creek	From the confluence with Piney Creek (0604D) upstream through City of Corrigan with headwaters southwest of City of Corrigan in Polk County	Freshwater Stream	0604L_01	From confluence with Piney Creek (0604D) upstream to confluence with Dry Creek at NHD RC 12020002000691.	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations
				0604L_02	From the confluence with Dry creek to headwaters 6.4km SW of intersection of US Hwys 287 and 59 in City of Corrigan, at NHD RC 12020002005019.	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0604M	Biloxi Creek	From the confluence with the Neches River southeast of Diboll to FM 325 east of Lufkin in Angelina County	Freshwater Stream	0604M_02	From the confluence with Neches River (0604) upstream to confluence with One Eye Creek in Angelina County SE of Lufkin.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	16097
				0604M_03	From the confluence with One Eye Creek in Angelina County SE of Lufkin upstream to FM 325 east of Lufkin	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	10499; 22119

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0604N	Buck Creek	From its confluence with Biloxi Creek south of Huntington to a point 2.1 mi upstream of FM 1475, northwest of Huntington in Angelina County	Freshwater Stream	0604N_01	From the confluence with Biloxi Creek (0604M) upstream to the confluence with Graham Creek (0604E) SW of City of Huntington at NHD RC 12020002000417.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	16098
				0604N_02	From the confluence with Graham Creek (0604E) SW of City of Huntington upstream to 0.23km south of Old Ewing Rd east of Lufkin at NHD RC 12020002000418.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0604O	Caney Creek in Trinity County	From the confluence with Piney Creek (0604D) in Trinity County upstream to the headwaters about 0.75km south of FM 358	Freshwater Stream	0604O_01	From the confluence with Piney Creek (0604D) in Trinity County at NHD RC 12020002000185 upstream to headwaters about 0.75km south of FM 358 at NHD RC 12020002000194.	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0604P	McManus Creek	From the confluence with Piney Creek (0604D) in Polk County upstream to headwaters 1.19km south of FM 62 N	Freshwater Stream	0604P_01	From the confluence with Piney Creek (0604D) in Polk County upstream to headwaters 1.19km south of FM 62 N at NHD RC 12020002000282.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0604Q	Mossy Creek	From the confluence with Piney Creek (0604D) in Trinity County upstream to the headwaters about 0.40km NE of intersection with Hoggs Rd and Bill Adams Fork.	Freshwater Stream	0604Q_01	From the confluence with Piney Creek (0604D) in Trinity County at NHD RC 12020002000283 upstream to the headwaters about 0.40km NE of intersection with Hogg Rd and Bill Adams Fork at NHD RC 12020002000285.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0604R	Paces Creek	From the confluence with Piney Creek (0604D) in Polk County upstream to the dam at Paces Pond, SW of City of Corrigan	Freshwater Stream	0604R_01	From the confluence with Piney Creek (0604D) in Polk County at NHD RC 12020002000686 upstream to Paces Pond Dam at NHD RC 12020002000687.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0604S	White Oak Creek	From the confluence with Fiberboard Lake in Angelina County south of City of Diboll upstream to headwaters 100m east of Hwy 59 north of city of Burke.	Freshwater Stream	0604S_01	From the confluence with Fiberboard Lake in Angelina County at NHD RC 12020002000321 upstream to confluence with unnamed tributary above City of Diboll WWTP at NHD RC 12020002000321.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				0604S_02	From the confluence with unnamed tributary above City of Diboll WWTP upstream to headwaters 100m east of Hwy 59 north of City of Burke at NHD RC 12020002002440.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0604T	Lake Ratcliff	Lake in Houston County 3.4 mi northeast of Kennard	Reservoir	0604T_01	Lake in Houston County 3.4 mi northeast of Kennard	Reservoir	Water body description	High	Presumption from Flow Type	17339

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0604U	Unnamed Tributary of Dabbs Creek	From the confluence with Dabbs Creek (0604I) upstream to confluence with unnamed tributary 0.13km south of FM 942 in west Camden.	Freshwater Stream	0604U_01	From the confluence with Dabbs Creek (0604I) in Polk County upstream to Moscow Camden San Augustine RR crossing about 90 meters SW of intersection FM 492 and FM 62N.	Perennial	WQS/Permits program	High	Previous TCEQ permit decision	No Stations
				0604U_02	From the Moscow Camden San Augustine RR crossing about 90 meters SW of intersection FM 492 and FM 62N upstream to confluence with unnamed tributary 0.13km south of FM 942 in west Camden at NHD RC 12020002001654.	Perennial	WQS/Permits program	High	Previous TCEQ permit decision	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0604V	One Eye Creek in Angelina County	From the confluence with Beloxi Creek (0604M) upstream to the headwaters in City of Lufkin in Angelina County.	Freshwater Stream	0604V_01	From the confluence with Biloxi Creek (0604M) upstream to the headwaters about 0.43 km north of intersection of Bartmess St and Oak Shadow St in Lufkin in Angelina County at NHD RC 12020002000294.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0604W	Bodan Creek	From the confluence with the Neches River (0604) west of City of Lufkin upstream to headwaters in Angelina County	Freshwater Stream	0604W_01	From the confluence with Neches River (0604) upstream to the downstream side of US Hwy 69	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations
				0604W_02	From the upstream side of US Hwy 69 upstream to headwaters northwest of Lufkin at NHD RC 12020002000444.	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0604X	Shawnee Creek	Shawnee Creek from the confluence with the Neches River in Angelina County upstream to the headwaters just downstream of the railroad line southeast of the City of Huntington	Freshwater Stream	0604X_01	From the confluence with the Neches River in Angelina County upstream to the confluence with Dry Creek in Angelina County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				0604X_02	Intermittent stream with perennial pools from the confluence with Dry Creek upstream to the headwaters just downstream of the railroad line southeast of the City of Huntington	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0604Y	Sandy Creek (Angelina Co.)	Perennial stream from the confluence with Shawnee Creek upstream to the confluence with an unnamed tributary approximately 0.5 km upstream of US 69	Freshwater Stream	0604Y_01	From the confluence with Shawnee Creek in Angelina Co. upstream to the confluence with an unnamed tributary approximately 0.5 km upstream of US 69 in Angelina Co.	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0605	Lake Palestine	From Blackburn Crossing Dam in Anderson/Cherokee County to a point 6.7 km (4.2 mi) downstream of FM 279 in Henderson/Smith County, up to the normal pool elevation of 345 feet (impounds Neches River)	Reservoir	0605_01	Lower portion of reservoir near dam to the first bend in reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16159; 22056
				0605_02	From the first bend in lower portion of reservoir up to the SH 155 Bridge crossing.	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	20318
				0605_03	Upper mid-lake including Tyler Public Water Supply intake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16346
				0605_09	Flat Creek Arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	18557
				0605_10	Upper Lake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10595; 18643
				0605_11	From the SH 155 Bridge crossing to the Flat Creek Arm and across the main portion of the lake at the Flat Creek Arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	20319

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0605A	Kickapoo Creek in Henderson County	From the confluence of Lake Palestine east of Brownsboro in Henderson County to the upstream perennial portion of the stream northeast of Murchison in Henderson County	Freshwater Stream	0605A_01	From the confluence with Lake Palestine (0605) east of Brownsboro in Henderson County to the confluence with Slater Creek (0605E).	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	21618; 22163
				0605A_02	From the confluence with Slater Creek (0605E) upstream to confluence with unnamed tributary about 1.62 km north of FM 858 in Van Zandt County at NHD RC 12020001000161.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	16796; 16797; 22164; 22165; 22166; 22167

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0605B	Little Duncan Branch	Perennial stream from the confluence with Big Duncan Branch upstream to the dam impounding Jackson Lake	Freshwater Stream	0605B_01	From the confluence with Big Duncan Branch, per WQS App. D, upstream to dam of Jackson Lake, per WQS App. D.	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0605C	Cream Level Creek	From the confluence with Kickapoo Creek (0605A) in Henderson County to the headwaters at intersection of State Hwy 64 and County Hwy 1411 in Van Zandt County.	Freshwater Stream	0605C_01	From the confluence with Kickapoo Creek (0605A) in Henderson County at NHD RC 12020001000147 upstream to headwaters at intersection of State Hwy 64 and County Hwy 1411 in Van Zandt County at NHD RC 12020001000150.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0605D	Murchison Creek	From the confluence with Kickapoo Creek (0605A) in Henderson County to the headwaters 0.40km NE of intersection with FM 279 and PR 8079 in Van Zandt County.	Freshwater Stream	0605D_01	From the confluence with Kickapoo Creek (0605A) in Henderson County at NHD RC 12020001022334 to the headwaters 0.40km NE of intersection with FM 279 and PR 8079 at NHD RC 12020001002800 in Van Zandt County.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0605E	Slater Creek	From the confluence with Kickapoo Creek (0605A) in Henderson County to the headwaters 0.38km east of FM 4702 in Van Zandt County.	Freshwater Stream	0605E_01	From the confluence with Kickapoo Creek (0605A) in Henderson County at NHD RC 12020001000384 to the dam at Callender Lake at the county border.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations
				0605E_02	From the confluence with Lake Callender at NHD RC 12020001008950 upstream to the headwaters 0.38km east of FM 4702 in Van Zandt County at NHD RC 12020001002766.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0605F	Lake Athens	From the dam 5.5 mi east of Athens, 1.8 mi south of FM 317 on Flat Creek, to a point one mi west of FM 2495 in Henderson County	Reservoir	0605F_01	From the dam 5.5 mi east of Athens, 1.8 mi south of FM 317 on Flat Creek, to a point one mi west of FM 2495 in Henderson County	Reservoir	Water body description	High	Presumption from Flow Type	15288; 17575

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0605G	Callender Lake	From the dam at FM 2339 at the Henderson/Van Zandt counties border upstream to confluence with Slater Creek 70m NW of Dogwood Drive in Van Zandt County	Reservoir	0605G_01	From the dam at FM 2339 at the Henderson/Van Zandt counties border upstream to confluence with Slater Creek 70m NW of Dogwood Drive in Van Zandt County.	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0606	Neches River Above Lake Palestine	From a point 6.7 km (4.2 mi) downstream of FM 279 in Henderson/Smith County to Rhine Lake Dam in Van Zandt County before it was breached in 2001	Freshwater Stream	0606_01	From a point 6.7 km (4.2 mi) downstream of FM 279 in Henderson/Smith County upstream to the confluence with Prairie Creek (0606A).	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	10596
				0606_02	From the confluence with Prairie Creek (0606A) upstream to the Rhine Lake Dam	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	10597

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0606A	Prairie Creek	Perennial stream from the confluence with the Neches River to an unnamed tributary approximately 0.6km downstream of the US 69 bridge crossing.	Freshwater Stream	0606A_01	From the confluence with Neches River (0606), per WQS App. D first entry for Prairie Creek at NHD RC 12020001000071 in Smith County upstream to the confluence with Black Fork Creek (0606D) at NHD RC 12020001000071 .	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	10518
				0606A_02	From the confluence with Black Fork Creek (0606D) upstream to a point immediately upstream of confluence with Caney Creek in Smith County at NHD RC 12020001000074, per WQS App. D first entry for Prairie Creek.	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations
				0606A_03	From the confluence with Caney Creek upstream to confluence with unnamed tributary appx. 0.6 km downstream of the US 69 bridge crossing, which is located appx. 0.6 km south of the City of Lindale, per App. D second line entry	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	18301

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0606C	Black Fork Creek	Intermittent stream with perennial pools from a point 0.4 km downstream of FM 14 to a point 0.2 km upstream of SH 31 in Tyler	Freshwater Stream	0606C_01	Intermittent stream from a point immediately upstream of confluence with unnamed tributary 0.4 km downstream of FM 14 in Tyler, per WQS App. D first entry for Black Fork Creek, upstream to the downstream side of the Commerce Street bridge in Tyler.	Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations
				0606C_02	From the upstream side of the Commerce Street bridge in Tyler upstream to a point 0.2 km upstream of SH 31 in Tyler, per WQS App. D first entry for Black Fork Creek, at confluence with unnamed tributary at NHD RC 12020001000073.	Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0606D	Black Fork Creek	Perennial stream from the confluence with Prairie Creek to a point 0.4 km downstream of FM 14 in Tyler	Freshwater Stream	0606D_01	Perennial stream from the confluence with Prairie Creek (0606A), per WQS App. D second entry for Black Fork Creek, upstream to the confluence with unnamed tributary (receiving waters for WWTP) at NHD RC 12020001000072.	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations
				0606D_02	From the confluence with unnamed tributary at NHD RC 12020001000072 upstream to a point 0.4km downstream of FM 14 in Tyler, at the confluence with unnamed tributary at NHD RC 12020001000073, per WQS App. D second entry for Black Fork Creek.	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	10522

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0607	Pine Island Bayou	From the confluence with the Neches River in Hardin/Jefferson County to FM 787 in Hardin County	Freshwater Stream	0607_01	From the confluence with the Neches River upstream to unnamed tributary at NHD RC 12020007001215 that runs through Sherwood Drive in northern City of Beaumont.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10599
				0607_02	From the confluence with unnamed tributary that runs through Sherwood Drive in northern City of Beaumont upstream to the confluence with Black Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10602
				0607_03	From the confluence with Black Creek upstream to the confluence with Willow Creek (0607C)	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10607
				0607_04	From the confluence with Willow Creek (0607C) upstream to the confluence with Mayhaw Slough near oil fields	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	15367
				0607_05	From the confluence with Mayhaw Slough near oil fields upstream to the headwaters	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0607A	Boggy Creek	Intermittent stream with perennial pools from the confluence with Pine Island Bayou upstream to the confluence of an unnamed tributary 4.0 km downstream of the crossing of the Southern Pacific Railroad	Freshwater Stream	0607A_01	Intermittent stream with perennial pools from the confluence with Pine Island Bayou upstream to the confluence with an unnamed tributary 0.39 km (0.24 mi) downstream of FM 421 west of Lumberton	Intermittent w/pools	TSWQS Appendix D	High	TSWQS Appendix D	No Stations
				0607A_02	Intermittent stream with perennial pools from the confluence with an unnamed tributary 0.39 km (0.24 mi) downstream of FM 421 upstream to confluence with an unnamed tributary 4.0 km downstream of the crossing of the Southern Pacific Railroad	Intermittent w/pools	TSWQS Appendix D	High	TSWQS Appendix D	16127

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0607B	Little Pine Island Bayou	From the confluence of Pine Island Bayou southwest of Lumberton in Hardin County to the upstream perennial portion of the stream west of Kountze in Hardin County	Freshwater Stream	0607B_01	From the confluence with Pine Island Bayou (0607) at the Hardin/Jefferson Counties border upstream to unnamed tributary 1.1 km SE of intersection of FM 770 and FM 787 at NHD RC 12020007000021, same tributary as Big Thicket National Park boundary.	Perennial	Routine Flow Data	High	Presumption from flow type	15346
				0607B_02	From the confluence with unnamed tributary 1.1 km SE of intersection of FM 770 and 787 upstream to headwaters 5.5 km SE of City of Segno in Polk County at NHD RC 12020007000151.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0607C	Willow Creek	From the confluence of Pine Island Bayou north of Nome in Jefferson County to the upstream perennial portion of the stream east of Devers in Liberty County	Freshwater Stream	0607C_01	From the confluence with Pine Island Bayou (0607) at the State Hwy 326 bridge at NHD RC 12020007000258 upstream to headwaters NE of Devers in Liberty County at NHD RC 12020007000200.	Perennial	Routine Flow Data	High	Presumption from flow type	15345

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0607D	Cotton Creek	Intermittent stream with perennial pools from the confluence with Pine Island Bayou upstream to the confluence of an unnamed tributary 1.2 km south of the Southern Pacific Railroad	Freshwater Stream	0607D_01	From the confluence with Pine Island Bayou (0607) at NHD RC 12020007000068, per WQS App. D, upstream to confluence with unnamed tributary 0.13 km east of Old Grayburg Rd at NHD RC crossing 12020007000113.	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations
				0607D_02	From the confluence with unnamed tributary at NHD RC crossing 12020007000113 upstream to confluence with unnamed tributary 1.2 km south of the Southern Pacific Railroad at NHD RC 12020007000265.	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0608	Village Creek	From the confluence with the Neches River in Hardin County to the confluence of Big Sandy Creek and Kimball Creek in Hardin County	Freshwater Stream	0608_01	From the confluence with Neches River (0602) upstream to confluence with Cypress Creek (0608C)	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10609
				0608_02	From the confluence with Cypress Creek (0608C) upstream to confluence with Beech Creek (0608A)	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13625
				0608_03	From the confluence with Beech Creek (0608A) upstream to confluence with Big Sandy Creek and Kimball Creek in Hardin County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0608A	Beech Creek	From the confluence of Village Creek northeast of Kountze in Hardin County to the upstream perennial portion of the stream southeast of Woodville in Tyler County	Freshwater Stream	0608A_01	From the confluence with Village Creek (0608) at NHD RC 12020006000017 upstream to the confluence with Drakes Branch 0.35 km upstream of FM1943 RD E at NHD RC 12020006000025	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				0608A_02	From the confluence with Drakes Branch upstream to headwaters 0.62 km south of FM 1746 at NHD RC 12020006000035.	Perennial	Routine Flow Data	High	Presumption from flow type	10529

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0608B	Big Sandy Creek	From the confluence of Village and Kimball Creeks in Hardin County upstream to headwaters in Polk County	Freshwater Stream	0608B_03	From the confluence of Village Creek (0608) and Kimball Creek in Hardin County at NHD RC 12020006000109 upstream to the confluence with Bear Creek in Polk County at NHD RC 12020006000119.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				0608B_04	From the confluence with Bear Creek in Polk County upstream to headwaters about 5 km SE of intersection of US Hwy 59 and FM 62 at NHD RC 12020006000133.	Perennial	Routine Flow Data	High	Presumption from flow type	15354

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0608C	Cypress Creek	From the confluence of Village Creek (0608) east of Kountze in Hardin County to the confluence with Bad Luck Creek northwest of Kountze in Hardin County	Freshwater Stream	0608C_01	Upper portion from the confluence with unnamed tributary upstream of Pea Monk Branch upstream to confluence with Bad Luck Creek, per WQS App. D, at NHD RC 12020006000148.	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	15352
				0608C_02	Lower portion from the confluence with Village Creek (0608), per WQS App. D, upstream to confluence with unnamed tributary upstream of Pea Monk Branch at NHD RC 12020006000135.	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0608D	Hickory Creek	From the confluence of Village Creek north of Kountze in Hardin County upstream through Tyler County to the confluence with Little Hickory Creek and Woods Creek (0608I) in Polk County.	Freshwater Stream	0608D_01	From the confluence of Village Creek north of Kountze in Hardin County upstream through Tyler County to the confluence with Little Hickory Creek and Woods Creek (0608I) in Polk County.	Perennial	Routine Flow Data	High	Presumption from flow type	15349

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0608E	Mill Creek in Hardin County	From the confluence of Village Creek (0608) west of Silsbee in Hardin County upstream to headwaters northwest of Silsbee in Hardin County	Freshwater Stream	0608E_01	From the confluence of Village Creek (0608) west of Silsbee in Hardin County upstream to headwaters northwest of Silsbee in Hardin County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	16126

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0608F	Turkey Creek	Perennial stream from the confluence with Village Creek up to 1.6 km above U.S. 69 north of City of Woodville	Freshwater Stream	0608F_01	From the confluence with Village Creek (0608) in Hardin County, per WQS App. D, upstream to confluence with Big Cypress Creek in Tyler County about 0.88 km north of FM 1943 RD E at NHD RC 12020006000052.	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	15350
				0608F_02	From the confluence with Big Cypress Creek in Tyler County upstream to confluence with unnamed tributary about 1.6 km above U.S. 69 north of City of Woodville, per WQS App. D, at NHD RC 12020006000057	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	15356

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0608G	Lake Kimball	From Kimball Creek Dam northwest of Kountze in Hardin County to normal pool elevation in Tyler County (impounds Kimball and Village Creeks)	Reservoir	0608G_01	From Kimball Creek Dam northwest of Kountze in Hardin County to normal pool elevation in Tyler County (impounds Kimball and Village Creeks)	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0608H	Horsepen Creek	From the confluence with Hickory Creek to the headwaters 7.10 mi upstream of US190 in Tyler County.	Freshwater Stream	0608H_01	From the confluence with Hickory Creek to the headwaters 7.10 mi upstream of US190 in Tyler County.	Perennial	Flow Questionnaire	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0608I	Woods Creek	From the confluence with Hickory Creek to 8.9 mi upstream of US190 in Polk County.	Freshwater Stream	0608I_01	From the confluence with Hickory Creek to 8.9 mi upstream of US190 in Polk County.	Perennial	Flow Questionnaire	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0608J	Unnamed Tributary of Cypress Creek	From the confluence with Cypress Creek (0608C) to headwaters in City of Kountz in Hardin County	Freshwater Stream	0608J_01	From the confluence with Cypress Creek (0608C) to headwaters in City of Kountz in Hardin County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0608K	Big Cypress Creek in Tyler County	From the confluence with Turkey Creek (0608F) upstream to dam at CR 2162 (Pipeline Road) northwest of City of Woodville in Tyler County.	Freshwater Stream	0608K_01	From the confluence with Turkey Creek (0608F) upstream to dam at CR 2162 (Pipeline Road) northwest of City of Woodville in Tyler County.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0609	Angelina River Below Sam Rayburn Reservoir	From a point immediately upstream of the confluence of Indian Creek in Jasper County to Sam Rayburn Dam in Jasper County	Freshwater Stream	0609_01	From a point immediately upstream of the confluence of Indian Creek in Jasper County to Sam Rayburn Dam in Jasper County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10610

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0610	Sam Rayburn Reservoir	From Sam Rayburn Dam ... to a point 5.6 km (3.5 mi) upstream of Marion's Ferry on the Angelina River Arm ... and to a point 3.9 km (2.4 mi) downstream of Curry Creek on the Attoyac Bayou Arm ..., up to the normal pool elevation of 164.4 feet (except on th	Reservoir	0610_01	Sam Rayburn main pool by the dam to the Bear Creek and Ayish Arms	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	14906
				0610_02	Sam Rayburn lower Angelina River arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	15670; 15671
				0610_03	Sam Rayburn mid-Angelina River arm (area around SH 147)	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10612
				0610_04	Sam Rayburn upper mid-Angelina River arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	15524
				0610_05	Sam Rayburn lower Attoyac Bayou arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	15523
				0610_06	Sam Rayburn upper Attoyac Bayou arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10614
				0610_07	Sam Rayburn upper Angelina arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10613; 21100
				0610_08	Sam Rayburn Bear Creek arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	15674
				0610_09	Sam Rayburn lower Ayish Bayou arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	15673; 15675
				0610_10	Sam Rayburn upper Ayish Bayou arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	14907

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0610A	Ayish Bayou	Perennial stream from the headwaters of Sam Rayburn Reservoir to the dam impounding Bland Lake approximately 0.1km upstream of FM 1279 near the City of San Augustine	Freshwater Stream	0610A_01	From the headwaters of Sam Rayburn Reservoir, per WQS App. D, about 2.4 km north of FM 83 upstream to confluence with unnamed tributary about 0.4 km SW of intersection of SH 147 and AT and SF Railroad at NHD RC 12020005000036.	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	15361
				0610A_02	From the confluence with unnamed tributary about 0.4 km SW of intersection of SH 147 and AT and SF Railroad in the City of San Augustine upstream to the Bland Lake dam, per WQS App. D.	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	21431

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0610C	Little Sandy Creek in Sabine County	Intermittent stream with perennial pools from the confluence with Pomponaugh Creek up to 0.5 km above FM 83 north of Pineland	Freshwater Stream	0610C_01	From the confluence with Pomponaugh Creek, per WQS App. D, upstream to the confluence with unnamed tributary at NHD RC 12020005000518 about 0.5 km above FM 83 north of City of Pineland, per WQS App. D.	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0610G	Caney Creek in San Augustine County	From the confluence with Ayish Bayou (0610A) in San Augustine County upstream to headwaters.	Freshwater Stream	0610G_01	From the confluence with Ayish Bayou (0610A) in San Augustine County upstream to headwaters.	Perennial	Flow Questionnaire	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0610H	Carrizo Creek	From the confluence with Ayish Bayou (0610A) in San Augustine County upstream San Augustine City Lake dam.	Freshwater Stream	0610H_01	From the confluence with Ayish Bayou (0610A) in San Augustine County upstream San Augustine City Lake dam.	Perennial	Flow Questionnaire	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0610I	Chiamon Creek	From the confluence with Ayish Bayou (0610A) in San Augustine County upstream to headwaters in Sabine County.	Freshwater Stream	0610I_01	From the confluence with Ayish Bayou (0610A) in San Augustine County upstream to headwaters in Sabine County.	Perennial	Flow Questionnaire	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0610J	Chinquapin Creek	From the confluence with Ayish Bayou (0610A) upstream to headwaters in San Augustine County.	Freshwater Stream	0610J_01	From the confluence with Ayish Bayou (0610A) upstream to headwaters in San Augustine County.	Perennial	Flow Questionnaire	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0610K	Sandy Creek in San Augustine County	From the confluence with Ayish Bayou (0610A) upstream to headwaters in San Augustine County.	Freshwater Stream	0610K_01	From the confluence with Ayish Bayou (0610A) upstream to headwaters in San Augustine County.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0610L	Turkey Creek in San Augustine County	From the confluence with Ayish Bayou (0610A) upstream to headwaters in San Augustine County.	Freshwater Stream	0610L_01	From the confluence with Ayish Bayou (0610A) upstream to headwaters in San Augustine County.	Perennial	Flow Questionnaire	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0610M	Venado Creek	From the confluence with Ayish Bayou (0610A) upstream to headwaters in San Augustine County.	Freshwater Stream	0610M_01	From the confluence with Ayish Bayou (0610A) upstream to headwaters in San Augustine County.	Perennial	Flow Questionnaire	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0610N	Kelly Lake	Southeast of City of Nacogdoches in Nacogdoches County about 3.5 km southeast of intersection of SH 21 and FM 226	Reservoir	0610N_01	Southeast of City of Nacogdoches in Nacogdoches County about 3.5 km southeast of intersection of SH 21 and FM 226	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0610O	City Lake	San Augustine City Lake in southern San Augustine City in San Augustine County from the Carrizo Creek (0610H) dam to top of lake	Reservoir	0610O_01	San Augustine City Lake in southern San Augustine City in San Augustine County from the Carrizo Creek (0610H) dam to top of lake	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0610P	Bayou Carrizo	From the confluence with Sam Rayburn Reservoir upstream to the headwaters near FM 941 in the City of Appleby	Freshwater Stream	0610P_01	From the confluence with Sam Rayburn Reservoir upstream to the headwaters near FM 941 in the City of Appleby	Perennial	Routine Flow Data	High	Presumption from flow type	21432

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0611	Angelina River Above Sam Rayburn Reservoir	From the aqueduct crossing 1.0 km (0.6 mi) upstream of the confluence of Paper Mill Creek in Angelina/Nacogdoches County to the confluence of Barnhardt Creek and Mill Creek at FM 225 in Rusk County	Freshwater Stream	0611_01	From the aqueduct crossing upstream to the confluence with Old River Channel in Nacogdoches County about 2.8 km downstream of County Hwy 2625 at NHD RC 12020004000039.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10627
				0611_02	From a point immediately upstream of the confluence with Old River channel about 2.8 km downstream of County Hwy 2625 upstream to the confluence with Mud Creek (0611C)	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10630
				0611_03	From a point immediately upstream of the confluence with Mud Creek (0611C) upstream to the confluence with East Fork Angelina River (0611A)	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10633
				0611_04	From a point immediately upstream of confluence with East Fork Angelina River (0611A) upstream to confluence with Barnhardt and Mill Creeks.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10635

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0611A	East Fork Angelina River	From the confluence of the Angelina River at the Rusk/Nacogdoches county line upstream to the confluence with Wooten Creek in Rusk County	Freshwater Stream	0611A_01	From the confluence with Angelina River (0611) at Rusk/Nacogdoches county line upstream to confluence with Beech Creek (0611J) in Rusk County	Perennial	Routine Flow Data	High	Presumption from flow type	10551; 10552
				0611A_02	From a point immediately upstream of confluence with Beech Creek (0611J) upstream to confluence with Wooten Creek (0611P)	Perennial	Routine Flow Data	High	Presumption from flow type	13788

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0611B	La Nana Bayou	From the confluence of the Angelina River south of Nacogdoches in Nacogdoches County to the upstream perennial portion of the stream north of Nacogdoches in Nacogdoches County	Freshwater Stream	0611B_01	From the confluence with Angelina River (0611), per WQS App. D, upstream to State Loop 224 in City of Nacogdoches	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	10474
				0611B_02	From the upstream side of State Loop 224 upstream to FM 1878 in City of Nacogdoches, per WQS App. D.	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	10475; 20792
				0611B_03	From the upstream side of FM 1878 in City of Nacogdoches upstream to confluence with Banita Creek.	Perennial	Routine Flow Data	High	Presumption from flow type	16301

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0611C	Mud Creek	Perennial stream from the confluence with the Angelina River upstream to a point immediately upstream of the confluence of Prairie Creek in Smith County	Freshwater Stream	0611C_01	From the confluence with Angelina River (0611), per WQS App. D, at the Cherokee and Nacogdoches county line south of City of Reklaw upstream to top of channelized/dredged portion about 2.3 km south of US hwy 79 at -95.150452N/31.956933W	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	10532
				0611C_02	From a point immediately upstream of channelized/dredged portion about 2.3 km south of US hwy 79 at -95.150452N/31.956933W upstream to confluence with Prairie Creek in Smith County, per WQS App. D	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	14477

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0611D	West Mud Creek	Perennial stream from the confluence with Mud Creek in Cherokee County upstream to the confluence of an unnamed tributary 300 meters upstream of the most northern crossing of US 69 (approximately 2.25 km south of the intersection of Loop 323) in the City	Freshwater Stream	0611D_01	From the confluence with Mud Creek (0611C), per WQS App. D, upstream to confluence with unnamed tributary about 75 m north of WWTP in City of Tyler at NHD RC 12020004000212.	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	10538; 18302
				0611D_02	From the confluence with unnamed tributary about 75 m north of WWTP in City of Tyler upstream to confluence of unnamed tributary about 300 meters upstream of the most northern crossing of US 69 in City of Tyler, per WQS App. D, at NHD RC 12020004000212.	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0611E	Keys Creek	Perennial stream from the confluence with Mud Creek upstream to the confluence of Barber Branch east of the City of Jacksonville	Freshwater Stream	0611E_01	From the confluence with Mud Creek (0611C) upstream to the confluence of Barber Branch east of the City of Jacksonville	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0611F	Henshaw Creek	Perennial stream from the confluence with West Mud Creek upstream to FM 2813	Freshwater Stream	0611F_01	From the confluence with West Mud Creek (0611D), per WQS App. D, upstream to FM 2813, per WQS App. D.	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0611G	Blackhawk Creek	Perennial stream from the confluence with Mud Creek to the confluence of an unnamed tributary 120 meters upstream of SH 110 south of the City of Whitehouse	Freshwater Stream	0611G_01	From the confluence with Mud Creek (0611C), per WQS App. D, upstream to confluence with unnamed tributary about 80 m SE of Shande Street in City of Whitehouse at NHD RC 12020004016727.	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations
				0611G_02	From the confluence with unnamed tributary about 80 m SE of Shande Street in City of Whitehouse upstream to confluence of unnamed tributary about 120 m upstream of SH 110 south of the City of Whitehouse at NHD RC 12020004016727.	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0611H	Ragsdale Creek	Perennial stream from the confluence with Keys Creek to the confluence of an unnamed tributary 250 meters upstream of Canada Street in the City of Jacksonville	Freshwater Stream	0611H_01	From the confluence with Keys Creek (0611E), per WQS App. D, upstream to confluence with unnamed tributary south of Jacksonville High School	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations
				0611H_02	From the confluence with unnamed tributary south of Jacksonville High School upstream to confluence of an unnamed tributary 250 meters upstream of Canada Street in the City of Jacksonville, per WQS App. D	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0611I	Unnamed Tributary of Johnson Creek	Perennial stream from the confluence with Johnson Creek up to 2.4 km upstream of the confluence, which is 0.8 km south of SH 64 west of the City of Joinerville	Freshwater Stream	0611I_01	Perennial stream from the confluence with Johnson Creek up to 2.4 km upstream of the confluence, which is 0.8 km south of SH 64 west of the City of Joinerville	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0611J	Beech Creek in Nacogdoches/Rusk Counties	From the confluence with East Fork Angelina River (0611A) upstream to confluence with Morrow Branch in Nacogdoches/Rusk Counties	Freshwater Stream	0611J_01	From the confluence with East Fork Angelina River (0611A) upstream to confluence with Morrow Branch in Nacogdoches/Rusk Counties	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0611K	Dill Creek	From unimproved road south of East Fork Angelina (0611A) 0.25 km south of intersection of FM 225 and CR 4261 in Rusk County upstream to headwaters	Freshwater Stream	0611K_01	From unimproved road south of East Fork Angelina (0611A) 0.25 km south of intersection of FM 225 and CR 4261 in Rusk County upstream to headwaters	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0611L	Everett Branch	From the confluence with East Fork Angelina River (0611A) upstream to headwaters west of City of Mount Enterprise in Rusk County	Freshwater Stream	0611L_01	From the confluence with East Fork Angelina River (0611A) upstream to headwaters west of City of Mount Enterprise in Rusk County	Perennial	Flow Questionnaire	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0611M	Ham Creek	From the confluence with Double Spring Branch upstream to headwaters north of City of Mount Enterprise in Rusk County	Freshwater Stream	0611M_01	From the confluence with Double Spring Branch upstream to headwaters north of City of Mount Enterprise in Rusk County	Perennial	Flow Questionnaire	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0611N	Jones Creek	From the confluence with Beech Creek (0611J) in Rusk County upstream to headwaters east of City of Cushing in Nacogdoches County	Freshwater Stream	0611N_01	From the confluence with Beech Creek (0611J) in Rusk County upstream to headwaters east of City of Cushing in Nacogdoches County	Perennial	Flow Questionnaire	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0611O	Sulphur Springs Branch	From the confluence with East Fork Angelina (0611A) upstream to headwaters west of City of Mount Enterprise in Rusk County	Freshwater Stream	0611O_01	From the confluence with East Fork Angelina (0611A) upstream to headwaters west of City of Mount Enterprise in Rusk County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0611P	Wooten Creek	From the confluence with East Fork Angelina (0611A) upstream to confluence with Dry Creek and Loco Bayou in the City of Mount Enterprise in Rusk County	Freshwater Stream	0611P_01	From the confluence with East Fork Angelina (0611A) upstream to confluence with Dry Creek and Loco Bayou in the City of Mount Enterprise in Rusk County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0611Q	Lake Nacogdoches	Located approximately 10 mi west of Nacogdoches in Nacogdoches County	Reservoir	0611Q_01	Located approximately 10 mi west of Nacogdoches in Nacogdoches County	Reservoir	Water body description	High	Presumption from Flow Type	15801; 21021

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0611R	Lake Striker	From the dam approximately 0.5 mi west of CR2430 to the north end of the lake south of US HWY 79 in Rusk County north of Reklaw	Reservoir	0611R_01	From the dam approximately 0.5 mi west of CR2430 to the north end of the lake south of US HWY 79 in Rusk County north of Reklaw	Reservoir	Water body description	High	Presumption from Flow Type	17822; 17824

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0611S	Kickapoo Creek in Smith County	From the confluence with Mud Creek (0611C) NW of City of Troup upstream to the confluence with unnamed tributary south of City of Arp.	Freshwater Stream	0611S_01	From the confluence with Mud Creek (0611C) NW of City of Troup upstream to the confluence with unnamed tributary south of City of Arp.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0611T	Lake Kurth	Located south of the Angelina River (0611) about 8 km north of City of Lufkin intersection of State Loop 287 and US Hwy 59 in Angelina County	Reservoir	0611T_01	Located south of the Angelina River (0611) about 8 km north of City of Lufkin intersection of State Loop 287 and US Hwy 59 in Angelina County	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0611U	Bromley Creek	From the confluence with Shawnee Creek upstream to confluence with Flanigan Branch in Rusk County	Freshwater Stream	0611U_01	From the confluence with Shawnee Creek upstream to confluence with Flanigan Branch in Rusk County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0611V	Bowles Creek	From the confluence with Striker Creek in Cherokee County upstream to the headwaters in the City of Overton, 0.09 mi west of FM 2089	Freshwater Stream	0611V_01	From the confluence with Striker Creek in Cherokee County upstream to the headwaters in the City of Overton, 0.09 mi west of FM 2089	Perennial	Routine Flow Data	High	Presumption from flow type	21429

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0611W	Johnson Creek	From the confluence with Striker Creek in Cherokee County upstream to the headwaters in the City of New London, 0.02 mi north of County Road 112	Freshwater Stream	0611W_01	From the confluence with Striker Creek in Cherokee County upstream to the headwaters in the City of New London, 0.02 mi north of County Road 112	Perennial	Routine Flow Data	High	Presumption from flow type	21430

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0612	Attoyac Bayou	From a point 3.9 km (2.4 mi) downstream of Curry Creek in Nacogdoches/San Augustine County to FM 95 in Rusk County	Freshwater Stream	0612_01	From the lower boundary approximately at confluence with Granberry Branch upstream to confluence with Polly Branch.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10636
				0612_02	From a point immediately upstream of Polly Branch confluence upstream to confluence with Bear Bayou.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	15253
				0612_03	From a point immediately upstream of Bear Bayou upstream to upper boundary at FM 95.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	16076

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0612A	Terrapin Creek	From the confluence of Attoyac Bayou east of Martinsville in Nacogdoches County to the upstream perennial portion of the stream northwest of Martinsville in Nacogdoches County	Freshwater Stream	0612A_01	From the confluence of Attoyac Bayou east of Martinsville in Nacogdoches County to the upstream perennial portion of the stream northwest of Martinsville in Nacogdoches County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0612B	Waffelow Creek	From the confluence of Naconiche Creek north of Martinsville in Nacogdoches County upstream to headwaters east of Appleby in Nacogdoches County	Freshwater Stream	0612B_01	From the confluence of Naconiche Creek north of Martinsville in Nacogdoches County upstream to confluence with unnamed tributary about 0.27 km west of CR 234 at NHD RC 12020005000207	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				0612B_02	From a point immediately upstream of confluence with unnamed tributary about 0.27 km west of CR 234 upstream to headwaters	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0612C	Pinkston Reservoir	Located approximately 12 mi southwest of Center in Shelby County (impounds Sandy Creek)	Reservoir	0612C_01	Located approximately 12 mi southwest of Center in Shelby County (impounds Sandy Creek)	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0612D	Nacooniche Creek	From the confluence with the Attoyac Bayou in Nacogdoches Co. to Lake Nacooniche Dam in Nacogdoches County	Freshwater Stream	0612D_01	From the confluence with the Attoyac Bayou in Nacogdoches Co. to Lake Nacooniche Dam in Nacogdoches County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0612E	Big Iron Ore Creek	From the confluence with the Attoyac Bayou in San Augustine Co. to the headwaters approximately 4.3 km upstream of US Hwy 96 in San Augustine Co.	Freshwater Stream	0612E_01	From the confluence with the Attoyac Bayou in San Augustine Co. to the headwaters approximately 4.3 km upstream of US Hwy 96 in San Augustine Co.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0612F	West Creek	From the confluence with Attoyac Bayou in Shelby Co. to the headwaters approximately 2.2 km upstream of CR 4054 in Shelby Co.	Freshwater Stream	0612F_01	From the confluence with Attoyac Bayou in Shelby Co. to the headwaters approximately 2.2 km upstream of CR 4054 in Shelby Co.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	20845

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0612G	Lake Nacooniche	Impounded Nacooniche Creek in Nacogdoches County, 2.5 mi northeast of Appleby	Reservoir	0612G_01	Impounded Nacooniche Creek in Nacogdoches County, 2.5 mi northeast of Appleby	Reservoir	Water body description	High	Presumption from Flow Type	21435

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0613	Lake Tyler/Lake Tyler East	From Whitehouse Dam and Mud Creek Dam in Smith County up to the normal pool elevation of 375.38 feet (impounds Prairie Creek and Mud Creek)	Reservoir	0613_01	Lake Tyler lower reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10637
				0613_02	Lake Tyler upper reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	15210
				0613_03	Lake Tyler East lower reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10638
				0613_04	Lake Tyler East upper reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	17929

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0614	Lake Jacksonville	From Buckner Dam in Cherokee County up to the normal pool elevation of 422 feet (impounds Gum Creek)	Reservoir	0614_01	Lower reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10639
				0614_02	Upper reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16535

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0615	Angelina River/Sam Rayburn Reservoir	The riverine portion of Sam Rayburn Reservoir from a point 5.6 km (3.5 mi) upstream of Marion's Ferry to the aqueduct crossing 1.0 km (0.6 mi) upstream of the confluence of Paper Mill Creek	Freshwater Stream	0615_01	The riverine portion of Sam Rayburn Reservoir from a point 5.6 km (3.5 mi) upstream of Marion's Ferry to the aqueduct crossing 1.0 km (0.6 mi) upstream of the confluence of Paper Mill Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10621; 10622; 10623

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0615A	Paper Mill Creek	From the confluence with Angelina River/Sam Rayburn Reservoir (0615) upstream to confluence with Mill Creek (0615B)	Freshwater Stream	0615A_01	From the confluence of Angelina River/Sam Rayburn (0615) upstream to confluence with Mill Creek (0615B)	Intermittent	TSWQS Appendix D	Minimal	TSWQS Appendix D	10502

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0615B	Mill Creek in Angelina County	Perennial stream from the confluence with Paper Mill Creek up to 1.0 km upstream of FM 2251 north of the City of Lufkin	Freshwater Stream	0615B_01	From the confluence with Paper Mill Creek (0615A), per WQS App. D, upstream to confluence with unnamed tributary about 1.0 km upstream of FM 2251, per WQS App. D, at NHD RC 12020005000088.	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0615C	Unnamed Tributary of Mill Creek	Intermittent stream with perennial pools from the confluence with Mill Creek up to 1.0 km above FM 2251 north of City of Lufkin	Freshwater Stream	0615C_01	From the confluence with Mill Creek (0615B) up to about 1.0 km above FM 2251 north of City of Lufkin, per WQS App. D	Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0701	Taylor Bayou/North Fork Taylor Bayou Above Tidal	From the salt water lock 7.7 km (4.8 mi) downstream of SH 73 in Jefferson County to the Lower Neches Valley Authority Canal crossing of North Fork Taylor Bayou in Jefferson County	Freshwater Stream	0701_01	From the salt water lock 7.7 km (4.8 mi) downstream of SH 73 in Jefferson County, per WQS App. C, upstream to the confluence with Hillebrandt Bayou (0704)	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	10668
				0701_02	From the confluence with Hillebrandt Bayou upstream to confluences with North Fork Taylor Bayou and South Fork Taylor Bayou	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	No Stations
				0701_03	North Fork Taylor Bayou from the confluence with Taylor Bayou and South Fork Taylor Bayou upstream to the Lower Neches Valley Authority Canal, per WQS App. C, about 2.7 km SW of intersection of FM 1406 and FM 365 Road south of the City of Nome	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0701A	Green Pond Gully	Perennial stream from the confluence with North Fork Taylor Bayou upstream to the confluence with an unnamed tributary approximately 2.4 km downstream of US 90 near the city of China	Freshwater Stream	0701A_01	From the confluence with North Fork Taylor Bayou, per WQS App. D, upstream to confluence with Mayhaw Gully	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations
				0701A_02	From a point immediately upstream of Mayhaw Gully upstream to confluence with unnamed tributary about 2.4 km downstream of US 90 near the City of China, per WQS App. D, in Jefferson County.	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0701B	Mayhan Gully	Perennial stream from the confluence with Green Pond Gully upstream 6 km to the confluence with an unnamed tributary near the City of China	Freshwater Stream	0701B_01	Perennial stream from the confluence with Green Pond Gully upstream 6 km to the confluence with an unnamed tributary near the City of China	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0701C	Rhodair Gully	Perennial stream from the confluence with Taylor Bayou up to US 69 near Nederland	Freshwater Stream	0701C_01	Perennial stream from the confluence with Taylor Bayou up to US 69 near Nederland	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0701D	Shallow Prong Lake	Widest upper portion of Big Hill Bayou about 2.0 km (1.26 mi) north of Blind Lake	Reservoir	0701D_01	Portion of Big Hill Bayou, Shallow Prong portion of NHD RC 12040201006920	Reservoir	Water body description	High	Presumption from Flow Type	10642

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0701E	South Fork Taylor Bayou	From the confluences with Taylor Bayou and North Fork Taylor Bayou (0701) upstream to headwaters.	Freshwater Stream	0701E_01	From the confluence with Taylor Bayou and North Fork Taylor Bayou (0701) upstream to confluence with Mayhaw Bayou	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				0701E_02	From the confluence with Mayhaw Bayou upstream to headwaters.	Intermittent w/pools	WQS/Permits program	Limited	Previous TCEQ permit decision	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0702	Intracoastal Waterway Tidal	From the confluence with Galveston Bay at Port Bolivar ... to the confluence with the Sabine-Neches/Port Arthur Canal ... (including Taylor Bayou Tidal from the confluence with the Intracoastal Waterway up to the salt water lock 7.7 km (4.8 mi) downstream	Tidal Stream	0702_01	From the confluence with Sabine-Neches Canal Tidal (0703) to eastern most boundary of East Bay	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	17426
				0702_02	Taylor Bayou tidal from the confluence with the Intracoastal Waterway Tidal to the saltwater barriers.	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	10640
				0702_03	From the eastern most boundary of East Bay to Port Bolivar	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	15233

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0702A	Alligator Bayou and Main Canals A, B, C, and D	All perennial canals in Jefferson County Drainage District No. 7 that eventually drain into the tidal portion of Taylor Bayou at the pump house gate, including Alligator Bayou	Freshwater Stream	0702A_01	From Taylor Bayou Tidal (0702) to confluence with Main Canal D above SH 82.	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations
				0702A_03	Main Canal D from the confluence with Alligator Bayou at SH 82 upstream to about 0.35 km upstream of confluence with Canal A	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations
				0702A_04	Main Canal A from the confluence with Main Canal D upstream to top of Canal A	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations
				0702A_05	Main Canal B from the confluence with Main Canal D upstream to top of Canal B	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations
				0702A_06	Main Canal C from the confluence with Main Canal B upstream to top of Canal C	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0703	Sabine-Neches Canal Tidal	From the confluence with Sabine Pass at the southern tip of Pleasure Island in Jefferson County to the Sabine Lake seawall at the northern tip of Pleasure Island in Jefferson County	Tidal Stream	0703_01	From the confluence with Sabine Pass at the southern tip of Pleasure Island in Jefferson County to the Sabine Lake seawall at the northern tip of Pleasure Island in Jefferson County	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	10652; 10683

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0704	Hillebrandt Bayou	From the confluence of Taylor Bayou in Jefferson County to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County	Freshwater Stream	0704_01	From the confluence with Taylor Bayou Above Tidal (0701) upstream to confluence with Willow Marsh Bayou (0704A)	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	10685
				0704_02	From the confluence with Willow Marsh Bayou (0704A) upstream to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	10687

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0704A	Willow Marsh Bayou	Perennial stream from the confluence with Hillebrandt Bayou upstream to the confluence with an unnamed tributary immediately upstream of Old Sour Lake Road	Freshwater Stream	0704A_01	From the confluence with Hillebrandt Bayou (0704) upstream to confluence with unnamed tributary just upstream of Old Sour Lake Road crossing in Jefferson County	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0704B	Kidd Gully	From the confluence with Pevitot Bayou to approximately 3.5 mi upstream of IH 10 in Jefferson County.	Freshwater Stream	0704B_01	From the confluence with Pevitot Bayou to approximately 3.5 mi upstream of IH 10 in Jefferson County.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0704C	Pevitot Gully	From the confluence with Hillebrandt Bayou to approximately 1.8 mi upstream of IH-10 in Jefferson County	Freshwater Stream	0704C_01	From the confluence with Hillebrandt Bayou to approximately 1.8 mi upstream of IH-10 in Jefferson County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0704D	Bayou Din	From the confluence with Hillebrandt Bayou upstream to headwaters in Jefferson County	Freshwater Stream	0704D_01	From the confluence with Hillebrandt Bayou upstream to headwaters in Jefferson County	Perennial	WQS/Permits program	High	Previous TCEQ permit decision	10660

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0801	Trinity River Tidal	Trinity River Tidal - from the saltwater barrier, which is 5.5 km (3.4 mi) downstream of IH 10, in Chambers County to a point 3.1 km (1.9 mi) downstream of US 90 in Liberty County	Tidal Stream	0801_01	From the saltwater barrier, which is 5.5 km (3.4 mi) downstream of IH 10, in Chambers County upstream to the Lynchburg Canal in Liberty County	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	10892
				0801_02	From the Lynchburg Canal in Liberty County upstream to a point 3.1 km (1.9 mi) downstream of US 90 in Liberty County	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0801A	Lost River	From IH 10 in Chambers County to approximately 6 KM upstream of confluence with John Wiggins Bayou.	Tidal Stream	0801A_01	From IH 10 in Chambers County to approximately 6 KM upstream of confluence with John Wiggins Bayou.	Tidal Stream	Water body description	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0801B	Old River	From IH 10 in Chambers County upstream to the confluence with East Prong Old River and West Prong Old River approximately 4.4 mi (7.0 km) north of Mont Belvieu	Freshwater Stream	0801B_01	From IH 10 in Chambers County upstream to the confluence with East Prong Old River and West Prong Old River approximately 4.4 mi (7.0 km) north of Mont Belvieu	Perennial	Water body description	High	Presumption from flow type	18360

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0801C	Cotton Bayou Tidal	From the confluence of Cotton Lake southeast of Mont Belvieu to a point upstream 1.19 km (0.74 mi) near The Plantation neighborhood in Chambers County	Tidal Stream	0801C_01	From the confluence of Cotton Lake southeast of Mont Belvieu to a point upstream 1.19 km (0.74 mi) near The Plantation neighborhood in Chambers County	Tidal Stream	Water body description	High	Presumption from flow type	18697

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0801D	Lynchburg Canal	From confluence with Trinity River Tidal upstream to confluence with Big Caney Creek.	Freshwater Stream	0801D_01	From confluence with Trinity River Tidal upstream to confluence with Big Caney Creek.	Perennial	Water body description	High	Presumption from flow type	16148

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0801E	Cotton Bayou Above Tidal	From a point 1.19 km (0.74 mi) upstream of the confluence of Cotton Lake upstream to a point 1.89 km (1.17 mi) north of IH 10 in Mont Belvieu in Chambers County	Freshwater Stream	0801E_01	From a point 1.19 km (0.74 mi) upstream of the confluence of Cotton Lake upstream to a point 1.89 km (1.17 mi) north of IH 10 in Mont Belvieu in Chambers County	Perennial	Routine Flow Data	High	Presumption from flow type	18696; 22232

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0802	Trinity River Below Lake Livingston	From a point 3.1 km (1.9 mi) downstream of US 90 in Liberty County to Livingston Dam in Polk/San Jacinto County	Freshwater Stream	0802_01	Lower 17 mi of segment	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10894
				0802_02	Approximately 9 mi upstream to approximately 15 mi downstream of SH 105	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10895
				0802_03	11 mi upstream to approximately 9 mi downstream of FM 787	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10896
				0802_04	5 mi upstream to 11 mi downstream of US 59	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10897
				0802_05	Upper 6 mi of segment	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	16998

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0802A	Choates Creek	Perennial stream from the confluence with Long King Creek upstream to the confluence with an unnamed tributary approximately 3.0 km upstream of SH 146 near the City of Livingston	Freshwater Stream	0802A_01	Perennial stream from the confluence with Long King Creek upstream to the confluence with an unnamed tributary approximately 3.0 km upstream of SH 146 near the City of Livingston	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0802B	Long King Creek	Perennial stream from the confluence with the Trinity River upstream to the confluence with an unnamed tributary approximately 1.2 km upstream of FM 350 near the City of Livingston	Freshwater Stream	0802B_01	From the confluence with segment 0802 of the Trinity River to just upstream of confluence with unknown tributary (NHD RC 12030202001817)	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations
				0802B_02	From just upstream of the confluence with unnamed tributary (NHD RC 12030202001817) up to the confluence with Mud Creek, in Polk County.	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	10689

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0802C	Unnamed Tributary of Coley Creek	Perennial stream from the confluence with Coley Creek upstream to its origin at the culvert leading from Lake Run-Amuck at Wright Road	Freshwater Stream	0802C_01	Perennial stream from the confluence with Coley Creek upstream to its origin at the culvert leading from Lake Run-Amuck at Wright Road	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0802D	Menard Creek	From the confluence with segment 0802 of the Trinity River up to the confluence with Meetinghouse Creek.	Freshwater Stream	0802D_01	From the confluence with segment 0802 of the Trinity River up to the confluence with Meetinghouse Creek.	Perennial	Routine Flow Data	High	Presumption from flow type	10688

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0802E	Big Creek	Perennial stream from the confluence with the Trinity River in Liberty County upstream to the confluence of Double Lake Branch and Henry Lake Branch in San Jacinto County	Freshwater Stream	0802E_01	Perennial stream from the confluence with the Trinity River in Liberty County upstream to the confluence of Double Lake Branch and Henry Lake Branch in San Jacinto County	Perennial	Routine Flow Data	High	Presumption from flow type	13685

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0803	Lake Livingston	From Livingston Dam in Polk/San Jacinto County to a point 1.8 km (1.1 mi) upstream of Boggy Creek in Houston/Leon County, up to the normal pool elevation of 131 feet (impounds Trinity River)	Reservoir	0803_01	Lowermost portion of reservoir, adjacent to dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10899
				0803_02	Lower portion of reservoir, East Wolf Creek	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	14005
				0803_03	Lower portion of reservoir, East Willow Springs	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	14006
				0803_04	Middle portion of reservoir, East Pointblank	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	14007
				0803_05	Middle portion of reservoir, downstream of Kickapoo Creek	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	21562
				0803_06	Middle portion of reservoir, centering on US 190	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	21563
				0803_07	Upper portion of reservoir, west of Carlisle	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10913
				0803_08	Cove off upper portion of reservoir, East Trinity	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	14014
				0803_09	West Carolina Creek cove, off upper portion of reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0803_10	Upper portion of reservoir, centering on SH 19	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10914
				0803_11	Riverine portion of reservoir, centering on SH 21	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10917
				0803_12	Remainder of reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0803A	Harmon Creek	From the confluence with Lake Livingston (normal pool elevation of 131 feet) to the confluence of East Fork Harmon Creek east of Huntsville in Walker County	Freshwater Stream	0803A_01	A 16 mi (25.7 km) stretch of Harmon Creek extending from Lake Livingston (normal pool elevation of 131 feet) upstream to the confluence of East Fork Harmon Creek.	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	10698

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0803B	White Rock Creek	From the confluence of Lake Livingston northeast of Trinity in Trinity County to the upstream perennial portion of the stream east of Lovelady in Houston County	Freshwater Stream	0803B_01	Lower 25 mi of segment	Perennial	Routine Flow Data	High	Presumption from flow type	10696
				0803B_02	Upper 13 mi of segment	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0803C	Turkey Creek	Perennial stream from the normal pool elevation of Lake Livingston upstream to the confluence with an unnamed tributary 2.85 km downstream of FM 980	Freshwater Stream	0803C_01	Perennial stream from the normal pool elevation of Lake Livingston upstream to the confluence with an unnamed tributary 2.85 km downstream of FM 980	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0803D	Parker Creek	Perennial stream from the confluence with Harmon Creek upstream to the confluence with Town Branch	Freshwater Stream	0803D_01	Perennial stream from the confluence with Harmon Creek upstream to the confluence with Town Branch	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0803E	Nelson Creek	From the confluence with segment 0803 Trinity River, to upper end of Nelson Creek NHD RC 12030202005424	Freshwater Stream	0803E_01	From the confluence with segment 0803 Trinity River, to upper end of Nelson Creek NHD RC 12030202005424	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	10700

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0803F	Bedias Creek	From the confluence with segment 0803 Trinity River, to upper end of Bedias Creek, NHD RC 12030202000350	Freshwater Stream	0803F_01	From the confluence with segment 0803 Trinity River up to confluence with Poole Creek (NHD RC 12030202000572)	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				0803F_02	From the confluence with Poole Creek (NHD RC 12030202000572) to upper end of NHD RC Bedias Creek (NHD RC 12030202000350)	Perennial	Routine Flow Data	High	Presumption from flow type	10703

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0803G	Lake Madisonville	From Lake Madisonville Dam in Madison County up to the normal pool elevation of 285 feet (impounds Town Branch)	Reservoir	0803G_01	From Lake Madisonville Dam in Madison County up to the normal pool elevation of 285 feet (impounds Town Branch)	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0804	Trinity River Above Lake Livingston	From a point 1.8 km (1.1 mi) upstream of Boggy Creek in Houston/Leon County to a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County	Freshwater Stream	0804_01	From the lower end of the segment up to just above the confluence with Hurricane Bayou in Houston County.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13690
				0804_02	From just upstream of the confluence with Hurricane Bayou up to just above the confluence with Boons Creek.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0804_03	From just upstream of the confluence with Boons Creek up to just above the confluence with Caney Creek.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0804_04	From the confluence with Caney Creek up to just above the confluence with Indian Creek in Anderson County.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10919
				0804_05	From just above the confluence with Indian Creek in Anderson County up to just above the confluence with Tehuacana Creek.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0804_06	From just above the confluence with Tehuacana Creek to just above the confluence with Richland Creek.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	21958
				0804_07	From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10922

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0804A	Box Creek	Perennial stream from the confluence of Elkhart Creek upstream to the Elkhart Lake dam northeast of the City of Elkhart	Freshwater Stream	0804A_01	Perennial stream from the confluence of Elkhart Creek upstream to the Elkhart Lake dam northeast of the City of Elkhart	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0804B	Keechi Creek	Perennial stream from the confluence with the Trinity River to a point 0.05 km upstream of FM 645	Freshwater Stream	0804B_01	Perennial stream from the confluence with the Trinity River to a point 0.05 km upstream of FM 645	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0804C	Mims Creek	Perennial stream from the confluence with Upper Keechi Creek upstream to the confluence of an unnamed tributary approximately 2.1 km upstream of FM 1580 near the City of Fairfield	Freshwater Stream	0804C_01	Perennial stream from the confluence with Upper Keechi Creek upstream to the confluence of an unnamed tributary approximately 2.1 km upstream of FM 1580 near the City of Fairfield	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0804D	Toms Creek	Perennial stream from the confluence with the Trinity River to the Missouri-Pacific Railroad crossing near Oakwood	Freshwater Stream	0804D_01	Perennial stream from the confluence with the Trinity River to the Missouri-Pacific Railroad crossing near Oakwood	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0804E	Northwest Branch	Perennial stream from the confluence with Toms Creek to a point 0.3 km upstream of FM 831	Freshwater Stream	0804E_01	Perennial stream from the confluence with Toms Creek to a point 0.3 km upstream of FM 831	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0804F	Tehuacana Creek	From the confluence with the Trinity River northeast of Fairfield in Freestone County to the headwaters northwest of Mexia in Limestone County	Freshwater Stream	0804F_01	A 27 mi stretch of Tehuacana Creek extending from the confluence with 0804 of the Trinity River up to the confluence with Caney Creek (NHD RC 120302010000226).	Intermittent w/pools	Water body description	Limited	Presumption from flow type	No Stations
				0804F_02	A 28.4 mi (45.7 km) stretch of Tehuacana Creek extending from the confluence with Caney Creek to the upper end (NHD RC 120302010000225) of Tehuacana Creek.	Intermittent w/pools	Water body description	Limited	Presumption from flow type	10705

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0804G	Catfish Creek	Perennial stream from the confluence with the Trinity River in Freestone/Anderson Counties upstream to US 175E southeast of Athens in Henderson County	Freshwater Stream	0804G_01	Perennial stream from the confluence with Trinity River upstream to the confluence with Wolf Creek	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	10717
				0804G_02	Perennial stream from the confluence with Wolf Creek upstream to US 175E southeast of Athens	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0804H	Upper Keechi Creek	From confluence with segment 0804 Trinity River to the upper end of NHD stream Upper Keechi Creek (NHD RC 12030201001075)	Freshwater Stream	0804H_01	From the confluence with segment 0804 Trinity River up to confluence with Twin Branch (NHD RC 12030201027099)	Perennial	Routine Flow Data	High	Presumption from flow type	20771
				0804H_02	From the confluence with Twin Branch (NHD RC 12030201027099) to the upper end (NHD RC 12030201001075) of NHD RC stream Upper Keechi Creek.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0804I	Big Brown Creek	From the confluence with segment 0804 of the Trinity River upstream to the end of segment (NHD RC Reach Code 112030201000928).	Freshwater Stream	0804I_01	From the confluence with the Trinity River (0804) upstream to the Fairfield Lake Dam in Freestone County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations
				0804I_02	From the upper end of Fairfield Lake upstream to headwaters (NHD RC 112030201000928)	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0804J	Fairfield Lake	Impounded Big Brown Creek in Freestone County	Reservoir	0804J_01	Impounded Big Brown Creek in Freestone County	Reservoir	Water body description	High	Presumption from Flow Type	17951

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0804K	Lower Keechi Creek	Perennial stream from the confluence with the Trinity River in Leon County upstream to the headwaters in Jewett in Leon County	Freshwater Stream	0804K_01	Perennial stream from the confluence with the Trinity River in Leon County upstream to the headwaters in Jewett in Leon County	Perennial	Routine Flow Data	High	Presumption from flow type	20382

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0804L	Town Creek	Perennial stream from the confluence with Keechi Creek upstream to SH 256 (Appendix D)	Freshwater Stream	0804L_01	Perennial stream from the confluence with Keechi Creek upstream to SH 256 (Appendix D)	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	10706

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0804M	Bassett Creek	Perennial stream from the confluence with Town Creek upstream to Blue Lake	Freshwater Stream	0804M_01	From the confluence with Town Creek upstream to approximately 15m upstream of the processing plant outfall	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations
				0804M_02	From approximately 15m upstream of the processing plant outfall upstream to Blue Lake	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0805	Upper Trinity River	From a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County to a point immediately upstream of the confluence of Elm Fork Trinity River in Dallas County	Freshwater Stream	0805_01	From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10924
				0805_02	From confluence of Smith Creek upstream to confluence of Tenmile Creek.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10925
				0805_03	From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10934; 20444
				0805_04	From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10937; 20933; 20934
				0805_06	From confluence of Tenmile Creek upstream to confluence of Fivemile Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10929

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0805A	Red Oak Creek	From confluence with segment 0805 Trinity River 12 mi upstream to I 45.	Freshwater Stream	0805A_01	From confluence with segment 0805 Trinity River 12 mi upstream to I 45.	Perennial	Routine Flow Data	High	Presumption from flow type	10842

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0805B	Parsons Slough	From confluence with segment 0805 Trinity River in Kaufman County, 11 mi upstream to Malloy Bridge Road in Dallas Co.	Freshwater Stream	0805B_01	From confluence with segment 0805 Trinity River in Kaufman County, 11 mi upstream to Malloy Bridge Road in Dallas Co.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0805C	White Rock Creek below White Rock Lake	From the confluence with segment 0805 of the Trinity River up to the confluence with 0827 White Rock Lake.	Freshwater Stream	0805C_01	From the confluence with segment 0805 of the Trinity River up to the confluence with 0827 White Rock Lake.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0805D	Fivemile Creek	A 17 mi stretch of Fivemile Creek extending from confluence with segment 0805 Trinity River upstream to upper end of NHD stream Fivemile Creek (NHD RC 12030105000066).	Freshwater Stream	0805D_01	A 17 mi stretch of Fivemile Creek extending from confluence with segment 0805 Trinity River upstream to upper end of NHD stream Fivemile Creek (NHD RC 12030105000066).	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0805E	Cedar Creek	From the confluence with the Trinity River to a point south of the intersection at S Clinton Avenue and W Clarendon Drive	Freshwater Stream	0805E_01	From the confluence with the Trinity River to a point south of the intersection at S Clinton Avenue and W Clarendon Drive	Perennial	Routine Flow Data	High	Presumption from flow type	20440

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0805F	Tenmile Creek	From the confluence with the Upper Trinity River to Bradford Park in Dallas County	Freshwater Stream	0805F_01	From the confluence with the Upper Trinity River to Bradford Park in Dallas County	Perennial	Routine Flow Data	High	Presumption from flow type	21287

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0806	West Fork Trinity River Below Lake Worth	From a point immediately upstream of the confluence of Village Creek in Tarrant County to Lake Worth Dam in Tarrant County	Freshwater Stream	0806_01	From confluence of Village Creek upstream to confluence of Clear Fork Trinity River	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10938; 16120; 17368
				0806_02	From confluence of Clear Fork Trinity River upstream to Lake Worth Dam	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	21558

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0806A	Fosdic Lake	From Fosdic Lake Dam to the reservoir headwaters in Oakland Lake Park in Tarrant County	Reservoir	0806A_01	From Fosdic Lake Dam to the reservoir headwaters in Oakland Lake Park in Tarrant County	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0806B	Echo Lake	From Echo Lake Dam to the reservoirs headwaters in Tarrant County	Reservoir	0806B_01	From Echo Lake Dam to the reservoirs headwaters in Tarrant County	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0806C	Big Fossil Creek	From confluence with Little Fossil Creek in Haltom City, to HWY 183 in Tarrant Co.	Freshwater Stream	0806C_01	From confluence with Little Fossil Creek in Haltom City, to HWY 183 in Tarrant Co.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0806D	Marine Creek	Marine Creek from the confluence with West Fork Trinity River Below Lake Worth upstream to the Marine Creek Reservoir dam	Freshwater Stream	0806D_01	Marine Creek from the confluence with West Fork Trinity River Below Lake Worth upstream to the Marine Creek Reservoir dam	Perennial	Routine Flow Data	High	Presumption from flow type	17370; 21801; 22326

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0806E	Sycamore Creek	A 4.7 mi stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth.	Freshwater Stream	0806E_01	4.7 mi stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth	Perennial	Routine Flow Data	High	Presumption from flow type	17369

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0806F	Little Fossil Creek	A 13.7 mi stretch of Little Fossil Creek running upstream from confluence with segment 0806 W. Fork Trinity River upstream to upper end (NHD RC Reach Code of NHD RC stream Little Fossil Creek.	Freshwater Stream	0806F_01	A 13.7 mi stretch of Little Fossil Creek running upstream from confluence with segment 0806 W. Fork Trinity River upstream to upper end (NHD RC Reach Code of NHD RC stream Little Fossil Creek.	Perennial	Routine Flow Data	High	Presumption from flow type	17129

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0806G	Marine Creek Reservoir	From the Marine Creek Reservoir Dam at Loop 820 in Fort Worth up to normal pool elevation of 690 feet (impounds Marine Creek)	Reservoir	0806G_01	From the Marine Creek Reservoir Dam at Loop 820 in Fort Worth up to normal pool elevation of 690 feet (impounds Marine Creek)	Reservoir	Water body description	High	Presumption from Flow Type	22142

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0807	Lake Worth	From Lake Worth Dam in Tarrant County to a point 4.0 km (2.5 mi) downstream of Eagle Mountain Dam in Tarrant County, up to the normal pool elevation of 594 feet (impounds West Fork Trinity River)	Reservoir	0807_01	From Lake Worth Dam in Tarrant County to a point 4.0 km (2.5 mi) downstream of Eagle Mountain Dam in Tarrant County, up to the normal pool elevation of 594 feet (impounds West Fork Trinity River)	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10942; 15163; 15166; 15167

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0808	West Fork Trinity River Below Eagle Mountain Reservoir	From a point 4.0 km (2.5 mi) downstream of Eagle Mountain Dam in Tarrant County to Eagle Mountain Dam in Tarrant County	Freshwater Stream	0808_01	From a point 4.0 km (2.5 mi) downstream of Eagle Mountain Dam in Tarrant County to Eagle Mountain Dam in Tarrant County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0809	Eagle Mountain Reservoir	From Eagle Mountain Dam in Tarrant County to a point 0.6 km (0.4 mi) downstream of the confluence of Oates Branch in Wise County up to the normal pool elevation of 649.1 feet (impounds West Fork Trinity River)	Reservoir	0809_01	Lowermost portion of reservoir near east end of dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10944
				0809_02	Dosier Slough cove	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0809_03	Ash Creek cove	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0809_04	Lowermost portion of reservoir near west end of dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0809_05	Lower portion of reservoir east of Walnut Creek cove	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10952
				0809_06	Walnut Creek cove	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0809_07	Old Ranch cove	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0809_08	Middle portion of reservoir near Cole subdivision	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10956
				0809_09	Indian Creek cove	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0809_10	Upper portion of reservoir near Indian Creek cove	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10960
				0809_11	Darrett Creek cove	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0809	Eagle Mountain Reservoir	From Eagle Mountain Dam in Tarrant County to a point 0.6 km (0.4 mi) downstream of the confluence of Oates Branch in Wise County up to the normal pool elevation of 649.1 feet (impounds West Fork Trinity River)	Reservoir	0809_12	Upper portion of reservoir near Newark Beach	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10964
				0809_14	Mid-Lake, from just above Walnut Cr. Cove to Oakwood Rd. peninsula	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0809A	Walnut Creek	From the normal pool elevation of Eagle Mountain Reservoir up to the headwaters approximately 2.1 mi upstream of State Highway 199 in Parker County.	Freshwater Stream	0809A_01	From the normal pool elevation of Eagle Mountain Reservoir up to the headwaters approximately 2.1 mi upstream of State Highway 199 in Parker County.	Perennial	Routine Flow Data	High	Presumption from flow type	10853

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0809B	Ash Creek	Intermittent stream with perennial pools from Eagle Mountain Lake in Tarrant County upstream to its confluence with Mill Branch in Parker County	Freshwater Stream	0809B_01	Intermittent stream with perennial pools from Eagle Mountain Lake in Tarrant County upstream to its confluence with Mill Branch in Parker County	Intermittent w/pools	TSWQS Appendix D	High	TSWQS Appendix D	10854

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0809C	Dosier Creek	Perennial stream from the confluence of Dosier Slough cove upstream to the confluence with an intermittent stream 1 km upstream of Boat Club Road	Freshwater Stream	0809C_01	Perennial stream from the confluence of Dosier Slough cove upstream to the confluence with an intermittent stream 1 km upstream of Boat Club Road	Perennial	Routine Flow Data	High	Presumption from flow type	10855

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0809D	Derrett Creek	Perennial stream from the confluence with Derrett Creek cove to 0.22 km upstream of FM 718 where the waterbody meets an intermittent stream	Freshwater Stream	0809D_01	Perennial stream from the confluence with Derrett Creek cove to 0.22 km upstream of FM 718 where the waterbody meets an intermittent stream	Perennial	Routine Flow Data	High	Presumption from flow type	10858

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0810	West Fork Trinity River Below Bridgeport Reservoir	From a point 0.6 km (0.4 mi) downstream of the confluence of Oates Branch in Wise County to Bridgeport Dam in Wise County	Freshwater Stream	0810_01	Lower 25 mi of segment	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10967; 10969; 14246; 17844
				0810_02	Upper 11 mi of segment	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	14904; 20840

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0810A	Big Sandy Creek	Big Sandy Creek from the confluence with Waggoner Branch upstream to FM 1810 west of Decatur	Freshwater Stream	0810A_01	Big Sandy Creek from the confluence with Waggoner Branch upstream to FM 1810 west of Decatur	Perennial	Routine Flow Data	High	Presumption from flow type	15688

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0810B	Garrett Creek	Eighteen mi stretch of Garrett Creek running upstream from confluence with Salt Creek to Wise County Road approximately 14 mi upstream of SH114, Wise County	Freshwater Stream	0810B_01	Eighteen mi stretch of Garrett Creek running upstream from confluence with Salt Creek to Wise County Road approximately 14 mi upstream of SH114, Wise Co.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	16767

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0810C	Martin Branch	The eight mi stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.	Freshwater Stream	0810C_01	Eight mi stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.	Perennial	Routine Flow Data	High	Presumption from flow type	17848

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0810D	Salt Creek	Eleven mi stretch of Salt Creek running upstream from confluence with Garrett Creek, Wise County.	Freshwater Stream	0810D_01	Eleven mi stretch of Salt Creek running upstream from confluence with Garrett Creek, Wise County.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	16766

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0811	Bridgeport Reservoir	From Bridgeport Dam in Wise County to a point immediately upstream of the confluence of Bear Hollow in Jack County, up to the normal pool elevation of 836 feet (impounds West Fork Trinity River)	Reservoir	0811_01	Southeast portion of main body of reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16762
				0811_02	Southwest portion of main body of reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0811_03	Central portion of main body of reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10970
				0811_04	Northern portion of main body of reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	15164
				0811_05	Remainder of reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16761

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0811A	Big Creek	From the confluence with Bridgeport Reservoir at normal pool elevation upstream to the headwaters adjacent to FM 2127 in Jack County	Freshwater Stream	0811A_01	From the confluence with Bridgeport Reservoir at normal pool elevation upstream to the headwaters adjacent to FM 2127 in Jack County	Perennial	Routine Flow Data	High	Presumption from flow type	16768

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0811B	Beans Creek	Perennial stream from the confluence with Bridgeport Reservoir at normal pool elevation upstream to the headwaters approximately 4.4 km north of Perrin in Jack County	Freshwater Stream	0811B_01	Perennial stream from the confluence with Bridgeport Reservoir at normal pool elevation upstream to the headwaters approximately 4.4 km north of Perrin in Jack County	Perennial	Routine Flow Data	High	Presumption from flow type	16737

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0811C	Willow Creek	From the confluence with Bridgeport Reservoir at normal pool elevation upstream to the headwaters approximately 250 meters upstream of TX-199 in Parker County	Freshwater Stream	0811C_01	From the confluence with Bridgeport Reservoir at normal pool elevation upstream to the headwaters approximately 250 meters upstream of TX-199 in Parker County	Perennial	Routine Flow Data	High	Presumption from flow type	22057

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0812	West Fork Trinity River Above Bridgeport Reservoir	From a point immediately upstream of the confluence of Bear Hollow in Jack County to SH 79 in Archer County	Freshwater Stream	0812_01	Lower 25 mi of segment	Intermittent w/pools	TSWQS Appendix A	Intermediate	TSWQS Appendix A	10972
				0812_02	Upper 60 mi of segment	Intermittent w/pools	TSWQS Appendix A	Intermediate	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0813	Houston County Lake	From Houston County Dam in Houston County up to the normal pool elevation of 260 feet (impounds Little Elkhart Creek)	Reservoir	0813_01	From Houston County Dam in Houston County up to the normal pool elevation of 260 feet (impounds Little Elkhart Creek)	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10973

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0814	Chambers Creek Above Richland-Chambers Reservoir	From a point 4.0 km (2.5 mi) downstream of Tupelo Branch in Navarro County to the confluence of North Fork Chambers Creek and South Fork Chambers Creek	Freshwater Stream	0814_01	From the lower end of the segment up to just above the confluence with Cummins Creek.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10975
				0814_02	From just above the confluence with Cummins Creek up to just above the confluence with Waxahachie Creek.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10977
				0814_03	From just above the confluence with Waxahachie Creek up to just above the confluence with Mill Branch.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	22058
				0814_04	From just above the confluence with Mill Branch to the upper end of the segment.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0814A	Mill Creek	Twenty-five mi stretch of Mill Creek running upstream from confluence with Chambers Creek in Navarro Co., to Union Pacific RR in Milford, Ellis Co.	Freshwater Stream	0814A_01	Twenty-five mi stretch of Mill Creek running upstream from confluence with Chambers Creek in Navarro Co. to Union Pacific RR in Milford, Ellis Co.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0814B	South Fork Chambers Creek	A Twenty-nine mi stretch of the South Fork of Chambers creek stretching from the confluence with Chambers Creek (Segment 0814) to the upper end of South Fork Chambers Creek (NHD RC Reach Code 12030109000299)	Freshwater Stream	0814B_01	A Twenty-nine mi stretch of the South Fork of Chambers creek stretching from the confluence with Chambers Creek (Segment 0814) to the upper end of South Fork Chambers Creek (NHD RC Reach Code 12030109000299)	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0815	Bardwell Reservoir	From Bardwell Dam in Ellis County up to the normal pool elevation of 421 feet (impounds Waxahachie Creek)	Reservoir	0815_01	From Bardwell Dam in Ellis County up to the normal pool elevation of 421 feet (impounds Waxahachie Creek)	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10979

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0815A	Waxahachie Creek	Perennial stream from the confluence with the normal pool elevation of Bardwell Reservoir upstream to the confluence with North Prong Creek	Freshwater Stream	0815A_01	Perennial stream from the confluence with the normal pool elevation of Bardwell Reservoir upstream to the confluence with North Prong Creek	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	13686

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0816	Lake Waxahachie	From South Prong Dam in Ellis County up to the normal pool elevation of 531.5 feet (impounds South Prong Creek)	Reservoir	0816_01	From South Prong Dam in Ellis County up to the normal pool elevation of 531.5 feet (impounds South Prong Creek)	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10980

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0816A	South Prong Creek	A 12.2 mi stretch of South Prong Creek running upstream from the confluence with Segment 0816 (Lake Waxahachie) to the upper end of the creek (NHD RC 12030109000044), in Midlothian, Ellis County, TX.	Freshwater Stream	0816A_01	A 12.2 mi stretch of South Prong Creek running upstream from the confluence with Segment 0816 (Lake Waxahachie) to the upper end of the creek (NHD RC 12030109000044), in Midlothian, Ellis County, TX.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0817	Navarro Mills Lake	From Navarro Mills Dam in Navarro County up to the normal pool elevation of 424.5 feet (impounds Richland Creek)	Reservoir	0817_01	From Navarro Mills Dam in Navarro County up to the normal pool elevation of 424.5 feet (impounds Richland Creek)	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10981

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0817A	Richland Creek	Ten mi stretch of Richland Creek running upstream from 0.5 mi downstream of FM 744 in Navarro Co., to FM 308 south of Mertens, Hill Co.	Freshwater Stream	0817A_01	Ten mi stretch of Richland Creek running upstream from 0.5 mi downstream of FM 744 in Navarro Co., to FM 308 South of Mertens, Hill Co.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0818	Cedar Creek Reservoir	From Joe B. Hoggsett Dam in Henderson County up to the normal pool elevation of 322 feet (impounds Cedar Creek)	Reservoir	0818_01	Lowermost portion of the reservoir, adjacent to the dam.	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16748
				0818_02	Caney Creek cove	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0818_03	Clear Creek cove	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0818_04	Lower portion of reservoir east of Key Ranch Estates	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16749
				0818_05	Cove off lower portion of reservoir adjacent to Clearview Estates	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0818_06	Middle portion of reservoir downstream of Twin Creeks cove	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16747
				0818_07	Twin Creeks cove	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0818_08	Prairie Creek cove	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0818_09	Upper portion of reservoir adjacent to Lacy Fork cove	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16753
				0818_10	Lacy Fork cove	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0818_11	Upper portion of reservoir east of Tolosa	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16772
				0818_12	Uppermost portion of reservoir downstream of Kings Creek	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0818_13	Cedar Creek Cove	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0818_14	Remainder of reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	21427

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0818A	One Mile Creek	Perennial stream from the confluence with Valley View Reservoir upstream to the confluence with an unnamed tributary 0.8 km upstream of SH 19..Reservoir upstream to the confluence with an unnamed tributary..0.8 km upstream of SH 19	Freshwater Stream	0818A_01	Perennial stream from the confluence with Valley View Reservoir upstream to the confluence with an unnamed tributary 0.8 km upstream of SH 19	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0818B	Cedar Creek above Cedar Creek Reservoir	Perennial stream from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the confluence of Muddy Cedar Creek and Rocky Cedar Creek in Kaufman County	Freshwater Stream	0818B_01	Perennial stream from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the confluence of Muddy Cedar Creek and Rocky Cedar Creek in Kaufman County	Perennial	Routine Flow Data	High	Presumption from flow type	21559

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0818C	Kings Creek	Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the headwaters adjacent to FM 986 approximately 5 km north of Terrell in Kaufman County	Freshwater Stream	0818C_01	Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the headwaters adjacent to FM 986 approximately 5 km north of Terrell in Kaufman County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	21000

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0818D	Lacy Fork	Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the confluence of Dry Lacy Fork and Wet Lacy Fork in Van Zandt County	Freshwater Stream	0818D_01	Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the confluence of Dry Lacy Fork and Wet Lacy Fork in Van Zandt County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	16777

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0818E	Prairie Creek	Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the headwaters adjacent to SH 198 in Van Zandt County	Freshwater Stream	0818E_01	Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir at normal pool elevation upstream to the headwaters adjacent to SH 198 in Van Zandt County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0818F	Clear Creek	Perennial stream from the confluence with Clear Creek Cove upstream to the north edge of the highway 175.	Freshwater Stream	0818F_01	Perennial stream from the confluence with Clear Creek Cove upstream to the north edge of the highway 175.	Perennial	Routine Flow Data	High	Presumption from flow type	16755

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0818G	North Twin Creek	Perennial stream from the confluence with Twin Creeks cove to 3 km northeast of the intersection of highway 175	Freshwater Stream	0818G_01	Perennial stream from the confluence with Twin Creeks cove to 3 km northeast of the intersection of highway 175	Perennial	Routine Flow Data	High	Presumption from flow type	16756

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0818H	South Twin Creek	Perennial stream from the confluence with Twin Creeks cove upstream to 3.15 km northeast of where the waterbody intersects highway 175	Freshwater Stream	0818H_01	Perennial stream from the confluence with Twin Creeks cove upstream to 3.15 km northeast of where the waterbody intersects highway 175	Perennial	Routine Flow Data	High	Presumption from flow type	16757

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0818I	Caney Creek	Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir upstream to the dam on Third Caney Creek approximately 1.8 km north of the intersection of SH 7 and US 175 in Athens	Freshwater Stream	0818I_01	Intermittent stream with perennial pools from the confluence with Cedar Creek Reservoir upstream to the dam on Third Caney Creek approximately 1.8 km north of the intersection of SH 7 and US 175 in Athens	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	16758

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0818J	Purtis Creek State Park Lake	Purtis Creek State Park Lake - 350 acre lake impounds Purtis Creek 4.8 km (3 mi) north of Eustace in Henderson County and Van Zandt County	Reservoir	0818J_01	Purtis Creek State Park Lake - 350 acre lake impounds Purtis Creek 4.8 km (3 mi) north of Eustace in Henderson County and Van Zandt County	Reservoir	Water body description	High	Presumption from Flow Type	17949

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0819	East Fork Trinity River	From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in Kaufman County	Freshwater Stream	0819_01	From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in Kaufman County	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	10991; 10996

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0819A	Duck Creek	Perennial stream from the confluence with the East Fork Trinity River in Kaufman County upstream to the confluence of an unnamed tributary 0.6 km upstream of Jupiter Road in Dallas County	Freshwater Stream	0819A_01	Perennial stream from the confluence with the East Fork Trinity River in Kaufman County upstream to the confluence of an unnamed tributary 0.6 km upstream of Jupiter Road in Dallas County	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0819B	Buffalo Creek	Perennial stream from the confluence with the East Fork Trinity River up to 0.6 km above the confluence of Little Buffalo Creek	Freshwater Stream	0819B_01	Perennial stream from the confluence with the East Fork Trinity River up to 0.6 km above the confluence of Little Buffalo Creek	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	10825; 10826

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0820	Lake Ray Hubbard	From Rockwall-Forney Dam in Kaufman County to Lavon Dam in Collin County, up to the normal pool elevation of 435.5 feet (impounds East Fork Trinity River)	Reservoir	0820_01	Lower portion of East Fork arm, centering on IH 30	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11010; 11016; 16809
				0820_02	Middle portion of East Fork arm, centering on SH 66	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11001; 11004; 11005; 16829
				0820_04	Lower portion of main body of reservoir extending up from dam to Yankee Creek Arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	10998; 21365
				0820_05	Mid-reservoir, I30 crossing Rowlett Creek Arm to Yankee Creek Arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	17829; 22320
				0820_06	Outfall canal from Lake Lavon Dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	17846

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0820A	Cottonwood Creek	Perennial stream from the confluence with Rowlett Creek up to SH 5 (near Greenville Road)	Freshwater Stream	0820A_01	Perennial stream from the confluence with Rowlett Creek upstream to SH 5 (near Greenville Road)	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0820B	Rowlett Creek	Perennial stream from the normal pool elevation of Lake Ray Hubbard upstream to the Parker Road crossing	Freshwater Stream	0820B_01	Perennial stream from the normal pool elevation of Lake Ray Hubbard upstream to the Parker Road crossing	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	10756; 17845; 21478
				0820B_02	From Parker Road crossing upstream to S Independence Pkwy in Collin County	Perennial	Routine Flow Data	High	Presumption from flow type	22284

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0820C	Muddy Creek	From the confluence with Lake Ray Hubbard, in Dallas County, to the headwaters east of Allen, in Collin County	Freshwater Stream	0820C_01	From the confluence with Lake Ray Hubbard, in Dallas County, to the headwaters east of Allen, in Collin County	Perennial	Routine Flow Data	High	Presumption from flow type	16828

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0821	Lake Lavon	From Lavon Dam in Collin County up to the normal pool elevation of 492 feet (impounds East Fork Trinity River)	Reservoir	0821_01	Lowermost portion of reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	15685; 17584
				0821_02	East Fork arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11021; 15686; 21719; 21720; 21721; 21722; 21723
				0821_03	Middle portion of Sister Grove Creek arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	15687
				0821_04	Lower portion of Sister Grove Creek arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11022
				0821_05	Upper portion of Sister Grove Creek arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	21718; 21724; 21725

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0821A	Pilot Grove Creek	Perennial stream from confluence of Desert Creek up to FM 121 near Blue Ridge	Freshwater Stream	0821A_02	Pilot Grove Creek from the confluence with Lake Lavon upstream to the confluence with Desert Creek	Perennial	Routine Flow Data	High	Presumption from flow type	21717
				0821A_03	Perennial stream from the confluence of Desert Creek upstream to FM 121 approximately five mi north of the City of Blue Ridge (Appendix D)	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations
				0821A_04	Pilot Grove Creek from FM 121 approximately five mi north of the City of Blue Ridge upstream to the headwaters approximately 450 m (0.28 mi) south of SH 11 west of Whitewright	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0821B	Sister Grove Creek	From the confluence with Lake Lavon in Collin County to the confluence of West Prong Sister Grove Creek/East Prong Sister Grove Creek, east of Van Alstyne in Grayson County	Freshwater Stream	0821B_01	From the confluence with Lake Lavon in Collin County to the confluence of West Prong Sister Grove Creek/East Prong Sister Grove Creek, east of Van Alstyne in Grayson County	Perennial	Routine Flow Data	High	Presumption from flow type	21394; 21396

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0821C	Wilson Creek	From the confluence with Lake Lavon in Collin County up to West FM 455 (NHD RC 12030106000086), just east of Celina, Collin Co., TX.	Freshwater Stream	0821C_01	From the confluence with Lake Lavon in Collin County up to West FM 455 (NHD RC 12030106000086), just east of Celina, Collin Co., TX.	Intermittent w/pools	WQS/Permits program	Intermediate	Previous TCEQ permit decision	10777; 15041

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0821D	East Fork Trinity River above Lake Lavon	A portion of the East Fork Trinity River extending from the confluence with Lake Lavon (segment 0821) to the upper end of the water body (NHD RC 12030106000074) in Grayson County, Texas.	Freshwater Stream	0821D_01	A portion of the East Fork Trinity River extending from the confluence with Lake Lavon (segment 0821) to the upper end of the water body (NHD RC 12030106000074) in Grayson County, Texas.	Intermittent w/pools	WQS/Permits program	Intermediate	Previous TCEQ permit decision	13740

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0822	Elm Fork Trinity River Below Lewisville Lake	From the confluence with the West Fork Trinity River in Dallas County to Lewisville Dam in Denton County	Freshwater Stream	0822_01	Lower 11 mi of segment	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	20287
				0822_02	4.5 mi upstream to 7.5 mi downstream DWU intake	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	16438
				0822_03	1.0 mi upstream to 4.5 mi downstream SH 121	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	18358
				0822_04	Upper 1.5 mi of segment	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	15252

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0822A	Cottonwood Branch	A 6 mi stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek, to Valley View Road in Dallas County.	Freshwater Stream	0822A_01	A 2.5 mi stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek to approx. 0.5 mi downstream of N. Story Rd., Dallas Co.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	17167
				0822A_02	A 3.5 mi stretch of Cottonwood Branch running upstream from approximately 0.5 mi downstream of N. Story Rd. to Valley View Rd, Dallas, Co.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	17166

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0822B	Grapevine Creek	From the confluence with Elm Fork Trinity River in Dallas County upstream to its headwaters west of International Parkway at DFW Airport in Tarrant County	Freshwater Stream	0822B_01	From the confluence with Elm Fork Trinity River in Dallas County upstream to its headwaters west of International Parkway at DFW Airport in Tarrant County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	20311; 21632

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0822C	Hackberry Creek	A 5.5 mi stretch of Hackberry Creek running upstream from confluence with Cottonwood Branch, to approximately 2.4 mi upstream of SH 114, in Irving, Dallas County.	Freshwater Stream	0822C_01	A 5.5 mi stretch of Hackberry Creek running upstream from confluence with S. Fork Hackberry Creek to approximately 2.4 mi upstream of SH 114 in Irving, Dallas Co.	Perennial	Routine Flow Data	High	Presumption from flow type	17170; 17172

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0822D	Fishing Hole Lake	A 65 acre reservoir locate just south of the intersection of US 35E and spur 482 in Irving.	Reservoir	0822D_01	A 65 acre reservoir locate just south of the intersection of US 35E and spur 482 in Irving	Reservoir	Water body description	High	Presumption from Flow Type	17849

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0822E	South Fork Hackberry Creek	From the confluence with Hackberry Creek upstream to Valley View Lane in Dallas County	Freshwater Stream	0822E_01	From the confluence with Hackberry Creek upstream to Valley View Lane in Dallas County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	21634

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0823	Lewisville Lake	From Lewisville Dam in Denton County to a point 200 meters (220 yards) upstream of FM 428 in Denton County, up to the normal pool elevation of 522 feet (impounds Elm Fork Trinity River)	Reservoir	0823_01	Lowermost portion of reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11025
				0823_02	Stewart Creek arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	13997; 16808
				0823_03	Hickory Creek arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11027
				0823_04	Little Elm Creek arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	14002; 17830; 22318
				0823_05	Middle portion of reservoir east of Lake Dallas	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11026; 22319
				0823_06	Remainder of reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	17839

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0823A	Little Elm Creek	From confluence with Lake Lewisville in Denton Co., up to 1.4 km above FM 453 in Collin Co.	Freshwater Stream	0823A_01	From the confluence with Lake Lewisville in Denton Co., up to FM 455 in Collin Co. (Lower 12 mi of segment).	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	13617
				0823A_02	From FM 455 in Collin Co., up to 1.4 km above FM 121 in Grayson, Co. near Guenther. (Upper 15 mi of segment).	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0823B	Stewart Creek	From the confluence with Lake Lewisville in Denton County to the headwaters near Frisco in Collin County.	Freshwater Stream	0823B_01	From the confluence with Lake Lewisville in Denton County to the headwaters near Frisco in Collin County.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0823C	Clear Creek	From the confluence with Lake Lewisville in Denton County to the headwaters west of Montague in Montague County	Freshwater Stream	0823C_01	Lower 25 mi of segment	Perennial	Routine Flow Data	High	Presumption from flow type	10859; 16827
				0823C_02	Upper 40 mi of segment	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0823D	Doe Branch	From the confluence (NHD RC 12030103023518) with Lake Lewisville/Elm Fork Trinity in Denton County to the headwaters (NHD RC 12030103005935) northeast of Celina, Collin Co., TX.	Freshwater Stream	0823D_01	From the confluence (NHD RC 12030103023518) with Lake Lewisville/Elm Fork Trinity in Denton County to the headwaters (NHD RC 12030103005935) northeast of Celina, Collin Co., TX.	Intermittent	WQS/Permits program	Minimal	Previous TCEQ permit decision	20291

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0824	Elm Fork Trinity River Above Ray Roberts Lake	From a point 9.5 km (5.9 mi) downstream of the confluence of Pecan Creek in Cooke County to US 82 in Montague County	Freshwater Stream	0824_01	Lower 7.5 mi of segment	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11031
				0824_02	2 mi reach near unmarked county road, 1.4 km downstream Gainesville WWTP	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0824_03	3.5 mi reach near SH 51	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	15635
				0824_04	25 mi reach near FM 3108	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0824_05	Upper 48 mi of segment	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0825	Denton Creek	From the confluence with the Elm Fork Trinity River in Dallas County to Grapevine Dam in Tarrant County	Freshwater Stream	0825_01	From the confluence with the Elm Fork Trinity River in Dallas County to Grapevine Dam in Tarrant County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11034; 14244

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0825A	Cottonwood Branch	From the confluence with Denton Creek in Dallas County upstream to Minters Chapel Road in Tarrant County	Freshwater Stream	0825A_01	From the confluence with Denton Creek in Dallas County upstream to Minters Chapel Road in Tarrant County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	22089

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0826	Grapevine Lake	From Grapevine Dam in Tarrant County up to the normal pool elevation of 535 feet (impounds Denton Creek)	Reservoir	0826_01	Lowermost portion of reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11035; 17827; 22316
				0826_02	Morehead Creek cove	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11036
				0826_03	Lower portion of reservoir north of Oak Grove Park	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16114
				0826_04	North Main Slough cove	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16116
				0826_05	Middle portion of reservoir east of Meadowmere Park	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	13875; 22317
				0826_06	Middle portion of reservoir southeast of Walnut Grove Park	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16112; 17828
				0826_07	Upper portion of reservoir east of Marshall Creek Park	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	22234
				0826_08	Remainder of reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	20884; 21351; 21354

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0826A	Denton Creek	From the confluence with Grapevine Lake in Denton County upstream to 2.3 km upstream of TX-59	Freshwater Stream	0826A_01	Perennial stream from the headwaters of Grapevine Lake upstream to the confluence of Trail Creek near the City of Justin	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	14485; 21295; 21296
				0826A_02	From the confluence of Trail Creek near the City of Justin to the confluence with an unnamed tributary 6.3 km upstream of FM-2449	Perennial	Routine Flow Data	High	Presumption from flow type	14483; 14484
				0826A_03	From the confluence with an unnamed tributary 6.3 km upstream of FM-2449 to 1.7 km upstream of County Road 2675	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				0826A_04	From 1.7 km upstream of County Road 2675 to 2.3 km upstream of TX-59	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0826B	Trail Creek	Perennial stream from the confluence with Denton Creek up to 2.1 km upstream of SH 156 in Justin	Freshwater Stream	0826B_01	Perennial stream from the confluence with Denton Creek up to 2.1 km upstream of SH 156 in Justin	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0826C	Henrietta Creek	A 3 km stretch of Henrietta Creek, running upstream from the confluence with Denton Creek to confluence with Elizabeth Creek.	Freshwater Stream	0826C_01	A 3 km stretch of Henrietta Creek, running upstream from the confluence with Denton Creek to confluence with Elizabeth Creek.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0827	White Rock Lake	From White Rock Dam in Dallas County up to the normal pool elevation of 458 feet (impounds White Rock Creek)	Reservoir	0827_01	From White Rock Dam in Dallas County up to the normal pool elevation of 458 feet (impounds White Rock Creek)	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11038

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0827A	White Rock Creek above White Rock Lake	Perennial stream from the headwaters of White Rock Lake upstream to the headwaters at Hillcrest Road in Frisco	Freshwater Stream	0827A_01	Perennial stream from the headwaters of White Rock Lake upstream to the confluence with McKamy Branch east of the City of Addison	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	18517; 20289; 21556
				0827A_02	From the confluence with McKamy Branch east of the City of Addison upstream to the headwaters at Hillcrest Road in Frisco	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0827B	Cottonwood Creek	Perennial stream from the confluence with White Rock Creek upstream to the confluence with an unnamed tributary approximately 0.25 km upstream of Campbell road in the City of Richardson	Freshwater Stream	0827B_01	Perennial stream from the confluence with White Rock Creek upstream to the confluence with an unnamed tributary approximately 0.25 km upstream of Campbell road in the City of Richardson	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	17843

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0828	Lake Arlington	From Arlington Dam in Tarrant County up to the normal pool elevation of 550 feet (impounds Village Creek)	Reservoir	0828_01	Lowermost portion of lake along western half of dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0828_02	Lowermost portion of lake along eastern half of dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	13904
				0828_03	Western half of lower portion of lake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0828_04	Eastern half of lower portion of lake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0828_05	Western half of upper portion of lake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	13899
				0828_06	Eastern half of upper portion of lake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11042
				0828_07	Uppermost portion of lake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	13897
				0828_08	Remainder of lake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0828A	Village Creek	From the confluence with Lake Arlington in Tarrant County to the headwaters east of Joshua in Johnson County	Freshwater Stream	0828A_01	From Lake Arlington to the headwaters	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	10781; 10784; 10785; 10786; 13671

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0829	Clear Fork Trinity River Below Benbrook Lake	From the confluence with the West Fork Trinity River in Tarrant County to Benbrook Dam in Tarrant County	Freshwater Stream	0829_01	From the confluence with West Fork Trinity River to 1 mi upstream	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0829_02	From 1 mi upstream of the confluence with West Fork Trinity River up to the confluence with Mary's Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11045; 18456
				0829_03	From the confluence with Mary's Creek up to Benbrook Dam in Tarrant County, TX	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	22097

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0829A	Lake Como	From Lake Como Dam to the reservoir headwaters in Lake Como Park in Tarrant County	Reservoir	0829A_01	From Lake Como Dam to the reservoir headwaters in Lake Como Park in Tarrant County	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0829B	Marys Creek	From the confluence with Clear Fork Trinity River Below Benbrook Lake to the headwaters approximately 1.9 km upstream of Moyer Lane in Parker County	Freshwater Stream	0829B_01	From the confluence with Clear Fork Trinity River Below Benbrook Lake to the headwaters approximately 1.9 km upstream of Moyer Lane in Parker County	Perennial	Routine Flow Data	High	Presumption from flow type	22236

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0830	Benbrook Lake	From Benbrook Dam in Tarrant County to a point 200 meters (220 yards) downstream of US 377 in Tarrant County, up to the normal pool elevation of 694 feet (impounds Clear Fork Trinity River)	Reservoir	0830_01	Lower portion of reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	15151
				0830_02	Middle portion of reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	15156
				0830_03	Upper portion of reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	15158
				0830_05	Rock/Mustang Creek arm of Benbrook Lake.	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	13832

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0830A	Rock Creek	Intermittent stream with perennial pools from the confluence with Benbrook Lake at normal pool elevation upstream to the headwaters near FM 917 approximately 2.8 km west of Burleson in Johnson County	Freshwater Stream	0830A_01	Intermittent stream with perennial pools from the confluence with Benbrook Lake at normal pool elevation upstream to the headwaters near FM 917 approximately 2.8 km west of Burleson in Johnson County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	16725

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0830B	Bear Creek	Intermittent stream with perennial pools from the confluence with Benbrook Lake at normal pool elevation upstream to the headwaters adjacent to SH 171 approximately 7.8 km southeast of Weatherford in Parker County	Freshwater Stream	0830B_01	Intermittent stream with perennial pools from the confluence with Benbrook Lake at normal pool elevation upstream to the headwaters adjacent to SH 171 approximately 7.8 km southeast of Weatherford in Parker County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	13624

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0831	Clear Fork Trinity River Below Lake Weatherford	From a point 200 meters (220 yards) downstream of US 377 in Tarrant County to Weatherford Dam in Parker County	Freshwater Stream	0831_01	Lower 12.75 mi, downstream from South Fork Trinity River confluence	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	16414; 17444
				0831_03	From the confluence with South Fork of Trinity River to a point 2 mi upstream	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				0831_04	2 mi upstream of South Fork Trinity River confluence to Squaw Creek Confluence	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11060
				0831_05	From the confluence of Squaw Creek to Lake Weatherford Dam	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	17637

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0831A	South Fork Trinity River	Eleven mi stretch of South Fork Trinity River running upstream from confluence with Clear Fork Trinity River to confluence with Willow Creek, Parker Co.	Freshwater Stream	0831A_01	Eleven mi stretch of South Fork Trinity River running upstream from confluence with Clear Fork Trinity River to confluence with Willow Creek, Parker Co.	Perennial	Routine Flow Data	High	Presumption from flow type	17455

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0831B	Unnamed Tributary of South Fork Trinity River	A 4.4 mi (7.1 KM) stretch of unnamed tributary to South Fork Trinity River stretching from the confluence to the upper end of the creek (NHD RC 12030102000351)	Freshwater Stream	0831B_01	A 4.4 mi (7.1 km) stretch of unnamed tributary to South Fork Trinity River stretching from the confluence to the upper end of the creek (NHD RC 12030102000351)	Perennial	Routine Flow Data	High	Presumption from flow type	17456

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0831C	Town Creek	Perennial stream from the confluence with Willow Creek to form the headwaters of South Fork Trinity River upstream to the confluence of an unnamed tributary 2.0 km (1.2 mi) upstream of US Highway 180	Freshwater Stream	0831C_01	Perennial stream from the confluence with Willow Creek to form the headwaters of South Fork Trinity River upstream to the confluence of an unnamed tributary 2.0 km (1.2 mi) upstream of US Highway 180	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0832	Lake Weatherford	From Weatherford Dam in Parker County to a point 3.1 km (1.9 mi) upstream of FM 730 in Parker County, up to the normal pool elevation of 896 feet (impounds Clear Fork Trinity River)	Reservoir	0832_01	From Weatherford Dam in Parker County to a point 3.1 km (1.9 mi) upstream of FM 730 in Parker County, up to the normal pool elevation of 896 feet (impounds Clear Fork Trinity River)	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11061

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0833	Clear Fork Trinity River Above Lake Weatherford	From a point 3.1 km (1.9 mi) upstream of FM 730 in Parker County to the confluence with Strickland Creek approximately 8 km (5 mi) upstream of FM 51 in Parker County	Freshwater Stream	0833_03	From the confluence of McKnight Branch to the confluence of Strickland Ck. approximately 8 km (5 mi) upstream of FM 51 in Parker County.	Intermittent w/pools	TSWQS Appendix A	Intermediate	TSWQS Appendix A	11062
				0833_04	From the confluence with Dobbs Branch to confluence with McKnight Branch	Intermittent w/pools	TSWQS Appendix A	Intermediate	TSWQS Appendix A	17461
				0833_05	From the confluence of Dobbs Branch to the lower end of segment	Intermittent w/pools	TSWQS Appendix A	Intermediate	TSWQS Appendix A	17462

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0833A	Clear Fork Trinity River Above Strickland Creek.	From the confluence with Strickland Creek up to Turpin Lake Road in Parker County.	Freshwater Stream	0833A_01	From the confluence with Strickland Creek up to Turpin Lake Road in Parker County.	Perennial	Routine Flow Data	High	Presumption from flow type	17460; 17463

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0834	Lake Amon G. Carter	From Amon G. Carter Dam in Montague County up to the normal pool elevation of 920 feet (impounds Big Sandy Creek)	Reservoir	0834_01	From Amon G. Carter Dam in Montague County up to the normal pool elevation of 920 feet (impounds Big Sandy Creek)	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11063; 22070

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0835	Richland Creek Below Richland-Chambers Reservoir	From the confluence with the Trinity River in Freestone County to Richland-Chambers Dam in Freestone County	Freshwater Stream	0835_01	From the confluence with the Trinity River in Freestone County to Richland-Chambers Dam in Freestone County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0836	Richland-Chambers Reservoir	From Richland-Chambers Dam ... to a point immediately upstream of the confluence of Pin Oak Creek on the Richland Creek Arm ... and to a point 4.0 km (2.5 mi) downstream of Tupelo Branch on the Chambers Creek Arm ..., up to the normal pool elevation of 31	Reservoir	0836_01	Lowermost portion of reservoir, adjacent to dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	15168
				0836_02	Confluence of Richland and Chambers Creek arms	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	15169
				0836_03	Lower portion of Chambers Creek arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	15170
				0836_04	Upper portion of Chambers Creek arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	15199
				0836_05	Lower portion of Richland Creek arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11068
				0836_06	Upper portion of Richland Creek arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	15172
				0836_07	Remainder of reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16721
				0836_08	Post Oak Creek Arm off of Chambers Creek Arm of Richland Chambers Reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0836A	Pin Oak Creek	Perennial stream from the confluence with the North Fork of Pin Oak Creek in Limestone County upstream to the confluence with Pin Oak Creek and an unnamed tributary flowing from the west approximately 2.8 km downstream of SH 171 near the City of Hubbard	Freshwater Stream	0836A_01	Perennial stream from the confluence with the North Fork of Pin Oak Creek in Limestone County upstream to the confluence with Pin Oak Creek and an unnamed tributary flowing from the west approximately 2.8 km downstream of SH 171 near the City of Hubbard	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0836B	Cedar Creek	From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012807)	Freshwater Stream	0836B_01	From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012807)	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	22054

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0836C	Grape Creek	From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030108000107) southwest of Corsicana, Navarro County, TX.	Freshwater Stream	0836C_01	From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030108000107) southwest of Corsicana, Navarro County, TX.	Intermittent w/pools	Flow Questionnaire	Limited	Previous TCEQ permit decision	22055

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0836D	Post Oak Creek	From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012706)	Freshwater Stream	0836D_01	From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012706)	Intermittent	WQS/Permits program	Minimal	Previous TCEQ permit decision	17847; 22053

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0837	Richland Creek Above Richland-Chambers Reservoir	From a point immediately upstream of the confluence of Pin Oak Creek in Navarro County to Navarro Mills Dam in Navarro County	Freshwater Stream	0837_01	From a point immediately upstream of the confluence of Pin Oak Creek in Navarro County to Navarro Mills Dam in Navarro County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11070

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0838	Joe Pool Lake	From Joe Pool Dam in Dallas County up to the normal pool elevation of 522 feet (impounds Mountain Creek)	Reservoir	0838_01	Lowermost portion of reservoir adjacent to the dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11073; 22139
				0838_02	Mountain Creek arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11071; 22140
				0838_03	Walnut Creek arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11072

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0838A	Mountain Creek	From the confluence with Joe Pool Lake approximately 1.25 km north of US 287 upstream to the headwaters north of Alvarado in Johnson County	Freshwater Stream	0838A_01	From the confluence with Joe Pool Lake approximately 1.25 km north of US 287 upstream to the headwaters north of Alvarado in Johnson County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	13622; 16434

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0838B	Sugar Creek	A 1.0 mi stretch of Sugar Creek running upstream from confluence with Mountain Creek arm of Joe Pool Lake, to just upstream of Britton Road in Mansfield, Tarrant County	Freshwater Stream	0838B_01	A 1.0 mi stretch of Sugar Creek running upstream from confluence with Mountain Creek arm of Joe Pool Lake, to just upstream of Britton Road in Mansfield, Tarrant County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0838C	Walnut Creek	From the confluence with Joe Pool Lake up to the headwaters at Spring Street in Burleson.	Freshwater Stream	0838C_01	From the confluence with Joe Pool Lake up to the headwaters at Spring Street in Burleson.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	13621; 21990

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0838D	Hollings Branch	Hollings Branch from the confluence of the Mountain Creek arm of Joe Pool Lake upstream to the headwater 500 m downstream of US 67 in Midlothian	Freshwater Stream	0838D_01	Hollings Branch from the confluence of the Mountain Creek arm of Joe Pool Lake upstream to the headwater 500 m downstream of US 67 in Midlothian	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	16433

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0838E	Soap Creek	Soap Creek from the confluence of the Mountain Creek arm of Joe Pool Lake upstream to the headwater 6.6 km (3.98 mi) upstream of US 67 in Midlothian	Freshwater Stream	0838E_01	Soap Creek from the confluence of the Mountain Creek arm of Joe Pool Lake upstream to the headwater 6.6 km (3.98 mi) upstream of US 67 in Midlothian	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	22134

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0838F	Unnamed tributary of Mountain Creek	Intermittent stream from the confluence with Mountain Creek south of Mansfield upstream to the headwaters approximately 2.0 km upstream of FM 157 in Mansfield	Freshwater Stream	0838F_01	Intermittent stream from the confluence with Mountain Creek south of Mansfield upstream to the headwaters approximately 2.0 km upstream of FM 157 in Mansfield	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0838G	Bowman Branch	From the confluence with Joe Pool Lake to approximately 0.6 km upstream of Matlock Rd in Tarrant County	Freshwater Stream	0838G_01	From the confluence with Joe Pool Lake to approximately 0.6 km upstream of Matlock Rd in Tarrant County	Perennial	Routine Flow Data	High	Presumption from flow type	22133

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0839	Elm Fork Trinity River Below Ray Roberts Lake	From a point 200 meters (220 yards) upstream of FM 428 in Denton County to Ray Roberts Dam in Denton County	Freshwater Stream	0839_01	From a point 200 meters (220 yards) upstream of FM 428 in Denton County to Ray Roberts Dam in Denton County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13619

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0840	Ray Roberts Lake	From Ray Roberts Dam in Denton County to a point 9.5 km (5.9 mi) downstream of the confluence of Pecan Creek in Cooke County, up to the normal pool elevation of 632.5 feet (impounds Elm Fork Trinity River)	Reservoir	0840_01	Lowermost portion of reservoir adjacent to dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	14039; 17834; 22314
				0840_02	Lower portion of Jordan Creek arm west of Pilot Point	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11076; 14042; 14044
				0840_03	Upper portion of Jordan Creek arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16823
				0840_04	Buck Creek cove	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16822
				0840_05	Lower portion of Elm Fork arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	14041
				0840_06	Middle portion of Elm Fork arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	14043
				0840_07	Upper portion of Elm Fork arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16824; 22315
				0840_08	Remainder of reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	22235

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0840A	Unnamed Tributary of Jordan Creek	From the confluence with Jordan Creek south of CR 226 to the headwaters near South Neathery Street in Collinsville in Grayson County	Freshwater Stream	0840A_01	From the confluence with Jordan Creek south of CR 226 to the headwaters near South Neathery Street in Collinsville in Grayson County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0841	Lower West Fork Trinity River	From a point immediately upstream of the confluence of the Elm Fork Trinity River in Dallas County to a point immediately upstream of the confluence of Village Creek in Tarrant County	Freshwater Stream	0841_01	From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek.	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	11081
				0841_02	From the confluence with Johnson Creek upstream to the confluence of Village Creek.	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	17669; 21423

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0841A	Mountain Creek Lake	From Mountain Creek Lake Dam to the reservoir headwater at the confluence of Mountain and Fish Creeks, in Dallas County (impounds Mountain Creek)	Reservoir	0841A_01	From Mountain Creek Lake Dam to the reservoir headwater at the confluence of Mountain and Fish Creeks, in Dallas County (impounds Mountain Creek)	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0841B	Bear Creek	A 12 mi stretch of Bear Creek running upstream from confluence with West Fork Trinity River, to the confluence with Little Bear Creek just upstream of HWY 183 in Euless, Tarrant County, TX.	Freshwater Stream	0841B_01	A 12 mi stretch of Bear Creek running upstream from confluence with West Fork Trinity River, to the confluence with Little Bear Creek just upstream of HWY 183 in Euless, Tarrant County, TX.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	10869; 18315

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0841C	Arbor Creek	A 2.2 mi stretch of Arbor Creek running upstream from confluence with Johnson Creek, to approx. 0.5 mi upstream of Tarrant/Dallas county line.	Freshwater Stream	0841C_01	A 2.2 mi stretch of Arbor Creek running upstream from confluence with Johnson Creek, to approx. 0.5 mi upstream of Tarrant/Dallas county line.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0841D	Big Bear Creek	An 8 mi stretch of Big Bear Creek running upstream from confluence with Little Bear Creek to SH 26, Tarrant Co.	Freshwater Stream	0841D_01	From the confluence with Little Bear Creek to SH 26, Tarrant County.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	17089; 22096

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0841E	Copart Branch Mountain Creek	A 2.8 mi stretch of Copart Branch running upstream from confluence with Mountain Creek to approximately 0.3 mi upstream of Camden Road on Dallas Naval Academy, Dallas County.	Freshwater Stream	0841E_01	A 2.8 mi stretch of Copart Branch running upstream from confluence with Mountain Creek to approximately 0.3 mi upstream of Camden Road on Dallas Naval Academy, Dallas County.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0841F	Cottonwood Creek	A 6.5 mi stretch of Cottonwood Creek running upstream from approx. 0.1 mi upstream of Mountain Creek Reservoir in Dallas Co., to SH 360 in, Tarrant Co.	Freshwater Stream	0841F_01	A 6.5 mi stretch of Cottonwood Creek running upstream from approx. 0.1 mi upstream of Mountain Creek Reservoir in Dallas Co., to SH 360 in, Tarrant Co.	Perennial	Routine Flow Data	High	Presumption from flow type	10723; 17674; 17676

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0841G	Dalworth Creek	A 2.2 mi stretch of Dalworth Creek running upstream from confluence with Lower W. Fork Trinity to County Line Road in Grand Prairie, Dallas Co.	Freshwater Stream	0841G_01	A 2.2 mi stretch of Dalworth Creek running upstream from confluence with Lower W. Fork Trinity to County Line Road in Grand Prairie, Dallas Co.	Perennial	Routine Flow Data	High	Presumption from flow type	21557

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0841H	Delaware Creek	An 8.5 mi stretch of Delaware Creek running upstream from confluence with Lower W. Fork Trinity to Finley Road in Irving.	Freshwater Stream	0841H_01	An 8.5 mi stretch of Delaware Creek running upstream from confluence with Lower W. Fork Trinity to Finley Road in Irving.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	17178

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0841I	Dry Branch Creek	An 1.5 mi stretch of Dry Branch Creek running upstream from confluence with Bear Creek to Rock Island Road in Irving, Dallas County	Freshwater Stream	0841I_01	An 1.5 mi stretch of Dry Branch Creek running upstream from confluence with Bear Creek to Rock Island Road in Irving, Dallas County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	17173

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0841J	Estelle Creek	A 4 mi stretch of Estelle Creek running upstream from confluence with Bear Creek to Valley View Lane in Irving, Dallas County.	Freshwater Stream	0841J_01	A 4 mi stretch of Estelle Creek running upstream from confluence with Bear Creek to Valley View Lane in Irving, Dallas County.	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	17174

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0841K	Fish Creek	A 15 mi stretch of Fish Creek running upstream from the confluence with Mountain Creek Reservoir in Grand Prairie, Dallas Co., to the upper end of the creek (NHD RC 12030102000107) in Arlington, Tarrant Co.	Freshwater Stream	0841K_01	A 15 mi stretch of Fish Creek running upstream from the confluence with Mountain Creek Reservoir in Grand Prairie, Dallas Co., to the upper end of the creek (NHD RC 12030102000107) in Arlington, Tarrant Co.	Perennial	Routine Flow Data	High	Presumption from flow type	15294; 17679; 21530

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0841L	Johnson Creek	Four mi stretch of Johnson Creek running upstream from confluence with the Arbor Creek to just upstream of I30 in Grand Prairie, Tarrant Co.	Freshwater Stream	0841L_01	From the confluence with the Lower West Fork Trinity River, upstream to just south of Mayfield Road in Arlington, Tarrant, Co..	Perennial	Routine Flow Data	High	Presumption from flow type	10719

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0841M	Kee Branch	Six mi stretch of Kee Branch running upstream from confluence with Rush Creek to upper end of the creek (NHD RC 12030102000165).	Freshwater Stream	0841M_01	Six mi stretch of Kee Branch running upstream from confluence with Rush Creek to upper end of the creek (NHD RC 12030102000165).	Perennial	Routine Flow Data	High	Presumption from flow type	10792

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0841N	Kirby Creek	Four mi stretch of Kirby Creek running upstream from confluence with Fish Creek in Grand Prairie, Dallas Co., to just upstream of Great Southwest Parkway in Arlington, Tarrant Co.	Freshwater Stream	0841N_01	Four mi stretch of Kirby Creek running upstream from confluence with Fish Creek in Grand Prairie, Dallas Co., to just upstream of Great Southwest Parkway in Arlington, Tarrant Co.	Perennial	Routine Flow Data	High	Presumption from flow type	17675

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0841O	Mountain Creek	Four mi stretch of Mountain Creek running upstream from confluence with West Fork Trinity, to approximately 0.3 mi downstream of Mountain Creek Lake in Grand Prairie, Dallas Co.	Freshwater Stream	0841O_01	Four mi stretch of Mountain Creek running upstream from confluence with West Fork Trinity, to approximately 0.3 mi downstream of Mountain Creek Lake in Grand Prairie, Dallas Co.	Perennial	Routine Flow Data	High	Presumption from flow type	10815

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0841P	North Fork Cottonwood Creek	A 4.4 mi stretch of North Fork Cottonwood Creek running upstream from confluence with the S. Fork Cottonwood Creek in Grand Prairie, Dallas Co., to approx. 0.3 mi upstream of Carter St. in Arlington, Tarrant Co.	Freshwater Stream	0841P_01	A 4.4 mi stretch of North Fork Cottonwood Creek running upstream from confluence with the S. Fork Cottonwood Creek in Grand Prairie, Dallas Co., to approx. 0.3 mi upstream of Carter St. in Arlington, Tarrant Co.	Perennial	Routine Flow Data	High	Presumption from flow type	10722

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0841Q	North Fork Fish Creek	North Fork Fish Creek from confluence with Fish Creek in Dallas Co. upstream to SH 360 in Tarrant Co.	Freshwater Stream	0841Q_01	North Fork Fish Creek from confluence with Fish Creek in Dallas Co. upstream to SH 360 in Tarrant Co.	Perennial	Routine Flow Data	High	Presumption from flow type	20838

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0841R	Rush Creek	A 5 mi stretch of Rush Creek running upstream from confluence with Village Creek to confluence with Kee Branch in Arlington, Tarrant Co.	Freshwater Stream	0841R_01	A 5 mi stretch of Rush Creek running upstream from confluence with Village Creek to confluence with Kee Branch in Arlington, Tarrant Co.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	10791; 17191

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0841S	Vilbig Lakes	A 5 acre area in NW corner of Vilbig Lakes, near confluence with unnamed creek, approx. 100 m south of intersection of Rusdell Rd./Marvel Dr. in Irving, Dallas, Co.	Reservoir	0841S_01	A 5 acre area in NW corner of Vilbig Lakes, near confluence with unnamed creek, approx. 100 m south of intersection of Rusdell Rd./Marvel Dr. in Irving, Dallas, Co.	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0841T	Village Creek	A 7 mi stretch of Village Creek running upstream from confluence with West Fork Trinity River to SH 303 approx. 0.75 mi downstream of Lake Arlington.	Freshwater Stream	0841T_01	A 7 mi stretch of Village Creek running upstream from confluence with West Fork Trinity River to SH 303 approx. 0.75 mi downstream of Lake Arlington.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	17189

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0841U	West Irving Creek	A 4 mi stretch of West Irving Branch running upstream from approx. 0.4 mi downstream of Oakdale Rd. to just south of Sowers Road in Irving, Dallas Co.	Freshwater Stream	0841U_01	A 4 mi stretch of West Irving Branch running upstream from approx. 0.4 mi downstream of Oakdale Rd. to just south of Sowers Road in Irving, Dallas Co.	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	17179

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0841V	Crockett Branch	A 1 mi (1.5 KM) stretch of Crockett Branch extending upstream from the confluence with Cottonwood Creek to the upper end of the creek (NHD RC 12030102044745)	Freshwater Stream	0841V_01	A 1 mi (1.5 KM) stretch of Crockett Branch extending upstream from the confluence with Cottonwood Creek to the upper end of the creek (NHD RC 12030102044745)	Perennial	Routine Flow Data	High	Presumption from flow type	17683

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0841W	Mountain Creek above Mountain Creek Lake	From the confluence with Mountain Creek Lake upstream to the Joe Pool Lake dam	Freshwater Stream	0841W_01	From the confluence with Mountain Creek Lake upstream to the Joe Pool Lake dam	Perennial	Routine Flow Data	High	Presumption from flow type	17681

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0901	Cedar Bayou Tidal	From the confluence with Galveston Bay 1.0 km (0.6 mi) downstream of Tri-City Beach Road in Chambers County to a point 2.2 km (1.4 mi) upstream of IH 10 in Chambers/Harris County	Tidal Stream	0901_01	From the confluence with Galveston Bay 1.0 km (0.6 mi) downstream of Tri-City Beach Road to a point 2.2 km (1.4 mi) upstream of IH 10	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	11111; 11115; 11117

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0901A	Cary Bayou	From the confluence with Cedar Bayou Tidal to 0.8 km upstream of East Archer Rd	Tidal Stream	0901A_01	From the confluence with Cedar Bayou Tidal to 0.8 km upstream of East Archer Rd	Tidal Stream	Water body description	High	Presumption from flow type	21079

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0902	Cedar Bayou Above Tidal	From a point 2.2 km (1.4 mi) upstream of IH 10 in Chambers/Harris County to a point 7.4 km (4.6 mi) upstream of FM 1960 in Liberty County	Freshwater Stream	0902_01	From a point 2.2 km (1.4 mi) upstream of IH 10 in Chambers/Harris County to a point 7.4 km (4.6 mi) upstream of FM 1960 in Liberty County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11118; 11120; 11123

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
0902A	Adlong Ditch	From the confluence of Cedar Bayou Above Tidal to the intersection of Stroker Rd and Ramsey Rd	Freshwater Stream	0902A_01	From the confluence of Cedar Bayou Above Tidal to the intersection of Stroker Rd and Ramsey Rd	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	21080

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1001	San Jacinto River Tidal	From a point 100 meters (110 yards) downstream of IH 10 in Harris County to Lake Houston Dam in Harris County	Tidal Stream	1001_01	From Lake Houston Dam to US Hwy 90	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	11200; 11201
				1001_02	From US Hwy 90 to IH 10	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	11193; 11198; 16622; 17919

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1001A	Jackson Bayou	Perennial stream from a point immediately upstream of the tidal portion of the San Jacinto River upstream to Ramsey Road.	Freshwater Stream	1001A_01	Perennial stream from a point immediately upstream of the tidal portion of the San Jacinto River upstream to Ramsey Road.	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1001C	Gum Gully	Perennial stream from the confluence with Jackson Bayou upstream to Miller Wilson Road.	Freshwater Stream	1001C_01	Perennial stream from the confluence with Jackson Bayou upstream to Miller Wilson Road.	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1001D	Bear Lake	Encompasses the entire tidal portion of the bay (tributary bay of San Jacinto River Tidal)	Estuary	1001D_01	Encompasses the entire tidal portion of the bay (tributary bay of San Jacinto River Tidal)	Estuary	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1002	Lake Houston	From Lake Houston Dam in Harris County to the confluence of Spring Creek on the West Fork San Jacinto Arm in Harris/Montgomery County and to the confluence of Caney Creek on the East Fork San Jacinto Arm in Harris County, up to the normal pool elevation o	Reservoir	1002_01	From the Red Gully confluence to FM 1960 East Pass	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11187; 11212; 18670; 22224
				1002_02	From West Lake Houston Parkway to FM 1960 West Pass	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11211; 18667
				1002_03	From the downstream side of FM 1960 (includes East and West Passes) to the Missouri Pacific Railroad Tracks	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11208
				1002_04	From the Missouri Pacific Railroad Tracks to Foley Road	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16668
				1002_05	From Foley Road to the Lake Houston Dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11204
				1002_06	From the confluence with Spring Creek to West Lake Houston Pkwy	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11213; 20782
				1002_07	From the East Fork San Jacinto River confluence to the Red Gully confluence	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16623

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1002A	Tarkington Bayou	From the Luce Bayou confluence upstream to a point just upstream of FM 2025 in Liberty County	Freshwater Stream	1002A_01	From the Luce Bayou confluence upstream to the Little Tarkington Bayou confluence near the City of Cleveland	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	20466
				1002A_02	From the Little Tarkington Bayou confluence to just upstream of FM 2025	Perennial	Water body description	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1002B	Luce Bayou	From confluence with Lake Houston (Harris County) to FM 1008 (Liberty County)	Freshwater Stream	1002B_01	From the Lake Houston confluence upstream to the Key Gully confluence	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations
				1002B_02	From the Key Gully confluence upstream to the Tarkington Bayou confluence	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				1002B_03	From the Tarkington Bayou confluence upstream to FM 1008	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1002C	Lake Isabell	Small lake located at the southern end of Lake Houston Park northeast of the Caney Creek (1010) and East Fork of the San Jacinto River (1003) confluence in Harris County.	Reservoir	1002C_01	Small lake located at the southern end of Lake Houston Park northeast of the Caney Creek (1010) and East Fork of the San Jacinto River (1003) confluence in Harris County.	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1003	East Fork San Jacinto River	From the confluence of Caney Creek in Harris County to US 190 in Walker County	Freshwater Stream	1003_01	From the Caney Creek confluence upstream to US 59	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11235; 11236
				1003_02	From US Hwy 59 to a point immediately downstream of State Hwy 150	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11238; 14242; 21939
				1003_03	From a point immediately downstream of State Hwy 150 to US 190 (upper segment boundary)	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11237; 17431

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1003A	Winters Bayou	From the confluence with East Fork San Jacinto River to 0.17 mi upstream of Dorrell Road at the confluence of Phelps creek.	Freshwater Stream	1003A_01	From the confluence with East Fork San Jacinto River to 0.17 mi upstream of Dorrell Road at the confluence of Phelps creek.	Perennial	Routine Flow Data	High	Presumption from flow type	21417; 21933; 21935; 21936; 21937

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1003B	Nebletts Creek	Nebletts Creek from the confluence with Winters Bayou near FM 1725 northwest of Cleveland upstream to the headwaters near SH 150 east of New Waverly	Freshwater Stream	1003B_01	Nebletts Creek from the confluence with Winters Bayou near FM 1725 northwest of Cleveland upstream to the headwaters near SH 150 east of New Waverly	Perennial	Routine Flow Data	High	Presumption from flow type	21938

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1003C	Boswell Creek	Boswell Creek from the confluence with Winters Bayou approximately 11.7 km (7.3 mi) east of New Waverly upstream to the headwaters east of Huntsville	Freshwater Stream	1003C_01	Boswell Creek from the confluence with Winters Bayou approximately 11.7 km (7.3 mi) east of New Waverly upstream to the headwaters east of Huntsville	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	21934

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1004	West Fork San Jacinto River	From the confluence of Spring Creek in Harris/Montgomery County to Conroe Dam in Montgomery County	Freshwater Stream	1004_01	From the Spring Creek confluence upstream to the Stewart Creek confluence	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11243
				1004_02	From the Stewart Creek confluence upstream to the Lake Conroe Dam	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11250; 11251

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1004A	East Fork White Oak Creek	Perennial stream from the confluence with White Oak Creek upstream to the confluence of an unnamed tributary approximately 0.4 km upstream of League Line road in the City of Panorama Village	Freshwater Stream	1004A_01	Perennial stream from the confluence with White Oak Creek upstream to the confluence of an unnamed tributary approximately 0.4 km upstream of League Line road in the City of Panorama Village	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1004B	West Fork White Oak Creek	Perennial stream from the confluence with White Oak Creek upstream to an on-channel impoundment on West Fork White Oak Creek 1.2 km upstream of League Line Road	Freshwater Stream	1004B_01	Perennial stream from the confluence with White Oak Creek upstream to an on-channel impoundment on West Fork White Oak Creek 1.2 km upstream of League Line Road	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1004C	Unnamed Tributary	Perennial stream from the confluence of the West Fork San Jacinto River upstream to the Missouri-Pacific Railroad bridge crossing located east of IH 45 and north of Needham Road approximately 10 km south of the City of Conroe	Freshwater Stream	1004C_01	Perennial stream from the confluence of the West Fork San Jacinto River upstream to the Missouri-Pacific Railroad bridge crossing located east of IH 45 and north of Needham Road approximately 10 km south of the City of Conroe	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1004D	Crystal Creek	From the West Fork of the San Jacinto River confluence to the confluence of the east and west forks of Crystal Creek	Freshwater Stream	1004D_01	From the Confluence with West Fork San Jacinto River upstream to confluence of the East and West Forks of Crystal Creek	Perennial	Routine Flow Data	High	Presumption from flow type	11181; 16635

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1004E	Stewarts Creek	From headwaters northwest of old Montgomery Rd to confluence with West Fork of the San Jacinto River	Freshwater Stream	1004E_01	From headwaters NW of Old Montgomery Road to an unnamed impoundment at Airport Rd N of SH 105	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				1004E_02	From Airport Rd to confluence with West Fork San Jacinto River	Perennial	Routine Flow Data	High	Presumption from flow type	16626

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1004F	Woodsons Gully	Perennial stream from the confluence with West Fork San Jacinto River upstream to the confluence with an unnamed tributary approximately 1.9 km upstream from Riley-Fussel Road	Freshwater Stream	1004F_01	Perennial stream from the confluence with the West Fork San Jacinto River upstream to the confluence with an unnamed tributary approximately 1.9 km upstream of Riley-Fussel Road	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1004G	West Fork of Crystal Creek	From the Crystal Creek confluence upstream of a point 0.30 km (0.19 mi) northeast of the FM 3083 and Loop 336 intersection	Freshwater Stream	1004G_01	From the Crystal Creek confluence upstream of a point 0.30 km (0.19 mi) northeast of the FM 3083 and Loop 336 intersection	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1004H	Unnamed tributary of Woodsons Gully	Perennial stream from the confluence with Woodsons Gully upstream to the headwaters	Freshwater Stream	1004H_01	Perennial stream from the confluence with Woodsons Gully upstream to the headwaters	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1004I	Alligator Creek	From the confluence of the West Fork of the San Jacinto River to 0.43 mi upstream of where the water body crosses Sgt Ed Holcomb Blvd.	Freshwater Stream	1004I_01	From the confluence of the West Fork of the San Jacinto River to 0.43 mi upstream of where the water body crosses Sgt Ed Holcomb Blvd.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1004J	White Oak Creek	Perennial stream from the confluence with West Fork San Jacinto River upstream to the confluence with East Fork White Oak Creek and West Fork White Oak Creek in Conroe	Freshwater Stream	1004J_01	Perennial stream from the confluence with West Fork San Jacinto River upstream to the confluence with East Fork White Oak Creek and West Fork White Oak Creek in Conroe	Perennial	Routine Flow Data	High	Presumption from flow type	20731

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1005	Houston Ship Channel/San Jacinto River Tidal	From the confluence with Galveston Bay at Morgan's Point in Harris/Chambers County to a point 100 meters (110 yards) downstream of IH 10 in Harris County	Tidal Stream	1005_01	Downstream I-10 to Lynchburg Ferry Road	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	16619; 16621
				1005_02	Lynchburg Ferry Road to Goose Island	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	11258; 15897
				1005_03	Goose Island to SH 146	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	11254; 16618
				1005_04	SH 146 to Morgans Point	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	11252

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1006	Houston Ship Channel Tidal	From the confluence with the San Jacinto River in Harris County to a point immediately upstream of Greens Bayou in Harris County, including tidal portions of tributaries	Tidal Stream	1006_01	Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence	Tidal Stream	TSWQS Appendix A	Minimal	TSWQS Appendix A	11271; 16617
				1006_02	Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence	Tidal Stream	TSWQS Appendix A	Minimal	TSWQS Appendix A	11264
				1006_03	Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 mi) upstream of the Halls Bayou confluence	Tidal Stream	TSWQS Appendix A	Minimal	TSWQS Appendix A	11279; 16981; 18363; 21008
				1006_04	Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	Tidal Stream	TSWQS Appendix A	Minimal	TSWQS Appendix A	11273
				1006_05	Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	Tidal Stream	TSWQS Appendix A	Minimal	TSWQS Appendix A	16664
				1006_06	Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream	Tidal Stream	TSWQS Appendix A	Minimal	TSWQS Appendix A	18322
				1006_07	Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)	Tidal Stream	TSWQS Appendix A	Minimal	TSWQS Appendix A	11272; 20797

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1006B	Carpenters Bayou	Perennial stream from 9.0 km upstream of Houston Ship Channel up to Sheldon Reservoir	Freshwater Stream	1006B_01	Perennial stream from 9.0 km upstream of Houston Ship Channel up to 0.8 km upstream of Wallisville Road, per WQS App D first entry	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	11175
				1006B_02	Perennial stream from 0.8 km upstream of Wallisville Road up to Sheldon Reservoir, per WQS App D second entry	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1006D	Halls Bayou	From the Greens Bayou confluence upstream to Frick Road in Harris County	Freshwater Stream	1006D_01	From the Greens Bayou confluence upstream to US 59	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	11127; 15862; 15863; 15864
				1006D_02	From US 59 upstream to Frick Road	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	11126; 17490; 17491; 20455

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1006F	Big Gulch Above Tidal	From the confluence with Greens Bayou Tidal upstream to a point just upstream of Wallisville Road in Harris County	Freshwater Stream	1006F_01	From the confluence with Greens Bayou Tidal upstream to a point just upstream of Wallisville Road in Harris County	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	16662

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1006H	Spring Gully Above Tidal	From confluence with Greens Bayou to US 90 in Harris County	Freshwater Stream	1006H_01	From confluence with Greens Bayou to US 90 in Harris County	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	16663

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1006I	Unnamed Tributary of Halls Bayou	From the confluence with Halls Bayou to a point 0.3 mi upstream of Richland Drive in Harris County	Freshwater Stream	1006I_01	From the confluence with Halls Bayou to a point 0.3 mi upstream of Richland Drive in Harris County	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	16666

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1006J	Unnamed Tributary of Halls Bayou	From the confluence with Halls Bayou (east of IH 69 and south of Langley Road) to E. Mount Houston Road in Harris County	Freshwater Stream	1006J_01	From the confluence with Halls Bayou (east of IH 69 and south of Langley Road) to E. Mount Houston Road in Harris County	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	16665

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1006K	Unnamed Tributary of Halls Bayou	From the Halls Bayou confluence to Jensen Drive in Harris County	Freshwater Stream	1006K_01	From the Halls Bayou confluence to Jensen Drive in Harris County	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1006L	Kennedy Gully	From the confluence with Halls Bayou to 0.15 km south of the intersection of Eastover St and Wedgefield St in Harris County	Freshwater Stream	1006L_01	From the confluence with Halls Bayou to 0.15 km south of the intersection of Eastover St and Wedgefield St in Harris County	Perennial	Routine Flow Data	High	Presumption from flow type	16667

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1007	Houston Ship Channel/ Buffalo Bayou Tidal	From a point immediately upstream of Greens Bayou in Harris County to a point 100 meters (110 yards) upstream of US 59 in Harris County, including tidal portions of tributaries	Tidal Stream	1007_01	Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall	Tidal Stream	TSWQS Appendix A	Minimal	TSWQS Appendix A	11283; 11284; 11287; 16620
				1007_02	Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream	Tidal Stream	TSWQS Appendix A	Minimal	TSWQS Appendix A	11302; 20736
				1007_03	Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10	Tidal Stream	TSWQS Appendix A	Minimal	TSWQS Appendix A	11298; 18362
				1007_04	Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45	Tidal Stream	TSWQS Appendix A	Minimal	TSWQS Appendix A	11306; 11309; 16479
				1007_05	Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	Tidal Stream	TSWQS Appendix A	Minimal	TSWQS Appendix A	11299; 11300; 20654
				1007_06	Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence	Tidal Stream	TSWQS Appendix A	Minimal	TSWQS Appendix A	16660
				1007_07	Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59	Tidal Stream	TSWQS Appendix A	Minimal	TSWQS Appendix A	11292; 11296; 15841
				1007_08	Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225	Tidal Stream	TSWQS Appendix A	Minimal	TSWQS Appendix A	11172

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1007A	Canal C-147	From the confluence with Sims Bayou to a point 0.71 km east of Beltway 8 in Houston	Freshwater Stream	1007A_01	From the confluence with Sims Bayou upstream to a point 0.71 km east of Beltway 8	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	16656

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1007B	Brays Bayou Above Tidal	From a point 11.5 km (7.1 mi) upstream of confluence with Houston Ship Channel up to SH 6	Freshwater Stream	1007B_01	From a point 11.5 km (7.1 mi) upstream of confluence with Houston Ship Channel up to SH 6	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	11138; 11139; 11140; 15850; 15851; 15852; 15853; 15854; 15855
				1007B_02	From State Highway 6 upstream to Clodine Road	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	15848

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1007C	Keegans Bayou Above Tidal	From the Brays Bayou confluence upstream to Harris County line	Freshwater Stream	1007C_01	From the Brays Bayou confluence to the Harris County Line	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	11169; 20211

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1007D	Sims Bayou Above Tidal	Perennial stream from 11.0 km upstream of confluence with Houston Ship Channel upstream to Hiram Clark Drive	Freshwater Stream	1007D_01	From Fort Bend Parkway to Hiram Clarke	Perennial	Routine Flow Data	Intermediate	Presumption from flow type	11135; 17976
				1007D_02	From Hiram Clark to 11 miles upstream of the confluence with the Houston Ship Channel	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	11133; 15876
				1007D_03	From 11 miles upstream of the Houston Ship Channel confluence to SH 35	Perennial	Routine Flow Data	Limited	Presumption from flow type	11132; 15877; 15878

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1007E	Willow Waterhole Bayou Above Tidal	From the Brays Bayou confluence upstream to South Garden (in Missouri City)	Freshwater Stream	1007E_01	From the Brays Bayou confluence upstream to South Garden Street	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	16652

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1007F	Berry Bayou Above Tidal	From a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence to the southern city limits of South Houston	Freshwater Stream	1007F_01	From a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence to SH 3	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	16661

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1007G	Kuhlman Gully Above Tidal	From Brays Bayou confluence to Atchison, Topeka and Santa Fe Railroad tracks in Harris County	Freshwater Stream	1007G_01	From Brays Bayou confluence to Atchison, Topeka and Santa Fe Railroad tracks	Perennial	Routine Flow Data	High	Presumption from flow type	16653

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1007H	Pine Gully Above Tidal	From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street in Harris County	Freshwater Stream	1007H_01	From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street	Perennial	WQS/Permits program	Intermediate	Presumption from flow type	16659

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1007I	Plum Creek Above Tidal	From the Sims Bayou confluence to Telephone Road in Harris County	Freshwater Stream	1007I_01	From the Sims Bayou confluence to Telephone Road in Harris County	Perennial	WQS/Permits program	Intermediate	Presumption from flow type	16658

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1007K	Country Club Bayou Above Tidal	From just downstream of South Lockwood Drive to the confluence with Brays Bayou to approximately 0.5 mi upstream of North Wayside Drive in Harris County	Freshwater Stream	1007K_01	From just downstream of South Lockwood Drive to the confluence with Brays Bayou	Perennial	Flow Questionnaire	Intermediate	Presumption from flow type	16650; 16651

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1007L	Unnamed Non-Tidal Tributary of Brays Bayou	From the Brays Bayou confluence near Fondren Road to a point 0.7 km (0.43 mi) upstream of Willowbend Blvd in Harris County	Freshwater Stream	1007L_01	From the Brays Bayou confluence near Fondren Road to a point 0.7 km (0.43 mi) upstream of Willowbend Blvd in Harris County	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	16654

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1007M	Unnamed Non-tidal Tributary of Hunting Bayou	From the confluence with Hunting Bayou upstream to Mercury Drive in Harris County	Freshwater Stream	1007M_01	From the confluence with Hunting Bayou upstream to Mercury Drive in Harris County	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	16657

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1007N	Unnamed Non-Tidal Tributary of Sims Bayou	From the confluence with Sims Bayou, south of Airport Road, upstream to SH 288 in Harris County	Freshwater Stream	1007N_01	From the confluence with Sims Bayou, south of Airport Road, upstream to SH 288 in Harris County	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	16655

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1007O	Unnamed Non-Tidal Tributary of Buffalo Bayou	From the confluence with Buffalo Bayou upstream to Clinton Drive in Harris County	Freshwater Stream	1007O_01	From the confluence with Buffalo Bayou upstream to Clinton Drive in Harris County	Perennial	Flow Questionnaire	High	Presumption from flow type	16649; 17977

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1007R	Hunting Bayou Above Tidal	From the confluence with Hunting Bayou Tidal at IH-10 to Maury Street on the north fork and Bain Street on the south fork	Freshwater Stream	1007R_01	From Bain Street to Sayers Street (South Fork)	Perennial	Flow Questionnaire	Intermediate	Presumption from flow type	15869
				1007R_02	From just east of Elysian Street to Falls Street (North Fork)	Perennial	Routine Flow Data	Intermediate	Presumption from flow type	15867
				1007R_03	From Falls Street to Loop 610 (south of US 90)	Perennial	Routine Flow Data	Intermediate	Presumption from flow type	11129; 15873
				1007R_04	From Loop 610 (south of US 90) to IH 10	Perennial	Flow Questionnaire	Intermediate	Presumption from flow type	11128

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1007S	Poor Farm Ditch	From the Brays Bayou confluence upstream 3.6 km (2.3 mi) to the Bissonnet Road bridge crossing	Freshwater Stream	1007S_01	From the Brays Bayou confluence upstream 3.6 km (2.3 mi) to the Bissonnet Road bridge crossing	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	18692

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1007T	Bintliff Ditch	From the Brays Bayou confluence upstream 5.8 km (3.6 mi) to the Fondren Road bridge crossing	Freshwater Stream	1007T_01	From the Brays Bayou confluence to 0.57 km (0.35 mi) upstream of the Fondren Road bridge crossing	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	18690

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1007U	Mimosa Ditch	From the Brays Bayou confluence upstream 2.9 km (1.8 mi) to the Chimney Rock bridge crossing	Freshwater Stream	1007U_01	From the Brays Bayou confluence upstream 2.9 km (1.8 mi) to the Chimney Rock bridge crossing	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	18691

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1007V	Unnamed Tributary of Hunting Bayou	From the Hunting Bayou confluence upstream to a point where Makeig St and Sakowitz St dead end in Kashmere Gardens in northeast Houston	Freshwater Stream	1007V_01	From the Hunting Bayou confluence upstream to a point where Makeig St and Sakowitz St dead end in Kashmere Gardens in northeast Houston	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	18689

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1007W	Harris County Flood Control Ditch D 138	From the confluence with Brays Bayou to a point immediately south of Beechnut Street in Houston	Freshwater Stream	1007W_01	From the confluence with Brays Bayou to a point immediately south of Beechnut Street in Houston	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	21180

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1008	Spring Creek	From the confluence with the West Fork San Jacinto River in Harris/Montgomery County to the confluence with Kickapoo Creek in Harris/Waller County	Freshwater Stream	1008_02	Kickapoo Creek confluence to SH 249	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11314; 11315; 11323; 18868
				1008_03	SH 249 to IH 45	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11313; 17489
				1008_04	IH 45 to the confluence with Lake Houston	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11312

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1008A	Mill Creek	From the confluence of Spring Creek upstream to where the creek splits between Hurricane Creek and Kickapoo Creek.	Freshwater Stream	1008A_01	From the confluence of Spring Creek upstream to where the creek splits between Hurricane creek and Kickapoo creek.	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	21957

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1008B	Upper Panther Branch	From the normal pool elevation of 125 feet of Lake Woodlands upstream to Old Conroe Road	Freshwater Stream	1008B_01	From Old Conroe Road to a point 0.22 mi (0.35 km) upstream of the Bear Branch confluence	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	16630
				1008B_02	From a point 0.22 mi (0.35 km) upstream of the Bear Branch confluence to the confluence of Lake Woodlands	Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D	16629

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1008C	Lower Panther Branch	From the Spring Creek confluence upstream to the dam impounding Lake Woodlands in Montgomery County	Freshwater Stream	1008C_01	From Spring Creek confluence upstream to Saw Dust Road	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	16422
				1008C_02	From Saw Dust Road to the Lake Woodlands Dam	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	16627

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1008D	Metzler Creek	Intermittent stream with perennial pools from the confluence of Cannon Gully up to 0.2 km below Kuykendahl Road	Freshwater Stream	1008D_01	Intermittent stream with perennial pools from the confluence of Cannon Gully up to 0.2 km below Kuykendahl Road	Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1008E	Bear Branch	From the Upper Panther Branch confluence to south of FM 1488 in Montgomery County	Freshwater Stream	1008E_01	From Upper Panther Branch confluence to south of FM 1488	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	16631

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1008F	Lake Woodlands	From Lake Woodlands Dam to confluence with Upper Panther Branch Creek in Montgomery County (impounds Upper Panther Branch)	Reservoir	1008F_01	Upper end of segment to Northshore Park/Woodlock Forest	Reservoir	Water body description	High	Presumption from Flow Type	16484
				1008F_02	Northshore Park/Woodlock Forest to inflow from unnamed tributary	Reservoir	Water body description	High	Presumption from Flow Type	16483
				1008F_03	From inflow of unnamed tributary to dam	Reservoir	Water body description	High	Presumption from Flow Type	16482
				1008F_04	Arm near dam adjacent to West Isle Drive and Pleasure Cove Drive	Reservoir	Water body description	High	Presumption from Flow Type	16481

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1008H	Willow Creek	From the Spring Creek confluence to a point 0.48 km (0.3 mi) north of Juergen Rd	Freshwater Stream	1008H_01	From the Spring Creek confluence to a point 0.48 km (0.3 mi) north of Juergen Rd	Perennial	Routine Flow Data	High	Presumption from flow type	11185; 20730

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1008I	Walnut Creek	From the Spring Creek confluence to a point 41.1 km (25.5 mi) upstream	Freshwater Stream	1008I_01	From the Spring Creek confluence to a point 41.1 km (25.5 mi) upstream	Perennial	Routine Flow Data	High	Presumption from flow type	20462

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1008J	Brushy Creek	From the Spring Creek confluence upstream to a point 5.6 km (3.5 mi) upstream of FM 1488	Freshwater Stream	1008J_01	From the Spring Creek confluence upstream to a point 5.6 km (3.5 mi) upstream of FM 1488	Perennial	Routine Flow Data	High	Presumption from flow type	20463

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1008K	Arnold Branch	Intermittent stream with perennial pools from the confluence with Mink Branch upstream to the headwaters just upstream of FM 1774	Freshwater Stream	1008K_01	Intermittent stream with perennial pools from the confluence with Mink Branch upstream to the headwaters just upstream of FM 1774	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1008L	Mink Branch	Perennial stream from the confluence with Walnut Creek upstream to the confluence with an unnamed tributary approximately 1.0 km upstream of Nichols-Sawmill Road	Freshwater Stream	1008L_01	Perennial stream from the confluence with Walnut Creek upstream to the confluence with an unnamed tributary approximately 1.0 km upstream of Nichols-Sawmill Road	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1008M	Sulphur Branch	Intermittent stream with perennial pools from an unnamed reservoir, known locally as Lake Apache, upstream to FM 1774. The unnamed reservoir impounds Sulphur Branch approximately 0.8 km upstream of the confluence with Walnut Creek	Freshwater Stream	1008M_01	Intermittent stream with perennial pools from an unnamed reservoir, known locally as Lake Apache, upstream to FM 1774	Intermittent w/pools	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1009	Cypress Creek	From the confluence with Spring Creek in Harris County to the confluence of Snake Creek and Mound Creek in Waller County	Freshwater Stream	1009_01	Upper portion of segment to downstream of US 290	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11333; 20457; 22393
				1009_02	US 290 to SH 249	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11331; 11332
				1009_03	SH 249 to IH 45	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11328; 11330
				1009_04	IH 45 to confluence with Spring Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11324

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1009A	Dry Creek	Perennial stream from the confluence with Cypress Creek upstream to the Harris County Flood Control District ditch K-145-01-00, 0.29 km upstream of Spring Cypress Road north of US 290	Freshwater Stream	1009A_01	Perennial stream from the confluence with Cypress Creek upstream to the beginning of channelization at Jarvis Rd, 0.6km upstream from the confluence with Cypress Creek north of US 290	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations
				1009A_02	Perennial stream from the point where channelization begins at Jarvis Road, 0.6 km upstream of the confluence with Cypress Creek, upstream to Harris County Flood Control District ditch K-145-01-00, 0.29 km upstream of Spring Cypress Rd north of US 290	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1009C	Faulkey Gully	From the confluence with Cypress Creek upstream to a point 600 m upstream of Shaw Rd in northwest Harris County	Freshwater Stream	1009C_01	From the confluence with Cypress Creek upstream to a point 600 m upstream of Shaw Rd in northwest Harris County	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	17496

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1009D	Spring Gully	From the Cypress Creek confluence upstream to near Spring Cypress Road	Freshwater Stream	1009D_01	From the Cypress Creek confluence upstream to near Spring Cypress Road	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	17481

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1009E	Little Cypress Creek	From the confluence with Cypress Creek upstream to US 290W in northwest Harris County	Freshwater Stream	1009E_01	From the confluence with Cypress Creek upstream to US 290W in northwest Harris County	Perennial	Routine Flow Data	High	Presumption from flow type	14159; 20456

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1009F	Mound Creek	Perennial stream from the confluence with Snake Creek, which together from Cypress Creek, upstream to an unnamed tributary 1.95 km upstream of FM 362	Freshwater Stream	1009F_01	Perennial stream from the confluence with Snake Creek, which together form Cypress Creek, upstream to an unnamed tributary 1.95 km upstream of FM 362	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1009G	Dry Gully	Perennial stream from its confluence with Cypress Creek upstream to Spring Cypress Road	Freshwater Stream	1009G_01	Perennial stream from its confluence with Cypress Creek upstream 3.2 km, which is approximately 1 km upstream of Louetta Road	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations
				1009G_02	Perennial stream from a point 1 km upstream of Louetta Road upstream to Spring Cypress Road	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1010	Caney Creek	From the confluence with the East Fork San Jacinto River in Harris County to SH 150 in Walker County	Freshwater Stream	1010_01	Remaining upper portion of segment	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1010_02	FM 1097 to SH 105	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	20453; 21465
				1010_03	SH 105 to FM 2090	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11335
				1010_04	FM 2090 to lower segment boundary	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11334; 20452

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1010A	Dry Creek	Intermittent stream with perennial pools from Caney Creek upstream to the confluence with and unnamed tributary approximately 3.6 km upstream of SH 242	Freshwater Stream	1010A_01	Intermittent stream with perennial pools from Caney Creek upstream to the confluence with an unnamed tributary approximately 3.6 km upstream of SH 242	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1010B	White Oak Creek	Perennial stream from the confluence with Caney Creek upstream to the confluence with an unnamed tributary approximately 2.08 km upstream of US 59	Freshwater Stream	1010B_01	Perennial stream from the confluence with Caney Creek upstream to the confluence with an unnamed tributary approximately 2.08 km upstream of US 59	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1010C	Spring Branch	From the Caney Creek confluence to a point 0.54 km (0.34 mi) upstream of SH 105	Freshwater Stream	1010C_01	From the Caney Creek confluence to a point 0.54 km (0.34 mi) upstream of SH 105	Perennial	Routine Flow Data	High	Presumption from flow type	20451; 21965

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1011	Peach Creek	From the confluence with Caney Creek in Montgomery County to SH 150 in Walker County	Freshwater Stream	1011_01	Upper segment boundary to US Hwy 59	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11337; 16625; 20454
				1011_02	US Hwy 59 to confluence with Caney Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	17746

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1012	Lake Conroe	From Conroe Dam in Montgomery County up to the normal pool elevation of 201 feet (impounds West Fork San Jacinto River)	Reservoir	1012_01	West Fork San Jacinto River arm to FM1375	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11344
				1012_02	FM 1375 to Johnson Bluff	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16645
				1012_03	Lewis Creek arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16644
				1012_04	Caney Creek arm to Hunters Point	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16643
				1012_05	Johnson Bluff to FM 1097	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16642
				1012_06	Little Lake Creek arm to Walden Estates	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16640
				1012_07	Lewis Creek arm to Bowsprit Point	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16641
				1012_08	Atkins Creek/Stewart Creek arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16638
				1012_09	Live Branch Creek arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1012_10	FM 1097 to Walden Estates (main lake)	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1012_11	Walden Estates to dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11342; 16639

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1012A	Town Creek	Perennial stream from the confluence with Atkins Creek upstream to the confluence with Carwile Creek	Freshwater Stream	1012A_01	Perennial stream from the confluence with Atkins Creek upstream to the confluence with Carwile Creek	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1012B	Robinson Creek	Perennial stream from the confluence with the West Fork San Jacinto River upstream to the confluence with an unnamed second order tributary approximately 0.1 km upstream of Bethel Road	Freshwater Stream	1012B_01	Perennial stream from the confluence with the West Fork San Jacinto River upstream to the confluence with an unnamed second order tributary approximately 0.1 km upstream of Bethel Road	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1012C	Lake Raven	Adjacent to Park Road 40 within the boundaries of Huntsville State Park in Walker County	Reservoir	1012C_01	Adjacent to Park Road 40 within the boundaries of Huntsville State Park in Walker County	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1013	Buffalo Bayou Tidal	From a point 100 meters (110 yards) upstream of US 59 in Harris County to a point 400 meters (440 yards) upstream of Shepherd Drive in Harris County including the tidal portion of tributaries	Tidal Stream	1013_01	From a point 100 meters (110 yards) upstream of US 59 in Harris County to a point 400 meters (440 yards) upstream of Shepherd Drive in Harris County including the tidal portion of tributaries	Tidal Stream	TSWQS Appendix A	Intermediate	TSWQS Appendix A	11345; 11351; 15843; 22396

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1013A	Little White Oak Bayou	From the White Oak Bayou confluence to Yale Street in Harris County	Freshwater Stream	1013A_01	From the confluence with Whiteoak Bayou upstream to the railroad tracks north of IH 610	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	11148; 16648
				1013A_02	From the railroad tracks north of IH 610 upstream to Yale Street	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1013C	Unnamed Non-Tidal Tributary of Buffalo Bayou Tidal	From the confluence with Buffalo Bayou Tidal upstream through Glenwood Cemetery terminating in Washington Cemetery	Freshwater Stream	1013C_01	From the confluence with Buffalo Bayou Tidal upstream through Glenwood Cemetery terminating in Washington Cemetery	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	16675

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1014	Buffalo Bayou Above Tidal	From a point 400 meters (440 yards) upstream of Shepherd Drive in Harris County to SH 6 in Harris County	Freshwater Stream	1014_01	From a point immediately upstream of Shepherd Drive upstream to SH 6	Perennial	TSWQS Appendix A	Limited	TSWQS Appendix A	11354; 11356; 11360; 11361; 11362; 11363; 11364; 15845; 15846; 20212

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1014A	Bear Creek	Perennial stream from the confluence with South Mayde Creek upstream to the confluence with an unnamed tributary 1.24 km north of Longenbaugh Road	Freshwater Stream	1014A_01	Confluence with South Mayde Creek to a point upstream of an unnamed tributary north of Langenbaugh Road	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	17484

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1014B	Buffalo Bayou/Barker Reservoir	Perennial stream from SH 6 in Harris County upstream to the confluence with Willow Fork Buffalo Bayou in Fort Bend County	Freshwater Stream	1014B_01	From SH 6 to the confluence with Willow Fork Buffalo Bayou	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	11145; 17492

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1014C	Horsepen Creek	From the Langham Creek confluence upstream to a point 0.1 km (0.06 mi) west of Barker Cypress Road	Freshwater Stream	1014C_01	From the Langham Creek confluence upstream to where channelization begins, 0.62 km (0.39 mi) north of FM 529	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	20465
				1014C_02	From 0.62 (0.39 mi) km north of FM 529 upstream to a point 2.4 km (1.5 mi) upstream of SH 6	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations
				1014C_03	From a point 2.4 km (1.5 mi) upstream of SH 6 to 0.1 km (0.06 mi) west of Barker Cypress Road	Perennial	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1014E	Langham Creek	From the Dinner Creek confluence upstream to FM 529	Freshwater Stream	1014E_01	From the Bear Creek confluence upstream to the Dinner Creek confluence	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	17482
				1014E_02	From the Dinner Creek confluence upstream to FM 529	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1014H	South Mayde Creek	Perennial stream in the Addicks Reservoir flood pool area from the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 1.05 km south of Clay Road	Freshwater Stream	1014H_01	Perennial stream in the Addicks Reservoir flood pool area from the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 1.3 km (0.8 mi) west of Barker-Cypress Road	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	11163; 17493
				1014H_02	Perennial stream from the confluence with an unnamed tributary 1.3 km west of Barker-Cypress Road upstream to an unnamed tributary 1.05 km south of Clay Road	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	21813

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1014I	Willow Fork Buffalo Bayou	Intermittent stream with perennial pools from the confluence with Buffalo Bayou in Fort Bend County up to 1.0 km above US 90 in Waller County	Freshwater Stream	1014I_01	Intermittent stream with perennial pools from the confluence with Buffalo Bayou in Fort Bend County up to 1.0 km above US 90 in Waller County	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1014J	Dinner Creek	Perennial stream from the confluence with Langham Creek upstream to Frey Road	Freshwater Stream	1014J_01	Perennial stream from the confluence with Langham Creek upstream to Frey Road	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1014K	Turkey Creek	From the South Mayde Creek confluence upstream to FM 529, 1.1 km (0.68 mi) directly east of N. Eldridge Pkwy in Harris County	Freshwater Stream	1014K_01	Perennial stream from the confluence with South Mayde Creek upstream to a point 0.16 km (0.1 mi) south of Clay Road	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	15847
				1014K_02	Perennial stream from a point 0.16 km (0.1 mi) south of Clay Road upstream to FM 529 1.1 km (0.68 mi) directly east of N. Eldridge Pkwy	Perennial	Routine Flow Data	Intermediate	Presumption from flow type	17483; 22169

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1014L	Mason Creek	From the Buffalo Bayou confluence upstream to Mason Road upstream to 0.32 km (0.2 mi) east of Katyland Drive	Freshwater Stream	1014L_01	From the Buffalo Bayou confluence upstream to Mason Road	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	17494
				1014L_02	From Mason Road upstream to 0.32 km (0.2 mi) east of Katyland Drive	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1014M	Newman Branch (Neimans Bayou)	From the Buffalo Bayou Above Tidal confluence upstream to IH 10 between Antoine Dr and Silber Rd in west Houston	Freshwater Stream	1014M_01	From the Buffalo Bayou Above Tidal confluence upstream to IH 10 between Antoine Dr and Silber Rd in west Houston	Perennial	Routine Flow Data	High	Presumption from flow type	16597

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1014N	Rummel Creek	From the Buffalo Bayou Above Tidal confluence to 1.2 km (0.75 mi) upstream of IH-10 in Harris County	Freshwater Stream	1014N_01	From the Buffalo Bayou Above Tidal confluence to 1.2 km (0.75 mi) upstream of IH-10	Perennial	Routine Flow Data	Intermediate	Presumption from flow type	11188

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1014O	Spring Branch	From Buffalo Bayou Above Tidal confluence to 1.4 km (0.87 mi) upstream of Long Point Road in Harris County	Freshwater Stream	1014O_01	From Buffalo Bayou Above Tidal confluence to 1.4 km (0.87 mi) upstream of Long Point Road in Harris County	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	16592

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1015	Lake Creek	From the confluence with the West Fork San Jacinto River in Montgomery County to a point 4.0 km (2.5 mi) upstream of SH 30 in Grimes County	Freshwater Stream	1015_01	From the West Fork of the San Jacinto River confluence upstream to the Landrum Creek confluence	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11367; 18191
				1015_02	From the Landrum Creek confluence upstream to a point 4.0 km (2.5 mi) upstream of State Hwy 30	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	18192

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1015A	Mound Creek	From the confluence with Lake Creek to a point 0.69 km east of FM 149 near Conroe	Freshwater Stream	1015A_01	Perennial stream from the confluence with Lake Creek upstream to the confluence with an unnamed tributary approximately 0.75 km downstream of Rabon-Chapel Road	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	17937
				1015A_02	From the confluence with an unnamed tributary approximately 0.75 km downstream of Rabon-Chapel Road to a point approximately 0.69 km east of FM 149	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1015B	Caney Creek	From the Lake Creek confluence upstream to a point 0.55 km south east of FM 1774 and CR 209	Freshwater Stream	1015B_01	From the Lake Creek confluence upstream to a point 2.4 km (1.5 mi) south of FM 1774	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1016	Greens Bayou Above Tidal	From a point 0.7 km (0.4 mi) upstream of the confluence of Halls Bayou in Harris County, to a point 100 meters (110 yards) upstream of FM 1960 in Harris County	Freshwater Stream	1016_01	Upper segment boundary (FM 1960) to IH 45	Perennial	TSWQS Appendix A	Limited	TSWQS Appendix A	11376; 17495
				1016_02	IH 45 to US 59	Perennial	TSWQS Appendix A	Limited	TSWQS Appendix A	11371; 13778
				1016_03	From US 59 to the downstream boundary 0.7 km (0.4 mi) upstream of the Halls Bayou confluence	Perennial	TSWQS Appendix A	Limited	TSWQS Appendix A	11368; 11369; 11370

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1016A	Garners Bayou	From the confluence with Greens Bayou upstream to a point 0.89 km northeast of Will Clayton Parkway near Humble	Freshwater Stream	1016A_01	From 1.5 km north of Atascocita Road to 0.89 km northeast of Will Clayton Parkway	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations
				1016A_02	From the Williams Gully confluence upstream to 1.5km north of Atascocita Road	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	16589
				1016A_03	From the Greens Bayou confluence to the Williams Gully confluence	Perennial	Routine Flow Data	High	Presumption from flow type	11125

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1016B	Unnamed Tributary of Greens Bayou	From confluence with Greens Bayou to Hirsch Road in Harris County	Freshwater Stream	1016B_01	From confluence with Greens Bayou to Hirsch Road in Harris County	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	16590

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1016C	Unnamed Tributary of Greens Bayou	From the confluence with Greens Bayou, east of Aldine Westfield Road, to the Hardy Toll Road in Harris County	Freshwater Stream	1016C_01	From the confluence with Greens Bayou, east of Aldine Westfield Road, to the Hardy Toll Road in Harris County	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	11124; 22090

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1016D	Unnamed Tributary of Greens Bayou	From the confluence with Greens Bayou, west of El Dorado Country Club, upstream to Crosswinds Drive, west of US Hwy 59 in Harris County	Freshwater Stream	1016D_01	From the confluence with Greens Bayou, west of El Dorado Country Club, upstream to Crosswinds Drive, west of US Hwy 59 in Harris County	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	16676

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1017	Whiteoak Bayou Above Tidal	From a point immediately upstream of the confluence of Little Whiteoak Bayou in Harris County to a point 3.0 km (1.9 mi) upstream of FM 1960 in Harris County	Freshwater Stream	1017_01	Huffmeister Rd to the confluence with Vogel Creek	Perennial	TSWQS Appendix A	Limited	TSWQS Appendix A	11394; 11396
				1017_02	Vogel Creek to the Cole Creek confluence	Perennial	TSWQS Appendix A	Limited	TSWQS Appendix A	15831
				1017_03	Cole Creek confluence to the Brickhouse Gully confluence	Perennial	TSWQS Appendix A	Limited	TSWQS Appendix A	15829
				1017_04	From Brickhouse Gully confluence to a point immediately upstream of the confluence of Little Whiteoak Bayou in Harris Co. (lower segment boundary).	Perennial	TSWQS Appendix A	Limited	TSWQS Appendix A	11387; 11389; 15828

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1017A	Brickhouse Gully/Bayou	Perennial stream from the confluence with Whiteoak Bayou up to Gessner Road	Freshwater Stream	1017A_01	Perennial stream from the confluence with Whiteoak Bayou up to Gessner Road	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	16594

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1017B	Cole Creek	Perennial stream from the confluence with White Oak Bayou up to south of Beltway 8	Freshwater Stream	1017B_01	From south of Beltway 8 to Flintlock Street	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations
				1017B_02	From Flintlock Street to confluence with White Oak Bayou	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	16593

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1017C	Vogel Creek	From the White Oak Bayou Above Tidal confluence to a point 3.2 km (2.0 mi) upstream of the White Oak Bayou confluence to just south of State Hwy 249 in Harris County	Freshwater Stream	1017C_01	From the White Oak Bayou confluence to a point 3.2 km (2.0 mi) upstream	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	11155
				1017C_02	From a point 3.2 km (2.0 mi) upstream of the White Oak Bayou confluence to just south of State Hwy 249	Perennial	Water body description	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1017D	Unnamed Tributary of Whiteoak Bayou	From the confluence with Whiteoak Bayou Above Tidal, near IH-610 and TC Jester, upstream to Mitchelldale St west of US 290 in Harris County	Freshwater Stream	1017D_01	From the confluence with Whiteoak Bayou Above Tidal, near IH-610 and TC Jester, upstream to Mitchelldale St west of US 290 in Harris County	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	16595; 22094

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1017E	Unnamed Tributary of White Oak Bayou	From the confluence with Whiteoak Bayou Above Tidal, near W 11th Street, upstream to W. 27th Street south of Loop 610 W in Harris County	Freshwater Stream	1017E_01	From the confluence with Whiteoak Bayou Above Tidal, near W 11th Street, upstream to W. 27th Street south of Loop 610 W in Harris County	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	16596

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1017F	Rolling Fork Creek	From the confluence with Whiteoak Bayou Above Tidal upstream to Kay Ln east of Sam Houston Parkway N in Harris County	Freshwater Stream	1017F_01	From the confluence with Whiteoak Bayou Above Tidal upstream to Kay Ln east of Sam Houston Parkway N in Harris County	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	11157

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1101	Clear Creek Tidal	From the confluence with Clear Lake at a point 3.2 km (2.0 mi) downstream of El Camino Real in Galveston/Harris County to a point 100 meters (110 yards) upstream of FM 528 in Galveston/Harris County	Tidal Stream	1101_01	Upper segment boundary to Chigger Creek confluence	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1101_02	Chigger Creek confluence to IH 45	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	16576
				1101_03	IH 45 to Cow Bayou confluence	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	11446
				1101_04	Cow Bayou confluence to confluence with Clear Lake	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	16573

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1101A	Magnolia Creek	From the confluence with Clear Creek Tidal upstream 5.5 km (3.4 mi) to the channelized termination at Maple Leaf Dr in League City	Freshwater Stream	1101A_01	From the confluence with Clear Creek Tidal upstream 5.5 km (3.4 mi) to the channelized termination at Maple Leaf Dr in League City	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	16611

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1101B	Chigger Creek	From the confluence with Clear Creek Tidal in Friendswood upstream to Hal McLain Rd in Manvel in Brazoria County	Freshwater Stream	1101B_01	From W. Parkwood Ave (FM 528) in Friendswood upstream to Hal McLain Rd in Manvel in Brazoria County	Perennial	Flow Questionnaire	High	Presumption from flow type	16493
				1101B_02	From the confluence with Clear Creek Tidal upstream to W. Parkwood Ave (FM 528) in Friendswood	Perennial	Flow Questionnaire	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1101C	Cow Bayou	From the Clear Creek Tidal confluence to SH 3 in Galveston County	Tidal Stream	1101C_01	From the Clear Creek Tidal confluence to SH3	Tidal Stream	Water body description	High	Presumption from flow type	17928

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1101D	Robinson Bayou	From confluence with Clear Creek to 0.33 mi upstream of Webster Street in Galveston County	Tidal Stream	1101D_01	From headwater to Abilene St	Tidal Stream	Water body description	High	Presumption from flow type	16475
				1101D_02	From Abilene St. to confluence with Clear Creek Tidal	Tidal Stream	Water body description	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1101E	Unnamed Tributary of Clear Creek Tidal	From Clear Creek Tidal confluence upstream to League City Parkway	Tidal Stream	1101E_01	From Clear Creek Tidal confluence upstream to League City Parkway	Tidal Stream	Water body description	High	Presumption from flow type	18818

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1101F	Unnamed Tributary of Clear Creek Tidal	From Clear Creek Tidal confluence to a point 7.9 km (4.8 mi) upstream (immediately downstream of I-45 in Galveston County)	Freshwater Stream	1101F_01	From Clear Creek Tidal confluence to a point 7.9 km (4.8 mi) upstream (immediately downstream of I-45 in Galveston County)	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	18591

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1102	Clear Creek Above Tidal	From a point 100 meters (110 yards) upstream of FM 528 in Galveston/Harris County to Rouen Road in Fort Bend County	Freshwater Stream	1102_01	Upper segment boundary (Rouen Road) to SH 288	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1102_02	SH 288 to Hickory Slough confluence	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11452
				1102_03	Hickory Slough confluence to Turkey Creek confluence	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	20010
				1102_04	Turkey Creek confluence to Mary's Creek confluence	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11450
				1102_05	Mary's Creek confluence to lower segment boundary	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1102A	Cowart Creek	From the Clear Creek Above Tidal confluence in Galveston County to SH 35 in Brazoria County	Freshwater Stream	1102A_01	Sunset Drive to SH 35	Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D	16678
				1102A_02	Confluence with Clear Creek to Sunset Drive	Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D	11425; 16677

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1102B	Mary's Creek/ North Fork Mary's Creek	Perennial stream from the confl. with Clear Creek upstream to the confl. with N. and S. Fork Mary's Creek near FM 1128, approx. 5 km SW of Pearland. Includes perennial portions of N. Fork Mary's Creek from the confl. of Mary's Creek to the confl. with unn	Freshwater Stream	1102B_01	From the Clear Creek Above Tidal confluence upstream to the N. and S. Fork Mary's Creek near FM 1128	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	16473

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1102C	Hickory Slough	From the Clear Creek Above Tidal confluence to a point 0.69 km (0.43 mi) upstream of Mykawa Road	Freshwater Stream	1102C_01	From the Clear Creek Above Tidal confluence to a point 0.69 km (0.43 mi) upstream of Mykawa Road	Perennial	Routine Flow Data	High	Presumption from flow type	17068

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1102D	Turkey Creek	From the Clear Creek Above Tidal confluence upstream to a point 0.3 km (0.2 mi) downstream of South Sam Houston Parkway in southwest Houston	Freshwater Stream	1102D_01	From the Clear Creek Above Tidal confluence upstream to a point 0.3 km (0.2 mi) downstream of South Sam Houston Parkway in southwest Houston	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	21925

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1102E	Mud Gully	From the Clear Creek Above Tidal confluence to a point 0.36 km (0.22 mi) downstream of Hughes Road in southwest Houston	Freshwater Stream	1102E_01	From the Clear Creek Above Tidal confluence to a point 0.36 km (0.22 mi) downstream of Hughes Road in southwest Houston	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1102F	Mary's Creek Bypass	From the Mary's Creek confluence NE of FM 518 to a point 0.96 km (0.60 mi) upstream to the Mary's Creek confluence (NW of County Road 126)	Freshwater Stream	1102F_01	From the Mary's Creek confluence NE of FM 518 to a point 0.96 km (0.60 mi) upstream to the Mary's Creek confluence (NW of County Road 126)	Perennial	Routine Flow Data	High	Presumption from flow type	18639

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1102G	Unnamed Tributary of Mary's Creek	From the Mary's Creek confluence 1.3 km (0.84 mi) west of FM 1128 to a point 1.2 km (0.75 mi) upstream to the confluence of an unnamed tributary	Freshwater Stream	1102G_01	From the Mary's Creek confluence 1.3 km (0.84 mi) west of FM 1128 to a point 1.2 km (0.75 mi) upstream to the confluence of an unnamed tributary	Perennial	Routine Flow Data	High	Presumption from flow type	18636

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1103	Dickinson Bayou Tidal	From the confluence with Dickinson Bay 2.1 km (1.3 mi) downstream of SH 146 in Galveston County to a point 4.0 km (2.5 mi) downstream of FM 517 in Galveston County	Tidal Stream	1103_01	From the Dickinson Bay confluence (downstream of State Hwy 146) upstream to the Gum Bayou confluence	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	11455
				1103_02	From the Gum Bayou confluence upstream to the Benson Bayou confluence	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	11460
				1103_03	From the Benson Bayou confluence upstream to the Bordens Gully confluence	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1103_04	From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	11462; 11464

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1103A	Bensons Bayou	From the Dickinson Bayou confluence to point 0.6 km (0.37 mi) upstream of FM 646 in Galveston County	Tidal Stream	1103A_01	From the Dickinson Bayou Tidal confluence to point 0.6 km (0.37 mi) upstream of FM 646	Tidal Stream	Water body description	High	Presumption from flow type	16471

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1103B	Bordens Gully	From the Dickinson Bayou Tidal confluence to a point 1.4 km (0.87 mi) upstream of FM 646 in Galveston County	Tidal Stream	1103B_01	From the Dickinson Bayou Tidal confluence to a point 1.4 km (0.87 mi) upstream of FM 646	Tidal Stream	Water body description	High	Presumption from flow type	16469; 20724

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1103C	Geisler Bayou	From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646 in Galveston County	Tidal Stream	1103C_01	From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646	Tidal Stream	Water body description	High	Presumption from flow type	16470

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1103D	Gum Bayou	From the Dickinson Bayou Tidal confluence to State Hwy 96 in Galveston County	Tidal Stream	1103D_01	From Dickinson Bayou Tidal confluence to State Hwy 96	Tidal Stream	Water body description	High	Presumption from flow type	11436

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1103E	Cedar Creek	From the Dickinson Bayou Tidal confluence to a point 0.63 km (0.39 mi) upstream FM 517 in Galveston County	Freshwater Stream	1103E_01	From the Dickinson Bayou Tidal confluence to a point 0.63 km (0.39 mi) upstream FM 517	Perennial	Water body description	High	Presumption from flow type	11434

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1103F	Unnamed Tributary of Dickinson Bayou Tidal	From the Dickinson Bayou Tidal confluence to a point 2.75 km (1.7 mi) upstream at Galveston County Drainage Ditch 9	Tidal Stream	1103F_01	From the Dickinson Bayou Tidal confluence to a point 2.75 km (1.7 mi) upstream at Galveston County Drainage Ditch 9	Tidal Stream	Water body description	High	Presumption from flow type	20477

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1103G	Unnamed Tributary of Gum Bayou	From the confluence with Gum Bayou to a point 0.39 mi south of the FM 646/FM 1266 intersection between League City and Dickinson	Tidal Stream	1103G_01	From the confluence with Gum Bayou to a point 0.39 mi south of the FM 646/FM 1266 intersection between League City and Dickinson	Tidal Stream	Water body description	High	Presumption from flow type	20728

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1104	Dickinson Bayou Above Tidal	From a point 4.0 km (2.5 mi) downstream of FM 517 in Galveston County to FM 528 in Galveston County	Freshwater Stream	1104_01	From the lower segment boundary (a point 4.0 km [2.5 mi] downstream of FM 517) to FM 517	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	No Stations
				1104_02	From FM 517 upstream to FM 528	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	11467

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1104A	Unnamed Tributary of Dickinson Bayou Above Tidal	From the Dickinson Bayou Above Tidal confluence to State Hwy 6	Freshwater Stream	1104A_01	From the Dickinson Bayou Above Tidal confluence to State Hwy 6	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1104B	Unnamed Tributary of Dickinson Bayou Above Tidal	From the Dickinson Bayou Above Tidal confluence to a point 0.46 km (0.73 mi) upstream of State Hwy 6	Freshwater Stream	1104B_01	From the Dickinson Bayou Above Tidal confluence to a point 0.46 km (0.73 mi) upstream of State Hwy 6	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1105	Bastrop Bayou Tidal	From the confluence with Bastrop Bay 1.1 km (0.7 mi) downstream of the Intracoastal Waterway in Brazoria County to a point 8.6 km (5.3 mi) upstream of Business 288 at Lake Jackson in Brazoria County	Tidal Stream	1105_01	From the confluence with Bastrop Bay 1.1 km (0.7 mi) downstream of the Intracoastal Waterway in Brazoria County to a point 8.6 km (5.3 mi) upstream of Business 288 at Lake Jackson in Brazoria County	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	11475; 18502; 18503; 18504; 18505

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1105A	Flores Bayou	From the confluence with Austin Bayou Above Tidal upstream to SH 35 in Brazoria County	Freshwater Stream	1105A_03	From the confluence with Austin Bayou Above Tidal upstream to the a point 2.6 km (1.6 mi) downstream of County Road 171	Perennial	Routine Flow Data	High	Presumption from flow type	18508
				1105A_04	From a point 2.6 km (1.6 mi) downstream of County Road 171 upstream to SH 35	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1105B	Austin Bayou Tidal	From the Bastrop Bayou Tidal confluence to the confluence with Brushy Bayou in Brazoria County	Tidal Stream	1105B_01	From the Bastrop Bayou Tidal confluence to the confluence with Brushy Bayou in Brazoria County	Tidal Stream	Water body description	High	Presumption from flow type	18048; 18507; 22012

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1105C	Austin Bayou Above Tidal	From the confluence of Bastrop Bayou upstream (Austin Bayou Tidal upper boundary) to 0.3 km (0.19 mi) upstream of SH 288 in Brazoria County	Freshwater Stream	1105C_01	From the confluence of Bastrop Bayou upstream (Austin Bayou Tidal upper boundary) to 0.3 km (0.19 mi) upstream of SH 288 in Brazoria County	Perennial	Routine Flow Data	High	Presumption from flow type	18506

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1105D	Unnamed Tributary of Bastrop Creek	From the Bastrop Bayou Tidal confluence to 0.57 km (0.35 mi) upstream of SH 288 Bus in Brazoria County	Freshwater Stream	1105D_01	From the Bastrop Bayou Tidal confluence to 0.57 km (0.35 mi) upstream of SH 288 Bus in Brazoria County	Perennial	Water body description	High	Presumption from flow type	21735

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1105E	Brushy Bayou	From the confluence with Austin Bayou Above Tidal (1105C) upstream to end of canal approximately 0.4 mi upstream of FM 210 crossing east of the City of Angleton in Brazoria County.	Freshwater Stream	1105E_01	From the confluence with Austin Bayou Above Tidal (1105C) upstream to end of canal approximately 0.4 mi upstream of FM 210 crossing east of the City of Angleton in Brazoria County.	Perennial	Water body description	High	Presumption from flow type	21734

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1107	Chocolate Bayou Tidal	From the confluence with Chocolate Bay 1.4 km (0.9 mi) downstream of FM 2004 in Brazoria County to the salt water barrier (immediately downstream of the Chocolate Bayou Rice Canal) 5.2 km (3.2 mi) downstream of SH 35 in Brazoria County	Tidal Stream	1107_01	From the confluence with Chocolate Bay 1.4 km (0.9 mi) downstream of FM 2004 in Brazoria County to the salt water barrier (immediately downstream of the Chocolate Bayou Rice Canal) 5.2 km (3.2 mi) downstream of SH 35 in Brazoria County	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	11478; 21178

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1108	Chocolate Bayou Above Tidal	From the salt water barrier (immediately downstream of the Chocolate Bayou Rice Canal) 5.2 km (3.2 mi) downstream of SH 35 in Brazoria County to SH 6 in Brazoria County	Freshwater Stream	1108_01	From the salt water barrier (immediately downstream of the Chocolate Bayou Rice Canal) 5.2 km (3.2 mi) downstream of SH 35 in Brazoria County to SH 6 in Brazoria County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11484

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1109	Oyster Creek Tidal	From the confluence with the Intracoastal Waterway in Brazoria County to a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County	Tidal Stream	1109_01	From the confluence with the Intracoastal Waterway in Brazoria County to a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	11485; 11486

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1110	Oyster Creek Above Tidal	From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County to a point 4.3 km (2.7 mi) upstream of Scanlan Road in Fort Bend County	Freshwater Stream	1110_01	From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County upstream to the Styles Bayou confluence	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11489; 11490
				1110_02	From Styles Bayou upstream to an unnamed tributary [2.9 km (1.8 mi) downstream of FM 1462]	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11491
				1110_03	From an unnamed tributary [2.9 km (1.8 mi) downstream of FM 1462] upstream to a point 4.3 km (2.7 mi) upstream of Scanlan Road in Fort Bend County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11493

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1110A	Upper Oyster Creek Above Tidal	From a point 4.3 km (2.7 mi) upstream of Scanlan Road in Fort Bend County upstream to the confluence with Middle Oyster Creek approximately 325 m south of McKeever Road in Fort Bend County	Freshwater Stream	1110A_01	From a point 4.3 km (2.7 mi) upstream of Scanlan Road in Fort Bend County upstream to the confluence with Middle Oyster Creek approximately 325 m south of McKeever Road in Fort Bend County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1111	Old Brazos River Channel Tidal	From the confluence with the Intracoastal Waterway in Brazoria County to SH 288 in Brazoria County	Tidal Stream	1111_01	From the confluence with the Intracoastal Waterway in Brazoria County to SH 288 in Brazoria County	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	11498

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1113	Armand Bayou Tidal	From the confluence with Clear Lake (at the NASA Road 1 bridge) in Harris County to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road in Pasadena in Harris County (includes Mud Lake)	Tidal Stream	1113_01	From the Clear Lake confluence at NASA Road 1 bridge to the Horsepen Bayou confluence	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	15455
				1113_02	From the Horsepen Bayou confluence to the Big Island Slough confluence	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	11503
				1113_03	From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	11505; 22187

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1113A	Armand Bayou Above Tidal	From the upper segment boundary of Armand Bayou Tidal, 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road), upstream to Beltway 8 in Harris County	Freshwater Stream	1113A_01	From the upper segment boundary of Armand Bayou Tidal 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road) upstream to Beltway 8	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	11404; 11405

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1113B	Horsepen Bayou Tidal	From the Armand Bayou confluence to the SH3	Tidal Stream	1113B_01	From the Armand Bayou confluence to the SH3	Tidal Stream	Water body description	High	Presumption from flow type	11409; 17317

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1113C	Unnamed Tributary to Horsepen Bayou	From the Horsepen Bayou confluence to Reseda Road	Freshwater Stream	1113C_01	From the Horsepen Bayou confluence to Reseda Drive	Perennial	Water body description	High	Presumption from flow type	17485

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1113D	Willow Springs Bayou	From the Armand Bayou Above Tidal confluence to a point 2.8 km (1.8 mi) upstream to an unnamed tributary	Freshwater Stream	1113D_01	From the Armand Bayou Above Tidal confluence to a point 2.8 km (1.8 mi) upstream to an unnamed tributary	Perennial	Water body description	High	Presumption from flow type	17487

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1113E	Big Island Slough	From the Armand Bayou confluence upstream to a point 2.4 km (1.5 mi) north of Spencer Hwy	Freshwater Stream	1113E_01	From the Armand Bayou confluence upstream to a point 2.4 km (1.5 mi) north of Spencer Hwy	Perennial	Water body description	High	Presumption from flow type	17486

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1113F	Unnamed Tributary of Armand Bayou Above Tidal	From the Armand Bayou Above Tidal confluence upstream to an unnamed tributary 0.48 km (0.3 mi) upstream of Beltway 8	Freshwater Stream	1113F_01	From the Armand Bayou Above Tidal confluence upstream to an unnamed tributary 0.48 km (0.3 mi) upstream of Beltway 8	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1113G	Unnamed Tributary of Armand Bayou Above Tidal	From the Armand Bayou Above Tidal confluence upstream to an unnamed tributary 1.4 km (0.86 mi) upstream of Red Bluff Road	Freshwater Stream	1113G_01	From the Armand Bayou Above Tidal confluence upstream to an unnamed tributary 1.4 km (0.86 mi) upstream of Red Bluff Road	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1113H	Unnamed Tributary of Armand Bayou Above Tidal	From the Armand Bayou Above Tidal to the confluence of an unnamed tributary 3.4 km (2.1 mi) upstream and south of Genoa-Red Bluff Road	Freshwater Stream	1113H_01	From the Armand Bayou Above Tidal to the confluence of an unnamed tributary 3.4 km (2.1 mi) upstream and south of Genoa-Red Bluff Road	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1113I	Unnamed Tributary of Willow Springs Bayou	From the Willow Springs Bayou confluence upstream to a point 0.37 km (0.23 mi) east of Center Street	Freshwater Stream	1113I_01	From the Willow Springs Bayou confluence upstream to a point 0.37 km (0.23 mi) east of Center Street	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1201	Brazos River Tidal	From the confluence with the Gulf of Mexico in Brazoria County to a point 100 meters (110 yards) upstream of SH 332 in Brazoria County	Tidal Stream	1201_01	From the confluence with the Gulf of Mexico in Brazoria County to a point 100 meters (110 yards) upstream of SH 332 in Brazoria County	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	11843

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1202	Brazos River Below Navasota River	From a point 100 meters (110 yards) upstream of SH 332 in Brazoria County to a point immediately upstream of the confluence of the Navasota River in Grimes County	Freshwater Stream	1202_01	Portion of the Brazos River from the confluence with the Brazos River Tidal in Brazoria County upstream to the confluence with Steep Bank Creek in Fort Bend County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	16355
				1202_02	Portion of the Brazos River from the confluence with Steep Bank Creek upstream to the confluence with Bessie's Creek in Fort Bend County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11846
				1202_03	Portion of the Brazos River from the confluence with Bessie's Creek in Fort Bend County upstream to the confluence with Mill Creek in Austin County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11848; 11849; 21816
				1202_04	Portion of Brazos River from the confluence with Mill Creek in Austin County upstream to the confluence with Lewisville Creek in Waller County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1202_05	Portion of the Brazos River from the confluence with Lewisville Creek in Waller County upstream to the confluence with the Navasota River in Grimes County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11850

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1202A	Beason Creek	Perennial stream from the confluence with the Brazos River upstream to CR 306	Freshwater Stream	1202A_01	Perennial stream from the confluence with the Brazos River upstream to the confluence with an unnamed tributary 2.8 km upstream of FM 362; App D	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations
				1202A_02	From the confluence with an unnamed tributary 2.8 km upstream of FM 362 to CR 306	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1202B	Rabbs Bayou	Rabbs Bayou - perennial stream section from Smithers Lake upstream to the confluence of an unnamed tributary below US 59	Freshwater Stream	1202B_01	Rabbs Bayou Appendix D perennial stream section from Smithers Lake upstream to the confluence of an unnamed tributary below US 59	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1202C	Hog Branch	Perennial stream from the confluence with Little Sandy Creek upstream to Loop 318 in the City of Brenham	Freshwater Stream	1202C_01	Perennial stream from the confluence with Little Sandy Creek upstream to Loop 318 in the City of Brenham	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1202D	New Year Creek	New Year Creek - perennial stream from the confluence of Woodward Creek upstream to the confluence of Big Sandy Creek	Freshwater Stream	1202D_01	New Year Creek an Appendix D perennial stream from the confluence of Woodward Creek upstream to the confluence of Big Sandy Creek	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1202E	Little Sandy Creek	Perennial stream from the confluence with New Year Creek to the headwaters at CR 46A	Freshwater Stream	1202E_01	Perennial stream from the confluence with New Year Creek to a point 100 m upstream of SH 36	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations
				1202E_02	Perennial stream from a point 100 m upstream of SH 36 upstream to the headwaters at CR 46A	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1202F	Unnamed Oxbow Slough	An unnamed oxbow slough immediately north of the intersection of US 90A and SH 6 at the head of Ditch H	Freshwater Stream	1202F_01	An unnamed oxbow slough immediately north of the intersection of US 90A and SH 6 at the head of Ditch H	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1202G	Brookshire Creek	Brookshire Creek - perennial stream from the confluence of an unnamed tributary located 0.2 km downstream of SH 359 upstream to 500 m upstream of US 90	Freshwater Stream	1202G_01	Brookshire Creek an Appendix D perennial stream from the confluence of an unnamed tributary located 0.2 km downstream of SH 359 upstream to 500 m upstream of US 90	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1202H	Allen's Creek	From the confluence with the Brazos River, two mi northeast of Wallis, to the headwaters one mi north of IH 10 in Austin County.	Freshwater Stream	1202H_01	From the confluence with the Brazos River, two mi northeast of Wallis, to the headwaters one mi north of IH 10 in Austin County.	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	11577; 21621; 21753

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1202I	Bessie's Creek	Bessie's Creek from the confluence of the Brazos River in Fort Bend County upstream to the headwater north of Pattison	Freshwater Stream	1202I_01	Bessie's Creek from the confluence of the Brazos River in Fort Bend County upstream to confluence of Bessie's Bayou west of Brookshire	Perennial	Flow Questionnaire	High	Presumption from flow type	21814
				1202I_02	Bessie's Creek Appendix D section from the confluence of Bessie's Bayou west of Brookshire upstream to the confluence of an unnamed tributary approximately 0.7 km upstream of FM 359 northwest of the City of Pattison	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations
				1202I_03	Bessie's Creek from the confluence of an unnamed tributary approximately 0.7 km upstream of FM 359 northwest of the City of Pattison upstream to the headwater north of Pattison	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1202J	Big Creek	Big Creek - from the confluence of the Brazos River upstream to the confluence of Cottonwood Creek and Coon Creek	Freshwater Stream	1202J_01	Big Creek from the confluence of the Brazos River upstream to the confluence of an unnamed tributary 2.1 km downstream of FM 2977 south of Rosenberg	Perennial	Routine Flow Data	High	Presumption from flow type	16353
				1202J_02	Big Creek Appendix D intermittent stream with perennial pools section from the confluence with an unnamed tributary 2.1 km downstream of FM 2977 upstream to the confluence of Cottonwood Creek and Coon Creek	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1202K	Mill Creek	From confluence of East and West Mill Creeks downstream to confluence with Brazos River	Freshwater Stream	1202K_01	Portion of Mill Creek from confluence with Brazos River upstream to confluence with East/West Forks Mill Creek in Austin County.	Perennial	Routine Flow Data	High	Presumption from flow type	11576; 21577; 21579

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1202P	Pond Creek	From its confluence with Clear Creek upstream to its headwaters, 3 mi north of Prairie View in Waller County	Freshwater Stream	1202P_01	From its confluence with Clear Creek upstream to its headwaters, 3 mi north of Prairie View in Waller County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1202Q	Clear Creek	Clear Creek - perennial stream from the confluence of the Brazos River upstream to the confluence of an unnamed tributary approximately 0.2 km upstream of FM 1488 east of Hempstead	Freshwater Stream	1202Q_01	Clear Creek an Appendix D perennial stream from the confluence of the Brazos River upstream to the confluence of an unnamed tributary approximately 0.2 km upstream of FM 1488 east of Hempstead	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1202R	Bullhead Bayou West	From the confluence with the Brazos River upstream, via FBCDD Ditch H, to the headwaters near the intersection of Plantation Dr. and Harlem Rd. in Pecan Grove in Fort Bend County	Freshwater Stream	1202R_01	From the confluence with the Brazos River upstream, via FBCDD Ditch H, to the headwaters near the intersection of Plantation Dr. and Harlem Rd. in Pecan Grove in Fort Bend County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1202S	Bullhead Bayou East	From Lexington Blvd to the Sweetwater Golf Course in Fort Bend County	Freshwater Stream	1202S_01	From Lexington Blvd to the Sweetwater Golf Course in Fort Bend County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	17371

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1202T	Unnamed Tributary of Bullhead Bayou East	Unnamed tributary to Bullhead Bayou East in Fort Bend County	Freshwater Stream	1202T_01	Unnamed tributary to Bullhead Bayou East in Fort Bend County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	17382

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1202U	Alcorn Bayou	From the confluence with FBCDD Ditch H upstream to the confluence with Bullhead Bayou East in Fort Bend County	Freshwater Stream	1202U_01	From the confluence with FBCDD Ditch H upstream to the confluence with Bullhead Bayou East in Fort Bend County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	17381

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1202V	East Fork Mill Creek	From confluence of Mill Creek and West Mill Creek upstream 34.3 miles	Freshwater Stream	1202V_01	From confluence of Mill Creek and West Mill Creek upstream 34.3 miles	Perennial	Routine Flow Data	High	Presumption from flow type	21584

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1202W	West Fork Mill Creek	From confluence of Mill Creek and East Mill Creek upstream 39.1 miles	Freshwater Stream	1202W_01	From confluence of Mill Creek and East Mill Creek upstream 39.1 miles	Perennial	Routine Flow Data	High	Presumption from flow type	21582

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1202X	Sandy Creek	From confluence of Mill Creek upstream 1.8 miles	Freshwater Stream	1202X_01	From confluence of Mill Creek upstream 1.8 miles	Perennial	Routine Flow Data	High	Presumption from flow type	21580

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1203	Whitney Lake	From Whitney Dam... to a point immediately upstream of the confluence of Camp Creek on the Brazos River Arm... and to a point immediately upstream of the confluence of Rock Creek on the Nolan River Arm..., up to the normal pool elevation of 533 feet (impo	Reservoir	1203_01	Portion near dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11851; 13987
				1203_02	Main Body of Lake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11855; 13990
				1203_03	Steele Creek Arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	18654
				1203_04	Riverine portion east of Morgan	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1203_05	Nolan River Arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11854
				1203_06	Brazos River Arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11853

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1203A	Steele Creek	Perennial stream from the confluence with Whitney Lake up to 2.4 km above the confluence of Cox Branch	Freshwater Stream	1203A_01	Perennial stream from the confluence with Whitney Lake up to 2.4 km above the confluence of Cox Branch	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1204	Brazos River Below Lake Granbury	From a point immediately upstream of the confluence of Camp Creek in Bosque/Johnson County to De Cordova Bend Dam in Hood County	Freshwater Stream	1204_01	Portion of Brazos River below Lake Granbury from the confluence with Camp Creek upstream to the confluence with the Paluxy River in Somervell County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1204_02	Portion of Brazos River below Lake Granbury from the confluence with the Paluxy River upstream to De Cordova Bend Dam in Hood County.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	20213

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1204A	Camp Creek	From its confluence with the Brazos River downstream of Lake Granbury, upstream to its headwaters, 0.9 mi north of US Hwy 67 in Johnson County.	Freshwater Stream	1204A_01	From its confluence with the Brazos River downstream of Lake Granbury, upstream to its headwaters, 0.9 mi north of US Hwy 67 in Johnson County.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	17533

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1205	Lake Granbury	From De Cordova Bend Dam in Hood County to a point 100 meters (110 yards) upstream of FM 2580 in Parker County, up to the normal pool elevation of 693 feet (impounds Brazos River)	Reservoir	1205_01	Upstream portion of lake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1205_02	Portion of lake adjacent to the City of Oak Trail Shores	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11862
				1205_03	Portion of lake adjacent to the City of Granbury	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	20307
				1205_04	Portion of lake downstream of Granbury	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1205_05	Downstream portion of lake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11860
				1205_SA1	Unnamed inlets and canals adjacent to AU 1205_01	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1205_SA2	Unnamed inlets and canals adjacent to 1205_02	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	18010; 18015
				1205_SA3	Unnamed inlets and canals adjacent to 1205_03	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	18018
				1205_SA4	Unnamed inlets and canals adjacent to 1205_04	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	18038; 20216
				1205_SA5	Unnamed inlets and canals adjacent to AU 1205_05	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1205A	McCarthy Branch	Intermittent stream with perennial pools from the confluence with Lake Granbury up to the headwaters terminating at a pond 0.6 km southeast of US 377	Freshwater Stream	1205A_01	Intermittent stream with perennial pools from the confluence with Lake Granbury upstream to FM 208 (FM 4); App D	Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations
				1205A_02	From FM 208 (FM 4) upstream to the headwaters terminating at a pond 0.6 km southeast of US 377	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1205B	Bee Creek	Tributary to Lake Granbury, 2.2 mi north of Granbury in Hood County	Freshwater Stream	1205B_01	Tributary to Lake Granbury, 2.2 mi north of Granbury in Hood County	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1205C	Walnut Creek	From the confluence with Lake Granbury upstream to its headwaters in Hood County	Freshwater Stream	1205C_01	From the confluence with Lake Granbury upstream to its headwaters in Hood County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1205D	Contrary Creek	From the confluence with Lake Granbury near Indian Head Harbor, upstream to its headwaters in Hood County.	Freshwater Stream	1205D_01	From the confluence with Lake Granbury near Indian Head Harbor, upstream to its headwaters in Hood County.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1205E	Rucker Creek	From the confluence with Lake Granbury, near west Granbury, upstream to its headwaters in Parker County.	Freshwater Stream	1205E_01	Portion of Rucker Creek from the confluence with Lake Granbury, upstream to the confluence with unnamed tributary (reach code 1206020100907) in Hood County.	Intermittent	WQS/Permits program	Minimal	Previous TCEQ permit decision	22240
				1205E_02	Portion of Rucker Creek from the confluence with unnamed tributary in Hood County upstream to its headwaters in Parker County.	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1205F	Strouds Creek	From the confluence with Lake Granbury near the south Oak Trail Shores, upstream to its headwaters in Hood County.	Freshwater Stream	1205F_01	From the confluence with Lake Granbury near the south Oak Trail Shores, upstream to its headwaters in Hood County.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1205G	Robinson Creek	From the confluence with Lake Granbury near north Oak Trail Shores, upstream to its headwaters in Hood County.	Freshwater Stream	1205G_01	From the confluence with Lake Granbury near north Oak Trail Shores, upstream to its headwaters in Hood County.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1205H	Long Creek	From the confluence with the north east portion of Lake Granbury in Hood County, upstream to its headwaters in Parker County.	Freshwater Stream	1205H_01	From the confluence with the north east portion of Lake Granbury in Hood County, upstream to its headwaters in Parker County.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1206	Brazos River Below Possum Kingdom Lake	From a point 100 meters (110 yards) upstream of FM 2580 in Parker County to Morris Sheppard Dam in Palo Pinto County	Freshwater Stream	1206_01	Portion of the Brazos River 100 meters (110 yards) upstream of FM 2580 in Parker County upstream to confluence with Rock Creek in Parker County.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13543
				1206_02	Portion of Brazos River from confluence with Rock Creek upstream to confluence with Elm Creek in Palo Pinto County.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11863; 18745
				1206_03	Portion of Brazos river from confluence with Elm Creek in Palo Pinto County upstream to Possum Kingdom Reservoir in Palo Pinto county.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11864; 18748

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1206A	Kickapoo Creek	Intermittent stream with perennial pools from the confluence with the Brazos River in Parker County upstream to the headwaters 0.7 km west of US 281	Freshwater Stream	1206A_01	Intermittent stream with perennial pools from the confluence with the Brazos River in Parker County upstream to Bailey's Lake at the Hood-Erath county line near the City of Lipan; App D	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations
				1206A_02	From Bailey's Lake at the Hood-Erath county line near the City of Lipan to the headwaters 0.7 km west of US 281	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1206B	Rock Creek	From the confluence with the Brazos River to an unnamed second order tributary approximately 0.7 km downstream of Lake Mineral Wells	Freshwater Stream	1206B_01	From the confluence with the Brazos River to the confluence with Dry Creek	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				1206B_02	Intermittent stream with perennial pools from the confluence with Dry Creek upstream to the confluence with an unnamed second order tributary approximately 0.7 km downstream of Lake Mineral Wells; App D	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1206C	Unnamed Tributary of Rock Creek	Intermittent stream with perennial pools from the confluence with Rock Creek upstream to the confluence with an unnamed first order tributary approximately 0.2 km upstream of Hood road, west of Lake Mineral Wells	Freshwater Stream	1206C_01	Intermittent stream with perennial pools from the confluence with Rock Creek upstream to the confluence with an unnamed first order tributary approximately 0.2 km upstream of Hood road, west of Lake Mineral Wells; App D	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1206D	Palo Pinto Creek	'From the confluence with the Brazos River upstream to its headwaters within the City of Eastland, in in Palo Pinto County.	Freshwater Stream	1206D_01	Portion of Palo Pinto Creek from its confluence with the Brazos River upstream to Palo Pinto Reservoir Dam in Palo Pinto County.	Perennial	Routine Flow Data	High	Presumption from flow type	11074

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1206E	Lake Mineral Wells	Impounded Rock Creek within Mineral Wells city limits, Parker County	Reservoir	1206E_01	Impounded Rock Creek within Mineral Wells city limits, Parker County	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1207	Possum Kingdom Lake	From Morris Sheppard Dam in Palo Pinto County to a point immediately upstream of the confluence of Cove Creek at Salem Bend in Young County, up to the normal pool elevation of 1000 feet (impounds Brazos River)	Reservoir	1207_01	Rock Creek arm of lake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1207_02	Deep Elm Creek arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11868
				1207_03	Portion of segment west of SH 16	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1207_04	Portion of lake containing Costello Island	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1207_05	Elm Creek arm of segment	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11867
				1207_06	Veale creek arm of segment	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	14025; 21995; 21996; 21997
				1207_07	Portion of lake adjacent to northeast corner of state park	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1207_08	Caddo Creek arm of lake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1207_09	Portion of lake south of FM 2951	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1207_10	Bluff Creek arm of lake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11866
				1207_11	Jewell Creek arm of lake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1207_12	Downstream portion of lake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11865

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1208	Brazos River Above Possum Kingdom Lake	From a point immediately upstream of the confluence of Cove Creek at Salem Bend in Young County to the confluence of the Double Mountain Fork Brazos River and the Salt Fork Brazos River in Stonewall County	Freshwater Stream	1208_01	Portion of segment from confluence with Possum Kingdom Reservoir headwaters upstream to confluence with Spring Branch in Young County.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11869
				1208_02	Portion of segment from confluence with Spring Branch upstream to confluence with Fish Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13641
				1208_03	From confluence with Fish Creek upstream to confluence with Boggy Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1208_04	From confluence with Boggy Creek upstream to confluence with Millers Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11870
				1208_05	From confluence with Millers Creek upstream to confluence with Lake Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11871
				1208_06	From confluence with Lake Creek upstream to the confluence with Salt and Double Mountain Forks of the Brazos River	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	21531

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1208A	Millers Creek Reservoir	Impoundment of Millers Creek, 12.5 mi southwest of Seymour in Baylor County	Reservoir	1208A_01	Impoundment of Millers Creek, 12.5 mi southwest of Seymour in Baylor County	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1209	Navasota River Below Lake Limestone	From the confluence with the Brazos River in Grimes County to Sterling C. Robertson Dam in Leon/Robertson County	Freshwater Stream	1209_01	Portion of the Navasota River from confluence with Brazos River upstream to confluence with Rocky Creek in Grimes County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11873
				1209_02	Portion of the Navasota River from confluence with Rocky Creek upstream to confluence with Sandy Branch in Grimes County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11875
				1209_03	Portion of the Navasota River from confluence with Sandy Branch upstream to confluence with Shepherd Branch in Madison County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	16398
				1209_04	Portion of the Navasota River from confluence with Shepherd Creek in Madison County upstream to confluence with Camp Creek in Robertson County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1209_05	Portion of the Navasota River from confluence with Camp Creek upstream to Lake Limestone Dam in Robertson County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11877

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1209A	Country Club Lake	From the Country Club Branch Dam up to normal pool elevation in Bryan in Brazos County	Reservoir	1209A_01	From the Country Club Branch Dam up to normal pool elevation in Bryan in Brazos County	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1209B	Fin Feather Lake	From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County	Reservoir	1209B_01	From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1209C	Carters Creek	Perennial stream from the confluence with the Navasota River southeast of College Station in Brazos County upstream to the headwaters 1.6 km upstream on US 190	Freshwater Stream	1209C_01	Perennial stream from the confluence with the Navasota River upstream to the confluence of an unnamed tributary 0.5 km upstream of FM 158; App D	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	11782; 11785; 21259
				1209C_02	From an unnamed tributary 0.5 km upstream of FM 158 to the headwaters 1.6 km upstream on US 190	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1209D	Country Club Branch	From the confluence with Country Club Lake in Bryan in Brazos County to the dam at Fin Feather Lake in Bryan	Freshwater Stream	1209D_01	From the confluence with Country Club Lake in Bryan in Brazos County to the dam at Fin Feather Lake in Bryan	Intermittent w/pools	Routine Flow Data	Intermediate	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1209E	Wickson Creek	Perennial stream from the confluence with an unnamed first order tributary (approximately 1.3 km upstream of Reliance Road crossing) upstream to the confluence with an unnamed first order tributary approximately 15 meters upstream of Dilly Shaw Road	Freshwater Stream	1209E_01	Perennial stream from the confluence with an unnamed first order tributary (approximately 1.3 km upstream of Reliance Road crossing) upstream to the confluence with an unnamed first order tributary approximately 15 meters upstream of Dilly Shaw Road	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1209F	Wolfpen Creek	Intermittent stream with perennial pools from the confluence with Carter Creek to near Bizzell Street in College Station	Freshwater Stream	1209F_01	Intermittent stream with perennial pools from the confluence with Carter Creek to near Bizzell Street in College Station	Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1209G	Cedar Creek	From the confluence with the Navasota River in Brazos County to the confluence with Moores Branch and Rocky Branch in Robertson County	Freshwater Stream	1209G_01	From the confluence with the Navasota River in Brazos County to the confluence with Moores Branch and Rocky Branch in Robertson County	Perennial	Flow Questionnaire	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1209H	Duck Creek	From the confluence with the Navasota river in Robertson County to Twin Oak Reservoir dam in Robertson County	Freshwater Stream	1209H_01	Portion of Duck Creek from confluence with Navasota River upstream to confluence with Mineral Creek in Robertson County.	Perennial	Flow Questionnaire	High	Presumption from flow type	16389
				1209H_02	Portion of Duck Creek from confluence with Mineral Creek in Robertson County upstream to Twin Oak Reservoir dam in Robertson County.	Perennial	Flow Questionnaire	High	Presumption from flow type	21742

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1209I	Gibbons Creek	From confluence with Navasota River in Grimes County to SH 90 in Grimes County	Freshwater Stream	1209I_01	Portion of Gibbons Creek from confluence with Navasota River upstream to confluence with Dry Creek in Grimes County.	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations
				1209I_02	Portion of Gibbons Creek from confluence with Dry Creek upstream to Gibbons Creek Reservoir dam in Grimes County	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	18800
				1209I_03	Portion of Gibbons Creek from confluence with Gibbons Creek Reservoir headwaters, upstream to headwaters of water body, in Grimes County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1209J	Shepherd Creek	From the confluence with the Navasota River in Madison County to a point 0.7 mi upstream of FM 1452 in Madison County	Freshwater Stream	1209J_01	From the confluence with the Navasota River in Madison County to a point 0.7 mi upstream of FM 1452 in Madison County	Intermittent	Flow Questionnaire	Minimal	Presumption from flow type	11790

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1209K	Steele Creek	From confluence with Navasota River in Robertson County to a point 2.4 mi upstream of FM 147 in Limestone County	Freshwater Stream	1209K_01	Portion of Steele Creek from confluence with Navasota River upstream to confluence with Willow Creek in Robertson County.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				1209K_02	Portion of Steele Creek from confluence with Willow Creek upstream to headwaters in Limestone County.	Intermittent	Flow Questionnaire	Minimal	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1209L	Burton Creek	Burton Creek - from the confluence of Carters Creek in College Station upstream to the headwater 0.7 km northeast of Finfeather Lake in Bryan	Freshwater Stream	1209L_01	Burton Creek from the confluence of Carters Creek in College Station upstream to the headwater 0.7 km northeast of Finfeather Lake in Bryan	Intermittent w/pools	Water body description	Limited	Presumption from flow type	11783

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1209N	Gibbons Creek Reservoir	Impounded Gibbons Creek , 18.2 km east of College Station in Grimes County.	Reservoir	1209N_01	Gibbons Creek Arm	Reservoir	Water body description	High	Presumption from Flow Type	No Stations
				1209N_02	Main Body of Lake	Reservoir	Water body description	High	Presumption from Flow Type	No Stations
				1209N_03	Hog Creek Arm	Reservoir	Water body description	High	Presumption from Flow Type	No Stations
				1209N_04	Sulphur Creek Arm	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1209O	Normangee Lake	Impounded Running Creek, 7.5 km west of Normangee in Leon County.	Reservoir	1209O_01	Impounded Running Creek, 7.5 km west of Normangee in Leon County.	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1209P	Clear Creek	From the confluence with Navasota River below Lake Limestone upstream to headwaters, 11 km southeast of Marquez in Leon County	Freshwater Stream	1209P_01	From the confluence with Navasota River below Lake Limestone upstream to headwaters, 11 km southeast of Marquez in Leon County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1210	Lake Mexia	From Bistone Dam in Limestone County up to the normal pool elevation of 448.3 feet (impounds Navasota River)	Reservoir	1210_01	Eastern end of reservoir, from dam to RR 2681 east of Washington Park	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	17588
				1210_02	Western end, from point where reservoir begins to widen, to upper end	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	17586; 17587

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1210A	Navasota River Above Lake Mexia	From the confluence with the headwaters of Lake Mexia in Limestone County to a point 1.25 mi upstream of SH 31 in Hill County	Freshwater Stream	1210A_01	From the confluence with the headwaters of Lake Mexia in Limestone County to a point 1.25 mi upstream of SH 31 in Hill County	Intermittent	Flow Questionnaire	Minimal	Presumption from flow type	16391

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1211	Yegua Creek	From the confluence with the Brazos River in Burleson/Washington County to Somerville Dam in Burleson/Washington County	Freshwater Stream	1211_01	From the confluence with the Brazos River in Burleson/Washington County to Somerville Dam in Burleson/Washington County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11880

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1211A	Davidson Creek	Intermittent stream with perennial pools from the confluence with Yegua Creek to 1.7 km above CR 322, Milam County	Freshwater Stream	1211A_01	From 0.2 km above SH 21 near the City of Caldwell upstream to the headwaters 1.7 km above CR 322	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				1211A_02	Intermittent stream with perennial pools from the confluence with Yegua Creek upstream to 0.2 km above SH 21 near the City of Caldwell; App D	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	11729; 18349; 20388; 21420

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1212	Somerville Lake	From Somerville Dam in Burleson/Washington County up to the normal pool elevation of 238 feet (impounds Yegua Creek)	Reservoir	1212_01	Eastern end of reservoir near dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11881
				1212_02	Northern arm of reservoir near town of Somerville	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	22060
				1212_03	Middle of reservoir near Birch Creek State Park	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	16879; 20532
				1212_04	Western end of reservoir near upper segment boundary	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	22059

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1212A	Middle Yegua Creek	From the confluence with East Yegua and Yegua Creeks in Lee County to the Lee County/Williamson County line	Freshwater Stream	1212A_01	From confluence with East Yegua Creek upstream to confluence with West Yegua Creek in Lee County.	Perennial	Flow Questionnaire	High	Presumption from flow type	11838
				1212A_02	From confluence with West Yegua Creek upstream to headwaters of water body in Williamson County.	Perennial	Routine Flow Data	High	Presumption from flow type	11840; 18750

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1212B	East Yegua Creek	From the confluence with Middle Yegua and Yegua Creeks southeast of Dime Box in Lee County to the upstream portion of the stream, south of Alcoa Lake in Milam County	Freshwater Stream	1212B_01	Portion of East Yegua Creek from confluence with Middle Yegua Creek in Burleson County upstream to confluence with Allen Creek in Lee County.	Perennial	Flow Questionnaire	High	Presumption from flow type	11594
				1212B_02	Portion of East Yegua Creek from confluence with Allen Creek in Lee County upstream to headwaters in Milam County.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1212C	Nail Creek	Nail Creek from the confluence of Yegua Creek upstream to the headwater 340 m north of US 290 west of Giddings	Freshwater Stream	1212C_01	Nail Creek from the confluence of Yegua Creek upstream to the headwater 340 m north of US 290 west of Giddings	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1212D	Cedar Creek	Cedar Creek from the confluence of Somerville Lake upstream to the headwater approximately 2 km north of US 290 west of Burton	Freshwater Stream	1212D_01	Cedar Creek from the confluence of Somerville Lake upstream to the headwater approximately 2 km north of US 290 approximately 2.2 km west of Burton	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1212E	McCain Creek	McCain Creek from the confluence of Somerville Lake upstream to the headwater near FM 390 W (La Bahia Trail W) approximately 3 km northeast of Burton	Freshwater Stream	1212E_01	McCain Creek from the confluence of Somerville Lake upstream to the headwater near FM 390 W (La Bahia Trail W) approximately 3 km northeast of Burton	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1212F	Burns Creek	Burns Creek from the confluence of Somerville Lake upstream to the headwater approximately 1.4 km north of the intersection of FM 390 W (La Bahia Trail W) and FM 1948 northeast of Burton	Freshwater Stream	1212F_01	Burns Creek from the confluence of Somerville Lake upstream to the headwater approximately 1.4 km north of the intersection of FM 390 W (La Bahia Trail W) and FM 1948 northeast of Burton	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1212G	Jerdelle Creek	Jerdelle Creek from the confluence of Somerville Lake upstream to the headwater near FM 390 W (La Bahia Trail W) approximately 9 km northeast of Burton	Freshwater Stream	1212G_01	Jerdelle Creek from the confluence of Somerville Lake upstream to the headwater near FM 390 W (La Bahia Trail W) approximately 9 km northeast of Burton	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1212H	Sandy Branch	Sandy Branch from the confluence of Somerville Lake upstream to the headwater near Haack Lane approximately 4.7 km west of the intersection of FM 390 W (La Bahia Trail W) and SH 36	Freshwater Stream	1212H_01	Sandy Branch from the confluence of Somerville Lake upstream to the headwater near Haack Lane approximately 4.7 km west of the intersection of FM 390 W (La Bahia Trail W) and SH 36	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1212I	Birch Creek	Birch Creek from the confluence of Somerville Lake upstream to the headwater at FM 60 approximately 11 km south of Caldwell	Freshwater Stream	1212I_01	Birch Creek from the confluence of Somerville Lake upstream to the headwater at FM 60 approximately 11 km south of Caldwell	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1212J	Big Creek	Big Creek from the confluence of Somerville Lake upstream to the headwater at FM 976 (Frenstat Rd) approximately 12.8 km northwest of Somerville	Freshwater Stream	1212J_01	Big Creek from the confluence of Somerville Lake upstream to the headwater at FM 976 (Frenstat Rd) approximately 12.8 km northwest of Somerville	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1212K	Brushy Creek	Brushy Creek from the confluence of Somerville Lake upstream to the headwater near the intersection of Burleson CR 408 and CR 415 approximately 3 km northwest of Somerville	Freshwater Stream	1212K_01	Brushy Creek from the confluence of Somerville Lake upstream to the headwater near the intersection of Burleson CR 408 and CR 415 approximately 3 km northwest of Somerville	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1212L	Yegua Creek	Yegua Creek from the confluence of Somerville Lake upstream to the confluence of East Yegua and Middle Yegua Creeks at the Burleson and Lee County Line	Freshwater Stream	1212L_01	Yegua Creek from the confluence of Somerville Lake upstream to the confluence of East Yegua and Middle Yegua Creeks at the Burleson and Lee County Line	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1213	Little River	From the confluence with the Brazos River in Milam County to the confluence of the Leon River and the Lampasas River in Bell County	Freshwater Stream	1213_01	From the confluence with Brazos River upstream to confluence with City of Cameron WWTP receiving water	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11887; 11888; 22084
				1213_02	From the City of Cameron WWTP receiving water upstream to the confluence with the San Gabriel River	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1213_03	From confluence with San Gabriel River upstream to confl. with Boggy Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13544
				1213_04	From confluence with Boggy Creek upstream to its confluence with Leon and Lampasas Rivers	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13546

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1213A	Big Elm Creek	From the confluence with Little River in Milam county, 4.5 km northeast of the City of Cameron , upstream to its headwaters in McLennan County, 0.7 km west of Moody.	Freshwater Stream	1213A_01	Portion of Big Elm Creek from the confluence with the Little River upstream to confluence with Little Elm Creek.	Perennial	Routine Flow Data	High	Presumption from flow type	16385
				1213A_02	Portion of Big Elm Creek from the confluence with Little Elm Creek upstream to its headwaters.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1213B	Little Elm Creek	From the confluence with Big Elm Creek upstream to headwaters, 2.5 km north of Temple in Bell County	Freshwater Stream	1213B_01	From confluence with Big Elm Creek upstream to confluence with Williamson Branch	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations
				1213B_02	From confluence with Williamson Branch upstream to headwaters	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1213C	Unnamed Tributary of Little Elm Creek	From confluence with Little Elm Creek upstream to headwaters in Temple, Bell County	Freshwater Stream	1213C_01	From confluence with Little Elm Creek upstream to headwaters in Temple, Bell County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1214	San Gabriel River	From the confluence with the Little River in Milam County to Granger Lake Dam in Williamson County	Freshwater Stream	1214_01	From confluence with Little River upstream to confl. with Alligator Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	17651
				1214_02	From confluence with Alligator Creek upstream to Lake Granger	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13648

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1215	Lampasas River Below Stillhouse Hollow Lake	From the confluence with the Leon River in Bell County to Stillhouse Hollow Dam in Bell County	Freshwater Stream	1215_01	From the confluence with the Leon River in Bell County to Stillhouse Hollow Dam in Bell County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13547

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1216	Stillhouse Hollow Lake	From Stillhouse Hollow Dam in Bell County to a point immediately upstream of the confluence of Rock Creek in Bell County, up to the normal pool elevation of 622 feet (impounds Lampasas River)	Reservoir	1216_01	Main Body of Lake	Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A	11894; 11895; 18753
				1216_02	Riverine portion of reservoir	Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A	No Stations
				1216_SA1	Branch Cove associated with main body of lake	Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A	20051

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1216A	Trimmier Creek	From confluence with Stillhouse Hollow Lake upstream to its headwaters, southwest of Killeen in Bell County.	Freshwater Stream	1216A_01	From confluence with Stillhouse Hollow Lake upstream to its headwaters, southwest of Killeen in Bell County.	Perennial	Routine Flow Data	High	Presumption from flow type	18754

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1216B	Onion Creek	From confluence with riverine portion of Stillhouse Hollow Lake, upstream to its headwaters, west of Killeen in Bell County.	Freshwater Stream	1216B_01	From confluence with riverine portion of Stillhouse Hollow Lake, upstream to its headwaters, west of Killeen in Bell County.	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1216C	Pleasant Branch	Pleasant Branch from the confluence with Trimmier Creek upstream to the headwaters at US 190 in Harker Heights	Freshwater Stream	1216C_01	Pleasant Branch from the confluence with Trimmier Creek upstream to the headwaters at US 190 in Harker Heights	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	21689

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1216D	Unnamed tributary of Trimmier Creek	Unnamed tributary from the confluence with Trimmier Creek upstream to the headwaters in Harker Heights	Freshwater Stream	1216D_01	Unnamed tributary from the confluence with Trimmier Creek upstream to the headwaters in Harker Heights	Perennial	Routine Flow Data	High	Presumption from flow type	21690

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1217	Lampasas River Above Stillhouse Hollow Lake	From a point immediately upstream of the confluence of Rock Creek in Bell County to FM 2005 in Hamilton County	Freshwater Stream	1217_01	Portion of Lampasas River from confluence with Rock Creek in Bell County, upstream to confluence with Mesquite Creek, west of Kempner in Lampasas County.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11896
				1217_02	Portion of Lampasas River from confluence with Mesquite Creek upstream to confluence with Lucy Creek in Lampasas County.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11897
				1217_03	Portion of Lampasas River from confluence with Lucy Creek upstream to confluence with Sims Creek in Lampasas County.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	16404
				1217_04	Portion of Lampasas River from confluence with Simms Creek upstream to confluence with Bennett Creek in Lampasas County.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	15770
				1217_05	Portion of Lampasas River from confluence with Bennett Creek upstream to its headwaters in Mills County.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	15762

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1217A	Rocky Creek	From the confluence of the Lampasas River north of Oakalla in Burnet County to the confluences of the North and South Rocky Creeks south of Oakalla in Burnet County	Freshwater Stream	1217A_01	From the confluence of the Lampasas River north of Oakalla in Burnet County to the confluences of the North and South Rocky Creeks south of Oakalla in Burnet County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	11724

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1217B	Sulphur Creek	From the confluence of the Lampasas River east of Lampasas in Lampasas County to the confluences of Bean Creek and East Fork Sulphur Creek west of Lampasas in Lampasas County	Freshwater Stream	1217B_01	Perennial stream from the confluence with the Lampasas River upstream to the spring source located in the City of Lampasas; App D	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	15250; 15781
				1217B_02	From the spring source located in the City of Lampasas upstream to the confluences with Bean Creek and East Fork Sulphur Creek west of Lampasas in Lampasas County	Perennial	Routine Flow Data	High	Presumption from flow type	18782

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1217C	Simms Creek	From the confluence with the Lampasas River in Coryell County to a point 2.3 mi upstream of CR 59 in Mills County	Freshwater Stream	1217C_01	From the confluence with the Lampasas River in Coryell County to a point 2.3 mi upstream of CR 59 in Mills County	Perennial	Flow Questionnaire	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1217D	North Fork Rocky Creek	Intermittent stream with perennial pools from the confluence with South Rocky Creek upstream to its headwaters approximately 11 km west of US 183]	Freshwater Stream	1217D_01	Intermittent stream with perennial pools from the confluence with South Rocky Creek upstream to its headwaters approximately 11 km west of US 183; App D	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	18334

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1217E	South Rocky Creek	From its confluence with North Rocky Creek, upstream to its headwaters 11 mi west of US Hwy 183 in Burnet County	Freshwater Stream	1217E_01	From its confluence with North Rocky Creek, upstream to its headwaters 11 mi west of US Hwy 183 in Burnet County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1217F	Reese Creek	From its confluence with the Lampasas River Above Stillhouse Hollow Lake upstream to its headwaters, 6.7 km south west of Killeen in Bell County.	Freshwater Stream	1217F_01	From confluence with Lampasas River above Stillhouse Hollow Lake upstream to confluence with un-named tributary (NHD reach code 12070203002555).	Perennial	Routine Flow Data	High	Presumption from flow type	18759
				1217F_02	From confluence with un-named tributary (NHD reach code 12070203002555) upstream to headwaters in Bell county.	Intermittent	Flow Questionnaire	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1217G	Clear Creek	Clear Creek from the confluence of the Lampasas River upstream to the headwater in Copperas Cove	Freshwater Stream	1217G_01	Clear Creek from the confluence of the Lampasas River upstream to the headwater in Copperas Cove	Perennial	Routine Flow Data	High	Presumption from flow type	21016

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1218	Nolan Creek/ South Nolan Creek	From the confluence with the Leon River in Bell County to a point 100 meters (110 yards) upstream of the most upstream crossing of US 190 near the intersection of US 190 and Loop 172 in Bell County	Freshwater Stream	1218_01	Portion of Nolan Creek from the confluence with the Leon River upstream to the confluence with North Nolan/South Nolan Creek fork in Bell County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	14237
				1218_02	Portion of South Nolan Creek from the confluence with North Nolan/Nolan Creek fork upstream to the confluence with Liberty Ditch in the City of Killeen in Bell County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11905; 11907; 11908; 11911; 11912; 11913; 18827; 18828
				1218_03	Portion of South Nolan Creek from the confluence with Liberty Ditch in Killeen upstream to a point 100 meters (110 yards) upstream of the most upstream crossing of US 190 near the intersection of US 190 and Loop 172 in Bell County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1218A	Unnamed Tributary to Little Nolan Creek	From the confluence with Little Nolan Creek upstream to headwaters in the city of Killeen, Bell County.	Freshwater Stream	1218A_01	From the confluence with Little Nolan Creek upstream to headwaters in the city of Killeen, Bell County.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1218B	South Nolan Creek	From 100 meters upstream of the most upstream crossing of US 190 near the intersection of US 190 and Loop 172 upstream to headwaters in the city of Killeen, Bell County.	Freshwater Stream	1218B_01	From 100 meters upstream of the most upstream crossing of US 190 near the intersection of US 190 and Loop 172 upstream to headwaters in the city of Killeen, Bell County.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1218C	Little Nolan Creek	From the confluence with Nolan Creek/South Nolan Creek upstream to headwaters in the city of Killeen, Bell County.	Freshwater Stream	1218C_01	From the confluence with Nolan Creek/South Nolan Creek upstream to headwaters in the city of Killeen, Bell County.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	21437

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1218D	Long Branch	Long Branch from the confluence with Nolan Creek/South Nolan Creek in Killeen upstream to the headwaters on the Fort Hood Military Reservation north of Killeen	Freshwater Stream	1218D_01	Long Branch from the confluence with Nolan Creek/South Nolan Creek in Killeen upstream to the headwaters on the Fort Hood Military Reservation north of Killeen	Perennial	Routine Flow Data	High	Presumption from flow type	21436; 21926; 21927

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1219	Leon River Below Belton Lake	From the confluence with the Lampasas River in Bell County to Belton Dam in Bell County	Freshwater Stream	1219_01	From the confluence with the Lampasas River in Bell County to Belton Dam in Bell County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11916

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1220	Belton Lake	From Belton Dam in Bell County to a point 100 meters (110 yards) upstream of FM 236 in Coryell County, up to the normal pool elevation of 594 feet (impounds Leon River)	Reservoir	1220_01	Portion of Lake near Dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11921; 20835
				1220_02	Cowhouse Creek Arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11922; 15678
				1220_03	Leon River Arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11923; 15679; 18798

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1220A	Cowhouse Creek	From the confluence of Belton Lake in Bell County south of Gatesville in Coryell County to the upstream perennial portion of the stream north of Goldthwaite in Mills County	Freshwater Stream	1220A_01	Downstream portion of water body	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations
				1220A_02	Middle portion of water body	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	11805
				1220A_03	Upstream portion of water body	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1221	Leon River Below Proctor Lake	From a point immediately upstream of the confluence of Plum Creek in Coryell County to Proctor Dam in Comanche County	Freshwater Stream	1221_04	From a point immediately upstream of the confluence of Plum Creek in Coryell County upstream to the confluence with Pecan Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11929; 11930
				1221_05	From the confluence with Pecan Creek upstream to the confluence with South Leon River	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	18781; 20905
				1221_06	From the confluence with South Leon River upstream to the confluence with Walnut Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	17591
				1221_07	From the confluence with Walnut Creek upstream to Proctor Dam in Comanche County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11934

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1221A	Resley Creek	From the confluence of the Leon River east of Gustine in Comanche County to the upstream perennial portion of the stream north of Gustine in Erath County	Freshwater Stream	1221A_01	Portion of Resley Creek from confluence with Leon River upstream to conf. with unnamed tributary (NHD RC 12070201007823), approx. 1.0 mi N. of Comanche County Line	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	11808; 17377
				1221A_02	Portion of Resley Creek from confluence with unnamed tributary (NHD RC 12070201007823), upstream to headwaters in Erath County.	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1221B	South Leon River	From the confluence of the Leon River south of Gustine in Comanche County to the upstream perennial portion of the stream south of Comanche in Comanche County	Freshwater Stream	1221B_01	From the confluence of the Leon River south of Gustine in Comanche County to the upstream perennial portion of the stream south of Comanche in Comanche County	Perennial	Routine Flow Data	High	Presumption from flow type	11817; 20390

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1221C	Pecan Creek	Perennial stream from the confluence with the Leon River upstream to the headwaters approximately 3.1 km south of the City of Hamilton in Hamilton County	Freshwater Stream	1221C_01	Perennial stream from the confluence with the Leon River upstream to the confluence with an unnamed tributary approximately 3.5 km upstream of SH 36 near the City of Hamilton; App D	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	17547
				1221C_02	From an unnamed tributary approximately 3.5 km upstream of SH 36 near the City of Hamilton to the headwaters approximately 1.5 km further upstream	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1221D	Indian Creek	Perennial stream from the confluence of the Leon River to the headwaters approximately 7.5 km west of Comanche in Comanche County	Freshwater Stream	1221D_01	From confluence with Leon River, upstream to confluence with Armstrong Creek	Perennial	Routine Flow Data	High	Presumption from flow type	11818
				1221D_02	Perennial stream from the confluence with Armstrong Creek approximately 1.5 km downstream of SH 36 upstream to the confluence with an unnamed tributary approximately 0.1 km upstream of US 377; App D	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	17542
				1221D_03	From an unnamed tributary approximately 0.1 km upstream of US 377 upstream approximately 9.0 km to headwaters	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1221E	Plum Creek	From its confluence with the Leon River in Coryell county, upstream to its headwaters 2.4 mi east of US Hwy 281 in Hamilton County	Freshwater Stream	1221E_01	From its confluence with the Leon River in Coryell county, upstream to its headwaters 2.4 mi east of US Hwy 281 in Hamilton County	Perennial	Routine Flow Data	High	Presumption from flow type	18405

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1221F	Walnut Creek	From its confluence with Leon River upstream to its headwaters 2.4 mi west of Dublin in Erath County	Freshwater Stream	1221F_01	From its confluence with Leon River upstream to its headwaters 2.4 mi west of Dublin in Erath County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	17379

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1221G	Coryell Creek	Coryell Creek from the confluence of the Leon River west of Gatesville upstream to headwater at Coryell CR 219 north of Gatesville	Freshwater Stream	1221G_01	Coryell Creek from the confluence of the Leon River west of Gatesville upstream to headwater at Coryell CR 219 north of Gatesville	Perennial	Routine Flow Data	High	Presumption from flow type	11804

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1222	Proctor Lake	From Proctor Dam in Comanche County to a point immediately upstream of the confluence of Mill Branch in Comanche County, up to the normal pool elevation of 1162 feet (impounds Leon River)	Reservoir	1222_01	Sabana River arm of lake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11936
				1222_02	Copperas / Duncan Creeks arm of lake.	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11937
				1222_03	Portion of water body near dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11935

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1222A	Duncan Creek	From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream west of Comanche in Comanche County	Freshwater Stream	1222A_01	From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream west of Comanche in Comanche County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	17544

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1222B	Rush-Copper as Creek	From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Comanche in Comanche County	Freshwater Stream	1222B_01	From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Comanche in Comanche County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	17538

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1222C	Sabana River	From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Rising Star in Eastland County	Freshwater Stream	1222C_01	Portion of Sabana River from confluence with Proctor Lake in Comanche County upstream to confluence with Elm Creek in Eastland County.	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	13647
				1222C_02	Portion of Sabana River from confluence with Elm Creek in Eastland upstream to headwaters in Callahan County.	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1222D	Sowells Creek	From its confluence with Lake Proctor, upstream to its headwaters 1.3 mi west of Dublin in Erath County	Freshwater Stream	1222D_01	From its confluence with Lake Proctor, upstream to its headwaters 1.3 mi west of Dublin in Erath County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1222E	Sweetwater Creek	From its confluence with Copperas Creek, upstream to its headwaters, 6.3 mi west of Comanche in Comanche County	Freshwater Stream	1222E_01	From its confluence with Copperas Creek, upstream to its headwaters, 6.3 mi west of Comanche in Comanche County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	17541

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1222F	Hackberry Creek	From its confluence with Armstrong Creek, upstream to its headwaters approximately 9.8 mi west of Stephenville in Erath County	Freshwater Stream	1222F_01	From its confluence with Armstrong Creek, upstream to its headwaters approximately 9.8 mi west of Stephenville in Erath County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1223	Leon River Below Leon Reservoir	From a point immediately upstream of the confluence of Mill Branch in Comanche County to Leon Dam in Eastland County	Freshwater Stream	1223_01	From a point immediately upstream of the confluence of Mill Branch in Comanche County to Leon Dam in Eastland County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11938

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1223A	Armstrong Creek	From its confluence with the Leon River downstream of Leon Reservoir, upstream to its headwaters in Erath County 6.2 mi east of State Hwy 16.	Freshwater Stream	1223A_01	From its confluence with the Leon River downstream of Leon Reservoir, upstream to its headwaters in Erath County 6.2 mi east of State Hwy 16.	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	15065; 15765

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1223B	Cow Creek	From the confluence with Armstrong Creek, upstream to its headwaters in Erath County, 5 mi north of Dublin	Freshwater Stream	1223B_01	From the confluence with Armstrong Creek, upstream to its headwaters in Erath County, 5 mi north of Dublin	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1224	Leon Reservoir	From Leon Dam in Eastland County up to the normal pool elevation of 1375 feet (impounds Leon River)	Reservoir	1224_01	Portion near dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11939
				1224_02	Headwater portion	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11941

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1224A	Leon River Above Leon Reservoir	From the headwaters of Leon Reservoir up to the confluence of the North Fork Leon River and the South Fork Leon River (includes Lake Olden)	Freshwater Stream	1224A_01	From the headwaters of Leon Reservoir up to the confluence of the North Fork Leon River and the South Fork Leon River (includes Lake Olden)	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1224C	South Fork Leon River	From the confluence of the North Fork Leon River up to the confluence of the Middle Fork Leon River	Freshwater Stream	1224C_01	From the confluence of the North Fork Leon River up to the confluence of the Middle Fork Leon River	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1225	Waco Lake	From Waco Lake Dam in McLennan County to a point immediately upstream of the confluence of Long Branch on the North Bosque River Arm in McLennan County; and on the South Bosque River Arm in McLennan County, to a point on the Middle Bosque River 1.64 km (1	Reservoir	1225_01	North Bosque River arm of lake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	17204
				1225_02	Portion of lake near dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11942
				1225_03	Middle/South Bosque River arm of lake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11948
Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1225A	Hog Creek	From the creek mouth at Lake Waco in McLennan County to the upstream headwaters in northeast Coryell County	Freshwater Stream	1225A_01	From its confluence with Live Oak Creek downstream to Lake Waco	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	17212
				1225A_02	From its confluence with Live Oak Creek upstream to its headwaters	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1226	North Bosque River	From a point immediately upstream of the confluence of Long Branch in McLennan County to a point immediately upstream of the confluence of Indian Creek in Erath County	Freshwater Stream	1226_01	Portion of North Bosque River from confluence with Waco Lake in McLennan County upstream to confluence with Neils Creek in Bosque County.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11951; 11954
				1226_02	Portion of North Bosque River from confluence with Neils Creek upstream to confluence with Meridian Creek in Bosque County.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11956
				1226_03	Portion of North Bosque River from confluence with Meridian Creek upstream to confluence with Duffau Creek in Bosque County.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11960; 18003
				1226_04	Portion of North Bosque River from confluence with Duffau Creek in Bosque County upstream to a point immediately upstream of Indian Creek confluence (end of segment) in Erath County.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11961

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1226A	Duffau Creek	From the confluence with the North Bosque River west of Iredell in Bosque County upstream to its headwaters, 0.4km west of US67 in Erath County.	Freshwater Stream	1226A_01	From the confluence with the North Bosque River west of Iredell in Bosque County upstream to its headwaters, 0.4km west of US67 in Erath County.	Perennial	Routine Flow Data	High	Presumption from flow type	17607

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1226B	Green Creek	From the confluence of the North Bosque River south of Clairette in Erath County upstream to its headwaters 10km west of Stephenville in Erath County	Freshwater Stream	1226B_01	From the confluence of the North Bosque River south of Clairette in Erath County upstream to its headwaters 10km west of Stephenville in Erath County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	13486

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1226C	Meridian Creek	From the confluence of the North Bosque River northwest of Clifton in Bosque County to the upstream portion of the stream northeast of Hamilton in Hamilton County	Freshwater Stream	1226C_01	From the confluence of the North Bosque River northwest of Clifton in Bosque County to the upstream portion of the stream northeast of Hamilton in Hamilton County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	14908

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1226D	Neils Creek	From the confluence of the North Bosque River south of Clifton in Bosque County to the confluence of the North and Middle Fork Neils Creeks west of Clifton in Bosque County	Freshwater Stream	1226D_01	From the confluence of the North Bosque River south of Clifton in Bosque County to the confluence of the North and Middle Fork Neils Creeks west of Clifton in Bosque County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	11826

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1226E	Indian Creek	From the confluence with the North Bosque River in Erath County to the headwaters 3.5 mi east of Stephenville in Erath County	Freshwater Stream	1226E_01	From the confluence with the North Bosque River in Erath County to the headwaters 3.5 mi east of Stephenville in Erath County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1226F	Sims Creek	From the confluence with the North Bosque River in Erath County to the headwaters 6 mi southeast of Stephenville in Erath County	Freshwater Stream	1226F_01	From the confluence with the North Bosque River in Erath County to the headwaters 6 mi southeast of Stephenville in Erath County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	17240

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1226G	Spring Creek	From the confluence with the North Bosque River in Hamilton County to the headwaters 8.5 mi west of Hico in Hamilton County	Freshwater Stream	1226G_01	From the confluence with the North Bosque River in Hamilton County to the headwaters 8.5 mi west of Hico in Hamilton County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1226H	Alarm Creek	From its confluence with the North Bosque River, upstream to its headwaters 3 mi west of Stephenville in Erath County	Freshwater Stream	1226H_01	From its confluence with the North Bosque River, upstream to its headwaters 3 mi west of Stephenville in Erath County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1226I	Gilmore Creek	From its confluence with the North Bosque River, upstream to its headwaters 11 mi west of Hico in Erath County	Freshwater Stream	1226I_01	From its confluence with the North Bosque River, upstream to its headwaters 11 mi west of Hico in Erath County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1226J	Honey Creek	From its confluence with the North Bosque River, upstream to its headwaters 2.8 mi west of US 281 in Hamilton County	Freshwater Stream	1226J_01	From its confluence with the North Bosque River, upstream to its headwaters 2.8 mi west of US 281 in Hamilton County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1226K	Little Duffau Creek	From its confluence with Duffau Creek, upstream to its headwaters 2.4 mi south west of US 67 in Erath County	Freshwater Stream	1226K_01	From its confluence with Duffau Creek, upstream to its headwaters 2.4 mi south west of US 67 in Erath County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1226L	South Fork Little Green Creek	From its confluence with Little Green Creek, upstream to its headwaters 3.5 mi south east of Dublin in Erath County	Freshwater Stream	1226L_01	From its confluence with Little Green Creek, upstream to its headwaters 3.5 mi south east of Dublin in Erath County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1226M	Little Green Creek	From its confluence with Green Creek, upstream to its confluence with the North and South Forks of Little Green Creek, 2.4 mi south of SH 6 in Erath County.	Freshwater Stream	1226M_01	From its confluence with Green Creek, upstream to its confluence with the North and South Forks of Little Green Creek, 2.4 mi south of SH 6 in Erath County.	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1226N	Indian Creek Reservoir	Impounded Indian Creek in Erath County, 5.6 mi southeast of Stephenville	Reservoir	1226N_01	Impounded Indian Creek in Erath County, 5.6 mi southeast of Stephenville	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1226O	Sims Creek Reservoir	Impounded Sims Creek in Erath County, 6.8 mi south east of Stephenville	Reservoir	1226O_01	Impounded Sims Creek in Erath County, 6.8 mi south east of Stephenville	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1226P	Spring Creek Reservoir	Impounded Spring Creek in Erath County, 3.4 mi northwest of Hico	Reservoir	1226P_01	Impounded Spring Creek in Erath County, 3.4 mi northwest of Hico	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1226Q	Walker Branch	From the confluence with the North Bosque River upstream to headwaters, north of Iredell in Bosque and Erath Counties.	Freshwater Stream	1226Q_01	From the confluence with the North Bosque River upstream to headwaters, north of Iredell in Bosque and Erath Counties.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1227	Nolan River	From a point immediately upstream of the confluence of Rock Creek in Hill County to Cleburne Dam in Johnson County	Freshwater Stream	1227_01	Portion of Nolan River from confluence with Whitney Lake upstream to confluence with Mustang Creek in Hill County.	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	11967
				1227_02	Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	11971

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1227A	Buffalo Creek	From the confluence with the Nolan River upstream to the confluence with East Buffalo Creek and West Buffalo Creek	Freshwater Stream	1227A_01	From the confluence with the Nolan River upstream to the confluence with East Buffalo Creek and West Buffalo Creek	Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1227B	Mustang Creek	Intermittent stream with perennial pools from the confluence with Nolan River to FM 916 near Rio Vista	Freshwater Stream	1227B_01	Intermittent stream with perennial pools from the confluence with Nolan River to FM 916 near Rio Vista	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1228	Lake Pat Cleburne	From Cleburne Dam in Johnson County up to the normal pool elevation of 733.5 feet (impounds Nolan River)	Reservoir	1228_01	From Cleburne Dam in Johnson County up to the normal pool elevation of 733.5 feet (impounds Nolan River)	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11974

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1229	Paluxy River /North Paluxy River	From the confluence with the Brazos River in Somervell County to the confluence of Rough Creek in Erath County	Freshwater Stream	1229_01	Portion of Paluxy River from confluence with Brazos River near Glen Rose in Somervell county upstream to confluence with Richardson Creek in Hood County.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	20232
				1229_02	Portion of Paluxy River from confluence with Richardson Creek upstream to confluence with North/South Paluxy Fork in Erath County.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	20343
				1229_03	Portion of North Paluxy River from the confluence with Paluxy / South Paluxy Fork upstream to confluence with Rough Creek in Erath County.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1229A	Squaw Creek Reservoir	Impounded Squaw Creek in Hood and Somerville Counties, 2.4 mi north of Glen Rose.	Reservoir	1229A_01	Impounded Squaw Creek in Hood and Somerville Counties, 2.4 mi north of Glen Rose.	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1230	Lake Palo Pinto	From Palo Pinto Creek Dam in Palo Pinto County up to the normal pool elevation of 867.3 feet (impounds Palo Pinto Creek)	Reservoir	1230_01	From Palo Pinto Creek Dam in Palo Pinto County up to the normal pool elevation of 867.3 feet (impounds Palo Pinto Creek)	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11977

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1230A	Palo Pinto Creek above Lake Palo Pinto	Perennial stream from the confluence with the normal pool elevation of Lake Palo Pinto which is near the confluence with an unnamed tributary at the Texas and Pacific Railroad crossing upstream to the dam forming Hagaman Lake	Freshwater Stream	1230A_01	Perennial stream from the confluence with the normal pool elevation of Lake Palo Pinto which is near the confluence with an unnamed tributary at the Texas and Pacific Railroad crossing upstream to the dam forming Hagaman Lake	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1231	Lake Graham	From Graham Dam and Eddleman Dam in Young County up to the normal pool elevation of 1075 feet (impounds Salt Creek and Flint Creek)	Reservoir	1231_01	From Graham Dam and Eddleman Dam in Young County up to the normal pool elevation of 1075 feet (impounds Salt Creek and Flint Creek)	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	11979

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1232	Clear Fork Brazos River	From the confluence with the Brazos River in Young County to the most upstream crossing of US 180 in Fisher County	Freshwater Stream	1232_01	From confluence with Brazos River, upstream to conf. With Hubbard Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1232_02	From confluence with Hubbard Creek upstream to confluence with Deadman Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11985; 11990; 18766
				1232_03	From confluence with Deadman Creek upstream to conf. With Bitter Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11992
				1232_04	From confluence with Bitter Creek upstream to end of segment	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11999; 12001

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1232A	California Creek	From the confluence of Paint Creek southeast of Haskell in Haskell County to the headwaters southwest of Stamford in Jones County	Freshwater Stream	1232A_01	Portion of California Creek from confluence with Paint Creek in Haskell County upstream to confluence with Thompson Creek in Jones County.	Perennial	Routine Flow Data	High	Presumption from flow type	11709; 22241
				1232A_02	Portion of California Creek from confluence with Thompson Creek upstream to headwaters in Fisher County.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1232B	Deadman Creek	From the confluence of the Clear Fork Brazos River south of Lueders in Jones County to the headwaters north of Hamby in Jones County	Freshwater Stream	1232B_01	From the confluence with Clear Fork Brazos, upstream to city of Abilene WWTP receiving water	Intermittent w/pools	WQS/Permits program	Intermediate	Previous TCEQ permit decision	11697
				1232B_02	Upstream of WWTP outfall to headwaters	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1232C	Paint Creek	From the confluence with the Clear Fork Brazos River in Throckmorton County, upstream to its headwaters in Jones County, 2.7 km north of SH 92.	Freshwater Stream	1232C_01	From confluence with Clear Fork Brazos River upstream to Lake Stamford	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				1232C_02	From headwaters of Lake Stamford upstream to confluence with Stink Creek	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations
				1232C_03	From confluence with Stink Creek upstream to headwaters in Jones County.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1232D	Lake Daniel	From Lake Daniel Dam in Stephens County south of the City of Breckinridge upstream to Gonzales Creek (impounds Gonzales Creek)	Reservoir	1232D_01	From Lake Daniel Dam in Stephens County south of the City of Breckinridge upstream to Gonzales Creek (impounds Gonzales Creek)	Reservoir	Water body description	High	Presumption from Flow Type	17941

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1233	Hubbard Creek Reservoir	From Hubbard Creek Dam in Stephens County up to the normal pool elevation of 1183 feet (impounds Hubbard Creek)	Reservoir	1233_01	Main body of lake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12002
				1233_02	Hubbard Creek Arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1233_03	Big Sandy Creek Arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1233A	Big Sandy Creek	From its confluence with Hubbard Creek Reservoir, upstream to its headwaters 4 mi west of US 183 in Stephens County.	Freshwater Stream	1233A_01	From its confluence with Hubbard Creek Reservoir, upstream to its headwaters 4 mi west of US 183 in Stephens County.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	13640; 22061
1233B	Hubbard Creek	Portion of Hubbard Creek from its confluence with Hubbard Creek Reservoir upstream to its headwaters in Callahan County, 15 mi east of Abilene.	Freshwater Stream	1233B_01	Portion of Hubbard Creek from its confluence with Hubbard Creek Reservoir upstream to its headwaters in Callahan County, 15 mi east of Abilene.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
1234	Lake Cisco	From Williamson Dam in Eastland County up to the normal pool elevation of 1496 feet (impounds Sandy Creek)	Reservoir	1234_01	From Williamson Dam in Eastland County up to the normal pool elevation of 1496 feet (impounds Sandy Creek)	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12005
1235	Lake Stamford	From Stamford Dam in Haskell County up to the normal pool elevation of 1416.8 feet (impounds Paint Creek)	Reservoir	1235_01	From Stamford Dam in Haskell County up to the normal pool elevation of 1416.8 feet (impounds Paint Creek)	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12006
1236	Fort Phantom Hill Reservoir	From Fort Phantom Hill Dam in Jones County up to the normal pool elevation of 1635.9 feet (impounds Elm Creek)	Reservoir	1236_01	From Fort Phantom Hill Dam in Jones County up to the normal pool elevation of 1635.9 feet (impounds Elm Creek)	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12010

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1236A	Cedar Creek	From its confluence with Phantom Hill Reservoir, upstream to its headwaters 4 mi north east of Tuscola, in Taylor County	Freshwater Stream	1236A_01	From its confluence with Phantom Hill Reservoir, upstream to its confluence with Kirby Lake, in Taylor County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				1236A_02	From its confluence with Kirby Lake, upstream to its headwaters 4 mi north east of Tuscola, in Taylor County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1236B	Kirby Lake	From Kirby Lake Dam in Taylor County up to the normal pool elevation of 1786 feet (impounds Cedar Creek)	Reservoir	1236B_01	From Kirby Lake Dam in Taylor County up to the normal pool elevation of 1786 feet (impounds Cedar Creek)	Reservoir	Water body description	High	Presumption from Flow Type	11521

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1237	Lake Sweetwater	From Sweetwater Dam in Nolan County up to the normal pool elevation of 2116.5 feet (impounds Bitter Creek)	Reservoir	1237_01	From Sweetwater Dam in Nolan County up to the normal pool elevation of 2116.5 feet (impounds Bitter Creek)	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12021

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1238	Salt Fork Brazos River	From the confluence of the Double Mountain Fork Brazos River in Stonewall County to the most upstream crossing of SH 207 in Crosby County	Freshwater Stream	1238_01	Portion of Salt Fork Brazos River from confluence with Double Mountain Fork Brazos River upstream to confluence with Croton Creek in Stonewall County.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12022
				1238_02	Portion of Salt Fork Brazos River from confluence with Croton Creek in Stonewall County upstream to confluence with Butte Creek in Kent County.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1238_03	Portion of Salt Fork Brazos River from confluence with Butte Creek in Kent County upstream to the most upstream crossing of SH 207 in Crosby County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12023

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1238A	Croton Creek	From its confluence with the Salt Fork of the Brazos River, upstream to its headwaters 1.6 mi north of Dickens in Dickens County	Freshwater Stream	1238A_01	From its confluence with the Salt Fork of the Brazos River, upstream to its headwaters 1.6 mi north of Dickens in Dickens County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1238B	Duck Creek	Intermittent stream w/pools from the confluence with the Salt Fork of the Brazos River in Kent County upstream approximately 90 km (56 mi) to the headwaters approximately 12 km (7.5 mi) northeast of US Highway 82	Freshwater Stream	1238B_01	From the confluence with the Salt Fork of the Brazos River in Kent County upstream approximately 90 km (56 mi) to the headwaters approximately 12 km (7.5 mi) northeast of US Highway 82	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	21560

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1239	White River	From the confluence with the Salt Fork Brazos River in Kent County to White River Dam in Crosby County	Freshwater Stream	1239_01	From the confluence with the Salt Fork Brazos River in Kent County to White River Dam in Crosby County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1240	White River Lake	From White River Dam in Crosby County up to the normal pool elevation of 2372.2 feet (impounds White River)	Reservoir	1240_01	From White River Dam in Crosby County up to the normal pool elevation of 2372.2 feet (impounds White River)	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12027

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1240A	White River above White River Reservoir	From White River Reservoir, north to confluence with Running Water Draw in Crosby County	Freshwater Stream	1240A_01	Lower 25 mi	Intermittent	Flow Questionnaire	Minimal	Presumption from flow type	No Stations
				1240A_02	Remainder of segment	Intermittent	Flow Questionnaire	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1241	Double Mountain Fork Brazos River	From the confluence with the Salt Fork Brazos River in Stonewall County to the confluence of the North Fork Double Mountain Fork Brazos River in Kent County	Freshwater Stream	1241_01	25 mi near Hwy 83	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12029
				1241_02	Remainder of segment	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1241A	North Fork Double Mountain Fork Brazos River	Perennial stream from the confluence with Double Mountain Fork Brazos River upstream to the confluence with Yellow House Draw and Blackwater Draw, excluding Lake Ransom Canyon and Buffalo Springs Lake	Freshwater Stream	1241A_01	Appendix D, Perennial stream from the confluence with Double Mountain Fork Brazos River upstream to the dam forming Lake Ransom Canyon	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	11523; 11525; 11527
				1241A_02	From the confluence with Buffalo Springs Lake upstream to the confluence with Yellow House Draw and Blackwater Draw	Perennial	Routine Flow Data	High	Presumption from flow type	11534

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1241B	Lake Alan Henry	Impounded Double Mountain Fork Brazos Rive, 20.0 mi south east of Post in Garza and Kent Counties.	Reservoir	1241B_01	Impounded Double Mountain Fork Brazos Rive, 20.0 mi south east of Post in Garza and Kent Counties.	Reservoir	Water body description	High	Presumption from Flow Type	18414

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1241C	Buffalo Springs Lake	Impounded North Fork Double Mountain Fork Brazos River within city limits of Buffalo Springs, Lubbock County.	Reservoir	1241C_01	Impounded North Fork Double Mountain Fork Brazos River within city limits of Buffalo Springs, Lubbock County.	Reservoir	Water body description	High	Presumption from Flow Type	11529

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1241D	South Fork Double Mountain Fork Brazos River	From its confluence with the North Fork Double Mountain Fork Brazos River in Kent County upstream to its headwaters in Lynn County	Freshwater Stream	1241D_01	From its confluence with the North Fork Double Mountain Fork Brazos River in Kent County upstream to its headwaters in Lynn County	Intermittent	Flow Questionnaire	Minimal	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1241E	Lake Ransom Canyon	From Lake Ransom Canyon Dam up to the Buffalo Springs Dam in Lubbock County (impounds North Fork Double Mountain Brazos River)	Reservoir	1241E_01	From Lake Ransom Canyon Dam up to the Buffalo Springs Dam in Lubbock County (impounds North Fork Double Mountain Brazos River)	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1242	Brazos River Above Navasota River	From a point immediately upstream of the confluence of the Navasota River in Brazos/Grimes/Washington County to the low water dam forming Lake Brazos in McLennan County	Freshwater Stream	1242_01	Portion of Brazos River from a point immediately upstream of the confluence of the Navasota River upstream to the confluence with Thompsons Creek in Brazos County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12030
				1242_02	Portion of Brazos River from the confluence with Thompsons Creek in Brazos County upstream to the confluence with Little River in Milam County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	15767
				1242_03	Portion of Brazos River from confluence with Little River upstream to confluence with Pond Creek in Milam County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1242_04	Portion of Brazos River from confluence with Pond Creek in Milam County upstream to confluence with Deer Creek in Falls County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12032

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1242	Brazos River Above Navasota River	From a point immediately upstream of the confluence of the Navasota River in Brazos/Grimes/Washington County to the low water dam forming Lake Brazos in McLennan County	Freshwater Stream	1242_05	Portion of Brazos River from confluence with Deer Creek in Falls County upstream to confluence with Tehuacana Creek in McLennan County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12037
				1242_06	Portion of Brazos River from confluence with Tehuacana Creek in McLennan County upstream to Lake Brazos Dam in McLennan County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12038

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1242A	Marlin City Lake System	From New Marlin City Dam up to normal pool elevation northeast of Marlin in Falls County (impounds Big Sandy Creek)	Reservoir	1242A_01	Old Marlin City Lake	Reservoir	Water body description	High	Presumption from Flow Type	No Stations
				1242A_02	New Marlin City Lake	Reservoir	Water body description	High	Presumption from Flow Type	16781

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1242B	Cottonwood Branch	Intermittent stream with perennial pools from the confluence with Still Creek upstream 0.95 km to the confluence with an unnamed tributary	Freshwater Stream	1242B_01	Portion of Cottonwood Branch from confluence with Still Creek upstream to unnamed tributary (NHD RC 12070101000835) in Brazos County	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	17598
				1242B_02	Portion of Cottonwood Branch from confluence with unnamed tributary (NHD RC 12070101000835) upstream to headwaters in Brazos County.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	17597

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1242C	Still Creek	Perennial stream from the confluence with Thompson's Creek upstream to the headwaters in Brazos County near US 190	Freshwater Stream	1242C_01	Perennial stream from the confluence with Thompsons Creek upstream to the confluence with Cottonwood Branch; App D	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations
				1242C_02	Portion of Still Creek from confluence with Cottonwood Branch upstream to headwaters in Brazos County near US 190.	Perennial	Routine Flow Data	High	Presumption from flow type	16882; 17378

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1242D	Thompsons Creek	Thompsons Creek - from the confluence of the Brazos River upstream to the confluence of Thompson's Branch, north of FM 1687	Freshwater Stream	1242D_01	Thompsons Creek an Appendix D perennial stream from the confluence of the Brazos River upstream to the confluence of Still Creek in Brazos County.	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	16396
				1242D_02	Thompsons Creek an Appendix D intermittent stream with perennial pools from the confluence of Still Creek upstream to the confluence of Thompson's Branch, north of FM 1687	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	16397

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1242E	Little Brazos River	From confluence with the Brazos River in Brazos County upstream to headwaters in Limestone County.	Freshwater Stream	1242E_01	Portion of Little Brazos River from confluence with Brazos River in Brazos County upstream to confluence with Walnut Creek in Robertson County.	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	11591
				1242E_02	Portion of Little Brazos River from confluence with Walnut Creek in Robertson County upstream to confluence with Fish Creek in Falls County.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				1242E_03	Portion of Little Brazos River from confluence with Fish Creek in Falls county upstream to headwaters in Limestone County.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1242F	Pond Creek	Perennial stream from the confluence with the Brazos River in Milam County upstream to the headwaters 0.18 km north of FM 935 in Bell County	Freshwater Stream	1242F_01	From the Brazos confluence upstream to Live Oak Creek confluence	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	16406; 22204
				1242F_02	From the Live Oak Creek confluence to the headwaters 0.18 km north of FM 935 in Bell County.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1242G	Unnamed Tributary of Cottonwood Branch	Intermittent stream with perennial pools from the confluence with Cottonwood Branch upstream to the headwaters	Freshwater Stream	1242G_01	Intermittent stream with perennial pools from the confluence with Cottonwood Branch upstream to the headwaters	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1242H	Tradinghouse Reservoir	Encompasses the entire reservoir up to the normal pool elevation of 447 feet	Reservoir	1242H_01	Encompasses the entire reservoir up to the normal pool elevation of 447 feet	Reservoir	TSWQS Appendix D	High	TSWQS Appendix D	18457

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1242I	Campbells Creek	From the confluence with the Little Brazos River upstream to the headwaters, one mi west of Old San Antonio Road	Freshwater Stream	1242I_01	From the confluence with the Little Brazos River upstream to the headwaters, one mi west of Old San Antonio Road	Intermittent	Flow Questionnaire	Minimal	Presumption from flow type	16395; 20561

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1242J	Deer Creek	Deer Creek - perennial stream from the confluence of the Brazos River upstream to the confluence of Dog Branch northwest of Lott	Freshwater Stream	1242J_01	Deer Creek an Appendix D perennial stream from the confluence of the Brazos River upstream to the confluence of Dog Branch northwest of Lott	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	11723; 18644

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1242K	Mud Creek	From confluence with the Little Brazos River, upstream to the confluence with Touchstone Branch and Wolf Den Branch, in Robertson County	Freshwater Stream	1242K_01	From confluence with the Little Brazos River, upstream to the confluence with Touchstone Branch and Wolf Den Branch, in Robertson County	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	16402; 20562

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1242L	Pin Oak Creek	From the confluence with the Little Brazos River in Robertson County upstream to the headwaters, 2.07 mi south of Franklin	Freshwater Stream	1242L_01	From the confluence with the Little Brazos River in Robertson County upstream to the headwaters, 2.07 mi south of Franklin	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	16401; 20563

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1242M	Spring Creek	From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, 1.5 mi north of FM 391	Freshwater Stream	1242M_01	From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, 1.5 mi north of FM 391	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	16394; 20564

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1242N	Tehuacana Creek	From the confluence with the Brazos River in McLennan county upstream to the headwaters 2 mi south of Penelope in Hill County	Freshwater Stream	1242N_01	Downstream portion of water body, from confluence with Brazos River upstream to confl. with Little Tehuacana Creek	Intermittent w/pools	WQS/Permits program	High	Previous TCEQ permit decision	11609
				1242N_02	Upstream portion, from confluence with Little Tehuacana Creek upstream to headwaters	Intermittent w/pools	WQS/Permits program	High	Previous TCEQ permit decision	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1242O	Walnut Creek	From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, one mi south of White Rock	Freshwater Stream	1242O_01	From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, one mi south of White Rock	Perennial	Flow Questionnaire	High	Presumption from flow type	16403

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1242P	Big Creek	From the confluence with Little Brazos River in Falls County upstream to the confluence with unnamed creeks near Mart in the northeast corner of Falls County	Freshwater Stream	1242P_01	Downstream portion of water body	Intermittent	Flow Questionnaire	Minimal	Presumption from flow type	No Stations
				1242P_02	Upstream portion, including confluence with City of Mart WWTP rec. water	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1242Q	Bull Hide Creek	From the confluence with the Brazos River in Falls County upstream to its headwaters, 1.5 km west of Waco in McLennan County.	Freshwater Stream	1242Q_01	Portion of Bull Hide Creek from the confluence with the Brazos River in Falls county upstream to the confluence with unnamed tributary (NHD RC 12070101002570) in McLennan County.	Intermittent w/pools	WQS/Permits program	High	Previous TCEQ permit decision	20128
				1242Q_02	Portion of Bull Hide Creek from the confluence with unnamed tributary (NHD RC 12070101002570) upstream to the headwaters.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1242R	Cow Bayou	From the confluence with the Brazos River Above Navasota River upstream to the confluence with North / South Cow Bayou in Falls County.	Freshwater Stream	1242R_01	From the confluence with the Brazos River Above Navasota River upstream to the confluence with North / South Cow Bayou in Falls County.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1243	Salado Creek	From the confluence with the Lampasas River in Bell County to the confluence of North Salado Creek and South Salado Creek in Williamson County	Freshwater Stream	1243_01	Portion of Salado Creek from confluence with Lampasas River upstream to unnamed tributary (NHD RC 12070203003968) just downstream of Stagecoach outfall.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12051
				1243_02	Portion of Salado Creek from confluence with unnamed tributary (NHD RC 12070203003968) upstream to confluence with North/South Forks Salado Creek in Williamson County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1244	Brushy Creek	From the confluence with the San Gabriel River in Milam County to the confluence of South Brushy Creek in Williamson County	Freshwater Stream	1244_01	From the confluence of the San Gabriel River upstream to the confluence of Mustang Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12054
				1244_02	From the confluence of Mustang Creek upstream to the confluence of Cottonwood Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12059; 22392; 22395
				1244_03	From the confluence of Cottonwood Creek upstream to the confluence of Lake Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12060
				1244_04	From the confluence of Lake Creek upstream to the confluence of South Brushy Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12068

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1244A	Brushy Creek Above South Brushy Creek	Perennial stream from the confluence of South Brushy Creek to the confluence of North Fork Brushy Creek and South Fork Brushy Creek in Williamson County	Freshwater Stream	1244A_01	Perennial stream from the confluence of South Brushy Creek to the confluence of North Fork Brushy Creek and South Fork Brushy Creek in Williamson County	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1244B	Lake Creek	From its confluence with Brushy Creek, upstream to its headwaters 1 mile west of US 183 in Cedar Park, Williamson County	Freshwater Stream	1244B_01	From its confluence with Brushy Creek, upstream to its headwaters 1 mi west of US 183 in Cedar Park, Williamson County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1244C	Mustang Creek	Perennial stream from the confluence with Brushy Creek upstream to the headwaters 2.5 km east of TX 130	Freshwater Stream	1244C_01	Perennial stream from the confluence with Brushy Creek upstream to the confluence of North Fork Mustang Creek; App D	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations
				1244C_02	From the confluence of North Fork Mustang Creek upstream to the headwaters 2.5 km east of TX 130	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1244D	South Brushy Creek	From its confluence with Brushy Creek, upstream to its headwaters 1.5 mi west of US 183 in Cedar Park, Williamson County	Freshwater Stream	1244D_01	From its confluence with Brushy Creek, upstream to its headwaters 1.5 mi west of US 183 in Cedar Park, Williamson County	Perennial	WQS/Permits program	High	Previous TCEQ permit decision	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1245	Upper Oyster Creek	From Steep Bank Creek/Brazos River confluence in Fort Bend County to pumping station on Jones Creek at Brazos River in Fort Bend County (includes portions of Steep Bank Creek, Flat Bank Creek, Flat Bank Creek Diversion Channel, and Jones Creek)	Freshwater Stream	1245_01	From the confluence with the Brazos River upstream to Dam #3	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	12074; 12077
				1245_02	From Dam #3 upstream to Harmon St. crossing in Sugar Land	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	12079; 12083
				1245_03	From Harmon St. crossing in Sugar Land upstream to the end of the segment	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	12086; 12087; 12090; 21748

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1245A	Red Gully	Perennial stream from the confluence with Oyster Creek upstream to the confluence with two unnamed tributaries 0.1 km east of Clodine Road	Freshwater Stream	1245A_01	Perennial stream from the confluence with Oyster Creek upstream to 1.7 km upstream of Old Richmond Road; App D	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations
				1245A_02	From 1.7 km upstream of Old Richmond Road upstream to the confluence with two unnamed tributaries 0.1 km east of Clodine Road	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1245E	Flewellen Creek	From the confluence with Oyster Creek upstream to the confluence with two unnamed tributaries, 0.3 km east of Fulshear in Fort Bend county.	Freshwater Stream	1245E_01	From the confluence with Oyster Creek upstream to the confluence with two unnamed tributaries, 0.3 km east of Fulshear in Fort Bend county.	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1245G	Brooks Lake	Impounded Oyster Creek (Dam #2) in south Sugar Land, Fort Bend County.	Reservoir	1245G_01	Impounded Oyster Creek (Dam #2) in south Sugar Land, Fort Bend County.	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1245H	Alkire Lake	Amenity lake in south-central Sugar Land, Fort Bend County.	Reservoir	1245H_01	Amenity lake in south-central Sugar Land, Fort Bend County.	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1245I	Steep Bank Creek	From confluence with Oyster Creek (Flat Bank Creek portion) upstream to the electrical transmission lines ROW near Sweetwater Golf Course in Fort Bend County	Freshwater Stream	1245I_01	From confluence with Oyster Creek (Flat Bank Creek portion) upstream to the electrical transmission lines ROW near Sweetwater Golf Course in Fort Bend County	Intermittent w/pools	WQS/Permits program	Limited	Previous TCEQ permit decision	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1245J	Stafford Run	From the confluence with Upper Oyster Creek upstream to headwaters near Stafford, Fort Bend County.	Freshwater Stream	1245J_01	From the confluence with Upper Oyster Creek upstream to headwaters near Stafford, Fort Bend County.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1246	Middle Bosque/South Bosque River	For the Middle Bosque River from a point 1.64 km (1.02 mi) from the confluence with the South Bosque River. to the confluence of Cave Creek and Middle Bosque Creek. and for the South Bosque River from a point 1.35 km (0.84 mi) from the confluence of the M	Freshwater Stream	1246_01	Entire Middle Bosque River	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	17612
				1246_02	Entire South Bosque River	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	20308

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1246A	Harris Creek	Spring-fed intermittent stream with perennial pools from the confluence with South Bosque River upstream to the headwaters	Freshwater Stream	1246A_01	Spring-fed intermittent stream with perennial pools from the confluence with South Bosque River upstream to the confluence with an unnamed tributary approximately 1.19 km upstream of US 84 west of the City of McGregor; App D	Intermittent w/pools	TSWQS Appendix D	High	TSWQS Appendix D	No Stations
				1246A_02	From the confluence with an unnamed tributary approximately 1.19 km upstream of US 84 west of the City of McGregor upstream 4.2 km to the headwaters	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1246B	Comanche Springs Spring Brook	Spring-fed intermittent stream with perennial pools from the confluence with South Bosque River upstream to and including Comanche Springs approximately 2.1 km upstream of US 84 west of the City of McGregor	Freshwater Stream	1246B_01	Spring-fed intermittent stream with perennial pools from the confluence with South Bosque River upstream to and including Comanche Springs approximately 2.1 km upstream of US 84 west of the City of McGregor	Intermittent w/pools	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1246C	Unnamed Tributary of South Bosque River	Perennial stream form the confluence with the South Bosque River to 1.0 km above SH 317 south of McGregor (locally known as Sheep Creek)	Freshwater Stream	1246C_01	From the confluence with the South Bosque River to 1.0 km above SH 317 south of McGregor (locally known as Sheep Creek)	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1246D	Tonk Creek	From the confluence with Middle Bosque River in Crawford (McLennan County), upstream to the headwaters in Coryell County, 1.0 mi west of FM 929	Freshwater Stream	1246D_01	Intermittent stream with perennial pools from the confluence with Middle Bosque/South Bosque River upstream to the confluence with an unnamed tributary 1.0 km upstream of FM 185 near Tonkawa Falls Park; App D	Intermittent w/pools	TSWQS Appendix D	High	TSWQS Appendix D	No Stations
				1246D_02	From the confluence of an unnamed tributary 1.0 km upstream of FM 185 near Tonkawa Falls Park upstream to the headwaters in Coryell County, 1.0 mi west of FM 929	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1246E	Wasp Creek	From the confluence with Tonk Creek in Crawford in McLennan County, upstream to the headwaters in Coryell County, 0.15 mi east of FM 185	Freshwater Stream	1246E_01	From the confluence with Tonk Creek in Crawford in McLennan County, upstream to the headwaters in Coryell County, 0.15 mi east of FM 185	Intermittent	WQS/Permits program	Minimal	Previous TCEQ permit decision	18802

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1247	Granger Lake	From Granger Dam in Williamson County to a point 1.9 km (1.2 mi) downstream of SH 95 in Williamson County, up to the normal pool elevation of 504 feet (impounds San Gabriel River)	Reservoir	1247_01	Eastern end of lake near the dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12095
				1247_02	Willis Creek arm of lake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12097
				1247_03	Western end of lake on the San Gabriel River	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12096

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1247A	Willis Creek	From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County	Freshwater Stream	1247A_01	From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County	Perennial	Flow Questionnaire	High	Presumption from flow type	20305

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1248	San Gabriel/North Fork San Gabriel River	From a point 1.9 km (1.2 mi) downstream of SH 95 in Williamson County to North San Gabriel Dam in Williamson County	Freshwater Stream	1248_01	From a point 1.9 km (1.2 mi) downstream of SH 95 in Williamson County to North San Gabriel Dam in Williamson County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12099; 12102; 12108

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1248A	Berry Creek	Perennial stream from the confluence with the San Gabriel River northeast of Georgetown in Williamson County to the headwaters at County Road 211, Burnet County	Freshwater Stream	1248A_01	Perennial stream from the confluence with the San Gabriel River upstream to the confluence of Stapp Branch southwest of the City of Florence; App D	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	13496
				1248A_02	From the confluence of Stapp Branch southwest of the City of Florence to the headwaters at County Road 211, Burnet County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1248B	Huddleston Branch	From the confluence with Mankins Branch in Williamson County to a point 1 km upstream of CR 105 in Williamson County	Freshwater Stream	1248B_01	From the confluence with Mankins Branch in Williamson County to a point 1 km upstream of CR 105 in Williamson County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1248C	Mankins Branch	Perennial stream from the confluence with the San Gabriel River in Williamson County to the intersection of CR 105 and 104 in Williamson County	Freshwater Stream	1248C_01	Perennial stream from the confluence with the San Gabriel River in Williamson County to the intersection of CR 105 and 104 in Williamson County	Perennial	Routine Flow Data	High	Presumption from flow type	13497

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1248D	Middle Fork San Gabriel River	From its confluence with the North Fork San Gabriel River, upstream to its headwaters 2.6 mi north of SH 29 in Williamson County.	Freshwater Stream	1248D_01	From its confluence with the North Fork San Gabriel River, upstream to its headwaters 2.6 mi north of SH 29 in Williamson County.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	18734

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1249	Lake Georgetown	From North San Gabriel Dam in Williamson County to a point 6.6 km (4.1 mi) downstream of US 183 in Williamson County, up to the normal pool elevation of 791 feet (impounds North Fork San Gabriel River)	Reservoir	1249_01	East end of reservoir near dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12111
				1249_02	West end of reservoir near headwaters	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12113

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1250	South Fork San Gabriel River	From the confluence with the North Fork San Gabriel River in Williamson County to the most upstream crossing of SH 29 in Burnet County	Freshwater Stream	1250_01	From the confluence with the San Gabriel River upstream to confluence with unnamed tributary (NHD RC 12070205002995).	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12115; 20309; 21739
				1250_02	From the confluence with unnamed tributary (NHD RC 12070205002995) upstream to unnamed tributary NHD RC 12070205002505)	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12116
				1250_03	From the confluence with unnamed tributary (NHD RC 12070205002505) upstream to headwaters of water body.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1251	North Fork San Gabriel River	From a point 6.6 km (4.1 mi) downstream of US 183 in Williamson County to the confluence of Allen Branch in Burnet County	Freshwater Stream	1251_01	From confluence with Lake Georgetown in Williamson County upstream to confluence with Russell Fork San Gabriel River in Burnet County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12120
				1251_02	From confluence with Russell Fork San Gabriel River upstream to headwaters of water body in Burnet County.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1252	Lake Limestone	From Sterling C. Robertson Dam in Leon/Robertson County to a point 2.3 km (1.4 mi) downstream of SH 164 in Limestone County, up to the normal pool elevation of 363 feet (impounds Navasota River)	Reservoir	1252_01	South end of lake near dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12123
				1252_02	Main body of lake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12125
				1252_03	Lambs Creek arm on east side of lake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12124
				1252_04	Big Creek Arm of Lake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1252_05	Navasota River Arm near headwaters	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	13970

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1253	Navasota River Below Lake Mexia	From a point 2.3 km (1.4 mi) downstream of SH 164 in Limestone County to Bistone Dam in Limestone County	Freshwater Stream	1253_01	From headwaters of Lake Limestone upstream to confluence with Plummer's Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12126; 21741
				1253_02	From confluence with Plummer's Creek upstream to Springfield Lake	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	21740
				1253_03	From headwaters of Springfield Lake upstream to confluence with Lake Mexia	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1253A	Springfield Lake	Impoundment of Navasota River below Lake Mexia in Limestone County.	Reservoir	1253A_01	Impoundment of Navasota River below Lake Mexia in Limestone County.	Reservoir	Water body description	High	Presumption from Flow Type	16247; 18799

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1254	Aquilla Reservoir	From Aquilla Dam in Hill County up to the normal pool elevation of 537.5 feet (impounds Aquilla Creek)	Reservoir	1254_01	South end of reservoir near dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12127
				1254_02	Aquilla Creek arm on the west	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12128
				1254_03	Hackberry Creek arm on the east	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12129; 17321
				1254_SA2	Transition Zone areas associated with Aquilla Creek arm of the lake.	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1254_SA3	Transition Zone areas associated with Hackberry Arm of lake.	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1254A	Hackberry Creek	From its confluence with Aquilla Reservoir, upstream to its headwaters 1.3 mi west of Itasca in Hill County	Freshwater Stream	1254A_01	Portion of Hackberry Creek from the confluence with Aquilla Reservoir upstream to the confluence with Little Hackberry Creek in Hill County.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				1254A_02	Portion of Hackberry Creek from the confluence with Little Hackberry Creek upstream to headwaters in Hill County.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1254B	Aquilla Creek upstream of Aquilla Reservoir	From its confluence with Aquilla Creek Reservoir, upstream to its headwaters 5.3 mi east of Rio Vista in Johnson County.	Freshwater Stream	1254B_01	From its confluence with Aquilla Creek Reservoir, upstream to its headwaters 5.3 mi east of Rio Vista in Johnson County.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1255	Upper North Bosque River	From a point immediately upstream of the confluence of Indian Creek in Erath County to the confluence of the North Fork and South Fork of the North Bosque River in Erath County	Freshwater Stream	1255_01	Portion of Upper North Bosque River from confluence with Indian Creek upstream to confluence with Dry Branch in Erath County	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	11963
				1255_02	Portion of Upper North Bosque River from confluence with Dry Branch upstream to confluence with North/South Forks North Bosque River in Erath County	Intermittent w/pools	TSWQS Appendix A	Intermediate	TSWQS Appendix A	17226

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1255A	Goose Branch	From the confluence with the south fork of the North Bosque River 2.5 mi (4.0 km) west of Stephenville, upstream to the headwaters 0.5 mi (0.8 km) north of FM 8 in Erath County	Freshwater Stream	1255A_01	From the confluence with the south fork of the North Bosque River 2.5 mi (4.0 km) west of Stephenville, upstream to the headwaters 0.5 mi (0.8 km) north of FM 8 in Erath County	Intermittent	Flow Questionnaire	Minimal	Presumption from flow type	17215

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1255B	North Fork Upper North Bosque River	From the confluence with the South Fork of the Upper North Bosque River in Stephenville, upstream to the headwaters, 2.0 mi north of FM 219	Freshwater Stream	1255B_01	From the confluence with the South Fork of the Upper North Bosque River in Stephenville, upstream to the headwaters, 2.0 mi north of FM 219	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1255C	Scarborough Creek	From the confluence with the North Fork Upper North Bosque River, upstream to the headwaters 0.1 mi (0.2 km) southeast of FM 219 in Erath County	Freshwater Stream	1255C_01	From the confluence with Scarborough Creek Reservoir upstream to the headwaters 0.1 mi (0.2 km) southeast of FM 219 in Erath County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	17221
				1255C_02	From the confluence with the North Fork Upper North Bosque River upstream to the Scarborough Creek Reservoir dam in Erath County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1255D	South Fork Upper North Bosque River	From the confluence with the North Fork of the upper North Bosque River in Stephenville, upstream to the headwaters 3 mi (4.8 km) north of FM 219 in Erath County	Freshwater Stream	1255D_01	From the confluence with the North Fork of the upper North Bosque River in Stephenville, upstream to the headwaters 3 mi (4.8 km) north of FM 219 in Erath County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1255E	Unnamed Tributary of Goose Branch	From the confluence with Goose Branch in Erath County to its headwaters, 0.2 mi southeast of the intersection of FM 8 and Farm Road 1219	Freshwater Stream	1255E_01	From the confluence with Goose Branch in Erath County to its headwaters, 0.2 mi southeast of the intersection of FM 8 and Farm Road 1219	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	17214

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1255F	Unnamed Tributary of Scarborough Creek	From the confluence with Scarborough Creek, 1.0 mi west of SH 108 in Erath County, upstream to the headwaters, 0.3 mi north of FM 219	Freshwater Stream	1255F_01	From the confluence with Scarborough Creek, 1.0 mi west of SH 108 in Erath County, upstream to the headwaters, 0.3 mi north of FM 219	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1255G	Woodhollow Branch	From the confluence with the South Fork of the North Bosque River, 6 mi northwest of Stephenville, upstream to the headwaters, 1.5 mi north of FM 219 in Erath County	Freshwater Stream	1255G_01	From the confluence with the South Fork of the North Bosque River, 6 mi northwest of Stephenville, upstream to the headwaters, 1.5 mi north of FM 219 in Erath County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	17217

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1255H	South Fork Upper North Bosque River Reservoir	Impoundment of South Fork Upper North Bosque River, 8 mi north west of Stephenville in Erath County	Reservoir	1255H_01	Impoundment of South Fork Upper North Bosque River, 8 mi north west of Stephenville in Erath County	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1255I	Dry Branch	From its confluence with the Upper North Bosque River, upstream to its headwaters 2.3 mi east of SH 106 in Erath County	Freshwater Stream	1255I_01	From its confluence with the Upper North Bosque River, upstream to its headwaters 2.3 mi east of SH 106 in Erath County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1255J	Goose Branch Reservoir	Impoundment of Goose Branch, 5 mi west of Stephenville in Erath County.	Reservoir	1255J_01	Impoundment of Goose Branch, 5 mi west of Stephenville in Erath County.	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1255K	Scarborough Creek Reservoir	Impoundment of Scarborough Creek, 5 mi north west of Stephenville in Erath County	Reservoir	1255K_01	Impoundment of Scarborough Creek, 5 mi north west of Stephenville in Erath County	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1256	Brazos River/Lake Brazos	From the low water dam forming Lake Brazos in McLennan County to a point immediately upstream of the confluence of Aquilla Creek in McLennan County (includes the Bosque River Arm to the Waco Lake Dam)	Freshwater Stream	1256_01	Brazos River portion of segment	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1256_02	Lake Brazos portion of segment	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	14226
				1256_03	Bosque River portion of segment	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11626

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1256A	Aquilla Creek	From the confluence with the Brazos River 4 mi (6.4 km) west of Elm Mott, upstream to the Aquilla Lake Dam in McLennan County	Freshwater Stream	1256A_01	From the confluence with the Brazos River 4 mi (6.4 km) west of Elm Mott, upstream to the Aquilla Lake Dam in McLennan County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	11593

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1257	Brazos River Below Lake Whitney	From a point immediately upstream of the confluence of Aquilla Creek in McLennan County to Whitney Dam in Bosque/Hill County	Freshwater Stream	1257_01	Downstream portion of segment from confluence with Aquilla Creek upstream to confluence with Coon Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12044; 16782
				1257_02	Upstream portion of segment from confluence with Coon Creek upstream to Lake Whitney Dam	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1258	Middle Oyster Creek	From the confluence with the Brazos River to the Flat Bank diversion channel in Fort Bend County	Freshwater Stream	1258_01	From the confluence with the Brazos River through the Brazos River Authority Canal to the confluence with Upper Oyster Creek above Tidal and upstream to the confluence with the Flat Creek Diversion Channel in Fort Bend County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1259	Leon River Above Belton Lake	From a point 100 meters (110 yards) upstream of FM 236 in Coryell County to a point immediately upstream of the confluence with Plum Creek in Coryell County	Freshwater Stream	1259_01	Portion of Leon River from confluence with Lake Belton upstream to confluence with Cottonwood Creek approximately 2.8 km south of Gatesville in Coryell County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	11925
				1259_02	Portion of Leon River from confluence with Cottonwood Creek approximately 2.8 km south of Gatesville upstream to the confluence with Stillhouse Branch in Coryell County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1259_03	From the confluence with Stillhouse Creek upstream to a point immediately upstream of the confluence with Plum Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1301	San Bernard River Tidal	From the confluence with the Intracoastal Waterway in Brazoria County to a point 3.2 km (2.0 mi) upstream of SH 35 in Brazoria County	Tidal Stream	1301_01	From the confluence with the Intracoastal Waterway in Brazoria County to a point 3.2 km (2.0 mi) upstream of SH 35 in Brazoria County	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	12146; 20460

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1302	San Bernard River Above Tidal	From a point 3.2 km (2.0 mi) upstream of SH 35 in Brazoria County to the county road southeast of New Ulm in Austin County	Freshwater Stream	1302_01	From the confluence with the Intracoastal Waterway in Brazoria County to confluence with Peach Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12147
				1302_02	From the confluence with Peach Creek to the unnamed tributary at NHD RC 12090401001535 at N-96.03, W29.51	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	17420
				1302_03	From the confluence with unnamed tributary at NHD RC 12090401001535 at N-96.03, W29.51 to the confluence with Coughatta Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	16370; 16373
				1302_04	From the confluence with Coughatta Creek to the upstream end of segment	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1302A	Gum Tree Branch	From the confluence with West Bernard Creek near Wharton CR 252 to the headwaters approximately 15 mi upstream near RR 102	Freshwater Stream	1302A_01	From the confluence with West Bernard Creek near Wharton CR 252 to the headwaters approximately 15 mi upstream near RR 102	Perennial	Routine Flow Data	High	Presumption from flow type	16371

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1302B	West Bernard Creek	From the confluence with the San Bernard River Above Tidal downstream of US highway 59 to the headwaters approximately 40 mi upstream near FM 1093	Freshwater Stream	1302B_01	From the confluence with the San Bernard River Above Tidal to the confluence with Clarks Branch	Perennial	Routine Flow Data	High	Presumption from flow type	20721
				1302B_02	From the confluence with Clarks Branch to the upper end of segment	Perennial	Routine Flow Data	High	Presumption from flow type	16374

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1302C	Coushatta Creek	From the confluence with the San Bernard River Above Tidal upstream to a point 4.6 km upstream of I-10	Freshwater Stream	1302C_01	From the confluence with the San Bernard River Above Tidal upstream to a point 4.6 km upstream of I-10	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1302D	Peach Creek	From the confluence with the San Bernard River in Wharton Co. to the headwaters approximately 8 km upstream of FM-102 in Wharton Co.	Freshwater Stream	1302D_01	From the confluence with the San Bernard River in Wharton Co. to the headwaters approximately 8 km upstream of FM-102 in Wharton Co.	Perennial	Routine Flow Data	High	Presumption from flow type	20722

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1302E	Mound Creek	From the confluence with the San Bernard River in Brazoria Co. to the headwaters approximately 400 m upstream of TX Hwy 36 in Ft. Bend Co.	Freshwater Stream	1302E_01	From the confluence with the San Bernard River in Brazoria Co. to the headwaters approximately 400 m upstream of TX Hwy 36 in Ft. Bend Co.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	20723

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1304	Caney Creek Tidal	From the confluence with the Intracoastal Waterway in Matagorda County to a point 1.9 km (1.2 mi) upstream of the confluence of Linnville Bayou in Matagorda County	Tidal Stream	1304_01	From the downstream end of segment to the confluence with Dead Slough	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	12148
				1304_02	From the confluence with Dead Slough to the upstream end of segment	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	12151

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1304A	Linnville Bayou	From the confluence with Caney Creek in Matagorda County upstream to a point 0.7 km above SH 35 in Brazoria/Matagorda Counties	Freshwater Stream	1304A_01	Intermittent stream with perennial pools from a point 1.1 km above the confluence with Caney Creek in Matagorda County upstream to a point 0.1 km above SH 35 in Brazoria/Matagorda counties; AppD	Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D	12138; 12141
				1304A_02	From the confluence with Caney Creek to a point 1.1 km above the confluence with Caney Creek in Matagorda County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				1304A_03	From a point 0.1 km above SH 35 to a point 0.7 km above SH 35 in Brazoria/Matagorda Counties	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1305	Caney Creek Above Tidal	From a point 1.9 km (1.2 mi) upstream of the confluence of Linnville Bayou in Matagorda County to the confluence of Water Hole Creek in Matagorda County	Freshwater Stream	1305_01	From the downstream end of the segment to the confluence with Hardeman Slough	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12153
				1305_02	From the confluence with Hardeman Slough to the confluence with Snead Slough	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12154
				1305_03	From the confluence with Snead Slough in Matagorda Co. to the upper end of segment at the confluence with Water Hole Creek in Matagorda Co.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12155

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1305A	Hardeman Slough	From the confluence with Caney Creek to 0.3 km upstream of Matagorda County Rd 110	Freshwater Stream	1305A_01	Perennial stream from the confluence with Caney Creek upstream to the confluence with an unnamed tributary approximately 1.9 km downstream of FM 3156 near the City of Van Vleck; App D	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	12135
				1305A_02	From approximately 1.9 km downstream of FM 3156 near the City of Van Vleck to 0.3 km upstream of County Rd 10	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1305B	Caney Creek Above Water Hole Creek	From the confluence with Water Hole Creek in Matagorda Co. (at the upper end of Segment 1305) to the headwaters approximately 43 mi at Old Caney Rd. in Wharton Co.	Freshwater Stream	1305B_01	From the confluence with Water Hole Creek in Matagorda Co. (at the upper end of Segment 1305) to the headwaters approximately 43 mi at Old Caney Rd. in Wharton Co.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	20468

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1401	Colorado River Tidal	Colorado River Tidal - from the confluence with Matagorda Bay due to a diversion channel in Matagorda County to a point 2.1 km (1.3 mi) downstream of the Missouri-Pacific Railroad in Matagorda County	Tidal Stream	1401_01	Colorado River Tidal - from the confluence with Matagorda Bay due to a diversion channel in Matagorda County to a point 2.1 km (1.3 mi) downstream of the Missouri-Pacific Railroad in Matagorda County	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	12281

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1402	Colorado River below La Grange	From a point 2.1 km (1.3 mi) downstream of the Missouri-Pacific Railroad in Matagorda County to a point 100 meters (110 yards) downstream of Business SH 71 at La Grange in Fayette County	Freshwater Stream	1402_01	From a point 2.1 km (1.3 mi) downstream of the Missouri-Pacific Railroad in Matagorda County upstream to the confluence of Blue Creek in Matagorda County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12284
				1402_02	From the confluence of Blue Creek in Matagorda County upstream to the confluence of Pierce Canal west of Wharton in Wharton County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12286; 21807; 21808
				1402_03	From the confluence of Pierce Canal west of Wharton in Wharton County upstream to the confluence of Robb Slough in Wharton County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	21809
				1402_04	From the confluence of Robb Slough in Wharton County upstream to the confluence of Skull Creek in Colorado County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1402_05	From the confluence of Skull Creek in Colorado County upstream to the confluence of Cummins Creek northeast of Columbus in Colorado County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	18351
				1402_06	From the confluence of Cummins Creek northeast of Columbus in Colorado County upstream to confluence of Williams Creek in Fayette County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12290
				1402_07	From the confluence of Williams Creek in Fayette County upstream to a point 100 meters (110 yards) downstream of Business SH 71 at La Grange in Fayette County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1402A	Cummins Creek	Perennial stream from the confluence with the Colorado River upstream to the headwaters east of Giddings in Lee County	Freshwater Stream	1402A_01	From the confluence with the Colorado River northeast of the city of Columbus upstream to the confluence of Boggy Creek at FM 1291 in Colorado County	Perennial	TSWQS Appendix D	Exceptional	TSWQS Appendix D	12249; 17015; 22307
				1402A_02	From the confluence of Boggy Creek at FM 1291 in Colorado County upstream to the confluence of Shaw Creek west of Round Top in Fayette County	Perennial	Water body description	High	Presumption from flow type	No Stations
				1402A_03	From the confluence of Shaw Creek west of Round Top in Fayette County upstream to the headwaters east of Giddings in Lee County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1402B	Allen Creek	Intermittent stream with perennial pools from the confluence of Pool Branch upstream to its headwaters south of the City of Fayetteville	Freshwater Stream	1402B_01	Intermittent stream with perennial pools from the confluence of Pool Branch upstream to its headwaters south of the City of Fayetteville	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1402C	Buckners Creek	Perennial stream from the confluence with the Colorado River upstream to the headwaters at Patterson Road southeast of the City of Rosanky in Bastrop County	Freshwater Stream	1402C_01	Perennial stream from the confluence with the Colorado River upstream to the confluence with Chandler Branch 1.6 km upstream of FM 154 in Fayette County	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	17053
				1402C_02	From the confluence with Chandler Branch near FM 154 in Fayette County upstream to the headwaters at Patterson Road southeast of the City of Rosanky in Bastrop County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1402D	Cedar Creek	Perennial stream from the confluence with the Colorado River up to the dam forming Cedar Creek Reservoir/Lake Fayette	Freshwater Stream	1402D_01	Perennial stream from the confluence with the Colorado River up to the dam forming Cedar Creek Reservoir/Lake Fayette	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1402F	Blue Creek	From the confluence with the Colorado River near Bay City in Matagorda County to the headwaters near El Campo in Wharton County	Freshwater Stream	1402F_01	From the confluence with the Colorado River near Bay City in Matagorda County to the headwaters near El Campo in Wharton County	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1402G	Cedar Creek Reservoir / Lake Fayette	Encompasses the entire reservoir up to the normal pool elevation of 390 feet	Reservoir	1402G_01	Area near discharge canal	Reservoir	TSWQS Appendix D	High	TSWQS Appendix D	17018
				1402G_02	Area near intake canal	Reservoir	TSWQS Appendix D	High	TSWQS Appendix D	17016
				1402G_03	Mid-lake near dam	Reservoir	TSWQS Appendix D	High	TSWQS Appendix D	17017

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1402H	Skull Creek	From the confluence with the Colorado River west of Eagle Lake in Colorado County to the upstream perennial portion southwest of Columbus	Freshwater Stream	1402H_01	From the confluence with the Colorado River west of Eagle Lake in Colorado County to the upstream perennial portion southwest of Columbus	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	16805; 21177

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1403	Lake Austin	From Tom Miller Dam in Travis County to Mansfield Dam in Travis County, up to the normal pool elevation of 492.8 feet (impounds Colorado River)	Reservoir	1403_01	From Tom Miller dam to Loop 360 bridge	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12294
				1403_02	Loop 360 bridge to Quinlan Park	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12297
				1403_03	Quinlan Park upstream to Mansfield Dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	17640

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1403A	Bull Creek	From the confluence of Lake Austin in northwest Austin in Travis County to the upstream perennial portion of the stream north of Austin in Travis County	Freshwater Stream	1403A_01	From the confluence with Lake Austin to the confluence of West Bull Creek	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				1403A_02	From the confluence of W Bull Creek upstream to the Loop 360 crossing near Lakewood Dr.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				1403A_03	From the Loop 360 crossing near Lakewood Dr. upstream to the Spicewood Springs Rd crossing near Yaupon Dr.	Perennial	Routine Flow Data	High	Presumption from flow type	12216
				1403A_04	From Spicewood Springs Rd. crossing near Yaupon Dr. upstream to the Spicewood Springs Dr. crossing near Oak Grove cemetery	Perennial	Routine Flow Data	High	Presumption from flow type	12217; 12218
				1403A_05	From the Spicewood Springs Rd. crossing near the Oak Grove cemetery upstream to the end of segment	Perennial	Flow Questionnaire	High	Presumption from flow type	16322

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1403B	West Bull Creek	From the confluence of Bull Creek at FM 2222 and Lakewood Drive in Austin in Travis County upstream to a point north of FM 2222 in Travis County	Freshwater Stream	1403B_01	From the confluence of Bull Creek at FM 2222 and Lakewood Drive in Austin in Travis County upstream to a point north of FM 2222 in Travis County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1403C	Cow Fork Bull Creek	From the confluence of West Bull Creek south of FM 2222 in Austin in Travis County to the headwaters northeast of Milky Way Drive in Travis County	Freshwater Stream	1403C_01	From the confluence of West Bull Creek south of FM 2222 in Austin in Travis County to the headwaters northeast of Milky Way Drive in Travis County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1403D	Barrow Preserve Tributary	From the confluence of Stillhouse Hollow south of Loop 360 in Austin in Travis County upstream to the headsprings in Barrow Nature Preserve	Freshwater Stream	1403D_01	From the confluence of Stillhouse Hollow south of Loop 360 in Austin in Travis County upstream to the headsprings in Barrow Nature Preserve	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1403E	Stillhouse Hollow	From the confluence of Bull Creek south of Loop 360 in Austin in Travis County upstream to the headsprings in Stillhouse Hollow Nature Preserve	Freshwater Stream	1403E_01	From the confluence of Bull Creek south of Loop 360 in Austin in Travis County upstream to the headsprings in Stillhouse Hollow Nature Preserve	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1403F	Bull Creek Tributary 3	From the confluence of Bull Creek east of Spicewood Springs Road in the city of Austin in Travis County upstream to the headwaters east of Cassia Drive in Travis County	Freshwater Stream	1403F_01	From the confluence of Bull Creek east of Spicewood Springs Road in the city of Austin in Travis County upstream to the headwaters east of Cassia Drive in Travis County	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1403G	Tanglewood Tributary to Bull Creek	From the confluence of an unnamed creek west of Spicewood Springs Road in Austin in Travis County to the Williamson County Line	Freshwater Stream	1403G_01	From the confluence of an unnamed creek west of Spicewood Springs Road in Austin in Travis County to the Williamson County Line	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1403H	Bull Creek Tributary 6	From the confluence of Bull Creek Road west of Pickfair Drive in Austin in Travis County to a point east of Hwy 620 in Travis County	Freshwater Stream	1403H_01	From the confluence of Bull Creek Road west of Pickfair Drive in Austin in Travis County to a point east of Hwy 620 in Travis County	Perennial	Routine Flow Data	High	Presumption from flow type	16320

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1403I	Bull Creek Tributary 5	From the confluence of an unnamed tributary to Bull Creek west of the intersection of Pickfair Drive and Brightling Lane in Austin in Travis County to a point east of Hwy 620 in Travis County	Freshwater Stream	1403I_01	From the confluence of an unnamed tributary to Bull Creek west of the intersection of Pickfair Drive and Brightling Lane in Austin in Travis County to a point east of Hwy 620 in Travis County	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	16321

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1403J	Spicewood Tributary to Shoal Creek	From the confluence of an unnamed tributary west of the MoPac Expressway in north Austin in Travis County upstream to the head waters north of Williamsburg Circle in Travis County	Freshwater Stream	1403J_01	From the confluence of an unnamed tributary west of the MoPac Expressway in north Austin in Travis County upstream to the head waters north of Williamsburg Circle in Travis County	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	16316

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1403K	Taylor Slough South	From the confluence of Lake Austin in Travis County to the headwaters near South Meadow Circle on the Texas Department of Aging and Disability Services campus in Austin in Travis County	Freshwater Stream	1403K_01	From the confluence of Lake Austin in Travis County to the headwaters near South Meadow Circle on the Texas Department of Aging and Disability Services campus in Austin in Travis County	Perennial	Routine Flow Data	High	Presumption from flow type	17294

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1403L	Running Deer Creek	From the confluence of Lake Austin in Travis County upstream to the headwaters east of Pyramid Drive in Austin in Travis County	Freshwater Stream	1403L_01	From the confluence of Lake Austin in Travis County upstream to the headwaters east of Pyramid Drive in Austin in Travis County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1403M	Turkey Creek	From the confluence of Lake Austin in Travis County upstream to the headwaters east of China Garden Drive in Austin in Travis County	Freshwater Stream	1403M_01	From the confluence of Lake Austin in Travis County upstream to the headwaters east of China Garden Drive in Austin in Travis County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1403N	Panther Hollow Creek	From the confluence of Lake Austin in Travis County to the headwaters south of the intersection of FM 2222 and FM 620 in Travis County	Freshwater Stream	1403N_01	From the confluence of Lake Austin in Travis County to the headwaters south of the intersection of FM 2222 and FM 620 in Travis County	Perennial	Flow Questionnaire	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1403O	Cuernavaca Creek	From the confluence of Lake Austin in Travis County upstream to the headwaters 0.4 km (0.3 mi) west of Cuernavaca Drive in Austin in Travis County	Freshwater Stream	1403O_01	From the confluence of Lake Austin in Travis County upstream to the headwaters 0.4 km (0.3 mi) west of Cuernavaca Drive in Austin in Travis County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1403P	Bee Creek	From the confluence of Lake Austin in Travis County upstream to the headwaters west of the Muir Lane cul-de-sac in Austin in Travis County	Freshwater Stream	1403P_01	From the confluence of Lake Austin in Travis County upstream to the headwaters west of the Muir Lane cul-de-sac in Austin in Travis County	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1403Q	Bear Creek	From the confluence of Lake Austin in Travis County upstream to the headwaters 0.4 km (0.3 mi) southwest of the intersection of RR 620 and Comanche Trail in Austin in Travis County	Freshwater Stream	1403Q_01	From the confluence of Lake Austin in Travis County upstream to the headwaters 0.4 km (0.3 mi) southwest of the intersection of RR 620 and Comanche Trail in Austin in Travis County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1403R	Westlake-Davenport Tributary to Lake Austin	From the confluence of Lake Austin in Travis County upstream to the headwaters 150 ft. southeast of the intersection of Waymaker Way and Round Table road in Austin in Travis County	Freshwater Stream	1403R_01	From the confluence of Lake Austin in Travis County upstream to the headwaters 150 ft. southeast of the intersection of Waymaker Way and Round Table road in Austin in Travis County	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1404	Lake Travis	From Mansfield Dam in Travis County to Max Starcke Dam on the Colorado River Arm in Burnet County and to a point immediately upstream of the confluence of Fall Creek on the Pedernales River Arm in Travis County, up to the normal pool elevation of 681.6 fe	Reservoir	1404_01	From Mansfield Dam upstream to the confluence with Big Sandy Creek Arm	Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12302
				1404_02	Big Sandy Creek Arm	Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12307
				1404_03	Arkansas Bend area, from Sandy Creek Arm upstream to Hurst Creek Arm	Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12309
				1404_04	Lakeway area, from Hurst Creek arm upstream to the confluence with Cow Creek	Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12311
				1404_05	From the confluence with Cow Creek upstream to the confluence of the Pedernales River Arm	Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12313
				1404_06	From the confluence with the Pedernales River Arm upstream to Muleshoe Bend	Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12315; 12316
				1404_07	From Muleshoe Bend upstream to the confluence with Hickory Creed	Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A	No Stations
				1404_08	From Hickory Creek confluence upstream to the headwaters at Max Starcke Dam	Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12318
				1404_09	Pedernales River Arm	Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A	No Stations
				1404_10	Bee Creek Arm	Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A	20070
				1404_11	Hurst Creek Arm	Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A	15428

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1404A	Hamilton Creek	From the confluence with Lake Travis upstream to the headwaters near the intersection of CR 110 and Threadgill Ranch Road northwest of Burnet in Burnet County	Freshwater Stream	1404A_01	From the confluence with Lake Travis upstream to the confluence of Delaware Creek	Perennial	Routine Flow Data	High	Presumption from flow type	16929
				1404A_02	From the confluence of the Delaware Creek upstream to the confluence of an unnamed tributary (Haynie Branch) in the City of Burnet 1.1 km upstream of the Southern Pacific Railroad	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations
				1404A_03	From the confluence of Haynie Branch upstream to the headwaters near the intersection of CR 110 and Threadgill Ranch Road northwest of Burnet in Burnet County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1404B	Cow Creek	From the confluence with Lake Travis in Travis County upstream to the headwaters 3.2 km (2.0 mi) southwest of the intersection of CR 336 and CR 337 near the City of Oatmeal in Burnet County	Freshwater Stream	1404B_01	From the confluence with Lake Travis in Travis County upstream to the headwaters 3.2 km (2.0 mi) southwest of the intersection of CR 336 and CR 337 near the City of Oatmeal in Burnet County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	17054

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1404C	Long Hollow Creek	From the confluence of the Cypress Creek arm of Lake Travis upstream to the headwaters 1 mi southeast of the intersection of Lime Creek Road and Fisher Hollow Trail in Travis County	Freshwater Stream	1404C_01	From the confluence of the Cypress Creek arm of Lake Travis upstream to the headwaters 1 mi southeast of the intersection of Lime Creek Road and Fisher Hollow Trail in Travis County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1404D	Lick Creek	From the confluence with the Pedernales River arm of Lake Travis upstream to the headwaters 1.0 km (0.75 mi) northeast of the intersection of Reimers-Peacock Road and Hamilton Pool Road in Travis county	Freshwater Stream	1404D_01	From the confluence with the Pedernales River arm of Lake Travis upstream to the headwaters 1.0 km (0.75 mi) northeast of the intersection of Reimers-Peacock Road and Hamilton Pool Road in Travis county	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1404E	Hicks Hollow Creek	From the confluence with Long Hollow Creek in Travis County upstream to the headwaters near the Travis/Williamson county line west of Leander	Freshwater Stream	1404E_01	From the confluence with Long Hollow Creek in Travis County upstream to the headwaters near the Travis/Williamson county line west of Leander	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1405	Marble Falls Lake	From Max Starcke Dam in Burnet County to Alvin Wirtz Dam in Burnet County, up to the normal pool elevation of 738 feet (impounds Colorado River)	Reservoir	1405_01	From Max Starcke Dam to Varnhagen Creek confluence	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12319
				1405_02	From Varnhagen Creek confluence upstream to Alvin Wirtz Dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1406	Lake Lyndon B. Johnson	From Alvin Wirtz Dam in Burnet County to Roy Inks Dam on the Colorado River Arm in Burnet/Llano County and to a point immediately upstream of the confluence of Honey Creek on the Llano River Arm in Llano County, up to the normal pool elevation of 825.6 fe	Reservoir	1406_01	From Alvin Wirtz Dam upstream to the Pecan Creek Arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12324
				1406_02	From the Pecan Creek Arm upstream to the Station Creek/Dry Creek Arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12327
				1406_03	From the Station Creek/Dry Creek Arm upstream to the Llano River Arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12330
				1406_04	Llano River arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12331
				1406_05	From the confluence with the Llano River Arm upstream to the Williams Creek confluence	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12333
				1406_06	From the Williams Creek confluence upstream to Roy Inks Dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1406A	Sandy Creek	From the confluence of Lake Lyndon B. Johnson southeast of Llano in Llano County to the upstream to the confluence of Crabapple Creek south of Llano in Llano County	Freshwater Stream	1406A_01	From the confluence of Lake LBJ upstream to the confluence of Crabapple Creek south of Llano in Llano County	Intermittent	Flow Questionnaire	Minimal	Presumption from flow type	12214
				1406A_02	From the confluence of Crabapple Creek south of Llano in Llano County upstream to the headwaters 1.6 km (1.0 mi) northwest of the intersection of Schneider-Moellering Road and Pecan Springs Road	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1407	Inks Lake	From Roy Inks Dam in Burnet/Llano County to Buchanan Dam in Burnet/Llano County, up to the normal pool elevation of 888 feet (impounds Colorado River)	Reservoir	1407_01	From Roy Inks Dam upstream to the Clear Creek Arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12336; 12337
				1407_02	From Clear Creek Arm upstream to Buchanan Dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1407A	Clear Creek	From the confluence with Inks Lake in Burnet County west of Burnet upstream to a point 2 mi (3.2 km) west of FM 2341 near Potato Hill northwest of Burnet	Freshwater Stream	1407A_01	From the confluence with Inks Lake upstream to FM 2341	Intermittent w/pools	Routine Flow Data	Intermediate	Presumption from flow type	18710
				1407A_02	FM 2341 upstream to headwaters near Potato Hill	Intermittent	Flow Questionnaire	Minimal	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1408	Lake Buchanan	From Buchanan Dam in Burnet/Llano County to a point immediately upstream of the confluence of Yancey Creek, up to the normal pool elevation of 1020.5 feet (impounds Colorado River)	Reservoir	1408_01	Main pool near dam upstream to Flag Island area	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12344
				1408_02	Rocky Point area, from Flag Island upstream to Shaw Island Park area	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12347
				1408_03	From Shaw Island Park area upstream to Paradise Point Resort area	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12350
				1408_04	From Paradise Point Resort area upstream to Willow Slough area	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12352
				1408_05	From the Willow Slough area upstream to the headwaters near the Yancey Creek confluence	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12353
				1408_06	Council Creek and Morgan Creek Arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12349

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1409	Colorado River Above Lake Buchanan	From a point immediately upstream of the confluence of Yancey Creek in Burnet/San Saba/Lampasas County to the confluence of the San Saba River in San Saba County	Freshwater Stream	1409_01	From the Yancey Creek confluence upstream to the confluence with Cherokee Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	20641
				1409_02	From the confluence with Cherokee Creek upstream to the confluence of the San Saba River	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12355

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1409A	Cherokee Creek	From the confluence with the Colorado River in San Saba County to a point 1.5 km south of the Llano County line southwest of the City of Cherokee	Freshwater Stream	1409A_01	From the confluence with the Colorado River in San Saba County upstream to the confluence of Buffalo Creek northeast of the City of Cherokee in San Saba County	Perennial	Routine Flow Data	High	Presumption from flow type	12274
				1409A_02	From the confluence of Buffalo Creek northeast of the City of Cherokee in San Saba County upstream to the headwaters 1.5 km (1.0 mi) south of the Llano County line southwest of the City of Cherokee	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1410	Colorado River Below O. H. Ivie Reservoir	From the confluence of the San Saba River in San Saba County to S. W. Freese Dam in Coleman/Concho County	Freshwater Stream	1410_01	From the confluence of the San Saba River upstream to the confluence of Pecan Bayou	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1410_02	From the confluence of Pecan Bayou upstream to the confluence of Indian Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1410_03	From the confluence of Indian Creek upstream to the confluence of Bull Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12358
				1410_04	From the confluence of Bull Creek upstream to O.H. Ivie Reservoir dam	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13667

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1411	E. V. Spence Reservoir	From Robert Lee Dam in Coke County to a point immediately upstream of the confluence of Little Silver Creek in Coke County, up to the normal pool elevation of 1898 feet (impounds Colorado River)	Reservoir	1411_01	Main pool from the dam upstream to the Rough Creek arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12359; 13863
				1411_02	From the Rough Creek arm upstream to the confluence of Little Silver Creek	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12360

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1412	Colorado River Below Lake J. B. Thomas	From a point immediately upstream of the confluence of Little Silver Creek in Coke County to Colorado River Dam in Scurry County	Freshwater Stream	1412_01	From a point 275 m (300 yds) upstream of the confluence of Little Silver Creek in Coke County upstream to the confluence of Beals Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	17002
				1412_02	From the confluence of Beals Creek upstream to the dam below Barber Reservoir pump station	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12363
				1412_03	From the dam below Barber Reservoir pump station upstream to the confluence of Deep Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12365
				1412_04	From the confluence of Deep Creek upstream to the Confluence of Willow Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1412_05	From the confluence of Willow Creek upstream to Lake J.B. Thomas dam	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1412A	Lake Colorado City	From Lake Colorado City Dam up to normal pool elevation of 2070.0 feet southwest of Colorado City in Mitchell County (impounds Morgans Creek)	Reservoir	1412A_01	From Lake Colorado City Dam up to normal pool elevation of 2070.0 feet southwest of Colorado City in Mitchell County (impounds Morgans Creek)	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1412B	Beals Creek	From the confluence of the Colorado River south of Colorado City in Mitchell County to the confluence of Mustang Draw and Sulphur Springs Draw in Howard County	Freshwater Stream	1412B_01	From the confluence with the Colorado River upstream to the confluence of Bull Creek	Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D	12156
				1412B_02	From the confluence of Bull Creek upstream to the confluence of Guthrie Draw	Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations
				1412B_03	From the confluence of Guthrie Draw upstream to the confluence of Mustang Draw and Sulphur Springs Draw	Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D	12158; 12160

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1412C	Deep Creek	From the confluence of Big Sulphur Creek south of Snyder in Scurry County to the upstream perennial portion of the stream northwest of Snyder in Scurry County	Freshwater Stream	1412C_01	From the confluence with the Colorado River upstream to the confluence with Hell Roaring Hollow Creek	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				1412C_02	From the confluence with Hell Roaring Hollow Creek upstream to the confluence with an unnamed first order tributary approx. 0.07 km downstream of RR 1605	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations
				1412C_03	From the confluence with an unnamed first order tributary approx. 0.07 km downstream of RR 1605 upstream to the headwaters northeast of Fluvanna in Scurry County	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1412D	North Fork Champion Creek	Intermittent stream with perennial pools from the confluence with an unnamed tributary approximately 2.3 km upstream of IH 20 to its headwaters north of the City of Loraine	Freshwater Stream	1412D_01	Intermittent stream with perennial pools from the confluence with an unnamed tributary approximately 2.3 km upstream of IH 20 to its headwaters north of the City of Loraine	Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1413	Lake J. B. Thomas	From Colorado River Dam in Scurry County up to the normal pool elevation of 2258 feet (impounds Colorado River)	Reservoir	1413_01	From Colorado River Dam in Scurry County up to the normal pool elevation of 2258 feet (impounds Colorado River)	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	21614

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1414	Pedernales River	From a point immediately upstream of the confluence of Fall Creek in Travis County to FM 385 in Kimble County	Freshwater Stream	1414_01	End of segment to falls in Pedernales Falls State Park	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12369
				1414_02	Pedernales Falls to Johnson City Dam	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12372; 21398
				1414_03	Johnson City Dam to Gillespie County line	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12375
				1414_04	Gillespie County line to Gellermann Lane	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1414_05	Gellermann Lane to Live Oak Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12377; 17472
				1414_06	Remainder of segment	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1414A	Barons Creek	Perennial stream from the confluence with the Pedernales River upstream to the most northern crossing of US 87 northwest of Fredericksburg	Freshwater Stream	1414A_01	Perennial stream from the confluence with the Pedernales River upstream to the most northern crossing of US 87 northwest of Fredericksburg	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1414B	Cypress Creek	From the confluence with the Pedernales River west of Austin to the upstream perennial portion west of Round Mountain in Blanco County	Freshwater Stream	1414B_01	From the confluence with the Pedernales River west of Austin to the upstream perennial portion west of Round Mountain in Blanco County	Perennial	Flow Questionnaire	High	Presumption from flow type	12258

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1414C	Live Oak Creek	From the confluence with the Pedernales River near Fredericksburg to the upstream perennial portion northwest of Fredericksburg in Gillespie County	Freshwater Stream	1414C_01	From the confluence with the Pedernales River near Fredericksburg to the upstream perennial portion northwest of Fredericksburg in Gillespie County	Perennial	Flow Questionnaire	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1414D	Miller Creek	From the confluence with the Pedernales River near Pedernales Falls State Park to the headwaters, southwest of Johnson City in Blanco County	Freshwater Stream	1414D_01	From the confluence with the Pedernales River near Pedernales Falls State Park to the headwaters, southwest of Johnson City in Blanco County	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1414E	Heinz Creek	From the confluence with the Pedernales River in Travis County upstream to CR 962 in Blanco County	Freshwater Stream	1414E_01	From the confluence with the Pedernales River in Travis County upstream to CR 962 in Blanco County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1415	Llano River	From a point immediately upstream of the confluence of Honey Creek in Llano County to FM 864 on the North Llano River in Sutton County and to SH 55 on the South Llano River in Edwards County	Freshwater Stream	1415_01	From the confluence of Honey Creek upstream to the dam in Llano	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12383; 12386
				1415_02	From the dam in Llano upstream to the confluence of Beaver Creek in Mason County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12388
				1415_03	From the confluence of Beaver Creek in Mason County upstream to the confluence of Big Saline Creek in Kimble County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	17470; 22385
				1415_04	From the confluence of Big Saline Creek in Kimble County upstream to the confluence of the North Llano River and the South Llano River in Junction	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	14231; 17471; 21489
				1415_05	North Llano River from the confluence of the South Llano upstream to FM 864 in Sutton County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	17425; 21263; 21264; 21266; 21267; 21268; 21283; 21548
				1415_06	South Llano from the confluence with the North Llano River to SH 55 in Edwards County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	16701; 18197; 21269; 21270; 21271; 21272

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1415A	Johnson Fork Creek	Perennial stream from the confluence with the Llano River to source springs (Rio Bonito Springs) south of Segovia	Freshwater Stream	1415A_01	Perennial stream from the confluence with the Llano River to source springs (Rio Bonito Springs) south of Segovia	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	13550; 21812

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1415B	Comanche Creek	Intermittent stream with perennial pools from the confluence with the Llano River up to the confluence of West Comanche Creek near Mason	Freshwater Stream	1415B_01	Intermittent stream with perennial pools from the confluence with the Llano River up to the confluence of West Comanche Creek near Mason	Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1415C	James River	From the confluence of the Llano River south of the City of Mason in Mason County upstream to 0.8 km (0.5 mi) southeast of the intersection of CR 4431 and Stapp Road in Kimble County (NHD RC 12090204006873)	Freshwater Stream	1415C_01	From the confluence of the Llano River south of the City of Mason in Mason County upstream to 0.8 km (0.5 mi) southeast of the intersection of CR 4431 and Stapp Road in Kimble County (NHD RC 12090204006873).	Perennial	Routine Flow Data	High	Presumption from flow type	12210

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1416	San Saba River	From the confluence with the Colorado River in San Saba County to the confluence of the North Valley Prong and the Middle Valley Prong in Schleicher County	Freshwater Stream	1416_01	From the confluence with the Colorado River in San Saba County upstream to the US 190	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12392
				1416_02	From US 190 upstream to McCulloch County line	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	20662
				1416_03	McCulloch County/San Saba County line upstream to McCulloch County/Mason County line	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	17004
				1416_04	Mason County to FM 2092	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1416_05	FM 2092 upstream to end of segment	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12393

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1416A	Brady Creek	From the confluence of the San Saba River southwest of San Saba in San Saba County to Brady Lake Dam west of Brady in McCulloch County	Freshwater Stream	1416A_01	From the confluence of the San Saba River upstream to the confluence of an unnamed tributary	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				1416A_02	From the confluence of an unnamed tributary approximately 5 km east of FM 2309 east of Brady upstream to FM 714	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	14232
				1416A_03	From FM 714 upstream to Brady Lake dam	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1416B	Brady Creek Reservoir	From Brady Creek Reservoir dam up to pool elevation 1,743 feet	Reservoir	1416B_01	From Brady Creek Reservoir dam up to pool elevation 1,743 feet	Reservoir	Water body description	High	Presumption from Flow Type	12179; 20410

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1416C	Brady Creek above Brady Creek Reservoir	From the confluence of an unnamed tributary 2.5 km (1.5 mi) downstream of the Cow Creek confluence in McCulloch County upstream the headwaters 22.5 km (14 mi) southwest of Eden in Concho County	Freshwater Stream	1416C_01	From the confluence of an unnamed tributary 2.5 km (1.5 mi) downstream of the Cow Creek confluence in McCulloch County upstream to the confluence of Harden Branch in Concho County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations
				1416C_02	From the confluence of Harden Branch in Concho County upstream to the headwaters 22.5 km (14 mi) southwest of Eden in Concho County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1417	Lower Pecan Bayou	From the confluence with the Colorado River in Mills County to a point immediately upstream of the confluence of Mackinally Creek in Brown County	Freshwater Stream	1417_01	From the confluence with the Colorado River in Mills County to a point immediately upstream of the confluence of Mackinally Creek in Brown County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12394

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1418	Lake Brownwood	From Lake Brownwood Dam in Brown County to a point 100 meters (110 yards) upstream of FM 2559 in Brown County, up to the normal pool elevation of 1425 feet (impounds Pecan Bayou)	Reservoir	1418_01	Mid-lake near dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12395
				1418_02	West arm of lake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12396
				1418_03	North arm of lake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12397

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1418A	Hords Creek	From the confluence of Jim Ned Creek east of Coleman in Coleman County Hords Creek Lake Dam west of Coleman in Coleman County	Freshwater Stream	1418A_02	From the confluence of Jim Ned Creek to a point 0.5 mi downstream of Live Oak Rd	Perennial	Routine Flow Data	High	Presumption from flow type	12177
				1418A_03	From 0.5 mi downstream of Live Oak Rd. to the confluence of Bachelor Prong Ck	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	21134
				1418A_04	From the confluence of Bachelor Prong Creek to Hords Creek Reservoir dam	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1418B	Jim Ned Creek	From the confluence with Lake Brownwood in Brown County to Coleman Dam in Coleman County	Freshwater Stream	1418B_01	From the confluence of Lake Brownwood in Brown County upstream to the confluence of Indian Creek	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations
				1418B_02	From the confluence of Indian Creek upstream to Coleman Dam	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1418C	Hords Creek Reservoir	From Hords Creek Dam 10 mi west of Coleman in Coleman County up to the normal pool elevation of 1900 feet (impounds Hords Creek).	Reservoir	1418C_01	From Hords Creek Dam 10 mi west of Coleman in Coleman County up to the normal pool elevation of 1900 feet (impounds Hords Creek).	Reservoir	Water body description	High	Presumption from Flow Type	12178

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1419	Lake Coleman	From Coleman Dam in Coleman County up to the normal pool elevation of 1717.5 feet (impounds Jim Ned Creek)	Reservoir	1419_01	From Coleman Dam in Coleman County up to the normal pool elevation of 1717.5 feet (impounds Jim Ned Creek)	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12398

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1420	Pecan Bayou Above Lake Brownwood	From a point 100 meters (110 yards) upstream of FM 2559 in Brown County to the confluence of the North Prong Pecan Bayou and the South Prong Pecan Bayou in Callahan County	Freshwater Stream	1420_01	Lower 25 mi	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12400
				1420_02	Remainder of segment	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1420A	Kaiser Creek	Intermittent stream with perennial pools from the confluence with North Prong Pecan Bayou up to 0.5 km upstream of FM 2700 south of Clyde	Freshwater Stream	1420A_01	Intermittent stream with perennial pools from the confluence with North Prong Pecan Bayou up to 0.5 km upstream of FM 2700 south of Clyde	Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1420B	Turkey Creek	From the confluence with Pecan Bayou in Brown County up to SH 36 in Callahan County	Freshwater Stream	1420B_01	From the confluence with Pecan Bayou in Brown County up to SH 36 in Callahan County	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1421	Concho River	From a point 2.0 km (1.2 mi) upstream of the confluence of Fuzzy Creek in Concho County to San Angelo Dam on the North Concho River in Tom Green County and to Nasworthy Dam on the South Concho River in Tom Green County	Freshwater Stream	1421_01	Downstream end to Chandler Lake confluence	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12401
				1421_02	From Chandler Lake confluence upstream to confluence of Puddle Ck.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12402
				1421_03	From the confluence of Puddle Creek upstream to the confluence of Willow Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12403
				1421_04	From the confluence of Willow Creek upstream to the confluence of an unnamed tributary near Chandler Road	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12404
				1421_05	From the confluence of an unnamed tributary near Chandler Rd. upstream to the confluence of Red Ck.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1421_06	From the confluence of Red Creek upstream to the dam near Vines Rd.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12407
				1421_07	From the dam near Vines Road upstream to the confluence of the North Concho River and the South Concho River	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12408; 12409
				1421_08	North Concho River, from the confluence with the South Concho River upstream to O.C. Fisher dam	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12412; 15886
				1421_09	South Concho River, from the confluence with the North Concho upstream to Nasworthy Dam	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12416

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1421A	Dry Hollow Creek	From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters at US 87	Freshwater Stream	1421A_01	From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters at US 87	Perennial	Flow Questionnaire	High	Presumption from flow type	12257

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1421B	Kickapoo Creek	From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters northwest of Eden	Freshwater Stream	1421B_01	Lower 25 mi of creek	Intermittent	Flow Questionnaire	Minimal	Presumption from flow type	12255
				1421B_02	Remainder of water body	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1421C	Lipan Creek	From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters near RR 1223 in Tom Green County	Freshwater Stream	1421C_01	Lower 25 mi of creek	Intermittent	Flow Questionnaire	Minimal	Presumption from flow type	12254
				1421C_02	Remainder of creek	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1421D	Little Concho River	From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters near RR 2333 in Runnels County	Freshwater Stream	1421D_01	From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters near RR 2333 in Runnels County	Intermittent	Flow Questionnaire	Minimal	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1422	Lake Nasworthy	From Nasworthy Dam in Tom Green County to Twin Buttes Dam in Tom Green County, up to the normal pool elevation of 1872.2 feet (impounds South Concho River)	Reservoir	1422_01	Lower half of lake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12418; 12421
				1422_02	Upper half of lake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12419

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1423	Twin Buttes Reservoir	From Twin Buttes Dam. to a point 100 meters (110 yards) upstream of US 67 on the Middle Concho River Arm. and to a point 4.0 km (2.5 mi) downstream of FM 2335 on the South Concho River Arm., up to the normal pool elevation of 1940.2 feet (impounds the Mid	Reservoir	1423_01	North pool	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12422
				1423_02	South pool	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12425

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1423A	Spring Creek	From the confluence of Twin Buttes Reservoir south of Tankersley in Tom Green County to the upstream perennial portion of the stream northeast of Ozona in Crockett County	Freshwater Stream	1423A_01	From the confluence of Twin Buttes Reservoir upstream to Duncan Avenue crossing in Mertzon	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	12161
				1423A_02	From Duncan Avenue crossing in Mertzon upstream to the upstream perennial portion of the stream northeast of Ozona in Crockett County	Perennial	Routine Flow Data	High	Presumption from flow type	17346

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1423B	Dove Creek	From the confluence with Spring Creek above Twin Buttes Reservoir to the headwaters near FM 1828 in Schleicher County	Freshwater Stream	1423B_01	From the confluence of Spring Creek upstream to RR 915	Perennial	Flow Questionnaire	High	Presumption from flow type	12166
				1423B_02	Remainder of water body	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1424	Middle Concho/South Concho River	From a point 4.0 km (2.5 mi) downstream of FM 2335 in Tom Green County to the confluence of Bois d'Arc Draw on the South Concho River. and from a point 100 meters (110 yards) upstream of US 67. to the confluence of Three Bluff Draw and Indian Creek on the	Freshwater Stream	1424_01	South Concho River from a point 4 km (2.5 mi) downstream of FM 2335 upstream to the confluence of Bois d'Arc Draw in Tom Green County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12427; 18712; 18869
				1424_02	Middle Concho River from a point 100 m upstream of US 67 in Tom Green County upstream to the confluence of Big Hollow Draw in Irion County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	16903
				1424_03	From the confluence of Big Hollow Draw in Irion County upstream to the confluence of Three Bluff Draw and Indian Creek on the Middle Concho River in Reagan County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1424A	West Rocky Creek	From the confluence of Middle Concho River to the upstream perennial portion of the stream north of Mertzon in Irion County	Freshwater Stream	1424A_01	From the confluence of Middle Concho River to the upstream perennial portion of the stream north of Mertzon in Irion County	Perennial	Routine Flow Data	High	Presumption from flow type	12165

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1424B	Cold Creek	From the confluence of the South Concho River 110 meters (360 ft.) southwest of Musik Lane south of Christoval in Tom Green County (upstream to the confluence of the South Concho River in Tom Green County (NHD Reach Code 12090102000009)	Freshwater Stream	1424B_01	From the confluence of the South Concho River 110 meters (360 ft.) southwest of Musik Lane south of Christoval in Tom Green County (upstream to the confluence of the South Concho River in Tom Green County (NHD Reach Code 12090102000009).	Perennial	Routine Flow Data	High	Presumption from flow type	18711

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1425	O. C. Fisher Lake	From San Angelo Dam in Tom Green County up to the normal pool elevation of 1908 feet (impounds North Concho River)	Reservoir	1425_01	From San Angelo Dam in Tom Green County up to the normal pool elevation of 1908 feet (impounds North Concho River)	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12429

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1425A	North Concho River	From the headwaters of OC Fisher Lake near San Angelo in Tom Green County upstream to the Glasscock/Howard County line	Freshwater Stream	1425A_01	Lower end of water body to Sterling County line	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	12171; 17350
				1425A_02	Sterling County line to SH 163	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	16779
				1425A_03	SH 163 to US 87	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	16780
				1425A_04	Remainder of water body	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1426	Colorado River Below E. V. Spence Reservoir	From a point 3.7 km (2.3 mi) downstream of the confluence of Mustang Creek in Runnels County to Robert Lee Dam in Coke County	Freshwater Stream	1426_01	Lower end of segment to Country Club Lake	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12430; 17244
				1426_02	Country Club Lake to Coke County line	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13651; 16901
				1426_03	Coke County line to SH 208	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	16900
				1426_04	SH 208 to dam	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	17475; 18338

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1426A	Oak Creek Reservoir	From Oak Creek Dam up to normal pool elevation of 2,000.0 feet north of Bronte in Coke County (impounds Oak Creek)	Reservoir	1426A_01	From Oak Creek Dam up to normal pool elevation of 2,000.0 feet north of Bronte in Coke County (impounds Oak Creek)	Reservoir	Water body description	High	Presumption from Flow Type	12180

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1426B	Elm Creek	From the confluence with the Colorado River near Ballinger in Runnels County to the Lake Winters dam east of Winters in Runnels County	Freshwater Stream	1426B_01	Perennial stream from the confluence with the Colorado River upstream to the dam approximately 300 meters downstream of US Highway 67	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	15536
				1426B_02	From the dam approximately 300 meters downstream of US Highway 67 upstream to the Lake Winters dam east of Winters in Runnels County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	12169; 12207

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1426C	Bluff Creek	From the confluence with Elm Creek in Runnels County upstream to a point 1 mi east of US Hwy 277 in Taylor County.	Freshwater Stream	1426C_01	From the confluence with Elm Creek upstream to the confluence of Mill Creek	Perennial	Routine Flow Data	High	Presumption from flow type	17474
				1426C_02	From the confluence of Mill Creek upstream to the end of segment	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1426D	Coyote Creek	From the confluence with Elm Creek in Runnels County upstream to the confluence of Big Coyote Creek and Little Coyote Creek southwest of Winters in Runnels County	Freshwater Stream	1426D_01	From the confluence with Elm Creek in Runnels County upstream to the confluence of Big Coyote Creek and Little Coyote Creek southwest of Winters in Runnels County.	Perennial	Routine Flow Data	High	Presumption from flow type	16899

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1427	Onion Creek	From the confluence with the Colorado River in Travis County to the most upstream crossing of FM 165 in Blanco County	Freshwater Stream	1427_01	From the confluence with the Colorado River upstream to US 183	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12434; 12436
				1427_02	From US 183 upstream to FM 967	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12440; 12447; 12448; 17275
				1427_03	From FM 967 upstream to Jackson Branch confluence	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12449; 12451
				1427_04	From Jackson Branch confluence to end of segment	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12454; 12456; 21941

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1427A	Slaughter Creek	Intermittent stream with perennial pools from the confluence with Onion Creek to above US 290 west of Austin	Freshwater Stream	1427A_01	Intermittent stream with perennial pools from the confluence with Onion Creek to above US 290 west of Austin	Intermittent w/pools	TSWQS Appendix D	High	TSWQS Appendix D	12185; 12186

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1427B	Williamson Creek	From the confluence of Onion Creek in southeast Austin in Travis County to the upstream perennial portion southwest of Austin in Travis County	Freshwater Stream	1427B_01	From the confluence of Onion Creek in southeast Austin in Travis County to the upstream perennial portion southwest of Austin in Travis County	Perennial	Flow Questionnaire	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1427C	Bear Creek	From the confluence of Onion Creek in south Austin in Travis County upstream to the headwaters at Trinity Hills Drive in southwest of Austin in Travis County	Freshwater Stream	1427C_01	From the confluence of Onion Creek in south Austin in Travis County upstream to the headwaters at Trinity Hills Drive in southwest of Austin in Travis County	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	12189; 21011

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1427D	Boggy Creek	Intermittent Stream from the confluence of Onion Creek upstream to a point north of West Dittmar Road in Austin in Travis County	Freshwater Stream	1427D_01	Intermittent Stream from the confluence of Onion Creek upstream to a point north of West Dittmar Road in Austin in Travis County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1427E	Marble Creek	From the confluence of Onion Creek in Travis County upstream to a point 0.25 mi south of Old Lockhart Road in Travis County	Freshwater Stream	1427E_01	From the confluence of Onion Creek in Travis County upstream to a point 0.25 mi south of Old Lockhart Road in Travis County	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1427F	Rinard Creek	From the confluence of Onion Creek in Travis County upstream to a point 0.4 mi south of Turnersville Road in Travis County	Freshwater Stream	1427F_01	From the confluence of Onion Creek in Travis County upstream to a point 0.4 mi south of Turnersville Road in Travis County	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1427G	Granada Hills Tributary to Slaughter Creek	Unnamed tributary from the confluence of Slaughter Creek in Travis County upstream to La Fauna Path in Travis County	Freshwater Stream	1427G_01	Unnamed tributary from the confluence of Slaughter Creek in Travis County upstream to La Fauna Path in Travis County	Intermittent	Flow Questionnaire	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1427H	Pier Branch	From the confluence with Onion Creek upstream to US Hwy 290 in southwest Travis County	Freshwater Stream	1427H_01	From the confluence with Onion Creek upstream to US Hwy 290 in southwest Travis County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1428	Colorado River Below Lady Bird Lake (formerly Town Lake)	From a point 100 meters (110 yards) upstream of FM 969 near Utley in Bastrop County to Longhorn Dam in Travis County	Freshwater Stream	1428_01	Lower end of segment to Gilleland Creek confluence	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12466
				1428_02	From the confluence of Gilleland Creek upstream to the confluence of Walnut Ck.	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12469; 21411; 22387
				1428_03	Walnut Creek to Longhorn Dam	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12474

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1428A	Boggy Creek	From the confluence of the Colorado River east of Austin in Travis County to the upstream perennial portion of the stream in north Austin in Travis County	Freshwater Stream	1428A_01	From the confluence of the Colorado River east of Austin in Travis County to the upstream perennial portion of the stream in north Austin in Travis County	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1428B	Walnut Creek	From the confluence of the Colorado River in east Austin in Travis County to the upstream perennial portion of the stream in north Austin in Travis County	Freshwater Stream	1428B_01	From the Colorado River upstream to FM 969	Perennial	Routine Flow Data	High	Presumption from flow type	12231
				1428B_02	From FM 969 upstream to Old Manor Rd.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				1428B_03	From old Manor Road upstream to Dessau Road	Perennial	Routine Flow Data	High	Presumption from flow type	17469
				1428B_04	From Dessau Rd. upstream to MoPac/Loop 1	Perennial	Routine Flow Data	High	Presumption from flow type	15743
				1428B_05	From MoPac/Loop 1 upstream to Union Pacific Railroad tracks south of McNeil Drive	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	17251

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1428C	Gilleland Creek	Perennial stream and intermittent stream with perennial pools from the confluence with the Colorado River up to the spring source (Ward Spring) northwest of Pflugerville, in Travis County	Freshwater Stream	1428C_01	From the Colorado River upstream to Taylor Lane	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	17257
				1428C_02	From Taylor Lane upstream to Old Highway 20	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	12235
				1428C_03	From Old Highway 20 to Cameron Road	Intermittent w/pools	TSWQS Appendix D	High	TSWQS Appendix D	12236
				1428C_04	From Cameron Road to the spring source	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	18762; 20474

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1428D	Little Walnut Creek	From the confluence with the Colorado River in Austin in Travis County upstream to a point west of Lamar Blvd. in Austin in Travis County	Freshwater Stream	1428D_01	From the confluence with the Colorado River in Austin in Travis County upstream to a point west of Lamar Blvd. in Austin in Travis County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1428E	Fort Branch Creek	From the confluence of Boggy Creek in Austin in Travis County upstream to Springdale Park in Austin in Travis County	Freshwater Stream	1428E_01	From the confluence of Boggy Creek in Austin in Travis County upstream to Springdale Park in Austin in Travis County	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1428F	Tannehill Branch Creek	From the confluence of Boggy Creek in Austin in Travis County upstream to Bartholomew Park in Austin in Travis County	Freshwater Stream	1428F_01	From the confluence of Boggy Creek in Austin in Travis County upstream to Bartholomew Park in Austin in Travis County	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1428G	Wells Branch	From the confluence of Walnut Creek in Austin in Travis County upstream to Bratton Lane Park in Austin in Travis County	Freshwater Stream	1428G_01	From Walnut Creek upstream to Howard Lane	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations
				1428G_02	From Howard Lane to Bratton Lane Park	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1428H	Carson Creek	From the confluence of the Colorado River to a point near the intersection of Montopolis Drive and SH 71 in Austin in Travis County	Freshwater Stream	1428H_01	From the confluence of the Colorado River to a point near the intersection of Montopolis Drive and SH 71 in Austin in Travis County	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1428I	Decker Creek	From the confluence of Gilleland Creek to Walter E. Long Lake in Austin in Travis County	Freshwater Stream	1428I_01	From the confluence of Gilleland Creek to Walter E. Long Lake in Austin in Travis County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1428J	Harris Branch	From the confluence of Gilliland Creek to the confluence of an unnamed tributary west of Gregg Cemetery in Travis County	Freshwater Stream	1428J_01	Perennial stream from the confluence with Gilleland Creek upstream to the confluence with an unnamed tributary approximately 2.6 km downstream of Gregg Lane	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations
				1428J_02	From the confluence with an unnamed tributary approximately 2.6 km downstream of Gregg Lane to the confluence of an unnamed tributary west of Gregg Cemetery in Travis County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1428K	Walter E. Long Lake	Walter E. Long Lake from Decker Creek dam up to pool elevation of 555 feet msl (169 m)	Reservoir	1428K_01	Walter E. Long Lake from Decker Creek dam up to pool elevation of 555 feet msl (169 m)	Reservoir	Water body description	High	Presumption from Flow Type	20161; 21022; 21023

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1428L	Dry Creek	From the confluence with the Colorado River upstream to US 183 south of Pilot Knob in Travis County	Freshwater Stream	1428L_01	Perennial stream from the mouth of the Colorado River upstream to 150 m upstream of the confluence with Cottonwood Creek	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations
				1428L_02	Intermittent stream with perennial pools from 150 m upstream of the confluence with Cottonwood Creek in Bastrop County upstream to just below the confluence with an unnamed tributary located approximately 2.73 km upstream of Wolf Lane in Travis County	Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations
				1428L_03	Perennial stream from just below the confluence with an unnamed tributary located approximately 2.73 km upstream of Wolf Lane upstream to the confluence of North Fork Dry Creek and Dry Creek	Perennial	TSWQS Appendix D	Exceptional	TSWQS Appendix D	No Stations
				1428L_04	Intermittent stream with perennial pools from the confluence with North Fork Dry Creek upstream to US 183 south of Pilot Knob	Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1429	Lady Bird Lake (formerly Town Lake)	From Longhorn Dam in Travis County to Tom Miller Dam in Travis County, up to the normal pool elevation of 429 feet (impounds Colorado River)	Reservoir	1429_01	Longhorn Dam upstream to Lamar Street bridge	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12476; 14067
				1429_02	From Lamar Street bridge upstream to Tom Miller Dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12486

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1429A	Shoal Creek	From the confluence of Town Lake in Austin in Travis County to the upstream perennial portion of the Creek in north Austin in Travis County	Freshwater Stream	1429A_01	From the confluence of Town Lake in Austin in Travis County to the upstream perennial portion of the Creek in north Austin in Travis County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1429B	Eanes Creek	From the confluence of Town Lake in central Austin in Travis County to the upstream perennial portion of the stream in west Austin in Travis County	Freshwater Stream	1429B_01	From the confluence of Town Lake in central Austin in Travis County to the upstream perennial portion of the stream in west Austin in Travis County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1429C	Waller Creek	From the confluence of Town Lake in central Austin in Travis County to the upstream portion of the stream in north Austin in Travis County	Freshwater Stream	1429C_01	From the confluence with Town Lake to East MLK Blvd.	Perennial	Routine Flow Data	High	Presumption from flow type	12222
				1429C_02	From East MLK Blvd. to East 41st Street	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	15962
				1429C_03	Upper portion of creek	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	16331

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1429D	East Bouldin Creek	From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in south Austin in Travis County	Freshwater Stream	1429D_01	From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in south Austin in Travis County	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1429E	West Bouldin Creek	From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in Travis County	Freshwater Stream	1429E_01	From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in Travis County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1429F	Blunn Creek	From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in south Austin in Travis County	Freshwater Stream	1429F_01	From the confluence with Town Lake upstream to East Mary Street	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations
				1429F_02	From East Mary Street to SH 71	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1429G	Harper's Branch	From the confluence with Town Lake upstream to Woodland Avenue in Austin in Travis County	Freshwater Stream	1429G_01	From the confluence with Town Lake upstream to Woodland Avenue in Austin in Travis County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1429H	Johnson Creek	From the confluence with Town Lake to a point south of Windsor Road in Austin in Travis County	Freshwater Stream	1429H_01	From the confluence with Town Lake to a point south of Windsor Road in Austin in Travis County	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1430	Barton Creek	From the confluence with Lady Bird Lake (formerly Town Lake) in Travis County to FM 12 in Hays County	Freshwater Stream	1430_01	From confluence with Lady Bird Lake (formerly Town Lake) to downstream dam of Barton Springs Pool	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1430_02	From Barton Springs Pool downstream dam to a point 2 mi upstream of Loop 1	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12488
				1430_03	From a point 2 mi upstream of Loop 1 to SH 71	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12495; 13555; 15959; 18187
				1430_04	SH 71 upstream to Hays County Line	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12497
				1430_05	Hays County Line upstream to FM 12	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12498

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1430A	Barton Springs	Barton Springs 0.4 mi upstream of Barton Springs Road in Austin in Travis County	Freshwater Stream	1430A_01	Barton Springs Pool - entire water body	Perennial	Routine Flow Data	High	Presumption from flow type	15696

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1430B	Tributaries to Barton Creek (unclassified water bodies)	Tributaries to Barton Creek in Travis County and Hays County	Freshwater Stream	1430B_01	Tributaries entering Barton Cr from a point 2 mi upstream of Loop 1 upstream to Barton Creek Blvd.	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations
				1430B_02	From Barton Creek Blvd. crossing upstream to SH 71	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations
				1430B_03	Little Barton Creek	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				1430B_04	Tributaries entering Barton Cr from SH 71 upstream to the Hays County line	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations
				1430B_05	Tributaries entering Barton Creek from the Hays County line upstream to CR 169	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	12500

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1431	Mid Pecan Bayou	From a point immediately upstream of the confluence of Mackinally Creek in Brown County to a point immediately upstream of Willis Creek in Brown County	Freshwater Stream	1431_01	From a point immediately upstream of the confluence of Mackinally Creek in Brown County to a point immediately upstream of Willis Creek in Brown County	Perennial	TSWQS Appendix A	Minimal	TSWQS Appendix A	12504; 12507; 20799; 20800

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1432	Upper Pecan Bayou	From a point immediately upstream of the confluence of Willis Creek in Brown County to Lake Brownwood Dam in Brown County	Freshwater Stream	1432_01	From a point immediately upstream of the confluence of Willis Creek in Brown County to Lake Brownwood Dam in Brown County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12508

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1433	O. H. Ivie Reservoir	From S. W. Freese Dam. to a point 3.7 km (2.3 mi) downstream of the confluence of Mustang Creek on the Colorado River Arm. and to a point 2.0 km (1.2 mi) upstream of the confluence of Fuzzy Creek on the Concho River Arm., up to the conservation pool level	Reservoir	1433_01	Main pool near dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12511
				1433_02	Concho River arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12512
				1433_03	Colorado River arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12513
				1433_04	Remainder of reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1434	Colorado River above La Grange	From a point 100 meters (110 yards) downstream of Business SH 71 at La Grange in Fayette County to a point 100 meters (110 yards) upstream of FM 969 near Utley in Bastrop County	Freshwater Stream	1434_01	From a point 100 meters (110 yards) downstream of Business SH 71 upstream to the Southern Pacific Railroad crossing	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12292
				1434_02	Southern-Pacific RR upstream to the confluence of Reeds Creek west of Smithville	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12293
				1434_03	From the confluence of Reeds Creek west of Smithville upstream to the end of segment	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12462

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1434A	Gazley Creek	Perennial stream from the confluence with the Colorado River above La Grange upstream to the confluence with an unnamed tributary approximately 3.25 km upstream of the southern-most crossing of the Missouri-Kansas-Texas railroad south of Smithville	Freshwater Stream	1434A_01	Perennial stream from the confluence with the Colorado River above La Grange upstream to the confluence with an unnamed tributary approximately 3.25 km upstream of the southern-most crossing of the Missouri-Kansas-Texas railroad south of Smithville	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1434B	Cedar Creek	Perennial stream from the confluence with the Colorado River upstream to the confluence of an unnamed tributary at FM 525 in Bastrop County	Freshwater Stream	1434B_01	Perennial stream from the confluence with the Colorado River upstream to the confluence of an unnamed tributary at FM 525 in Bastrop County	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	16176

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1434C	Lake Bastrop	From the Lake Bastrop dam to the normal pool elevation of 450 feet (impounds Spicey Creek) in Bastrop County	Reservoir	1434C_01	South arm of lake near intake	Reservoir	Water body description	High	Presumption from Flow Type	17021
				1434C_02	Mid-lake	Reservoir	Water body description	High	Presumption from Flow Type	17020
				1434C_03	North arm of lake near discharge	Reservoir	Water body description	High	Presumption from Flow Type	17019

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1434D	Wilbarger Creek	Wilbarger Creek from the confluence of the Colorado River at Hemphill Bend in Bastrop County upstream to the confluence of an unnamed tributary approximately 3.7 km (2.3 mi) downstream of FM 685 in Travis County	Freshwater Stream	1434D_01	From the confluence with the Colorado River at Hemphill Bend in Bastrop County upstream to the confluence with Cottonwood Creek	Perennial	Routine Flow Data	High	Presumption from flow type	16178
				1434D_02	From the confluence with Cottonwood Creek upstream to the confluence of an unnamed tributary approximately 2.3 km (1.4 mi) upstream of US 290 in Travis County	Perennial	Routine Flow Data	High	Presumption from flow type	16182; 20809
				1434D_03	Perennial stream from the confluence of an unnamed tributary approximately 2.3 km (1.4 mi) upstream of US 290 upstream to the confluence of an unnamed tributary 2.3 km (1.4 mi) upstream of Cameron Road	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations
				1434D_04	Intermittent stream with perennial pools from the confluence of an unnamed tributary approximately 2.3 km (1.4 mi) upstream of Cameron Road upstream to the confluence of an unnamed tributary approximately 3.7 km (2.3 mi) downstream of FM 685	Intermittent w/pools	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1434E	Big Sandy Creek	Big Sandy Creek from the confluence of the Colorado River in Bastrop County upstream to a point east of CR 302 near Sundbeck Ranch Airport in Lee County	Freshwater Stream	1434E_01	From the confluence of the Colorado River in Bastrop County upstream to a point east of CR 302 near Sundbeck Ranch Airport in Lee County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	17473

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1434F	Maha Creek	From the confluence with Cedar Creek upstream a point 1.8 km south of the Turnersville Rd. crossing	Freshwater Stream	1434F_01	Intermittent stream with perennial pools from the confluence with Cedar Creek upstream to the confluence with an unnamed tributary approximately 0.25 km upstream of US 183 in Travis County	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations
				1434F_02	From an unnamed tributary approximately 0.25 km upstream of US 183 in Travis County upstream to a point 1.8 km south of the Turnersville Rd. crossing	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1434G	Alum Creek	From the confluence with the Colorado River in Bastrop County upstream to the headwaters near US 290 approximately 3.5 km southwest of McDade in Bastrop County	Freshwater Stream	1434G_01	From the confluence with the Colorado River in Bastrop County upstream to the headwaters near US 290 approximately 3.5 km southwest of McDade in Bastrop County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	16188

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1434H	Unnamed tributary of Wilbarger Creek	Perennial stream from the confluence with Wilbarger Creek approximately 2.3 km (1.4 mi) upstream of the Cameron Road crossing of Wilbarger Creek upstream to the confluence of two forks of the tributary downstream of Jesse Bohls Road	Freshwater Stream	1434H_01	Perennial stream from the confluence with Wilbarger Creek approximately 2.3 km (1.4 mi) upstream of the Cameron Road crossing of Wilbarger Creek upstream to the confluence of two forks of the tributary downstream of Jesse Bohls Road	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1434I	Buescher State Park Lake	Buescher State Park Lake from the dam to the normal pool elevation of 350 feet (impounds Hunt Branch) in Bastrop County	Reservoir	1434I_01	Buescher State Park Lake from the dam to the normal pool elevation of 350 feet (impounds Hunt Branch) in Bastrop County	Reservoir	Water body description	High	Presumption from Flow Type	21959

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1434J	Piney Creek	From the confluence with the Colorado River in Bastrop County upstream to the headwaters near US 290 approximately 4.5 km southeast of McDade in Bastrop County	Freshwater Stream	1434J_01	From the confluence with the Colorado River in Bastrop County upstream to the headwaters near US 290 approximately 4.5 km southeast of McDade in Bastrop County	Perennial	Routine Flow Data	High	Presumption from Flow Type	22308

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1501	Tres Palacios Creek Tidal	From the confluence with Tres Palacios Bay in Matagorda County to a point 1.6 km (1.0 mi) upstream of the confluence of Wilson Creek in Matagorda County	Tidal Stream	1501_01	From the confluence with Willow Dam Creek at Tres Palacios Bay/Turtle Bay upstream to a point 1.6 km (1.0 mi) upstream of the confluence of Wilson Creek in Matagorda County	Tidal Stream	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12515; 20636

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1501A	Wilson Creek	Perennial stream from the confluence with the Tres Palacios River upstream to the confluence with the first tributary south of SH 35	Freshwater Stream	1501A_01	Perennial stream from the confluence with the Tres Palacios River upstream to the confluence with the first tributary south of SH 35	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1502	Tres Palacios Creek Above Tidal	From a point 1.6 km (1.0 mi) upstream of the confluence of Wilson Creek in Matagorda County to State Route 525 (Old US 59) in Wharton County	Freshwater Stream	1502_01	Middle portion of segment from the confluence with Wallace Creek upstream to confluence with unnamed tributary with NHD RC 12100401013089 about 1.0 km SW of intersection of FM 418 and FM 422 NE of City of Danevang in Wharton County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12517
				1502_02	Upper portion of segment from the confluence with unnamed tributary about 1.0 km SW of intersection of 418 and 422 NE of City of Danevang in Wharton County upstream to US 59	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1502_03	Lower portion of segment from a point 1.6 km (1.0 mi) upstream of the confluence of Wilson Creek upstream to confluence with Wallace Creek Matagorda County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1601	Lavaca River Tidal	From the confluence with Lavaca Bay in Calhoun/Jackson County to a point 8.6 km (5.3 mi) downstream of US 59 in Jackson County	Tidal Stream	1601_01	From the confluence of Navidad River upstream to NHD RC 12100101002463 and upper end of segment	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1601_02	From confluence of unnamed tributary NHD RC 12100101002580 upstream to confluence with Navidad River	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	15371; 15372
				1601_03	From the confluence of Lavaca Bay upstream to unnamed tributary NHD RC 12100101002580	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	18336

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1601A	Catfish Bayou	From the confluence of Lavaca Bay north of Point Comfort in Calhoun County to the confluence of the Lavaca River south of Edna in Jackson County	Tidal Stream	1601A_01	From the confluence of Lavaca Bay north of Point Comfort in Calhoun County to the confluence of the Lavaca River south of Edna in Jackson County	Tidal Stream	Water body description	High	Presumption from flow type	15369

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1601B	Redfish Bayou	From the confluence of the Lavaca River north of Point Comfort in Jackson County to the confluence of Redfish Lake south of Edna in Jackson County	Tidal Stream	1601B_01	From the confluence of the Lavaca River north of Point Comfort in Jackson County to the confluence of Redfish Lake south of Edna in Jackson County	Tidal Stream	Water body description	High	Presumption from flow type	15370

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1601C	Dry Creek	From the confluence of Lavaca River Tidal upstream to three mi north of the City of Edna	Freshwater Stream	1601C_01	From the confluence of Lavaca River Tidal upstream to three mi north of the City of Edna	Intermittent w/pools	Water body description	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1602	Lavaca River Above Tidal	From a point 8.6 km (5.3 mi) downstream of US 59 in Jackson County to the confluence of Campbell Branch west of Hallettsville in Lavaca County	Freshwater Stream	1602_02	From the confluence of Beard Branch upstream to the upper end of segment at the confluence of Campbell Branch in Hallettsville.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12525; 12527
				1602_03	Lower portion of segment from confluence with NHD RC 12100101002463 south of Edna in Jackson County upstream to confluence with Beard Branch	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12524

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1602A	Big Brushy Creek	Perennial stream from the confluence with Clarks Creek in Lavaca County upstream to the confluence with an unnamed tributary just downstream of the Loop 51 (US B77) bridge crossing south of the City of Yoakum	Freshwater Stream	1602A_01	Perennial stream from the confluence with Clarks Creek in Lavaca County upstream to the confluence with an unnamed tributary just downstream of the Loop 51 (US B77) bridge crossing south of the City of Yoakum	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1602B	Rocky Creek	Perennial stream from the confluence with the Lavaca River upstream to 2.9 km upstream of County Rd 364 north west of the City of Shiner	Freshwater Stream	1602B_01	From the confluence of Lavaca River upstream to confluence of Ponton Creek	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	18190
				1602B_02	Perennial stream from the confluence of Ponton Creek upstream to 1.0 km above FM 533 west of the City of Shiner. App d portion	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations
				1602B_03	From 1.0 km above FM 533 west of the City of Shiner to 2.9 km upstream of County Rd 364 north west of the City of Shiner	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1602C	Lavaca River Above Campbell Branch	From the confluence of Campbell Branch in Hallettsville to approximately 3.4 mi upstream of SH 95 in Lavaca Co.	Freshwater Stream	1602C_01	From confluence of Campbell Branch in Hallettsville upstream to the confluence of West Prong Lavaca River	Intermittent w/pools	TSWQS Appendix D	High	TSWQS Appendix D	17594
				1602C_02	From confluence of West Prong Lavaca River to the headwaters approximately 6.5 km upstream of TX Hwy 95 in the City of Moulton	Intermittent w/pools	Water body description	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1603	Navidad River Tidal	From the confluence with the Lavaca River in Jackson County to Palmetto Bend Dam in Jackson County	Tidal Stream	1603_01	From the confluence with the Lavaca River in Jackson County to Palmetto Bend Dam in Jackson County	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	15374

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1604	Lake Texana	From Palmetto Bend Dam in Jackson County to a point 100 meters (110 yards) downstream of FM 530 in Jackson County, up to the normal pool elevation of 44 feet (impounds Navidad River)	Reservoir	1604_01	Navidad River arm of Lake Texana	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	13985
				1604_02	East Mustang Creek arm of Lake Texana	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	13986
				1604_03	Upstream middle portion of Lake Texana	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	13984
				1604_04	Downstream middle portion of Lake Texana	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	15379
				1604_05	Downstream portion of Lake Texana	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	15377; 15381

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1604A	East Mustang Creek	From the confluence with Lake Texana upstream to 3.9 km upstream of TX-71 north of the City of El Campo	Freshwater Stream	1604A_01	Intermittent stream with perennial pools from the confluence with Middle Mustang Creek upstream to the confluence with an unnamed tributary approximately 4.2 km upstream of US 59 northeast of the City of Louise	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	15382
				1604A_02	From the confluence with an unnamed tributary approximately 4.2 km upstream of US 59 northeast of the City of Louise to 3.9 km upstream of TX-71	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				1604A_03	From the confluence with Lake Texoma to the confluence with Middle Mustang Creek	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1604B	West Mustang Creek	From the confluence of Lake Texana east of Ganado in Jackson County to the upstream perennial portion of the stream north of El Campo in Wharton County	Freshwater Stream	1604B_01	From the confluence of Lake Texana east of Ganado in Jackson County to the upstream perennial portion of the stream north of El Campo in Wharton County	Perennial	Routine Flow Data	High	Presumption from flow type	13655

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1604C	Sandy Creek	From the confluence of Lake Texana west of Ganado in Jackson County to the upstream perennial portion of the stream northwest of El Campo in Wharton County	Freshwater Stream	1604C_01	From the confluence of Goldenrod Creek upstream to the confluence of Middle Turkey Creek	Perennial	Routine Flow Data	High	Presumption from flow type	13654
				1604C_02	From the confluence of Lake Texana upstream to Goldenrod Creek	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1605	Navidad River Above Lake Texana	From a point 100 meters (110 yards) downstream of FM 530 in Jackson County to the confluence of the East Navidad River and the West Navidad River in Colorado/Lavaca County	Freshwater Stream	1605_01	Upper 14.5 mi of segment from confluence of Sandy Branch to confluence of East and West Navidad Rivers	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	22161
				1605_02	Middle 16.5 mi of segment from confluence with Sandies Creek upstream to confluence of Sandy Branch	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	15698
				1605_03	Lower 31 mi of segment from confluence with Lake Texana upstream to confluence of Sandies Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	15380

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1605A	West Navidad River	Intermittent stream with perennial pools from the confluence with the Navidad River above Lake Texana in Lavaca County upstream to the confluence with Walker Branch approximately 0.5 km upstream of IH 10	Freshwater Stream	1605A_01	Intermittent stream with perennial pools from the confluence with the Navidad River above Lake Texana in Lavaca County upstream to the confluence with Walker Branch approximately 0.5 km upstream of IH 10	Intermittent w/pools	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1701	Victoria Barge Canal	From the confluence with San Antonio Bay in Calhoun County to Victoria Turning Basin in Victoria County	Tidal Stream	1701_01	From the confluence with San Antonio Bay in Calhoun County to Victoria Turning Basin in Victoria County	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	12536

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1801	Guadalupe River Tidal	From the confluence with Guadalupe Bay in Calhoun/Refugio County to the Guadalupe-Blanco River Authority Salt Water Barrier 0.7 km (0.4 mi) downstream of the confluence of the San Antonio River in Calhoun/Refugio County	Tidal Stream	1801_01	From the confluence with Guadalupe Bay in Calhoun/Refugio County to the Guadalupe-Blanco River Authority Salt Water Barrier 0.7 km (0.4 mi) downstream of the confluence of the San Antonio River in Calhoun/Refugio County	Tidal Stream	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12577

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1802	Guadalupe River Below San Antonio River	From the GBRA Salt Water Barrier 0.7 km (0.4 mi) downstream of the confluence of the San Antonio River in Calhoun/Refugio County to a point immediately upstream of the confluence of the San Antonio River in Calhoun/Refugio/Victoria County	Freshwater Stream	1802_01	From the GBRA Salt Water Barrier 0.7 km (0.4 mi) downstream of the confluence of the San Antonio River in Calhoun/Refugio County to a point immediately upstream of the confluence of the San Antonio River in Calhoun/Refugio/Victoria County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12578

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1803	Guadalupe River Below San Marcos River	From a point immediately upstream of the confluence of the San Antonio River in Calhoun/Refugio/Victoria County to a point immediately upstream of the confluence of the San Marcos River in Gonzales County	Freshwater Stream	1803_01	From a point immediately upstream of the confluence of the San Antonio River in Calhoun/Refugio/Victoria County upstream to the confluence of Coletto Creek in Victoria County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1803_02	From the confluence of Coletto Creek upstream to the confluence of Wright Creek approximately 0.48 km (0.30 mi) west of US 77 in Victoria County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1803_03	From the confluence of Sandies Creek upstream to the confluence of Black Creek north of Hamon in Gonzales County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12592; 20470
				1803_04	From the confluence of Wright Creek upstream to the confluence of Sandies Creek in DeWitt County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12590
				1803_05	From the confluence of Black Creek upstream to a point immediately upstream of the confluence of the San Marcos River in Gonzales County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1803A	Elm Creek	Perennial stream from the confluence with Sandies Creek in Gonzales County upstream to the headwaters in Wilson County	Freshwater Stream	1803A_01	Perennial stream from the confluence with Sandies Creek in Gonzales County upstream to the headwaters in Wilson County	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	15996; 15997; 17894

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1803B	Sandies Creek	Perennial stream from the confluence with Guadalupe River in DeWitt County upstream to the headwaters in Guadalupe County	Freshwater Stream	1803B_01	From the confluence with Guadalupe River upstream to the confluence with Elm Creek	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	13657; 21198
				1803B_02	From the confluence with Elm Creek upstream to the headwaters in Guadalupe County	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	15998; 18854; 18857

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1803C	Peach Creek	From the confluence of the Guadalupe River southeast of Gonzales in Gonzales County to the upper end of the stream south of String Prairie 4.1 km (2.5 mi) upstream of Peach Creek Rd in Bastrop County	Freshwater Stream	1803C_01	From the confluence of the Guadalupe River southeast of Gonzales in Gonzales County to the confluence of Sandy Fork in Gonzales County	Perennial	Routine Flow Data	High	Presumption from flow type	14937
				1803C_02	From the confluence with Elm Creek approximately 0.41 km downstream of FM 1115 in Fayette County to the upper end of the stream south of String Prairie 4.1 km (2.5 mi) upstream of Peach Creek Rd in Bastrop County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				1803C_03	From the confluence of Sandy Fork in Gonzales County to the confluence with Elm Creek approximately 0.41 km downstream of FM 1115 in Fayette County	Perennial	Routine Flow Data	High	Presumption from flow type	17934

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1803D	Salty Creek	From the confluence with Five Mile Creek up to the confluence with Buckhorn and Sugar Creeks in Gonzales County	Freshwater Stream	1803D_01	From the confluence with Five Mile Creek up to the confluence with Buckhorn and Sugar Creeks in Gonzales County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1803E	Little Elm Creek	From the confluence with Sandies Creek to the upper end of the creek at US 87 west of Smiley in Gonzales County	Freshwater Stream	1803E_01	From the confluence with Sandies Creek to the upper end of the creek at US 87 west of Smiley in Gonzales County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1803F	Denton Creek	From the confluence with Peach Creek to the upper end of the creek 0.92 km (0.57 mi) upstream of CR 284 NE of Gonzales, in Gonzales County	Freshwater Stream	1803F_01	From the confluence with Peach Creek to the upper end of the creek 0.92 km (0.57 mi) upstream of CR 284 NE of Gonzales, in Gonzales County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1803G	Sandy Fork	From the confluence with Peach Creek to the upper end of the creek 1.92 km (1.19 mi) upstream of Garrett Rd in Caldwell County	Freshwater Stream	1803G_01	From the confluence with Peach Creek up to the confluence with Scruggs Creek	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				1803G_02	From the confluence with Scruggs Creek to the upper end of the creek 1.92 km (1.19 mi) upstream of Garrett Rd in Caldwell County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1804	Guadalupe River Below Comal River	From a point immediately upstream of the confluence of the San Marcos River in Gonzales County to a point immediately upstream of the confluence of the Comal River in Comal County	Freshwater Stream	1804_01	From a point immediately upstream of the confluence of the San Marcos River in Gonzales County upstream to the confluence with Clemens Creek in Gonzales County, Texas	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	15110
				1804_02	From the confluence with Mill Creek up to McQueeney Dam	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12595; 17134
				1804_03	From McQueeney Dam up to TP-1 dam on Lake Dunlap	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	15149; 22189
				1804_04	From TP-1 dam on Lake Dunlap upstream to a point immediately upstream of the confluence of the Comal River in Comal County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12596
				1804_05	From the confluence with Clemens Creek up to the confluence with Mill Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	21736

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1804A	Geronimo Creek	From the confluence of the Guadalupe River south of Seguin in Guadalupe County to the upstream perennial portion north of Seguin in Guadalupe County	Freshwater Stream	1804A_01	From the confluence of the Guadalupe River south of Seguin in Guadalupe County to the upstream perennial portion north of Seguin in Guadalupe County	Perennial	Routine Flow Data	High	Presumption from flow type	12576; 14932; 20742; 20745; 20747; 21260; 21261; 21262

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1804C	Alligator Creek	From the confluence with Geronimo Creek up to the headwaters approximately 4 mi north of New Braunfels	Freshwater Stream	1804C_01	From the confluence with Geronimo Creek up to the headwaters approximately 4 mi north of New Braunfels.	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	20743

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1804D	Bear Creek	From the confluence of Geronimo Creek up to the headwaters approximately 1 mi north of HWY 90, and 0.25 mi south of Ilka Switch Road in Seguin.	Freshwater Stream	1804D_01	From the confluence of Geronimo Creek up to the headwaters approximately 1 mi north of HWY 90, and 0.25 mi south of Ilka Switch Road in Seguin.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1805	Canyon Lake	From Canyon Dam in Comal County to a point 2.7 km (1.7 mi) downstream of Rebecca Creek Road in Comal County, up to the normal pool elevation of 909 feet (impounds Guadalupe River)	Reservoir	1805_01	Cove around Jacob's Creek Park	Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12598; 17443
				1805_02	North end of Crane's Mill Park peninsula to south end of Canyon Park	Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12600
				1805_03	Upper end of segment	Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12601
				1805_04	Lower end of reservoir from dam upstream to Canyon Park	Reservoir	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12597

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1805A	Rebecca Creek	Rebecca Creek from the confluence with Canyon Lake upstream to a dam 1.5 km (0.93 mi) upstream of FM 306 in Spring Branch	Freshwater Stream	1805A_01	Rebecca Creek from the confluence with Canyon Lake upstream to the confluence with Puter Creek in the City of Canyon Lake	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations
				1805A_02	Rebecca Creek from the confluence with Puter Creek in the City of Canyon Lake upstream to a dam 1.5 km (0.93 mi) upstream of FM 306 in Spring Branch	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	21998

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1806	Guadalupe River Above Canyon Lake	From a point 2.7 km (1.7 mi) downstream of Rebecca Creek Road in Comal County to the confluence of the North Fork Guadalupe River and the South Fork Guadalupe River in Kerr County	Freshwater Stream	1806_01	From a point 2.7 km (1.7 mi) downstream of Rebecca Creek Road in Comal County upstream to the confluence of Honey Creek in Comal County	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	13700
				1806_02	From the confluence of Big Joshua Creek in Kendall County upstream to Flat Rock Dam in Kerrville	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12602; 12605; 12608; 15113
				1806_08	From the confluence of Honey Creek in Comal County upstream to the confluence of Big Joshua Creek in Kendall County	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	17404; 22082
				1806_09	From Flat Rock Dam in Kerrville upstream to the confluence of Camp Meeting Creek in Kerrville	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12615
				1806_10	From the confluence of Camp Meeting Creek in Kerrville upstream to the confluence of Town Creek in Kerrville	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12616; 12617; 16243; 16244
				1806_11	From the confluence of Town Creek in Kerrville upstream to the confluence of Goat Creek in Kerrville	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12618
				1806_12	From the confluence of Goat Creek in Kerrville upstream to the confluence of the North Fork Guadalupe River and the South Fork Guadalupe River in Kerr County	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	15111

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1806A	Camp Meeting Creek	From the confluence with the Guadalupe River up to the headwaters at Bear Skin Trail southwest of Kerrville in Kerr County	Freshwater Stream	1806A_01	From the confluence with the Guadalupe River upstream to the dam on an unnamed impoundment, located 0.33 km downstream of Rancho Road in the City of Kerrville	Intermittent w/pools	TSWQS Appendix D	High	TSWQS Appendix D	12546
				1806A_02	From the dam on the unnamed impoundment located 0.33 km downstream of Rancho Road in the City of Kerrville, upstream to the dam on an unnamed impoundment approximately 0.65 km upstream of Tree Lane in the City of Kerrville	Intermittent w/pools	TSWQS Appendix D	High	TSWQS Appendix D	No Stations
				1806A_03	From the dam of an unnamed impoundment approximately 0.65 km upstream of Tree Lane in the City of Kerrville up to the headwaters at Bear Skin Trail southwest of Kerrville in Kerr County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1806B	Cypress Creek	From the confluence of the Guadalupe River in Comfort in Kendall County to the upstream perennial portion of the stream east of Kerrville in Kerr County	Freshwater Stream	1806B_01	From the confluence of the Guadalupe River in Comfort in Kendall County to the upstream perennial portion of the stream east of Kerrville in Kerr County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1806C	Goat Creek	From the confluence of the Guadalupe River in Kerrville in Kerr County upstream to the confluence of Spring Branch approximately 5 mi (8.5 km) north of Kerrville	Freshwater Stream	1806C_01	From the confluence of the Guadalupe River in Kerrville in Kerr County upstream to the confluence of Spring Branch approximately 5 mi (8.5 km) north of Kerrville	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1806D	Quinlan Creek	From the confluence of the Guadalupe River in Kerrville in Kerr County to the upstream perennial portion of the stream north of Kerrville in Kerr County	Freshwater Stream	1806D_01	From the confluence of the Guadalupe River in Kerrville in Kerr County to the upstream perennial portion of the stream north of Kerrville in Kerr County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	12541

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1806E	Town Creek	From the confluence of the Guadalupe River just upstream of FM 394 in Kerrville in Kerr County upstream to the headwaters in Gillespie County approximately 4.5 mi (7.4 km) north of Kerrville	Freshwater Stream	1806E_01	From the confluence of the Guadalupe River just upstream of FM 394 in Kerrville in Kerr County upstream to the headwaters in Gillespie County approximately 4.5 mi (7.4 km) north of Kerrville	Perennial	Water body description	High	Presumption from flow type	12549

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1806F	Turtle Creek	From the confluence of the Guadalupe River in Center Point in Kerr County to the upper end of the stream 0.32 km (0.2 mi) upstream of Aime Real Ranch Rd S southwest of Kerrville in Kerr County	Freshwater Stream	1806F_01	From the confluence of the Guadalupe River in Center Point in Kerr County to the upper end of the stream 0.32 km (0.2 mi) upstream of Aime Real Ranch Rd S southwest of Kerrville in Kerr County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1806G	Verde Creek	From the confluence of the Guadalupe River east of Center Point in Kerr County to the upper end of the stream approximately 9.45 km (5.87 mi) northeast of Medina in Bandera County	Freshwater Stream	1806G_01	From the confluence of the Guadalupe River east of Center Point in Kerr County to the upper end of the stream approximately 9.45 km (5.87 mi) northeast of Medina in Bandera County	Perennial	Water body description	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1806H	Big Joshua Creek	From the confluence with the Guadalupe River in Kendall County to the upper end of the stream 0.24 km (0.15 mi) north of Turkey Knob Rd in Kendall County	Freshwater Stream	1806H_01	From the confluence with the Guadalupe River in Kendall County to the upper end of the stream 0.24 km (0.15 mi) north of Turkey Knob Rd in Kendall County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1806I	Honey Creek	From the confluence with the Guadalupe River in Comal County upstream to a point 0.37 km (0.2 miles) east of the intersertion of SH 46 West and Park Road 31 in Comal County	Freshwater Stream	1806I_01	From the confluence with the Guadalupe River in Comal County upstream to a point 0.37 km (0.2 miles) east of the intersertion of SH 46 West and Park Road 31 in Comal County	Perennial	Routine Flow Data	High	Presumption from Flow Type	15399

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1807	Coledo Creek	From the confluence with the Guadalupe River in Victoria County to the confluence of Fifteenmile Creek and Twelvemile Creek in Goliad/Victoria County, including Coledo Creek Reservoir	Freshwater Stream	1807_01	From confluence with Guadalupe River to Coledo Creek Reservoir Dam	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1807_02	From Coledo Creek Reservoir Dam upstream to the confluence of Fifteenmile Creek and Twelvemile Creek in Goliad/Victoria County on the Coledo Creek arm and to FM 2987 on the Perdido Creek arm, to include Coledo Creek Reservoir	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	20827

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1807A	Perdido Creek	From the confluence with Coledo Creek Reservoir at FM 2987 to the upper end of the stream 0.64 km (0.40 mi) upstream from Old Goliad Road in Goliad County	Freshwater Stream	1807A_01	From the confluence with Coledo Creek Reservoir at FM 2987 to the upper end of the stream 0.64 km (0.40 mi) upstream from Old Goliad Road in Goliad County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	18595

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1808	Lower San Marcos River	From the confluence with the Guadalupe River in Gonzales County to a point 1.0 km (0.6 mi) upstream of the confluence of the Blanco River in Hays County	Freshwater Stream	1808_01	From the confluence with the Guadalupe River upstream to the confluence with Mule Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	16578
				1808_02	From the confluence with Mule Creek to the confluence with Plum Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1808_03	From the confluence with Plum Creek to the confluence with York Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12626
				1808_04	From the confluence with York Creek to a point 1.0 km (0.6 mi) upstream of the confluence of the Blanco River in Hays County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12628

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1809	Lower Blanco River	From the confluence with the San Marcos River in Hays County to a point 0.3 km (0.2 mi) upstream of Limekiln Road in Hays County	Freshwater Stream	1809_01	From the confluence with the San Marcos River up to a point 0.37 km (0.23 mi) upstream of IH 35 in San Marcos	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12631
				1809_02	From a point 0.37 km (0.23 mi) upstream of IH 35 to a point 0.3 km (0.2 mi) upstream of Limekiln Road in Hays County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12635; 12637

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1810	Plum Creek	From the confluence with the San Marcos River in Caldwell County to FM 2770 in Hays County	Freshwater Stream	1810_01	From the confluence with the San Marcos River in Caldwell County to the confluence with Clear Fork Plum Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12640
				1810_02	From the confluence with Clear Fork Plum Creek to approximately 120 m (396 ft) upstream of Old McMahan Road	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12647
				1810_03	From approximately 120 m (396 ft) upstream of Old McMahan Road to FM 2770 in Hays County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	17406

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1810A	Town Branch	Perennial stream from the confluence with Plum Creek upstream to the headwaters at SH 130 northwest of the City of Lockhart	Freshwater Stream	1810A_01	Perennial stream from the confluence of Plum Creek upstream to US 183 in the City of Lockhart (App D)	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	20509
				1810A_02	Perennial stream from US 183 in the City of Lockhart upstream to the headwaters at SH 130 northwest of the City of Lockhart	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1810B	Clear Fork Plum Creek	From the confluence with Plum Creek in Caldwell County upstream to the SH 21/El Camino Real crossing at the Hays County/Caldwell County line	Freshwater Stream	1810B_01	From the confluence with Plum Creek in Caldwell County upstream to the SH 21/El Camino Real crossing at the Hays County/Caldwell County line	Perennial	Routine Flow Data		High	12556

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1811	Comal River	From the confluence with the Guadalupe River in Comal County to Klingemann Street at New Braunfels in Comal County	Freshwater Stream	1811_01	From the confluence with the Guadalupe River in Comal County upstream to the confluence with Dry Comal Creek in New Braunfels	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12653
				1811_02	From the confluence with Dry Comal Creek in New Braunfels upstream to Klingemann Street at New Braunfels in Comal County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	15082

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1811A	Dry Comal Creek	From the confluence of the Comal River in New Braunfels in Comal County to the confluence with the West Fork Dry Comal Creek in Comal County	Freshwater Stream	1811A_01	From the confluence of the Comal River in New Braunfels in Comal County to the confluence with the West Fork Dry Comal Creek in Comal County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	12570

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1812	Guadalupe River Below Canyon Dam	From a point immediately upstream of the confluence of the Comal River in Comal County to Canyon Dam in Comal County	Freshwater Stream	1812_01	From a point immediately upstream of the confluence of the Comal River in Comal County upstream to the confluence with Elm Creek in Comal County	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12656
				1812_02	From the confluence with Elm Creek upstream to the confluence with Bear Creek in Comal County	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12658
				1812_03	From the confluence with Bear Creek in Comal County upstream to Canyon Dam in Comal County	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	16703

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1813	Upper Blanco River	From a point 0.3 km (0.2 mi) upstream of Limekiln Road in Hays County to the confluence of Meier Creek in Kendall County	Freshwater Stream	1813_01	From a point 0.3 km (0.2 mi) upstream of Limekiln Road in Hays County up to the confluence with Spoke Pile Creek.	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12660
				1813_02	From the confluence with Spoke Pile Creek up to the confluence with Cypress Creek, in Wimberley, Hays County, Texas.	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12661; 21804
				1813_03	From the confluence with Rogers Branch up to the confluence with Hinds Branch in Blanco, County, Texas.	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12668; 12669
				1813_04	From the confluence with Hinds Branch in Blanco County, Texas up to the confluence with Meier Creek in Kendall County, Texas.	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	No Stations
				1813_05	From the confluence with Cypress Creek in Wimberley, Hays County, Texas up to the confluence with Rogers Branch in Blanco County, Texas.	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12663; 12665

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1813A	West Prong Big Creek	From the confluence with Big Creek and East Prong Big Creek in Blanco County to the upper end of the stream 1.69 km (1 mi) upstream of Salida del Sol Road in Blanco County	Freshwater Stream	1813A_01	From the confluence with Big Creek and East Prong Big Creek in Blanco County to the upper end of the stream 1.69 km (1 mi) upstream of Salida del Sol Road in Blanco County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1813B	Koch Creek	From the confluence with the Blanco River to the upper end of the stream 6.25 km (3.88 mi) southwest of Blanco	Freshwater Stream	1813B_01	From the confluence with the Blanco River to the upper end of the stream 6.25 km (3.88 mi) southwest of Blanco	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1813C	McKinney Creek	From the confluence with the Blanco River to the upper end of the stream 9.19 km (5.7 mi) northwest of Blanco	Freshwater Stream	1813C_01	From the confluence with the Blanco River to the upper end of the stream 9.19 km (5.7 mi) northwest of Blanco	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1813D	Big Creek	From the confluence with the Blanco River to the confluence with West Prong Big Creek and East Prong Big Creek	Freshwater Stream	1813D_01	From the confluence with the Blanco River to the confluence with West Prong Big Creek and East Prong Big Creek	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1813E	Falls Creek	From the confluence with the Blanco River to the upper end of the stream 2.36 km (1.47 mi) upstream of Maenius Road in Blanco County	Freshwater Stream	1813E_01	From the confluence with the Blanco River to the upper end of the stream 2.36 km (1.47 mi) upstream of Maenius Road in Blanco County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1813F	Cottonwood Creek	From the confluence with the Blanco River to the upper end of the stream 10.09 km (6.27 mi) northwest of Blanco near Rocky Road	Freshwater Stream	1813F_01	From the confluence with the Blanco River to the upper end of the stream 10.09 km (6.27 mi) northwest of Blanco near Rocky Road	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1813G	Crabapple Creek	From the confluence with the Blanco River to the upper end of the stream 3.75 km (2.33 mi) upstream of Crabapple Rd in Blanco County	Freshwater Stream	1813G_01	From the confluence with the Blanco River to the upper end of the stream 3.75 km (2.33 mi) upstream of Crabapple Rd in Blanco County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1813H	East Prong Big Creek	From the confluence with Big Creek and West Prong Big Creek in Blanco County to the upper end of the stream 10.21 km (6.34 mi) northwest of Blanco	Freshwater Stream	1813H_01	From the confluence with Big Creek and West Prong Big Creek in Blanco County to the upper end of the stream 10.21 km (6.34 mi) northwest of Blanco	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1813I	Unnamed Tributary to West Prong Big Creek	From the confluence with West Prong Big Creek in Blanco County, west of Blanco, to the upper end of the stream 1.83 km (1.14 mi) upstream of Clear Creek Rd	Freshwater Stream	1813I_01	From the confluence with West Prong Big Creek in Blanco County, west of Blanco, to the upper end of the stream 1.83 km (1.14 mi) upstream of Clear Creek Rd	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1814	Upper San Marcos River	From a point 1.0 km (0.6 mi) upstream of the confluence of the Blanco River in Hays County to a point 0.7 km (0.4 mi) upstream of Loop 82 in San Marcos in Hays County (includes Spring Lake)	Freshwater Stream	1814_01	From a point 1.0 km (0.6 mi) upstream of the confluence of the Blanco River upstream to the discharge canal from A. E. Woods Fish Hatchery in San Marcos	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12671
				1814_02	From the discharge canal from A. E. Woods Fish Hatchery in San Marcos upstream to the northbound lanes of IH 35 in San Marcos	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	No Stations
				1814_03	From the northbound lanes of IH 35 in San Marcos upstream to the Spring Lake dam in San Marcos	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12672; 15500; 20923; 21466
				1814_04	From the Spring Lake dam upstream to a point 0.7 km (0.4 mi) upstream of Loop 82, including Spring Lake, in San Marcos	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	20914

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1815	Cypress Creek	From the confluence with the Blanco River in Hays County to a point 6.4 km (4.0 mi) upstream of the most upstream unnamed county road crossing in Hays County	Freshwater Stream	1815_01	From the confluence with the Blanco River in Hays County upstream to Woodacre Dr	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12673; 12674; 12675; 12676; 12677; 22109; 22110; 22290
				1815_02	From Woodacre Dr to the upper end of the stream 6.4 km (4.0 mi) upstream of the most upstream unnamed county road crossing (Pump Station Road) in Hays County	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1816	Johnson Creek	From the confluence with the Guadalupe River in Kerr County to a point 1.2 km (0.7 mi) upstream of the most upstream crossing of SH 41 in Kerr County	Freshwater Stream	1816_01	From the confluence with the Guadalupe River in Kerr County to a point 1.2 km (0.7 mi) upstream of the most upstream crossing of SH 41 in Kerr County	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12678

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1817	North Fork Guadalupe River	From the confluence with the Guadalupe River in Kerr County to a point 18.2 km (11.3 mi) upstream of Boneyard Draw in Kerr County	Freshwater Stream	1817_01	From the confluence with the Guadalupe River in Kerr County to a point 18.2 km (11.3 mi) upstream of Boneyard Draw in Kerr County	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12682

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1818	South Fork Guadalupe River	From the confluence with the Guadalupe River in Kerr County to a point 4.8 km (3.0 mi) upstream of FM 187 in Kerr County	Freshwater Stream	1818_01	From the confluence of the Guadalupe River to approx 0.95 km (0.6 mi) upstream of Arrowhead Rd S	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12684
				1818_03	From 0.95 km (0.6 mi) upstream of Arrowhead Rd S to low water dam just downstream of Camp Mystic	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	No Stations
				1818_04	From low water dam just downstream of Camp Mystic to the confluence of Cherry Creek	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	No Stations
				1818_05	From the confluence of Cherry Creek to the upper end of the stream 4.8 km (3.0 mi) upstream of FM 187 in Kerr County	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1901	Lower San Antonio River	From the confluence with the Guadalupe River in Refugio/Victoria County to a point 600 meters (660 yards) downstream of FM 791 at Mays crossing near Falls City in Karnes County	Freshwater Stream	1901_01	25 mi downstream of the confluence with Manahuilla Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12790
				1901_02	25 mi upstream of Manahuilla Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12791; 12792
				1901_03	From 25 mi upstream of Manahuilla Cr to 9 mi downstream of Escondido Cr	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12793; 17859
				1901_04	9 mi downstream of Escondido Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12794
				1901_05	From upstream end of segment to Escondido Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12795; 16580; 17862
				1901_06	Lower 31 mi of segment	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12789

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1901A	Escondido Creek	From the confluence with Lower San Antonio River upstream to the headwaters near Karnes CR 210 and FM 99	Freshwater Stream	1901A_01	From the confluence with Lower San Antonio River upstream to the confluence with Nichols Creek in Kenedy	Perennial	Routine Flow Data	High	Presumption from flow type	18402
				1901A_02	From the confluence with Nichols Creek in Kenedy upstream to the headwaters near Karnes CR 210 and FM 99 approximately 15 km (9.5 mi) west of Kenedy	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1901B	Cabeza Creek	From the confluence with the Lower San Antonio River west of Goliad, in Goliad County, to the upper end of the stream 9.3 km (5.7 mi) NW of Nordheim in DeWitt County	Freshwater Stream	1901B_01	From the confluence with the Lower San Antonio River west of Goliad, in Goliad County to approximately 600 m (1970 ft) upstream of FM 2043	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	16992; 21991; 21992
				1901B_02	From approximately 600 m (1970 ft) upstream of FM 2043 to the upper end of the stream 9.3 km (5.7 mi) NW of Nordheim in DeWitt County	Intermittent	Flow Questionnaire	Minimal	Presumption from flow type	21993; 21994

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1901C	Hord Creek	From the confluence with segment 1901 up to the upper end of the water body (NHD RC 12100303000256)	Freshwater Stream	1901C_01	From the confluence with segment 1901 up to the upper end of the water body (NHD RC 12100303000256).	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1901D	Lost Creek	From the confluence with segment 1901 to the upper end of the water body (NHD RC 12100303000834)	Freshwater Stream	1901D_01	From the confluence with segment 1901 to the upper end of the water body (NHD RC	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1901E	Manahuilla Creek	From the confluence with the Lower San Antonio River upstream to the headwaters southeast of Nordheim in DeWitt County	Freshwater Stream	1901E_01	From the confluence with the Lower San Antonio River upstream to the headwaters southeast of Nordheim in DeWitt County	Intermittent	Flow Questionnaire	Minimal	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1901F	Ecleto Creek	From the confluence with the Lower San Antonio River upstream to the headwaters adjacent to SH 123 south of Seguin in Guadalupe County	Freshwater Stream	1901F_01	From the confluence with the Lower San Antonio River upstream to the headwaters adjacent to SH 123 south of Seguin in Guadalupe County	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	20539

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1902	Lower Cibolo Creek	From the confluence with the San Antonio River in Karnes County to a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County	Freshwater Stream	1902_01	From the confluence with the Lower San Antonio River in Karnes County upstream to the confluence with Mulifest Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12797; 20777
				1902_02	From the confluence with Mulifest Creek upstream to the confluence with Pulaski Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	14211
				1902_03	From the confluence with Pulaski Creek upstream to the confluence with Clifton Branch	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12802; 12803; 21755
				1902_04	From the confluence with Clifton Branch upstream to the confluence with Elm Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12805; 12806
				1902_05	From the confluence with Elm Creek upstream to a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	14197

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1902A	Martinez Creek	Perennial stream from the confluence with Lower Cibolo Creek upstream to the headwaters in Bexar County	Freshwater Stream	1902A_01	From the confluence with Lower Cibolo Creek upstream to the confluence with Salitrillo Creek	Perennial	Routine Flow Data	High	Presumption from flow type	12741
				1902A_02	From the confluence with Salitrillo Creek upstream to the confluence with Escondido Creek	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				1902A_03	From the confluence with Escondido Creek upstream to the Martinez II WWTP outfall approximately 1.1 km downstream of FM 1516	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations
				1902A_04	From the Martinez II WWTP outfall approximately 1.1 km downstream of FM 1516 upstream to Binz-Engleman Road	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations
				1902A_05	From Binz-Engleman Road upstream to the headwaters near the intersection of O'Connor Road and New World Drive	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1902B	Salitrillo Creek	From the confluence with Martinez Creek to approximately 1.3 mi (2.1 km) upstream of FM 1976	Freshwater Stream	1902B_01	From the confluence with Martinez Creek to FM 78 in Converse	Perennial	Routine Flow Data	High	Presumption from flow type	14202
				1902B_02	From FM 78 to approximately 1.3 mi (2.1 km) upstream of FM 1976 in Converse	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1902C	Clifton Branch	From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 mi upstream of Wilson CR 424 north of Stockdale	Freshwater Stream	1902C_01	From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 mi upstream of Wilson CR 424 north of Stockdale	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	20775; 20776

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1902D	Alum Creek	From the confluence with Lower Cibolo Creek upstream to the headwaters approximately 1.8 km upstream of Wilson CR 429 north of Stockdale	Freshwater Stream	1902D_01	From the confluence with Lower Cibolo Creek upstream to approximately 1.8 km upstream of Wilson CR 429 north of Stockdale	Intermittent	Flow Questionnaire	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1902E	Santa Clara Creek	Santa Clara Creek from the confluence with Lower Cibolo Creek upstream to the headwaters in Guadalupe County	Freshwater Stream	1902E_01	Santa Clara Creek from the confluence with Lower Cibolo Creek upstream to the headwaters in Guadalupe County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	12784

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1903	Medina River Below Medina Diversion Lake	From the confluence with the San Antonio River in Bexar County to Medina Diversion Dam in Medina County	Freshwater Stream	1903_01	From the confluence with the San Antonio River upstream to the confluence with Palo Blanco Creek approximately 2.0 km upstream of FM 1937	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12811
				1903_02	From the confluence with Palo Blanco Creek approximately 2.0 km upstream of FM 1937 upstream to the confluence with Lower Leon Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12813; 22225
				1903_03	From the confluence with Lower Leon Creek upstream to the confluence with Medio Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12814
				1903_04	From the confluence with Medio Creek upstream to the confluence with Polecat Creek approximately 125 m upstream of FM 1604	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1903_05	From the confluence with Polecat Creek approximately 125 m upstream of FM 1604 upstream to the Medina Diversion Dam	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12824; 14200; 22062; 22063

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1903A	Polecat Creek	Perennial stream from 6.4 km above confluence with the Medina River to the spring source 1.3 km above FM 2790 southeast of LaCoste	Freshwater Stream	1903A_01	Perennial stream from 6.4 km above confluence with the Medina River to the spring source 1.3 km above FM 2790 southeast of LaCoste	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1904	Medina Lake	From Medina Lake Dam in Medina County to a point immediately upstream of the confluence of Red Bluff Creek in Bandera County, up to the normal pool elevation of 1072 feet (impounds Medina River)	Reservoir	1904_01	Lower portion, from dam west to Masterson Point and east to Reuters Cove	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12825; 12826
				1904_02	Part of lake extending upstream from Brushy Creek to upper end of segment	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12829
				1904_03	Remainder of segment	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12827; 12828

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1905	Medina River Above Medina Lake	From a point immediately upstream of the confluence of Red Bluff Creek in Bandera County to the confluence of the North Prong Medina River and the West Prong Medina River in Bandera County	Freshwater Stream	1905_01	From a point immediately upstream of the confluence of Red Bluff Creek upstream to RM 470	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12830; 13638; 21631
				1905_02	From RM 470 upstream to the confluence of the North Prong Medina River and the West Prong Medina River	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12832; 21125

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1905A	North Prong Medina River	From the confluence with the Medina River upstream to the headwaters approximately 3.5 km east of RM 187 in Bandera County	Freshwater Stream	1905A_01	From the confluence with the Medina River upstream to the headwaters approximately 3.5 km east of RM 187 in Bandera County	Perennial	Routine Flow Data	High	Presumption from flow type	18447; 21126

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1905B	West Prong Medina River	West Prong Medina River from the confluence with the Medina River upstream to the confluence with Duncan Creek and Dockery Creek in Bandera County	Freshwater Stream	1905B_01	West Prong Medina River from the confluence with the Medina River upstream to the confluence with Duncan Creek and Dockery Creek in Bandera County	Perennial	Routine Flow Data	High	Presumption from flow type	15736

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1906	Lower Leon Creek	From the confluence with the Medina River in Bexar County to a point 100 meters (110 yards) upstream of SH 16 northwest of San Antonio in Bexar County	Freshwater Stream	1906_01	From the confluence of the Medina River upstream approximate 3.5 mi to the northside of Toyota plant	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	14198
				1906_02	From the northside of the Toyota plant upstream to the confluence of Indian Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12835
				1906_03	From confluence with Indian Creek to Hwy 353 (New Laredo Hwy)	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12838
				1906_04	From Hwy 353 (New Laredo Hwy) upstream approximately 2 mi to a point southeast of Pearsall Park	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12840
				1906_05	From a point southeast of Pearsall Park upstream to US 90 on the westside of San Antonio	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12841; 12844
				1906_06	From US 90 on the westside of San Antonio upstream to a point 100 meters upstream of SH 16 northwest of San Antonio	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12845

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1906A	Helotes Creek	From a point 0.14 km upstream of FM 1560 in Helotes upstream to the headwaters north of Grey Forest in Bexar County	Freshwater Stream	1906A_01	From a point 0.14 km upstream of FM 1560 in Helotes upstream to the headwaters north of Grey Forest in Bexar County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1907	Upper Leon Creek	From a point 100 meters (110 yards) upstream of SH 16 northwest of San Antonio in Bexar County to a point 9.0 km (5.6 mi) upstream of Scenic Loop Road north of Helotes in Bexar County	Freshwater Stream	1907_01	From a point 100 meters (110 yards) upstream of SH 16 northwest of San Antonio in Bexar County to a point 9.0 km (5.6 mi) upstream of Scenic Loop Road north of Helotes in Bexar County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12851; 14252; 20612

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1908	Upper Cibolo Creek	From the Missouri-Pacific Railroad bridge west of Bracken in Comal County to a point 1.5 km (0.9 mi) upstream of the confluence of Champee Springs in Kendall County	Freshwater Stream	1908_01	From the confluence of Balcones Creek upstream to N. School Street in Boerne	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	15126; 20649; 20823
				1908_02	From the headwaters of Lake Boerne at low-water dam approximately 310 m (1017 ft) NNW of Lake Spur Drive in Boerne upstream to a point 1.5 km (0.9 mi) upstream of the confluence of Champee Springs in Kendall County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1908_03	From the Missouri-Pacific Railroad bridge west of Bracken in Comal County upstream to the confluence of Balcones Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				1908_04	From N. School Street in Boerne upstream to the Lake Boerne Dam	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12857; 20821
				1908_05	From the Lake Boerne Dam upstream to the headwaters of Lake Boerne at low-water dam approximately 310 m (1017 ft) NNW of Lake Spur Drive in Boerne	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1909	Medina Diversion Lake	From Medina Diversion Dam in Medina County to Medina Lake Dam in Medina County, up to the normal pool elevation of 926.5 feet (impounds Medina River)	Reservoir	1909_01	From Medina Diversion Dam in Medina County to Medina Lake Dam in Medina County, up to the normal pool elevation of 926.5 feet (impounds Medina River)	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	14205; 18407

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1910	Salado Creek	From the confluence with the San Antonio River in Bexar County to the confluence of Beitel Creek in Bexar County	Freshwater Stream	1910_01	From confluence with San Antonio River to confluence with Rosillo Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12861
				1910_02	From the confluence with Rosillo Creek up to the confluence with Pershing Creek.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12870; 14929
				1910_03	From the confluence with Pershing Creek up to the confluence with Walzem Creek.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12874
				1910_04	From the confluence with Walzem Creek up to the confluence with Beitel Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12875

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1910A	Walzem Creek	From the confluence with Salado Creek to approximately 1.5 mi upstream of Walzem Road in San Antonio	Freshwater Stream	1910A_01	From the confluence with Salado Creek upstream to Lanark Dr in San Antonio	Perennial	Routine Flow Data	High	Presumption from flow type	12698
				1910A_02	From Lanark Dr in San Antonio upstream to the headwater near Midcrown Dr and Golfcrest Dr in San Antonio	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1910B	Rosillo Creek	From the confluence with Salado Creek in Bexar County upstream to the headwaters approximately 1.8 km upstream of FM 1976 in Windcrest	Freshwater Stream	1910B_01	From the confluence with Salado Creek in Bexar County upstream to the headwaters approximately 1.8 km upstream of FM 1976 in Windcrest	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	12690

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1910C	Salado Creek Tributary	From the confluence with segment 1910 to the upper end of the water body, NHD RC 12100301000902.	Freshwater Stream	1910C_01	From the confluence with segment 1910 to the upper end of the water body, NHD RC 12100301000902.	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1910D	Menger Creek	From the confluence with segment 1910 to the upper end of the water body, NHD RC 12100301000147.	Freshwater Stream	1910D_01	From the confluence with segment 1910 to the upper end of the water body, NHD RC 12100301000147.	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	12693

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1910E	Beitel Creek	From the confluence with segment 1910 to the upper end of the water body, NHD RC 12100301000662.	Freshwater Stream	1910E_01	From the confluence with segment 1910 to the upper end of the water body, NHD RC 12100301000662.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1910F	Upper Salado Creek	Upper Salado Creek from the confluence of Beitel Creek upstream to the headwater approximately 1.5 mi upstream of FM 3351 near Fair Oaks Ranch	Freshwater Stream	1910F_01	Upper Salado Creek an Appendix D section from the confluence with Beitel Creek upstream to Nacogdoches Road	Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations
				1910F_02	Upper Salado Creek from Nacogdoches Road upstream to the headwater approximately 1.5 mi upstream of FM 3351 near Fair Oaks Ranch	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1910G	Salado Creek West Channel	Salado Creek West Channel from confluence with Salado Creek East channel near Lions Park Lake upstream to the confluence with Salado Creek East channel in Comanche Park	Freshwater Stream	1910G_01	Salado Creek West Channel from confluence with Salado Creek East channel near Lions Park Lake upstream to the confluence with Salado Creek East channel in Comanche Park	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1911	Upper San Antonio River	From a point 600 meters (660 yards) downstream of FM 791 at Mays Crossing near Falls City in Karnes County to a point 100 meters (110 yards) upstream of Hildebrand Avenue at San Antonio in Bexar County	Freshwater Stream	1911_01	From the lower end of the segment up to just upstream of the confluence with Olmos Creek.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12879
				1911_02	From the confluence with Olmos Creek up to just upstream of the confluence with Picoso Creek .	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12880
				1911_03	From just upstream of the confluence with Picoso Creek up to just upstream of the confluence with Lodi Branch in Floresville, Wilson County, Texas.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12881
				1911_04	From just upstream of the confluence with Lodi Branch in Floresville, Wilson County, Texas up to just upstream of the confluence with Calaveras Creek.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12883
				1911_05	From just upstream of the confluence with Calaveras Creek up to just upstream of the confluence with the Medina River.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12886; 12889
				1911_06	From just upstream of the confluence with the Medina River up to just upstream of the confluence with Salado Creek.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12894; 16731
				1911_07	From just upstream of the confluence with Salado Creek up to just upstream of the confluence with Sixmile Creek.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12897

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1911	Upper San Antonio River	From a point 600 meters (660 yards) downstream of FM 791 at Mays Crossing near Falls City in Karnes County to a point 100 meters (110 yards) upstream of Hildebrand Avenue at San Antonio in Bexar County	Freshwater Stream	1911_08	From just upstream of the confluence with Sixmile Creek to just upstream of the confluence with San Pedro Creek.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12899; 17066; 21547
				1911_09	From just upstream of the confluence with San Pedro Creek up to the upper end of the segment.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12904; 12908; 12909; 12911; 14220; 14223; 14256; 15085; 18865; 20118; 20122

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1911A	Olmos Creek	From the confluence with the Upper San Antonio River at a point 100 meters (110 yards) upstream of Hildebrand Avenue upstream to the headwaters near Huebner Oaks and IH 10 in northwest San Antonio	Freshwater Stream	1911A_01	From the confluence with the Upper San Antonio River at a point 100 meters (110 yards) upstream of Hildebrand Avenue upstream to the headwaters near Huebner Oaks and IH 10 in northwest San Antonio	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1911B	Apache Creek	From the confluence with San Pedro Creek upstream to the headwaters at SH 421 (Bandera Rd) in San Antonio	Freshwater Stream	1911B_01	From the confluence with San Pedro Creek upstream to the confluence with Zarzamora Creek.	Perennial	Routine Flow Data	High	Presumption from flow type	18733; 18735
				1911B_02	From the confluence with Zarzamora Creek upstream to the headwaters at SH 421 (Bandera Rd) in San Antonio	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1911C	Alazan Creek	From the confluence with Apache Creek up to 0.4 KM (0.25 mi) upstream of St. Cloud Road (NHD RC 12100301000163) in San Antonio, Bexar County, Texas	Freshwater Stream	1911C_01	From the confluence with Apache Creek up to the confluence with Martinez Creek.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	12715
				1911C_02	From just upstream of the confluence with Martinez Creek to the upper end of the segment.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	20344

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1911D	San Pedro Creek	From the confluence with segment 1911 to the upper end of the water body, NHD RC 12100301000867	Freshwater Stream	1911D_01	From the confluence with segment 1911 up to the confluence with Apache Creek.	Perennial	Routine Flow Data	High	Presumption from flow type	12707; 21105; 21599
				1911D_02	From the confluence with Apache Creek to the upper end of the segment, NHD RC 12100301000867	Perennial	Routine Flow Data	High	Presumption from flow type	20119

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1911E	Sixmile Creek	From the confluence with 1911 to the upper end of the water body at NHD RC 12100301000061	Freshwater Stream	1911E_01	From the confluence with 1911 to the upper end of the water body at NHD RC 12100301000061	Intermittent	WQS/Permits program	Minimal	Previous TCEQ permit decision	21705

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1911F	Calaveras Reservoir	Calaveras Reservoir	Reservoir	1911F_01	Calaveras Reservoir	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1911G	Braunig Reservoir	Braunig Reservoir	Reservoir	1911G_01	Braunig Reservoir	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1911H	Picoso Creek	From the confluence with segment 1911 to the upper end of the water body, NHD RC 12100303003001937	Freshwater Stream	1911H_01	From the confluence with 1911 up to the confluence with Mariana Creek	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations
				1911H_02	From the confluence with Mariana Creek up to the upper end of the water body at NHD RC 12100303003001937	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1911I	Martinez Creek	Martinez Creek from the confluence of Alazan Creek in central San Antonio upstream to the terminus at Vance Jackson Rd in north San Antonio	Freshwater Stream	1911I_01	Martinez Creek from the confluence of Alazan Creek in central San Antonio upstream to the concrete channel portion at San Francisco St in north San Antonio	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	12751; 15723
				1911I_02	Martinez Creek from the concrete channel portion at San Francisco St upstream to the terminus at Vance Jackson Rd in north San Antonio	Intermittent	Flow Questionnaire	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1911J	Pajarito Creek	From the confluence with the Upper San Antonio River upstream to the headwaters at Wilson CR 403 northwest of Floresville	Freshwater Stream	1911J_01	From the confluence with the Upper San Antonio River upstream to the headwaters at Wilson CR 403 northwest of Floresville	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1911K	Seguin Branch	From the confluence with the Upper San Antonio River upstream to the headwaters approximately 2.2 km upstream of Wilson CR 331 north of Floresville	Freshwater Stream	1911K_01	From the confluence with the Upper San Antonio River upstream to the headwaters approximately 2.2 km upstream of Wilson CR 331 north of Floresville	Intermittent w/pools	Flow Questionnaire	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1911L	Unnamed tributary of Upper San Antonio River	From the confluence with the Upper San Antonio River upstream to the confluence with an unnamed tributary 200 m upstream of FM 1303 in Wilson County	Freshwater Stream	1911L_01	From the confluence with the Upper San Antonio River upstream to the confluence with an unnamed tributary 200 m upstream of FM 1303 in Wilson County	Intermittent	Flow Questionnaire	Minimal	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1911M	Calaveras Creek	From the confluence with the Upper San Antonio River upstream to the Calaveras Reservoir dam north of Elmendorf in Bexar County	Freshwater Stream	1911M_01	From the confluence with the Upper San Antonio River upstream to the Calaveras Reservoir dam north of Elmendorf in Bexar County	Perennial	Flow Questionnaire	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1912	Medio Creek	From the confluence with the Medina River in Bexar County to a point 1.0 km (0.6 mi) upstream of IH 35 at San Antonio in Bexar County	Freshwater Stream	1912_01	From the confluence with the Medina River in Bexar County to a point 1.0 km (0.6 mi) upstream of IH 35 at San Antonio in Bexar County	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	12916

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1912A	Upper Medio Creek	From approximately 1.0 km (0.6 mi) upstream of IH 35 at San Antonio (Bexar County) to approximately 1.0 mi upstream of the Bexar/Medina County Line	Freshwater Stream	1912A_01	From approximately 1.0 km (0.6 mi) upstream of IH 35 at San Antonio (Bexar County) to approximately 1.0 mi upstream of the Bexar/Medina County Line	Perennial	Flow Questionnaire	High	Presumption from flow type	12735

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
1913	Mid Cibolo Creek	From a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County to the Missouri-Pacific Railroad bridge west of Bracken in Comal County	Freshwater Stream	1913_01	From 100 meters downstream of I10 up to unnamed tributary approximately 0.3 mi upstream of Weir Road, Bexar County, Texas.	Perennial	TSWQS Appendix A	Limited	TSWQS Appendix A	12919
				1913_02	From the confluence with unnamed tributary approximately 0.3 mi upstream of Weir Road, Bexar county, Texas up to 100 meters upstream of the Cibolo Creek Municipal WWTP.	Perennial	TSWQS Appendix A	Limited	TSWQS Appendix A	12924
				1913_03	From 100 meters upstream of Cibolo Creek Municipal WWTP up to the upper end of the segment.	Perennial	TSWQS Appendix A	Limited	TSWQS Appendix A	14212

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2001	Mission River Tidal	From the confluence with Mission Bay in Refugio County to a point 7.4 km (4.6 mi) downstream of US 77 in Refugio County	Tidal Stream	2001_01	From the confluence with Mission Bay in Refugio County to a point 7.4 km (4.6 mi) downstream of US 77 in Refugio County	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	12943

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2002	Mission River Above Tidal	From a point 7.4 km (4.6 mi) downstream of US 77 in Refugio County to the confluence of Blanco Creek and Medio Creek in Refugio County	Freshwater Stream	2002_01	From a point 7.4 km (4.6 mi) downstream of US 77 in Refugio County to the confluence of Blanco Creek and Medio Creek in Refugio County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12944

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2002A	Medio Creek	From the confluence with Blanco Creek and Mission River in Refugio County to the headwaters in Karnes County	Freshwater Stream	2002A_01	From the confluence with Blanco Creek and Mission River in Refugio County to a point 18.17 mi downstream of FM 623 in Bee County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations
				2002A_02	From a point 18.17 mi downstream of FM 623 in Bee County to the headwaters in Karnes County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2002B	Sarco Creek	From the confluence with Blanco Creek 0.46 mi downstream of FM 3410 in Goliad County to the headwaters 0.63 mi southeast of U.S. 59 in Goliad County	Freshwater Stream	2002B_01	From the confluence with Blanco Creek 0.46 mi downstream of FM 3410 in Goliad County to the confluence with Elkins Branch in Goliad County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations
				2002B_02	From the confluence with Elkins Branch in Goliad County to the headwaters 0.63 mi southeast of U.S. 59 in Goliad County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2002C	Blanco Creek	From the confluence with Medio Creek and Mission River in Refugio County to the headwaters in Karnes County	Freshwater Stream	2002C_01	From the confluence with Medio Creek and Mission River in Refugio County to the headwaters in Karnes County	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2003	Aransas River Tidal	From the confluence with Copano Bay in Aransas/Refugio County to a point 1.6 km (1.0 mi) upstream of US 77 in Refugio/San Patricio County	Tidal Stream	2003_01	From the confluence with Copano Bay in Aransas/Refugio County to a point 1.6 km (1.0 mi) upstream of US 77 in Refugio/San Patricio County	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	12947; 12948

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2003A	Chiltipin Creek Tidal	Chiltipin Creek from the confluence with Aransas River Tidal in Refugio/San Patricio County upstream to a point 14.3 km (8.9 mi) downstream of Hwy 89	Tidal Stream	2003A_01	Chiltipin Creek from the confluence with Aransas River Tidal in Refugio/San Patricio County upstream to a point 14.3 km (8.9 mi) downstream of Hwy 89	Tidal Stream	Routine Flow Data	High	Presumption from flow type	12930

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2003B	Chiltipin Creek Above Tidal	Chiltipin Creek Above Tidal from a point 14.3 km (8.9 mi) downstream of Hwy 89 upstream to the intersection of FM 796 and SH 188 west of Sinton	Freshwater Stream	2003B_01	Chiltipin Creek Above Tidal from a point 14.3 km (8.9 mi) downstream of Hwy 89 upstream to the intersection of FM 796 and SH 188 west of Sinton	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				2003B_02	From San Patricio CR 39 west of Sinton upstream to the intersection of FM 796 and SH 188 west of Sinton	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2004	Aransas River Above Tidal	From a point 1.6 km (1.0 mi) upstream of US 77 in Refugio/San Patricio County to the confluence of Poesta Creek and Aransas Creek in Bee County	Freshwater Stream	2004_01	From the downstream end of segment to the confluence with Papalote Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				2004_02	From the confluence with Papalote Creek to the upstream end of segment at the confluence with Aransas Creek and Poesta Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12952

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2004A	Aransas Creek	From confluence with the Aransas River to the headwaters of the stream about 10 km upstream of US Highway 59	Freshwater Stream	2004A_01	From confluence with the Aransas River to the headwaters of the stream about 10 km upstream of US Highway 59.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	12941

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2004B	Poesta Creek	From the confluence with the Aransas River to the headwaters of the stream about 7.5 km upstream of FM 673.	Freshwater Stream	2004B_01	From the confluence of the Aransas River to the confluence of Talpacate Creek	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	12937
				2004B_02	From the confluence with Talpacate Creek to the headwaters of the stream approximately 7.5 km upstream of FM 673	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2101	Nueces River Tidal	From the confluence with Nueces Bay in Nueces County to Calallen Dam 1.7 km (1.1 mi) upstream of US 77/IH 37 in Nueces/San Patricio County	Tidal Stream	2101_01	From the confluence with Nueces Bay in Nueces County to Calallen Dam 1.7 km (1.1 mi) upstream of US 77/IH 37 in Nueces/San Patricio County	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	12960

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2102	Nueces River Below Lake Corpus Christi	From Calallen Dam 1.7 km (1.1 mi) upstream of US 77/IH 37 in Nueces/San Patricio County to Wesley E. Seale Dam in Jim Wells/San Patricio County	Freshwater Stream	2102_01	From the downstream end of segment upstream to FM 666	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	20936; 21815
				2102_02	From FM 666 to the upstream end of segment at Lake Corpus Christi	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12964; 12965

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2103	Lake Corpus Christi	From Wesley E. Seale Dam in Jim Wells/San Patricio County to a point 100 meters (110 yards) upstream of US 59 in Live Oak County, up to the normal pool elevation of 94.0 feet (impounds Nueces River)	Reservoir	2103_01	From the Wesley E. Seale Dam in Jim Wells/San Patricio County to a point 4.5 mi upstream to County Road 10F on the east side of the lake and the third arm on the west side of the lake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	12967
				2103_02	Area approx. 4 mi. SE of FM 3162 and FM 534 intersection near western shore	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				2103_03	Western arm of lake near Lagarto Creek inlet	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				2103_04	Upper portion of lake on opposite shore from Hideaway Hill	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	17384
				2103_05	Upper arm of reservoir in more riverine section surrounding FM 534	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				2103_06	Uppermost riverine part of reservoir upstream of FM 534 to upper end of segment to just upstream of US Highway 59.	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	17648

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2104	Nueces River Above Frio River	From the confluence of the Frio River in Live Oak County to Holland Dam in LaSalle County	Freshwater Stream	2104_01	From the downstream end of the segment to the confluence with Dragon Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12972
				2104_02	From the confluence with Dragon Creek to the confluence with Guadalupe Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12973
				2104_03	From the confluence with Guadalupe Creek to the upstream end of the segment	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12974

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2105	Nueces River Above Holland Dam	From Holland Dam in LaSalle County to a point 100 meters (110 yards) upstream of FM 1025 in Zavala County	Freshwater Stream	2105_01	From the downstream end of the segment at Holland Dam to the confluence of Sauz Mocho Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12975
				2105_02	From the confluence with Sauz Macho Creek to the confluence of Line Oak Slough	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12976; 20156
				2105_03	From the confluence of Line Oak Slough to the upstream end of the segment at Ranch Rd. 1025	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2106	Nueces/Lower Frio River	From a point 100 meters (110 yards) upstream of US 59 in Live Oak County to Choke Canyon Dam in Live Oak County	Freshwater Stream	2106_01	The Nueces river from the downstream end of segment to the confluence with the Frio River	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12979; 20701
				2106_02	The Frio River from the confluence with the Nueces River to Choke Canyon Dam	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12977

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2107	Lower Atascosa River	From the confluence with the Frio River in Live Oak County to the confluence with Borrego Creek in Atascosa County	Freshwater Stream	2107_01	From the confluence with the Frio River in Live Oak County to the confluence with Borrego Creek in Atascosa County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12980

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2108	San Miguel Creek	From a point immediately upstream of the confluence of Mustang Branch in McMullen County to the confluence of San Francisco Perez Creek and Chacon Creek in Frio County	Freshwater Stream	2108_01	From the downstream end of the segment to the confluence of Liveoak Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12983
				2108_02	From the confluence of Liveoak Creek to the upstream end of segment	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	22032

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2108A	Chacon Creek	Perennial stream from the confluence with San Francisco Perez Creek in Frio County upstream to the confluence of an unnamed tributary approximately 0.8 km north of SH 132 in Medina County	Freshwater Stream	2108A_01	Perennial stream from the confluence with San Francisco Perez Creek in Frio County upstream to the confluence of an unnamed tributary approximately 0.8 km north of SH 132 in Medina County	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	22031

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2108B	Fort Ewell Creek	Perennial stream from the confluence with Chacon Creek in Medina County upstream to the confluence of the Natalia Canal approximately 0.8 km north of SH 132 in Medina County	Freshwater Stream	2108B_01	Perennial stream from the confluence with Chacon Creek in Medina County upstream to the confluence of the Natalia Canal approximately 0.8 km north of SH 132 in Medina County	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	22030

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2109	Leona River	From the confluence with the Frio River in Frio County to US 83 in Uvalde County	Freshwater Stream	2109_01	From the downstream end of segment to the confluence of Yoledigo Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12985
				2109_02	From the confluence of Yoledigo Creek to the confluence of Camp Lake Slough	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12987
				2109_03	From the confluence of Camp Lake Slough to the upper end of segment	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	18418

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2109A	Yoledigo Creek	From the confluence with the Leona River in Frio Co. to the headwaters approximately 9.5 km upstream of US Hwy 57 in Zavala Co.	Freshwater Stream	2109A_01	From the confluence with the Leona River in Frio Co. to the headwaters approximately 9.5 km upstream of US Hwy 57 in Zavala Co.	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2109B	Todos Santos Creek	From the confluence with the Leona River in Frio Co. to the headwaters approximately 11 km upstream of the confluence with Big Hollow Creek in Frio Co.	Freshwater Stream	2109B_01	From the confluence with the Leona River in Frio Co. to the headwaters approximately 11 km upstream of the confluence with Big Hollow Creek in Frio Co.	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2109C	Live Oak Creek	From the confluence with the Leona River in Zavala Co. to the headwaters approximately 15.2 km upstream of US Hwy 57 in Uvalde Co.	Freshwater Stream	2109C_01	From the confluence with the Leona River in Zavala Co. to the headwaters approximately 15.2 km upstream of US Hwy 57 in Uvalde Co.	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2109D	Gallina Slough	From the confluence with the Leona River in Zavala Co. to the headwaters approximately 9 km upstream of US Hwy 57 in Zavala Co.	Freshwater Stream	2109D_01	From the confluence with the Leona River in Zavala Co. to the headwaters approximately 9 km upstream of US Hwy 57 in Zavala Co.	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2109E	Cooks Slough	From the confluence with the Leona River in Uvalde Co. to the headwaters approximately 13.7 km upstream of TX Hwy 55 in Uvalde Co.	Freshwater Stream	2109E_01	From the confluence with the Leona River in Uvalde Co. to the headwaters approximately 13.7 km upstream of TX Hwy 55 in Uvalde Co.	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2109F	Taylor Slough	From the confluence with the Leona River in Uvalde Co. to the headwaters approximately 3.8 km upstream of Ranch Road 2690 in Uvalde Co.	Freshwater Stream	2109F_01	From the confluence with the Leona River in Uvalde Co. to the headwaters approximately 3.8 km upstream of Ranch Road 2690 in Uvalde Co.	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2109G	Leona River Above Hwy 83	From the upper end of segment 2109 at US Highway 83 in Uvalde Co. to the headwaters of the Leona River approximately 16.6 km upstream of US Highway 83 in Uvalde Co.	Freshwater Stream	2109G_01	From the upper end of segment 2109 at US Highway 83 in Uvalde Co. to the headwaters of the Leona River approximately 16.6 km upstream of US Highway 83 in Uvalde Co.	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2109H	Camp Lake Slough	From the confluence with the Leona River in Zavala Co. to the headwaters approximately 33.5 km upstream in Uvalde Co.	Freshwater Stream	2109H_01	From the confluence with the Leona River in Zavala Co. to the headwaters approximately 33.5 km upstream in Uvalde Co.	Intermittent	Routine Flow Data	Minimal	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2110	Lower Sabinal River	From the confluence with the Frio River in Uvalde County to a point 100 meters (110 yards) upstream of SH 127 in Uvalde County	Freshwater Stream	2110_01	From the confluence with the Frio River in Uvalde County to a point 100 meters (110 yards) upstream of SH 127 in Uvalde County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12993

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2111	Upper Sabinal River	From a point 100 meters (110 yards) upstream of SH 127 in Uvalde County to the most upstream crossing of FM 187 in Bandera County	Freshwater Stream	2111_01	From the downstream end of segment to the confluence with the West Sabinal River	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	21948
				2111_02	From the confluence with the West Sabinal River to the upstream end of segment	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	14939; 22306

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2112	Upper Nueces River	From a point 100 meters (110 yards) upstream of FM 1025 in Zavala County to the confluence of the East Prong Nueces River and Hackberry Creek in Edwards County	Freshwater Stream	2112_01	From the downstream end of the segment to the confluence with Sand Ridge Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	12996; 17143
				2112_02	From the confluence with Sand Ridge Creek to the confluence with unnamed tributary with NHD RC 12110103000444 at point N-99.91, W29.2 just downstream of US Highway 90.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				2112_03	From the confluence with unnamed tributary with NHD RC 12110103000444 at point N-99.91, W29.2 just downstream of US Highway 90 to the confluence with Miller Creek.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	16704; 22330
				2112_04	From the confluence with Miller Creek to the upper end of the segment	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13005; 22331

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2113	Upper Frio River	From a point 100 meters (110 yards) upstream of US 90 in Uvalde County to the confluence of the West Frio River and the East Frio River in Real County	Freshwater Stream	2113_01	From the downstream end of the segment to the confluence with Bear Creek	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	13006; 21984
				2113_02	From the confluence with Bear Creek to the upstream end of segment	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	13007; 21131

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2114	Hondo Creek	From the confluence with the Frio River in Frio County to FM 470 in Bandera County	Freshwater Stream	2114_01	From the downstream end of the segment to the confluence with and unnamed tributary with NHD RC 12110107000245 at point N-99.12, W29.38 just upstream of FM 2676.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	18408
				2114_02	From the confluence with and unnamed tributary with NHD RC 12110107000245 at point N-99.12, W29.38 just upstream of FM 2676 to the upstream end of the segment.	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13010

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2114A	Commissioner's Creek	From the confluence with Hondo Creek upstream to the headwaters approximately 6.4 km (4.0 mi) NE of Tarpley in Bandera County	Freshwater Stream	2114A_01	From the confluence with Hondo Creek upstream to the headwaters approximately 6.4 km (4.0 mi) NE of Tarpley in Bandera County	Intermittent w/pools	WQS/Permits program	Limited	Previous TCEQ permit decision	22227

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2115	Seco Creek	From the confluence with Hondo Creek in Frio County to the confluence of West Seco Creek in Bandera County	Freshwater Stream	2115_01	From the confluence with Hondo Creek in Frio County upstream to an unnamed tributary 2.97 km (1.85 mi) downstream of FM 1796 in Medina County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				2115_02	From an unnamed tributary 2.97 km (1.85 mi) downstream of FM 1796 in Medina County upstream to the confluence of West Seco Creek in Bandera County	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13013; 13017

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2116	Choke Canyon Reservoir	From Choke Canyon Dam. to a point 4.2 km (2.6 mi) downstream of SH 16 on the Frio River Arm. and to a point 100 meters (110 yards) upstream of the confluence of Mustang Branch on the San Miguel Creek Arm., up to the normal pool elevation of 220.5 feet (im	Reservoir	2116_01	Lowermost portion of reservoir near dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	13019
				2116_02	Small arm northwest of dam	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				2116_03	Mid-lake portion of reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	13020
				2116_04	Opossum Creek arm on north side of reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				2116_05	Southern arm of reservoir west of Choke Canyon State Park	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				2116_06	Western portion of reservoir to the FM 99 bridge	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	17389
				2116_07	Uppermost portion of reservoir from FM 99 bridge, including the Frio River and San Miguel Creek arms	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	22328

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2117	Frio River Above Choke Canyon Reservoir	From a point 4.2 km (2.6 mi) downstream of SH 16 in McMullen County to a point 100 meters (110 yards) upstream of US 90 in Uvalde County	Freshwater Stream	2117_01	From the downstream end of segment to the confluence with Esperanza Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13023
				2117_02	From the confluence with Esperanza Creek to the confluence with Ruiz Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	18373
				2117_03	From the confluence with Ruiz Creek to the confluence with Live Oak Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13024
				2117_04	From the confluence with Live Oak Creek to the confluence with Elm Creek	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13025
				2117_05	From the confluence with Elm Creek to the confluence with Spring Branch	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				2117_06	From the confluence with Spring Branch to the upstream end of the segment	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2118	Upper Atascosa River	From the confluence with Borrego Creek to the confluence with Galvan Creek in Atascosa County	Freshwater Stream	2118_01	From the confluence with Borrego Creek to the confluence with Galvan Creek in Atascosa County	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	20764

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2118A	Bonita Creek	From the confluence with the Atascosa River in Pleasanton to the headwaters 1.4 km (0.87 mi) upstream of Ernest Rd in Jourdanton	Freshwater Stream	2118A_01	From the confluence with the Atascosa River in Pleasanton to the headwaters 1.4 km (0.87 mi) upstream of Ernest Rd in Jourdanton	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2118B	West Prong Atascosa River	Intermittent stream with perennial pools from the confluence with the Atascosa River upstream to the confluence with an unnamed tributary at IH 35	Freshwater Stream	2118B_01	Intermittent stream with perennial pools from the confluence with the Atascosa River upstream to the confluence with an unnamed tributary at IH 35	Intermittent w/pools	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2118C	Atascosa River	From the confluence with Galvan Creek in Atascosa County upstream to the confluence of the West Prong Atascosa River and North Prong Atascosa River in Atascosa County	Freshwater Stream	2118C_01	Intermittent stream with perennial pools from the confluence with Galvan Creek upstream to the confluence with Palo Alto Creek	Intermittent w/pools	TSWQS Appendix D	Limited	TSWQS Appendix D	12981; 12982
				2118C_02	From the confluence with Palo Alto Creek upstream to the confluence of the West Prong Atascosa River and North Prong Atascosa River in Atascosa County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2201	Arroyo Colorado Tidal	From the confluence with Laguna Madre in Cameron/Willacy County to a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County	Tidal Stream	2201_01	From the downstream end of the segment to the confluence with San Vincente Drainage Ditch	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	13782
				2201_02	From the confluence with San Vincente Drainage Ditch to the confluence with an unnamed drainage ditch with NHD RC 12110108005353 at point N-97.53, W 26.31	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	13071
				2201_03	From the confluence with an unnamed drainage ditch with NHD RC 12110108005353 at point N-97.53, W 26.31 to the confluence with Harding Ranch Ditch tributary	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				2201_04	From the confluence with Harding Ranch Ditch tributary to just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	13073
				2201_05	From just upstream of the City Rio of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	13072

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2201B	Unnamed Drainage Ditch Tributary (B) in Cameron County Drainage District #3	From the confluence with the Arroyo Colorado in Cameron County in the Rio Hondo turning basin at -97.6, 26.196 decimal degrees to a point 17.6 km upstream at the FM 510 crossing.	Freshwater Stream	2201B_01	From the confluence with the Arroyo Colorado in Cameron County in the Rio Hondo turning basin at -97.6, 26.196 decimal degrees to a point 17.6 km upstream at the FM 510 crossing.	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2201C	Drainage ditches flowing into Arroyo Colorado Tidal	Perennial freshwater drainage ditches that flow into Arroyo Colorado Tidal	Freshwater Stream	2201C_01	Perennial freshwater drainage ditches that flow into Arroyo Colorado Tidal	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2202	Arroyo Colorado Above Tidal	From a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County to FM 2062 in Hidalgo County (includes La Cruz Resaca, Llano Grande Lake, and the Main Floodway)	Freshwater Stream	2202_01	From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 499	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	13074
				2202_02	From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	13079; 13080; 16445
				2202_03	From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	13081
				2202_04	From the confluence with La Cruz Resaca to the upper end of segment at FM 2062	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	13084

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2202A	Donna Reservoir	Off-channel irrigation reservoir pumped from Rio Grande near the City of Donna in Hidalgo County	Reservoir	2202A_01	Off-channel irrigation reservoir pumped from Rio Grande near the City of Donna in Hidalgo County	Reservoir	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2202B	Unnamed Drainage Ditch Tributary (B) to S. Arroyo Colorado	Perennial drainage ditches that flow into the segment in Cameron and Hidalgo counties	Freshwater Stream	2202B_01	Perennial drainage ditches that flow into the segment in Cameron and Hidalgo counties	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2202C	Unnamed Drainage Ditch Tributary (C) to S. Arroyo Colorado	From the confluence with S. Arroyo Colorado to a point 1.1 mi upstream near US Highway 281	Freshwater Stream	2202C_01	From the confluence with S. Arroyo Colorado to a point 1.1 mi upstream near US Highway 281	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2202D	Unnamed Drainage Ditch Tributary (D) to S. Arroyo Colorado	From the confluence with the Arroyo Colorado above tidal to the headwaters at a point upstream 5.124 mi where it meets Ratliff St. Pennsylvania Ave.	Freshwater Stream	2202D_01	From the confluence with the Arroyo Colorado above tidal to the headwaters at a point upstream 5.124 mi where it meets Ratliff St. Pennsylvania Ave.	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2202E	Unnamed Drainage Ditch Tributary (E) to S. Arroyo Colorado	From the confluence with the Arroyo Colorado above tidal to the headwaters at a point upstream 6.563 mi where it meets S. Col. Rowe Blvd.	Freshwater Stream	2202E_01	From the confluence with the Arroyo Colorado above tidal to the headwaters at a point upstream 6.563 mi where it meets S. Col. Rowe Blvd.	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2202F	Drainage ditches flowing into Arroyo Colorado Above Tidal	Perennial freshwater drainage ditches that flow into Arroyo Colorado Above Tidal	Freshwater Stream	2202F_01	Perennial freshwater drainage ditches that flow into Arroyo Colorado Above Tidal	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	22401

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2203	Petronila Creek Tidal	From the confluence of Chiltipin Creek in Kleberg County to a point 1 km (0.6 mi) upstream of private road crossing near Laureles Ranch in Kleberg County	Tidal Stream	2203_01	From the confluence with Tunas Creek and Alazan Bay to a point 11 mi upstream	Tidal Stream	TSWQS Appendix A	High	TSWQS Appendix A	13090

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2204	Petronila Creek Above Tidal	From a point 1 km (0.6 mi) upstream of private road crossing near Laureles Ranch in Kleberg County to the confluence of Agua Dulce and Banquete Creeks in Nueces County	Freshwater Stream	2204_01	From downstream end of segment to the confluence with 2204A, unnamed drainage ditch tributary to Petronila Creek at N-97.7, W27.65 approximately 32.5 km (20.2 mi) upstream	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	13093; 13094; 13095
				2204_02	From the confluence with 2204A, unnamed drainage ditch tributary of Petronila Creek at N-97.7, W27.65 to the upstream end of segment at the confluence with Agua Dulce and Banquete Creeks approximately 31.6 km (19.6 mi) upstream	Perennial	TSWQS Appendix A	Intermediate	TSWQS Appendix A	13096; 20806

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2204A	Unnamed Drainage Ditch Tributary (A) to Petronila Creek	From the confluence with Petronila Creek to a point 3.9 mi upstream at US Highway 77.	Freshwater Stream	2204A_01	From the confluence with Petronila Creek to a point 3.9 mi upstream at US Highway 77.	Perennial	Routine Flow Data	Limited	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2204B	Unnamed Tributary (B) to Petronila Creek	From confluence of Petronila Creek at FM 70 to the crossing at FM 665.	Freshwater Stream	2204B_01	From confluence of Petronila Creek at FM 70 to the crossing at FM 665.	Perennial	Routine Flow Data	Limited	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2301	Rio Grande Tidal	From the confluence with the Gulf of Mexico in Cameron County to a point 10.8 km (6.7 mi) downstream of the International Bridge in Cameron County	Tidal Stream	2301_01	From the confluence with the Gulf of Mexico in Cameron County to a point 71.7 km (44.6 mi) upstream	Tidal Stream	TSWQS Appendix A	Exceptional	TSWQS Appendix A	13176
				2301_02	From a point 71.7 km (44.6 mi) upstream of the mouth the Rio Grande to a point 10.8 km (6.7 mi) downstream of the International Bridge in Cameron County	Tidal Stream	TSWQS Appendix A	Exceptional	TSWQS Appendix A	16288

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2302	Rio Grande Below Falcon Reservoir	From a point 10.8 km (6.7 mi) downstream of the International Bridge in Cameron County to Falcon Dam in Starr County	Freshwater Stream	2302_01	From a point 10.8 km (6.7 mi) downstream of the International Bridge near the El Jardin Pump Station in Cameron County upstream to the west branch of the Rancho Viejo Floodway..	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13177; 13178; 13179; 20449
				2302_02	From the west branch of the Rancho Viejo Floodway upstream to the Progreso International Bridge (FM 1015)	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	10249
				2302_03	From the Progreso International Bridge (FM 1015) upstream to the McAllen International Bridge (US Hwy 281)	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	15808; 22402
				2302_04	From the McAllen International Bridge (US Hwy 281) upstream to Anzalduas Dam..	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13181; 13664
				2302_05	From Anzalduas Dam upstream to Los Ebanos Ferry Crossing	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	21012
				2302_06	From the Los Ebanos Ferry Crossing upstream to the confluence with Arroyo Los Olmos..	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13184; 21749
				2302_07	From the confluence with Arroyo Los Olmos upstream to Falcon Reservoir Dam	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13185; 13186

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2302A	Arroyo Los Olmos	From Rio Grande confluence at Rio Grande City to El Sauz in Starr County	Freshwater Stream	2302A_01	From the Rio Grande confluence near Rio Grande City upstream to a point 39.4 km (24.5 mi) near El Sauz	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	13103; 13104; 21591

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2303	International Falcon Reservoir	From Falcon Dam in Starr County to a point 0.66 km (0.41 mi) upstream of the confluence of the Arroyo El Lobo (Mexico) in Webb County, up to the normal pool elevation of 301.1 feet (impounds Rio Grande)	Reservoir	2303_01	Area around International Monument XIV	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				2303_02	Area around Zapata WTP intake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				2303_03	Area around International Monument I	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	13189
				2303_04	Upper portion of reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				2303_05	From the confluence of the Arroyo El Salado (Mexico) in Zapata County upstream to a point 0.66 km (0.41 mi) upstream of the confluence of the Arroyo El Lobo (Mexico) in Webb County	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	15817; 15818

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2304	Rio Grande Below Amistad Reservoir	From a point 0.66 km (0.41 mi) upstream of the confluence of the Arroyo El Lobo (Mexico) in Webb County to Amistad Dam in Val Verde County	Freshwater Stream	2304_01	From a point 0.66 km (0.41 mi) upstream of the confluence of the Arroyo El Lobo (Mexico) in Webb County upstream to the San Idelfonso Creek confluence	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13196; 15816; 21542
				2304_02	From the San Idelfonso Creek confluence upstream to International Bridge #2	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13200; 15815
				2304_03	From the International Bridge #2 upstream to the City of Laredo water treatment plant intake	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	15814
				2304_04	From the City of Laredo water treatment plant intake upstream to the World Trade Center Bridge	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13202; 17410; 20650
				2304_05	From the World Trade Center Bridge upstream to the Columbia Bridge	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				2304_06	From the Columbia Bridge upstream to El Indio	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	15274; 15839; 17596
				2304_07	From El Indio upstream to downstream of US Hwy 277 (Eagle Pass)	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	18792; 20999
				2304_08	From downstream of US Hwy 277 (Eagle Pass) upstream to the Las Moras Creek confluence	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	20997
				2304_09	From the Las Moras Creek confluence upstream to the San Felipe Creek confluence	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13560
				2304_10	From the San Felipe Creek confluence upstream to the Amistad Dam	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13208; 15340

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2304A	Cienegas Creek	Perennial stream from the confluence with the Rio Grande to the headwater spring source (Cienegas Springs) approximately 0.8 km north of Cienega Lane west of Del Rio	Freshwater Stream	2304A_01	Perennial stream from the confluence with the Rio Grande to the headwater spring source (Cienegas Springs) approximately 0.8 km north of Cienega Lane west of Del Rio	Perennial	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2304B	Manadas Creek	From the Rio Grande confluence in Laredo to a point 1.3 km (0.81 mi) upstream of Bob Bullock Loop	Freshwater Stream	2304B_01	From the Rio Grande confluence in Laredo to a point 1.3 km (0.81 mi) upstream of Bob Bullock Loop	Perennial	Water body description	High	Presumption from flow type	13116

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2305	International Amistad Reservoir	From Amistad Dam in Val Verde County to a point 1.8 km (1.1 mi) downstream of the confluence of Ramsey Canyon on the Rio Grande Arm in Val Verde County and to a point 0.7 km (0.4 mi) downstream of the confluence of Painted Canyon on the Pecos River Arm in	Reservoir	2305_01	Rio Grande Arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	15892; 16379; 20624
				2305_02	Devils River arm	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	13237; 15893
				2305_03	Area around International Boundary Buoy I (dam)	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	13835
				2305_04	Remainder of reservoir	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2306	Rio Grande Above Amistad Reservoir	From a point 1.8 km (1.1 mi) downstream of the confluence of Ramsey Canyon in Val Verde County to the confluence of the Rio Conchos (Mexico) in Presidio County	Freshwater Stream	2306_01	From the lower segment boundary at Ramsey Canyon upstream to the confluence of Panther Gulch	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13223; 13722; 20628; 20631; 20632
				2306_02	From the confluence of Panther Gulch upstream to FM 2627	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	20623; 20625; 20626
				2306_03	From FM 2627 upstream to Boquillas Canyon	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13225
				2306_04	From Boquillas Canyon upstream to Mariscal Canyon	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	16730
				2306_05	From Mariscal Canyon to a point upstream of the IBWC gage at Johnson Ranch	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				2306_06	From a point upstream of the IBWC gage at Johnson Ranch to the mouth of Santa Elena Canyon at the Terlingua Creek confluence	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13228
				2306_07	From the mouth of Santa Elena Canyon at the Terlingua Creek confluence upstream to the Alamito Creek confluence	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13229; 16862; 18441
				2306_08	From Alamito Creek confluence upstream to the Rio Conchos confluence	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	17000; 17001

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2306A	Alamito Creek	From Rio Grande confluence upstream to the confluence of the North and South Forks of Alamito Creek north of Marfa in Presidio County	Freshwater Stream	2306A_01	From the confluence with the Rio Grande upstream to Ranch Road 169 crossing	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations
				2306A_02	From the Ranch Road 169 crossing upstream to the confluence of the North and South Forks of Alamito Creek north of Marfa in Presidio County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2307	Rio Grande Below Riverside Diversion Dam	From the confluence of the Rio Conchos (Mexico) in Presidio County to Riverside Diversion Dam in El Paso County	Freshwater Stream	2307_01	From immediately upstream of the Rio Conchos confluence to a point 40.2 km (25 mi) upstream	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13230
				2307_02	From a point 40.2 km (25 mi) upstream of the Rio Conchos confluence to Little Box Canyon	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	17407
				2307_03	From Little Box Canyon upstream to the Alamo Grade Structure	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	22193
				2307_04	From the Alamo Grade Structure upstream to the Guadalupe Bridge	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	15704; 15795
				2307_05	From the Guadalupe Bridge to downstream of the Riverside Diversion Dam	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	14465; 16272

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2308	Rio Grande Below International Dam	From the Riverside Diversion Dam in El Paso County to International Dam in El Paso County	Freshwater Stream	2308_01	From the Riverside Diversion Dam to the International Dam in El Paso County	Perennial	TSWQS Appendix A	Limited	TSWQS Appendix A	15528; 15529

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2309	Devils River	From a point 0.6 km (0.4 mi) downstream of the confluence of Little Satan Creek in Val Verde County to the confluence of Dry Devils River in Sutton County	Freshwater Stream	2309_01	From the Devils River Arm of Amistad Reservoir upstream to Falls Canyon just below the Dolan Creek confluence	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	No Stations
				2309_02	From Falls Canyon just below the Dolan Creek confluence upstream to Wallace Canyon	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	13239
				2309_03	From Wallace Canyon to the upper segment boundary at the Dry Devils River confluence	Perennial	TSWQS Appendix A	Exceptional	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2309A	Dolan Creek	From Devils River confluence to km 46.7 km (29 mi) south of Sonora and 4.8 km (3 mi) west of US 277 in Val Verde County	Freshwater Stream	2309A_01	From the Rio Grande Arm of Amistad Reservoir upstream to Yellow Bluff (near the origin of Dolan Springs)	Perennial	Routine Flow Data	High	Presumption from flow type	14942
				2309A_02	From Yellow Bluff upstream to a point 4.7 km (2.9 mi) west of US HWY 277 (headwaters)	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2310	Lower Pecos River	From a point 0.7 km (0.4 mi) downstream of the confluence of Painted Canyon in Val Verde County to a point immediately upstream of the confluence of Independence Creek in Crockett/Terrell County	Freshwater Stream	2310_01	From the Devils River Arm of Amistad Reservoir confluence upstream to FM 2083 near Pan Dale	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				2310_02	From FM 2083 near Pan Dale upstream to just upstream of the Independence Creek confluence	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	14163; 18801

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2310A	Independence Creek	From the Pecos River confluence northeast of Sanderson in Terrell County to a point approximately 4.1 km (2.5 mi) east of US Hwy 285 in Pecos County	Freshwater Stream	2310A_01	Perennial stream from the confluence with the Pecos River upstream to the mouth of Surveyor Canyon (upstream of FM 2400)	Perennial	TSWQS Appendix D	Exceptional	TSWQS Appendix D	13109
				2310A_02	From the mouth of Surveyor Canyon (upstream of FM 2400) to a point approximately 4.1 km (2.5 mi) east of US Hwy 285 in Pecos County	Perennial	Routine Flow Data	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2311	Upper Pecos River	From a point immediately upstream of the confluence of Independence Creek in Crockett/Terrell County to Red Bluff Dam in Loving/Reeves County	Freshwater Stream	2311_01	From just upstream of the Independence Creek confluence upstream to US Hwy 290	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13248; 14164
				2311_02	From US Hwy 290 upstream to US Hwy 67	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13249
				2311_03	From US Hwy 67 upstream to the Ward Two Irrigation Turnout	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13257; 13260
				2311_04	From the Ward Two Irrigation Turnout upstream to US Hwy 80 (Bus 20)	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				2311_05	From US Hwy 80 (Bus 20) upstream to the Barstow Dam	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				2311_06	From the Barstow Dam upstream to State Hwy 302	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				2311_07	From State Hwy 302 upstream to FM 652	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				2311_08	From FM 652 upstream to the Red Bluff Dam	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13265

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2312	Red Bluff Reservoir	From Red Bluff Dam in Loving/Reeves County to the New Mexico State Line in Loving/Reeves County, up to the normal pool elevation 2842 feet (impounds Pecos River)	Reservoir	2312_01	From the Red Bluff Dam to mid-lake	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	13267
				2312_02	From mid-lake to the Texas/New Mexico state line	Reservoir	TSWQS Appendix A	High	TSWQS Appendix A	13269

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2313	San Felipe Creek	From the confluence with the Rio Grande in Val Verde County to a point 4.0 km (2.5 mi) upstream of US 90 in Val Verde County	Freshwater Stream	2313_01	From the Rio Grande confluence to the San Felipe Springs upstream of US Hwy 90	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13270; 13271; 15821

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2314	Rio Grande Above International Dam	From International Dam in El Paso County to the New Mexico State Line in El Paso County	Freshwater Stream	2314_01	From the International Dam upstream to the Anthony Drain confluence	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	13272; 13274; 13275; 13276; 15089; 17040
				2314_02	From the Anthony Drain confluence upstream to the New Mexico/Texas state line	Perennial	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2411	Sabine Pass	From the end of jetties at the Gulf of Mexico to SH 82	Estuary	2411_01	From the end of jetties at the Gulf of Mexico to SH 82	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	13298

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2411OW	Sabine Pass (Oyster Waters)	Sabine Pass (Oyster Waters)	Oyster Waters	2411OW_01	Sabine Pass (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2412	Sabine Lake	Sabine Lake	Estuary	2412_01	Sabine Lake	Estuary	TSWQS Appendix A	High	TSWQS Appendix A	13302; 14512; 14514

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2412OW	Sabine Lake (Oyster Waters)	Sabine Lake (Oyster Waters)	Oyster Waters	2412OW_01	Sabine Lake (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2421	Upper Galveston Bay	Upper Galveston Bay	Estuary	2421_01	Red Bluff to Five mi Cut to Houston Point to Morgans Point	Estuary	TSWQS Appendix A	High	TSWQS Appendix A	15244; 15904; 15907; 15908; 16201; 16230
				2421_02	Western portion of the bay	Estuary	TSWQS Appendix A	High	TSWQS Appendix A	15243; 15246; 15247; 15913; 16208; 16213; 16511; 16516
				2421_03	Main portion of the bay	Estuary	TSWQS Appendix A	High	TSWQS Appendix A	15242; 15245; 15903; 15906; 15909; 15910; 15911; 16207; 16209; 16215; 16510; 16512

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2421A	Clear Lake Channel	From the Lower Galveston Bay confluence upstream to Clear Lake	Estuary	2421A_01	From Lower Galveston Bay confluence upstream to Clear Lake	Estuary	Water body description	High	Presumption from Flow Type	13332

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2421B	Little Cedar Bayou	From the confluence with Upper Galveston Bay to a point immediately upstream of Barbours Cut Blvd in La Porte	Tidal Stream	2421B_01	From the confluence with Galveston Bay to a point immediately upstream of Barbours Cut Blvd in La Porte	Tidal Stream	Water body description	High	Presumption from flow type	20802

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2421C	Pine Gully	Pine Gully - from the confluence with Upper Galveston Bay upstream to the terminus approximately 875 m east of the intersection of Old Highway 146 and Red Bluff Rd in Seabrook	Tidal Stream	2421C_01	Pine Gully - from the confluence with Upper Galveston Bay upstream to the terminus approximately 875 m east of the intersection of Old Highway 146 and Red Bluff Rd in Seabrook	Tidal Stream	Water body description	High	Presumption from flow type	15463

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2421HC	Sylvan Beach Park (Recreational Beaches)	Sylvan Beach Park (Recreational Beaches)	Recreational Beaches	2421HC_01	Sylvan Beach Park (Beach ID TX412536)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2421OW	Upper Galveston Bay (Oyster Waters)	Upper Galveston Bay (Oyster Waters)	Oyster Waters	2421OW_01	Entire western portion of the bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations
				2421OW_02	Eastern portion of the bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2422	Trinity Bay	Trinity Bay	Estuary	2422_01	Upper half of bay	Estuary	TSWQS Appendix A	High	TSWQS Appendix A	13315; 15234; 15235; 15236; 15898; 15899; 15900; 15901; 16197; 16198; 16200; 16495; 16497; 16498; 16500; 16501; 16502
				2422_02	Lower half of bay	Estuary	TSWQS Appendix A	High	TSWQS Appendix A	15238; 15239; 15240; 15241; 15902; 15905; 16199; 16202; 16204; 16206; 16210; 16504; 16505; 16506; 16509

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2422A	Anahuac Ditch	Perennial stream from the confluence with the West Fork Double Bayou upstream to FM 563 near the City of Anahuac	Freshwater Stream	2422A_01	Perennial stream from the confluence with the West Fork Double Bayou upstream to FM 563 near the City of Anahuac	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2422B	Double Bayou West Fork	From the Trinity Bay confluence to Belton Road in Chambers County	Tidal Stream	2422B_01	From the Trinity Bay confluence to Belton Road	Tidal Stream	Water body description	High	Presumption from flow type	10657; 18361

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2422D	Double Bayou East Fork Tidal	From the confluence with Double Bayou West Fork upstream to a low-water crossing 2.95 km (1.83 mi) upstream of SH 65	Tidal Stream	2422D_01	From the confluence with Double Bayou West Fork upstream to a low-water crossing 2.95 km (1.83 mi) upstream of SH 65	Tidal Stream	Water body description	High	Presumption from flow type	10658

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2422E	Double Bayou East Fork Above Tidal	From the low-water crossing 2.95 km (1.83 mi) upstream of SH 65 upstream to the headwaters near West Branch Devers Canal	Freshwater Stream	2422E_01	From the low-water crossing 2.95 km (1.83 mi) upstream of SH 65 upstream to the headwaters near West Branch Devers Canal	Perennial	Flow Questionnaire	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2422OW	Trinity Bay (Oyster Waters)	Trinity Bay (Oyster Waters)	Oyster Waters	2422OW_01	Upper portion of the bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations
				2422OW_02	Lower portion of the bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2423	East Bay	East Bay	Estuary	2423_01	Area adjacent to the ICWW (Segment 0702)	Estuary	TSWQS Appendix A	High	TSWQS Appendix A	15912; 16212; 16513
				2423_02	Remainder of segment	Estuary	TSWQS Appendix A	High	TSWQS Appendix A	15229; 15230; 15231; 15914; 15916; 15917; 16211; 16214; 16216; 16514; 16515

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2423A	Oyster Bayou	From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65 in Chambers County	Tidal Stream	2423A_01	From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65	Tidal Stream	Water body description	High	Presumption from flow type	10655; 18708

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2423OW	East Bay (Oyster Waters)	East Bay (Oyster Waters)	Oyster Waters	2423OW_01	East end of bay adjacent to the ICWW and East Bay Bayou (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations
				2423OW_02	Remainder of the bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2424	West Bay	West Bay	Estuary	2424_01	West Bay	Estuary	TSWQS Appendix A	High	TSWQS Appendix A	13325; 15226; 15227; 15228; 15927; 15928; 15929; 15930; 16226; 16227; 16229; 16529; 16530; 16531
				2424_02	Area adjacent to Lower Galveston Island	Estuary	TSWQS Appendix A	High	TSWQS Appendix A	14622

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2424A	Highland Bayou	From the confluence of West Bay upstream to the confluence of Highland Bayou Diversion Canal 118 m (388 ft) downstream of Jack Brooks Rd in Galveston County	Tidal Stream	2424A_01	From the confluence of West Bay upstream to Bayou Lane	Tidal Stream	Water body description	High	Presumption from flow type	16488
				2424A_02	From Bayou Lane upstream to Lake Road	Tidal Stream	Water body description	High	Presumption from flow type	16562
				2424A_03	From Lake Road upstream to FM 519	Tidal Stream	Water body description	High	Presumption from flow type	11415
				2424A_04	From FM 519 upstream to FM 2004	Tidal Stream	Water body description	High	Presumption from flow type	15941
				2424A_05	From FM 2004 upstream to the confluence of Highland Bayou Diversion Canal 118 m (388 ft) downstream of Jack Brooks Rd in Galveston County	Tidal Stream	Water body description	High	Presumption from flow type	16491

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2424B	Lake Madeline	Located between Jones Street, Stewart Street and Pine Street, north of the seawall on Galveston Island	Estuary	2424B_01	Between Jones Street, Stewart Street and Pine Street, north of the seawall on Galveston Island	Estuary	Water body description	High	Presumption from Flow Type	16564

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2424C	Marchand Bayou	From Highland Bayou confluence to 0.72 km (0.45 mi) north of IH 45 in Galveston County	Tidal Stream	2424C_01	From Highland Bayou confluence 0.72 km (0.45 mi) north of IH-45	Tidal Stream	Water body description	High	Presumption from flow type	16490

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2424D	Offatts Bayou	Located on the east end of Galveston Island, running parallel with the southern terminus of IH 45, and joins West Bay near Teichman Point	Estuary	2424D_01	Upper area bordered by SH 342 and 71st Street	Estuary	Water body description	High	Presumption from Flow Type	No Stations
				2424D_02	Middle area bordered by 71st Street and Walsh Street	Estuary	Water body description	High	Presumption from Flow Type	13322
				2424D_03	Lower area bordered by Walsh Street and Techmann Point	Estuary	Water body description	High	Presumption from Flow Type	14645

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2424E	English Bayou	Between IH 45, Bayou Shore Drive, South Shore Rear and SH 342 on Galveston Island	Estuary	2424E_01	Between IH 45, Bayou Shore Drive, South Shore Rear and SH 342 on Galveston Island	Estuary	Water body description	High	Presumption from Flow Type	18695

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2424F	Crash Basin	Located off West Bay near the outlet of Offatts Bayou and adjacent to Teichman Point in Galveston County	Estuary	2424F_01	Located off West Bay near the outlet of Offatts Bayou and adjacent to Teichman Point in Galveston County	Estuary	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2424G	Highland Bayou Diversion Canal	From the confluence with West Bay upstream to the headwaters near Avenue Q 1/2 upstream of FM 646 in Galveston County	Tidal Stream	2424G_01	From the confluence with West Bay upstream to the headwaters near Avenue Q 1/2 upstream of FM 646 in Galveston County	Tidal Stream	Water body description	High	Presumption from flow type	18593

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2424OW	West Bay (Oyster Waters)	West Bay (Oyster Waters)	Oyster Waters	2424OW_01	Main portion of bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations
				2424OW_02	Area adjacent to Lower Galveston Bay and Galveston Island (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2424SP	Galveston Island State Park - Bayside (Recreational Beaches)	Galveston Island State Park - Bayside (Recreational Beaches)	Recreational Beaches	2424SP_01	Galveston Island State Park #6 - Bayside (Beach ID TX226514)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2425	Clear Lake	Clear Lake	Estuary	2425_01	Clear Lake	Estuary	TSWQS Appendix A	High	TSWQS Appendix A	13334; 13335; 20014

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2425A	Taylor Lake	Encompasses the entire tidal portion of the bay (tributary bay of Clear Lake) including Taylor Bayou Tidal	Estuary	2425A_01	Taylor Lake from the confluence with Clear Lake to the confluence with Taylor Bayou at Red Bluff Rd in Seabrook	Estuary	TSWQS Appendix D	High	TSWQS Appendix D	20015
				2425A_02	Taylor Bayou from the confluence with Taylor Lake at Red Bluff Rd in Seabrook upstream to the Southern Pacific railroad bridge parallel with SH 146 in Harris County	Estuary	TSWQS Appendix D	High	TSWQS Appendix D	20013
				2425A_03	Taylor Bayou from the Southern Pacific railroad bridge parallel with SH 146 in Harris County upstream to the terminus south of Bay Forest Golf Club in LaPorte	Estuary	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2425B	Jarbo Bayou	From Clear Lake confluence with Clear Lake to FM 518 in Galveston County	Tidal Stream	2425B_01	From the Clear Lake confluence upstream to Lawrence Road	Tidal Stream	Water body description	High	Presumption from flow type	16476
				2425B_02	From Lawrence Road upstream to FM 518	Tidal Stream	Water body description	High	Presumption from flow type	16485

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2425E	Harris County Flood Control Ditch A	From the Taylor Bayou confluence to a point 0.28 km (0.17 mi) downstream of Fairmont Parkway	Tidal Stream	2425E_01	From the Taylor Bayou confluence to a point 0.28 km (0.17 mi) downstream of Fairmont Parkway	Tidal Stream	Water body description	High	Presumption from flow type	20012

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2426	Tabbs Bay	Tabbs Bay	Estuary	2426_01	Tabbs Bay	Estuary	TSWQS Appendix A	High	TSWQS Appendix A	13338

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2426A	Goose Creek	From the confluence of East Fork Goose Creek upstream to the confluence of an unnamed tributary from Highlands Reservoir	Freshwater Stream	2426A_01	Perennial stream from the confluence of East Fork Goose Creek upstream to Baker Street, per WS App D second entry	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations
				2426A_02	Perennial stream from Baker Street up to the confluence of an unnamed tributary from Highlands Reservoir, per WS App D first entry	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2426C	Goose Creek Tidal	From the Tabbs Bay confluence upstream to the East Fork of Goose Creek confluence	Tidal Stream	2426C_01	From the Tabbs Bay confluence upstream to the East Fork of Goose Creek confluence	Tidal Stream	Water body description	High	Presumption from flow type	17927

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2427	San Jacinto Bay	San Jacinto Bay	Estuary	2427_01	San Jacinto Bay	Estuary	TSWQS Appendix A	High	TSWQS Appendix A	16499; 17923; 17924

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2428	Black Duck Bay	Black Duck Bay	Estuary	2428_01	Black Duck Bay	Estuary	TSWQS Appendix A	High	TSWQS Appendix A	13340

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2429	Scott Bay	Scott Bay	Estuary	2429_01	Scott Bay	Estuary	TSWQS Appendix A	High	TSWQS Appendix A	17922

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2430	Burnet Bay	Burnet Bay	Estuary	2430_01	Burnet Bay	Estuary	TSWQS Appendix A	High	TSWQS Appendix A	13344; 16496

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2430A	Crystal Bay	Crystal Bay, a side bay of Burnet Bay, located between Burnet and Scott (Segment 2429) Bays adjacent to the San Jacinto Monument and Houston Ship Channel (Segment 1005)	Estuary	2430A_01	Crystal Bay, a side bay of Burnet Bay, located between Burnet and Scott (Segment 2429) Bays adjacent to the San Jacinto Monument and Houston Ship Channel (Segment 1005)	Estuary	Water body description	High	Presumption from Flow Type	16195; 17921

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2431	Moses Lake	Moses Lake	Estuary	2431_01	Moses Lake	Estuary	TSWQS Appendix A	High	TSWQS Appendix A	13345; 16551

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2431A	Moses Bayou Tidal	From Moses Lake confluence upstream 2.25 km (1.4 mi) to the Bayou Golf Course in Galveston County	Tidal Stream	2431A_01	From Moses Lake confluence upstream 2.25 km (1.4 mi) to the Bayou Golf Course in Galveston County	Tidal Stream	Water body description	High	Presumption from flow type	11400

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2431B	Seawall Lagoon	Located approximately 1.9 km (1.2 mi) south of Dollar Point adjacent to Bay Street N in Galveston County	Estuary	2431B_01	Located approximately 1.9 km (1.2 mi) south of Dollar Point adjacent to Bay Street N in Galveston County	Estuary	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2431C	Unnamed Tributary to the Southern Arm of Moses Lake (West)	From the confluence with the southern arm (west) of Moses Lake to a point 0.45 mi upstream of State Highway 3 near La Marque	Tidal Stream	2431C_01	From the confluence with the southern arm (west) of Moses Lake to a point 0.45 mi upstream of State Highway 3 near La Marque	Tidal Stream	Water body description	High	Presumption from flow type	18592

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2431D	Unnamed Tributary to the Southern Arm of Moses Lake (East)	From the confluence with the southern arm (east) of Moses Lake to a point 0.6 mi upstream of State Highway 146 in Texas City	Tidal Stream	2431D_01	From the confluence with the southern arm (east) of Moses Lake to a point 0.6 mi upstream of State Highway 146 in Texas City	Tidal Stream	Water body description	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2431E	Moses Bayou Above Tidal	From the confluence with Moses Bayou Tidal at the Bayou Golf Course upstream to FM 2004 in Galveston County	Freshwater Stream	2431E_01	From the confluence with Moses Bayou Tidal at the Bayou Golf Course upstream to FM 2004 in Galveston County	Perennial	Water body description	High	Presumption from flow type	17910

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2432	Chocolate Bay	Chocolate Bay	Estuary	2432_01	Chocolate Bay	Estuary	TSWQS Appendix A	High	TSWQS Appendix A	16228; 17085; 17086

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2432A	Mustang Bayou	From the New Bayou confluence upstream to an unnamed tributary 0.3 km (0.19 mi) upstream of State Hwy 35 to an unnamed tributary downstream of Cartwright Road	Freshwater Stream	2432A_01	From the New Bayou confluence upstream to County Road 166	Perennial	Water body description	High	Presumption from flow type	11423
				2432A_02	From County Road 166 upstream to an unnamed tributary 0.3 km upstream of SH 35.	Perennial	TSWQS Appendix D	Intermediate	TSWQS Appendix D	18554
				2432A_03	From an unnamed tributary 0.3 km upstream of State Hwy 35 upstream to an unnamed tributary downstream of Cartwright Road.	Perennial	Water body description	High	Presumption from flow type	21416

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2432B	Willow Bayou	From the Halls Bayou confluence to a point 9.7 km (6 mi) upstream.	Freshwater Stream	2432B_01	From the Halls Bayou confluence to a point 9.7 km (6 mi) upstream.	Perennial	Flow Questionnaire	High	Presumption from flow type	18668

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2432C	Halls Bayou Tidal	From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream	Tidal Stream	2432C_01	From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream	Tidal Stream	Water body description	High	Presumption from flow type	11422

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2432D	Persimmon Bayou	From the New Bayou confluence upstream to the Mustang Bayou confluence	Tidal Stream	2432D_01	From the New Bayou confluence upstream to the confluence with Mustang Bayou	Tidal Stream	Flow Questionnaire	High	Presumption from flow type	17913

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2432E	New Bayou	From the Chocolate Bay confluence upstream 25.4 km (15.8 mi) to an unnamed tributary	Tidal Stream	2432E_01	From the Chocolate Bay confluence upstream 25.4 km (15.8 mi) to an unnamed tributary	Tidal Stream	Flow Questionnaire	High	Presumption from flow type	17911

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2432OW	Chocolate Bay (Oyster Waters)	Chocolate Bay (Oyster Waters)	Oyster Waters	2432OW_01	Chocolate Bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2433	Bastrop Bay/Oyster Lake	Bastrop Bay/Oyster Lake	Estuary	2433_01	Bastrop Bay	Estuary	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				2433_02	Oyster Lake	Estuary	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2433OW	Bastrop Bay/Oyster Lake (Oyster Waters)	Bastrop Bay/Oyster Lake (Oyster Waters)	Oyster Waters	2433OW_01	Bastrop Bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations
				2433OW_02	Oyster Lake (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2434	Christmas Bay	Christmas Bay	Estuary	2434_01	Area adjacent to West Bay	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	No Stations
				2434_02	Remainder of segment	Estuary	TSWQS Appendix A	High	TSWQS Appendix A	13351; 15931

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2434OW	Christmas Bay (Oyster Waters)	Christmas Bay (Oyster Waters)	Oyster Waters	2434OW_01	Area adjacent to West Bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations
				2434OW_02	Remainder of Christmas Bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2435	Drum Bay	Drum Bay	Estuary	2435_01	Area adjacent to Christmas Bay	Estuary	TSWQS Appendix A	High	TSWQS Appendix A	No Stations
				2435_02	Remainder of segment	Estuary	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2435A	Nicks Cut	Cut from Nicks Lake to Gulf Intracoastal Waterway to Drum Bay in Brazoria County	Estuary	2435A_01	Cut from Nicks Lake to Gulf Intracoastal Waterway to Drum Bay in Brazoria County	Estuary	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2435OW	Drum Bay (Oyster Waters)	Drum Bay (Oyster Waters)	Oyster Waters	2435OW_01	Area adjacent to Christmas Bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations
				2435OW_02	Remainder of Drum Bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2436	Barbours Cut	Barbours Cut	Estuary	2436_01	Barbours Cut	Estuary	TSWQS Appendix A	High	TSWQS Appendix A	17925

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2437	Texas City Ship Channel	Texas City Ship Channel	Estuary	2437_01	Texas City Ship Channel	Estuary	TSWQS Appendix A	High	TSWQS Appendix A	13361

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2438	Bayport Channel	Bayport Channel	Estuary	2438_01	Bayport Channel	Estuary	TSWQS Appendix A	High	TSWQS Appendix A	13589; 16508

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2439	Lower Galveston Bay	Lower Galveston Bay	Estuary	2439_01	Area adjacent to the Texas City Ship Channel and Moses Lake	Estuary	TSWQS Appendix A	High	TSWQS Appendix A	15219; 15224; 15919; 16220; 16519; 16521
				2439_02	Main portion of the bay	Estuary	TSWQS Appendix A	High	TSWQS Appendix A	13364; 15215; 15216; 15217; 15218; 15220; 15221; 15222; 15223; 15225; 15232; 15915; 15918; 15920; 15921; 15922; 15923; 15924; 15925; 15926; 16217; 16218; 16219; 16221; 16222; 16223; 16224; 16225; 16517; 16518; 16520; 16522; 16523; 16524; 16525; 16526; 16527; 16528

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2439OW	Lower Galveston Bay (Oyster Waters)	Lower Galveston Bay (Oyster Waters)	Oyster Waters	2439OW_01	Area adjacent to the Texas City Ship Channel and Moses Lake (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations
				2439OW_02	Main portion of the bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2439TC	Texas City Dike (Recreational Beaches)	Texas City Dike (Recreational Beaches)	Recreational Beaches	2439TC_01	Texas City Dike (Beach ID TX164090)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2441	East Matagorda Bay	East Matagorda Bay	Estuary	2441_01	Caney Creek am and western shoreline area	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	No Stations
				2441_02	Remainder of segment	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	18378

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2441A	Live Oak Bayou (unclassified water body)	From the East Matagorda Bay confluence upstream to a point 58.4 km (36.3 mi) upstream (north of Hwy 457)	Tidal Stream	2441A_01	From the East Matagorda Bay confluence upstream to a point 58.4 km (36.3 mi) upstream (north of Hwy 457)	Tidal Stream	Water body description	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2441OW	East Matagorda Bay (Oyster Waters)	East Matagorda Bay (Oyster Waters)	Oyster Waters	2441OW_01	Caney Creek arm and western shoreline area (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations
				2441OW_02	Remainder of bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2442	Cedar Lakes	Cedar Lakes	Estuary	2442_01	Cedar Lakes	Estuary	TSWQS Appendix A	High	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2442OW	Cedar Lakes (Oyster Waters)	Cedar Lakes (Oyster Waters)	Oyster Waters	2442OW_01	Cedar Lakes (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2451	Matagorda Bay/ Powderhorn Lake	Matagorda Bay/Powderhorn Lake	Estuary	2451_01	Upper Matagorda Bay	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	13378; 18395; 18397
				2451_02	Lower Matagorda Bay	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	No Stations
				2451_03	Powderhorn Lake	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	14726

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2451A	Coloma Creek	From the Powderhorn Lake confluence to the headwaters near SH 238 in Calhoun County	Tidal Stream	2451A_01	From the Powderhorn Lake confluence to the headwaters near SH 238	Tidal Stream	Water body description	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2451OW	Matagorda Bay/ Powderhorn Lake (Oyster Waters)	Matagorda Bay/Powderhorn Lake (Oyster Waters)	Oyster Waters	2451OW_01	Upper Matagorda Bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations
				2451OW_02	Lower Matagorda Bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations
				2451OW_03	Powderhorn Lake (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2452	Tres Palacios Bay/Turtle Bay	Tres Palacios Bay/Turtle Bay	Estuary	2452_01	Main portion of bay	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	No Stations
				2452_02	Turtle Bay	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	No Stations
				2452_03	Tres Palacios Creek Arm	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	18398

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2452A	Tres Palacios Harbor	Tres Palacios Harbor	Estuary	2452A_01	Tres Palacios Harbor	Estuary	Water body description	High	Presumption from Flow Type	13382

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2452OW	Tres Palacios Bay/Turtle Bay (Oyster Waters)	Tres Palacios Bay/Turtle Bay (Oyster Waters)	Oyster Waters	2452OW_01	Turtle Bay and Tres Palacios Creek Arm (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations
				2452OW_02	Main portion of bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2452TP	Tres Palacios Bay (Recreational Beaches)	Tres Palacios Bay (Recreational Beaches)	Recreational Beaches	2452TP_01	Palacios (Beach ID TX 784742)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2453	Lavaca Bay/Chocolate Bay	Lavaca Bay/Chocolate Bay	Estuary	2453_01	Center portion of bay	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	13383; 13384
				2453_02	North-northeastern portion of the bay near Point Comfort	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	13563
				2453_03	Chocolate Bay area	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2453A	Garcitas Creek Tidal	From the confluence with Lavaca Bay in Jackson/Victoria County upstream to the confluence with Mercado Creek in Victoria County	Tidal Stream	2453A_01	From the confluence with Lavaca Bay in Jackson/Victoria County upstream to the confluence with Mercado Creek in Victoria County	Tidal Stream	TSWQS Appendix D	High	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2453B	Lynns Bayou Basin	From the Lavaca Bayou confluence to immediately south of SH 238 in Port Lavaca in Calhoun County	Estuary	2453B_01	From the Lavaca Bay confluence to immediately south of SH 238 in Port Lavaca	Estuary	Water body description	High	Presumption from Flow Type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2453C	Arenosa Creek	From Garcitas Creek confluence upstream to J-2 Ranch Road	Freshwater Stream	2453C_01	From Garcitas Creek confluence upstream to J-2 Ranch Road	Perennial	Routine Flow Data	High	Presumption from flow type	13294

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2453D	Lavaca Bay Ship Channel Area	Lavaca Bay Ship Channel Area	Estuary	2453D_01	Lavaca Bay Ship Channel Area	Estuary	Water body description	High	Presumption from Flow Type	13385

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2453E	Garcitas Creek Above Tidal	From the confluence with Marcado Creek in Victoria County upstream to the headwaters near the intersection of DeWitt CR 114 and CR 110	Freshwater Stream	2453E_01	From the confluence with Marcado Creek in Victoria County upstream to the headwaters near the intersection of DeWitt CR 114 and CR 110	Intermittent w/pools	Routine Flow Data	Limited	Presumption from flow type	13291

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2453OW	Lavaca Bay/Chocolate Bay (Oyster Waters)	Lavaca Bay/Chocolate Bay (Oyster Waters)	Oyster Waters	2453OW_01	Center portion of bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations
				2453OW_02	North-northeastern portion of the bay near Point Comfort (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations
				2453OW_03	Chocolate Bay area (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2454	Cox Bay	Cox Bay	Estuary	2454_01	North end of bay near Cox Creek	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	No Stations
				2454_02	Remainder of Cox Bay	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	13386

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2454A	Cox Lake	From the Cox Lake dam located 4.0 km (2.5 mi) southeast of Point Comfort in Calhoun County to the Calhoun/Jackson County line	Reservoir	2454A_01	From the Cox Lake dam located 4.0 km (2.5 mi) southeast of Point Comfort to the Calhoun/Jackson County line	Reservoir	Water body description	High	Presumption from Flow Type	12514

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2454OW	Cox Bay (Oyster Waters)	Cox Bay (Oyster Waters)	Oyster Waters	2454OW_01	North end of bay near Cox Creek (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations
				2454OW_02	Remainder of Cox Bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2455	Keller Bay	Keller Bay	Estuary	2455_01	Upper arm	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	No Stations
				2455_02	Remainder of Keller Bay	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	13387

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2455OW	Keller Bay (Oyster Waters)	Keller Bay (Oyster Waters)	Oyster Waters	2455OW_01	Upper arm (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations
				2455OW_02	Remainder of Keller Bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2456	Carancahua Bay	Carancahua Bay	Estuary	2456_01	Lower half of bay	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	No Stations
				2456_02	Upper half of bay	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	13388; 21694

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2456A	West Carancahua Creek Tidal	From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upstream of FM 616 in Jackson County	Tidal Stream	2456A_01	From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upstream of FM 616 in Jackson County	Tidal Stream	Water body description	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2456OW	Carancahua Bay (Oyster Waters)	Carancahua Bay (Oyster Waters)	Oyster Waters	2456OW_01	Lower portion of bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations
				2456OW_02	Upper portion of bay and shoreline area (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2461	Espiritu Santo Bay	Espiritu Santo Bay	Estuary	2461_01	Espiritu Santo Bay	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	14732; 14733

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2461OW	Espiritu Santo Bay (Oyster Waters)	Espiritu Santo Bay (Oyster Waters)	Oyster Waters	2461OW_01	Espiritu Santo Bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2462	San Antonio Bay/Hynes Bay/ Guadalupe Bay/Mission Lake	San Antonio Bay/Hynes Bay/Guadalupe Bay/Mission Lake at the mean high tide line	Estuary	2462_01	San Antonio Bay/Hynes Bay/Guadalupe Bay/Mission Lake at the mean high tide line	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	13397; 14956

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2462OW	San Antonio Bay/Hynes Bay/ Guadalupe Bay/Mission Lake (Oyster Waters)	San Antonio Bay/Hynes Bay/Guadalupe Bay/Mission Lake (Oyster Waters)	Oyster Waters	2462OW_01	Guadalupe Bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations
				2462OW_02	Hynes Bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations
				2462OW_03	San Antonio Bay shoreline area (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations
				2462OW_04	Remainder of San Antonio Bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2463	Mesquite Bay/Carlos Bay/Ayres Bay	Mesquite Bay/Carlos Bay/Ayres Bay	Estuary	2463_01	Mesquite Bay/Carlos Bay/Ayres Bay	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	13400

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2463OW	Mesquite Bay/Carlos Bay/Ayres Bay (Oyster Waters)	Mesquite Bay/Carlos Bay/Ayres Bay (Oyster Waters)	Oyster Waters	2463OW_01	Western shoreline (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations
				2463OW_02	Remainder of Mesquite Bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2471	Aransas Bay	Aransas Bay	Estuary	2471_01	Aransas Bay	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	13402; 16492

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2471A	Little Bay	Located between Aransas Bay (Segment 2471) on the east side and Broadway Street in Rockport on the west side and Rockport Beach on the south side in Aransas County	Estuary	2471A_01	Located between Aransas Bay (Segment 2471) on the east side and Broadway Street in Rockport on the west side and Rockport Beach on the south side in Aransas County	Estuary	Water body description	High	Presumption from Flow Type	16232

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2471OW	Aransas Bay (Oyster Waters)	Aransas Bay (Oyster Waters)	Oyster Waters	2471OW_01	Western shoreline (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations
				2471OW_02	Remainder of bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2471RB	Rockport Beach Park (Recreational Beaches)	Rockport Beach Park (Recreational Beaches)	Recreational Beaches	2471RB_01	Rockport Beach Park (Beach ID TX748844)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2472	Copano Bay/Port Bay/Mission Bay	Copano Bay/Port Bay/Mission Bay	Estuary	2472_01	Mission Bay, Aransas River arm, and eastern shoreline	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	12945; 13404; 14783
				2472_02	Copano Bay	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	17724
				2472_03	Port Bay	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	13405

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2472OW	Copano Bay/Port Bay/Mission Bay (Oyster Waters)	Copano Bay/Port Bay/Mission Bay (Oyster Waters)	Oyster Waters	2472OW_01	Mission Bay, Aransas River arm, and eastern shoreline (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations
				2472OW_02	Copano Bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations
				2472OW_03	Port Bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2473	St. Charles Bay	St. Charles Bay	Estuary	2473_01	St. Charles Bay	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	17692

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2473OW	St. Charles Bay (Oyster Waters)	St. Charles Bay (Oyster Waters)	Oyster Waters	2473OW_01	Remainder of Bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations
				2473OW_02	Southwest corner of St Charles Bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2481	Corpus Christi Bay	Corpus Christi Bay	Estuary	2481_01	From the Corpus Christi Ship Channel east to Pelican Island, from Pelican Island south to Demit Island including the La Quinta Channel and the Corpus Christi Ship Channel adjacent to Redfish Bay	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	13407; 13409; 13410
				2481_02	From the Corpus Christi Ship Channel east to Pelican Island, from Pelican Island south to Demit Island including the area from the Corpus Christi Ship Channel to Demit Island (Oso Bay and City of Corpus Christi area)	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	13411
				2481_03	From Pelican Island south to Demit Island, from Demit Island to Mustang Island and the area along Mustang Island State Park to the Corpus Christi Ship Channel	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	14355; 17791
				2481_04	From the JFK Causeway to a line from Demit Island across to Mustang Island State Park	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2481CB	Corpus Christi Bay (Recreational Beaches)	Corpus Christi Bay (Recreational Beaches)	Recreational Beaches	2481CB_01	Corpus Christi Marina (Beach ID TX305317)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2481CB_02	Corpus Christi Beach - North (Beach ID TX546628)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2481CB_03	Cole Park (Beach ID TX259473)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2481CB_04	Ropes Park (Beach ID TX821303)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2481CB_05	McGee Beach (Beach ID TX536781)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2481CB_06	Poenisch Park (Beach ID TX682648)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2481CB_07	Emerald Beach (TX199413)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2481CB_08	University Beach (Beach ID TX149569)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2481CB_09	Packery Channel Park (Beach ID TX227625)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2481OW	Corpus Christi Bay (Oyster Waters)	Corpus Christi Bay (Oyster Waters)	Oyster Waters	2481OW_01	Shoreline area (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations
				2481OW_02	Remainder of Corpus Christi Bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2482	Nueces Bay	Nueces Bay	Estuary	2482_01	Nueces Bay	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	13421; 13422; 13425

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2482NB	Nueces Bay (Recreational Beaches)	Nueces Bay (Recreational Beaches)	Recreational Beaches	2482NB_01	Nueces Bay Causeway # 3 (Beach ID TX 139394)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2482OW	Nueces Bay (Oyster Waters)	Nueces Bay (Oyster Waters)	Oyster Waters	2482OW_01	Nueces Bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2483	Redfish Bay	Redfish Bay	Estuary	2483_01	Redfish Bay	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	13426

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2483A	Conn Brown Harbor	From the Aransas Channel confluence southeast of Aransas Pass in San Patricio County to a point 1.6 km (1 mi) northeast in Aransas County	Estuary	2483A_01	From the Aransas Channel confluence southeast of Aransas Pass to a point 1.6 km (1 mi) northeast	Estuary	Water body description	High	Presumption from Flow Type	18848

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2483OW	Redfish Bay (Oyster Waters)	Redfish Bay (Oyster Waters)	Oyster Waters	2483OW_01	Redfish Bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2483RB	Redfish Bay (Recreational Beaches)	Redfish Bay (Recreational Beaches)	Recreational Beaches	2483RB_01	Lighthouse Lake (Beach ID TX538780)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2484	Corpus Christi Inner Harbor	Corpus Christi Inner Harbor - from US 181 to Viola Turning Basin	Estuary	2484_01	Corpus Christi Inner Harbor - from US 181 to Viola Turning Basin	Estuary	TSWQS Appendix A	Intermediate	TSWQS Appendix A	13430; 13432; 13439

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2485	Oso Bay	Oso Bay - portion of the bay southeast of a line drawn from a point 550 meters west-northwest of the mouth of Oso Bay to the northern terminus of Shangrila Lane	Estuary	2485_01	Upper bay from the abandoned Holly Road railroad tracks to Yorktown Blvd	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	No Stations
				2485_02	Middle bay from South Padre Island Drive (SPID) to the abandoned Holly Road railroad tracks	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	13440
				2485_03	Lower portion of the bay southeast of a line drawn from a point 550 meters west-northwest of the mouth of Oso Bay to the northern terminus of Shangrila Lane and to South Padre Island Drive (SPID)	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	13442

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2485A	Oso Creek	From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi in Nueces County	Tidal Stream	2485A_01	From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi	Tidal Stream	Water body description	High	Presumption from flow type	13028; 13029

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2485B	Unnamed trib of Oso Creek	From the Oso Creek confluence upstream to a point 5.2 km (3.2 mi) west of State Hwy 286 in Nueces County	Tidal Stream	2485B_01	From the Oso Creek confluence upstream to a point 5.2 km (3.2 mi) west of State Hwy 286	Tidal Stream	Water body description	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2485C	Unnamed trib of Oso Creek	From the Oso Creek confluence upstream to a point 1.0 km (0.62 mi) north of State Hwy 44 in Nueces County	Freshwater Stream	2485C_01	From the Oso Creek confluence upstream to a point 1.0 km (0.62 mi) north of State Hwy 44	Perennial	Water body description	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2485D	West Oso Creek	From the Oso Creek confluence upstream to a point 0.49 km (0.3 mi) west of FM 1694 in Nueces County	Freshwater Stream	2485D_01	From the Oso Creek confluence upstream to a point 0.49 km (0.3 mi) west of FM 1694	Perennial	Water body description	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2485OW	Oso Bay (Oyster Waters)	Oso Bay (Oyster Waters)	Oyster Waters	2485OW_01	Oso Bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2486	Blind Oso Bay	Blind Oso Bay - portion of the bay northwest of a line drawn from a point 550 meters west-northwest of the mouth of Oso Bay to the northern terminus of Shangrila Lane	Estuary	2486_01	Blind Oso Bay - portion of the bay northwest of a line drawn from a point 550 meters west-northwest of the mouth of Oso Bay to the northern terminus of Shangrila Lane	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2486OW	Blind Oso Bay (Oyster Waters)	Blind Oso Bay (Oyster Waters)	Oyster Waters	2486OW_01	Blind Oso Bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2491	Laguna Madre	Laguna Madre	Estuary	2491_01	Upper portion of bay north of the Arroyo Colorado confluence	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	13443; 13444; 13445; 13448; 13449
				2491_02	Area adjacent to the Arroyo Colorado confluence	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	13447
				2491_03	Lower portion of bay south of the Arroyo Colorado confluence	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	13446; 14870

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2491B	North Floodway	From 0.04 mi north of Campacuas Lake and 0.32 mi west of FM 491 (Mercedes, TX) to the confluence with Lower Laguna Madre (tidal flats)	Freshwater Stream	2491B_01	From 0.04 mi north of Campacuas Lake and 0.32 mi west of FM 491 (Mercedes, TX) to the confluence with Lower Laguna Madre (tidal flats)	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	20930

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2491C	Drainage ditches flowing into Lower Laguna Madre	Perennial freshwater drainage ditches flowing into Lower Laguna Madre	Freshwater Stream	2491C_01	Raymondville Drain flowing into Lower Laguna Madre	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	22004
				2491C_02	Willacy Main Drain flowing into Lower Laguna Madre	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations
				2491C_03	Hidalgo Main Floodwater Channel flowing into Lower Laguna Madre	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	22003
				2491C_04	Remaining perennial freshwater drainage ditches flowing into main drains	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2491OW	Laguna Madre (Oyster Waters)	Laguna Madre (Oyster Waters)	Oyster Waters	2491OW_01	Upper portion of the bay north of Port Mansfield Channel (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations
				2491OW_02	Area adjacent to the Arroyo Colorado confluence (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations
				2491OW_03	Lower portion of the bay south of the Port Mansfield Channel (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations
				2491OW_04	ICWW from Port Mansfield to Brownsville and shoreline area (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2491UL	Upper Laguna Madre (Recreational Beaches)	Upper Laguna Madre (Recreational Beaches)	Recreational Beaches	2491UL_01	JFK Causeway - SW (Beach ID TX442541)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2492	Baffin Bay/Alazan Bay/Cayo del Grullo/Laguna Salada	Baffin Bay/Alazan Bay/Cayo del Grullo/Laguna Salada	Estuary	2492_01	Baffin Bay/Alazan Bay/Cayo del Grullo/Laguna Salada	Estuary	TSWQS Appendix A	High	TSWQS Appendix A	13450; 13452

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2492A	San Fernando Creek	From the Cayo Del Grullo confluence in Kleberg County upstream to the confluence with Chiltipin Creek and San Diego Creek in Jim Wells County	Freshwater Stream	2492A_01	From the Cayo Del Grullo confluence in Kleberg County upstream to the confluence with Chiltipin Creek and San Diego Creek in Jim Wells County	Perennial	Flow Questionnaire	High	Presumption from flow type	13033

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2492B	Los Olmos Creek Tidal	Tidal portion of Los Olmos Creek from the confluence with Laguna Salada upstream 10.9 km (6.8 mi) southwest of Riviera	Tidal Stream	2492B_01	Tidal portion of Los Olmos Creek from the confluence with Laguna Salada upstream 10.9 km (6.8 mi) southwest of Riviera	Tidal Stream	Water body description	High	Presumption from flow type	13034

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2492OW	Baffin Bay/Alazan Bay/Cayo del Grullo/Laguna Salada (Oyster Waters)	Baffin Bay/Alazan Bay/Cayo del Grullo/Laguna Salada (Oyster Waters)	Oyster Waters	2492OW_01	Entire water body north of the boundary with Lower Laguna Madre (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations
				2492OW_02	Area adjacent to boundary with Lower Laguna Madre (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2493	South Bay	South Bay	Estuary	2493_01	South Bay	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	13459; 14865

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2493OW	South Bay (Oyster Waters)	South Bay (Oyster Waters)	Oyster Waters	2493OW_01	South Bay (Oyster Waters)	Oyster Waters	Water body description	High	Presumption from Flow Type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2494	Brownsville Ship Channel	Brownsville Ship Channel	Estuary	2494_01	From the Laguna Madre confluence upstream to the Port of Brownsville	Estuary	TSWQS Appendix A	Exceptional	TSWQS Appendix A	13460; 14871; 14872; 14874; 14875

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2494A	Port Isabel Fishing Harbor	From the Laguna Madre confluence to 0.4 km (0.25 mi) south of SH 100 in Port Isabel in Cameron County	Estuary	2494A_01	From the Laguna Madre confluence to 0.4 km (0.25 mi) south of SH 100 in Port Isabel	Estuary	Water body description	High	Presumption from Flow Type	13285

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2494B	Drainage ditches flowing into San Martin Lakes	Perennial freshwater drainage ditches flowing into San Martin Lakes	Freshwater Stream	2494B_01	Perennial freshwater Cameron County Drainage District main ditches flowing into San Martin Lakes	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations
				2494B_02	Remaining perennial freshwater Cameron County Drainage District ditches flowing into main ditches	Perennial	TSWQS Appendix D	Limited	TSWQS Appendix D	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2494C	San Martin Lakes	From the confluence with the Brownsville Ship Channel upstream to the confluence with drainage ditches flowing into San Martin Lakes	Estuary	2494C_01	From the confluence with the Brownsville Ship Channel upstream to the confluence with drainage ditches flowing into San Martin Lakes	Estuary	Water body description	High	Presumption from Flow Type	22170

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2501	Gulf of Mexico	From the Gulf shoreline to the limit of Texas' jurisdiction between Sabine Pass and the mouth of the Rio Grande	Ocean	2501_01	Sabine Pass to Sea Rim Park area	Ocean	TSWQS Appendix A	Exceptional	TSWQS Appendix A	13461; 13462
				2501_02	Jefferson-Chambers County line area	Ocean	TSWQS Appendix A	Exceptional	TSWQS Appendix A	13463
				2501_03	Bolivar Point to San Luis Pass area	Ocean	TSWQS Appendix A	Exceptional	TSWQS Appendix A	No Stations
				2501_04	Freeport Area	Ocean	TSWQS Appendix A	Exceptional	TSWQS Appendix A	No Stations
				2501_05	Area between Freeport and Port Aransas	Ocean	TSWQS Appendix A	Exceptional	TSWQS Appendix A	No Stations
				2501_06	Port Aransas Area	Ocean	TSWQS Appendix A	Exceptional	TSWQS Appendix A	13468
				2501_07	Area between Port Aransas and Port Mansfield	Ocean	TSWQS Appendix A	Exceptional	TSWQS Appendix A	No Stations
				2501_08	Port Mansfield area	Ocean	TSWQS Appendix A	Exceptional	TSWQS Appendix A	No Stations
				2501_09	Area between Port Mansfield and Port Isabel	Ocean	TSWQS Appendix A	Exceptional	TSWQS Appendix A	No Stations
				2501_10	Port Isabel area	Ocean	TSWQS Appendix A	Exceptional	TSWQS Appendix A	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2501BC	Brazoria County Beaches (Recreational Beaches)	Brazoria County Beaches (Recreational Beaches)	Recreational Beaches	2501BC_01	Follets Island (Beach ID TX646145)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2501BC_02	Quintana (Beach ID TX728060)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2501BC_03	Surfside (Beach ID TX647885)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2501BC_04	Bryan Beach (Beach ID TX384318)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2501BO	Boca Chica State Park (Recreational Beaches)	Boca Chica State Park (Recreational Beaches)	Recreational Beaches	2501BO_01	Boca Chica State Park (Beach ID TX714667)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2501BP	Bolivar Peninsula (Recreational Beaches)	Bolivar Peninsula (Recreational Beaches)	Recreational Beaches	2501BP_01	Crystal Beach - Tideland subdivision to Seagrass Beach community (Beach ID TX236175)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2501BP_02	Crystal Beach - Gulf Shores Dr. to Tideland subdivision (Beach ID TX392019)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2501BP_03	Crystal Beach - Beacon Bayou to Rancho Carribe subdivision (Beach ID TX426780)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2501BP_04	Crystal Beach - Rancho Carribe subdivision to Freshwater Bayou (Beach ID TX669225)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2501BP_05	Crystal Beach - Freshwater Bayou to Gulf Shores Dr. (Beach ID TX860495)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2501BP_07	Port Bolivar - Western end to Beacon Bayou (Beach ID TX832087)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2501GB	Galveston Stewart Beach (Recreational Beaches)	Galveston Stewart Beach (Recreational Beaches)	Recreational Beaches	2501GB_01	Stewart Beach (Beach ID TX451421)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2501GE	Galveston Apffel Park (Recreational Beaches)	Galveston Apffel Park (Recreational Beaches)	Recreational Beaches	2501GE_01	Apffel Park (Beach ID TX327206)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2501GU	Galveston Seawall (Recreational Beaches)	Galveston Seawall (Recreational Beaches)	Recreational Beaches	2501GU_01	27th St. to Fort Crockett (Beach ID TX214299)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2501GU_02	Fort Crockett to 61st St. (Beach ID TX486021)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2501GU_03	12th to 27th Streets (Beach ID TX710697)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2501GW	Galveston Island West End (Recreational Beaches)	Galveston Island West End (Recreational Beaches)	Recreational Beaches	2501GW_01	Spanish Grant/Bermuda Beach (Beach ID TX163187)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2501GW_02	Galveston Island State Park (Beach ID TX334226)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2501GW_03	Dellanera Park (Beach ID TX393353)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2501GW_04	Pirates Beach (Beach ID TX751320)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2501GW_05	Sea Isle (Beach ID TX767833)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2501GW_06	San Luis Pass (Beach ID TX822495)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2501GW_07	Jamaica Beach (Beach ID TX974690)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2501GW_08	Indian Beach (Beach ID TX239942)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2501MC	Matagorda County Beaches (Recreational Beaches)	Matagorda County Beaches (Recreational Beaches)	Recreational Beaches	2501MC_01	East Matagorda Peninsula (Beach ID TX 756029)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2501MC_02	Sargent Beach (Beach ID TX 455545)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2501MF	McFaddin National Wildlife Refuge (Recreational Beaches)	McFaddin National Wildlife Refuge (Recreational Beaches)	Recreational Beaches	2501MF_01	McFaddin NWR (Beach ID TX831676)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2501MI	Mustang Island (Recreational Beaches)	Mustang Island (Recreational Beaches)	Recreational Beaches	2501MI_01	Mustang Island State Park - Beach Access Road 2 to Beach Access Road 3 (Beach ID TX551380)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2501MI_02	Mustang Island - Beach Access Road 1 to Beach Access Road 2 (Beach ID TX396020)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2501MI_03	JP Luby Park - Beach Access Road 3 to Packery Channel (Beach ID TX607336)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2501NP	North Padre Island (Recreational Beaches)	North Padre Island (Recreational Beaches)	Recreational Beaches	2501NP_01	Padre Balli Park - Packery Channel to Beach Access Road 6 (Beach ID TX314643)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2501PA	Port Aransas (Recreational Beaches)	Port Aransas (Recreational Beaches)	Recreational Beaches	2501PA_01	Port Aransas - Jetty to Avenue G (Beach ID TX315916)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2501PA_02	Port Aransas - Avenue G to Beach Access Road 1 (Beach ID TX722300)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2501RP	Rollover Pass (Recreational Beaches)	Rollover Pass (Recreational Beaches)	Recreational Beaches	2501RP_01	Rollover Pass East (Beach ID TX284256)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2501RP_02	Rollover Pass west to Gordon Dr. (Beach ID TX341767)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2501SP	South Padre Island (Recreational Beaches)	South Padre Island (Recreational Beaches)	Recreational Beaches	2501SP_01	Town of South Padre Island (Beach ID TX868582)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2501SP_02	Access Point #4 (Beach ID TX282282)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2501SP_03	Access Point #6 (Beach ID TX810590)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2501SP_04	Isla Blanca Park (Beach ID TX137781)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2501SP_05	Atwood Park (Beach ID TX841900)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2501SP_06	Children's Beach (Beach ID TX812731)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2501SP_07	Park Road 100 Bay Access #2 (Beach ID TX229010)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations

Draft 2024 Texas Integrated Report - Waterbodies Evaluated

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2501SP	South Padre Island (Recreational Beaches)	South Padre Island (Recreational Beaches)	Recreational Beaches	2501SP_08	Andy Bowie Park (Beach ID TX967170)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations
				2501SP_09	Access Point #3 (Beach ID TX147297)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations

Seg ID	Seg Name	Segment Description	Segment Type	AU ID	AU Description	Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	Station ID(s)
2501SR	Sea Rim State Park (Recreational Beaches)	Sea Rim State Park (Recreational Beaches)	Recreational Beaches	2501SR_01	Sea Rim State Park (Beach ID TX095025)	Recreational Beaches	Water body description	High	Presumption from flow type	No Stations