

Segment ID: 1911 Water body name: Upper San Antonio River

Freshwater Stream

San Antonio River Basin

Total size:

85 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

## Aquatic Life Use

2002	Dissolved Oxygen grab average	No Concern	From 2 miles downstream of confluence with Medina River to confluence	2	70	0	
2002	Dissolved Oxygen grab average	No Concern	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3	74	0	
2002	Dissolved Oxygen grab average	No Concern	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15	44	0	
2002	Dissolved Oxygen grab average	No Concern	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10	97	0	
2002	Dissolved Oxygen grab average	No Concern	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17	160	0	
2002	Dissolved Oxygen grab average	No Concern	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10	44	0	
2002	Dissolved Oxygen grab average	No Concern	From confluence with Salado Creek to confluence with Sixmile Creek	5	84	0	
2002	Dissolved Oxygen grab average	No Concern	From confluence with Sixmile Creek to confluence with San Pedro Creek	6	28	0	
2002	Dissolved Oxygen grab average	No Concern	From the confluence with the Medina River to 3 miles upstream	3	27	0	
2002	Dissolved Oxygen grab average	No Concern	Lower 6 miles of segment	6	89	1	
2002	Dissolved Oxygen grab average	No Concern	Upper 8 miles of segment	8	202	3	
2002	Dissolved Oxygen grab minimum	Fully Supporting	From 2 miles downstream of confluence with Medina River to confluence	2	70	0	
2002	Dissolved Oxygen grab minimum	Fully Supporting	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3	74	0	
2002	Dissolved Oxygen grab minimum	Fully Supporting	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15	44	0	
2002	Dissolved Oxygen grab minimum	Fully Supporting	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10	97	0	
2002	Dissolved Oxygen grab minimum	Fully Supporting	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17	160	0	

**Segment ID: 1911**      **Water body name: Upper San Antonio River**

Freshwater Stream

San Antonio River Basin

Total size:

85 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

**Aquatic Life Use** (continued)

2002	Dissolved Oxygen grab minimum	Fully Supporting	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10	44	0	
2002	Dissolved Oxygen grab minimum	Fully Supporting	From confluence with Salado Creek to confluence with Sixmile Creek	5	84	0	
2002	Dissolved Oxygen grab minimum	Fully Supporting	From confluence with Sixmile Creek to confluence with San Pedro Creek	6	28	0	
2002	Dissolved Oxygen grab minimum	Fully Supporting	From the confluence with the Medina River to 3 miles upstream	3	27	0	
2002	Dissolved Oxygen grab minimum	Fully Supporting	Lower 6 miles of segment	6	89	0	
2002	Dissolved Oxygen grab minimum	Fully Supporting	Upper 8 miles of segment	8	202	3	
2002	Dissolved Oxygen 24hr average	Not Assessed	From 2 miles downstream of confluence with Medina River to confluence	2	0		
2002	Dissolved Oxygen 24hr average	Not Assessed	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3	0		
2002	Dissolved Oxygen 24hr average	Not Assessed	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15	0		
2002	Dissolved Oxygen 24hr average	Not Assessed	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10	0		
2002	Dissolved Oxygen 24hr average	Not Assessed	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17	0		
2002	Dissolved Oxygen 24hr average	Not Assessed	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10	0		
2002	Dissolved Oxygen 24hr average	Not Assessed	From confluence with Salado Creek to confluence with Sixmile Creek	5	0		
2002	Dissolved Oxygen 24hr average	Not Assessed	From confluence with Sixmile Creek to confluence with San Pedro Creek	6	0		
2002	Dissolved Oxygen 24hr average	Not Assessed	From the confluence with the Medina River to 3 miles upstream	3	0		
2002	Dissolved Oxygen 24hr average	Not Assessed	Lower 6 miles of segment	6	0		

**Segment ID:** 1911      **Water body name:** Upper San Antonio River

Freshwater Stream

San Antonio River Basin

Total size:

85 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

**Aquatic Life Use** (continued)

2004	Dissolved Oxygen 24hr average	Not Assess-Not Represent	Upper 8 miles of segment	8	5	0	
2002	Dissolved Oxygen 24hr minimum	Not Assessed	From 2 miles downstream of confluence with Medina River to confluence	2	0		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3	0		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15	0		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10	0		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17	0		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10	0		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	From confluence with Salado Creek to confluence with Sixmile Creek	5	0		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	From confluence with Sixmile Creek to confluence with San Pedro Creek	6	0		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	From the confluence with the Medina River to 3 miles upstream	3	0		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	Lower 6 miles of segment	6	0		
2004	Dissolved Oxygen 24hr minimum	Not Assess-Not Represent	Upper 8 miles of segment	8	5	0	
2002	Acute Metals in water	Not Assessed	From confluence with Salado Creek to confluence with Sixmile Creek	5	1	0	
2002	Acute Metals in water	Not Assessed	From confluence with Sixmile Creek to confluence with San Pedro Creek	6	1		
2002	Acute Metals in water	Not Assessed	From the confluence with the Medina River to 3 miles upstream	3	3	0	

**Segment ID: 1911**      **Water body name: Upper San Antonio River**

Freshwater Stream

San Antonio River Basin

Total size:

85 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

**Aquatic Life Use** (continued)

2002	Acute Metals in water	Not Assessed	Lower 6 miles of segment	6	1		
2002	Acute Metals in water Metals	Not Assessed	Upper 8 miles of segment	8	3		
2002	Acute Metals in water Selenium	Fully Supporting	Upper 8 miles of segment	8	16	0	
2002	Chronic Metals in water	Not Assessed	From confluence with Salado Creek to confluence with Sixmile Creek	5	1		
2002	Chronic Metals in water	Not Assessed	From confluence with Sixmile Creek to confluence with San Pedro Creek	6	1		
2002	Chronic Metals in water	Not Assessed	From the confluence with the Medina River to 3 miles upstream	3	3		
2002	Chronic Metals in water	Not Assessed	Lower 6 miles of segment	6	1		
2002	Chronic Metals in water Metals	Not Assessed	Upper 8 miles of segment	8	3		
2002	Chronic Metals in water Selenium	Fully Supporting	Upper 8 miles of segment	8	16		0.6
2002	Acute Organics in water	Fully Supporting	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10	13		
2002	Chronic Organics in water	Fully Supporting	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10	13		
2002	Chronic Toxicity tests in water	No Concern-Limited Data	From confluence with Salado Creek to confluence with Sixmile Creek	5	4	0	
2002	Chronic Toxicity tests in sediment	Not Assessed	From confluence with Salado Creek to confluence with Sixmile Creek	5	2	0	
2002	Overall Aquatic Life Use	Fully Supporting	From 2 miles downstream of confluence with Medina River to confluence	2			
2002	Overall Aquatic Life Use	Fully Supporting	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3			
2002	Overall Aquatic Life Use	Fully Supporting	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15			

**Segment ID: 1911**      **Water body name: Upper San Antonio River**

Freshwater Stream

San Antonio River Basin

Total size:

85 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

**Aquatic Life Use** (continued)

2002	Overall Aquatic Life Use	Fully Supporting	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10			
2002	Overall Aquatic Life Use	Fully Supporting	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17			
2002	Overall Aquatic Life Use	Fully Supporting	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10			
2002	Overall Aquatic Life Use	Fully Supporting	From confluence with Salado Creek to confluence with Sixmile Creek	5			
2002	Overall Aquatic Life Use	Fully Supporting	From confluence with Sixmile Creek to confluence with San Pedro Creek	6			
2002	Overall Aquatic Life Use	Fully Supporting	From the confluence with the Medina River to 3 miles upstream	3			
2002	Overall Aquatic Life Use	Fully Supporting	Lower 6 miles of segment	6			
2004	Overall Aquatic Life Use	Fully Supporting	Upper 8 miles of segment	8			

**Contact Recreation Use**

2004	E. coli single sample	Use Concern	From 2 miles downstream of confluence with Medina River to confluence	2	13	4	
2004	E. coli single sample	Use Concern-Limited Data	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3	4	2	
2004	E. coli single sample	Not Assessed	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15	0		
2004	E. coli single sample	Not Assessed	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10	0		
2004	E. coli single sample	Fully Supporting	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17	11	2	
2004	E. coli single sample	Not Assessed	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10	0		
2004	E. coli single sample	Fully Supporting	From confluence with Salado Creek to confluence with Sixmile Creek	5	12	2	

**Segment ID:** 1911      **Water body name:** Upper San Antonio River

Freshwater Stream

San Antonio River Basin

Total size:

85 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

**Contact Recreation Use** (continued)

2004	E. coli single sample	Fully Supporting	From confluence with Sixmile Creek to confluence with San Pedro Creek	6	12	1	
2004	E. coli single sample	Fully Supporting	From the confluence with the Medina River to 3 miles upstream	3	21	5	
2004	E. coli single sample	Fully Supporting	Lower 6 miles of segment	6	11	0	
2004	E. coli single sample	Not Supporting	Upper 8 miles of segment	8	46	20	
2004	E. coli geometric mean	Fully Supporting	From 2 miles downstream of confluence with Medina River to confluence	2	13		97
2004	E. coli geometric mean	Use Concern-Limited Data	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3	4		242
2004	E. coli geometric mean	Not Assessed	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15	0		
2004	E. coli geometric mean	Not Assessed	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10	0		
2004	E. coli geometric mean	Not Supporting	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17	11		191
2004	E. coli geometric mean	Not Assessed	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10	0		
2004	E. coli geometric mean	Fully Supporting	From confluence with Salado Creek to confluence with Sixmile Creek	5	12		56
2004	E. coli geometric mean	Not Supporting	From confluence with Sixmile Creek to confluence with San Pedro Creek	6	12		219
2004	E. coli geometric mean	Fully Supporting	From the confluence with the Medina River to 3 miles upstream	3	21		106
2004	E. coli geometric mean	Fully Supporting	Lower 6 miles of segment	6	11		79
2004	E. coli geometric mean	Not Supporting	Upper 8 miles of segment	8	46		306
2004	Fecal coliform single sample	Not Assess-Not Represent	From 2 miles downstream of confluence with Medina River to confluence	2	13	4	

Segment ID: 1911 Water body name: Upper San Antonio River

Freshwater Stream

San Antonio River Basin

Total size:

85 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

## Contact Recreation Use (continued)

2004	Fecal coliform single sample	Use Concern-Limited Data	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3	5	3	
2004	Fecal coliform single sample	Fully Supporting	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15	10	2	
2004	Fecal coliform single sample	Not Supporting	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10	10	5	
2004	Fecal coliform single sample	Not Assess-Not Represent	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17	11	3	
2004	Fecal coliform single sample	Fully Supporting	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10	17	2	
2004	Fecal coliform single sample	Not Assess-Not Represent	From confluence with Salado Creek to confluence with Sixmile Creek	5	12	2	
2004	Fecal coliform single sample	Not Assess-Not Represent	From confluence with Sixmile Creek to confluence with San Pedro Creek	6	12	6	
2004	Fecal coliform single sample	Not Assess-Not Represent	From the confluence with the Medina River to 3 miles upstream	3	21	6	
2004	Fecal coliform single sample	Not Assess-Not Represent	Lower 6 miles of segment	6	11	2	
2004	Fecal coliform single sample	Not Assess-Not Represent	Upper 8 miles of segment	8	47	29	
2004	Fecal coliform geometric mean	Not Assess-Not Represent	From 2 miles downstream of confluence with Medina River to confluence	2	13		164
2004	Fecal coliform geometric mean	Use Concern-Limited Data	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3	5		821
2004	Fecal coliform geometric mean	Fully Supporting	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15	10		194
2004	Fecal coliform geometric mean	Not Supporting	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10	10		475
2004	Fecal coliform geometric mean	Not Assess-Not Represent	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17	11		325

Segment ID: 1911 Water body name: Upper San Antonio River

Freshwater Stream

San Antonio River Basin

Total size:

85 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

**Contact Recreation Use** (continued)

2004	Fecal coliform geometric mean	Fully Supporting	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10	17		121
2004	Fecal coliform geometric mean	Not Assess-Not Represent	From confluence with Salado Creek to confluence with Sixmile Creek	5	12		91
2004	Fecal coliform geometric mean	Not Assess-Not Represent	From confluence with Sixmile Creek to confluence with San Pedro Creek	6	12		406
2004	Fecal coliform geometric mean	Not Assess-Not Represent	From the confluence with the Medina River to 3 miles upstream	3	21		214
2004	Fecal coliform geometric mean	Not Assess-Not Represent	Lower 6 miles of segment	6	11		170
2004	Fecal coliform geometric mean	Not Assess-Not Represent	Upper 8 miles of segment	8	47		671
2004	Overall Recreation Use	Fully Supporting	From 2 miles downstream of confluence with Medina River to confluence	2			
2004	Overall Recreation Use	Not Assessed	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3			
2004	Overall Recreation Use	Fully Supporting	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15			
2004	Overall Recreation Use	Not Supporting	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10			
2004	Overall Recreation Use	Not Supporting	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17			
2004	Overall Recreation Use	Fully Supporting	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10			
2004	Overall Recreation Use	Fully Supporting	From confluence with Salado Creek to confluence with Sixmile Creek	5			
2004	Overall Recreation Use	Not Supporting	From confluence with Sixmile Creek to confluence with San Pedro Creek	6			
2004	Overall Recreation Use	Fully Supporting	From the confluence with the Medina River to 3 miles upstream	3			

Segment ID: 1911 Water body name: Upper San Antonio River

Freshwater Stream

San Antonio River Basin

Total size:

85 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

**Contact Recreation Use** (continued)

2004	Overall Recreation Use	Fully Supporting	Lower 6 miles of segment	6			
2004	Overall Recreation Use	Not Supporting	Upper 8 miles of segment	8			

**General Use**

2002	Water Temperature	Fully Supporting	From 2 miles downstream of confluence with Medina River to confluence	2	70	0	
2002	Water Temperature	Fully Supporting	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3	74	3	
2002	Water Temperature	Fully Supporting	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15	44	0	
2002	Water Temperature	Fully Supporting	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10	99	0	
2002	Water Temperature	Fully Supporting	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17	160	0	
2002	Water Temperature	Fully Supporting	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10	44	0	
2002	Water Temperature	Fully Supporting	From confluence with Salado Creek to confluence with Sixmile Creek	5	58	2	
2002	Water Temperature	Fully Supporting	From confluence with Sixmile Creek to confluence with San Pedro Creek	6	27	0	
2002	Water Temperature	Fully Supporting	From the confluence with the Medina River to 3 miles upstream	3	29	0	
2002	Water Temperature	Fully Supporting	Lower 6 miles of segment	6	91	4	
2002	Water Temperature	Fully Supporting	Upper 8 miles of segment	8	211	0	
2002	pH	Fully Supporting	From 2 miles downstream of confluence with Medina River to confluence	2	63	0	
2002	pH	Fully Supporting	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3	67	0	
2002	pH	Fully Supporting	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15	38	0	

**Segment ID:** 1911      **Water body name:** Upper San Antonio River

Freshwater Stream

San Antonio River Basin

Total size:

85 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

**General Use** (continued)

2002	pH	Fully Supporting	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10	92	1	
2002	pH	Fully Supporting	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17	134	0	
2002	pH	Fully Supporting	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10	36	0	
2002	pH	Fully Supporting	From confluence with Salado Creek to confluence with Sixmile Creek	5	51	0	
2002	pH	Fully Supporting	From confluence with Sixmile Creek to confluence with San Pedro Creek	6	18	0	
2002	pH	Fully Supporting	From the confluence with the Medina River to 3 miles upstream	3	29	0	
2002	pH	Fully Supporting	Lower 6 miles of segment	6	81	0	
2002	pH	Fully Supporting	Upper 8 miles of segment	8	192	0	
2002	Chloride	Fully Supporting	From 2 miles downstream of confluence with Medina River to confluence	2	405		71.4
2002	Chloride	Fully Supporting	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3	405		71.4
2002	Chloride	Fully Supporting	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15	405		71.4
2002	Chloride	Fully Supporting	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10	405		71.4
2002	Chloride	Fully Supporting	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17	405		71.4
2002	Chloride	Fully Supporting	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10	405		71.4
2002	Chloride	Fully Supporting	From confluence with Salado Creek to confluence with Sixmile Creek	5	405		71.4
2002	Chloride	Fully Supporting	From confluence with Sixmile Creek to confluence with San Pedro Creek	6	405		71.4

**Segment ID: 1911**      **Water body name: Upper San Antonio River**

Freshwater Stream

San Antonio River Basin

Total size:

85 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

**General Use** (continued)

2002	Chloride	Fully Supporting	From the confluence with the Medina River to 3 miles upstream	3	405		71.4
2002	Chloride	Fully Supporting	Lower 6 miles of segment	6	405		71.4
2002	Chloride	Fully Supporting	Upper 8 miles of segment	8	405		71.4
2002	Sulfate	Fully Supporting	From 2 miles downstream of confluence with Medina River to confluence	2	407		56.8
2002	Sulfate	Fully Supporting	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3	407		56.8
2002	Sulfate	Fully Supporting	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15	407		56.8
2002	Sulfate	Fully Supporting	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10	407		56.8
2002	Sulfate	Fully Supporting	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17	407		56.8
2002	Sulfate	Fully Supporting	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10	407		56.8
2002	Sulfate	Fully Supporting	From confluence with Salado Creek to confluence with Sixmile Creek	5	407		56.8
2002	Sulfate	Fully Supporting	From confluence with Sixmile Creek to confluence with San Pedro Creek	6	407		56.8
2002	Sulfate	Fully Supporting	From the confluence with the Medina River to 3 miles upstream	3	407		56.8
2002	Sulfate	Fully Supporting	Lower 6 miles of segment	6	407		56.8
2002	Sulfate	Fully Supporting	Upper 8 miles of segment	8	407		56.8
2002	Total Dissolved Solids	Fully Supporting	From 2 miles downstream of confluence with Medina River to confluence	2	989		457.5
2002	Total Dissolved Solids	Fully Supporting	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3	989		457.5

**Segment ID: 1911**      **Water body name: Upper San Antonio River**

Freshwater Stream

San Antonio River Basin

Total size:

85 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

**General Use** (continued)

2002	Total Dissolved Solids	Fully Supporting	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15	989		457.5
2002	Total Dissolved Solids	Fully Supporting	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10	989		457.5
2002	Total Dissolved Solids	Fully Supporting	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17	989		457.5
2002	Total Dissolved Solids	Fully Supporting	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10	989		457.5
2002	Total Dissolved Solids	Fully Supporting	From confluence with Salado Creek to confluence with Sixmile Creek	5	989		457.5
2002	Total Dissolved Solids	Fully Supporting	From confluence with Sixmile Creek to confluence with San Pedro Creek	6	989		457.5
2002	Total Dissolved Solids	Fully Supporting	From the confluence with the Medina River to 3 miles upstream	3	989		457.5
2002	Total Dissolved Solids	Fully Supporting	Lower 6 miles of segment	6	989		457.5
2002	Total Dissolved Solids	Fully Supporting	Upper 8 miles of segment	8	989		457.5
2002	Overall General Use	Fully Supporting	From 2 miles downstream of confluence with Medina River to confluence	2			
2002	Overall General Use	Fully Supporting	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3			
2002	Overall General Use	Fully Supporting	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15			
2002	Overall General Use	Fully Supporting	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10			
2002	Overall General Use	Fully Supporting	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17			
2002	Overall General Use	Fully Supporting	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10			
2002	Overall General Use	Fully Supporting	From confluence with Salado Creek to confluence with Sixmile Creek	5			

**Segment ID:** 1911      **Water body name:** Upper San Antonio River

Freshwater Stream

San Antonio River Basin

Total size:

85 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

**General Use** (continued)

2002	Overall General Use	Fully Supporting	From confluence with Sixmile Creek to confluence with San Pedro Creek	6			
2002	Overall General Use	Fully Supporting	From the confluence with the Medina River to 3 miles upstream	3			
2002	Overall General Use	Fully Supporting	Lower 6 miles of segment	6			
2002	Overall General Use	Fully Supporting	Upper 8 miles of segment	8			

**Fish Consumption Use**

2002	Human Health Criteria Metals	Not Assessed	From confluence with Salado Creek to confluence with Sixmile Creek	5	1		
2002	Human Health Criteria Metals	Not Assessed	From confluence with Sixmile Creek to confluence with San Pedro Creek	6	1		
2002	Human Health Criteria Metals	Not Assessed	From the confluence with the Medina River to 3 miles upstream	3	3		
2002	Human Health Criteria Metals	Not Assessed	Upper 8 miles of segment	8	3		
2002	Human Health Criteria Organics	Fully Supporting	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10	13		
2002	Overall Fish Consumption Use	Not Assessed	From 2 miles downstream of confluence with Medina River to confluence	2			
2002	Overall Fish Consumption Use	Not Assessed	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3			
2002	Overall Fish Consumption Use	Not Assessed	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15			
2002	Overall Fish Consumption Use	Fully Supporting	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10			
2002	Overall Fish Consumption Use	Not Assessed	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17			
2002	Overall Fish Consumption Use	Not Assessed	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10			

**Segment ID:** 1911      **Water body name:** Upper San Antonio River

Freshwater Stream

San Antonio River Basin

Total size:

85 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

**Fish Consumption Use** (continued)

2002	Overall Fish Consumption Use	Not Assessed	From confluence with Salado Creek to confluence with Sixmile Creek	5			
2002	Overall Fish Consumption Use	Not Assessed	From confluence with Sixmile Creek to confluence with San Pedro Creek	6			
2002	Overall Fish Consumption Use	Not Assessed	From the confluence with the Medina River to 3 miles upstream	3			
2002	Overall Fish Consumption Use	Not Assessed	Lower 6 miles of segment	6			
2002	Overall Fish Consumption Use	Not Assessed	Upper 8 miles of segment	8			

**Overall Use Support**

2004		Fully Supporting	From 2 miles downstream of confluence with Medina River to confluence	2			
2004		Fully Supporting	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3			
2004		Fully Supporting	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15			
2004		Not Supporting	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10			
2004		Not Supporting	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17			
2004		Fully Supporting	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10			
2004		Fully Supporting	From confluence with Salado Creek to confluence with Sixmile Creek	5			
2004		Not Supporting	From confluence with Sixmile Creek to confluence with San Pedro Creek	6			
2004		Fully Supporting	From the confluence with the Medina River to 3 miles upstream	3			
2004		Fully Supporting	Lower 6 miles of segment	6			
2004		Not Supporting	Upper 8 miles of segment	8			

Segment ID: 1911 Water body name: Upper San Antonio River

Freshwater Stream

San Antonio River Basin

Total size:

85 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

**Nutrient Enrichment Concern**

2002	Ammonia Nitrogen	No Concern	From 2 miles downstream of confluence with Medina River to confluence	2	18	2	
2002	Ammonia Nitrogen	No Concern	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3	14	1	
2002	Ammonia Nitrogen	No Concern	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15	15	0	
2002	Ammonia Nitrogen	No Concern	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10	81	9	
2002	Ammonia Nitrogen	No Concern	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17	46	2	
2002	Ammonia Nitrogen	No Concern	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10	14	0	
2002	Ammonia Nitrogen	No Concern	From confluence with Salado Creek to confluence with Sixmile Creek	5	40	0	
2002	Ammonia Nitrogen	No Concern	From confluence with Sixmile Creek to confluence with San Pedro Creek	6	17	0	
2002	Ammonia Nitrogen	Concern	From the confluence with the Medina River to 3 miles upstream	3	15	15	
2002	Ammonia Nitrogen	No Concern	Lower 6 miles of segment	6	23	1	
2002	Ammonia Nitrogen	No Concern	Upper 8 miles of segment	8	86	4	
2002	Nitrite + Nitrate Nitrogen	Concern	From 2 miles downstream of confluence with Medina River to confluence	2	19	18	
2002	Nitrite + Nitrate Nitrogen	Concern	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3	15	5	
2002	Nitrite + Nitrate Nitrogen	Concern	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15	16	14	
2002	Nitrite + Nitrate Nitrogen	Concern	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10	80	75	
2002	Nitrite + Nitrate Nitrogen	Concern	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17	49	45	

Segment ID: 1911 Water body name: Upper San Antonio River

Freshwater Stream

San Antonio River Basin

Total size:

85 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

## Nutrient Enrichment Concern (continued)

2002	Nitrite + Nitrate Nitrogen	Concern	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10	15	14	
2002	Nitrite + Nitrate Nitrogen	No Concern	From confluence with Salado Creek to confluence with Sixmile Creek	5	38	0	
2002	Nitrite + Nitrate Nitrogen	No Concern	From confluence with Sixmile Creek to confluence with San Pedro Creek	6	18	1	
2002	Nitrite + Nitrate Nitrogen	Concern	From the confluence with the Medina River to 3 miles upstream	3	16	15	
2002	Nitrite + Nitrate Nitrogen	Concern	Lower 6 miles of segment	6	23	19	
2002	Nitrite + Nitrate Nitrogen	No Concern	Upper 8 miles of segment	8	88	8	
2002	Orthophosphorus	Concern	From 2 miles downstream of confluence with Medina River to confluence	2	19	17	
2002	Orthophosphorus	No Concern	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3	15	4	
2002	Orthophosphorus	Concern	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15	16	13	
2002	Orthophosphorus	Concern	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10	74	59	
2002	Orthophosphorus	Concern	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17	50	43	
2002	Orthophosphorus	Concern	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10	15	13	
2002	Orthophosphorus	No Concern	From confluence with Salado Creek to confluence with Sixmile Creek	5	29	0	
2002	Orthophosphorus	No Concern	From confluence with Sixmile Creek to confluence with San Pedro Creek	6	17	0	
2002	Orthophosphorus	Concern	From the confluence with the Medina River to 3 miles upstream	3	16	13	
2002	Orthophosphorus	Concern	Lower 6 miles of segment	6	21	14	
2002	Orthophosphorus	No Concern	Upper 8 miles of segment	8	68	0	

**Segment ID: 1911**      **Water body name: Upper San Antonio River**

Freshwater Stream

San Antonio River Basin

Total size:

85 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

**Nutrient Enrichment Concern** (continued)

2002	Total Phosphorus	Concern	From 2 miles downstream of confluence with Medina River to confluence	2	20	18	
2002	Total Phosphorus	No Concern	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3	16	4	
2002	Total Phosphorus	Concern	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15	16	15	
2002	Total Phosphorus	Concern	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10	80	69	
2002	Total Phosphorus	Concern	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17	49	46	
2002	Total Phosphorus	Concern	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10	14	14	
2002	Total Phosphorus	No Concern	From confluence with Salado Creek to confluence with Sixmile Creek	5	38	3	
2002	Total Phosphorus	No Concern	From confluence with Sixmile Creek to confluence with San Pedro Creek	6	20	0	
2002	Total Phosphorus	Concern	From the confluence with the Medina River to 3 miles upstream	3	16	10	
2002	Total Phosphorus	Concern	Lower 6 miles of segment	6	25	19	
2002	Total Phosphorus	No Concern	Upper 8 miles of segment	8	88	3	
2002	Overall Nutrient Enrichment Concerns	Concern	From 2 miles downstream of confluence with Medina River to confluence	2			
2002	Overall Nutrient Enrichment Concerns	Concern	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3			
2002	Overall Nutrient Enrichment Concerns	Concern	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15			
2002	Overall Nutrient Enrichment Concerns	Concern	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10			
2002	Overall Nutrient Enrichment Concerns	Concern	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17			

Segment ID: 1911 Water body name: Upper San Antonio River

Freshwater Stream

San Antonio River Basin

Total size:

85 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

**Nutrient Enrichment Concern** (continued)

2002	Overall Nutrient Enrichment Concerns	Concern	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10			
2002	Overall Nutrient Enrichment Concerns	No Concern	From confluence with Salado Creek to confluence with Sixmile Creek	5			
2002	Overall Nutrient Enrichment Concerns	No Concern	From confluence with Sixmile Creek to confluence with San Pedro Creek	6			
2002	Overall Nutrient Enrichment Concerns	Concern	From the confluence with the Medina River to 3 miles upstream	3			
2002	Overall Nutrient Enrichment Concerns	Concern	Lower 6 miles of segment	6			
2002	Overall Nutrient Enrichment Concerns	No Concern	Upper 8 miles of segment	8			

**Algal Growth Concern**

2002	Chlorophyll a	Not Assessed	From 2 miles downstream of confluence with Medina River to confluence	2	2	0	
2002	Chlorophyll a	Not Assessed	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3	2	0	
2002	Chlorophyll a	Not Assessed	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15	1	0	
2002	Chlorophyll a	Not Assessed	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10	0		
2002	Chlorophyll a	Not Assessed	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17	2	0	
2002	Chlorophyll a	Not Assessed	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10	1	0	
2002	Chlorophyll a	Not Assessed	From confluence with Salado Creek to confluence with Sixmile Creek	5	5	0	
2002	Chlorophyll a	Not Assessed	From confluence with Sixmile Creek to confluence with San Pedro Creek	6	7	2	

**Segment ID:** 1911      **Water body name:** Upper San Antonio River

Freshwater Stream

San Antonio River Basin

Total size:

85 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

**Algal Growth Concern** (continued)

2002	Chlorophyll a	Not Assessed	From the confluence with the Medina River to 3 miles upstream	3	5	0	
2002	Chlorophyll a	Not Assessed	Lower 6 miles of segment	6	3	1	
2002	Chlorophyll a	No Concern	Upper 8 miles of segment	8	10	1	

**Sediment Contaminants Concern**

2002	Metals in sediment Chromium	Not Assessed	From 2 miles downstream of confluence with Medina River to confluence	2	2	1	
2002	Metals in sediment Chromium	Not Assessed	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3	2	1	
2002	Metals in sediment Chromium	Not Assessed	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15	2	1	
2002	Metals in sediment Chromium	Not Assessed	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10	2	1	
2002	Metals in sediment Chromium	Not Assessed	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17	2	1	
2002	Metals in sediment Chromium	Not Assessed	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10	2	1	
2002	Metals in sediment Chromium	Not Assessed	From confluence with Salado Creek to confluence with Sixmile Creek	5	2	1	
2002	Metals in sediment Chromium	Not Assessed	From confluence with Sixmile Creek to confluence with San Pedro Creek	6	2	1	
2002	Metals in sediment Chromium	Not Assessed	From the confluence with the Medina River to 3 miles upstream	3	2	1	
2002	Metals in sediment Chromium	Not Assessed	Lower 6 miles of segment	6	2	1	
2002	Metals in sediment Chromium	Not Assessed	Upper 8 miles of segment	8	2	1	
2002	Metals in sediment Lead	Not Assessed	From 2 miles downstream of confluence with Medina River to confluence	2	2	2	
2002	Metals in sediment Lead	Not Assessed	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3	2	2	

**Segment ID:** 1911      **Water body name:** Upper San Antonio River

Freshwater Stream

San Antonio River Basin

Total size:

85 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

**Sediment Contaminants Concern** (continued)

2002	Metals in sediment Lead	Not Assessed	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15	2	2	
2002	Metals in sediment Lead	Not Assessed	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10	2	2	
2002	Metals in sediment Lead	Not Assessed	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17	2	2	
2002	Metals in sediment Lead	Not Assessed	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10	2	2	
2002	Metals in sediment Lead	Not Assessed	From confluence with Salado Creek to confluence with Sixmile Creek	5	2	2	
2002	Metals in sediment Lead	Not Assessed	From confluence with Sixmile Creek to confluence with San Pedro Creek	6	2	2	
2002	Metals in sediment Lead	Not Assessed	From the confluence with the Medina River to 3 miles upstream	3	2	2	
2002	Metals in sediment Lead	Not Assessed	Lower 6 miles of segment	6	2	2	
2002	Metals in sediment Lead	Not Assessed	Upper 8 miles of segment	8	2	2	
2002	Metals in sediment Metals	Not Assessed	From 2 miles downstream of confluence with Medina River to confluence	2	2	0	
2002	Metals in sediment Metals	Not Assessed	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3	2	0	
2002	Metals in sediment Metals	Not Assessed	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15	2	0	
2002	Metals in sediment Metals	Not Assessed	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10	2	0	
2002	Metals in sediment Metals	Not Assessed	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17	2	0	
2002	Metals in sediment Metals	Not Assessed	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10	2	0	
2002	Metals in sediment Metals	Not Assessed	From confluence with Salado Creek to confluence with Sixmile Creek	5	2	0	

Segment ID: 1911 Water body name: Upper San Antonio River

Freshwater Stream

San Antonio River Basin

Total size:

85 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

**Sediment Contaminants Concern** (continued)

2002	Metals in sediment Metals	Not Assessed	From confluence with Sixmile Creek to confluence with San Pedro Creek	6	2	0	
2002	Metals in sediment Metals	Not Assessed	From the confluence with the Medina River to 3 miles upstream	3	2	0	
2002	Metals in sediment Metals	Not Assessed	Lower 6 miles of segment	6	2	0	
2002	Metals in sediment Metals	Not Assessed	Upper 8 miles of segment	8	2	0	
2002	Metals in sediment Selenium	Not Assessed	From 2 miles downstream of confluence with Medina River to confluence	2	2	1	
2002	Metals in sediment Selenium	Not Assessed	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3	2	1	
2002	Metals in sediment Selenium	Not Assessed	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15	2	1	
2002	Metals in sediment Selenium	Not Assessed	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10	2	1	
2002	Metals in sediment Selenium	Not Assessed	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17	2	1	
2002	Metals in sediment Selenium	Not Assessed	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10	2	1	
2002	Metals in sediment Selenium	Not Assessed	From confluence with Salado Creek to confluence with Sixmile Creek	5	2	1	
2002	Metals in sediment Selenium	Not Assessed	From confluence with Sixmile Creek to confluence with San Pedro Creek	6	2	1	
2002	Metals in sediment Selenium	Not Assessed	From the confluence with the Medina River to 3 miles upstream	3	2	1	
2002	Metals in sediment Selenium	Not Assessed	Lower 6 miles of segment	6	2	1	
2002	Metals in sediment Selenium	Not Assessed	Upper 8 miles of segment	8	2	1	
2002	Metals in sediment Zinc	Not Assessed	From 2 miles downstream of confluence with Medina River to confluence	2	2	2	
2002	Metals in sediment Zinc	Not Assessed	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3	2	2	

**Segment ID:** 1911      **Water body name:** Upper San Antonio River

Freshwater Stream

San Antonio River Basin

Total size:

85 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

**Sediment Contaminants Concern** (continued)

2002	Metals in sediment Zinc	Not Assessed	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15	2	2	
2002	Metals in sediment Zinc	Not Assessed	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10	2	2	
2002	Metals in sediment Zinc	Not Assessed	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17	2	2	
2002	Metals in sediment Zinc	Not Assessed	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10	2	2	
2002	Metals in sediment Zinc	Not Assessed	From confluence with Salado Creek to confluence with Sixmile Creek	5	2	2	
2002	Metals in sediment Zinc	Not Assessed	From confluence with Sixmile Creek to confluence with San Pedro Creek	6	2	2	
2002	Metals in sediment Zinc	Not Assessed	From the confluence with the Medina River to 3 miles upstream	3	2	2	
2002	Metals in sediment Zinc	Not Assessed	Lower 6 miles of segment	6	2	1	
2002	Metals in sediment Zinc	Not Assessed	Upper 8 miles of segment	8	2	2	
2002	Organics in sediment Chloromethane	Not Assessed	From 2 miles downstream of confluence with Medina River to confluence	2	2	1	
2002	Organics in sediment Chloromethane	Not Assessed	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3	2	1	
2002	Organics in sediment Chloromethane	Not Assessed	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15	2	1	
2002	Organics in sediment Chloromethane	Not Assessed	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10	2	1	
2002	Organics in sediment Chloromethane	Not Assessed	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17	2	1	
2002	Organics in sediment Chloromethane	Not Assessed	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10	2	1	
2002	Organics in sediment Chloromethane	Not Assessed	From confluence with Salado Creek to confluence with Sixmile Creek	5	2	1	

Segment ID: 1911 Water body name: Upper San Antonio River

Freshwater Stream

San Antonio River Basin

Total size:

85 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

Sediment Contaminants Concern (continued)

2002	Organics in sediment Chloromethane	Not Assessed	From confluence with Sixmile Creek to confluence with San Pedro Creek	6	2	1	
2002	Organics in sediment Chloromethane	Not Assessed	From the confluence with the Medina River to 3 miles upstream	3	2	1	
2002	Organics in sediment Chloromethane	Not Assessed	Lower 6 miles of segment	6	2	1	
2002	Organics in sediment Chloromethane	Not Assessed	Upper 8 miles of segment	8	2	1	
2002	Organics in sediment Organics	Not Assessed	From 2 miles downstream of confluence with Medina River to confluence	2	2	0	
2002	Organics in sediment Organics	Not Assessed	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3	2	0	
2002	Organics in sediment Organics	Not Assessed	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15	2	0	
2002	Organics in sediment Organics	Not Assessed	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10	2	0	
2002	Organics in sediment Organics	Not Assessed	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17	2	0	
2002	Organics in sediment Organics	Not Assessed	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10	2	0	
2002	Organics in sediment Organics	Not Assessed	From confluence with Salado Creek to confluence with Sixmile Creek	5	2	0	
2002	Organics in sediment Organics	Not Assessed	From confluence with Sixmile Creek to confluence with San Pedro Creek	6	2	0	
2002	Organics in sediment Organics	Not Assessed	From the confluence with the Medina River to 3 miles upstream	3	2	0	
2002	Organics in sediment Organics	Not Assessed	Lower 6 miles of segment	6	2	0	
2002	Organics in sediment Organics	Not Assessed	Upper 8 miles of segment	8	2	0	
2002	Overall Sediment Contaminant Concerns	Not Assessed	From 2 miles downstream of confluence with Medina River to confluence	2			

Segment ID: 1911 Water body name: Upper San Antonio River

Freshwater Stream

San Antonio River Basin

Total size:

85 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

**Sediment Contaminants Concern** (continued)

2002	Overall Sediment Contaminant Concerns	Not Assessed	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3			
2002	Overall Sediment Contaminant Concerns	Not Assessed	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15			
2002	Overall Sediment Contaminant Concerns	Not Assessed	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10			
2002	Overall Sediment Contaminant Concerns	Not Assessed	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17			
2002	Overall Sediment Contaminant Concerns	Not Assessed	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10			
2002	Overall Sediment Contaminant Concerns	Not Assessed	From confluence with Salado Creek to confluence with Sixmile Creek	5			
2002	Overall Sediment Contaminant Concerns	Not Assessed	From confluence with Sixmile Creek to confluence with San Pedro Creek	6			
2002	Overall Sediment Contaminant Concerns	Not Assessed	From the confluence with the Medina River to 3 miles upstream	3			
2002	Overall Sediment Contaminant Concerns	Not Assessed	Lower 6 miles of segment	6			
2002	Overall Sediment Contaminant Concerns	Not Assessed	Upper 8 miles of segment	8			

**Fish Tissue Contaminants Concern**

2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	From 2 miles downstream of confluence with Medina River to confluence	2			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10			

**Segment ID: 1911**      **Water body name: Upper San Antonio River**

Freshwater Stream

San Antonio River Basin

Total size:

85 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

**Fish Tissue Contaminants Concern** (continued)

2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	From confluence with Salado Creek to confluence with Sixmile Creek	5			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	From confluence with Sixmile Creek to confluence with San Pedro Creek	6			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	From the confluence with the Medina River to 3 miles upstream	3			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	Lower 6 miles of segment	6			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	Upper 8 miles of segment	8			

**Narrative Criteria Concern**

2002	Overall Narrative Criteria Concerns	No Concern	From 2 miles downstream of confluence with Medina River to confluence	2			
2002	Overall Narrative Criteria Concerns	No Concern	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3			
2002	Overall Narrative Criteria Concerns	No Concern	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15			
2002	Overall Narrative Criteria Concerns	No Concern	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10			
2002	Overall Narrative Criteria Concerns	No Concern	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17			
2002	Overall Narrative Criteria Concerns	No Concern	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10			
2002	Overall Narrative Criteria Concerns	No Concern	From confluence with Salado Creek to confluence with Sixmile Creek	5			

Segment ID: 1911 Water body name: Upper San Antonio River

Freshwater Stream

San Antonio River Basin

Total size:

85 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

**Narrative Criteria Concern** (continued)

2002	Overall Narrative Criteria Concerns	No Concern	From confluence with Sixmile Creek to confluence with San Pedro Creek	6			
2002	Overall Narrative Criteria Concerns	No Concern	From the confluence with the Medina River to 3 miles upstream	3			
2002	Overall Narrative Criteria Concerns	No Concern	Lower 6 miles of segment	6			
2002	Overall Narrative Criteria Concerns	No Concern	Upper 8 miles of segment	8			

**Overall Secondary Concern**

2002		Concern	From 2 miles downstream of confluence with Medina River to confluence	2			
2002		Concern	From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr	3			
2002		Concern	From 6 miles upstream of lower end of segment to confluence with Picoso Cr	15			
2002		Concern	From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.	10			
2002		Concern	From approx. 2.5 miles upstream of FM 528 to Bexar CR 125	17			
2002		Concern	From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 528	10			
2002		No Concern	From confluence with Salado Creek to confluence with Sixmile Creek	5			
2002		No Concern	From confluence with Sixmile Creek to confluence with San Pedro Creek	6			
2002		Concern	From the confluence with the Medina River to 3 miles upstream	3			
2002		Concern	Lower 6 miles of segment	6			
2002		No Concern	Upper 8 miles of segment	8			